

Byssinosis: Years of potential life lost to age 65 and to life expectancy by race and sex, U.S. residents age 15 and over, 1996–2005

Year	White		Black		Other		Total
	Male	Female	Male	Female	Male	Female	
Years of Potential Life Lost to Age 65							
1996	5	20	-	-	-	-	25
1997	5	-	-	-	-	-	5
1998	5	-	-	-	-	-	5
1999	30	-	-	-	-	-	30
2000	45	-	-	-	-	-	45
2001	-	-	-	-	-	-	-
2002	20	15	-	-	-	-	35
2003	20	-	-	-	-	-	20
2004	5	-	-	-	-	-	5
2005	-	-	-	5	-	-	5
TOTAL	135	35	-	5	-	-	175
Years of Potential Life Lost to Life Expectancy							
1996	47	88	-	-	-	-	135
1997	85	7	7	-	-	-	99
1998	48	16	-	-	-	-	64
1999	70	40	-	-	-	-	110
2000	124	18	-	-	-	-	142
2001	61	32	-	-	-	-	93
2002	78	55	-	-	-	-	133
2003	79	7	-	8	-	-	94
2004	43	31	6	-	-	-	80
2005	30	29	-	22	-	-	81
TOTAL	665	323	13	30	-	-	1,031

- indicates no deaths listed.

NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data.