

Coal workers' pneumoconiosis: Number of deaths by sex, race, and age, and median age at death, U.S. residents age 15 and over, 1996–2005

Year	No. of Deaths	Underlying Cause (%)	Sex		Race			Age Group (yrs)							Median Age (yrs)	
			Male	Female	White	Black	Other	15–24	25–34	35–44	45–54	55–64	65–74	75–84		85+
1996	1,417	37.8	1,407	10	1,375	39	3	-	-	4	22	51	327	673	340	79
1997	1,297	37.5	1,283	14	1,267	30	-	-	2	7	24	54	266	623	321	80
1998	1,103	38.2	1,093	10	1,066	35	2	-	1	4	15	51	235	503	294	80
1999	1,003	40.9	998	5	971	31	1	-	1	3	10	52	174	459	304	81
2000	950	41.1	940	10	924	25	1	2	1	7	18	42	171	382	327	81
2001	889	41.4	878	11	865	23	1	2	-	8	19	41	159	374	286	81
2002	858	41.3	847	11	837	20	1	1	3	5	18	43	124	370	294	81
2003	773	41.1	765	8	746	26	1	1	3	4	19	48	109	341	248	81
2004	703	41.5	691	12	682	19	2	-	4	10	24	34	101	270	260	81
2005	653	41.3	638	15	636	15	2	3	3	10	27	47	76	259	228	81
TOTAL	9,646	39.9	9,540	106	9,369	263	14	9	18	62	196	463	1,742	4,254	2,902	81

- indicates no deaths listed.

NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.
SOURCE: National Center for Health Statistics multiple cause-of-death data.