

Coal workers' pneumoconiosis: Number of deaths, death rates (per million population), and years of potential life lost (YPLL) by state, U.S. residents age 15 and over, 1996–2005

State	No. of Deaths Rank		Death Rate				YPLL to Life Expectancy			
			Crude	Rank	Age-Adjusted	Rank	Total	Rank	YPLL/death	Rank
Alabama	97	11	2.73	12	2.71	13	991	12	10.2	25
Alaska	1	44	0.21	42	0.68	25	6	49	6.3	49
Arizona	31	24	0.76	24	0.77	24	256	27	8.3	43
Arkansas	39	21	1.83	15	1.67	15	433	21	11.1	19
California	69	16	0.26	37	0.30	37	767	13	11.1	19
Colorado	74	12	2.12	13	2.81	11	708	14	9.6	35
Connecticut	6	36	0.22	40	0.19	43	65	38	10.8	21
Delaware	3	39	0.47	29	0.48	31	30	40	9.9	29
District of Columbia	1	44	0.21	42	0.23	42	9	46	9.0	39
Florida	162	8	1.23	17	0.92	19	1,520	9	9.4	36
Georgia	23	27	0.35	33	0.46	32	275	26	11.9	13
Hawaii	1	44	0.10	47	0.10	46	23	44	22.6	4
Idaho	6	36	0.59	26	0.61	26	84	34	14.0	10
Illinois	208	6	2.12	13	2.15	14	2,155	8	10.4	24
Indiana	133	9	2.77	11	2.80	12	1,304	10	9.8	31
Iowa	35	22	1.49	16	1.17	18	354	23	10.1	26
Kansas	13	32	0.61	25	0.58	27	200	31	15.4	8
Kentucky	858	4	26.18	3	27.24	3	10,113	4	11.8	14
Louisiana	27	25	0.78	23	0.79	23	679	17	25.2	2
Maine	1	44	0.09	49	0.08	49	7	48	6.8	48
Maryland	47	19	1.11	18	1.25	16	458	20	9.7	32
Massachusetts	1	44	0.02	50	0.02	50	14	45	14.3	9
Michigan	70	15	0.89	22	0.91	21	702	15	10.0	27
Minnesota	4	38	0.10	47	0.10	46	67	37	16.8	6
Mississippi	111	10	4.98	5	5.07	6	3,666	5	33.0	1
Missouri	20	29	0.45	31	0.41	34	232	28	11.6	15
Montana	7	34	0.96	20	0.88	22	76	35	10.8	21
Nebraska	3	39	0.22	40	0.19	43	24	42	7.9	46
Nevada	3	39	0.18	45	0.24	41	30	40	9.9	29
New Hampshire	3	39	0.30	35	0.32	36	24	42	7.9	46
New Jersey	35	22	0.52	28	0.49	30	288	25	8.2	44
New Mexico	48	18	3.38	10	3.75	10	389	22	8.1	45
New York	44	20	0.29	36	0.28	38	500	19	11.4	16
North Carolina	71	13	1.09	19	1.20	17	688	16	9.7	32
North Dakota	1	44	0.19	44	0.17	45	9	46	8.5	42
Ohio	362	5	4.02	9	3.83	9	3,347	6	9.2	37
Oklahoma	26	26	0.95	21	0.92	19	340	24	13.1	11
Oregon	7	34	0.25	39	0.25	39	68	36	9.7	32
Pennsylvania	3,838	1	38.66	2	31.05	2	34,593	1	9.0	39
Rhode Island	1	44	0.12	46	0.09	48	6	49	6.1	50
South Carolina	18	30	0.56	27	0.58	27	220	29	12.2	12
South Dakota	2	43	0.33	34	0.33	35	48	39	23.9	3
Tennessee	199	7	4.34	6	4.54	8	2,230	7	11.2	18
Texas	58	17	0.36	32	0.42	33	1,043	11	18.0	5
Utah	71	13	4.22	8	5.93	5	634	18	8.9	41
Vermont	-	-	-	-	-	-	-	-	-	-
Virginia	935	3	16.33	4	18.66	4	10,682	3	11.4	16
Washington	22	28	0.46	30	0.51	29	220	29	10.0	27
West Virginia	1,823	2	123.29	1	107.09	1	19,742	2	10.8	21
Wisconsin	11	33	0.26	37	0.25	39	175	32	15.9	7
Wyoming	17	31	4.31	7	4.69	7	157	33	9.2	37

- indicates no deaths listed.

NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data. Population estimates from U.S. Census Bureau.