

Silicosis: Number of deaths, death rates (per million population), and years of potential life lost (YPLL) by state, U.S. residents age 15 and over, 1996–2005

State	No. of Deaths		Death Rate				YPLL to Life Expectancy			
	Deaths	Rank	Crude	Rank	Age-Adjusted	Rank	Total	Rank	YPLL/death	Rank
Alabama	31	19	0.87	17	0.86	20	457	16	14.8	12
Alaska	2	48	0.42	40	1.19	12	15	50	7.4	50
Arizona	34	17	0.83	20	0.83	21	413	18	12.1	33
Arkansas	14	35	0.66	27	0.63	30	329	26	23.5	1
California	70	7	0.26	48	0.30	46	912	6	13.0	21
Colorado	69	8	1.98	4	2.57	1	792	8	11.5	40
Connecticut	16	33	0.59	31	0.53	35	199	33	12.4	30
Delaware	5	42	0.78	22	0.80	23	56	44	11.2	41
District of Columbia	2	48	0.42	40	0.44	41	30	48	15.1	8
Florida	50	11	0.38	43	0.30	46	656	11	13.1	20
Georgia	26	23	0.40	42	0.51	37	337	24	13.0	21
Hawaii	1	50	0.10	51	0.10	51	22	49	22.0	2
Idaho	16	33	1.58	10	1.69	7	176	34	11.0	42
Illinois	55	9	0.56	34	0.58	34	764	9	13.9	16
Indiana	38	14	0.79	21	0.80	23	570	12	15.0	9
Iowa	17	32	0.72	25	0.60	32	174	35	10.2	45
Kansas	4	44	0.19	49	0.19	49	59	43	14.9	11
Kentucky	36	15	1.10	13	1.13	13	563	14	15.7	7
Louisiana	27	22	0.78	22	0.82	22	406	20	15.0	9
Maine	4	44	0.38	43	0.35	44	46	45	11.6	39
Maryland	26	23	0.61	30	0.68	28	315	28	12.1	33
Massachusetts	18	31	0.35	46	0.33	45	226	32	12.6	29
Michigan	72	6	0.92	15	0.94	16	935	5	13.0	21
Minnesota	40	12	1.01	14	1.00	15	388	21	9.7	48
Mississippi	19	29	0.85	18	0.87	19	336	25	17.7	3
Missouri	29	21	0.65	28	0.61	31	374	22	12.9	24
Montana	13	37	1.79	5	1.69	7	127	38	9.8	47
Nebraska	4	44	0.29	47	0.25	48	31	47	7.7	49
Nevada	6	41	0.37	45	0.43	42	76	42	12.7	27
New Hampshire	5	42	0.50	37	0.52	36	81	41	16.2	5
New Jersey	36	15	0.53	35	0.51	37	430	17	11.9	37
New Mexico	23	27	1.62	9	1.73	6	318	27	13.8	18
New York	78	4	0.51	36	0.51	37	949	4	12.2	32
North Carolina	55	9	0.85	18	0.90	17	709	10	12.9	24
North Dakota	1	50	0.19	49	0.13	50	6	51	6.1	51
Ohio	156	2	1.73	7	1.66	10	1,989	2	12.7	27
Oklahoma	12	38	0.44	39	0.42	43	154	36	12.9	24
Oregon	25	26	0.90	16	0.88	18	293	29	11.7	38
Pennsylvania	228	1	2.30	2	1.89	5	2,442	1	10.7	43
Rhode Island	14	35	1.63	8	1.40	11	146	37	10.5	44
South Carolina	19	29	0.59	31	0.60	32	277	31	14.6	14
South Dakota	7	40	1.17	12	1.01	14	84	40	12.0	36
Tennessee	31	19	0.68	26	0.69	27	499	15	16.1	6
Texas	102	3	0.62	29	0.74	26	1,715	3	16.8	4
Utah	26	23	1.55	11	2.10	4	363	23	13.9	16
Vermont	11	39	2.21	3	2.19	3	112	39	10.2	45
Virginia	33	18	0.58	33	0.65	29	408	19	12.3	31
Washington	22	28	0.46	38	0.50	40	292	30	13.3	19
West Virginia	40	12	2.71	1	2.36	2	565	13	14.1	15
Wisconsin	75	5	1.74	6	1.69	7	909	7	12.1	33
Wyoming	3	47	0.76	24	0.80	23	44	46	14.7	13

NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data. Population estimates from U.S. Census Bureau.