



# Estimated Number of AIDS Cases, Deaths, and Persons Living with AIDS, 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.




# Estimated Number of AIDS Cases and Deaths among Adults and Adolescents with AIDS, 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.




# Estimated Number of AIDS Cases among Adults and Adolescents, by Race/Ethnicity 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.




# Estimated Number of AIDS Cases among Adults and Adolescents, by Race/Ethnicity 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.




# Estimated Number of Deaths among Adults and Adolescents with AIDS, by Race/Ethnicity, 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.




# Estimated Number of Deaths among Adults and Adolescents with AIDS, by Race/Ethnicity, 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays.




# Estimated Number of AIDS Cases and Deaths among Persons with AIDS Attributed to Male-to-Male Sexual Contact, 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.



# Estimated Number of AIDS Cases Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity, 1985–2006 United States and Dependent Areas




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.






# Estimated Number of AIDS Cases Attributed to Male-to-Male Sexual Contact, by Race/Ethnicity, 1985–2006 United States and Dependent Areas



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.




# Estimated Number of AIDS Cases and Deaths among Persons with AIDS Attributed to Injection Drug Use 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.



# Estimated Number of AIDS Cases and Deaths among Persons with AIDS Attributed to High-Risk Heterosexual Contact\*, 1985–2006—United States and Dependent Areas




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

\* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.




# Estimated Number of AIDS Cases and Deaths among Persons with AIDS, Attributed to Male-to-Male Sexual Contact and Injection Drug Use, 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.



# Estimated Number of AIDS Cases among Female Adults and Adolescents Attributed to High-Risk Heterosexual Contact\*, by Race/Ethnicity, 1985–2006—United States and Dependent Areas




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

\* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# Estimated Number of Deaths among Female Adults and Adolescents with AIDS Attributed to High-Risk Heterosexual Contact\*, by Race/Ethnicity, 1985–2006—United States and Dependent Areas




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

\* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# Estimated Number of Adults and Adolescents Living with AIDS, by Transmission Category, 1985–2006—United States and Dependent Areas




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

\* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# Estimated Number of Male Adults and Adolescents Living with AIDS, by Transmission Category, 1985–2006—United States and Dependent Areas




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

\* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.





# Estimated Number of Female Adults and Adolescents Living with AIDS, by Transmission Category, 1985–2006 United States and Dependent Areas




Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

\* Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.



# Estimated Number of Perinatally Acquired AIDS Cases, by Year of Diagnosis, 1985–2006—United States and Dependent Areas



Note. Data have been adjusted for reporting delays and cases without risk factor information were proportionally redistributed.

