

## Chapter 7: Literature cited

- Abrunhosa, F. A., and Kittaka, J. (1997a). "Functional morphology of mouthparts and foregut of the last zoea, glaucothoe and first juvenile of the king crabs *Paralithodes camtschaticus*, *P. brevipes* and *P. platypus*." *Fisheries Science*, 63, pp. 923-930.
- Abrunhosa, F. A., and Kittaka, J. (1997b). "Morphological changes in the midgut, midgut gland and hindgut during the larval and postlarval development of the red king crab *Paralithodes camtschaticus*." *Fisheries Science*, 63, pp. 746-754.
- Ackley, D., and Witherell, D. (1999). "Development of a Marine Habitat Protection Area in Bristol Bay, Alaska." *In Ecosystem Approaches for Fisheries Management, Alaska Sea Grant College Program Report, 99-01*, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775, pp. 1-13.
- Adams, A. E. (1979). "The life history of the snow crab, *Chionoecetes opilio*: a literature review." University of Alaska Sea Grant College Report, 78-13, University of Alaska Fairbanks, Alaska Sea Grant College.
- Adams, A. E. (1982). "The mating behavior of *Chionoecetes bairdi*." *In Proceedings of the International Symposium of the genus *Chionoecetes*, Lowell Wakefield Fisheries Symposium Series, Alaska Sea Grant Report, 82-10*, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 233-272.
- Adams, A. E., and Paul, A. J. (1983). "Male parent size, sperm storage and egg production in the crab *Chionoecetes bairdi* (DECAPODA, MAJIDAE)." *International Journal of Invertebrate Reproduction*, 6, pp. 181-187.
- ADF&G. (1978). "Westward Region shellfish report to the Alaska Board of Fisheries.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615, p. 227.
- ADF&G. (1983a). "1983 Westward Region Tanner Crab population surveys.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- ADF&G. (1983b). "Westward Region king crab survey results for 1983.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- ADF&G. (1984). "Westward Region Shellfish Report to the Board of Fisheries.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- ADF&G. (1985). "Westward region Tanner crab survey results for 1985.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- ADF&G. (1987). "Westward Region Shellfish Report to the Board of Fisheries.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615, p. 317.
- ADF&G. (1991). "Westward Region King and Tanner Crab Report to the Board of Fisheries." Regional Information Report, 4K91-4, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- ADF&G. (1994). "Westward Region King and Tanner Crab Report to the Alaska Board of Fisheries.", State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.

- ADF&G. (1997). *Commercial shellfish fishing regulations 1997-1998 edition*, Alaska Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- ADF&G. (1999a). *Commercial shellfish fishing regulations 1999-2000 edition*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management and Development, P.O. Box 25526, Juneau, AK 99802.
- ADF&G. (1999b). "Annual Management Report for the Shellfish Fisheries of the Westward Region, 1998." Regional Information Report, *4K99-49*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615, p. 312.
- ADF&G. (1999c). "Customary and traditional use worksheet for marine invertebrates, including king and tanner crab: Alaska Peninsula-Aleutian Islands Area." *In* Westward Region Report to the Alaska Board of Fisheries 1999, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615, p. 29.
- ADF&G. (2001). "Annual Management Report for the Shellfish Fisheries of the Westward Region, 2000." Regional Information Report, *4K01-45*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- ADF&G. (2003). "Summary of the 2001 Mandatory Shellfish Observer Program Database for the General and CDQ Fisheries." Regional Information Report, *4K03-2*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 211 Mission Road, Kodiak, AK 99615.
- Allen M.J., and Smith, G.B. (1988). Atlas and zoogeography of common fishes in the Bering Sea and northeastern Pacific. NOAA Tech. Rept. NMFS 66.
- Alunno-Bruscia, M., and Sainte-Marie, B. (1998). "Abdomen allometry, ovary development, and growth of female snow crab, *Chionoecetes opilio* (BRACHYURA, MAJIDAE), in the northwestern Gulf of St. Lawrence." *Canadian Journal of Fisheries and Aquatic Science*, 55, pp. 459-477.
- Alverson, D. L., and Pereyra, W. T. (1969). "Demersal fish explorations in the northeast Pacific ocean - an evaluation of exploratory fishing methods and analytical approaches to stock size and yield forecasts." *Journal of the Fisheries Research Board of Canada*, 26, pp. 1985-2001.
- Anderson, L. G. (1989). "Enforcement issues in selecting fisheries management policy." *Marine Resource Economics*, 6, pp. 261-277.
- Anderson, L. G. (1991). "A Note on Market Power in ITQ Fisheries." *Journal of Environmental Economics and Management*, 21, pp. 291-296.
- Andrews, A. H., Cordes, E. E., Mahoney, M. M., Munk, K., Coale, K. H., Caillet, G. M., and Heifetz, J. (2002). "Age, growth, and radiometric age validation of a deep-sea, habitat forming gorgonian (*Primnoa resedaeformis*) from the Gulf of Alaska." *Hydrobiologia*, 471, pp. 101-110.
- Annala, J. H., Sullivan, K. J., and Hore, A. J. (1991). "Management of multispecies fisheries in New Zealand by individual transferable quotas." *ICES Marine Science Symposia*, 193, pp. 321-329.
- Armstrong, D. A., Incze, L. S., Wencker, D. L., and Armstrong, J. L. (1981). "Distribution and abundance of decapod crustacean larvae in the southeastern Bering Sea with emphasis on commercial species." Outer Continental Shelf Environmental Assessment Program Final Report, 53 (1986), U.S. Department of Commerce, NOAA, pp. 479-878.
- Armstrong, D. A., Armstrong, J. L., Palacios, R., Williams, G., Jensen, G. C., and Pearson, W. (1985). "Early life history of juvenile blue king crab, *Paralithodes platypus*, around the Pribilof Islands." Proceedings of the International King Crab Symposium, Alaska Sea Grant Report, 85-12, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775, pp. 211-226.

- Armstrong, D. A., Wainwright, T. C., Jensen, G. C., Dinnel, P. A., and Anderson, H. B. (1993). "Taking refuge from bycatch issues: Red king crab (*Paralithodes camtschaticus*) and trawl fisheries in the eastern Bering Sea." *Canadian Journal of Fisheries and Aquatic Science*, 50, pp. 1993-1999.
- Armstrong, D. A., Dinnel, P. A., Orensanz, J. M., Armstrong, J. L., McDonald, T. L., Cusimano, R. F., Nemeth, R. S., Landholt, M. L., Skalski, J. R., Lee, R. F., and Huggett, R. J. (1995). "Status of selected bottomfish and crustacean species in Prince William Sound following the EXXON VALDEZ oil spill." EXXON Valdez Oil Spill: Fate and Effects in Alaskan Waters, P. G. Wells, J. N. Butler, and J. S. Hughes, eds., ASTM, Philadelphia, pp. 485-547.
- Arnason, R. (1996). "On the individual transferable quota fisheries management system in Iceland." *Reviews in Fish Biology and Fisheries*, 6(1), pp. 63-90.
- Auster, P. J., and Langton, R. W. (1999). "The effects of fishing on fish habitat." Fish habitat: Essential Fish Habitat and Rehabilitation, L. R. Benaka, ed., American Fisheries Society Symposium, Bethesda, MD, pp. 150-187.
- Babcock, M. B., Broderson, C. C., and Rounds, P. A. (1988). "Habitat preference in juvenile red king crabs (*Paralithodes camtschatica*)." *American Zoology*, 28, p. 27A.
- Bailey, R. F. J. (1982). "Relationships between catches of snow crab, *C. opilio* (O. Fabricus) and abundance of cod (*Gadus morhua* L.) in the southwest Gulf of St. Lawrence." In Proceedings of the International Symposium of the genus *Chionoecetes*, Lowell Wakefield Fisheries Symposium Series, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 485-497.
- Bailey, R. F. J., and Elner, R. W. (1989). "Northwest Atlantic snow crab fisheries: lessons in research and management." Marine Invertebrate Fisheries: Their Assessment and Management, J. F. Caddy, ed., John Wiley & Sons, Ltd., New York, pp. 261-280.
- Bakkala, R.G. 1981. "Population characteristics and ecology of yellowfin sole." In D.W. Hood and J.A. Calder, eds. The eastern Bering Sea shelf: oceanography and resources, Vol. 1, NOAA Office of Marine Pollution.
- Barnard, D. R., Burt, R., and Moore, H. (2001). "ADF&G Summary of 2000 Mandatory Shellfish Observer Program Database for the open access fisheries." Regional Information Report, 4K01-39, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- Barnes, R. D. (1980). *Invertebrate zoology*, Saunders College, Philadelphia. 1,089 pp.
- Barnhart, J.P., (2001/02). Annual Management Report for the Weathervane Scallop Fisheries of the Westward Region.
- Barnhart, J. P., and Sagalkin, N. (1998). "Summary and analysis of onboard collected data from the 1996/97 statewide commercial weathervane scallop fishery." Regional Information Report, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Barnhart, J.P., and Rosenkranz, G. (2000). Summary and analysis of onboard observer collected data from the 1998/1999 statewide commercial weathervane scallop fishery. ADF&G, Division of Commercial Fisheries, Regional information Report 4K00-8, Kodiak.
- Barnhart, J.P., and Rosenkranz, G. (2003). "Regional Information Report, ADF&G, No. 4K03-9, February 2003.
- Barr, L., and Barr, N. (1983). *Under Alaskan seas*, Alaska Northwest Publishing Company, Anchorage.
- Batstone, C. J., and Sharp, B. M. H. (2000). "Market Structure in a Rights-Based Fishery.", Department of Economics, The University of Auckland, Auckland, New Zealand, p. 16.

- Beal, K. (1992). "Surf clam/ocean quahog ITQ evaluation based on interviews with captains, owners and crews." A review of the Effectiveness of our Administrative and Enforcement Obligations Under the Surf Clam/Quahog ITQ Plan, National Marine Fisheries Service, Gloucester, MA.
- Beamish, R. J. (1995). Climate change and northern fish populations, Canadian Special Publication of Fisheries and Aquatic Sciences, 739 pp.
- Bell, J. J., and Barnes, D. K. A. (2000). "The influences of bathymetry and flow regime upon the morphology of sublittoral sponge communities." *Journal of the Marine Biological Association of the U.K.*, 80, pp. 707-718.
- Bell, J. J., Barnes, D. K. A., and Turner, J. R. (2002). "The importance of micro and macro morphological variation in the adaptation of a sublittoral demosponge to current extremes." *Marine Biology*, 140, pp. 75-81.
- Benhalima, K., Moriyasu, M., Wade, E., and Hebert, M. (1998). "Exoskeletal lesions in the male snow crab *Chionoecetes opilio* (BRACHYURA: MAJIDAE) in the southern Gulf of St. Lawrence." *Canadian Journal of Zoology*, 76, pp. 601-608.
- Beninger, P. G., Elnor, R. W., Foyle, T. P., and Odense, P. H. (1988). "Functional anatomy of the male reproductive system and the female spermatheca in the snow crab *Chionoecetes opilio* (O. Fabricus)(DECAPODA: MAJIDAE) and a hypothesis for fertilization." *Journal of Crustacean Biology*, 8, pp. 322-332.
- Beninger, P. G., Lanteigne, C., and Elnor, R. W. (1993). "Reproductive processes revealed by spermatophore dehiscence experiments and by histology, ultrasctructure, and histochemistry of the female reproductive system in the snow crab *Chionoecetes opilio* (O. Fabricus)." *Journal of Crustacean Biology*, 13, pp. 1-16.
- Benson, A. J., and Trites, A. W. (2002). "Ecological effects of regime shifts in the Bering Sea and eastern North Pacific Ocean." *Fish and Fisheries*, 3, pp. 95-113.
- Birkeland, C. (1974). "Interactions between a sea pen and seven of its predators." *Ecological Monographs*, 44, pp. 211-232.
- Blackburn, J., and Schmidt, D. (1988). "Injury and apparent mortality rates from incidental trawl catches of halibut, king crab, and Tanner crab in the Kodiak area, 1977-81." Regional Information Report, 4K88-21, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Blackburn, J. E., Anderson, K., Hamilton, C. I., and Starr, S. J. (1980). "Pelagic and demersal fish assessment in the Lower Cook Inlet estuary system." OCSEAP Final Report, Biological Study, 17 (1983), U.S. Department of Commerce, NOAA, pp. 445-546.
- Blau, S. F., and Pengilly, D. (1994). "Findings from the 1991 golden king crab survey in the Dutch Harbor and Adak management areas including analysis of recovered tagged crabs." Regional Information Report, 4K94-35, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- Blau, S. F., Donaldson, W. E., and Byersdorfer, S. M. (1990). "Development of artificial collectors for late larval through early benthic stages of red king and Tanner crabs." Regional Information Report, 4K90-29, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Blau, S. F., Pengilly, D., and Tracy, D. A. (1996). "Distribution of golden king crabs by sex, size, and depth zones in the eastern Aleutian Islands, Alaska." Proceedings of the International Symposium on Biology, Management, and Economics of crabs from high latitude habitats, B. Baxter, Alaska Sea Grant College Program Report, 96-00, University of Alaska Fairbanks, Anchorage, AK, November 28-30, 1989, pp. 167-185.

- Boehlert, G. (1996). "Biodiversity and the sustainability of marine fisheries." *Oceanography*, 9, pp. 28-35.
- Bouchard, S., Brêthes, J.-C., Desrosiers, G., and Bailey, R. F. J. (1986). "Changes in size distribution of snow crabs (*Chionoecetes opilio*) in the southwestern Gulf of St. Lawrence." *Journal of Northwest Atlantic Fishery Science*, 7, pp. 67-75.
- Boutillier, J.A., Lauzier, R.B., Phillips, A.C., and Barton, L. (1998). Framework for a Tanner crab (*Chionoecetes tanneri* and *C. angulatus*) fishery in waters off the west coast of Canada. Can. Stock Assess. Sec. Res. Doc. 98/125.
- Bowers, F., Soong, J., Granath, K., Cavin, M., and Lillo, C. (2001). ADF&G. Annual Management Report for the Commercial and Subsistence Shellfish Fisheries of the Aleutian Islands.
- Boyle, L., Byrne, L. C., Moore, H., and Pengilly, D. (1996). "Alaska Department of Fish and Game Summary of the 1995 Mandatory Shellfish Observer Program Database." Regional Information Report, 4K96-47, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Boyle, L., Byrne, L. C., and Moore, H. (1997). "Alaska Department of Fish and Game Summary of the 1996 Mandatory Shellfish Observer Program Database." Regional Information Report, 4K97-51, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Breen, P. A. (1987). "Mortality of Dungeness crabs caused by lost traps in the Fraser River Estuary, British Columbia." *North American Journal of Fisheries Management*, 7, pp. 429-435.
- Brêthes, J.-C., Coulombe, F., Lafleur, P.-E., and Bouchard, S. (1987). "Habitat and spatial distribution of early benthic stages of the snow crab *Chionoecetes opilio* O. Fabricus off the north shore of the Gulf of St. Lawrence." *Journal of Crustacean Biology*, 7, pp. 667-681.
- Bright, D. B. (1967). "Life histories of the king crab, *Paralithodes camtschatica*, and the Tanner crab, *Chionoecetes bairdi*, in Cook Inlet, Alaska," Ph.D., University of Southern California, Los Angeles.
- Broderson, C., Rounds, P., and Babcock, M. (1989). "Diet influences cannibalism in laboratory-held juvenile red king crabs (*Paralithodes camtschaticus*)." In Proceedings of the International Symposium on Biology, Management, and Economics of crabs from high latitude habitats, B. Baxter, Alaska Sea Grant College Program Report, 96-00, University of Alaska Fairbanks, Anchorage, AK, November 28-30, 1989, pp. 377-382.
- Brodeur, R. D. (2001). "Habitat-specific distribution of Pacific Ocean Perch *Sebastes alutus* in Pribilof Canyon, Alaska." *Continental Shelf Research*, 21, Habitat-specific distribution of Pacific Ocean Perch *Sebastes alutus* in Pribilof Canyon, Alaska, pp. 201-224.
- Brodeur, R. D., Sugisaki, H., and Hunt Jr., G. L. (2002). "Increases in jellyfish biomass in the Bering Sea: implications for the ecosystem." *Marine Ecology Progress Series*, 233, pp. 89-103.
- Brown, R. B., and Powell, G. C. (1972). "Size at maturity in the male Alaskan Tanner crab, *Chionoecetes bairdi*, as determined by chela allometry, reproductive tract weights, and size of precopulatory males." *Journal of the Fisheries Research Board of Canada*, 29, pp. 423-427.
- Browning, R. (1980). *Fisheries of the North Pacific: History, Species, Gear and Processes*, Alaska Northwest Publishing Company, Anchorage.
- Bryant Ph.D, B. (2001). <http://www-personal.umich.edu/~bbryant/envjustice.html>.
- Brylinsky, M., Gibson, J., and Gordon Jr., D. C. (1994). "Impacts of flounder trawls on the intertidal habitat and community of the Minas Basin, Bay of Fundy." *Canadian Journal of Fisheries and Aquatic Science*, 51, pp. 650-661.
- Buck, E. R. (1995). "Individual Transferable Quotas in Fishery Management." CRS Report for Congress, 95-849, Congressional Research Service.

- Bunch, T., Highsmith, R. C., and Shields, G. F. (1998). "Genetic evidence for dispersal of larvae of Tanner crabs (*Chionoecetes bairdi*) by the Alaskan Coastal Current." *Molecular Marine Biology and Biotechnology*, 7, pp. 153-159.
- Burke, D. L., and Brander, G. L. (1999). "Canadian experience with individual transferable quotas." *FishRights 99*, Fremantle, Western Australia, November 11-19, 1999.
- Burns, J. J. (1967). "The Pacific bearded seal." Federal Aid in Wildlife Restoration, *Projects W-6-R and W-14-R*, Alaska Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802, p. 66.
- Burns, J. J. (1981a). "Bearded seal, *Erignathus barbatus* Erxleben, 1777." Handbook of Marine Mammals, S. H. Ridgway and R. J. Harrison, eds., Academic Press, New York, pp. 145-170.
- Burns, J. J. (1981b). "Ribbon seal, *Phoca fasciata*." Handbook of Marine Mammals, S. H. Ridgway and R. J. Harrison, eds., Academic Press, New York, pp. 89-109.
- Burns, J. J., and Frost, K. J. (1983). "The natural history and ecology of the bearded seal, *Erignathus barbatus*." OCSEAP Final Report, 19, U.S. Department of Commerce, NOAA, pp. 311-392.
- Burns, J. J., Shapiro, L. H., and Fay, F. H. (1981). "Ice as Marine Mammal Habitat in the Bering Sea." The Eastern Bering Sea Shelf: Oceanography and Resources, D. W. Hood and J. A. Calder, eds., University of Washington Press, Seattle, pp. 781-797.
- Byersdorfer, S. (1996). "A summary of biological data collected during the 1996 Bristol Bay red king crab test fishery." Regional Information Report, 4K96-55, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Byersdorfer, S., and Watson, L. J. (1992). "A summary of biological data collected during the 1991 Bristol Bay red king crab tagging study." Technical Fishery Report, 92-14, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Byersdorfer, S., and Watson, L. J. (1993). "A summary of biological data collected during the 1992 Bristol Bay red king crab test fishery." Technical Fishery Report, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Byersdorfer, S., Pengilly, D., and Tracy, D. (1997). "A survey of escape mechanisms and ring placements on commercial crab pots fished during the 1997 Bering Sea snow crab fishery, *Chionoecetes opilio*, season." Regional Information Report, 4K97-45, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Caddy, J. F. (1973). "Underwater observations on tracks of dredges and trawls and some effects of dredging on a scallop ground.", 30, Underwater observations on tracks of dredges and trawls and some effects of dredging on a scallop ground, pp. 173-180.
- Caddy, J. F. (1986). "Modeling stock-recruitment processes in Crustacea: some practical theoretical perspectives." *Canadian Journal of Fisheries and Aquatic Science*, 43(11), pp. 2330-2344.
- Cahn, A. R. (1948). "The canned crab industry of Japan." *U.S. Department of the Interior Fish. Wild.*, 314, The canned crab industry of Japan, p. 50.
- Carls, M. G. (1989). "Influence of cold air exposures on ovigerous red king crab (*Paralithodes camtschatica*) and Tanner (*Chionoecetes bairdi*) crabs and their offspring." *Proceedings of the International Symposium on King and Tanner crabs*, Anchorage, AK, November 1989.
- Carls, M.G. and C.E. O'Clair. 1990. Influence of cold air exposures on ovigerous red king crabs (*Paralithodes camtschatica*) and Tanner crabs (*Chionoecetes bairdi*) and their offspring. Proceedings of the International Symposium on King and Tanner Crabs. Alaska Sea Grant College Program Report No. 90-04.
- Carls, M.G. and C.E. O'Clair. 1995. Responses of Tanner crabs, *Chionoecetes bairdi*, exposed to cold air. *Fish. Bull.* 93: 44-56.

- Carlton, J. T. (1996). "Marine bioinvasions: The alteration of marine ecosystems by nonindigenous species." *Oceanography*, 9, Marine bioinvasions: The alteration of marine ecosystems by nonindigenous species, pp. 36-43.
- Caswell, H. (1989). *Matrix population models*, Sinauer Associates, Sunderland, MA. 328 pp.
- CH2M-Hill. (1994). "Circulation Study of Unalaska Bay and Contiguous Inshore Marine Waters." Report submitted to Harbor Circulation Study Working Committee, Final Report, CH2M-Hill, 6060 South Willow Drive, Greenwood Village, CO 80111, August 1994.
- Chia, F. S., and Crawford, B. J. (1973). "Some observations on gametogenesis, larval development and substratum selection of the sea pen *Ptilosarcus guernei*." *Marine Biology*, 23, pp. 73-82.
- Churchill, J. H. (1989). "The effect of commercial trawling on sediment resuspension and transport over the Middle Atlantic Bight continental shelf." *Continental Shelf Research*, 9(9), pp. 841-864.
- Cimberg, R. L., Gerrodette, T., and Muzik, K. (1981). "Habitat requirements and expected distribution of Alaska coral." OCSEAP Final Report, 54(1987), Report prepared for Office of Marine Pollution Assessment, Alaska Office, DOC, NOAA, pp. 207-308.
- Coachman, L. K. (1986). "Circulation, water masses, and fluxes on the southeastern Bering Sea shelf." *Continental Shelf Research*, 5, pp. 23-108.
- Comeau, M., and Conan, G. Y. (1992). "Morphometry and gonad maturity of male snow crab, *Chionoecetes opilio*." *Canadian Journal of Fisheries and Aquatic Science*, 49, pp. 2460-2468.
- Comeau, M., Conan, G. Y., Robichaud, G., and Jones, A. (1991). "Life history patterns and population fluctuations of snow crab (*Chionoecetes opilio*) in the fjord of Bonne Bay on the west coast of Newfoundland, Canada, from 1983 to 1990." *Canadian Technical Report of Fisheries and Aquatic Sciences*, 1817.
- Comeau, M., Conan, G. Y., Maynou, F., Robichaud, G., Therriault, J.-C., and Starr, M. (1998a). "Growth, spatial distribution, and abundance of benthic stages of the snow crab (*Chionoecetes opilio*) in Bonne Bay, Newfoundland, Canada." *Canadian Journal of Fisheries and Aquatic Science*, 55, pp. 262-279.
- Comeau, M., Robichaud, G., Starr, M., Therriault, J.-C., and Conan, G. Y. (1998b). "Mating of snow crab *Chionoecetes opilio* (O. Fabricus, 1788)(DECAPODA: MAJIDAE) in the Fjord of Bonne Bay, Newfoundland." *Crustaceana*, 71, pp. 925-941.
- Comeau, M., Starr, M., Conan, G. Y., Robichaud, G., and Therriault, J.-C. (1999). "Fecundity and duration of egg incubation for multiparous female snow crabs (*Chionoecetes opilio*) in the fjord of Bonne Bay, Newfoundland." *Canadian Journal of Fisheries and Aquatic Science*, 56, pp. 1088-1095.
- Conan, G. Y., and Comeau, M. (1986). "Functional maturity and terminal molt of male snow crab, *Chionoecetes opilio*." *Canadian Journal of Fisheries and Aquatic Science*, 43, pp. 1710-1719.
- Conan, G. Y., Elner, R. W., and Moriyasu, M. (1990). "Review of literature on life histories in the genus *Chionoecetes* in light of recent findings on growth and maturity of *C. opilio* in eastern Canada." In "Proceedings of the International Symposium on King and Tanner Crabs". Lowell Wakefield Fisheries Symposium Series., Alaska Sea Grant College Program Report, 90-04, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 163-180.
- Conan, G. Y., Starr, M., Comeau, M., Therriault, J.-C., Maynou-H, F. X., and Robichaud, G. (1996). "Life history strategies, recruitment fluctuations, and management of the Bonne Bay Fjord Atlantic snow crab (*Chionoecetes opilio*)." In *High Latitude Crabs: Biology, Management and Economics*, Alaska Sea Grant College Program Report, AK-SG-96-02, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 59-97.
- Conan, G. Y., Moriyasu, M., Comeau, M., Mallet, P., Cormier, R., Chiasson, Y., and Chiasson, H. (1998). "Growth and maturity of snow crab (*Chionoecetes opilio*)." Proceedings of the International Workshop on Snow Crab Biology, G. S. Jamieson and W. D. McKone, Canadian MS Reports on Fishery and Aquatic Sciences, pp. 45-66.

- Cormier, R., Comeau, M., and Lanteigne, M. (1999). "Serum protein and somatic index in relation to morphometric maturity for male snow crab, *Chionoecetes opilio* (O. Fabricus, 1788), in the Baie des Chaleurs, Canada (DECAPODA: BRACHYURA)." *Crustaceana*, 72, pp. 497-506.
- Coulombe, F., Brêthes, J.-C., Bouchard, R., and Desrosiers, G. (1985). "Ségrégation édaphique et bathymétrique chez le crabe des neiges, *Chionoecetes opilio* (O. Fabr.), dans le sud-ouest du golfe de Saint-Laurent." *Canadian Journal of Fisheries and Aquatic Science*, 42, pp. 169-180.
- Council on Environmental Quality (CEQ). (1997). "Considering Cumulative Effects Under the National Environmental Policy Act.", Council on Environmental Quality, Executive Office of the President, Washington, DC.
- Crowley, R. W., and Paulson, H. (1992). "Rights based fisheries management in Canada." *Maritime Resource Economics*, 7, pp. 1-21.
- Cushing, D. H. (1990). "Plankton production and year-class strength in fish populations: An update of the match/mismatch hypothesis." *Advances in Marine Biology*, 26, pp. 249-294.
- Dau, C. P., and Kitchinski, S. A. (1977). "Seasonal movements and distribution of the spectacled eider." *Wildfowl*, 28, pp. 65-75.
- Davidse, W. P. (1999a). "The Effects of Transferable property rights on the fleet capacity and ownership of harvesting rights in the Dutch demersal North Sea fisheries." *FishRights 99*, Fremantle, Western Australia, November 11-19, 1999, p. In press.
- Davidse, W. P. (1999b). "The development towards co-management in the Dutch demersal North Sea fisheries." *FishRights 99*, Fremantle, Western Australia, November 11-19, 1999, p. In press.
- Davies, N. M. (1991). "Fisheries Management - A New Zealand Perspective." *South African Journal of Marine Science*, 12, Fisheries Management - A New Zealand Perspective, pp. 1069-1077.
- Dawe, E. G., Taylor, D. M., Hoenig, J. M., Warren, W. G., Ennis, G. P., Hooper, R. G., Donaldson, W. E., Paul, A. J., and Paul, J. M. (1991). "A critical look at the idea of terminal molt in male snow crab (*Chionoecetes opilio*)." *Canadian Journal of Fisheries and Aquatic Science*, 48, pp. 2266-2275.
- Dew, C. B. (In Review). "Unmated, multiparous red king crab in Bristol Bay: sampling artifact or a symptom of population stress?"
- Dew, C. B. (In Review). "Podding behavior of adult and sub-adult red king crab: implications for abundance estimation."
- Dew, C. B. (In Review). "Using bootstrap resampling to reevaluate the precision of population estimates for Bristol Bay red king crab, 1975-1998: Was overconfidence a factor in population's collapse?"
- Dew, C. B. (In Review). "Sex ratio as a management tool in the male-only red king crab (*Paralithodes camtschaticus*) fishery of Bristol Bay, Alaska."
- Dew, C. B. (1990). "Behavioral ecology of podding red king crab, *Paralithodes camtschatica*." *Canadian Journal of Fisheries and Aquatic Science*, 47(9), pp. 1944-1958.
- Dew, C. B. (1991). "Characterization of preferred habitat for juvenile red king crab in three Kodiak bays." Final report to the Kodiak Island Borough, *Contract Number 89-226*, Available from C.B. Dew, NMFS/AFSC, P.O. Box 15700, Bldg 4, Seattle, WA 98115, Email: braxton.dew@noaa.gov, p. 49.
- Dew, C. B., and McConnaughey, R. A. (2003). "Did bottom trawling in Bristol Bay's red king crab broodstock refuge contribute to the collapse of Alaska's most valuable fishery?" *Proceedings of the symposium on effects of fishing activities on benthic habitats: linking, geology, biology, socioeconomics, and management*, Tampa, FL, November 2002.
- Dew, C. B., Cummiskey, P. A., and Munk, J. E. (1992). "The behavioral ecology and spatial distribution of red king crab and other target species: implications for sampling design and data treatment." *Proceedings of the International Crab Rehabilitation and Enhancement Symposium*, L. E. White and C. Nielsen, eds., State of Alaska, Department of Fish and Game, Kodiak. Available from C.B. Dew,



- NMFS/AFSC, P.O. Box 15700, Bldg. 4, Seattle, WA 98115. E-mail: braxton.dew@noaa.gov, pp. 39-67.
- Donaldson, W. E. (1983). "Movements of tagged males of Tanner crab, *Chionoecetes bairdi* Rathbun, off Kodiak Island." *Journal of Shellfish Research*, 3, pp. 195-201.
- Donaldson, W. E. (1990). "Determination of experimentally induced non-observable mortality on red king crab." Regional Information Report, 4K90-13, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Donaldson, W. E., and Adams, A. A. (1989). "Ethogram of behavior with emphasis on mating for the Tanner crab *Chionoecetes bairdi* Rathbun." *Journal of Crustacean Biology*, 9, pp. 37-53.
- Donaldson, W. E., Cooney, R. T., and Hilsinger, J. R. (1981). "Growth, age, and size at maturity of Tanner crab *Chionoecetes bairdi* M.J. Rathbun, in the northern Gulf of Alaska." *Crustaceana*, 40, pp. 286-302.
- Donaldson, W. E., Byersdorfer, S., and Blau, F. (1991). "Use of artificial collectors to study growth of small red king crab." *Journal of Shellfish Research*, 10, p. 305.
- Dubink, W., and Van Vliet, M. (1996). "Market regulation vs co-management: two perspectives on regulating fisheries compared." *Marine Policy*, 20(6), pp. 499-516.
- Dufour, R., and Bailey, R. (1990). "Snow crab growth and stock size estimations obtained with coded wire tags in the St. Lawrence estuary." In Proceedings of the International Symposium on King and Tanner Crabs, Lowell Wakefield Fisheries Symposium Series, Alaska Sea Grant Report, 90-04, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 505-516.
- Eckelbarger, K. J., Tyler, P. A., and Langton, R. W. (1998). "Gonadal morphology and gametogenesis in the sea pen *Pennatulaculeata* (Anthozoa: Pennatulacea) from the Gulf of Maine." *Marine Biology*, 132, pp. 677-690.
- Elner, R. W., and Bailey, R. F. J. (1986). "Differential susceptibility of Atlantic snow crab, *Chionoecetes opilio*, stocks to management." In North Pacific Workshop on Stock Assessment and Management of Invertebrates, G. S. Jamieson and N. Bourne, Canadian Special Publication of Fisheries and Aquatic Sciences, pp. 335-346.
- Elner, R. W., and Beninger, P. G. (1989). "Comment on functional maturity in small male crab (*Chionoecetes opilio*): sizing up the evidence." *Canadian Journal of Fisheries and Aquatic Science*, 46., pp. 2037-2039.
- Elner, R. W., and Beninger, P. G. (1992). "The reproductive biology of snow crab, *Chionoecetes opilio*: a synthesis of recent contributions." *American Zoology*, 32, pp. 524-533.
- Elner, R. W., and Beninger, P. G. (1995). "Multiple reproductive strategies in snow crab, *Chionoecetes opilio*: physiological pathways and behavioral plasticity." *Journal of Experimental Marine Biology and Ecology*, 193, pp. 93-112.
- Ennis, G. P., Hooper, R. G., and Taylor, D. M. (1988). "Functional maturity in small male snow crabs (*Chionoecetes opilio*)." *Canadian Journal of Fisheries and Aquatic Science*, 45, pp. 2106-2109.
- Ennis, G. P., Hooper, R. G., and Taylor, D. M. (1990). "Changes in the composition of snow crab (*Chionoecetes opilio*) participating in the annual breeding migration in Bonne Bay, Newfoundland." *Canadian Journal of Fisheries and Aquatic Science*, 47, pp. 2242-2249.
- Eno, N.C., MacDonald, D.S., Kinnear, J.A.M., Amos, S.C., Chapman, C.J., Clark, R.A., Bunker, F.P.D., and Munro, C. (2001). "Effects of Crustacean traps on benthic fauna." *ICES Journal of Marine Science* 58: 11-20.
- Environmental Protection Agency (EPA). (1993). "Environmental Assessment: Deep Sea Fisheries Shore Plant and Cumulative Effects of Seafood Processing Activities in Akutan Harbor.", United States Environmental Protection Agency, Region 10, WD-126, 1200 Sixth Avenue, Seattle, WA 98101, Seattle, June 1993.

- EPA. 1994. Environmental Assessment: Proposed Reissuance of General NPDES Permit for Seafood Processors in Alaska. Environmental Protection Agency, 1200 Sixth Avenue, Seattle, WA 98101.
- Environmental Protection Agency (EPA). (1995). "Water Quality Assessment for Greater Unalaska Bay.", United States Environmental Protection Agency, Region 10, WD-126, 1200 Sixth Avenue, Seattle, WA 98101, February 10, 1995.
- Environmental Protection Agency (EPA). (1998a). "Environmental Assessment for the Proposed Pribilof Islands Seafood Processing General NPDES Permit.", United States Environmental Protection Agency, Region 10, WD-126, 1200 Sixth Avenue, Seattle, WA 98101, August 1998.
- Environmental Protection Agency. (1998b). "Total Maximum Daily Load for Settleable Solid Residues in the Waters of Udagak Bay of Beaver Inlet, Alaska.", Environmental Protection Agency, 1200 Sixth Avenue, Seattle, WA 98101, September 30, 1998, p. 26.
- Environmental Protection Agency. (1998c). "Total Maximum Daily Load for Settleable Solid Residues in the Waters of King Cove, Alaska.", Environmental Protection Agency, 1200 Sixth Avenue, Seattle, WA 98101, September 30, 1998, p. 26.
- Environmental Protection Agency (EPA). (1999). Office of Federal Activities Internet: <http://es.epa.gov/oeca/ofa/cumula.html>.
- Environmental Protection Agency (EPA). (2001). "Fact Sheet." The U.S. Environmental Protection Agency Plans to Reissue a Wastewater Discharge Permit to Trident Seafoods, United States Environmental Protection Agency, Region 10, WD-126, 1200 Sixth Avenue, Seattle, WA 98101.
- Enviro-Tech Diving, I. "NPDES Dive Survey." Series of reports from 1995-1997, Jim Jewell, diver, Environ-Tech Diving, Inc., 1127 NW 45th Street, Seattle, WA 98107.
- Enviro-Tech Diving, I. (1998). "NPDES Dive Survey and Current Study for Peter Pan Seafoods, King Cove, Alaska.", Environ-Tech Diving, Inc., 1127 NW 45th Street, Seattle, WA 98107
- Eythorsson, E. (2000). "A decade of ITQ-management in Icelandic fisheries: consolidation without consensus." *Marine Policy*, 24, pp. 483-492.
- Fair, L. (1997). "Analysis of red king crab data from the 1996 ADF&G trawl survey of Norton Sound." Regional Information Report, 3A97-10, Alaska Department of Fish and Game, 333 Raspberry Road, Anchorage, AK.
- Feder, H., and Jewett, S. (1981). "Feeding interactions in the Eastern Bering Sea with emphasis on the benthos." The Eastern Bering Sea Shelf: Oceanography and Resources, D. W. Hood and J. A. Calder, eds., OMPA/NOAA, University of Washington Press, Seattle, p. Ch. 69.
- Feder, H. M., McCumby, K., and Paul, A. J. (1980). "The food of post-larval king crab, *Paralithodes camtschatica* Lithodidae, in Kachemak Bay, Alaska." *Crustaceana*, 39, pp. 315-318.
- Feder, H. M., Jewitt, S. C., McGee, S. G., and Matheke, G. E. M. (1981). "Distribution, abundance, community structure, and trophic relationships of the benthos of the nearshore epibenthos of the Kodiak Continental Shelf." *R81-1*, University of Alaska, Fairbanks, Institute of Marine Science, Fairbanks, AK 99775, p. 216.
- Fisheries Agency of Japan. (1958). "Report of king crab study in the eastern Bering Sea." *International North Pacific Fisheries Commission Annual Report*, 1957, pp. 44-57.
- Fossa, J. H., Furevik, D. M., Mortensen, P. B., and Hovland, M. (1999). "Effects of bottom trawling on Lophelia deep water coral reefs in Norway. Poster presented at ICES meeting on Ecosystem Effects of Fishing, March 1999. Institute of Marine Research, Bergen, Norway." Megafauna associations with gorgonian coral (*Primnoa* spp.) in the Gulf of Alaska, K. J. Krieger and B. L. Wing, eds., Draft manuscript available from NMFS, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, AK 99801.

- Foyle, T. P., O'Dor, R. K., and Elner, R. W. (1989). "Energetically defining the thermal limits of the snow crab." *Journal of Experimental Marine Biology and Ecology*, 145, pp. 371-393.
- Freese, L., Auster, P. J., Heifetz, J., and Wing, B. L. (1999). "Effects of trawling on seafloor habitat and associated invertebrate taxa in the Gulf of Alaska." *Marine Ecology Progress Series*, 182, pp. 119-126.
- Fritz, L. W., Greig, A., and Reuter, R. F. (1998). "Catch-per-unit-, length, and depth distributions of major groundfish and bycatch species in the Bering Sea, Aleutian Islands, and Gulf of Alaska regions based on groundfish fishery observer data." NOAA Technical Memorandum, *NMFS-AFSC-88*, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 179.
- Fugita, H., Takeshita, K., and Kawasaki, K. (1973). "Seasonal movement of adult male king crab in the eastern Bering Sea revealed by tagging experiment." *Bulletin of the Far East Fisheries Research Lab*, 9, pp. 89-107.
- Fukuhara, F. M. (1985). "Biology and Fishery of Southeastern Bering Sea Red King Crab (*Paralithodes camtschatica*, Tilesius)." Northwest Atlantic Fisheries Commission Report, *NMFS 85-11*, Northwest Atlantic Fisheries Commission, p. 170.
- Fukuhara, F. M., and Worlund, D. (1973). "Incidence of halibut and Tanner crab in catches by the eastern Bering Sea Mothership trawl fishery and independent trawlers." NOAA/NMFS/NAFC Report to the International North Pacific Fisheries Commission.
- Furness, R. W., and Ainley, D. G. (1984). "Threats to seabird populations." *Bird Preservation*, 2, pp. 179-186.
- Gauvin, J. R., Haflinger, K., and Nerini, M. (1995). "Implementation of a voluntary bycatch avoidance program in the flatfish fisheries of the eastern Bering Sea." In *Solving Bycatch: considerations for today and tomorrow*, Alaska Sea Grant College Program Report, *96-03*, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 79-85.
- Gay, J. (1991). "Opies: Spindly-legged crabs steady the fishery." *Pacific Fishing*, July.
- Gish, R. K. (1999). "Bering Sea Community Development Quota (CDQ) program fisheries, 1998: Report to the Alaska Board of Fisheries." Regional Information Report, *499-14*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Gleeson, R. A. (1980). "Pheromone communication in the reproductive behavior of the blue crab, *Callinectes sapidus*." *Mar. Behav. Physiol.*, 7, pp. 119-134.
- Goodyear, C. P. (1995). "Red snapper in U.S. waters in the Gulf of Mexico." NMFS/SEFSC Contribution, *MIA-95/96-05*, DOC, NOAA, NMFS, SEFSC.
- Gotshall, D. W. (1994). *Guide to marine invertebrates: Alaska to Baja California*, Sea Challengers, Monterey. 105 pp.
- Grafton, R. Q. (1996). "Individual transferable quota: theory and practice." *Reviews in Fish Biology and Fisheries*, 6, pp. 5-20.
- Greenstreet, S. P. R., and Rogers, S. I. (2000). "Effects of fishing on non-target fish species." *Effects of Fishing on Non-target Species and Habitats*, M. J. Kaiser and S. J. de Groot, eds., Blackwell Science, Oxford, pp. 217-234.
- Guillory, V. (1993). "Ghost fishing by blue crab traps." *North American Journal of Fisheries Management*, 13, pp. 459-466.
- Haflinger, K. E., and McRoy, C. P. (1983). "Yellowfin sole (*Limanda aspera*) predation on three commercial crab species (*Chionoecetes opilio*, *C. bairdi*, and *Paralithodes camtschatica*) in the southeastern Bering Sea." Final report to the U.S. National Marine Fisheries Service, Contract # 82-ABC-00202, IMS, UAK, SFOS, Fairbanks, p. 28.

- Hahn, R. W. (1984). "Market Power and Transferable Rights." *The Quarterly Journal of Economics*, 99, pp. 753-765.
- Hall, S. J. (1999). *The effects of fishing on marine ecosystems and communities*, Blackwell Science, Oxford. 274 pp.
- Hammerstrom, L. F., and Merritt, M. F. (1985). "A survey of Pacific weathervane scallops (*Patinopecten caurinus*) in Kamishak Bay, Alaska." Information Leaflet, 252, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Hanski, I. (1997). "Be diverse, be predictable." *Nature*, 390, pp. 440-441.
- Harrison, R.W., L.E. Christey, C. B. Carlson, M. M. Wallace, C.J. Pertuit, A.R. Hvatum, W. L. Schmidt and J. F. Puncochar. (1942). Report of the Alaska king crab investigation. *Fishery Market News* (May 1942 Supp.) 4(5a):1-108.
- Hasegawa, H., and DeGange, A. R. (1982). "The short-tailed albatross, *Diomedea albatrus*: its status, distribution, and natural history." *American Birds*, 36, pp. 806-814.
- Hayes, M. L. (1973). "Survival of Tanner crab (*Chionoecetes bairdi*) after capture in trawls and subsequent handling and storage aboard fishing boats." NOAA/NMFS report to the International North Pacific Fisheries Commission, DOC, NOAA, NMFS.
- Haynes, E. B. (1974). "Distribution and relative abundance of larvae of king crab, *Paralithodes camtschatica*, in the southeastern Bering Sea, 1969-1970." *Fishery Bulletin*, 72, pp. 804-812.
- Heifetz, J. (1997). "Workshop on the potential effects of fishing gear on benthic habitat." AFSC Processed Report, 97-04, DOC, NOAA.
- Heifetz, J. (2002). "Coral in Alaska: Distribution, abundance, and species associations." *Hydrobiologia*, 471, pp. 19-28.
- Hennick, D. P. (1973). "Sea scallop, *Patinopecten caurinus*, investigations in Alaska." Completion Report, 5-23-R, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Hiatt, T., and Terry, J. (1999). "Stock Assessment and Fishery Evaluation Report for the Groundfish Fisheries of the Gulf of Alaska and Bering Sea/Aleutian Islands Area: Economic Status of the Groundfish Fisheries off Alaska, 1998.", DOC, NOAA, NMFS, Alaska Fisheries Science Center, Resource Ecology and Fisheries Management Division, 7600 Sand Point Way NE, Seattle, WA 98115, p. 68.
- Hiatt, T., Felthoven, R. And Terry, J. (2001). Stock Assessment and Fishery Evaluation Report for the Groundfish Fisheries of the Gulf of Alaska and Bering Sea/Aleutian Island Area: Economic status of the groundfish fisheries off Alaska, 2000. Resource Ecology and Fisheries Management Division, Alaska Fisheries Science Center, NMFS.
- Hiatt, T., Felthoven, R., and Terry, J. (2002). Stock assessment and fishery evaluation report for the groundfish fisheries of the Gulf of Alaska and Bering Sea/Aleutian Island area: Economic status of the groundfish fisheries off Alaska, 2001. Economic and Social Sciences Research Program, Resource Ecology and Fisheries Management Division, Alaska Fisheries Science Center, National Marine Fisheries Service, National Oceanic and Atmospheric Administration, 7600 Sand Point Way N.E., Seattle, Washington 98115-6349.
- Hibbits, J., Hughes, G. C., and Sparks, A. K. (1981). "Trichomariss invadens gen. Et sp. nov., an ascomycete parasite of the Tanner crab (*Chionoecetes bairdi* Rathbun)." *Canadian Journal of Botany*, 59, pp. 2121-2128.
- High, W. L. (1976). "Escape of Dungeness crabs from pots." *Marine Fisheries Review*, 38(4), pp. 19-23.

- High, W. L. (1985). "Some consequences of lost fishing gear." *In* Proceedings of the workshop on the fate and impact of marine debris, R. S. Shomura and H. O. Yoshida, NOAA/NMFS/SWFC Technical Memorandum, 54, DOC, NOAA,, pp. 430-437.
- High, W. L., and Worlund, D. D. (1979). "Escape of king crab, *Paralithodes camtschatica*, from derelict pots." NOAA Technical Report, NMFS-SSRF-734, DOC, NOAA.
- Hilborn, R., and Walters, C. J. (1992). *Quantitative Fisheries Stock Assessment: Choice, Dynamics and Uncertainty*, Chapman and Hall, New York. 570 pp.
- Hill, P. S., DeMaster, D. P., and Small, R. J. (1997). "Alaska Marine Mammal Stock Assessments, 1996." NOAA Technical Memorandum, NMFS-AFSC-78, U.S. Department of Commerce, NMFS, National Marine Mammal Laboratory, 7600 Sand Point Way NE, Seattle, WA 98115, p. 154.
- Hilsinger, J. R. (1976). "Aspects of the reproductive biology of female snow crabs, *Chionoecetes bairdi*, from Prince William Sound and the adjacent Gulf of Alaska." *Marine Science Communications*, 2(3&4), pp. 201-225.
- Hiramoto, K. (1985). "Overview of the golden king crab, *Lithodes aequispina*, fishery and its fisheries biology in the Pacific waters of central Japan." Proceedings of the International King Crab Symposium, B. P. Melteff, ed., University of Alaska, Alaska Sea Grant College Program, pp. 297-317.
- Hiramoto, K., and Sato, S. (1970). "Biological and fisheries survey on an anomuran crab, *Lithodes aequispina* (Benedict), off Boso Peninsula and Sagami Bay, central Japan." *Jap. J. Ecol.*, 20(in Japanese), pp. 165-170.
- Hjort, J. (1914). "Fluctuations in the great fisheries of North Europe viewed in the light of biological research.", 20, pp. 1-228.
- Hoening, J. M. (1983). "Empirical use of longevity to estimate mortality rates." *Fishery Bulletin*, 81, pp. 898-903.
- Hoening, J. M., Dawe, E. G., and O'Keefe, P. G. (1994). "Molt indicators and growth per molt for male snow crabs (*Chionoecetes opilio*)." *Journal of Crustacean Biology*, 14, pp. 273-279.
- Hoffman, E. G. (1967). "Description of laboratory-reared larvae of *Paralithodes platypus* (Decapode, Anomura, Lithodidae)." *Journal of the Fisheries Research Board of Canada*, 25, pp. 439-455.
- Honneland, G. A. (1999). "A model of compliance in fisheries: theoretical foundations and practical application." *Ocean and Coastal Management*, 42, pp. 699-716.
- Hood, D. W., and Calder, J. A. (1981). *The Eastern Bering Sea Shelf: Oceanography and Resources*, University of Washington Press, Seattle, WA, 1339 pp.
- Hooper, R. G. (1986). "A spring breeding migration of the snow crab, *Chionoecetes opilio* (O. Fabr.) into shallow water in Newfoundland." *Crustaceana*, 50, pp. 257-264.
- Hoopes, D. A., and Greenough, J. W. (1970). "King crab research." *International North Pacific Fisheries Commission Annual Report*, 1973, pp. 110-120.
- Hosie, M. J., and Gaumer, T. F. (1974). "Southern range extension of the Baird crab (*Chionoecetes bairdi* Rathbun).", 60, pp. 44-47.
- Hsu, C. C. (1987). "Spatial and temporal distribution patterns of female red king crabs in the southeastern Bering Sea," Ph.D., University of Washington, Seattle.
- Hurley, G. V., Elner, R. W., Taylor, D. M., and Bailey, R. F. J. (1990). "Evaluation of snow crab tags retainable through molting." *American Fisheries Society Symposia*, 7, pp. 84-93.
- ICES. (2000). Effects of different types of fisheries on North Sea and Irish Sea benthic ecosystems: Review of the Impact II report. Report of the ICES Adv. Comm. On the Mar. Env. To the E.C. Dir.-Gen., Fisher., CM 1988/B, International Council for the Exploration of the Sea. Pp. 56.

- Incze, L. S. (1983). "Larval life history of Tanner crabs, *Chionoecetes bairdi* and *C. opilio* in the southeastern Bering Sea and relationships to regional oceanography," PhD Dissertation, University of Washington, Seattle.
- Incze, L. S., and Paul, A. J. (1983). "Grazing and predation as related to energy needs of stage I zoeae of the Tanner crab *Chionoecetes bairdi* (Brachyura, Majidae)." *Biological Bulletin*, 165, pp. 197-208.
- Incze, L. S., Armstrong, D. A., and Wencker, D. L. (1982). "Rates of development and growth of larvae of *Chionoecetes bairdi* and *C. opilio* in the southeastern Bering Sea." *In Proceedings of the International Symposium on the Genus *Chionoecetes**, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 191-218.
- Incze, L. S., Otto, R. S., and McDowell, M. K. (1986). "Recruitment variability in juvenile red king crab, *Paralithodes camtschatica*, in the southeastern Bering Sea." North Pacific workshop on stock assessment and management of invertebrates, G. S. Jamieson and N. Bourne, eds., Canadian Special Publication of Fisheries and Aquatic Sciences, pp. 370-378.
- Incze, L. S., Armstrong, D. A., and Smith, S. L. (1987). "Abundance of larval Tanner crabs (*Chionoecetes* spp.) in relation to adult females and regional oceanography of the southeastern Bering Sea." *Canadian Journal of Fisheries and Aquatic Science*, 44, pp. 1143-1156.
- International Council for the Exploration of the Sea. (1988). "Report of the Study Group on the Effects of Bottom Trawling." *CM 1988/B*, International Council for the Exploration of the Sea, p. 56.
- Ito, K. (1967). "Ecological studies on the edible crab, *Chionoecetes opilio* (O. Fabricus) in the Japan Sea." *I. When do female crabs first spawn and do they advance into the following reproductive stage?*, 17, pp. 67-84.
- Ivanov, B. G. (1993). "An interesting mode of feeding snow crabs, *Chionoecetes* spp. (Crustacea, Decapoda, Majidae), on the ascidian *Halocynthia aurantium*." *Zool. Zh.*, 72, pp. 27-33.
- Jackson, P. B., and Manthey, K. R. (1969). "Composition of Kodiak area commercial king crab catch." *Alaska Department of Fish and Game Informational Leaflet*, 137, p. 59.
- Jackson, R. I., and Royce, W. F. (1986). *Ocean Forum*, Fishing News Ltd., Surry, England. 240 pp.
- Jamieson, G.S. (1990). Development of a fishery for *Chionoecetes tanneri* on the continental slope of British Columbia: management considerations. In *Proceedings of the Symposium King and Tanner Crabs*. Edited by B. R. Melteff. University of Alaska Sea Grant AK-SG-90-04, Fairbanks pp. 587-592.
- Jamieson, G. S., and McKone, W. D. (1988). "Proceedings of the International Workshop on Snow Crab Biology.", Montreal, Quebec, Canada, December 8-10, 1987, p. 163.
- Jamieson, G.S., Heritage, G.D., and Noakes, D.N. (1990). Life history characteristics of *Chionoecetes tanneri* off British Columbia. In *Proceedings of the Symposium on King and Tanner Crabs*. Edited by B.R. Melteff. University of Alaska Sea Grant AK-SG-90-04, Fairbanks pp. 153-162.
- Jennings, S., and Kaiser, M. J. (1998). "The effects of fishing on marine ecosystems." *Advances in Marine Biology*, 34, pp. 201-351.
- Jennings, S., and Reynolds, J. D. (2000). "Impacts of fishing on diversity: from pattern to process." *Effects of Fishing on Non-Target Species and Habitats*, M. J. Kaiser and S. J. de Groot, eds., Blackwell Science, Oxford, pp. 235-250.
- Jensen, G., and Armstrong, D. A. (1989). "Biennial reproductive cycle of the blue king crab, *Paralithodes platypus*, at the Pribilof Islands, Alaska and comparison to a congener, *P. camtschatica*." *Canadian Journal of Fisheries and Aquatic Science*, 46(6), pp. 932-940.
- Jewett, S. C. (1981). "Variations in some reproductive aspects of female snow crabs *Chionoecetes opilio*." *Journal of Shellfish Research*, 1, pp. 95-99.

- Jewett, S. C. (1982). "Predation on crabs of the genus *Chionoecetes*: a literature review." *In* Proceedings of the International Symposium on the Genus *Chionoecetes*, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 521-538.
- Jewett, S. C., and Feder, H. M. (1981). "Epifaunal Invertebrates of the Continental Shelf of the Eastern Bering and Chukchi Seas." *The Eastern Bering Sea Shelf: Oceanography and Resources*, D. W. Hood and J. A. Calder, eds., University of Washington Press, Seattle, WA, Seattle, WA, pp. 1131-1154.
- Jewett, S. C., and Feder, H. M. (1983). "Food of the Tanner Crab *Chionoecetes bairdi* near Kodiak Island, Alaska." *Journal of Crustacean Biology*, 3(2), pp. 196-207.
- Jewett, S. C., and Onuf, C. P. (1988). "Habitat suitability index models: red king crab." Biological report, 82(10.153), U.S. Fish and Wildlife Service, p. 34.
- Jewett, S. C., Sloan, N. A., and Somerton, D. A. (1985). "Size at sexual maturity and fecundity of the fjord-dwelling golden king crab *Lithodes aequispina* Benedict from northern British Columbia." *J. Crust. Biol.*, 5, pp. 377-385.
- Johnson, B. A., Blau, S. F., and Baglin, R. E. (2002). "Fecundity of red king crabs, *Paralithodes camtschaticus*) off Kodiak Island, Alaska, and an initial look at observer agreement of clutch fullness." *Crabs in cold water regions: biology, management, and economics*, A. J. Paul, E. G. Dawe, R. Elner, G. S. Jamieson, G. H. Kruse, R. S. Otto, B. Sainte-Marie, T. C. Shirley, and D. Woodby, eds., University of Alaska Fairbanks, Alaska Sea Grant College, pp. 305-321.
- Johnson, E.A. (1983). "Textural and compositional sedimentary characteristics of the Southeastern Bristol Bay continental shelf, Alaska," M.S., California State University, Northridge, California.
- Johnson, M. L., Fiscus, C. H., Ostenson, B. T., and Barbour, M. L. (1966). "Marine Mammals." *Environment of the Cape Thomson Region, Alaska*, N. J. Wilimovsky and J. N. Wolfe, eds., U.S. Atomic Energy Commn., Oak Ridge, TN, pp. 877-924.
- Johnson, T. (1990). *Alaska Fisheries Handbook*, Seatic Publishing, Sitka.
- Jones, and Stokes. (1992). "Final Environmental Assessment for the Deep Sea Fisheries shore-based seafood processing plan.", U.S. Environmental Protection Agency Region 10, Seattle.
- Jones, F. R. H. (1968). *Fish Migrations*, Edward Arnold Ltd, London. 325 pp.
- Jones, J. B. (1992). "Environmental impact of trawling on the seabed: a review.", 26, pp. 59-67.
- Kaiser, M. J., and Spencer, B. E. (1994). "Fish scavenging behavior in recently trawled areas." *Marine Ecology Progress Series*, 112, pp. 41-49.
- Kaiser, M. J., and Spencer, B. E. (1996a). "Fish scavenging behavioural responses of scavengers to beam trawl disturbance." *Aquatic predators and their prey*, S. P. R. Greenstreet and M. L. Tasker, eds., Blackwell Scientific, Oxford, pp. 117-123.
- Kaiser, M. J., and Spencer, B. E. (1996b). "The effects of beam-trawl disturbance on infaunal communities in different habitats." *Journal of Animal Ecology*, 65, pp. 348-358.
- Kaiser, R. J. (1986). "Characteristics of the Pacific weathervane scallop (*Patinopecten caurinus*) fishery in Alaska 1967-1981." *Catalog number RUR-5J86-01*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802, Unpublished report.
- Kanno, Y. (1987). "Reproductive ecology of Tanner crab in the South Western Okhotsk Sea." *Translation: Canadian Translations in Fishery and Aquatic Sciences 5628*, 53, pp. 733-738 (in Japanese, abstract and captions in English).
- Kawasaki, S. (1959). "Report of research on king crabs from the eastern Bering Sea." *Annual Report, International North Pacific Fisheries Commission*, pp. 72-78.
- Kenyon, K. W. (1962). "Notes on phocid seals at Little Diomede Island, Alaska." *Journal of Wildlife Management*, 26, Notes on phocid seals at Little Diomede Island, Alaska, pp. 380-387.
- Kessler, D. W. (1985). *Alaska's Saltwater Fishes and Other Sea Life: A Field Guide*, Alaska Northwest Pub, Anchorage. 358 pp.

- Kim, S., and Gunderson, D. (1988). "Walleye Pollock, *Theragra chalcogramma*, in the Gulf of Alaska." Species Synopses: Life histories of selected fish and shellfish of the NE Pacific and Bering Sea, N. J. Wilimovsky, L. S. Incze, and S. J. Westheim, eds., Washington Sea Grant Program and F.R.I., University of Washington, Seattle, pp. 70-82.
- Kimker, A. (1994). "Tanner crab survival in closed pots." *Alaska Fisheries Research Bulletin*, 1(2), pp. 179-183.
- Kinder, T. H., and Schumacher, J. D. (1981). "Hydrographic structure over the continental shelf of the southeastern Bering Sea." *The Eastern Bering Sea Shelf: Oceanography and Resources*, D. W. Hood and J. A. Calder, eds., University of Washington Press, Seattle, pp. 31-52.
- King, G. (2001). "Addressing Environmental Justice in California." *The Environmental Monitor*, Summer 2001.
- Kingsley, M. C. S., Stirling, I., and Calvert, W. (1985). "The distribution and abundance of seals in the Canadian High Arctic, 1980-82." *Canadian Journal of Fisheries and Aquatic Science*, 42, pp. 1189-1210.
- Kittaka, J., Stevens, B. G., Teshima, S., and Ishikawa, M. (2001). "Larval and Postlarval Culture of the King Crabs (*Paralithodes camtschaticus* and *P. brevipes*)." Proceedings of the International Symposium on Biology, Management, and Economics of Crabs from Northern Latitudes, B. Baxter, Alaska Sea Grant College Program Report, University of Alaska Fairbanks, Alaska Sea Grant College, Anchorage, January 2001.
- Kittaka, J., Stevens, B. G., Teshima, S., and Ishikawa, M. (In press). "Larval culture of the king crabs *Paralithodes camtschaticus* and *P. brevipes*." In *Crabs in cold water regions: Biology, Management, and Economics*, Alaska Sea Grant College Program Report, University of Alaska Fairbanks, Alaska Sea Grant College, Anchorage, 2002.
- Klitin, A. K., and Nizyayev, C. A. (1999). "Distribution and life strategy of some commercial species of far east Lithodid crabs from the Kuril Islands." *Russ. J. Mar. Biol.*, 25(3), pp. 253-260.
- Koltun, V. L. (1955). "Phylum Spongia." Atlas of the invertebrates of the far eastern seas of the USSR, E. N. Pavlovskii, ed., Academy of Sciences of the USSR Zoological Institute, Moscow - Leningrad, pp. 45-69.
- Kon, T. (1970). "Fisheries Biology of Tanner Crab." *IV: The duration of planktonic stages estimated by rearing experiments of larvae*, 36, Fisheries Biology of Tanner Crab, pp. 219-223.
- Kon, T. (1974). "Fisheries biology of the Tanner crab." *VI. On the number of ovarian eggs held in the pleopods*, 40, Fisheries biology of the Tanner crab, pp. 465-469.
- Kon, T. (1980). "Studies on the life history of the zuwai crab (*Chionoecetes opilio* (O. Fabricus))." Special Publications of the Sado Marine Biological Station, Series 2, Niigata University, p. 64.
- Kon, T. (1996). "Overview of Tanner crab fisheries around the Japanese Archipelago." In "High Latitude Crabs: Biology, Management and Economics", Alaska Sea Grant Report, *AK-SG-96-02*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 13-24.
- Kon, T., and Honma, Y. (1970). "Studies on the maturity of the gonad in some marine invertebrates." *III. Seasonal changes in the ovary of the tanner crab*, 36, Studies on the maturity of the gonad in some marine invertebrates, pp. 1021-1027.
- Kon, T., and Sinoda, M. (1992). "Zuwai crab population." *Marine Behavior and Physiology*, 21, pp. 185-226.
- Kosygin, G. M. (1966). "Some data on the feeding of the bearded seal in the Bering Sea during the spring-summer period." Soviet research on marine mammals of the Far East, K. I. Panin, ed., U.S. Department of the Interior, Bureau of Commercial Fisheries, Seattle, Washington, pp. 78-82.



- Kosygin, G. M. (1971). *Feeding of the bearded seal, Erignathus barbatus nauticus (Pallas), in the Bering Sea during the spring-summer period*, Translated from Russian by Can. Fish. Mar. Serv., Transl. Ser. 3747, 16 pp., 144-151 pp.
- Krieger, K. J., and Wing, B. L. (2000). "Megafauna associations with gorgonian coral (*Primnoa* spp.) in the Gulf of Alaska." DOC, NOAA, NMFS, Alaska Fisheries Science Center, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, Alaska 99801-8626.
- Krieger, K. J., and Wing, B. L. (2002). "Megafauna associations with deepwater corals (*Primnoa* spp.) in the Gulf of Alaska." *Hydrobiologia*, 471, pp. 83-90.
- Krost, P., Bernhard, M., Werner, F., and Hukriede, W. (1990). "Otter trawl tracks in Kiel Bay (Western Baltic) mapped by side-scan sonar." *Meeresforschung*, 32, pp. 344-353.
- Kruse, G. H., Funk, F., and Zheng, J. (1996). "Were Alaskan red king crab overfished?" *In High Latitude Crabs: Biology, Management, and Economics*, Alaska Sea Grant College Program Report, 96-02, University of Alaska Sea Grant, pp. 295-300.
- Kruse, G. H., and Kimker, A. (1993). "Degradable escape mechanisms for pot gear: a summary report to the Alaska Board of Fisheries." Regional Information Report, 5J93-01, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Kruse, G. H., and Zheng, J. (1999). "Are changes in Bering Sea crab and groundfish populations related?" *Ecosystem Approaches for Fisheries Management*, Alaska Sea Grant College Program Report, AK-SG-99-01, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 143-148.
- Kurata, H. (1960). "Studies on the larvae and postlarvae of *Paralithodes camtschatica*." III. *The influence of temperature and salinity on the survival and growth of the larvae*, 21, Translation by H.C. Kim, U.S. Bureau of Comm. Fisheries, Auke Bay, Alaska, pp. 9-14.
- Kurata, H. (1961a). "Studies on the larvae and postlarvae of *Paralithodes camtschatica*." IV: Growth of the postlarvae, Hokkaido Fisheries Exp. Sta., pp. 1-9.
- Kurata, H. (1961b). "King crab investigations in the eastern Bering Sea in 1961." *International North Pacific Fisheries Commission Document*, 481, pp. 1-6.
- Kuris, A. M., Blau, S. F., Paul, A. J., and Shields, J. D. (1991). "Infestation of brood symbionts and their impact of egg mortality of the red king crab, *Paralithodes camtschatica*, in Alaska: geographic and temporal variation." *Canadian Journal of Fisheries and Aquatic Science*, 48, pp. 551-568.
- Lacalli, T. (1981). "Annual spawning cycles and planktonic larvae of benthic invertebrates from Passamaquoddy Bay, New Brunswick." *Journal of Zoology*, 59, pp. 433-440.
- Lean, C., and Brennan, B. (1997). "1997 Norton Sound District shellfish report to the Alaska Board of Fisheries." Regional Information Report, 3A97-34, Alaska Department of Fish and Game, 333 Raspberry Road, Anchorage, AK.
- Leith, D. (1995). "Closed competition: fish quotas in New Zealand." *The Ecologist*, 25, Closed competition: fish quotas in New Zealand, pp. 97-104.
- Livingston, P. A. (1989). "Interannual trends in Pacific cod, *Gadus macrocephalus*, predation on three commercially important crab species in the eastern Bering Sea." *Fishery Bulletin*, 87(4), pp. 807-827.
- Livingston, P. A. (1999). "Ecosystem Considerations for 2000." *In Stock Assessment and Fishery Evaluation Report for the Groundfish Resources of the Bering Sea/Aleutian Islands Regions*, Compiled by the Plan Team for the Groundfish Fisheries, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- Livingston, P. A., and deReynier, Y. (1996). "Groundfish food habits and predation on commercially important prey species in the eastern Bering Sea from 1990 to 1992." AFSC Processed Report, 96-04, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 214.

- Livingston, P. A., and Goiney, B. J. (1983). "Food habits literature of North Pacific marine fishes: A review and selected bibliography." NOAA Technical Memorandum, *NMFS F/NWC-54*, U.S. Department of Commerce, NOAA, p. 81.
- Livingston, P. A., Low, L.-L., and Marasco, R. J. (1994). "Eastern Bering Sea Ecosystem Trends." Unpublished paper presented at the Symposium on Large Marine Ecosystems of the Pacific, Qingdao, China, October 11, 1994.
- Livingston, P. A., Low, L.-L., and Marasco, R. J. (1999). "Eastern Bering Sea Ecosystem Trends." Large Marine Ecosystems of the Pacific Rim: Assessment, Sustainability, and Management, K. Sherman and Q. Tang, eds., Blackwell Science, Inc., Malden, MA, pp. 140-162.
- Livingston, P. A., Ward, A., Lang, G. M., and Yang, M. S. (1993). "Groundfish food habits and predation on commercially important prey species in the eastern Bering Sea from 1987 to 1989." NOAA Technical Memorandum, *NMFS-AFSC-11*, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 192.
- Loher, T. (2001). "Recruitment variability in southeast Bering Sea red king crab (*Paralithodes camtschaticus*): the roles of early juvenile habitat requirements, spatial population structure, and physical forcing mechanisms," Ph.D., University of Washington, Seattle.
- Loher, T., and Armstrong, D. A. (2000). "Effects of habitat complexity and relative larval supply on the establishment of early benthic phase red king crab (*Paralithodes camtschaticus* Tilesius, 1815) populations in Auke Bay, Alaska." *Journal of Experimental Marine Biology and Ecology*, 245(1), pp. 83-109.
- Loughlin, T. R., and Ohtani, K. (1999). "Dynamics of the Bering Sea.", University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, p. 838.
- Love, D., Thomas, R., and Moles, A. (1996). "Bitter crab hemolymph studies: indications of host physiological condition." High Latitude Crabs: Biology, Management and Economics, Alaska Sea Grant Report, *AK-SG-96-02*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 549-562.
- Lovrich, G. A., and Sainte-Marie, B. (1997). "Cannibalism in the snow crab, *Chionoecetes opilio* (O. Fabricius)(Brachyura: Majidae), and its potential importance to recruitment." *Journal of Experimental Marine Biology and Ecology*, 211(2), pp. 225-245.
- Lovrich, G. A., Sainte-Marie, B., and Smith, B. D. (1995). "Depth distribution and seasonal movements of *Chionoecetes opilio* (BRACHYURA: MAJIDAE) in Baie Sainte-Marguerite, Gulf of Saint Lawrence." *Canadian Journal of Zoology*, 73, pp. 1712-1726.
- Lowry, L. F., Frost, K. H., and Burns, J. J. (1979). "Potential resource competition in the southeastern Bering Sea: fisheries and phocid seals." Proceedings 29th Alaska Science Conference, University of Alaska, Fairbanks, B. R. Melteff, Alaska Sea Grant Report, *79-6*, University of Alaska Fairbanks, Fairbanks, AK 99775, pp. 287-296.
- Lowry, L. F., Frost, K. H., and Burns, J. J. (1980). "Feeding of bearded seals in the Bering and Chukchi seas and trophic interaction with Pacific walrus." *Arctic*, 33, pp. 330-342.
- Lowry, L. F., Frost, K. J., and Burns, J. J. (1981a). "Trophic relationships among ice-inhabiting phocid seals and functionally related marine mammals in the Bering Sea." Final Report, *Biol. Stud. 11*, U.S. Department of Commerce, NOAA, OCSEAP Environ. Assess. Alaskan Continental Shelf, pp. 97-173.
- Lowry, L. F., Frost, K. J., and Burns, J. J. (1981b). "Trophic relationships among ice-inhabiting phocid seals and functionally related marine mammals in the Chukchi Sea." Biol. Stud., U.S. Department of Commerce, NOAA, OCSEAP Environmental Assessment Alaskan Continental Shelf, Final Report, pp. 37-95.

- Lowry, L. F., Frost, K. J., Calkins, D. G., Swartzman, G. L., and Hills, S. (1982). "Feeding habits, food requirements, and status of Bering Sea marine mammals." *Document Nos. 19 and 19A*, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252, p. 574.
- Mace, P. M. (1993). "Will private owners practice prudent resource management?" *Fisheries*, 18(9), pp. 29-31.
- MacIntosh, R. A., Stevens, B. G., Haaga, J. A., and Johnson, B. A. (1996). "Effects of handling and discarding on mortality of Tanner crabs, *Chionoecetes bairdi*." In *High Latitude Crabs: Biology, Management, and Economics*, B. Baxter, Alaska Sea Grant College Program Report, AK-SG-96-02, University of Alaska Sea Grant Program, Anchorage, AK, pp. 577-590.
- Malecha, P. W., Stone, R. P., and Heifetz, J. (2002 unpublished). "Living substrate in Alaska: Distribution, abundance, and species associations." Unpublished manuscript, DOC, NOAA, NMFS, Alaska Fisheries Science Center, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, Alaska 99801-8626.
- Mallet, P., Conan, G. Y., and Moriyasu, M. (1993). "Periodicity of spawning and duration of incubation time for *Chionoecetes opilio* in the Gulf of St. Lawrence." *ICES CM 1993*, K(26), Periodicity of spawning and duration of incubation time for *Chionoecetes opilio* in the Gulf of St. Lawrence, p. 19.
- Marukawa, H. (1933). "Biological and fishery research on the Japanese King crab *Paralithodes camtschatica* (Tilesius)." *Journal of the Imperial Fisheries Experimental Station*, 4(37), (English Translation), pp. 24-31.
- Matthews, D. (1997). "Beyond IFQ Implementation: A Study of Enforcement Issues in the Alaska Individual Fishing Quota Program." DOC, NOAA, NMFS, Silver Spring, MD.
- McBride, J. (1982). "Tanner crab tag development and tagging experiments 1978-1982." In *Proceedings of the International Symposium on the Genus Chionoecetes*, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 383-403.
- McCay, B. J. (1992). "From the Waterfront: Interviews with New Jersey Fishermen on Marine Safety and Training." Final Report, Saltonstall/Kennedy Project for Understanding and teaching Marine Safety, New Jersey Marine Sciences Consortium, Fort Hancock.
- McCay, B. J. (1995). "Social and ecological implications of ITQs: an overview." *Ocean and Coastal Management*, 28, pp. 3-22.
- McCay, B. J., and Creed, C. F. (1994). "Social Impacts of ITQs in the Sea Clam Fishery: Final Report to the New Jersey Sea Grant College Program." New Jersey Marine Sciences Consortium.
- McCay, B. J., Creed, C. F., Finlayson, R. A., Apostle, R., and Mikalsen, K. (1995). "Individual transferable quotas (ITQs) in Canadian and US fisheries." *Ocean and Coastal Management*, 28, pp. 85-115.
- McConnaughey, R.A., and K.R. Smith. (2000). Associations between flatfish abundance and surficial sediments in the eastern Bering Sea. *Can. J. Fisher. Aquat. Sci.* 57(12):2,410-2, 419.
- McConnaughey, R. A., Mier, K. L., and Dew, C. B. (1999). "An examination of chronic trawling effects on soft-bottom benthos of the eastern Bering Sea." *ICES Journal of Marine Science*, 57, pp. 1377-1388.
- McMullen, J. C. (1967). "King crab, *Paralithodes camtschatica* (Tilesius) offshore breeding study on Marmot Flats, Kodiak Island, spring of 1967." *Alaska Department of Fish and Game Informational Leaflet*, 112, p. 12.
- McMullen, J. C. (1968). "Investigation of king crab ocean reproduction and broodstock composition, Kodiak Island." *Alaska Department of Fish and Game Informational Leaflet*, 126, p. 16.
- McMurray, G., Vogel, A., Fishman, P. A., Armstrong, D., and Jewett, S. (1984). "Distribution of larval and juvenile red king crabs (*Paralithodes camtschatica*) in Bristol Bay." Final Report to Outer Continental Shelf Environmental Assessment Program (OSEAP), Contract No., 83ABC00067, NOAA, Anchorage, p. 145.

- McMurray, G., Vogel, A. H., Fishman, P. A., Armstrong, D. A., and Jewett, S. C. (1986). "Distribution of larval and juvenile red king crabs (*Paralithodes camtschatica*) in Bristol Bay." Outer Continental Shelf Environmental Assessment Program, 53, NOAA Office of Marine Pollution Assessment, pp. 267-477.
- Merkouris, S. E., Seeb, L. S., and Murphy, M. C. (1997). "Low levels of genetic diversity in highly exploited populations of Alaskan Tanner crabs, *Chionoecetes bairdi*, and Alaskan and Atlantic snow crabs, *C. opilio*." *Fishery Bulletin*, 96(3), pp. 525-537.
- Merrick, R. L., Loughlin, T. R., and Calkins, D. G. (1987). "Decline in abundance of the northern sea lion, (*Eumetopias jubatus*) in Alaska, 1956-86." *Fishery Bulletin*, 85(2), pp. 351-365.
- Messieh, S. N., Rowell, T. W., Peer, D. L., and Cranford, P. J. (1991). "The effects of trawling, dredging and ocean dumping on the eastern Canadian continental shelf seabed." *Continental Shelf Research*, 11, pp. 1237-1263.
- Meyer, R. M. (1971). "A study concerning the problem of derelict pots in the king crab fishery".
- Meyers, T. R., Eaton, B., Short, S., Botelho, C., Koeman, T., Sparks, A., and Morado, F. (1990). "Bitter crab dinoflagellate disease: overview of the causative agent and its importance and distribution in the Alaskan Tanner crab (*Chionoecetes bairdi*, *C. opilio*) fisheries." In "Proceedings of the International Symposium on King and Tanner Crabs." Lowell Wakefield Fisheries Symposium Series., Alaska Sea Grant Report, 90-04 (abstract only), University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, p. 405 (abstract only).
- Meyers, T. R., Morado, J. F., Sparks, A. K., Bishop, G. H., Pearson, T., Urban, D., and Jackson, D. (1996). "Distribution of bitter crab syndrome in Tanner crabs (*Chionoecetes bairdi*, *C. opilio*) from the Gulf of Alaska and the Bering Sea." *Diseases of Aquatic Organisms*, 26, pp. 221-227.
- Miller, R. J., and Watson, J. (1976). "Growth per molt and limb regeneration in the spider crab, *Chionoecetes opilio*." *Journal of the Fisheries Research Board of Canada*, 33, pp. 1644-1649.
- Mito, K. (1974). "Food relations in demersal fishing communities in Bering Sea walleye pollock fishing grounds in October and November, 1972," M.S., Hokkaido University, Hakodate.
- Mito, K., Nishimura, A., and Yanagimoto, T. (1999). "Ecology of groundfishes in the eastern Bering Sea, with emphasis on food habits." Dynamics of the Bering Sea, T. R. Loughlin and K. Ohtani, Alaska Sea Grant Program Report, AK-SG-99-03, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 537-580.
- Moiseev, P. A. (1965). Soviet Fisheries Investigations in the Northeastern Pacific, Part IV, Vsesoyuznyi Nauchno-Issledovatel'skii Institut Morskogo Rybnogo Khozyaistva I Okeanografi (VNIRO), pp. 91-94.
- Moiseev, P. A. (1968). Soviet fisheries investigations in the northeast Pacific, Part II, Vsesoyuznyi Nauchno-Issledovatel'skii Institut Morskogo Rybnogo Khozyaistva I Okeanografi (VNIRO), 102-108 pp.
- Moiseev, P. A. (1972). Soviet Fisheries Investigations in the Northeastern Pacific, Part V, Vsesoyuznyi Nauchno-Issledovatel'skii Institut Morskogo Rybnogo Khozyaistva I Okeanografi (VNIRO), 149-156 pp.
- Moles, A., and Stone, R. P. (2002). "Habitat preferences of juvenile Tanner and red king crabs: substrate and crude oil." Crabs in cold water regions: biology, management, and economics, A. J. Paul, E. G. Dawe, R. Elnor, G. S. Jamieson, G. H. Kruse, R. S. Otto, B. Sainte-Marie, T. C. Shirley, and D. Woodby, eds., University of Alaska Fairbanks, Alaska Sea Grant College, pp. 631-644.
- Mollett, N. (1997). "Alaska's Crab Fisheries: Management by ITQs?," Masters, University of Alaska, Fairbanks.

- Moore, H., Byrne, L. C., and Connolly, D. (1998). "Alaska Department of Fish and Game summary of the 1997 Mandatory Shellfish Observer Program database." Regional Information Report, 4K98-50, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802, Kodiak.
- Moore, H., Byrne, L. C., and Connolly, D. (2000). "Alaska Department of Fish and Game summary of the 1998 Mandatory Shellfish Observer Program database." Regional Information Report, 4K00-21, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802, Kodiak.
- Moriyasu, M., and Conan, G. Y. (1988). "Aquarium observation on mating behavior of snow crab, *Chionoecetes opilio*." *ICES CM 1998*, K(9), p. 14.
- Moriyasu, M., Conan, G. Y., Mallet, P., Chiasson, Y. J., and Lacroix, H. (1987). "Growth at molt, molting season and mating of snow crab (*Chionoecetes opilio*) in relation to functional and morphometric maturity." *ICES CM*, K(21), p. 14.
- Morrison, R., Bowers, F., Gish, R., Wilson, E., Schwenzfeier, M., and Alinsunurin, R. (1999). "Annual management report for the shellfish fisheries of the Bering Sea Area." In Annual management report for the shellfish fisheries of the Westward region, 1998, Regional Information Report, 4K99-49, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802, Kodiak, pp. 133-247.
- Morrison, R., Gish, R., Ruccio, M., and Schwenzfeier, M. (1998). "Annual Area Management Report for the Shellfish Fisheries of the Bering Sea.", State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Morrison, R., and Gish, R. K. (1997a). "Annual management report for the shellfish fisheries of the Eastern Aleutian area." In Annual management report for the shellfish fisheries of the Westward region, 1996, Regional Information Report, 4K97-41, Alaska Department of Fish and Game, Kodiak, pp. 68-97.
- Morrison, R., and Gish, R. K. (1997b). "Annual management report for the shellfish fisheries of the Western Aleutian area." In Annual management report for the shellfish fisheries of the Westward region, 1996, Regional Information Report, 4K97-41, Alaska Department of Fish and Game, Kodiak, pp. 98-119.
- Morrison, R., Gish, R. K., and Sagalkin, N. H. (1997). "Annual management report for the shellfish fisheries of the Bering Sea Area." Regional Information Report, 4K97-41, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802, Kodiak, pp. 120-210.
- Motoh, H. (1982). "The larval stages of the genus *Chionoecetes*: *C. opilio* and *C. japonicus* reared in the laboratory." In Proceedings of the International Symposium on the Genus *Chionoecetes*, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 119-136.
- Munk, J. E., Payne, S. A., and Stevens, B. G. (1996). "Timing and duration of the mating and molting season for shallow water Tanner crab (*Chionoecetes bairdi*)." In "High Latitude Crabs: Biology, Management and Economics", Alaska Sea Grant Report, AK-SG-96-02, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, p. 341 (abstract only).
- Murawski, S. (2000). "Definitions of overfishing from an ecosystem perspective." *ICES Journal of Marine Science*, In press.
- Murphy, M. C., and Kruse, G. H. (1995). "An annotated bibliography of capture and handling effects on crabs and lobsters." *Alaska Fishery Research Bulletin*, 2(1), pp. 23-75.
- Naidu, A. S. (1988). "Marine surficial sediments." Section 1.4 of Bering, Chukchi, and Beaufort Seas coastal and ocean zones strategic assessment: Data atlas, C. N. Ehler, D. J. Basta, T. F. LaPointe, and G. C. Ray, DOC, NOAA, National Ocean Service, Office of Oceanography and Marine Assessments, Ocean Assessment Division, Str. Assessment Branch, Silver Spring, MD.

- Nakanishi, T. (1981). "The effect of temperature on growth, survival, and oxygen consumption of larvae and post larvae of *Paralithodes brevipes* (Decapoda: Anomura)." *Bulletin of Japanese Sea. Reg. Fisheries Research Laboratory*, 32, pp. 49-56.
- Nakanishi, T. (1987). "Rearing condition of eggs, larvae and post-larvae of king crab." *Bulletin of Japanese Sea. Reg. Fisheries Research Laboratory*, 37, pp. 57-161.
- Nakanishi, T. (1988). "Effects of environment on seedlings of the king crab, *Paralithodes camtschaticus*." *Environmental quality and aquaculture systems*, 69, pp. 25-35.
- Nakanishi, T., and Naryu, M. (1981). "Some aspects of large-scale rearing of larvae and postlarvae of the King crab (*Paralithodes camtschatica*)." *Bulletin of Japanese Sea. Reg. Fisheries Research Laboratory*, 32, pp. 39-47.
- Narita, R., Guttormsen, M., Gharrett, J., Tromble, G., and Berger, J. (1994). "Summary of observer sampling of domestic groundfish fisheries in the Northeast Pacific Ocean and Bering Sea, 1991." NOAA Technical Memorandum, *NMFS-AFSC-48*, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- National Research Council. (1996). *The Bering Sea Ecosystem*, National Academy Press, Washington, DC. 307 pp.
- National Research Council. (1999). "Sharing the Fish: Toward a National Policy on Individual Fishing Quotas." Ocean Studies Board, Commission on Geosciences, Environment, and Resources, National Academy Press, Washington, DC.
- Natural Resource Consultants Inc. (1988). "Minimization of King and Tanner crab bycatch in trawl fisheries directed at demersal groundfish in the Bering Sea.", February 1988.
- Nevisi, A., Orensanz, J. M., Paul, A. J., and Armstrong, D. A. (1996). "Radiometric estimation of shell age in *Chionoecetes* spp. from the eastern Bering Sea, and its use to interpret shell condition indices: preliminary results." In "High Latitude Crabs: Biology, Management and Economics", Alaska Sea Grant Report, *AK-SG-96-02*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 389-396.
- Niebauer, H. J. (1981). "Recent Fluctuations in Sea Ice Distribution in the Eastern Bering Sea." *The Eastern Bering Sea Shelf: Oceanography and Resources*, D. W. Hood and J. A. Calder, eds., U.S. Department of Commerce, NOAA, OMPA, University of Washington Press, Seattle, pp. 133-140.
- Niebauer, H. J., Bond, N. A., Yakunin, L. P., and Plotnikov, V. V. (1999). "An update on the climatology and sea ice of the Bering Sea." *Dynamics of the Bering Sea*, T. R. Loughlin and K. Ohtani, Alaska Sea Grant College Program Report, *AK-SG-99-03*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 29-60.
- NMFS. (1994). "Biological Assessment: Bering Sea/Aleutian Islands Crab Fisheries Interactions with Spectacled Eiders, a Threatened Species.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668, April 11, 1994.
- NMFS. (1998a). "Final Supplemental Environmental Impact Statement: Groundfish Total Allowable Catch Specifications and Prohibited Species Catch Limits Under the Authority of the Fishery Management Plans for the Groundfish Fishery of the Bering Sea and Aleutian Islands Area and Groundfish of the Gulf of Alaska.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668, December 1998, p. 692 + Appendices and Comments.
- NMFS. (1998b). Results of the 1998 NMFS Bering Sea Crab Survey: Executive Summary. 1998 Crab Stock Assessment and Fishery Evaluation, NPFMC.
- NMFS. (1998c). "Draft technical guidance to NMFS for implementing the Essential Fish Habitat Requirements for the Magnuson-Stevens Act.", NMFS, Office of Habitat Conservation, Silver Spring, MD.

- NMFS. (1999). "Environmental Assessment for an Emergency Rule to Implement Reasonable and Prudent Steller Sea Lion Protection Measures in the Pollock Fisheries of the Bering Sea and Aleutian Islands Area and Groundfish Fishery of the Gulf of Alaska." FONSI determination signed January 14, 1999, DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668., January 1999, p. 89.
- NMFS. (2000). "Endangered Species Act Section 7 Consultation - Biological Assessment for listed marine mammals." Activities Considered: Crab fisheries authorized under the Fishery Management Plan for Bering Sea/Aleutian Islands King and Tanner Crabs, DOC, NOAA., July 18, 2000.
- NMFS. (2001a). "Memorandum from Michael Payne, NMFS Protected Resources, to Sue Salveson, NMFS Sustainable Fisheries, regarding section 7 ESA Consultation, BSAI Commercial Crab Fisheries Fishery Management Plan.", DOC, NOAA, NMFS, Protected Resources Division, P.O. Box 21668, Juneau, AK 99802.
- NMFS. (2001b). "Memorandum from Sue Salveson, NMFS Sustainable Fisheries, to Michael Payne, NMFS Protected Resources, regarding section 7 ESA Consultation, BSAI Commercial Crab Fisheries Fishery Management Plan, addendum to the 2000 Biological Assessment for the BSAI crab Fishery Management Plan.", DOC, NOAA, NMFS, Alaska Region, Sustainable Fisheries Division, P.O. Box 21668, Juneau, AK 99802.
- NMFS. (2001c). "Alaska Groundfish Fisheries Draft Programmatic Supplemental Environmental Impact Statement.", DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668., January 2001, pp. Volumes I-VIII approx 3300.
- NMFS. (2001d). "Steller Sea Lion Protection Measures Supplemental Environmental Impact Statement (November 2001).", DOC, NOAA, NMFS, Alaska Region, P.O. Box 21668, Juneau, Alaska 99802-1668, pp. Volumes I, II, III and map packet approx. 2200.
- NMFS. (2002a). "Endangered Species Act Section 7 Consultation - Biological Assessment for listed seabirds." Activities Considered: Crab fisheries authorized under the Fishery Management Plan for Bering Sea/Aleutian Islands King and Tanner Crabs, DOC, NOAA, National Marine Fisheries Service, Alaska Region, Sustainable Fisheries Division, P.O. Box 21668, Juneau, AK 99802, March 29, 2002.
- NMFS. (2002b). "Report to Industry on the 2002 Eastern Bering Sea Crab Survey." AFSC Processed Report, 2002-05, U.S. Department of Commerce, NOAA, National Marine Fisheries Service, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115-0070.
- NMFS. (2002c). Final Environmental Impact Statement for American Fisheries Act Amendments 61/61/13/8 (February 2002). DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. approx. 550 pp.
- NMFS. (2002d). United States National Plan of Action for the Management of Fishing Capacity. DOC, NOAA, National Marine Fisheries Service, Silver Springs, MD. Pp. 27.
- NMFS. (2002e). Draft Scoping Summary Report to the NPFMC on the EIS for the FMP for BSAI King and Tanner Crabs. January 28, 2004. DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. pp. 19.
- NMFS. (2002f). Preliminary Materials for the NPFMC on the EIS for the FMP for BSAI King and Tanner Crabs. April 3, 2002. DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. pp. 21.
- NMFS. (2002g). Materials for the NPFMC on the EIS for the FMP for BSAI King and Tanner Crabs. June, 2002. DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. pp. 21.

- NMFS. (2003a). *Preliminary Review Draft Environmental Impact Statement for Essential Fish Habitat Identification and Conservation in Alaska (July 2003)*, DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. 2000 pp.
- NMFS. (2003b). *Alaska Groundfish Fisheries Draft Programmatic Supplemental Environmental Impact Statement*, DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. Appx 7300 pp.
- NMFS. (2004a). *Alaska Groundfish Fisheries Final Programmatic Supplemental Environmental Impact Statement*, DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. Appx 7300 pp.
- NMFS. (2004b). “Memorandum from Sue Salveson, NMFS Sustainable Fisheries, to Kaja Brix, NMFS Protected Resources, regarding section 7 ESA Consultation, Voluntary Three-pie Cooperative Program,” Concurred by Ron Berg on May 26, 2004. DOC, NOAA, NMFS, Alaska Region, Sustainable Fisheries Division, P.O. Box 21668, Juneau, AK 99802. April 12, 2004.
- NMFS. (2004c). “Letter to Ann G. Rappoport, U.S. Fish and Wildlife Service, from James W. Balsiger, regarding reinitiating of the section 7 consultation for the BSAI crab fisheries to include Voluntary Three-pie Cooperative Program.” DOC, NOAA, NMFS, Alaska Region, Sustainable Fisheries Division, P.O. Box 21668, Juneau, AK 99802. April 12, 2004.
- NMFS. (2004d). *Draft Environmental Impact Statement for Essential Fish Habitat Identification and Conservation in Alaska (January 2004)*, DOC, NOAA, National Marine Fisheries Service, AK Region, P.O. Box 21668, Juneau, AK 99802-1668. 2000 pp.
- NMFS. (2004e). “Memorandum from Sue Salveson, NMFS Sustainable Fisheries, to Jon Kurland, NMFS Habitat Conservation, regarding EFH Consultation on Amendment 18 and 19 to the Fishery Management Plan for Bering Sea/ Aleutian Islands King and Tanner Crabs,” Concurred on August 3, 2004. DOC, NOAA, NMFS, Alaska Region, Sustainable Fisheries Division, P.O. Box 21668, Juneau, AK 99802. August 3, 2004.
- North Pacific Fishery Management Council (NPFMC). (1990). “Environmental assessment for Amendment 1 to the Fishery Management Plan for the commercial king and Tanner crab fisheries in the Bering Sea/Aleutian Islands.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (1991). “Revised Supplement to the Draft Environmental Impact Statement, Regulatory Flexibility Analysis for the Proposed Individual Fishing Quota Management Alternatives for the Halibut Fisheries in the Gulf of Alaska and the Bering Sea/Aleutian Islands”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, Alaska 99501-2252.
- NPFMC. (1993). “Environmental Assessment/Regulatory Impact Review/Initial Regulatory Flexibility Analysis alternatives to allocate the Pacific cod total allowable catch by gear and/or directly change the seasonality of the cod fisheries: Amendment 24 to the Fishery Management Plan for the groundfish fishery of the Bering Sea and Aleutian Islands area.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501, October 1993.
- NPFMC. (1994a). “Ecosystem Considerations 1995.” 1995 Bering Sea and Aleutian Islands Groundfish Stock Assessment and Fishery Evaluation, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (1994b). “Environmental Assessment/Regulatory Impact Review/Initial Regulatory Flexibility Analysis for Amendment 21a to the Fishery Management Plan for the Scallop Fishery of the Bering Sea and Aleutian Islands area.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.



- NPFMC. (1995). “Environmental Assessment/Regulatory Impact Review/Initial Regulatory Flexibility Analysis for red king crab bycatch in the Bering Sea trawl fisheries and alternatives for closure areas.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (1996). “Environmental Assessment/Regulatory Impact Review/Initial Regulatory Flexibility Analysis for Amendment 37 to the Fishery Management Plan for the Bering Sea and Aleutian Islands area Groundfish.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (1997). “Stock assessment and Fishery Evaluation report for the king and Tanner crab fisheries of the Bering Sea and Aleutian Islands Region.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (1998a). “Stock assessment and Fishery Evaluation report for the king and Tanner crab fisheries of the Bering Sea and Aleutian Islands Region.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501, p. 238.
- NPFMC. (1998b). “Analysis of Proposed License Limitation Amendment Package.” Draft for Public Review, August 21, 1998.
- NPFMC. (1998c). “Fishery Management Plan for the King and Tanner Crab Fisheries of the Bering Sea and Aleutian Islands.” pp. 2-4.
- NPFMC. (1998d). “Essential Fish Habitat Assessment Report for the Bering Sea and Aleutian Islands King and Tanner Crabs.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252.
- NPFMC. (1998e). “Environmental Assessment /Regulatory Impact Review/Initial Regulatory Flexibility Analysis for Amendment 55 to the FMP for the Groundfish Fishery of the Bering Sea and Aleutian Islands Area; Amendment 55 to the FMP for Groundfish of the Gulf of Alaska; Amendment 8 to the FMP for the Commercial king and Tanner Crab Fisheries in the Bering Sea/Aleutian Islands; Amendment 5 to the FMP for Scallop Fisheries off Alaska; and Amendment 5 to the FMP for the Salmon Fisheries in the Exclusive Economic Zone off the Coast of Alaska: Essential Fish Habitat.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501-2252.
- NPFMC. (1999). “Environmental Assessment/Regulatory Impact Review/Initial Regulatory Flexibility analysis for Amendment 11 to the Fishery Management Plan for Bering Sea and Aleutian Islands King and Tanner Crabs.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (2000a). “Stock assessment and Fishery Evaluation report for the king and Tanner crab fisheries of the Bering Sea and Aleutian Islands Region”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (2000b). “Environmental assessment for Amendment 14 to the Fishery Management Plan Bering Sea/Aleutian Islands King and Tanner crabs.” Rebuilding Plan for Snow Crab (*Chionoecetes opilio*), North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- NPFMC. (2002a). “Bering Sea Crab Rationalization Program Alternatives.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501, May 2002.
- NPFMC. (2002b). Report to Congress on the Bering Sea and Aleutian Islands Crab Rationalization Program. North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501. August 5, 2002.
- NPFMC. (2003a). “BSAI Crab Rationalization Program Trailing Amendments: Community Protection, Binding Arbitration, Data Collection.”, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.

- NPFMC. (2003b). Update on Bering Sea and Aleutian Islands Crab Rationalization Program Submitted to the U.S. Congress, April 2003. North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501. May 6, 2003.
- O'Clair, R. M., and O'Clair, C. E. (1998). *Southeast Alaska's Rocky Shores: Animals*, Plant Press, Auke Bay. 564 pp.
- Odum, E. P. (1985). "Trends expected in stressed ecosystems." *Science*, 35, pp. 419-422.
- Ognev, S. I. (1935). *Mammals of the U.S.S.R. and adjacent countries*, I. P. S. Transl., translator, Moscow.
- Orensanz, J. M., Armstrong, J., Armstrong, D., and Hilborn, R. (1998). "Crustacean resources are vulnerable to serial depletion - the multifaceted decline of crab and shrimp fisheries in the greater Gulf of Alaska." *Reviews in Fisheries Science*, 8, pp. 117-176.
- Orlov, A. M. (1998). "The diets and feeding habits of some deep-water benthic skates (*Rajidae*) in the Pacific waters off the northern Kuril Islands and Southeastern Kamchatka." *Alaska Fishery Research Bulletin*, 5(1), pp. 1-17.
- Otto, R. S. (1981). "Eastern Bering Sea Crab Fisheries.", DOC, NOAA, NMFS, Kodiak Laboratory, 301 Research Court, Kodiak, AK 99615.
- Otto, R. S. (1986). "Management and assessment of eastern Bering Sea king crab stocks." North Pacific workshop on stock assessment and management of invertebrates, G. S. Jamieson and N. Bourne, eds., Canadian Special Publication of Fisheries and Aquatic Sciences, pp. 83-106.
- Otto, R. S. (1998). "Assessment of the eastern Bering Sea snow crab, *Chionoecetes opilio*, stock under the terminal molting hypothesis." *In Proceedings of the North Pacific Symposium on Invertebrate Stock Assessment and Management*, G. S. Jamieson and A. Campbell, eds., Canadian Special Publication of Fisheries and Aquatic Sciences, pp. 109-124.
- Otto, R. S., and Cummiskey, P. A. (1985). "Observations on the reproductive biology of golden king crab (*Lithodes aequispinalis*) in the Bering Sea and Aleutian Islands." *Proceedings of the International King Crab Symposium*, B. R. Melteff, ed., University of Alaska, Alaska Sea Grant College Program, pp. 123-136.
- Otto, R.S., and Jamieson, G.S., Eds. (2001). "Commercially important crabs, shrimps, and lobsters of the North Pacific Ocean. North Pacific Marine Science Organization (PICES) Scientific Report No. 19. December 2001.
- Otto, R. S., Haaga, J. A., and MacIntosh, R. A. (1997). "Report to industry on the 1996 eastern Bering Sea crab survey." AFSC Processed Report, 97-02, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Otto, R. S., MacIntosh, R. A., and Cummiskey, P. A. (1989). "Fecundity and other reproductive parameters of female red king crab (*Paralithodes camtschatica*) in Bristol Bay and Norton Sound, Alaska." *Proceedings of the International Symposium on king and Tanner crabs*, B. Melteff, Alaska Sea Grant College Program Report, 90-04, University of Alaska Fairbanks, Alaska Sea Grant College, Anchorage, AK, November 28-30, 1989, pp. 65-90.
- Owen, D. (1988). "A bottom trawl survey on the west side of Kodiak Island: Viekoda Bay, Spiridon Bay, and Kupreanof Strait." *Regional Information Report, 4K88-28*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Palacios, R., Armstrong, D. A., Armstrong, J. L., and Williams, G. (1985). "Community analysis applied to characterization of blue king crab habitat around the Pribilof Islands." *Proceedings of the International King Crab Symposium*, B. Melteff, Alaska Sea Grant College Program Report, 85-12, University of Alaska Fairbanks, Alaska Sea Grant College, Anchorage, AK, January 22-24, 1985, pp. 193-209.

- Pappas, G. E. (1999). "Mandatory Shellfish Onboard Observer Program Report to the Alaska Board of Fisheries.", State of Alaska, Department of Fish and Game, P.O. Box 920587, Dutch Harbor, AK 99692, March 1999.
- Passer, D. J. (2003). "Halibut and Sablefish Individual Fishing Quotas in Alaska.", DOC, NOAA Enforcement, Alaska Region, P.O. Box 21668, Juneau, Alaska 99802-1668.
- Paul, A. J. (1984). "Mating frequency and viability of stored sperm in the tanner crab *Chionoecetes bairdi* (DECAPODA, MAJIDAE)." *Journal of Crustacean Biology*, 4, pp. 375-381.
- Paul, A. J. (1985). "Larval biology of Alaskan red king crab." *In Proceedings of the International King Crab Symposium*, Alaska Sea Grant Report, 85-12, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 145-152.
- Paul, A. J., and Adams, A. E. (1984). "Breeding and fertile period for female *Chionoecetes bairdi* (DECAPODA, MAJIDAE)." *Journal of Crustacean Biology*, 4, pp. 589-594.
- Paul, A. J., and Paul, J. M. (1980). "The effect of early starvation on later feeding success of king crab zoea." *Journal of Experimental Marine Biology and Ecology*, 44, pp. 247-251.
- Paul, A. J., and Paul, J. M. (1990). "The size at the onset of maturity in male *Chionoecetes bairdi* (DECAPODA: MAJIDAE)." *In "Proceedings of the International Symposium on King and Tanner Crabs"*. Lowell Wakefield Fisheries Symposium Series, Alaska Sea Grant College Program Report, 90-04, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 95-103.
- Paul, A. J., and Paul, J. M. (1992). "Second clutch viability of *Chionoecetes bairdi* Rathbun (DECAPODA: MAJIDAE) inseminated only at the maturity molt." *Journal of Crustacean Biology*, 12, pp. 438-441.
- Paul, A. J., and Paul, J. M. (1995). "Shell condition and breeding success in Tanner crab." *Journal of Crustacean Biology*, 15, pp. 476-480.
- Paul, A. J., and Paul, J. M. (1996a). "Male Tanner crab carapace widths at previous intermolt estimated from laboratory growth, Kachemak Bay, Alaska", 3, pp. 132-135.
- Paul, A. J., and Paul, J. M. (1996b). "Observations on mating of multiparous *Chionoecetes bairdi* Rathbun (DECAPODA: MAJIDAE) held with different sizes of males and one-clawed males." *Journal of Crustacean Biology*, 16, pp. 295-299.
- Paul, A. J., and Paul, J. M. (1996c). "Changes in carapace and chela measurements of functionally mature male *Chionoecetes bairdi* held in the laboratory." *In "High Latitude Crabs: Biology, Management and Economics"*, Alaska Sea Grant Report, AK-SG-96-02, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 445-450.
- Paul, A. J., and Paul, J. M. (1997). "Breeding success of large male red king crab *Paralithodes camtschaticus* with multiparous mates." *Journal of Shellfish Research*, 16, pp. 379-381.
- Paul, A. J., and Paul, J. M. (1999). "Development of larvae of the golden king crab *Lithodes aequispinus* (Anomura: Lithodidae) reared at different temperatures." *Journal of Crustacean Biology*, 19, pp. 42-45.
- Paul, A. J., Paul, J. M., and Coyle, K. O. (1989). "Energy sources for first feeding zoeae of king crab *Paralithodes camtschatica* (Tilesius)(Decapoda, Lithodidae)." *Journal of Experimental Marine Biology and Ecology*, 130, pp. 55-69.
- Paul, A. J., Paul, J. M., Shoemaker, P. A., and Feder, H. M. (1979). "Prey concentrations and feeding response in laboratory-reared stage-one zoeae of king crab, snow crab, and pink shrimp.", 108, pp. 440-443.
- Paul, J. M. (1982). "Distribution of juvenile *Chionoecetes bairdi* in Cook Inlet." *In "Proceedings of the International Symposium on the Genus Chionoecetes"*. Lowell Wakefield Symposium Series., B. Melteff, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 173-190.

- Paul, J. M., and Paul, A. J. (1990b). "Breeding success of sublegal size male red king crab *Paralithodes camtschatica* (Tilesius, 1815) (Decapoda, Lithodidae)." *Journal of Shellfish Research*, 9, pp. 29-32.
- Paul, J. M., and Paul, A. J. (1990c). "Reproductive success of sublegal size male red king crab with access to multiple mates." *In Proceedings of the International Symposium on King and Tanner Crabs, Alaska Sea Grant Report, AK-SG-90-04*, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 37-50.
- Paul, J. M., and Paul, A. J. (1996d). "A note on mortality and injury rates of male *Chionoecetes bairdi* (DECAPODA: MAJIDAE) competing for multiparous mates." *In "High Latitude Crabs: Biology, Management and Economics"*. Lowell Wakefield Symposium Series., Alaska Sea Grant Report, *AK-SG-96-02*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 343-347.
- Paul, J. M., Paul, A. J., and Barber, W. E. (1997). "Reproductive biology and distribution of the snow crab from the northeastern Chukchi Sea." *In "Fish Ecology in Arctic North America"*, 19, pp. 287-294.
- Paul, J. M., Paul, A. J., and Kimker, A. (1993). "Starvation resistance in Alaska crabs: interim report." Regional Information Report, *2A93-03*, State of Alaska, Department of Fish and Game, Anchorage Regional Office, 333 Raspberry Road, Anchorage, AK 99518.
- Paul, J. M., Paul, A. J., and Kimker, A. (1994). "Compensatory feeding capacity of 2 Brachyuran crabs, Tanner and Dungeness, after starvation periods like those encountered in pots.", 1, pp. 184-187.
- Pauly, D., Christensen, V., Dalsgaard, J., Froese, R., and Torres Jr., F. (1998). "Fishing down marine food webs." *Science*, 279, pp. 860-863.
- Pearse, P. H., and Walters, C. J. (1992). "Harvesting regulation under quota management systems for ocean fisheries." *Marine Policy*, 16, pp. 167-182.
- Pengilly, D., and Schmidt, D. (1995). "Harvest strategy for Kodiak and Bristol Bay red king crab and St. Matthew Island and Pribilof blue king crab." Special Publication, 7, Alaska Department of Fish and Game, Division of Commercial Fisheries, 333 Raspberry Road, Anchorage, AK.
- Perez, M. A. (1990). "Review of marine mammal population and prey information for Bering Sea ecosystem studies." NOAA Technical Memorandum, *NMFS F/NWC-186*, U.S. Department of Commerce, NOAA, p. 81.
- Perez, M. A., and McAlister, B. (1993). "Estimates of food consumption by marine mammals in the eastern Bering Sea." NOAA Technical Memorandum, *NMFS-AFSC-14*, U.S. Department of Commerce, NOAA, p. 36.
- Phillips, A.C., and Lauzier, R. (1997). Biological background for the development of a new fishery for the grooved Tanner crab (*Chionoecetes tanneri*) off British Columbia. Can. Stock Assess. Sec Res. Doc. 97/148.
- Popov, L. A. (1976). "Status of main ice forms of seals inhabiting waters of the U.S.S. R. and adjacent to the country marine areas." *ACMRR/MM/SC/51*, Food and Agriculture Organization of the United Nations, p. 17.
- Powell, G. C. (1959). "Annual report.", State of Alaska, Department of Fish and Game, pp. 10:34-44.
- Powell, G. C. (1964). "Fishing mortality and movements of adult male king crabs, *Paralithodes camtschatica* (Tilesius), released seaward from Kodiak Island, Alaska." *Transactions of the American Fisheries Society*, 93(3), pp. 295-300.
- Powell, G. C. (1967). "Growth of king crabs in the vicinity of Kodiak Island, Alaska." *Alaska Department of Fish and Game Informational Leaflet*, 92, p. 106.
- Powell, G. C., and Nickerson, R. B. (1965a). "Reproduction of king crabs, *Paralithodes camtschatica* (Tilesius)." *Journal of the Fisheries Research Board of Canada*, 22(1), pp. 101-111.
- Powell, G. C., and Nickerson, R. B. (1965b). "Aggregations among juvenile king crabs (*Paralithodes camtschatica*, Tilesius) Kodiak, Alaska." *Animal Behavior*, 13(2-3), pp. 374-380.

- Powell, G. C., Pengilly, D., and Blau, S. F. (2002). "Mating pairs of red king crabs (*Paralithodes camtschaticus*) in the Kodiak Archipelago, Alaska, 1960-1984." Crabs in cold water regions: biology, management, and economics, A. J. Paul, E. G. Dawe, R. Elnor, G. S. Jamieson, G. H. Kruse, R. S. Otto, B. Sainte-Marie, T. C. Shirley, and D. Woodby, eds., University of Alaska Fairbanks, Alaska Sea Grant College, pp. 225-245.
- Powell, G. C., Shafford, B., and Jones, M. (1973). "Reproductive biology of young adult king crabs, *Paralithodes camtschaticus* (Tilesius), at Kodiak, Alaska." *Proceedings of the National Shellfisheries Association*, 63, pp. 77-87.
- Powers, J. E. (1996). "Benchmark requirements for recovering fish stocks." *North American Journal of Fisheries Management*, 16, pp. 495-504.
- Prena, J., Schwinghammer, P., Rowell, T. W., Gordon Jr, D. C., Gilkinson, K. D., Vass, W. P., and D.L., M. (1999). "Experimental otter trawling on a sandy bottom ecosystem of the Grand Banks of Newfoundland: analysis of trawl bycatch and effects on epifauna." *Marine Ecology Progress Series*, 181, pp. 107-124.
- Quandt, A. (1999). Assessment of fish trap damage on coral reefs around St. Thomas, USVI. Independent Project Report, UVI Spring 1999. p. 9.
- Queirolo, L. E., Fritz, L. W., Livingston, P. A., Loefflad, M. R., Colpo, D. A., and deReynier, Y. L. (1995). "Bycatch, utilization and discards in the commercial groundfish fisheries of the Gulf of Alaska, eastern Bering Sea, and Aleutian Islands." NOAA Technical Memorandum, *NMFS-AFSC-58*, U.S. Department of Commerce, NOAA, p. 148.
- Quinn, T. J., Turnbull, C. T., and Fu, C. (1998). "A Length-based population model for hard-to-age invertebrate populations." Fishery stock assessment models, Alaska Sea Grant College Program Report, *AK-SG-98-01*, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 531-556.
- Rafnsson, V., and Gunnarssdóttir, H. (1992). "Fatal accidents among Icelandic seamen: 1966-1986." *British Journal of Industrial Medicine*, 49, pp. 694-699.
- Reed, R. K., and Stabeno, P. J. (1999). "The Aleutian north slope." Dynamics of the Bering Sea, T. R. Loughlin and K. Ohtani, Alaska Sea Grant College Program Report, *AK-SG-99-03*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 177-192.
- Reeves, J. E. (1991). "Shellfish Resources." In Status of Living Marine Resources off Alaska as Assessed in 1991, NOAA Technical Memorandum, *NMFS F/NWC-211*, DOC, NOAA, National Marine Fisheries Service, Northwest Region, 7600 Sand Point Way NE, Seattle, WA 98115, pp. 54-62.
- Regier, H. A. (1990). "Indicators of ecosystem integrity." Ecological Indicators, D. H. McKenzie, D. E. Hyatt, and V. J. McDonald, eds., Elsevier Science Publishers, Ltd., London, UK, pp. 183-200.
- Reichelt, R., and Staples, D. (1992). "ITQs from a biological perspective." *Australian Fisheries*, 51(4), pp. 23-27.
- Reise, K. (1982). "Long-term changes in the macrobenthic invertebrate fauna of the Wadden Sea: are polychaetes about to take over?" 16, pp. 29-36.
- Restrepo, V. R., Thompson, G. G., Mace, P. M., Gabriel, W. L., Low, L.-L., MacCall, A. D., Methot, R. D., Powers, J. E., Taylor, B. L., Wade, P. R., and Witzig, J. F. (1998). "Technical guidance on the use of precautionary approaches to implementing national standard 1 of the Magnuson-Stevens Fishery Conservation and Management Act." NOAA Technical Memorandum, *NMFS-F/SPO-31*, DOC, NOAA, NMFS, August 1998.
- Rice, J., and Gislason, H. (1996). "Patterns of change in the size spectra of numbers and diversity of the North Sea fish assemblage, as reflected in surveys and models." *ICES Journal of Marine Science*, 53, pp. 1214-1225.
- Rice, S. D., Broderson, C., and Arasmith, P. J. (1985). "Feeding rates, molting success, and survival of juvenile red king crabs at different temperatures." Proceedings of the International King Crab

- Symposium, B. Melteff, Alaska Sea Grant College Program Report, 85-12, University of Alaska Fairbanks, Alaska Sea Grant College, Anchorage, AK, January 22-24, 1985, pp. 187-191.
- Riechelt, R., and Staples, D. (1992). "ITQs from a biological perspective." *Australian Fisheries*, 51(4), pp. 23-27.
- Riemann, B., and Hoffmann, E. (1991). "Ecological consequences of dredging and bottom trawling in the Limfjord, Denmark." *Marine Ecology Progress Series*, 69(1-2), pp. 171-178.
- Risk, M. J., Heikoop, J. M., Snow, M. G., and Beukens, R. (2002). "Lifespans and growth patterns of two deep-sea corals: *Primnoa resedaeformis* and *Desmophyllum cristagalli*." *Hydrobiologia*, 471, pp. 125-131.
- Risk, M. J., McAllister, D. E., and Behnken, L. (1998). "Conservation of cold- and warm-water seafans: Threatened ancient gorgonian groves." *Sea Wind*, 10(4), pp. 20-22.
- Robichaud, D. (1987). "An overview of natural mortality factors affecting *Chionoecetes bairdi* and *C. opilio* and possible repercussion on crab fisheries." *Canadian Technical Report of Fisheries and Aquatic Sciences*.
- Robichaud, D. A., Bailey, R. F. J., and Elner, R. W. (1989). "Growth and distribution of snow crab, *Chionoecetes opilio*, in the southeastern Gulf of St. Lawrence." *Journal of Shellfish Research*, 8, pp. 13-23.
- Rodin, V. E. (1985). "Spatial and functional structure of the king crab populations." *Bioproductivity of the Far Eastern Seas*, 110, pp. 86-97.
- Rodin, V. E. (1989). "Population biology of the king crab *Paralithodes camtschatica* (Tilesius) in the North Pacific Ocean." Proceedings of the International Symposium on King and Tanner Crabs, Alaska Sea Grant Report, AK-SG-90-04, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775, pp. 133-144.
- Rodin, V.E. (1990). Population biology of the king crab *Paralithodes camtschatica* Tilesius in the North Pacific Ocean. In Proceedings of the Symposium on King and Tanner Crabs. Edited by B.R. Melteff. University of Alaska Sea Grant AK-SG-90-04, Fairbanks pp. 133-144.
- Rohlf, D.J. (1989). "The Endangered Species Act, A Guide to its Protections and Implementation.", Stanford Environmental Law Society, Stanford Law School, Stanford, CA 94305, p. 207.
- Rose, C. (In prep.). "An analysis of the Effects of Fishing on Fish Habitats of the Waters off of Alaska." Draft white paper prepared for the Essential Fish Habitat Committee, North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501.
- Rose, C. S. (1999). "Injury rates of red king crab, *Paralithodes camtschaticus*, passaging under bottom trawl footropes." *Marine Fisheries Review*, 61(2), pp. 72-76.
- Rosenberg, A., Mace, P., Thompson, G., Darcy, G., Clark, W., Collie, J., Gabriel, W., MacCall, A., Methot, R., Powers, J., Restrepo, V., Wainwright, T., Botsford, L., Hoenig, J., and Stokes, K. (1994). "Scientific review of definitions of overfishing in U.S. fishery management plans." NOAA Technical Memorandum, NMFS-F/SPO-17, DOC, NOAA.
- Rosenberg, A. A., and Restrepo, V. R. (1994). "Uncertainty and risk evaluation in stock assessment advice for U.S. marine fisheries." *Canadian Journal of Fisheries and Aquatic Science*, 51, pp. 2715-2720.
- Rosenkranz, G. E. (1998). "Statistical modeling of Tanner crab recruitment in Bristol Bay, Alaska," M.S., University of Alaska Fairbanks.
- Rosenkranz, G. E., Tyler, A. V., and Kruse, G. H. (2001). "Effects of water temperature and wind on year-class success of Tanner crabs in Bristol Bay, Alaska.", 10, pp. 1-12.
- Rosenkranz, G. E., Tyler, A. V., Kruse, G. H., and Niebauer, H. J. (1998). "Relationship between winds and year class strength of Tanner crabs in the southeastern Bering Sea." *Alaska Fishery Research Bulletin*, 5(1), pp. 18-24.

- Rugolo, L. J., Haaga, J. A., and MacIntosh, R. A. (2001). "Report to Industry on the 2001 Eastern Bering Sea Crab Survey." Alaska Fisheries Science Center Processed Report, 2001-07, DOC, NOAA, NMFS, Alaska Fisheries Science Center, Kodiak Fisheries Research Center, 301 Research Court Road, Kodiak, AK 99615.
- Rumohr, H., and Krost, P. (1991). "Experimental evidence of damage to benthos by bottom trawling with special reference to *Artica islandica*." *Meeresforschung*, 33, pp. 340-345.
- Rumyantsev, L. E. (1945). "The migration of crab along the southern part of the west coast of Kamchatka." *Ivestiya Tikhookeanskogo N.-I. Instituta Rybnogo Khoziaistva I Okeanografii*, 19, pp. 55-70.
- Runolfsson, B., and Arnason, R. (1999). "Evolution and performance of the Icelandic ITQ system." *FishRights 99*, Fremantle, Western Australia, November 11-19, 1999, p. In press.
- Sainte-Marie, B. (1993). "Reproductive cycle and fecundity of primiparous and multiparous female snow crabs, *Chionoecetes opilio*, in the northwest Gulf of St. Lawrence." *Canadian Journal of Fisheries and Aquatic Science*, 50, pp. 2147-2156.
- Sainte-Marie, B. (1997). "Comment - An improved link between industry, management, and science: review of case history of the southwestern Gulf of St. Lawrence snow crab fishery." *Canadian Journal of Fisheries and Aquatic Science*, 54, pp. 496-500.
- Sainte-Marie, B., and Carriere, C. (1995). "Fertilization of the second clutch of eggs of snow crab, *Chionoecetes opilio*, from females mated once or twice after their molt to maturity." *Fishery Bulletin*, 93(4), pp. 759-764.
- Sainte-Marie, B., Dufour, R., and Desjardins, C. (1988). "Beaching of snow crabs (*Chionoecetes opilio*) on the north shore of the Gulf of Saint Lawrence." *Naturaliste Canadienne*, 115, pp. 105-109.
- Sainte-Marie, B., and Hazel, F. (1992). "Moulting and mating of snow crab, *Chionoecetes opilio* (O. Fabricus), in shallow waters of the northwestern Gulf of Saint Lawrence." *Canadian Journal of Fisheries and Aquatic Science*, 49, pp. 1282-1293.
- Sainte-Marie, B., and Lovrich, G. A. (1994). "Delivery and storage of sperm at first mating of female *Chionoecetes opilio* (BRACHYURA: MAJIDAE) in relation to size and morphometric maturity of male parent." *Journal of Crustacean Biology*, 14, pp. 508-521.
- Sainte-Marie, B., Raymond, S., and Brêthes, J.-C. (1995). "Growth and maturation of the benthic stages of male snow crab, *Chionoecetes opilio* (BRACHYURA: MAJIDAE)." *Canadian Journal of Fisheries and Aquatic Science*, 52, pp. 903-924.
- Sainte-Marie, B., Sévigny, J.-M., Smith, B. D., and Lovrich, G. A. (1996). "Recruitment variability in snow crab (*Chionoecetes opilio*): pattern, possible causes, and implications for fishery management." In "High Latitude Crabs: Biology, Management and Economics". Lowell Wakefield Symposium Series., Alaska Sea Grant College Program Report, 96-02, University of Alaska Fairbanks, pp. 451-478.
- Sainte-Marie, B., Urbani, N., Sévigny, J.-M., Hazel, F., and Kuhnlein, U. (1999). "Multiple choice criteria and the dynamics of assortative mating during the first breeding season of female snow crab *Chionoecetes opilio* (BRACHYURA: MAJIDAE)." *Marine Ecology Progress Series*, 181, pp. 141-153.
- Sainte-Marie, B. J., Sévigny, J. M., and Gauthier, Y. (1997). "Laboratory behavior of adolescent and adult males of the snow crab (*Chionoecetes opilio*) (Brachyura: Majidae) mated noncompetitively and competitively with primiparous females." *Canadian Journal of Fisheries and Aquatic Science*, 54, pp. 239-248.
- Sainte-Marie, G., and Sainte-Marie, B. (1998). "Morphology of the spermatheca, oviduct, intermediate chamber, and vagina of the adult snow crab (*Chionoecetes opilio*)." *Canadian Journal of Zoology*, 76, pp. 1589-1604.

- Sainte-Marie, B., J-M Sevigny, and M. Carpentier. (2002). "Interannual variability of sperm reserves and fecundity of primiparous females of the snow crab (*Chionoecetes opilio*) in relation to sex ration." *Canadian Journal of Fisheries and Aquatic Science*, 59, pp 1932-1940.
- Sato, S. (1945). "Studies on larval development and fishery biology of king crabs, *Paralithodes camtschatica* (Tilesius)." *Bull. Hok. Reg. Fish. Res. Lab.*, 33, pp. 1-99.
- Sato, S., and Tanaka, S. (1949a). "Study on the larval stage of *Paralithodes camtschatica* (Tilesius)." I. About morphological research, *Bull. Hok. Reg. Fish. Res. Lab.*, pp. 7-24.
- Sato, S., and Tanaka, S. (1949b). "Study on the larval stage of *Paralithodes camtschatica* (Tilesius)." II. On the rearing, 3, pp. 18-30.
- Schmidt, D., and Pengilly, D. (1990). "Alternative red king crab fishery management practices: Modeling the effects of varying size-sex restrictions and harvest rates." Proceedings of the International Symposium on King and Tanner Crabs, University of Alaska, Alaska Seagrant College Program, pp. 551-566.
- Schumacher, J. D., and Alexander, V. (1999). "Variability and role of the physical environment in the Bering Sea ecosystem." Dynamics of the Bering Sea, T. R. Loughlin and K. Ohtani, Alaska Sea Grant College Program Report, *AK-SG-99-03*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 147-160.
- Schumacher, J. D., and Kinder, T. H. (1983). "Low frequency current regimes over the Bering Sea shelf." *Journal of Physical Oceanography*, 13, pp. 607-623.
- Schumacher, J. D., and Reed, R. K. (1983). "Interannual variability in the abiotic environment of the Bering Sea and Gulf of Alaska." From Year to Year: Interannual variability of the environment and fisheries of the Gulf of Alaska and the eastern Bering Sea, W. S. Wooster, Washington Sea Grant College Report, University of Washington, Seattle, pp. 111-133.
- Schumacher, J. D., and Stabeno, P. J. (1998). "The continental shelf of the Bering Sea." The Sea: The global coastal ocean regional studies and synthesis, A. R. Robinson and K. H. Brink, eds., John Wiley & Sons, pp. 869-909.
- Schwinghammer, P., Guigne, J. Y., and Wiu, W. C. (1996). "Quantifying the impact of trawling on benthic habitat structure using high resolution acoustics and chaos theory." *Canadian Journal of Fisheries and Aquatic Sciences*, 53, pp. 288-296.
- Selin, N. I., and Fedotov, P. A. (1996). "Vertical distribution and some biological characteristics of the blue king crab *Paralithodes playpus* in the northwestern Bering Sea." *Mar. Biol.*, 22, pp. 386-390.
- Sharma, G.D. (1979). The Alaska Shelf: hydrographic, sedimentary, and geochemical environment. Springer-Verlag, New York. 498 pp.
- Shirley, S. M., and Shirley, T. C. (1988). "Behavior of red king crab larvae: Photoaxis, geotaxis and rheotaxis." *Marine Behavior Physiol.*, 13, pp. 369-388.
- Shirley, S. M., and Shirley, T. C. (1989a). "Diet feeding periodicity of larvae of the red king crab, *Paralithodes camtschatica*." Proceedings of the International Symposium on King and Tanner Crabs, B. Melteff, Alaska Sea Grant College Program Report, *90-04*, University of Alaska Fairbanks, Alaska Sea Grant College, Anchorage, AK, November 28-30, 1989, pp. 233-244.
- Shirley, S. M., and Shirley, T. C. (1989b). "Interannual variability in density, timing and survival of Alaskan red king crab *Paralithodes camtschatica* larvae." *Marine Biology*, 54, pp. 51-59.
- Shirley, T. C. (1998). "Appendix D: Crab handling mortality and bycatch reduction." In King and Tanner crab research in Alaska: Annual report for July 1, 1997 through June 30, 1998, Regional Information Report, *5J98-07*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.



- Shirley, T. C., and Shirley, S. M. (1987). "Diet vertical migration of Alaskan red king crab zoeae (Abstract only)." *American Zoology*, 27, p. 542.
- Shirley, T. C., and Shirley, S. M. (1989c). "Temperature and salinity tolerances and preferences of red king crab larvae." *Marine Behavior and Physiology*, 16, pp. 19-30.
- Shirley, T. C., Shirley, S. M., and Korn, S. (1989). "Incubation period, molting and growth of female red king crabs: effects of temperature." Proceedings of the International Symposium on King and Tanner Crabs, University of Alaska, Alaska Seagrant College Program, pp. 51-63.
- Shirley, T. C., and Zhou, S. (1997). "Lecithotrophic development of the golden king crab *Lithodes aequispinus* (Anomura: Lithodidae)." *Journal of Crustacean Biology*, 17, pp. 207-216.
- Siddeek, M. S. M. (2002). "Review of Biological Reference Points Used in Bering Sea and Aleutian Islands (King and Tanner) Crab Management." Regional Information Report, 5J02-06, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802, June 28, 2002.
- Sigler, M. F., and Lunsford, C. R. (2001). "Effects of individual quotas on catching efficiency and spawning potential in the Alaska sablefish fishery." *Canadian Journal of Fisheries and Aquatic Science*, 58, pp. 1300-1312.
- Sinclair, M., and Frank, K. T. (1995). "Symposium summary." Climate change and northern fish populations, R. J. Beamish, ed., Canadian Special Publication of Fisheries and Aquatic Sciences, pp. 735-739.
- Slizkin, A. G. (1990). "Tanner crabs (*Chionoecetes opilio*, *C. bairdi*) of the northwest Pacific: distribution, biological peculiarities, and population structure." In "Proceedings of the International Symposium on King and Tanner Crabs". Lowell Wakefield Fisheries Symposium Series., Alaska Sea Grant College Program Report, 90-04, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 27-33.
- Sloan, N. A. (1984). "Incidence and effects of parasitism by the rhizocephelan barnacle, *Briarosaccis callosus* Boschma, in the golden king crab, *Lithodes aequispina* Benedict, from deep fjords in northern British Columbia, Canada." *Journal of Experimental Marine Biology and Ecology*, 84, pp. 111-131.
- Sloan, N. A., Bower, S. M., and Robinson, S. M. C. (1984). "Cocoon deposition on three crab species and fish parasitism by the leech, *Notostomum cyclostoma*, from deep fjords in northern British Columbia." *Marine Ecology Progress Series*, 20, pp. 51-58.
- Slobodkin, L.B. 1970. Summary and discussion of the symposium. In Fish stocks and recruitment. B.B. Parrish, ed. Rapports et Proces-Verbaux des Reunions, International Council for the Exploration of the Sea, pp. 7-14.
- Smith, K. R., and McConnaughey, R. A. (1999). "Surficial sediments of the eastern Bering Sea continental shelf: EBSSSED database documentation." NOAA Technical Memorandum, NMFS-AFSC-104, U.S. Department of Commerce, NMFS Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115-0070, p. 41.
- Smith, T. G. (1981). "Notes on the bearded seal, *Erignathus barbatus*, in the Canadian Arctic." Canadian Technical Report of Fisheries Aquatic Science, 1042p. 49.
- Somerton, D., and Low, L.-L. (1977). "Determination of minimum size and yield limits for Tanner crabs in the eastern Bering Sea." Northwest and Alaska Fisheries Science Center Processed Report, April 1977, DOC, NOAA, National Marine Fisheries Service, Northwest Region, 7600 Sand Point Way NE, Seattle, WA 98115.
- Somerton, D. A. (1981a). "A computer technique for estimating the size of sexual maturity in crabs." *Canadian Journal of Fisheries and Aquatic Science*, 37, pp. 1488-1494.
- Somerton, D. A. (1981b). "Life history and population dynamics of two species of Tanner crab, *Chionoecetes bairdi* and *C. opilio*, in the Eastern Bering Sea with implications for the management of the commercial harvest," PhD Dissertation, University of Washington, Seattle.

- Somerton, D. A. (1981c). "Regional variation in the size at maturity of two species of Tanner crab (*Chionoecetes bairdi* and *C. opilio*) in the eastern Bering Sea, and its use in defining management subareas." *Canadian Journal of Fisheries and Aquatic Science*, 38, pp. 163-174.
- Somerton, D. A. (1982a). "Bipartite breeding: a hypothesis of the reproductive pattern in Tanner crabs." In "Proceedings of the International Symposium on the Genus *Chionoecetes*". Lowell Wakefield Symposium Series., B. Melteff, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 283-289.
- Somerton, D. A. (1982b). "Estimating the frequency of molting in adult male *C. bairdi* in the eastern Bering Sea." In "Proceedings of the International Symposium on the Genus *Chionoecetes*". Lowell Wakefield Symposium Series., B. Melteff, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 337-350.
- Somerton, D. A. (1982c). "Effects of sea ice on the distribution and population fluctuations of *C. opilio* in the eastern Bering Sea." In "Proceedings of the International Symposium on the Genus *Chionoecetes*". Lowell Wakefield Symposium Series., B. Melteff, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 157-172.
- Somerton, D. A. (1985). "The disjunct distribution of blue king crab, *Paralithodes platypus*, in Alaska: some hypotheses." In Proceedings of the International King Crab Symposium, B. R. Melteff, ed., University of Alaska, Alaska Sea Grant College Program, Fairbanks, pp. 13-22.
- Somerton, D. A., and MacIntosh, R. A. (1983). "The size at sexual maturity of blue king crab, *Paralithodes platypus*, in Alaska." *Fishery Bulletin*, 81, pp. 621-628.
- Somerton, D. A., and MacIntosh, R. A. (1985). "Reproductive biology of the female blue king crab *Paralithodes platypus* near the Pribilof Islands, Alaska." *Journal of Crustacean Biology*, 5, pp. 365-376.
- Somerton, D. A., and Meyers, W. S. (1983). "Fecundity differences between primiparous and multiparous female Alaskan Tanner crab (*Chionoecetes bairdi*)." *Journal of Crustacean Biology*, 3, pp. 183-186.
- Somerton, D.A., and R.S. Otto. (1986). Distribution and reproductive biology of the golden king crab, *Lithodes aequispina*, in the Eastern Bering Sea. *Fish. Bull.* 84: 571-584.
- Somerton, D. A., and Otto, R. S. (1999). "Net efficiency of a survey trawl for snow crab, *Chionoecetes opilio*, and Tanner crab, *C. bairdi*." *Fishery Bulletin*, 97, pp. 617-625.
- Sparks, A. K., and Morado, J. F. (1997). "Some diseases of northeastern Pacific commercial crabs." *Journal of Shellfish Research*, 16, p. 321 (abstract only).
- Stabeno, P. J., Schumacher, J. D., Salo, S. A., Hunt Jr., G. L., and Flint, M. (1999). "Physical environment around the Pribilof Islands." Dynamics of the Bering Sea, T. R. Loughlin and K. Ohtani, Alaska Sea Grant College Program Report, AK-SG-99-03, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 193-215.
- Starr, M., Therriault, J.-C., Conan, G. Y., Comeau, M., and Robichaud, G. (1994). "Larval release in a sub-euphotic zone invertebrate triggered by sinking phytoplankton particles." *Journal of Plankton Research*, 16, pp. 1137-1148.
- Stephenson, R. L., Lane, D. E., Aldous, D. G., and Nowak, R. (1993). "Management of the 4WX herring fishery: an evaluation of recent events." *Canadian Journal of Fisheries and Aquatic Science*, 50, pp. 2742-2756.
- Stevens, B. G. (1990a). "Survival of king and Tanner crabs captured by commercial sole trawls." *Fishery Bulletin*, 88, pp. 731-744.
- Stevens, B. G. (1990b). "Temperature-dependent growth of juvenile red king crab, *Paralithodes camtschatica*, and its effects on size-at-age and subsequent recruitment in the eastern Bering Sea." *Canadian Journal of Fisheries and Aquatic Science*, 47, pp. 1307-1317.

- Stevens, B. G. (1996). "Crab Bycatch in Pot Fisheries." Solving Bycatch: Considerations for today and tomorrow, B. Melteff, Alaska Sea Grant Program Report, 96-03, University of Alaska Sea Grant Program, Seattle, WA, September 1995, pp. 151-158.
- Stevens, B. G. (2000). "Moonlight madness and larval launch pads: tidal synchronization of mound formation and hatching by Tanner crab, *Chionoecetes bairdi*." *Journal of Shellfish Research*, 19, pp. 640-641.
- Stevens, B. G. (2002). "Molting of red king crab (*Paralithodes camtschaticus*) observed by time-lapse video in the laboratory." Crabs in cold water regions: biology, management, and economics, A. J. Paul, E. G. Dawe, R. Elner, G. S. Jamieson, G. H. Kruse, R. S. Otto, B. Sainte-Marie, T. C. Shirley, and D. Woodby, eds., University of Alaska Fairbanks, Alaska Sea Grant College, pp. 29-37.
- Stevens, B. G. (In press). "Settlement, substrate preference, and survival of red king crab *Paralithodes camtschaticus* (Tilesius, 1815) glaucothoe on natural substrates in the laboratory." *Journal of Experimental Marine Biology and Ecology*.
- Stevens, B. G., Donaldson, W. E., Haaga, J. A., and Munk, J. E. (1993). "Morphometry and maturity of paired Tanner crabs, *Chionoecetes bairdi*, from shallow and deepwater environments." *Canadian Journal of Fisheries and Aquatic Science*, 50, pp. 1504-1516.
- Stevens, B. G., and Haaga, J. A. (1994). "Ocean dumping of seafood processing wastes: comparisons of epibenthic megafauna sampled by submersible in impacted and non-impacted Alaskan bays and estimation of waste decomposition rate." Unpublished manuscript, National Marine Fisheries Service, Kodiak Laboratory, P.O. Box 1638, Kodiak, AK 99615.
- Stevens, B. G., Haaga, J. A., and Donaldson, W. E. (1994). "Aggregate mating of Tanner crabs *Chionoecetes bairdi*." *Canadian Journal of Fisheries and Aquatic Science*, 51, pp. 1273-1280.
- Stevens, B. G., Haaga, J. A., Donaldson, W. E., and Payne, S. A. (1996). "Reproductive conditions of prespawning multiparous female Tanner crabs (*Chionoecetes bairdi*) from Chiniak and Womens Bay, Kodiak Island, Alaska." In "High Latitude Crabs: Biology, Management and Economics", Alaska Sea Grant Report, AK-SG-96-02, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 349-353.
- Stevens, B. G., Haaga, J. A., and MacIntosh, R. A. (1998). "Report to the industry on the 1998 Eastern Bering Sea crab survey." NOAA/NMFS/AFSC Processed Report, 98-07, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.
- Stevens, B. G., Haaga, J. A., MacIntosh, R. A., Otto, R. S., and Rugolo, L. (2001a). "Report to Industry on the 2000 Eastern Bering Sea Crab Survey." AFSC Processed Report, 2000-07, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 62.
- Stevens, B. G., and Kittaka, J. (1998). "Postlarval settling behavior, substrate preference, and time to metamorphosis for red king crab *Paralithodes camtschaticus*." *Marine Ecology Progress Series*, 167, pp. 197-206.
- Stevens, B. G., and MacIntosh, R. A. (1986). "Analysis of crab data from the 1985 NMFS survey of the northeast Bering Sea and Norton Sound." Northwest and Alaska Fisheries Science Center Processed Report, 86-16, DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 35.
- Stevens, B. G., and MacIntosh, R. A. (1991). "Cruise Results Supplement, Cruise 91-1 Ocean Hope 3: 1991 eastern Bering Sea juvenile red king crab survey, May 24-June 3, 1991.", DOC, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 13.
- Stevens, B. G., and MacIntosh, R. A. (1992). "1991 eastern Bering Sea juvenile red king crab survey." Supplemental Cruise Report, 91-1, Department of Commerce, NOAA, NMFS, Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115, p. 13.
- Stevens, B. G., and Munk, J. E. (1990). "A temperature-dependent growth model for juvenile red king crab, *Paralithodes camtschatica*, in Kodiak, AK." Proceedings of the International Symposium on King

- and Tanner Crabs, B. Melteff, Alaska Sea Grant College Program Report, 90-04, University of Alaska Fairbanks, Alaska Sea Grant College, Anchorage, AK, November 28-30, 1989, pp. 293-304.
- Stevens, B. G., Munk, J. E., and Cummiskey, P. A. (2001b). "A study on the utility of log piling structures as artificial habitats for red king crabs and other fauna." A report for the U.S. Army Corps of Engineers, MIPR, E86954046-001 and F12961362-0001, DOC, NOAA, NMFS, p. 44.
- Stevens, B. G., Vining, I., Byersdorfer, S., and Donaldson, W. E. (2000). "Ghost fishing by Tanner crab (*Chionoecetes bairdi*) pots off Kodiak, Alaska: pot density and catch per trap as determined from sidescan sonar and pot recovery data." *Fishery Bulletin*, 98, pp. 389-399.
- Stewart, P.A.M. (1999). Gear modification as a management tool to limit ecosystem effects of fishing. ICES/SCOR Symposium, Ecosystem Effects of Fishing, April 1999, St. John's, Newfoundland. p. 20.
- Stirling, I., Kingsley, M., and Calvert, W. (1982). "The distribution and abundance of seals in the eastern Beaufort Sea, 1974-79." *Canadian Wildlife Service Occasional Paper*, 47, pp. 1-23.
- Stone, R. P. (1999). "Mass molting of Tanner crabs *Chionoecetes bairdi* in a southeast Alaska estuary." *Alaska Fishery Research Bulletin*, 6, pp. 19-28.
- Stone, R. P., O'Clair, C. E., and Shirley, T. C. (1992). "Seasonal migration and distribution of female red king crabs in a southeast Alaska estuary." *Journal of Crustacean Biology*, 12(4), pp. 546-560.
- Stone, R. P., O'Clair, C. E., and Shirley, T. C. (1993). "Aggregating behavior of ovigerous female red king crab, *Paralithodes camtschaticus*, in Auke Bay, Alaska." *Canadian Journal of Fisheries and Aquatic Science*, 50(4), pp. 750-758.
- Sullivan, M. S., and Nielander, W. J. (1999). "Enforcement and compliance of ITQ's: New Zealand and the United States of America." *FishRights 99*, Fremantle, Western Australia, November 11-19, 1999, p. In press.
- Sundberg, K., and Clausen, D. (1977). "Post-larval king crab (*Paralithodes camtschatica*) distribution and abundance in Kachemak Bay, Lower Cook Inlet, Alaska." Environmental Studies of Kachemak Bay and Lower Cook Inlet, L. L. Trasky, L. B. Flagg, and D. C. Burbank, eds., Alaska Department of Fish and Game, Anchorage, AK, pp. 1-36.
- Takeshita, K., Fujita, H., and Matsuura, S. (1990). "A note on population structure in the eastern Bering Sea adult red king crab, *Paralithodes camtschaticus*." Proceedings of the International Symposium on King and Tanner Crabs, University of Alaska, Alaska Sea Grant College Program, pp. 427-433.
- Taylor, D. M., and Hoenig, J. M. (1990). "Growth per molt of male snow crab *Chionoecetes opilio* from Conception and Bonavista Bays, Newfoundland." *Fishery Bulletin*, 88(4), pp. 753-760.
- Taylor, D. M., Hooper, R. G., and Ennis, G. P. (1985). "Biological aspects of the spring breeding migration of snow crabs, *Chionoecetes opilio*, in Bonne Bay, Newfoundland (Canada)." *Fishery Bulletin*, 83(4), pp. 707-711.
- Taylor, D. M., Marshall, G. W., and O'Keefe, P. G. (1989). "Shell hardening in snow crabs *Chionoecetes opilio* tagged in soft-shelled condition." *North American Journal of Fisheries Management*, 9, pp. 504-508.
- Taylor, D. M., O'Keefe, P. G., and Fitzpatrick, C. (1993). "A snow crab, *Chionoecetes opilio* (DECAPODA, MAJIDAE), fishery collapse in Newfoundland." *Fishery Bulletin*, 92, pp. 412-419.
- Thomas, G. L. (1994). "Economically and ecologically responsible fish waste recycling in Orca Inlet, Prince William Sound, Alaska.", Research proposal by Prince William Sound Science Center, P.O. Box 705, Cordova, AK 99574.
- Thrush, S. F., Hewitt, J. E., Cummings, V. J., Dayton, P. K., Cryer, M., Turner, S. J., Funnell, G. A., Budd, R. G., Milburn, C. J., and Wilkinson, M. R. (1998). "Disturbance of the marine benthic habitat by commercial fishing: impacts at the scale of the fishery." *Ecological Applications*, 8(3), pp. 866-879.

- Tracy, D., and Pengilly, D. (1996). "Alaska Department of Fish and Game report to the Alaska Board of Fisheries: A review of incidental red king crab bycatch in the Bering Sea Tanner crab fishery between 1990-1995." Regional Information Report, *4K96-4*, Alaska Department of Fish and Game, Kodiak.
- Tracy, D. A. (1994). "Biological summary of the 1992 Mandatory Shellfish Observer Program database." Regional Information Report, *4K94-10*, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Tracy, D. A. (1995). "Biological summary of the 1994 Mandatory Shellfish Observer Program database." Regional Information Report, *4K95-32*, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Trites, A. W., Livingston, P. A., Vasconcellos, M. C., Mackinson, S., Springer, A. M., and Pauly, D. (1999). "Ecosystem change and the decline of marine mammals in the Eastern Bering Sea: testing the ecosystem shift and commercial whaling hypotheses." Fisheries Centre Research Reports 1999, *Vol. 7*, University of British Columbia, p. 100.
- Tsalkina, A. (1969). "Characteristics of the epifauna of the west Kamchatka shelf (from "Problems of commercial hydrobiology")." *Proc. All-Union Sci. Res. Inst. Mar. Fish. Oceanogr. (VINRO) Trudy*, 65, pp. 248-257.
- Tyler, A. V., and Kruse, G. H. (1995). "Report of the modeling workshop on year-class strength formation of red king crab." Regional Information Report, *5J95-11*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Tyler, A. V., and Kruse, G. H. (1996). "Conceptual modeling of brood strength of red king crabs in the Bristol Bay region of the Bering Sea." *In High Latitude Crabs: Biology, Management and Economics*, Alaska Sea Grant College Program Report, *AK-SG-96-02*, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 511-543.
- Tyler, A. V., and Kruse, G. H. (1997). "Modeling workshop on year-class strength of Tanner crab." Regional Information Report, *5J97-02*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management and Development, P.O. Box 25526, Juneau, AK 99802.
- Tythorsson, E. (2000). "A decade of ITQ-management in Icelandic fisheries: consolidation without consensus." *Marine Policy*, 24, pp. 483-492.
- U.S. Coast Guard. (1999). "Living to Fish, Dying to Fish: Report of the Fishing Vessel Casualty Task Force.", Capt. James D. Spitzer, Task Force Chairman, United States Coast Guard Headquarters, 2100 2nd Street SW, Washington, DC 20593-0001.
- Urban, D. (1992). "A bottom trawl survey of crab and groundfish in the Kodiak Island, Alaska Peninsula, and Dutch Harbor areas, June to September, 1990." Technical Fishery Report, *92-10*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615, p. 218.
- Urban, D. (1996). "Bottom trawl survey of crab and groundfish: Kodiak Islands, Chignik and Eastern Aleutian areas, 1995." Regional Information Report, *4K96-39*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- Urban, D., Pengilly, D., and Vining, I. (1994). "The scallop observer program and statewide data analysis summary to the Board of Fisheries." Regional Information Report, *4K94-28*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- USFWS. (1989). "FWS letter to NMFS regarding section 7 consultation on the Interim Incidental Take Exemption Program on several listed species which occur in US waters (including the short-tailed albatross)".

- USFWS. (1993). "Alaska Seabird Management Plan." Report of the U.S. Fish and Wildlife Service, U.S. Department of the Interior, Fish and Wildlife Service, 1011 E. Tudor Road, Anchorage, AK 99503.
- USFWS. (1994). "Biological Opinion and Incidental Take Statement on the effects on the threatened spectacled eider (*Somateria fischeri*) in accordance with the Endangered Species Act of 1973.", U.S. Fish and Wildlife Service, October 7, 1994.
- USFWS. (1995). "Letter from Ann Rappoport, FWS, to Steve Pennoyer, NMFS, regarding section 7 consultation on the effects of the 1995 TAC specifications of the GOA and BSAI groundfish fisheries on the short-tailed albatross.", United States Fish and Wildlife Service.
- USFWS. (1996a). "Letter from Ann Rappoport, FWS, to Steve Pennoyer, NMFS, regarding section 7 consultation on the King and Tanner Crab Fishery Management Plan and the 1996 winter Bering Sea opilio crab fishery.", United States Fish and Wildlife Service.
- USFWS. (1996b). "Letter from Ann Rappoport, FWS, to Steve Pennoyer, NMFS, regarding section 7 consultation on the King & Tanner Crab Fishery Management Plan and the 1997 winter Bering Sea opilio crab fishery.", United States Fish and Wildlife Service.
- USFWS. (1997). "Letter from Ann Rappoport, FWS, to Steve Pennoyer, NMFS, regarding section 7 consultation on the effects of the 1997 TAC specifications of the GOA and BSAI groundfish fisheries on the short-tailed albatross.", United States Fish and Wildlife Service.
- USFWS. (1998a). "Letter from Ann Rappoport, FWS, to Steve Pennoyer, NMFS, regarding re-initiation of section 7 consultation for the Opilio crab fishery.", United States Fish and Wildlife Service.
- USFWS. (1998b). "Letter from Ann Rappoport, FWS, to Steve Pennoyer, NMFS, regarding re-initiation of section 7 consultation for Pacific Halibut Fisheries in Waters Off Alaska.", United States Fish and Wildlife Service.
- USFWS. (2003). "Letter to James Balsiger from Charla Sterne, Endangered Species Biologist re: BSAI Crab Fishery Management Plan - Three-pie Cooperative Program (consultation number 2002002).", U.S. Fish and Wildlife Service, January 13, 2003.
- USFWS. (2004). "Letter to James Balsiger from Charla Sterne, Endangered Species Biologist re: section 7 consultation on the effects of king and Tanner crab FMP on endangered and threatened seabirds and their critical habitat.", U.S. Fish and Wildlife Service, January 13, 2003.
- Ushakov, P. V. (1955). "Phylum Chordata, Subphylum Tunicata." Atlas of the invertebrates of the far seas of the USSR, E. N. Pavlovskii, ed., Academy of Sciences of the USSR Zoological Institute, Moscow - Leningrad, pp. 307-312.
- Vining, I., Byersdorfer, S., Donaldson, W., Stevens, B., and Edwards, G. (1997). "Lost crab and cod pot recovery and ghost fishing in Chiniak Bay and other areas in the waters around Kodiak Island, Alaska." Regional Information Report, 4K97-42, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Vining, I., Witherell, D., and Heifetz, J. (1997). "The effects of fishing gear on benthic communities." *In* 1998 Ecosystem Chapter of SAFE Report.
- Vinogradov, L. G. (1945). "The annual life cycle and migrations of the crab in the northern part of the west Kamchatka shelf." *Ivestiia Tikhookeanskogo N.-I. Instituta Rybnogo Khoziaistva I Okeanografii*, 19, pp. 3-54.
- Wada, S., Ashidate, M., Yoshino, K., Sato, T., and Goshima, S. (2000). "Effects of sex ratio on egg extrusions frequency and mating behavior of the spiny king crab *Paralithodes brevipes* (Decapoda: Lithodidae)." *Journal of Crustacean Biology*, 20(3), pp. 479-482.
- Wahl, M. (1985). "*Metridium senile*: dispersion and small scale colonization by the combined strategy of locomotion and asexual reproduction (laceration)." *Marine Ecology Progress Series*, 26, pp. 271-277.

- Wahle, R. A., and Steneck, R. S. (1991). "Recruitment habitats and nursery grounds of the American lobster, *Homarus americanus*: a demographic bottleneck?" *Marine Ecology Progress Series*, 69, pp. 231-243.
- Wallace, M. M., Pertuit, C. J., and Hvatum, A. V. (1949). "Contribution to the biology of the king crab, *Paralithodes camtschatica* (Tilesius)." *U.S. Fisheries Wildlife Service Fisheries Leaflet*, 340, pp. 1-49.
- Walters, C., and Pearce, P. H. (1996). "Stock information requirements for quota management systems in commercial fisheries." *Reviews in Fish Biology and Fisheries*, 6, pp. 21-42.
- Wang, S. D., and Tang, V. H. (1994). "The performance of U.S. Atlantic surf clam and ocean quahog fisheries under the limited entry and individual transferable quota systems." Excerpt from NMFS unpublished manuscript, Department of Commerce, National Oceanic and Atmospheric Administration, Northeast Regional Office.
- Warren, W. G. (1994). "Maturity and molt status of CRUSTACEA: determining classification without prior criteria." *Canadian Journal of Fisheries and Aquatic Science*, 51, pp. 408-416.
- Warrenchuck, J., and Shirley, T. (2002). "Effects of windchill on the snow crab (*Chionoecetes opilio*)." Crabs in cold water regions: Biology, Management, and Economics, A. J. Paul, E. G. Dawe, R. Elner, G. S. Jamieson, G. H. Kruse, R. S. Otto, B. Sainte-Marie, T. C. Shirley, and D. Woodby, eds., University of Alaska Sea Grant, Anchorage, AK, p. 876.
- Watanabe, Y. (1992). "Maturity and spawning of Tanner crab, *Chionoecetes bairdi* Rathbun, in the Pacific coast of southern Hokkaido." *Scientific Reports of the Hokkaido Fisheries Experimental Station*, 39, pp. 21-34 [In Japanese: abstract and captions in English].
- Watson, J. (1969). "Biological investigations on the spider crab *Chionoecetes opilio*." Proceedings on Atlantic Crab Fishery Development, Canadian Fisheries Reports, pp. 24-47.
- Watson, J. (1970). "Maturity, mating and egg laying in the spider crab, *Chionoecetes opilio*." *Journal of the Fisheries Research Board of Canada*, 27, pp. 1607-1616.
- Watson, J. (1972). "Mating behavior in the spider crab, *Chionoecetes opilio*." *Journal of the Fisheries Research Board of Canada*, 29, pp. 447-449.
- Watson, L. J., and Pengilly, D. (1994). "Effects of release method on recovery rates of tagged red king crabs "*Paralithodes camtschaticus* in the 1993 Bristol Bay commercial fishery." Regional Information Report, 4K94-40, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management and Development, P.O. Box 25526, Juneau, AK 99802.
- Wencker, D. L., Incze, L. S., and Armstrong, D. A. (1982). "Distinguishing between *Chionoecetes bairdi* and *C. opilio* zoea in the southeastern Bering Sea." In "Proceedings of the International Symposium on the Genus *Chionoecetes*". Lowell Wakefield Symposium Series., B. Melteff, Alaska Sea Grant Report, 82-10, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 219-232.
- Whittaker, R.H. 1975. Communities and ecosystems. Macmillan Publishing Co. New York, NY. pp 385.
- Wickham, D. E., and Kuris, A. (1990). "Brood mortality and role of symbionts in egg mortality of the Tanner crab *Chionoecetes bairdi* in Alaska Waters." In "Proceedings of the International Symposium on King and Tanner Crabs". Lowell Wakefield Fisheries Symposium Series., Alaska Sea Grant College Program Report, 90-04, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 397-402.
- Williams, G. C. (1999). "Index Pennatulacea: annotated bibliography and indexes of the sea pens (Coelenterata: Octocorallia) of the world 1469-1999." *Proc. Calif. Acad. Sci.*, 51, pp. 19-103.
- Wing, B. L., and Barnard, D. R. (In Prep.). "A field guide to Alaskan corals." Manuscript on file, DOC, NOAA, NMFS, Alaska Fisheries Science Center, Auke Bay Laboratory, 11305 Glacier Highway, Juneau, Alaska 99801-8626.
- Witherell, D. (1995). "Crab Rebuilding Committee Report: Minutes of the BSAI Groundfish and Crab Plan Team Meeting.", North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite, 306, Anchorage, AK 99501, March 21-22, 1995.

- Witherell, D. (1998). "King and Tanner crabs of the Bering Sea and Aleutian Islands area: species profiles." Report available at website: [www.fakr.noaa.gov/npfmc/Reports/crbspeci.pdf](http://www.fakr.noaa.gov/npfmc/Reports/crbspeci.pdf), North Pacific Fishery Management Council, 605 W. 4th Avenue, Suite 306, Anchorage, AK 99501.
- Witherell, D. 2002. A preliminary evaluation of fishery effects on essential fish habitat off Alaska. North Pacific Fishery Management Council, Anchorage, AK. Unpublished draft manuscript.
- Witherell, D., and Coon, C. (2000). "Protecting Gorgonian Corals off Alaska from Fishing Impacts *In Proceedings of the Nova Scotian Institute of Science.*" *First International Symposium on Deep Sea Corals*, July 30 - August 2, 2000.
- Witherell, D., and Harrington, G. (1996). "Evaluation of Alternative Management Measures to Reduce the Impacts of Trawling and Dredging on Bering Sea Crab Stocks." *In High Latitude Crabs: Biology, Management, and Economics*, Alaska Sea Grant Report, *AK-SG-96-02*, Alaska Sea Grant Program, 304 Eielson Building, University of Alaska Fairbanks, Fairbanks, AK 99775, pp. 41-58.
- Witherell, D., and Pautzke, C. (1997). "A brief history of bycatch management measures for eastern Bering Sea groundfish fisheries." *Marine Fisheries Review*, 59(4), pp. 15-22.
- Witherell, D., Pautzke, C., and Fluharty, D. (2000). "An ecosystem-based approach for Alaska Groundfish Fisheries." *ICES Journal of Marine Science*.
- Wooster, W. S., and Hollowed, A. B. (1995). "Decadal-scale variations in the eastern subarctic Pacific. I. Winter ocean conditions." *Climate change and northern fish populations*, R. J. Beamish, ed., Canadian Special Publication of Fisheries and Aquatic Sciences, pp. 81-85.
- Worton, C. (2000). "Bottom trawl survey of crab and groundfish: Kodiak Island, Chignik, South Alaska Peninsula, and Eastern Aleutian areas, 1999." Regional Information Report, *4K00-58*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- Worton, C. (In press). "Bottom trawl survey of crab and groundfish: Kodiak Island, Chignik, South Alaska Peninsula, and Eastern Aleutian areas, 2000." Regional Information Report, *4K02-xx*, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management, 2111 Mission Road, Kodiak, AK 99615.
- Wyllie-Escheverria, T., and Ohtani, K. (1999). "Seasonal sea ice variability and the Bering Sea ecosystem." *Dynamics of the Bering Sea*, T. R. Loughlin and K. Ohtani, Alaska Sea Grant College Program Report, *AK-SG-99-03*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 435-452.
- Wyllie-Escheverria, T., and Wooster, W. S. (1998). "Year-to-year variations in Bering Sea ice cover and some consequences for fish distributions." *Fisheries Oceanography*, 7(2), pp. 159-170.
- Yamasaki, A., and Kuwahara, A. (1991). "The terminal molt of the male snow crab in the Japan Sea." *Nippon Suisan Gakkaishi*, 57, pp. 1839-1884 [In Japanese; abstract and captions in English].
- Yamasaki, A., and Kuwahara, A. (1993). "Distribution pattern and terminal molt size of snow crab *Chionoecetes opilio* in Yamato-tai." *Nippon Suisan Gakkaishi*, 59, pp. 1977-1983 [in Japanese; abstract and captions in English].
- Yamasaki, A., Sinoda, M., and Kuwahara, A. (1990). "A method for estimating survival rate of male zuwai crab (*Chionoecetes opilio*) in the western Japan Sea." *In "Proceedings of the International Symposium on King and Tanner Crabs."* Lowell Wakefield Fisheries Symposium Series., Alaska Sea Grant Report, *90-04 (abstract only)*, University of Alaska Fairbanks, Alaska Sea Grant College, Fairbanks, pp. 365-375.
- Yamasaki, A., Sinoda, M., and Kuwahara, A. (1992). "Estimation of survival rate after terminal molting of male snow crab *Chionoecetes opilio*." *Nippon Suisan Gakkaishi*, 58, Estimation of survival rate after



- terminal molting of male snow crab *Chionocetes opilio*, pp. 181-186 [In Japanese; abstract and captions in English].
- Zheng, J. (2003). "Evaluation of Alternative Harvest Strategies for Bristol Bay Red King Crabs." Regional Information Report, 5J03-04, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Zheng, J., and Kruse, G. H. (1998). "Stock-recruitment relationships for Bristol Bay Tanner crab." *Alaska Fishery Research Bulletin*, 5(2), pp. 116-130.
- Zheng, J., and Kruse, G. H. (1999). "Overview of population dynamics and recommended harvest strategy for Tanner crabs in the eastern Bering Sea." Regional Information Report, 5J99-04, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Zheng, J., and Kruse, G. H. (2000a). "Recruitment patterns of Alaskan crabs and relationships to decadal shifts in climate and physical oceanography." *ICES Journal of Marine Science*, 57, pp. 438-451.
- Zheng, J., and Kruse, G. H. (2000b). "Status of King Crab Stocks in the Eastern Bering Sea in 2000." Regional Information Report, 5J00-09, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management and Development, P.O. Box 25526, Juneau, AK 99802.
- Zheng, J., and Kruse, G. H. (2000c). "Overview of Stock Assessment and Recommended Harvest Strategy for St. Matthew Islands Blue King Crabs." Regional Information Report, 5J00-06, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802.
- Zheng, J., Kruse, G. H., and Ackley, D. R. (2001). "Spatial distribution and recruitment patterns of snow crabs in the eastern Bering Sea." In "Spatial Processes and Management of Marine Populations", Alaska Sea Grant College Program Report, AK-SG-01-02, University of Alaska Fairbanks, Alaska Sea Grant College, pp. 233-255.
- Zheng, J., Kruse, G. H., and Murphy, M. C. (1997). "Status of king crab stocks in the eastern Bering Sea in 1997." Regional Information Report, 5J97-13, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802, p. 20.
- Zheng, J., Kruse, G. H., and Murphy, M. C. (1998). "A length based approach to estimate population abundance of Tanner crab in Bristol Bay, Alaska." In "Proceedings of the North Pacific Symposium on Invertebrate Stock Assessment", G. S. Jamieson and A. Campbell, Canadian Special Publication of Fisheries and Aquatic Sciences.
- Zheng, J., Murphy, M. C., and Kruse, G. (1995a). "Overview of Population Estimation Methods and Robust Long-term Harvest Strategy for Red King Crabs in Bristol Bay." Regional Information Report, 5J95-12, Alaska Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802, Juneau, September 14, 1995.
- Zheng, J., Murphy, M. C., and Kruse, G. H. (1995b). "A length-based population model and stock-recruitment relationships for red king crab, *Paralithodes camtschaticus*, in Bristol Bay, Alaska." *Canadian Journal of Fisheries and Aquatic Sciences*, 52, pp. 1229-1246.
- Zheng, J., Murphy, M. C., and Kruse, G. H. (1996a). "Overview of population estimation methods and recommended harvest strategy for red king crabs in Bristol Bay." Regional Information Report, 5J96-04, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries Management and Development, P.O. Box 25526, Juneau, AK 99802.
- Zheng, J., Murphy, M. C., and Kruse, G. H. (1996b). "A catch-length analysis for crab populations." *Fishery Bulletin*, 94, pp. 576-588.
- Zheng, J., Kruse, G. H., and Murphy, M. C. (1997a). "Status of king crab stocks in the eastern Bering Sea in 1997." Regional Information Report, 5J97-13, State of Alaska, Department of Fish and Game, P.O. Box 25526, Juneau, AK 99802, p. 20.

- Zheng, J., Murphy, M. C., and Kruse, G. H. (1997b). "Analysis of harvest strategies for red king crab, *Paralithodes camtschaticus*, in Bristol Bay, Alaska." *Canadian Journal of Fisheries and Aquatic Sciences*, 54, pp. 1121-1134.
- Zheng, J., Siddeek, S., Pengilly, D., and Woodby, D. (2002). "Overview of Recommended Harvest Strategy for Snow Crabs in the Eastern Bering Sea." Regional Information Report, 5J02-03, Alaska Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802, February 8, 2002.
- Zhou, S., and Kruse, G. H. (1998). "Appendix C: Crab handling mortality and bycatch reduction." In King and Tanner Crab Research in Alaska: Annual Report for July 1, 1997 through June 30, 1998, Regional Information Report, 5J98-07, State of Alaska, Department of Fish and Game, Division of Commercial Fisheries, P.O. Box 25526, Juneau, AK 99802.
- Zhou, S., and Shirley, T. C. (1996). "Is handling responsible for the decline of the red king crab fishery?" In High Latitude Crabs: Biology, Management, and Economics, Alaska Sea Grant College Program Report, 96-02, University of Alaska Sea Grant, pp. 591-612.
- Zhou, S., Shirley, T. C., and Kruse, G. H. (1998). "Feeding and growth of the red king crab *Paralithodes camtschaticus* under laboratory conditions." *Journal of Crustacean Biology*, 18, pp. 337-345.
- Zhou, S. S. T. C. (1995). "Effects of handling on feeding, activity, and survival of red king crabs, *Paralithodes camtschaticus* (Tilesius, 1815)." *Journal of Shellfish Research*, 14, pp. 173-177.