Utilization of Short-Stay Hospitals:

Annual Summary for the United States, 1979

This report presents statistics on the utilization of non-Federal short-stay hospitals based on data collected through the National Hospital Discharge Survey from a national sample of the hospital records of discharged inpatients. Estimates are provided by the demographic characteristics of patients discharged, conditions diagnosed, and surgical and nonsurgical procedures performed, and by geographic region, bed size, and ownership of hospitals that provided inpatient care. Measurements of hospital utilization are given in terms of frequency, rate, percent, and average length of stay.

Data From the National Health Survey Series 13, No. 60

DHHS Publication No. (PHS) 82-1721

U.S. Department of Health and Human Services
Public Health Service
Office of Health Research, Statistics,
and Technology
National Center for Health Statistics
Hyattsville, Md.
December 1981

National Center for Health Statistics

DOROTHY P. RICE, Director

ROBERT A. ISRAEL, Deputy Director

JACOB J. FELDMAN, Ph.D., Associate Director for Analysis and Epidemiology

GAIL F. FISHER, Ph.D., Associate Director for the Cooperative Health Statistics System

GARRIE J. LOSEE, Associate Director for Data Processing and Services

ALVAN O. ZARATE, Ph.D., Assistant Director for International Statistics

E. EARL BRYANT, Associate Director for Interview and Examination Statistics

ROBERT C. HUBER, Associate Director for Management.

MONROE G. SIRKEN, Ph. D., Associate Director for Research and Methodology

PETER L. HURLEY, Associate Director for Vital and Health Care Statistics

ALICE HAYWOOD, Information Officer

Division of Health Care Statistics

W. EDWARD BACON, Ph.D., Director

JOAN F. VAN NOSTRAND, Deputy Director

MARY MOIEN, Chief, Hospital Care Statistics Branch

MANOOCHEHR K. NOZARY, Chief, Technical Services Branch

Preface

In accordance with specifications established by the National Center for Health Statistics, the U.S. Bureau of the Census, under a contractual arrangement, participated in planning the survey and collecting the data.

Analysis of data and interpretation of findings contained in this report were performed by the Division of Health Care Statistics, National Center for Health Statistics.

Contents

Pre	face	iii
Int	roduction	1
	Inhlights Utilization by patient characteristics Utilization by hospital characteristics Utilization by diagnosis Utilization by procedures	2 3 6
Re	ferences	16
Lis	t of detailed tables	17
-	pendixes ntents	50
	Technical notes on methods	51
11.	Definitions of certain terms used in this report	62
Lis	t of text tables	
А. В.	Selected measures of hospital utilization: United States, 1970, 1975, and 1979	2
C.	according to whether color of patient was stated: United States, 1979	4
D.		5
E.	by selected first-listed diagnostic categories: United States, 1979	7
F.	United States, 1979	8 10
G.		11
1.1		11
H. J.	Number and rate of all-listed procedures and of Class 1 procedures for patients discharged from short-stay hospitals, by	
K.	procedure category: United States, 1979	12
	categories: United States, 1979	13
L.	Number and rate of all-listed procedures for patients discharged from short-stay hospitals, by sex and age of patient: United States, 1979	14
М.	Percent distribution of all-listed procedures for patients discharged from short-stay hospitals by bed size of hospital, according to procedure category. United States, 1979	15

Symbols

- --- Data not available
- ... Category not applicable
- Quantity zero
- 0.0 Quantity more than zero but less than 0.05
- Z Quantity more than zero but less than 500
- Figure does not meet standards of reliability or precision (more than 30-percent relative standard error)
- # Figure suppressed to comply with confidentiality requirements

Utilization of Short-Stay Hospitals: Annual Summary

by Barbara J. Haupt, Division of Health Care Statistics

Introduction

This report provides national estimates on the utilization of non-Federal short-stay hospitals during 1979. Data are summarized for selected demographic characteristics of the patients discharged, characteristics of the hospitals where the patients were treated, conditions diagnosed, and surgical and nonsurgical procedures performed.

The statistics in this report are based on data collected through the National Hospital Discharge Survey, a continuous survey that has been conducted by the National Center for Health Statistics since 1965. The data for the survey are obtained from the face sheets of a sample of the medical records of inpatients discharged from a national sample of short-stay general and specialty hospitals in the United States. The sample for 1979 included approximately 215,000 medical records from 416 hospitals that participated in the survey. A description of the survey design, data collection procedures, and the estimation process is found in appendix I. A detailed report on the design of the National Hospital Discharge Survey has already been published.

Types of hospital utilization measurements shown are frequencies, rates, and percent distributions of discharges, days of care, and average lengths of stay. The estimates are presented by age, sex, and color of the patients discharged and by the geographic region, bed size, and ownership of the short-stay hospitals (tables 1-12). Statistics on the conditions diagnosed (tables 13-17) and procedures performed (tables 18-22) are also shown by patient and hospital characteristics. Although data for newborn infants are collected by means of the National Hospital Discharge Survey, they are excluded from this report.

Coding of medical data for patients hospitalized is performed according to the *International Classification of Diseases*, 9th Revision, Clinical Modification² (ICD-9-CM). Earlier data for 1970-78 were coded

according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States³ (ICDA). Differences between these two systems are discussed in appendix I under the section entitled "Medical coding and edit." A maximum of seven diagnoses and four procedures are coded for each medical record in the sample. Although diagnoses included in the ICD-9-CM section entitled "Supplementary classification of external causes of injury and poisoning" (codes E800-E999) are used by the National Hospital Discharge Survey, these diagnoses are excluded from this report. The conditions diagnosed and procedures performed are presented here by the major classes of the ICD-9-CM. Within these classes, a few diagnoses and procedures or groups thereof are also shown. These specific categories were selected primarily because of large frequencies or because they are of special interest. Residual categories of the diagnostic and procedure classes, however, are not included in the tables. More detailed analyses of these data will be presented in later reports in Series 13 of the Vital and Health Statistics reports.

Familiarity with the definitions used in the National Hospital Discharge Survey is important for interpreting the data and for making comparisons with statistical data on short-stay hospital utilization that are available from other sources. Definitions of the terms used in this report are presented in appendix II.

Information on short-stay hospital utilization is also collected by another program of the National Center for Health Statistics, the National Health Interview Survey. Estimates from this survey are generally different from those of the National Hospital Discharge Survey because of differences in collection procedures, population sampled, and definitions. Data from the National Health Interview Survey are published in Series 10 of the Vital and Health Statistics reports.

Highlights

During 1979 an estimated 36.7 million inpatients, excluding newborn infants, were discharged from non-Federal short-stay hospitals. These patients utilized 264.2 million days of care during the year and their average length of stay was 7.2 days. Half of the patients were discharged within 4 days of their admission, and 6 percent remained in the hospital for 3 weeks or longer. Patients hospitalized during 1979 accounted for 170 discharges and 1,224 days of care per 1,000 civilian noninstitutionalized population.

Table A presents selected measures of hospital utilization for 1970, 1975, and 1979. Both the number and rate of discharges have increased over this period. The number and rate of days of care have also increased significantly from 1970 to 1975. The differences in days of care between 1975 and 1979,

Table A. Selected measures of hospital utilization: United States, 1970, 1975, and 1979

[Data for non-Federal short-stay hospitals. Excludes newborn infants]

29,127 145.9	34,043 162.8	36,747 170,2
·	•	
145.9	162.8	170,2
145.9	162.8	170.2
226,445	262,389	264,173
1,134.6	1,254.9	1,223.7
•	·	,
7.8	7.7	7.2
• • • •		
40.8	48.0	¹ 49.1
39.7	41.7	40.8
	•	7.8 7.7 40.8 48.0

¹Adjusted to eliminate artificial inflation of figure because of doublecoding of certain diagnoses or groups of patients. See section entitled "All-listed diagnoses" in text,

however, are not significant. Although both the number of discharges and days of care have both increased from 1970 to 1979, the rates of increase in these two measures of utilization were quite different. This difference is reflected in the average lengths of stay that decreased from 7.8 days in 1970 to 7.2 days in 1979. The percent of patients with more than one diagnosis increased from 40.8 percent in 1970 to 48.0 percent in 1975, but no appreciable increase occurred between 1975 and 1979. The percent of patients with surgery has remained fairly constant from 1970 through 1979.

Utilization by patient characteristics

The 36.7 million patients discharged from short-stay hospitals during 1979 included an estimated 14.7 million males and 22.0 million females (table 1). The rates per 1,000 population were 141 for males and 197 for females, making the rate for females almost 40 percent higher than the rate for males. The number and rate of discharges are always higher for females than for males because of the large number of women in their childbearing years (15-44 years of age) who are hospitalized for deliveries and other obstetrical conditions. Excluding deliveries, the rate for females discharged was 165, or only about 17 percent higher than the rate for males (table 8).

Except for children under 5 years of age and women in their childbearing years, annual rates of discharges increased consistently with each older age group for both males and females. This pattern of increase also applies to women in their childbearing years if those who were hospitalized only for deliveries are excluded from the rates. Discharge rates for older patients (65 years of age and over) were more than 5 times higher than those for younger patients (under 15 years of age) for each sex.

In 1979, male patients utilized an estimated 112.5 million days of care in short-stay hospitals compared with 151.7 million days of care utilized by

²Excludes nonsurgical procedures and the following obstetrical procedures that were not coded in 1970 and 1975: Episiotomy, artificial rupture of membranes, internal version, and outlet and low forceps delivery. Up to 3 operations were coded per discharge in 1970 and 1975 and up to 4 were coded in 1979; however, this 1979 figure includes only the first 3 operations to maintain comparability. The unadjusted 1979 figure is 45,2 percent.

females (table 2). The rate of days of care per 1,000 population was 1,080 for males and 1,358 for females, or about 26 percent higher for females than for males. Differences between the rates of days of care for each sex were smaller than for discharges mainly because the average length of stay for about 3.6 million women who were hospitalized for deliveries was only 3.7 days. This length of stay compares with an average length of stay of 7.7 days for males and 7.5 days for females who were not hospitalized for deliveries (tables 2 and 6).

The annual number of days of care per 1,000 population increased about 13 times with advancing age from 315 for patients under 15 years of age to 4,183 for those 65 years of age and over (table 2). The much higher increase in the rate of days of care than of discharges from the youngest to the oldest age group was due to long average lengths of stay for persons 65 years of age and over (10.8 days). The average length of stay is longer for the aged because of the greater severity of illness in this group. This situation is indicated by larger proportions of older than younger patients with incapacitating chronic illness, and the highest proportion of any age group with multiple diagnoses, both of which result in long average lengths of stay and high annual rates of days of care.

A smaller proportion of males (48 percent) than of females (52 percent) were discharged from short-stay hospitals within 4 days of their admission (table 3). The percent of patients hospitalized fewer than 5 days decreased with each older age group from 73 percent for those under 15 years of age to 29 percent for patients 65 years of age and over. Conversely, the proportion of patients hospitalized for 3 weeks or longer increased from about 2 percent for the youngest age group to almost 12 percent for those 65 years of age and over. About 7 percent of the males and 5 percent of the females were hospitalized for at least 3 weeks.

In this report the terms "white" and "all other" are used for color of patients. In 1979, 27.5 million patients were identified on the face sheets of the medical records as "white" and 4.6 million as "all other" groups (table 4). However, color was not reported for an additional 4.7 million patients, or a larger number than in the "all other" group. As a result, rates were not computed by color and caution should be used in drawing conclusions from the data by color.

Some demographic characteristics differed between the two color groups. The largest differences between white and all other patients were in the distributions of discharges by age. White patients were older than all other patients, both as a group and for each sex (table 4). Twenty-six percent of these patients were 65 years of age and over; the comparable figure for all others was 15 percent.

The number of days of care in 1979 totaled 198.0 million for white patients and 34.0 million for all other patients (table 5), and the average length of stay was 7.2 days for white patients and 7.4 days for all others (table 6). White patients utilized proportionately more days of care than all others in the oldest age group, both as a whole and for each sex. However, the average length of stay was higher for the all other group in all the age and sex categories.

As was mentioned previously, National Hospital Discharge Survey (NHDS) data by color are limited because of the large number of patients for whom color was not stated. A comparison of the percent distributions of discharges and days of care and the average lengths of stay for patients with color stated and those with color not stated indicates that these utilization measures for the two groups are quite similar with regard to their age and sex distributions (table B). These relationships suggest that patients with color not stated were probably distributed by color in about the same proportions as those for whom color was identified.

Utilization by hospital characteristics

Discharges from short-stay hospitals by geographic region in 1979 ranged from 5.9 million in the West Region to 12.4 million in the South Region (table 7). Regional differences in the number of discharges are accounted for mainly by variations in population sizes (see appendix I, table III), and, to a lesser extent, by variations in the discharge rates.

The rates of regional discharges per 1,000 population in 1979 were 147 in the West, 161 in the Northeast, 178 in the South, and 185 in the North Central Regions (table 8). Among the geographic regions, discharge rates in the North Central Region were highest for all discharges and for each age and sex group except for males 45-64 years of age. For this last group, the rate was about the same as it was in the South Region. The remaining discharge rates in the South were lower than those in the North Central Region; however, the number of discharges in the South Region was about the same or higher for each age and sex group compared with the North Central Region, because the population in the South was about a fifth larger than that in the North Central Region.

Both the number and the rate per 1,000 population of days of care were lowest in the West Region. The highest number of days of care was in the South Region for most of the age and sex categories, whereas the highest rate was most frequently in the North Central Region, followed by the Northeast Region (tables 7 and 8). The number of days of care for the total population ranged from 35.5 million in the West to 84.7 million in the South Region; the rate per 1,000 population varied from 883 days in the

Table B. Number of patients and days of care for patients discharged from short-stay hospitals by sex, and percent distribution of patients discharged from short-stay hospitals and days of care, and average length of stay by sex and age of patient, according to whether color of patient was stated: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

	Discharge	d patients	Days of care		Average length of stay in days	
Sex and age	Color stated	Color not stated	Color stated	Color not stated	Color	Color not stated
		Number	in thousands			
Both sexes	32,023	4,724	232,008	32,166	7.2	6.8
Male	12,790 19,232 16,064	1,914 2,809 2,322	98,847 133,161 121,319	13,658 18,508 16,685	7.7 6.9 7.6	7.1 6.6 7.2
Total		Percent	distribution			
Both sexes	100.0	100.0	100.0	100.0	7.2	6.8
Male Female including deliveries Female excluding deliveries	39.9 60.1 50.2	40.5 59.5 49.4	42.6 57.4 52.3	42.5 57.5 51.9	7.7 6.9 7.6	7.1 6.6 7.2
All ages	100.0	100.0	100.0	100.0	7.2	6.8
Under 15 years	9.9 42.1 23.3 24.7	10.0 42.6 22.6 24.9	6.0 30.5 26.6 36.9	5.5 31.7 25.0 37.7	4.4 5.2 8.3 10.8	3.8 5.1 7.5 10.3
Male						
All ages	100.0	100.0	100.0	100.0	7.7	7.1
Under 15 years	14.0 31.7 27.4 26.9	13.9 32.4 26.6 27.1	8.1 26.2 29.0 36.8	7.4 28.3 27.9 36.4	4.5 6.4 8.2 10.6	3.8 6.2 7.5 9.6
Female including deliveries						
All ages	100.0	100.0	100.0	100.0	6.9	6.6
Under 15 years	7.2 49.0 20.6 23.3	7.4 49.5 19.8 23.4	4.5 33.7 24.8 37.0	4.2 34.2 22.9 38.7	4.3 4.8 8.3 11.0	3.8 4.6 7.6 10.9
Female excluding deliveries						
All ages	100.0	100.0	100.0	100.0	7.6	7,2
Under 15 years	8.5 39.1 24.5 27.9	8.8 39.3 23.7 28.1	4.9 27.3 27.2 40.6	4.6 27.2 25.3 42.9	4.3 5.3 8.4 11.0	3.8 4.9 7.6 10.9

West Region to 1,363 days in the Northeast Region.

Average lengths of stay by geographic region were 6.0 days in the West, 6.8 days in the South, 7.4 days in the North Central, and 8.4 days in the Northeast (table 9). Hospitalization was generally longest in the Northeast Region and shortest in the West Region for patients in each age and sex category. Regional differences in average lengths of stay were larger among the older age groups.

Table 7 shows the number of patients discharged from short-stay hospitals and days of care by sex and age of the patients, and geographic region, and bed size of the hospitals; percent distributions of these data are shown in table C.

Discharges from short-stay hospitals for patients of all ages were about 40 percent male and 60 percent female in every hospital bed-size group and females with deliveries accounted for about 10 percent of the discharges regardless of hospital size. However, some variation was found in the distribution of patients by age. Specifically, as the bed size of the hospital increased, the percent of patients who were 65 years of age and over steadily decreased from 29 percent in the smallest hospitals to 21 percent in the largest ones. An overall increase was found in the percent of patients in the age groups 15-44 and 45-64 years from the smallest to the largest hospitals; however, this pattern was not consistent with increasing bed size.

Table C. Number and percent distribution of patients and days of care and average length of stay for patients discharged from short-stay hospitals by sex and age of patient, according to bed size of hospital: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

Sex and age	Number	All sizes	6-99 beds	100-199 beds	200-299 beds	300-499 beds	500 beds or more
		Num	ber of pat	ients discha	rged in thou	ısands	
All patients discharged	36,747	36,747	7,020	6,348	6,493	8,615	8,270
Sex				Percent	distribution	ו	
Both sexes	36,747	100.0	100.0	100.0	100.0	100.0	100.0
Male Female including deliveries Female excluding deliveries	`14,705 22,042 18,396	40.0 60.0 50.1	40.9 59.1 51.4	38.3 61.7 51.4	39.7 60.3 50.2	41.1 58.9 48.9	39.7 60.3 48.9
Age							
All ages	36,747	100.0	100.0	100.0	100.0	100.0	100.0
Under 15 years	3,641 15,488 8,532 9,086	9.9 42.1 23.2 24.7	9.6 39.1 22.7 28.6	9.5 42.6 22.3 25.6	10.3 42.8 21.9 25.0	10.3 41.6 23.8 24.4	9.8 44.5 24.8 21.0
		Number of days of care in thousands					
All days of care	264,173	264,173	41,763	41,623	46,936	66,580	67,271
Sex				Percent	distribution	ı	
Both sexes	264,173	100.σ	100.0	100.0	100.0	100.0	100.0
Male Female including deliveries Female excluding deliveries	112,504 151,669 138,004	42.6 57.4 52.2	41.4 58.6 54.7	40.9 59.1 53.6	42.0 58.0 52.9	43.4 56.6 51.4	44.0 56.0 50.2
Age							
All ages	264,173	100.0	100.0	100.0	100.0	100.0	100.0
Under 15 years	15,765 80,913 69,755 97,740	6.0 30.6 26.4 37.0	5.2 29.3 24.2 41.4	5.6 30.0 25.0 39.4	5.9 30.1 25.2 38.8	5.8 29.5 27.3 37.4	6.9 33.4 28.7 31.1
			Average	length of st	ay in days		
Total	7.2	7.2	5.9	6.6	7.2	7.7	8.1
Sex							
Male	7.7 6.9 7.5	7.7 6.9 7.5	6.0 5.9 6.3	7.0 6.3 6.8	7.6 7.0 7.6	8.2 7.4 8.1	9.0 7.6 8.4
Age							
Under 15 years	4.3 5.2 8.2 10.8	4.3 5.2 8.2 10.8	3.2 4.5 6.3 8.6	3.9 4.6 7.3 10.1	4.2 5.1 8.3 11.2	4.3 5.5 8.9 11.9	5.7 6.1 9.4 12.1

The percent of patients under 15 years of age remained essentially the same regardless of the size of the hospital.

Days of care by sex, age, and bed size of hospital were generally distributed in a fashion similar to discharges; however, males accounted for a larger percent of days of care than of discharges regardless of bed size. This difference is a result of the short lengths of stay for females with deliveries, since females without deliveries also showed a larger percent of days of care than of discharges for hospitals of all sizes.

Table C shows that the percent distribution of days of care by the age of the persons hospitalized changed with bed size of the hospital in about the same direction as that for discharges, but the magnitude of the changes was greater for days of care than for discharges. The percent of days of care for each of the three age groups under 65 years generally increased with increasing bed size, while the percent for patients 65 years of age and over decreased as the size of the hospital grew.

As shown in table C, the average length of stay for patients discharged from short-stay hospitals in

1979 increased steadily from 5.9 days in the smallest hospitals (6-99 beds) to 8.1 days in the largest hospitals (500 beds or more). This pattern of increase occurred for each sex and age group presented. Generally, the average length of stay was slightly longer for males than for females in all hospitals; however, when females who were hospitalized for deliveries are excluded, the average lengths of stay for each sex were virtually the same. The average length of stay increased as the age of the patients increased regardless of the size of the hospital.

Table 10 shows some exceptions to these patterns in the average length of stay among regions. Specifically, the average length of stay did not steadily increase with increasing bed size either for patients 15-44 years of age in the Northeast Region or for males 15-44 years of age in the North Central Region. Moreover, a steady increase was not found in the average length of stay as age increased for females discharged from the largest hospitals in the Northeast Region, for males discharged from the smallest hospitals in the North Central Region, or for anyone discharged from the largest hospitals in the West Region.

Approximately 7 out of 10 patients of non-Federal short-stay hospitals were discharged from voluntary nonprofit hospitals operated by church and other nonprofit groups during every year the NHDS was conducted. In 1979, voluntary nonprofit hospitals provided medical care to an estimated 26.1 million patients, or 71 percent of all patients hospitalized. Hospitals operated by State and local governments cared for 7.7 million patients, or 21 percent of all discharges, and proprietary hospitals operated for profit cared for 3.0 million patients, or 8 percent of all discharges (table 11).

The estimated 264.2 million days of care utilized by patients in short-stay hospitals during 1979 were distributed by ownership of hospitals in the following manner: voluntary nonprofit, 192.1 million days, or 73 percent; government, 50.7 million days, or 19 percent; and proprietary, 21.4 million days, or 8 percent. Average lengths of stay were 7.4 days in voluntary nonprofit hospitals, 6.6 days in government hospitals, and 7.2 days in proprietary hospitals (table 12).

Utilization by diagnosis

First-listed diagnosis.—Diseases of the circulatory system ranked first in 1979 among the ICD-9-CM diagnostic classes as a principal or first-listed diagnosis among patients discharged from non-Federal short-stay hospitals (table 13). These conditions accounted for an estimated 4.9 million discharges. Other leading ICD-9-CM diagnostic classes were diseases of the digestive system (4.6 million discharges); supplementary classifications, which include females with

deliveries (4.3 million discharges); injury and poisoning (3.6 million discharges); diseases of the genitourinary system (3.5 million discharges); and diseases of the respiratory system (3.3 million discharges). About two-thirds of the patients discharged from non-Federal short-stay hospitals were included in these six ICD-9-CM diagnostic classes.

The diagnostic categories presented in this summary report were selected either because they appear as principal or first-listed diagnoses with great frequency or because the conditions are of special interest. Although many of these categories such as malignant neoplasms, heart disease, psychoses, and fractures, all sites are combinations of more detailed diagnoses, they are presented as single categories without showing the specific diagnostic inclusions.

The number and rate of discharges, days of care, and average length of stay by selected first-listed diagnoses in 1979, including females with deliveries, are presented in table D. These categories are the largest of those presented in this report and accounted for 46 percent of all patients discharged during 1979. These categories also include the most frequent first-listed diagnoses for each sex, age, color, region, and bed-size group. The most common firstlisted diagnosis for most of these groups, as well as for all patients, was females with deliveries. Excluding this category, the two most frequent first-listed diagnoses were heart disease and malignant neoplasms for all groups except patients under 45 years of age and those in smaller hospitals (fewer than 200 beds). For patients under 15 years of age, the most frequent first-listed diagnosis was chronic disease of tonsils and adenoids, followed by pneumonia, all forms. Excluding females with deliveries, the two most frequent first-listed diagnoses for patients 15-44 years of age were all abortions, including ectopic and molar pregnancies, and fractures, all sites. For hospitals with fewer than 200 beds, the most common first-listed diagnosis, excluding deliveries, was heart disease. The second most frequent diagnosis in hospitals with 6-99 beds was pneumonia, all forms. In hospitals with 100-199 beds, the second most common diagnosis was malignant neoplasms or fractures, all sites; no significant difference was found between the estimates for these two diagnostic categories.

The number and rate of patients discharged from short-stay hospitals and average length of stay, by ICD-9-CM diagnostic classes and selected categories, are presented by age for 1979 in table 13. Although the estimated rates of discharge from short-stay hospitals generally increased as the age of the patients increased, especially for patients 15 years of age and over, some decreases were observed. For example, decreases in rates between the two oldest age groups (45-64 years and 65 years and over) occurred for the categories of alcohol dependence syndrome, calculus of kidney and ureter, and intervertebral disc dis-

Table D. Number and rate of patients and days of care for patients discharged from short-stay hospitals and average length of stay, by selected first-listed diagnostic categories: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Diagnostic groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

	Discharge	ed patients	Days	Average	
Diagnostic category and ICD-9-CM code	Number in thousands	Rate per 1,000 population	Number in thousands	Rate per 1,000 population	length of stay in days
All conditions ¹	36,747	170.2	264,173	1,223.7	7.2
Females with deliveriesV27	3,646	16.9	13,665	63.3	3.7
Heart disease	3,065	14.2	29,378	136.1	9.6
Acute myocardial infarction	433	2.0	5,457	25.3	12.6
Atherosclerotic heart disease	592	2.7	5,758	26.7	9.7
Other ischemic heart disease	714	3.3	5,480	25.4	7.7
Malignant neoplasms140-208	1.745	8.1	21,496	99.6	12.3
Fractures, all sites	1,180	5.5	12,366	57.3	10.5
Pneumonia, all forms	756	3.5	6,021	27.9	8.0
Cerebrovascular disease	747	3.5	9,226	42.7	12.4
Benign neoplasms, carcinoma-in-situ, and neoplasms of uncertain			•		
behavior	656	3.0	4.044	18.7	6.2
Noninfectious enteritis and colitis	616	2.9	3.318	15.4	5.4
Diabetes mellitus	600	2.8	6,078	28.2	10.1
All abortions, including ectopic and molar pregnancies 630-639	536	2.5	1.172	5.4	2.2
Psychoses	512	2.4	7,440	34.5	14.5
Chronic disease of tonsils and adenoids	497	2.3	988	4.6	2.0
Arthropathies and related disorders	481	2.2	4,636	21.5	9.6
Inguinal hernia	475	2.2	2.339	10.8	4.9
Disorders of menstruation and other abnormal vaginal bleeding626	450	2.1	1,516	7.0	3.4
Cholelithiasis	447	2.1	4,372	20.2	9.8
Alcohol dependence syndrome	439	2.0	4,077	18.9	9.3

¹Includes data for diagnostic conditions not shown in table.

orders. Moreover, the rates generally decreased with increasing age for the class of congenital anomalies and the categories of chronic disease of tonsils and adenoids, appendicitis, disorders of menstruation and other abnormal vaginal bleeding, and sprains and strains of back (including neck).

Ratios of the total discharge rates for each age group to the discharge rate for all ages were computed and compared with the comparable ratios for each diagnostic category in table 13. Based on these comparisons, the rates for many of the categories were higher than would be expected, especially for the youngest and the older age groups. For patients under 15 years of age, some of these categories were diseases of the ear and mastoid process, other acute upper respiratory infections, except influenza, and chronic disease of tonsils and adenoids. For patients 45-64 years of age, some of the categories for which the rates were higher than expected were those of alcohol dependence syndrome, essential hypertension, acute myocardial infarction, other ischemic heart disease, and intervertebral disc disorders. For patients 65 years of age and over, rates higher than expected occurred for many of the diagnostic categories. Some of these categories were malignant neoplasms; diabetes mellitus; cataract; all of the categories shown under diseases of the circulatory system, especially atherosclerotic heart disease, congestive heart failure, and essential hypertension;

pneumonia, all forms; ulcers of the stomach and small intestine; and arthropathies and related disorders.

The average length of stay increased with increasing age especially for patients 15 years of age and over for most classes and categories of diagnoses. Generally, it tended to be higher for mental disorders (especially psychoses), malignant neoplasms, and various diseases of the circulatory system. Long average lengths of stay were observed for patients 45 years of age and over with a first-listed diagnosis in the category of diseases of the central nervous system. On the average, patients 65 years of age and over with a first-listed diagnosis of arthropathies and related disorders or fractures, all sites also had long lengths of stay.

Data on discharges and average length of stay for patients discharged from short-stay hospitals by sex and color are presented in table 14 by diagnostic classes and selected categories of first-listed diagnosis. Discharge rates were computed for sex but not for color because of the large number of patients (4.7 million) for whom color was not stated.

Females had higher rates of discharges than males for most of the classes and categories shown. A significant exception occurred for the diagnostic class of injury and poisoning. For this class the rate for males was almost 40 percent higher than the rate for females. The rates for males were significantly greater than the rates for females for the categories of alcohol dependence syndrome, heart disease, inguinal hernia, calculus of kidney and ureter, and lacerations and open wounds. Both sexes had virtually the same rates of discharges per 1,000 population for the diagnostic categories of malignant neoplasms (8.1), psychoses (2.4), acute bronchitis and bronchiolitis (1.1), gastritis and duodenitis (1.4), and sprains and strains of back (including neck) (1.6).

The ratios of the discharge rates for each sex to the total discharge rates were also computed. Non-sex-related diagnostic categories for males for which the rates were higher than expected included alcohol dependence syndrome, acute myocardial infarction, inguinal hernia, calculus of kidney and ureter, intracranial injuries (excluding those with skull fracture), and lacerations and open wounds. For females, some categories that had rates higher than could be expected if sex-related conditions are excluded were benign neoplasms, carcinoma-in-situ, and neoplasms of uncertain behavior, cholelithiasis, and persons admitted for sterilization.

Seventy-five percent of all the patients discharged were listed as white on their medical record and 12 percent were listed as other than white; the color of 13 percent was not stated. However, some variation occurred in this distribution for different diagnostic categories. For example, the percents were higher for white patients who were discharged with a first-listed diagnosis of heart disease and cholelithiasis and lower for those with a diagnosis of abortion including molar and ectopic pregnancy, asthma, lacerations and open wounds, and delivery. The percent of patients

for whom color was <u>not</u> stated remained about the same for these categories, but was higher for the diagnostic categories of alcohol dependence syndrome and intervertebral disc disorders. Average lengths of stay for almost all of the ICD-9-CM classes and categories shown were shorter for white patients than for all others. Exceptions occurred for the categories of alcohol dependence syndrome and asthma; white patients with these diagnoses stayed, on the average, at least 1 day longer than all other patients.

Table 15 provides information on patients discharged from short-stay hospitals by geographic region. In 1979, the number of discharges per 1,000 population ranged from 147 in the West Region to 185 in the North Central Region. The smallest fluctuations among the geographic regions in discharge rates for the diagnostic categories were for diseases of the central nervous system, asthma, appendicitis, and intracranial injuries (excluding those with skull fracture). The diagnostic categories for which variations in the rates were the largest were malignant neoplasms, which ranged from 7 per 1,000 population in the South to 9 in the Northeast; alcohol dependence syndrome, from 1 in the South to 4 in the Northeast; heart disease, which ranged from 12 in the West to 15 in the South; and pneumonia, all forms, with a range of 2 in the West to 5 in the South.

The number of patients discharged from shortstay hospitals during 1979 and the average length of stay are shown by bed size of hospital and diagnostic

Table E. Percent distribution of patients discharged from short-stay hospitals by bed size of hospital, according to diagnostic class:

United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Diagnostic groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

	Diagnostic class and ICD-9-CM code	All sizes	6-99 beds	100-199 beds	200-299 beds	300-499 beds	500 beds or more
				Percer	t distributio	on	
All cor	ditions	100.0	19.1	17.3	17.7	23.4	22.5
١.	Infectious and parasitic diseases	100.0	19.6	18.0	17.3	21.9	23.3
II.	Neoplasms	100.0	10.3	13.7	16.9	26.9	32.2
III.	Endocrine, nutritional, and metabolic diseases 240-279	100.0	20.6	16.5	18.0	23.9	21.1
IV.	Diseases of the blood and blood-forming organs 280-289	100.0	20.5	14.2	17.4	24.9	23.0
v.	Mental disorders	100.0	26.0	14.9	14.3	23.3	21.5
νi.	Diseases of the nervous system and sense organs	100.0	12.2	15.9	16.4	28.3	27.1
VII.	Diseases of the circulatory system	100.0	20.1	17.6	17.9	23.4	21.1
VIII.	Diseases of the respiratory system	100.0	27.1	19.1	17.0	20.5	16.2
IX.	Diseases of the digestive system	100.0	22.9	17.8	18.5	22.4	18.4
Χ.	Diseases of the genitourinary system	100.0	16.7	19.0	19.1	23.1	22.1
XI.	Complications of pregnancy, childbirth, and the puerperium 1 630-676	100.0	13.5	19.5	17.3	23.0	26.7
XII.	Diseases of the skin and subcutaneous tissue	100.0	20.8	15.9	16.3	23.8	23.3
XIII.	Diseases of the musculoskeletal system and connective tissue 710-739	100.0	17.3	16.4	19.1	23.3	23.9
XIV.	Congenital anomalies	100.0	9.3	10.1	16.1	26.8	37.7
XV.	Certain conditions originating in the perinatal period	100.0	14.7	10.4	18.1	30.2	26.6
XVI.	Symptoms, signs, and ill-defined conditions 780-799	100.0	20.2	17.5	17.9	20.8	23.5
XVII.	Injury and poisoning	100.0	20.9	17.5	17.5	23.7	20.3
Supple	mentary classifications	100.0	14.9	17.9	18.0	23.3	25.9

¹Females with deliveries are included under "Supplementary classifications."

category in table 16. Females with deliveries ranked as the highest category for first-listed diagnosis in hospitals of all bed sizes except the smallest, where it was second. In hospitals of 6-99 beds, the highest ranking diagnostic category was that of heart disease.

The proportions of some diagnostic conditions treated in hospitals varied according to the size of the hospital. As is shown in table E, greater proportions of patients were treated in the smallest hospitals (6-99 beds) for mental disorders and diseases of the respiratory system. On the other hand, greater proportions of discharges were from the largest hospitals (500 beds or more) for neoplasms and congenital anomalies.

For the most part, the average length of stay for the diagnostic classes and categories followed the same patterns as the overall average lengths of stay for each region and bed size of hospital. That is, short hospital stays were more common in the West; long stays occurred more frequently in the Northeast Region. Similarly, the average length of stay generally increased as the size of the hospital increased.

All-listed diagnoses.—An estimated 86.1 million diagnoses were recorded for the 36.7 million inpatients of non-Federal short-stay hospitals in 1979 (table 17) for an average of 2.3 diagnoses per discharged patient. The average number of diagnoses per discharge increased from prior years primarily because of changes that were made in the way data are tabulated. Starting in 1979, up to seven diagnoses per discharge are now coded and tabulated on the NHDS data file; prior to this time, up to five diagnoses were coded. In addition, the ICD-9-CM, which is the new classification scheme used for coding diagnostic and surgical data, has inherent in it a certain amount of "double coding," while the classification used prior to 1979 does not. For example, females with deliveries all receive one additional diagnostic code that indicates the outcome of their delivery (single liveborn; twins, both liveborn; etc.) whereas this was not the case prior to 1979.

The average number of diagnoses per discharge varied only slightly by sex and color of the patient and by region and bed size of the hospital. For each of these categories, the average was either 2.3 or 2.4 diagnoses per patient. However, a larger variation occurred by age. The average number of diagnoses per discharge for the age groups under 15 years, 15-44 years, 45-64 years, and 65 years and over was 1.7, 2.0, 2.5, and 3.2, respectively.

Diseases of the circulatory system ranked first among the ICD-9-CM diagnostic classes for all-listed diagnoses, with 15.6 million diagnoses. This class was followed by diseases of the digestive system (8.5 million); diseases of the genitourinary system (7.5 million); supplementary classifications (6.7 million); injury and poisoning (6.4 million); diseases of the respiratory system (6.3 million); and complications of

pregnancy, childbirth, and the puerperium (5.5 million). These seven ICD-9-CM classes accounted for 66 percent of all-listed diagnoses in 1979.

Utilization by procedures

One or more procedures were performed for an estimated 18.9 million of the 36.7 million inpatients discharged from short-stay hospitals during 1979. A total of 29.6 million procedures, or an average of 1.6 per patient who underwent at least one procedure, were recorded in 1979 (table 18).

These figures are higher than in previous years for several reasons. Both the number of procedures and the percent of patients with procedures have increased over the past 10 years. In addition, changes in the tabulation and coding of data for the NHDS have resulted in the reporting of a greater number of procedures. More procedures, in terms of both number per patient and type of procedure, were coded in 1979. Specifically, in 1979 up to four procedures, instead of only three, were coded for each discharge. Furthermore, only figures for "surgical" operations were published in the past. However, since 1979 the total number includes many additional nonsurgical procedures. These coding changes account for most of the increase in the number of procedures. (See appendix I under the section entitled "Medical coding and edit" and appendix II under the section entitled "Terms relating to procedures" for more information on the differences between coding the ICDA and the ICD-9-CM.)

Table F shows the number and percent of patients with procedures for 1979 and also the number and percent of patients with surgical procedures. These last figures are included to provide data that are comparable with what was published in prior years.4,5 About half of the patients discharged had some procedure, including diagnostic and nonsurgical procedures. Some variations in the proportions, however, occurred by age and sex of the patient, geographic region, and bed size of the hospital. Patients 15-44 years of age had the highest proportion of all the age groups with procedures (61 percent); patients 65 years and over had the lowest (40 percent). Women had more procedures than men (55 percent compared with 47 percent), primarily because of those relating to childbirth. Among the geographic regions, the lowest percent of persons with procedures occurred in the South Region (47 percent) and the highest in the West Region (56 percent). The proportion of patients with one or more procedures increased with the size of the hospital, from 33 percent in hospitals with 6-99 beds to 61 percent in hospitals with 500 beds or more.

Six out of ten patients (61 percent) with procedures had only one operation or nonsurgical procedure during their hospitalization (table G). About

Table F. Number of patients discharged from short-stay hospitals with and without procedures and percent with procedures, by age, sex, and color of patient and geographic region and bed size of hospital: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

				Patients with procedures				
Characteristic	All discharged patients	Patients without procedures	Ali patients	Patients with surgical procedures 1	All patients	Patients with surgical procedures 1		
		Number in	thousands		P	ercent		
All patients	36,747	17,851	18,896	16,595	51.4	45.2		
Age								
Under 15 years	3,641 15,488 8,532 9,086	2,067 5,974 4,325 5,485	1,575 9,514 4,207 3,601	1,397 8,777 3,489 2,932	43.3 61.4 49.3 39.6	38.4 56.7 40.9 32.3		
Sex								
Male	14,705 22,042	7,866 9,985	6,839 12,057	5,728 10,867	46.5 54.7	39.0 49.3		
Color								
White	27,451 4,572 4,724	13,354 2,316 2,180	14,097 2,256 2,543	12,325 1,982 2,288	51.4 49.3 53.8	44.9 43.4 48.4		
Geographic region								
Northeast	7,786 10,647 12,425 5,889	3,575 5,045 6,629 2,601	4,210 5,602 5,796 3,288	3,649 4,967 5,083 2,896	54.1 52.6 46.6 55.8	46.9 46.7 40.9 49.2		
Bed size of hospital								
6-99 beds	7,020 6,348 6,493 8,615 8,270	4,737 3,155 2,949 3,788 3,222	2,284 3,194 3,544 4,827 5,048	2,090 2,790 3,097 4,242 4,376	32.5 50.3 54.6 56.0 61.0	29.8 44.0 47.7 49.2 52.9		

¹Excludes nonsurgical procedures.

26 percent of the patients had two procedures, about 9 percent had three, and about 5 percent had four or more. By age, patients under 15 years of age had the lowest proportion of multiple procedures (33 percent) and those 45-64 and 65 years of age and over had the largest proportion (45 percent and 44 percent, respectively). A smaller proportion of patients discharged from the smallest hospitals had more than one procedure (35 percent); about 40 percent of the patients discharged from hospitals of all other sizes had two or more procedures during their hospitalization.

Table G also shows the percent of patients with surgical procedures (i.e., all procedures except non-surgical—see appendix II) by number of procedures. Again, these figures are comparable with those published in prior years.^{4,5} Over two-thirds (68 percent) of the patients with surgical procedures had only one, 23 percent had two, and 9 percent had three or more.

Selected measures of surgical utilization for 1970, 1975, and 1979 are shown in table H. As mentioned

previously, changes in the coding and tabulation of data for the NHDS have resulted in the reporting of a greater number of procedures in 1979 than in earlier years. Therefore, two sets of figures are shown for 1979. The second set presents unadjusted 1979 data and can be used with other 1979 data presented in this report such as those shown in tables F and G. The first set presents data for 1979 that were adjusted to make them comparable with the 1970 and 1975 data. The following trend analysis uses the adjusted 1979 data.

The number of all-listed operations rose from 15.6 million in 1970 to 21.3 million in 1979, an increase of almost 37 percent. The rate per 1,000 population, however, increased only 26 percent within this same period, from 78.2 in 1970 to 98.8 in 1979

A similar pattern exists for the number and rate of patients with surgery. The number of patients with surgery increased 30 percent from 1970 to 1979 while the rate increased only 20 percent. During this same period the percent of patients with a single

Table G. Percent distribution of patients discharged from short-stay hospitals by number of procedures, according to age, sex, and color of patient and geographic region and bed size of hospital: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

Characteristic	All discharged patients with procedures	1 procedure	2 procedures	3 procedures	4 procedures or more ¹
			Percent distributi	on	
All patients	100.0	61.2	25.6	8.5	4.7
Age					
Under 15 years	100.0 100.0 100.0 100.0	67.4 64.7 55.4 56.0	25.3 24.5 27.0 27.2	5.2 7.4 11.2 9.9	2.0 3.5 6.5 6.9
Sex					
Male	100.0 100.0	59.2 62.3	26.3 25.2	8.9 8.3	5.6 4.1
Color					
White	100.0 100.0 100.0	60.6 62.4 63.6	25.8 24.7 25.7	8.9 7.9 7.1	4.8 5.0 3.6
Geographic region					
Northeast	100.0 100.0 100.0 100.0	62.1 60.9 60.3 62.1	25.2 25.8 25.9 25.3	8.2 8.5 9.1 7.8	4.4 4.8 4.7 4.7
Bed size of hospital					
6-99 beds 100-199 beds 200-299 beds 300-499 beds 500 beds or more Patients with surgical procedures ²	100.0 100.0 100.0 100.0 100.0	65.4 60.6 60.6 61.0 60.3 67.8	23.0 25.6 25.7 26.0 26.5	7.5 8.7 9.1 8.6 8.4 6.6	4.1 5.1 4.7 4.4 4.9 2.5

 $^{^{1}\}mathrm{A}$ maximum of four procedures was coded for each patient discharged. $^{2}\mathrm{Excludes}$ nonsurgical procedures.

Table H.	Selected measures of surgical 1 utilization:	United States, 1970, 1975, a	nd 1979
	[Data for non-Federal short-stay hospitals.	Excludes newborn infants]	
Mea	sure of utilization	1970	1975

[Data for non-Federal short-stay hospitals. Excludes newborn infants]								
Measure of utilization	1970	1975	1979 ²	1979				
Surgical procedures								
Number of all-listed operations in thousands	15,613	20,040	21,325	23,858				
Rate of all-listed operations per 1,000 population	78.2	95.8	98.8	110.5				
Discharged patients								
Number of patients in thousands	11,553	14,189	15,005	16,595				
Rate of patients per 1,000 population	57.9	67.9	69.5	76.9				
Number of days of care in thousands	92,460	111,465	112,139	117,168				
Rate of days of care per 1,000 population	463.3	533.1	519.4	542.7				
Average length of stay in days	8.0	7.9	7.5	7.1				
Percent of all patients with surgery	39.7	41.7	40.8	45.2				
Percent of surgical patients with only 1 surgery	72.3	68.1	67.4	67.8				

¹ Excludes nonsurgical procedures.
2 Excludes the following obstetrical procedures that were not coded in 1970 and 1975: Episiotomy, artificial rupture of membranes, internal version, and outlet and low forceps delivery. Up to 3 operations were coded per discharge in 1970 and 1975 and up to 4 were coded in 1979. However, this 1979 figure includes only the first 3 operations to maintain comparability to data for prior years.

surgical procedure decreased only slightly, from 72 percent to 67 percent. These figures indicate that the increase in the number of surgeries performed is due to a combination of the increase in the number of patients with surgery and the increase in the total number of operations performed on patients with multiple surgeries.

The number of days of care for patients with surgery increased 21 percent from 1970 to 1979. The rate of days of care per 1,000 population of patients with surgery increased 15 percent between 1970 and 1975 but then decreased slightly (3 percent) between 1975 and 1979. This decrease, however, was not statistically significant.

The average length of stay of patients with surgery remained virtually the same from 1970 to 1975. An apparent decrease occurred between 1975 and 1979 (from 7.9 days to 7.5 days); however, this decrease is also not statistically significant.

Procedures in the ICD-9-CM have been categorized into four classes by a Technical Consultant Panel of the United States National Committee on Vital and Health Statistics.⁶ Generally, the term "surgery" is categorized in Class 1. Because of differences between the ICDA and the ICD-9-CM, however, Class 1 procedures are not identical with the surgical procedures published by the NHDS prior to 1979.^{4,5} See appendix I for more information on this categorization, under the section entitled "Medical coding and edit."

The number and rate of all-listed procedures performed during 1979 are shown for each ICD-9-CM

class in table J. Data for Class 1 procedures are also presented.

Most of the procedures performed during 1979, including nonsurgical procedures, were on the digestive system (5.1 million), followed by operations on the female genital organs (4.2 million), obstetrical procedures (3.5 million), operations on the musculo-skeletal system (3.0 million), and miscellaneous diagnostic and therapeutic procedures (3.0 million). Over three-fifths (64 percent) of the procedures performed in 1979 were included in these five major groups.

The above rank order changes somewhat when only Class 1 procedures are considered. Most of the Class 1 procedures were on the female genital organs or the digestive system (4.2 million and 4.1 million, respectively), followed by operations on the musculoskeletal system (3.0 million). Next came operations on the integumentary system (1.9 million), operations on the urinary system (1.8 million), obstetrical procedures (1.8 million), and operations on the nose, mouth, and pharynx (1.7 million). These seven major groups constituted 75 percent of the Class 1 procedures performed during 1979.

Procedures are grouped in the detailed tables of this report by the 16 major ICD-9-CM groups. Selected procedures within these groups are presented by specific categories within the detailed tables as well as in the text tables. Some of these categories such as repair of inguinal hernia, prostatectomy, and hysterectomy are presented as single categories although they may be divided into more precise subgroups.

Table J. Number and rate of all-listed procedures and of Class 1 procedures for patients discharged from short-stay hospitals, by procedure category: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Procedure groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

Procedure category and ICD-9-CM code	All procedures	Class 1 procedures	All procedures	Class 1 procedures
	Number in thousands		Rate per 100,0	000 population
All procedures	29,603	24,379	13,712.3	11,292.7
Operations on the nervous system	710	453	328.7	209.9
Operations on the endocrine system	113	113	52.4	52.4
Operations on the eye	945	945	437.8	437.8
Operations on the ear	429	429	198.8	198.8
Operations on the nose, mouth, and pharynx21-29	1,667	1,654	772.3	766.2
Operations on the respiratory system	813	644	376.8	298.4
Operations on the cardiovascular system	1,196	1,196	554.0	553.9
Operations on the hemic and lymphatic system	329	329	152.2	152.2
Operations on the digestive system	5,081	4,075	2,353.7	1,887.8
Operations on the urinary system	1,925	1,817	891.6	841.6
Operations on the male genital organs60-64	757	654	350.6	303.1
Operations on the female genital organs65-71	4,240	4,194	1,963.8	1,942.8
Obstetrical procedures	3,471	1,799	1,607.6	833.4
Operations on the musculoskeletal system76-84	3,044	2,997	1,410.1	1,388.1
Operations on the integumentary system	1,885	1,878	873.3	869.7
Miscellaneous diagnostic and therapeutic procedures87-99	2,998	1,201	1,388.6	556.4

¹Procedures that are generally considered to be "surgery" and that carry an operative or anesthetic risk or require highly trained personnel, special facilities, or special equipment.

The number and rate of all-listed procedures in 1979 by selected ICD-9-CM categories are shown in table K. The categories presented in this table include procedures that were performed frequently during the year. Many of the procedures included in this table are diagnostic and nonsurgical procedures for which data have been previously unpublished by the NHDS such as endoscopy on the digestive system, radioisotope scan, and arteriography and angiocardiography using contrast material. Over one-half million of each of these procedures were performed during 1979.

Table K also includes data for the more traditional leading surgical operations. As in 1978, some of the most frequently performed procedures, of which 500,000 or more were performed each year, included diagnostic dilation and curettage of uterus, hysterectomy, bilateral destruction or occlusion of fallopian tubes, cesarean section, tonsillectomy with or without adenoidectomy, and repair of inguinal hernia.⁴

The estimated 29.6 million procedures performed

in 1979 are presented in table 18 for the ICD-9-CM major groups and categories, by sex and color, and for persons 15 years of age and over. The corresponding rates are shown by sex and for the age group 15 years of age and over in table 19.

Of the 29.6 million procedures performed during 1979, about 11.0 million were for males and 18.6 million were for females. The corresponding rates per 1,000 population were 137 for both sexes, 106 for males, and 166 for females. When the ratios of the rates for each sex to the total rates were computed, it was seen that the rates for some of the categories were higher than could be expected (excluding sex-related procedures such as prostatectomy or hysterectomy). A few of these categories for males were open heart surgery, cardiac catheterization, repair of inguinal hernia, and excision of semilunar cartilage of knee. For females, the rates for cholecystectomy and division of peritoneal adhesions were higher than expected.

The rate of procedures per 1,000 population increased with advancing age from 45 for patients

Table K. Number and rate of all-listed procedures for patients discharged from short-stay hospitals, by selected procedure categories:

United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Procedure groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

All procedures	lures
Surgical procedures 1 23,858 Nonsurgical procedures 1 5,744 Procedures to assist delivery 72-73 2,331 Biopsy 1 1,328 Endoscopy on the digestive system 42.21-42.23, 44.11-44.13, 45.11-45.13, 45.21-45.24, 48.21-48.22, 51.11, 54.21 1,141 Diagnostic dilation and curettage of uterus 69.09 935 Cystoscopy and urethroscopy 55.21-55.22, 56.31, 57.32, 58.22 894 Excision or destruction of lesion or tissue of skin or subcutaneous tissue 86.2-86.4 693 Hysterectomy 68.3-68.7 639 Bilateral destruction or occlusion of fallopian tubes 66.2-66.3 610 Cesarean section 74.0-74.2, 74.4, 74.99 599 Radioisotope scan 92.0-92.1 531 Arteriography and angiocardiography using contrast material 88.4-88.5 526 Tonsillectomy with or without adenoidectomy 28.2-28.3 500 Repair of inguinal hernia 53.0-53.1 500 Pyelogram 87.73-87.75 448 Ophorectomy and salpingo-oophorectomy 65.3-65.6 447 Cholecystectomy 51.2 445 Extraction of lens<	Rate per 100,000 population
Nonsurgical procedures 5,744	13,712.3
1,328	11,051.4 2,660.9
Endoscopy on the digestive system	1,079.6 614.9
Cystoscopy and urethroscopy 55.21-55.22, 56.31, 57.32, 58.22 894 Excision or destruction of lesion or tissue of skin or subcutaneous tissue 86.2-86.4 693 Hysterectomy 68.3-68.7 639 Bilateral destruction or occlusion of fallopian tubes 66.2-66.3 610 Cesarean section .74.0-74.2, 74.4, 74.99 599 Radioisotope scan 92.0-92.1 531 Arteriography and angiocardiography using contrast material 88.4-88.5 526 Tonsillectomy with or without adenoidectomy 28.2-28.3 500 Repair of inguinal hernia 53.0-53.1 500 Pyelogram 87.73-87.75 448 Cophorectomy and salpingo-ophorectomy 65.3-65.6 447 Cholecystectomy .51.2 445 Extraction of lens 13.1-13.6 418 Operations on muscles, tendons, fascia and bursa 82-83.1, 83.3-83.9 406 Open reduction of fracture 76.79, 79.2-79.3, 79.5-79.6 352 Repair of current obstetric laceration 75.5-75.6 341 Appendectomy, excluding incidental .47.0 311 Incidental appendectomy .47.1 299	528.5 433.0
Bilateral destruction or occlusion of fallopian tubes .66.2-66.3 610 Cesarean section .74.0-74.2, 74.4, 74.99 599 Radioisotope scan .92.0-92.1 531 Arteriography and angiocardiography using contrast material .88.4-88.5 526 Tonsillectomy with or without adenoidectomy .28.2-28.3 500 Repair of inguinal hernia .53.0-53.1 500 Pyelogram .87.73-87.75 448 Oophorectomy and salpingo-oophorectomy .65.3-65.6 447 Cholecystectomy .51.2 445 Extraction of lens .13.1-13.6 418 Operations on muscles, tendons, fascia and bursa .82-83.1, 83.3-83.9 406 Open reduction of fracture .76.79, 79.2-79.3, 79.5-79.6 352 Repair of current obstetric laceration .75.5-75.6 341 Appendectomy, excluding incidental .47.0 311 Incidental appendectomy .47.1 299	414.0 320.9
Cesarean section .74.0-74.2, 74.4, 74.99 599 Radioisotope scan .92.0-92.1 531 Arteriography and angiocardiography using contrast material .88.4-88.5 526 Tonsillectomy with or without adenoidectomy .28.2-28.3 500 Repair of inguinal hernia .53.0-53.1 500 Pyelogram .87.73-87.75 448 Oophorectomy and salpingo-oophorectomy .65.3-65.6 447 Cholecystectomy .51.2 445 Extraction of lens .13.1-13.6 418 Operations on muscles, tendons, fascia and bursa 82-83.1, 83.3-83.9 406 Open reduction of fracture .76.79, 79.2-79.3, 79.5-79.6 352 Repair of current obstetric laceration .75.5-75.6 341 Appendectomy, excluding incidental .47.0 311 Incidental appendectomy .47.1 299	295.9 282.7
Arteriography and angiocardiography using contrast material 88.4-88.5 526 Tonsillectomy with or without adenoidectomy 28.2-28.3 500 Repair of inguinal hernia 53.0-53.1 500 Pyelogram 87.73-87.75 448 Oophorectomy and salpingo-oophorectomy 65.3-65.6 447 Cholecystectomy .51.2 445 Extraction of lens 13.1-13.6 418 Operations on muscles, tendons, fascia and bursa 82-83.1, 83.3-83.9 406 Open reduction of fracture 76.79, 79.2-79.3, 79.5-79.6 352 Repair of current obstetric laceration 75.5-75.6 341 Appendectomy, excluding incidental .47.0 311 Incidental appendectomy .47.1 299	277.5 245.8
Pyelogram 87.73-87.75 448 Oophorectomy and salpingo-oophorectomy 65.3-65.6 447 Cholecystectomy .51.2 445 Extraction of lens 13.1-13.6 418 Operations on muscles, tendons, fascia and bursa 82-83.1, 83.3-83.9 406 Open reduction of fracture 76.79, 79.2-79.3, 79.5-79.6 352 Repair of current obstetric laceration 75.5-75.6 341 Appendectomy, excluding incidental .47.0 311 Incidental appendectomy .47.1 299	243.7 231.8
Cholecystectomy .51.2 445 Extraction of lens .13.1-13.6 418 Operations on muscles, tendons, fascia and bursa 82-83.1, 83.3-83.9 406 Open reduction of fracture 76.79, 79.2-79.3, 79.5-79.6 352 Repair of current obstetric laceration .75.5-75.6 341 Appendectomy, excluding incidental .47.0 311 Incidental appendectomy .47.1 299	231.6 207.5
Operations on muscles, tendons, fascia and bursa 82-83.1, 83.3-83.9 406 Open reduction of fracture 76.79, 79.2-79.3, 79.5-79.6 352 Repair of current obstetric laceration 75.5-75.6 341 Appendectomy, excluding incidental 47.0 311 Incidental appendectomy 47.1 299	207.1 206.2
Repair of current obstetric laceration .75.5-75.6 341 Appendectomy, excluding incidental .47.0 311 Incidental appendectomy .47.1 299	193.5 188.0
Incidental appendectomy	163.1 157.8
	144.1 138.7
Dilation and curettage of uterus after delivery or abortion	138.3 138.1
Prostatectomy 60.2-60.6 293 Contrast myelogram 87.21 290 Other reduction of fracture 76.70, 76.78, 79.0-79.1, 79.4 282	135.7 134.6 130.4

¹See appendix II for ICD-9-CM codes in this category.

under 15 years to 258 for patients 65 years of age and over (table L). Except for females 15-44 years of age, the rates for each sex also increased as age increased. The rate for females 15-44 years of age was higher than that for females 45-64 years of age because of the large number of females 15-44 years of age operated on for obstetrical and gynecological conditions.

Generally, the percent distribution of total procedures for white patients was similar to that for all other patients. Although there were some differences, it is difficult to determine whether or not these differences were real because of the large number of patients for whom color was not stated. It is interesting, however, that all other patients had larger proportions than white patients for operations on the female genital organs and obstetrical procedures.

The number of procedures for patients discharged from short-stay hospitals by procedure category and geographic region is presented in table 20 and the corresponding rates are shown in table 21. The rate of procedures per 1,000 population was lowest in the

Table L. Number and rate of all-listed procedures for patients discharged from short-stay hospitals, by sex and age of patient: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants]

Age	Both sexes	Male	Female
		er of proc	
All ages	29,603	11,007	18,596
Under 15 years	2,233 14,233 7,099 6,037	1,285 3,647 3,137 2,938	948 10,586 3,962 3,099
	Rate per	1,000 por	oulation
All ages	137.1	105.7	166.5
Under 15 years	44.6 143.9 163.3 258.3	50.3 75.7 150.9 305.0	38.7 208.6 174.6 225.6

West Region (127) and highest in the North Central Region (153). Rates were highest in all regions for operations on the digestive system, operations on the female genital organs, obstetrical procedures, operations on the musculoskeletal system, and miscellaneous diagnostic and therapeutic procedures.

Ratios of the total rates for each region to the rate for all regions were computed and compared with corresponding ratios for each ICD-9-CM category. Rates higher than expected occurred in the Northeast Region for ligation and stripping of varicose veins, curettage of uterus to terminate pregnancy, diagnostic dilation and curettage of uterus, diagnostic ultrasound, and radioisotope scan; in the North Central Region for rhinoplasty and repair of nose and arthroplasty of joints; in the South Region for division of peritoneal adhesions, dilation of urethra, oophorectomy and salpingo-oophorectomy, bilateral destruction or occlusion of fallopian tubes. and hysterectomy; and in the West Region for open heart surgery, repair of current obstetric laceration, open reduction of fracture, and computerized axial tomography (C.A.T. scan).

The number of procedures patients underwent in short-stay hospitals during 1979 is presented in table 22 for each ICD-9-CM category by bed size of hospital where the procedure was performed. Operations on the digestive system ranked highest of all-listed procedures for all hospital bed-size groups and operations on the female genital organs ranked next.

Table M gives the percent distributions of the major groups of procedures by bed size of hospital. A greater proportion of all procedures was performed in the larger hospitals (300 beds or more) than in the smaller hospitals. Hospitals with 300 beds or more treated an estimated 46 percent of the patients hospitalized during 1979, but they performed about 52 percent of the operations. Procedures for which the largest percents were performed in hospitals with 300 beds or more were operations on the cardiovascular system (70 percent), on the nervous system (66 percent), on the endocrine system (65 percent), on the respiratory system (63 percent), and on the hemic and lymphatic system (63 percent).

Table M. Percent distribution of all-listed procedures for patients discharged from short-stay hospitals by bed size of hospital, according to procedure category: United States, 1979

[Discharges from non-Federal short-stay hospitals. Excludes newborn infants. Procedure groupings and code number inclusions are based on the International Classification of Diseases, 9th Revision, Clinical Modification]

Procedure category and ICD-9-CM code	All	6-99	100-199	200-299	300-499	500 beds
	sizes	beds	beds	beds	beds	or more
			Percen	t distributio	on	
All procedures	100.0	11.6	17.1	18.9	25.5	26.9
Operations on the nervous system	100.0	6.8	12.2	15.1	28.3	37.5
	100.0	4.5	12.2	18.6	27.2	37.5
Operations on the endocrine system	100.0	11.3	15.6	15.4	30.4 32.7	27.4 25.6
Operations on the ear	100.0 100.0	5.8 13.5	14.6 17.9	21.3 20.3	26.3	22.0
Operations on the respiratory system	100.0	5.2	14.0	17.8	27.6	35.3
	100.0	3.3	9.5	17.0	28.8	41.6
Operations on the hemic and lymphatic system	100.0	9.7	11.9	15.3	25.7	37.3
	100.0	13.4	17.4	20.0	24.2	25.0
Operations on the urinary system55-59	100.0	9.9 12.4	17.3 16.5	22.2 21.1	26.4 26.0	24.1 24.0
Operations on the male genital organs	100.0	13.1	20.8	18.7	23.2	24.3
Obstetrical procedures	100.0	12.8	17.3	17.3	25.6	27.1
	100.0	14.1	16.7	20.0	25.2	24.0
Operations on the integumentary system	100.0	17.1	16.6	17.9	24.4	24.0
	100.0	6.5	17.8	18.3	25.5	31.8

References

¹National Center for Health Statistics: Development of the design of the NCHS Hospital Discharge Survey, by W. R. Simmons. *Vital and Health Statistics*. PHS No. 1000-Series 2-No. 39. Public Health Service. Washington. U.S. Government Printing Office, Sept. 1970.

²National Center for Health Statistics: International Classification of Diseases, 9th Revision, Clinical Modification. DHHS Pub. No. (PHS) 80-1260. Public Health Service. Washington. U.S. Government Printing Office, Sept. 1980.

³National Center for Health Statistics: Eighth Revision International Classification of Diseases, Adapted for Use in the United States. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office, 1967.

⁴National Center for Health Statistics: Utilization of shortstay hospitals, annual summary for the United States, 1978, by B.J. Haupt. *Vital and Health Statistics*. Series 13-No.46. DHEW Pub. No. (PHS) 80-1797. Public Health Service. Washington. U.S. Government Printing Office, Mar. 1980.

⁵National Center for Health Statistics: Surgical operations in short-stay hospitals, United States, 1975, by A. L. Ranofsky. *Vital and Health Statistics*. Series 13-No. 34. DHEW Pub. No. (PHS) 78-1785. Public Health Service. Washington. U.S. Government Printing Office, Apr. 1978.

⁶U.S. National Committee on Vital and Health Statistics, Technical Consultant Panel: *UHDDS Classes of Procedures, ICD-9-CM*. Ann Arbor, Mich. Commission on Professional and Hospital Activities, Sept. 1, 1978.

⁷National Center for Health Statistics: Development and maintenance of a national inventory of hospitals and institu-

tions. Vital and Health Statistics. PHS Pub. No. 1000-Series 1-No. 3. Public Health Service. Washington. U.S. Government Printing Office, Feb. 1965.

⁸American Hospital Association: *ICD-9-CM Workbook*. Chicago. American Hospital Association, June 1978.

⁹National Center for Health Statistics: Uniform Hospital Discharge Data Set, Minimum Data Set, Report of the National Committee on Vital and Health Statistics. DHEW Pub. No. (PHS) 80-1157. Public Health Service. Washington. U.S. Government Printing Office, Apr. 1980.

¹⁰National Center for Health Statistics: Utilization of shortstay hospitals, summary of nonmedical statistics, United States, 1965, by M. G. Sirken. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 13-No. 2. Public Health Service. Washington. U.S. Government Printing Office, Aug. 1967.

¹¹National Center for Health Statistics: Utilization of shortstay hospitals by characteristics of discharged patients, United States, 1965, by M. J. Witkin. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 13-No. 3. Public Health Service. Washington. U.S. Government Printing Office, Dec. 1967.

¹²Institute of Medicine: Report of a Study, Reliability of National Hospital Discharge Survey Data. Washington. National Academy of Sciences, 1980.

¹³Institute of Medicine: Report of a Study, Reliability of Medicare Hospital Discharge Records. Washington. National Academy of Sciences, Nov. 1977.

¹⁴Institute of Medicine: Report of a Study, Reliability of Hospital Discharge Abstracts. Washington. National Academy of Sciences, Feb. 1977.

List of detailed tables

1.	Number, percent distribution, and rate of patients discharged from short-stay hospitals, by sex and age: United States, 1979	18		hospitals, by type of ownership of hospital, age of patient, and sex: United States, 1979	34
2.	Number, percent distribution, and rate of days of care, average number of hospital beds occupied daily, and average		13.	Number of patients discharged from short-stay hospitals, rate of discharges, and average length of stay, by category of first-listed diagnosis and age: United States, 1979	35
	length of stay for patients discharged from short-stay hospitals, by sex and age: United States, 1979	20	14.	Number of discharges and average length of stay for patients discharged from short-stay hospitals, by category of first-listed	
3.	Number and percent distribution of patients discharged from short-stay hospitals by age and length of stay, according to sex: United States, 1979	22		diagnosis, sex, and color; and rate of discharges by category of first-listed diagnosis and sex: United States, 1979	37
4.	Number and percent distribution of patients discharged from short-stay hospitals by color and age of patient, according to sex: United States, 1979	24	15.	Number of patients discharged from short-stay hospitals, rate of discharges, and average length of stay, by category of first-listed diagnosis and geographic region: United States, 1979	39
5.	Number and percent distribution of days of care for patients discharged from short-stay hospitals by color and age of patient, according to sex: United States, 1979	25	16.	Number of patients discharged from short-stay hospitals and average length of stay, by category of first-listed diagnosis and bed size of hospital: United States, 1979	41
6.	Average length of stay for patients discharged from short-stay hospitals, by color, age, and sex: United States, 1979	26	17.	Number of all-listed diagnoses for patients discharged from short-stay hospitals, by diagnostic category and age, sex,	
7.	Number of patients discharged from short-stay hospitals and days of care, by sex, age, geographic region, and bed size of			color, geographic region, and bed size of hospital: United States, 1979	43
8.	hospital: United States, 1979	27	18.	Number of all-listed procedures for patients discharged from short-stay hospitals, by procedure category, age, sex, and color: United States, 1979	45
	days of care, by geographic region, age, and sex: United States, 1979	30	19.	Rate of all-listed procedures for patients discharged from	73
9.	Average length of stay for patients discharged from short-stay hospitals, by geographic region, age, and sex: United States,			short-stay hospitals, by procedure category, age, and sex: United States, 1979	46
	1979	31	20.	Number of all-listed procedures for patients discharged from short-stay hospitals, by procedure category and geographic	
10.	Average length of stay for patients discharged from short-stay hospitals, by sex, age, geographic region, and bed size of		21	region: United States, 1979	47
11.	hospital: United States, 1979	32	۷1,	short-stay hospitals, by procedure category and geographic region: United States, 1979	48
	days of care, by type of ownership of hospital and age and sex of patient: United States, 1979	33	22.	Number of all-listed procedures for patients discharged from short-stay hospitals, by procedure category and bed size of	-10
12.	Average length of stay for patients discharged from short-stay			hospital: United States, 1979	49

TABLE 1. NUMBER, PERCENT DISTRIBUTION, AND RATE OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPI-TALS, BY SEX AND AGE: UNITED STATES, 1979

	DISCHARGED PATIENTS					
SEX AND AGE	NUMBER IN THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION			
BOTH SEXES						
ALL AGES	36, 747	100.0	170.2			
UNDER 15 YEARS	3,641	9.9	72.7			
UNDER 1 YEAR	754	2.1	229.9			
1-4 YEARS	1,094	3.0	88.5			
5-14 YEARS	1,793	4.9	52.1			
15-44 YEARS	15,488	42•1	156.5			
15-24 YEARS	5,861	15.9	145.9			
25-34 YEARS	6,005	16.3	176.1			
35-44 YEARS	3,621	9.9	146.7			
45-64 YEARS	8• 532	23•2	196.2			
45-54 YEAR S	4,064	11.1	178.7			
55-64 YEARS	4,468	12.2	215.5			
65 YEARS AND OVER	9,086	24•7	388.8			
65-74 YEARS	4, 613	12.6	308.6			
75 YEARS AND OVER	4, 473	12.2	531.3			
MALE						
ALL AGES	14,705	100.0	141.1			
UNDER 15 YEARS	2,053	14.0	80.3			
UNDER 1 YEAR	427	2.9	254.2			
1-4 YEARS	640	4.4	101.2			
5-14 YEARS	987	6.7	56.2			
15-44 YEARS	4, 680	31.8	97.1			
15-24 YEARS	1,622	11.0	82.1			
25-34 YEAR S	1,629	11.1	98.3			
35-44 YEARS	1,429	9.7	120.5			
45-64 YEARS	4,017	27.3	193.2			
45-54 YEARS	1,799	1.2.2	163.6			
55-64 YEAR S	2,21,8	15.1	226.5			
65 YEARS AND OVER	3,955	26.9	410.5			
65-74 YEARS	2,200	15.0	338.2			
75 YEARS AND OVER	1,755	11.9	560.8			
FEMALE						
ALL AGES	22,042	100.0	197.3			
UNDER 15 YEARS	1,588	7.2	64.7			
UNDER 1 YEAR	327	1.5	204.3			
1-4 YEARS	454	2.1	75 . 2			
5-14 YEARS	807	3.7	47.8			

TABLE 1. NUMBER, PERCENT DISTRIBUTION, AND RATE OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPI-TALS, BY SEX AND AGE: UNITED STATES, 1979--CON.

	DI	SCHARGED PATIENT	S
SEX AND AGE	NUMBER IN THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION
FE MA LECON.			
15-44 YEARS	10,808	49.0	213.0
15-24 YEARS	4,239 4,376 2,192	19.2 19.9 9.9	207.8 249.7 171.1
45-64 YEARS	4,515	20.5	199.0
45-54 YEARS	2, 265 2, 250	10.3 10.2	192.7 205.6
65 YEARS AND OVER	5,131	23.3	373.8
65-74 YEARS75 YEARS AND OVER	2,413 2,718	10.9 12.3	285•7 513•8

TABLE 2. NUMBER, PERCENT DISTRIBUTION, AND RATE OF DAYS OF CARE, AVERAGE NUMBER OF HOSPITAL BEDS OCCUPIED DAILY, AND AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY SEX AND AGE: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

		DAYS OF CARE		1/ NUMBER OF	AVERAGE
SEX AND AGE	NUMBER IN THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION	HOSPITAL BEDS OCCUPIED DAIL Y	LENGTH OF STAY IN DAYS
BOTH SEXES				***************************************	
ALL AGES	264,173	100.0	1,223.7	335.3	7.2
UNDER 15 YEARS	15,765	6.0	314.7	86.2	4.3
UNDER 1 YEAR	4,307	1.6	1,313,5	359.9	5.7
1-4 YEARS	4,202	1.6	339.9	93.1	3.8
5-14 YEARS	7,256	2.7	210.6	57.7	4.0
15-44 YEARS	80,913	30.6	817.8	224.1	5.2
15-24 YEARS	26,328	10.0	655.5	179.6	4.5
25-34 YEARS	30,963	11.7	908.0	248.8	5.2
35-44 YEAR S	23,623	8.9	957.2	262.2	6. 5
45-64 YEARS	69,755	26.4	1,604.3	439•5	8.2
45-54 YEARS	30,515	11.6	1,341.5	367.5	7.5
55-64 YEAR S	39,240	14.9	1,892.5	518.5	8.8
65 YEARS AND OVER	97,740	37.0	4.182.5	1,145.9	10.8
65-74 YEARS	46,707	17.7	3,124.4	856.0	10.1
75 YEARS AND OVER	51,033	19.3	6,061.7	1,660.7	11.4
MALE					
ALL AGES	112,504	100.0	1,079.9	295.9	7.7
UNDER 15 YEARS	9,008	8.0	352•4	96.5	4.4
UNDER 1 YEAR	2,479	2.2	1,476.6	404.5	5.8
1-4 YEARS	2,468	2.2	390.6	107.0	3.9
5-14 YEARS	4,061	3.6	231.2	63.3	4.1
15-44 YEARS	29,713	26.4	616.5	168.9	6.3
15-24 YEAR S	9,265	8.2	468.9	128.5	5.7
25-34 YEARS	10,384	9.2	626.7	171.7	6.4
35-44 YEARS	10,064	8.9	848.2	232.4	7.0
45-64 YEARS	32,482	28.9	1,562.7	428.1	8.1
45-54 YEARS	13,573	12.1	1,234.7	338.3	7.5
55-64 YEAR S	18,909	16.8	1,931.2	529.1	8.5
65 YEARS AND OVER	41,302	36.7	4,287.1	1,174.5	10.4
65-74 YEARS	21,807	19.4	3,351.8	918.3	9. 9
75 YEARS AND OVER	19,495	17.3	6,230.4	1,706.9	11.1

^{1/} EXPRESSED AS DAILY NUMBER OF BEDS OCCUPIED PER 100,000 CIVILIAN NONINSTITUTIONALIZED POPULATION.

TABLE 2. NUMBER, PERCENT DISTRIBUTION, AND RATE OF DAYS OF CARE, AVERAGE NUMBER OF HOSPITAL BEDS OCCUPIED DAILY, AND AVERAGE LENGTH, OF STAY FOR PATIENTS DISCHARGED FROM SHORT STAY HOSPITALS, BY SEX AND AGE: UNITED STATES, 1979—CON.

		DAYS OF CARE		1/ NUMBER OF	AVERAGE
SEX AND AGE	NUMBER I N THOUSANDS	PERCENT DISTRIBUTION	RATE PER 1,000 POPULATION	HOSPITAL BEDS OCCUPIED DAILY	LENGTH OF STAY IN DAYS
FEMALE					
ALL AGES	151,669	100.0	1,357.8	372.0	6.9
UNDER 15 YEARS	6,757	4.5	275.5	75.5	4.3
UNDER 1 YEAR	1,828	1.2	1,142.4	313.0	5.6
1-4 YEARS	1,734	1.1	287.0	78.6	3.8
5-14 YEAR S	3,195	2.1	189.2	51.8	4. 0
15-44 YEARS	51,200	33.8	1,009.0	276.4	4.7
15-24 YEARS	17,063	11.2	836.3	229.1	4.0
25-34 YEARS	20,579	13.6	1,174.1	321.7	4.7
35-44 YEARS	13,558	8.9	1,058.2	289.9	6.2
45-64 YEARS	37,273	24.6	1,642.3	450.0	8.3
45-54 YEAR S	16,942	11.2	1,441.6	395.0	7.5
55-64 YEARS	20,331	13.4	1,857.9	509.0	9. 0
65 YEARS AND OVER	56,438	37.2	4,112.1	1,126.6	11.0
65-74 YEARS	24,900	16.4	2,948.5	807.8	10.3
75 YEARS AND OVER	31,539	20•8	5,961.9	1,633.4	11.6

^{1/} EXPRESSED AS DAILY NUMBER OF BEDS OCCUPIED PER 100,000 CIVILIAN NONINSTITUTIONALIZED POPULATION.

TABLE 3. NUMBER AND PERCENT DISTRIBUTION OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY AGE AND LENGTH OF STAY, ACCORDING TO SEX: UNITED STATES, 1979

ALL STAYS	THOUS ANDS 705 22, 385 280 1, 139 3, 743 3, 7510 2, 126 3, 450 2, 029 1, 094 2,		18,396 620 1,612 2,740 2,035 1,680 2,696 2,009 1,310 2,571	2.8 8.4 15.3 13.5 10.6 14.6 10.0	2.6 8.7 14.5 11.9 10.3 14.5	2.9 8.2 15.7 14.6	100.0 3.4 8.8
LESS THAN 1 DAY	385 280 1, 139 3, 743 3, 510 2, 126 3, 450 2, 029 1,	644 1,802 3,466 3,214 2,367 3,247 2,208 1,353 2,604	620 1,612 2,740 2,035 1,680 2,696 2,009 1,310	2.8 8.4 15.3 13.5 10.6 14.6	2.6 8.7 14.5 11.9 10.3 14.5	2.9 8.2 15.7 14.6	3.4
1 DAY	280 1, 139 3, 743 3, 510 2, 126 3, 450 2, 029 1, 094 2,	1,802 3,466 3,214 2,367 3,247 2,208 1,353 2,604	1,612 2,740 2,035 1,680 2,696 2,009 1,310	8.4 15.3 13.5 10.6 14.6	8.7 14.5 11.9 10.3 14.5	8.2 15.7 14.6	
2 DAYS	139 3, 743 3, 510 2, 126 3, 450 2, 029 1,	3,466 3,214 2,367 3,247 2,208 1,353 2,604	2,740 2,035 1,680 2,696 2,009 1,310	15.3 13.5 10.6 14.6	14.5 11.9 10.3 14.5	15.7 14.6	8.8
3 DAYS	743 3, 510 2, 126 3, 450 2, 029 1, 094 2,	3,214 2,367 3,247 2,208 1,353 2,604	2,035 1,680 2,696 2,009 1,310	13.5 10.6 14.6	11.9 10.3 14.5	14.6	
4 DAYS	510 2, 126 3, 450 2, 029 1, 094 2,	2,367 3,247 2,208 1,353 2,604	1,680 2,696 2,009 1,310	10.6 14.6	10.3 14.5		14.9
5-6 DAYS	126 3, 450 2, 029 1, 094 2,	3,247 2,208 1,353 2,604	2,696 2,009 1,310	14.6	14.5		11.1
7-8 DAYS	450 2, 029 1, 094 2,	2,208 1,353 2,604	2,009 1,310			10.7 14.7	9.1 14.7
9-10 DAYS	029 1, 094 2,	1,353 2,604	1,310	10.0	9.9	10.0	10.9
11-20 DAYS	094 2,	2,604	-	6.5	7.0	6.1	7.1
21-30 DAYS				12.8	14.2	11.8	1.4.0
31 DAYS OR MORE 845 UNDER 15 YEARS ALL STAYS 3,641 2, LESS THAN 1 DAY 167 1 DAY 648 2 DAYS 927 3 DAYS 927 3 DAYS 389 5-6 DAYS 213 9-10 DAYS 111 11-20 DAYS 111 11-20 DAYS 164 21-30 DAYS 37 31 DAYS OR MORE 37 31 DAYS OR MORE 34 LESS THAN 1 DAY 596 1 DAY 596 1 DAY 596 1 DAY 1,652 2 DAYS 2,939			665	3.4	3.9	3.0	3.6
ALL STAYS	379	466	460	2.3	2.6	2.1	2.5
LESS THAN 1 DAY							
1 DAY	053 1,	1,588	1,575	100.0	100.0	100.0	100.0
2 DAYS	95	72	72	4.6	4.6	4.6	4.6
3 DAYS		273	272	17.8	18.3	17-2	17,3
4 DAYS		411	410	25.5	25.1	25.9	26.0
5-6 DAYS		233	227	14.5	14.4	14.6	14.4
7-8 DAYS		174	171	10.7	10.5	11.0	10.9
9-10 DAYS		187	186	11.6	11.4	11.8	11.8
11-20 DAYS	118	95	95	5.9	5.8	6.0	6.0
21-30 DAYS	63 96	47 69	47 68	3.0 4.5	3.1 4.7	3.0 4.3	3.0 4.3
31 DAYS OR MORE	24	13	13	1.0	1.2	0.8	0.8
ALL STAYS 15,488 4, LESS THAN 1 DAY 596 1 DAY 1,652 2 DAYS 2,939	21	13	13	0.9	1.0	0.8	0.8
LESS THAN 1 DAY 596 1 DAY 1,652 2 DAYS 2,939							
1 DAY	680 10,	10,808	7,201	100.0	100.0	100.0	100.0
2 DAYS 2,939		454	431	3.8	3.0	4.2	6.0
	C1 C +	1,137	948	10.7	11.0	10.5	13.2
3 DAYS 2,737		2,129	1,411	19.0	17.3	19.7	19.6
4 5440	810 2.	2,064	899	17.7	14.4	19.1	12.5
	810 2, 673 2,	1,363	684	12.2	11.4	12.6	9.5
	810 2, 673 2, 532 1,	1,622	1,075	15.0	14.8	15.0	14.9
	810 2, 673 2, 532 1, 695 1,	898 397	700 354	8.4 4.2	8•7 5•4	8.3 3.7	9. 7 4. 9
	810 2, 673 2, 532 1, 695 1,	397 551	354 518	4• Z 6•4	9.3	5. 1	7.2
	810 2, 673 2, 532 1, 695 1, 408 255		111	1.6	2.7	1.1	1.5
31 DAYS OR MORE 167	810 2, 673 2, 532 1, 695 1, 408 255 436	116	71	1.1	1.9	0.7	1.0

TABLE 3. NUMBER AND PERCENT DISTRIBUTION OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY AGE AND LENGTH OF STAY, ACCORDING TO SEX: UNITED STATES, 1979--CON.

AGE AND LENGTH OF STAY	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
45-64 YEARS	NUMBER	OF DISCH	IARGED PAT	IENTS	Р	ERCENT DI	STR IBUT IO	N
ALL STAYS	8,532	4,017	4,515	4,489	100.0	100.0	100.0	100.0
LESS THAN 1 DAY	156	86	70	69	1.8	2.1	1.5	1.5
1 DAY	468	230	238	237	5.5	5.7	5.3	5.3
2 DAYS	1,073	496	577	572	12.6	12.4	12.8	12.7
3 DAYS	929	438	491	482	10.9	10-9	10.9	10.7
4 DAYS	830	421	408	404	9.7	10.5	9.0	9.0
5-6 DAYS	1,328	628	699	696	15.6	15.6	15.5	15.5
7-8 DAYS	1,038	453	585	584	12.2	11.3	13.0	13.0
9-10 DAYS	752	341	411	410	8.8	8.5	9.1	9.1
11-20 DAYS	1,410	667	743	743	16.5	16.6	16.5	16.5
21-30 DAYS	333	159	174	174	3.9	4.0	3.9	3.9
31 DAYS OR MORE	216	97	119	119	2.5	2.4	2.6	2.7
65 YEARS AND OVER								
ALL STAYS	9, 086	3,955	5,131	5,131	100.0	100.0	100.0	100.0
LESS THAN 1 DAY	110	62	48	48	1.2	1.6	0.9	0.9
1 DAY	314	159	155	155	3.5	4.0	3.0	3.0
2 DAYS	666	317	348	348	7.3	8.0	6.8	6.8
3 DAYS	762	335	427	427	8.4	8.5	8.3	8.3
4 DAYS	763	342	421	421	8.4	8 • 6	8.2	8.2
5-6 DAYS	1,308	569	739	739	14.4	14.4	14.4	14.4
7-8 DAYS	1,101	471	630	630	12.1	11.9	12.3	12.3
9-10 DAYS	868	370	498	4 98	9.6	9.4	9.7	9.7
11-20 DAYS	2,138	896	1,242	1,242	23.5	22.7	24.2	24.2
21-30 DAYS	628	262	366	366	6.9	6.6	7-1	7.1
31 DAYS OR MORE	429	172	257	257	4.7	4.3	5.0	5.0

TABLE 4. NUMBER AND PERCENT DISTRIBUTION OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY COLOR AND AGE OF PATIENT, ACCORDING TO SEX: UNITED STATES, 1979

COLOR AND AGE	BOTH SE XE S	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ER IES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ER IES	FEMALE EXCLUD- ING DELIV- ERIES
TOTAL	NUMBE		ENTS DISCH	IARGED	P	ERCENT DI	STRIBUTION	
ALL AGES	36,747	14,705	22,042	18,396	100.0	100.0	100.0	100.0
UNDER 15 YEARS	3,641	2,053	1,588	1,575	9.9	14-0	7.2	8.6
15-44 YEARS	15,488	4,680	10,808	7, 201	42.1	31.8	49.0	39.1
45-64 YEARS	8,532	4,017	4,515	4,489	23.2	27.3	20.5	24.4
65 YEARS AND OVER	9,086	3,955	5,131	5, 131	24.7	26.9	23.3	27.9
WHITE								
ALL AGES	27,451	11,103	16,348	13,830	100.0	100.0	100.0	100.0
UNDER 15 YEARS	2,614	1,472	1,142	1,138	9.5	13.3	7.0	8.2
15-44 YEARS	11,008	3,389	7,620	5, 121	40.1	30.5	46.6	37.0
45-64 YEARS	6,594	3,112	3,483	3, 467	24.0	28.0	21.3	25.1
65 YEARS AND OVER	7,234	3,131	4,103	4, 103	26.4	28.2	25.1	29.7
ALL OTHER								
ALL AGES	4,572	1,688	2,884	2,234	100.0	100.0	100.0	100.0
UNDER 15 YEARS	555	316	239	232	12.1	18.7	8.3	10.4
15-44 YEAR S	2,469	670	1,799	1,163	54.0	39.7	62.4	52.1
45-64 YEAR S	871	395	475	468	19.0	23.4	16.5	20.9
65 YEARS AND OVER	677	306	371	371	14.8	18.1	12.9	16.6
COLOR NOT STATED								
ALL AGES	4,724	1,914	2,809	2, 332	100.0	100.0	100.0	100.0
UNDER 15 YEARS	*472	*265	* 207	*206	*10.0	*13.9	*7.4	*8.8
15-44 YEARS	2,010	621	1,389	917	42.6	32.4	49.5	39.3
45-64 YEARS	1,067	*510	557	554	22.6	*26.6	19.8	23.7
65 YEARS AND OVER	1,175	519	656	656	24.9	27.1	23.4	28.1

TABLE 5. NUMBER AND PERCENT DISTRIBUTION OF DAYS OF CARE FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS BY COLOR AND AGE OF PATIENT, ACCORDING TO SEX: UNITED STATES, 1979

COLOR AND AGE	BOTH Sexes	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH Sexes	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
TOTAL	N	JMBER OF D	AYS OF CA	ARE	Р	ERCENT DI	STRIBUTIO	IN
ALL AGES	264,173	112,504	151,669	138,004	100.0	100.0	100.0	100.0
UNDER 15 YEARS	15,765 80,913	9,008 29,713	6,757 51,200	6,710 37,687	6.0 30.6	8.0 26.4	4.5 33.8	4.9 27.3
45-64 YEARS	69,755 97,740	32,482 41,302	37,273 56,438	37,169 56,438	26 •4 37•0	28.9 36.7	24.6 37.2	26. 9 40. 9
WHITE								
ALL AGES	198,012	84,418	113,594	104,331	100.0	100.0	100.0	100.0
UNDER 15 YEARS	11,029 56,591 53,086 77,306	6,302 20,786 24,745 32,585	4,727 35,805 28,341 44,720	4,709 26,625 28,276 44,720	5.6 28.6 26.8 39.0	7.5 24.6 29.3 38.6	4.2 31.5 24.9 39.4	4.5 25.5 27.1 42.9
ALL OTHER								
ALL AGES	33,995	14,429	19,567	16,988	100.0	100-0	100.0	100.0
UNDER 15 YEARS	2,951 14,129 8,616 8,298	1,697 5,068 3,921 3,744	1,255 9,061 4,696 4,555	1:229 6:534 4:670 4:555	8.7 41.6 25.3 24.4	11.8 35.1 27.2 25.9	6.4 46.3 24.0 23.3	7.2 38.5 27.5 26.8
COLOR NOT STATED								
ALL AGES	32,166	13,658	18,508	16,685	100.0	100.0	100.0	100.0
UNDER 15 YEARS	1,784 10,193 8,052 12,136	1,009 3,859 3,816 4,973	776 6,333 4,236 7,163	772 4,527 4,223 7,163	5.5 31.7 25.0 37.7	7.4 28.3 27.9 36.4	4.2 34.2 22.9 38.7	4.6 27.1 25.3 42.9

TABLE 6. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HÖSPITALS, BY COLOR, AGE, AND SEX: UNITED STATES, 1979

COLOR AND AGE	BOTH Sexes	MALE	FEMALE INCLUDING DELIVERIES	FEMALE EXCLUDING DELIVERIES
TOTAL	AV	ERAGE LENGTH	OF STAY IN DAY	s
ALL AGES	7.2	7.7	6.9	7.5
UNDER 15 YEARS	4.3	4.4	4.3	4.3
15-44 YEARS	5.2	6.3	4.7	5.2
45-64 YEARS	8.2	8.1	8.3	8.3
65 YEARS AND OVER	10.8	10.4	11.0	11.0
WHITE			•	
ALL AGES	7.2	7.6	6.9	7.5
UNDER 15 YEARS	4.2	4.3	4.1	4.1
15-44 YEAR S	5.1	6.1	4.7	5.2
45-64 YEARS	8.1	8.0	8.1	8.2
65 YEARS AND OVER	10.7	10.4	10.9	10.9
ALL OTHER				
ALL AGES	7.4	8.5	6.8	7.6
UNDER 15 YEARS	5.3	5.4	5.3	5.3
15-44 YEARS	5.7	7.6	5.0	5,6
45-64 YEARS	9.9	9.9	9.9	1.0.0
65 YEARS AND OVER	12.3	12.2	12.3	12.3
COLOR NOT STATED				
ALL AGES	6.8	7.1	6.6	7.2
UNDER 15 YEARS	*3. 8	*3.8	*3.8	*3.8
15-44 YEARS	5.1	6.2	4.6	4.9
45-64 YEAR S	7.5	*7. 5	7.6	7.6
65 YEARS AND OVER	10.3	9.6	10.9	10.9

TABLE 7. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1979

SEX, AGE, AND REGION	ALL SIZES	6-99 BEDS	100- 499 BEDS	500 BEDS OR More	ALL	6-99 BEDS	100- 499 BEDS	500 BEDS OR More
BOTH SEXES	NUMBER OF PATIENTS DISCHARGED IN THOUSANDS				NUMBER OF DAYS OF CARE IN THOUSANDS			
UNITED STATES	36,747	7,020	21,456	8,270	264,173	41,763	155,139	67,271
UNDER 15 YEARS	3,641	677	2,157	807	15,765	2,179	•	4,624
15-44 YEARS	15,488	2,743	9,064	3,680	80,913	12,217		22,442
45-64 YEARS	8,532	1,594	4,890	2,048	69 , 755	10,086	40,375	19,293
65 YEARS AND OVER	9,086	2,007	5,344	1,735	97,740	17,281	59,548	20,911
NORTHEAST	7,786	792	5,085	1,908	65,718	6,258	42,700	16,761
UNDER 15 YEARS	725	48	495	182	3,432	144		1,034
15-44 YEAR S	3,122	312	1,977	834	17, 544	1,800	10,729	5,019
45-64 YEARS	1,920	224	1,211	485	18,002	1,831	11,204	4, 967
65 YEARS AND OVER	2,018	208	1,402	407	26,740	2,483	18,513	5,744
NORTH CENTRAL	10,647	1,436	6,134	3,077	78,280	9,148	43,951	25,181
UNDER 15 YEARS	1,148	139	709	299	5,064	452	2,812	1,799
15-44 YEARS	4,506	522	2,605	1,378	25, 335	2,747	13,960	8,628
45-64 YEAR S	2,400	316	1,334	749	20, 182	2,056	11,070	7,056
65 YEARS AND OVER	2,594	458	1,485	651	27,698	3,892	16,108	7,698
SOUTH	12,425	3,474	6,228	2,723	84,686	20,634	42,692	21,359
UNDER 15 YEARS	1,252	363	628	261	5,275	1,248	2,676	1,351
15-44 YEARS	5,267	1,320	2,741	1,206	26,404	5,692	13,332	7,379
45-64 YEAR S	2,836	764	1,381	691	22, 291	4, 837	11,153	6,302
65 YEARS AND OVER	3,070	1,027	1,478	565	30,716	8, 857	15,531	6,327
WEST	5,889	1,319	4,008	562	35,490	5,723	25,796	3,971
UNDER 15 YEARS	516	126	325	65	1,995	335	1,220	440
15-44 YEARS	2,593	589	1,742	262	11,630	1,978	8,233	1,419
45-64 YEARS	1,376	290	963	123	9, 279	1,362	6,947	969
65 YEARS AND OVER	1,404	313	979	112	12,586	2,049	9,396	1,142
MALE								
UNITED STATES	14,705	2,871	8,548	3,285	112,504	17,298	65,636	29,571
UNDER 15 YEARS	2,053	384	1,211	458	9,008	1,245	5,033	2,729
15-44 YEARS	4,680	908	2,698	1,073	29,713	4,669	16,608	8 • 436
45-64 YEARS	4,017	740	2,301	976	32 , 4 82	4,648	18,629	9,204
65 YEARS AND OVER	3,955	838	2,339	778	41,302	6,736	25,364	9,202
NORTHEAST	3,176	378	2,034	764	28,179	2,889	17,703	7,587
UNDER 15 YEARS	415	27	283	104	1,930	76	1,269	585
15-44 YEARS	941	138	570	232	6,561	928	3,756	1,877
45-64 YEAR S	938	130	580	229	8,642	1,047	5,199	2,396
65 YEARS AND OVER	882	82	600	199	11,045	837	7,479	2,729

TABLE 7. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1979--CON.

SEX, AGE, AND REGION	ALL SI ZES	6-99 BEDS	100- 499 BEDS	500 BEDS OR More	ALL Sizes	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	
MA LEC ON•	NUMBER OF PATIENTS DISCHARGED IN THOUSANDS				NUMBER OF DAYS OF CARE IN THOUSANDS				
NORTH CENTRAL	4,254	554	2,499	1,201	33,412	3,719	18,870	10,823	
UNDER 15 YEARS	650	78	400	171	2,977	258	1.622	1,096	
15-44 YEARS	1,376	162	823	391	9,533	1,123	5,277	3,134	
45-64 YEAR S	1,109	127	625	358	9, 200	824	5,074	3,301	
65 YEARS AND OVER	1,119	187	650	282	11,702	1,514	6.897	3,291	
SOUTH	4,852	1,418	2,345	1,089	35,168	8,329	17,508	9,332	
UNDER 15 YEARS	700	207	344	149	2,979	711	1,465	803	
15-44 YEARS	1,529	435	730	364	9,010	1,951	4,250	2,809	
45-64 YEARS	1,313	349	633	331	10,279	2,166	5,074	3,038	
65 YEARS AND OVER	1,310	428	638	244	12,900	3, 501	6,718	2,681	
WEST	2,423	522	1,671	231	15,745	2,361	11,555	1 , 828	
UNDER 15 YEARS	289	72	183	34	1,121	2 00	677	245	
15-44 YEARS	834	173	574	86	4,608	667	3,327	615	
45-64 YEARS	656	135	463	58	4,360	611	3,282	468	
65 YEARS AND OVER	644	142	450	52	5, 655	884	4,270	501	
FEMALE INCLUDING DELIVERIES									
UNITED STATES	22,042	4,149	12,908	4,985	151,669	24,465	89,503	37,700	
UNDER 15 YEARS	1,588	293	946	349	6,757	934	3,928	1,895	
15-44 YEARS	10,808	1,835	6,366	2,606	51,200	7,548	29,646	14,006	
45-64 YEARS	4,515	854	2,589	1,072	37,273	5,438	21,746	10,089	
65 YEARS AND OVER	5,131	1,168	3,006	957	56,438	10,545	34.183	11,710	
NORTHEAST	4,610	415	3,052	1,143	37•539	3,369	24,997	9,173	
UNDER 15 YEARS	311	21	212	78	1,502	68	985	449	
15-44 YEARS	2,181	174	1,406	602	10,983	872	6,973	3,138	
45-64 YEARS	982	94	631	256	9, 359	784	6,005	2,571	
65 YEARS AND OVER	1,136	126	802	208	15, 695	1,645	11:034	3,015	
NORTH CENTRAL	6,393	882	3,635	1,876	44, 868	5,429	25,081	14,358	
UNDER 15 YEARS	498	61	309	129	2,087	194	1,190	703	
15-44 YEAR S	3,129	360	1,782	987	15,802	1,624	8,684	5,494	
45-64 YEAR S	1,291	189	710	392	10,983	1,232	5,996	3,754	
65 YEARS AND OVER	1,475	271	835	369	15, 996	2,378	9,211	4,407	
SOUTH	7,573	2,056	3,883	1,634	49,517	12,306	25,185	12,027	
UNDER 15 YEARS	552	157	284	112	2, 295	537	1,211	548	
15-44 YEAR S	3,738	885	2,011	842	17,393	3,741	9,083	4,570	
45-64 YEARS	1,523	415	749	360	12,013	2,671	6,079	3,263	
65 YEARS AND OVER	1,759	599	840	321	17,816	5,357	8,813	3,646	

TABLE 7. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1979--CON.

SEX, AGE, AND REGION	ALL SIZES	6 - 9 9 B EDS	100- 499 BEDS	500 BEDS OR More	ALL SIZES	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	
FEMALE INCLUDING DELIVERIESCON.	NUMBER OF PATIENTS DISCHARGED IN THOUSANDS				NUMBER OF DAYS OF CARE IN THOUSANDS				
WEST	3,466	797	2,338	331	19,745	3,362	14,240	2,143	
UNDER 15 YEARS	227	54	142	31	873	135	543	195	
15-44 YEARS	1,759	416	1,168	175	7,022	1,310	4,907	805	
45-64 YEAR S	720	155	500	65	4, 918	752	3,665	501	
65 YEARS AND OVER	760	172	529	60	6,931	1,165	5,125	641	
FEMALE EXCLUDING DELIVERIES									
UNITED STATES	18,396	3,610	10,745	4,041	138,004	22,865	81,393	33,746	
UNDER 15 YEARS	1,575	290	941	344	6,710	926	3,908	1,876	
15-44 YEARS	7,201	1,303	4,226	1,672	37,687	5,967	21,628	10,091	
45-64 YEARS	4,489	849	2,573	1,067	37, 169	5,426	21,673	10,070	
65 YEARS AND OVER	5,131	1,168	3,006	957	56, 438	10,545	34,183	11,710	
NORTHEAST	3,883	363	2,564	956	34, 340	3,180	22,889	8,271	
UNDER 15 YEARS	310	21	211	77	1,497	68	982	448	
15-44 YEARS	1,460	123	922	416	7, 806	685	4,880	2,241	
45-64 YEARS	978	93	629	255	9,342	782	5,994	2,567	
65 YEARS AND OVER	1,136	126	802	208	15,695	1,645	11,034	3,015	
NORTH CENTRAL	5,381	787	3,080	1,515	40,698	5,068	22,849	12,781	
UNDER 15 YEARS	496	61	308	128	2,080	193	1,188	699	
15-44 YEARS	2,125	266	1,231	628	11,662	1,266	6,471	3,925	
45-64 YEARS	1,284	189	705	391	10,959	1,231	5,978	3,750	
65 YEARS AND OVER	1,475	271	835	369	15,996	2,378	9,211	4,407	
SOUTH	6,338	1,829	3,191	1,318	45,150	11,629	22,723	10,798	
UNDER 15 YEARS	544	155	281	109	2,267	531	1,200	535	
15-44 YEAR S	2,525	663	1,330	532	13, 108	3,076	6,669	3,363	
45-64 YEAR S	1,510	413	740	357	11,959	2,665	6,041	3,253	
65 YEARS AND OVER	1,759	599	840	321	17,816	5,357	8,813	3,646	
WEST	2,793	631	1,911	252	17,816	2,988	12,932	1,896	
UNDER 15 YEARS	225	54	141	31	865	134	538	193	
15-44 YEARS	1,091	251	743	97	5,110	940	3,609	561	
45-64 YEAR S	717	154	498	65	4,909	749	3,660	501	
65 YEARS AND OVER	760	172	529	60	6,931	1,165	5,125	641	

TABLE 8. RATES OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND OF DAYS OF CARE, BY GEO-GRAPHIC REGION, AGE, AND SEX: UNITED STATES, 1979

REGION AND AGE	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
UNITED STATES	RA1	E OF DISC 1,000 POP	HARGES PER Ulation	l.		RATE OF DA		
ALL AGES	170-2	141.1	197.3	164.7	1,223.7	1,079.9	1,357.8	1,235.4
UNDER 15 YEARS	72.7 156.5 196.2 388.8	80.3 97.1 193.2 410.5	64.7 213.0 199.0 373.6	64.2 141.9 197.8 373.6	314.7 817.8 1,604.3 4,182.5	352.4 616.5 1,562.7 4,287.1	275.5 1,009.0 1,642.3 4,109.1	273.5 742.7 1,637.8 4,109.1
NORTHEAST								
ALL AGES	161.4	137.3	183.7	154.8	1,362.5	1,217.9	1,495.9	1,368.5
UNDER 15 YEARS	69.6 144.0 182.2 360.7	77.9 88.9 188.2 391.6	61.0 196.5 176.7 339.8	60.8 131.5 176.0 339.8	329.5 809.3 1,707.5 4,780.1	362.6 620.3 1,733.3 4,906.7	294.9 989.3 1.684.3 4.694.8	294.1 703.1 1,681.1 4,694.8
NORTH CENTRAL								
ALL AGES	185.1	151.8	216.8	182.5	1,361.0	1,192.4	1,521.3	1,379.9
UNDER 15 YEARS	85.5 169.5 211.8 420.9	94.7 104.8 202.8 436.6	75.8 232.5 220.1 409.8	75.6 157.9 219.1 409.8	377.0 952.9 1,781.2 4,494.3	433.8 726.2 1,682.5 4,565.8	317.6 1,174.0 1,873.2 4,443.4	316.7 866.5 1.869.2 4.443.4
SOUTH								
ALL AGES	177.6	144.9	207.7	173.9	1,210.8	1,050.2	1,358.3	1,238.5
UNDER 15 YEARS	74.7 165.6 207.6 398.5	81.9 99.9 203.2 411.9	67.2 226.5 211.5 389.1	66.2 152.9 209.6 389.1	314.6 830.1 1,631.3 3,988.0	348.9 588.8 1,590.7 4,055.2	279.0 1,053.8 1,667.7 3,940.8	275.6 794.1 1,660.3 3,940.8
WEST								
ALL AGES	146.5	124-1	167.7	135.2	883.0	806-1	955.7	862.3
UNDER 15 YEARS	54.4 137.4 173.2 359.3	59.8 90.7 169.5 393.4	48.8 181.8 176.7 334.7	48.4 112.8 176.0 334.7	210.5 616.5 1,168.3 3,219.8	231.9 501.5 1,126.7 3,452.3	188-2 725-7 1,207-8 3,052-1	528.1 1,205.6 3,052.1

TABLE 9. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY GEOGRAPHIC REGION, AGE, AND SEX: UNITED STATES, 1979

REGION AND AGE	BOT H SEXES	MALE	FEMALE INCLUDING DELIVERIES	FEMALE EXCLUDING DELIVERIES			
UNITED STATES	AVERAGE LENGTH OF STAY IN DAYS						
ALL AGES	7.2	7.7	6.9	7.5			
UNDER 15 YEARS	4.3	4.4	4.3	4.3			
15-44 YEAR S	5.2	6.3	4.7	5.2			
45-64 YEARS	8.2	8.1	8.3	8.3			
DO TEARS AND UVER	10.8	10.4	11.0	11.0			
NORTHEAST							
ALL AGES	8-4	8.9	8.1	8.8			
UNDER 15 YEARS	4.7	4.7	4.8	4.8			
15-44 YEAR S	5.6	7.0	5.0	5.3			
45-64 YEAR S	9.4	9.2	9.5	9.6			
65 YEARS AND OVER	13.3	12.5	13.8	13.8			
NORTH CENTRAL							
ALL AGES	7.4	7.9	7.0	7.6			
UNDER 15 YEARS	4.4	4-6	4.2	4.2			
15-44 YEARS	5.6	6.9	5.0	5.5			
45-64 YEARS	8.4	8.3	8.5	8.5			
65 YEARS AND OVER	10.7	10.5	10.8	10.8			
SOUTH							
ALL AGES	6.8	7.2	6.5	7.1			
UNDER 15 YEARS	4.2	4.3	4.2	4.2			
15-44 YEARS	4• 2 5• 0	4. <i>3</i> 5.9	4•2 4•7	4•4 5•2			
45-64 YEARS	7.9	7.8	7.9	7.9			
65 YEARS AND OVER	10.0	9.8	10.1	10.1			
WEST							
ALL AGES	6.0	6. 5	5.7	6.4			
UNDER 15 YEARS	3.9	3.9	3.9	3.8			
15-44 YEARS	4.5	5.5	4.0	4.7			
45-64 YEARS	6.7	6.6	6.8	6.8			
65 YEARS AND DVER	9.0	8.8	9.1	9.1			

TABLE 10. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY SEX, AGE, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

		NO	RTHEAS	Т	NOR	TH CEN	ITRAL		SOUTH			WEST	
SEX AND AGE	TOTAL	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	6-99 BEDS	100- 499 BEDS	500 BEDS OR MORE	6-99 BED S	100- 499 BEDS	500 BEDS OR MORE
BOTH SEXES				Д	VERAGE	LENGT	H OF S	TAY IN	DAYS				
ALL AGES	7.2	7.9	8.4	8.8	6.4	7.2	8.2	5.9	6.9	7.8	4.3	6.4	7.1
UNDER 15 YEARS	4.3	3.0	4.6	5.7	3.2	4.0	6.0	3.4	4.3	5.2	2.7	3.8	6.8
15-44 YEARS	5.2	5.8	5.4	6.0	5.3	5.4	6.3	4.3	4.9	6.1	3.4	4.7	5.4
45-64 YEARS	8.2	8.2	9.3	10.2	6.5	8.3	9.4	6.3	8.1	9.1	4-7	7.2	7.9
65+ YEARS	10.8	11.9	13.2	14.1	8.5	10.8	11.8	8.6	10.5	11.2	6.5	9.6	10.2
MALE											•		
ALL AGES	7.7	7.7	8.7	9.9	6.7	7.6	9.0	5.9	7.5	8.6	4. 5	6. 9	7.9
UNDER 15 YEARS	4.4	2.8	4.5	5.6	3.3	4.1	6.4	3.4	4.3	5.4	2.8	3.7	7.2
15-44 YEARS	6.3	6.7	6.6	8.1	6.9	6.4	8.0	4.5	5.8	7.7	3.8	5.8	7.1
45-64 YEARS	8.1	8.1	9.0	10.5	6.5	8.1	9.2	6.2	8.0	9.2	4.5	7.1	8.1
65+ YEARS	10.4	10.2	12.5	13.7	8.1	10.6	11.7	8.2	10.5	11.0	6.2	9.5	9.6
FEMALE INCLUD- ING DELIVERIES													
ALL AGES	6.9	8.1	8.2	8.0	6.2	6.9	7.7	6.0	6.5	7.4	4.2	6-1	6.5
UNDER 15 YEARS	4.3	3.2	4.7	5.8	3.2	3.9	5.5	3.4	4.3	4.9	2.5	3.8	6.3
15-44 YEARS	4.7	5.0	5.0	5.2	4.5	4.9	5.6	4.2	4.5	5.4	3.2	4.2	4.6
45-64 YEARS	8.3	8.3	9.5	10.0	6.5	8.5	9.6	6.4	8.1	9.1	4.8	7.3	7.7
65+ YEAR S	11.0	13.1	13.8	14.5	8.8	11.0	12.0	8.9	10.5	11-4	6.8	9.7	10.7
FEMALE EXCLUD- ING DELIVERIES													
ALL AGES	7.5	8.8	8.9	8.7	6.4	7.4	8-4	6.4	7.1	8.2	4.7	6.8	7.5
UNDER 15 YEARS	4.3	3.2	4.7	5.8	3.2	3.9	5.5	3.4	4.3	4.9	2.5	3.8	6.3
15-44 YEAR S	5.2	5.6	5.3	5.4	4.8	5.3	6.3	4.6	5.0	6.3	3.7	4.9	5.8
45-64 YEARS	8.3	8.4	9.5	10.1	6.5	8.5	9.6	6.5	8.2	9.1	4.9	7.3	7.8
65+ YEAR S	11.0	13.1	13.8	14.5	8.8	11.0	12.0	8.9	10.5	11.4	6.8	9.7	10.7

TABLE 11. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND DAYS OF CARE, BY TYPE OF OWNERSHIP OF HOSPITAL AND AGE AND SEX OF PATIENT: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

TYPE OF OWNERSHIP AND AGE	B OTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES	BOTH SEXES	MALE	FEMALE INCLUD- ING DELIV- ERIES	FEMALE EXCLUD- ING DELIV- ERIES
ALL TYPES	NUMBE		CHARGED PAT	IENTS	N	UMBER OF IN T	DAYS OF C HOUSANDS	ARE
ALL AGES	36,747	14,705	22•042	18,396	264,173	112,504	151,669	138,004
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS	3,641 15,488 8,532	2,053 4,680 4,017	1,588 10,808 4,515	1,575 7,201 4,489	15,765 80,913 69,755	9,008 29,713 32,482	51,200	37,687
65 YEARS AND OVER	9,086	3,955	5,131	5,131	97,740	41,302		-
VOLUNTARY NONPROFIT								
ALL AGES	26,105	10,345	15,759	13,111	192,067	81,137	110,930	100,709
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	2,576 10,806 6,163 6,560	1,456 3,139 2,877 2,873	1,120 7,666 3,286 3,687	1,115 5,042 3,268 3,687	11,100 56,393 51,201 73,373	6,366 19,982 23,611 31,178	36,411	26,289 27,512
GOVERNMENT								
ALL AGES	7,686	3,142	4,544	3,670	50,727	22,337	28 ,390	25,337
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	843 3,476 1,641 1,726	470 1,110 796 766	372 2,366 845 960	366 1,506 837 960	3,839 17,782 12,819 16,288	2,164 7,026 6,150 6,997	10,756 6,668	7,748 6,645
PROPRIETARY								
ALL AGES	2,956	1,217	1,739	1,614	21,379	9,031	12,348	11,958
UNDER 15 YEARS 15-44 YEARS 45-64 YEARS 65 YEARS AND OVER	222 1,206 728 799	127 431 344 316	95 776 384 483	94 653 383 483	827 6,738 5,735 8,079	477 2,706 2,720 3,128	349 4,033 3,015 4,952	3,649 3,013

TABLE 12. AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY TYPE OF OWNERSHIP OF HOSPITAL, AGE OF PATIENT, AND SEX: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS)

TYPE OF OWNERSHIP AND AGE	BOTH Sexes	MALE	FEMALE INCLUDING DELIVERIES	FEMALE EXCLUDING DELIVERIES
ALL TYPES		AVERAGE LENGTH	OF STAY IN DAYS	
ALL AGES	7.2	7.7	6.9	7.5
UNDER 15 YEARS	4.3	4.4	4.3	4.3
15-44 YEARS	5.2	6.3	4.7	5.2
45-64 YEARS	8.2	8.1	8.3	8.3
65 YEARS AND OVER	10.8	10.4	11.0	11.0
VOLUNTARY NONPROFIT				
ALL AGES	7.4	7.8	7.0	7.7
UNDER 15 YEARS	4.3	4.4	4.2	4.2
15-44 YEAR S	5.2	6.4	4.7	5.2
45-64 YEARS	8.3	8.2	8.4	8.4
65 YEARS AND OVER	11.2	10.9	11.4	11.4
GOVERNMENT				
ALL AGES	6.6	7.1	6.2	6.9
UNDER 15 YEARS	4.6	4.6	4.5	4.5
15-44 YEARS	5.1	6.3	4.5	5.1
45-64 YEAR S	7.8	7.7	7.9	7.9
65 YEARS AND OVER	9.4	9.1	9.7	9.7
PROPRIETARY				
ALL AGES	7.2	7.4	7.1	7.4
UNDER 15 YEARS	3.7	3.8	3.7	3.7
15-44 YEARS	5.6	6.3	5.2	5.6
45-64 YEARS	7.9	7.9	7.8	7.9
65 YEARS AND OVER	10.1	9.9	10.2	10.2

TABLE 13. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND AGE: UNITED STATES, 1979

 -	CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	ALL AGES	UNDER 15 YEARS	15-44 YEARS	45-64 YEARS	65 YEARS AND OVER
		NUMBER	OF PATIENTS	DISCHAR	GED IN TH	IOUSANDS
01	ALL CONDITIONS	36, 747	3,641	15,488	8,532	9,086
02	I. INFECTIOUS AND PARASITIC DISEASES001-139	596	182	214	99	101
03 04 05	II. NEOPLASMS	2,402 1,745	65 38	484 172	863 651	989 884
•	OF UNCERTAIN BEHAVIOR210-239	656	28	312	212	105
06 07	III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS240-279 DIABETES MELLITUS250	1,057 600	63 20	273 135	3 4 0 217	382 228
80	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	348	75	96	53	124
09	V. MENTAL DISORDERS	1,723	50	983	465	226
11	ALCOHOL DEPENDENCE SYNDROME	512 439	3 2	302 225	120 181	86 31
12 13	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389 DISEASES OF THE CENTRAL NERVOUS SYSTEM320-336, 340-349	1,626 373	337 56	366 134	380 89	543 95
14 15		383 380	3 200	15 79	79 62	285 39
16	VII. DISEASES OF THE CIRCULATORY SYSTEM	4,907	43	532	1,673	2,659
17 18	ESSENTIAL HYPERTENSION401 HEART DI SEASE402-429	298 3,065	2 27	61 2 4 0	124 1,114	111 1,684
19	ACUTE MYOCARDIAL INFARCTION410	433	*1	26	187	219
20 21	ATHEROSCLEROTIC HEART DISEASE	592	3	22	184	383
22	CONGESTIVE HEART FAILURE428.0	714 377	2 5	61 6	365 68	285 298
23	CEREBROVASCULAR DISEASE430-438	747	4	26	163	554
24 25	VIII. DISEASES OF THE RESPIRATORY SYSTEM	3,309	1,086	798	621	804
26	ACUTE BRONCHITIS AND BRONCHIGLITIS	236 298	107 190	34 73	44 17	50 19
27	CHRONIC DISEASE OF TONSILS AND ADENGIDS	497	320	171	5	*0
28 29	PNEUMONIA, ALL FORMS480-486 ASTHMA493	756 339	255 99	120 94	125 83	256 6 3
30	IX. DISEASES OF THE DIGESTIVE SYSTEM	4,604	484	1,594	1,324	1,202
31 32	ULCERS OF THE STOMACH AND SMALL INTESTINE	356 298	5 17	101	134 95	116
33	APPENDIC IT IS 540-543	278	71	127 167	28	59 12
34	INGUINAL HERNIA	475	84	134	141	116
35 36	NONINFECTIOUS ENTERITIS AND COLITIS	616 44 7	196 2	205 159	106 159	109 127
37	X. DISEASES OF THE GENITOURINARY SYSTEM580-629	3, 514	188	1,809	894	624
38 39	CALCULUS OF KIDNEY AND URETER	290 4 50	4	140 350	107 94	40 *1
40	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,		,			
41	AND THE PUERPERIUM	989 536	9 6	976 528	4 2	•••
42	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	600	81	251	144	124
43	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	2 004	90	054		454
44	ARTHROPATHIES AND RELATED DISORDERS	2,086 481	80 19	854 166	698 138	454 158
45	INTERVERTEBRAL DISC DISORDERS722	385	*1	192	157	35
46	XIV. CONGENITAL ANOMALIES740-759	332	160	99	53	21
47	XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD760-779	72	71	*1	* Q	-
48	XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	644	119	273	164	88
49	XVII. INJURY AND POISONING800-999	3,635	493	1,805	650	686
50 51	FRACTURES, ALL SITES800-829	1,180	155	434	215	375
51 52	SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847 INTRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	339 309	5 90	212 166	92 28	31 24
53	LACERATIONS AND OPEN HOUNDS	359	46	232	51	30
54	SUPPLEMENTARY CLASSIFICATIONS	4,302	57	4,080	106	59
	PERSONS ADMITTED FOR STERILIZATION					

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 13. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND AGE: UNITED STATES, 1979--CON.

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. DIAGNOSTIC GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

5	t 15 t S	15-44 YEARS	45-64 YEARS	65 YEARS AND OVER	ALL AGES	UNDER 15 YEARS	15-44 Years	45-64 Years	65 YEARS AND OVER	
D	ITS DISC	HARGED PER	10,000 POPU	LATION		AV ERAGE LEN	IGTH OF STAY	IN DAYS		
9	726.9	1,565.3	1,962.3	3,888.0	7.2	4.3	5.2	8.2	10.8	3
. 4	36.4	21.6	22.8	43.1	7.2	4.5	5.8	9.8	12.1	Ĺ
	13.1 7.5	49.0 17.4	198.4 149.7	423.3 378.3	10.6 12.3	7•3 9•0	7.1 10.6	10.3 11.6	12.8 13.3	
. 5	5.5	31.5	48.7	45.0	6.2	4.9	5.2	6.6	8.4	
	12.5	27.6	78.2	163.5	9.5	7.0	7.6	9-1	11.6	
	4.1	13.7 9.7	49.8 12.3	97.6 53.1	10-1 7-3	7•1 4•2	7.5 5.8	9.7 8.1	12.3	
	9.9 0.7	99.3 30.5	106.9 27.6	96.8 36.9	11.0 14.5	11.3 40.7	10.8 14.0	10.4 14.6	13.4 15.2	
. 4	0.4	22.7	41.6	13.4	9.3	*3.9	9.7	8.8	9.6	
. 3	67.3	37.0	87.4	232.3	5.5	3.2	5.5	5.9	6.5	
	11.1 0.6	13.5 1.6	20.4 18.3	40.6 121.8	10.5 3.8	7.3 3.8	8.3	10.9 3.6	15.2 3.9	
	40.0	7.9	14.2	16.8	3.0	2.3	3.6 3.1	3.9	5.4	
. 6	8.6	53.7	384.9	1,137.7	9.9	9.3	7.0	8.9	11.1	L
. 5	0.5	6.2	28.5	47.4	6.7	5.0	5.7	6.9	7.0	0
	5.4 +0.2	24.2 2.6	256.1 43.1	720.7 93.7	9.6 12.6	8.6 *12.1	7.3 11.7	8.6 12.6	10.5 12.7	
	0.5	2.3	42.2	164.1	9.7	10.9	7.3	7.9	10.7	
	0.5	6.2	84.0	121.9	7.7	8.1	5.6	7.2	8.8	
	1.0 0.8	0.6 2.6	15.5 37.4	127.7 237.1	10.7 12.4	13.6 21.9	8.3 10.8	9.5 11.0	11.0 12.8	
. 8	216.8	80.7	142.8	344.2	6.2	3.6	4.3	7.8	10.3	3
	21.4 37.8	3.5 7.4	10.0 4.0	21.6 8.0	5.8 3.9	4.5 3.3	5.0	6.5 5.0	8.6 7.6	
	64.0	17.3	1.2	*0.1	2.0	1.8	4.1 2.3	2.2	*1.5	
. 9	50.9 19.8	12.2 9.5	28.7 19.0	109.6 26.9	8.0 6.1	5.2 3.8	6.6 4.9	9.0 7.6	10.8	3
	96.7 1.0	161.1 10.2	304.5 30.9	514.4 49.5	6.9 7.9	4.1 4.9	5.5 5.8	7.5 8.0	9.4 9.7	
. 4	3.4	12.9	22.0	25.1	5.3	3.3	4.5	5.6	7.3	3
	14.1	16.9	6.5	5.0	5.8	5.1	5.2	8.5	12.0 7.1	
	16.8 39.1	13.5 20.8	32.5 24.3	49.6 46. 5	4.9 5.4	2.4 4.2	4.2 4.9	5.4 6.3	7.6	
	0-4	16.1	36.5	54.4	9.8	6.5	8.0	9.3	12.7	
	37.4	182.8	205.7	266.8	5.7	3.5	4.6	5.9	9.5	
	0.7 0.8	14.1 35.4	24.6 21.6	17.0 0.6	5.3 3.4	3.3 3.2	4.1 3.2	5.8 3.8	8.6 4.8	
. 0	0.0	3944	21.0	V•0	3.4	3.2	3.2	3.0	4.0	•
	1.8	98.7 53.3	0.9 0.5	•••	2.5 2.2	2.0 1.7	2.5 2.2	2.9 *2.1	•••	
. 1	16.1	25.4	33.1	53.0	7.6	4.8	5.5	8.7	12.5	5
^	16.0	86.3	160.5	194.3	8.3	6.1	6.6	8.6	11.2	,
	3.8	16.7	31.8	67.7	9.6	6.4	6.5	10.0	13.0	
. 1	*0.1	19.4	36.2	15.0	9.8	*7.2	9.0	10.6	10.7	1
. 9	31.9	10.0	12.1	9.1	6.1	5.5	6.0	7.6	6.5	5
. 1	14-1	*0.1	*0. 0	-	7.8	7.8	*8. 0	* 3.0	-	-
. 7	23.7	27.6	37.8	37.5	4.8	3.8	4.2	5.1	7.3	3
	98.5	182.5	149.6	293.6	7.4	4.4	5.8	8.3	12.9	
	31.0	43.9	49-4	160.7	10.5	5.4	7.5 7.1	10-1	16.3 8.2	
	0.9 18.0	21.4 16.8	21.1 6.5	13.1 10.4	7•4 5•0	4.1 2.6	7.1 5.0	7.9 7.0	11.3	3
	9.1	23.5	11.8	12.8	4.8	3.5	4.6	5.3	7.4	
	11.3	412.4	24.5	25.3	3.7	3.8	3.6	5-1	7.0	
	*0.0 2.5	26.5 364.5	1.4 6.1	*0.0	2.2 3.7	*1.0 3.8	2•2 3•7	2.5 3.9	*8.0	

TABLE 14. NUMBER OF DISCHARGES AND AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS. BY CATEGORY OF FIRST-LISTED DIAGNOSIS, SEX, AND COLOR; AND RATE OF DISCHARGES BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND SEX: UNITED STATES, 1979

					SEX		
	CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
			R OF PATI			OF DISCHA	
01	ALL CONDITIONS	36,747	14,705	22,042	1,702.1	1,411.5	1,973.2
02	I. INFECTIOUS AND PARASITIC DISEASES	596	277	319	27.6	26.6	28.6
03	II. NEOPLASMS140-239	2,402	994	1,408	111.2	95.4	126.0
04 05	MALIGNANT NEOPLASMS	1,745 656	846 148	899 509	80.8 30.4	81.2 14.2	80.5 45.6
		0,0	240	307	50.4	2442	4500
90	III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS240-279	1,057	376	682	49.0	36.1	61.0
07	DIABETES MELLITUS250	600	227	374	27.8	21.7	33.4
08	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	348	155	193	16.1	14.8	17.3
09	V. MENTAL DI SORDERS290-319	1,723	887	836	79.8	85-2	74.9
10 11	PSYCHOSES	512 4 39	246 341	266 98	23.7 20.3	23.6 32.8	23.8 8.8
12	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS 320-389	1 424	71.4	912	75.3	68.5	81.7
12 13	DISEASES OF THE CENTRAL NERVOUS SYSTEM	1,626 373	71 4 172	201	17.3	16.5	18.0
14	CATARACT	383 380	155	228	17.7	14.8 18.3	20.4 17.0
15			190	189	17.6		
16	VII. DISEASES OF THE CIRCULATORY SYSTEM	4, 907 298	2,471 118	2,436 181	227.3 13.8	237•2 11•3	218.1 16.2
	HEART DISEASE	3,065	1,640	1,425	142.0	157.4	127.6
19	ACUTE HYOCARDIAL INFARCTION	433	271	162	20.1	26.0	14.5
20 21	ATHEROSCLEROTIC HEART DISEASE414-0 OTHER ISCHEMIC HEART DISEASE411-413,414-1-414-9	592 714	317 4 26	275 287	27.4 33.1	30 • 4 40 • 9	24.6 25.7
22 23	CONGESTIVE HEART FAILURE	377 747	174 335	203 411	17.5 34.6	16.7 32.2	18.2 36.8
24	VIII. DISEASES OF THE RESPIRATORY SYSTEM	3,309	1,679	1,630	153.3	161.2	145.9
25	ACUTE BRONCHITIS AND BRONCHIOLITIS466	236	112	124	10.9	10-7	11.1
26 27	OTHER ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465 CHRONIC DISEASE OF TONSILS AND ADENOIDS474	298 497	150 21 5	149 282	13.8 23.0	14.4 20.6	13.3 25.3
	PNEUMONIA, ALL FORMS480-486	756	403	353	35.0	38.7	31.6
29	ASTHMA493	339	143	196	15.7	13.8	17.5
30	IX. DISEASES OF THE DIGESTIVE SYSTEM520-579	4,604	2, 195	2,409	213.3	210.7	215.7
31	ULCERS OF THE STOMACH AND SMALL INTESTINE531-534	356 298	194	162 158	16.5	18•6 13•5	14.5 14.2
32 33	GASTRITIS AND DUODENITIS535 APPENDICITIS540-543	278	140 158	120	13.8 12.9	15.2	10.8
34	INGUINAL HERNIA550	475	427	48	22.0	40.9	4-3
35 36	NONINFECTIOUS ENTERITIS AND COLITIS555-558 CHOL EL ITHIASIS574	616 447	259 122	357 324	28.5 20.7	24.9 11.7	31.9 29.0
37 38	X. DISEASES OF THE GENITOURINARY SYSTEM	3,514 290	1,042 197	2,472 93	162.8 13.4	100-1 18-9	221.3 8.3
39	DISORDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING626	450	•••	450	20.8	•••	40.3
40	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,						
41	AND THE PUERPERIUM	989 536	•••	989 536	45.8 24.8	•••	88.5 48.0
42	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	600	284	316	27.8	27.3	28.3
43	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM						
44	AND CONNECTIVE TISSUE710-739 ARTHROPATHIES AND RELATED DISORDERS710-719	2,086 481	905 193	1,181 288	96 • 6 22 • 3	86.8 18.5	105.7 25.8
45	INTERVERTEBRAL DISC DISORDERS	385	212	173	17.8	20-3	15.5
46	XIV. CONGENITAL ANOMALIES740-759	332	167	165	15.4	16.0	14.8
47	XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	72	40	31	3.3	3.9	2.8
48	XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	644	295	348	29.8	28-4	31.2
49	XVII. INJURY AND POISONING800-999	3,635	2+057	1,578	168.4	197.5	141.3
50	FRACTURES, ALL SITES800-829	1,180	609	571	54.7	58.4	51.1
51 52	SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847 INTRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	339 309	166 192	173 117	15.7 14.3	15.9 18.4	15.5 10.5
53		359	269	89	16.6	25.9	8.0
	SUPPLEMENTARY CLASSIFICATIONS	4,302	166	4,136	199.3	15.9	370.3
54							
55	PERSONS ADMITTED FOR STERILIZATIONV25.2 FEMALES WITH DELIVERIESV27	268 3•646	9	259 3,646	12.4 168.9	0.9	23.2 326.4

^{1/} INCLUDES DISCHARGE DATA FOR WHICH COLOR WAS NOT STATED.
2/ FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27. SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 14. NUMBER OF DISCHARGES AND AVERAGE LENGTH OF STAY FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY CATEGORY OF FIRST-LISTED DIAGNOSIS, SEX, AND COLOR; AND RATE OF DISCHARGES BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND SEX: UNITED STATES, 1979—CON.

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. DIAGNOSTIC GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

			R	COLO				SEXCON.	
	ALL OTHER	WHITE	1/ TOTAL	ALL OTHER	WHITE	1/ TOTAL	FEMALE	MALE	TOTAL
	IN DAYS	GTH OF STAY	AVERAGE LEN	CHARGED	PATIENTS DIS		IN DAYS	NGTH OF STAY	AVERAGE LE
. (7.4	7.2	7.2	4,572	27,451	36,747	6.9	7.7	7.2
. (8.6	7.0	7•2	85	444	596	6.9	7.5	7.2
	11.3 13.8	10.6 12.2	10.6 12.3	279 175	1,819 1,355	2,402 1,745	10.1 12.4	11.4 12.3	10.6 12.3
	7.2	5.9	6.2	104	464	656	6.2	6.1	6.2
	11.1	9.1	9.5	162	780	1,057	9. 9	8.7	9.5
	10.9	10.1	10.1	109	423	600	10.6	9.4	10.1
	7.2	7.3	7.3	73	241	348	7.7	6.7	7.3
	10.4	11.1	11-0	232	1,233	1,723	11.6	10.5	11.0
	14.2 8.1	14.7 9.1	14.5 9.3	75 80	383 261	512 439	15.9 9.2	13.1 9.3	14.5 9.3
	7.2	5.4	5.5	161	1,218	1,626	5.4	5.5	5.5
	11.9	10.4	10.5	49	281	373	10.3	10.8	10.5
	4.6 3.8	3.9 3.1	3.8 3.0	31 30	292 277	383 380	3.9 3.3	3.8 2.8	3.8 3.0
	11-2	9.8	9.9	494	3,858	4,907	10.2	9.6	9.9
	7.8 10.6	6•4 9•6	6.7 9.6	57	214	298	6.7	6.7	6.7
	14.8	12.6	12.6	273 27	2 , 4 60 355	3,065 433	10.0 12.8	9.2 12.5	9.6 12.6
•	10.9	9.8	9-7	32	489	592	10.6	8.9	9.7
	8.2 10.9	7.7 10.9	7.7 10.7	47 48	603 287	714 377	8.2 11.0	7.3 10.4	7.7 10.7
	15.4	11.8	12.4	81	574	747	12.6	12.1	12.4
	6.5	6.2	6-2	360	2,529	3,309	6.1	6-2	6.2
	6.2 4.2	5.8 3.8	5•8 3•9	27 39	180 220	236 298	6.1 4.1	5.5 3.7	5.8 3.9
	2,4	2.0	2.0	38	368	497	2.1	1.8	2.0
	8.3 5.0	8.0 6.4	8.0 6.1	102 68	573 235	756 339	8.2 6.5	7.8 5.5	8.0 6.1
	7.5	6.9	6.9	465	3,572	4,604	7.4	6.5	6.9
	8.3	7.9	7.9	37	278	356	8.3	7.6	7.9
	5.6 7.7	5•4 5•7	5.3 5.8	35 23	235 220	298 278	5.6 6.1	5.1 5.6	5•3 5•8
1	4.9	5.0	4.9	44	360	475	5.2	4.9	4.9
	4.7 10.3	5.4 9.8	5.4 9.8	57 38	486	616	5.8	4.8	5.4
					357	447	9.5	10.6	9.8
	6.0 6.7	5.8 5.4	5.7 5.3	426 16	2,650 238	3,514 290	5.3 6.2	6.8 4.9	5•7 5•3
	3.1	3.4	3.4	54	330	450	3.4	•••	3.4
	2.6 2.2	2.6 2.2	2.5 2.2	239 146	631 332	989 536	2.5 2.2	•••	2.5 2.2
	8.8	7.5	7.6	83	448	600	7.8	7.4	7.6
	8.4 9.6	8.3 9.7	8.3 9.6	196 4 7	1,560 360	2,086 481	8.8 10.6	7.6	8.3
	10.6	9.8	9.8	27	288	385	10.7	8.2 9.1	9.6 9.8
)	6.0	6.2	6.1	35	255	332	6.0	6.1	6.1
,	12.7	6.8	7.8	13	50	72	7.4	8.0	7.8
,	5.4	4.7	4.8	76	483	644	4.7	4.8	4.8
	7-8	7.4	7-4	458	2,675	3,635	8.5	6.6	7.4
	10.9 7.9	10.5 7.3	10.5 7.4	1 03 49	892 240	1.180 339	12.3 7.8	8.8 6.9	10.5 7.4
	5.1	4.9	5.0	44	229	309	5.5	4.7	5.0
	5.2	4.8	4.8	73	245	359	5.1	4.7	4.8
j F	4.0 2.4	3.7 2.2	3•7 2•2	735 38	3,005 198	4, 302 268	3.7 2.2	5.1 1.5	3.7 2.2
	4.0	3.7	3.7	650	2,519	3,646	3.7	1.5	2•2 3•7

TABLE 15. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND GEOGRAPHIC REGION: UNITED STATES, 1979

	CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
		NUMBER OF	PATIENTS	DISCHARGE	D IN THO	JSANDS
01	ALL CONDITIONS	36,747	7,786	10,647	12,425	5,889
)2	I. INFECTIOUS AND PARASITIC DISEASES001-139	596	128	158	225	85
3	II. NEOPLASMS140-239	2, 402	627	695	670	409
4 MALI 5 BENI	GNANT NEOPLASMS140-208 GN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS	1,745	446	523	471	305
OF DEW 1	UNCERTAIN BEHAVIOR	656	181	173	199	104
6	III. ENDOCRINE, NUTRITIONAL AND METABOLIC					
	DISEASES, AND IMMUNITY DISORDERS240-279	1,057	216	322	382	138
7 DIAB	ETES MELLITUS250	600	139	173	221	68
8	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	348	83	96	112	56
9	V. MENTAL DISORDERS290-319	1,723	503	531	424	266
	HOSES290-299	512	131	151	122	107
1 ALCO	HOL DEPENDENCE SYNDROME303	439	217	118	55	50
2	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389	1,626	347	517	474	288
	ASES OF THE CENTRAL NERVOUS SYSTEM320-336, 340-349 RACT326	373 383	79 98	113 110	127 103	54 72
	ASES OF THE EAR AND MASTOID PROCESS	380	75	132	111	62
6 7 ESSE!	VII. DISEASES OF THE CIRCULATORY SYSTEM	4, 907 298	1,094 49	1,350 91	1,715 130	748 28
HEAR	T DISEASE	3,065	716	803	1,057	489
9 AC	UTE MYOCARDIAL INFARCTION410	433	111	109	142	7
TA C	HEROSCLEROTIC HEART DISEASE414.0 HER ISCHEMIC HEART DISEASE	592 714	168 149	152 187	199 2 4 7	7: 13:
CO	NGESTIVE HEART FAILURE428.0	377	88	101	130	5
CERE	BROVASCULAR DISEASE430-438	747	159	220	255	11:
	VIII. DISEASES OF THE RESPIRATORY SYSTEM460-519	3,309	611	968	1,255	470
5 ACUT	E BRONCHITIS AND BRONCHIGLITIS466	236	38	70	105	23
	R ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465 NIC DISEASE OF TONSILS AND ADENOIDS474	298 4 97	45 81	87 177	138 149	21
	MONIA, ALL FORMS480-486	756	131	195	339	91
ASTH	MA493	339	83	93	107	56
0	IX. DISEASES OF THE DIGESTIVE SYSTEM	4,604	946	1,319	1,690	649
LULCE	RS OF THE STOMACH AND SMALL INTESTINE531-534	356	61	98	148	49
GAST	RITIS AND DUODENITIS535 NDICITIS540-543	298 278	40 54	76 8 4	156 86	26 54
INGU	INAL HERNIA550	475	125	142	126	8
	NFECTIOUS ENTERITIS AND COLITIS555-558	616	100	170	267	71
s CHOL	EL ITHIASIS	447	105	119	159	63
7	X. DISEASES OF THE GENITOURINARY SYSTEM580-629	3,514	724	1,017	1,295	478
	ULUS OF KIDNEY AND URETER592 RDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING626	290 450	56 108	76 133	119 161	39 49
9 0130	ADERS OF MENSIKUATION AND OTHER ADMORMAL VACINAL DECEDING	450	100	155	101	7
ס	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,	000	244	201		
L ALL	AND THE PUERPERIUM	989 536	266 182	281 139	299 137	143 78
2	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	600	134	179	196	92
		000	134	*.,	170	,,,
3	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	2,086	350	667	682	387
	ROPATHIES AND RELATED DISORDERS710-719	481	85	161	140	95
INTE	RVERTEBRAL DISC DISORDERS722	385	57	119	122	87
5	XIV. CONGENITAL ANOMALIES740-759	332	71	109	94	59
7	XV. CERTAIN CONDITIONS ORIGINATING IN THE					
	PERINATAL PERIOD760-779	72	12	18	22	20
В	XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	644	118	188	232	106
	XVII. INJURY AND POISONING	3,635	679	1,030	1,211	715
FRACT SPRAT	TURES: ALL SITES800-829 INS AND STRAINS OF BACK (INCLUDING NECK)846-847	1, 180 339	237 44	340 90	355 162	247 43
	ACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	309	76	92	85	56
	RATIONS AND OPEN HOUNDS870-904	359	61	93	130	75
,	SUPPLEMENTARY CLASSIFICATIONS	4,302	876	1,202	1,448	777
PERSO	ONS ADMITTED FOR STERILIZATION	268	65	67	103	32
5 FEMAL	LES WITH DELIVERIESV27	3,646	726	1,012	1,235	673

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 15. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, RATE OF DISCHARGES, AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND GEOGRAPHIC REGION: UNITED STATES, 1979--CON.

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. DIAGNOSTIC GROUPINGS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

ALL REGIONS	NORTHEAST	NORTH CENTRAL	SOUTH	WEST	ALL REGIONS	NORTHEAST	NOR TH CENTRAL	SOUTH	WEST	
RATE OF	F PATIENTS DIS	CHARGED PER	10,000 POPUL	ATION	•	AV ER AGE LE	NGTH OF STAY	IN DAYS	, , ,	
1,702.1	1,614.2	1,851.2	1,776.5	1,465.1	7.2	8.4	7.4	6.8	6.0	C
27.6	26.6	27.5	32-1	21.0	7.2	8.6	7.1	6.6	6.6	(
111.2 80.8	130.0 92.4	120.9 90.9	95.8 67.4	101.8 76.0	10.6 12.3	12.3 14.6	10.6 12.0	10.3 12.0	8 ₆ 6 9 ₉ 9	
30.4	37.5	30.0	28.5	25.8	6.2	6.7	6.2	6.2	5.0	(
49.0 27.8	44•7 28•9	56.0 30.0	54.6 31.5	34.3 16.9	9.5 10.1	11.8 12.9		8•7 8•7	7.7 8.5	
16.1	17.3	16.7	16.0	14.0	7.3	8.5	7.8	6.8	5.3	
79.8	104.3	92.4	60.6	66-1	11.0	10.9	13.2	9.4	9.4	
23.7 20.3	27.1 44.9	26.3 20.5	17.5 7.8	26.7 12.3	14.5 9.3	15.9 7.4	15.9 14.8	13.1 6.6	12.7 7.1	•
75•3 17•3	72.0 16.4	90.0 19.7	67.7 18.1	71.6 13.5	5.5 10.5	6.3 13.6	5.5 10.4	5.5 9.3	4.4 9.4	
17.7	20.4	19.1	14.7	17.9	3.8	3.8	4.1	3.9	3.3	1
17.6	15.5	22.9	15.9	15.5	3.0	3.1	3.0	3.4	2.5	
227.3	226.8	234.7 15.8 139.6	245.3	186.1 7.1 121.7	9.9	12.1	10.0		8.0	
13.8 142.0	10.1 148.5	15.8	18.6 151.1	7.1 121.7	6.7 9.6	8.6 11.6	7.0 9.9	6.1 8.9	5.0 7.5	
20.1	23.0	19.0	2002	1101	1210	14.5	13.6	11.8	9.7	•
27.4	34.8	26.3	28.5	18.2	9.7	11.7	9.4	9.3	7.1	
33.1 17.5	30.9 18.3	32.5	35.3 10.5	32.6 16.6	7.7 10.7	9.3 13.5	8.2 10.7	7 . 1 9.4	6•2 9•3	
34.6	32.9	17.6 38.3	36.5	18.2 32.6 14.4 28.0	12.4	15.9			10.4	
153.3	126.6	168.4	179.4 15.1 19.7 21.3	118.4	6.2	7.1	5.9	6.2	5.3	
10.9 13.8	7.8 9.4	12.2	15.1 10.7	5•7 7 0	5•8 3.0	6.6 4.2		5.7 3.7	4.3 2.8	
23.0	16.9	30.7	21.3	7.0 22.3 22.6	2.0	1.7	2.0	2.2	1.8	
35.0 15.7	27.2	33.8 16.2	48.5 15.3	22.6 14.0	8.0 6.1	9•2 6•3	8.2 6.3	7.4 6.0	7.6 5.4	
213.3 16.5	196.1 12.7	229.3	241.6 21.2 22.3	161.6	6.9 7.9				6.6	
13.8	8. 4	13.2	22.3	6.5	5.3	6.5	5.8	5.0	4.1	
12.9	11.3	14.7	12.3	13.3	5.8	7.0	5-8	5.7	5.0	
22.0	25.9	24.8	18-1	20.2	4.9	5.2	5.1 5.7	5•2 4•9	3.8 5.1	
28.5 20.7	20.7 21.7	29.6 20.7	38.1 22.7	19.5 15.8	5.4 9.8	6.3 11.5			7.7	
162.8	150-1	176.8	185.2	118.9		6.0			5.2	:
13.4	11.7	13-1	11.0	9.7	5.3	6.5	5.5 3.4	4.9 3.7	4.5 3.2	
20.8	22.4	23.1	22.9	12-1	3.4	3.0	3.4	5.1	5.2	
45.8 24.8	55.2 37.7	48.9 24.2	42.7 19.6	35.5 19.3		2.6 2.0		2.7 2.6	2.2 1.9	:
27.8	27.7	31.1	28.0	22.8	7.6	9.5			7.3	
96.6	72.7	115.9	97.5	96.2	8.3	10.1 11.4	8.5 10.0	7.9 9.0	6.9 8.4	
22.3 17.8	17.6 11.8	27 . 9 20 . 7	20.0 17.4	23.7 21.7	9.6 9.8	11.8	10.2	9.9	7.9	
15.4	14.8	19.0	13.4	14-6	6.1	6.8	5.9	5.7	6.1	L
3.3	2.5	3.1	3.1	4.9	7.8	8.1	5.8	9.0	7.9	,
		32.6	33.2	26.3	4.8	5.8	4.6	4.6	4.4	
29.8	24.6						7.4	7.4	6.1	
168.4 54.7	140.7 49.1	179.0 59.2	173.2 50.8	178.0 61.6	7.4 10.5	8.8 12.9	10-6	10.4	8.2	
15.7	9.2	15.6	23.2	10.6	7.4	9.6	7.3	7.2	5.7	7
14.3	15.7	15.9	12.2	14.0	5.0 4.8	4.5 5.6	5.1 4.9	5.5 4.7	4.7 4.1	
16.6	12.6	16.2	18.6	18.6	4.8	5.6			2.9	
199.3 12.4	181.6 13.5	208.9 11.7	207.0 14.7	193•2 8•0	3.7 2.2	4.2 2.4	4.0 2.2	3.6 2.3	1.7	
168.9	150.6	176.0	176.6	167.3	3.7	4.4	4.1	3.5	2.9	

TABLE 16. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND BED SIZE OF HOSPITAL: UNITED STATES, 1979

CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICO-9-CM CODE	ALL SIZES	6-99 BEDS	100-199 BEDS	200-299 BEDS	300-499 BEDS	500 BEDS OR MORE
	אטא	BER OF PA	TIENTS DI	SCHARGED	IN THOUSA	NDS
ALL CONDITIONS	36,747	7,020	6,348	6,493	8,615	8,270
I. INFECTIOUS AND PARASITIC DISEASES001-139	596	117	107	103	131	139
II. NEOPLASMS140-239	2,402	247	328	407	646	774
LIGNANT NEOPLASMS140-208 NIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS	1,745	175	228	289	482	571
F UNCERTAIN BEHAVIOR210-239	656	72	100	118	164	203
III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS240-279	1,057	217	174	190	253	223
ABETES MELLITUS250	600	133	103	109	149	107
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	348	71	50	61	87	80
V. MENTAL DISORDERS290-319	1,723	449	257	246	402	370
/CHOSES290-299	512	86	76	68	142	140
COHOL DEPENDENCE SYNDROME303	439	213	53	47	74	52
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS 320-389	1,626	199	259	267	461	440
EASES OF THE CENTRAL NERVOUS SYSTEM320-336,340-349 ARACT36	373 383	56 34	57 70	61 63	94 122	10 <i>6</i>
EASES OF THE EAR AND MASTOID PROCESS380-389	380	41	65	72	112	90
VII. DISEASES OF THE CIRCULATORY SYSTEM	4,907	988	861	877	1,147	1,034
ENTIAL HYPERTENSION401	298	77	53	54	62	52
ART DISEASE402-429 ACUTE MYOCARDIAL INFARCTION410	3,065 433	621 106	537 73	535 74	721 103	650
THEROSCLEROTIC HEART DISEASE414.0	592	86	102	125	144	78 135
THER ISCHEMIC HEART DISEASE	714	163	124	112	165	149
ONGESTIVE HEART FAILURE428.0 REBROVAS CULAR DISEASE430-438	377 7 4 7	90 156	70 14 0	67 133	85 170	65 147
VIII. DISEASES OF THE RESPIRATORY SYSTEM	3,309 236	897 77	633 52	563 37	680 49	536 21
ER ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465	298	95	69	45	55	33
ONIC DISEASE OF TONSILS AND ADENDIDS474	497	79	98	107	126	88
UMONIA, ALL FORMS480-486	756 339	27 4 71	137 62	108 56	13 4 82	103 68
IX. DISEASES OF THE DIGESTIVE SYSTEM520-579	4.604	1.055	821	850	1.030	847
ERS OF THE STOMACH AND SMALL INTESTINE531-534	356	91	67	61	81	56
TRITIS AND DUODENITIS535	298	110	55	54	45	33
ENDICITIS540-543 UINAL HERNIA550	278 4 75	63 78	51 85	58 87	56 119	50 108
INFECTIOUS ENTERITIS AND COLITIS555-558	616	184	117	101	131	83
LEL ITHI ASIS574	447	89	76	93	109	79
X. DISEASES OF THE GENITOURINARY SYSTEM580-629	3, 514	588	669	670	811	777
CULUS OF KIDNEY AND URETER592	290	57	52	61	67	53
ORDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING626	450	69	94	83	1 02	102
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH,						
AND THE PUERPERIUM	989 536	133 62	193 104	171 87	228 117	26 4 166
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	600	125	95	98	143	140
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM						
AND CONNECTIVE TISSUE	2,086	361	341	398	487	499
HROPATHIES AND RELATED DISORDERS	481 385	68 49	69 63	86 90	130 92	128 91
XIV. CONGENITAL ANOMALIES	332	31	34	53	89	125
XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	72	11	8	13	22	19
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	644	130	113	115	134	152
XVII. INJURY AND POISONING800-999	3,635	761	636	638	863	738
CTURES, ALL SITES	1,180	197	208	232 48	291 5 4	252
AINS AND STRAINS OF BACK (INCLUDING NECK)	339 309	114 65	77 53	50	81	46 59
ERATIONS AND OPEN WOUNDS870-904	359	78	59	57	84	81
SUPPLEMENTARY CLASSIFICATIONSVD1-V82	4, 302	641	769	773	1,004	1,115
SONS ADMITTED FOR STERILIZATION	268	52	60	54	53	50
ALES WITH DELIVERIESV27	3,646	540	650	652	860	944

^{1/} FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27. SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 16. NUMBER OF PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS AND AVERAGE LENGTH OF STAY, BY CATEGORY OF FIRST-LISTED DIAGNOSIS AND BED SIZE OF HOSPITAL: UNITED STATES, 1979--CON.

CATEGORY OF FIRST-LISTED DIAGNOSIS AND ICD-9-CM CODE	ALL Sizes	6-99 BEDS	100-199 BEDS	200-299 BEDS	300-499 BEDS	500 BEDS OR MORE
		AVERA	GE LENGTH	DF STAY	IN DAYS	
ALL CONDITIONS	7.2	5.9	6.6	7.2	7.7	8.
I. INFECTIOUS AND PARASITIC DISEASES001-139	7.2	5.9	5.6	7.4	7.7	8.
II. NEOPLASMS140-239	10.6	8.3	10.1	10.3	11.2	11.
LIGNANT NEOPLASMS	12.3 6.2	9•6 4•9	12.0 5.8	12.1 6.0	12.8	12.
	0.2	40,	3.0	0.0	0.5	•
III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS240-279	9.5	7.4	8. 9	10.3	10.4	10.
BETES MELLITUS250	10.1	8.0	9.7	10.6	10.7	12.
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	7.3	5.7	6.7	8.0	7.0	8.
V. MENTAL DISORDERS290-319	11.0	9.6	9.9	10.1	11.3	13.
YCHOSES290-299 COHOL DEPENDENCE SYNDROME	14.5 9.3	12.9 9.4	13.4 9.8	12.6 9.8	14.1 8.3	17. 9.
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS 320-389	5.5	5-2	4.7	5.5	5.0	6.
SEASES OF THE CENTRAL NERVOUS SYSTEM	10.5	8.8	7.8	11.2	10.7	12.
ARACT	3.8 3.0	3.7 3.6	3.9 3.4	4.1 2.9	3.5 2.6	4. 3.
EASES OF THE CAR AND MASTOLD PROCESS						
VII. DISEASES OF THE CIRCULATORY SYSTEM390-459	9.9	7.8	9.3	10.5	10.7 7.6	10. 7.
ENTIAL HYPERTENSION401 RT DISEASE402-429	6.7 9.6	5.7 7.6	6.5 9.0	6.4 10.5	10.2	10.
ACUTE NYOCARDIAL INFARCTION410	12.6	10.6	12.5	14.5	13.0	13.
ATHEROSCLEROTIC HEART DISEASE414.0	9.7	8.2	8.8	10.2	10.3	10.
THER IS CHEMIC HEART DISEASE411-413,414-1-414.9	7.7	5.5	7.1	7.7	9.0	9.
ONGESTIVE HEART FAILURE428.0 REBROVAS CULAR DISEASE430-438	10.7 12.4	7.9 9.7	9.3 10.9	12.6 13.2	12.2 13.8	12. 14.
VIII. DISEASES OF THE RESPIRATORY SYSTEM460-519	6.2	5.6	6.0	6.3	6.4	6.
TE BRONCHITIS AND BRONCHIOLITIS466	5.8	5.3	5.9	6.2	5.8	7.
HER ACUTE UPPER RESPIRATORY INFECTIONS, EXCEPT INFLUENZA460-465 CONIC DISEASE OF TONSILS AND ADENOIDS474	3.9 2.0	3.4 2.1	3.8 2.1	3.7 1.8	4.3 2.0	4.
UMONIA, ALL FORMS	8.0	6.8	8.0	8.3	9.2	9.
HMA493	6.1	5.2	5.9	6.5	6.2	6.
IX. DISEASES OF THE DIGESTIVE SYSTEM	6.9	5.6	6.6	7-1	7.6	8.
ERS OF THE STOMACH AND SMALL INTESTINE531-534	7.9 5.3	5.1 4.4	7.8 5.0	7•3 6•2	9•4 5•6	9. 7.
TRITIS AND DUODENITIS535 PENDICITIS540-543	5.8	5.0	6.0	5.8	6.0	6.
SUTNAL HERNTA	4.9	4.7	4-8	5.4	4.8	5.
VINFECTIOUS ENTERITIS AND COLITIS555-558	5.4	4.3	4.7	5.5	5.9	7.
DL EL ITHI AS IS574	9.8	8.3	9.2	9.6	10.8	10.
X. DISEASES OF THE GENITOURINARY SYSTEM580-629	5.7	5.2	5.3	5.8	6.1 5.5	6.
CULUS OF KIDNEY AND URETER592 SORDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING526	5.3 3.4	4.2 3.3	4.6 3.1	5.9 3.6	3.3	6. 3.
	50.	200				
XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	2.5	2.3		2.5	2.8	2.
. ABDRTIONS, INCLUDING ECTOPIC AND MOLAR PREGNANCIES630-639	2.2	2.2	1.8	2.5	2.4	2.
XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	7.6	6.2	6.9	7.3	8.1	9.
XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM	8.3	6.2	7.3	8.1	9.1	9.
AND CONNECTIVE TISSUE710-739 [HROPATHIES AND RELATED DISORDERS710-719	9.6	7.5	8.4	8.7	11.0	10
TERVERTEBR AL DISC DISORDERS	9.8	7.5	9.0	10.0	10.4	10
XIV. CONGENITAL ANOMALIES740-759	6.1	4.8	5. 9	5.4	6.2	6.
XV. CERTAIN CONDITIONS ORIGINATING IN THE			5 0	8.0	8.5	9.
PERINATAL PERIOD760-779	7.8	4.0				
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	4.8	3.8		4.9	5.3	5.
XVII. INJURY AND POISONING800-999	7.4	5.4		7.5 10.3		8. 11
ACTURES, ALL SITES800-829 RAINS AND STRAINS OF BACK (INCLUDING NECK)846-847	10.5 7.4	8.0 6.5		7.9		8
RACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE) 850-854	5.0	3.2	3.5	4.6	6.4	6
CERATIONS AND OPEN WOUNDS870-904	4.8	3.2		4. 4	5.2	6
SUPPLEMENTARY CLASSIFICATIONS	3.7	3.0		3.6		4.
RSONS ADMITTED FOR STERILIZATION	2.2	2.1		2.2		2
MALES WITH DELIVERIESV27	3.7	3.0	3.5	3.7	4.0	4

NUMBER OF ALL-LISTED DIAGNOSES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY DIAGNOSTIC CATEGORY AND AGE, SEX, COLOR, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1979 TABLE 17.

			1	AGE		
	DIAGNOSTIC CATEGORY AND ICD-9-CM CODE	1/ ALL DI AGNOSES	UNDER 15 YEARS	15-44 YEAR S	45-64 YEARS	65 YEARS
	•	NUMBER OF	ALL-LISTED	DIAGNOS	ES IN THO	JUSANDS
01	ALL CONDITIONS	86,117	6,104	30,232	21,011	28,771
02	I. INFECTIOUS AND PARASITIC DISEASES001-139	1,407	305	474	276	352
03 04	II. NEOPLASMS	4,014 2,828	87 48	762 239	1,413 1,010	1,752 1,530
05	BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR210-239	1,186	40	523	402	221
06	III. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS240-279	4,646	222	884	1,579	1,961
07	DIABETES MELLITUS	2,136	27	318	763	1,028
80	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS280-289	1,408	168	370	293	576
09 10	V. MENTAL DISORDERS	3,856 844	101 5	1,815 398	1,088 209	853 232
11	ALCOHOL DEPENDENCE SYNDROME303	821	3	379	350	89
12	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS320-389 DISEASES OF THE CENTRAL NERVOUS SYSTEM320-336,340-349	3,624 1,113	647 97	713 273	858 262	1,406 481
14 15		469 823	6 431	22 142	92 125	349 125
16 17	VII. DISEASES OF THE CIRCULATORY SYSTEM	15,559 1,705	117 12	1,179 208	4, 586 670	9,678 815
18	HEART DISEASE402-429	9,529	68	51 9	2,840	6,102
19	ACUTE MYOCARDIAL INFARCTION	688 1.837	3 7	38 37	283 430	363 1,364
20 21	OTHER ISCHEMIC HEART DISEASE	2.116	ż	132	889	1,087
22	CONGESTIVE HEART FAILURE428-0	1,216	13	26	234	944
23	CEREBROVASCULAR DISEASE430-438	1,625	11	47	312	1,255
24	VIII. DISEASES OF THE RESPIRATORY SYSTEM	6,322 333	1,513 132	1,323 54	1,420 65	2•066 83
25 26	ACUTE BRONCHITIS AND BRONCHIOLITIS	528	291	138	51	47
27	CHRONIC DISEASE OF TONSILS AND ADENOIDS474	614	412	194	7	*1
28 29	PNEUMONIA, ALL FORMS480-486 ASTHMA493	1,138 513	335 125 '	163 133	205 134	436 120
30	IX. DISEASES OF THE DIGESTIVE SYSTEM520-579	8,518	654	2,531	2,539	2,793
31	ULCERS OF THE STOMACH AND SMALL INTESTINE	598	8	146	218	226
32	GASTRITIS AND DINDENITIS	593	28	228	196	142
33	APPENDICITIS	330 569	81 99	196 143	37 160	16 167
35		829	245	267	149	167
36	CHOLEL ITHIASIS	673	2	196	228	247
37	X. DISEASES OF THE GENITOURINARY SYSTEM580-629	7,486	306	3,436	1,904	1,841
38 39	CALCULUS OF KIDNEY AND URETER592 DISORDERS OF MENSTRUATION AND OTHER ABNORMAL VAGINAL BLEEDING626	373 621	5 5	167 484	136 130	66 2
39		621	,	704	150	
40	XI. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	5, 456	25	5,396	35	•••
41		570	6	561	2	•••
42	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE680-709	1,247	137	422	336	351
43	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM	4 400	124	1 245	1 402	1 455
44	AND CONNECTIVE TISSUE	4,628 1,466	126 30	1,365 291	1•482 386	1,655 760
45	INTERVERTEBRAL DISC DISORDERS722	516	*1	227	213	74
46	XIV. CONGENITAL ANOMALIES740-759	688	265	204	127	92
47	XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	138	134	2	*1	*1
48	XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS780-799	4,051	456	1,146	1,119	1,330
		6, 391	712	3,230	1,213	1,235
49 50	XVII. INJURY AND POISONING	1,680	188	675	310	506
51	SPRAINS AND STRAINS OF BACK (INCLUDING NECK)846-847	526	8	324	145	49
52	INTRACRANIAL INJURIES (EXCLUDING THOSE WITH SKULL FRACTURE)850-854	406 740	104 80	219 483	43 104	40 74
53						
54	SUPPLEMENTARY CLASSIFICATIONS	6,678 655	128 *0	4+979 639	743 14	828 *2
55	PERSONS ADMITTED FOR STERILIZATION	655 3•646	13	3,607	27	•••

^{1/} INCLUDES DISCHARGE DATA FOR WHICH COLOR WAS NOT STATED.
2/ FIRST-LISTED DIAGNOSIS FOR FEMALES WITH DELIVERIES IS V27, SHOWN UNDER "SUPPLEMENTARY CLASSIFICATIONS."

TABLE 17. NUMBER OF ALL-LISTED DIAGNOSES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY DIAGNOSTIC CATEGORY AND AGE, SEX, COLOR, GEOGRAPHIC REGION, AND BED SIZE OF HOSPITAL: UNITED STATES, 1979—CON.

SE	x	COL	OR		GEOGRAPHI	C REGION				BED SIZE			
MALE	FEMALE	WHITE	ALL OTHER	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST	6-99 BEDS	100-199 BEDS	200-299 BEDS	300-499 BEDS	500 BEDS OR MORE	
			NUM	BER OF ALL	-LISTED D	IAGNOSES 1	N THOUSAN	DSCON.					
34, 237	51,880	64,926	10,544	18,156	25,159	29,238	13, 564	16,827	15,119	15,337	20,137	18,697	-
616	791	1,026	226	287	378	529	213	267	246	242	31 6	336	
1,675 1,395	2,339 1,433	3,078 2,209	441 273	1,019 720	1,197 868	1,154 764	644 4 75	475 322	583 387	689 467	1,065 782	1,202 870	
280	906	869	168	299	329	390	169	153	196	222	284	332	
1,734	2, 912	3,500	613	1,010	1,417	1,577	643	950	799	849	1,107	941	
845 560	1, 291 848	1,575 965	312 296	540 321	609 394	715 463	272 230	411 261	375 209	386 250	537 345	427 343	
		2 411	C 0C	04.4			(20	000		(17	000	705	
1,879 407	1,977 437	2,811 626	505 120	964 219	1,217 248	1,045 208	630 168	909 149	633 130	617 125	902 22 5	795 214	
628	193	506	160	319	231	134	138	285	116	117	178	126	
1,632	1,993	2,749	376	761	1,163	1,065	635	554	596	618	956	901	
529 190	584 279	849	135 43	239 117	341 138	362	172 90	194 48	178 88	188 80	270 142	283 111	
407	278 416	354 617	66	150	283	124 249	141	117	148	160	225	173	
7,449	8,111	12,230	1,514	3,658	4,276	5,361	2, 265	3,215	2,766	2,838	3,676	3,064	
672	1,033	1,243	281	363	510	604	228	364	288	312	401	339	
3,075	2, 782	4,764	420	1,537	1,546	` 1,914	861	1,200	1,054	1,067	1,408	1,128	
423 901	266 936	564 1,496	44 115	182 545	170 508	222 555	114 229	144 321	117 355	119 371	172 445	136 345	
1,196	920	1,758	132	499	552	731	334	454	362	352	510	437	
556 734	660 890	946	128 170	310 360	316	405 571	184 230	281 3 67	220 290	225 302	281 369	210 296	
734	890	1,266	170		463	511		301				_	
3,349 157	2,973 176	4,903 250	6 44 39	1,181 55	1,873 102	2,380 144	887 32	1,640 107	1,194 72	1,081 54	1,335 68	1,072 32	
261	267	391	71	87	157	232	51	162	118	84	98	66	
274	340	452	51	100	216	190	108	92	117	135	161	109	
620 214	51 8 299	871 364	148 91	19 4 119	302 142	502 171	140 81	395 122	203 91	172 83	202 117	166 101	
			860	1,742	2,491	3,126	1,158	1,894	1,531	1,585	1,905	1,603	
3,884 325	4, 634 272	6•644 472	59	112	163	241	82	155	106	105	134	97	
276	317	460	74	90	169	281	53	194	109	117	101	73	
176	154	258	30	64	104	102	59 05	73	61 105	69 106	69 139	57 127	
510 349	58 479	435 659	53 73	147 13 4	174 235	153 353	95 106	91 2 4 6	158	133	172	120	
193	481	540	59	162	182	241	89	127	113	135	171	128	
2,183	5,304	5,647	947	1,512	2,168	2,788	1,019	1,284	1,445	1,434	1,715	1,608	
245	128	308	21	74	101	150	48	71	65	80	89	69 135	
•••	621	454	79	145	176	227	72	95	133	116	142	133	
•••	5,456 570	3,692 353	1,085 155	1,151 191	1,521 147	1,805 148	979 84	761 64	991 111	965 95	1,285 125	1,453 175	
569	677	939	165	267	372	416	192	267	210	213	284	273	
1,793	2,835	3,525	433	794	1,497	1,560	777	1,007	826	834	1:031	930	
516 273	950 244	1,124 388	138 38	260 76	460 160	503 170	243 110	313 78	258 89	267 114	343 123	285 112	
341	347	526	77	144	224	198	122	79	84	117	177	231	
							-						
77	62	95	25	25	33	41	40	16	14	23	39	47	
1,861	2,190	3,052	519	749	1,183	1,448	670	843	691	719	898	901	
3,581	2,810	4.740	786	1,201	1,832	2,121	1,236	1,359	1,155	1,103	1.502	1,272	
895 250	784 276	1,282 361	143 91	334 78	482 141	519 243	344 64	281 173	294 117	325 79	419 89	361 68	
251	155	304	55	98	119	116	73	91	70	65	105	76	•
537	204	519	132	133	197	255	156	164	134	119	172	151	
1,055	5,623	4,805	1,032	1,371	1,924	2,158	1,225	1,048	1,146	1,160	1,598	1,726	•
17	637	470 2,519	108 650	142 726	166 1,012	265 1,235	82 673	112 5 40	143 650	127 652	132 860	140 944	
•••	3,646												

TABLE 18. NUMBER OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY, AGE, SEX, AND COLOR: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

			ALL AGES			
PROCEDURE CATEGORY AND ICD-9-CM CODE		1/ SEX		CO	LOR	1/ 15 YEARS AND
	BOTH SEXES	MALE	FEMALE	WHITE	ALL OTHER	OVER
	NUMBE	R OF ALL-	-LISTED PR	OCEDURES	IN THOUSA	NDS
ALL PROCEDURES	29, 603	11,007	18,596	22,262	3,508	27,369
OPERATIONS ON THE NERVOUS SYSTEM	710	361	349	514	96	597
OPERATIONS ON THE ENDOCRINE SYSTEM06-07	113	25	88	84	15	109
OPERATIONS ON THE EYE	945 41 8	398 169	547 248	730 318	79 33	865 411
OPERATIONS ON THE EAR	429 225	229 125	200 100	312 159	28 14	177 23
OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29	1,667	821	846	1,286	123	1,166
RHINOPLASTY AND REPAIR OF NOSE	242	117	126	198	10	232
TONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	500	215	286	367	41	187
OPERATIONS ON THE RESPIRATORY SYSTEM	813 75	470 37	343 37	606 58	106 9	775 72
OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39 DPEN HEART	1,196	723	473	953	126	1,134
SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5	166	122	44	144	9	156
CARDIAC CATHETER IZATION	298	195	103	248	23	274
SYSTEMIC SHUNT OR GRAFT BYPASS	66 85	21 51	45 35	51 64	12	66 83
OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	329	155	174	250	41	308
OPERATIONS ON THE DIGESTIVE SYSTEM42-54	5,081	2,228	2,853	3,889	539	4,787
PARTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8 APPENDECTOMY, EXCLUDING INCIDENTAL	216	103	112	167	22	211
HEMORRHO IDEC TOMY49_43-49_46	311 166	162 83	149 84	246 124	25 17	232 166
CHOLECYSTECTOMY51.2	445	119	326	353	36	443
REPAIR OF INGUINAL HERNIA	500 230	449 34	51 196	381 171	45 33	408 226
OPERATIONS ON THE URINARY SYSTEM	1,925 201	1,045 79	880 121	1,505 154	205 27	1,765 173
OPERATIONS ON THE MALE GENITAL ORGANS60-64	757	757		561	88	643
PROSTATECTOMY	293	293	•••	227	22	292
ORCHIECTOMY AND ORCHIOPEXY	68 45	68 45	•••	49	7	44
		70	•••	40	*1	45
DPERATIONS ON THE FEMALE GENITAL ORGANS	4, 240 447	• • •	4,240 447	3,061 326	638 6 4	4,215 445
BILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3	610	•••	610	436	104	610
HYSTERECTOMY68.3-68.7 CURETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01,69.51	639	•••	639	478	80	638
DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02	163 298	•••	163 298	83 201	66 58	161 296
DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS69.09 REPAIR OF CYSTOCELE AND RECTOCELE	935 175	•••	935 175	684 143	118 9	931 175
	1.7	•••	117	143	7	115
OBSTETRICAL PROCEDURES72-75	3,471	•••	3,471	2,447	546	3,455
CESAREAN SECTION74.0-74.2,74.4,74.99 REPAIR OF CURRENT OBSTETRIC LACERATION75.5-75.6	599 3 4 1	•••	599 341	420 235	108 68	597 339
OPERATIONS ON THE MUSCULOSKELETAL SYSTEM76-84	3,044	1,616	1,428	2,269	308	2,803
OPEN REDUCTION OF FRACTURE	352 282	194 150	158 131	268 213	29 25	328 212
EXCISION OR DESTRUCTION OF INTERVENTEBRAL DISC	202	150	131	213	23	212
AND SPINAL FUSION	183	108	76	137	11	179
ARTHROPLASTY OF JOINTS81.3-81.8	155 3 4 8	110 161	45 187	117 266	9 28	151 340
OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86	1,885	719	1,166	1,433	225	1.748
MASTECTOMY85.4 EXCISION OF PILONIDAL CYST OR SINUS86.21	112 59	8 28	104 31	90 4 5	7 7	112 58
SKIN GRAFT (EXCEPT LIP OR MOUTH)	162	101	61	122	23	142
MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99 COMPUTERIZED AXIAL TOMOGRAPHY	2,998	1,460	1,538	2,362	342	2,822
(C.A.T. SCAN)	194	93	101	151	25	176
DIAGNOSTIC ULTRASDUND	222 531	83 2 4 2	139 289	169 431	35 73	215 518
72.00	<i></i>	272	209	431	1.5	210

^{1/} INCLUDES DISCHARGE DATA FOR WHICH COLOR WAS NOT STATED.

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 19. RATE OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY, AGE, AND SEX: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

	ALL AGES		15 YEARS	
PROCEDURE CATEGORY AND ICD-9-CM CODE	BOTH SEXES	MALE	FEMALE	AND OVER
	RATE OF ALL-LI	STED PROCEDURE	S PER 100,000	POPULATION
ALL PROCEDURES	13,712.3	10,565.3	16,647.3	16,508.3
OPERATIONS ON THE NERVOUS SYSTEM01-05	328.7	346.0	312.5	360•4
OPERATIONS ON THE ENDOCRINE SYSTEM06-07	52.4	24.0	79.0	65.7
OPERATIONS ON THE EYE	437.8 193.5	382.0 162.6	489 . 9 222.3	521.6 247.6
OPERATIONS ON THE EAR	198.8 104.3	220.1 120.2	178.9 89.4	107.0 13.9
OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29	772.3	788.5	757-1	703.1
RHINOPLASTY AND REPAIR OF NOSE21.8	112.2	112.1	112.4	139.9
TONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	231.8	206.1	255.7	113.0
OPERATIONS ON THE RESPIRATORY SYSTEM	376.8 34.5	451 • 4 35 • 6	30 7. 2 33.5	467.4 43.4
DPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39	554.0	693.6	423.7	683.8
OPEN HEART SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5	76.8	116.9	39.3	93.9
CARDIAC CATHETER IZATION	138.1	187.5	92.1	165.3
LIGATION AND STRIPPING OF VARICOSE VEINS	30.7	20.3	40.3	39.8
SYSTEMIC SHUNT OR GRAFT BYPASS39.0-39.2	39.6	48.6	31.2	50.3
OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	152.2	148.4	155.8	185.6
OPERATIONS ON THE DIGESTIVE SYSTEM	2,353.7	2, 138, 5	2,554.3 100.6	2,887.4 127.1
PARTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8 APPENDECTOMY, EXCLUDING INCIDENTAL47.0	100.0 144.1	99.3 155.4	133.5	139.9
HEMORRHO I DECTOMY49, 43-49, 46	77.0	79.3	74.9	100.1
CHOLECYSTECTOMY51.2	206.2	114.4	291.9	267.1
REPAIR OF INGUINAL HERNIA53.0-53.1 DIVISION OF PERITONEAL ADHESIGNS54.5	231.6 106.5	430.8 32.4	45•7 1 75•7	246.3 136.6
OPERATIONS ON THE URINARY SYSTEM55-59 DILATION OF URETHRA58-6	891.6 92.9	1,003.3 76.0	787.4 108.6	1,064.7 104.6
OPERATIONS ON THE MALE GENITAL ORGANS60-64	350.6	726.5	•••	387.8
PROST AT ECTOMY60.2-60.6	135.7	281.2	•••	176.2
ORCHIECTOMY AND ORCHIOPEXY	31.5	65.4	•••	26.5 27.3
VASECTOMY AND LIGITION OF VAS DEFERENS63.7	20.9	43.4	•••	21.5
OPERATIONS ON THE FEMALE GENITAL ORGANS65-71	1,963.8	•••	3,795.3	2,542.3
ODPHORECTOMY AND SALPINGO-OOPHORECTOMY	207.1	•••	400-2	268.5
BILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3 HYSTERECTOMY68.3-68.7	282•7 295•9	•••	546.4 572.0	367.9 384.7
CURETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01,69.51	75.3	•••	145.6	97.0
DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02	138.3	•••	267.2	178.6
DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS	433.0 81.1	•••	836.8 156.6	561.3 105.3
OBSTETR ICAL PROCEDURES72-75	1,607.6		3,106.9	2,084.0
CESAREAN SECTION	277.5	•••	536.4	360.3
REPAIR OF CURRENT OBSTETRIC LACERATION75.5-75.6	157.8	•••	304.9	204.7
OPERATIONS ON THE MUSCULOSKELETAL SYSTEM76-84	1,410.1	1,551.5	1,278.3	1,690.7
OPEN REDUCTION OF FRACTURE	163.1	185.9 144.4	141.8 117.4	197.5 128.0
EXCISION OR DESTRUCTION OF INTERVERTEBRAL DISC	130•4 85•0	103.4	67.8	108.1
AND SPINAL FUSION80.5,81.0 EXCISION OF SEMILUNAR CARTILAGE OF KNEE80.6	71.8	105.4	40.0	91.0
ARTHROPLASTY OF JOINTS81.3-81.8	161.0	154.6	167.0	204.9
OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86	873.3	690-4	1,044.0	1,054-6
MASTECTOMY85.4	51.9	7.3	93.5	67.4
EXCISION OF PILONIDAL CYST OR SINUS86.21 SKIN GRAFT (EXCEPT LIP OR MOUTH)86.6-86.7	27•3 74•8	26.6 96.6	28.0 54.5	34.8 85.7
MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99	1,388.6	1,401.0	1,376.9	1,702.2
COMPUTERIZED AXIAL TOMOGRAPHY (C.A.T. SCAN)	89.8	89.1	90.4	106.2
DIAGNOSTIC ULTRASOUND	102.9	79•9	124.3	129.8
RADIOISOTOPE SCAN92.0-92.1			258.6	312.3

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 20. NUMBER OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY AND GEO-GRAPHIC REGION: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

PROCEDURE CATEGORY AND ICD-9-CM CODE	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
	NUMBER	OF ALL-LIST	ED PROCEDURE	S IN THOUSA	INDS
ALL PROCEDURES	29,603	6,524	8,806	9,170	5,103
OPERATIONS ON THE NERVOUS SYSTEM01-05	710	133	212	206	160
OPERATIONS ON THE ENDOCRINE SYSTEM06-07	113	26	32	37	20
OPERATIONS ON THE EYE	945 418	211 105	310 124	247 113	177 76
OPERATIONS ON THE EAR	429 225	80 43	159 80	111 63	80 39
OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29	1,667	342	641	449	236
RHINOPLASTY AND REPAIR OF NOSE21.8 TONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	2 4 2 500	44 79	106 175	57 155	35 92
OPERATIONS ON THE RESPIRATORY SYSTEM30-34 THORACEVIES IS	813 75	191 16	239 23	23 4 22	150 13
OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39 OPEN HEART	1,196	247	338	346	265
SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5 CARDIAC CATHETER IZATION	166 298	24 49	52 84	46 94	44 72
I TGATION AND STRIPPING OF VARICOSE VEINS	66	22	19	16	10
SYSTEMIC SHUNT OR GRAFT BYPASS	85 329	23 79	23 101	23 93	16 55
	5,081	1,151	1,492	1,631	807
OPERATIONS ON THE DIGESTIVE SYSTEM42-54 PARTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8	216	50	63	59	43
APPENDECTOMY, EXCLUDING INCIDENTAL47-0	311	58	96	97	59
HEMORRHOIDECTOMY49.43-49.46 CHOLECYSTECTOMY51.2	166 445	35 109	48 118	64 151	19 67
REPAIR OF INGUINAL HERNIA53.0-53.1	500	131	150	134	86
DIVISION OF PERITONEAL ADHESIONS54.5	230	40	66	91	32
DPERATIONS ON THE URINARY SYSTEM55-59 DILATION OF URETHRA58.6	1,925 201	423 38	603 66	666 84	233 13
OPERATIONS ON THE MALE GENITAL ORGANS60-64	757	178	231	233	114
PROSTATECTOMY60.2-60.6 ORCHIECTOMY AND ORCHIOPEXY62.3-62.5	293 68	71 19	93 18	80 18	49 13
VASECTOMY AND LIGITION OF VAS DEFERENS	45	8	16	17	4
OPERATIONS ON THE FEMALE GENITAL ORGANS65-71	4,240	1,064 84	1,138 116	1,444 170	593 78
ODPHORECTOMY AND SALPINGO-OOPHORECTOMY65.3-65.6 BILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3	447 610	129	151	253	78
HYSTERECTOMY68.3-68.7	639	105	168	252	114
CUR ETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01,69.51	163	86	36	20 99	21 41
DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02 DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS	298 935	73 286	85 277	277	94
REPAIR OF CYSTOCELE AND RECTOCELE70-5	175	29	53	65	28
OBSTETRICAL PROCEDURES72-75	3,471	698	1,004	1,100	668
CESAREAN SECTION74.0-74.2,74.4,74.99 REPAIR OF CURRENT OBSTETRIC LACERATION	599 3 4 1	131 60	1 44 100	219 98	104 83
OPERATIONS ON THE MUSCULOSKELETAL SYSTEM76-84	3,044	543	996	881	624
OPEN REDUCTION OF FRACTURE76.79,79.2-79.3,79.5-79.6 OTHER REDUCTION OF FRACTURE	352 282	69 63	96 85	105 79	81 55
EXCISION OR DESTRUCTION OF INTERVERTEBRAL DISC	1.02	24	54	64	41
AND SPINAL FUSION	183 155 348	27 56	53 126	39 93	36 73
OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86	1,885	397	570	621	298
MASTECTOMY	112	33	35	29	16
EXCISION OF PILONIDAL CYST OR SINUS86.21 SKIN GRAFT (EXCEPT LIP OR MOUTH)86.6-86.7	59 162	19 32	15 48	18 52	7 30
MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES 87-99 COMPUTER IZED AXIAL TOMOGRAPHY	2,998	763	740	872	623
(C.A.T. SCAN)87.03,87.41,87.71,88.01,88.38	19 4 222	56 65	47 48	33 51	58 58
DIAGNOSTIC ULTRASOUND	531	215	83	123	109

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 21.RATE OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY AND GEOGRAPHIC REGION: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

PROCEDURE CATEGORY AND ICD-9-CM CODE	ALL REGIONS	NORTH- EAST	NORTH CENTRAL	SOUTH	WEST
	RATE OF ALL	LISTED PRO	CEDURES PER	100,000 PO	PULATION
ALL PROCEDURES	13,712.3	13,525.4	15,310.4	13,110.8	12,697.3
OPERATIONS ON THE NERVOUS SYSTEM01-05	328.7	275.0	368.0	293.9	397.5
OPERATIONS ON THE ENDOCRINE SYSTEM	52.4	53.2	54.8	52 •2	48.5
OPERATIONS ON THE EYE	437.8 193.5	437.4 217.7	539.7 214.8	352.5 162.0	441.1 188.7
OPERATIONS ON THE EAR	198.8 104.3	165.9 90.0	276.1 138.5	158.3 90.7	198.3 96.0
OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29	772.3	708.2	1,114.8	641.5	586.7
RHINOPLASTY AND REPAIR OF NOSE21.8 TONSILLECTOMY WITH OR WITHOUT ADENOIDECTOMY28.2-28.3	112.2 231.8	90.5 163.3	184.6 304.4	81.9 221.4	87.7 228.1
DPERATIONS ON THE RESPIRATORY SYSTEM	376.8 34.5	395.6 33.3	414.9 40.5	335.1 31.5	372 . 3 32 . 6
OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39 OPEN HEART	554.0	511.6	587.0	495.0	660.2
SURGERY35.1-35.51, 35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5 CARDIAC CATHETER IZATION	76.8 138.1	49.7 100.8	89.9 146.4	66.3 134.0	108.7 178.4
LIGATION AND STRIPPING OF VARICOSE VEINS	30.7	44.6	32.9	22.4	25.0
SYSTEMIC SHUNT OR GRAFT BYPASS39.0-39.2	39.6	47.1	40.3	33.0	41.0
OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	152.2	163.9	175-1	133.7	137.9
OPERATIONS ON THE DIGESTIVE SYSTEM43.5-43.8,45.6-45.8	2,353.7 100.0	2,386.5	2,593.9 110.2	2:332.0 84.7	2,008.3 106.8
APPENDECTOMY, EXCLUDING INCIDENTAL	144.1	104.4 121.2	167.4	138.9	147.1
HEMORRHO I BECTOMY	77.0	73.3	82.9	92.0	47.1
CHOLECYSTECTOMY51.2	206.2	227.0	205.2	215.8	166.1
REPAIR OF INGUINAL HERNIA53.0-53.1 DIVISION OF PERITONEAL ADHESIONS54.5	231.6 106.5	271.4 83.8	260.2 114.6	190.9 130.8	213.4 80.1
OPERATIONS ON THE URINARY SYSTEM55-59 DILATION OF URETHRA58-6	891.6 92.9	877 - 2 78 - 6	1,048.9 114.6	951.6 120.4	579.2 31.1
OPERATIONS ON THE MALE GENITAL ORGANS	350.6	368.5	402-1	333.6	284.8
PROSTATECTOMY60.2-60.6 ORCHIECTOMY AND ORCHIOPEXY	135.7 31.5	147.4 40.4	160.9 31.1	11 4. 3 25.9	122.8 31.4
VASECTOMY AND LIGITION OF VAS DEFERENS63.7	20.9	17.0	27.8	24.2	10.1
OPERATIONS ON THE FEMALE GENITAL ORGANS65-71	1,963.8	2,205.7	1,979.2	2,064.9	1,475.7
ODPHORECTOMY AND SALPINGO-OOPHORECTOMY65.3-65.6 BILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3	207.1 282.7	173.6 267.0	201.6 262.0	242.7 361.6	193.0 194.1
HYSTERECTOMY68.3-68.7	295.9	217.6	292.0	361.0	282.5
CURETTAGE OF UTERUS TO TERMINATE PREGNANCY69.01,69.51	75.3	178.4	63.0	28.2	51.3
DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02 DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS69.09	138.3 433.0	152.3 593.0	147.7 481.3	141.5 396.7	102.4 235.0
REPAIR OF CYSTOCELE AND RECTOCELE	81.1	59.1	92.0	93.2	70.6
DBSTETRICAL PROCEDURES72-75	1,607.6	1,447.9	1,745.8	1,572.8	1,662.1
CESAREAN SECTION74.0-74.2,74.4,74.99 REPAIR OF CURRENT OBSTETRIC LACERATION75.5-75.6	277.5 157.8	272.4 124.8	251-1 1 7 3-9	313.5 139.4	258.9 206.1
OPERATIONS ON THE MUSCULOSKELETAL SYSTEM76-84	1.410.1	1,125.1	1,732.0	1,260.2	1,552.5
OPEN REDUCTION OF FRACTURE	163.1 130.4	144-1	166.8 147.5	150.8 112.8	202.0 136.1
EXCISION OR DESTRUCTION OF INTERVERTEBRAL DISC AND SPINAL FUSION	85.0	130.9 50.5	93.9	91.0	102.9
ARTHROPLASTY OF JOINTS81.3-81.8	71.8 161.0	56.3 116.1	92.0 218.3	56.2 133.3	88.5 181.4
OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86	873.3	822.3	991.2	887.2	741.9
MAST ECTOMY85.4	51.9	68.1	60.3	40.9	39.6
EXCISION OF PILONIDAL CYST OR SINUS86.21 SKIN GRAFT (EXCEPT LIP OR MOUTH)86.6-86.7	27.3 74.8	38.5 65.7	26.1 84.0	26.3 73.8	17.3 74.4
MISCELLANEOUS DIAGNOSTIE AND THERAPEUTIC PROCEDURES87-99 COMPUTERIZED AXIAL TOMOGRAPHY	1,388.6	1,581.5	1,286.9	1,246.2	1,550.4
(C.A.T. SCAN)	89-8	115.7 133.9	81.7	46.9	144.8 145.4
DIAGNOSTIC ULTRASOUND88.7 RADIOISDTOPE SCAN92.0-92.1	102.9 245.8	133.9 445.7	83.7 144.8	72.9 176.3	271.4

NOTE: SEE "MEDICAL CODING AND EDIT," APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

TABLE 22. NUMBER OF ALL-LISTED PROCEDURES FOR PATIENTS DISCHARGED FROM SHORT-STAY HOSPITALS, BY PROCEDURE CATEGORY AND BED SIZE OF HOSPITAL: UNITED STATES, 1979

(DISCHARGES FROM NONFEDERAL SHORT-STAY HOSPITALS. EXCLUDES NEWBORN INFANTS. GROUPINGS OF PROCEDURES BY ANATOMICAL SYSTEMS AND CODE NUMBER INCLUSIONS ARE BASED ON THE INTERNATIONAL CLASSIFICATION OF DISEASES, 9TH REVISION, CLINICAL MODIFICATION)

PROCEDURE CATEGORY AND ICD-9-CM CODE	ALL SIZ E S	6-99 BEDS	100-199 B EDS	200-299 BEDS	300-499 BEDS	500 BEDS OR MORE
	NUMBE	R OF ALL-	LISTED PR	OC EDURES	IN THOUSA	INDS
ALL PROCEDURES	29, 603	3,432	5, 058	5,591	7,553	7,970
OPERATIONS ON THE NERVOUS SYSTEM	710	48	87	107	201	266
OPERATIONS ON THE ENDOCRINE SYSTEM06-07	113	5	14	21	31	42
OPERATIONS ON THE EYE08-16 EXTRACTION OF LENS	945 418	107 39	147 74		287 131	259 103
OPERATIONS ON THE EAR18-20 MYRINGOTOMY20.0	429 225	25 11	63 33	91 55	140 77	110 50
	1,667	226	299	338	438	367
OPERATIONS ON THE NOSE, MOUTH, AND PHARYNX21-29 RHINOPLASTY AND REPAIR OF NOSE21-8	2 4 2	38	43	52	51	58
TONSILLECTOMY WITH OR WITHOUT ADENGIDECTOMY28-2-28-3	500	82	101	109	120	88
OPERATIONS ON THE RESPIRATORY SYSTEM30-34 THORACENTESIS34-91	813 75	43 10	114 14	145 9	225 19	287 22
OPERATIONS ON THE CARDIOVASCULAR SYSTEM35-39 OPEN HEART	1,196	39	113	2 03	344	497
SURGERY35.1-35.51,35.53-36.2,36.9,37.10-37.11,37.32-37.33,37.5	166	*0	5	24	47	89
CARDIAC CATHETER IZATION37-21-37-23 IGATION AND STRIPPING OF VARICOSE VEINS	298 66	5 8	17 9	47 16	85 20	144 13
SYSTEMIC SHUNT OR GRAFT BYPASS	85	*2	ģ	14	23	37
OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM40-41	329	32	39	50	84	123
OPERATIONS ON THE DIGESTIVE SYSTEM42-54	5,081	680	886	1,015	1,231	1,268
PARTIAL GASTRECTOMY AND RESECTION OF INTESTINE43.5-43.8,45.6-45.8	216	27	37	37	58	57
APPENDECTOMY, EXCLUDING INCIDENTAL47.0	311 166	71 30	56 33	68 33	6 4 38	52 32
HOL ECYST ECTOMY	445	68	78	96		90
REPAIR OF INCUINAL HERNIA53.0-53.1 DIVISION OF PERITONEAL ADHESIONS54.5	500 230	79 25	89 48	94 45	125 57	114 56
		191	334	427	508	464
OPERATIONS ON THE URINARY SYSTEM55-59 DILATION OF URETHRA58.6	1•925 201	25	43	52		31
OPERATIONS ON THE MALE GENITAL ORGANS60-64	757	94	125	159	197	182
PROSTAT ECTOMY60-2-60-6	293	26	54	63	80 18	69 17
PRCHIECTOMY AND ORCHIOPEXY62.3-62.5 ASSECTOMY AND LIGITION OF VAS DEFERENS63.7	68 45	8 8	10 5	14 13	10	9
OPERATIONS ON THE FEMALE GENITAL ORGANS65-71	4, 240	5 <u>54</u>	882	791	984	1,029
ODPHORECTOMY AND SALPINGO-DOPHORECTOMY65.3-65.6	447	57	97	89	95	109 133
BILATERAL DESTRUCTION OR OCCLUSION OF FALLOPIAN TUBES66.2-66.3 HYSTERECTOMY68.3-68.7	610 639	102 86	133 136	119 124	123 144	149
CURETTAGE OF UTERUS TO TERMINATE PREGNANCY	163	9	42	20	28	63
DILATION AND CURETTAGE OF UTERUS AFTER DELIVERY OR ABORTION69.02	298	40	53	57	77	71
DIAGNOSTIC DILATION AND CURETTAGE OF UTERUS69.09 REPAIR OF CYSTOCELE AND RECTOCELE70.5	935 175	118 26	176 44	173 29	238 38	229 37
OBSTETR ICAL PROCEDURES72-75	3,471	443	600	501	888	939
CESAREAN SECTION	599 341	64 49	111 50	101	145	179 92
OPERATIONS ON THE MUSCULOSKELETAL SYSTEM76-84 OPEN REDUCTION OF FRACTURE76-79,79-2-79-3,79-5-79-6	3, 044 352	431 41	507 66	609 72	767 90	730 83
OTHER REDUCTION OF FRACTURE	282	56	51	62	65	48
EXCISION OR DESTRUCTION OF INTERVENTEBRAL DISC AND SPINAL FUSION	183	3	31	41	45	63
AND 3FINAL FUSION RESERVED TO THE PROPERTY OF JOINTS	155 348	13 48	26 51	35 69	43 92	37 89
OPERATIONS ON THE INTEGUMENTARY SYSTEM85-86	1,885	322	313	337	461	453
MACTECTOMY	112	12	19	22	29	30
EXCISION OF PILONIDAL CYST OR SINUS	59 162	9 16	9 22	13 28	17 44	11 51
MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES87-99	2,998	194	535	550	765	954
COMPUTERIZED AXIAL TOMOGRAPHY (C.A.T. SCAN)	194	*1	32	20	51	90
DIAGNOSTIC ULTRASOUND88.7	222	9	31	39	54	90
RADIOISOTOPE SCAN92.0-92.1	531	35	133	101	110	151

NOTE: SEE "MEDICAL CODING AND EDIT." APPENDIX I, FOR CODING MODIFICATIONS FOR THE NATIONAL HOSPITAL DISCHARGE SURVEY.

Appendixes

Contents

1.	Statistical design of the National Hospital Discharge Survey Data collection and processing Presentation of estimates Reliability of estimates Tests of significance	51 52 55 56 57
11.	Definitions of certain terms used in this report	62
	Hospitals and hospital characteristics	62
	Terms relating to hospitalization	62
	Terms relating to diagnoses	62
	Terms relating to surgical and nonsurgical procedures	63
	Demographic terms	64
List	t of appendix figures	
1. 11.	Medical abstract for the National Hospital Discharge Survey	53
	all-listed diagnoses, by selected patient and hospital characteristics	58
Ш.	Approximate relative standard errors of estimated numbers of days of care, by selected patient and hospital	
IV.	characteristics	60
	hospital characteristics	61
List	t of appendix tables	
1.	Number of hospitals in the National Hospital Discharge Survey (NHDS) universe and number of hospitals added to the	51
	NHDS universe, by year of addition and year of Master Facility Inventory (MFI) used: United States, 1963-77	E0
II.	Distribution of short-stay hospitals in the National Hospital Discharge Survey universe and survey sample and number of hospitals that participated in the survey, by geographic region and bed size of hospital: United States, 1979	52
111.	Civilian noninstitutionalized population by sex, age, and geographic region: United States, July 1, 1979	56

Appendix I. Technical notes on methods

Statistical design of the National Hospital Discharge Survey

Scope of the survey.—The National Hospital Discharge Survey (NHDS) encompasses patients discharged from noninstitutional hospitals, exclusive of military and Veterans Administration hospitals, located in the 50 States and the District of Columbia. Only hospitals with six beds or more for patient use and those in which the average length of stay for all patients is less than 30 days are included in the survey. Although all discharges of patients from these hospitals are within the scope of the survey, discharges of newborn infants from all hospitals, as well as discharges of all patients from Federal hospitals, are excluded from this report.

Sampling frame and size of sample.—The sampling frame (universe) for hospitals in the NHDS is the Master Facility Inventory of Hospitals and Institutions (MFI). A detailed description of the development, contents, plans for maintenance, and procedures for assessing completeness of coverage of the MFI has been previously published.⁷

The original universe for the survey consisted of 6,965 short-stay hospitals contained in the MFI in 1963. This universe is periodically updated, as shown in table I. The distribution of the hospitals in the

Table I. Number of hospitals in the National Hospital Discharge Survey (NHDS) universe and number of hospitals added to the NHDS universe, by year of addition and year of Master Facility Inventory (MFI) used: United States, 1963-77

ASSI data consu	NHDS universe					
MFI data year	Year added	Number added	Total universe			
1963	1965	6,965	6,965			
1969	1972	442	7,407			
1972	1975	223	7,630			
1975	1977	273	7,903			
1977	1979	114	8,017			

NOTE: A list of references follows the text.

NHDS universe and sample for 1979 is given by bed size and geographic region in table II.

The sample for 1979 consisted of 544 hospitals. Of these, 80 refused to participate, and 48 were out of scope either because the hospital had gone out of business or because it failed to meet the definition of a short-stay hospital. Thus 416 hospitals participated in the survey during 1979 and provided approximately 215,000 abstracts of medical records.

Sample design.—All hospitals with 1,000 beds or more in the universe of short-stay hospitals were selected with certainty in the sample. All hospitals with fewer than 1,000 were stratified, the primary strata being the 24 size-by-region classes shown in table II. Within each primary stratum, the allocation of the hospitals was made through a controlled selection technique so that hospitals in the sample would be properly distributed with regard to ownership and geographic division. Sample hospitals were drawn with probabilities ranging from certainty for the largest hospitals to 1 in 40 for the smallest hospitals.

The within-hospital sampling ratio for selecting sample discharges varied inversely with the probability of hospital selection. The smallest sampling fraction of discharged patients was taken in the largest hospitals, and the largest fraction was taken in the smallest hospitals. This sampling was done to compensate for hospitals that were selected with probabilities proportionate to their size class and to ensure that the overall probability of selecting a discharge would be approximately the same in each size class.

In nearly all hospitals, the daily listing sheet of discharges was the frame from which the subsamples of discharges were selected within the sample hospitals. The sample discharges were selected by a random technique, usually on the basis of the terminal digit(s) of the patient's medical record number that was assigned when the patient was admitted to the hospital. If the hospital's daily

Table II. Distribution of short-stay hospitals in the National Hospital Discharge Survey universe and survey sample and number of hospitals that participated in the survey, by geographic region and bed size of hospital: United States, 1979

Bed size of hospital	All regions	North- east	North Central	South	West
All sizes		Nui	mber of hospit	als	
Universe	8,017 544 416	1,784 132 109	2,148 153 116	3,196 176 128	1,489 83 63
6-49 beds			,,,	120	00
Universe	3,521 70 42	223 8 6	899 18 13	1,670 30 16	729 14 7
50-99 beds					
Universe Total sample Number participating	1,897 80 56	301 14 10	486 20 13	737 32 23	373 14 10
100-199 beds					
Universe Total sample Number participating	1,411 122 95	298 26 22	412 34 27	479 43 30	222 19 16
200-299 beds					
Universe	624 98 76	195 31 26	166 27 22	165 24 15	98 16 13
300-499 beds					
Universe	411 98 83	113 25 22	134 32 25	111 29 27	53 12 9
500-999 beds					
Universe Total sample Number participating	135 58 47	45 19 15	48 19 13	29 13 12	13 7 7
1,000 beds or more					
Universe	18 18 17	9 9 8	3 3 3	5 5 5	1 1 1

discharge listing did not show the medical record numbers, the sample was selected by starting with a randomly selected discharge and taking every kth discharge thereafter.

Data collection and processing

Data collection.—Depending on the study procedure agreed on with the hospital administrator, the sample selection and the transcription of information from the hospital records to abstract forms were performed either by the hospital staff or by representatives of the National Center for Health Statistics (NCHS) or by both. In about two-thirds of the hospitals that participated in the NHDS during the year, this work was performed by the medical records department of the hospital. In the remaining hospitals, the work was performed by personnel of the U.S. Bureau of the Census acting for NCHS.

Survey hospitals used an abstract form to transcribe data from the hospital records. The form provides space for recording demographic data, admission and discharge dates, zip code of the patient's residence, expected sources of payment, disposition of the patient at discharge, and information on discharge diagnoses and surgical operations or procedures. All discharge diagnoses and procedures were listed on the abstract in the order of the principal one, or the first-listed one if the principal one was not identified, followed by the order in which all other diagnoses or procedures were entered on the face sheet of the medical record. The abstract form was revised in 1979 because of changes in the requirements for the collection of race and ethnicity data (figure I). Approximately half of the 1979 data were collected on each version of the form.

Completed abstract forms for each sample hospital were shipped, along with sample selection

Form Approved: O.M.B. No. 68-R0620

CONFIDENTIAL — All information which would permit ide confidential, will be used only by persons engaged in and for tother persons or used for any other purpose.	entification of an individual or of an establishment will be held the purposes of the survey, and will not be disclosed or released to
PUBLIC HE HEALTH RESOURCE	I, EDUCATION, AND WELFARE LALTH SERVICE LES ADMINISTRATION FOR HEALTH STATISTICS
MEDICAL ABSTRACT - HE	DSPITAL DISCHARGE SURVEY
A. PATIENT IDENTIFICATION 1. Hospital number	4. Date of admission
B. PATIENT CHARACTERISTICS	
7. Date of birth	8. Age (Complete only if Date of Birth not given)
9. Sex (Mark one) 1 Male 2	Female 3 Not stated
10. Race or Color (Mark one) 1 White 2	Black 3 Other 4 Not stated
	le 3 Widowed 4 Divorced 5 Separated 6 Not stated
12. Expected Source(s) of payment	13. Disposition of Patient (Mark one)
Principal (Mark one) (Mark all that apply) 1 Self-pay 2 Workmen's Compensation 3 Medicare 4 Medicaid 5 Other government payments 6 Blue Cross 7 Other private or commercial insurance 8 No charge 9 Cther (Specify) 10 Not stated	1 Routine discharge/discharged home 2 Left against medical advice 3 Discharged/transferred to another facility or organization 4 Discharged/referred to organized home care service 5 Died 6 Not stated
C. DIAGNOSES	
Principal:	
Other/additional:	
	See reverse side
D. SURGICAL AND DIAGNOSTIC PROCEDURES Principal: Other/additional:	Date: Month Day Year
NONE	E See reverse side
Completed by	Date

TUS. GOVERNMENT PRINTING OFFICE: 1976-758-250

Figure I. Medical abstract for the National Hospital Discharge Survey

Form Approved: O.M.B. No. 68-R0620

CONFIDENTIAL - All information confidential, will be used only by p other persons or used for any other	ersons engaged in and for the	ification of an indi e purposes of the su	vidual or of an establishment will be held rvey, and will not be disclosed or released to
FORM HDS-1 (6-13-79)	DEPARTMENT OF HEALTH, PUBLIC HEAL NATIONAL CENTER FO	LTH SERVICE	
MEDICAL A	BSTRACT — HOS	SPITAL DIS	CHARGE SURVEY
A. PATIENT IDENTIFICATION 1. Hospital number		4. Date of admi 5. Date of discl	narge
B. PATIENT CHARACTERISTI Month 7. Date of birth	CS Day Year	8. Age (Comple date of birth	te only if Units 1 Years 2 Months 3 Days
9. Sex (Mark (X) one)	1 Male	2 Female	3 Not stated
10. Race (Mark (X) one)	; – –	can Indian/Alaskan Pacific Islander	Native 5 Other (Specify) 6 Not stated
11. Ethnicity (Mark (X) one)	1 Hispanic origin	2 🔲 Non-Hispani	c 3 Not stated
12. Marital status (Mark (X) one)	1 Married 2 Single	3 Widowed 4 Divorced	5 Separated 6 Not stated
3	r that apply) Compensation crnment payments s ate or commercial insurance cify)	1	utine discharge/discharged home ft against medical advice scharged/transferred to another cility or organization scharged/referred to organized me care service ed t stated
C. FINAL DIAGNOSES			
Principal:Other/additional:			
			See reverse side
Principal: Other 'additional:			Month Day Year - - - - - - - -
	NONE		See reverse side
Completed by			Date

Figure I. Medical abstract for the National Hospital Discharge Survey-Con.

☆ U.S. GOVERNMENT PRINTING OFFICE, 1978—657-004771

control sheets, to a Census Regional Office. Every shipment of abstracts was reviewed and each abstract form was checked for completeness. Abstracts were then sent to NCHS for processing.

Medical coding and edit.—The medical information recorded on the sample patient abstracts was coded centrally by the NCHS staff. A maximum of seven diagnostic codes was assigned for each sample abstract; in addition, if the medical information included surgical or nonsurgical procedures, a maximum of four codes for these procedures was assigned. Following conversion of the data on the medical abstract to computer tape, a final medical edit was accomplished by computer inspection runs and a review of rejected abstracts. If the sex or age of the patient was incompatible with the recorded medical information, priority was given to the medical information in the editing decision.

The system currently used for coding the diagnoses and procedures on NHDS sample patient abstracts is the *International Classification of Diseases*, 9th Revision, Clinical Modification² (ICD-9-CM). Earlier data for 1970-78 were coded according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States³ (ICDA), with some modifications. These modifications, which were necessary because of incomplete or ill-defined terminology in the abstracts, are presented elsewhere.⁴ It has not been necessary, however, to modify the ICD-9-CM for use in the NHDS.

Both the ICDA and the ICD-9-CM are divided into two main sections: diseases and injuries and surgical and nonsurgical procedures. However, many differences exist between the two classifications.⁸ One major difference is the expansion of categories, which has resulted in greater specificity and detail of both disease and procedure categories in the ICD-9-CM.

In the section on diseases and injuries, some classes have been extensively restructured in the ICD-9-CM, most notably Classes VI (Diseases of the Nervous System and Sense Organs), XI (Complications of Pregnancy, Childbirth, and the Puerperium), XIII (Diseases of the Musculoskeletal System and Connective Tissue), and XV (Certain Conditions Originating in the Perinatal Period). In addition, many revisions have been made to parts of other classes; specifically, Class II (Neoplasms), Class VII (Diseases of the Circulatory System), Class XVII (Injury and Poisoning), and the Supplementary Classifications. In many cases, certain diagnoses were moved from one class to another, more appropriate one. For example, signs and symptoms that are generally considered to be applicable to a specific body system (for example, the digestive system, or the circulatory system) were moved to the appropriate class rather than left in

NOTE: A list of references follows the text.

Class XVI (Symptoms, Signs, and Ill-Defined Conditions).

The entire procedure section has also been extensively restructured in the ICD-9-CM. In addition to an increase in the specificity of the procedures, revisions include the presentation of procedures by anatomical site rather than by surgical specialty as was the case with the ICDA. Moreover, biopsies and other diagnostic procedures, which had previously been grouped into one class (the "A" codes), are now reallocated among the classes according to the particular anatomical site. More types of nonsurgical diagnostic and therapeutic procedures have also been added.

Prior to 1979, data on radiotherapy and physical medicine and rehabilitation (ICDA codes R1-R4) and some obstetrical procedures were not collected by the NHDS. The obstetrical procedures not coded were artificial rupture of membranes; external, internal and combined version; outlet and low forceps delivery with and without episiotomy; and episiotomy (ICDA codes 75.0-75.6 and 75.9). In addition, data for diagnostic endoscopy, radiography, and other nonsurgical procedures (ICDA codes A4-A9 and R9), although coded, were not published. Starting with 1979 data, however, coding of procedures is done by following the guidelines of the Uniform Hospital Discharge Data Set (UHDDS), 6.9 The UHDDS is a minimum data set of items uniformly defined and abstracted from hospital medical records. These items were selected on the basis of their continuous utility to organizations and agencies requiring hospital inpatient information.

According to UHDDS guidelines, all procedures are allocated into one of four classes. Classes 1-3 consist of significant procedures—that is, procedures that carry an operative or anesthetic risk or require highly trained personnel, special facilities, or special equipment. Class 4 procedures are not considered significant; therefore, reporting of them is optional. Consequently, with three exceptions, Class 4 procedures are not coded by the NHDS. The Class 4 procedures that are coded are circumcision (ICD-9-CM code 64.0), episiotomy (code 73.6), and removal of intrauterine contraceptive device (code 97.71). See appendix II for the procedure codes included in these classes.

Presentation of estimates

Grouping of diagnoses and procedures.—In this report the diagnostic classes, the broadest groupings of diseases and injuries shown, correspond to ICD-9-CM Classes I-XVII and the Supplementary classification of factors influencing health status and contact with health service. The diagnostic categories, the most detailed groupings of diseases and injuries shown, are subsets of the major groups or classes. The

titles and the ordering of the categories in the tabular list developed for the NHDS follow the format of the ICD-9-CM tabular list as closely as possible.

The procedure groupings used in this report are the groups numbered 1-16 in the ICD-9-CM section entitled "Procedure Classification." Specific categories of operations or procedures, the most detailed of these groupings shown, are subsets of the major groups and are based on the 4-digit codes provided by the ICD-9-CM.

In developing the tables of diagnoses and of procedures, an effort was made to maximize specificity of the conditions or procedures consistent with clarity of characterization, the frequency of their occurrence, and their interest.

Patient characteristics not stated.—The age and sex of the patient were not stated on the hospital

Table III. Civilian noninstitutionalized population by sex, age, and geographic region: United States, July 1, 1979

[Population estimates consistent with Series P-25, <u>Current Population</u>
<u>Reports</u>, U.S. Bureau of the Census]

Age and geographic region	Both sexes	Male	Female		
	Population in thousands				
All ages	215,884	104,180	111,704		
Northeast	48,232	23,138	25,094		
	57,515	28,021	29,493		
	69,941	33,486	36,456		
	40,193	19,533	20,660		
0-14 years	50,092	25,563	24,530		
Under 1 year	3,279	1,679	1,600		
	12,362	6,319	6,043		
	34,451	17,564	16,887		
Northeast North Central South West	10,416	5,324	5,092		
	13,433	6,862	6,570		
	16,766	8,540	8,226		
	9,477	4,836	4,641		
15-44 years	98,941	48,197	50,744		
15-24 years	39,162	19,760	20,402		
	34,099	16,570	17,528		
	24,680	11,866	12,813		
Northeast North Central South West	21,679	10,577	11,102		
	26,588	13,128	13,460		
	31,808	15,303	16,506		
	18,865	9,189	9,676		
45-64 years	43,481	20,786	22,695		
45-54 years	22,747	10,995	11,752		
	20,734	9,792	10,943		
Northeast North Central South West	10,543	4,986	5,557		
	11,331	5,468	5,863		
	13,665	6,462	7,203		
	7,942	3,870	4,072		
65 years and over	23,369	9,634	13,735		
65-74 years	14,950	6,505	8,448		
	8,419	3,129	5,290		
Northeast North Central South West	5,594	2,251	3,343		
	6,163	2,563	3,600		
	7,702	3,181	4,521		
	3,909	1,638	2,271		

records (the face sheet of the patient's medical record) for less than one-fourth of 1 percent of the discharges. Imputations of these missing items were made by assigning the patient an age or sex consistent with the age or sex of other patients with the same diagnostic code.

If the color of the patient was not identified on the hospital records, it was recorded as "not stated" for the NHDS. Because this item was not stated for 13 percent of all discharges, rates by color were not computed. Caution should be used in drawing conclusions from the data by color which are shown. In the detailed tables presenting frequencies, rates, and average lengths of stay, the totals include the cases not stated.

If the dates of admission or discharge were not given and could not be obtained from the monthly sample listing sheet transmitted by the sample hospital, a length of stay was imputed by assigning the patient a length of stay characteristic of the stays of other patients of the same age.

Rounded numbers.—Estimates of the numbers of inpatient discharges, discharges with procedures, and all-listed procedures have been rounded to the nearest thousand for tabular presentation. Therefore, detailed figures within the tables do not always add to totals. Rates and percents were calculated on the basis of unrounded figures and will not necessarily agree with computations made from the rounded data.

Population estimates.—The population estimates used in computing rates are unpublished estimates for the U.S. civilian noninstitutionalized population on July 1 of the data year provided by the U.S. Bureau of the Census. The estimates by age and sex and by geographic region are presented in table III and are consistent with the population estimates published in Current Population Reports, Series P-25. However, they are not official population estimates of the Bureau of the Census.

Reliability of estimates

Estimation.—Statistics produced by the NHDS are derived by a complex estimating procedure. The basic unit of estimation is the sample inpatient discharge abstract. The estimating procedure used to produce essentially unbiased national estimates in the NHDS has three principal components: inflation by reciprocals of the probabilities of sample selection, adjustment for nonresponse, and ratio adjustment to fixed totals. These components of estimation are described in appendix I of two earlier publications. ^{10,11}

Measurement errors.—As in any survey, results are subject to nonsampling or measurement errors, which include errors because of hospital nonresponse,

NOTE: A list of references follows the text.

missing abstracts, information incompletely or inaccurately recorded on abstract forms, and processing errors. Some of these errors were discussed under the previous section entitled "Patient characteristics not stated."

The Institute of Medicine (IOM) has conducted three studies on the reliability of hospital abstract data collection; the most recent study was on the NHDS. The IOM NHDS study was performed by using data coded according to the ICDA; however, some of the findings are relevant to the 1979 NHDS data, even though these data were coded according to the ICD-9-CM. Of special interest to this report is the finding that, in a number of cases, the first-listed diagnosis in the NHDS was not the principal diagnosis as determined by IOM after a study of the entire medical record. For example, when diagnoses at the ICDA class level were examined, the principal diagnosis from IOM matched the first-listed diagnosis from the NHDS in approximately 86 percent of the cases. Detailed accounts of this and other IOM findings have been published. 12-14

Some nonsampling errors may exist because of mistakes in the ICD-9-CM that have not been identified. As mentioned previously, some sections of the ICD-9-CM have been extensively restructured. In this type of revision, errors, oversights, and omissions are frequently not identified until the coding scheme has been in use for some time. For example, it has been found that some diagnoses that should have been included in the cataract category (ICD-9-CM code 366) were included in the congenital cataract category (743.3). This was due to an error which has been corrected in the alphabetic index of the ICD-9-CM.

Sampling errors.—The standard error is primarily a measure of the variability attributed to a value obtained from a sample as an estimate of a population value. In this report it also reflects part of the measurement error. The value that would have been obtained if a complete enumeration of the population had been made will be contained in an interval represented by the sample estimate plus or minus 1 standard error about 68 out of 100 times and plus or minus 2 standard errors about 95 out of 100 times.

The relative standard error is obtained by dividing the standard error by the estimate. The resulting value is multiplied by 100, which expresses the standard error as a percentage of the estimate.

The standard error of one statistic is generally different from that of another, even when the two come from the same survey. To derive standard errors that would be applicable to a wide variety of statistics that could be prepared at a moderate cost, a number of approximations are required. As a result, the figures in this appendix provide general relative

standard errors for a wide variety of estimates rather than the specific error for a particular statistic.

Approximate relative standard errors and standard errors have been prepared for measuring the variances applicable to (1) estimates of the discharges or first-listed diagnoses, and days of care for patient characteristics (e.g., age, sex, color) and of hospital characteristics (e.g., region, bed size, ownership), and patient characteristics cross-tabulated by hospital characteristics; and (2) estimates of all procedures performed by the specific procedure for the patient characteristics age, sex, and color and the hospital characteristics geographic region and bed size of hospital.

The relative standard errors applicable to patients discharged or first-listed diagnoses, all-listed dianoses, days of care, and procedures are provided in figures II-IV. The curves for relative standard errors of the estimates in each figure relate to the variables by which estimates are presented in this report. In these figures, several curves are shown for a few variables whose relative standard errors are different from those in the curve for "All other variables" that is relevant to most of the estimates. For example, one curve is applicable only to estimates of discharges from voluntary nonprofit hospitals, a second curve is concerned with discharges from hospitals by bed size, and a third curve pertains to estimates of days of care in proprietary hospitals.

The selection of the appropriate relative standard error curve is made as follows:

- 1. Discharges or first-listed diagnoses and all-listed diagnoses for patient and hospital characteristics:
 Relative standard errors of the estimated number of discharges and of all-listed diagnoses are obtained from the curves in figure II.
- 2. Days of care for discharges or first-listed diagnoses for patient and hospital characteristics:
 Relative standard errors of the estimated number of days of care are obtained from the curves in figure III.
- 3. *Procedures:* Relative standard errors for procedures are obtained from the curve in figure IV.

Tests of significance

In this report, the determination of statistical inference is based on the t-test with a critical value of 1.96 (0.05 level of significance). Terms relating to differences such as "higher," "less," etc., indicate that the differences are statistically significant. Terms such as "similar" or "no difference" mean that no statistically significant difference exists between the estimates being compared. A lack of comment on the difference between any two estimates does not mean that the difference was tested and found to be not significant.




Figure II. Approximate relative standard errors of estimated numbers of patients discharged, or of first-listed diagnoses, and of all-listed diagnoses, by selected patient and hospital characteristics




Figure II. Approximate relative standard errors of estimated numbers of patients discharged, or of first-listed diagnoses, and of all-listed diagnoses, by selected patient and hospital characteristics—Con.




Figure III. Approximate relative standard errors of estimated numbers of days of care, by selected patient and hospital characteristics




Figure IV. Approximate relative standard errors of estimated numbers of procedures for patients discharged, by selected patient and hospital characteristics

Appendix II. Definitions of certain terms used in this report

Hospitals and hospital characteristics

Hospitals.—Short-stay special and general hospitals have six beds or more for inpatient use and an average length of stay of less than 30 days. Federal hospitals and hospital units of institutions are not included.

Bed size of hospital.—Size is measured by the number of beds, cribs, and pediatric bassinets regularly maintained (set up and staffed for use) for patients; bassinets for newborn infants are not included. In this report the classification of hospitals by bed size is based on the number of beds at or near midyear reported by the hospitals.

Type of ownership of hospital.—The type is determined by the organization that controls and operates the hospital. Hospitals are grouped as follows:

Voluntary nonprofit.—Hospitals operated by a church or another nonprofit organization.

Government.—Hospitals operated by State or local governments.

Proprietary.—Hospitals operated by individuals, partnerships, or corporations for profit.

Terms relating to hospitalization

Patient.—A person who is formally admitted to the inpatient service of a short-stay hospital for observation, care, diagnosis, or treatment is considered a patient. In this report the number of patients refers to the number of discharges during the year including any multiple discharges of the same individual from one short-stay hospital or more. Infants admitted on the day of birth, directly or by transfer from another medical facility, with or without mention of a disease, disorder, or immaturity are included. All newborn infants, defined as those admitted by birth to the hospital, are excluded. The terms "patient" and "inpatient" are used synonymously.

Discharge.—Discharge is the formal release of a patient by a hospital; that is, the termination of a period of hospitalization by death or by disposition to place of residence, nursing home, or another hospital. The terms "discharges" and "patients discharged" are used synonymously.

Discharge rate.—The ratio of the number of hospital discharges during a year to the number of persons in the civilian noninstitutionalized population on July 1 of that year determines the discharge

Days of care.—The total number of patient days accumulated at time of discharge by patients discharged from short-stay hospitals during a year constitute days of care. A stay of less than 1 day (patient admission and discharge on the same day) is counted as 1 day in the summation of total days of care. For patients admitted and discharged on different days, the number of days of care is computed by counting all days from (and including) the date of admission to (but not including) the date of discharge.

Rate of days of care.—The rate of days of care is the ratio of the number of patient days accumulated at time of discharge by patients discharged from short-stay hospitals during a year to the number of persons in the civilian noninstitutionalized population on July 1 of that year.

Average length of stay.—The average length of stay is the total number of patient days accumulated at time of discharge by patients discharged during the year divided by the number of patients discharged.

Terms relating to diagnoses

Discharge diagnoses.—One or more diseases or injuries (or some factor that influences health status and contact with health services which is not itself a current illness or injury) listed by the attending physician on the medical record of patients. In the NHDS all discharge (or final) diagnoses listed on the face sheet (summary sheet) of the medical record for

patients discharged from the inpatient service of short-stay hospitals are transcribed in the order listed. Each sample discharge is assigned a maximum of seven 5-digit codes according to ICD-9-CM. The number of principal or first-listed diagnoses is equivalent to the number of discharges.

Principal diagnosis.—The condition established after study to be chiefly responsible for occasioning the admission of the patient to the hospital for care.

First-listed diagnosis.—The coded diagnosis identified as the principal diagnosis or listed first on the face sheet of the medical record is the first-listed diagnosis. The number of first-listed diagnoses is equivalent to the number of discharges.

All-listed diagnoses.—All-listed diagnoses are estimated number of discharge (or final) diagnoses, up to a maximum of seven, that are listed on the face sheet of the medical record for inpatients discharged from non-Federal short-stay hospitals during the year.

Terms relating to surgical and nonsurgical procedures

Discharges with procedures.—The estimated number of patients discharged from non-Federal short-stay hospitals during the year who underwent at least one procedure during their hospitalization are termed "discharges with procedures."

Procedure.—A procedure is one or more surgical or nonsurgical operations, procedures, or special treatments assigned by the physician to the medical record of patients discharged from the inpatient service of short-stay hospitals. In the NHDS all terms listed on the face sheet (summary sheet) of the medical record under the captions "operation," "operative procedures," "operations and/or special treatments," and the like are transcribed in the order listed. A maximum of four 4-digit codes are assigned per sample discharge according to ICD-9-CM and NHDS directives. (See "Medical coding and edit" in the "Data collection and processing" section of appendix I for further details.)

All-listed procedures.—All coded procedures that are listed on the face sheet of the medical record exclusive of all but three Class 4 procedures.

UHDDS classes of procedures.—Procedures are categorized into four classes according to UHDDS guidelines. Classes 1-3 consist of significant procedures—that is, procedures that carry an operative or anesthetic risk or require highly trained personnel, special facilities, or special equipment. Class 4 procedures are not considered significant; therefore, reporting is optional.

UHDDS Class 1 procedures.—All procedures not categorized as Class 2, 3, or 4 procedures.

UHDDS Class 2 procedures.—The following ICD-9-CM procedure codes identify Class 2 procedures as categorized by the UHDDS:

03.31, 03.91-03.92, 04.80-04.89, 21.01, 24.7,

31.41-31.42, 34.91-34.92, 37.92-37.93, 42.22-42.23, 44.12-44.13, 45.12-45.13, 45.22-45.24, 48.22, 50.92, 54.91, 54.97-54.98, 57.31, 58.22, 59.95, 62.91, 66.8, 69.6-69.7, 69.93, 70.0, 73.01-73.1, 73.3, 73.51-73.59, 76.96, 81.91-81.92, 82.92-82.96, 83.94-83.98, 85.91-85.92, 86.01, 87.03-87.08, 87.13-87.15, 87.31-87.35, 87.38, 87.41-87.42, 87.51-87.52, 87.54-87.66, 87.71-87.73, 87.75, 87.77-87.78, 87.81-87.84, 87.91, 87.93-87.94, 88.01-88.03, 88.12-88.15, 88.38, 88.71-88.89, 89.14, 89.21-89.25, 89.32, 89.41-89.44, 89.54, 89.61-89.65, 89.8, 92.01-92.29, 93.45-93.54, 93.56-93.59, 93.92-93.93, 93.95, 93.97, 94.24, 94.26-94.27, 95.04, 95.12-95.13, 95.16-95.26, 96.01-96.08, 96.21-96.25, 96.31-96.33, 97.11-97.13, 98.02-98.04, 98.14-98.16, 98.19, 99.01, 99.60-99.69, 99.81.

UHDDS Class 3 procedures.—The following ICD-9-CM procedure codes identify Class 3 procedures as categorized by the UHDDS:

29.11, 57.94-57.95, 60.19, 84.41-84.43, 84.45-84.47, 86.26, 93.98, 98.01, 98.05-98.13, 98.17-98.18, 98.20-98.29, 99.25.

UHDDS Class 4 procedures.—With three exceptions, Class 4 procedures are not coded by the NHDS. The Class 4 procedures that are coded are circumcision (ICD-9-CM code 64.0), episiotomy (code 73.6), and removal of intrauterine contraceptive device (code 97.71). The following ICD-9-CM procedure codes identify Class 4 procedures as categorized by the UHDDS:

01.18-01.19, 03.39, 04.19, 05.19, 06.19, 07.19, 08.19, 08.91-08.93, 09.19, 09.41-09.49, 10.29, 11.29, 12.29, 14.19, 15.09, 16.21, 16.29, 18.01, 18.11, 18.19, 20.39, 21.21, 21.29, 22.19, 24.19, 25.09, 25.91, 26.19, 27.29, 27.91, 28.19, 29.19, 31.48-31.49, 33.28-33.29, 34.28-34.29, 37.29, 38.29, 40.19, 41.38-41.39, 42.29, 44.19, 45.19, 45.28-45.29, 48.23, 48.29, 49.21, 49.29, 49.41, 50.19, 51.19, 52.19, 54.29, 55.29, 56.39, 57.39, 58.29, 59.29, 60.18, 61.19, 62.19, 63.09, 64.0, 64.19, 64.91, 64.94, 65.19, 66.19, 67.19, 68.19, 69.92, 70.21, 70.29, 71.19, 73.6, 73.91-73.92, 75.35, 76.19, 78.80-78.89, 81.98, 83.29, 85.19, 86.19, 86.92, 87.09-87.12, 87.16-87.17, 87.22-87.29, 87.36-87.37, 87.39, 87.43-87.49, 87.69, 87.79, 87.85-87.89, 87.92, 87.95-87.99, 88.09, 88.16-88.31, 88.33, 88.35, 88.37, 88.39, 89.01-89.13, 89.15-89.16, 89.26-89.31, 89.33-89.39, 89.45-89.53, 89.55-89.59, 89.66, 89.7, 90.01-91.99, 93.01-93.25, 93.27-93.28, 93.31-93.39, 93.42-93.44, 93.61-93.91, 93.94, 93.96, 93.99-94.23, 94.25, 94.29-95.03, 95.05-95.11, 95.14-95.15, 95.31-95.49, 96.09-96.19, 96.26-96.28, 96.34-97.04, 97.14-97.89, 99.02-99.24, 99.26-99.59, 99.71-99.79, 99.82-99.99.

Surgical operations.-All procedures exclusive of

those listed under "Nonsurgical procedures" are listed as surgical operations.

Biopsy.—Biopsy is excision of tissue for microscopic examination. The following ICD-9-CM biopsy codes are:

01.11-01.15, 03.32, 04.11-04.12, 05.11, 06.11-06.13, 07.11-07.17, 08.11, 09.11-09.12, 10.21, 11.22, 12.22, 15.01, 16.23, 18.12, 20.32, 21.22, 22.11, 24.11-24.12, 25.01-25.02, 26.11, 27.21-27.24, 28.11, 29.12, 31.43-31.44, 33.24-33.27, 34.23-34.27, 37.24-37.25, 38.21, 40.11, 41.31-41.33, 42.24, 44.14-44.15, 45.14-45.15, 45.25-45.27, 48.24-48.26, 49.22-49.23, 50.11-50.12, 51.12-51.13, 52.11-52.12, 54.22-54.23, 55.23-55.24, 56.32-56.33, 57.33-57.34, 58.23-58.24, 59.21, 60.11-60.15, 61.11, 62.11-62.12, 63.01, 64.11, 65.11-65.12, 66.11, 67.11-67.12, 68.13-68.14, 70.23-70.24, 71.11, 76.11, 77.40-77.49, 80.30-80.39, 83.21, 85.11-85.12, 86.11.

Nonsurgical procedures.—Procedures generally not considered to be surgery are listed as nonsurgical procedures. These include diagnostic endoscopy and radiography, radiotherapy and related therapies, physical medicine and rehabilitation, and other nonsurgical procedures (ICDA codes A4-A9 and R1-R9). The following ICD-9-CM codes are for diagnostic and nonsurgical procedures:

03.31, 11.21, 12.21, 14.11, 16.22, 20.31, 29.11, 31.41-31.42, 33.21-33.23, 34.21-34.22, 39.95, 42.21-42.23, 44.11-44.13, 45.11-45.13, 45.21-45.24, 48.21-48.22, 51.11, 54.21, 55.21-55.22, 56.31, 57.31-57.32, 58.21-58.22, 60.19, 68.11-68.12, 70.22, 80.20-80.29, 87.01-99.99.

Rate of procedures.—The ratio of the number of all-listed procedures during a year to the number of persons in the civilian noninstitutionalized population on July 1 of that year determines the rate of procedures.

Demographic terms

Age.—Patient's age refers to age at birthday prior to admission to the hospital inpatient service.

Color.—Patients are classified into two groups, "white" and "all other." The all other classification includes all categories other than white. Mexican and Puerto Rican are included in the white category unless specifically identified as all other.

Geographic region.—Hospitals are classified by location in one of the four geographic regions of the United States that correspond to those used by the U.S. Bureau of the Census.

Region	States included
Northeast	Maine, New Hampshire, Vermont, Massa- chusetts, Rhode Island, Connecticut, New York, New Jersey, and Pennsylvania
North Central	Michigan, Ohio, Illinois, Indiana, Wisconsin, Minnesota, Iowa, Missouri, North Dakota, South Dakota, Nebraska, and Kansas
South	Delaware, Maryland, District of Columbia, Virginia, West Virginia, North Carolina, South Carolina, Georgia, Florida, Kentucky, Tennessee, Alabama, Mississippi, Arkansas, Louisiana, Oklahoma, and Texas
West	Montana, Idaho, Wyoming, Colorado, New Mexico, Arizona, Utah, Nevada, Washing- ton, Oregon, California, Hawaii, and Alaska

Vital and Health Statistics series descriptions

- SERIES 1. Programs and Collection Procedures.—Reports describing the general programs of the National Center for Health Statistics and its offices and divisions and the data collection methods used. They also include definitions and other material necessary for understanding the data.
- SERIES 2. Data Evaluation and Methods Research.—Studies of new statistical methodology including experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory.
- SERIES 3. Analytical and Epidemiological Studies.—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- SERIES 4 Documents and Committee Reports.—Final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- SERIES 10. Data From the National Health Interview Survey.—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, all based on data collected in the continuing national household interview survey.
- SERIES 11. Data From the National Health Examination Survey and the National Health and Nutrition Examination Survey.—
 Data from direct examination, testing, and measurement of national samples of the civilian noninstitutionalized population provide the basis for (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- SERIES 12. Data From the Institutionalized Population Surveys.—Discontinued in 1975. Reports from these surveys are included in Series 13.
- SERIES 13. Data on Health Resources Utilization.—Statistics on the utilization of health manpower and facilities providing

- long-term care, embulatory care, hospital care, and family planning services.
- SERIES 14. Data on Health Resources: Manpower and Facilities.—
 Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.
- SERIES 15. Data From Special Surveys.—Statistics on health and health-related topics collected in special surveys that are not a part of the continuing data systems of the National Center for Health Statistics.
- SERIES 20. Data on Mortality.—Various statistics on mortality other than as included in regular annual or monthly reports. Special analyses by cause of death, age, and other demographic variables; geographic and time series analyses; and statistics on characteristics of deaths not available from the vital records based on sample surveys of those records.
- SERIES 21 Data on Natality, Marriage, and Divorce.—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports. Special analyses by demographic variables; geographic and time ceries analyses; studies of fertility; and statistics on characteristics of births not available from the vital records based on sample surveys of those records.
- SERIES 22. Data From the National Mortality and Natality Surveys.—
 Discontinued in 1975. Reports from these sample surveys based on vital records are included in Series 20 and 21, respectively.
- SERIES 23. Data From the National Survey of Family Growth.—
 Statistics on fertility, family formation and desolution, family planning, and related maternal and infant health topics derived from a periodic survey of a nationwide probability sample of ever-married women 15-44 years of are
- For a list of titles of reports published in these series, write to:

Scientific and Technical Information Branch National Center for Health Statistics Public Health Service Hyattsville, Md. 20782 U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Office of Health Research, Statistics, and Technology National Center for Health Statistics 3700 East-West Highway Hyattsville, Maryland 20782

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300 POSTAGE AND FEES PAID U.S. DEPARTMENT OF HHS HHS 396



HRST