

Florida, 2006

Primary and secondary syphilis

- **CASES:** Florida reported 719 cases in 2006.
- **RATES:** Florida ranked 11 among 50 states, DC, and 3 territories with 4 cases per 100,000 population compared to the total rate of 3.3 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Florida, the rate among males was 7.1 per 100,000 population compared to the total male rate of 5.7 per 100,000.
- The rate among females was 1.1 per 100,000 compared to the total female rate of 1.0 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In Florida, the race/ethnicity adjusted rates per 100,000 population were 2.4 among whites, 11.1 among blacks, 4.1 among Hispanics, 0.0 among Asian/Pacific Islanders, and 3.7 among American Indians/Alaska Natives.

- The rate among blacks was 4.6 times that of whites.
- The rate among Hispanics was 1.7 times that of whites.
- The rate among American Indians/Alaska Natives was 1.5 times that of whites.

Congenital syphilis

- **CASES:** Florida reported 21 cases in 2006.
- **RATES:** Florida ranked 14 among 26 states, DC, and 1 territory reporting congenital syphilis cases with a rate of 9.6 cases per 100,000 live births compared to the total rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Florida, 1997-2006



Total P&S Syphilis Rates by County, Florida, 2006

