

Site-Specific Demographic, Clinical, and Laboratory Data

The remainder of this report provides site-specific figures for sites that participated in GISP in 2007. Tripler is not included as there were no isolate that was submitted. Individual figures for each site show demographic and clinical characteristics of the men with gonorrhea enrolled in GISP, as well as antimicrobial susceptibilities for the *N. gonorrhoeae* isolates. The number of isolates submitted by each site is 300 when the full sample of 25 isolates per month is obtained. However, the number of isolates submitted is lower for many sites located in areas with low gonorrhea rates. Each page of figures is labeled with the participating site and state and the actual number of isolates on which the sites' 2007 data are based.

Please note that cefixime was discontinued in the GISP antibiotic panel in 2007.

Definitions of terms and abbreviations used in the site-specific figures are as follows:

Figure B: National cases with unknown race were excluded. The "Asian" category includes Native Hawaiians and the "Other" category includes participants who selected more than one race category. The "Other" category is not used in national gonorrhea reporting.

Figure D: Contact=has sexual partner with gonorrhea
TOC/Other=test of cure/other

Figure G: Azi/Ery=azithromycin/
erythromycin
Doxy/Tet=doxycycline/tetracycline

Figure H: penicillinase-producing
N. gonorrhoeae and
chromosomally mediated
penicillin-resistant *N. gonorrhoeae*
TetR=chromosomally and plasmid-
mediated tetracycline resistant *N.*
gonorrhoeae
QRNG=ciprofloxacin-resistant
N. gonorrhoeae