#### ART PROGRAM OF ALABAMA BIRMINGHAM, ALABAMA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	23%
Single women?	No	GIFT	0%	Endometriosis	<b>20</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>27</b> %
Sharing of donor eggs?	No			Male factor	19%
8 88		With ICSI	<b>55</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	133	38	35	7	
Pregnancies per 100 cycles	33.1	26.3	28.6	1/7	
Live births per 100 cycles <sup>d</sup>	28.6	21.1	14.3	1/7	
(95% confidence interval)	(20.9 - 36.2)	(8.1 - 34.0)	(2.7 - 25.9)		
Live births per 100 retrievals <sup>d</sup>	33.0	27.6	17.9	1/6	
Live births per 100 transfers <sup>d</sup>	35.8	29.6	18.5	1/5	
Cancellations per 100 cycles	13.5	23.7	20.0	1/7	
Average number embryos transferred	2.9	3.3	3.5	4.6	
Twin gestations per 100 pregnancies	20.5	3/10	0/10	0/1	
Triplet or more gestations per 100 pregnancies	9.1	0/10	0/10	0/1	
Multiple births per 100 live births <sup>d</sup>	23.7	3/8	0/5	0/1	
Frozen Embryos From Nondonor Eggs					
Number of transfers	15	5	2	0	
Live births per 100 transfers <sup>d</sup>	3/15	0/5	0/2		
Average number embryos transferred	3.1	2.2	3.0		
Donor Eggs					
Number of fresh transfers	2	2	1	1	
Live births per 100 fresh transfers <sup>d</sup>	1/2	1/2	1/1	1/1	
Number of frozen transfers	2	0	0	1	
Live births per 100 frozen transfers <sup>d</sup>	0/2			0/1	
Average number embryos transferred (fresh and frozen)	2.8	3.5	4.0	3.0	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### UNIVERSITY OF ALABAMA AT BIRMINGHAM BIRMINGHAM, ALABAMA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	<b>72</b> %	Tubal factor	37%
Single women?	Yes	GIFT	28%	Endometriosis	18%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	<b>Ovulatory dysfunction</b>	18%
Sharing of donor eggs?	No			Male factor	13%
8 88		With ICSI	16%	Other factors	13%
		Unstimulated	1%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	83	41	19	10		
Pregnancies per 100 cycles	34.9	26.8	3/19	2/10		
Live births per 100 cycles <sup>d</sup>	27.7	22.0	1/19	1/10		
(95% confidence interval)	(18.1 - 37.3)	(9.3 - 34.6)				
Live births per 100 retrievals <sup>d</sup>	28.4	23.1	1/15	1/8		
Live births per 100 transfers <sup>d</sup>	28.8	25.0	1/14	1/8		
Cancellations per 100 cycles	2.4	4.9	4/19	2/10		
Average number embryos transferred	5.2	5.6	6.8	7.5		
Twin gestations per 100 pregnancies	27.6	1/11	1/3	0/2		
Triplet or more gestations per 100 pregnancies	20.7	1/11	0/3	0/2		
Multiple births per 100 live births <sup>d</sup>	34.8	2/9	1/1	0/1		
Frozen Embryos From Nondonor Eggs						
Number of transfers	4	3	0	0		
Live births per 100 transfers <sup>d</sup>	1/4	0/3				
Average number embryos transferred	1.0	1.7				
Donor Eggs						
Number of fresh transfers	1	0	1	5		
Live births per 100 fresh transfers <sup>d</sup>	0/1		0/1	3/5		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)	5.0		4.0	5.6		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	<b>Tubal factor</b>	24%
Single women?	Yes	GIFT	<b>5</b> %	Endometriosis	18%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>52</b> %
Sharing of donor eggs?	Yes			Male factor	<b>6</b> %
8 38		With ICSI	<b>45</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	25	12	7	0
Pregnancies per 100 cycles	32.0	2/12	1/7	
Live births per 100 cycles <sup>d</sup>	24.0	2/12	1/7	
(95% confidence interval)	(7.3 - 40.7)			
Live births per 100 retrievals <sup>d</sup>	27.3	2/11	1/5	
Live births per 100 transfers <sup>d</sup>	6/19	2/10	1/5	
Cancellations per 100 cycles	12.0	1/12	2/7	
Average number embryos transferred	3.2	3.1	2.4	
Twin gestations per 100 pregnancies	2/8	0/2	0/1	
Triplet or more gestations per 100 pregnancies	0/8	0/2	1/1	
Multiple births per 100 live births <sup>d</sup>	2/6	0/2	1/1	
Frozen Embryos From Nondonor Eggs	~	0	0	0
Number of transfers	5	0	0	0
Live births per 100 transfers <sup>d</sup>	1/5			
Average number embryos transferred	4.0			
Donor Eggs				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers <sup>d</sup>			0/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			5.0	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# UNIVERSITY OF SOUTH ALABAMA IVF AND ART PROGRAM MOBILE, ALABAMA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>58</b> %
Single women?	No	GIFT	0%	Endometriosis	18%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No			Male factor	<b>6</b> %
		With ICSI	71%	Other factors	0%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	30	10	4	4	
Pregnancies per 100 cycles	40.0	3/10	0/4	1/4	
Live births per 100 cycles <sup>d</sup>	26.7	2/10	0/4	1/4	
(95% confidence interval)	(10.8 - 42.5)				
Live births per 100 retrievals <sup>d</sup>	26.7	2/10	0/4	1/4	
Live births per 100 transfers <sup>d</sup>	28.6	2/9	0/4	1/4	
Cancellations per 100 cycles	0.0	0/10	0/4	0/4	
Average number embryos transferred	4.2	4.4	4.0	4.3	
Twin gestations per 100 pregnancies	2/12	1/3		0/1	
Triplet or more gestations per 100 pregnancies	3/12	1/3		0/1	
Multiple births per 100 live births <sup>d</sup>	5/8	2/2		0/1	
Frozen Embryos From Nondonor Eggs					
Number of transfers	1	0	1	0	
Live births per 100 transfers <sup>d</sup>	0/1		0/1		
Average number embryos transferred	2.0		3.0		
Donor Eggs					
Number of fresh transfers	0	0	0	0	
Live births per 100 fresh transfers <sup>d</sup>					
Number of frozen transfers	0	0	0	0	
Live births per 100 frozen transfers <sup>d</sup>					
Average number embryos transferred					
(fresh and frozen)					

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### FERTILITY TREATMENT CENTER CHANDLER, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	37%
Single women?	Yes	GIFT	0%	Endometriosis	15%
Gestational carriers?	No	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>12</b> %
Sharing of donor eggs?	No			Male factor	<b>25</b> %
		With ICSI	14%	Other factors	4%
		Unstimulated	1%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	36	29	18	12		
Pregnancies per 100 cycles	41.7	20.7	3/18	2/12		
Live births per 100 cycles <sup>d</sup>	36.1	20.7	3/18	2/12		
(95% confidence interval)	(20.4 - 51.8)	(5.9 - 35.4)				
Live births per 100 retrievals <sup>d</sup>	38.2	28.6	3/17	2/10		
Live births per 100 transfers <sup>d</sup>	39.4	30.0	3/15	2/10		
Cancellations per 100 cycles	5.6	27.6	1/18	2/12		
Average number embryos transferred	4.5	4.2	3.9	6.0		
Twin gestations per 100 pregnancies	2/15	1/6	0/3	0/2		
Triplet or more gestations per 100 pregnancies	2/15	2/6	1/3	0/2		
Multiple births per 100 live births <sup>d</sup>	4/13	3/6	1/3	0/2		
Frozen Embryos From Nondonor Eggs						
Number of transfers	16	5	3	1		
Live births per 100 transfers <sup>d</sup>	5/16	0/5	0/3	0/1		
Average number embryos transferred	4.3	4.4	5.0	4.0		
Donor Eggs						
Number of fresh transfers	1	1	2	7		
Live births per 100 fresh transfers <sup>d</sup>	0/1	1/1	1/2	3/7		
Number of frozen transfers	0	2	0	3		
Live births per 100 frozen transfers <sup>d</sup>		1/2		0/3		
Average number embryos transferred (fresh and frozen)	3.0	3.3	4.5	4.3		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# WEST VALLEY FERTILITY CENTER GLENDALE, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	No	IVF	100%	<b>Tubal factor</b>	32%
Single women?	Yes	GIFT	0%	Endometriosis	<b>8</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	48%
Sharing of donor eggs?	No			Male factor	4%
8 88		With ICSI	39%	Other factors	8%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	17	4	2	0
Pregnancies per 100 cycles	8/17	2/4	0/2	
Live births per 100 cycles <sup>d</sup>	7/17	2/4	0/2	
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	7/17	2/4	0/2	
Live births per 100 transfers <sup>d</sup>	7/17	2/4	0/2	
Cancellations per 100 cycles	0/17	0/4	0/2	
Average number embryos transferred	4.4	4.0	5.0	
Twin gestations per 100 pregnancies	3/8	0/2		
Triplet or more gestations per 100 pregnancies	3/8	0/2		
Multiple births per 100 live births <sup>d</sup>	5/7	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	0	0	0
Live births per 100 transfers <sup>d</sup>	0/2			
Average number embryos transferred	3.5			
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# ARIZONA INSTITUTE OF REPRODUCTIVE MEDICINE, LTD. PHOENIX, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	28%
Single women?	Yes	GIFT	0%	Endometriosis	14%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	<b>32</b> %
Sharing of donor eggs?	Yes			Male factor	9%
		With ICSI	<b>59</b> %	Other factors	4%
		Unstimulated	2%	Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle				
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	8	20	8
Pregnancies per 100 cycles	8/18	4/8	15.0	1/8
Live births per 100 cycles <sup>d</sup>	8/18	4/8	10.0	1/8
(95% confidence interval)			(0.0 - 23.1)	
Live births per 100 retrievals <sup>d</sup>	8/18	4/8	2/14	1/6
Live births per 100 transfers <sup>d</sup>	8/16	4/8	2/13	1/5
Cancellations per 100 cycles	0/18	0/8	30.0	2/8
Average number embryos transferred	3.9	3.6	3.9	3.4
Twin gestations per 100 pregnancies	4/8	0/4	0/3	1/1
Triplet or more gestations per 100 pregnancies	1/8	0/4	0/3	0/1
Multiple births per 100 live births <sup>d</sup>	4/8	0/4	0/2	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	8	3	3
Live births per 100 transfers <sup>d</sup>	5/12	4/8	1/3	1/3
Average number embryos transferred	4.3	3.4	3.0	4.0
Donor Eggs				
Number of fresh transfers	0	0	0	4
Live births per 100 fresh transfers <sup>d</sup>				1/4
Number of frozen transfers	0	2	0	10
Live births per 100 frozen transfers <sup>d</sup>		0/2		6/10
Average number embryos transferred (fresh and frozen)		5.0		3.9

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### IVF PHOENIX PHOENIX, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	<b>76</b> %	<b>Tubal factor</b>	39%
Single women?	Yes	GIFT	12%	Endometriosis	2%
Gestational carriers?	No	ZIFT	12%	Uterine factor	<b>6</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	20%
Sharing of donor eggs?	No			Male factor	2%
8 88		With ICSI	32%	Other factors	<b>30</b> %
		Unstimulated	2%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	<b>35-37</b>	<b>38-40</b>	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	25	6	12	7	
Pregnancies per 100 cycles	44.0	3/6	4/12	1/7	
Live births per 100 cycles <sup>d</sup>	24.0	3/6	3/12	1/7	
(95% confidence interval)	(7.3 - 40.7)				
Live births per 100 retrievals <sup>d</sup>	24.0	3/5	3/11	1/7	
Live births per 100 transfers <sup>d</sup>	25.0	3/5	3/9	1/7	
Cancellations per 100 cycles	0.0	1/6	1/12	0/7	
Average number embryos transferred	3.5	5.2	5.6	4.4	
Twin gestations per 100 pregnancies	2/11	1/3	2/4	0/1	
Triplet or more gestations per 100 pregnancies	0/11	0/3	0/4	0/1	
Multiple births per 100 live births <sup>d</sup>	2/6	1/3	1/3	0/1	
Frozen Embryos From Nondonor Eggs					
Number of transfers	10	1	0	1	
Live births per 100 transfers <sup>d</sup>	5/10	0/1		0/1	
Average number embryos transferred	3.9	2.0		4.0	
Donor Eggs					
Number of fresh transfers	1	0	0	0	
Live births per 100 fresh transfers <sup>d</sup>	0/1				
Number of frozen transfers	0	0	0	0	
Live births per 100 frozen transfers <sup>d</sup>					
Average number embryos transferred (fresh and frozen)	3.0				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SAMARIAN INSTITUTE OF REPRODUCTIVE MEDICINE PHOENIX, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	88%	<b>Tubal factor</b>	29%
Single women?	Yes	GIFT	4%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	8%	Ovulatory dysfunction	13%
Sharing of donor eggs?	No			Male factor	4%
		With ICSI	33%	Other factors	<b>26</b> %
		Unstimulated	0%	Unexplained	20%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	36	27	18	5	
Pregnancies per 100 cycles	55.6	22.2	4/18	1/5	
Live births per 100 cycles <sup>d</sup>	50.0	14.8	3/18	1/5	
(95% confidence interval)	(33.7 - 66.3)	(1.4 - 28.2)			
Live births per 100 retrievals <sup>d</sup>	52.9	4/18	3/7	1/5	
Live births per 100 transfers <sup>d</sup>	52.9	4/18	3/7	1/5	
Cancellations per 100 cycles	5.6	33.3	11/18	0/5	
Average number embryos transferred	3.7	3.7	4.3	3.6	
Twin gestations per 100 pregnancies	35.0	2/6	1/4	0/1	
Triplet or more gestations per 100 pregnancies	20.0	1/6	1/4	0/1	
Multiple births per 100 live births <sup>d</sup>	10/18	2/4	2/3	0/1	
Frozen Embryos From Nondonor Eggs					
Number of transfers	13	1	2	0	
Live births per 100 transfers <sup>d</sup>	5/13	0/1	0/2		
Average number embryos transferred	3.1	3.0	4.0		
Donor Eggs					
Number of fresh transfers	2	1	0	1	
Live births per 100 fresh transfers <sup>d</sup>	2/2	1/1		1/1	
Number of frozen transfers	0	2	0	0	
Live births per 100 frozen transfers <sup>d</sup>		1/2			
Average number embryos transferred (fresh and frozen)	3.0	2.7		4.0	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	37%
Single women?	Yes	GIFT	0%	Endometriosis	<b>29</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	<b>8</b> %
8 38		With ICSI	10%	Other factors	<b>5</b> %
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	<b>38-40</b>	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	27	12	5	4
Pregnancies per 100 cycles	29.6	4/12	1/5	1/4
Live births per 100 cycles <sup>d</sup>	25.9	4/12	1/5	1/4
(95% confidence interval)	(9.4 - 42.5)			
Live births per 100 retrievals <sup>d</sup>	25.9	4/12	1/5	1/4
Live births per 100 transfers <sup>d</sup>	25.9	4/12	1/4	1/4
Cancellations per 100 cycles	0.0	0/12	0/5	0/4
Average number embryos transferred	4.5	3.8	4.5	5.0
Twin gestations per 100 pregnancies	5/8	1/4	0/1	0/1
Triplet or more gestations per 100 pregnancies	0/8	0/4	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	4/7	1/4	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	2	3	0
Live births per 100 transfers <sup>d</sup>	2/4	1/2	0/3	
Average number embryos transferred	4.3	4.5	4.0	
Donor Eggs				
Number of fresh transfers	0	0	1	1
Live births per 100 fresh transfers <sup>d</sup>			0/1	1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			4.0	4.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### ARIZONA CENTER FOR FERTILITY STUDIES SCOTISDALE, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	<b>6</b> %	<b>Tubal factor</b>	32%
Single women?	Yes	GIFT	<b>56</b> %	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	38%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	16%
Sharing of donor eggs?	Yes			Male factor	<b>5</b> %
8 38		With ICSI	16%	Other factors	<b>20</b> %
		Unstimulated	<1%	Unexplained	18%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	89	53	39	20	
Pregnancies per 100 cycles	33.7	15.1	35.9	0.0	
Live births per 100 cycles <sup>d</sup>	27.0	13.2	15.4	0.0	
(95% confidence interval)	(17.7 - 36.2)	(4.1 - 22.3)	(4.1 - 26.7)		
Live births per 100 retrievals <sup>d</sup>	27.9	14.6	17.1	0/17	
Live births per 100 transfers <sup>d</sup>	34.3	20.0	19.4	0/12	
Cancellations per 100 cycles	3.4	9.4	10.3		
Average number embryos transferred	4.8	4.8	5.2	3.2	
Twin gestations per 100 pregnancies	23.3	3/8	2/14		
Triplet or more gestations per 100 pregnancies	13.3	0/8	0/14		
Multiple births per 100 live births <sup>d</sup>	37.5	2/7	2/6		
Frozen Embryos From Nondonor Eggs Number of transfers	0	0	1	0	
Live births per 100 transfers <sup>d</sup>	-	_	0/1	-	
Average number embryos transferred			4.0		
Donor Eggs					
Number of fresh transfers	4	3	5	22	
Live births per 100 fresh transfers <sup>d</sup>	2/4	1/3	1/5	45.5	
Number of frozen transfers	0	0	1/3	0	
Live births per 100 frozen transfers <sup>d</sup>	J	0	0/1	J	
Average number embryos transferred	4.5	6.0	5.7	5.0	
(fresh and frozen)	1.0	0.0	0.7	0.0	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# MAYO CLINIC SCOTISDALE SCOTISDALE, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>5</b> %
Single women?	Yes	GIFT	0%	Endometriosis	21%
Gestational carriers?	No	ZIFT	0%	Uterine factor	<b>5</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>58</b> %
Sharing of donor eggs?	No			Male factor	11%
		With ICSI	63%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<35	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	7	4	2	3
Pregnancies per 100 cycles	4/7	2/4	0/2	0/3
Live births per 100 cycles <sup>d</sup>	4/7	2/4	0/2	0/3
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	4/7	2/4	0/2	0/1
Live births per 100 transfers <sup>d</sup>	4/7	2/4	0/2	
Cancellations per 100 cycles	0/7	0/4	0/2	2/3
Average number embryos transferred	3.1	3.5	3.0	
Twin gestations per 100 pregnancies	3/4	0/2		
Triplet or more gestations per 100 pregnancies	1/4	0/2		
Multiple births per 100 live births <sup>d</sup>	3/4	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	0	0
Live births per 100 transfers <sup>d</sup>	1/1	0/1		
Average number embryos transferred	3.0	5.0		
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers <sup>d</sup>				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				3.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY TUCSON, ARIZONA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	88%	<b>Tubal factor</b>	<b>27</b> %
Single women?	Yes	GIFT	<b>6</b> %	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	<b>6</b> %	Ovulatory dysfunction	21%
Sharing of donor eggs?	Yes			Male factor	31%
		With ICSI	23%	Other factors	1%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	64	45	33	15		
Pregnancies per 100 cycles	28.1	11.1	18.2	0/15		
Live births per 100 cycles <sup>d</sup>	23.4	11.1	9.1	0/15		
(95% confidence interval)	(13.1 - 33.8)	(1.9 - 20.3)	(0.0 - 18.9)			
Live births per 100 retrievals <sup>d</sup>	25.0	12.8	12.0	0/15		
Live births per 100 transfers <sup>d</sup>	28.3	14.3	13.6	0/14		
Cancellations per 100 cycles	6.3	13.3	24.2	0/15		
Average number embryos transferred	4.3	4.6	3.9	4.4		
Twin gestations per 100 pregnancies	6/18	1/5	0/6			
Triplet or more gestations per 100 pregnancies	1/18	0/5	1/6			
Multiple births per 100 live births <sup>d</sup>	7/15	1/5	0/3			
Frozen Embryos From Nondonor Eggs						
Number of transfers	26	5	5	8		
Live births per 100 transfers <sup>d</sup>	11.5	0/5	1/5	0/8		
Average number embryos transferred	4.0	3.6	3.4	4.4		
Donor Eggs						
Number of fresh transfers	2	2	5	11		
Live births per 100 fresh transfers <sup>d</sup>	2/2	0/2	2/5	1/11		
Number of frozen transfers	3	2	3	6		
Live births per 100 frozen transfers <sup>d</sup>	0/3	0/2	1/3	0/6		
Average number embryos transferred (fresh and frozen)	4.6	4.5	4.9	4.6		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### INTRAVAGINAL CULTURE FERTILIZATION PROGRAM LITTLE ROCK, ARKANSAS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>50</b> %
Single women?	No	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	4%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	23%
		With ICSI	0%	Other factors	9%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	6	0	0
Pregnancies per 100 cycles	2/16	0/6		
Live births per 100 cycles <sup>d</sup>	1/16	0/6		
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	1/14	0/5		
Live births per 100 transfers <sup>d</sup>	1/12	0/3		
Cancellations per 100 cycles	2/16	1/6		
Average number embryos transferred	2.5	2.3		
Twin gestations per 100 pregnancies	0/2			
Triplet or more gestations per 100 pregnancies	0/2			
Multiple births per 100 live births <sup>d</sup>	0/1			
Frozen Embryos From Nondonor Eggs Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
· ·				
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### UNIVERSITY OF ARKANSAS FOR MEDICAL SCIENCES IVF LITTLE ROCK, ARKANSAS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	<b>Tubal factor</b>	36%
Single women?	No	GIFT	0%	Endometriosis	21%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>12</b> %
Sharing of donor eggs?	No			Male factor	16%
8 88		With ICSI	16%	Other factors	10%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	83	32	21	5		
Pregnancies per 100 cycles	41.0	31.3	19.0	0/5		
Live births per 100 cycles <sup>d</sup>	28.9	25.0	14.3	0/5		
(95% confidence interval)	(19.2 - 38.7)	(10.0 - 40.0)	(0.0 - 29.3)			
Live births per 100 retrievals <sup>d</sup>	32.0	26.7	3/16	0/3		
Live births per 100 transfers <sup>d</sup>	32.4	29.6	3/15	0/3		
Cancellations per 100 cycles	9.6	6.3	23.8	2/5		
Average number embryos transferred	3.3	3.4	3.5	3.0		
Twin gestations per 100 pregnancies	29.4	3/10	1/4			
Triplet or more gestations per 100 pregnancies	14.7	3/10	0/4			
Multiple births per 100 live births <sup>d</sup>	25.0	5/8	1/3			
Frozen Embryos From Nondonor Eggs						
Number of transfers	44	7	3	1		
Live births per 100 transfers <sup>d</sup>	9.1	0/7	0/3	0/1		
Average number embryos transferred	3.4	3.1	1.7	1.0		
Donor Eggs						
Number of fresh transfers	1	0	1	4		
Live births per 100 fresh transfers <sup>d</sup>	1/1		1/1	2/4		
Number of frozen transfers	0	0	0	2		
Live births per 100 frozen transfers <sup>d</sup>				0/2		
Average number embryos transferred (fresh and frozen)	4.0		3.0	3.5		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# ALTA BATES IN VIIRO FERTILIZATION PROGRAM BERKELEY, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	19%
Single women?	Yes	GIFT	2%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	16%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>29</b> %
Sharing of donor eggs?	Yes			Male factor	12%
8 88		With ICSI	<b>30</b> %	Other factors	9%
		Unstimulated	1%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age o	of Woman	
	<b>&lt;35</b>	<b>35-37</b>	<b>38-40</b>	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	16	37	21
Pregnancies per 100 cycles	45.2	7/16	27.0	23.8
Live births per 100 cycles <sup>d</sup>	41.9	5/16	27.0	9.5
(95% confidence interval)	(24.6 - 59.3)		(12.7 - 41.3)	(0.0 - 22.1)
Live births per 100 retrievals <sup>d</sup>	43.3	5/14	33.3	9.5
Live births per 100 transfers <sup>d</sup>	43.3	5/14	34.5	9.5
Cancellations per 100 cycles	3.2	2/16	18.9	0.0
Average number embryos transferred	3.8	4.1	4.3	5.3
Twin gestations per 100 pregnancies	5/14	0/7	6/10	0/5
Triplet or more gestations per 100 pregnancies	1/14	2/7	1/10	1/5
Multiple births per 100 live births <sup>d</sup>	5/13	1/5	7/10	1/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	2	3	2
Live births per 100 transfers <sup>d</sup>	3/5	0/2	0/3	0/2
Average number embryos transferred	3.6	2.5	2.0	3.5
Donor Eggs				
Number of fresh transfers	0	0	4	18
Live births per 100 fresh transfers <sup>d</sup>			2/4	10/18
Number of frozen transfers	0	0	0	7
Live births per 100 frozen transfers <sup>d</sup>				0/7
Average number embryos transferred (fresh and frozen)			5.3	3.8

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# DONALD N. ADLER, M.D. AND HAL C. DANZER, M.D. BEVERLY HILLS, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	19%
Single women?	Yes	GIFT	0%	Endometriosis	3%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	40%
Sharing of donor eggs?	Yes			Male factor	12%
8 88		With ICSI	38%	Other factors	<b>22</b> %
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	26	22	37	33	
Pregnancies per 100 cycles	46.2	13.6	13.5	12.1	
Live births per 100 cycles <sup>d</sup>	34.6	4.5	10.8	0.0	
(95% confidence interval)	(16.3 - 52.9)	(0.0 - 13.2)	(0.8 - 20.8)		
Live births per 100 retrievals <sup>d</sup>	34.6	5.0	11.4	0.0	
Live births per 100 transfers <sup>d</sup>	34.6	5.0	11.4	0.0	
Cancellations per 100 cycles	0.0	9.1	5.4	18.2	
Average number embryos transferred	3.7	3.8	4.0	3.4	
Twin gestations per 100 pregnancies	4/12	0/3	1/5	0/4	
Triplet or more gestations per 100 pregnancies	3/12	2/3	0/5	0/4	
Multiple births per 100 live births <sup>d</sup>	6/9	1/1	1/4		
Frozen Embryos From Nondonor Eggs					
Number of transfers	18	2	6	10	
Live births per 100 transfers <sup>d</sup>	4/18	2/2	1/6	1/10	
Average number embryos transferred	3.6	3.5	3.3	4.4	
Donor Eggs					
Number of fresh transfers	1	1	6	11	
Live births per 100 fresh transfers <sup>d</sup>	0/1	0/1	2/6	5/11	
Number of frozen transfers	0	0	0	1	
Live births per 100 frozen transfers <sup>d</sup>				0/1	
Average number embryos transferred (fresh and frozen)	3.0	4.0	3.8	3.5	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### REPRODUCTIVE MEDICINE AND SURGERY ASSOCIATES BEVERLY HILLS, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	22%
Single women?	Yes	GIFT	1%	Endometriosis	13%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<b>3</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No			Male factor	14%
8 88		With ICSI	33%	Other factors	16%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	87	52	74	80		
Pregnancies per 100 cycles	39.1	34.6	35.1	12.5		
Live births per 100 cycles <sup>d</sup>	36.8	30.8	25.7	5.0		
(95% confidence interval)	(26.6 - 46.9)	(18.2 - 43.3)	(15.7 - 35.6)	(0.2 - 9.8)		
Live births per 100 retrievals <sup>d</sup>	39.5	34.0	28.8	6.7		
Live births per 100 transfers <sup>d</sup>	44.4	39.0	30.2	6.9		
Cancellations per 100 cycles	6.9	9.6	10.8	25.0		
Average number embryos transferred	3.4	3.5	3.9	3.4		
Twin gestations per 100 pregnancies	38.2	5/18	7.7	1/10		
Triplet or more gestations per 100 pregnancies	17.6	0/18	3.8	0/10		
Multiple births per 100 live births <sup>d</sup>	59.4	4/16	2/19	1/4		
Frozen Embryos From Nondonor Eggs						
Number of transfers	21	8	23	6		
Live births per 100 transfers <sup>d</sup>	19.0	1/8	21.7	0/6		
Average number embryos transferred	3.3	4.0	3.9	3.0		
Donor Eggs						
Number of fresh transfers	3	1	1	12		
Live births per 100 fresh transfers <sup>d</sup>	2/3	0/1	0/1	8/12		
Number of frozen transfers	0	1	1	8		
Live births per 100 frozen transfers <sup>d</sup>		0/1	0/1	0/8		
Average number embryos transferred (fresh and frozen)	3.7	3.0	4.0	3.8		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# WEST COAST INFERILITY MEDICAL CLINIC, INC. BEVERLY HILLS, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	84%	<b>Tubal factor</b>	24%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	Yes	ZIFT	15%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	12%
8 88		With ICSI	12%	Other factors	31%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	<b>38-40</b>	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	25	16	12	20
Pregnancies per 100 cycles	20.0	1/16	1/12	5.0
Live births per 100 cycles <sup>d</sup>	16.0	1/16	1/12	5.0
(95% confidence interval)	(1.6 - 30.4)			(0.0 - 14.6)
Live births per 100 retrievals <sup>d</sup>	17.4	1/16	1/12	1/16
Live births per 100 transfers <sup>d</sup>	18.2	1/14	1/11	1/13
Cancellations per 100 cycles	8.0	0/16	0/12	20.0
Average number embryos transferred	4.5	3.4	3.5	2.7
Twin gestations per 100 pregnancies	0/5	0/1	0/1	0/1
Triplet or more gestations per 100 pregnancies	0/5	0/1	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	0/4	0/1	0/1	0/1
Frozen Embryos From Nondonor Eggs Number of transfers Live births per 100 transfers <sup>d</sup> Average number embryos transferred	0	0	0	0
Donor Eggs				
Number of fresh transfers	3	1	4	3
Live births per 100 fresh transfers <sup>d</sup>	0/3	1/1	1/4	0/3
Number of frozen transfers  Live births per 100 frozen transfers <sup>d</sup>	0	0	0	0
Average number embryos transferred (fresh and frozen)	4.0	8.0	6.8	6.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# GIL N. MILEIKOWSKY, M.D. ENCINO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	No	IVF	100%	<b>Tubal factor</b>	29%
Single women?	Yes	GIFT	0%	Endometriosis	12%
Gestational carriers?	No	ZIFT	0%	Uterine factor	12%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>29</b> %
Sharing of donor eggs?	No			Male factor	18%
8 88		With ICSI	53%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<35	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	10	3	1	1
Pregnancies per 100 cycles	3/10	1/3	1/1	0/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	2/10	1/3	1/1	0/1
Live births per 100 retrievals <sup>d</sup>	2/10	1/3	1/1	0/1
Live births per 100 transfers <sup>d</sup>	2/9	1/2	1/1	0/1
Cancellations per 100 cycles	0/10	0/3	0/1	0/1
Average number embryos transferred	5.3	4.5	3.0	3.0
Twin gestations per 100 pregnancies	1/3	0/1	1/1	
Triplet or more gestations per 100 pregnancies	2/3	1/1	0/1	
Multiple births per 100 live births <sup>d</sup>	0/2	1/1	1/1	
Frozen Embryos From Nondonor Eggs Number of transfers Live births per 100 transfers <sup>d</sup> Average number embryos transferred	0	0	0	1 0/1 4.0
Donor Eggs				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers <sup>d</sup>			1/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			6.0	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### WEST COAST FERTILITY CENTERS FULLERTON, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	<b>72</b> %	<b>Tubal factor</b>	23%
Single women?	Yes	GIFT	25%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<b>2</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	16%
Sharing of donor eggs?	Yes			Male factor	<b>33</b> %
8 88		With ICSI	23%	Other factors	<b>5</b> %
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	61	39	28	13
Pregnancies per 100 cycles	41.0	23.1	14.3	5/13
Live births per 100 cycles <sup>d</sup>	36.1	15.4	7.1	3/13
(95% confidence interval)	(24.0 - 48.1)	(4.1 - 26.7)	(0.0 - 16.7)	
Live births per 100 retrievals <sup>d</sup>	39.3	17.6	9.1	3/9
Live births per 100 transfers <sup>d</sup>	41.5	20.0	10.0	3/7
Cancellations per 100 cycles	8.2	12.8	21.4	4/13
Average number embryos transferred	4.7	4.1	4.2	4.0
Twin gestations per 100 pregnancies	28.0	0/9	1/4	3/5
Triplet or more gestations per 100 pregnancies	20.0	3/9	0/4	0/5
Multiple births per 100 live births <sup>d</sup>	40.9	3/6	1/2	2/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	4	4	9
Live births per 100 transfers <sup>d</sup>	0/6	1/4	0/4	1/9
Average number embryos transferred	4.3	4.0	3.3	2.7
Donor Eggs				
Number of fresh transfers	4	0	4	7
Live births per 100 fresh transfers <sup>d</sup>	2/4		1/4	2/7
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers <sup>d</sup>				1/2
Average number embryos transferred (fresh and frozen)	3.5		4.3	4.7

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### WERLIN-ZARUTSKIE FERTILITY CENTERS IRVINE, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	93%	<b>Tubal factor</b>	27%
Single women?	Yes	GIFT	2%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	4%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No			Male factor	14%
8 88		With ICSI	40%	Other factors	0%
		Unstimulated	0%	Unexplained	16%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	76	68	74	47
Pregnancies per 100 cycles	40.8	19.1	24.3	10.6
Live births per 100 cycles <sup>d</sup>	31.6	14.7	18.9	4.3
(95% confidence interval)	(21.1 - 42.0)	(6.3 - 23.1)	(10.0 - 27.8)	(0.0 - 10.0)
Live births per 100 retrievals <sup>d</sup>	32.9	15.9	23.3	5.9
Live births per 100 transfers <sup>d</sup>	36.4	17.2	25.5	7.4
Cancellations per 100 cycles	3.9	7.4	18.9	27.7
Average number embryos transferred	4.3	4.3	4.3	4.6
Twin gestations per 100 pregnancies	19.4	5/13	2/18	1/5
Triplet or more gestations per 100 pregnancies	19.4	2/13	2/18	0/5
Multiple births per 100 live births <sup>d</sup>	45.8	6/10	3/14	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	32	21	14	8
Live births per 100 transfers <sup>d</sup>	21.9	14.3	1/14	0/8
Average number embryos transferred	3.7	3.8	4.5	4.1
Donor Eggs				
Number of fresh transfers	3	3	3	18
Live births per 100 fresh transfers <sup>d</sup>	1/3	3/3	1/3	4/18
Number of frozen transfers	1	0	3	4
Live births per 100 frozen transfers <sup>d</sup>	1/1		3/3	1/4
Average number embryos transferred (fresh and frozen)	5.5	6.0	5.2	4.7

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# REPRODUCTIVE SCIENCES CENTER LA JOLLA, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	<b>79</b> %	<b>Tubal factor</b>	9%
Single women?	Yes	GIFT	13%	Endometriosis	<b>7</b> %
Gestational carriers?	Yes	ZIFT	<b>5</b> %	Uterine factor	<b>5</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	44%
Sharing of donor eggs?	No			Male factor	4%
8 88		With ICSI	49%	Other factors	<b>8</b> %
		Unstimulated	0%	Unexplained	23%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	48	23	26	25		
Pregnancies per 100 cycles	37.5	43.5	26.9	12.0		
Live births per 100 cycles <sup>d</sup>	37.5	39.1	7.7	4.0		
(95% confidence interval)	(23.8 - 51.2)	(19.2 - 59.1)	(0.0 - 17.9)	(0.0 - 11.7)		
Live births per 100 retrievals <sup>d</sup>	42.9	40.9	8.0	5.0		
Live births per 100 transfers <sup>d</sup>	43.9	42.9	8.3	1/19		
Cancellations per 100 cycles	12.5	4.3	3.8	20.0		
Average number embryos transferred	4.5	4.5	4.0	3.4		
Twin gestations per 100 pregnancies	6/18	3/10	0/7	0/3		
Triplet or more gestations per 100 pregnancies	4/18	2/10	0/7	0/3		
Multiple births per 100 live births <sup>d</sup>	10/18	4/9	0/2	0/1		
Frozen Embryos From Nondonor Eggs						
Number of transfers	10	9	4	2		
Live births per 100 transfers <sup>d</sup>	2/10	3/9	1/4	0/2		
Average number embryos transferred	4.4	5.0	4.8	6.0		
Donor Eggs						
Number of fresh transfers	2	1	11	13		
Live births per 100 fresh transfers <sup>d</sup>	0/2	1/1	2/11	1/13		
Number of frozen transfers	2	1	5	12		
Live births per 100 frozen transfers <sup>d</sup>	0/2	0/1	2/5	5/12		
Average number embryos transferred (fresh and frozen)	5.3	4.5	4.5	4.7		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SCRIPPS CLINIC LA JOLLA, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	96%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	1%	Endometriosis	<b>27</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<b>6</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	<b>25</b> %
Sharing of donor eggs?	No			Male factor	17%
3 38		With ICSI	38%	Other factors	4%
		<b>Unstimulated</b>	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	26	24	14	7
Pregnancies per 100 cycles	15.4	8.3	1/14	0/7
Live births per 100 cycles <sup>d</sup>	11.5	8.3	0/14	0/7
(95% confidence interval)	(0.0 - 23.8)	(0.0 - 19.4)		
Live births per 100 retrievals <sup>d</sup>	11.5	8.3	0/13	0/7
Live births per 100 transfers <sup>d</sup>	11.5	8.7	0/10	0/4
Cancellations per 100 cycles	0.0	0.0	1/14	0/7
Average number embryos transferred	4.4	3.4	3.7	2.5
Twin gestations per 100 pregnancies	0/4	0/2	0/1	
Triplet or more gestations per 100 pregnancies	0/4	0/2	1/1	
Multiple births per 100 live births <sup>d</sup>	0/3	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	5	5	2
Live births per 100 transfers <sup>d</sup>	0/6	1/5	1/5	0/2
Average number embryos transferred	2.7	3.2	3.0	4.0
Donor Eggs				
Number of fresh transfers	0	0	1	1
Live births per 100 fresh transfers <sup>d</sup>			0/1	0/1
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				1/1
Average number embryos transferred (fresh and frozen)			3.0	3.5

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# JANE L. FREDERICK, M.D., INC. LAGUNA HILLS, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	88%	<b>Tubal factor</b>	13%
Single women?	Yes	GIFT	6%	<b>Endometriosis</b>	2%
Gestational carriers?	Yes	ZIFT	<b>6</b> %	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	37%
Sharing of donor eggs?	No			Male factor	17%
8 38		With ICSI	41%	Other factors	17%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	8	3	1
Pregnancies per 100 cycles	2/5	1/8	1/3	0/1
Live births per 100 cycles <sup>d</sup>	2/5	1/8	1/3	0/1
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	2/5	1/6	1/3	0/1
Live births per 100 transfers <sup>d</sup>	2/4	1/6	1/3	0/1
Cancellations per 100 cycles	0/5	2/8	0/3	0/1
Average number embryos transferred	3.8	3.8	5.3	6.0
Twin gestations per 100 pregnancies	0/2	0/1	1/1	
Triplet or more gestations per 100 pregnancies	1/2	0/1	0/1	
Multiple births per 100 live births <sup>d</sup>	1/2	0/1	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	2	0	4
Live births per 100 transfers <sup>d</sup>	4/8	1/2		2/4
Average number embryos transferred	3.8	3.0		4.3
Donor Eggs				
Number of fresh transfers	1	0	0	6
Live births per 100 fresh transfers <sup>d</sup>	0/1			3/6
Number of frozen transfers	0	0	2	5
Live births per 100 frozen transfers <sup>d</sup>			0/2	1/5
Average number embryos transferred (fresh and frozen)	3.0		3.5	3.4

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### LOMA LINDA UNIVERSITY CENTER FOR FERTILITY AND IVF LOMA LINDA, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	89%	<b>Tubal factor</b>	40%
Single women?	No	GIFT	4%	Endometriosis	<b>7</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	<b>7</b> %	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	<b>3</b> %
3 38		With ICSI	44%	Other factors	15%
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	26	16	11	2
Pregnancies per 100 cycles	30.8	4/16	2/11	0/2
Live births per 100 cycles <sup>d</sup>	30.8	3/16	1/11	0/2
(95% confidence interval)	(13.0 - 48.5)			
Live births per 100 retrievals <sup>d</sup>	36.4	3/15	1/5	0/2
Live births per 100 transfers <sup>d</sup>	38.1	3/14	1/5	0/2
Cancellations per 100 cycles	15.4	1/16	6/11	0/2
Average number embryos transferred	3.6	3.9	3.8	2.5
Twin gestations per 100 pregnancies	3/8	0/4	0/2	
Triplet or more gestations per 100 pregnancies	0/8	0/4	0/2	
Multiple births per 100 live births <sup>d</sup>	2/8	0/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	2	0	0
Live births per 100 transfers <sup>d</sup>	1/2	1/2		
Average number embryos transferred	3.5	3.0		
Donor Eggs				
Number of fresh transfers	2	1	2	2
Live births per 100 fresh transfers <sup>d</sup>	0/2	0/1	0/2	1/2
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)	4.0	5.0	3.5	3.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# UNIVERSITY INFERTILITY ASSOCIATES CENTER FOR ADVANCED REPRODUCTIVE CARE LONG BEACH, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	51%	<b>Tubal factor</b>	15%
Single women?	Yes	GIFT	47%	Endometriosis	15%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	13%
Sharing of donor eggs?	No			Male factor	19%
3 35		With ICSI	16%	Other factors	<1%
		Unstimulated	0%	Unexplained	37%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	< <b>35</b>	35-37	<b>38-40</b>	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	59	64	42	35
Pregnancies per 100 cycles	42.4	31.3	31.0	20.0
Live births per 100 cycles <sup>d</sup>	33.9	25.0	26.2	5.7
(95% confidence interval)	(21.8 - 46.0)	(14.4 - 35.6)	(12.9 - 39.5)	(0.0 - 13.4)
Live births per 100 retrievals <sup>d</sup>	39.2	29.1	29.7	6.5
Live births per 100 transfers <sup>d</sup>	39.2	29.6	31.4	6.7
Cancellations per 100 cycles	13.6	14.1	11.9	11.4
Average number embryos transferred	3.9	4.0	4.0	5.4
Twin gestations per 100 pregnancies	24.0	35.0	2/13	0/7
Triplet or more gestations per 100 pregnancies	16.0	5.0	1/13	0/7
Multiple births per 100 live births <sup>d</sup>	40.0	7/16	2/11	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	18	11	20	9
Live births per 100 transfers <sup>d</sup>	2/18	2/11	5.0	0/9
Average number embryos transferred	3.1	3.5	3.2	3.0
Donor Eggs				
Number of fresh transfers	0	0	2	12
Live births per 100 fresh transfers <sup>d</sup>			0/2	5/12
Number of frozen transfers	0	1	4	9
Live births per 100 frozen transfers <sup>d</sup>		1/1	1/4	3/9
Average number embryos transferred (fresh and frozen)		4.0	3.7	3.7

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### UNIVERSITY OF CALIFORNIA LOS ANGELES FERTILITY CENTER LOS ANGELES, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	23%
Single women?	Yes	GIFT	0%	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No			Male factor	<b>7</b> %
8 88		With ICSI	43%	Other factors	<b>36</b> %
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	11	7	15	7
Pregnancies per 100 cycles	2/11	1/7	1/15	2/7
Live births per 100 cycles <sup>d</sup>	2/11	1/7	0/15	2/7
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	2/11	1/7	0/14	2/7
Live births per 100 transfers <sup>d</sup>	2/11	1/6	0/12	2/6
Cancellations per 100 cycles	0/11	0/7	1/15	0/7
Average number embryos transferred	3.3	3.0	4.1	3.0
Twin gestations per 100 pregnancies	1/2	0/1	0/1	0/2
Triplet or more gestations per 100 pregnancies	1/2	0/1	0/1	0/2
Multiple births per 100 live births <sup>d</sup>	1/2	0/1		0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	1	1
Live births per 100 transfers <sup>d</sup>	0/1		0/1	0/1
Average number embryos transferred	3.0		5.0	3.0
Donor Eggs				
Number of fresh transfers	0	0	4	5
Live births per 100 fresh transfers <sup>d</sup>			2/4	2/5
Number of frozen transfers	0	0	1	3
Live births per 100 frozen transfers <sup>d</sup>			0/1	1/3
Average number embryos transferred (fresh and frozen)			5.8	4.5

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# UNIVERSITY OF SOUTHERN CALIFORNIA REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY LOS ANGELES, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	1%	<b>Endometriosis</b>	4%
Gestational carriers?	Yes	ZIFT	<b>7</b> %	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	9%
Sharing of donor eggs?	No			Male factor	<b>37</b> %
8 88		With ICSI	20%	Other factors	<b>27</b> %
		Unstimulated	5%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	13	16	12	20
Pregnancies per 100 cycles	6/13	9/16	2/12	25.0
Live births per 100 cycles <sup>d</sup>	4/13	7/16	0/12	5.0
(95% confidence interval)				(0.0 - 14.6)
Live births per 100 retrievals <sup>d</sup>	4/13	7/16	0/12	5.0
Live births per 100 transfers <sup>d</sup>	4/13	7/16	0/12	5.0
Cancellations per 100 cycles	0/13	0/16	0/12	0.0
Average number embryos transferred	3.2	4.1	4.2	4.9
Twin gestations per 100 pregnancies	0/6	6/9	0/2	1/5
Triplet or more gestations per 100 pregnancies	1/6	2/9	0/2	0/5
Multiple births per 100 live births <sup>d</sup>	1/4	5/7		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	5	2	7
Live births per 100 transfers <sup>d</sup>	1/6	1/5	0/2	0/7
Average number embryos transferred	3.3	2.6	2.0	3.6
Donor Eggs				
Number of fresh transfers	0	1	4	16
Live births per 100 fresh transfers <sup>d</sup>		1/1	4/4	7/16
Number of frozen transfers	0	1	2	23
Live births per 100 frozen transfers <sup>d</sup>		0/1	0/2	17.4
Average number embryos transferred (fresh and frozen)		3.5	3.5	3.2

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### BRIAN SU, M.D. MONTEREY PARK, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	27%
Single women?	No	GIFT	0%	Endometriosis	<b>9</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	<b>45</b> %
3 35		With ICSI	29%	Other factors	0%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	9	4	4	4	
Pregnancies per 100 cycles	4/9	2/4	2/4	0/4	
Live births per 100 cycles <sup>d</sup>	4/9	2/4	1/4	0/4	
(95% confidence interval)					
Live births per 100 retrievals <sup>d</sup>	4/9	2/4	1/2	0/2	
Live births per 100 transfers <sup>d</sup>	4/7	2/3	1/2	0/2	
Cancellations per 100 cycles	0/9	0/4	2/4	2/4	
Average number embryos transferred	4.3	3.7	4.0	1.5	
Twin gestations per 100 pregnancies	0/4	1/2	1/2		
Triplet or more gestations per 100 pregnancies	1/4	1/2	0/2		
Multiple births per 100 live births <sup>d</sup>	1/4	2/2	1/1		
Frozen Embryos From Nondonor Eggs					
Number of transfers	0	0	0	0	
Live births per 100 transfers <sup>d</sup>					
Average number embryos transferred					
Donor Eggs					
Number of fresh transfers	0	1	0	0	
Live births per 100 fresh transfers <sup>d</sup>		1/1			
Number of frozen transfers	0	0	0	0	
Live births per 100 frozen transfers <sup>d</sup>					
Average number embryos transferred (fresh and frozen)		5.0			

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### THE REPRODUCTIVE SPECIALTY INSTITUTE NEWPORT BEACH, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	74%	<b>Tubal factor</b>	14%
Single women?	Yes	GIFT	13%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	4%	Uterine factor	<b>7</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	9%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	21%
8 88		With ICSI	<b>57</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	29%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	12	3	5	3
Pregnancies per 100 cycles	7/12	1/3	1/5	0/3
Live births per 100 cycles <sup>d</sup>	4/12	1/3	0/5	0/3
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	4/12	1/3	0/4	0/1
Live births per 100 transfers <sup>d</sup>	4/12	1/3	0/4	0/1
Cancellations per 100 cycles	0/12	0/3	1/5	2/3
Average number embryos transferred	5.9	8.3	6.0	2.0
Twin gestations per 100 pregnancies	1/7	0/1	0/1	
Triplet or more gestations per 100 pregnancies	2/7	0/1	0/1	
Multiple births per 100 live births <sup>d</sup>	2/4	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Live births per 100 transfers <sup>d</sup>		0/1		
Average number embryos transferred		2.0		
Donor Eggs				
Number of fresh transfers	3	2	2	8
Live births per 100 fresh transfers <sup>d</sup>	1/3	0/2	1/2	2/8
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)	4.7	4.5	4.0	5.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SOUTHERN CALIFORNIA CENTER FOR REPRODUCTIVE MEDICINE NEWPORT BEACH, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART⁴		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	92%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	4%	Endometriosis	13%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	4%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No			Male factor	<b>7</b> %
9 99		With ICSI	42%	Other factors	<b>5</b> %
		Unstimulated	0%	Unexplained	29%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	65	29	29	33		
Pregnancies per 100 cycles	32.3	41.4	27.6	18.2		
Live births per 100 cycles <sup>d</sup>	23.1	34.5	24.1	12.1		
(95% confidence interval)	(12.8 - 33.3)	(17.2 - 51.8)	(8.6 - 39.7)	(1.0 - 23.3)		
Live births per 100 retrievals <sup>d</sup>	25.0	38.5	30.4	16.0		
Live births per 100 transfers <sup>d</sup>	26.8	45.5	31.8	17.4		
Cancellations per 100 cycles	7.7	10.3	20.7	24.2		
Average number embryos transferred	4.3	4.5	4.1	3.8		
Twin gestations per 100 pregnancies	28.6	5/12	2/8	1/6		
Triplet or more gestations per 100 pregnancies	9.5	3/12	1/8	0/6		
Multiple births per 100 live births <sup>d</sup>	7/15	5/10	3/7	1/4		
Frozen Embryos From Nondonor Eggs						
Number of transfers	30	9	8	5		
Live births per 100 transfers <sup>d</sup>	20.0	1/9	2/8	0/5		
Average number embryos transferred	3.3	3.8	3.1	3.6		
Donor Eggs						
Number of fresh transfers	3	3	1	16		
Live births per 100 fresh transfers <sup>d</sup>	1/3	2/3	0/1	8/16		
Number of frozen transfers	0	1	1	11		
Live births per 100 frozen transfers <sup>d</sup>		0/1	0/1	2/11		
Average number embryos transferred (fresh and frozen)	4.3	3.0	4.0	4.0		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### NORTHRIDGE CENTER FOR REPRODUCTIVE MEDICINE NORTHRIDGE, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	11%
Single women?	Yes	GIFT	0%	Endometriosis	24%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	<b>27</b> %
Sharing of donor eggs?	Yes			Male factor	24%
3 38		With ICSI	45%	Other factors	14%
		Unstimulated	6%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	27	7	12	5
Pregnancies per 100 cycles	33.3	3/7	0/12	0/5
Live births per 100 cycles <sup>d</sup>	29.6	3/7	0/12	0/5
(95% confidence interval)	(12.4 - 46.9)			
Live births per 100 retrievals <sup>d</sup>	30.8	3/7	0/7	
Live births per 100 transfers <sup>d</sup>	33.3	3/7	0/7	
Cancellations per 100 cycles	3.7	0/7	5/12	5/5
Average number embryos transferred	4.9	5.3	2.3	
Twin gestations per 100 pregnancies	2/9	0/3		
Triplet or more gestations per 100 pregnancies	1/9	0/3		
Multiple births per 100 live births <sup>d</sup>	3/8	0/3		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	1	0	0
Live births per 100 transfers <sup>d</sup>		0/1		
Average number embryos transferred		5.0		
Donor Eggs				
Number of fresh transfers	0	1	3	5
Live births per 100 fresh transfers <sup>d</sup>		0/1	2/3	2/5
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0	3.7	3.6

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# SUSAN P. WILLMAN, M.D. ORINDA, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	16%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>7</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	<b>26</b> %
Sharing of donor eggs?	No			Male factor	8%
9 99		With ICSI	45%	Other factors	21%
		Unstimulated	0%	Unexplained	22%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	13	15	13	14
Pregnancies per 100 cycles	1/13	7/15	5/13	4/14
Live births per 100 cycles <sup>d</sup>	1/13	6/15	3/13	2/14
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	1/13	6/15	3/11	2/9
Live births per 100 transfers <sup>d</sup>	1/12	6/15	3/11	2/8
Cancellations per 100 cycles	0/13	0/15	2/13	5/14
Average number embryos transferred	4.2	5.6	5.7	5.1
Twin gestations per 100 pregnancies	0/1	1/7	0/5	1/4
Triplet or more gestations per 100 pregnancies	1/1	0/7	1/5	1/4
Multiple births per 100 live births <sup>d</sup>	1/1	1/6	1/3	2/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	2	2	0
Live births per 100 transfers <sup>d</sup>	0/7	0/2	0/2	
Average number embryos transferred	3.9	4.0	3.5	
Donor Eggs				
Number of fresh transfers	0	0	0	10
Live births per 100 fresh transfers <sup>d</sup>				3/10
Number of frozen transfers	0	0	2	4
Live births per 100 frozen transfers <sup>d</sup>			0/2	0/4
Average number embryos transferred			4.5	4.8
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# NOVA IN VIIRO FERTILIZATION PALO ALTO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	34%
Single women?	Yes	GIFT	0%	Endometriosis	<b>7</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	<b>3</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>20</b> %
Sharing of donor eggs?	No			Male factor	<b>7</b> %
8 38		With ICSI	7%	Other factors	<b>29</b> %
		Unstimulated	1%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	28	27	26	16
Pregnancies per 100 cycles	35.7	40.7	26.9	0/16
Live births per 100 cycles <sup>d</sup>	35.7	25.9	23.1	0/16
(95% confidence interval)	(18.0 - 53.5)	(9.4 - 42.5)	(6.9 - 39.3)	
Live births per 100 retrievals <sup>d</sup>	38.5	26.9	26.1	0/12
Live births per 100 transfers <sup>d</sup>	41.7	29.2	28.6	0/11
Cancellations per 100 cycles	7.1	3.7	11.5	4/16
Average number embryos transferred	4.2	5.4	5.0	5.0
Twin gestations per 100 pregnancies	3/10	1/11	4/7	
Triplet or more gestations per 100 pregnancies	3/10	3/11	1/7	
Multiple births per 100 live births <sup>d</sup>	4/10	3/7	3/6	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	2	2	0
Live births per 100 transfers <sup>d</sup>	0/1	0/2	0/2	
Average number embryos transferred	3.0	3.5	2.5	
Donor Eggs				
Number of fresh transfers	1	1	2	11
Live births per 100 fresh transfers <sup>d</sup>	1/1	1/1	0/2	2/11
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	3.0	4.0	3.5	3.6

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# HUNTINGTON REPRODUCTIVE CENTER PASADENA, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	90%	<b>Tubal factor</b>	19%
Single women?	Yes	GIFT	1%	<b>Endometriosis</b>	<b>9</b> %
Gestational carriers?	Yes	ZIFT	8%	Uterine factor	<b>6</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	<b>30</b> %
Sharing of donor eggs?	Yes			Male factor	20%
3		With ICSI	68%	Other factors	4%
		Unstimulated	1%	Unexplained	12%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	113	57	80	64		
Pregnancies per 100 cycles	50.4	36.8	33.8	17.2		
Live births per 100 cycles <sup>d</sup>	43.4	29.8	25.0	10.9		
(95% confidence interval)	(34.2 - 52.5)	(17.9 - 41.7)	(15.5 - 34.5)	(3.3 - 18.6)		
Live births per 100 retrievals <sup>d</sup>	43.8	30.9	25.0	11.9		
Live births per 100 transfers <sup>d</sup>	44.1	30.9	25.3	11.9		
Cancellations per 100 cycles	0.9	3.5	0.0	7.8		
Average number embryos transferred	4.3	4.0	4.2	3.4		
Twin gestations per 100 pregnancies	31.6	33.3	33.3	1/11		
Triplet or more gestations per 100 pregnancies	7.0	9.5	0.0	0/11		
Multiple births per 100 live births <sup>d</sup>	36.7	7/17	40.0	1/7		
Frozen Embryos From Nondonor Eggs						
Number of transfers	13	7	10	6		
Live births per 100 transfers <sup>d</sup>	2/13	1/7	2/10	0/6		
Average number embryos transferred	3.2	3.1	3.9	3.0		
Donor Eggs						
Number of fresh transfers	7	4	9	43		
Live births per 100 fresh transfers <sup>d</sup>	4/7	1/4	4/9	46.5		
Number of frozen transfers	0	0	5	6		
Live births per 100 frozen transfers <sup>d</sup>			2/5	1/6		
Average number embryos transferred (fresh and frozen)	3.9	3.5	3.3	3.3		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### CENTER FOR ADVANCED REPRODUCTIVE CARE REDONDO BEACH, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	<b>7</b> %	Endometriosis	15%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	38%
Sharing of donor eggs?	No			Male factor	<b>6</b> %
8 88		With ICSI	49%	Other factors	<b>5</b> %
		Unstimulated	0%	Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	70	54	75	56		
Pregnancies per 100 cycles	41.4	40.7	36.0	12.5		
Live births per 100 cycles <sup>d</sup>	40.0	38.9	29.3	5.4		
(95% confidence interval)	(28.5 - 51.5)	(25.9 - 51.9)	(19.0 - 39.6)	(0.0 - 11.3)		
Live births per 100 retrievals <sup>d</sup>	45.2	47.7	36.7	7.0		
Live births per 100 transfers <sup>d</sup>	47.5	48.8	37.3	7.3		
Cancellations per 100 cycles	11.4	18.5	20.0	23.2		
Average number embryos transferred	3.5	4.1	4.2	5.2		
Twin gestations per 100 pregnancies	24.1	31.8	18.5	0/7		
Triplet or more gestations per 100 pregnancies	13.8	13.6	7.4	0/7		
Multiple births per 100 live births <sup>d</sup>	35.7	28.6	31.8	0/3		
Frozen Embryos From Nondonor Eggs						
Number of transfers	11	11	12	11		
Live births per 100 transfers <sup>d</sup>	2/11	3/11	1/12	0/11		
Average number embryos transferred	4.5	4.0	4.6	3.9		
Donor Eggs						
Number of fresh transfers	3	0	7	28		
Live births per 100 fresh transfers <sup>d</sup>	1/3		2/7	35.7		
Number of frozen transfers	1	0	1	14		
Live births per 100 frozen transfers <sup>d</sup>	0/1		1/1	8/14		
Average number embryos transferred (fresh and frozen)	3.3		4.4	3.5		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### NORTHERN CALIFORNIA FERTILITY MEDICAL CENTER ROSEVILLE, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	97%	<b>Tubal factor</b>	36%
Single women?	Yes	GIFT	<1%	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	19%
Sharing of donor eggs?	Yes			Male factor	<b>7</b> %
3 38		With ICSI	38%	Other factors	<b>6</b> %
		Unstimulated	0%	Unexplained	<b>22</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	68	47	37	23		
Pregnancies per 100 cycles	39.7	19.1	24.3	4.3		
Live births per 100 cycles <sup>d</sup>	36.8	8.5	16.2	0.0		
(95% confidence interval)	(25.3 - 48.2)	(0.5 - 16.5)	(4.3 - 28.1)			
Live births per 100 retrievals <sup>d</sup>	37.9	9.3	17.6	0.0		
Live births per 100 transfers <sup>d</sup>	38.5	9.8	18.8	0.0		
Cancellations per 100 cycles	2.9	8.5	8.1	4.3		
Average number embryos transferred	4.9	4.4	5.8	4.0		
Twin gestations per 100 pregnancies	22.2	1/9	0/9	0/1		
Triplet or more gestations per 100 pregnancies	18.5	2/9	2/9	0/1		
Multiple births per 100 live births <sup>d</sup>	40.0	2/4	1/6			
Frozen Embryos From Nondonor Eggs						
Number of transfers	10	2	6	4		
Live births per 100 transfers <sup>d</sup>	0/10	0/2	1/6	0/4		
Average number embryos transferred	5.8	4.5	6.3	4.3		
Donor Eggs						
Number of fresh transfers	1	1	4	26		
Live births per 100 fresh transfers <sup>d</sup>	1/1	1/1	2/4	50.0		
Number of frozen transfers	0	0	0	5		
Live births per 100 frozen transfers <sup>d</sup>				0/5		
Average number embryos transferred (fresh and frozen)	4.0	6.0	6.5	5.1		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### UNIVERSITY OF CALIFORNIA DAVIS ART PROGRAM SACRAMENTO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>51</b> %
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	1%
Sharing of donor eggs?	No			Male factor	<b>5</b> %
3 35		With ICSI	2%	Other factors	<b>22</b> %
		Unstimulated	2%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	26	8	8	5		
Pregnancies per 100 cycles	23.1	3/8	1/8	0/5		
Live births per 100 cycles <sup>d</sup>	19.2	2/8	0/8	0/5		
(95% confidence interval)	(4.1 - 34.4)					
Live births per 100 retrievals <sup>d</sup>	22.7	2/7	0/6	0/4		
Live births per 100 transfers <sup>d</sup>	22.7	2/7	0/6	0/3		
Cancellations per 100 cycles	15.4	1/8	2/8	1/5		
Average number embryos transferred	4.6	5.0	5.3	1.7		
Twin gestations per 100 pregnancies	0/6	0/3	0/1			
Triplet or more gestations per 100 pregnancies	3/6	1/3	0/1			
Multiple births per 100 live births <sup>d</sup>	3/5	1/2				
Frozen Embryos From Nondonor Eggs						
Number of transfers	10	1	4	0		
Live births per 100 transfers <sup>d</sup>	3/10	1/1	0/4			
Average number embryos transferred	4.4	6.0	3.5			
Donor Eggs						
Number of fresh transfers	0	1	1	0		
Live births per 100 fresh transfers <sup>d</sup>		1/1	0/1			
Number of frozen transfers	0	1	0	2		
Live births per 100 frozen transfers <sup>d</sup>		1/1		0/2		
Average number embryos transferred (fresh and frozen)		6.0	4.0	4.5		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### IGO MEDICAL GROUP OF SAN DIEGO SAN DIEGO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	45%
Single women?	Yes	GIFT	0%	Endometriosis	24%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	13%
Sharing of donor eggs?	No			Male factor	12%
3 38		With ICSI	43%	Other factors	1%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	18	13	12
Pregnancies per 100 cycles	19.4	1/18	1/13	1/12
Live births per 100 cycles <sup>d</sup>	16.1	1/18	1/13	1/12
(95% confidence interval)	(3.2 - 29.1)			
Live births per 100 retrievals <sup>d</sup>	17.9	1/16	1/10	1/5
Live births per 100 transfers <sup>d</sup>	19.2	1/15	1/9	1/4
Cancellations per 100 cycles	9.7	2/18	3/13	7/12
Average number embryos transferred	5.3	4.0	3.7	3.3
Twin gestations per 100 pregnancies	1/6	0/1	0/1	0/1
Triplet or more gestations per 100 pregnancies	2/6	0/1	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	1/5	0/1	0/1	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	0	2	1
Live births per 100 transfers <sup>d</sup>	1/6		0/2	0/1
Average number embryos transferred	3.8		4.5	1.0
Donor Eggs				
Number of fresh transfers	0	1	0	1
Live births per 100 fresh transfers <sup>d</sup>		0/1		0/1
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)		4.0		4.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

## REPRODUCTIVE ENDOCRINE ASSOCIATES SAN DIEGO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	14%
Single women?	Yes	GIFT	0%	Endometriosis	<b>39</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	11%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	11%
9 99		With ICSI	<b>50</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	25%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	9	5	5	1	
Pregnancies per 100 cycles	4/9	2/5	0/5	1/1	
Live births per 100 cycles <sup>d</sup>	3/9	2/5	0/5	0/1	
(95% confidence interval)					
Live births per 100 retrievals <sup>d</sup>	3/9	2/5	0/5	0/1	
Live births per 100 transfers <sup>d</sup>	3/8	2/3	0/4	0/1	
Cancellations per 100 cycles	0/9	0/5	0/5	0/1	
Average number embryos transferred	4.8	4.3	5.8	6.0	
Twin gestations per 100 pregnancies	1/4	1/2		0/1	
Triplet or more gestations per 100 pregnancies	0/4	0/2		0/1	
Multiple births per 100 live births <sup>d</sup>	1/3	1/2			
Frozen Embryos From Nondonor Eggs					
Number of transfers	0	0	0	2	
Live births per 100 transfers <sup>d</sup>				1/2	
Average number embryos transferred				3.5	
Donor Eggs					
Number of fresh transfers	2	0	0	4	
Live births per 100 fresh transfers <sup>d</sup>	0/2			2/4	
Number of frozen transfers	0	0	0	0	
Live births per 100 frozen transfers <sup>d</sup>					
Average number embryos transferred	4.0			4.8	
(fresh and frozen)					

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### SHARP FERTILITY CENTER SAN DIEGO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	81%	<b>Tubal factor</b>	28%
Single women?	Yes	GIFT	8%	<b>Endometriosis</b>	4%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	10%	<b>Ovulatory dysfunction</b>	19%
Sharing of donor eggs?	No			Male factor	3%
0 00		With ICSI	<b>58</b> %	Other factors	15%
		Unstimulated	0%	Unexplained	29%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	<b>38-40</b>	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	45	46	33	31		
Pregnancies per 100 cycles	37.8	32.6	24.2	9.7		
Live births per 100 cycles <sup>d</sup>	33.3	28.3	12.1	6.5		
(95% confidence interval)	(19.6 - 47.1)	(15.2 - 41.3)	(1.0 - 23.3)	(0.0 - 15.1)		
Live births per 100 retrievals <sup>d</sup>	34.9	31.7	12.5	8.0		
Live births per 100 transfers <sup>d</sup>	34.9	31.7	12.5	8.0		
Cancellations per 100 cycles	4.4	10.9	3.0	19.4		
Average number embryos transferred	4.7	5.0	4.9	4.3		
Twin gestations per 100 pregnancies	6/17	3/15	3/8	1/3		
Triplet or more gestations per 100 pregnancies	2/17	2/15	0/8	0/3		
Multiple births per 100 live births <sup>d</sup>	7/15	5/13	2/4	1/2		
<b>Prozen Embryos From Nondonor Eggs</b>						
Number of transfers	23	26	12	10		
Live births per 100 transfers <sup>d</sup>	21.7	15.4	2/12	0/10		
Average number embryos transferred	4.6	4.4	5.1	5.1		
Donor Eggs						
Number of fresh transfers	1	2	3	11		
Live births per 100 fresh transfers <sup>d</sup>	0/1	0/2	0/3	2/11		
Number of frozen transfers	0	0	1	10		
Live births per 100 frozen transfers <sup>d</sup>			1/1	1/10		
Average number embryos transferred (fresh and frozen)	4.0	5.0	5.5	4.2		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SMOTRICH CENTER FOR REPRODUCTIVE ENHANCEMENT SAN DIEGO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	13%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	17%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>30</b> %
Sharing of donor eggs?	No			Male factor	10%
0 00		With ICSI	28%	Other factors	0%
		Unstimulated	0%	Unexplained	<b>30</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	9	5	2	2
Pregnancies per 100 cycles	0/9	1/5	0/2	0/2
Live births per 100 cycles <sup>d</sup>	0/9	1/5	0/2	0/2
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	0/9	1/4	0/2	0/2
Live births per 100 transfers <sup>d</sup>	0/9	1/4	0/2	0/2
Cancellations per 100 cycles	0/9	1/5	0/2	0/2
Average number embryos transferred	4.7	5.3	6.0	3.5
Twin gestations per 100 pregnancies		0/1		
Triplet or more gestations per 100 pregnancies		0/1		
Multiple births per 100 live births <sup>d</sup>		0/1		
<b>Prozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Live births per 100 transfers <sup>d</sup>	0/1			
Average number embryos transferred	6.0			
Donor Eggs				
Number of fresh transfers	1	0	1	5
Live births per 100 fresh transfers <sup>d</sup>	0/1		0/1	0/5
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers <sup>d</sup>				0/2
Average number embryos transferred	4.0		4.0	3.9
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### ASTARIE FERILITY CENTER SAN FRANCISCO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	84%	<b>Tubal factor</b>	29%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>25</b> %
Gestational carriers?	Yes	ZIFT	3%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	13%	Ovulatory dysfunction	24%
Sharing of donor eggs?	No			Male factor	8%
0 00		With ICSI	<b>50</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	14%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	<b>38-40</b>	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	27	30	25
Pregnancies per 100 cycles	33.3	37.0	20.0	12.0
Live births per 100 cycles <sup>d</sup>	30.3	37.0	20.0	0.0
(95% confidence interval)	(14.6 - 46.0)	(18.8 - 55.3)	(5.7 - 34.3)	
Live births per 100 retrievals <sup>d</sup>	33.3	41.7	27.3	0/16
Live births per 100 transfers <sup>d</sup>	34.5	41.7	27.3	0/16
Cancellations per 100 cycles	9.1	11.1	26.7	36.0
Average number embryos transferred	3.8	4.0	3.1	3.6
Twin gestations per 100 pregnancies	2/11	0/10	0/6	0/3
Triplet or more gestations per 100 pregnancies	1/11	4/10	0/6	0/3
Multiple births per 100 live births <sup>d</sup>	2/10	4/10	0/6	
<b>Frozen Embryos From Nondonor Eggs</b> Number of transfers	0	0	3	0
Live births per 100 transfers <sup>d</sup>	Ü	Ü	0/3	, and the second
Average number embryos transferred			3.7	
Donor Eggs				
Number of fresh transfers	0	2	0	13
Live births per 100 fresh transfers <sup>d</sup>		1/2		7/13
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>	, and the second	, and the second		0/1
Average number embryos transferred (fresh and frozen)		3.5		3.9
,				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### PACIFIC FERTILITY CENTER-SAN FRANCISCO SAN FRANCISCO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	24%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	14%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	Yes			Male factor	8%
3		With ICSI	64%	Other factors	<1%
		Unstimulated	0%	Unexplained	<b>29</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	< <b>35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	207	168	149	76
Pregnancies per 100 cycles	47.8	41.1	31.5	14.5
Live births per 100 cycles <sup>d</sup>	40.6	36.3	26.8	7.9
(95% confidence interval)	(33.9 - 47.3)	(29.0 - 43.6)	(19.7 - 34.0)	(1.8 - 14.0)
Live births per 100 retrievals <sup>d</sup>	40.6	36.5	26.8	7.9
Live births per 100 transfers <sup>d</sup>	41.6	38.4	29.2	8.8
Cancellations per 100 cycles	0.0	0.6	0.0	0.0
Average number embryos transferred	4.4	4.9	5.1	5.2
Twin gestations per 100 pregnancies	29.3	31.9	14.9	2/11
Triplet or more gestations per 100 pregnancies	23.2	18.8	14.9	0/11
Multiple births per 100 live births <sup>d</sup>	47.6	42.6	30.0	1/6
Frozen Embryos From Nondonor Eggs				
Number of transfers	44	22	14	9
Live births per 100 transfers <sup>d</sup>	11.4	27.3	2/14	2/9
Average number embryos transferred	4.7	5.1	4.6	5.8
Donor Eggs				
Number of fresh transfers	3	8	17	66
Live births per 100 fresh transfers <sup>d</sup>	1/3	5/8	12/17	62.1
Number of frozen transfers	3	2	3	25
Live births per 100 frozen transfers <sup>d</sup>	0/3	0/2	0/3	12.0
Average number embryos transferred (fresh and frozen)	6.2	5.5	5.5	5.1

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SAN FRANCISCO CENTER FOR REPRODUCTIVE MEDICINE SAN FRANCISCO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	<1%	<b>Endometriosis</b>	<b>6</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	34%
Sharing of donor eggs?	No			Male factor	13%
0 00		With ICSI	39%	Other factors	<b>22</b> %
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	<b>38-40</b>	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	61	46	57	78		
Pregnancies per 100 cycles	47.5	47.8	22.8	19.2		
Live births per 100 cycles <sup>d</sup>	44.3	41.3	17.5	7.7		
(95% confidence interval)	(31.8 - 56.7)	(27.1 - 55.5)	(7.7 - 27.4)	(1.8 - 13.6)		
Live births per 100 retrievals <sup>d</sup>	52.9	51.4	24.4	9.7		
Live births per 100 transfers <sup>d</sup>	52.9	51.4	25.0	10.2		
Cancellations per 100 cycles	16.4	19.6	28.1	20.5		
Average number embryos transferred	4.0	4.5	4.9	5.2		
Twin gestations per 100 pregnancies	27.6	22.7	2/13	2/15		
Triplet or more gestations per 100 pregnancies	6.9	22.7	0/13	0/15		
Multiple births per 100 live births <sup>d</sup>	33.3	10/19	1/10	0/6		
<b>Prozen Embryos From Nondonor Eggs</b>						
Number of transfers	11	5	8	9		
Live births per 100 transfers <sup>d</sup>	3/11	1/5	3/8	0/9		
Average number embryos transferred	4.3	5.4	5.4	3.3		
Donor Eggs						
Number of fresh transfers	2	4	10	42		
Live births per 100 fresh transfers <sup>d</sup>	2/2	1/4	4/10	35.7		
Number of frozen transfers	1	3	0	24		
Live births per 100 frozen transfers <sup>d</sup>	1/1	0/3		29.2		
Average number embryos transferred (fresh and frozen)	3.3	2.9	3.3	3.8		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SIMON HENDERSON, M.D. SAN FRANCISCO, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	96%	<b>Tubal factor</b>	19%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	13%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	4%	Ovulatory dysfunction	10%
Sharing of donor eggs?	No			Male factor	46%
3 33		With ICSI	28%	Other factors	1%
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	13	18	20	16
Pregnancies per 100 cycles	2/13	3/18	0.0	1/16
Live births per 100 cycles <sup>d</sup>	1/13	2/18	0.0	1/16
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	1/13	2/14	0/16	1/10
Live births per 100 transfers <sup>d</sup>	1/12	2/14	0/16	1/10
Cancellations per 100 cycles	0/13	4/18		6/16
Average number embryos transferred	6.2	6.9	5.8	5.7
Twin gestations per 100 pregnancies	0/2	0/3		0/1
Triplet or more gestations per 100 pregnancies	0/2	0/3		0/1
Multiple births per 100 live births <sup>d</sup>	0/1	0/2		0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	3	0	1
Live births per 100 transfers <sup>d</sup>	0/1	1/3		0/1
Average number embryos transferred	4.0	3.0		4.0
Donor Eggs				
Number of fresh transfers	0	0	1	2
Live births per 100 fresh transfers <sup>d</sup>			0/1	0/2
Number of frozen transfers	0	0	1	1
Live births per 100 frozen transfers <sup>d</sup>			1/1	0/1
Average number embryos transferred			3.0	5.3
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### UNIVERSITY OF CALIFORNIA SAN FRANCISCO IVF PROGRAM SAN FRANCISCO, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	>99%	<b>Tubal factor</b>	23%
Single women?	Yes	GIFT	0%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	33%
Sharing of donor eggs?	No			Male factor	3%
3 33		With ICSI	47%	Other factors	8%
		Unstimulated	0%	Unexplained	24%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	< <b>35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	86	77	97	39
Pregnancies per 100 cycles	32.6	33.8	25.8	7.7
Live births per 100 cycles <sup>d</sup>	29.1	24.7	19.6	5.1
(95% confidence interval)	(19.5 - 38.7)	(15.0 - 34.3)	(11.7 - 27.5)	(0.0 - 12.1)
Live births per 100 retrievals <sup>d</sup>	37.3	33.3	23.5	6.3
Live births per 100 transfers <sup>d</sup>	42.4	35.8	26.0	6.7
Cancellations per 100 cycles	22.1	26.0	16.5	17.9
Average number embryos transferred	2.5	2.9	3.4	4.0
Twin gestations per 100 pregnancies	25.0	23.1	24.0	1/3
Triplet or more gestations per 100 pregnancies	7.1	0.0	4.0	0/3
Multiple births per 100 live births <sup>d</sup>	28.0	3/19	4/19	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	35	44	46	11
Live births per 100 transfers <sup>d</sup>	20.0	15.9	19.6	1/11
Average number embryos transferred	2.8	2.8	2.9	4.5
Donor Eggs				
Number of fresh transfers	8	8	6	35
Live births per 100 fresh transfers <sup>d</sup>	4/8	6/8	4/6	31.4
Number of frozen transfers	2	0	1	24
Live births per 100 frozen transfers <sup>d</sup>	2/2		0/1	29.2
Average number embryos transferred (fresh and frozen)	2.2	2.5	2.1	2.4

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# CARMELO S. SGARLATA, M.D. SAN JOSE, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	No	IVF	70%	<b>Tubal factor</b>	41%
Single women?	No	GIFT	23%	Endometriosis	28%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	<b>7</b> %	Ovulatory dysfunction	16%
Sharing of donor eggs?	No			Male factor	9%
3 33		With ICSI	10%	Other factors	<b>6</b> %
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	8	12	7	3
Pregnancies per 100 cycles	2/8	2/12	2/7	0/3
Live births per 100 cycles <sup>d</sup>	1/8	2/12	2/7	0/3
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	1/7	2/9	2/6	0/2
Live births per 100 transfers <sup>d</sup>	1/7	2/9	2/6	0/2
Cancellations per 100 cycles	1/8	3/12	1/7	1/3
Average number embryos transferred	4.0	4.2	3.8	4.5
Twin gestations per 100 pregnancies	1/2	2/2	1/2	
Triplet or more gestations per 100 pregnancies	0/2	0/2	0/2	
Multiple births per 100 live births <sup>d</sup>	1/1	1/2	1/2	
Frozen Embryos From Nondonor Eggs		0	0	
Number of transfers	1	0	0	0
Live births per 100 transfers <sup>d</sup>	0/1			
Average number embryos transferred	2.0			
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# FERTILITY AND REPRODUCTIVE HEALTH INSTITUTE OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	89%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	9%	<b>Endometriosis</b>	23%
<b>Gestational carriers?</b>	Yes	ZIFT	2%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>29</b> %
Sharing of donor eggs?	No			Male factor	14%
3 33		With ICSI	25%	Other factors	4%
		Unstimulated	0%	Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	73	37	76	45
Pregnancies per 100 cycles	38.4	24.3	13.2	13.3
Live births per 100 cycles <sup>d</sup>	32.9	13.5	10.5	2.2
(95% confidence interval)	(22.1 - 43.7)	(2.5 - 24.5)	(3.6 - 17.4)	(0.0 - 6.5)
Live births per 100 retrievals <sup>d</sup>	35.8	14.7	14.0	3.1
Live births per 100 transfers <sup>d</sup>	35.8	14.7	14.0	3.4
Cancellations per 100 cycles	8.2	8.1	25.0	28.9
Average number embryos transferred	3.9	4.4	4.3	4.7
Twin gestations per 100 pregnancies	21.4	2/9	3/10	1/6
Triplet or more gestations per 100 pregnancies	14.3	1/9	0/10	0/6
Multiple births per 100 live births <sup>d</sup>	41.7	2/5	3/8	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	3	3	0
Live births per 100 transfers <sup>d</sup>	0/3	1/3	0/3	
Average number embryos transferred	2.3	2.7	2.7	
Donor Eggs				
Number of fresh transfers	0	1	5	7
Live births per 100 fresh transfers <sup>d</sup>		1/1	2/5	3/7
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers <sup>d</sup>				0/2
Average number embryos transferred (fresh and frozen)		6.0	4.6	3.7

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### REPRODUCTIVE SCIENCE CENTER OF THE BAY AREA SAN RAMON, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	80%	<b>Tubal factor</b>	19%
Single women?	Yes	GIFT	18%	<b>Endometriosis</b>	16%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	14%
Sharing of donor eggs?	Yes			Male factor	<b>38</b> %
0 00		With ICSI	22%	Other factors	8%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	< <b>35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	62	48	37	20
Pregnancies per 100 cycles	35.5	39.6	32.4	35.0
Live births per 100 cycles <sup>d</sup>	29.0	31.3	24.3	30.0
(95% confidence interval)	(17.7 - 40.3)	(18.1 - 44.4)	(10.5 - 38.1)	(9.9 - 50.1)
Live births per 100 retrievals <sup>d</sup>	33.3	36.6	29.0	6/17
Live births per 100 transfers <sup>d</sup>	34.0	36.6	30.0	6/15
Cancellations per 100 cycles	12.9	14.6	16.2	15.0
Average number embryos transferred	3.7	4.2	5.0	6.2
Twin gestations per 100 pregnancies	31.8	5/19	3/12	2/7
Triplet or more gestations per 100 pregnancies	13.6	3/19	1/12	0/7
Multiple births per 100 live births <sup>d</sup>	9/18	8/15	3/9	1/6
Frozen Embryos From Nondonor Eggs				
Number of transfers	19	13	12	4
Live births per 100 transfers <sup>d</sup>	3/19	4/13	3/12	1/4
Average number embryos transferred	3.5	4.2	3.9	6.3
Donor Eggs				
Number of fresh transfers	13	6	16	45
Live births per 100 fresh transfers <sup>d</sup>	5/13	3/6	9/16	55.6
Number of frozen transfers	7	7	7	23
Live births per 100 frozen transfers <sup>d</sup>	4/7	2/7	1/7	43.5
Average number embryos transferred (fresh and frozen)	3.6	3.5	3.6	3.5

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### CENTER FOR ASSISTED REPRODUCTIVE MEDICINE SANTA MONICA, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	85%	<b>Tubal factor</b>	14%
Single women?	Yes	GIFT	9%	<b>Endometriosis</b>	<b>6</b> %
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	6%	Ovulatory dysfunction	33%
Sharing of donor eggs?	Yes			Male factor	14%
3		With ICSI	<b>55</b> %	Other factors	23%
		Unstimulated	1%	Unexplained	<b>7</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	< <b>35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	90	68	100	137
Pregnancies per 100 cycles	38.9	33.8	31.0	12.4
Live births per 100 cycles <sup>d</sup>	36.7	29.4	19.0	7.3
(95% confidence interval)	(26.7 - 46.6)	(18.6 - 40.2)	(11.3 - 26.7)	(2.9 - 11.7)
Live births per 100 retrievals <sup>d</sup>	38.4	32.8	21.1	9.2
Live births per 100 transfers <sup>d</sup>	38.8	35.7	21.6	10.3
Cancellations per 100 cycles	4.4	10.3	10.0	20.4
Average number embryos transferred	4.1	4.1	4.6	3.9
Twin gestations per 100 pregnancies	40.0	43.5	6.5	1/17
Triplet or more gestations per 100 pregnancies	14.3	4.3	3.2	0/17
Multiple births per 100 live births <sup>d</sup>	48.5	50.0	3/19	1/10
Frozen Embryos From Nondonor Eggs				
Number of transfers	39	25	17	15
Live births per 100 transfers <sup>d</sup>	15.4	12.0	1/17	2/15
Average number embryos transferred	4.1	3.6	2.7	3.8
Donor Eggs				
Number of fresh transfers	2	5	11	51
Live births per 100 fresh transfers <sup>d</sup>	0/2	2/5	4/11	37.3
Number of frozen transfers	0	1	6	33
Live births per 100 frozen transfers <sup>d</sup>		0/1	2/6	27.3
Average number embryos transferred (fresh and frozen)	3.5	3.7	3.9	3.6

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### PARKER-ROSENMAN-RODI GYN & INFERTILITY MEDICAL GROUP SANTA MONICA, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	40%
Single women?	Yes	GIFT	0%	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	<b>27</b> %
0 00		With ICSI	22%	Other factors	2%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	10	11	7	9	
Pregnancies per 100 cycles	3/10	4/11	1/7	1/9	
Live births per 100 cycles <sup>d</sup>	3/10	3/11	0/7	1/9	
(95% confidence interval)					
Live births per 100 retrievals <sup>d</sup>	3/10	3/10	0/6	1/9	
Live births per 100 transfers <sup>d</sup>	3/8	3/10	0/4	1/9	
Cancellations per 100 cycles	0/10	1/11	1/7	0/9	
Average number embryos transferred	3.1	4.1	3.5	5.3	
Twin gestations per 100 pregnancies	1/3	1/4	0/1	0/1	
Triplet or more gestations per 100 pregnancies	0/3	0/4	0/1	0/1	
Multiple births per 100 live births <sup>d</sup>	1/3	1/3		0/1	
Frozen Embryos From Nondonor Eggs					
Number of transfers	5	0	2	0	
Live births per 100 transfers <sup>d</sup>	3/5		2/2		
Average number embryos transferred	3.4		4.0		
Donor Eggs					
Number of fresh transfers	0	0	0	0	
Live births per 100 fresh transfers <sup>d</sup>					
Number of frozen transfers	0	0	0	1	
Live births per 100 frozen transfers <sup>d</sup>				0/1	
Average number embryos transferred (fresh and frozen)				3.0	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### NORTH BAY FERTILITY CENTER, INC. SANTA ROSA, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	14%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>5</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No			Male factor	33%
0 00		With ICSI	31%	Other factors	9%
		Unstimulated	0%	Unexplained	22%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	25	27	18
Pregnancies per 100 cycles	36.4	40.0	7.4	4/18
Live births per 100 cycles <sup>d</sup>	30.3	32.0	7.4	4/18
(95% confidence interval)	(14.6 - 46.0)	(13.7 - 50.3)	(0.0 - 17.3)	
Live births per 100 retrievals <sup>d</sup>	33.3	32.0	8.0	4/17
Live births per 100 transfers <sup>d</sup>	34.5	34.8	8.3	4/17
Cancellations per 100 cycles	9.1	0.0	7.4	1/18
Average number embryos transferred	3.5	5.4	4.7	6.4
Twin gestations per 100 pregnancies	3/12	3/10	2/2	2/4
Triplet or more gestations per 100 pregnancies	0/12	1/10	0/2	0/4
Multiple births per 100 live births <sup>d</sup>	3/10	4/8	2/2	1/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	1	2
Live births per 100 transfers <sup>d</sup>	1/2	2/3	0/1	0/2
Average number embryos transferred	5.5	3.7	5.0	4.0
Donor Eggs				
Number of fresh transfers	11	5	5	47
Live births per 100 fresh transfers <sup>d</sup>	3/11	5/5	2/5	40.4
Number of frozen transfers	2	0	1	6
Live births per 100 frozen transfers <sup>d</sup>	1/2		0/1	3/6
Average number embryos transferred (fresh and frozen)	3.3	2.8	4.3	2.9

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### VALLEY CENTER FOR REPRODUCTIVE HEALTH SHERMAN OAKS, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	17%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>25</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	33%
Sharing of donor eggs?	No			Male factor	<b>25</b> %
3 33		With ICSI	<b>55</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<35	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	5	0	1
Pregnancies per 100 cycles	3/5	0/5		0/1
Live births per 100 cycles <sup>d</sup>	3/5	0/5		0/1
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	3/5	0/5		0/1
Live births per 100 transfers <sup>d</sup>	3/5	0/5		0/1
Cancellations per 100 cycles	0/5	0/5		0/1
Average number embryos transferred	3.6	5.2		5.0
Twin gestations per 100 pregnancies	2/3			
Triplet or more gestations per 100 pregnancies	0/3			
Multiple births per 100 live births <sup>d</sup>	2/3			
Frozen Embryos From Nondonor Eggs	0	1	0	0
Number of transfers	U	0/1	U	U
Live births per 100 transfers <sup>d</sup>		2.0		
Average number embryos transferred		2.0		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### STANFORD UNIVERSITY IVF/ART PROGRAM STANFORD, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	85%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	3%	<b>Endometriosis</b>	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	No	Combination <sup>b</sup>	12%	Ovulatory dysfunction	<b>29</b> %
Sharing of donor eggs?	No			Male factor	<b>5</b> %
3 33		With ICSI	31%	Other factors	<b>29</b> %
		<b>Unstimulated</b>	<1%	Unexplained	<b>7</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Number of cycles   64   56   80   60     Pregnancies per 100 cycles   39.1   30.4   22.5   10.0     Live births per 100 cycles   31.3   21.4   10.0   3.3     (95% confidence interval)   (19.9 - 42.6)   (10.7 - 32.2)   (3.4 - 16.6)   (0.0 - 7.9     Live births per 100 retrievals   33.3   26.7   11.1   3.8     Live births per 100 transfers   34.5   27.9   11.6   4.0     Cancellations per 100 cycles   6.3   19.6   10.0   11.7     Average number embryos transferred   4.6   4.6   5.0   4.8     Twin gestations per 100 pregnancies   40.0   6/17   3/18   2/6     Thiplet or more gestations per 100 pregnancies   8.0   0/17   0/18   0/6     Multiple births per 100 live births   35.0   5/12   3/8   1/2      Prozen Embryos Rom Nondonor Eggs   Number of transfers   5   0   3   0     Live births per 100 transfers   5   0/3   4     Average number embryos transferred   2.2   2.3      Donor Eggs	Type of Cycle		Age of	Woman	
Number of cycles       64       56       80       60         Pregnancies per 100 cycles       39.1       30.4       22.5       10.0         Live births per 100 cycles <sup>d</sup> 31.3       21.4       10.0       3.3         (95% confidence interval)       (19.9 - 42.6)       (10.7 - 32.2)       (3.4 - 16.6)       (0.0 - 7.9         Live births per 100 retrievals <sup>d</sup> 33.3       26.7       11.1       3.8         Live births per 100 transfers <sup>d</sup> 34.5       27.9       11.6       4.0         Cancellations per 100 cycles       6.3       19.6       10.0       11.7         Average number embryos transferred       4.6       4.6       5.0       4.8         Twin gestations per 100 pregnancies       40.0       6/17       3/18       2/6         Triplet or more gestations per 100 pregnancies       8.0       0/17       0/18       0/6         Multiple births per 100 live births <sup>d</sup> 35.0       5/12       3/8       1/2         Frozen Embryos From Nondonor Eggs         Number of transfers       5       0       3       0         Live births per 100 transfers <sup>d</sup> 0/5       0/3       0/3         Average number embryos transferred       2.2       2.		<35	35-37	38-40	>40
Pregnancies per 100 cycles         39.1         30.4         22.5         10.0           Live births per 100 cycles <sup>d</sup> 31.3         21.4         10.0         3.3           (95% confidence interval)         (19.9 - 42.6)         (10.7 - 32.2)         (3.4 - 16.6)         (0.0 - 7.9           Live births per 100 retrievals <sup>d</sup> 33.3         26.7         11.1         3.8           Live births per 100 transfers <sup>d</sup> 34.5         27.9         11.6         4.0           Cancellations per 100 cycles         6.3         19.6         10.0         11.7           Average number embryos transferred         4.6         4.6         5.0         4.8           Twin gestations per 100 pregnancies         40.0         6/17         3/18         2/6           Triplet or more gestations per 100 pregnancies         8.0         0/17         0/18         0/6           Multiple births per 100 live births <sup>d</sup> 35.0         5/12         3/8         1/2           Frozen Embryos Rom Nondonor Eggs           Number of transfers         5         0         3         0           Live births per 100 transfers <sup>d</sup> 0/5         0/3         2.3           Average number embryos transferred         2.2         2.3	Fresh Embryos From Nondonor Eggs				
Live births per 100 cycles <sup>d</sup>   31.3   21.4   10.0   3.3   (95% confidence interval)   (19.9 - 42.6)   (10.7 - 32.2)   (3.4 - 16.6)   (0.0 - 7.9   1.6   1.1   1.1   1.8   1.5   1	Number of cycles	64	56	80	60
(95% confidence interval)         (19.9 - 42.6)         (10.7 - 32.2)         (3.4 - 16.6)         (0.0 - 7.9)           Live births per 100 retrievals <sup>d</sup> 33.3         26.7         11.1         3.8           Live births per 100 transfers <sup>d</sup> 34.5         27.9         11.6         4.0           Cancellations per 100 cycles         6.3         19.6         10.0         11.7           Average number embryos transferred         4.6         4.6         5.0         4.8           Twin gestations per 100 pregnancies         40.0         6/17         3/18         2/6           Tiplet or more gestations per 100 pregnancies         8.0         0/17         0/18         0/6           Multiple births per 100 live births <sup>d</sup> 35.0         5/12         3/8         1/2           Frozen Embryos From Nondonor Eggs           Number of transfers         5         0         3         0           Live births per 100 transfers <sup>d</sup> 0/5         0/3         0/3           Average number embryos transferred         2.2         2.3	Pregnancies per 100 cycles	39.1	30.4	22.5	10.0
Live births per 100 retrievals <sup>d</sup> $33.3$ $26.7$ $11.1$ $3.8$ Live births per 100 transfers <sup>d</sup> $34.5$ $27.9$ $11.6$ $4.0$ Cancellations per 100 cycles $6.3$ $19.6$ $10.0$ $11.7$ Average number embryos transferred $4.6$ $4.6$ $5.0$ $4.8$ Twin gestations per 100 pregnancies $40.0$ $6/17$ $3/18$ $2/6$ Triplet or more gestations per 100 pregnancies $8.0$ $0/17$ $0/18$ $0/6$ Multiple births per 100 live births <sup>d</sup> $35.0$ $5/12$ $3/8$ $1/2$ Frozen Embryos From Nondonor Eggs         Number of transfers $5$ $0$ $3$ $0$ Live births per 100 transfers <sup>d</sup> $0/5$ $0/3$ Average number embryos transferred $2.2$ $2.3$	Live births per 100 cycles <sup>d</sup>	31.3	21.4	10.0	3.3
Live births per 100 transfers <sup>d</sup> 34.5       27.9       11.6       4.0         Cancellations per 100 cycles       6.3       19.6       10.0       11.7         Average number embryos transferred       4.6       4.6       5.0       4.8         Twin gestations per 100 pregnancies       40.0       6/17       3/18       2/6         Triplet or more gestations per 100 pregnancies       8.0       0/17       0/18       0/6         Multiple births per 100 live births <sup>d</sup> 35.0       5/12       3/8       1/2         Frozen Embryos From Nondonor Eggs         Number of transfers       5       0       3       0         Live births per 100 transfers <sup>d</sup> 0/5       0/3         Average number embryos transferred       2.2       2.3	(95% confidence interval)	(19.9 - 42.6)	(10.7 - 32.2)	(3.4 - 16.6)	(0.0 - 7.9)
Cancellations per 100 cycles $6.3$ $19.6$ $10.0$ $11.7$ Average number embryos transferred $4.6$ $4.6$ $5.0$ $4.8$ Twin gestations per 100 pregnancies $40.0$ $6/17$ $3/18$ $2/6$ Triplet or more gestations per 100 pregnancies $8.0$ $0/17$ $0/18$ $0/6$ Multiple births per 100 live births d $35.0$ $5/12$ $3/8$ $1/2$ Frozen Embryos From Nondonor EggsNumber of transfers $5$ $0$ $3$ $0$ Live births per 100 transfers d $0/5$ $0/3$ Average number embryos transferred $2.2$ $2.3$	Live births per 100 retrievals <sup>d</sup>	33.3	26.7	11.1	3.8
Average number embryos transferred 4.6 4.6 5.0 4.8 Twin gestations per 100 pregnancies 40.0 6/17 3/18 2/6 Triplet or more gestations per 100 pregnancies 8.0 0/17 0/18 0/6 Multiple births per 100 live births 35.0 5/12 3/8 1/2  Hrozen Embryos From Nondonor Eggs Number of transfers 5 0 3 0 Live births per 100 transfers 0/5 0/3 Average number embryos transferred 2.2 2.3	Live births per 100 transfers <sup>d</sup>	34.5	27.9	11.6	4.0
Twin gestations per 100 pregnancies $40.0$ $6/17$ $3/18$ $2/6$ Triplet or more gestations per 100 pregnancies $8.0$ $0/17$ $0/18$ $0/6$ Multiple births per 100 live births <sup>d</sup> $35.0$ $5/12$ $3/8$ $1/2$ Frozen Embryos From Nondonor Eggs  Number of transfers $5$ $0$ $3$ $0$ Live births per 100 transfers <sup>d</sup> $0/5$ $0/3$ Average number embryos transferred $2.2$ $2.3$	Cancellations per 100 cycles	6.3	19.6	10.0	11.7
Triplet or more gestations per 100 pregnancies $8.0   0/17   0/18   0/6$ Multiple births per 100 live births <sup>d</sup> $35.0   5/12   3/8   1/2$ Hozen Embryos From Nondonor Eggs Number of transfers $5   0   3   0$ Live births per 100 transfers <sup>d</sup> $0/5   0/3$ Average number embryos transferred $2.2   2.3$	Average number embryos transferred	4.6	4.6	5.0	4.8
Multiple births per 100 live births $^{\rm d}$ 35.05/123/81/2Brozen Embryos Brom Nondonor Eggs5030Number of transfers5030Live births per 100 transfers $^{\rm d}$ 0/50/3Average number embryos transferred2.22.3	Twin gestations per 100 pregnancies	40.0	6/17	3/18	2/6
Frozen Embryos From Nondonor EggsNumber of transfers $5$ $0$ $3$ $0$ Live births per 100 transfersd $0/5$ $0/3$ Average number embryos transferred $2.2$ $2.3$	Triplet or more gestations per 100 pregnancies	8.0	0/17	0/18	0/6
Number of transfers5030Live births per 100 transfersd $0/5$ $0/3$ Average number embryos transferred $2.2$ $2.3$	Multiple births per 100 live births <sup>d</sup>	35.0	5/12	3/8	1/2
Live births per 100 transfers <sup>d</sup> Average number embryos transferred  0/5  2.2  0/3  2.3		~	0	0	0
Average number embryos transferred 2.2 2.3		_	U		U
Average number embryos transferred	•				
Donor Eggs	Average number embryos transferred	2.2		2.3	
	Donor Eggs				
Number of fresh transfers 0 0 0	Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>	Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers 0 0 0 0	Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>	Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)					

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### CENTER FOR HUMAN REPRODUCTION-LOS ANGELES TARZANA, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	96%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	1%	<b>Endometriosis</b>	9%
Gestational carriers?	No	ZIFT	<1%	Uterine factor	<b>3</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	<b>32</b> %
Sharing of donor eggs?	No			Male factor	<b>12</b> %
3 33		With ICSI	48%	Other factors	21%
		<b>Unstimulated</b>	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	<b>38-40</b>	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	68	44	44	38
Pregnancies per 100 cycles	54.4	36.4	27.3	21.1
Live births per 100 cycles <sup>d</sup>	48.5	34.1	13.6	10.5
(95% confidence interval)	(36.7 - 60.4)	(20.1 - 48.1)	(3.5 - 23.8)	(0.8 - 20.3)
Live births per 100 retrievals <sup>d</sup>	48.5	34.1	14.3	10.8
Live births per 100 transfers <sup>d</sup>	50.0	35.7	15.4	12.1
Cancellations per 100 cycles	0.0	0.0	4.5	2.6
Average number embryos transferred	3.9	3.7	3.8	3.3
Twin gestations per 100 pregnancies	37.8	9/16	3/12	1/8
Triplet or more gestations per 100 pregnancies	21.6	1/16	1/12	0/8
Multiple births per 100 live births <sup>d</sup>	48.5	9/15	3/6	0/4
Frozen Embryos From Nondonor Eggs	4	0	0	3
Number of transfers	0/4	U	U	3 1/3
Live births per 100 transfers <sup>d</sup>	2.8			3.7
Average number embryos transferred	2.0			3.7
Donor Eggs				
Number of fresh transfers	0	0	3	32
Live births per 100 fresh transfers <sup>d</sup>			3/3	50.0
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			5.0	4.4

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### THE FERTILITY INSTITUTES TARZANA, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	88%	<b>Tubal factor</b>	34%
Single women?	Yes	GIFT	4%	<b>Endometriosis</b>	13%
Gestational carriers?	Yes	ZIFT	2%	Uterine factor	<b>2</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	<b>6</b> %	Ovulatory dysfunction	<b>36</b> %
Sharing of donor eggs?	Yes			Male factor	10%
0 00		With ICSI	39%	Other factors	4%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	f Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	39	14	27	4
Pregnancies per 100 cycles	41.0	4/14	29.6	0/4
Live births per 100 cycles <sup>d</sup>	35.9	4/14	25.9	0/4
(95% confidence interval)	(20.8 - 51.0)		(9.4 - 42.5)	
Live births per 100 retrievals <sup>d</sup>	35.9	4/13	26.9	0/2
Live births per 100 transfers <sup>d</sup>	37.8	4/13	26.9	0/2
Cancellations per 100 cycles	0.0	1/14	3.7	2/4
Average number embryos transferred	5.3	4.2	4.4	2.5
Twin gestations per 100 pregnancies	2/16	1/4	1/8	
Triplet or more gestations per 100 pregnancies	4/16	1/4	0/8	
Multiple births per 100 live births <sup>d</sup>	6/14	2/4	1/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	2	2	0
Live births per 100 transfers <sup>d</sup>	0/4	1/2	0/2	
Average number embryos transferred	5.0	4.5	4.5	
Donor Eggs				
Number of fresh transfers	0	0	2	1
Live births per 100 fresh transfers <sup>d</sup>			1/2	0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			5.0	6.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### INFERILITY AND GYNECOLOGY INSTITUTE TARZANA, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	83%	<b>Tubal factor</b>	39%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	19%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	17%	Ovulatory dysfunction	<b>22</b> %
Sharing of donor eggs?	No			Male factor	8%
3 33		With ICSI	25%	Other factors	<b>5</b> %
		Unstimulated	0%	Unexplained	<b>7</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	< <b>35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	18	17	11	2
Pregnancies per 100 cycles	10/18	3/17	5/11	1/2
Live births per 100 cycles <sup>d</sup>	9/18	2/17	4/11	1/2
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	9/15	2/14	4/10	1/2
Live births per 100 transfers <sup>d</sup>	9/15	2/14	4/10	1/2
Cancellations per 100 cycles	3/18	3/17	1/11	0/2
Average number embryos transferred	4.4	4.4	4.4	4.5
Twin gestations per 100 pregnancies	4/10	0/3	2/5	0/1
Triplet or more gestations per 100 pregnancies	3/10	1/3	0/5	0/1
Multiple births per 100 live births <sup>d</sup>	5/9	1/2	1/4	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	1	1	0
Live births per 100 transfers <sup>d</sup>	0/1	0/1	0/1	
Average number embryos transferred	3.0	1.0	3.0	
Donor Eggs				
Number of fresh transfers	0	0	0	4
Live births per 100 fresh transfers <sup>d</sup>				3/4
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred				3.8
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### GREATER VALLEY CENTER FOR REPRODUCTIVE MEDICINE THOUSAND OAKS, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		AKT Patient Diagnosis	
SART member?	Yes	IVF	97%	<b>Tubal factor</b>	18%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>35</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	<b>6</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	8%
Sharing of donor eggs?	No			Male factor	8%
5 55		With ICSI	21%	Other factors	0%
		<b>Unstimulated</b>	0%	Unexplained	<b>25</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Age of Woman			
<b>&lt;35</b>	<b>35-37</b>	38-40	>40
10	10	7	6
4/10	2/10	4/7	0/6
4/10	2/10	3/7	0/6
4/8	2/7	3/7	0/6
4/8	2/7	3/7	0/6
2/10	3/10	0/7	0/6
4.6	5.3	3.7	6.5
2/4	0/2	2/4	
0/4	0/2	0/4	
2/4	0/2	2/3	
1	0	0	1
0/1			0/1
4.0			5.0
1	1	0	5
0/1	1/1		1/5
0	0	0	2
			1/2
8.0	6.0		5.3
	10 4/10 4/10 4/8 4/8 2/10 4.6 2/4 0/4 2/4 1 0/1 4.0	35 35-37  10 10 2/10  4/10 2/10  4/10 2/10  4/8 2/7  4/8 2/7  2/10 3/10  4.6 5.3  2/4 0/2  0/4 0/2  2/4 0/2  1 0  0/1  4.0  1 1  0/1 1/1  0 0	35     35-37     38-40       10     10     7       4/10     2/10     4/7       4/10     2/10     3/7       4/8     2/7     3/7       4/8     2/7     3/7       2/10     3/10     0/7       4.6     5.3     3.7       2/4     0/2     2/4       0/4     0/2     0/4       2/4     0/2     2/3          1     0     0       0/1     0     0       0/1     1/1     0       0/1     1/1     0       0     0     0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### PACIFIC COAST REPRODUCTIVE CENTER TORRANCE, CALIFORNIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>AKT Patient Diagnosis</b>	
SART member?	Yes	IVF	99%	<b>Tubal factor</b>	35%
Single women?	No	GIFT	<1%	<b>Endometriosis</b>	<b>12</b> %
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	22%
Sharing of donor eggs?	No			Male factor	<b>6</b> %
0 00		With ICSI	36%	Other factors	0%
		Unstimulated	0%	Unexplained	23%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	65	37	27	30		
Pregnancies per 100 cycles	49.2	35.1	37.0	20.0		
Live births per 100 cycles <sup>d</sup>	46.2	32.4	29.6	20.0		
(95% confidence interval)	(34.0 - 58.3)	(17.3 - 47.5)	(12.4 - 46.9)	(5.7 - 34.3)		
Live births per 100 retrievals <sup>d</sup>	46.2	32.4	29.6	20.0		
Live births per 100 transfers <sup>d</sup>	46.2	32.4	29.6	20.0		
Cancellations per 100 cycles	0.0	0.0	0.0	0.0		
Average number embryos transferred	5.1	4.9	5.3	5.8		
Twin gestations per 100 pregnancies	28.1	3/13	3/10	2/6		
Triplet or more gestations per 100 pregnancies	28.1	5/13	4/10	0/6		
Multiple births per 100 live births <sup>d</sup>	46.7	5/12	6/8	2/6		
Prozen Embryos From Nondonor Eggs						
Number of transfers	8	5	2	3		
Live births per 100 transfers <sup>d</sup>	3/8	0/5	1/2	0/3		
Average number embryos transferred	6.0	6.0	7.0	4.3		
Donor Eggs						
Number of fresh transfers	2	0	3	5		
Live births per 100 fresh transfers <sup>d</sup>	0/2		1/3	4/5		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)	5.5		4.7	5.2		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SAN ANTONIO FERTILITY CENTER UPLAND, CALIFORNIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	<b>Tubal factor</b>	46%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	0%
Gestational carriers?	No	ZIFT	<b>6</b> %	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No			Male factor	<b>25</b> %
0 00		With ICSI	29%	Other factors	0%
		<b>Unstimulated</b>	0%	Unexplained	17%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<35	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	5	2	7	3
Pregnancies per 100 cycles	0/5	1/2	0/7	0/3
Live births per 100 cycles <sup>d</sup>	0/5	0/2	0/7	0/3
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	0/4	0/2	0/7	0/3
Live births per 100 transfers <sup>d</sup>	0/4	0/2	0/5	0/2
Cancellations per 100 cycles	1/5	0/2	0/7	0/3
Average number embryos transferred	3.3	5.0	5.0	1.5
Twin gestations per 100 pregnancies		1/1		
Triplet or more gestations per 100 pregnancies		0/1		
Multiple births per 100 live births <sup>d</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	1	1	0
Live births per 100 transfers <sup>d</sup>	1/3	0/1	0/1	
Average number embryos transferred	4.0	4.0	3.0	
Donor Eggs				
Number of fresh transfers	1	0	0	1
Live births per 100 fresh transfers <sup>d</sup>	0/1			0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	4.0			5.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### COLORADO SPRINGS CENTER FOR REPRODUCTIVE HEALTH COLORADO SPRINGS, COLORADO

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	95%	<b>Tubal factor</b>	24%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>29</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	9%
Donor egg program?	No	Combination <sup>b</sup>	5%	Ovulatory dysfunction	<b>6</b> %
Sharing of donor eggs?	No			Male factor	<b>6</b> %
0 00		With ICSI	0%	Other factors	0%
		Unstimulated	0%	Unexplained	<b>26</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	11	8	0	1
Pregnancies per 100 cycles	2/11	1/8		0/1
Live births per 100 cycles <sup>d</sup>	2/11	1/8		0/1
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	2/11	1/7		0/1
Live births per 100 transfers <sup>d</sup>	2/6	1/6		0/1
Cancellations per 100 cycles	0/11	1/8		0/1
Average number embryos transferred	4.2	3.5		3.0
Twin gestations per 100 pregnancies	1/2	0/1		
Triplet or more gestations per 100 pregnancies	0/2	0/1		
Multiple births per 100 live births <sup>d</sup>	1/2	0/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	1	1	1
Live births per 100 transfers <sup>d</sup>	3/8	1/1	0/1	0/1
Average number embryos transferred	4.0	4.0	2.0	4.0
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				1/1
Average number embryos transferred				6.0
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### COLORADO REPRODUCTIVE ENDOCRINOLOGY, P.C. DENVER, COLORADO

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	89%	<b>Tubal factor</b>	23%
Single women?	Yes	GIFT	11%	<b>Endometriosis</b>	18%
Gestational carriers?	Yes	ZIFT	0%	<b>Uterine factor</b>	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	<b>Ovulatory dysfunction</b>	8%
Sharing of donor eggs?	No			Male factor	23%
0 00		With ICSI	19%	Other factors	<b>27</b> %
		<b>Unstimulated</b>	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<35	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	57	23	30	12
Pregnancies per 100 cycles	36.8	13.0	40.0	1/12
Live births per 100 cycles <sup>d</sup>	35.1	4.3	30.0	0/12
(95% confidence interval)	(22.7 - 47.5)	(0.0 - 12.7)	(13.6 - 46.4)	
Live births per 100 retrievals <sup>d</sup>	37.0	1/19	33.3	0/10
Live births per 100 transfers <sup>d</sup>	40.0	1/17	34.6	0/9
Cancellations per 100 cycles	5.3	17.4	10.0	2/12
Average number embryos transferred	2.8	2.8	3.4	2.9
Twin gestations per 100 pregnancies	14.3	0/3	6/12	0/1
Triplet or more gestations per 100 pregnancies	19.0	0/3	1/12	0/1
Multiple births per 100 live births <sup>d</sup>	25.0	0/1	7/9	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	2	2	1
Live births per 100 transfers <sup>d</sup>	2/17	0/2	0/2	0/1
Average number embryos transferred	2.8	3.0	5.5	6.0
Donor Eggs				
Number of fresh transfers	2	2	5	6
Live births per 100 fresh transfers <sup>d</sup>	0/2	1/2	1/5	2/6
Number of frozen transfers	3	0	3	3
Live births per 100 frozen transfers <sup>d</sup>	0/3		0/3	0/3
Average number embryos transferred (fresh and frozen)	3.0	3.0	3.1	3.2

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# UNIVERSITY OF COLORADO HEALTH SCIENCES CENTER CENTER FOR REPRODUCTIVE MEDICINE DENVER, COLORADO

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	84%	<b>Tubal factor</b>	38%
Single women?	Yes	GIFT	16%	<b>Endometriosis</b>	<b>25</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	<b>3</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No			Male factor	<b>6</b> %
0 00		With ICSI	23%	Other factors	12%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	< <b>35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	45	32	12	4
Pregnancies per 100 cycles	40.0	46.9	0/12	0/4
Live births per 100 cycles <sup>d</sup>	37.8	37.5	0/12	0/4
(95% confidence interval)	(23.6 - 51.9)	(20.7 - 54.3)		
Live births per 100 retrievals <sup>d</sup>	37.8	44.4	0/10	
Live births per 100 transfers <sup>d</sup>	37.8	44.4	0/8	
Cancellations per 100 cycles	0.0	15.6	2/12	4/4
Average number embryos transferred	3.6	4.0	4.0	
Twin gestations per 100 pregnancies	8/18	4/15		
Triplet or more gestations per 100 pregnancies	3/18	1/15		
Multiple births per 100 live births <sup>d</sup>	10/17	3/12		
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	2	1	0
Live births per 100 transfers <sup>d</sup>		0/2	0/1	
Average number embryos transferred		2.0	2.0	
Donor Eggs				
Number of fresh transfers	0	2	0	1
Live births per 100 fresh transfers <sup>d</sup>		1/2		1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0		3.0
(moon wild nozon)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### COLORADO CENTER FOR REPRODUCTIVE MEDICINE ENGLEWOOD, COLORADO

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	99%	<b>Tubal factor</b>	21%
Single women?	Yes	GIFT	0%	Endometriosis	17%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No			Male factor	15%
0 00		With ICSI	31%	Other factors	<1%
		Unstimulated	0%	Unexplained	33%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	204	139	125	89		
Pregnancies per 100 cycles	68.6	51.8	42.4	30.3		
Live births per 100 cycles <sup>d</sup>	59.3	46.8	31.2	20.2		
(95% confidence interval)	(52.6 - 66.1)	(38.5 - 55.1)	(23.1 - 39.3)	(11.9 - 28.6)		
Live births per 100 retrievals <sup>d</sup>	63.7	59.1	41.9	33.3		
Live births per 100 transfers <sup>d</sup>	65.1	59.1	42.4	34.0		
Cancellations per 100 cycles	6.9	20.9	25.6	39.3		
Average number embryos transferred	3.6	3.5	3.9	4.4		
Twin gestations per 100 pregnancies	37.1	34.7	26.4	22.2		
Triplet or more gestations per 100 pregnancies	17.9	9.7	7.5	3.7		
Multiple births per 100 live births <sup>d</sup>	52.1	41.5	33.3	5/18		
<b>Frozen Embryos From Nondonor Eggs</b>						
Number of transfers	31	11	13	11		
Live births per 100 transfers <sup>d</sup>	38.7	3/11	1/13	0/11		
Average number embryos transferred	3.7	4.3	4.2	4.5		
Donor Eggs						
Number of fresh transfers	9	16	30	45		
Live births per 100 fresh transfers <sup>d</sup>	6/9	11/16	43.3	57.8		
Number of frozen transfers	4	1	6	20		
Live births per 100 frozen transfers <sup>d</sup>	2/4	1/1	2/6	40.0		
Average number embryos transferred (fresh and frozen)	3.6	3.7	3.9	3.8		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### ROCKY MOUNTAIN CENTER FOR REPRODUCTIVE MEDICINE FORT COLLINS, COLORADO

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	41%
Single women?	Yes	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	35%
Sharing of donor eggs?	No			Male factor	8%
0 00		With ICSI	<b>54</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	17	5	1	5
Pregnancies per 100 cycles	11/17	1/5	0/1	0/5
Live births per 100 cycles <sup>d</sup>	11/17	1/5	0/1	0/5
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	11/17	1/5	0/1	0/3
Live births per 100 transfers <sup>d</sup>	11/16	1/4	0/1	0/3
Cancellations per 100 cycles	0/17	0/5	0/1	2/5
Average number embryos transferred	4.4	5.3	6.0	3.7
Twin gestations per 100 pregnancies	5/11	0/1		
Triplet or more gestations per 100 pregnancies	5/11	1/1		
Multiple births per 100 live births <sup>d</sup>	10/11	1/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	2	0	0
Live births per 100 transfers <sup>d</sup>	1/5	0/2		
Average number embryos transferred	3.6	2.5		
Donor Eggs				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers <sup>d</sup>				0/1
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)				4.5

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# CONCEPTIONS REPRODUCTIVE ASSOCIATES WOMEN'S HEALTH AND FERTILITY SPECIALISTS LITTLETON, COLORADO

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	30%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	3%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No			Male factor	17%
0 00		With ICSI	31%	Other factors	<b>29</b> %
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	72	40	44	23		
Pregnancies per 100 cycles	51.4	45.0	25.0	13.0		
Live births per 100 cycles <sup>d</sup>	43.1	30.0	18.2	8.7		
(95% confidence interval)	(31.6 - 54.5)	(15.8 - 44.2)	(6.8 - 29.6)	(0.0 - 20.2)		
Live births per 100 retrievals <sup>d</sup>	46.3	32.4	20.5	2/19		
Live births per 100 transfers <sup>d</sup>	46.3	33.3	20.5	2/18		
Cancellations per 100 cycles	6.9	7.5	11.4	17.4		
Average number embryos transferred	3.3	4.1	3.9	4.8		
Twin gestations per 100 pregnancies	37.8	4/18	2/11	1/3		
Triplet or more gestations per 100 pregnancies	13.5	3/18	0/11	0/3		
Multiple births per 100 live births <sup>d</sup>	51.6	4/12	2/8	1/2		
Frozen Embryos From Nondonor Eggs						
Number of transfers	15	12	11	3		
Live births per 100 transfers <sup>d</sup>	1/15	0/12	0/11	1/3		
Average number embryos transferred	3.7	4.3	4.3	3.3		
Donor Eggs						
Number of fresh transfers	0	1	2	14		
Live births per 100 fresh transfers <sup>d</sup>		1/1	1/2	5/14		
Number of frozen transfers	1	0	0	11		
Live births per 100 frozen transfers <sup>d</sup>	0/1			2/11		
Average number embryos transferred (fresh and frozen)	3.0	5.0	3.0	3.5		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

## UNIVERSITY OF CONNECTICUT HEALTH CENTER FARMINGTON, CONNECTICUT

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	<b>Tubal factor</b>	30%
Single women?	Yes	GIFT	0%	Endometriosis	16%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	22%
Sharing of donor eggs?	Yes			Male factor	19%
0 00		With ICSI	42%	Other factors	12%
		Unstimulated	0%	Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	186	127	95	45		
Pregnancies per 100 cycles	35.5	27.6	22.1	17.8		
Live births per 100 cycles <sup>d</sup>	29.6	24.4	14.7	4.4		
(95% confidence interval)	(23.0 - 36.1)	(16.9 - 31.9)	(7.6 - 21.9)	(0.0 - 10.5)		
Live births per 100 retrievals <sup>d</sup>	34.6	33.7	21.9	6.5		
Live births per 100 transfers <sup>d</sup>	37.2	36.5	24.1	6.9		
Cancellations per 100 cycles	14.5	27.6	32.6	31.1		
Average number embryos transferred	3.4	3.7	3.8	4.0		
Twin gestations per 100 pregnancies	34.8	17.1	14.3	3/8		
Triplet or more gestations per 100 pregnancies	13.6	14.3	4.8	0/8		
Multiple births per 100 live births <sup>d</sup>	49.1	25.8	2/14	1/2		
Frozen Embryos From Nondonor Eggs						
Number of transfers	29	16	7	1		
Live births per 100 transfers <sup>d</sup>	20.7	3/16	0/7	0/1		
Average number embryos transferred	3.5	3.1	2.1	3.0		
Donor Eggs						
Number of fresh transfers	4	4	4	16		
Live births per 100 fresh transfers <sup>d</sup>	1/4	2/4	2/4	7/16		
Number of frozen transfers	0	0	1	2		
Live births per 100 frozen transfers <sup>d</sup>			0/1	0/2		
Average number embryos transferred (fresh and frozen)	3.5	3.8	4.6	3.6		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### HARTFORD FERTILITY AND REPRODUCTIVE ENDOCRINOLOGY HARTFORD, CONNECTICUT

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	33%
Single women?	No	GIFT	2%	Endometriosis	17%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	1%
Sharing of donor eggs?	No			Male factor	<b>29</b> %
8 38		With ICSI	0%	Other factors	10%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	22	14	15	3
Pregnancies per 100 cycles	31.8	2/14	4/15	1/3
Live births per 100 cycles <sup>d</sup>	27.3	1/14	2/15	1/3
(95% confidence interval)	(8.7 - 45.9)			
Live births per 100 retrievals <sup>d</sup>	28.6	1/12	2/12	1/2
Live births per 100 transfers <sup>d</sup>	28.6	1/12	2/12	1/2
Cancellations per 100 cycles	4.5	2/14	3/15	1/3
Average number embryos transferred	4.2	4.3	3.7	3.5
Twin gestations per 100 pregnancies	3/7	0/2	0/4	0/1
Triplet or more gestations per 100 pregnancies	2/7	1/2	0/4	0/1
Multiple births per 100 live births <sup>d</sup>	5/6	1/1	0/2	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	1	1	2
Live births per 100 transfers <sup>d</sup>	0/5	0/1	0/1	0/2
Average number embryos transferred	3.0	4.0	4.0	3.5
Donor Eggs				
Number of fresh transfers	0	1	2	3
Live births per 100 fresh transfers <sup>d</sup>		0/1	1/2	1/3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0	4.5	5.3

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### YALE UNIVERSITY IVF PROGRAM NEW HAVEN, CONNECTICUT

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	<b>Tubal factor</b>	40%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	15%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No			Male factor	<b>7</b> %
8 88		With ICSI	18%	Other factors	10%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	162	86	75	66		
Pregnancies per 100 cycles	24.7	16.3	14.7	4.5		
Live births per 100 cycles <sup>d</sup>	23.5	12.8	14.7	4.5		
(95% confidence interval)	(16.9 - 30.0)	(5.7 - 19.8)	(6.7 - 22.7)	(0.0 - 9.6)		
Live births per 100 retrievals <sup>d</sup>	25.5	13.8	17.7	5.8		
Live births per 100 transfers <sup>d</sup>	28.8	14.5	21.6	7.9		
Cancellations per 100 cycles	8.0	7.0	17.3	21.2		
Average number embryos transferred	3.5	3.5	3.6	3.2		
Twin gestations per 100 pregnancies	30.0	4/14	2/11	0/3		
Triplet or more gestations per 100 pregnancies	10.0	3/14	0/11	1/3		
Multiple births per 100 live births <sup>d</sup>	34.2	4/11	1/11	1/3		
Frozen Embryos From Nondonor Eggs						
Number of transfers	10	6	1	2		
Live births per 100 transfers <sup>d</sup>	2/10	0/6	0/1	0/2		
Average number embryos transferred	3.5	3.8	5.0	3.0		
Donor Eggs						
Number of fresh transfers	1	3	0	10		
Live births per 100 fresh transfers <sup>d</sup>	0/1	0/3		1/10		
Number of frozen transfers	1	0	0	5		
Live births per 100 frozen transfers <sup>d</sup>	0/1			0/5		
Average number embryos transferred (fresh and frozen)	2.5	4.3		3.5		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

## MICHAEL B. DOYLE, M.D. NORWALK, CONNECTICUT

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	32%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>6</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	Yes			Male factor	8%
8 38		With ICSI	37%	Other factors	<b>30</b> %
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	82	51	25	22		
Pregnancies per 100 cycles	39.0	37.3	36.0	18.2		
Live births per 100 cycles <sup>d</sup>	35.4	31.4	28.0	13.6		
(95% confidence interval)	(25.0 - 45.7)	(18.6 - 44.1)	(10.4 - 45.6)	(0.0 - 28.0)		
Live births per 100 retrievals <sup>d</sup>	35.4	31.4	28.0	14.3		
Live births per 100 transfers <sup>d</sup>	35.8	32.0	28.0	14.3		
Cancellations per 100 cycles	0.0	0.0	0.0	4.5		
Average number embryos transferred	5.2	4.9	4.6	4.6		
Twin gestations per 100 pregnancies	37.5	4/19	0/9	1/4		
Triplet or more gestations per 100 pregnancies	15.6	0/19	0/9	0/4		
Multiple births per 100 live births <sup>d</sup>	51.7	3/16	0/7	1/3		
Frozen Embryos From Nondonor Eggs						
Number of transfers	1	1	2	0		
Live births per 100 transfers <sup>d</sup>	0/1	0/1	0/2			
Average number embryos transferred	5.0	4.0	3.5			
Donor Eggs						
Number of fresh transfers	0	0	2	2		
Live births per 100 fresh transfers <sup>d</sup>			0/2	1/2		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)			5.0	5.0		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	<b>Tubal factor</b>	27%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>5</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	<b>25</b> %
Sharing of donor eggs?	No			Male factor	<b>7</b> %
8 38		With ICSI	40%	Other factors	31%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	120	65	67	44		
Pregnancies per 100 cycles	55.0	47.7	52.2	27.3		
Live births per 100 cycles <sup>d</sup>	43.3	43.1	34.3	13.6		
(95% confidence interval)	(34.5 - 52.2)	(31.0 - 55.1)	(23.0 - 45.7)	(3.5 - 23.8)		
Live births per 100 retrievals <sup>d</sup>	44.1	45.9	37.1	16.7		
Live births per 100 transfers <sup>d</sup>	44.4	46.7	37.1	17.6		
Cancellations per 100 cycles	1.7	6.2	7.5	18.2		
Average number embryos transferred	4.0	4.1	4.2	3.9		
Twin gestations per 100 pregnancies	27.3	16.1	22.9	1/12		
Triplet or more gestations per 100 pregnancies	4.5	19.4	0.0	0/12		
Multiple births per 100 live births <sup>d</sup>	38.5	35.7	26.1	1/6		
Frozen Embryos From Nondonor Eggs						
Number of transfers	31	10	11	16		
Live births per 100 transfers <sup>d</sup>	32.3	3/10	3/11	2/16		
Average number embryos transferred	3.1	2.8	3.2	2.9		
Donor Eggs						
Number of fresh transfers	0	2	2	20		
Live births per 100 fresh transfers <sup>d</sup>		1/2	0/2	50.0		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)		3.5	3.0	3.9		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### THE STAMFORD HOSPITAL STAMFORD, CONNECTICUT

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	34%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	<b>7</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<b>5</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No			Male factor	16%
3 38		With ICSI	41%	Other factors	14%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	16	10	11	9
Pregnancies per 100 cycles	8/16	2/10	2/11	1/9
Live births per 100 cycles <sup>d</sup>	8/16	2/10	1/11	0/9
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	8/16	2/10	1/8	0/7
Live births per 100 transfers <sup>d</sup>	8/16	2/9	1/8	0/6
Cancellations per 100 cycles	0/16	0/10	3/11	2/9
Average number embryos transferred	3.6	3.7	3.3	3.2
Twin gestations per 100 pregnancies	2/8	0/2	0/2	0/1
Triplet or more gestations per 100 pregnancies	2/8	2/2	1/2	0/1
Multiple births per 100 live births <sup>d</sup>	3/8	2/2	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	0	4	0	4
Live births per 100 transfers <sup>d</sup>		0/4		0/4
Average number embryos transferred		3.3		3.0
Donor Eggs				
Number of fresh transfers	0	1	0	0
Live births per 100 fresh transfers <sup>d</sup>		0/1		
Number of frozen transfers	0	1	0	0
Live births per 100 frozen transfers <sup>d</sup>		1/1		
Average number embryos transferred		3.5		
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# THE CENTER FOR HUMAN REPRODUCTION-DELAWARE, P.A. NEWARK, DELAWARE

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	<b>Tubal factor</b>	25%
Single women?	Yes	GIFT	<1%	Endometriosis	21%
Gestational carriers?	Yes	ZIFT	2%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	<b>26</b> %
Sharing of donor eggs?	No			Male factor	<b>6</b> %
9 99		With ICSI	<b>29</b> %	Other factors	1%
		Unstimulated	4%	Unexplained	20%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<35	<b>35-37</b>	<b>38-40</b>	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	110	59	61	36		
Pregnancies per 100 cycles	16.4	11.9	3.3	5.6		
Live births per 100 cycles <sup>d</sup>	11.8	10.2	1.6	2.8		
(95% confidence interval)	(5.8 - 17.9)	(2.5 - 17.9)	(0.0 - 4.8)	(0.0 - 8.1)		
Live births per 100 retrievals <sup>d</sup>	13.8	14.3	2.9	3.6		
Live births per 100 transfers <sup>d</sup>	14.9	16.2	3.2	4.5		
Cancellations per 100 cycles	14.5	28.8	42.6	22.2		
Average number embryos transferred	4.2	3.7	3.2	3.5		
Twin gestations per 100 pregnancies	5/18	2/7	1/2	1/2		
Triplet or more gestations per 100 pregnancies	3/18	1/7	0/2	0/2		
Multiple births per 100 live births <sup>d</sup>	7/13	1/6	0/1	0/1		
Frozen Embryos From Nondonor Eggs						
Number of transfers	25	9	4	2		
Live births per 100 transfers <sup>d</sup>	16.0	0/9	0/4	0/2		
Average number embryos transferred	3.8	2.8	3.0	3.0		
Donor Eggs						
Number of fresh transfers	2	1	3	7		
Live births per 100 fresh transfers <sup>d</sup>	1/2	0/1	1/3	2/7		
Number of frozen transfers	1	1	0	1		
Live births per 100 frozen transfers <sup>d</sup>	0/1	0/1		0/1		
Average number embryos transferred (fresh and frozen)	4.0	4.0	2.7	4.5		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# REPRODUCTIVE ASSOCIATES OF DELAWARE WILMINGTON, DELAWARE

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	No	IVF	100%	<b>Tubal factor</b>	24%
Single women?	No	GIFT	0%	Endometriosis	<b>28</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	48%
Sharing of donor eggs?	No			Male factor	0%
9 99		With ICSI	48%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	13	5	7	0
Pregnancies per 100 cycles	2/13	1/5	1/7	
Live births per 100 cycles <sup>d</sup>	0/13	1/5	1/7	
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	0/10	1/4	1/5	
Live births per 100 transfers <sup>d</sup>	0/10	1/3	1/4	
Cancellations per 100 cycles	3/13	1/5	2/7	
Average number embryos transferred	3.2	3.3	3.5	
Twin gestations per 100 pregnancies	0/2	0/1	0/1	
Triplet or more gestations per 100 pregnancies	0/2	0/1	0/1	
Multiple births per 100 live births <sup>d</sup>		0/1	0/1	
Frozen Embryos From Nondonor Eggs	3	0	0	0
Number of transfers	3 1/3	U	U	U
Live births per 100 transfers <sup>d</sup>	3.0			
Average number embryos transferred	3.0			
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### COLUMBIA HOSPITAL FOR WOMEN ART PROGRAM DISTRICT OF COLUMBIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART <sup>a</sup>		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	32%
Single women?	Yes	GIFT	1%	Endometriosis	14%
Gestational carriers?	No	ZIFT	1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	24%
Sharing of donor eggs?	Yes			Male factor	23%
3		With ICSI	35%	Other factors	4%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	78	67	64	58		
Pregnancies per 100 cycles	25.6	20.9	14.1	10.3		
Live births per 100 cycles <sup>d</sup>	20.5	19.4	9.4	3.4		
(95% confidence interval)	(11.6 - 29.5)	(9.9 - 28.9)	(2.2 - 16.5)	(0.0 - 8.1)		
Live births per 100 retrievals <sup>d</sup>	21.6	22.0	11.8	4.8		
Live births per 100 transfers <sup>d</sup>	22.2	23.6	14.3	5.4		
Cancellations per 100 cycles	5.1	11.9	20.3	27.6		
Average number embryos transferred	5.0	4.3	3.9	4.6		
Twin gestations per 100 pregnancies	40.0	2/14	1/9	2/6		
Triplet or more gestations per 100 pregnancies	15.0	3/14	1/9	0/6		
Multiple births per 100 live births <sup>d</sup>	9/16	5/13	1/6	1/2		
Frozen Embryos From Nondonor Eggs						
Number of transfers	20	6	5	0		
Live births per 100 transfers <sup>d</sup>	10.0	2/6	1/5			
Average number embryos transferred	3.9	4.3	4.8			
Donor Eggs						
Number of fresh transfers	1	9	5	15		
Live births per 100 fresh transfers <sup>d</sup>	0/1	3/9	3/5	5/15		
Number of frozen transfers	2	1	1	10		
Live births per 100 frozen transfers <sup>d</sup>	0/2	0/1	0/1	3/10		
Average number embryos transferred (fresh and frozen)	3.0	5.5	4.3	4.1		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### THE GEORGE WASHINGTON UNIVERSITY MEDICAL CENTER DISTRICT OF COLUMBIA

#### 1997 PROGRAM PROFILE

<b>Program Characteristics</b>		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	19%
Single women?	Yes	GIFT	0%	<b>Endometriosis</b>	13%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	3%
5 00		With ICSI	45%	Other factors	<b>36</b> %
		Unstimulated	0%	Unexplained	<b>6</b> %

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<35	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	53	59	51	51		
Pregnancies per 100 cycles	22.6	22.0	9.8	5.9		
Live births per 100 cycles <sup>d</sup>	18.9	15.3	7.8	5.9		
(95% confidence interval)	(8.3 - 29.4)	(6.1 - 24.4)	(0.5 - 15.2)	(0.0 - 12.3)		
Live births per 100 retrievals <sup>d</sup>	18.9	17.3	9.5	7.3		
Live births per 100 transfers <sup>d</sup>	19.6	18.4	9.8	8.1		
Cancellations per 100 cycles	0.0	11.9	17.6	19.6		
Average number embryos transferred	3.8	3.7	4.0	3.0		
Twin gestations per 100 pregnancies	5/12	0/13	2/5	0/3		
Triplet or more gestations per 100 pregnancies	2/12	1/13	0/5	0/3		
Multiple births per 100 live births <sup>d</sup>	5/10	1/9	2/4	0/3		
<b>Frozen Embryos From Nondonor Eggs</b>						
Number of transfers	1	2	0	1		
Live births per 100 transfers <sup>d</sup>	0/1	0/2		0/1		
Average number embryos transferred	4.0	4.5		3.0		
Donor Fores						
Number of fresh transfers	0	2	0	8		
Live births per 100 fresh transfers <sup>d</sup>		0/2		6/8		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)		4.0		4.0		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# REPRODUCTIVE SCIENCE CENTER OF WALTER REED ARMY MEDICAL CENTER DISTRICT OF COLUMBIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	<b>Tubal factor</b>	44%
Single women?	No	GIFT	<1%	Endometriosis	<b>6</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>26</b> %
Sharing of donor eggs?	No			Male factor	<b>6</b> %
8 88		With ICSI	23%	Other factors	17%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	228	78	88	36
Pregnancies per 100 cycles	33.8	29.5	19.3	16.7
Live births per 100 cycles <sup>d</sup>	28.5	24.4	14.8	8.3
(95% confidence interval)	(22.6 - 34.4)	(14.8 - 33.9)	(7.4 - 22.2)	(0.0 - 17.4)
Live births per 100 retrievals <sup>d</sup>	34.6	31.7	20.3	11.1
Live births per 100 transfers <sup>d</sup>	34.8	33.3	21.7	11.1
Cancellations per 100 cycles	17.5	23.1	27.3	25.0
Average number embryos transferred	3.9	3.9	4.1	4.2
Twin gestations per 100 pregnancies	23.4	26.1	4/17	1/6
Triplet or more gestations per 100 pregnancies	14.3	17.4	1/17	0/6
Multiple births per 100 live births <sup>d</sup>	36.9	9/19	4/13	1/3
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	3	2	0
Live births per 100 transfers <sup>d</sup>	0/1	0/3	1/2	
Average number embryos transferred	5.0	2.0	5.0	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### BOCA FERTILITY BOCA RATON, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>50</b> %
Single women?	Yes	GIFT	0%	Endometriosis	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	19%
		With ICSI	14%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	23	10	16	9
Pregnancies per 100 cycles	34.8	6/10	3/16	3/9
Live births per 100 cycles <sup>d</sup>	21.7	5/10	3/16	2/9
(95% confidence interval)	(4.9 - 38.6)			
Live births per 100 retrievals <sup>d</sup>	22.7	5/10	3/15	2/7
Live births per 100 transfers <sup>d</sup>	5/18	5/10	3/14	2/7
Cancellations per 100 cycles	4.3	0/10	1/16	2/9
Average number embryos transferred	3.9	4.1	4.4	3.1
Twin gestations per 100 pregnancies	2/8	2/6	1/3	0/3
Triplet or more gestations per 100 pregnancies	1/8	0/6	0/3	0/3
Multiple births per 100 live births <sup>d</sup>	2/5	2/5	1/3	0/2
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	4	0	0
Live births per 100 transfers <sup>d</sup>	1/5	0/4		
Average number embryos transferred	3.4	3.0		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### PALM BEACH FERTILITY CENTER BOCA RATON, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	43%
Single women?	Yes	GIFT	0%	Endometriosis	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>7</b> %
Sharing of donor eggs?	No			Male factor	<b>15</b> %
8 88		With ICSI	0%	Other factors	<b>5</b> %
		Unstimulated	0%	Unexplained	19%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	20	10	4	8
Pregnancies per 100 cycles	30.0	2/10	0/4	0/8
Live births per 100 cycles <sup>d</sup>	25.0	2/10	0/4	0/8
(95% confidence interval)	(6.0 - 44.0)			
Live births per 100 retrievals <sup>d</sup>	5/18	2/8	0/2	0/6
Live births per 100 transfers <sup>d</sup>	5/14	2/8	0/1	0/6
Cancellations per 100 cycles	10.0	2/10	2/4	2/8
Average number embryos transferred	4.6	3.6	2.0	3.8
Twin gestations per 100 pregnancies	3/6	0/2		
Triplet or more gestations per 100 pregnancies	1/6	0/2		
Multiple births per 100 live births <sup>d</sup>	3/5	0/2		
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	2	1	0
Live births per 100 transfers <sup>d</sup>	1/1	0/2	0/1	
Average number embryos transferred	3.0	4.0	5.0	
Donor Eggs				
Number of fresh transfers	1	0	1	6
Live births per 100 fresh transfers <sup>d</sup>	1/1		0/1	1/6
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)	5.0		4.0	4.4

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### THE CENTER FOR HUMAN REPRODUCTION-FLORIDA CLEARWATER, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	34%
Single women?	Yes	GIFT	0%	Endometriosis	<b>20</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>25</b> %
Sharing of donor eggs?	No			Male factor	12%
		With ICSI	29%	Other factors	4%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	89	35	39	15	
Pregnancies per 100 cycles	34.8	28.6	15.4	3/15	
Live births per 100 cycles <sup>d</sup>	29.2	25.7	12.8	2/15	
(95% confidence interval)	(19.8 - 38.7)	(11.2 - 40.2)	(2.3 - 23.3)		
Live births per 100 retrievals <sup>d</sup>	31.7	29.0	15.6	2/10	
Live births per 100 transfers <sup>d</sup>	33.8	31.0	18.5	2/10	
Cancellations per 100 cycles	7.9	11.4	17.9	5/15	
Average number embryos transferred	3.7	3.7	3.7	3.7	
Twin gestations per 100 pregnancies	25.8	3/10	1/6	0/3	
Triplet or more gestations per 100 pregnancies	19.4	3/10	0/6	1/3	
Multiple births per 100 live births <sup>d</sup>	42.3	6/9	1/5	0/2	
Frozen Embryos From Nondonor Eggs					
Number of transfers	4	1	0	0	
Live births per 100 transfers <sup>d</sup>	0/4	0/1			
Average number embryos transferred	3.3	3.0			
Donor Eggs					
Number of fresh transfers	2	1	0	2	
Live births per 100 fresh transfers <sup>d</sup>	1/2	1/1		0/2	
Number of frozen transfers	0	0	1	0	
Live births per 100 frozen transfers <sup>d</sup>			0/1		
Average number embryos transferred (fresh and frozen)	3.5	5.0	3.0	5.5	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# SPECIALISTS IN REPRODUCTIVE MEDICINE & SURGERY, P.A. FORT MYERS, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	96%	<b>Tubal factor</b>	51%
Single women?	No	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	4%	Ovulatory dysfunction	21%
Sharing of donor eggs?	Yes			Male factor	<b>5</b> %
8 88		With ICSI	38%	Other factors	0%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	<b>38-40</b>	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	34	10	5	6
Pregnancies per 100 cycles	41.2	5/10	3/5	2/6
Live births per 100 cycles <sup>d</sup>	38.2	5/10	3/5	1/6
(95% confidence interval)	(21.9 - 54.6)			
Live births per 100 retrievals <sup>d</sup>	40.6	5/9	3/4	1/6
Live births per 100 transfers <sup>d</sup>	41.9	5/9	3/3	1/6
Cancellations per 100 cycles	5.9	1/10	1/5	0/6
Average number embryos transferred	3.8	4.0	4.3	6.0
Twin gestations per 100 pregnancies	9/14	2/5	1/3	1/2
Triplet or more gestations per 100 pregnancies	0/14	0/5	0/3	0/2
Multiple births per 100 live births <sup>d</sup>	8/13	1/5	0/3	0/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	7	4	4	1
Live births per 100 transfers <sup>d</sup>	1/7	2/4	0/4	0/1
Average number embryos transferred	4.0	3.5	2.3	6.0
Donor Eggs				
Number of fresh transfers	2	3	0	0
Live births per 100 fresh transfers <sup>d</sup>	0/2	2/3		
Number of frozen transfers	0	0	1	0
Live births per 100 frozen transfers <sup>d</sup>			0/1	
Average number embryos transferred (fresh and frozen)	3.0	3.0	2.0	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### UNIVERSITY OF FLORIDA/PARK AVENUE WOMEN'S CENTER GAINESVILLE, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	28%
Single women?	No	GIFT	0%	Endometriosis	21%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	17%
Sharing of donor eggs?	Yes			Male factor	8%
		With ICSI	34%	Other factors	2%
		Unstimulated	0%	Unexplained	24%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	30	16	8	8
Pregnancies per 100 cycles	60.0	2/16	1/8	1/8
Live births per 100 cycles <sup>d</sup>	60.0	1/16	1/8	1/8
(95% confidence interval)	(42.5 - 77.5)			
Live births per 100 retrievals <sup>d</sup>	60.0	1/14	1/8	1/8
Live births per 100 transfers <sup>d</sup>	60.0	1/14	1/8	1/8
Cancellations per 100 cycles	0.0	2/16	0/8	0/8
Average number embryos transferred	3.1	3.0	3.0	2.5
Twin gestations per 100 pregnancies	4/18	1/2	1/1	1/1
Triplet or more gestations per 100 pregnancies	2/18	0/2	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	4/18	1/1	1/1	1/1
Frozen Embryos From Nondonor Eggs				
Number of transfers	4	1	2	1
Live births per 100 transfers <sup>d</sup>	0/4	0/1	0/2	0/1
Average number embryos transferred	3.3	3.0	2.5	3.0
Donor Eggs				
Number of fresh transfers	5	0	4	16
Live births per 100 fresh transfers <sup>d</sup>	0/5		1/4	3/16
Number of frozen transfers	1	0	0	3
Live births per 100 frozen transfers <sup>d</sup>	0/1			0/3
Average number embryos transferred (fresh and frozen)	3.2		3.3	2.7

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### FERTILITY INSTITUTE OF NORTHWEST FLORIDA GULF BREEZE, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	41%
Single women?	No	GIFT	0%	Endometriosis	17%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	31%
Sharing of donor eggs?	No			Male factor	<b>6</b> %
		With ICSI	<b>73</b> %	Other factors	2%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	23	16	9	4
Pregnancies per 100 cycles	34.8	1/16	1/9	0/4
Live births per 100 cycles <sup>d</sup>	30.4	1/16	1/9	0/4
(95% confidence interval)	(11.6 - 49.2)			
Live births per 100 retrievals <sup>d</sup>	7/19	1/13	1/7	0/2
Live births per 100 transfers <sup>d</sup>	7/17	1/11	1/7	0/1
Cancellations per 100 cycles	17.4	3/16	2/9	2/4
Average number embryos transferred	5.1	5.4	4.9	7.0
Twin gestations per 100 pregnancies	1/8	0/1	1/1	
Triplet or more gestations per 100 pregnancies	3/8	0/1	0/1	
Multiple births per 100 live births <sup>d</sup>	3/7	0/1	1/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	11	8	2	0
Live births per 100 transfers <sup>d</sup>	1/11	2/8	0/2	
Average number embryos transferred	3.5	5.3	6.0	
Donor Eggs				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers <sup>d</sup>			0/1	
Number of frozen transfers	3	0	2	2
Live births per 100 frozen transfers <sup>d</sup>	0/3		1/2	1/2
Average number embryos transferred (fresh and frozen)	3.7		4.3	3.5

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	97%	<b>Tubal factor</b>	28%
Single women?	Yes	GIFT	2%	Endometriosis	13%
Gestational carriers?	No	ZIFT	1%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>37</b> %
Sharing of donor eggs?	Yes			Male factor	8%
		With ICSI	47%	Other factors	2%
		Unstimulated	0%	Unexplained	12%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	117	50	40	3		
Pregnancies per 100 cycles	39.3	44.0	30.0	0/3		
Live births per 100 cycles <sup>d</sup>	32.5	38.0	25.0	0/3		
(95% confidence interval)	(24.0 - 41.0)	(24.5 - 51.5)	(11.6 - 38.4)			
Live births per 100 retrievals <sup>d</sup>	35.5	42.2	26.3	0/2		
Live births per 100 transfers <sup>d</sup>	38.4	44.2	27.0	0/2		
Cancellations per 100 cycles	8.5	10.0	5.0	1/3		
Average number embryos transferred	4.0	4.5	4.7	4.0		
Twin gestations per 100 pregnancies	41.3	27.3	1/12			
Triplet or more gestations per 100 pregnancies	8.7	0.0	1/12			
Multiple births per 100 live births <sup>d</sup>	52.6	5/19	2/10			
Frozen Embryos From Nondonor Eggs						
Number of transfers	56	17	8	3		
Live births per 100 transfers <sup>d</sup>	32.1	6/17	0/8	2/3		
Average number embryos transferred	4.0	4.0	5.6	4.3		
Donor Eggs						
Number of fresh transfers	2	1	7	19		
Live births per 100 fresh transfers <sup>d</sup>	0/2	1/1	2/7	9/19		
Number of frozen transfers	0	1	6	12		
Live births per 100 frozen transfers <sup>d</sup>		1/1	2/6	5/12		
Average number embryos transferred (fresh and frozen)	3.0	4.0	4.1	4.6		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# IVF FLORIDA/NORTHWEST CENTER FOR INFERTILITY & REPRODUCTIVE ENDOCRINOLOGY MARGATE, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	36%
Single women?	Yes	GIFT	0%	Endometriosis	19%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>22</b> %
Sharing of donor eggs?	Yes			Male factor	<b>6</b> %
8 88		With ICSI	43%	Other factors	2%
		Unstimulated	0%	Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	168	92	75	24		
Pregnancies per 100 cycles	48.8	40.2	24.0	12.5		
Live births per 100 cycles <sup>d</sup>	41.1	34.8	16.0	12.5		
(95% confidence interval)	(33.6 - 48.5)	(25.1 - 44.5)	(7.7 - 24.3)	(0.0 - 25.7)		
Live births per 100 retrievals <sup>d</sup>	43.9	39.5	19.7	15.0		
Live births per 100 transfers <sup>d</sup>	44.5	40.5	20.3	15.0		
Cancellations per 100 cycles	6.5	12.0	18.7	16.7		
Average number embryos transferred	3.1	3.2	3.3	2.9		
Twin gestations per 100 pregnancies	32.9	29.7	4/18	1/3		
Triplet or more gestations per 100 pregnancies	18.3	13.5	0/18	0/3		
Multiple births per 100 live births <sup>d</sup>	50.7	37.5	2/12	1/3		
Frozen Embryos From Nondonor Eggs						
Number of transfers	16	9	6	6		
Live births per 100 transfers <sup>d</sup>	2/16	2/9	0/6	1/6		
Average number embryos transferred	3.7	4.0	3.8	3.8		
Donor Eggs						
Number of fresh transfers	8	2	8	37		
Live births per 100 fresh transfers <sup>d</sup>	2/8	1/2	4/8	37.8		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)	2.5	3.5	3.1	3.4		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### FERTILITY & IVF CENTER OF MIAMI MIAMI, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	87%	Tubal factor	16%
Single women?	No	GIFT	8%	Endometriosis	<b>7</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	<b>5</b> %	Ovulatory dysfunction	<b>32</b> %
Sharing of donor eggs?	Yes			Male factor	<b>7</b> %
8 88		With ICSI	<b>50</b> %	Other factors	<b>12</b> %
		Unstimulated	1%	Unexplained	22%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	68	32	22	12		
Pregnancies per 100 cycles	23.5	18.8	13.6	0/12		
Live births per 100 cycles <sup>d</sup>	17.6	18.8	9.1	0/12		
(95% confidence interval)	(8.6 - 26.7)	(5.2 - 32.3)	(0.0 - 21.1)			
Live births per 100 retrievals <sup>d</sup>	18.5	20.0	10.0	0/11		
Live births per 100 transfers <sup>d</sup>	18.8	23.1	2/18	0/10		
Cancellations per 100 cycles	4.4	6.3	9.1	1/12		
Average number embryos transferred	5.7	5.4	6.0	5.4		
Twin gestations per 100 pregnancies	8/16	4/6	1/3			
Triplet or more gestations per 100 pregnancies	2/16	1/6	0/3			
Multiple births per 100 live births <sup>d</sup>	6/12	5/6	1/2			
Frozen Embryos From Nondonor Eggs						
Number of transfers	8	1	0	0		
Live births per 100 transfers <sup>d</sup>	1/8	0/1				
Average number embryos transferred	3.5	9.0				
Donor Eggs						
Number of fresh transfers	0	0	2	4		
Live births per 100 fresh transfers <sup>d</sup>			0/2	1/4		
Number of frozen transfers	0	0	0	1		
Live births per 100 frozen transfers <sup>d</sup>				1/1		
Average number embryos transferred (fresh and frozen)			7.0	6.2		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE MIAMI, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	73%	<b>Tubal factor</b>	23%
Single women?	Yes	GIFT	24%	Endometriosis	11%
Gestational carriers?	No	ZIFT	0%	Uterine factor	<b>6</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	<b>26</b> %
Sharing of donor eggs?	No			Male factor	<b>12</b> %
8 88		With ICSI	35%	Other factors	<b>3</b> %
		Unstimulated	<1%	Unexplained	19%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	94	34	49	28
Pregnancies per 100 cycles	50.0	29.4	20.4	25.0
Live births per 100 cycles <sup>d</sup>	38.3	29.4	6.1	25.0
(95% confidence interval)	(28.5 - 48.1)	(14.1 - 44.7)	(0.0 - 12.8)	(9.0 - 41.0)
Live births per 100 retrievals <sup>d</sup>	41.4	31.3	6.7	33.3
Live births per 100 transfers <sup>d</sup>	42.9	34.5	7.3	7/17
Cancellations per 100 cycles	7.4	5.9	8.2	25.0
Average number embryos transferred	4.7	4.1	4.2	4.4
Twin gestations per 100 pregnancies	23.4	2/10	1/10	1/7
Triplet or more gestations per 100 pregnancies	23.4	1/10	1/10	0/7
Multiple births per 100 live births <sup>d</sup>	50.0	1/10	1/3	1/7
Frozen Embryos From Nondonor Eggs				
Number of transfers	13	1	0	1
Live births per 100 transfers <sup>d</sup>	5/13	0/1		0/1
Average number embryos transferred	4.7	6.0		3.0
Donor Eggs				
Number of fresh transfers	1	0	1	13
Live births per 100 fresh transfers <sup>d</sup>	1/1		0/1	5/13
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers <sup>d</sup>				0/2
Average number embryos transferred (fresh and frozen)	4.0		5.0	4.4

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### ARNOLD PALMER HOSPITAL FERTILITY CENTER ORLANDO, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	<b>Tubal factor</b>	31%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<b>2</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	<b>17</b> %
Sharing of donor eggs?	No			Male factor	16%
		With ICSI	40%	Other factors	<b>7</b> %
		Unstimulated	0%	Unexplained	14%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	68	28	19	19		
Pregnancies per 100 cycles	30.9	39.3	4/19	0/19		
Live births per 100 cycles <sup>d</sup>	22.1	28.6	3/19	0/19		
(95% confidence interval)	(12.2 - 31.9)	(11.8 - 45.3)				
Live births per 100 retrievals <sup>d</sup>	30.0	34.8	3/13	0/9		
Live births per 100 transfers <sup>d</sup>	32.6	34.8	3/12	0/8		
Cancellations per 100 cycles	26.5	17.9	6/19	10/19		
Average number embryos transferred	3.3	3.8	4.0	3.5		
Twin gestations per 100 pregnancies	33.3	4/11	0/4			
Triplet or more gestations per 100 pregnancies	19.0	1/11	0/4			
Multiple births per 100 live births <sup>d</sup>	8/15	5/8	0/3			
Frozen Embryos From Nondonor Eggs						
Number of transfers	17	8	2	2		
Live births per 100 transfers <sup>d</sup>	3/17	1/8	0/2	0/2		
Average number embryos transferred	3.4	2.8	3.0	1.5		
Donor Eggs						
Number of fresh transfers	1	0	5	5		
Live births per 100 fresh transfers <sup>d</sup>	0/1		2/5	4/5		
Number of frozen transfers	1	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>	0/1					
Average number embryos transferred (fresh and frozen)	3.0		3.2	3.8		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# CENTER FOR INFERILITY & REPRODUCTIVE MEDICINE, P.A. ORLANDO, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	36%
Single women?	No	GIFT	<1%	Endometriosis	17%
Gestational carriers?	No	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	24%
Sharing of donor eggs?	No			Male factor	<b>12</b> %
8 88		With ICSI	31%	Other factors	8%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	128	71	48	12	
Pregnancies per 100 cycles	38.3	42.3	18.8	3/12	
Live births per 100 cycles <sup>d</sup>	32.0	32.4	6.3	0/12	
(95% confidence interval)	(23.9 - 40.1)	(21.5 - 43.3)	(0.0 - 13.1)		
Live births per 100 retrievals <sup>d</sup>	38.3	40.4	7.9	0/10	
Live births per 100 transfers <sup>d</sup>	42.3	41.8	8.6	0/9	
Cancellations per 100 cycles	16.4	19.7	20.8	2/12	
Average number embryos transferred	2.9	3.1	3.4	3.0	
Twin gestations per 100 pregnancies	30.6	30.0	0/9	0/3	
Triplet or more gestations per 100 pregnancies	18.4	13.3	0/9	0/3	
Multiple births per 100 live births <sup>d</sup>	48.8	52.2	0/3		
Frozen Embryos From Nondonor Eggs					
Number of transfers	16	12	6	1	
Live births per 100 transfers <sup>d</sup>	4/16	2/12	0/6	0/1	
Average number embryos transferred	3.2	3.7	2.5	2.0	
Donor Eggs					
Number of fresh transfers	0	1	1	2	
Live births per 100 fresh transfers <sup>d</sup>		1/1	0/1	1/2	
Number of frozen transfers	0	0	0	0	
Live births per 100 frozen transfers <sup>d</sup>					
Average number embryos transferred (fresh and frozen)		5.0	4.0	3.5	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### REPRODUCTIVE MEDICINE AND FERTILITY CENTER ORLANDO, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	29%
Single women?	No	GIFT	0%	Endometriosis	2%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	<b>26</b> %
Sharing of donor eggs?	No			Male factor	<b>27</b> %
8 38		With ICSI	34%	Other factors	16%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	21	7	5	5
Pregnancies per 100 cycles	52.4	4/7	4/5	1/5
Live births per 100 cycles <sup>d</sup>	47.6	4/7	3/5	0/5
(95% confidence interval)	(26.3 - 69.0)			
Live births per 100 retrievals <sup>d</sup>	10/18	4/6	3/5	0/5
Live births per 100 transfers <sup>d</sup>	10/15	4/6	3/5	0/5
Cancellations per 100 cycles	14.3	1/7	0/5	0/5
Average number embryos transferred	3.7	4.0	4.6	6.2
Twin gestations per 100 pregnancies	3/11	1/4	0/4	0/1
Triplet or more gestations per 100 pregnancies	6/11	1/4	2/4	0/1
Multiple births per 100 live births <sup>d</sup>	7/10	2/4	1/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	3	0	0	0
Live births per 100 transfers <sup>d</sup>	2/3			
Average number embryos transferred	4.0			
Donor Eggs				
Number of fresh transfers	0	1	2	4
Live births per 100 fresh transfers <sup>d</sup>		0/1	1/2	3/4
Number of frozen transfers	0	0	0	3
Live births per 100 frozen transfers <sup>d</sup>				1/3
Average number embryos transferred (fresh and frozen)		3.0	3.0	4.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# CENTER FOR ADVANCED REPRODUCTIVE ENDOCRINOLOGY PLANTATION, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	85%	<b>Tubal factor</b>	41%
Single women?	Yes	GIFT	<b>5</b> %	Endometriosis	9%
Gestational carriers?	No	ZIFT	1%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	9%	Ovulatory dysfunction	<b>26</b> %
Sharing of donor eggs?	Yes			Male factor	11%
8 38		With ICSI	49%	Other factors	11%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	13	16	5
Pregnancies per 100 cycles	35.5	2/13	3/16	0/5
Live births per 100 cycles <sup>d</sup>	19.4	2/13	3/16	0/5
(95% confidence interval)	(5.4 - 33.3)			
Live births per 100 retrievals <sup>d</sup>	20.0	2/11	3/13	0/4
Live births per 100 transfers <sup>d</sup>	20.7	2/10	3/12	0/4
Cancellations per 100 cycles	3.2	2/13	3/16	1/5
Average number embryos transferred	3.2	3.8	5.1	4.5
Twin gestations per 100 pregnancies	2/11	0/2	3/3	
Triplet or more gestations per 100 pregnancies	1/11	0/2	0/3	
Multiple births per 100 live births <sup>d</sup>	2/6	0/2	3/3	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	0	2	0
Live births per 100 transfers <sup>d</sup>	1/6		1/2	
Average number embryos transferred	2.7		4.0	
Donor Eggs				
Number of fresh transfers	2	0	1	2
Live births per 100 fresh transfers <sup>d</sup>	1/2		0/1	1/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	3.5		4.0	3.5

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### **FERTILITY INSTITUTE OF FORT LAUDERDALE PLANTATION, FLORIDA**

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	43%
Single women?	Yes	GIFT	0%	Endometriosis	<b>25</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	4%
8 38		With ICSI	0%	Other factors	<b>7</b> %
		Unstimulated	0%	Unexplained	21%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	11	7	4	1
Pregnancies per 100 cycles	4/11	3/7	1/4	0/1
Live births per 100 cycles <sup>d</sup>	4/11	3/7	1/4	0/1
(95% confidence interval)				
Live births per 100 retrievals <sup>d</sup>	4/11	3/6	1/4	0/1
Live births per 100 transfers <sup>d</sup>	4/10	3/4	1/3	0/1
Cancellations per 100 cycles	0/11	1/7	0/4	0/1
Average number embryos transferred	4.0	3.5	4.0	3.0
Twin gestations per 100 pregnancies	2/4	1/3	0/1	
Triplet or more gestations per 100 pregnancies	0/4	0/3	0/1	
Multiple births per 100 live births <sup>d</sup>	1/4	1/3	0/1	
Frozen Embryos From Nondonor Eggs				
Number of transfers	1	0	2	0
Live births per 100 transfers <sup>d</sup>	1/1		0/2	
Average number embryos transferred	4.0		2.5	
Donor Eggs				
Number of fresh transfers	0	0	0	2
Live births per 100 fresh transfers <sup>d</sup>				1/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				4.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### ADVANCED REPRODUCTIVE TECHNOLOGIES PROGRAM UNIVERSITY COMMUNITY HOSPITAL TAMPA, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	<b>72</b> %	<b>Tubal factor</b>	30%
Single women?	Yes	GIFT	14%	Endometriosis	<b>7</b> %
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	13%	Ovulatory dysfunction	11%
Sharing of donor eggs?	No			Male factor	<b>2</b> %
		With ICSI	26%	Other factors	31%
		Unstimulated	0%	Unexplained	19%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	107	62	35	23		
Pregnancies per 100 cycles	32.7	25.8	28.6	8.7		
Live births per 100 cycles <sup>d</sup>	29.0	24.2	28.6	8.7		
(95% confidence interval)	(20.4 - 37.6)	(13.5 - 34.9)	(13.6 - 43.5)	(0.0 - 20.2)		
Live births per 100 retrievals <sup>d</sup>	31.6	34.9	33.3	2/17		
Live births per 100 transfers <sup>d</sup>	31.6	35.7	33.3	2/17		
Cancellations per 100 cycles	8.4	30.6	14.3	26.1		
Average number embryos transferred	3.5	3.7	3.5	3.9		
Twin gestations per 100 pregnancies	28.6	6/16	2/10	1/2		
Triplet or more gestations per 100 pregnancies	37.1	4/16	3/10	0/2		
Multiple births per 100 live births <sup>d</sup>	58.1	10/15	4/10	0/2		
Frozen Embryos From Nondonor Eggs						
Number of transfers	8	3	3	1		
Live births per 100 transfers <sup>d</sup>	0/8	0/3	0/3	0/1		
Average number embryos transferred	3.6	3.3	3.3	1.0		
Donor Eggs						
Number of fresh transfers	3	4	2	15		
Live births per 100 fresh transfers <sup>d</sup>	2/3	1/4	1/2	7/15		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)	3.0	4.0	4.0	3.7		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### GENETICS & IVF OF FLORIDA WEST PALM BEACH, FLORIDA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	No	IVF	100%	<b>Tubal factor</b>	<b>45</b> %
Single women?	Yes	GIFT	0%	Endometriosis	<b>3</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>26</b> %
Sharing of donor eggs?	No			Male factor	0%
		With ICSI	19%	Other factors	<b>16</b> %
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	7	10	3	1		
Pregnancies per 100 cycles	0/7	0/10	1/3	0/1		
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	0/7	0/10	1/3	0/1		
Live births per 100 retrievals <sup>d</sup>	0/5	0/7	1/3	0/1		
Live births per 100 transfers <sup>d</sup>	0/4	0/6	1/2	0/1		
Cancellations per 100 cycles	2/7	3/10	0/3	0/1		
Average number embryos transferred	3.3	1.5	4.0	5.0		
Twin gestations per 100 pregnancies			0/1			
Triplet or more gestations per 100 pregnancies			0/1			
Multiple births per 100 live births <sup>d</sup>			0/1			
Frozen Embryos From Nondonor Eggs						
Number of transfers	2	2	2	1		
Live births per 100 transfers <sup>d</sup>	0/2	0/2	0/2	0/1		
Average number embryos transferred	2.0	3.0	2.5	2.0		
Donor Eggs						
Number of fresh transfers	0	0	1	0		
Live births per 100 fresh transfers <sup>d</sup>			0/1			
Number of frozen transfers	0	0	1	0		
Live births per 100 frozen transfers <sup>d</sup>			0/1			
Average number embryos transferred (fresh and frozen)			3.0			

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### EMORY CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY ATLANTA, GEORGIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	29%
Single women?	Yes	GIFT	0%	Endometriosis	<b>20</b> %
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>25</b> %
Sharing of donor eggs?	No			Male factor	17%
		With ICSI	49%	Other factors	<b>7</b> %
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	105	36	15	6		
Pregnancies per 100 cycles	36.2	19.4	3/15	0/6		
Live births per 100 cycles <sup>d</sup>	31.4	13.9	2/15	0/6		
(95% confidence interval)	(22.5 - 40.3)	(2.6 - 25.2)				
Live births per 100 retrievals <sup>d</sup>	45.8	20.0	2/10	0/3		
Live births per 100 transfers <sup>d</sup>	50.0	25.0	2/10	0/2		
Cancellations per 100 cycles	31.4	30.6	5/15	3/6		
Average number embryos transferred	3.2	3.5	3.4	4.5		
Twin gestations per 100 pregnancies	50.0	0/7	1/3			
Triplet or more gestations per 100 pregnancies	2.6	0/7	0/3			
Multiple births per 100 live births <sup>d</sup>	48.5	0/5	1/2			
Frozen Embryos From Nondonor Eggs						
Number of transfers	16	5	3	1		
Live births per 100 transfers <sup>d</sup>	4/16	4/5	1/3	0/1		
Average number embryos transferred	2.9	2.4	2.3	7.0		
Donor Eggs						
Number of fresh transfers	2	1	2	4		
Live births per 100 fresh transfers <sup>d</sup>	0/2	0/1	2/2	2/4		
Number of frozen transfers	1	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>	0/1					
Average number embryos transferred (fresh and frozen)	2.0	3.0	3.0	3.3		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	15%
Single women?	Yes	GIFT	0%	Endometriosis	19%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	<b>7</b> %
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	Yes			Male factor	<b>30</b> %
		With ICSI	<b>55</b> %	Other factors	1%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	< <b>35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	421	192	175	81		
Pregnancies per 100 cycles	34.0	31.3	24.0	7.4		
Live births per 100 cycles <sup>d</sup>	31.1	24.5	18.9	3.7		
(95% confidence interval)	(26.7 - 35.5)	(18.4 - 30.6)	(13.1 - 24.7)	(0.0 - 7.8)		
Live births per 100 retrievals <sup>d</sup>	38.2	32.2	24.3	5.9		
Live births per 100 transfers <sup>d</sup>	39.3	33.3	26.2	6.4		
Cancellations per 100 cycles	18.5	24.0	22.3	37.0		
Average number embryos transferred	3.4	3.6	3.5	3.1		
Twin gestations per 100 pregnancies	28.7	21.7	26.2	1/6		
Triplet or more gestations per 100 pregnancies	9.1	8.3	2.4	1/6		
Multiple births per 100 live births <sup>d</sup>	38.2	31.9	33.3	1/3		
Frozen Embryos From Nondonor Eggs						
Number of transfers	101	67	33	14		
Live births per 100 transfers <sup>d</sup>	19.8	6.0	12.1	1/14		
Average number embryos transferred	3.5	3.2	3.2	3.5		
Donor Eggs						
Number of fresh transfers	12	21	21	58		
Live births per 100 fresh transfers <sup>d</sup>	6/12	33.3	28.6	29.3		
Number of frozen transfers	6	8	9	31		
Live births per 100 frozen transfers <sup>d</sup>	2/6	0/8	1/9	9.7		
Average number embryos transferred (fresh and frozen)	2.7	3.2	3.1	3.2		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### AUGUSTA REPRODUCTIVE BIOLOGY ASSOCIATES AUGUSTA, GEORGIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	29%
Single women?	No	GIFT	0%	Endometriosis	12%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>25</b> %
Sharing of donor eggs?	Yes			Male factor	<b>23</b> %
		With ICSI	28%	Other factors	1%
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	57	10	6	3	
Pregnancies per 100 cycles	28.1	0/10	2/6	0/3	
Live births per 100 cycles <sup>d</sup>	24.6	0/10	2/6	0/3	
(95% confidence interval)	(13.4 - 35.7)				
Live births per 100 retrievals <sup>d</sup>	26.9	0/7	2/6	0/3	
Live births per 100 transfers <sup>d</sup>	29.8	0/6	2/5	0/3	
Cancellations per 100 cycles	8.8	3/10	0/6	0/3	
Average number embryos transferred	2.9	2.3	3.8	3.7	
Twin gestations per 100 pregnancies	5/16		0/2		
Triplet or more gestations per 100 pregnancies	0/16		0/2		
Multiple births per 100 live births <sup>d</sup>	4/14		0/2		
Frozen Embryos From Nondonor Eggs					
Number of transfers	12	1	2	1	
Live births per 100 transfers <sup>d</sup>	3/12	0/1	0/2	0/1	
Average number embryos transferred	1.9	1.0	2.5	2.0	
Donor Eggs					
Number of fresh transfers	1	1	0	0	
Live births per 100 fresh transfers <sup>d</sup>	1/1	0/1			
Number of frozen transfers	0	0	0	0	
Live births per 100 frozen transfers <sup>d</sup>					
Average number embryos transferred (fresh and frozen)	3.0	3.0			

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### MEDICAL COLLEGE OF GEORGIA AUGUSTA, GEORGIA

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>58</b> %
Single women?	No	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	13%
Sharing of donor eggs?	No			Male factor	13%
8 88		With ICSI	<b>5</b> %	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	33	13	4	5
Pregnancies per 100 cycles	18.2	1/13	0/4	0/5
Live births per 100 cycles <sup>d</sup>	15.2	1/13	0/4	0/5
(95% confidence interval)	(2.9 - 27.4)			
Live births per 100 retrievals <sup>d</sup>	22.7	1/10	0/3	0/3
Live births per 100 transfers <sup>d</sup>	5/17	1/8	0/2	0/3
Cancellations per 100 cycles	33.3	3/13	1/4	2/5
Average number embryos transferred	4.1	4.1	4.0	2.7
Twin gestations per 100 pregnancies	1/6	1/1		
Triplet or more gestations per 100 pregnancies	1/6	0/1		
Multiple births per 100 live births <sup>d</sup>	2/5	1/1		
Frozen Embryos From Nondonor Eggs				
Number of transfers	5	1	1	0
Live births per 100 transfers <sup>d</sup>	0/5	0/1	0/1	
Average number embryos transferred	4.0	6.0	2.0	
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### PACIFIC IVF INSTITUTE HONOLULU, HAWAII

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	28%
Single women?	No	GIFT	0%	Endometriosis	<b>30</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	<b>28</b> %
Sharing of donor eggs?	No			Male factor	<b>7</b> %
		With ICSI	28%	Other factors	4%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	61	39	55	46
Pregnancies per 100 cycles	41.0	28.2	21.8	8.7
Live births per 100 cycles <sup>d</sup>	39.3	23.1	18.2	8.7
(95% confidence interval)	(27.1 - 51.6)	(9.9 - 36.3)	(8.0 - 28.4)	(0.6 - 16.8)
Live births per 100 retrievals <sup>d</sup>	46.2	23.7	24.4	14.3
Live births per 100 transfers <sup>d</sup>	46.2	25.0	26.3	15.4
Cancellations per 100 cycles	14.8	2.6	25.5	39.1
Average number embryos transferred	4.6	4.8	4.7	4.7
Twin gestations per 100 pregnancies	44.0	4/11	2/12	2/4
Triplet or more gestations per 100 pregnancies	12.0	2/11	3/12	0/4
Multiple births per 100 live births <sup>d</sup>	50.0	6/9	4/10	1/4
Frozen Embryos From Nondonor Eggs				
Number of transfers	12	15	7	5
Live births per 100 transfers <sup>d</sup>	4/12	4/15	4/7	3/5
Average number embryos transferred	3.7	4.5	4.7	4.2
Donor Eggs				
Number of fresh transfers	1	0	1	2
Live births per 100 fresh transfers <sup>d</sup>	1/1		0/1	0/2
Number of frozen transfers	0	0	1	6
Live births per 100 frozen transfers <sup>d</sup>			0/1	0/6
Average number embryos transferred (fresh and frozen)	4.0		3.5	3.8

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

## TRIPLER ARMY MEDICAL CENTER TRIPLER AMC, HAWAII

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>57</b> %
Single women?	No	GIFT	0%	Endometriosis	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	<b>29</b> %	Other factors	9%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman			
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	31	6	13	1
Pregnancies per 100 cycles	61.3	4/6	8/13	0/1
Live births per 100 cycles <sup>d</sup>	48.4	2/6	7/13	0/1
(95% confidence interval)	(30.8 - 66.0)			
Live births per 100 retrievals <sup>d</sup>	50.0	2/6	7/12	0/1
Live births per 100 transfers <sup>d</sup>	51.7	2/6	7/11	0/1
Cancellations per 100 cycles	3.2	0/6	1/13	0/1
Average number embryos transferred	4.0	4.0	4.4	2.0
Twin gestations per 100 pregnancies	4/19	1/4	1/8	
Triplet or more gestations per 100 pregnancies	1/19	0/4	2/8	
Multiple births per 100 live births <sup>d</sup>	5/15	0/2	1/7	
Frozen Embryos From Nondonor Eggs				
Number of transfers	2	3	0	0
Live births per 100 transfers <sup>d</sup>	1/2	1/3		
Average number embryos transferred	4.0	5.0		
Donor Eggs				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred				
(fresh and frozen)				

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# RUSH-COPLEY CENTER FOR REPRODUCTIVE HEALTH AURORA, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		<b>ART Patient Diagnosis</b>	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	22%
Single women?	No	GIFT	0%	Endometriosis	<b>20</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No			Male factor	<b>30</b> %
		With ICSI	21%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	16	12	8	3		
Pregnancies per 100 cycles	3/16	2/12	0/8	0/3		
Live births per 100 cycles <sup>d</sup>	2/16	2/12	0/8	0/3		
(95% confidence interval)						
Live births per 100 retrievals <sup>d</sup>	2/12	2/11	0/5	0/2		
Live births per 100 transfers <sup>d</sup>	2/11	2/9	0/4			
Cancellations per 100 cycles	4/16	1/12	3/8	1/3		
Average number embryos transferred	3.6	4.1	2.0			
Twin gestations per 100 pregnancies	0/3	1/2				
Triplet or more gestations per 100 pregnancies	0/3	0/2				
Multiple births per 100 live births <sup>d</sup>	0/2	1/2				
Frozen Embryos From Nondonor Eggs						
Number of transfers	1	0	0	0		
Live births per 100 transfers <sup>d</sup>	0/1					
Average number embryos transferred	5.0					
Donor Eggs						
Number of fresh transfers	0	0	0	0		
Live births per 100 fresh transfers <sup>d</sup>						
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred						
(fresh and frozen)						

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### IVF ILLINOIS, INC. CHICAGO, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	<b>Tubal factor</b>	30%
Single women?	Yes	GIFT	0%	Endometriosis	8%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	<b>23</b> %
8 38		With ICSI	40%	Other factors	12%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	317	174	136	112		
Pregnancies per 100 cycles	29.3	29.9	19.9	10.7		
Live births per 100 cycles <sup>d</sup>	27.1	24.1	16.2	8.0		
(95% confidence interval)	(22.2 - 32.0)	(17.8 - 30.5)	(10.0 - 22.4)	(3.0 - 13.1)		
Live births per 100 retrievals <sup>d</sup>	29.7	28.0	19.3	10.8		
Live births per 100 transfers <sup>d</sup>	31.7	29.8	21.4	13.2		
Cancellations per 100 cycles	8.5	13.8	16.2	25.9		
Average number embryos transferred	3.2	3.3	2.9	2.6		
Twin gestations per 100 pregnancies	32.3	25.0	29.6	1/12		
Triplet or more gestations per 100 pregnancies	8.6	0.0	3.7	0/12		
Multiple births per 100 live births <sup>d</sup>	40.7	26.2	40.9	1/9		
Frozen Embryos From Nondonor Eggs						
Number of transfers	29	11	4	9		
Live births per 100 transfers <sup>d</sup>	13.8	1/11	1/4	1/9		
Average number embryos transferred	3.1	3.2	3.3	3.1		
Donor Eggs						
Number of fresh transfers	4	5	7	24		
Live births per 100 fresh transfers <sup>d</sup>	2/4	1/5	1/7	25.0		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)	3.0	2.8	3.4	3.6		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

# NORTHWESTERN UNIVERSITY PRENTICE WOMEN'S HOSPITAL CHICAGO, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	20%
Single women?	Yes	GIFT	0%	Endometriosis	12%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No			Male factor	15%
		With ICSI	40%	Other factors	31%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman					
	<b>&lt;35</b>	35-37	38-40	>40		
Fresh Embryos From Nondonor Eggs						
Number of cycles	74	44	33	13		
Pregnancies per 100 cycles	41.9	40.9	21.2	0/13		
Live births per 100 cycles <sup>d</sup>	33.8	31.8	18.2	0/13		
(95% confidence interval)	(23.0 - 44.6)	(18.1 - 45.6)	(5.0 - 31.3)			
Live births per 100 retrievals <sup>d</sup>	35.7	33.3	18.8	0/11		
Live births per 100 transfers <sup>d</sup>	37.3	34.1	20.0	0/10		
Cancellations per 100 cycles	5.4	4.5	3.0	2/13		
Average number embryos transferred	4.2	4.6	5.0	4.5		
Twin gestations per 100 pregnancies	38.7	6/18	1/7			
Triplet or more gestations per 100 pregnancies	12.9	3/18	0/7			
Multiple births per 100 live births <sup>d</sup>	52.0	6/14	1/6			
Frozen Embryos From Nondonor Eggs						
Number of transfers	31	14	7	13		
Live births per 100 transfers <sup>d</sup>	19.4	2/14	1/7	0/13		
Average number embryos transferred	4.2	4.2	5.3	5.5		
Donor Eggs						
Number of fresh transfers	0	1	1	5		
Live births per 100 fresh transfers <sup>d</sup>		1/1	0/1	3/5		
Number of frozen transfers	0	0	0	0		
Live births per 100 frozen transfers <sup>d</sup>						
Average number embryos transferred (fresh and frozen)		5.0	4.0	5.0		

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### RUSH CENTER FOR ADVANCED REPRODUCTIVE CARE CHICAGO, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	86%	<b>Tubal factor</b>	19%
Single women?	Yes	GIFT	<b>6</b> %	Endometriosis	24%
Gestational carriers?	No	ZIFT	<b>7</b> %	Uterine factor	10%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	<b>24</b> %
8 88		With ICSI	24%	Other factors	0%
		Unstimulated	0%	Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	89	45	38	61
Pregnancies per 100 cycles	29.2	40.0	10.5	0.0
Live births per 100 cycles <sup>d</sup>	23.6	31.1	5.3	0.0
(95% confidence interval)	(14.8 - 32.4)	(17.6 - 44.6)	(0.0 - 12.4)	
Live births per 100 retrievals <sup>d</sup>	26.3	35.0	7.1	0.0
Live births per 100 transfers <sup>d</sup>	29.6	37.8	8.7	0.0
Cancellations per 100 cycles	10.1	11.1	26.3	
Average number embryos transferred	4.6	4.8	4.0	3.5
Twin gestations per 100 pregnancies	19.2	5/18	0/4	
Triplet or more gestations per 100 pregnancies	15.4	3/18	0/4	
Multiple births per 100 live births <sup>d</sup>	19.0	8/14	0/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	8	1	2	0
Live births per 100 transfers <sup>d</sup>	0/8	0/1	0/2	
Average number embryos transferred	2.9	9.0	1.5	
Donor Eggs				
Number of fresh transfers	0	1	0	1
Live births per 100 fresh transfers <sup>d</sup>		0/1		0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		2.0		3.0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### UNIVERSITY OF CHICAGO HOSPITALS CHICAGO, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	<b>Tubal factor</b>	28%
Single women?	Yes	GIFT	0%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	<b>12</b> %
Sharing of donor eggs?	No			Male factor	16%
		With ICSI	22%	Other factors	<b>6</b> %
		Unstimulated	0%	Unexplained	24%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle		Age of	Woman	
	<b>&lt;35</b>	35-37	38-40	>40
Fresh Embryos From Nondonor Eggs				
Number of cycles	64	29	32	14
Pregnancies per 100 cycles	26.6	13.8	18.8	1/14
Live births per 100 cycles <sup>d</sup>	21.9	13.8	6.3	0/14
(95% confidence interval)	(11.7 - 32.0)	(1.2 - 26.3)	(0.0 - 14.6)	
Live births per 100 retrievals <sup>d</sup>	24.1	14.8	8.7	0/12
Live births per 100 transfers <sup>d</sup>	24.6	15.4	10.0	0/11
Cancellations per 100 cycles	9.4	6.9	28.1	2/14
Average number embryos transferred	4.0	3.7	4.9	4.3
Twin gestations per 100 pregnancies	2/17	1/4	2/6	0/1
Triplet or more gestations per 100 pregnancies	4/17	1/4	0/6	0/1
Multiple births per 100 live births <sup>d</sup>	4/14	2/4	1/2	
Frozen Embryos From Nondonor Eggs				
Number of transfers	6	4	3	0
Live births per 100 transfers <sup>d</sup>	1/6	1/4	1/3	
Average number embryos transferred	3.8	5.0	2.7	
Donor Eggs				
Number of fresh transfers	1	4	2	8
Live births per 100 fresh transfers <sup>d</sup>	0/1	2/4	0/2	2/8
Number of frozen transfers	0	1	1	3
Live births per 100 frozen transfers <sup>d</sup>		0/1	0/1	0/3
Average number embryos transferred (fresh and frozen)	3.0	3.8	3.7	3.5

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	22%
Single women?	Yes	GIFT	0%	Endometriosis	<b>34</b> %
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	24%
Sharing of donor eggs?	Yes			Male factor	14%
8 88		With ICSI	8%	Other factors	0%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	<b>35-37</b>	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	72	16	18	14	
Pregnancies per 100 cycles	22.2	3/16	4/18	1/14	
Live births per 100 cycles <sup>d</sup>	19.4	1/16	4/18	0/14	
(95% confidence interval)	(10.3 - 28.6)				
Live births per 100 retrievals <sup>d</sup>	22.6	1/10	4/15	0/8	
Live births per 100 transfers <sup>d</sup>	27.5	1/8	4/13	0/6	
Cancellations per 100 cycles	13.9	6/16	3/18	6/14	
Average number embryos transferred	3.0	1.9	3.5	2.8	
Twin gestations per 100 pregnancies	3/16	0/3	1/4	0/1	
Triplet or more gestations per 100 pregnancies	1/16	0/3	0/4	0/1	
Multiple births per 100 live births <sup>d</sup>	4/14	0/1	1/4		
Frozen Embryos From Nondonor Eggs					
Number of transfers	2	1	0	0	
Live births per 100 transfers <sup>d</sup>	0/2	0/1			
Average number embryos transferred	2.5	2.0			
Donor Eggs					
Number of fresh transfers	1	1	2	4	
Live births per 100 fresh transfers <sup>d</sup>	0/1	0/1	1/2	0/4	
Number of frozen transfers	0	0	0	1	
Live births per 100 frozen transfers <sup>d</sup>				0/1	
Average number embryos transferred (fresh and frozen)	6.0	5.0	2.5	3.2	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

### CENTER FOR HUMAN REPRODUCTION GLENVIEW, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	<b>Tubal factor</b>	18%
Single women?	Yes	GIFT	<1%	Endometriosis	17%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	Yes			Male factor	<b>30</b> %
		With ICSI	47%	Other factors	1%
		Unstimulated	0%	Unexplained	19%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

Type of Cycle	Age of Woman				
	<b>&lt;35</b>	35-37	38-40	>40	
Fresh Embryos From Nondonor Eggs					
Number of cycles	598	233	186	57	
Pregnancies per 100 cycles	26.9	18.5	8.1	5.3	
Live births per 100 cycles <sup>d</sup>	21.7	12.9	6.5	3.5	
(95% confidence interval)	(18.4 - 25.0)	(8.6 - 17.2)	(2.9 - 10.0)	(0.0 - 8.3)	
Live births per 100 retrievals <sup>d</sup>	24.6	16.0	9.0	5.4	
Live births per 100 transfers <sup>d</sup>	30.7	18.1	10.4	6.5	
Cancellations per 100 cycles	11.7	19.3	28.5	35.1	
Average number embryos transferred	3.8	3.8	4.0	4.0	
Twin gestations per 100 pregnancies	32.9	23.3	2/15	0/3	
Triplet or more gestations per 100 pregnancies	13.7	11.6	0/15	0/3	
Multiple births per 100 live births <sup>d</sup>	40.8	26.7	2/12	0/2	
Frozen Embryos From Nondonor Eggs					
Number of transfers	158	62	30	9	
Live births per 100 transfers <sup>d</sup>	28.5	22.6	13.3	1/9	
Average number embryos transferred	3.7	3.8	4.0	4.2	
Donor Eggs					
Number of fresh transfers	15	7	15	24	
Live births per 100 fresh transfers <sup>d</sup>	6/15	5/7	7/15	41.7	
Number of frozen transfers	9	3	4	13	
Live births per 100 frozen transfers <sup>d</sup>	1/9	0/3	1/4	4/13	
Average number embryos transferred (fresh and frozen)	3.9	3.9	4.1	4.3	

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.

#### ADVANCED FERTILITY CENTER OF CHICAGO GURNEE, ILLINOIS

#### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	<b>Tubal factor</b>	<b>50</b> %
Single women?	Yes	GIFT	0%	Endometriosis	15%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	Yes			Male factor	4%
3 35		With ICSI	21%	Other factors	0%
		Unstimulated	0%	Unexplained	12%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

35-	<b>37 38</b> -4	
	37 30-4	l <b>0</b> >40
1 2	8	3
11 1/2	2 2/8	3 1/3
11 0/2	2 2/8	0/3
10 0/2	2 2/8	0/3
10 0/2	2/6	0/3
11 0/2	2 0/8	0/3
.4 3.0	3.7	4.3
/5 0/	1 1/2	0/1
/5 0/	1 0/2	0/1
/5	1/2	
	0	0
0	0	0
1 0	0	1
/1		1/1
0 0	0	0
.0		3.0
	111     1/3       111     0/3       110     0/3       110     0/3       111     0/3       111     0/3       .4     3.0       /5     0/3	111       1/2       2/8         111       0/2       2/8         110       0/2       2/8         110       0/2       2/6         111       0/2       0/8         .4       3.0       3.7         /5       0/1       1/2         /5       0/1       0/2         /5       1/2         0       0       0         1       0       0         0       0       0

<sup>&</sup>lt;sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>&</sup>lt;sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>&</sup>lt;sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>&</sup>lt;sup>d</sup> A multiple birth is counted as one live birth.