

**HONEA, HOUSERMAN & LONG, P.C.**  
**BIRMINGHAM, ALABAMA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 93% | Tubal factor          | 29% |
| Single women?           | No  | GIFT                     | 6%  | Endometriosis         | 22% |
| Gestational carriers?   | No  | ZIFT                     | 1%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 21% |
| Sharing of donor eggs?  | No  | With ICSI                | 20% | Ovulatory dysfunction | 20% |
|                         |     | Unstimulated             | 0%  | Other factors         | 7%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 117           | 70           | 12   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 23.9          | 17.1         | 1/12 |
| Live births per 100 cycles <sup>b,c</sup>                | 20.5          | 12.9         | 1/12 |
| (95% confidence intervals)                               | (13.2 - 27.8) | (5.0 - 20.7) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.8          | 16.7         | 1/6  |
| Live births per 100 transfers <sup>b,c</sup>             | 27.3          | 17.3         | 1/5  |
| Cancellations per 100 cycles <sup>c</sup>                | 20.5          | 22.9         | 6/12 |
| Average number embryos transferred                       | 3.3           | 3.4          | 3.2  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 46.4          | 4/12         | 1/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 37.5          | 3/9          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 11            | 5            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 3/11          | 1/5          |      |
| Average number embryos transferred                       | 3.1           | 3.0          |      |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 1             | 1            | 1    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 0/1          | 0/1  |
| Number of frozen transfers                               | 0             | 1            | 1    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 0/1          | 0/1  |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 5.0          | 3.5  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF ALABAMA AT BIRMINGHAM  
BIRMINGHAM, ALABAMA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 65% | Tubal factor          | 36% |
| Single women?           | Yes | GIFT                     | 35% | Endometriosis         | 16% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 15% |
| Sharing of donor eggs?  | No  | With ICSI                | 13% | Ovulatory dysfunction | 24% |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 9%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 82            | 49            | 20           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 37.8          | 34.7          | 35.0         |
| Live births per 100 cycles <sup>b,c</sup>                | 35.4          | 26.5          | 15.0         |
| (95% confidence intervals)                               | (25.0 - 45.7) | (14.2 - 38.9) | (0.0 - 30.6) |
| Live births per 100 retrievals <sup>b,c</sup>            | 37.2          | 32.5          | 3/17         |
| Live births per 100 transfers <sup>b,c</sup>             | 38.2          | 34.2          | 3/17         |
| Cancellations per 100 cycles <sup>c</sup>                | 4.9           | 18.4          | 15.0         |
| Average number embryos transferred                       | 4.9           | 6.3           | 7.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 38.7          | 6/17          | 2/7          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 37.9          | 4/13          | 2/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 3             | 0             | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/3           |               |              |
| Average number embryos transferred                       | 1.7           |               |              |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 1             | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 0/1           |              |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) |               | 6.0           |              |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# CENTER FOR REPRODUCTIVE MEDICINE MOBILE, ALABAMA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 18% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 28% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 18% |
| Sharing of donor eggs?  | No  | With ICSI                | 22%  | Ovulatory dysfunction | 27% |
|                         |     | Unstimulated             | 0%   | Other factors         | 9%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 5            | 3     | 1   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 2/5          | 2/3   | 0/1 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 2/5          | 2/3   | 0/1 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 2/4          | 2/3   | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>                            | 2/3          | 2/3   | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/5          | 0/3   | 0/1 |
| Average number embryos transferred                                      | 3.3          | 2.7   | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 0/2          | 1/2   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 0/2          | 1/2   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |     |
| Average number embryos transferred                                      |              |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 1            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      | 1/1          |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                | 4.0          |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF SOUTH ALABAMA  
MOBILE, ALABAMA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 96% | Tubal factor          | 57% |
| Single women?           | No  | GIFT                     | <1% | Endometriosis         | 15% |
| Gestational carriers?   | No  | ZIFT                     | 3%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 17% |
| Sharing of donor eggs?  | No  | With ICSI                | 36% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                 |              |       |     |
| Number of cycles  | 21           | 17    | 1   |
| Pregnancies per 100 cycles <sup>c</sup>                 | 33.3         | 3/17  | 0/1 |
| Live births per 100 cycles <sup>b,c</sup>               | 23.8         | 1/17  | 0/1 |
| (95% confidence intervals)                              | (5.6 - 42.0) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>           | 23.8         | 1/16  | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>            | 23.8         | 1/15  | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>               | 0.0          | 1/17  | 0/1 |
| Average number embryos transferred                      | 5.6          | 4.6   | 1.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>    | 2/7          | 1/3   |     |
| Multiple live births per 100 live births <sup>b,c</sup> | 1/5          | 0/1   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                |              |       |     |
| Number of transfers                                     | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>            |              |       |     |
| Average number embryos transferred                      |              |       |     |
| <b>Donor Eggs</b>                                       |              |       |     |
| Number of fresh transfers                               | 0            | 0     | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>      |              |       | 0/1 |
| Number of frozen transfers                              | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>     |              |       |     |
| Average number embryos transferred (fresh and frozen)   |              |       | 6.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## FERTILITY TREATMENT CENTER CHANDLER, ARIZONA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 39% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 21% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 10% |
| Sharing of donor eggs?  | No  | With ICSI                | 4%  | Ovulatory dysfunction | 27% |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 35           | 29           | 18   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.0         | 6.9          | 3/18 |
| Live births per 100 cycles <sup>b,c</sup>                | 17.1         | 6.9          | 2/18 |
| (95% confidence intervals)                               | (4.7 - 29.6) | (0.0 - 16.1) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 19.4         | 7.1          | 2/11 |
| Live births per 100 transfers <sup>b,c</sup>             | 19.4         | 7.7          | 2/11 |
| Cancellations per 100 cycles <sup>c</sup>                | 11.4         | 3.4          | 7/18 |
| Average number embryos transferred                       | 4.5          | 4.3          | 3.7  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 1/7          | 1/2          | 0/3  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 0/6          | 1/2          | 0/2  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 19           | 13           | 3    |
| Live births per 100 transfers <sup>b,c</sup>             | 1/19         | 4/13         | 0/3  |
| Average number embryos transferred                       | 4.2          | 3.8          | 4.3  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 1            | 3            | 2    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1          | 2/3          | 1/2  |
| Number of frozen transfers                               | 1            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/1          |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 4.0          | 5.0          | 5.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# ARIZONA INSTITUTE OF REPRODUCTIVE MEDICINE, LTD. PHOENIX, ARIZONA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 12% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 15% |
| Sharing of donor eggs?  | No  | With ICSI                | 43%  | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 3%   | Other factors         | 27% |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |       |      |
|--|---------------|-------|------|
|  | <35           | 35-39 | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |       |      |
| Number of cycles   | 28            | 16    | 17   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.7          | 2/16  | 2/17 |
| Live births per 100 cycles <sup>b,c</sup>                | 32.1          | 2/16  | 0/17 |
| (95% confidence intervals)                               | (14.8 - 49.4) |       |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 32.1          | 2/15  | 0/15 |
| Live births per 100 transfers <sup>b,c</sup>             | 42.9          | 2/13  | 0/10 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 1/16  | 2/17 |
| Average number embryos transferred                       | 3.9           | 3.5   | 2.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 5/10          | 1/2   | 0/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 5/9           | 1/2   |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |       |      |
| Number of transfers                                      | 10            | 12    | 4    |
| Live births per 100 transfers <sup>b,c</sup>             | 5/10          | 3/12  | 0/4  |
| Average number embryos transferred                       | 4.6           | 3.0   | 3.5  |
| <b>Donor Eggs</b>  |               |       |      |
| Number of fresh transfers                                | 1             | 0     | 5    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           |       | 0/5  |
| Number of frozen transfers                               | 3             | 2     | 5    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 2/3           | 1/2   | 1/5  |
| Average number embryos transferred<br>(fresh and frozen) | 3.3           | 4.0   | 4.1  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# IVF PHOENIX PHOENIX, ARIZONA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 66% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 21% | Endometriosis         | 0%  |
| Gestational carriers?   | No  | ZIFT                     | 13% | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 31% |
| Sharing of donor eggs?  | No  | With ICSI                | 28% | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 7%  |
|                         |     |                          |     | Unexplained           | 30% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |       |     |
|--|--------------|-------|-----|
|  | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |       |     |
| Number of cycles   | 21           | 10    | 8   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 38.1         | 1/10  | 3/8 |
| Live births per 100 cycles <sup>b,c</sup>                | 28.6         | 1/10  | 3/8 |
| (95% confidence intervals)                               | (9.2 - 47.9) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 28.6         | 1/10  | 3/8 |
| Live births per 100 transfers <sup>b,c</sup>             | 30.0         | 1/10  | 3/8 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0          | 0/10  | 0/8 |
| Average number embryos transferred                       | 3.8          | 3.9   | 5.1 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 1/8          | 0/1   | 1/3 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/6          | 0/1   | 0/3 |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |       |     |
| Number of transfers                                      | 1            | 1     | 3   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/1          | 0/1   | 0/3 |
| Average number embryos transferred                       | 2.0          | 6.0   | 5.0 |
| <b>Donor Eggs</b>  |              |       |     |
| Number of fresh transfers                                | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |       |     |
| Number of frozen transfers                               | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |       |     |
| Average number embryos transferred<br>(fresh and frozen) |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SAMARITAN INSTITUTE OF REPRODUCTIVE MEDICINE PHOENIX, ARIZONA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 86% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 14% | Endometriosis         | 16% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 26% |
| Sharing of donor eggs?  | No  | With ICSI                | 21% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 1%  |
|                         |     |                          |     | Unexplained           | 14% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |     |
|--|--------------|--------------|-----|
|  | <35          | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |     |
| Number of cycles   | 33           | 20           | 3   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 27.3         | 15.0         | 0/3 |
| Live births per 100 cycles <sup>b,c</sup>                | 24.2         | 5.0          | 0/3 |
| (95% confidence intervals)                               | (9.6 - 38.9) | (0.0 - 14.6) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.0         | 1/10         | 0/2 |
| Live births per 100 transfers <sup>b,c</sup>             | 26.7         | 1/8          | 0/2 |
| Cancellations per 100 cycles <sup>c</sup>                | 3.0          | 50.0         | 1/3 |
| Average number embryos transferred                       | 4.1          | 4.6          | 5.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/9          | 0/3          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/8          | 0/1          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |     |
| Number of transfers                                      | 13           | 4            | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 4/13         | 0/4          |     |
| Average number embryos transferred                       | 3.0          | 3.3          |     |
| <b>Donor Eggs</b>  |              |              |     |
| Number of fresh transfers                                | 0            | 1            | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              | 0/1          |     |
| Number of frozen transfers                               | 0            | 4            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              | 1/4          |     |
| Average number embryos transferred<br>(fresh and frozen) |              | 2.4          |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## SOUTHWEST FERTILITY CENTER PHOENIX, ARIZONA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 34% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 29% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 16% |
| Sharing of donor eggs?  | No  | With ICSI                | 10%  | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 10% |
|                         |     |                          |      | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 30            | 21           | 10   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 30.0          | 14.3         | 2/10 |
| Live births per 100 cycles <sup>b,c</sup>                | 26.7          | 14.3         | 1/10 |
| (95% confidence intervals)                               | (10.8 - 42.5) | (0.0 - 29.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 26.7          | 14.3         | 1/10 |
| Live births per 100 transfers <sup>b,c</sup>             | 32.0          | 14.3         | 1/10 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 0.0          | 0/10 |
| Average number embryos transferred                       | 4.7           | 5.1          | 4.8  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/9           | 0/3          | 0/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/8           | 0/3          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 7             | 3            | 1    |
| Live births per 100 transfers <sup>b,c</sup>             | 2/7           | 0/3          | 0/1  |
| Average number embryos transferred                       | 4.7           | 4.0          | 7.0  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 1             | 1            | 3    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 1/1          | 2/3  |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 5.0           | 6.0          | 5.3  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## ARIZONA CENTER FOR FERTILITY STUDIES SCOTTSDALE, ARIZONA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 6%  | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 61% | Endometriosis         | 16% |
| Gestational carriers?   | No  | ZIFT                     | 33% | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 15% |
| Sharing of donor eggs?  | Yes | With ICSI                | 5%  | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 16% |
|                         |     |                          |     | Unexplained           | 16% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 99            | 68            | 49           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 38.4          | 30.9          | 20.4         |
| Live births per 100 cycles <sup>b,c</sup>                | 32.3          | 25.0          | 12.2         |
| (95% confidence intervals)                               | (23.1 - 41.5) | (14.7 - 35.3) | (3.1 - 21.4) |
| Live births per 100 retrievals <sup>b,c</sup>            | 33.0          | 26.2          | 14.0         |
| Live births per 100 transfers <sup>b,c</sup>             | 39.0          | 30.9          | 16.2         |
| Cancellations per 100 cycles <sup>c</sup>                | 2.0           | 4.4           | 12.2         |
| Average number embryos transferred                       | 5.1           | 5.2           | 4.3          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 52.6          | 9.5           | 3/10         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 53.1          | 2/17          | 2/6          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 1             | 0             | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/1           |               |              |
| Average number embryos transferred                       | 3.0           |               |              |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 5             | 18           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2           | 0/5           | 4/18         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 7.0           | 6.8           | 5.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# UNIVERSITY OF ARIZONA HEALTH SCIENCES CENTER TUCSON, ARIZONA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 78% | Tubal factor          | 31% |
| Single women?           | Yes | GIFT                     | 22% | Endometriosis         | 22% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 11% |
| Sharing of donor eggs?  | No  | With ICSI                | 16% | Ovulatory dysfunction | 29% |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 4%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 85            | 61           | 13   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.4          | 18.0         | 0/13 |
| Live births per 100 cycles <sup>b,c</sup>                | 25.9          | 11.5         | 0/13 |
| (95% confidence intervals)                               | (16.6 - 35.2) | (3.5 - 19.5) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 27.8          | 12.3         | 0/10 |
| Live births per 100 transfers <sup>b,c</sup>             | 27.8          | 12.5         | 0/9  |
| Cancellations per 100 cycles <sup>c</sup>                | 7.1           | 6.6          | 3/13 |
| Average number embryos transferred                       | 5.3           | 5.2          | 4.3  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 48.0          | 5/11         |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 45.5          | 4/7          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 31            | 17           | 3    |
| Live births per 100 transfers <sup>b,c</sup>             | 19.4          | 1/17         | 0/3  |
| Average number embryos transferred                       | 4.3           | 3.3          | 4.0  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 1             | 0            | 2    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           |              | 1/2  |
| Number of frozen transfers                               | 2             | 8            | 6    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/2           | 3/8          | 0/6  |
| Average number embryos transferred<br>(fresh and frozen) | 7.7           | 5.0          | 5.3  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# INTRAVAGINAL CULTURE FERTILIZATION PROGRAM LITTLE ROCK, ARKANSAS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 61% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 0%  |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 4%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%   | Ovulatory dysfunction | 26% |
|                         |     | Unstimulated             | 0%   | Other factors         | 0%  |
|                         |     |                          |      | Unexplained           | 9%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 14           | 6     | 3   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 5/14         | 1/6   | 0/3 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 4/14         | 0/6   | 0/3 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 4/12         | 0/5   | 0/2 |
| Live births per 100 transfers <sup>b,c</sup>                            | 4/10         | 0/4   | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                               | 2/14         | 1/6   | 1/3 |
| Average number embryos transferred                                      | 2.0          | 1.3   | 1.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/5          | 0/1   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/4          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |     |
| Average number embryos transferred                                      |              |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF ARKANSAS FOR MEDICAL SCIENCES  
LITTLE ROCK, ARKANSAS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 97% | Tubal factor          | 40% |
| Single women?           | No  | GIFT                     | 3%  | Endometriosis         | 18% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 11% |
| Sharing of donor eggs?  | No  | With ICSI                | 18% | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 1%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 10% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 95            | 39           | 16   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 34.7          | 20.5         | 1/16 |
| Live births per 100 cycles <sup>b,c</sup>                | 32.6          | 15.4         | 1/16 |
| (95% confidence intervals)                               | (23.2 - 42.1) | (4.1 - 26.7) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 36.9          | 18.8         | 1/9  |
| Live births per 100 transfers <sup>b,c</sup>             | 38.3          | 18.8         | 1/8  |
| Cancellations per 100 cycles <sup>c</sup>                | 11.6          | 17.9         | 7/16 |
| Average number embryos transferred                       | 3.6           | 3.2          | 4.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 27.3          | 0/8          | 1/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 29.0          | 0/6          | 1/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 30            | 15           | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 13.3          | 2/15         | 0/2  |
| Average number embryos transferred                       | 3.5           | 2.7          | 4.0  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 0             | 1            | 3    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 0/1          | 0/3  |
| Number of frozen transfers                               | 0             | 2            | 1    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 0/2          | 0/1  |
| Average number embryos transferred<br>(fresh and frozen) |               | 3.3          | 3.3  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## ALTA BATES MEDICAL CENTER BERKELEY, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 14% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 24% |
| Sharing of donor eggs?  | Yes | With ICSI                | 18% | Ovulatory dysfunction | 6%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 1%  |
|                         |     |                          |     | Unexplained           | 19% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 27            | 33            | 29           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 40.7          | 42.4          | 17.2         |
| Live births per 100 cycles <sup>b,c</sup>                | 40.7          | 33.3          | 10.3         |
| (95% confidence intervals)                               | (22.2 - 59.3) | (17.2 - 49.4) | (0.0 - 21.4) |
| Live births per 100 retrievals <sup>b,c</sup>            | 45.8          | 34.4          | 13.6         |
| Live births per 100 transfers <sup>b,c</sup>             | 45.8          | 34.4          | 13.6         |
| Cancellations per 100 cycles <sup>c</sup>                | 11.1          | 3.0           | 24.1         |
| Average number embryos transferred                       | 4.2           | 4.5           | 4.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 6/11          | 6/14          | 1/5          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/11          | 6/11          | 1/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 5             | 4             | 2            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5           | 0/4           | 0/2          |
| Average number embryos transferred                       | 3.2           | 3.5           | 3.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 4             | 30           |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 1/4           | 26.7         |
| Number of frozen transfers                               | 0             | 1             | 4            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 0/1           | 0/4          |
| Average number embryos transferred<br>(fresh and frozen) |               | 4.4           | 4.1          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# GREATER VALLEY CENTER FOR REPRODUCTIVE MEDICINE ENCINO, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 21% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 3%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 7%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 7%  |
| Sharing of donor eggs?  | Yes | With ICSI                | 27%  | Ovulatory dysfunction | 3%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 31% |
|                         |     |                          |      | Unexplained           | 28% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 8            | 5     | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 4/8          | 1/5   | 1/2 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 3/8          | 1/5   | 1/2 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 3/7          | 1/5   | 1/2 |
| Live births per 100 transfers <sup>b,c</sup>                            | 3/7          | 1/5   | 1/2 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/8          | 0/5   | 0/2 |
| Average number embryos transferred                                      | 5.3          | 4.8   | 4.5 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 2/4          | 0/1   | 0/1 |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/3          | 0/1   | 0/1 |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 1     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              | 0/1   |     |
| Average number embryos transferred                                      |              | 3.0   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 8   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       | 4/8 |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       | 5.5 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# CENTRAL CALIFORNIA IVF PROGRAM FRESNO, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 40% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 57% | Endometriosis         | 41% |
| Gestational carriers?   | No  | ZIFT                     | 3%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI                | 0%  | Male factor           | 8%  |
| Sharing of donor eggs?  | No  | Unstimulated             | 0%  | Ovulatory dysfunction | 5%  |
|                         |     |                          |     | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 14% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |     |
|--|---------------|---------------|-----|
|  | <35           | 35-39         | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |     |
| Number of cycles   | 28            | 33            | 7   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 39.3          | 30.3          | 0/7 |
| Live births per 100 cycles <sup>b,c</sup>                | 32.1          | 27.3          | 0/7 |
| (95% confidence intervals)                               | (14.8 - 49.4) | (12.1 - 42.5) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 34.6          | 28.1          | 0/6 |
| Live births per 100 transfers <sup>b,c</sup>             | 37.5          | 30.0          | 0/6 |
| Cancellations per 100 cycles <sup>c</sup>                | 7.1           | 3.0           | 1/7 |
| Average number embryos transferred                       | 5.3           | 4.5           | 3.2 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/11          | 1/10          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/9           | 1/9           |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |     |
| Number of transfers                                      | 1             | 0             | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 1/1           |               |     |
| Average number embryos transferred                       | 2.0           |               |     |
| <b>Donor Eggs</b>  |               |               |     |
| Number of fresh transfers                                | 1             | 1             | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 1/1           |     |
| Number of frozen transfers                               | 0             | 0             | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |     |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 4.0           |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## WEST COAST FERTILITY CENTERS FULLERTON, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 66% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 33% | Endometriosis         | 17% |
| Gestational carriers?   | Yes | ZIFT                     | 1%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 11% |
| Sharing of donor eggs?  | No  | With ICSI                | 13% | Ovulatory dysfunction | 28% |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 54            | 33           | 13   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 31.5          | 27.3         | 1/13 |
| Live births per 100 cycles <sup>b,c</sup>                | 29.6          | 24.2         | 1/13 |
| (95% confidence intervals)                               | (17.5 - 41.8) | (9.6 - 38.9) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 34.8          | 28.6         | 1/8  |
| Live births per 100 transfers <sup>b,c</sup>             | 37.2          | 32.0         | 1/8  |
| Cancellations per 100 cycles <sup>c</sup>                | 14.8          | 15.2         | 5/13 |
| Average number embryos transferred                       | 4.9           | 5.1          | 3.1  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 6/17          | 3/9          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/16          | 3/8          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 4             | 9            | 1    |
| Live births per 100 transfers <sup>b,c</sup>             | 1/4           | 1/9          | 0/1  |
| Average number embryos transferred                       | 4.3           | 4.2          | 1.0  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 2             | 2            | 6    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2           | 0/2          | 3/6  |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 5.5          | 4.3  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## WERLIN-ZARUTSKIE FERTILITY CENTERS IRVINE, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 83% | Tubal factor          | 34% |
| Single women?           | Yes | GIFT                     | 14% | Endometriosis         | 12% |
| Gestational carriers?   | Yes | ZIFT                     | 3%  | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | No  | With ICSI                | 20% | Ovulatory dysfunction | 16% |
|                         |     | Unstimulated             | 1%  | Other factors         | 15% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 95            | 96            | 74           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 25.3          | 24.0          | 9.5          |
| Live births per 100 cycles <sup>b,c</sup>                | 22.1          | 22.9          | 6.8          |
| (95% confidence intervals)                               | (13.8 - 30.4) | (14.5 - 31.3) | (1.0 - 12.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 23.1          | 24.7          | 8.3          |
| Live births per 100 transfers <sup>b,c</sup>             | 25.3          | 27.8          | 11.6         |
| Cancellations per 100 cycles <sup>c</sup>                | 4.2           | 7.3           | 18.9         |
| Average number embryos transferred                       | 4.3           | 4.3           | 4.2          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 25.0          | 21.7          | 2/7          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 28.6          | 22.7          | 2/5          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 27            | 26            | 10           |
| Live births per 100 transfers <sup>b,c</sup>             | 3.7           | 7.7           | 1/10         |
| Average number embryos transferred                       | 3.6           | 3.2           | 3.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 5             | 17           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           | 3/5           | 5/17         |
| Number of frozen transfers                               | 2             | 0             | 9            |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/2           |               | 2/9          |
| Average number embryos transferred<br>(fresh and frozen) | 3.8           | 5.4           | 4.5          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# REPRODUCTIVE SCIENCE CENTER OF SAN DIEGO LA JOLLA, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 76% | Tubal factor          | 10% |
| Single women?           | Yes | GIFT                     | 15% | Endometriosis         | 7%  |
| Gestational carriers?   | Yes | ZIFT                     | 9%  | Uterine factor        | 10% |
| Donor egg program?      | Yes |                          |     | Male factor           | 41% |
| Sharing of donor eggs?  | Yes | With ICSI                | 52% | Ovulatory dysfunction | 1%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 26% |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 81            | 97            | 38           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 27.2          | 27.8          | 10.5         |
| Live births per 100 cycles <sup>b,c</sup>                | 19.8          | 22.7          | 10.5         |
| (95% confidence intervals)                               | (11.1 - 28.4) | (14.3 - 31.0) | (0.8 - 20.3) |
| Live births per 100 retrievals <sup>b,c</sup>            | 23.5          | 29.7          | 14.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 24.6          | 30.6          | 18.2         |
| Cancellations per 100 cycles <sup>c</sup>                | 16.0          | 23.7          | 26.3         |
| Average number embryos transferred                       | 5.0           | 4.7           | 4.6          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 50.0          | 18.5          | 0/4          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 8/16          | 22.7          | 0/4          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 18            | 15            | 4            |
| Live births per 100 transfers <sup>b,c</sup>             | 2/18          | 0/15          | 0/4          |
| Average number embryos transferred                       | 5.2           | 4.5           | 4.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 9             | 21           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/2           | 5/9           | 52.4         |
| Number of frozen transfers                               | 0             | 2             | 9            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 1/2           | 4/9          |
| Average number embryos transferred<br>(fresh and frozen) | 5.5           | 4.8           | 5.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SCRIPPS CLINIC FERTILITY CENTER LA JOLLA, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 11% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 34% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 38% |
| Sharing of donor eggs?  | No  | With ICSI                | 60%  | Ovulatory dysfunction | 13% |
|                         |     | Unstimulated             | 2%   | Other factors         | 4%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 16           | 21           | 11   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 4/16         | 14.3         | 0/11 |
| Live births per 100 cycles <sup>b,c</sup>                | 4/16         | 9.5          | 0/11 |
| (95% confidence intervals)                               |              | (0.0 - 22.1) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 4/16         | 2/19         | 0/10 |
| Live births per 100 transfers <sup>b,c</sup>             | 4/14         | 2/18         | 0/8  |
| Cancellations per 100 cycles <sup>c</sup>                | 0/16         | 9.5          | 1/11 |
| Average number embryos transferred                       | 3.9          | 4.7          | 3.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/4          | 0/3          |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/4          | 0/2          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 0            | 1            | 1    |
| Live births per 100 transfers <sup>b,c</sup>             |              | 0/1          | 0/1  |
| Average number embryos transferred                       |              | 2.0          | 3.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 1            | 1            | 2    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1          | 1/1          | 1/2  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 6.0          | 4.0          | 6.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**LOMA LINDA UNIVERSITY  
LOMA LINDA, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 94% | Tubal factor          | 26% |
| Single women?           | No  | GIFT                     | 6%  | Endometriosis         | 6%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 20% |
| Sharing of donor eggs?  | No  | With ICSI                | 39% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 22% |
|                         |     |                          |     | Unexplained           | 18% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 18           | 16    | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 6/18         | 3/16  | 0/2 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 6/18         | 2/16  | 0/2 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 6/15         | 2/13  | 0/2 |
| Live births per 100 transfers <sup>b,c</sup>                            | 6/14         | 2/11  | 0/2 |
| Cancellations per 100 cycles <sup>c</sup>                               | 3/18         | 3/16  | 0/2 |
| Average number embryos transferred                                      | 4.4          | 3.0   | 5.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 5/6          | 2/3   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 4/6          | 1/2   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 3            | 2     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/3          | 0/2   |     |
| Average number embryos transferred                                      | 3.7          | 1.5   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 1     | 5   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              | 0/1   | 2/5 |
| Number of frozen transfers  | 0            | 0     | 1   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       | 0/1 |
| Average number embryos transferred<br>(fresh and frozen)                |              | 3.0   | 3.7 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY INFERTILITY ASSOCIATES  
CENTER FOR ADVANCED REPRODUCTIVE CARE  
LONG BEACH, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 49% | Tubal factor          | 23% |
| Single women?           | Yes | GIFT                     | 51% | Endometriosis         | 14% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 22% |
| Sharing of donor eggs?  | No  | With ICSI                | 21% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 26% |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |               |
|--|---------------|---------------|---------------|
|  | <35           | 35-39         | >39           |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |               |
| Number of cycles   | 68            | 88            | 48            |
| Pregnancies per 100 cycles <sup>c</sup>                  | 52.9          | 34.1          | 29.2          |
| Live births per 100 cycles <sup>b,c</sup>                | 45.6          | 29.5          | 27.1          |
| (95% confidence intervals)                               | (33.8 - 57.4) | (20.0 - 39.1) | (14.5 - 39.7) |
| Live births per 100 retrievals <sup>b,c</sup>            | 49.2          | 31.7          | 34.2          |
| Live births per 100 transfers <sup>b,c</sup>             | 50.8          | 32.1          | 34.2          |
| Cancellations per 100 cycles <sup>c</sup>                | 7.4           | 6.8           | 20.8          |
| Average number embryos transferred                       | 4.1           | 4.3           | 4.8           |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 41.7          | 50.0          | 4/14          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 45.2          | 53.8          | 3/13          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |               |
| Number of transfers                                      | 20            | 33            | 15            |
| Live births per 100 transfers <sup>b,c</sup>             | 15.0          | 15.2          | 1/15          |
| Average number embryos transferred                       | 3.3           | 2.9           | 3.2           |
| <b>Donor Eggs</b>  |               |               |               |
| Number of fresh transfers                                | 2             | 3             | 21            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/2           | 2/3           | 33.3          |
| Number of frozen transfers                               | 0             | 0             | 2             |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               | 0/2           |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 4.0           | 3.7           |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**CENTURY CITY HOSPITAL  
CENTER FOR REPRODUCTIVE MEDICINE  
LOS ANGELES, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 22% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 11% |
| Gestational carriers?   | Yes | ZIFT                     | <1% | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 29% |
| Sharing of donor eggs?  | Yes | With ICSI                | 38% | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 0%  | Other factors         | 11% |
|                         |     |                          |     | Unexplained           | 7%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 189           | 237           | 176          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 43.4          | 26.2          | 14.8         |
| Live births per 100 cycles <sup>b,c</sup>                | 33.3          | 17.7          | 9.1          |
| (95% confidence intervals)                               | (26.6 - 40.1) | (12.9 - 22.6) | (4.8 - 13.3) |
| Live births per 100 retrievals <sup>b,c</sup>            | 38.9          | 21.2          | 11.9         |
| Live births per 100 transfers <sup>b,c</sup>             | 40.9          | 22.8          | 13.2         |
| Cancellations per 100 cycles <sup>c</sup>                | 14.3          | 16.5          | 23.9         |
| Average number embryos transferred                       | 4.1           | 3.9           | 3.7          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 42.7          | 30.6          | 19.2         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 42.9          | 40.5          | 3/16         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 27            | 30            | 19           |
| Live births per 100 transfers <sup>b,c</sup>             | 25.9          | 30.0          | 2/19         |
| Average number embryos transferred                       | 3.7           | 3.7           | 4.3          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 6             | 14            | 58           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/6           | 5/14          | 34.5         |
| Number of frozen transfers                               | 0             | 1             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 0/1           |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.2           | 4.1           | 4.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# TYLER MEDICAL CLINIC LOS ANGELES, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 23% | Tubal factor          | 11% |
| Single women?           | Yes | GIFT                     | 77% | Endometriosis         | 41% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | No  |                          |     | Male factor           | 4%  |
| Sharing of donor eggs?  | Yes | With ICSI                | 0%  | Ovulatory dysfunction | 24% |
|                         |     | Unstimulated             | 0%  | Other factors         | 18% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |      |
|---|--------------|-------|------|
|   | <35          | 35-39 | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |      |
| Number of cycles  | 7            | 10    | 14   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 4/7          | 6/10  | 3/14 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 3/7          | 3/10  | 2/14 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 3/7          | 3/10  | 2/14 |
| Live births per 100 transfers <sup>b,c</sup>                            | 3/7          | 3/10  | 2/14 |
| Cancellations per 100 cycles <sup>c</sup>                               | 0/7          | 0/10  | 0/14 |
| Average number embryos transferred                                      | 4.9          | 5.1   | 4.9  |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 2/4          | 1/6   | 1/3  |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/3          | 1/3   | 1/2  |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |      |
| Number of transfers   | 0            | 0     | 0    |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |      |
| Average number embryos transferred                                      |              |       |      |
| <b>Donor Eggs</b>   |              |       |      |
| Number of fresh transfers   | 0            | 0     | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |      |
| Number of frozen transfers  | 0            | 0     | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |      |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# UNIVERSITY OF CALIFORNIA LOS ANGELES FERTILITY CENTER LOS ANGELES, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 97% | Tubal factor          | 32% |
| Single women?           | Yes | GIFT                     | 3%  | Endometriosis         | 5%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | No  | With ICSI                | 45% | Ovulatory dysfunction | 23% |
|                         |     | Unstimulated             | 0%  | Other factors         | 7%  |
|                         |     |                          |     | Unexplained           | 12% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 13           | 11    | 5   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 0/13         | 0/11  | 0/5 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 0/13         | 0/11  | 0/5 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 0/12         | 0/9   | 0/5 |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/12         | 0/9   | 0/4 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/13         | 2/11  | 0/5 |
| Average number embryos transferred                                      | 3.3          | 3.2   | 3.3 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    |              |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 |              |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 1            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/1          |       |     |
| Average number embryos transferred                                      | 4.0          |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 8   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       | 0/8 |
| Number of frozen transfers  | 0            | 0     | 1   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       | 0/1 |
| Average number embryos transferred<br>(fresh and frozen)                |              |       | 4.1 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF SOUTHERN CALIFORNIA  
REPRODUCTIVE ENDOCRINOLOGY AND INFERTILITY  
LOS ANGELES, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 95% | Tubal factor          | 18% |
| Single women?           | Yes | GIFT                     | 3%  | Endometriosis         | 4%  |
| Gestational carriers?   | Yes | ZIFT                     | 2%  | Uterine factor        | 9%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 6%  |
| Sharing of donor eggs?  | No  | With ICSI                | 17% | Ovulatory dysfunction | 14% |
|                         |     | Unstimulated             | 8%  | Other factors         | 27% |
|                         |     |                          |     | Unexplained           | 22% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman |              |              |
|--|--------------|--------------|--------------|
|  | <35          | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |              |
| Number of cycles   | 15           | 24           | 25           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 6/15         | 16.7         | 8.0          |
| Live births per 100 cycles <sup>b,c</sup>                | 5/15         | 16.7         | 4.0          |
| (95% confidence intervals)                               |              | (1.8 - 31.6) | (0.0 - 11.7) |
| Live births per 100 retrievals <sup>b,c</sup>            | 5/15         | 16.7         | 4.0          |
| Live births per 100 transfers <sup>b,c</sup>             | 5/15         | 17.4         | 4.3          |
| Cancellations per 100 cycles <sup>c</sup>                | 0/15         | 0.0          | 0.0          |
| Average number embryos transferred                       | 3.1          | 3.4          | 4.3          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 0/6          | 3/4          | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 0/5          | 2/4          | 0/1          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |              |
| Number of transfers                                      | 10           | 14           | 7            |
| Live births per 100 transfers <sup>b,c</sup>             | 1/10         | 1/14         | 1/7          |
| Average number embryos transferred                       | 3.2          | 2.5          | 2.9          |
| <b>Donor Eggs</b>  |              |              |              |
| Number of fresh transfers                                | 2            | 7            | 30           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2          | 3/7          | 30.0         |
| Number of frozen transfers                               | 5            | 6            | 35           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 2/5          | 2/6          | 22.9         |
| Average number embryos transferred<br>(fresh and frozen) | 3.4          | 3.7          | 3.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## REPRODUCTIVE SPECIALTY MEDICAL CENTER NEWPORT BEACH, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup>  |           | ART Patient Diagnosis |     |
|-------------------------|-----|---------------------------|-----------|-----------------------|-----|
| SART member?            | Yes | IVF                       | 100%      | Tubal factor          | 11% |
| Single women?           | Yes | GIFT                      | 0%        | Endometriosis         | 22% |
| Gestational carriers?   | No  | ZIFT                      | 0%        | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI<br>Unstimulated | 0%<br>25% | Male factor           | 11% |
| Sharing of donor eggs?  | No  |                           |           | Ovulatory dysfunction | 22% |
|                         |     |                           |           | Other factors         | 34% |
|                         |     |                           |           | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 2            | 1     | 1   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 1/2          | 0/1   | 0/1 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 1/2          | 0/1   | 0/1 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 1/2          | 0/1   | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>                            | 1/2          | 0/1   | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                               | 0/2          | 0/1   | 0/1 |
| Average number embryos transferred                                      | 4.0          | 5.0   | 1.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/1          |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/1          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |     |
| Average number embryos transferred                                      |              |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 1            | 0     | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      | 0/1          |       | 0/1 |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                | 3.0          |       | 4.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# NOVA IN VITRO FERTILIZATION PALO ALTO, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup>  |          | ART Patient Diagnosis |     |
|-------------------------|-----|---------------------------|----------|-----------------------|-----|
| SART member?            | Yes | IVF                       | 100%     | Tubal factor          | 48% |
| Single women?           | Yes | GIFT                      | 0%       | Endometriosis         | 4%  |
| Gestational carriers?   | No  | ZIFT                      | 0%       | Uterine factor        | 6%  |
| Donor egg program?      | Yes | With ICSI<br>Unstimulated | 0%<br>0% | Male factor           | 14% |
| Sharing of donor eggs?  | Yes |                           |          | Ovulatory dysfunction | 3%  |
|                         |     |                           |          | Other factors         | 0%  |
|                         |     |                           |          | Unexplained           | 25% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |              |
|--|--------------|--------------|--------------|
|  | <35          | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |              |
| Number of cycles   | 20           | 43           | 39           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 25.0         | 16.3         | 10.3         |
| Live births per 100 cycles <sup>b,c</sup>                | 25.0         | 14.0         | 10.3         |
| (95% confidence intervals)                               | (6.0 - 44.0) | (3.6 - 24.3) | (0.7 - 19.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.0         | 15.8         | 13.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 5/17         | 16.7         | 13.8         |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0          | 11.6         | 23.1         |
| Average number embryos transferred                       | 5.5          | 5.4          | 5.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/5          | 6/7          | 3/4          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/5          | 5/6          | 1/4          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |              |
| Number of transfers                                      | 2            | 1            | 2            |
| Live births per 100 transfers <sup>b,c</sup>             | 1/2          | 0/1          | 0/2          |
| Average number embryos transferred                       | 2.0          | 4.0          | 3.5          |
| <b>Donor Eggs</b>  |              |              |              |
| Number of fresh transfers                                | 0            | 2            | 3            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              | 1/2          | 1/3          |
| Number of frozen transfers                               | 0            | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |              |
| Average number embryos transferred<br>(fresh and frozen) |              | 3.5          | 4.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HUNTINGTON REPRODUCTIVE CENTER PASADENA, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 79% | Tubal factor          | 21% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 8%  |
| Gestational carriers?   | Yes | ZIFT                     | 20% | Uterine factor        | 10% |
| Donor egg program?      | Yes |                          |     | Male factor           | 29% |
| Sharing of donor eggs?  | Yes | With ICSI                | 55% | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 1%  | Other factors         | 7%  |
|                         |     |                          |     | Unexplained           | 7%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 120           | 115           | 63           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 40.8          | 29.6          | 20.6         |
| Live births per 100 cycles <sup>b,c</sup>                | 35.8          | 24.3          | 14.3         |
| (95% confidence intervals)                               | (27.3 - 44.4) | (16.5 - 32.2) | (5.6 - 22.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.8          | 25.0          | 14.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 35.8          | 25.0          | 15.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 2.6           | 0.0          |
| Average number embryos transferred                       | 4.3           | 4.2           | 3.7          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 49.0          | 41.2          | 3/13         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 46.5          | 46.4          | 2/9          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 17            | 11            | 15           |
| Live births per 100 transfers <sup>b,c</sup>             | 4/17          | 3/11          | 2/15         |
| Average number embryos transferred                       | 3.1           | 2.9           | 2.8          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 5             | 16            | 43           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/5           | 7/16          | 48.8         |
| Number of frozen transfers                               | 0             | 1             | 2            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 1/1           | 1/2          |
| Average number embryos transferred<br>(fresh and frozen) | 4.4           | 3.8           | 4.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**CENTER FOR ADVANCED REPRODUCTIVE CARE  
REDONDO BEACH, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 93% | Tubal factor          | 18% |
| Single women?           | Yes | GIFT                     | 6%  | Endometriosis         | 17% |
| Gestational carriers?   | Yes | ZIFT                     | 1%  | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 17% |
| Sharing of donor eggs?  | No  | With ICSI                | 36% | Ovulatory dysfunction | 5%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 28% |
|                         |     |                          |     | Unexplained           | 12% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 46            | 103           | 64           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 37.0          | 36.9          | 26.6         |
| Live births per 100 cycles <sup>b,c</sup>                | 32.6          | 35.0          | 12.5         |
| (95% confidence intervals)                               | (19.1 - 46.2) | (25.7 - 44.2) | (4.4 - 20.6) |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.7          | 41.4          | 15.7         |
| Live births per 100 transfers <sup>b,c</sup>             | 35.7          | 41.9          | 16.7         |
| Cancellations per 100 cycles <sup>c</sup>                | 8.7           | 15.5          | 20.3         |
| Average number embryos transferred                       | 3.9           | 4.1           | 4.5          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/17          | 50.0          | 3/17         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 8/15          | 47.2          | 2/8          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 14            | 19            | 10           |
| Live births per 100 transfers <sup>b,c</sup>             | 5/14          | 5/19          | 3/10         |
| Average number embryos transferred                       | 3.8           | 3.6           | 3.8          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 5             | 4             | 30           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/5           | 2/4           | 50.0         |
| Number of frozen transfers                               | 1             | 2             | 18           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           | 1/2           | 3/18         |
| Average number embryos transferred<br>(fresh and frozen) | 3.3           | 3.7           | 3.2          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**PACIFIC COAST REPRODUCTIVE CENTER  
REDONDO BEACH, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 32% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 8%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 36% |
| Sharing of donor eggs?  | No  | With ICSI                | 32%  | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 1%   | Other factors         | 7%  |
|                         |     |                          |      | Unexplained           | 4%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 88            | 67            | 39           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 40.9          | 31.3          | 10.3         |
| Live births per 100 cycles <sup>b,c</sup>                | 34.1          | 25.4          | 5.1          |
| (95% confidence intervals)                               | (24.2 - 44.0) | (15.0 - 35.8) | (0.0 - 12.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.7          | 26.6          | 5.3          |
| Live births per 100 transfers <sup>b,c</sup>             | 36.1          | 26.6          | 5.3          |
| Cancellations per 100 cycles <sup>c</sup>                | 4.5           | 4.5           | 2.6          |
| Average number embryos transferred                       | 5.6           | 5.2           | 5.1          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 27.8          | 47.6          | 1/4          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 26.7          | 9/17          | 1/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 13            | 5             | 4            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/13          | 1/5           | 1/4          |
| Average number embryos transferred                       | 4.8           | 5.0           | 4.8          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 2             | 7            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           | 1/2           | 3/7          |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 4.0           | 5.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# NORTHERN CALIFORNIA FERTILITY CENTER ROSEVILLE, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 42% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 6%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 12% |
| Sharing of donor eggs?  | Yes | With ICSI                | 24%  | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 0%   | Other factors         | 20% |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 39           | 31           | 16   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.5         | 32.3         | 1/16 |
| Live births per 100 cycles <sup>b,c</sup>                | 15.4         | 22.6         | 1/16 |
| (95% confidence intervals)                               | (4.1 - 26.7) | (7.9 - 37.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 17.1         | 23.3         | 1/12 |
| Live births per 100 transfers <sup>b,c</sup>             | 19.4         | 24.1         | 1/11 |
| Cancellations per 100 cycles <sup>c</sup>                | 10.3         | 3.2          | 4/16 |
| Average number embryos transferred                       | 5.1          | 5.5          | 5.6  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/8          | 5/10         | 1/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/6          | 5/7          | 1/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 1            | 3            | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/1          | 1/3          | 1/2  |
| Average number embryos transferred                       | 7.0          | 5.7          | 5.5  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 4            | 6            | 16   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/4          | 1/6          | 7/16 |
| Number of frozen transfers                               | 1            | 0            | 1    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1          |              | 0/1  |
| Average number embryos transferred<br>(fresh and frozen) | 4.8          | 4.5          | 6.1  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# UNIVERSITY OF CALIFORNIA DAVIS ART PROGRAM SACRAMENTO, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 98% | Tubal factor          | 58% |
| Single women?           | Yes | GIFT                     | 2%  | Endometriosis         | 8%  |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 10% |
| Sharing of donor eggs?  | No  | With ICSI                | 0%  | Ovulatory dysfunction | 6%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 8%  |
|                         |     |                          |     | Unexplained           | 10% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |               |     |
|--|--------------|---------------|-----|
|  | <35          | 35-39         | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |               |     |
| Number of cycles   | 27           | 24            | 3   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.6         | 50.0          | 0/3 |
| Live births per 100 cycles <sup>b,c</sup>                | 22.2         | 37.5          | 0/3 |
| (95% confidence intervals)                               | (6.5 - 37.9) | (18.1 - 56.9) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 23.1         | 42.9          | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>             | 23.1         | 42.9          | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                | 3.7          | 12.5          | 0/3 |
| Average number embryos transferred                       | 4.0          | 4.9           | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/8          | 4/12          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/6          | 3/9           |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |               |     |
| Number of transfers                                      | 3            | 4             | 1   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/3          | 1/4           | 0/1 |
| Average number embryos transferred                       | 5.3          | 3.0           | 6.0 |
| <b>Donor Eggs</b>  |              |               |     |
| Number of fresh transfers                                | 0            | 2             | 4   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              | 1/2           | 1/4 |
| Number of frozen transfers                               | 0            | 0             | 2   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |               | 0/2 |
| Average number embryos transferred<br>(fresh and frozen) |              | 4.5           | 4.2 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**IGO MEDICAL GROUP OF SAN DIEGO  
SAN DIEGO, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 52% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 14% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 6%  |
| Sharing of donor eggs?  | No  | With ICSI                | 26%  | Ovulatory dysfunction | 17% |
|                         |     | Unstimulated             | 0%   | Other factors         | 9%  |
|                         |     |                          |      | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 14           | 26           | 10   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 0/14         | 26.9         | 1/10 |
| Live births per 100 cycles <sup>b,c</sup>                | 0/14         | 23.1         | 1/10 |
| (95% confidence intervals)                               |              | (6.9 - 39.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 0/12         | 28.6         | 1/9  |
| Live births per 100 transfers <sup>b,c</sup>             | 0/11         | 28.6         | 1/5  |
| Cancellations per 100 cycles <sup>c</sup>                | 2/14         | 19.2         | 1/10 |
| Average number embryos transferred                       | 3.1          | 4.2          | 3.8  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     |              | 5/7          | 1/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  |              | 4/6          | 1/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 4            | 6            | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/4          | 0/6          | 0/2  |
| Average number embryos transferred                       | 2.8          | 5.0          | 2.5  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 1            | 0            | 3    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1          |              | 1/3  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 5.0          |              | 3.7  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SHARP FERTILITY CENTER SAN DIEGO, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 82% | Tubal factor          | 39% |
| Single women?           | Yes | GIFT                     | 16% | Endometriosis         | 12% |
| Gestational carriers?   | No  | ZIFT                     | 2%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 17% |
| Sharing of donor eggs?  | No  | With ICSI                | 26% | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 4%  | Other factors         | 12% |
|                         |     |                          |     | Unexplained           | 18% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |              |
|--|--------------|--------------|--------------|
|  | <35          | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |              |
| Number of cycles   | 60           | 47           | 41           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 23.3         | 25.5         | 4.9          |
| Live births per 100 cycles <sup>b,c</sup>                | 16.7         | 21.3         | 4.9          |
| (95% confidence intervals)                               | (7.2 - 26.1) | (9.6 - 33.0) | (0.0 - 11.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 18.5         | 23.3         | 5.9          |
| Live births per 100 transfers <sup>b,c</sup>             | 21.7         | 25.6         | 6.5          |
| Cancellations per 100 cycles <sup>c</sup>                | 10.0         | 8.5          | 17.1         |
| Average number embryos transferred                       | 4.0          | 4.5          | 3.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/14         | 3/12         | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/10         | 3/10         | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |              |
| Number of transfers                                      | 34           | 18           | 6            |
| Live births per 100 transfers <sup>b,c</sup>             | 20.6         | 5/18         | 0/6          |
| Average number embryos transferred                       | 4.2          | 3.7          | 3.8          |
| <b>Donor Eggs</b>  |              |              |              |
| Number of fresh transfers                                | 5            | 1            | 6            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/5          | 0/1          | 3/6          |
| Number of frozen transfers                               | 0            | 4            | 6            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              | 1/4          | 2/6          |
| Average number embryos transferred<br>(fresh and frozen) | 4.0          | 4.6          | 4.6          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SHER-BRODY INSTITUTE FOR REPRODUCTIVE MEDICINE SAN DIEGO, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 96% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 4%  | Endometriosis         | 39% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | No  | With ICSI                | 20% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 6%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 8            | 8     | 9   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 4/8          | 3/8   | 3/9 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 4/8          | 3/8   | 3/9 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 4/6          | 3/5   | 3/5 |
| Live births per 100 transfers <sup>b,c</sup>                            | 4/6          | 3/5   | 3/5 |
| Cancellations per 100 cycles <sup>c</sup>                               | 2/8          | 3/8   | 4/9 |
| Average number embryos transferred                                      | 4.5          | 5.0   | 2.6 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 2/4          | 2/3   | 1/3 |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 2/4          | 2/3   | 1/3 |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 1            | 3     | 1   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/1          | 0/3   | 0/1 |
| Average number embryos transferred                                      | 1.0          | 2.0   | 2.0 |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 2     | 2   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              | 1/2   | 1/2 |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              | 4.0   | 2.5 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## ASTARTE FERTILITY MEDICAL CENTER SAN FRANCISCO, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 82% | Tubal factor          | 37% |
| Single women?           | Yes | GIFT                     | 9%  | Endometriosis         | 19% |
| Gestational carriers?   | Yes | ZIFT                     | 9%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 14% |
| Sharing of donor eggs?  | No  | With ICSI                | 32% | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 3%  | Other factors         | 11% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 50            | 57            | 19   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 36.0          | 33.3          | 6/19 |
| Live births per 100 cycles <sup>b,c</sup>                | 30.0          | 29.8          | 4/19 |
| (95% confidence intervals)                               | (17.3 - 42.7) | (17.9 - 41.7) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 32.6          | 34.7          | 4/16 |
| Live births per 100 transfers <sup>b,c</sup>             | 32.6          | 34.7          | 4/16 |
| Cancellations per 100 cycles <sup>c</sup>                | 8.0           | 14.0          | 3/19 |
| Average number embryos transferred                       | 4.4           | 4.2           | 4.1  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 9/18          | 5/19          | 2/6  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 9/15          | 2/17          | 2/4  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 6             | 2             | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6           | 0/2           |      |
| Average number embryos transferred                       | 3.5           | 3.0           |      |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 0             | 2             | 13   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 2/2           | 4/13 |
| Number of frozen transfers                               | 2             | 0             | 4    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/2           |               | 0/4  |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 4.5           | 4.4  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## PACIFIC FERTILITY CENTER - SAN FRANCISCO SAN FRANCISCO, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 20% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 17% |
| Sharing of donor eggs?  | Yes | With ICSI                | 60%  | Ovulatory dysfunction | 5%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 32% |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 177           | 233           | 115          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 52.0          | 39.5          | 16.5         |
| Live births per 100 cycles <sup>b,c</sup>                | 41.2          | 33.0          | 10.4         |
| (95% confidence intervals)                               | (34.0 - 48.5) | (27.0 - 39.1) | (4.8 - 16.0) |
| Live births per 100 retrievals <sup>b,c</sup>            | 41.5          | 33.3          | 10.8         |
| Live births per 100 transfers <sup>b,c</sup>             | 42.2          | 34.4          | 12.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 0.6           | 0.9           | 3.5          |
| Average number embryos transferred                       | 4.9           | 5.5           | 5.2          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 47.8          | 38.0          | 8/19         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 45.2          | 36.4          | 5/12         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 39            | 23            | 6            |
| Live births per 100 transfers <sup>b,c</sup>             | 17.9          | 4.3           | 0/6          |
| Average number embryos transferred                       | 5.1           | 4.3           | 6.7          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 9             | 10            | 87           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/9           | 3/10          | 39.1         |
| Number of frozen transfers                               | 2             | 5             | 30           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/2           | 0/5           | 10.0         |
| Average number embryos transferred<br>(fresh and frozen) | 5.6           | 4.9           | 5.4          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SAN FRANCISCO CENTER FOR REPRODUCTIVE MEDICINE SAN FRANCISCO, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 18% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 5%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 32% |
| Sharing of donor eggs?  | No  | With ICSI                | 9%  | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 19% |
|                         |     |                          |     | Unexplained           | 18% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 76            | 108           | 157          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.5          | 27.8          | 15.3         |
| Live births per 100 cycles <sup>b,c</sup>                | 26.3          | 24.1          | 7.6          |
| (95% confidence intervals)                               | (16.4 - 36.2) | (16.0 - 32.1) | (3.5 - 11.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 31.7          | 31.0          | 11.0         |
| Live births per 100 transfers <sup>b,c</sup>             | 31.7          | 31.0          | 11.1         |
| Cancellations per 100 cycles <sup>c</sup>                | 17.1          | 22.2          | 30.6         |
| Average number embryos transferred                       | 5.2           | 5.8           | 5.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 37.0          | 53.3          | 20.8         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 40.0          | 53.8          | 3/12         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 9             | 22            | 5            |
| Live births per 100 transfers <sup>b,c</sup>             | 3/9           | 27.3          | 0/5          |
| Average number embryos transferred                       | 3.9           | 4.3           | 2.4          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 5             | 7             | 51           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/5           | 3/7           | 33.3         |
| Number of frozen transfers                               | 0             | 0             | 22           |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               | 27.3         |
| Average number embryos transferred<br>(fresh and frozen) | 4.2           | 4.9           | 4.4          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF CALIFORNIA SAN FRANCISCO  
SAN FRANCISCO, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 22% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 11% |
| Gestational carriers?   | No  | ZIFT                     | <1% | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 38% |
| Sharing of donor eggs?  | No  | With ICSI                | 44% | Ovulatory dysfunction | 4%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 11% |
|                         |     |                          |     | Unexplained           | 14% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 89            | 150          | 67           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 28.1          | 17.3         | 16.4         |
| Live births per 100 cycles <sup>b,c</sup>                | 23.6          | 10.7         | 14.9         |
| (95% confidence intervals)                               | (14.8 - 32.4) | (5.7 - 15.6) | (6.4 - 23.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 29.2          | 14.2         | 17.9         |
| Live births per 100 transfers <sup>b,c</sup>             | 35.6          | 15.8         | 20.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 19.1          | 24.7         | 16.4         |
| Average number embryos transferred                       | 2.8           | 3.1          | 4.1          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 48.0          | 15.4         | 3/11         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 47.6          | 1/16         | 2/10         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 32            | 53           | 23           |
| Live births per 100 transfers <sup>b,c</sup>             | 28.1          | 24.5         | 13.0         |
| Average number embryos transferred                       | 3.2           | 3.1          | 3.8          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 2             | 2            | 16           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/2           | 2/2          | 9/16         |
| Number of frozen transfers                               | 0             | 0            | 6            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              | 2/6          |
| Average number embryos transferred<br>(fresh and frozen) | 2.5           | 3.5          | 2.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# FERTILITY AND REPRODUCTIVE HEALTH INSTITUTE OF NORTHERN CALIFORNIA SAN JOSE, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 86% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 13% | Endometriosis         | 33% |
| Gestational carriers?   | No  | ZIFT                     | <1% | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 13% |
| Sharing of donor eggs?  | No  | With ICSI                | 19% | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 0%  | Other factors         | 10% |
|                         |     |                          |     | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 65            | 92           | 58           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 33.8          | 23.9         | 15.5         |
| Live births per 100 cycles <sup>b,c</sup>                | 29.2          | 16.3         | 10.3         |
| (95% confidence intervals)                               | (18.2 - 40.3) | (8.8 - 23.9) | (2.5 - 18.2) |
| Live births per 100 retrievals <sup>b,c</sup>            | 30.6          | 17.0         | 12.5         |
| Live births per 100 transfers <sup>b,c</sup>             | 31.7          | 17.0         | 13.3         |
| Cancellations per 100 cycles <sup>c</sup>                | 4.6           | 4.3          | 17.2         |
| Average number embryos transferred                       | 4.7           | 5.1          | 4.2          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 36.4          | 27.3         | 2/9          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 7/19          | 6/15         | 2/6          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 9             | 19           | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 3/9           | 4/19         | 0/1          |
| Average number embryos transferred                       | 3.7           | 3.8          | 3.0          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 0             | 1            | 2            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 0/1          | 1/2          |
| Number of frozen transfers                               | 0             | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |              |
| Average number embryos transferred<br>(fresh and frozen) |               | 5.0          | 4.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# REPRODUCTIVE SCIENCE CENTER OF BAY AREA SAN RAMON, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 75% | Tubal factor          | 20% |
| Single women?           | Yes | GIFT                     | 22% | Endometriosis         | 14% |
| Gestational carriers?   | Yes | ZIFT                     | 3%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | No  | With ICSI                | 31% | Ovulatory dysfunction | 29% |
|                         |     | Unstimulated             | 0%  | Other factors         | 6%  |
|                         |     |                          |     | Unexplained           | 11% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 67            | 63           | 38           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.9          | 20.6         | 15.8         |
| Live births per 100 cycles <sup>b,c</sup>                | 20.9          | 15.9         | 7.9          |
| (95% confidence intervals)                               | (11.2 - 30.6) | (6.8 - 24.9) | (0.0 - 16.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 23.3          | 19.2         | 10.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 23.7          | 21.3         | 10.7         |
| Cancellations per 100 cycles <sup>c</sup>                | 10.4          | 17.5         | 23.7         |
| Average number embryos transferred                       | 4.1           | 5.5          | 6.4          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 40.0          | 6/13         | 2/6          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 7/14          | 5/10         | 1/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 28            | 20           | 2            |
| Live births per 100 transfers <sup>b,c</sup>             | 14.3          | 35.0         | 0/2          |
| Average number embryos transferred                       | 4.9           | 5.2          | 5.5          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 5             | 9            | 38           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/5           | 4/9          | 47.4         |
| Number of frozen transfers                               | 4             | 0            | 33           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/4           |              | 21.2         |
| Average number embryos transferred<br>(fresh and frozen) | 4.2           | 3.9          | 4.5          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# CENTER FOR ASSISTED REPRODUCTIVE MEDICINE SANTA MONICA, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 90% | Tubal factor          | 20% |
| Single women?           | Yes | GIFT                     | 10% | Endometriosis         | 8%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 5%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 22% |
| Sharing of donor eggs?  | No  | With ICSI                | 56% | Ovulatory dysfunction | 11% |
|                         |     | Unstimulated             | 2%  | Other factors         | 10% |
|                         |     |                          |     | Unexplained           | 24% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 64            | 115           | 145          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.9          | 25.2          | 11.7         |
| Live births per 100 cycles <sup>b,c</sup>                | 31.3          | 21.7          | 7.6          |
| (95% confidence intervals)                               | (19.9 - 42.6) | (14.2 - 29.3) | (3.3 - 11.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 31.7          | 23.6          | 8.7          |
| Live births per 100 transfers <sup>b,c</sup>             | 32.8          | 24.8          | 9.4          |
| Cancellations per 100 cycles <sup>c</sup>                | 1.6           | 7.8           | 13.1         |
| Average number embryos transferred                       | 4.1           | 4.3           | 4.1          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 56.5          | 20.7          | 1/17         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 45.0          | 12.0          | 1/11         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 22            | 45            | 21           |
| Live births per 100 transfers <sup>b,c</sup>             | 18.2          | 0.0           | 4.8          |
| Average number embryos transferred                       | 3.5           | 3.2           | 2.9          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 6             | 51           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/2           | 3/6           | 47.1         |
| Number of frozen transfers                               | 0             | 4             | 41           |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 0/4           | 19.5         |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 3.9           | 3.9          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**NORTH BAY FERTILITY CENTER, INC.  
SANTA ROSA, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 15% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 5%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 11% |
| Donor egg program?      | Yes |                          |      | Male factor           | 20% |
| Sharing of donor eggs?  | Yes | With ICSI                | 34%  | Ovulatory dysfunction | 37% |
|                         |     | Unstimulated             | 0%   | Other factors         | 4%  |
|                         |     |                          |      | Unexplained           | 8%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 42            | 53           | 22           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.7          | 30.2         | 9.1          |
| Live births per 100 cycles <sup>b,c</sup>                | 33.3          | 18.9         | 9.1          |
| (95% confidence intervals)                               | (19.1 - 47.6) | (8.3 - 29.4) | (0.0 - 21.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.9          | 20.0         | 2/19         |
| Live births per 100 transfers <sup>b,c</sup>             | 36.8          | 21.3         | 2/18         |
| Cancellations per 100 cycles <sup>c</sup>                | 7.1           | 5.7          | 13.6         |
| Average number embryos transferred                       | 5.2           | 6.6          | 6.7          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/15          | 5/16         | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 8/14          | 3/10         | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 5             | 4            | 2            |
| Live births per 100 transfers <sup>b,c</sup>             | 1/5           | 0/4          | 0/2          |
| Average number embryos transferred                       | 6.2           | 7.8          | 3.5          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 6             | 7            | 24           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/6           | 2/7          | 45.8         |
| Number of frozen transfers                               | 1             | 1            | 6            |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           | 0/1          | 1/6          |
| Average number embryos transferred<br>(fresh and frozen) | 5.7           | 5.3          | 5.1          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**STANFORD UNIVERSITY MEDICAL CENTER  
STANFORD, CALIFORNIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 92% | Tubal factor          | 21% |
| Single women?           | Yes | GIFT                     | 8%  | Endometriosis         | 17% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 5%  |
| Donor egg program?      | No  |                          |     | Male factor           | 21% |
| Sharing of donor eggs?  | No  | With ICSI                | 24% | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 30% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 72            | 122           | 61           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.2          | 28.7          | 13.1         |
| Live births per 100 cycles <sup>b,c</sup>                | 22.2          | 22.1          | 6.6          |
| (95% confidence intervals)                               | (12.6 - 31.8) | (14.8 - 29.5) | (0.3 - 12.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 23.9          | 24.3          | 7.8          |
| Live births per 100 transfers <sup>b,c</sup>             | 25.0          | 25.7          | 10.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 6.9           | 9.0           | 16.4         |
| Average number embryos transferred                       | 4.8           | 5.1           | 4.1          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 47.6          | 22.9          | 1/8          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/16          | 22.2          | 0/4          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 6             | 1             | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6           | 0/1           |              |
| Average number embryos transferred                       | 2.8           | 3.0           |              |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 0             | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |               |              |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) |               |               |              |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## CHR - LOS ANGELES TARZANA, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 4%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 28% |
| Sharing of donor eggs?  | No  | With ICSI                | 34%  | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 0%   | Other factors         | 8%  |
|                         |     |                          |      | Unexplained           | 16% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 66            | 47            | 21           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 53.0          | 46.8          | 33.3         |
| Live births per 100 cycles <sup>b,c</sup>                | 45.5          | 29.8          | 23.8         |
| (95% confidence intervals)                               | (33.4 - 57.5) | (16.7 - 42.9) | (5.6 - 42.0) |
| Live births per 100 retrievals <sup>b,c</sup>            | 46.2          | 31.8          | 5/18         |
| Live births per 100 transfers <sup>b,c</sup>             | 47.6          | 35.0          | 5/16         |
| Cancellations per 100 cycles <sup>c</sup>                | 1.5           | 6.4           | 14.3         |
| Average number embryos transferred                       | 4.7           | 3.9           | 3.9          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 57.1          | 40.9          | 2/7          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 56.7          | 8/14          | 2/5          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 0             | 0             | 1            |
| Live births per 100 transfers <sup>b,c</sup>             |               |               | 0/1          |
| Average number embryos transferred                       |               |               | 5.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 1             | 1             | 18           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 0/1           | 13/18        |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 3.0           | 3.9          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# THE FERTILITY INSTITUTES TARZANA, CALIFORNIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 83% | Tubal factor          | 37% |
| Single women?           | Yes | GIFT                     | 13% | Endometriosis         | 13% |
| Gestational carriers?   | Yes | ZIFT                     | 4%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 33% |
| Sharing of donor eggs?  | No  | With ICSI                | 35% | Ovulatory dysfunction | 9%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |     |
|--|---------------|--------------|-----|
|  | <35           | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |     |
| Number of cycles   | 31            | 30           | 8   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 32.3          | 23.3         | 3/8 |
| Live births per 100 cycles <sup>b,c</sup>                | 29.0          | 23.3         | 3/8 |
| (95% confidence intervals)                               | (13.1 - 45.0) | (8.2 - 38.5) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 29.0          | 25.0         | 3/6 |
| Live births per 100 transfers <sup>b,c</sup>             | 31.0          | 26.9         | 3/6 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 6.7          | 2/8 |
| Average number embryos transferred                       | 4.4           | 4.3          | 4.5 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/10          | 2/7          | 1/3 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/9           | 2/7          | 1/3 |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |     |
| Number of transfers                                      | 7             | 1            | 3   |
| Live births per 100 transfers <sup>b,c</sup>             | 3/7           | 0/1          | 0/3 |
| Average number embryos transferred                       | 3.7           | 6.0          | 4.3 |
| <b>Donor Eggs</b>  |               |              |     |
| Number of fresh transfers                                | 0             | 0            | 3   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              | 1/3 |
| Number of frozen transfers                               | 0             | 0            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |     |
| Average number embryos transferred<br>(fresh and frozen) |               |              | 4.3 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## SAN ANTONIO FERTILITY CENTER UPLAND, CALIFORNIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 89% | Tubal factor          | 33% |
| Single women?           | Yes | GIFT                     | 11% | Endometriosis         | 4%  |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 7%  |
| Sharing of donor eggs?  | No  | With ICSI                | 21% | Ovulatory dysfunction | 38% |
|                         |     | Unstimulated             | 0%  | Other factors         | 11% |
|                         |     |                          |     | Unexplained           | 7%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 10           | 7     | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 2/10         | 2/7   | 0/2 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 1/10         | 2/7   | 0/2 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 1/8          | 2/6   | 0/2 |
| Live births per 100 transfers <sup>b,c</sup>                            | 1/8          | 2/6   | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                               | 2/10         | 1/7   | 0/2 |
| Average number embryos transferred                                      | 4.0          | 2.7   | 5.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/2          | 1/2   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 0/1          | 1/2   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 1            | 5     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/1          | 0/5   |     |
| Average number embryos transferred                                      | 3.0          | 3.8   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 1     | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              | 1/1   | 0/1 |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              | 4.0   | 4.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# COLORADO SPRINGS CENTER FOR REPRODUCTIVE HEALTH COLORADO SPRINGS, COLORADO

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup>  |     | ART Patient Diagnosis |     |
|-------------------------|-----|---------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                       | 72% | Tubal factor          | 24% |
| Single women?           | Yes | GIFT                      | 16% | Endometriosis         | 32% |
| Gestational carriers?   | No  | ZIFT                      | 12% | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI<br>Unstimulated | 0%  | Male factor           | 12% |
| Sharing of donor eggs?  | No  |                           | 0%  | Ovulatory dysfunction | 3%  |
|                         |     |                           |     | Other factors         | 27% |
|                         |     |                           |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman         |       |     |
|---|----------------------|-------|-----|
|   | <35                  | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |                      |       |     |
| Number of cycles  | 26                   | 13    | 4   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 30.8                 | 1/13  | 0/4 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 26.9<br>(9.9 - 44.0) | 1/13  | 0/4 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 30.4                 | 1/12  | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>                            | 33.3                 | 1/8   | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                               | 11.5                 | 1/13  | 1/4 |
| Average number embryos transferred                                      | 4.0                  | 4.0   | 3.3 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 4/8                  | 0/1   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 3/7                  | 0/1   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |                      |       |     |
| Number of transfers   | 7                    | 4     | 2   |
| Live births per 100 transfers <sup>b,c</sup>                            | 3/7                  | 1/4   | 0/2 |
| Average number embryos transferred                                      | 4.7                  | 5.8   | 6.0 |
| <b>Donor Eggs</b>   |                      |       |     |
| Number of fresh transfers   | 1                    | 0     | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      | 0/1                  |       | 0/1 |
| Number of frozen transfers  | 1                    | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     | 1/1                  |       |     |
| Average number embryos transferred<br>(fresh and frozen)                | 4.5                  |       | 6.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## COLORADO IVF AT ROSE DENVER, COLORADO

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 91% | Tubal factor          | 30% |
| Single women?           | Yes | GIFT                     | 9%  | Endometriosis         | 13% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 17% |
| Sharing of donor eggs?  | No  | With ICSI                | 22% | Ovulatory dysfunction | 19% |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 16% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |     |
|--|---------------|---------------|-----|
|  | <35           | 35-39         | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |     |
| Number of cycles   | 78            | 39            | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.9          | 38.5          | 0/2 |
| Live births per 100 cycles <sup>b,c</sup>                | 33.3          | 38.5          | 0/2 |
| (95% confidence intervals)                               | (22.9 - 43.8) | (23.2 - 53.7) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 36.6          | 40.5          | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>             | 38.2          | 42.9          | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                | 9.0           | 5.1           | 1/2 |
| Average number embryos transferred                       | 3.3           | 3.5           | 1.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 60.7          | 6/15          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 65.4          | 5/15          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |     |
| Number of transfers                                      | 5             | 3             | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 2/5           | 1/3           |     |
| Average number embryos transferred                       | 3.6           | 3.7           |     |
| <b>Donor Eggs</b>  |               |               |     |
| Number of fresh transfers                                | 2             | 3             | 4   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2           | 1/3           | 3/4 |
| Number of frozen transfers                               | 0             | 1             | 1   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 0/1           | 1/1 |
| Average number embryos transferred<br>(fresh and frozen) | 2.5           | 3.3           | 4.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## REPRODUCTIVE GENETICS IN VITRO DENVER, COLORADO

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 69% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 23% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 0%  |
| Sharing of donor eggs?  | No  | With ICSI                | 15%  | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 0%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 10           | 6     | 4   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 4/10         | 1/6   | 1/4 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 4/10         | 1/6   | 1/4 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 4/8          | 1/4   | 1/3 |
| Live births per 100 transfers <sup>b,c</sup>                            | 4/8          | 1/4   | 1/2 |
| Cancellations per 100 cycles <sup>c</sup>                               | 2/10         | 2/6   | 1/4 |
| Average number embryos transferred                                      | 3.6          | 3.5   | 4.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 2/4          | 0/1   | 1/1 |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 2/4          | 0/1   | 1/1 |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 1            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/1          |       |     |
| Average number embryos transferred                                      | 5.0          |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF COLORADO, HEALTH SCIENCE CENTER  
CENTER FOR REPRODUCTIVE MEDICINE  
DENVER, COLORADO**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 78% | Tubal factor          | 40% |
| Single women?           | Yes | GIFT                     | 22% | Endometriosis         | 22% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 10% |
| Sharing of donor eggs?  | No  | With ICSI                | 14% | Ovulatory dysfunction | 5%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 19% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |     |
|--|---------------|--------------|-----|
|  | <35           | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |     |
| Number of cycles   | 32            | 30           | 7   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 28.1          | 33.3         | 4/7 |
| Live births per 100 cycles <sup>b,c</sup>                | 28.1          | 16.7         | 2/7 |
| (95% confidence intervals)                               | (12.5 - 43.7) | (3.3 - 30.0) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 28.1          | 19.2         | 2/4 |
| Live births per 100 transfers <sup>b,c</sup>             | 28.1          | 20.0         | 2/4 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 13.3         | 3/7 |
| Average number embryos transferred                       | 4.3           | 4.4          | 7.3 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 7/9           | 4/10         | 1/4 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 7/9           | 3/5          | 1/2 |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |     |
| Number of transfers                                      | 0             | 1            | 0   |
| Live births per 100 transfers <sup>b,c</sup>             |               | 0/1          |     |
| Average number embryos transferred                       |               | 2.0          |     |
| <b>Donor Eggs</b>  |               |              |     |
| Number of fresh transfers                                | 0             | 0            | 3   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              | 3/3 |
| Number of frozen transfers                               | 0             | 0            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |     |
| Average number embryos transferred<br>(fresh and frozen) |               |              | 4.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# COLORADO CENTER FOR REPRODUCTIVE MEDICINE ENGLEWOOD, COLORADO

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 98% | Tubal factor          | 21% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 20% |
| Gestational carriers?   | Yes | ZIFT                     | 1%  | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 13% |
| Sharing of donor eggs?  | Yes | With ICSI                | 26% | Ovulatory dysfunction | 11% |
|                         |     | Unstimulated             | 0%  | Other factors         | 32% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |               |
|--|---------------|---------------|---------------|
|  | <35           | 35-39         | >39           |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |               |
| Number of cycles   | 180           | 186           | 110           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 57.8          | 50.5          | 27.3          |
| Live births per 100 cycles <sup>b,c</sup>                | 52.2          | 40.9          | 20.0          |
| (95% confidence intervals)                               | (44.9 - 59.5) | (33.8 - 47.9) | (12.5 - 27.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 57.3          | 51.7          | 23.7          |
| Live births per 100 transfers <sup>b,c</sup>             | 57.7          | 51.7          | 23.7          |
| Cancellations per 100 cycles <sup>c</sup>                | 8.9           | 21.0          | 15.5          |
| Average number embryos transferred                       | 4.1           | 4.2           | 4.5           |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 61.5          | 44.7          | 23.3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 56.4          | 47.4          | 27.3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |               |
| Number of transfers                                      | 31            | 28            | 22            |
| Live births per 100 transfers <sup>b,c</sup>             | 29.0          | 14.3          | 36.4          |
| Average number embryos transferred                       | 4.0           | 3.3           | 3.8           |
| <b>Donor Eggs</b>  |               |               |               |
| Number of fresh transfers                                | 10            | 15            | 52            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 8/10          | 11/15         | 57.7          |
| Number of frozen transfers                               | 2             | 1             | 4             |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/2           | 1/1           | 0/4           |
| Average number embryos transferred<br>(fresh and frozen) | 4.3           | 4.1           | 4.0           |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## CONCEPTIONS: REPRODUCTIVE ASSOCIATES LITTLETON, COLORADO

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 1%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 5%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 10% |
| Sharing of donor eggs?  | No  | With ICSI                | 35% | Ovulatory dysfunction | 56% |
|                         |     | Unstimulated             | 0%  | Other factors         | 2%  |
|                         |     |                          |     | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 74            | 75            | 39           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 36.5          | 40.0          | 23.1         |
| Live births per 100 cycles <sup>b,c</sup>                | 32.4          | 37.3          | 7.7          |
| (95% confidence intervals)                               | (21.8 - 43.1) | (26.4 - 48.3) | (0.0 - 16.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 36.4          | 41.8          | 9.4          |
| Live births per 100 transfers <sup>b,c</sup>             | 36.9          | 41.8          | 9.4          |
| Cancellations per 100 cycles <sup>c</sup>                | 10.8          | 10.7          | 17.9         |
| Average number embryos transferred                       | 3.5           | 4.0           | 4.1          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 59.3          | 56.7          | 1/9          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 58.3          | 42.9          | 1/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 16            | 11            | 7            |
| Live births per 100 transfers <sup>b,c</sup>             | 4/16          | 1/11          | 0/7          |
| Average number embryos transferred                       | 3.8           | 3.4           | 2.4          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 6             | 19           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           | 4/6           | 10/19        |
| Number of frozen transfers                               | 0             | 3             | 7            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 0/3           | 2/7          |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 3.1           | 3.4          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF CONNECTICUT HEALTH CENTER  
FARMINGTON, CONNECTICUT**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 37% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 20% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 25% |
| Sharing of donor eggs?  | Yes | With ICSI                | 25% | Ovulatory dysfunction | 5%  |
|                         |     | Unstimulated             | 1%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 9%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 169           | 117           | 33           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 34.3          | 28.2          | 15.2         |
| Live births per 100 cycles <sup>b,c</sup>                | 29.6          | 26.5          | 9.1          |
| (95% confidence intervals)                               | (22.7 - 36.5) | (18.5 - 34.5) | (0.0 - 18.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.5          | 35.2          | 3/16         |
| Live births per 100 transfers <sup>b,c</sup>             | 37.9          | 36.9          | 3/16         |
| Cancellations per 100 cycles <sup>c</sup>                | 16.6          | 24.8          | 51.5         |
| Average number embryos transferred                       | 3.4           | 3.9           | 4.2          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 32.8          | 48.5          | 0/5          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 30.0          | 38.7          | 0/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 14            | 15            | 2            |
| Live births per 100 transfers <sup>b,c</sup>             | 5/14          | 1/15          | 0/2          |
| Average number embryos transferred                       | 3.1           | 3.7           | 3.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 3             | 2             | 8            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/3           | 0/2           | 2/8          |
| Number of frozen transfers                               | 0             | 0             | 1            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               | 0/1          |
| Average number embryos transferred<br>(fresh and frozen) | 5.0           | 2.0           | 3.1          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HARTFORD FERTILITY & REPRODUCTIVE ENDOCRINOLOGY HARTFORD, CONNECTICUT

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 95% | Tubal factor          | 48% |
| Single women?           | No  | GIFT                     | 5%  | Endometriosis         | 10% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 0%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%  | Ovulatory dysfunction | 22% |
|                         |     | Unstimulated             | 0%  | Other factors         | 12% |
|                         |     |                          |     | Unexplained           | 6%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |     |
|--|--------------|--------------|-----|
|  | <35          | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |     |
| Number of cycles   | 18           | 25           | 1   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 5/18         | 12.0         | 0/1 |
| Live births per 100 cycles <sup>b,c</sup>                | 3/18         | 4.0          | 0/1 |
| (95% confidence intervals)                               |              | (0.0 - 11.7) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 3/17         | 1/18         | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>             | 3/17         | 1/18         | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                | 1/18         | 28.0         | 0/1 |
| Average number embryos transferred                       | 4.7          | 3.9          | 6.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/5          | 0/3          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/3          | 0/1          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |     |
| Number of transfers                                      | 1            | 2            | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/1          | 0/2          |     |
| Average number embryos transferred                       | 2.0          | 4.0          |     |
| <b>Donor Eggs</b>  |              |              |     |
| Number of fresh transfers                                | 0            | 0            | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              | 0/1 |
| Number of frozen transfers                               | 0            | 0            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |     |
| Average number embryos transferred<br>(fresh and frozen) |              |              | 3.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# YALE UNIVERSITY IVF PROGRAM NEW HAVEN, CONNECTICUT

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup>  |     | ART Patient Diagnosis |     |
|-------------------------|-----|---------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                       | 99% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                      | <1% | Endometriosis         | 6%  |
| Gestational carriers?   | No  | ZIFT                      | <1% | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI<br>Unstimulated | 22% | Male factor           | 38% |
| Sharing of donor eggs?  | No  |                           | 0%  | Ovulatory dysfunction | 7%  |
|                         |     |                           |     | Other factors         | 12% |
|                         |     |                           |     | Unexplained           | 10% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 111           | 103          | 25           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 25.2          | 9.7          | 12.0         |
| Live births per 100 cycles <sup>b,c</sup>                | 23.4          | 6.8          | 4.0          |
| (95% confidence intervals)                               | (15.5 - 31.3) | (1.9 - 11.7) | (0.0 - 11.7) |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.7          | 7.8          | 5.0          |
| Live births per 100 transfers <sup>b,c</sup>             | 27.7          | 8.6          | 1/15         |
| Cancellations per 100 cycles <sup>c</sup>                | 9.0           | 12.6         | 20.0         |
| Average number embryos transferred                       | 4.1           | 3.9          | 3.4          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 42.9          | 4/10         | 0/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 38.5          | 3/7          | 0/1          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 6             | 11           | 7            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6           | 0/11         | 0/7          |
| Average number embryos transferred                       | 4.0           | 3.7          | 3.1          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 5             | 7            | 32           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/5           | 3/7          | 21.9         |
| Number of frozen transfers                               | 2             | 2            | 14           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/2           | 0/2          | 0/14         |
| Average number embryos transferred<br>(fresh and frozen) | 3.6           | 3.2          | 3.9          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**MICHAEL P. DOYLE, M.D.**  
**NORWALK, CONNECTICUT**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 17% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 22% |
| Sharing of donor eggs?  | Yes | With ICSI                | 57%  | Ovulatory dysfunction | 5%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 6%  |
|                         |     |                          |      | Unexplained           | 23% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 62            | 53            | 26           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 46.8          | 47.2          | 23.1         |
| Live births per 100 cycles <sup>b,c</sup>                | 40.3          | 39.6          | 15.4         |
| (95% confidence intervals)                               | (28.1 - 52.5) | (26.5 - 52.8) | (1.5 - 29.3) |
| Live births per 100 retrievals <sup>b,c</sup>            | 40.3          | 39.6          | 15.4         |
| Live births per 100 transfers <sup>b,c</sup>             | 42.4          | 39.6          | 15.4         |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 0.0           | 0.0          |
| Average number embryos transferred                       | 5.0           | 4.4           | 4.5          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 20.7          | 48.0          | 0/6          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 20.0          | 52.4          | 0/4          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 3             | 5             | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/3           | 1/5           | 0/1          |
| Average number embryos transferred                       | 3.0           | 3.2           | 3.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 3             | 5            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2           | 1/3           | 4/5          |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.5           | 4.7           | 3.8          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**FRANCES W. GINSBURG, M.D.  
STAMFORD, CONNECTICUT**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 3%  |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 28% |
| Sharing of donor eggs?  | No  | With ICSI                | 46%  | Ovulatory dysfunction | 3%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 3%  |
|                         |     |                          |      | Unexplained           | 36% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman |       |      |
|---|--------------|-------|------|
|   | <35          | 35-39 | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |      |
| Number of cycles  | 12           | 13    | 10   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 4/12         | 2/13  | 1/10 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 3/12         | 1/13  | 1/10 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 3/12         | 1/13  | 1/10 |
| Live births per 100 transfers <sup>b,c</sup>                            | 3/12         | 1/13  | 1/10 |
| Cancellations per 100 cycles <sup>c</sup>                               | 0/12         | 0/13  | 0/10 |
| Average number embryos transferred                                      | 4.1          | 4.2   | 3.8  |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 3/4          | 1/2   | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 3/3          | 1/1   | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |      |
| Number of transfers   | 2            | 1     | 1    |
| Live births per 100 transfers <sup>b,c</sup>                            | 1/2          | 0/1   | 0/1  |
| Average number embryos transferred                                      | 6.5          | 3.0   | 5.0  |
| <b>Donor Eggs</b>   |              |       |      |
| Number of fresh transfers   | 0            | 0     | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |      |
| Number of frozen transfers  | 0            | 0     | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |      |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# NEW ENGLAND FERTILITY INSTITUTE STAMFORD, CONNECTICUT

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 24% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 6%  |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes | With ICSI                | 48% | Male factor           | 31% |
| Sharing of donor eggs?  | No  |                          |     | Unstimulated          | 0%  |
|                         |     |                          |     | Other factors         | 2%  |
|                         |     |                          |     | Unexplained           | 29% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 100           | 76            | 43           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 60.0          | 52.6          | 39.5         |
| Live births per 100 cycles <sup>b,c</sup>                | 51.0          | 39.5          | 14.0         |
| (95% confidence intervals)                               | (41.2 - 60.8) | (28.5 - 50.5) | (3.6 - 24.3) |
| Live births per 100 retrievals <sup>b,c</sup>            | 51.0          | 39.5          | 14.0         |
| Live births per 100 transfers <sup>b,c</sup>             | 51.0          | 41.1          | 14.6         |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 0.0           | 0.0          |
| Average number embryos transferred                       | 4.2           | 4.2           | 4.3          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 43.3          | 25.0          | 2/17         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 41.2          | 33.3          | 1/6          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 14            | 16            | 16           |
| Live births per 100 transfers <sup>b,c</sup>             | 2/14          | 3/16          | 1/16         |
| Average number embryos transferred                       | 2.9           | 2.9           | 3.8          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 1             | 4             | 6            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 1/4           | 2/6          |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 5.0           | 4.2          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## CHR - DELAWARE NEWARK, DELAWARE

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 29% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 16% |
| Gestational carriers?   | Yes | ZIFT                     | <1% | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 26% |
| Sharing of donor eggs?  | No  | With ICSI                | 36% | Ovulatory dysfunction | 6%  |
|                         |     | Unstimulated             | 2%  | Other factors         | 15% |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |             |
|--|---------------|--------------|-------------|
|  | <35           | 35-39        | >39         |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |             |
| Number of cycles   | 92            | 87           | 48          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.7          | 13.8         | 4.2         |
| Live births per 100 cycles <sup>b,c</sup>                | 19.6          | 10.3         | 2.1         |
| (95% confidence intervals)                               | (11.5 - 27.7) | (3.9 - 16.7) | (0.0 - 6.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.3          | 14.3         | 3.2         |
| Live births per 100 transfers <sup>b,c</sup>             | 25.0          | 14.5         | 3.6         |
| Cancellations per 100 cycles <sup>c</sup>                | 19.6          | 27.6         | 35.4        |
| Average number embryos transferred                       | 4.6           | 4.3          | 3.9         |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/19          | 4/12         | 0/2         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 8/18          | 3/9          | 0/1         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |             |
| Number of transfers                                      | 30            | 23           | 6           |
| Live births per 100 transfers <sup>b,c</sup>             | 10.0          | 13.0         | 0/6         |
| Average number embryos transferred                       | 3.9           | 4.0          | 2.7         |
| <b>Donor Eggs</b>  |               |              |             |
| Number of fresh transfers                                | 2             | 0            | 8           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           |              | 3/8         |
| Number of frozen transfers                               | 0             | 0            | 0           |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |             |
| Average number embryos transferred<br>(fresh and frozen) | 6.0           |              | 5.6         |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## COLUMBIA HOSPITAL FOR WOMEN DISTRICT OF COLUMBIA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 32% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 17% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes | With ICSI                | 42% | Male factor           | 26% |
| Sharing of donor eggs?  | No  |                          |     | Unstimulated          | 0%  |
|                         |     |                          |     | Other factors         | 1%  |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 75           | 99           | 72   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 16.0         | 18.2         | 2.8  |
| Live births per 100 cycles <sup>b,c</sup>                | 12.0         | 13.1         | 0.0  |
| (95% confidence intervals)                               | (4.6 - 19.4) | (6.5 - 19.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 13.8         | 16.7         | 0.0  |
| Live births per 100 transfers <sup>b,c</sup>             | 15.5         | 17.8         | 0.0  |
| Cancellations per 100 cycles <sup>c</sup>                | 13.3         | 21.2         | 15.3 |
| Average number embryos transferred                       | 4.4          | 4.0          | 4.2  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/12         | 2/18         | 0/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/9          | 1/13         |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 6            | 10           | 4    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6          | 0/10         | 0/4  |
| Average number embryos transferred                       | 3.7          | 4.1          | 3.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 0            | 6            | 16   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              | 2/6          | 7/16 |
| Number of frozen transfers                               | 2            | 4            | 7    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/2          | 1/4          | 1/7  |
| Average number embryos transferred<br>(fresh and frozen) | 2.5          | 4.2          | 6.2  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# THE GEORGE WASHINGTON UNIVERSITY MEDICAL CENTER DISTRICT OF COLUMBIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 34% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 18% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 9%  |
| Sharing of donor eggs?  | No  | With ICSI                | 18%  | Ovulatory dysfunction | 3%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 7%  |
|                         |     |                          |      | Unexplained           | 26% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |             |
|--|---------------|--------------|-------------|
|  | <35           | 35-39        | >39         |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |             |
| Number of cycles   | 95            | 85           | 87          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 27.4          | 22.4         | 6.9         |
| Live births per 100 cycles <sup>b,c</sup>                | 22.1          | 10.6         | 4.6         |
| (95% confidence intervals)                               | (13.8 - 30.4) | (4.0 - 17.1) | (0.2 - 9.0) |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.3          | 12.5         | 6.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 25.9          | 13.6         | 7.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 12.6          | 15.3         | 27.6        |
| Average number embryos transferred                       | 3.8           | 3.6          | 3.5         |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 34.6          | 4/19         | 0/6         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 33.3          | 4/9          | 0/4         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |             |
| Number of transfers                                      | 0             | 4            | 4           |
| Live births per 100 transfers <sup>b,c</sup>             |               | 0/4          | 0/4         |
| Average number embryos transferred                       |               | 3.8          | 3.5         |
| <b>Donor Eggs</b>  |               |              |             |
| Number of fresh transfers                                | 1             | 2            | 6           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 0/2          | 0/6         |
| Number of frozen transfers                               | 0             | 0            | 0           |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |             |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 3.0          | 4.2         |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**REPRODUCTIVE SCIENCE CENTER OF  
WALTER REED ARMY MEDICAL CENTER  
DISTRICT OF COLUMBIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 94% | Tubal factor          | 49% |
| Single women?           | No  | GIFT                     | 6%  | Endometriosis         | 9%  |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | No  |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | No  | With ICSI                | 13% | Ovulatory dysfunction | 5%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 1%  |
|                         |     |                          |     | Unexplained           | 16% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 128           | 99            | 24           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 43.0          | 27.3          | 8.3          |
| Live births per 100 cycles <sup>b,c</sup>                | 38.3          | 22.2          | 4.2          |
| (95% confidence intervals)                               | (29.9 - 46.7) | (14.0 - 30.4) | (0.0 - 12.2) |
| Live births per 100 retrievals <sup>b,c</sup>            | 48.5          | 31.4          | 1/13         |
| Live births per 100 transfers <sup>b,c</sup>             | 52.7          | 32.8          | 1/12         |
| Cancellations per 100 cycles <sup>c</sup>                | 21.1          | 29.3          | 45.8         |
| Average number embryos transferred                       | 3.7           | 4.2           | 4.2          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 25.5          | 44.4          | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 26.5          | 50.0          | 0/1          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 0             | 1             | 0            |
| Live births per 100 transfers <sup>b,c</sup>             |               | 0/1           |              |
| Average number embryos transferred                       |               | 5.0           |              |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 0             | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |               |              |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) |               |               |              |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# BOCA FERTILITY BOCA RATON, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 7%  |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI                | 8%   | Male factor           | 27% |
| Sharing of donor eggs?  | No  |                          |      | Unstimulated          | 0%  |
|                         |     |                          |      | Other factors         | 0%  |
|                         |     |                          |      | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 31            | 20            | 15   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 38.7          | 55.0          | 1/15 |
| Live births per 100 cycles <sup>b,c</sup>                | 35.5          | 45.0          | 1/15 |
| (95% confidence intervals)                               | (18.6 - 52.3) | (23.2 - 66.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 42.3          | 9/18          | 1/12 |
| Live births per 100 transfers <sup>b,c</sup>             | 47.8          | 9/15          | 1/11 |
| Cancellations per 100 cycles <sup>c</sup>                | 16.1          | 10.0          | 3/15 |
| Average number embryos transferred                       | 3.9           | 4.7           | 3.7  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 5/12          | 5/11          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/11          | 3/9           | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 2             | 4             | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 1/2           | 1/4           |      |
| Average number embryos transferred                       | 3.0           | 4.5           |      |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 0             | 1             | 1    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 0/1           | 1/1  |
| Number of frozen transfers                               | 0             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |      |
| Average number embryos transferred<br>(fresh and frozen) |               | 6.0           | 5.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## CHR - FLORIDA CLEARWATER, FLORIDA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 95% | Tubal factor          | 33% |
| Single women?           | Yes | GIFT                     | 5%  | Endometriosis         | 10% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 28% |
| Sharing of donor eggs?  | No  | With ICSI                | 31% | Ovulatory dysfunction | 17% |
|                         |     | Unstimulated             | 0%  | Other factors         | 10% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 46            | 36            | 13   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 45.7          | 33.3          | 0/13 |
| Live births per 100 cycles <sup>b,c</sup>                | 32.6          | 30.6          | 0/13 |
| (95% confidence intervals)                               | (19.1 - 46.2) | (15.5 - 45.6) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 32.6          | 30.6          | 0/13 |
| Live births per 100 transfers <sup>b,c</sup>             | 35.7          | 35.5          | 0/12 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 0.0           | 0/13 |
| Average number embryos transferred                       | 3.9           | 3.6           | 2.7  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 57.1          | 4/12          |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 8/15          | 2/11          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 2             | 0             | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/2           |               |      |
| Average number embryos transferred                       | 3.5           |               |      |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 2             | 1             | 1    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           | 0/1           | 0/1  |
| Number of frozen transfers                               | 0             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |      |
| Average number embryos transferred<br>(fresh and frozen) | 4.5           | 6.0           | 5.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SPECIALISTS IN REPRODUCTIVE MEDICINE AND SURGERY, P.A. FORT MYERS, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 34% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 15% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 31% |
| Sharing of donor eggs?  | No  | With ICSI                | 34%  | Ovulatory dysfunction | 12% |
|                         |     | Unstimulated             | 0%   | Other factors         | 4%  |
|                         |     |                          |      | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |       |     |
|--|--------------|-------|-----|
|  | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |       |     |
| Number of cycles   | 24           | 15    | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 37.5         | 5/15  | 1/2 |
| Live births per 100 cycles <sup>b,c</sup>                | 16.7         | 4/15  | 1/2 |
| (95% confidence intervals)                               | (1.8 - 31.6) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 18.2         | 4/12  | 1/2 |
| Live births per 100 transfers <sup>b,c</sup>             | 19.0         | 4/12  | 1/2 |
| Cancellations per 100 cycles <sup>c</sup>                | 8.3          | 3/15  | 0/2 |
| Average number embryos transferred                       | 3.5          | 3.8   | 2.5 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 1/9          | 1/5   | 1/1 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/4          | 0/4   | 1/1 |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |       |     |
| Number of transfers                                      | 5            | 2     | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5          | 1/2   |     |
| Average number embryos transferred                       | 2.2          | 3.0   |     |
| <b>Donor Eggs</b>  |              |       |     |
| Number of fresh transfers                                | 0            | 1     | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              | 1/1   | 1/1 |
| Number of frozen transfers                               | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |       |     |
| Average number embryos transferred<br>(fresh and frozen) |              | 3.0   | 4.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF FLORIDA - SHANDS HOSPITAL  
GAINESVILLE, FLORIDA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 35% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 20% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 15% |
| Sharing of donor eggs?  | Yes | With ICSI                | 21%  | Ovulatory dysfunction | 3%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 22% |
|                         |     |                          |      | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 41            | 35           | 10   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 34.1          | 25.7         | 2/10 |
| Live births per 100 cycles <sup>b,c</sup>                | 34.1          | 22.9         | 1/10 |
| (95% confidence intervals)                               | (19.6 - 48.7) | (8.9 - 36.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.0          | 23.5         | 1/9  |
| Live births per 100 transfers <sup>b,c</sup>             | 36.8          | 24.2         | 1/9  |
| Cancellations per 100 cycles <sup>c</sup>                | 2.4           | 2.9          | 1/10 |
| Average number embryos transferred                       | 3.3           | 3.3          | 4.1  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/14          | 2/9          | 0/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/14          | 1/8          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 6             | 2            | 4    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6           | 0/2          | 1/4  |
| Average number embryos transferred                       | 3.3           | 2.5          | 3.8  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 5             | 4            | 15   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/5           | 0/4          | 5/15 |
| Number of frozen transfers                               | 0             | 1            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 1/1          |      |
| Average number embryos transferred<br>(fresh and frozen) | 3.4           | 3.2          | 3.3  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# FERTILITY INSTITUTE OF NORTHWEST FLORIDA GULF BREEZE, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 43% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 19% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 21% |
| Sharing of donor eggs?  | No  | With ICSI                | 39%  | Ovulatory dysfunction | 0%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 17% |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 15           | 17    | 1   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 2/15         | 4/17  | 0/1 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 2/15         | 4/17  | 0/1 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 2/14         | 4/12  |     |
| Live births per 100 transfers <sup>b,c</sup>                            | 2/10         | 4/11  |     |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/15         | 5/17  | 1/1 |
| Average number embryos transferred                                      | 5.4          | 6.6   |     |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 0/2          | 2/4   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 0/2          | 2/4   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 7            | 1     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 1/7          | 0/1   |     |
| Average number embryos transferred                                      | 3.4          | 4.0   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 1            | 0     | 3   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     | 1/1          |       | 1/3 |
| Average number embryos transferred<br>(fresh and frozen)                | 4.0          |       | 3.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE JACKSONVILLE, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 95% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 21% |
| Gestational carriers?   | No  | ZIFT                     | 4%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI                | 32% | Male factor           | 32% |
| Sharing of donor eggs?  | Yes | Unstimulated             | 1%  | Ovulatory dysfunction | 13% |
|                         |     |                          |     | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 108           | 68            | 16   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 40.7          | 30.9          | 1/16 |
| Live births per 100 cycles <sup>b,c</sup>                | 38.0          | 25.0          | 0/16 |
| (95% confidence intervals)                               | (28.8 - 47.1) | (14.7 - 35.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 39.4          | 26.6          | 0/14 |
| Live births per 100 transfers <sup>b,c</sup>             | 43.6          | 28.3          | 0/14 |
| Cancellations per 100 cycles <sup>c</sup>                | 3.7           | 5.9           | 2/16 |
| Average number embryos transferred                       | 4.1           | 3.8           | 4.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 38.6          | 33.3          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 36.6          | 6/17          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 42            | 22            | 6    |
| Live births per 100 transfers <sup>b,c</sup>             | 28.6          | 18.2          | 0/6  |
| Average number embryos transferred                       | 4.3           | 4.2           | 3.3  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 0             | 6             | 10   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 2/6           | 4/10 |
| Number of frozen transfers                               | 1             | 2             | 6    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           | 1/2           | 1/6  |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 4.1           | 4.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# MEMORIAL HOSPITAL JACKSONVILLE JACKSONVILLE, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 38% | Tubal factor          | 34% |
| Single women?           | Yes | GIFT                     | 35% | Endometriosis         | 34% |
| Gestational carriers?   | Yes | ZIFT                     | 27% | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 8%  |
| Sharing of donor eggs?  | No  | With ICSI                | 9%  | Ovulatory dysfunction | 11% |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 8%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 33           | 23           | 10   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 24.2         | 17.4         | 1/10 |
| Live births per 100 cycles <sup>b,c</sup>                | 9.1          | 13.0         | 1/10 |
| (95% confidence intervals)                               | (0.0 - 18.9) | (0.0 - 26.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 10.3         | 3/19         | 1/8  |
| Live births per 100 transfers <sup>b,c</sup>             | 10.3         | 3/18         | 1/7  |
| Cancellations per 100 cycles <sup>c</sup>                | 12.1         | 17.4         | 2/10 |
| Average number embryos transferred                       | 4.4          | 4.7          | 4.9  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/8          | 1/4          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 0/3          | 1/3          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 5            | 4            | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5          | 0/4          | 0/2  |
| Average number embryos transferred                       | 4.6          | 3.3          | 4.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 1            | 2            | 3    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1          | 1/2          | 0/3  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 2.0          | 6.0          | 4.7  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# NORTHWEST CENTER FOR INFERTILITY AND REPRODUCTIVE ENDOCRINOLOGY MARGATE, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 29% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 21% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 25% |
| Sharing of donor eggs?  | Yes | With ICSI                | 50%  | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 1%   | Other factors         | 14% |
|                         |     |                          |      | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 159           | 113           | 46           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 50.9          | 45.1          | 17.4         |
| Live births per 100 cycles <sup>b,c</sup>                | 42.8          | 36.3          | 13.0         |
| (95% confidence intervals)                               | (35.1 - 50.5) | (27.4 - 45.1) | (3.3 - 22.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 45.3          | 41.8          | 20.7         |
| Live births per 100 transfers <sup>b,c</sup>             | 46.3          | 41.8          | 22.2         |
| Cancellations per 100 cycles <sup>c</sup>                | 5.7           | 13.3          | 37.0         |
| Average number embryos transferred                       | 3.5           | 3.6           | 3.7          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 42.0          | 35.3          | 2/8          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 44.1          | 41.5          | 1/6          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 12            | 6             | 3            |
| Live births per 100 transfers <sup>b,c</sup>             | 4/12          | 0/6           | 1/3          |
| Average number embryos transferred                       | 4.1           | 3.3           | 3.7          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 8             | 20           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           | 7/8           | 40.0         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 3.4           | 4.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## FERTILITY & IVF CENTER OF MIAMI MIAMI, FLORIDA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 91% | Tubal factor          | 21% |
| Single women?           | No  | GIFT                     | 9%  | Endometriosis         | 5%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | Yes | With ICSI                | 29% | Ovulatory dysfunction | 14% |
|                         |     | Unstimulated             | 0%  | Other factors         | 23% |
|                         |     |                          |     | Unexplained           | 14% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 54            | 60            | 14   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 33.3          | 26.7          | 0/14 |
| Live births per 100 cycles <sup>b,c</sup>                | 25.9          | 21.7          | 0/14 |
| (95% confidence intervals)                               | (14.2 - 37.6) | (11.2 - 32.1) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 28.6          | 27.1          | 0/12 |
| Live births per 100 transfers <sup>b,c</sup>             | 29.2          | 28.9          | 0/12 |
| Cancellations per 100 cycles <sup>c</sup>                | 9.3           | 20.0          | 2/14 |
| Average number embryos transferred                       | 5.3           | 5.8           | 3.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 9/18          | 6/16          |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/14          | 5/13          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 2             | 0             | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 1/2           |               | 0/2  |
| Average number embryos transferred                       | 3.5           |               | 8.0  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 2             | 2             | 14   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           | 0/2           | 7/14 |
| Number of frozen transfers                               | 0             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |      |
| Average number embryos transferred<br>(fresh and frozen) | 8.5           | 6.0           | 7.2  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SOUTH FLORIDA INSTITUTE FOR REPRODUCTIVE MEDICINE MIAMI, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 64% | Tubal factor          | 20% |
| Single women?           | Yes | GIFT                     | 36% | Endometriosis         | 6%  |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 7%  |
| Donor egg program?      | Yes | With ICSI                | 28% | Male factor           | 28% |
| Sharing of donor eggs?  | No  |                          |     | Unstimulated          | 1%  |
|                         |     |                          |     | Other factors         | 23% |
|                         |     |                          |     | Unexplained           | 6%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 61            | 63           | 39           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 31.1          | 15.9         | 7.7          |
| Live births per 100 cycles <sup>b,c</sup>                | 27.9          | 14.3         | 7.7          |
| (95% confidence intervals)                               | (16.6 - 39.1) | (5.6 - 22.9) | (0.0 - 16.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 29.8          | 16.7         | 10.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 32.1          | 17.3         | 10.7         |
| Cancellations per 100 cycles <sup>c</sup>                | 6.6           | 14.3         | 25.6         |
| Average number embryos transferred                       | 5.8           | 5.0          | 5.5          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 5/19          | 6/10         | 1/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/17          | 4/9          | 0/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 4             | 3            | 2            |
| Live births per 100 transfers <sup>b,c</sup>             | 1/4           | 0/3          | 0/2          |
| Average number embryos transferred                       | 4.0           | 4.3          | 4.5          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 1             | 2            | 13           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 0/2          | 6/13         |
| Number of frozen transfers                               | 0             | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |              |
| Average number embryos transferred<br>(fresh and frozen) | 6.0           | 6.5          | 6.4          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## ARNOLD PALMER HOSPITAL ORLANDO, FLORIDA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 7%  |
| Gestational carriers?   | Yes | ZIFT                     | <1% | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 18% |
| Sharing of donor eggs?  | Yes | With ICSI                | 33% | Ovulatory dysfunction | 19% |
|                         |     | Unstimulated             | 0%  | Other factors         | 13% |
|                         |     |                          |     | Unexplained           | 4%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |             |
|--|---------------|---------------|-------------|
|  | <35           | 35-39         | >39         |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |             |
| Number of cycles   | 63            | 58            | 32          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 39.7          | 29.3          | 3.1         |
| Live births per 100 cycles <sup>b,c</sup>                | 36.5          | 22.4          | 3.1         |
| (95% confidence intervals)                               | (24.6 - 48.4) | (11.7 - 33.1) | (0.0 - 9.2) |
| Live births per 100 retrievals <sup>b,c</sup>            | 42.6          | 28.9          | 1/17        |
| Live births per 100 transfers <sup>b,c</sup>             | 47.9          | 32.5          | 1/16        |
| Cancellations per 100 cycles <sup>c</sup>                | 14.3          | 22.4          | 46.9        |
| Average number embryos transferred                       | 3.5           | 3.9           | 3.3         |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 40.0          | 7/17          | 0/1         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 43.5          | 5/13          | 0/1         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |             |
| Number of transfers                                      | 6             | 7             | 6           |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6           | 1/7           | 1/6         |
| Average number embryos transferred                       | 3.7           | 3.1           | 3.2         |
| <b>Donor Eggs</b>  |               |               |             |
| Number of fresh transfers                                | 1             | 3             | 2           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 1/3           | 0/2         |
| Number of frozen transfers                               | 0             | 0             | 0           |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |             |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 3.3           | 3.5         |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE ORLANDO, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 37% |
| Single women?           | No  | GIFT                     | 1%  | Endometriosis         | 17% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes | With ICSI                | 27% | Male factor           | 22% |
| Sharing of donor eggs?  | No  |                          |     | Unstimulated          | 0%  |
|                         |     |                          |     | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 19% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 118           | 65            | 13   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 40.7          | 27.7          | 1/13 |
| Live births per 100 cycles <sup>b,c</sup>                | 32.2          | 20.0          | 0/13 |
| (95% confidence intervals)                               | (23.8 - 40.6) | (10.3 - 29.7) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.8          | 23.2          | 0/9  |
| Live births per 100 transfers <sup>b,c</sup>             | 37.6          | 25.0          | 0/9  |
| Cancellations per 100 cycles <sup>c</sup>                | 10.2          | 13.8          | 4/13 |
| Average number embryos transferred                       | 3.2           | 3.2           | 3.8  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 45.8          | 4/18          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 47.4          | 2/13          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 10            | 11            | 4    |
| Live births per 100 transfers <sup>b,c</sup>             | 3/10          | 3/11          | 0/4  |
| Average number embryos transferred                       | 3.3           | 2.6           | 3.8  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 1             | 1             | 1    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 0/1           | 1/1  |
| Number of frozen transfers                               | 1             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           |               |      |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 4.0           | 3.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## REPRODUCTIVE MEDICINE & FERTILITY CENTER ORLANDO, FLORIDA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 97% | Tubal factor          | 37% |
| Single women?           | No  | GIFT                     | 3%  | Endometriosis         | 0%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 23% |
| Sharing of donor eggs?  | No  | With ICSI                | 20% | Ovulatory dysfunction | 22% |
|                         |     | Unstimulated             | 0%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 12% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 10           | 18    | 7   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 4/10         | 6/18  | 0/7 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 4/10         | 6/18  | 0/7 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 4/9          | 6/17  | 0/4 |
| Live births per 100 transfers <sup>b,c</sup>                            | 4/8          | 6/17  | 0/4 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/10         | 1/18  | 3/7 |
| Average number embryos transferred                                      | 3.5          | 3.8   | 4.8 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/4          | 4/6   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/4          | 3/6   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 3            | 4     | 1   |
| Live births per 100 transfers <sup>b,c</sup>                            | 1/3          | 2/4   | 0/1 |
| Average number embryos transferred                                      | 4.3          | 3.3   | 4.0 |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 5   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       | 1/5 |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       | 3.4 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# THE INFERTILITY CENTER OF DAYTONA ORMOND BEACH, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 50% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 50% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 0%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%   | Ovulatory dysfunction | 0%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 0%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 2            | 0     | 0   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 1/2          |       |     |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 0/2          |       |     |
| Live births per 100 retrievals <sup>b,c</sup>                           | 0/2          |       |     |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/2          |       |     |
| Cancellations per 100 cycles <sup>c</sup>                               | 0/2          |       |     |
| Average number embryos transferred                                      | 2.5          |       |     |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 0/1          |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 |              |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |     |
| Average number embryos transferred                                      |              |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# CENTER FOR ADVANCED REPRODUCTIVE ENDOCRINOLOGY PLANTATION, FLORIDA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 88% | Tubal factor          | 36% |
| Single women?           | Yes | GIFT                     | 12% | Endometriosis         | 11% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 8%  |
| Donor egg program?      | Yes | With ICSI                | 52% | Male factor           | 30% |
| Sharing of donor eggs?  | Yes | Unstimulated             | 0%  | Ovulatory dysfunction | 9%  |
|                         |     |                          |     | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 44           | 29           | 12   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 22.7         | 20.7         | 4/12 |
| Live births per 100 cycles <sup>b,c</sup>                | 15.9         | 20.7         | 3/12 |
| (95% confidence intervals)                               | (5.1 - 26.7) | (5.9 - 35.4) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 16.7         | 22.2         | 3/11 |
| Live births per 100 transfers <sup>b,c</sup>             | 17.1         | 22.2         | 3/11 |
| Cancellations per 100 cycles <sup>c</sup>                | 4.5          | 6.9          | 1/12 |
| Average number embryos transferred                       | 3.7          | 3.9          | 4.7  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/10         | 2/6          | 1/4  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/7          | 2/6          | 1/3  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 3            | 1            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 2/3          | 0/1          |      |
| Average number embryos transferred                       | 2.7          | 3.0          |      |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 1            | 1            | 2    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1          | 1/1          | 0/2  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 4.0          | 5.0          | 2.5  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**ELIEZER J. LIVNAT, M.D.  
PLANTATION, FLORIDA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 84% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 0%  |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 0%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%   | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 8%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 6            | 3     | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 3/6          | 0/3   | 0/2 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 3/6          | 0/3   | 0/2 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 3/6          | 0/1   |     |
| Live births per 100 transfers <sup>b,c</sup>                            | 3/6          | 0/1   |     |
| Cancellations per 100 cycles <sup>c</sup>                               | 0/6          | 2/3   | 2/2 |
| Average number embryos transferred                                      | 4.5          | 6.0   |     |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/3          |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/3          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 1            | 1     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/1          | 0/1   |     |
| Average number embryos transferred                                      | 4.0          | 6.0   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



**ADVANCED REPRODUCTIVE TECHNOLOGIES PROGRAM  
UNIVERSITY COMMUNITY HOSPITAL  
TAMPA, FLORIDA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 91% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 7%  | Endometriosis         | 12% |
| Gestational carriers?   | Yes | ZIFT                     | 2%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 18% |
| Sharing of donor eggs?  | No  | With ICSI                | 27% | Ovulatory dysfunction | 3%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 18% |
|                         |     |                          |     | Unexplained           | 12% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 116           | 71            | 35           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 38.8          | 38.0          | 14.3         |
| Live births per 100 cycles <sup>b,c</sup>                | 33.6          | 32.4          | 5.7          |
| (95% confidence intervals)                               | (25.0 - 42.2) | (21.5 - 43.3) | (0.0 - 13.4) |
| Live births per 100 retrievals <sup>b,c</sup>            | 36.1          | 40.4          | 7.1          |
| Live births per 100 transfers <sup>b,c</sup>             | 36.4          | 40.4          | 7.1          |
| Cancellations per 100 cycles <sup>c</sup>                | 6.9           | 19.7          | 20.0         |
| Average number embryos transferred                       | 4.8           | 4.5           | 4.9          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 66.7          | 33.3          | 1/5          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 66.7          | 34.8          | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 6             | 2             | 3            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6           | 0/2           | 0/3          |
| Average number embryos transferred                       | 3.5           | 5.0           | 3.3          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 0             | 6            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |               | 3/6          |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) |               |               | 4.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## GENETICS AND IVF OF FLORIDA WEST PALM BEACH, FLORIDA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | No  | IVF                      | 100% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 14% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 9%  |
| Sharing of donor eggs?  | No  | With ICSI                | 16%  | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 12% |
|                         |     |                          |      | Unexplained           | 28% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 15           | 14    | 3   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 1/15         | 1/14  | 0/3 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 1/15         | 1/14  | 0/3 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 1/14         | 1/12  | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>                            | 1/14         | 1/9   | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/15         | 2/14  | 2/3 |
| Average number embryos transferred                                      | 3.6          | 3.6   | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 0/1          | 1/1   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 0/1          | 1/1   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 5            | 5     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 2/5          | 0/5   |     |
| Average number embryos transferred                                      | 3.6          | 3.2   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# EMORY CENTER FOR REPRODUCTIVE MEDICINE AND FERTILITY ATLANTA, GEORGIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 32% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 22% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 16% |
| Sharing of donor eggs?  | Yes | With ICSI                | 57%  | Ovulatory dysfunction | 15% |
|                         |     | Unstimulated             | 0%   | Other factors         | 10% |
|                         |     |                          |      | Unexplained           | 4%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 62            | 35           | 12   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 27.4          | 20.0         | 3/12 |
| Live births per 100 cycles <sup>b,c</sup>                | 21.0          | 20.0         | 3/12 |
| (95% confidence intervals)                               | (10.8 - 31.1) | (6.7 - 33.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 27.7          | 29.2         | 3/8  |
| Live births per 100 transfers <sup>b,c</sup>             | 29.5          | 30.4         | 3/8  |
| Cancellations per 100 cycles <sup>c</sup>                | 24.2          | 31.4         | 4/12 |
| Average number embryos transferred                       | 3.0           | 3.3          | 4.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/17          | 1/7          | 3/3  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 5/13          | 1/7          | 2/3  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 12            | 3            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 3/12          | 1/3          |      |
| Average number embryos transferred                       | 3.0           | 3.0          |      |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 0             | 5            | 2    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 3/5          | 1/2  |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) |               | 2.8          | 3.5  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# REPRODUCTIVE BIOLOGY ASSOCIATES ATLANTA, GEORGIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 18% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 18% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 7%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | Yes | With ICSI                | 43% | Ovulatory dysfunction | 23% |
|                         |     | Unstimulated             | 0%  | Other factors         | 14% |
|                         |     |                          |     | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 416           | 326           | 134          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 37.3          | 30.7          | 12.7         |
| Live births per 100 cycles <sup>b,c</sup>                | 31.7          | 24.8          | 6.7          |
| (95% confidence intervals)                               | (27.3 - 36.2) | (20.2 - 29.5) | (2.5 - 11.0) |
| Live births per 100 retrievals <sup>b,c</sup>            | 36.0          | 32.4          | 10.2         |
| Live births per 100 transfers <sup>b,c</sup>             | 37.7          | 34.0          | 11.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 11.8          | 23.3          | 34.3         |
| Average number embryos transferred                       | 3.5           | 3.5           | 3.4          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 49.0          | 24.0          | 0/17         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 51.5          | 27.2          | 0/9          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 141           | 107           | 28           |
| Live births per 100 transfers <sup>b,c</sup>             | 25.5          | 17.8          | 10.7         |
| Average number embryos transferred                       | 3.3           | 3.4           | 3.4          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 7             | 19            | 43           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 3/7           | 5/19          | 41.9         |
| Number of frozen transfers                               | 3             | 12            | 14           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/3           | 2/12          | 2/14         |
| Average number embryos transferred<br>(fresh and frozen) | 2.9           | 2.8           | 3.1          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# AUGUSTA REPRODUCTIVE BIOLOGY ASSOCIATES AUGUSTA, GEORGIA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 27% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 15% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 34% |
| Sharing of donor eggs?  | No  | With ICSI                | 32%  | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 16% |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |       |     |
|--|--------------|-------|-----|
|  | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |       |     |
| Number of cycles   | 35           | 19    | 6   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 14.3         | 3/19  | 0/6 |
| Live births per 100 cycles <sup>b,c</sup>                | 14.3         | 2/19  | 0/6 |
| (95% confidence intervals)                               | (2.7 - 25.9) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 15.2         | 2/18  | 0/6 |
| Live births per 100 transfers <sup>b,c</sup>             | 18.5         | 2/12  | 0/4 |
| Cancellations per 100 cycles <sup>c</sup>                | 5.7          | 1/19  | 0/6 |
| Average number embryos transferred                       | 2.6          | 2.8   | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/5          | 1/3   |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/5          | 0/2   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |       |     |
| Number of transfers                                      | 11           | 2     | 1   |
| Live births per 100 transfers <sup>b,c</sup>             | 3/11         | 1/2   | 0/1 |
| Average number embryos transferred                       | 1.7          | 2.5   | 1.0 |
| <b>Donor Eggs</b>  |              |       |     |
| Number of fresh transfers                                | 1            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1          |       |     |
| Number of frozen transfers                               | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |       |     |
| Average number embryos transferred<br>(fresh and frozen) | 3.0          |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**MEDICAL COLLEGE OF GEORGIA  
AUGUSTA, GEORGIA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup>  |      | ART Patient Diagnosis |     |
|-------------------------|-----|---------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                       | 100% | Tubal factor          | 56% |
| Single women?           | Yes | GIFT                      | 0%   | Endometriosis         | 21% |
| Gestational carriers?   | No  | ZIFT                      | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI<br>Unstimulated | 0%   | Male factor           | 0%  |
| Sharing of donor eggs?  | No  |                           |      | Ovulatory dysfunction | 17% |
|                         |     |                           |      | Other factors         | 6%  |
|                         |     |                           |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman         |       |     |
|---|----------------------|-------|-----|
|   | <35                  | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |                      |       |     |
| Number of cycles  | 23                   | 12    | 5   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 26.1                 | 0/12  | 0/5 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 21.7<br>(4.9 - 38.6) | 0/12  | 0/5 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 25.0                 | 0/7   | 0/4 |
| Live births per 100 transfers <sup>b,c</sup>                            | 25.0                 | 0/7   | 0/4 |
| Cancellations per 100 cycles <sup>c</sup>                               | 13.0                 | 5/12  | 1/5 |
| Average number embryos transferred                                      | 4.8                  | 3.9   | 4.3 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/6                  |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/5                  |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |                      |       |     |
| Number of transfers   | 7                    | 0     | 3   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/7                  |       | 0/3 |
| Average number embryos transferred                                      | 3.9                  |       | 3.0 |
| <b>Donor Eggs</b>   |                      |       |     |
| Number of fresh transfers   | 0                    | 1     | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |                      | 0/1   | 0/1 |
| Number of frozen transfers  | 0                    | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |                      |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |                      | 5.0   | 2.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# PACIFIC IVF INSTITUTE HONOLULU, HAWAII

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 33% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 38% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 21% |
| Sharing of donor eggs?  | No  | With ICSI                | 23%  | Ovulatory dysfunction | 4%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 1%  |
|                         |     |                          |      | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 71            | 83            | 60           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.6          | 25.3          | 15.0         |
| Live births per 100 cycles <sup>b,c</sup>                | 19.7          | 21.7          | 5.0          |
| (95% confidence intervals)                               | (10.5 - 29.0) | (12.8 - 30.6) | (0.0 - 10.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.6          | 25.7          | 6.5          |
| Live births per 100 transfers <sup>b,c</sup>             | 25.0          | 26.5          | 6.7          |
| Cancellations per 100 cycles <sup>c</sup>                | 19.7          | 15.7          | 23.3         |
| Average number embryos transferred                       | 4.7           | 5.2           | 4.6          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 38.1          | 52.4          | 3/9          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 7/14          | 9/18          | 1/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 22            | 18            | 8            |
| Live births per 100 transfers <sup>b,c</sup>             | 31.8          | 6/18          | 1/8          |
| Average number embryos transferred                       | 4.2           | 4.4           | 5.1          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 0             | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |               |              |
| Number of frozen transfers                               | 0             | 2             | 4            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 1/2           | 1/4          |
| Average number embryos transferred<br>(fresh and frozen) |               | 5.0           | 4.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## ADVANCED INSTITUTE OF FERTILITY ARLINGTON HEIGHTS, ILLINOIS

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 91% | Tubal factor          | 6%  |
| Single women?           | Yes | GIFT                     | 7%  | Endometriosis         | 17% |
| Gestational carriers?   | No  | ZIFT                     | 2%  | Uterine factor        | 8%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 44% |
| Sharing of donor eggs?  | No  | With ICSI                | 61% | Ovulatory dysfunction | 11% |
|                         |     | Unstimulated             | 0%  | Other factors         | 14% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 21           | 22           | 13   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 28.6         | 13.6         | 2/13 |
| Live births per 100 cycles <sup>b,c</sup>                | 19.0         | 13.6         | 0/13 |
| (95% confidence intervals)                               | (2.3 - 35.8) | (0.0 - 28.0) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 20.0         | 3/19         | 0/13 |
| Live births per 100 transfers <sup>b,c</sup>             | 4/18         | 3/18         | 0/12 |
| Cancellations per 100 cycles <sup>c</sup>                | 4.8          | 13.6         | 0/13 |
| Average number embryos transferred                       | 4.5          | 4.0          | 5.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/6          | 0/3          | 1/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/4          | 0/3          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 2            | 2            | 1    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/2          | 0/2          | 0/1  |
| Average number embryos transferred                       | 4.5          | 4.0          | 3.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 0            | 2            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              | 1/2          |      |
| Number of frozen transfers                               | 0            | 0            | 2    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              | 1/2  |
| Average number embryos transferred<br>(fresh and frozen) |              | 4.5          | 3.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# CENTER FOR HUMAN REPRODUCTION CHICAGO, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 96% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 15% |
| Gestational carriers?   | Yes | ZIFT                     | 3%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 23% |
| Sharing of donor eggs?  | No  | With ICSI                | 41% | Ovulatory dysfunction | 21% |
|                         |     | Unstimulated             | 0%  | Other factors         | 10% |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 565           | 374           | 116          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 26.5          | 17.6          | 8.6          |
| Live births per 100 cycles <sup>b,c</sup>                | 22.8          | 13.9          | 6.9          |
| (95% confidence intervals)                               | (19.4 - 26.3) | (10.4 - 17.4) | (2.3 - 11.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 26.4          | 18.3          | 11.6         |
| Live births per 100 transfers <sup>b,c</sup>             | 30.1          | 19.9          | 12.7         |
| Cancellations per 100 cycles <sup>c</sup>                | 13.5          | 24.1          | 40.5         |
| Average number embryos transferred                       | 4.2           | 4.2           | 4.5          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 46.0          | 30.3          | 2/10         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 42.6          | 28.8          | 2/8          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 139           | 77            | 10           |
| Live births per 100 transfers <sup>b,c</sup>             | 20.1          | 26.0          | 1/10         |
| Average number embryos transferred                       | 4.1           | 4.3           | 3.6          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 11            | 15            | 25           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 3/11          | 5/15          | 32.0         |
| Number of frozen transfers                               | 1             | 6             | 13           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           | 0/6           | 3/13         |
| Average number embryos transferred<br>(fresh and frozen) | 3.8           | 4.1           | 4.2          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# IVF ILLINOIS CHICAGO, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 10% |
| Gestational carriers?   | Yes | ZIFT                     | <1% | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 22% |
| Sharing of donor eggs?  | No  | With ICSI                | 40% | Ovulatory dysfunction | 21% |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 16% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |             |
|--|---------------|---------------|-------------|
|  | <35           | 35-39         | >39         |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |             |
| Number of cycles   | 292           | 262           | 137         |
| Pregnancies per 100 cycles <sup>c</sup>                  | 28.8          | 21.0          | 13.1        |
| Live births per 100 cycles <sup>b,c</sup>                | 21.9          | 17.2          | 5.1         |
| (95% confidence intervals)                               | (17.2 - 26.7) | (12.6 - 21.7) | (1.4 - 8.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.0          | 19.7          | 6.2         |
| Live births per 100 transfers <sup>b,c</sup>             | 25.3          | 20.8          | 7.1         |
| Cancellations per 100 cycles <sup>c</sup>                | 8.6           | 13.0          | 17.5        |
| Average number embryos transferred                       | 3.1           | 3.1           | 2.7         |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 25.0          | 20.0          | 1/18        |
| Multiple live births per 100 live births <sup>b,c</sup>  | 29.7          | 24.4          | 0/7         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |             |
| Number of transfers                                      | 30            | 10            | 8           |
| Live births per 100 transfers <sup>b,c</sup>             | 10.0          | 3/10          | 1/8         |
| Average number embryos transferred                       | 3.0           | 2.6           | 2.4         |
| <b>Donor Eggs</b>  |               |               |             |
| Number of fresh transfers                                | 3             | 1             | 18          |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/3           | 0/1           | 7/18        |
| Number of frozen transfers                               | 0             | 0             | 0           |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |             |
| Average number embryos transferred<br>(fresh and frozen) | 3.7           | 3.0           | 3.1         |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**NORTHWESTERN UNIVERSITY  
PRENTICE WOMEN'S HOSPITAL  
CHICAGO, ILLINOIS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 28% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 12% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 22% |
| Sharing of donor eggs?  | Yes | With ICSI                | 24%  | Ovulatory dysfunction | 21% |
|                         |     | Unstimulated             | 0%   | Other factors         | 1%  |
|                         |     |                          |      | Unexplained           | 15% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman |              |     |
|--|--------------|--------------|-----|
|  | <35          | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |     |
| Number of cycles   | 49           | 66           | 4   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.4         | 15.2         | 0/4 |
| Live births per 100 cycles <sup>b,c</sup>                | 12.2         | 10.6         | 0/4 |
| (95% confidence intervals)                               | (3.1 - 21.4) | (3.2 - 18.0) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 13.3         | 11.1         | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>             | 16.2         | 11.9         | 0/2 |
| Cancellations per 100 cycles <sup>c</sup>                | 8.2          | 4.5          | 1/4 |
| Average number embryos transferred                       | 3.8          | 4.2          | 4.5 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/10         | 1/10         |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/6          | 0/7          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |     |
| Number of transfers                                      | 26           | 13           | 2   |
| Live births per 100 transfers <sup>b,c</sup>             | 19.2         | 0/13         | 0/2 |
| Average number embryos transferred                       | 3.7          | 5.7          | 1.5 |
| <b>Donor Eggs</b>  |              |              |     |
| Number of fresh transfers                                | 0            | 0            | 2   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              | 0/2 |
| Number of frozen transfers                               | 0            | 1            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              | 0/1          |     |
| Average number embryos transferred<br>(fresh and frozen) |              | 5.0          | 4.5 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# RUSH-PRESBYTERIAN - SAINT LUKE'S MEDICAL CENTER CHICAGO, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 83% | Tubal factor          | 34% |
| Single women?           | Yes | GIFT                     | 11% | Endometriosis         | 20% |
| Gestational carriers?   | Yes | ZIFT                     | 6%  | Uterine factor        | 1%  |
| Donor egg program?      | No  |                          |     | Male factor           | 18% |
| Sharing of donor eggs?  | No  | With ICSI                | 15% | Ovulatory dysfunction | 24% |
|                         |     | Unstimulated             | 1%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 101           | 72           | 42           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 31.7          | 19.4         | 7.1          |
| Live births per 100 cycles <sup>b,c</sup>                | 22.8          | 12.5         | 4.8          |
| (95% confidence intervals)                               | (14.6 - 31.0) | (4.9 - 20.1) | (0.0 - 11.2) |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.5          | 15.8         | 6.5          |
| Live births per 100 transfers <sup>b,c</sup>             | 26.4          | 18.8         | 8.7          |
| Cancellations per 100 cycles <sup>c</sup>                | 6.9           | 20.8         | 26.2         |
| Average number embryos transferred                       | 5.4           | 4.3          | 3.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 50.0          | 3/14         | 0/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 39.1          | 1/9          | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 9             | 2            | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/9           | 0/2          |              |
| Average number embryos transferred                       | 2.6           | 5.0          |              |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 0             | 0            | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              |              |
| Number of frozen transfers                               | 0             | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |              |
| Average number embryos transferred<br>(fresh and frozen) |               |              |              |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF CHICAGO HOSPITALS  
CHICAGO, ILLINOIS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 95% | Tubal factor          | 39% |
| Single women?           | Yes | GIFT                     | 4%  | Endometriosis         | 8%  |
| Gestational carriers?   | No  | ZIFT                     | 1%  | Uterine factor        | 3%  |
| Donor egg program?      | Yes | With ICSI                | 24% | Male factor           | 18% |
| Sharing of donor eggs?  | No  |                          |     | Unstimulated          | 0%  |
|                         |     |                          |     | Other factors         | 14% |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 65            | 56           | 35           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 24.6          | 8.9          | 11.4         |
| Live births per 100 cycles <sup>b,c</sup>                | 20.0          | 5.4          | 8.6          |
| (95% confidence intervals)                               | (10.3 - 29.7) | (0.0 - 11.3) | (0.0 - 17.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.5          | 6.5          | 10.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 26.0          | 7.5          | 12.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 21.5          | 17.9         | 17.1         |
| Average number embryos transferred                       | 5.0           | 4.4          | 4.6          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 5/16          | 1/5          | 1/4          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 5/13          | 0/3          | 0/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 6             | 5            | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6           | 0/5          | 0/1          |
| Average number embryos transferred                       | 4.7           | 3.6          | 5.0          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 4             | 4            | 7            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/4           | 1/4          | 2/7          |
| Number of frozen transfers                               | 1             | 1            | 2            |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           | 0/1          | 0/2          |
| Average number embryos transferred<br>(fresh and frozen) | 3.4           | 3.8          | 3.8          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## MIDWEST FERTILITY CENTER DOWNERS GROVE, ILLINOIS

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 16% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 34% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 31% |
| Sharing of donor eggs?  | No  | With ICSI                | 11%  | Ovulatory dysfunction | 6%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 8%  |
|                         |     |                          |      | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |               |      |
|--|--------------|---------------|------|
|  | <35          | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |               |      |
| Number of cycles   | 85           | 47            | 16   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 18.8         | 27.7          | 3/16 |
| Live births per 100 cycles <sup>b,c</sup>                | 15.3         | 25.5          | 2/16 |
| (95% confidence intervals)                               | (7.6 - 22.9) | (13.1 - 38.0) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 20.0         | 30.0          | 2/8  |
| Live births per 100 transfers <sup>b,c</sup>             | 22.4         | 32.4          | 2/6  |
| Cancellations per 100 cycles <sup>c</sup>                | 23.5         | 14.9          | 8/16 |
| Average number embryos transferred                       | 3.5          | 3.5           | 2.7  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/16         | 4/13          | 0/3  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/13         | 4/12          | 0/2  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |               |      |
| Number of transfers                                      | 3            | 0             | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/3          |               |      |
| Average number embryos transferred                       | 2.3          |               |      |
| <b>Donor Eggs</b>  |              |               |      |
| Number of fresh transfers                                | 0            | 2             | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              | 1/2           |      |
| Number of frozen transfers                               | 0            | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |               |      |
| Average number embryos transferred<br>(fresh and frozen) |              | 4.5           |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## FERTILITY CENTERS OF ILLINOIS GLENVIEW, ILLINOIS

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 23% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 17% |
| Gestational carriers?   | No  | ZIFT                     | <1% | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 20% |
| Sharing of donor eggs?  | No  | With ICSI                | 54% | Ovulatory dysfunction | 32% |
|                         |     | Unstimulated             | 0%  | Other factors         | 2%  |
|                         |     |                          |     | Unexplained           | 4%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 168           | 119           | 20           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.7          | 22.7          | 10.0         |
| Live births per 100 cycles <sup>b,c</sup>                | 34.5          | 17.6          | 5.0          |
| (95% confidence intervals)                               | (27.3 - 41.7) | (10.8 - 24.5) | (0.0 - 14.6) |
| Live births per 100 retrievals <sup>b,c</sup>            | 36.0          | 19.3          | 1/17         |
| Live births per 100 transfers <sup>b,c</sup>             | 38.4          | 20.6          | 1/13         |
| Cancellations per 100 cycles <sup>c</sup>                | 4.2           | 8.4           | 15.0         |
| Average number embryos transferred                       | 4.0           | 3.5           | 3.9          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 51.7          | 22.2          | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 48.3          | 28.6          | 0/1          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 63            | 36            | 6            |
| Live births per 100 transfers <sup>b,c</sup>             | 19.0          | 25.0          | 0/6          |
| Average number embryos transferred                       | 4.2           | 4.2           | 3.8          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 5             | 11           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/2           | 4/5           | 3/11         |
| Number of frozen transfers                               | 7             | 4             | 13           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/7           | 2/4           | 5/13         |
| Average number embryos transferred<br>(fresh and frozen) | 4.2           | 3.7           | 4.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HIGHLAND PARK HOSPITAL HIGHLAND PARK, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 17% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 10% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes | With ICSI                | 70% | Male factor           | 35% |
| Sharing of donor eggs?  | No  |                          |     | Unstimulated          | 0%  |
|                         |     |                          |     | Other factors         | 14% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 105           | 123           | 43           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 53.3          | 44.7          | 20.9         |
| Live births per 100 cycles <sup>b,c</sup>                | 43.8          | 36.6          | 14.0         |
| (95% confidence intervals)                               | (34.3 - 53.3) | (28.1 - 45.1) | (3.6 - 24.3) |
| Live births per 100 retrievals <sup>b,c</sup>            | 46.5          | 43.3          | 20.7         |
| Live births per 100 transfers <sup>b,c</sup>             | 46.5          | 44.1          | 21.4         |
| Cancellations per 100 cycles <sup>c</sup>                | 5.7           | 15.4          | 32.6         |
| Average number embryos transferred                       | 4.6           | 4.5           | 5.3          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 62.5          | 40.0          | 3/9          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 60.9          | 33.3          | 0/6          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 13            | 5             | 4            |
| Live births per 100 transfers <sup>b,c</sup>             | 3/13          | 3/5           | 1/4          |
| Average number embryos transferred                       | 4.2           | 4.4           | 3.8          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 1             | 2             | 11           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 1/2           | 4/11         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 4.5           | 4.6          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# HINSDALE CENTER FOR REPRODUCTION HINSDALE, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 33% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 26% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 11% |
| Donor egg program?      | Yes |                          |      | Male factor           | 7%  |
| Sharing of donor eggs?  | No  | With ICSI                | 12%  | Ovulatory dysfunction | 19% |
|                         |     | Unstimulated             | 0%   | Other factors         | 4%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |     |
|--|---------------|--------------|-----|
|  | <35           | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |     |
| Number of cycles   | 46            | 31           | 1   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 28.3          | 22.6         | 0/1 |
| Live births per 100 cycles <sup>b,c</sup>                | 23.9          | 16.1         | 0/1 |
| (95% confidence intervals)                               | (11.6 - 36.2) | (3.2 - 29.1) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.4          | 21.7         | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>             | 29.7          | 23.8         | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                | 2.2           | 25.8         | 0/1 |
| Average number embryos transferred                       | 4.4           | 4.3          | 6.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 7/13          | 3/7          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/11          | 2/5          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |     |
| Number of transfers                                      | 11            | 7            | 3   |
| Live births per 100 transfers <sup>b,c</sup>             | 3/11          | 0/7          | 2/3 |
| Average number embryos transferred                       | 4.1           | 3.4          | 4.3 |
| <b>Donor Eggs</b>  |               |              |     |
| Number of fresh transfers                                | 0             | 0            | 1   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              | 0/1 |
| Number of frozen transfers                               | 0             | 0            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |     |
| Average number embryos transferred<br>(fresh and frozen) |               |              | 3.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# OAK BROOK FERTILITY CENTER OAK BROOK, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 89% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 2%  | Endometriosis         | 26% |
| Gestational carriers?   | Yes | ZIFT                     | 9%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 17% |
| Sharing of donor eggs?  | Yes | With ICSI                | 39% | Ovulatory dysfunction | 26% |
|                         |     | Unstimulated             | 0%  | Other factors         | 6%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |       |     |
|--|--------------|-------|-----|
|  | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |       |     |
| Number of cycles   | 21           | 16    | 9   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 33.3         | 4/16  | 1/9 |
| Live births per 100 cycles <sup>b,c</sup>                | 28.6         | 3/16  | 1/9 |
| (95% confidence intervals)                               | (9.2 - 47.9) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 28.6         | 3/15  | 1/9 |
| Live births per 100 transfers <sup>b,c</sup>             | 30.0         | 3/13  | 1/9 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0          | 1/16  | 0/9 |
| Average number embryos transferred                       | 4.0          | 3.4   | 4.4 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/7          | 1/4   | 1/1 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/6          | 1/3   | 1/1 |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |       |     |
| Number of transfers                                      | 2            | 1     | 1   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/2          | 1/1   | 0/1 |
| Average number embryos transferred                       | 3.5          | 4.0   | 4.0 |
| <b>Donor Eggs</b>  |              |       |     |
| Number of fresh transfers                                | 2            | 2     | 6   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2          | 1/2   | 1/6 |
| Number of frozen transfers                               | 3            | 0     | 3   |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/3          |       | 0/3 |
| Average number embryos transferred<br>(fresh and frozen) | 4.4          | 3.0   | 3.3 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**REENA JABAMONI, M.D.**  
**OAK BROOK, ILLINOIS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 95% | Tubal factor          | 5%  |
| Single women?           | Yes | GIFT                     | 5%  | Endometriosis         | 26% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 5%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 3%  |
| Sharing of donor eggs?  | No  | With ICSI                | 8%  | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 0%  | Other factors         | 23% |
|                         |     |                          |     | Unexplained           | 28% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman  |       |     |
|---|---------------|-------|-----|
|   | <35           | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                 |               |       |     |
| Number of cycles  | 23            | 13    | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                 | 34.8          | 2/13  | 0/2 |
| Live births per 100 cycles <sup>b,c</sup>               | 30.4          | 1/13  | 0/2 |
| (95% confidence intervals)                              | (11.6 - 49.2) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>           | 30.4          | 1/13  | 0/2 |
| Live births per 100 transfers <sup>b,c</sup>            | 33.3          | 1/12  | 0/2 |
| Cancellations per 100 cycles <sup>c</sup>               | 0.0           | 0/13  | 0/2 |
| Average number embryos transferred                      | 4.6           | 3.9   | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>    | 3/8           | 1/2   |     |
| Multiple live births per 100 live births <sup>b,c</sup> | 3/7           | 1/1   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                |               |       |     |
| Number of transfers                                     | 0             | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>            |               |       |     |
| Average number embryos transferred                      |               |       |     |
| <b>Donor Eggs</b>                                       |               |       |     |
| Number of fresh transfers                               | 1             | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>      | 0/1           |       |     |
| Number of frozen transfers                              | 0             | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>     |               |       |     |
| Average number embryos transferred (fresh and frozen)   | 1.0           |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**ADVANCED REPRODUCTIVE CENTER, LTD.  
ROCKFORD, ILLINOIS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 92% | Tubal factor          | 31% |
| Single women?           | No  | GIFT                     | 8%  | Endometriosis         | 14% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 31% |
| Sharing of donor eggs?  | No  | With ICSI                | 32% | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 10% |
|                         |     |                          |     | Unexplained           | 7%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 19           | 2     | 4   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 5/19         | 0/2   | 1/4 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 4/19         | 0/2   | 0/4 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 4/17         | 0/1   | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>                            | 4/17         |       | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                               | 2/19         | 1/2   | 1/4 |
| Average number embryos transferred                                      | 3.5          |       | 4.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 2/5          |       | 0/1 |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/4          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 1     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              | 0/1   |     |
| Average number embryos transferred                                      |              | 3.0   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# REPRODUCTIVE HEALTH AND FERTILITY CENTER ROCKFORD, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 98% | Tubal factor          | 33% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 21% |
| Gestational carriers?   | No  | ZIFT                     | 1%  | Uterine factor        | 1%  |
| Donor egg program?      | No  |                          |     | Male factor           | 20% |
| Sharing of donor eggs?  | No  | With ICSI                | 39% | Ovulatory dysfunction | 16% |
|                         |     | Unstimulated             | 0%  | Other factors         | 8%  |
|                         |     |                          |     | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 88            | 58           | 14   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 25.0          | 10.3         | 0/14 |
| Live births per 100 cycles <sup>b,c</sup>                | 20.5          | 8.6          | 0/14 |
| (95% confidence intervals)                               | (12.0 - 28.9) | (1.4 - 15.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 23.1          | 9.3          | 0/13 |
| Live births per 100 transfers <sup>b,c</sup>             | 24.0          | 10.4         | 0/10 |
| Cancellations per 100 cycles <sup>c</sup>                | 11.4          | 6.9          | 1/14 |
| Average number embryos transferred                       | 3.4           | 3.2          | 2.7  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 31.8          | 3/6          |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/18          | 3/5          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 18            | 10           | 1    |
| Live births per 100 transfers <sup>b,c</sup>             | 1/18          | 0/10         | 0/1  |
| Average number embryos transferred                       | 2.9           | 2.6          | 2.0  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 0             | 0            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              |      |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) |               |              |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES, S.C. SPRINGFIELD, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 39% |
| Single women?           | No  | GIFT                     | 1%  | Endometriosis         | 14% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 9%  |
| Donor egg program?      | No  |                          |     | Male factor           | 13% |
| Sharing of donor eggs?  | No  | With ICSI                | 28% | Ovulatory dysfunction | 17% |
|                         |     | Unstimulated             | 0%  | Other factors         | 6%  |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 47           | 21           | 13   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 12.8         | 4.8          | 0/13 |
| Live births per 100 cycles <sup>b,c</sup>                | 12.8         | 4.8          | 0/13 |
| (95% confidence intervals)                               | (3.2 - 22.3) | (0.0 - 13.9) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 14.6         | 1/19         | 0/12 |
| Live births per 100 transfers <sup>b,c</sup>             | 16.2         | 1/17         | 0/8  |
| Cancellations per 100 cycles <sup>c</sup>                | 12.8         | 9.5          | 1/13 |
| Average number embryos transferred                       | 4.3          | 3.7          | 4.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/6          | 0/1          |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/6          | 0/1          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 5            | 2            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5          | 0/2          |      |
| Average number embryos transferred                       | 3.2          | 5.0          |      |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 0            | 0            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              |      |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) |              |              |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SOUTHERN ILLINOIS UNIVERSITY ART PROGRAM SPRINGFIELD, ILLINOIS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 83% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 17% | Endometriosis         | 7%  |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 18% |
| Sharing of donor eggs?  | Yes | With ICSI                | 0%  | Ovulatory dysfunction | 36% |
|                         |     | Unstimulated             | 0%  | Other factors         | 14% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |       |     |
|--|--------------|-------|-----|
|  | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |       |     |
| Number of cycles   | 20           | 4     | 0   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.0         | 0/4   |     |
| Live births per 100 cycles <sup>b,c</sup>                | 20.0         | 0/4   |     |
| (95% confidence intervals)                               | (2.5 - 37.5) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 20.0         | 0/4   |     |
| Live births per 100 transfers <sup>b,c</sup>             | 20.0         | 0/4   |     |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0          | 0/4   |     |
| Average number embryos transferred                       | 4.0          | 3.5   |     |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 1/4          |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/4          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |       |     |
| Number of transfers                                      | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>             |              |       |     |
| Average number embryos transferred                       |              |       |     |
| <b>Donor Eggs</b>  |              |       |     |
| Number of fresh transfers                                | 0            | 0     | 4   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |       | 0/4 |
| Number of frozen transfers                               | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |       |     |
| Average number embryos transferred<br>(fresh and frozen) |              |       | 2.3 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## ASSOCIATED FERTILITY-GYNECOLOGY FORT WAYNE, INDIANA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 48% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 16% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 19% |
| Donor egg program?      | No  |                          |      | Male factor           | 3%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%   | Ovulatory dysfunction | 13% |
|                         |     | Unstimulated             | 0%   | Other factors         | 1%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |       |     |
|--|---------------|-------|-----|
|  | <35           | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |       |     |
| Number of cycles   | 40            | 16    | 7   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.0          | 4/16  | 0/7 |
| Live births per 100 cycles <sup>b,c</sup>                | 30.0          | 3/16  | 0/7 |
| (95% confidence intervals)                               | (15.8 - 44.2) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 33.3          | 3/13  | 0/6 |
| Live births per 100 transfers <sup>b,c</sup>             | 36.4          | 3/12  | 0/6 |
| Cancellations per 100 cycles <sup>c</sup>                | 10.0          | 3/16  | 1/7 |
| Average number embryos transferred                       | 2.8           | 3.8   | 2.8 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/14          | 1/4   |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/12          | 0/3   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |       |     |
| Number of transfers                                      | 15            | 4     | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 3/15          | 1/4   |     |
| Average number embryos transferred                       | 2.5           | 2.5   |     |
| <b>Donor Eggs</b>  |               |       |     |
| Number of fresh transfers                                | 0             | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |       |     |
| Number of frozen transfers                               | 0             | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |       |     |
| Average number embryos transferred<br>(fresh and frozen) |               |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## ADVANCED FERTILITY INSTITUTE INDIANAPOLIS, INDIANA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 97% | Tubal factor          | 26% |
| Single women?           | Yes | GIFT                     | 3%  | Endometriosis         | 13% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 33% |
| Sharing of donor eggs?  | Yes | With ICSI                | 30% | Ovulatory dysfunction | 24% |
|                         |     | Unstimulated             | 0%  | Other factors         | 2%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |             |
|--|---------------|--------------|-------------|
|  | <35           | 35-39        | >39         |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |             |
| Number of cycles   | 187           | 78           | 42          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 24.6          | 21.8         | 2.4         |
| Live births per 100 cycles <sup>b,c</sup>                | 21.4          | 14.1         | 2.4         |
| (95% confidence intervals)                               | (15.5 - 27.3) | (6.4 - 21.8) | (0.0 - 7.0) |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.5          | 19.3         | 3.8         |
| Live births per 100 transfers <sup>b,c</sup>             | 26.7          | 20.0         | 4.8         |
| Cancellations per 100 cycles <sup>c</sup>                | 16.0          | 26.9         | 38.1        |
| Average number embryos transferred                       | 4.7           | 4.7          | 3.6         |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 28.3          | 2/17         | 0/1         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 22.5          | 1/11         | 0/1         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |             |
| Number of transfers                                      | 34            | 15           | 9           |
| Live births per 100 transfers <sup>b,c</sup>             | 5.9           | 0/15         | 0/9         |
| Average number embryos transferred                       | 3.9           | 3.2          | 3.0         |
| <b>Donor Eggs</b>  |               |              |             |
| Number of fresh transfers                                | 6             | 7            | 6           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/6           | 4/7          | 1/6         |
| Number of frozen transfers                               | 3             | 0            | 1           |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/3           |              | 1/1         |
| Average number embryos transferred<br>(fresh and frozen) | 4.4           | 4.7          | 4.9         |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# INDIANA UNIVERSITY INDIANAPOLIS, INDIANA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 98% | Tubal factor          | 45% |
| Single women?           | Yes | GIFT                     | 2%  | Endometriosis         | 15% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 24% |
| Sharing of donor eggs?  | No  | With ICSI                | 19% | Ovulatory dysfunction | 16% |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |     |
|--|--------------|--------------|-----|
|  | <35          | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |     |
| Number of cycles   | 30           | 23           | 4   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 10.0         | 4.3          | 0/4 |
| Live births per 100 cycles <sup>b,c</sup>                | 10.0         | 4.3          | 0/4 |
| (95% confidence intervals)                               | (0.0 - 20.7) | (0.0 - 12.7) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 13.0         | 5.0          | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>             | 13.0         | 1/19         | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                | 23.3         | 13.0         | 1/4 |
| Average number embryos transferred                       | 4.2          | 4.2          | 2.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 1/3          | 0/1          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/3          | 0/1          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |     |
| Number of transfers                                      | 7            | 1            | 1   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/7          | 0/1          | 0/1 |
| Average number embryos transferred                       | 3.4          | 3.0          | 6.0 |
| <b>Donor Eggs</b>  |              |              |     |
| Number of fresh transfers                                | 0            | 0            | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              |     |
| Number of frozen transfers                               | 0            | 0            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |     |
| Average number embryos transferred<br>(fresh and frozen) |              |              |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## MIDWEST REPRODUCTIVE MEDICINE INDIANAPOLIS, INDIANA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 62% | Tubal factor          | 26% |
| Single women?           | Yes | GIFT                     | 22% | Endometriosis         | 25% |
| Gestational carriers?   | Yes | ZIFT                     | 16% | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 16% |
| Sharing of donor eggs?  | No  | With ICSI                | 24% | Ovulatory dysfunction | 30% |
|                         |     | Unstimulated             | 1%  | Other factors         | 2%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 325           | 161           | 68           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 41.8          | 29.8          | 14.7         |
| Live births per 100 cycles <sup>b,c</sup>                | 36.0          | 24.2          | 7.4          |
| (95% confidence intervals)                               | (30.8 - 41.2) | (17.6 - 30.8) | (1.1 - 13.6) |
| Live births per 100 retrievals <sup>b,c</sup>            | 39.5          | 28.5          | 10.2         |
| Live births per 100 transfers <sup>b,c</sup>             | 40.9          | 30.0          | 12.2         |
| Cancellations per 100 cycles <sup>c</sup>                | 8.9           | 14.9          | 27.9         |
| Average number embryos transferred                       | 3.1           | 3.3           | 3.4          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 39.0          | 29.2          | 1/10         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 38.5          | 33.3          | 1/5          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 71            | 25            | 11           |
| Live births per 100 transfers <sup>b,c</sup>             | 21.1          | 32.0          | 1/11         |
| Average number embryos transferred                       | 3.3           | 3.5           | 2.5          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 5             | 2             | 8            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/5           | 1/2           | 3/8          |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 3.4           | 3.5           | 3.4          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES INDIANAPOLIS, INDIANA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 22% | Tubal factor          | 17% |
| Single women?           | No  | GIFT                     | 39% | Endometriosis         | 55% |
| Gestational carriers?   | No  | ZIFT                     | 39% | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 0%  |
| Sharing of donor eggs?  | No  | With ICSI                | 17% | Ovulatory dysfunction | 22% |
|                         |     | Unstimulated             | 0%  | Other factors         | 6%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 9            | 5     | 4   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 1/9          | 2/5   | 0/4 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 1/9          | 1/5   | 0/4 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 1/6          | 1/4   | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>                            | 1/6          | 1/4   | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                               | 3/9          | 1/5   | 1/4 |
| Average number embryos transferred                                      | 2.3          | 3.3   | 1.7 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/1          | 1/2   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/1          | 1/1   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |     |
| Average number embryos transferred                                      |              |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## CENTER FOR ASSISTED REPRODUCTION SOUTH BEND, INDIANA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 84% | Tubal factor          | 39% |
| Single women?           | No  | GIFT                     | 16% | Endometriosis         | 43% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 3%  |
| Donor egg program?      | No  |                          |     | Male factor           | 4%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%  | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |       |     |
|--|---------------|-------|-----|
|  | <35           | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |       |     |
| Number of cycles   | 47            | 18    | 5   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.8          | 6/18  | 1/5 |
| Live births per 100 cycles <sup>b,c</sup>                | 25.5          | 2/18  | 1/5 |
| (95% confidence intervals)                               | (13.1 - 38.0) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 29.3          | 2/18  | 1/2 |
| Live births per 100 transfers <sup>b,c</sup>             | 30.8          | 2/18  | 1/2 |
| Cancellations per 100 cycles <sup>c</sup>                | 12.8          | 0/18  | 3/5 |
| Average number embryos transferred                       | 3.3           | 3.6   | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/14          | 0/6   | 1/1 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/12          | 0/2   | 1/1 |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |       |     |
| Number of transfers                                      | 0             | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>             |               |       |     |
| Average number embryos transferred                       |               |       |     |
| <b>Donor Eggs</b>  |               |       |     |
| Number of fresh transfers                                | 0             | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |       |     |
| Number of frozen transfers                               | 0             | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |       |     |
| Average number embryos transferred<br>(fresh and frozen) |               |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**MCFARLAND CLINIC, P.C.  
AMES, IOWA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 64% | Tubal factor          | 35% |
| Single women?           | No  | GIFT                     | 36% | Endometriosis         | 28% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 12% |
| Sharing of donor eggs?  | No  | With ICSI                | 17% | Ovulatory dysfunction | 4%  |
|                         |     | Unstimulated             | 2%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 21% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |     |
|--|---------------|--------------|-----|
|  | <35           | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |     |
| Number of cycles   | 62            | 32           | 8   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.0          | 28.1         | 2/8 |
| Live births per 100 cycles <sup>b,c</sup>                | 24.2          | 18.8         | 1/8 |
| (95% confidence intervals)                               | (13.5 - 34.9) | (5.2 - 32.3) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.0          | 22.2         | 1/6 |
| Live births per 100 transfers <sup>b,c</sup>             | 25.9          | 23.1         | 1/6 |
| Cancellations per 100 cycles <sup>c</sup>                | 3.2           | 15.6         | 2/8 |
| Average number embryos transferred                       | 4.2           | 3.7          | 3.8 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/18          | 2/9          | 0/2 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 5/15          | 2/6          | 0/1 |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |     |
| Number of transfers                                      | 22            | 7            | 5   |
| Live births per 100 transfers <sup>b,c</sup>             | 13.6          | 2/7          | 1/5 |
| Average number embryos transferred                       | 3.5           | 3.4          | 3.2 |
| <b>Donor Eggs</b>  |               |              |     |
| Number of fresh transfers                                | 0             | 0            | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              |     |
| Number of frozen transfers                               | 0             | 0            | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |     |
| Average number embryos transferred<br>(fresh and frozen) |               |              |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**CENTER FOR ADVANCED REPRODUCTIVE CARE  
UNIVERSITY OF IOWA HOSPITALS & CLINICS  
IOWA CITY, IOWA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 56% | Tubal factor          | 33% |
| Single women?           | No  | GIFT                     | 1%  | Endometriosis         | 7%  |
| Gestational carriers?   | No  | ZIFT                     | 43% | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 26% |
| Sharing of donor eggs?  | No  | With ICSI                | 34% | Ovulatory dysfunction | 11% |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 17% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 155           | 95            | 29           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 47.1          | 38.9          | 10.3         |
| Live births per 100 cycles <sup>b,c</sup>                | 40.0          | 28.4          | 3.4          |
| (95% confidence intervals)                               | (32.3 - 47.7) | (19.4 - 37.5) | (0.0 - 10.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 43.7          | 34.6          | 5.0          |
| Live births per 100 transfers <sup>b,c</sup>             | 45.3          | 35.5          | 5.0          |
| Cancellations per 100 cycles <sup>c</sup>                | 8.4           | 17.9          | 31.0         |
| Average number embryos transferred                       | 3.2           | 3.7           | 3.9          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 43.8          | 24.3          | 0/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 43.5          | 33.3          | 0/1          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 79            | 33            | 8            |
| Live births per 100 transfers <sup>b,c</sup>             | 26.6          | 9.1           | 0/8          |
| Average number embryos transferred                       | 3.9           | 3.9           | 3.3          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 4             | 10           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2           | 3/4           | 3/10         |
| Number of frozen transfers                               | 2             | 3             | 7            |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/2           | 1/3           | 3/7          |
| Average number embryos transferred<br>(fresh and frozen) | 3.3           | 3.4           | 3.5          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# MID IOWA FERTILITY, P.C. WEST DES MOINES, IOWA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 97% | Tubal factor          | 24% |
| Single women?           | Yes | GIFT                     | 3%  | Endometriosis         | 24% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 27% |
| Sharing of donor eggs?  | No  | With ICSI                | 34% | Ovulatory dysfunction | 4%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 12% |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |     |
|--|---------------|--------------|-----|
|  | <35           | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |     |
| Number of cycles   | 47            | 22           | 5   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 40.4          | 27.3         | 1/5 |
| Live births per 100 cycles <sup>b,c</sup>                | 40.4          | 22.7         | 0/5 |
| (95% confidence intervals)                               | (26.4 - 54.5) | (5.2 - 40.2) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 41.3          | 5/19         | 0/4 |
| Live births per 100 transfers <sup>b,c</sup>             | 41.3          | 5/17         | 0/4 |
| Cancellations per 100 cycles <sup>c</sup>                | 2.1           | 13.6         | 1/5 |
| Average number embryos transferred                       | 3.9           | 3.7          | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 9/19          | 4/6          | 0/1 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 9/19          | 4/5          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |     |
| Number of transfers                                      | 9             | 5            | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/9           | 1/5          |     |
| Average number embryos transferred                       | 3.8           | 4.2          |     |
| <b>Donor Eggs</b>  |               |              |     |
| Number of fresh transfers                                | 0             | 0            | 3   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              | 0/3 |
| Number of frozen transfers                               | 1             | 0            | 4   |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           |              | 1/4 |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           |              | 4.6 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



**UNIVERSITY OF KANSAS MEDICAL CENTER  
KANSAS CITY, KANSAS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 71% | Tubal factor          | 29% |
| Single women?           | No  | GIFT                     | 29% | Endometriosis         | 16% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | Yes | With ICSI                | 8%  | Ovulatory dysfunction | 22% |
|                         |     | Unstimulated             | 0%  | Other factors         | 9%  |
|                         |     |                          |     | Unexplained           | 4%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 39           | 42           | 12   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 12.8         | 14.3         | 0/12 |
| Live births per 100 cycles <sup>b,c</sup>                | 12.8         | 9.5          | 0/12 |
| (95% confidence intervals)                               | (2.3 - 23.3) | (0.6 - 18.4) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 14.3         | 13.3         | 0/8  |
| Live births per 100 transfers <sup>b,c</sup>             | 20.0         | 15.4         | 0/5  |
| Cancellations per 100 cycles <sup>c</sup>                | 10.3         | 28.6         | 4/12 |
| Average number embryos transferred                       | 4.5          | 5.2          | 2.2  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 5/5          | 2/6          |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/5          | 2/4          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 2            | 0            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/2          |              |      |
| Average number embryos transferred                       | 2.0          |              |      |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 0            | 0            | 1    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              | 1/1  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) |              |              | 7.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY OVERLAND PARK, KANSAS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 80% | Tubal factor          | 17% |
| Single women?           | No  | GIFT                     | 20% | Endometriosis         | 4%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 25% |
| Sharing of donor eggs?  | Yes | With ICSI                | 20% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 24% |
|                         |     |                          |     | Unexplained           | 21% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 148           | 102           | 23           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 42.6          | 32.4          | 13.0         |
| Live births per 100 cycles <sup>b,c</sup>                | 39.2          | 27.5          | 13.0         |
| (95% confidence intervals)                               | (31.3 - 47.1) | (18.8 - 36.1) | (0.0 - 26.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 46.0          | 38.4          | 3/12         |
| Live births per 100 transfers <sup>b,c</sup>             | 49.6          | 40.0          | 3/9          |
| Cancellations per 100 cycles <sup>c</sup>                | 14.9          | 28.4          | 47.8         |
| Average number embryos transferred                       | 3.4           | 3.9           | 4.7          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 41.3          | 42.4          | 1/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 41.4          | 46.4          | 1/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 28            | 9             | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 35.7          | 2/9           | 0/1          |
| Average number embryos transferred                       | 3.1           | 2.3           | 2.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 2             | 3             | 20           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2           | 2/3           | 40.0         |
| Number of frozen transfers                               | 0             | 0             | 1            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               | 0/1          |
| Average number embryos transferred<br>(fresh and frozen) | 5.5           | 3.3           | 3.7          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# THE CENTER FOR REPRODUCTIVE MEDICINE WICHITA, KANSAS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 72% | Tubal factor          | 34% |
| Single women?           | Yes | GIFT                     | 25% | Endometriosis         | 33% |
| Gestational carriers?   | Yes | ZIFT                     | 3%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 13% |
| Sharing of donor eggs?  | No  | With ICSI                | 20% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 9%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 53            | 35           | 18   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 30.2          | 22.9         | 4/18 |
| Live births per 100 cycles <sup>b,c</sup>                | 24.5          | 20.0         | 3/18 |
| (95% confidence intervals)                               | (12.9 - 36.1) | (6.7 - 33.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.0          | 21.2         | 3/16 |
| Live births per 100 transfers <sup>b,c</sup>             | 26.0          | 22.6         | 3/14 |
| Cancellations per 100 cycles <sup>c</sup>                | 1.9           | 5.7          | 2/18 |
| Average number embryos transferred                       | 3.5           | 3.7          | 4.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/16          | 2/8          | 1/4  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 6/13          | 2/7          | 0/3  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 14            | 10           | 9    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/14          | 1/10         | 0/9  |
| Average number embryos transferred                       | 4.2           | 4.2          | 4.2  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 2             | 2            | 3    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/2           | 0/2          | 0/3  |
| Number of frozen transfers                               | 1             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1           |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 3.3           | 5.0          | 4.3  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**BLUEGRASS FERTILITY ASSOCIATES  
FERTILITY AND ENDOCRINE ASSOCIATES  
LEXINGTON, KENTUCKY**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 98% | Tubal factor          | 20% |
| Single women?           | No  | GIFT                     | <1% | Endometriosis         | 47% |
| Gestational carriers?   | No  | ZIFT                     | 1%  | Uterine factor        | 1%  |
| Donor egg program?      | No  |                          |     | Male factor           | 7%  |
| Sharing of donor eggs?  | No  | With ICSI                | 20% | Ovulatory dysfunction | 17% |
|                         |     | Unstimulated             | 0%  | Other factors         | 8%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |       |     |
|--|---------------|-------|-----|
|  | <35           | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |       |     |
| Number of cycles   | 65            | 22    | 9   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 27.7          | 0.0   | 0/9 |
| Live births per 100 cycles <sup>b,c</sup>                | 26.2          | 0.0   | 0/9 |
| (95% confidence intervals)                               | (15.5 - 36.8) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 27.9          | 0/19  | 0/8 |
| Live births per 100 transfers <sup>b,c</sup>             | 28.8          | 0/18  | 0/8 |
| Cancellations per 100 cycles <sup>c</sup>                | 6.2           | 13.6  | 1/9 |
| Average number embryos transferred                       | 4.2           | 3.6   | 3.1 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 8/18          |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 8/17          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |       |     |
| Number of transfers                                      | 7             | 2     | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 1/7           | 0/2   |     |
| Average number embryos transferred                       | 4.1           | 4.5   |     |
| <b>Donor Eggs</b>  |               |       |     |
| Number of fresh transfers                                | 0             | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |       |     |
| Number of frozen transfers                               | 0             | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |       |     |
| Average number embryos transferred<br>(fresh and frozen) |               |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# UNIVERSITY OF KENTUCKY CHANDLER MEDICAL CENTER LEXINGTON, KENTUCKY

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 39% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 43% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 14% |
| Sharing of donor eggs?  | No  | With ICSI                | 0%   | Ovulatory dysfunction | 4%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 0%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 13           | 9     | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 3/13         | 0/9   | 0/2 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 2/13         | 0/9   | 0/2 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 2/12         | 0/6   | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>                            | 2/11         | 0/6   | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/13         | 3/9   | 1/2 |
| Average number embryos transferred                                      | 2.9          | 2.3   | 2.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 1/3          |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 1/2          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 3            | 1     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/3          | 0/1   |     |
| Average number embryos transferred                                      | 2.0          | 3.0   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**ALLIANT HEALTH SYSTEM -  
THE WOMEN'S PAVILION HEALTH & RESOURCE CENTER  
LOUISVILLE, KENTUCKY**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 98% | Tubal factor          | 31% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 20% |
| Gestational carriers?   | No  | ZIFT                     | 1%  | Uterine factor        | 6%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 14% |
| Sharing of donor eggs?  | No  | With ICSI                | 28% | Ovulatory dysfunction | 22% |
|                         |     | Unstimulated             | 0%  | Other factors         | 7%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 76            | 44            | 31           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 34.2          | 36.4          | 16.1         |
| Live births per 100 cycles <sup>b,c</sup>                | 32.9          | 34.1          | 12.9         |
| (95% confidence intervals)                               | (22.3 - 43.5) | (20.1 - 48.1) | (1.1 - 24.7) |
| Live births per 100 retrievals <sup>b,c</sup>            | 37.3          | 41.7          | 20.0         |
| Live births per 100 transfers <sup>b,c</sup>             | 41.0          | 45.5          | 4/17         |
| Cancellations per 100 cycles <sup>c</sup>                | 11.8          | 18.2          | 35.5         |
| Average number embryos transferred                       | 3.0           | 3.4           | 3.6          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 30.8          | 7/16          | 0/5          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 28.0          | 7/15          | 0/4          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 10            | 9             | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/10          | 0/9           | 0/1          |
| Average number embryos transferred                       | 3.7           | 3.2           | 2.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 0             | 2            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |               | 0/2          |
| Number of frozen transfers                               | 0             | 0             | 1            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               | 1/1          |
| Average number embryos transferred<br>(fresh and frozen) |               |               | 4.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## FERTILITY AND LASER CENTER METAIRIE, LOUISIANA

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 14% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 14% |
| Sharing of donor eggs?  | No  | With ICSI                | 8%  | Ovulatory dysfunction | 30% |
|                         |     | Unstimulated             | 0%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 75            | 35           | 26           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.0          | 22.9         | 11.5         |
| Live births per 100 cycles <sup>b,c</sup>                | 20.0          | 22.9         | 7.7          |
| (95% confidence intervals)                               | (10.9 - 29.1) | (8.9 - 36.8) | (0.0 - 17.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 25.9          | 32.0         | 2/14         |
| Live births per 100 transfers <sup>b,c</sup>             | 28.3          | 38.1         | 2/10         |
| Cancellations per 100 cycles <sup>c</sup>                | 22.7          | 28.6         | 46.2         |
| Average number embryos transferred                       | 5.8           | 4.4          | 5.2          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 5/15          | 1/8          | 0/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 5/15          | 1/8          | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 3             | 3            | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/3           | 0/3          | 0/1          |
| Average number embryos transferred                       | 4.0           | 6.7          | 4.0          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 0             | 0            | 2            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              | 1/2          |
| Number of frozen transfers                               | 0             | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |              |
| Average number embryos transferred<br>(fresh and frozen) |               |              | 4.5          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# THE CENTER FOR FERTILITY AND ADVANCED REPRODUCTION NEW ORLEANS, LOUISIANA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 90% | Tubal factor          | 22% |
| Single women?           | Yes | GIFT                     | 10% | Endometriosis         | 26% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 24% |
| Sharing of donor eggs?  | No  | With ICSI                | 32% | Ovulatory dysfunction | 13% |
|                         |     | Unstimulated             | 0%  | Other factors         | 15% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |       |     |
|--|--------------|-------|-----|
|  | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |       |     |
| Number of cycles   | 20           | 8     | 3   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.0         | 0/8   | 1/3 |
| Live births per 100 cycles <sup>b,c</sup>                | 20.0         | 0/8   | 0/3 |
| (95% confidence intervals)                               | (2.5 - 37.5) |       |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 20.0         | 0/8   | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>             | 4/16         | 0/6   | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0          | 0/8   | 0/3 |
| Average number embryos transferred                       | 3.8          | 2.5   | 4.3 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/4          |       | 0/1 |
| Multiple live births per 100 live births <sup>b,c</sup>  | 1/4          |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |       |     |
| Number of transfers                                      | 8            | 4     | 1   |
| Live births per 100 transfers <sup>b,c</sup>             | 2/8          | 1/4   | 0/1 |
| Average number embryos transferred                       | 3.1          | 4.0   | 4.0 |
| <b>Donor Eggs</b>  |              |       |     |
| Number of fresh transfers                                | 0            | 0     | 2   |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |       | 1/2 |
| Number of frozen transfers                               | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |       |     |
| Average number embryos transferred<br>(fresh and frozen) |              |       | 7.0 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# FERTILITY INSTITUTE OF NEW ORLEANS NEW ORLEANS, LOUISIANA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 85% | Tubal factor          | 16% |
| Single women?           | Yes | GIFT                     | 12% | Endometriosis         | 25% |
| Gestational carriers?   | Yes | ZIFT                     | 3%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 37% |
| Sharing of donor eggs?  | Yes | With ICSI                | 27% | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 10% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 80            | 48            | 19   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 28.8          | 25.0          | 2/19 |
| Live births per 100 cycles <sup>b,c</sup>                | 26.3          | 22.9          | 2/19 |
| (95% confidence intervals)                               | (16.6 - 35.9) | (11.0 - 34.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 30.0          | 29.7          | 2/14 |
| Live births per 100 transfers <sup>b,c</sup>             | 33.3          | 29.7          | 2/13 |
| Cancellations per 100 cycles <sup>c</sup>                | 12.5          | 22.9          | 5/19 |
| Average number embryos transferred                       | 4.1           | 4.2           | 4.7  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 43.5          | 1/12          | 1/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 47.6          | 1/11          | 1/2  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 9             | 6             | 1    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/9           | 0/6           | 0/1  |
| Average number embryos transferred                       | 1.9           | 2.7           | 3.0  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 1             | 1             | 1    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 1/1           | 1/1  |
| Number of frozen transfers                               | 0             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |      |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 3.0           | 6.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# CENTER FOR FERTILITY AND REPRODUCTIVE HEALTH SHREVEPORT, LOUISIANA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 95% | Tubal factor          | 35% |
| Single women?           | No  | GIFT                     | 5%  | Endometriosis         | 29% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 12% |
| Sharing of donor eggs?  | Yes | With ICSI                | 23% | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |       |      |
|--|---------------|-------|------|
|  | <35           | 35-39 | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |       |      |
| Number of cycles   | 42            | 8     | 10   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 26.2          | 2/8   | 0/10 |
| Live births per 100 cycles <sup>b,c</sup>                | 26.2          | 1/8   | 0/10 |
| (95% confidence intervals)                               | (12.9 - 39.5) |       |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 29.7          | 1/7   | 0/5  |
| Live births per 100 transfers <sup>b,c</sup>             | 30.6          | 1/7   | 0/5  |
| Cancellations per 100 cycles <sup>c</sup>                | 11.9          | 1/8   | 5/10 |
| Average number embryos transferred                       | 4.7           | 4.3   | 4.2  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 10/11         | 0/2   |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 10/11         | 0/1   |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |       |      |
| Number of transfers                                      | 9             | 1     | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/9           | 0/1   |      |
| Average number embryos transferred                       | 5.2           | 4.0   |      |
| <b>Donor Eggs</b>  |               |       |      |
| Number of fresh transfers                                | 1             | 1     | 2    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 0/1   | 0/2  |
| Number of frozen transfers                               | 0             | 0     | 1    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |       | 0/1  |
| Average number embryos transferred<br>(fresh and frozen) | 6.0           | 3.0   | 5.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**CENTER FOR ADVANCED REPRODUCTIVE TECHNOLOGY  
UNIVERSITY OF MARYLAND  
BALTIMORE, MARYLAND**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 96% | Tubal factor          | 41% |
| Single women?           | Yes | GIFT                     | 2%  | Endometriosis         | 19% |
| Gestational carriers?   | No  | ZIFT                     | 2%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 1%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%  | Ovulatory dysfunction | 25% |
|                         |     | Unstimulated             | 0%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 10% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman |              |     |
|--|--------------|--------------|-----|
|  | <35          | 35-39        | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |     |
| Number of cycles   | 30           | 27           | 7   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.0         | 3.7          | 0/7 |
| Live births per 100 cycles <sup>b,c</sup>                | 16.7         | 3.7          | 0/7 |
| (95% confidence intervals)                               | (3.3 - 30.0) | (0.0 - 10.8) |     |
| Live births per 100 retrievals <sup>b,c</sup>            | 21.7         | 1/19         | 0/5 |
| Live births per 100 transfers <sup>b,c</sup>             | 25.0         | 1/16         | 0/4 |
| Cancellations per 100 cycles <sup>c</sup>                | 23.3         | 29.6         | 2/7 |
| Average number embryos transferred                       | 4.0          | 4.3          | 3.3 |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 1/6          | 0/1          |     |
| Multiple live births per 100 live births <sup>b,c</sup>  | 0/5          | 0/1          |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |     |
| Number of transfers                                      | 2            | 0            | 0   |
| Live births per 100 transfers <sup>b,c</sup>             | 0/2          |              |     |
| Average number embryos transferred                       | 4.0          |              |     |
| <b>Donor Eggs</b>  |              |              |     |
| Number of fresh transfers                                | 1            | 1            | 5   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1          | 1/1          | 2/5 |
| Number of frozen transfers                               | 0            | 2            | 1   |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              | 1/2          | 1/1 |
| Average number embryos transferred<br>(fresh and frozen) | 5.0          | 4.0          | 4.2 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## GBMC FERTILITY CENTER BALTIMORE, MARYLAND

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 96% | Tubal factor          | 22% |
| Single women?           | No  | GIFT                     | 3%  | Endometriosis         | 29% |
| Gestational carriers?   | No  | ZIFT                     | 1%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 34% |
| Sharing of donor eggs?  | No  | With ICSI                | 41% | Ovulatory dysfunction | 0%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 10% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 216           | 193           | 83           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 33.8          | 23.3          | 18.1         |
| Live births per 100 cycles <sup>b,c</sup>                | 29.6          | 16.1          | 13.3         |
| (95% confidence intervals)                               | (23.5 - 35.7) | (10.9 - 21.2) | (6.0 - 20.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 32.0          | 19.9          | 15.7         |
| Live births per 100 transfers <sup>b,c</sup>             | 33.9          | 20.9          | 17.2         |
| Cancellations per 100 cycles <sup>c</sup>                | 7.4           | 19.2          | 15.7         |
| Average number embryos transferred                       | 3.9           | 3.7           | 4.0          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 46.6          | 26.7          | 1/15         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 45.3          | 29.0          | 1/11         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 73            | 54            | 20           |
| Live births per 100 transfers <sup>b,c</sup>             | 16.4          | 16.7          | 5.0          |
| Average number embryos transferred                       | 2.8           | 3.0           | 2.2          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 1             | 3             | 13           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 1/3           | 10/13        |
| Number of frozen transfers                               | 2             | 3             | 2            |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 2/2           | 0/3           | 0/2          |
| Average number embryos transferred<br>(fresh and frozen) | 3.7           | 3.5           | 3.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HELIX CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY BALTIMORE, MARYLAND

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 94% | Tubal factor          | 36% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 9%  |
| Gestational carriers?   | No  | ZIFT                     | 5%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 28% |
| Sharing of donor eggs?  | No  | With ICSI                | 35% | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 24% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 46            | 44           | 20           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 26.1          | 18.2         | 10.0         |
| Live births per 100 cycles <sup>b,c</sup>                | 23.9          | 18.2         | 10.0         |
| (95% confidence intervals)                               | (11.6 - 36.2) | (6.8 - 29.6) | (0.0 - 23.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 29.7          | 25.0         | 2/15         |
| Live births per 100 transfers <sup>b,c</sup>             | 29.7          | 25.8         | 2/14         |
| Cancellations per 100 cycles <sup>c</sup>                | 19.6          | 27.3         | 25.0         |
| Average number embryos transferred                       | 4.0           | 3.9          | 3.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/12          | 5/8          | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/11          | 5/8          | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 5             | 5            | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5           | 3/5          |              |
| Average number embryos transferred                       | 5.6           | 3.4          |              |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 0             | 0            | 2            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              | 1/2          |
| Number of frozen transfers                               | 0             | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |              |
| Average number embryos transferred<br>(fresh and frozen) |               |              | 3.5          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# THE JOHNS HOPKINS MEDICAL INSTITUTE BALTIMORE, MARYLAND

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 93% | Tubal factor          | 45% |
| Single women?           | Yes | GIFT                     | 7%  | Endometriosis         | 28% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 9%  |
| Sharing of donor eggs?  | No  | With ICSI                | 3%  | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 16% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 37           | 20           | 11   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 24.3         | 35.0         | 1/11 |
| Live births per 100 cycles <sup>b,c</sup>                | 18.9         | 30.0         | 1/11 |
| (95% confidence intervals)                               | (6.3 - 31.5) | (9.9 - 50.1) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.1         | 6/18         | 1/6  |
| Live births per 100 transfers <sup>b,c</sup>             | 24.1         | 6/18         | 1/5  |
| Cancellations per 100 cycles <sup>c</sup>                | 21.6         | 10.0         | 5/11 |
| Average number embryos transferred                       | 4.3          | 5.1          | 3.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 0/9          | 3/7          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 0/7          | 2/6          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 5            | 3            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5          | 0/3          |      |
| Average number embryos transferred                       | 3.0          | 3.0          |      |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 0            | 0            | 4    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              | 1/4  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) |              |              | 4.5  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## CHR - MID ATLANTIC BETHESDA, MARYLAND

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 93% | Tubal factor          | 20% |
| Single women?           | Yes | GIFT                     | 6%  | Endometriosis         | 13% |
| Gestational carriers?   | Yes | ZIFT                     | 1%  | Uterine factor        | 5%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 22% |
| Sharing of donor eggs?  | No  | With ICSI                | 35% | Ovulatory dysfunction | 11% |
|                         |     | Unstimulated             | 0%  | Other factors         | 22% |
|                         |     |                          |     | Unexplained           | 7%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 102           | 63           | 36           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 38.2          | 22.2         | 5.6          |
| Live births per 100 cycles <sup>b,c</sup>                | 31.4          | 19.0         | 5.6          |
| (95% confidence intervals)                               | (22.4 - 40.4) | (9.4 - 28.7) | (0.0 - 13.0) |
| Live births per 100 retrievals <sup>b,c</sup>            | 31.4          | 20.0         | 6.3          |
| Live births per 100 transfers <sup>b,c</sup>             | 33.7          | 24.0         | 8.3          |
| Cancellations per 100 cycles <sup>c</sup>                | 0.0           | 4.8          | 11.1         |
| Average number embryos transferred                       | 3.4           | 3.3          | 2.5          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 41.0          | 5/14         | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 40.6          | 4/12         | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 12            | 6            | 3            |
| Live births per 100 transfers <sup>b,c</sup>             | 1/12          | 0/6          | 1/3          |
| Average number embryos transferred                       | 3.0           | 2.5          | 1.3          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 1             | 3            | 16           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 1/3          | 7/16         |
| Number of frozen transfers                               | 0             | 1            | 4            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 1/1          | 1/4          |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 2.3          | 3.1          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## SHADY GROVE FERTILITY CENTERS ROCKVILLE, MARYLAND

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 21% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 20% |
| Sharing of donor eggs?  | No  | With ICSI                | 21%  | Ovulatory dysfunction | 9%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 6%  |
|                         |     |                          |      | Unexplained           | 17% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 170           | 151           | 66           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 40.6          | 37.1          | 13.6         |
| Live births per 100 cycles <sup>b,c</sup>                | 34.1          | 27.8          | 9.1          |
| (95% confidence intervals)                               | (27.0 - 41.2) | (20.7 - 35.0) | (2.2 - 16.0) |
| Live births per 100 retrievals <sup>b,c</sup>            | 37.7          | 30.9          | 11.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 40.0          | 32.8          | 12.8         |
| Cancellations per 100 cycles <sup>c</sup>                | 9.4           | 9.9           | 19.7         |
| Average number embryos transferred                       | 3.4           | 3.4           | 3.7          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 50.7          | 25.0          | 3/9          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 50.0          | 21.4          | 2/6          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 17            | 7             | 6            |
| Live births per 100 transfers <sup>b,c</sup>             | 2/17          | 0/7           | 0/6          |
| Average number embryos transferred                       | 3.4           | 2.4           | 3.2          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 7             | 4             | 13           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/7           | 1/4           | 4/13         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 3.6           | 3.3           | 3.2          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## FERTILITY CENTER OF MARYLAND TOWSON, MARYLAND

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 88% | Tubal factor          | 41% |
| Single women?           | No  | GIFT                     | 8%  | Endometriosis         | 33% |
| Gestational carriers?   | No  | ZIFT                     | 4%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 10% |
| Sharing of donor eggs?  | No  | With ICSI                | 0%  | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 72            | 53            | 15   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 34.7          | 35.8          | 2/15 |
| Live births per 100 cycles <sup>b,c</sup>                | 29.2          | 32.1          | 2/15 |
| (95% confidence intervals)                               | (18.7 - 39.7) | (19.5 - 44.6) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 30.4          | 33.3          | 2/14 |
| Live births per 100 transfers <sup>b,c</sup>             | 30.9          | 33.3          | 2/11 |
| Cancellations per 100 cycles <sup>c</sup>                | 4.2           | 3.8           | 1/15 |
| Average number embryos transferred                       | 3.5           | 3.8           | 4.3  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 32.0          | 3/19          | 0/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 38.1          | 3/17          | 0/2  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 34            | 25            | 7    |
| Live births per 100 transfers <sup>b,c</sup>             | 17.6          | 12.0          | 2/7  |
| Average number embryos transferred                       | 3.4           | 3.2           | 3.4  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 0             | 0             | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |               |      |
| Number of frozen transfers                               | 0             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |      |
| Average number embryos transferred<br>(fresh and frozen) |               |               |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## BRIGHAM AND WOMEN'S HOSPITAL BOSTON, MASSACHUSETTS

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 96% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 4%  | Endometriosis         | 11% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 33% |
| Sharing of donor eggs?  | No  | With ICSI                | 19% | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 11% |
|                         |     |                          |     | Unexplained           | 9%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 347           | 291           | 143          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 30.0          | 25.4          | 18.2         |
| Live births per 100 cycles <sup>b,c</sup>                | 25.9          | 19.6          | 13.3         |
| (95% confidence intervals)                               | (21.3 - 30.5) | (15.0 - 24.1) | (7.7 - 18.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 26.3          | 19.9          | 14.1         |
| Live births per 100 transfers <sup>b,c</sup>             | 28.3          | 20.7          | 14.5         |
| Cancellations per 100 cycles <sup>c</sup>                | 1.4           | 1.7           | 5.6          |
| Average number embryos transferred                       | 4.0           | 4.1           | 4.3          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 53.8          | 33.8          | 26.9         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 48.9          | 22.8          | 6/19         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 25            | 17            | 5            |
| Live births per 100 transfers <sup>b,c</sup>             | 20.0          | 3/17          | 1/5          |
| Average number embryos transferred                       | 4.2           | 3.7           | 4.2          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 8             | 6             | 2            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/8           | 4/6           | 1/2          |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.9           | 4.0           | 5.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# FAULKNER CENTER FOR REPRODUCTIVE MEDICINE BOSTON, MASSACHUSETTS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 19% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 21% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 21% |
| Sharing of donor eggs?  | Yes | With ICSI                | 38%  | Ovulatory dysfunction | 18% |
|                         |     | Unstimulated             | 0%   | Other factors         | 8%  |
|                         |     |                          |      | Unexplained           | 10% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |             |      |
|--|--------------|-------------|------|
|  | <35          | 35-39       | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |             |      |
| Number of cycles   | 54           | 30          | 35   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 11.1         | 3.3         | 0.0  |
| Live births per 100 cycles <sup>b,c</sup>                | 11.1         | 3.3         | 0.0  |
| (95% confidence intervals)                               | (2.7 - 19.5) | (0.0 - 9.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 13.6         | 5.0         | 0.0  |
| Live births per 100 transfers <sup>b,c</sup>             | 14.3         | 1/19        | 0/16 |
| Cancellations per 100 cycles <sup>c</sup>                | 18.5         | 33.3        | 40.0 |
| Average number embryos transferred                       | 3.1          | 3.2         | 3.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/6          | 0/1         |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/6          | 0/1         |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |             |      |
| Number of transfers                                      | 5            | 4           | 3    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5          | 1/4         | 1/3  |
| Average number embryos transferred                       | 3.2          | 3.5         | 3.0  |
| <b>Donor Eggs</b>  |              |             |      |
| Number of fresh transfers                                | 4            | 6           | 17   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/4          | 0/6         | 4/17 |
| Number of frozen transfers                               | 1            | 0           | 1    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/1          |             | 0/1  |
| Average number embryos transferred<br>(fresh and frozen) | 3.8          | 3.0         | 2.8  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# MASSACHUSETTS GENERAL HOSPITAL VINCENT IVF UNIT BOSTON, MASSACHUSETTS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 26% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 10% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 32% |
| Sharing of donor eggs?  | No  | With ICSI                | 22% | Ovulatory dysfunction | 15% |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 12% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 103           | 92            | 39           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 28.2          | 25.0          | 7.7          |
| Live births per 100 cycles <sup>b,c</sup>                | 23.3          | 18.5          | 7.7          |
| (95% confidence intervals)                               | (15.1 - 31.5) | (10.5 - 26.4) | (0.0 - 16.1) |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.5          | 22.1          | 9.7          |
| Live births per 100 transfers <sup>b,c</sup>             | 25.8          | 23.0          | 10.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 4.9           | 16.3          | 20.5         |
| Average number embryos transferred                       | 3.1           | 3.6           | 3.6          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 41.4          | 30.4          | 2/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 50.0          | 4/17          | 0/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 15            | 6             | 4            |
| Live births per 100 transfers <sup>b,c</sup>             | 2/15          | 1/6           | 1/4          |
| Average number embryos transferred                       | 3.1           | 3.2           | 3.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 0             | 2             | 2            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 0/2           | 0/2          |
| Number of frozen transfers                               | 0             | 3             | 1            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               | 1/3           | 0/1          |
| Average number embryos transferred<br>(fresh and frozen) |               | 3.2           | 3.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## BOSTON IVF BROOKLINE, MASSACHUSETTS

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 88% | Tubal factor          | 21% |
| Single women?           | Yes | GIFT                     | 12% | Endometriosis         | 11% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 21% |
| Sharing of donor eggs?  | No  | With ICSI                | 22% | Ovulatory dysfunction | 13% |
|                         |     | Unstimulated             | 1%  | Other factors         | 21% |
|                         |     |                          |     | Unexplained           | 9%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |             |
|--|---------------|---------------|-------------|
|  | <35           | 35-39         | >39         |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |             |
| Number of cycles   | 1,021         | 838           | 471         |
| Pregnancies per 100 cycles <sup>c</sup>                  | 17.2          | 17.7          | 11.0        |
| Live births per 100 cycles <sup>b,c</sup>                | 15.8          | 13.7          | 6.2         |
| (95% confidence intervals)                               | (13.5 - 18.0) | (11.4 - 16.1) | (4.0 - 8.3) |
| Live births per 100 retrievals <sup>b,c</sup>            | 17.2          | 15.5          | 7.3         |
| Live births per 100 transfers <sup>b,c</sup>             | 19.6          | 17.1          | 8.2         |
| Cancellations per 100 cycles <sup>c</sup>                | 8.3           | 11.2          | 15.5        |
| Average number embryos transferred                       | 3.1           | 3.6           | 3.7         |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 37.5          | 33.1          | 21.2        |
| Multiple live births per 100 live births <sup>b,c</sup>  | 33.5          | 29.6          | 20.7        |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |             |
| Number of transfers                                      | 122           | 122           | 42          |
| Live births per 100 transfers <sup>b,c</sup>             | 22.1          | 17.2          | 2.4         |
| Average number embryos transferred                       | 2.5           | 2.9           | 2.7         |
| <b>Donor Eggs</b>  |               |               |             |
| Number of fresh transfers                                | 26            | 36            | 54          |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 30.8          | 19.4          | 31.5        |
| Number of frozen transfers                               | 0             | 0             | 0           |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |             |
| Average number embryos transferred<br>(fresh and frozen) | 2.7           | 2.9           | 3.3         |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# NEW ENGLAND FERTILITY & ENDOCRINOLOGY ASSOCIATES BROOKLINE, MASSACHUSETTS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 75% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 9%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |      | Male factor           | 5%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%   | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 75%  | Other factors         | 7%  |
|                         |     |                          |      | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 11           | 24    | 5   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 0/11         | 0.0   | 0/5 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 0/11         | 0.0   | 0/5 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 0/10         | 0.0   | 0/5 |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/7          | 0/18  | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/11         | 0.0   | 0/5 |
| Average number embryos transferred                                      | 1.0          | 1.3   | 1.7 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    |              |       |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 |              |       |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |     |
| Average number embryos transferred                                      |              |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HALLMARK FERTILITY SERVICES THE MALDEN HOSPITAL MALDEN, MASSACHUSETTS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 36% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 20% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 5%  |
| Donor egg program?      | No  |                          |      | Male factor           | 19% |
| Sharing of donor eggs?  | No  | With ICSI                | 1%   | Ovulatory dysfunction | 14% |
|                         |     | Unstimulated             | 0%   | Other factors         | 6%  |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 26           | 39           | 15   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 26.9         | 33.3         | 2/15 |
| Live births per 100 cycles <sup>b,c</sup>                | 11.5         | 23.1         | 1/15 |
| (95% confidence intervals)                               | (0.0 - 23.8) | (9.9 - 36.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 12.0         | 25.0         | 1/14 |
| Live births per 100 transfers <sup>b,c</sup>             | 13.0         | 30.0         | 1/13 |
| Cancellations per 100 cycles <sup>c</sup>                | 3.8          | 7.7          | 1/15 |
| Average number embryos transferred                       | 3.4          | 3.4          | 3.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 0/7          | 2/13         | 1/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 0/3          | 1/9          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 10           | 8            | 6    |
| Live births per 100 transfers <sup>b,c</sup>             | 2/10         | 0/8          | 0/6  |
| Average number embryos transferred                       | 3.2          | 3.1          | 3.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 0            | 0            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              |      |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) |              |              |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**FERTILITY CENTER OF NEW ENGLAND, INC.  
READING, MASSACHUSETTS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 29% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 13% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 5%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 24% |
| Sharing of donor eggs?  | No  | With ICSI                | 29% | Ovulatory dysfunction | 12% |
|                         |     | Unstimulated             | 1%  | Other factors         | 9%  |
|                         |     |                          |     | Unexplained           | 8%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |             |
|--|---------------|---------------|-------------|
|  | <35           | 35-39         | >39         |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |             |
| Number of cycles   | 347           | 299           | 221         |
| Pregnancies per 100 cycles <sup>c</sup>                  | 24.5          | 19.7          | 3.6         |
| Live births per 100 cycles <sup>b,c</sup>                | 18.7          | 15.4          | 3.2         |
| (95% confidence intervals)                               | (14.6 - 22.8) | (11.3 - 19.5) | (0.9 - 5.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 19.1          | 16.0          | 3.6         |
| Live births per 100 transfers <sup>b,c</sup>             | 20.4          | 18.2          | 4.6         |
| Cancellations per 100 cycles <sup>c</sup>                | 1.7           | 4.0           | 12.7        |
| Average number embryos transferred                       | 3.3           | 3.3           | 3.2         |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 27.1          | 20.3          | 0/8         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 26.2          | 15.2          | 0/7         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |             |
| Number of transfers                                      | 59            | 36            | 12          |
| Live births per 100 transfers <sup>b,c</sup>             | 13.6          | 11.1          | 2/12        |
| Average number embryos transferred                       | 3.5           | 3.5           | 3.4         |
| <b>Donor Eggs</b>  |               |               |             |
| Number of fresh transfers                                | 3             | 3             | 21          |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/3           | 3/3           | 38.1        |
| Number of frozen transfers                               | 1             | 1             | 12          |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/1           | 0/1           | 0/12        |
| Average number embryos transferred<br>(fresh and frozen) | 4.3           | 3.5           | 2.8         |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## BAYSTATE IVF SPRINGFIELD, MASSACHUSETTS

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 40% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 18% |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 21% |
| Sharing of donor eggs?  | No  | With ICSI                | 30% | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 8%  |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 101           | 86            | 23           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 29.7          | 26.7          | 21.7         |
| Live births per 100 cycles <sup>b,c</sup>                | 26.7          | 20.9          | 17.4         |
| (95% confidence intervals)                               | (18.1 - 35.4) | (12.3 - 29.5) | (1.9 - 32.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 28.4          | 25.0          | 4/16         |
| Live births per 100 transfers <sup>b,c</sup>             | 32.1          | 26.5          | 4/13         |
| Cancellations per 100 cycles <sup>c</sup>                | 5.9           | 16.3          | 30.4         |
| Average number embryos transferred                       | 3.1           | 3.8           | 4.1          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 46.7          | 30.4          | 1/5          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 48.1          | 3/18          | 1/4          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 43            | 12            | 6            |
| Live births per 100 transfers <sup>b,c</sup>             | 23.3          | 4/12          | 1/6          |
| Average number embryos transferred                       | 3.6           | 3.2           | 3.2          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 1             | 0             | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           |               |              |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           |               |              |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# BOSTON REGIONAL CENTER FOR REPRODUCTIVE MEDICINE STONEHAM, MASSACHUSETTS

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 94% | Tubal factor          | 31% |
| Single women?           | Yes | GIFT                     | 3%  | Endometriosis         | 13% |
| Gestational carriers?   | No  | ZIFT                     | 3%  | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 20% |
| Sharing of donor eggs?  | No  | With ICSI                | 13% | Ovulatory dysfunction | 13% |
|                         |     | Unstimulated             | 4%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 16% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 229           | 176          | 63           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 21.8          | 15.9         | 9.5          |
| Live births per 100 cycles <sup>b,c</sup>                | 17.5          | 13.1         | 7.9          |
| (95% confidence intervals)                               | (12.5 - 22.4) | (8.1 - 18.0) | (1.3 - 14.6) |
| Live births per 100 retrievals <sup>b,c</sup>            | 19.0          | 14.3         | 8.5          |
| Live births per 100 transfers <sup>b,c</sup>             | 20.8          | 16.5         | 9.4          |
| Cancellations per 100 cycles <sup>c</sup>                | 8.3           | 8.5          | 6.3          |
| Average number embryos transferred                       | 3.4           | 3.2          | 3.3          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 28.0          | 35.7         | 1/6          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 25.0          | 30.4         | 1/5          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 59            | 25           | 10           |
| Live births per 100 transfers <sup>b,c</sup>             | 15.3          | 4.0          | 0/10         |
| Average number embryos transferred                       | 4.0           | 3.6          | 4.1          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 4             | 1            | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/4           | 0/1          |              |
| Number of frozen transfers                               | 1             | 1            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/1           | 0/1          |              |
| Average number embryos transferred<br>(fresh and frozen) | 3.4           | 2.5          |              |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**REPRODUCTIVE SCIENCE CENTER OF BOSTON  
DEACONESS WALTHAM HOSPITAL  
WALTHAM, MASSACHUSETTS**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 93% | Tubal factor          | 22% |
| Single women?           | Yes | GIFT                     | 6%  | Endometriosis         | 14% |
| Gestational carriers?   | Yes | ZIFT                     | <1% | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 32% |
| Sharing of donor eggs?  | Yes | With ICSI                | 31% | Ovulatory dysfunction | 11% |
|                         |     | Unstimulated             | 1%  | Other factors         | 9%  |
|                         |     |                          |     | Unexplained           | 11% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 402           | 332           | 234          |
| Pregnancies per 100 cycles <sup>c</sup>                  | 39.6          | 26.2          | 13.2         |
| Live births per 100 cycles <sup>b,c</sup>                | 33.8          | 20.8          | 8.1          |
| (95% confidence intervals)                               | (29.2 - 38.5) | (16.4 - 25.1) | (4.6 - 11.6) |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.7          | 24.3          | 10.6         |
| Live births per 100 transfers <sup>b,c</sup>             | 37.6          | 25.7          | 11.4         |
| Cancellations per 100 cycles <sup>c</sup>                | 5.2           | 14.5          | 23.1         |
| Average number embryos transferred                       | 3.3           | 3.6           | 4.4          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 39.0          | 39.1          | 35.5         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 39.0          | 34.8          | 7/19         |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 42            | 36            | 21           |
| Live births per 100 transfers <sup>b,c</sup>             | 31.0          | 30.6          | 23.8         |
| Average number embryos transferred                       | 2.6           | 2.9           | 3.2          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 16            | 21            | 51           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 3/16          | 9.5           | 43.1         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 2.9           | 3.3          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF MICHIGAN MEDICAL CENTER  
ANN ARBOR, MICHIGAN**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 77% | Tubal factor          | 38% |
| Single women?           | Yes | GIFT                     | 20% | Endometriosis         | 8%  |
| Gestational carriers?   | No  | ZIFT                     | 3%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 23% |
| Sharing of donor eggs?  | No  | With ICSI                | 24% | Ovulatory dysfunction | 24% |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 2%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 89           | 67           | 15   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 15.7         | 19.4         | 1/15 |
| Live births per 100 cycles <sup>b,c</sup>                | 13.5         | 16.4         | 1/15 |
| (95% confidence intervals)                               | (6.4 - 20.6) | (7.5 - 25.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 17.6         | 20.0         | 1/11 |
| Live births per 100 transfers <sup>b,c</sup>             | 19.4         | 20.8         | 1/9  |
| Cancellations per 100 cycles <sup>c</sup>                | 23.6         | 17.9         | 4/15 |
| Average number embryos transferred                       | 4.1          | 4.6          | 5.1  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/14         | 2/13         | 1/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/12         | 2/11         | 1/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 26           | 20           | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 3.8          | 0.0          | 0/2  |
| Average number embryos transferred                       | 3.3          | 3.2          | 3.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 0            | 0            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |              |              |      |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) |              |              |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**CENTER FOR REPRODUCTIVE MEDICINE  
OAKWOOD HOSPITAL  
DEARBORN, MICHIGAN**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 24% |
| Single women?           | Yes | GIFT                     | 1%  | Endometriosis         | 9%  |
| Gestational carriers?   | Yes | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 7%  |
| Sharing of donor eggs?  | No  | With ICSI                | 15% | Ovulatory dysfunction | 53% |
|                         |     | Unstimulated             | 0%  | Other factors         | 7%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |             |              |
|--|---------------|-------------|--------------|
|  | <35           | 35-39       | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |             |              |
| Number of cycles   | 95            | 90          | 41           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 23.2          | 8.9         | 4.9          |
| Live births per 100 cycles <sup>b,c</sup>                | 20.0          | 4.4         | 4.9          |
| (95% confidence intervals)                               | (12.0 - 28.0) | (0.2 - 8.7) | (0.0 - 11.5) |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.4          | 7.1         | 10.0         |
| Live births per 100 transfers <sup>b,c</sup>             | 27.1          | 8.3         | 2/15         |
| Cancellations per 100 cycles <sup>c</sup>                | 17.9          | 37.8        | 51.2         |
| Average number embryos transferred                       | 4.0           | 3.4         | 3.3          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 31.8          | 2/8         | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/19          | 1/4         | 0/2          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |             |              |
| Number of transfers                                      | 3             | 3           | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/3           | 0/3         | 0/1          |
| Average number embryos transferred                       | 3.7           | 2.7         | 2.0          |
| <b>Donor Eggs</b>  |               |             |              |
| Number of fresh transfers                                | 1             | 4           | 1            |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 1/4         | 1/1          |
| Number of frozen transfers                               | 0             | 0           | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |             |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 4.0         | 5.0          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HUTZEL HOSPITAL DETROIT, MICHIGAN

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 97% | Tubal factor          | 27% |
| Single women?           | Yes | GIFT                     | 2%  | Endometriosis         | 12% |
| Gestational carriers?   | Yes | ZIFT                     | 1%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 21% |
| Sharing of donor eggs?  | No  | With ICSI                | 24% | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 5%  | Other factors         | 7%  |
|                         |     |                          |     | Unexplained           | 22% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 63           | 53           | 13   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 20.6         | 20.8         | 1/13 |
| Live births per 100 cycles <sup>b,c</sup>                | 15.9         | 9.4          | 1/13 |
| (95% confidence intervals)                               | (6.8 - 24.9) | (1.6 - 17.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 20.4         | 11.9         | 1/9  |
| Live births per 100 transfers <sup>b,c</sup>             | 21.7         | 12.8         | 1/9  |
| Cancellations per 100 cycles <sup>c</sup>                | 22.2         | 20.8         | 4/13 |
| Average number embryos transferred                       | 4.0          | 4.4          | 3.9  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 3/13         | 2/11         | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/10         | 2/5          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 6            | 4            | 1    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/6          | 0/4          | 0/1  |
| Average number embryos transferred                       | 3.0          | 3.8          | 2.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 5            | 5            | 5    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 4/5          | 3/5          | 3/5  |
| Number of frozen transfers                               | 0            | 1            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              | 0/1          |      |
| Average number embryos transferred<br>(fresh and frozen) | 4.4          | 4.5          | 5.2  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HURLEY MEDICAL CENTER FOR REPRODUCTIVE MEDICINE FLINT, MICHIGAN

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 85% | Tubal factor          | 31% |
| Single women?           | No  | GIFT                     | 8%  | Endometriosis         | 15% |
| Gestational carriers?   | No  | ZIFT                     | 7%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 45% |
| Sharing of donor eggs?  | No  | With ICSI                | 46% | Ovulatory dysfunction | 3%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 5%  |
|                         |     |                          |     | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 80            | 54           | 41           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 37.5          | 16.7         | 7.3          |
| Live births per 100 cycles <sup>b,c</sup>                | 33.8          | 14.8         | 7.3          |
| (95% confidence intervals)                               | (23.4 - 44.1) | (5.3 - 24.3) | (0.0 - 15.3) |
| Live births per 100 retrievals <sup>b,c</sup>            | 35.5          | 18.6         | 11.1         |
| Live births per 100 transfers <sup>b,c</sup>             | 36.0          | 19.5         | 11.5         |
| Cancellations per 100 cycles <sup>c</sup>                | 5.0           | 20.4         | 34.1         |
| Average number embryos transferred                       | 5.3           | 5.2          | 4.5          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 20.0          | 2/9          | 1/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 22.2          | 0/8          | 1/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 17            | 12           | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 2/17          | 1/12         |              |
| Average number embryos transferred                       | 3.6           | 3.3          |              |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 0             | 0            | 0            |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              |              |
| Number of frozen transfers                               | 0             | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |              |
| Average number embryos transferred<br>(fresh and frozen) |               |              |              |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## MICHIGAN REPRODUCTIVE & IVF CENTER GRAND RAPIDS, MICHIGAN

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 55% | Tubal factor          | 27% |
| Single women?           | No  | GIFT                     | 27% | Endometriosis         | 18% |
| Gestational carriers?   | No  | ZIFT                     | 18% | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 25% |
| Sharing of donor eggs?  | Yes | With ICSI                | 28% | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 0%  | Other factors         | 13% |
|                         |     |                          |     | Unexplained           | 6%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 159           | 70            | 27           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 47.8          | 48.6          | 7.4          |
| Live births per 100 cycles <sup>b,c</sup>                | 42.1          | 40.0          | 3.7          |
| (95% confidence intervals)                               | (34.5 - 49.8) | (28.5 - 51.5) | (0.0 - 10.8) |
| Live births per 100 retrievals <sup>b,c</sup>            | 46.5          | 43.1          | 4.0          |
| Live births per 100 transfers <sup>b,c</sup>             | 47.5          | 43.8          | 4.0          |
| Cancellations per 100 cycles <sup>c</sup>                | 9.4           | 7.1           | 7.4          |
| Average number embryos transferred                       | 4.6           | 5.0           | 3.8          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 53.9          | 38.2          | 0/2          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 46.3          | 32.1          | 0/1          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 6             | 6             | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 1/6           | 0/6           |              |
| Average number embryos transferred                       | 3.2           | 2.2           |              |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 3             | 10            | 20           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 3/3           | 3/10          | 30.0         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.7           | 4.3           | 3.9          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## SPECTRUM HEALTH - EAST CAMPUS GRAND RAPIDS, MICHIGAN

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 89% | Tubal factor          | 41% |
| Single women?           | No  | GIFT                     | 11% | Endometriosis         | 9%  |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 21% |
| Sharing of donor eggs?  | Yes | With ICSI                | 24% | Ovulatory dysfunction | 12% |
|                         |     | Unstimulated             | 0%  | Other factors         | 4%  |
|                         |     |                          |     | Unexplained           | 13% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 60           | 42           | 12   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 18.3         | 23.8         | 0/12 |
| Live births per 100 cycles <sup>b,c</sup>                | 16.7         | 21.4         | 0/12 |
| (95% confidence intervals)                               | (7.2 - 26.1) | (9.0 - 33.8) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 18.9         | 25.7         | 0/10 |
| Live births per 100 transfers <sup>b,c</sup>             | 19.2         | 26.5         | 0/9  |
| Cancellations per 100 cycles <sup>c</sup>                | 11.7         | 16.7         | 2/12 |
| Average number embryos transferred                       | 4.0          | 4.3          | 5.8  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 5/11         | 3/10         |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/10         | 3/9          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 22           | 7            | 1    |
| Live births per 100 transfers <sup>b,c</sup>             | 9.1          | 3/7          | 0/1  |
| Average number embryos transferred                       | 5.1          | 5.1          | 2.0  |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 5            | 3            | 4    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/5          | 1/3          | 2/4  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 3.8          | 3.0          | 7.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**WEST MICHIGAN REPRODUCTIVE INSTITUTE, P.C.**  
**GRAND RAPIDS, MICHIGAN**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 85% | Tubal factor          | 25% |
| Single women?           | Yes | GIFT                     | 10% | Endometriosis         | 29% |
| Gestational carriers?   | No  | ZIFT                     | 5%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 22% |
| Sharing of donor eggs?  | No  | With ICSI                | 21% | Ovulatory dysfunction | 16% |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 49            | 36           | 12   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 24.5          | 25.0         | 0/12 |
| Live births per 100 cycles <sup>b,c</sup>                | 22.4          | 19.4         | 0/12 |
| (95% confidence intervals)                               | (10.8 - 34.1) | (6.5 - 32.4) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 24.4          | 22.6         | 0/8  |
| Live births per 100 transfers <sup>b,c</sup>             | 26.2          | 25.0         | 0/7  |
| Cancellations per 100 cycles <sup>c</sup>                | 8.2           | 13.9         | 4/12 |
| Average number embryos transferred                       | 5.0           | 4.8          | 4.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/12          | 4/9          |      |
| Multiple live births per 100 live births <sup>b,c</sup>  | 4/11          | 4/7          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 7             | 2            | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/7           | 0/2          | 0/2  |
| Average number embryos transferred                       | 4.9           | 5.0          | 4.5  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 1             | 3            | 5    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 0/3          | 1/5  |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 6.0           | 5.7          | 6.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# INFERTILITY AND GYNECOLOGY CENTER OF LANSING, P.C. LANSING, MICHIGAN

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 58% | Tubal factor          | 41% |
| Single women?           | Yes | GIFT                     | 17% | Endometriosis         | 27% |
| Gestational carriers?   | Yes | ZIFT                     | 25% | Uterine factor        | 3%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 19% |
| Sharing of donor eggs?  | No  | With ICSI                | 22% | Ovulatory dysfunction | 1%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 6%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman  |              |      |
|---|---------------|--------------|------|
|   | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of cycles  | 39            | 25           | 12   |
| Pregnancies per 100 cycles <sup>c</sup>                 | 43.6          | 24.0         | 1/12 |
| Live births per 100 cycles <sup>b,c</sup>               | 43.6          | 24.0         | 0/12 |
| (95% confidence intervals)                              | (28.0 - 59.2) | (7.3 - 40.7) |      |
| Live births per 100 retrievals <sup>b,c</sup>           | 51.5          | 30.0         | 0/9  |
| Live births per 100 transfers <sup>b,c</sup>            | 51.5          | 30.0         | 0/8  |
| Cancellations per 100 cycles <sup>c</sup>               | 15.4          | 20.0         | 3/12 |
| Average number embryos transferred                      | 4.7           | 4.8          | 5.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>    | 8/17          | 2/6          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup> | 7/17          | 2/6          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                |               |              |      |
| Number of transfers                                     | 5             | 2            | 5    |
| Live births per 100 transfers <sup>b,c</sup>            | 0/5           | 0/2          | 0/5  |
| Average number embryos transferred                      | 2.0           | 3.5          | 4.4  |
| <b>Donor Eggs</b>                                       |               |              |      |
| Number of fresh transfers                               | 0             | 0            | 1    |
| Live births per 100 fresh transfers <sup>b,c</sup>      |               |              | 0/1  |
| Number of frozen transfers                              | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>     |               |              |      |
| Average number embryos transferred (fresh and frozen)   |               |              | 4.0  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# BEAUMONT CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE ROYAL OAK, MICHIGAN

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 24% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 21% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 1%  |
| Donor egg program?      | No  |                          |      | Male factor           | 34% |
| Sharing of donor eggs?  | No  | With ICSI                | 46%  | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 5%  |
|                         |     |                          |      | Unexplained           | 8%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 70            | 42           | 22   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 38.6          | 21.4         | 4.5  |
| Live births per 100 cycles <sup>b,c</sup>                | 30.0          | 14.3         | 0.0  |
| (95% confidence intervals)                               | (19.3 - 40.7) | (3.7 - 24.9) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 32.3          | 17.6         | 0/17 |
| Live births per 100 transfers <sup>b,c</sup>             | 32.8          | 18.8         | 0/17 |
| Cancellations per 100 cycles <sup>c</sup>                | 7.1           | 19.0         | 22.7 |
| Average number embryos transferred                       | 3.9           | 3.5          | 4.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 40.7          | 3/9          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 42.9          | 2/6          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 5             | 1            | 2    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/5           | 0/1          | 0/2  |
| Average number embryos transferred                       | 3.6           | 2.0          | 3.5  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 0             | 0            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              |      |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) |               |              |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

## F.I.R.S.T. IVF SAGINAW, MICHIGAN

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 70% | Tubal factor          | 15% |
| Single women?           | Yes | GIFT                     | 24% | Endometriosis         | 14% |
| Gestational carriers?   | Yes | ZIFT                     | 6%  | Uterine factor        | 4%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 26% |
| Sharing of donor eggs?  | Yes | With ICSI                | 40% | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 0%  | Other factors         | 31% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 94            | 50            | 32           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 37.2          | 34.0          | 28.1         |
| Live births per 100 cycles <sup>b,c</sup>                | 33.0          | 24.0          | 21.9         |
| (95% confidence intervals)                               | (23.5 - 42.5) | (12.2 - 35.8) | (7.6 - 36.2) |
| Live births per 100 retrievals <sup>b,c</sup>            | 33.7          | 25.5          | 25.0         |
| Live births per 100 transfers <sup>b,c</sup>             | 34.1          | 26.7          | 25.9         |
| Cancellations per 100 cycles <sup>c</sup>                | 2.1           | 6.0           | 12.5         |
| Average number embryos transferred                       | 5.8           | 5.1           | 4.2          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 28.6          | 6/17          | 1/9          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 29.0          | 5/12          | 1/7          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 3             | 0             | 0            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/3           |               |              |
| Average number embryos transferred                       | 1.3           |               |              |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 3             | 4             | 17           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/3           | 1/4           | 7/17         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 5.3           | 5.8           | 5.7          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# HENRY FORD MEDICAL CENTER TROY, MICHIGAN

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 46% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 9%  |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 18% |
| Sharing of donor eggs?  | No  | With ICSI                | 18%  | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 4%  |
|                         |     |                          |      | Unexplained           | 13% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 29            | 29           | 18   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 41.4          | 24.1         | 2/18 |
| Live births per 100 cycles <sup>b,c</sup>                | 37.9          | 24.1         | 1/18 |
| (95% confidence intervals)                               | (20.3 - 55.6) | (8.6 - 39.7) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 42.3          | 33.3         | 1/12 |
| Live births per 100 transfers <sup>b,c</sup>             | 45.8          | 7/19         | 1/11 |
| Cancellations per 100 cycles <sup>c</sup>                | 10.3          | 27.6         | 6/18 |
| Average number embryos transferred                       | 3.2           | 3.5          | 3.6  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 4/12          | 1/7          | 0/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 3/11          | 1/7          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 10            | 10           | 6    |
| Live births per 100 transfers <sup>b,c</sup>             | 0/10          | 1/10         | 0/6  |
| Average number embryos transferred                       | 3.1           | 3.1          | 2.7  |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 1             | 1            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 1/1          |      |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 4.0          |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# ANN ARBOR REPRODUCTIVE MEDICINE YPSILANTI, MICHIGAN

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 23% | Tubal factor          | 23% |
| Single women?           | Yes | GIFT                     | 17% | Endometriosis         | 10% |
| Gestational carriers?   | Yes | ZIFT                     | 60% | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 26% |
| Sharing of donor eggs?  | No  | With ICSI                | 30% | Ovulatory dysfunction | 41% |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 160           | 122           | 42           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 37.5          | 25.4          | 23.8         |
| Live births per 100 cycles <sup>b,c</sup>                | 34.4          | 21.3          | 19.0         |
| (95% confidence intervals)                               | (27.0 - 41.7) | (14.0 - 28.6) | (7.2 - 30.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 40.4          | 29.9          | 29.6         |
| Live births per 100 transfers <sup>b,c</sup>             | 43.0          | 32.5          | 32.0         |
| Cancellations per 100 cycles <sup>c</sup>                | 15.0          | 28.7          | 35.7         |
| Average number embryos transferred                       | 3.3           | 3.5           | 4.0          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 41.7          | 48.4          | 2/10         |
| Multiple live births per 100 live births <sup>b,c</sup>  | 41.8          | 42.3          | 1/8          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 32            | 10            | 2            |
| Live births per 100 transfers <sup>b,c</sup>             | 9.4           | 1/10          | 0/2          |
| Average number embryos transferred                       | 2.3           | 2.2           | 2.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 4             | 9             | 21           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/4           | 3/9           | 28.6         |
| Number of frozen transfers                               | 3             | 3             | 6            |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 0/3           | 0/3           | 3/6          |
| Average number embryos transferred<br>(fresh and frozen) | 3.7           | 3.3           | 3.5          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**CENTER FOR REPRODUCTIVE MEDICINE  
ABBOTT NORTHWESTERN HOSPITAL  
MINNEAPOLIS, MINNESOTA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 93% | Tubal factor          | 22% |
| Single women?           | Yes | GIFT                     | 7%  | Endometriosis         | 21% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 20% |
| Sharing of donor eggs?  | No  | With ICSI                | 28% | Ovulatory dysfunction | 5%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 26% |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |              |              |
|--|---------------|--------------|--------------|
|  | <35           | 35-39        | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |              |
| Number of cycles   | 79            | 70           | 25           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 45.6          | 15.7         | 28.0         |
| Live births per 100 cycles <sup>b,c</sup>                | 40.5          | 12.9         | 16.0         |
| (95% confidence intervals)                               | (29.7 - 51.3) | (5.0 - 20.7) | (1.6 - 30.4) |
| Live births per 100 retrievals <sup>b,c</sup>            | 50.8          | 20.0         | 4/19         |
| Live births per 100 transfers <sup>b,c</sup>             | 50.8          | 20.5         | 4/19         |
| Cancellations per 100 cycles <sup>c</sup>                | 20.3          | 35.7         | 24.0         |
| Average number embryos transferred                       | 3.3           | 3.6          | 3.4          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 33.3          | 4/11         | 1/7          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 28.1          | 3/9          | 1/4          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |              |
| Number of transfers                                      | 4             | 8            | 3            |
| Live births per 100 transfers <sup>b,c</sup>             | 0/4           | 0/8          | 1/3          |
| Average number embryos transferred                       | 2.8           | 3.3          | 3.7          |
| <b>Donor Eggs</b>  |               |              |              |
| Number of fresh transfers                                | 8             | 13           | 21           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 5/8           | 6/13         | 61.9         |
| Number of frozen transfers                               | 0             | 0            | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |              |
| Average number embryos transferred<br>(fresh and frozen) | 3.0           | 3.2          | 2.9          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



# THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, P.A. MINNEAPOLIS, MINNESOTA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 35% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 13% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 24% |
| Sharing of donor eggs?  | Yes | With ICSI                | 17%  | Ovulatory dysfunction | 7%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 20% |
|                         |     |                          |      | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 117           | 90            | 17   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 46.2          | 52.2          | 6/17 |
| Live births per 100 cycles <sup>b,c</sup>                | 42.7          | 44.4          | 5/17 |
| (95% confidence intervals)                               | (33.8 - 51.7) | (34.2 - 54.7) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 47.2          | 52.6          | 5/15 |
| Live births per 100 transfers <sup>b,c</sup>             | 49.0          | 54.1          | 5/14 |
| Cancellations per 100 cycles <sup>c</sup>                | 9.4           | 15.6          | 2/17 |
| Average number embryos transferred                       | 3.0           | 3.6           | 3.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 35.2          | 51.1          | 2/6  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 32.0          | 57.5          | 1/5  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 41            | 28            | 8    |
| Live births per 100 transfers <sup>b,c</sup>             | 29.3          | 17.9          | 1/8  |
| Average number embryos transferred                       | 2.9           | 3.0           | 3.0  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 1             | 4             | 5    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/1           | 3/4           | 3/5  |
| Number of frozen transfers                               | 0             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |      |
| Average number embryos transferred<br>(fresh and frozen) | 2.0           | 2.8           | 2.8  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES ROCHESTER, MINNESOTA

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 99% | Tubal factor          | 29% |
| Single women?           | Yes | GIFT                     | <1% | Endometriosis         | 9%  |
| Gestational carriers?   | No  | ZIFT                     | <1% | Uterine factor        | 1%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 45% |
| Sharing of donor eggs?  | No  | With ICSI                | 46% | Ovulatory dysfunction | 10% |
|                         |     | Unstimulated             | 0%  | Other factors         | 1%  |
|                         |     |                          |     | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 135           | 75            | 14   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 34.8          | 45.3          | 5/14 |
| Live births per 100 cycles <sup>b,c</sup>                | 32.6          | 37.3          | 1/14 |
| (95% confidence intervals)                               | (24.7 - 40.5) | (26.4 - 48.3) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 41.9          | 49.1          | 1/10 |
| Live births per 100 transfers <sup>b,c</sup>             | 41.9          | 49.1          | 1/10 |
| Cancellations per 100 cycles <sup>c</sup>                | 22.2          | 24.0          | 4/14 |
| Average number embryos transferred                       | 3.2           | 3.8           | 4.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 48.9          | 32.4          | 0/5  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 50.0          | 32.1          | 0/1  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 58            | 26            | 8    |
| Live births per 100 transfers <sup>b,c</sup>             | 53.4          | 34.6          | 1/8  |
| Average number embryos transferred                       | 3.6           | 3.4           | 2.8  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 0             | 1             | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               | 0/1           |      |
| Number of frozen transfers                               | 2             | 1             | 11   |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/2           | 0/1           | 5/11 |
| Average number embryos transferred<br>(fresh and frozen) | 3.5           | 3.0           | 3.6  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**REPRODUCTIVE HEALTH ASSOCIATES, P.A.**  
**SAINT PAUL, MINNESOTA**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 21% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 10% |
| Gestational carriers?   | Yes | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 23% |
| Sharing of donor eggs?  | Yes | With ICSI                | 94%  | Ovulatory dysfunction | 2%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 43% |
|                         |     |                          |      | Unexplained           | 1%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 164           | 98            | 19   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 39.0          | 37.8          | 1/19 |
| Live births per 100 cycles <sup>b,c</sup>                | 30.5          | 33.7          | 0/19 |
| (95% confidence intervals)                               | (23.4 - 37.5) | (24.3 - 43.0) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 31.1          | 34.0          | 0/17 |
| Live births per 100 transfers <sup>b,c</sup>             | 31.1          | 34.0          | 0/17 |
| Cancellations per 100 cycles <sup>c</sup>                | 1.8           | 1.0           | 2/19 |
| Average number embryos transferred                       | 3.8           | 4.0           | 4.4  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 23.4          | 35.1          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 26.0          | 36.4          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 58            | 28            | 4    |
| Live births per 100 transfers <sup>b,c</sup>             | 15.5          | 14.3          | 1/4  |
| Average number embryos transferred                       | 3.5           | 3.1           | 2.5  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 3             | 6             | 10   |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/3           | 5/6           | 4/10 |
| Number of frozen transfers                               | 1             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      | 1/1           |               |      |
| Average number embryos transferred<br>(fresh and frozen) | 3.3           | 3.0           | 3.2  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF MISSISSIPPI MEDICAL CENTER  
JACKSON, MISSISSIPPI**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 49% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 22% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 2%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 5%  |
| Sharing of donor eggs?  | No  | With ICSI                | 1%   | Ovulatory dysfunction | 8%  |
|                         |     | Unstimulated             | 0%   | Other factors         | 11% |
|                         |     |                          |      | Unexplained           | 3%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman |              |      |
|--|--------------|--------------|------|
|  | <35          | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |              |              |      |
| Number of cycles   | 53           | 33           | 16   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 15.1         | 30.3         | 1/16 |
| Live births per 100 cycles <sup>b,c</sup>                | 11.3         | 21.2         | 0/16 |
| (95% confidence intervals)                               | (2.8 - 19.9) | (7.3 - 35.2) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 12.8         | 24.1         | 0/9  |
| Live births per 100 transfers <sup>b,c</sup>             | 14.0         | 26.9         | 0/8  |
| Cancellations per 100 cycles <sup>c</sup>                | 11.3         | 12.1         | 7/16 |
| Average number embryos transferred                       | 4.1          | 3.4          | 3.6  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 2/8          | 4/10         | 1/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 2/6          | 2/7          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |              |              |      |
| Number of transfers                                      | 0            | 0            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             |              |              |      |
| Average number embryos transferred                       |              |              |      |
| <b>Donor Eggs</b>  |              |              |      |
| Number of fresh transfers                                | 3            | 0            | 3    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 2/3          |              | 0/3  |
| Number of frozen transfers                               | 0            | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |              |              |      |
| Average number embryos transferred<br>(fresh and frozen) | 4.3          |              | 5.3  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# SAINT LUKE'S HOSPITAL CHESTERFIELD, MISSOURI

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 45% |
| Single women?           | No  | GIFT                     | 0%   | Endometriosis         | 19% |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 5%  |
| Donor egg program?      | No  |                          |      | Male factor           | 4%  |
| Sharing of donor eggs?  | No  | With ICSI                | 10%  | Ovulatory dysfunction | 20% |
|                         |     | Unstimulated             | 0%   | Other factors         | 2%  |
|                         |     |                          |      | Unexplained           | 5%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |              |      |
|--|---------------|--------------|------|
|  | <35           | 35-39        | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |              |      |
| Number of cycles   | 64            | 42           | 15   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 39.1          | 23.8         | 2/15 |
| Live births per 100 cycles <sup>b,c</sup>                | 29.7          | 14.3         | 2/15 |
| (95% confidence intervals)                               | (18.5 - 40.9) | (3.7 - 24.9) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 31.1          | 16.2         | 2/14 |
| Live births per 100 transfers <sup>b,c</sup>             | 33.9          | 18.8         | 2/12 |
| Cancellations per 100 cycles <sup>c</sup>                | 4.7           | 11.9         | 1/15 |
| Average number embryos transferred                       | 4.1           | 4.2          | 4.0  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 52.0          | 5/10         | 0/2  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 12/19         | 4/6          | 0/2  |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |              |      |
| Number of transfers                                      | 5             | 4            | 0    |
| Live births per 100 transfers <sup>b,c</sup>             | 1/5           | 0/4          |      |
| Average number embryos transferred                       | 4.4           | 4.0          |      |
| <b>Donor Eggs</b>  |               |              |      |
| Number of fresh transfers                                | 0             | 0            | 0    |
| Live births per 100 fresh transfers <sup>b,c</sup>       |               |              |      |
| Number of frozen transfers                               | 0             | 0            | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |              |      |
| Average number embryos transferred<br>(fresh and frozen) |               |              |      |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**UNIVERSITY OF MISSOURI-COLUMBIA  
COLUMBIA, MISSOURI**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 53% | Tubal factor          | 7%  |
| Single women?           | Yes | GIFT                     | 47% | Endometriosis         | 21% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 9%  |
| Sharing of donor eggs?  | No  | With ICSI                | 16% | Ovulatory dysfunction | 28% |
|                         |     | Unstimulated             | 0%  | Other factors         | 35% |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 19           | 17    | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 4/19         | 2/17  | 0/2 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 4/19         | 2/17  | 0/2 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 4/14         | 2/8   | 0/1 |
| Live births per 100 transfers <sup>b,c</sup>                            | 4/12         | 2/8   | 0/1 |
| Cancellations per 100 cycles <sup>c</sup>                               | 5/19         | 9/17  | 1/2 |
| Average number embryos transferred                                      | 3.3          | 3.4   | 3.0 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    | 2/4          | 0/2   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 | 2/4          | 0/2   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 2            | 3     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/2          | 0/3   |     |
| Average number embryos transferred                                      | 3.0          | 3.7   |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# RESEARCH MEDICAL CENTER ART PROGRAM KANSAS CITY, MISSOURI

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 33% | Tubal factor          | 27% |
| Single women?           | No  | GIFT                     | 67% | Endometriosis         | 53% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | No  |                          |     | Male factor           | 0%  |
| Sharing of donor eggs?  | No  | With ICSI                | 0%  | Ovulatory dysfunction | 20% |
|                         |     | Unstimulated             | 0%  | Other factors         | 0%  |
|                         |     |                          |     | Unexplained           | 0%  |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 5            | 8     | 2   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 0/5          | 1/8   | 0/2 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 0/5          | 1/8   | 0/2 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 0/4          | 1/7   | 0/2 |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/4          | 1/6   | 0/2 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/5          | 1/8   | 0/2 |
| Average number embryos transferred                                      | 4.3          | 3.3   | 2.5 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    |              | 0/1   |     |
| Multiple live births per 100 live births <sup>b,c</sup>                 |              | 0/1   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 0            | 0     | 0   |
| Live births per 100 transfers <sup>b,c</sup>                            |              |       |     |
| Average number embryos transferred                                      |              |       |     |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 0            | 0     | 0   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      |              |       |     |
| Number of frozen transfers  | 0            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     |              |       |     |
| Average number embryos transferred<br>(fresh and frozen)                |              |       |     |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

# INFERTILITY & IVF CENTER SAINT LOUIS, MISSOURI

## 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |      | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|------|-----------------------|-----|
| SART member?            | Yes | IVF                      | 100% | Tubal factor          | 34% |
| Single women?           | Yes | GIFT                     | 0%   | Endometriosis         | 7%  |
| Gestational carriers?   | No  | ZIFT                     | 0%   | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |      | Male factor           | 26% |
| Sharing of donor eggs?  | Yes | With ICSI                | 17%  | Ovulatory dysfunction | 21% |
|                         |     | Unstimulated             | 0%   | Other factors         | 0%  |
|                         |     |                          |      | Unexplained           | 12% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

## 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle   | Age of Woman |       |     |
|---|--------------|-------|-----|
|   | <35          | 35-39 | >39 |
| <b>Fresh Embryos From Nondonor Eggs</b>                                 |              |       |     |
| Number of cycles  | 12           | 8     | 3   |
| Pregnancies per 100 cycles <sup>c</sup>                                 | 0/12         | 3/8   | 1/3 |
| Live births per 100 cycles <sup>b,c</sup><br>(95% confidence intervals) | 0/12         | 2/8   | 0/3 |
| Live births per 100 retrievals <sup>b,c</sup>                           | 0/11         | 2/6   | 0/3 |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/9          | 2/4   | 0/3 |
| Cancellations per 100 cycles <sup>c</sup>                               | 1/12         | 2/8   | 0/3 |
| Average number embryos transferred                                      | 4.0          | 4.5   | 4.7 |
| Multiple gestations per 100 pregnancies <sup>c</sup>                    |              | 1/3   | 0/1 |
| Multiple live births per 100 live births <sup>b,c</sup>                 |              | 1/2   |     |
| <b>Frozen Embryos From Nondonor Eggs</b>                                |              |       |     |
| Number of transfers   | 2            | 2     | 2   |
| Live births per 100 transfers <sup>b,c</sup>                            | 0/2          | 0/2   | 0/2 |
| Average number embryos transferred                                      | 3.0          | 2.5   | 3.0 |
| <b>Donor Eggs</b>   |              |       |     |
| Number of fresh transfers   | 1            | 2     | 3   |
| Live births per 100 fresh transfers <sup>b,c</sup>                      | 0/1          | 0/2   | 0/3 |
| Number of frozen transfers  | 1            | 0     | 0   |
| Live births per 100 frozen transfers <sup>b,c</sup>                     | 0/1          |       |     |
| Average number embryos transferred<br>(fresh and frozen)                | 5.5          | 4.5   | 4.3 |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.



## INFERTILITY CENTER OF SAINT LOUIS SAINT LOUIS, MISSOURI

### 1996 PROGRAM PROFILE

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 49% | Tubal factor          | 8%  |
| Single women?           | No  | GIFT                     | 24% | Endometriosis         | 1%  |
| Gestational carriers?   | Yes | ZIFT                     | 27% | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 69% |
| Sharing of donor eggs?  | Yes | With ICSI                | 69% | Ovulatory dysfunction | 6%  |
|                         |     | Unstimulated             | 0%  | Other factors         | 3%  |
|                         |     |                          |     | Unexplained           | 13% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

### 1996 ART PREGNANCY SUCCESS RATES

| Type of Cycle  | Age of Woman  |               |              |
|--|---------------|---------------|--------------|
|  | <35           | 35-39         | >39          |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |              |
| Number of cycles   | 118           | 66            | 33           |
| Pregnancies per 100 cycles <sup>c</sup>                  | 35.6          | 33.3          | 9.1          |
| Live births per 100 cycles <sup>b,c</sup>                | 31.4          | 21.2          | 9.1          |
| (95% confidence intervals)                               | (23.0 - 39.7) | (11.3 - 31.1) | (0.0 - 18.9) |
| Live births per 100 retrievals <sup>b,c</sup>            | 31.6          | 21.2          | 10.0         |
| Live births per 100 transfers <sup>b,c</sup>             | 31.9          | 24.1          | 11.1         |
| Cancellations per 100 cycles <sup>c</sup>                | 0.8           | 0.0           | 9.1          |
| Average number embryos transferred                       | 4.2           | 5.0           | 4.4          |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 59.5          | 31.8          | 2/3          |
| Multiple live births per 100 live births <sup>b,c</sup>  | 54.1          | 5/14          | 2/3          |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |              |
| Number of transfers                                      | 10            | 7             | 1            |
| Live births per 100 transfers <sup>b,c</sup>             | 1/10          | 2/7           | 0/1          |
| Average number embryos transferred                       | 3.8           | 4.3           | 3.0          |
| <b>Donor Eggs</b>  |               |               |              |
| Number of fresh transfers                                | 5             | 2             | 10           |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 1/5           | 1/2           | 5/10         |
| Number of frozen transfers                               | 0             | 0             | 0            |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |              |
| Average number embryos transferred<br>(fresh and frozen) | 4.8           | 4.0           | 3.9          |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.

**WASHINGTON UNIVERSITY AND BARNES JEWISH HOSPITAL  
CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY  
SAINT LOUIS, MISSOURI**

**1996 PROGRAM PROFILE**

| Program Characteristics |     | Type of ART <sup>a</sup> |     | ART Patient Diagnosis |     |
|-------------------------|-----|--------------------------|-----|-----------------------|-----|
| SART member?            | Yes | IVF                      | 92% | Tubal factor          | 34% |
| Single women?           | Yes | GIFT                     | 8%  | Endometriosis         | 19% |
| Gestational carriers?   | No  | ZIFT                     | 0%  | Uterine factor        | 0%  |
| Donor egg program?      | Yes |                          |     | Male factor           | 12% |
| Sharing of donor eggs?  | No  | With ICSI                | 10% | Ovulatory dysfunction | 12% |
|                         |     | Unstimulated             | 0%  | Other factors         | 8%  |
|                         |     |                          |     | Unexplained           | 15% |

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 31-34.)

**1996 ART PREGNANCY SUCCESS RATES**

| Type of Cycle  | Age of Woman  |               |      |
|--|---------------|---------------|------|
|  | <35           | 35-39         | >39  |
| <b>Fresh Embryos From Nondonor Eggs</b>                  |               |               |      |
| Number of cycles   | 82            | 68            | 26   |
| Pregnancies per 100 cycles <sup>c</sup>                  | 36.6          | 35.3          | 3.8  |
| Live births per 100 cycles <sup>b,c</sup>                | 28.0          | 29.4          | 0.0  |
| (95% confidence intervals)                               | (18.3 - 37.8) | (18.6 - 40.2) |      |
| Live births per 100 retrievals <sup>b,c</sup>            | 32.4          | 32.8          | 0/19 |
| Live births per 100 transfers <sup>b,c</sup>             | 33.3          | 34.5          | 0/19 |
| Cancellations per 100 cycles <sup>c</sup>                | 13.4          | 10.3          | 26.9 |
| Average number embryos transferred                       | 3.9           | 3.9           | 3.9  |
| Multiple gestations per 100 pregnancies <sup>c</sup>     | 26.7          | 25.0          | 0/1  |
| Multiple live births per 100 live births <sup>b,c</sup>  | 30.4          | 20.0          |      |
| <b>Frozen Embryos From Nondonor Eggs</b>                 |               |               |      |
| Number of transfers                                      | 12            | 10            | 5    |
| Live births per 100 transfers <sup>b,c</sup>             | 2/12          | 4/10          | 1/5  |
| Average number embryos transferred                       | 3.7           | 2.9           | 3.0  |
| <b>Donor Eggs</b>  |               |               |      |
| Number of fresh transfers                                | 1             | 2             | 5    |
| Live births per 100 fresh transfers <sup>b,c</sup>       | 0/1           | 0/2           | 1/5  |
| Number of frozen transfers                               | 0             | 0             | 0    |
| Live births per 100 frozen transfers <sup>b,c</sup>      |               |               |      |
| Average number embryos transferred<br>(fresh and frozen) | 4.0           | 3.0           | 2.8  |

<sup>a</sup> Includes only fresh nondonor egg cycles.

<sup>b</sup> A multiple birth is counted as one live birth.

<sup>c</sup> When fewer than 20 cycles are reported in an age category, rates are shown as fractions.