



NOAA Technical Memorandum ERL PMEL-95

MEAN SEASONAL CYCLES AND INTERANNUAL VARIATIONS AT 0°, 110°W AND 0°, 140°W DURING 1980-1991

M. J. McPhaden M. E. McCarty

Pacific Marine Environmental Laboratory Seattle, Washington August 1992



NOAA Technical Memorandum ERL PMEL-95

MEAN SEASONAL CYCLES AND INTERANNUAL VARIATIONS AT 0°, 110°W AND 0°, 140°W DURING 1980-1991

M. J. McPhaden Pacific Marine Environmental Laboratory

M. E. McCarty Joint Institute for the Study of Atmosphere and Ocean University of Washington Seattle, Washington

Pacific Marine Environmental Laboratory Seattle, Washinton August 1992



UNITED STATES
DEPARTMENT OF COMMERCE

Barbara Hackman Franklin Secretary NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

John A. Knauss Under Secretary for Oceans and Atmosphere/Administrator Environmental Research Laboratories

Joseph O. Fletcher Director

Mention of a commercial company or product does not constitute an endorsement by NOAA/ERL. Use of information from this publication concerning proprietary products or the tests of such products for publicity or advertising purposes is not authorized.

Contribution No. 1377 from NOAA/Pacific Marine Environmental Laboratory

For sale by the National Technical Information Service, 5285 Port Royal Road

Springfield, VA 22161

CONTENTS

		PA	IGE
	ABSTRACT		1
1.	INTRODUCTION		1
2.	INSTRUMENTATION AND DATA PROCESSING		2
3.	INTERANNUAL VARIATIONS AND MEAN SEASONAL CYCLES		3
	3.1 Gridding		3
	3.2 Filling Gaps		3
	3.3 Filtering		5
4.	DATA PRESENTATION		8
	4.1 Plots		8
	4.2 Tables		9
5.	ACKNOWLEDGMENTS		9
6.	REFERENCES		9
	APPENDIX A: 0°, 110°W Figures and Tables	•	11
	APPENDIX B: 0°, 140°W Figures and Tables	. (67

Mean Seasonal Cycles and Interannual Variations at 0°, 110°W and 0°, 140°W during 1980–1991

M. J. McPhaden¹ and M.E. McCarty²

Abstract. This report summarizes current meter mooring data at 0°, 110°W and 0°, 140°W in terms of multi-year monthly mean time series and mean seasonal cycles. Data span the years 1980-1991 at 110°W and 1983-1991 at 140°W. The measurements consist of surface winds, air temperatures, ocean currents in the upper 250 m and ocean temperatures in the upper 500 m.

1. INTRODUCTION

Wind, air temperature, ocean temperature and current measurements have been made in the vicinity of 0°, 110°W and 0°, 140°W since the early 1980's from surface moorings deployed as part of NOAA's Equatorial Pacific Ocean Climate Studies (EPOCS) program and the Tropical Ocean-Global Atmosphere (TOGA) program. The 2 mooring sites are situated in the equatorial Pacific cold tongue where sea surface temperature (SST) anomalies associated with El Niño/Southern Oscillation (ENSO) events tend to be largest, and where ocean dynamics are crucial to the development of ENSO variability. Over 11 years of data are available at 110°W (1980–1991) making this the longest continuous moored time series in the world ocean (McPhaden, 1990). The shorter 140°W time series is over 8 years long.

The purpose of this report is to summarize the mooring data in terms of multi-year monthly mean time series and mean seasonal cycles. Mean seasonal cycle calculations using shorter versions of these time series have appeared previously in the literature (e.g. Halpern, 1987a; McPhaden and Hayes, 1990a; Latif et al., 1990; McPhaden et al., 1991). However, given the effort required to collect these data over the past decade, it is desirable to have a consistent analysis of the entire data set for the longest possible period. We expect that this analyzed data set will be useful for validating ocean general circulation models under development for short term climate prediction. These data should also be valuable as background climatological information for past and future field programs in the eastern equatorial Pacific. Finally, as part of the TOGA Observing Array (National Academy of Science, 1990), a program was begun in 1990 to measure and transmit in real-time moored velocity measurements along the Pacific equator using acoustic Doppler current profilers (McPhaden et al., 1990b). It is therefore appropriate to summarize the long records of mechanical current meter data collected in the eastern equatorial Pacific at this point of technological transition in EPOCS and TOGA mooring programs.

Pacific Marine Environmental Laboratory, 7600 Sand Point Way N.E., Seattle, Washington 98115-0070.

² Joint Institute for the Study of Atmosphere and Ocean, University of Washington, Seattle, Washington 98195.

2. INSTRUMENTATION AND DATA PROCESSING

The moored time series used in this study consist of current, temperature and wind data from nominal locations of 0°, 110°W and 0°, 140°W. Data from a mooring at 0°, 108°W were also used on occasion as described below. The moorings were taut-line surface moorings deployed in depths of about 3700 m at 108°W and 110°W, and 4300 m at 140°W. Mooring recoveries and deployments were made at roughly 6 month intervals. The lengths of the moored time series and the depths instrumented at 110°W and 140°W are shown in Figures A1 and B1 of the Appendices. The time series are gappy because of occasional instrument failures and because instrument depths changed with time due to changing program priorities.

Current velocity and temperature were measured with EG&G Vector Averaging Current Meters (VACMs) and Vector Measuring Current Meters (VMCMs) in the upper 250 m. Speed differences between VACM and VMCM measurements are generally <5 cm s⁻¹ (Halpern, 1987b), so for the purposes of this study they can be considered interchangeable. In 1983, additional temperature measurements were introduced in the upper 300–500 m. These were made for the most part using SeaData temperature recorders, although at 140°W SeaBird SEACAT temperatures were used at 100 m depth in 1987–88. In addition, mini-Temperature Recorders (MTRs) designed and built by PMEL replaced the SeaData recorders at 0°, 140°W in early 1991. Instrumental accuracies for VACM, SEACAT, and MTR temperatures are 0.01°C, whereas accuracy for SeaData temperatures is 0.05°C. SST was measured 1 m below the surface using either a Yellow Springs Instrument (YSI) model 44032 temperature sensor (calibrated accuracy of 0.01°C) or a YSI model 44204 temperature sensor (calibrated accuracy of 0.05°C). Air temperature was measured at 3 m above mean sea level using a YSI model 42032 thermistor in a multi-plated, self-aspirated radiation shields.

Winds from the equatorial current meter mooring were sampled 4 m above the mean water line on the surface toroid with either a vector averaging wind recorder (VAWR) or an Argos meteorological platform (AMP). The VAWR is an inverted VACM equipped with a Climet cup model 011-2B three-cup anemometer and pivoted vane (Freitag et al., 1989). The AMP, designed at PMEL to transmit data in real time, is equipped with an R.M. Young model 05103 propeller and vane. Predeployment and postdeployment calibrations for the VAWR and AMP indicate expected instrumental errors in wind speed of about 0.2 m s⁻¹. Comparisons of the two wind systems in a field experiment near 0°, 140°W suggest that for our purposes the cup and vane and the propeller and vane systems can be considered interchangeable (Freitag et al., 1989).

Data were recorded at 15-minute to 2-hour intervals depending on instrument, then processed to daily averages for subsequent analysis. Gaps of less than 5 days duration were then filled by linear interpolation. Further details on data processing procedures can be found in Freitag et al. (1987, 1991).

3. INTERANNUAL VARIATIONS AND MEAN SEASONAL CYCLES

Daily averaged temperature (T), ocean current (\vec{u}) and wind velocity (\vec{U}) data were first block averaged into calendar month means for all months in which 15 days or more of data were available. For wind speed ($|\vec{U}|$) and pseudostress ($|\vec{U}|\vec{U}$), daily values were first computed before monthly averaging. Mean seasonal cycles were then calculated by averaging monthly values across different years. Ocean temperature and velocity mean seasonal cycles based on these monthly averages were noisy because in some cases record lengths at a particular depth were short (e.g. only 1 year at 20 m for 110°W). Moreover, energetic 20–30 day waves in meridional velocity (Halpern *et al.*, 1988) and 60–90 day waves in zonal velocity and temperature (McPhaden and Taft, 1988) were not completely filtered out of the records by block averaging. Hence, additional filtering and gridding to standard depths were required to yield smoother vertical profiles and time series of climatological monthly means. Filling of partial records by linear regression or linear interpolation was also done to minimize aliasing of interannual variability associated with El Niño and La Niña events into estimates of the mean seasonal cycle. Gridding, filling and filtering procedures were performed as follows.

3.1. Gridding

We chose standard depths of 10 m, 25 m, 45 m, 80 m, 120 m, 160 m, 200 m and 250 m for ocean velocity. These depths, plus depths of 1 m (SST), 35 m, 60 m, 100 m, 140 m, 300 m and 500 m were chosen for temperature. Data prior to November 1983 at 110°W were adjusted to standard depths by linear interpolation or extrapolation. The greatest vertical distance over which data were interpolated was 20 m (100 m to 120 m for velocities) during this time period. The 15 m velocity records at 110°W for 1981–83 were extrapolated to 10 m depth using the 1983–1991 mean vertical shear profiles between 10 m and 25 m. Linear interpolation was used to adjust the temperature records at 40 m depth to either 35 m depth (1987–91 at 140°W) or 45 m depth (1987–89 at 110°W). Records at 3 m depth were linearly interpolated to 10 m depth at 140°W for velocity (November 1990–October 1991) and temperature (May–October 1991). Also at 140°W, temperature records from 350 m depth (October 1990–May 1991) and 400 m depth (October 1987–May 1988) were adjusted to 300 m and 500 m, respectively, using the mean vertical temperature gradient between 300 m and 500 m.

3.2. Filling gaps

Some gaps in the monthly mean records at 110°W were filled by direct substitution of wind, air temperature, ocean temperature and current data from the backup mooring at 108°W. The 108°W measurements are a reasonable proxy for those at 110°W by virtue of the high coherences between the 2 sites (e.g. Halpern, 1987a). Table 1 lists the times, depths and variables for which substitutions were made. No more than 13 months of data were substituted

Table 1. Data substitutions from 0°, 108°W time series into 0°, 110°W records. Data at 15 m, 50 m and 100 m were later gridded to the nearest standard depths in the climatologies.

	DATES		
VARIABLE	Day/Mon/Yr		
Winds	16/04/82–26/10/82		
Willas	10/04/62-20/10/62		
Air Temperature	16/04/82-26/10/82		
Ocean Temperature			
SST	16/04/82-22/10/82		
	29/11/8409/05/85		
	27/02/87-10/03/87		
	07/04/87-25/04/87		
15 m	16/04/82-26/10/82		
50 m	16/04/82-22/10/82		
80 m	16/10/84-09/05/85		
100 m	16/04/82-26/10/82		
Currents			
15 m	16/04/82-26/10/82		
25 m	24/03/87-25/04/87		
50 m	16/04/82-26/10/82		
80 m	16/10/84-09/05/85		
	02/07/8606/11/86		
100 m	16/04/82-26/10/82		

at any given depth from the 108°W mooring, with the maximum number of substitutions occurring for SST.

Some data gaps in monthly mean zonal velocity and temperature records were filled by a combination of linear extrapolation and/or interpolation in depth. We used formulae of the form $\hat{Y} = aX_1 + bX_2 + c$, where \hat{Y} is an estimate of the variable Y, and where time series X_1 and X_2 bracket the series Y in depth. In the case of extrapolation, b was set to zero and the coefficients a and c were determined by linear least squares orthogonal regression. For linear interpolation, c was set to zero and the coefficients a and b were weighted by vertical distance from Y. In some instances, we used multiple linear regression to compute the coefficients a, b and c. Extrapolation was required for 10 m zonal velocity and SST. Otherwise, different methods of filling were compared and the best estimator was selected for a given depth and variable.

To fill a gap by vertical interpolation or extrapolation, we required that the crosscorrelation of estimated monthly data (\hat{Y}) with actual monthly data (\hat{Y}) be ≥ 0.9 ; we also required that there be no temperature inversions created by regression fills. Expected errors (ϵ) in the estimates \hat{Y} were determined by computing the root-mean-square (rms) deviations from measured monthly means, i.e. $\epsilon = \text{rms} (\hat{Y}-Y)$. These errors were roughly $0.2^{\circ}-0.4^{\circ}\text{C}$ for temperature in the upper 10 m at 110°W ; $0.1^{\circ}\text{C}-0.2^{\circ}\text{C}$ for temperature in the upper 45 m at 140°W ; $0.3^{\circ}-0.5^{\circ}\text{C}$ for temperature in the upper thermocline (60 m to 160 m at 140°W ; 25 m to 120 m at 110°W), and $0.1^{\circ}-0.2^{\circ}\text{C}$ in the weak temperature gradient region below the upper thermocline. At both locations, the expected analysis error in vertically interpolated/extrapolated zonal velocities was 10-15 cm s⁻¹ in and above the Undercurrent core, and 5-10 cm s⁻¹ below the Undercurrent core.

For the data set as a whole, less than 20% of the monthly ocean temperature and zonal velocity estimates were filled by vertical interpolation or extrapolation, though at some depths the percentage rose to approximately 50% (Table 2). Monthly mean meridional velocities were not as highly correlated vertically as temperature or zonal velocity, so no meridional velocity gaps were filled using data from neighboring depths. We made no attempt to interpolate in time across record gaps in any of the monthly time series.

3.3. Filtering

The resulting gridded and filled monthly mean time series were smoothed with a 1-2-1 filter in time to eliminate the residual effects of intraseasonal fluctuations in the records. An identical filter was applied to the monthly mean wind vector components, wind speed, wind pseudostress and air temperature data. These smoothed time series were then averaged for each month for different years to produce estimates of the mean seasonal cycle. Computations including data from the 1982–83 ENSO lead to large biases (particularly in thermocline temperatures) as one would expect by including a "100-year" event in a decade long climatology.

Table 2a. Summary of monthly mean estimates for zonal velocity and temperature at 0°, 110°W. "Months of Data" refers to monthly means based on a combination of direct measurements at standard depths, measurements gridded to those depths according to procedures discussed in Section 3.1, plus direct substitutions of data from 108°W. "Percent Filled" refers to the number of monthly estimates derived by vertical interpolation or extrapolation from neighboring depths as discussed in Section 3.2.

Depth (m)	Number of Monthly Estimates	Months of Data	% Filled		
	Zonal Velocity				
10	139	123	12		
25	140	112	20		
45	140	115	18		
80	140	129	8		
120	137	137	0		
160	130	76	42		
200	122	78	36		
250	76	76	0		
Total	1024	846	17		
	Temperature				
SST	132	121	8		
10	140	118	16		
25	140	112	20		
35	29	29	0		
45	140	133	5		
60	140	69	51		
80	140	129	8		
100	140	115	18		
120	133	96	28		
140	133	82	38		
160	133	81	39		
200	130	117	10		
250	81	81	0		
300	54	54	0		
500	42	42	0		
Total	1707	1379	19		

Table 2b. Summary of monthly mean estimates for zonal velocity and temperature at 0°, 140°W. "Months of Data" refers to monthly means based on a combination of direct measurements at standard depths, plus measurements gridded to those depths according to procedures discussed in Section 3.1. "Percent Filled" refers to the number of monthly estimates derived by vertical interpolation or extrapolation from neighboring depths as discussed in Section 3.2.

Depth (m)	Number of Monthly Estimates	Months of Data	% Filled		
	Zonal Velocity				
10	96	82	15		
25	99	9 6	3		
45	100	47	53		
80	99	99	0		
120	103	103	0		
160	50	50	0		
200	49	49	0		
250	56	56	0		
Total	652	582	10		
	Temperature				
SST	103	77	25		
10	103	97	6		
25	103	103	0		
35	103	95	8		
45	103	47	54		
60	103	65	37		
80	103	97	6		
100	103	70	32		
120	103	102	1		
140	103	75	27		
160	103	54	48		
200	103	89	14		
250	66	66	0		
300	71	71	0		
500	31	31	0		
Total	1404	1139	18		

Hence data from July 1982-June 1983 were excluded from the mean seasonal calculations for 110°W. For consistency, data from April-June 1983 were excluded at 140°W. We also excluded the 35 m temperature time series from the 110°W mean seasonal calculation. This record contained only 29 months of data, and was much shorter than time series immediately above and below.

Finally, we found that smoother vertical profiles of zonal velocity at 140°W resulted if we did not include the monthly values for July-October 1983 at 160 m and 250 m. The records at these depths were relatively short, and means were biased towards zero by weak eastward or westward flow during the 1983 La Niña. No similar bias due to interannual variability occurred in the equally short 200 m record begun in 1987 at the termination of the 160 m and 250 m time series, so that straight record length averages at these 3 depths lead to unrealistic positive curvature in July-October vertical profiles of zonal velocity between 160-250 m.

For temperature and zonal velocity, the resulting mean seasonal cycles (time series and vertical profiles) were much smoother and more realistic compared to similar analyses based on ungridded, unfilled, unfiltered monthly mean data. However, meridional velocities were still somewhat noisy because of the relative weakness of the mean seasonal cycle, the weaker vertical correlations and the smaller number of available monthly estimates. Details of the meridional velocity profiles and time series should therefore be interpreted with caution unless they are supported by a large amount of data (e.g. at 25 m, 80 m, 120 m at 140°W; and in the upper 120 m at 110°W).

4. DATA PRESENTATION

4.1 Plots

Data are presented in Appendix A for $110^{\circ}W$ and Appendix B for $140^{\circ}W$. Figures A2-A4 and B2-B4 show the gridded, interpolated and smoothed time series of individual monthly mean ocean temperature and velocity. Dashed lines in these figures indicate values that have been interpolated from adjacent depths. Figures A5 and B5 show corresponding time series plots for wind velocities, wind speeds, wind pseudostresses, and air temperatures. Mean seasonal temperature and velocity time series at each depth are plotted in Figure A6-A8 and B6-B8 using cubic spline interpolation between data points; corresponding mean seasonal time series for wind velocities, wind speeds, wind pseudostresses, and air temperatures are shown in Figures A9 and B9. Estimated standard errors for each monthly mean are superimposed on these time series, assuming that monthly values from different years are independent Gaussian-distributed random variables. The standard error is defined as σ/N^{14} , where σ is the estimated standard deviation and N is the number of samples. Standard errors are estimated only when N > 3. Both σ and N are listed in Tables A5-A8 and B5-B8. The monthly mean time series are contoured in Figures A10 and B10. Figures A11 and B11 show climatological monthly mean vertical profiles using cubic

spline interpolation between data points indicated on the right axes. Figures A12 and B12 show the corresponding annual averages and standard deviations of the 12 monthly means.

4.2. Tables

The individual monthly means are tabulated in Tables A1-A4 and B1-B4. Interpolated values are underlined and a data void is indicated by -999.99. The monthly mean climatologies are tabulated in Tables A5-A8 and B5-B8. These tables list monthly means, standard deviations, minima, maxima, skew, number of monthly samples on which the statistics are based (N), and (for zonal velocity and ocean temperature) the number estimates (M) at a particular level before filling by vertical interpolation or extrapolation. In the case of 110°W, the parameter M includes data substituted from 108°W. Standard deviation in these tables is defined as

$$\sigma = \left[\frac{1}{N-1} \sum_{n=1}^{N} (X_n - \bar{X})^2\right]^{\frac{1}{2}}$$

where X is the variable in question and \overline{X} is its sample mean. Skew, which provides a measure of the symmetry of the probability distribution, is defined as

$$\gamma = \frac{1}{N\sigma^3} \sum_{n=1}^{N} (X_n - \overline{X})^3$$

Similar statistical summaries for annual means are presented in Tables A9-A10 and B9-B10, in which N = 12 indicates that the statistics are based on the 12 monthly values from the mean seasonal cycle. NTOT in Tables A9-A10 and B9-B10 refers to the total number of months of independent data that go into the calculation at each depth; it differs slightly from the months of data listed in Table 2 for zonal velocity and temperature because data from the 1982-83 ENSO were excluded from the climatologies.

5. ACKNOWLEDGMENTS

This work was supported by NOAA's Equatorial Pacific Ocean Climate Studies (EPOCS) program and the U.S. TOGA Project Office. Contribution number 201 from the Joint Institute for the Study of the Atmosphere and Ocean.

6. REFERENCES

Freitag, H.P., M.J. McPhaden, and A.J. Shepherd (1987): Equatorial current and temperature data: 108°W to 110°W; October 1979-November 1983. NOAA Data Report ERL PMEL-17, 99 pp.

- Freitag, H.P, M.J. McPhaden, and A.J. Shepherd (1989): Comparison of equatorial winds as measured by cup and propeller anemometers. *J. Atmos. Ocean. Tech.*, 6, 328–332.
- Freitag, H.P., M.J. McPhaden, C.S. Coho, and A.J. Shepherd (1991): Equatorial wind, current and temperature data: 108°W to 140°W; April 1983 to October 1987. NOAA Data Report ERL PMEL-35, 116 pp.
- Halpern, D. (1987a): Observations of annual and El Niño flow variations at 0°, 110°W and 0°, 95°W during 1980-85. J. Geophys. Res., 92, 8197-8212.
- Halpern, D. (1987b): Comparison of upper ocean VACM and VMCM observations in the equatorial Pacific. J. Atmos. Ocean. Tech., 4, 84-93.
- Halpern, D., R.A. Knox, and D.S. Luther (1988): Observations of 20-day period meridional current oscillations in the upper ocean along the Pacific equator. *J. Phys. Oceanogr.*, 18, 1514–1534.
- Latif, M., J. Biercamp, H. von Storch, M.J. McPhaden, and E. Kirk (1990): Simulation of ENSO related surface wind anomalies with an atmospheric GCM forced by observed SST. J. Climate, 3, 509-521.
- McPhaden, M.J., and B.A. Taft (1988): Dynamics of seasonal and intraseasonal variability in the eastern equatorial Pacific. J. Phys. Oceanogr., 18, 1713-1732.
- McPhaden, M.J. (1990): Moored time series measurements. Eos, Trans. Am. Geophys. Union, 71, 760.
- McPhaden, M.J., and S.P. Hayes, (1990a): Variability in the eastern equatorial Pacific during 1986–88. J. Geophys. Res., 95, 13,195–13,208.
- McPhaden, M.J., H.B. Milburn, A.I. Nakamura, and A.J. Shepherd (1990b): PROTEUS--Profile telemetry of upper ocean currents. Proceedings of MTS '90 Conference, Washington, D.C., 26–28 September 1990, Marine Technology Society, Washington, D.C., pp. 353–357.
- McPhaden, M.J., D.V. Hansen, and P.L. Richardson (1991): A comparison of ship drift, drifting buoy and current meter mooring velocities in the Pacific South Equatorial Current. J. Geophys. Res., 96, 775-782.
- National Academy of Science (1990): TOGA--A review of progress and future opportunities. National Academy Press, Washington, D.C., 66 pp.

APPENDIX A 0°, 110°W Figures and Tables




Figure A1a. Bar chart showing velocity and temperature data availability from current meters and from wind recorders as a function of depth at 0°, 110°W.




Figure A1b. Bar chart showing availability of data from temperature recorders (TRs) at 0°, 110°W.




Figure A2. Time series of monthly mean temperatures (in °C) at 0°, 110°W. Dotted lines indicate data that have been filled by vertical interpolation or extrapolation.




Figure A2. Continued.




Figure A3. Time series of monthly mean zonal velocities (in cm s⁻¹) at 0°, 110°W. Dotted lines indicate data that have been filled by vertical interpolation or extrapolation.




Figure A4. Time series of monthly mean meridional velocities (in cm s⁻¹) at 0°, 110°W.




Figure A5. Time series of monthly mean winds and air temperatures at 0°, 110°W.




Figure A6. Time series of climatological monthly mean temperatures (in °C) at 0°, 110°W. One standard error is shown for means based on more than 3 estimates.




Figure A6. Continued.




Figure A7. Time series of climatological monthly mean zonal velocities (in cm s⁻¹) at 0°, 110°W. One standard error is shown for means based on more than 3 estimates.




Figure A8. Time series of climatological monthly mean meridional velocities (in cm s⁻¹) at 0°, 110°W. One standard error is shown for means based on more than 3 estimates.




Figure A9. Time series of climatological monthly mean winds and air temperatures at 0°, 110°W. One standard error is shown for means based on more than 3 estimates.




Figure A10. Contoured time series of zonal velocity (u), meridional velocity (v) and temperature (T) at 0°, 110°W. Velocities are in cm s⁻¹ and temperature is in °C. Dashed contours are for westward or southward flow. Shading highlights zonal velocities > 100 cm s⁻¹, and temperatures between 15°-20°C.




Figure A11. Climatological monthly mean profiles of zonal velocity, meridonal velocity and temperature at 0°, 110°W. Solid circles on the left axes indicate standard depths on which the profiles are based.




Figure A11. Continued.

Figure A11. Continued.




Figure A11. Continued.




Figure A11. Continued.




Figure A11. Continued.




Figure A11. Continued.

Figure A11. Continued.




Figure A11. Continued.




Figure A11. Continued.




Figure A11. Continued.




Figure A11. Continued.




Figure A12a. Profiles of annual mean zonal velocity, meridional velocity and temperature at 0°, 110°W. Solid circles on the left axes indicate standard depths on which the profiles are based.




Figure A12b. Profiles of annual standard deviations for zonal velocity, meridional velocity and temperature at 0°, 110°W. Solid circles on the left axes indicate standard depths on which the profiles are based.

Table A1. Monthly averaged temperatures (in °C) at 0°, 110°W for 1980-1991. Filled data are underlined and missing data are indicated by -999.99.

$ \begin{smallmatrix} E & O$
E O O O O O O O O O O O O O O O O O O O
2.111111111111111111111111111111111111
00.00.00.00.00.00.00.00.00.00.00.00.00.
1 1 1 1 1 1 1 1 1 1
140 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
120 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
8 6 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
09 119 19 19 19 19 19 19 19 19 19 19 19 1
201111001110011100111001110011100011000010000
E O O O O O O O O O O O O O O O O O O O
22 23 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
100 100 100 100 100 100 100 100 100 100
1 - 1 - 1 - 9 - 9 - 9 - 9 - 9 - 9 - 9 -
MAD

£ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
######################################	
$\begin{smallmatrix} 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 1$	
$\mathbf{A}\mathbf{A}\mathbf{A}\mathbf{A}\mathbf{U}\mathbf{U}\mathbf{A}\mathbf{U}$ $\mathbf{A}\mathbf{U}\mathbf{C}\mathbf{U}\mathbf{A}\mathbf{U}\mathbf{A}\mathbf{U}\mathbf{U}\mathbf{U}\mathbf{U}\mathbf{U}\mathbf{U}\mathbf{U}\mathbf{U}\mathbf{U}U$	
E & & & & & D	,
120	
111	
110 10 10 10 10 10 10 10	
	4
113. 13. 13. 13. 13. 13. 13. 13. 13. 13.	
	!
E B Z G Z S B D O 6 B B G B L C B D D Z B O Z B O Z B B B L B Z O Z B O O D L B O Z L B B O Z Z B G Z Z B G Z B	
0	•
1100 114.28 m 114.21 m 114.21 m 114.21 m 114.21 m 114.21 m 114.21 m 114.21 m 114.21 m 114.21 m 116.21 m 116.21 m 116.21 m 116.21 m 117.21	
	1
80000444400000000000000000000000000000	,
	1
ETH8H11200000180046H1448008584115004489819819819819115H8H2	,
100 11 10 10 10 10 10 10 10 10 10 10 10	
4	;
	1
$^{\circ}$ 0.000 $^{\circ}$ C 0.000 $^{\circ}$	•
000 0000000000000000000000000000000000	
1	,
11 11 11 11 11 11 11 11 11 11 11 11 11	;
E N O O A L H A H Q W L A A A Q H A A W Q Q A L A Q W Q U L Q W Q D A Q W Q Q Q L Q Q Q Q Q Q Q Q	
	•
	1
8	•
	•
	>
AMANAR BEAR BARRES SAUD TO A COLOR BEAR BARRED BEAR BA	
ៗ៩៣០១០១៩ឪ៩១ីភិក្សិល០១០១៩១៩៩១១៦៩១៩៣០១០១៩១៩៩១៩១៩៩១៩៩៩៩៩៩៩៩៩៩៩	7

500	8.32	8.36	8.40	8.51	8.52	8.36	8.21	8.22	8.28	8.20	8.12	8.17	8.12	7.95	7.89	7.92	7.96	7.96	8.00	8.06	8.07	8.06	8.13	8.22	8.15	7.95	8.04	8.27	8.29	8.22	8.14	8.08	8.11	8.20
300	11.58	11.65	11.71	11.82	11.86	11.78	11.69	11.74	11.83	11.87	12.01	12.20	12.13	11.94	11.87	11.81	11.80	11.83	11.89	11.88	11.82	11.82	11.81	11.86	11.89	11.66	11.56	11.87	12.08	12.03	12.01	12.03	12.05	12.12
250 m	-999.99	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666	66.666
	12.70 -																																	
160 #	13.04	13.29	13.43	13.55	13.68	13.69	13.50	13.24	13.10	13.08	13.19	13.53	13.74	13.58	13.45	13.48	13.40	13.23	13.24	13.39	13.37	13.34	13.38	13.52	13.60	13.33	13.20	13.47	13.68	13.65	13.57	13.52	13.69	13.99
140 #	13.21	13.59	13.80	13.97	14.18	14.19	13.91	13.52	13.29	13.26	13.43	13.94	14.28	14.03	13.84	13.87	13.76	13.49	13.52	13.74	13.71	13.67	13.73	13.95	14.06	13.65	13.45	13.86	14.18	14.14	14.01	13.93	14.19	14.65
120	13.52	14.07	14.35	14.59	14.90	14.88	14.43	13.91	13.72	13.73	13.90	14.65	15.26	14.87	14.46	14.45	14.30	14.01	14.08	14.35	14.36	14.38	14.39	14.65	15.06	14.67	14.21	14.60	15.08	15.18	14.98	14.68	15.05	15.91
100	13.94	14.71	15.09	15.42	15.81	15.80	15.15	14.49	14.38	14.38	14.54	15.73	16.76	16.11	15.42	15.36	15.12	14.80	14.97	15.40	15.40	15.37	15.36	15.81	16.56	16.04	15.25	15.72	16.44	16.60	16.17	15.55	16.11	17.47
E C	14.65	15.89	16.49	16.87	17.31	17.21	16.23	15.40	15.61	15.84	15.76	17.18	19.00	18.74	17.95	17.49	16.71	16.02	16.29	16.99	17.06	17.15	17.23	17.96	19.43	18.67	16.94	17.45	18.74	18.91	17.88	16.87	17.61	19.23
£09	15.77	17.72	18.58	18.93	19.32	19.28	18.31	17.42	17.94	18.41	18.05	19.19	21.09	21.43	21.44	21.31	19.90	18.39	18.56	19.39	19.43	19.64	19.86	20.28	21.60	20.80	18.83	19.76	21.68	21.91	20.75	19.39	19.51	20.66
45 m	16.84	19.00	20.17	20.79	21.28	21.20	20.26	19.46	19.79	20.19	20.02	20.76	22.23	22.95	23.49	23.83	22.73	20.89	20.45	20.99	20.99	21.06	21.26	21.72	22.85	22.25	20.68	21.82	23.90	24.16	22.90	21.28	20.93	21.73
35	99.	99.	9	99.	99.	99.	999.	999.	σ	σ	.666	999.	99.	999.	99.	999.	999.	999.	999.	999.	99.	999.	.666	99.	99.	99.	999.	999.	999.	999.	999.	-999.99	999.	999.
ıc	18.70					. 50	16	. 20	.15	. 41	40	80	60.	18	00.	. 65	80.	45	. 42	.42	40	. 22	.18				98.	69.	.01	98.	. 50	.87	53	.79
10	20.94	23.46	24.43	24.60	24.70	24.11	22.83	21.88	21.67	21.84	21.96	22.36	23.59	24.81	25.63	26.13	25.77	24.49	23.22	22.84	22.72	22.52	22.43	22.87	24.01	24.96	25.23	25.70	26.41	26.13	24.82	23.31	22.77	23.15
E-S	21.84	$\overline{}$	\mathbf{a}	$\overline{}$	•	\sim 1	$\boldsymbol{\alpha}$	$\overline{}$	m	\sim	_	ī	m	_	$\overline{}$	-	$\overline{}$	_	-	$\overline{}$	•	\sim	ın	$\overline{}$	_	\sim 1	m	\sim 1	_	m	$\overline{}$	23.58	$\overline{}$	m
Month	Jan 89	Feb 89																														Aug 91		

Table A2. Monthly averaged zonal velocity (in cm s⁻¹) at 0°, 110°W for 1980–1991. Filled data are underlined and missing data are indicated by -999.99.

Month	10 m	25 m	4 5 m	80 m	120 m	160 m	200 m	250 m
Mar 80	17.20	49.82	99.47	101.61	64.82	33.57	11.82	-999.99
Apr 80	29.57	63.63	112.39	118.85	78.03	44.13	20.75	-999.99
May 80	$\frac{22.10}{2}$	55.29	107.82	126.11	82.60	48.45	-999.99	-999.99
	$-\frac{22.10}{11.44}$	17.89	73.62	104.12	68.42	41.09	-999.99	-999.99
Jun 80								
Ju1 80	-35.20	-8.60	44.73	85.21	60.97	38.88	-999.99	-999.99
Aug 80	-38.11	-11.85	40.92	89.59	68.60	43.93	31.18	12.08
Sep 80	-33.48	-6.68	44.50	93.83	73.85	47.28	30.71	10.49
Oct 80	$\overline{-36.09}$	-9.59	33.33	88.15	75.45	48.99	33.47	13.15
Nov 80	-46.66	-21.39	17.71	81.65	74.68	46.09	28.53	6.32
Dec 80	$\overline{-40.67}$	-14.70	26.92	83.93	73.09	43.34	21.66	-2.52
Jan 81	-25.60	2.11	49.19	85.92	67.65	40.15	17.96	-6.03
Feb 81	$\frac{23.36}{-7.46}$	22.34	76.06	$\frac{03.52}{93.64}$	66.29	38.06	$\frac{17.33}{17.32}$	-6.19
Mar 81	$\frac{7.30}{23.81}$	57.19	109.03	113.63	76.71	44.27	24.38	2.66
Apr 81	$\frac{33.17}{33.17}$	67.64	116.27	114.90	74.81	42.95	24.18	4.93
May 81	6.33	37.71	91.54	104.94	67.50	36.38	16.38	-1.36
Jun 81	-18.88	13.14	69.92	106.69	71.61	37.52	14.82	-1.73
Jul 81	$\overline{-29.59}$	6.38	59.02	102.59	71.80	<u>39.16</u>	17.38	-999.99
Aug 81	-33.66	$\overline{0.39}$	50.00	96.67	75.65	$\overline{45.69}$	26.06	-999.99
Sep 81	-40.20	$-1\overline{0.30}$	38.99	95.63	82.90	$\overline{53.10}$	34.25	-999.99
Oct 81	-46.49	-17.35	31.73	94.85	81.34	50.74	32.00	-999.99
Nov 81	-40.03	-8.98	40.34	104.72	81.37	46.49	25.83	7.23
Dec 81	-28.76	5.05	54.80	117.61	86.36	47.71	23.31	1.48
Jan 82	-21.22	16.23	66.31	122.89	91.28	51.37	24.13	-2.87
Feb 82	-19.11	$\frac{10.25}{23.55}$	73.85	118.32	85.43	47.42	23.27	-4.05
Mar 82	-6.35	$\frac{23.33}{39.85}$	90.64	119.32	81.26	41.60	21.89	-4.36
Apr 82	16.06	$\frac{59.85}{59.47}$	110.85	131.76	90.93	-999.99	-999.99	-999.99
		$\frac{39.47}{50.77}$		$\frac{131.76}{129.83}$		-999.99		
May 82	19.36	30.77	101.89		94.01		-999.99	-999.99
Jun 82	-1.72	18.17	68.31	109.76	84.75	-999.99	-999.99	-999.99
Jul 82	-19.71	-5.69	43.74	99.96	83.46	-999.99	-999.99	-999.99
Aug 82	-17.63	-15.17	33.97	105.81	93.83	-999.99	-999.99	-999.99
Sep 82	-10.44	-26.29	22.51	97.89	89.48	-999.99	-999.99	-999.99
Oct 82	-13.50	-41.79	6.55	71.00	70.95	-999.99	-999.99	-999.99
Nov 82	-12.60	-44.19	4.08	53.22	62.98	36.69	0.42	-21.88
Dec 82	-10.69	$\overline{-40.03}$	8.37	41.81	45.47	22.26	-5.42	-22.92
Jan 83	-35.62	-50.86	-2.78	19.36	7.69	-8.27	-14.96	-13.64
Feb 83	-46.52	-46.60	1.60	15.14	-0.52	-8.01	0.92	12.78
Mar 83	-28.78	-20.22	28.77	40.88	31.29	22.75	27.08	31.01
Apr 83	-999.99	2.95	52.64	70.33	61.10	42.16	32.47	23.93
May 83	59.96	$1\overline{7.12}$	67.23	86.06	65.99	37.92	19.77	5.40
Jun 83	-6.68	$\frac{19.00}{19.00}$	69.17	86.74	57.78	26.94	8.07	-1.66
Jul 83	-47.81	$\frac{15.00}{15.05}$	65.10	84.29	56.39	29.22	15.06	12.40
Aug 83	-39.59	$\frac{13.03}{7.70}$	57.53	77.76	56.87	37.15	28.92	28.71
		$\frac{7.70}{1.25}$						
Sep 83	-37.20		50.89	68.32	53.49	40.23	33.86	31.64
Oct 83	-44.77	$\frac{2.55}{2.55}$	55.63	71.81	55.35	43.11	35.96	31.09
Nov 83	-36.32	$1\overline{5.95}$	70.28	83.68	63.10	46.81	<u>37.88</u>	32.02
Dec 83	-14.02	36.55	84.65	91.41	70.07	49.69	36.82	27.48
Jan 84	-1.91	49.13	94.64	94.41	70.51	49.64	32.19	17.14
Feb 84	6.88	59.45	100.42	92.09	62.24	41.90	21.76	3.32
Mar 84	21.35	77.42	107.45	94.00	58.78	35.71	14.86	-4.47
Apr 84	35.15	92.61	121.01	101.87	64.98	36.63	$\overline{15.40}$	-4.39
May 84	35.35	87.11	125.10	99.98	65.03	34.30	$\overline{11.49}$	-10.28
Jun 84	19.52	65.78	114.66	96.43	62.01	33.16	9.10	-14.23
Jul 84	0.16	41.51	96.91	95.26	59.16	32.40	9.43	-12.54

Table A2. Continued.

N 1-1-	10	2.5	4.5	0.0	100	1.60	200	252
Month	10 m -22.69	25 m 15.21	45 m 71.19	80 m 83.70	120 m 52.89	160 m 27.10	200 m 5.96	250 m -13.72
Aug 84 Sep 84	-42.90	-8.4 5	41.88	66.86	46.31	21.70	$\frac{3.96}{2.29}$	-15.21
Oct 84	-54.02	-20.52	24.80	58.29	38.44	16.40	$-\frac{2.23}{1.82}$	-17.84
Nov 84	-49.78	-10.27	35.37	64.03	37.60	17.45	$\frac{1.02}{0.30}$	-14.39
Dec 84	-28.36	11.90	58.47	73.12	42.46	22.08	$\frac{3.35}{4.76}$	-10.16
Jan 85	-11.26	26.19	73.42	79.60	47.21	26.54	$\overline{7.11}$	-10.44
Feb 85	-4.80	34.32	81.08	80.57	48.68	28.83	9.15	-8.70
Mar 85	3.31	47.84	93.37	80.45	46.73	26.96	7.98	-8.99
Apr 85	21.96	70.12	113.63	86.54	51.91	31.60	$\frac{11.98}{10.15}$	-5.81
May 85	38.31 27.70	76.42 54.92	114.31 93.18	87.15 88.28	59.00 62.73	39.66 44.17	$\frac{19.15}{24.23}$	0.26 6.06
Jun 85 Jul 85	1.45	28.12	72.47	92.96	65.59	46.34	$\frac{24.23}{29.57}$	15.36
Aug 85	-24.36	-0.34	40.21	81.94	64.11	45.12	$\frac{23.37}{31.07}$	20.26
Sep 85	-48.70	-24.79	12.27	68.06	60.94	41.93	$\frac{32.01}{27.47}$	16.14
Oct 85	-45.60	-18.92	21.14	78.97	64.99	40.74	25.52	13.23
Nov 85	-18.51	2.97	40.98	100.67	72.09	42.65	27.28	14.83
Dec 85	-6.69	10.81	45.83	105.28	70.83	42.92	25.98	11.55
Jan 86	-9.80	16.17	52.27	90.47	57.46	32.51	$\frac{14.73}{6.23}$	-0.75
Feb 86 Mar 86	1.95 36.92	42.15 81.72	77.52 113.64	85.06 102.16	49.57 62.32	24.52 33.83	$\frac{6.27}{12.84}$	-9.79 -6.65
Apr 86	59.74	100.73	140.90	117.79	75.05	42.90	$\frac{12.84}{19.95}$	-2.00
May 86	59.80	93.63	143.71	133.22	82.46	50.13	$\frac{13.33}{22.30}$	2.14
Jun 86	39.25	63.28	112.37	134.22	82.20	52.17	$-9\overline{99.99}$	3.43
Jul 86	-5.34	16.23	65.43	101.65	66.73	40.14	-999.99	2.03
Aug 86	-21.49	-3.83	37.68	75.92	64.31	38.19	-999.99	7.28
Sep 86	-5.13	3.02	31.19	75.19	80.47	$\frac{51.19}{100000000000000000000000000000000000$	-999.99	11.87
Oct 86	-7.41 -21.72	-0.63 -11.27	25.39 18.59	83.30 89.94	87.22	$\frac{53.42}{45.90}$	-999.99 15.70	6.44 -3.92
Nov 86 Dec 86	-21.72 -26.34	-11.27 -12.45	17.65	87.15	84.06 92.43	51.54	$\frac{15.70}{24.93}$	-1.57
Jan 87	-23.89	-6.66	22.80	78.65	90.69	49.22	$\frac{21.33}{25.02}$	1.51
Feb 87	-20.68	0.11	36.51	77.00	63.26	26.72	6.87	-11.21
Mar 87	-12.38	11.01	56.99	87.19	50.34	20.03	1.37	-15.20
Apr 87	5.54	29.99	82.02	101.22	58.92	32.31	13.40	-3.49
May 87	18.66	42.62	93.68	111.62	68.15	43.47	25.44	9.65
Jun 87	5.00 -15.41	26.07 2.36	73.16 47.76	110.98 104.50	67.98 67.62	43.40 42.24	$\frac{26.87}{25.85}$	12.96 12.12
Jul 87 Aug 87		-7.12	32.56	98.75	71.75	44.98	$\frac{23.83}{29.32}$	16.49
Sep 87	-33.42	-16.38	22.72	92.66	67.27	39.40	$\frac{23.32}{24.38}$	12.35
Oct 87	-37.00	-15.76	28.42	98.93	65.66	35.95	$\frac{17.89}{17.89}$	
Nov 87	-34.51	-12.09	32.27	101.67	63.46	35.41	16.59	-999.99
Dec 87	-37.83	-11.86	31.52	88.25	52.42	29.34	14.26	-999.99
Jan 88	-30.35	2.25	45.88	80.26	48.33	24.50	8.67	-999.99
Feb 88	-13.45	19.49	$\frac{63.41}{93.04}$	71.19	45.06	$\frac{19.40}{13.60}$	1.74	-999.99
Mar 88 Apr 88	5.76 31.94	37.80 62.61	$1\overline{07.28}$	61.85 69.51	36.50 38.66	$\frac{13.68}{14.91}$	-1.14 -0.83	-999.99 -999.99
May 88	41.88	71.89	$\frac{107.20}{116.72}$	76.59	47.96	$\frac{14.31}{22.90}$	5.84	-999.99
Jun 88	21.73	53.59	98.11	72.85	51.51	31.81	20.10	-999.99
Jul 88	-13.31	19.21	63.13	67.87	44.41	28.89	29.92	-999.99
Aug 88	-45.21	-12.24	31.14	65.89	35.68	17.98	-999.99	-999.99
Sep 88	-59.89	-26.29	16.84	63.64	36.06	15.49	-999.99	-999.99
Oct 88 Nov 88	-57.78 -44.75	-17.56 6.02	$\frac{25.72}{49.71}$	56.73 54.38	33.91 32.99	$\frac{12.20}{10.77}$	-999.99 -4.67	-999.99
Dec 88	-44.75 -27.20	25.47	$\frac{49.71}{69.50}$	64.50	43.94	$\frac{10.77}{22.78}$	9.62	-999.99 -999.99
200 00	27.20	20.7/	03.30	04.50	33.33	22.70	3.02	555.55

Table A2. Continued.

Month	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Jan 89	-11.41	38.94	83.20	86.49	59.61	35.91	20.19	-999.99
Feb 89	2.32	54.14	98.67	105.40	67.82	38.17	16.51	-999.99
Mar 89	22.63	73.39	$1\overline{18.25}$	114.76	69.07	36.37	11.68	-999.99
Apr 89	45.48	87.39	$\frac{134.77}{134.77}$	123.22	73.45	41.57	17.69	-999.99
May 89	33.06	64.65	118.08	123.06	73.80	43.11	20.43	-999.99
Jun 89	-9.67	17.72	72.34	111.15	67.65	35.75	11.85	-999.99
Jul 89	-35.68	-8.60	41.26	93.98	60.79	30.24	7.69	-999.99
Aug 89	-43.01	-15.65	31.33	79.29	56.30	31.09	13.89	-999.99
Sep 89	-37.64	-12.29	30.55	77.76	58.45	36.57	22.68	-999.99
Oct 89	-28.82	-5.64	38.17	85.40	59.63	37.47	23.30	-999.99
Nov 89	-30.01	-3.62	47.03	91.43	62.20	37.13	20.06	-999.99
Dec 89	-23.42	3.16	49.76	97.65	79.75	47.45	23.15	-999.99
Jan 90	-11.09	10.49	51.25	102.35	98.46	58.65	21.12	-999.99
Feb 90	-1.08	19.40	68.56	105.43	-999.99	$-9\overline{99.99}$	11.05	-999.99
Mar 90	20.50	39.62	97.85	105.50	-999.99	-999.99	6.43	-999.99
Apr 90	37.44	54.13	108.66	98.56	-999.99	-999.99	7.13	-999.99
May 90	13.77	35.00	81.68	96.48	65.70	34.40	9.52	-999.99
Jun 90	-28.67	-1.22	42.35	100.21	65.16	36.69	16.23	-999.99
Jul 90	-40.45	-14.08	29.26	99.87	70.76	44.58	26.40	-999.99
Aug 90	-34.71	-14.79	28.54	92.78	72.64	47.92	31.20	-999.99
Sep 90	-29.47	-14.01	29.34	88.39	68.26	45.70	31.14	-999.99
Oct 90	-24.31	-8.62	34.81	86.19	67.05	45.61	32.16	-999.99
Nov 90	-28.66	-12.02	32.74	82.88	69.18	47.17	33.15	-999.99
Dec 90	-21.69	-6.05	36.10	91.83	77.32	51.16	33.00	-999.99
Jan 91	-9.36	5.64	42.84	100.10	74.54	43.85	21.16	-999.99
Feb 91	-20.68	0.77	47.03	90.53	54.83	24.32	1.80	-999.99
Mar 91	-13.34	12.45	70.02	97.61	57.86	26.17	2.48	-999.99
Apr 91	15.00	36.67	90.10	128.04	83.55	48.68	21.80	-999.99
May 91	24.88	44.01	90.17	139.15	91.04	57.71	32.38	-999.99
Jun 91	14.53	33.81	80.84	128.80	82.78	52.12	29.46	-999.99
Jul 91	-16.08	5.46	56.33	113.59	75.26	45.27	23.26	-999.99
Aug 91	-38.69	-14.55	35.31	101.12	72.66	43.26	21.84	-999.99
Sep 91	-32.42	-9.99	34.71	96.50	83.96	54.03	32.11	-999.99
Oct 91	-15.41	1.38	40.49	95.78	99.67	67.79	43.91	-999.99

Table A3. Monthly averaged meridional velocity (in cm s⁻¹) at 0°, 110°W for 1980-1991. Missing data are indicated by -999.99.

Month	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Mar 80	-999.99	-7.29	-5.29	-13.36	-5.14	-5.33	-8.10	-999.99
Apr 80	-999.99	-9.65	-12.44	-15.32	-5.20	-3.83	-7.12	-999.99
May 80	-999.99	-16.02	-22.83	-15.83	-6.18	-4.67	-999.99	-999.99
Jun 80	-999.99	-10.20	-16.73	-9.49	-4.63	-4.72	-999.99	-999.99
Jul 80	-999.99	-3.82	-6.67	-5.01	-3.17	-1.92	-999.99	-999.99
Aug 80	-999.99	-3.39	-5.83	-5.04	-4.97	-3.29	-11.80	
Sep 80 Oct 80	-999.99 -999.99	-0.40 -4.31	-5.42 -8.77	-3.55 -999.99	-5.84 -8.36	-7.53	-9.69	-9.56
Nov 80	-999.99 -999.99	-4.51 -4.55	-10.84	-999.99	-0.36 -11.70	$-10.04 \\ -8.88$	-7.79 -0.69	-3.36 2,14
Dec 80	-999.99	2.27	-5.82	-999.99	-10.47	-5.57	8.98	4.28
Jan 81	-999.99	0.80	-4.29	-999.99	-7.02	-3.88	-999.99	1.94
Feb 81	-999.99	0.80 -9.23	-9.74	-10.45	-6.84	-4.10	4.08	3.31
Mar 81	-999.99	-13.61	-13.47	-10.22	-7.33	-2.71	-0.06	2.84
Apr 81	-999.99	-7.06 -3.15	-9.80	-4.85 -1.41	-2.84	0.85	-1.05	-0.49
May 81	-999.99	-3.15	-7.13	-1.41			0.58	0,63
Jun 81		-2.87	-6.69	0.56	-0.72	-0.77	0.24	
Jul 81 Aug 81	-2.32 -1.68	-999.99 -999.99	-4.71 -4.64	3.06 2.91	0.09 0.74	-999.99 -999.99	-1.37 -3.35	-999.99 -999.99
Sep 81	1.88	-999.99	-6.30	2.85	2.40	-999.99	-3.35 -1.41	
Oct 81	5.98	-999.99	-7.16	1.99	0.91	-999.99	1.62	
Nov 81	9.02	-999.99	-6.92	-0.23	-2.53	-0.65	-0.43	-3.57
Dec 81	7.38	-999.99	- 5.14	-1.53	-4.28	-1.90	-1.88	-1.33
Jan 82	4.72	-999.99	-2.68	-2.41	-5.12	-3.05	-1.66	0.45
Feb 82	3.33	-999.99	-2.73	-3.32	-5.34	-2.66	-1.38	
Mar 82	-2.70	-999.99	-3.76	-3.38	-6.35		-0.30	0.53
Apr 82 May 82	-9.50 -6.65	-999.99 -999.99	-7.55 -11.56	-999.99 -999.99	-6.01 -2.07	-999.99 -999.99	-999.99 -999.99	
Jun 82	0.17	-999.99	-11.56 -8.40	-999.99	-0.20	-999.99 -999.99	-999.99 -999.99	
Jul 82	4.31	-999.99	-3.66	<u>-999 99</u>	-0.59	-999.99	-999.99	-999.99
Aug 82	7.72	-999.99	-2.84	-999.99	0.83	-999.99	-999.99	-999.99
Sep 82	9.38	-999.99	-0.10	-999.99	2.80	-999.99	-999.99	-999.99
Oct 82	1.55	-999.99	-6.94	-999.99	-1.06	-999.99	-999.99	-999.99
Nov 82	-8.58	-999.99	-20.40	-24.92	-5.84	-2.33	4.19	3.40
Dec 82	-6.92	-999.99	-15.49	-12.46	-3.05	2.07	4.87	2.01
Jan 83 Feb 83	-3.27 -3.28	-999.99 -999.99	$-4.81 \\ -0.25$	-1.76 -1.14	-0.50 -4.56	2.40 -2.57	3.50 -1.24	1.83 0.22
Mar 83	-3.95	-999.99	1.59	-4.11	-7.70	-6.48	-4.36	-1.52
Apr 83	-999.99	-999.99	0.12	-2.96	-3.55	-3.31	-3.75	0.50
May 83	14.50	-999.99	-0.50	-0.63	-1.63	-1.36	-2.33	0.65
Jun 83	7.54	-999.99	-0.31	1.86	-2.12	-1.76	-1.19	0.33
Jul 83	-0.56	-999.99	-2.37	3.13	-0.76	-0.61	-2.51	0.68
Aug 83	-1.10	-999.99	-5.74	-1.46	-3.86	-2.70	-4.52	-0.53
Sep 83 Oct 83	2.39 0.54	-999.99 -999.99	-3.22		-6.36	-3.99	-4.58	0.40
Nov 83	-4.19	-999.99 -7.12	2.90 1.66	2.62 4.09	-0.98 1.02	2.15 5.78	-2.59 -999.99	4.30 3.08
Dec 83	-3.04	-4.54	-4.64	-0.29	-2.18	2.92	-999.99	-3.58
Jan 84	-0.20	-4.25	-10.14	-2.46	-1.50	2.74	-999.99	-5.18
Feb 84	-0.02	-1.96	-11.83	-2.82	-0.34	4.26	-999.99	-1.21
Mar 84	-1.22	1.30	-5.53	-1.35	0.94	5.13	-999.99	0.79
Apr 84	1.07	-1.94	3.31	-1.43	2.07	5.17	-999.99	-1.46
May 84	-1.07	-10.62	2.69	-5.82	-0.99	2.96	-999.99	-1.57
Jun 84 Jul 84	-6.86	-12.90	-1.81	-6.95	-4.47	-0.23	-999.99	0.47
Jul 84	-3.01	-7.91	-2.83	-3.68	-3.65	-1.55	-999.99	-0.08

Table A3. Continued.

Month	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Aug 84	3.81	-4.88	-4.26	-3.40	-3.15	-2.86	-999.99	1.81
Sep 84	8.77	-2.08	-6.98	-6.07	-4.96	-4.71	-999.99	3.94
Oct 84	7.63	-4.30	-9.94	-6.43	-2.42	-2.32	-999.99	1.30
Nov 84	6.42	-6.09	-8.09	-5.14	0.75	0.73	-999.99	0.88
Dec 84	10.01	-3.14	-6.03	-5.55	-1.79	-1.95	-999.99	2.00
Jan 85	10.72	-0.67	-4.67	-6.53	-1.49	-1.43	-999.99	2.40
Feb 85	6.56	-0.61	-0.55	-6.51	2.91	2.44	-999.99	0.88
Mar 85	-0.46	-4.63	1.85	-5.53	4.22	1.03	-999.99	0.09
Apr 85	-0.97	-6.11	2.68	-1.84	5.36	1.96	-999.99	1.82
May 85	0.09	-8.55	-3.56	-0.26	4.86	4.02	-999.99	1.45
Jun 85	-5.60	-14.71	-13.34	-5.68	-1.50	0.32	-999.99	2.02
Jul 85	-4.25	-13.08	-12.99	-9.79	-6.74	-3.65	-999.99	-0.12
Aug 85	8.42	-2.53	-7.30	-8.30	-5.52	-4.30		-3.48
Sep 85	10.19	0.73	-4.33	-2.18	-1.65	-2.00	-999.99	-2.98
Oct 85	0.73	-4.21	-4.34	4.55	-0.43	-0.05	-999.99	-2.26
Nov 85	-0.92	-6.28	-9.04		-1.65	-0.19		-1.48
Dec 85 Jan 86	3.01 5.09	-5.36 -1.54	-13.86 -9.51	7.39	-0.68	2.56	-999.99	-0.80
Feb 86	2.35	1.92	0.53	7.40 8.81	1.26 1.91	4.13	-999.99 -999.99	-2.69
Mar 86	7.88	12.36	10.89	16.17	4.17	0.08 -3.80	-999.99	-2.85 1.28
Apr 86	12.66	17.13	14.05	19.37	2.46	-5.57		6.06
May 86	-1.53	-0.74	2.25	12.20	-3.45	-5.18		5.53
Jun 86	-10.17	-12.77	- 7.50	7.34	-3.18	-999.99	-999.99	1.70
Jul 86	-3.08	- 7.51	-3.82	6.92	2.41	-999.99	-999.99	1.11
Aug 86	0.29	-5.97	- 5.05	5.68	5.90	-999.99		-2.27
Sep 86	-5.20	-11.91	-10.99	5.58	7.21	-999.99	-999.99	-5.44
Oct 86	-6.85	-11.45	-6.20	8.30	8.56	-999.99		-4.58
Nov 86	-1.68	-6.05	-1.64	7.23	7.45	2.77		-0.48
Dec 86	0.33	-5.01	-5.42	0.98	8.18	6.50	-999.99	3.43
Jan 87	-4.31	-7.92 -7.36	-7.14 -1.68	-0.14	9.14	8.28	-999.99	0.34
Feb 87 Mar 87	-5.95 -3.67	-7.36 -2.40	5.20	3.46 6.63	4.66 2.04	4.96	-999.99	-1.58
Apr 87	0.15	3.02	4.78	8.60	-4.20	2.98 2.42	-999.99 -999.99	$-0.91 \\ -0.90$
May 87	3.47	4.68	-5.11	6.03	-15.95	0.81	-999.99	2.63
Jun 87	0.08	-1.85	-10.15	3.87	-18.12	1.07	-999.99	4.35
Jul 87	-1.90	-6.21	-6.21	8.18	-13.47	3.20	-999.99	4.07
Aug 87	2.04	-4.23	-6.39	10.62	-12.50	3.91	-999.99	6.22
Sep 87	2.62	-6.80	-11.10	9.48	-7.44	2.05	-999.99	3.80
Oct 87	-0.32	-8.73	-14.15	9.59	4.32	1.08	-999.99	-1.81
Nov 87	-0.77	-5.07	-999.99	5.68	7.92	-999.99	6.61	-999.99
Dec 87	-2.90	-5.31	-999.99	-0.13	2.20	-999.99	2.18	-999.99
Jan 88	-1.00	-3.62	-999.99	-0.08	0.20	-999.99	2.71	-999.99
Feb 88	7.11	4.07	-999.99	2.63	4.27	-999.99		
Mar 88	9.52	9.98	-999.99	4.78	8.07	-999.99	5.14	-999.99
Apr 88	2.35	9.81	-999.99	7.45	10.57	-999.99	-0.20	-999.99
May 88 Jun 88	-12.97 -17.69	0.83 -5.08	-999.99 -999.99	5.61 -2.09	10.56 3.90	-999.99	1.44	-999.99
Jul 88	-4.08	0.12	-999.99	-2.58	1.35	-999.99 -999.99	6.87 7.10	-999.99 -999.99
Aug 88	4.69	2.76	-999.99	3.25	6.07	-999.99	-999.99	-999.99
Sep 88	0.86	-3.20	-999.99	0.06	3.07	-999.99	-999.99	-999.99
Oct 88	-2.02	-7.07	-999.99	-2.73	-0.33	-999.99	-999.99	-999.99
Nov 88	2.00	-3.96	-999.99	2.75	3.87	-999.99	-2.06	-999.99
Dec 88	2.26	-2.13	-999.99	4.78	6.12	-999.99	-0.23	-999.99

Table A3. Continued.

Mont	h	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Jan	89	-0.84	0.23	-999.99	5.62	5.09	-999.99	0.88	-999.99
Feb		-3.59	4.82	-999.99	10.31	5.17	-999.99	2.07	-999.99
Mar		-8.76	1.60	-999.99	11.52	5.49	-999.99	2.86	-999.99
Apr	89	-0.71	3.47	-999.99	9.60	2.88	-999.99	-2.06	-999.99
May		9.37	7.33	10.59	4.46	-2.07	-999.99	-7.78	-999.99
Jun		5.96	-1.64	-3.95	-1.60	-5.15	-999.99	-1.78	-999.99
Jul		4.65	-5.84	-6.42	0.42	-3.30	-999.99	5.07	-999.99
Aug		6.82	-2.88	-2.30	2.33	-0.29	-999.99	4.81	-999.99
Sep	89	7.95	-1.53	-3.89	0.40	0.88	-999.99	2.52	-999.99
Oct		7.08	-1.21	-5.03	2.27	1.84	-999.99	-1.63	-999.99
Nov	89	3.39	-1.84	-1.90	9.09	4.87	-999.99	-1.95	-999.99
Dec	89	-1.01	-3.43	3.50	18.59	12.97	-999.99	-1.18	-999.99
Jan	90	-2.18	-3.00	5.11	20.86	21.53	-999.99	-0.85	-999.99
Feb	90	-4.86	-4.30	0.77	13.35	-999.99	-999.99	2.61	-999.99
Mar	90	-2.87	-1.57	2.35	12.42	-999.99	-999.99	1.14	-999.99
Apr	90	5.65	6.52	11.97	13.35	-999.99	-999.99	0.26	-999.99
May	90	5.21	1.03	-999.99	2.68	5.71	-999.99	3.54	-999.99
Jun	_	3.48	-5.53	-999.99	-4.92	11.36	-999.99	1.68	-999.99
-	90	1.48	-5.74	-999.99	-8.30	15.23	-999.99	-0.21	-999.99
	90	-0.85	-8.37	-999.99	-14.65	10.11	-999.99	1.82	-999.99
	90	5.32	-2.77	-999.99	-11.70	8.41	-999.99	4.20	-999.99
	90	7.28	2.32	-999.99	-6.01	12.59	-999.99	4.40	-999.99
Nov		3.68	-0.21	-999.99	-0.95	12.36	-999.99	-0.53	-999.99
	90	10.29	5.86	14.05	11.06	12.56	-999.99	- 7.53	-999.99
Jan		14.90	9.77	4.44	13.90	10.82	-999.99	-7.06	-999.99
	91	5.76	1.47	-4.02	8.29	4.30	-999.99	1.10	-999.99
Mar		-4.43	-2.72	-3.07	8.50	1.39	-999.99	-2.06	-999.99
	91	-8.04	-3.39	-1.88	11.52	4.32	-999.99	-14.10	-999.99
	91	0.69	1.77	1.37	16.97	5.56	-999.99	-11.47	-999.99
-	91	9.78	8.50	4.08	19.98	1.23	-999.99	-2.85	-999.99
	91	3.60	-0.16	-2.85	15.22	-0.30	-999.99	-1.18	-999.99
_	91	-2.20	-7.59	-7.18	11.98	2.23	-999.99	-1.21	-999.99
	91	10.98	5.82	4.65	15.95	4.90	-999.99	1.42	-999.99
Oct	91	30.39	25.50	22.85	22.65	7.38	-999.99	5.07	-999.99

Table A4. Monthly averaged winds and air temperatures at 0°, 110°W for 1980–1991. Missing data are indicated by -999.99.

		ind ocity	Wind Speed		Wind dostress	Air Temperature		
Month	(m/s)	(m/s)	(m**	2/s**2)	(deg C)		
Month Mar 80 May 81 May 81 May 81 May 81 May 81 May 82 May 83 May 83 May 83 May 83 May 83 May 84 May 84 May 84 May 84 May 84	-3.38 -3.44 -3.26 -2.98 -999.99 -999.99 -999.99 -999.99	-999.99 -999.99	-999.99 -999.99 -999.99 -999.99 -999.55.14 55.84 55.56 4.65 4.65 4.65 4.74 55.13 66.12 54.88 4.78 55.14 55.14 74.39 74.39 74.39 74.39 74.39 74.39 75.31 76.12 76.12 76.13 76.1	-999.99 -999.99 -999.99 -999.99 -24.07 -22.89 -24.24 -27.48 -24.17 -10.22 -13.26 -18.94 -22.78 -24.652 -32.817 -217.32 -13.14 -11.18 -11.47 -13.31 -11.47 -13.31 -11.47 -13.31 -11.47 -13.31 -11.47 -13.31 -11.47 -13.31 -16.82 -17.95 -20.63 -20.63 -29.99 -999.99 -9	-999.99 -999.99 -999.99 15.41 15.60 17.28 21.94 20.63 14.06 10.25 8.60 10.03 13.36 13.32 10.74 12.46 19.78 22.14 18.49 15.91 13.66 10.72 8.59 11.62 18.31 20.98 20.04 22.31 28.58 32.12 29.88 29.99 -999.99 -999.99	-999.99 -999.99 -999.99 -999.99 -999.99 21.88 21.89 22.53 22.99 23.16 23.99 25.08 25.45 24.95 23.91 22.57 21.66 22.09 22.44 23.02 23.88 24.86 25.52 25.78 25.78 25.78 25.78 25.78 25.78 25.78 25.78 25.78 27.45 27.67 27.92 -999.99		

Table A4. Continued.

	Vel	ind ocity	Wind Speed	Pseu		
Month	u	m/s) v	(m/s)	(m** u	2/s**2) v	(deg C)
Jul 84 Aug 84 Sep 84 Oct 84	-3.14 -3.67 -3.82 -4.05	1.95 2.20 2.61 3.11	3.81 4.36 4.73 5.24	-13.69 -17.53 -19.26 -22.67	8.47 10.45 13.31 17.62	22.05 21.69 21.21 21.01
Nov 84 Dec 84 Jan 85 Feb 85	-4.32 -999.99 -999.99	3.21 -999.99 -999.99	5.53 -999.99 -999.99	-25.60	19.38 -999.99 -999.99	-999.99
Mar 85 Apr 85 May 85 Jun 85	-999.99 -999.99 -3.70 -3.97	-999.99 -999.99 1.54 2.12	-999.99 -999.99 4.25	-999.99 -999.99 -16.71 -19.82	-999.99 -999.99 7.15 10.45	
Jul 85 Aug 85 Sep 85 Oct 85	-4.44 -4.96	2.64 3.13 3.22	5.28 5.96 5.97 5.51	-25.20 -31.30 -31.13 -27.30	14.77 19.70 20.27	22.29 21.75 21.48 -999.99
Nov 85 Dec 85 Jan 86 Feb 86	-4.58 -4.35 -3.70 -2.83	2.64 2.77	5.40 5.26 4.51 3.35	-25.99 -23.81 -18.44 -11.93	14.83 14.83 11.49 4.85	-999.99 -999.99 -999.99
Mar 86 Apr 86 May 86 Jun 86	-2.17 -2.25 -3.03 -3.86		2.68 2.97 4.14 5.44	-8.01 -8.78 -14.43 -21.95	1.00 2.69 11.22 20.97	
Jul 86 Aug 86 Sep 86 Oct 86	-4.20 -4.31	3.77 3.48	5.79 5.68 5.92 6.28	-25.05 -25.55 -27.09 -29.60	22.56 20.66 23.30 26.51	23.36 22.51 22.53 -999.99
Nov 86 Dec 86 Jan 87 Feb 87	-4.64 -4.28 -3.94 -3.28		6.30 6.19 5.88 4.84	-30.33 -27.72 -24.64 -17.83	25.94 26.72 25.74 16.50	23.81 24.12 25.13 26.21
Mar 87 Apr 87 May 87	-2.58 -999.99 -4.46 -4.68	2.33 -999.99 3.02 3.27	4.09 -999.99 5.64 5.91	-11.85 -999.99 -25.79 -28.42	10.15 -999.99 17.32 20.00	26.78 -999.99 26.59 25.98
Jun 87 Jul 87 Aug 87 Sep 87 Oct 87	-4.78 -4.76	3.43 3.66 4.20	6.02 6.14 6.41	-29.77 -30.12 -30.66	21.43 23.41 27.94	25.02 24.46 24.41
Nov 87 Dec 87 Jan 88	-4.37 -4.23 -3.62	3.28 2.50	5.49 4.64	-28.31 -25.73 -23.82 -18.56	18.66 12.92	23.80 24.10
Feb 88 Mar 88 Apr 88 May 88	-2.92 -2.68 -2.30 -2.32	1.29 0.43 0.25 0.37	3.68 3.24 2.70 2.60	-13.18 -11.10 -8.19 -7.65	5.68 1.58 0.69 1.31	24.66 24.61 23.30 21.80
Jun 88 Jul 88 Aug 88 Sep 88	-3.29 -3.88 -3.95 -4.08	0.97 2.08 2.63 2.70	3.65 4.58 4.85 5.00	-13.95 -19.00 -20.46 -21.71	5.12 10.93 13.63 14.14	21.21 21.12 20.86 20.66
Oct 88	-3.63	2.54	4.53	-17.69	12.36	20.32

Table A4. Continued.

			ind ocity	Wind Speed		Wind dostress	Air Temperature
			m/s)	(m/s)		2/s**2)	(deg C)
Month	1	u	v	, , ,	ů	v	(== 5 = 7
Nov 8	_	-2.75	1.89	3.46	-10.39	7.49	19.74
Dec 8		-2.20	1.63	2.92	-7.04	5.54	19.94
Jan 8		-1.99	1.65 0.57	3.06	-7.31	5.74	21.71
Feb 8	_	-2.12 -2.47	-0.58	3.25 3.17	-8.63 -9.16	1.60 -2.38	23.75 24.66
Apr 8		-2.96	0.05	3.39	-11.53	0.77	24.85
May 8		-3.56	1.85	4.42	-17.05	9.82	24.72
Jun 8		-3.72	3.30	5.22	-20.02	18.13	24.02
Jul 8		-3.78	3.45	5.25	-20.55	18.85	22.83
	39	-4.07	2.82	5.08	-21.34	14.82	21.88
Sep 8		-4.12 -4.00	2.63 2.90	5.00 5.07	-21.03 -20.60	13.48 14.95	21.65 21.85
Nov 8		-999.99	-999.99	-999.99	-999.99	-999.99	21.98
Dec 8		-999.99	-999.99	-999.99	-999.99	-999.99	22.41
Jan 9	90	-3.73	2.90	4.84	-18.76	14.78	23.66
Feb 9		-3.40	2.06	4.18	-15.09	9.46	24.91
Mar 9		-3.10	1.43	3.68	-12.22	5.68	25.66
Apr 9	90 90	-3.15 -3.72	2.10 3.15	4.07 5.07	-13.78 -20.27	9.81 17.29	26.12 26.23
Jun 9		-4.55	3.14	5.72	-27.48	18.60	-999.99
	90	-5.12	2.66	5.92	-31.61	16.28	-999.99
Aug 9		-5.25	2.86	6.10	-33.14	17.99	-999.99
Sep 9		-5.09	3.06	6.06	-31.78	19.01	-999.99
Oct 9		-5.09	2.89	5.98	-31.28	17.69	-999.99
Nov 9		-4.88 -4.27	3.02 3.45	5.86 5.63	-29.59 -24.87	17.84 19.67	-999.99 22.95
Jan 9		-4.11	3.65	5.63	-23.78	21.00	23.93
Feb 9		-3.78	2.98	5.02	-20.61	16.42	24.99
Mar 9		-2.83	1.90	3.77	-12.82	8.53	25.47
Apr 9		-2.70	2.02	3.81	-12.78	9.46	25.83
May 9		-3.43	3.23	5.04	-19.43	17.84	26.23
Jun 9 Jul 9		-4.06 -4.64	3.76 3.49	5.75 5.97	-24.48 -28.80	22.08 21.60	25.98 24.81
Aug 9		-4.85	3.08	5.88	-29.71	18.97	23.40
Sep 9		-4.63	3.00	5.68	-27.74	17.68	22.85
Oct 9	91	-4.59	3.21	5.80	-27.74	19.02	23.09

Table A5. Mean seasonal cycles of temperature (in °C) between the surface and 500 m at 0°, 110°W. Statistics are based on N monthly estimates, M of which are directly measured.

Depth (m)	Mean	Jan Std. Dev.	uary Skew	Min	Max	N M
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	23.46 22.94 21.90 20.13 18.73 16.99 15.53 14.55 13.86 13.44 12.88 12.42 11.86 8.11	1.05 1.33 1.98 2.52 2.66 2.47 1.61 0.93 0.57 0.36 0.23 0.23 0.29 0.19	0.25 -0.05 -0.09 0.30 0.54 0.81 0.98 0.74 0.83 0.83 1.39 0.71 -0.06 -0.26	21.84 20.94 18.70 16.84 15.77 14.65 13.94 13.52 13.21 13.04 12.65 12.14 11.54 7.86	25.50 25.19 25.19 24.57 23.72 22.11 19.14 16.52 15.11 14.23 13.45 12.84 12.16 8.32	10 9 10 9 10 10 10 7 10 9 10 8 10 7 10 6 10 9 6 6 4 4
Depth (m)	Mean	Feb Std. Dev.	ruary Skew	Min	Max	n m
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	24.84 24.12 22.63 20.42 18.82 16.87 15.33 14.41 13.74 13.36 12.83 12.44 11.73 8.02	0.82 1.06 1.74 2.24 2.37 2.10 1.20 0.63 0.37 0.24 0.18 0.19 0.14	1.14 0.65 0.58 0.71 0.68 0.87 1.04 0.64 0.77 0.58 0.89 0.38	24.07 22.74 20.80 18.28 16.60 15.04 14.24 13.64 13.26 13.01 12.62 12.23 11.65	26.79 26.35 26.04 24.78 23.45 21.31 18.06 15.66 14.52 13.86 13.25 12.75 11.94	10 9 10 9 10 9 10 7 10 10 10 9 10 8 10 8 10 6 10 9 6 6 4 6 4 4

Table A5. Continued.

		Ma	rch				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	25.66 24.85 23.19 20.57 18.76 16.62 15.12 14.30 13.70 13.33 12.84 12.50 11.67 8.05	0.81 0.96 1.61 2.00 1.89 1.36 0.58 0.30 0.20 0.13 0.14 0.18 0.15	1.34 1.13 0.54 0.59 0.53 0.92 0.29 0.22 0.34 0.40 0.16 0.34 0.55	24.92 23.67 20.98 17.77 16.07 14.98 14.39 13.85 13.44 13.17 12.61 12.25 11.55 7.86	27.68 27.21 26.49 24.47 22.43 19.76 16.45 14.80 14.03 13.58 13.14 12.79 11.87 8.40	11 11 11 11 11 11 11 11	10 9 10 10 7 11 9 8 8 7 10 7 6 4
Deally (a)	N		ril	N 2	3 7.		.,
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	25.70 25.00 23.54 20.92 19.05 16.86 15.30 14.40 13.79 13.40 12.91 12.58 11.86 8.17	1.21 1.44 2.21 2.48 2.08 1.36 0.60 0.33 0.21 0.16 0.13 0.19 0.06	-0.01 -0.44 -0.59 -0.17 -0.08 0.35 -0.22 -0.88 -0.79 -0.30 1.06 0.65 0.90 0.22	23.46 21.79 18.76 16.46 15.45 14.68 14.16 13.66 13.32 13.11 12.78 12.37 11.81 7.92	27.92 27.60 26.94 24.90 22.56 19.73 16.26 14.81 14.10 13.64 13.20 12.92 11.95 8.51	11 11	9 9 10 10 6 10 9 8 7 6 8 6 6 4

Table A5. Continued.

Depth (m)	Mean	M Std. Dev.	lay Skew	Min	Max	N	М
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	25.11 24.73 23.61 21.13 19.22 16.99 15.49 14.51 13.88 13.45 12.93 12.63 12.00 8.26	1.64 1.82 2.53 2.72 2.20 1.48 0.85 0.49 0.28 0.20 0.15 0.18 0.21	-0.64 -1.00 -0.98 -0.52 -0.38 -0.14 -0.21 -0.36 -0.17 0.04 0.80 0.57 0.18 -0.12	21.78 20.40 17.77 15.91 15.25 14.49 14.01 13.60 13.37 13.14 12.73 12.45 11.80 7.96	27.15 27.03 26.64 24.83 22.34 19.38 16.55 15.08 14.24 13.74 13.25 12.94 12.25 8.52	9 11 11 11 11 10 10 10 10 4 3	9 8 10 11 5 10 8 8 7 6 8 6 4
David 1 (a)			une				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	24.27 24.04 23.11 20.88 18.97 16.75 15.39 14.44 13.82 13.42 12.87 12.60 11.93 8.18	1.66 1.65 2.15 2.44 2.03 1.44 0.93 0.55 0.31 0.21 0.15 0.15 0.14	-0.42 -0.61 -0.64 -0.37 -0.20 -0.11 -0.15 -0.18 -0.12 0.31 0.84 0.69 0.01 -0.19	21.24 20.57 18.57 16.36 15.52 14.41 13.85 13.52 13.33 13.12 12.71 12.48 11.78 7.96	26.30 26.13 25.86 24.16 21.91 18.91 16.60 15.18 14.21 13.73 13.21 12.86 12.06 8.36	9 11 11 11 11 10 10 10 4 3	9 8 10 11 5 10 9 8 7 6 9 6 4

Table A5. Continued.

Depth (m)	Mean	J Std. Dev.	uly Skew	Min	Max	N	М
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	23.29 23.15 22.28 20.18 18.45 16.39 15.19 14.43 13.85 13.45 12.91 12.55 11.86 8.12	1.48 1.41 1.63 1.81 1.51 1.18 0.97 0.72 0.53 0.42 0.35 0.16 0.13	0.14 0.14 0.05 0.03 0.10 0.24 0.61 1.10 1.57 1.72 1.72 0.09 -0.20	21.20 20.86 19.50 17.08 16.01 14.60 13.88 13.54 13.29 13.10 12.67 12.37 11.69 8.00	25.26 25.17 24.85 23.02 20.75 18.11 17.10 16.17 15.25 14.60 13.85 12.77 12.01 8.21	10 11 11 11 11 11 11 11 11 11 11 3	9 9 9 10 5 11 8 8 6 6 10 6 4
Depth (m)	Mean	Au Std. Dev.	gust Skew	Min	Mayr	NT	M
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	22.51 22.33 21.57 19.67 18.15 16.19 15.03 14.32 13.79 13.41 12.90 12.41 11.86 8.12	1.10 1.13 1.32 1.58 1.33 1.01 0.82 0.59 0.44 0.35 0.24 0.23 0.13 0.09	0.43 0.42 0.45 0.27 0.33 0.31 0.58 0.86 1.18 1.35 1.31 -0.22 0.36 0.32	20.93 20.58 19.56 17.09 16.07 14.71 14.03 13.64 13.31 12.70 12.05 11.74 8.06	Max 24.73 24.64 24.29 22.73 20.75 18.14 16.49 15.59 14.84 14.27 13.47 12.72 12.03 8.22	N 11 11 11 11 11 11 11 11 11 11 11 13 14 15 16 4 3	M 10 9 10 5 11 8 8 6 6 9 6 4

Table A5. Continued.

Depth (m)	Mean	Sept Std. Dev.	ember Skew	Min	Max	N	М
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	22.28 22.09 21.37 19.68 18.33 16.42 15.17 14.38 13.80 13.41 12.87 12.31 11.84 8.15	1.11 1.15 1.42 1.84 1.66 1.31 0.91 0.56 0.38 0.25 0.13 0.44 0.16	0.76 0.74 0.47 0.06 0.22 0.33 0.25 -0.08 -0.14 0.09 0.82 -1.17 0.22 0.34	20.73 20.38 19.31 16.79 15.81 14.51 14.00 13.62 13.29 13.10 12.76 11.43 11.66 8.07	24.74 24.66 24.25 22.75 20.92 18.79 16.62 15.05 14.28 13.76 13.13 12.68 12.05 8.28	11 11 11 11 11 11 11 11 10 6 4 3	999051 1188669664
		Oct	ober				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	22.30 22.09 21.38 19.87 18.59 16.73 15.38 14.51 13.84 13.42 12.85 12.29 11.88 8.15	1.24 1.31 1.74 2.26 2.17 1.91 1.38 0.86 0.52 0.32 0.14 0.48 0.16 0.08	0.20 0.17 -0.12 -0.26 0.07 0.52 0.64 0.48 0.40 0.49 0.28 -1.21 0.33 -0.41	20.43 19.99 18.39 16.01 15.13 14.08 13.69 13.42 13.19 13.03 12.67 11.33 11.69 8.06	24.39 24.28 23.82 23.31 22.47 20.50 17.99 15.94 14.71 13.99 13.06 12.66 12.12 8.20	11 11 11 11 11 11 11 11 11 10 6 5	9 9 9 10 4 10 8 8 6 6 10 6 7 5

Table A5. Continued.

		Nov	ember				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	22.20 21.90 21.11 19.64 18.29 16.45 15.15 14.35 13.74 13.35 12.80 12.31 11.72 8.03	1.33 1.50 2.10 2.53 2.36 1.89 1.25 0.81 0.49 0.29 0.17 0.35 0.40 0.12	-0.30 -0.48 -0.62 -0.50 -0.12 0.47 0.53 0.37 0.42 0.49 -1.18 -1.15 -0.07	19.76 18.97 16.88 14.92 14.21 13.66 13.37 13.19 13.05 12.93 12.56 11.62 10.93 7.90	24.05 23.84 23.84 23.30 22.35 20.38 17.74 15.90 14.66 13.92 13.10 12.60 12.01 8.13	10 10 10 10 10 10 10 10 10 4	10 9 10 6 9 9 8 7 6 9 6 4
		Doo	.ambau				
Depth (m)	Mean	Std. Dev.	ember Skew	Min	Max	N	М
Depth (m)	Hean	bca. Dev.	DREW	PILII	Max	N	1-1
SST 10 25 45 60 80 100 120 140 160 200 250 300 500	22.46 22.07 21.25 19.72 18.33 16.59 15.29 14.43 13.81 12.86 12.38 11.83 8.11	1.32 1.59 2.18 2.55 2.41 1.99 1.30 0.83 0.52 0.33 0.19 0.27 0.36 0.16	-0.50 -0.71 -0.75 -0.48 -0.10 0.49 0.57 0.37 0.46 1.09 -0.33 -0.70	19.89 18.83 16.80 15.02 14.20 13.68 13.35 13.15 12.99 12.89 12.64 11.91 11.28 7.88	24.29 24.02 24.05 23.46 22.52 20.75 18.12 16.13 14.87 14.10 13.29 12.77 12.20 8.22	10 10 10 10 10 10 10 10 10 4	9 9 9 9 10 7 9 9 8 7 6 9 6 6 4

Table A6. Mean seasonal cycles of zonal velocity (in cm s⁻¹) between the surface and 250 m at 0°, 110°W. Statistics are based on N monthly estimates, M of which are directly measured.

		.Tan	uary			
Depth (m)	Mean	Std. Dev.	Skew	Mir.	Max	N M
10 25 45 80 120 160 200 250	-15.59 16.05 58.18 92.11 70.57 41.23 19.23 -0.24	9.03 17.51 21.23 13.63 18.16 11.30 7.56 9.49	-0.23 0.57 0.18 0.96 0.19 -0.09 -0.13 0.78	-30.35 -6.66 22.80 78.65 47.21 24.50 7.11 -10.44	-1.91 49.13 94.64 122.89 98.46 58.65 32.19 17.14	10 9 10 9 10 8 10 9 10 10 10 6 10 5 6 6
		Feb	ruary			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N M
10 25 45 80 120 160 200 250	-7.61 27.57 72.31 91.92 60.35 32.15 11.57 -6.10	10.32 20.08 20.05 14.51 12.49 9.50 7.79 5.28	-0.09 0.16 -0.27 0.30 0.56 0.22 0.17 0.73	-20.68 0.11 36.51 71.19 45.06 19.40 1.74 -11.21	6.88 59.45 100.42 118.32 85.43 47.42 23.27 3.32	10 9 10 9 10 8 10 10 9 9 9 6 10 6 6 6
Donath (m)	Wann		rch	M d	1 /2	N. M
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N M
10 25 45 80 120 160 200 250	10.86 48.01 94.43 98.01 60.44 31.22 10.42 -6.17	16.53 23.68 18.77 16.78 13.61 9.51 8.10 5.90	-0.17 -0.12 -0.59 -0.68 -0.13 -0.40 0.25 -0.05	-13.34 11.01 56.99 61.85 36.50 13.68 -1.14 -15.20	36.92 81.72 118.25 119.32 81.26 44.27 24.38 2.66	11 9 11 10 11 9 11 11 10 10 10 7 11 7 6 6
Donath (m)	M		ril	76d	Man	27 26
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N M
10 25 45 80 120 160 200 250	30.10 65.91 112.53 108.39 69.03 37.30 15.14 -2.15	15.17 21.79 16.93 18.90 15.62 10.10 7.60 4.19	0.23 -0.02 -0.10 -0.60 -0.51 -1.00 -0.75 0.79	5.54 29.99 82.02 69.51 38.66 14.91 -0.83 -5.81	59.74 100.73 140.90 131.76 90.93 48.68 24.18 4.93	11 9 11 10 11 9 11 10 10 10 9 6 10 6 5 5

Table A6. Continued.

		М	ay				
Depth (m)	Mean	Std. Dev.		Min	Max	N	M
10 25 45 80 120 160 200 250	28.50 59.92 107.70 111.65 72.48 41.05 18.10 0.08	15.05 20.21 18.19 20.33 13.93 9.82 8.31 7.16	0.49 0.31 0.36 -0.24 0.01 -0.09 0.12 -0.13	6.33 35.00 81.68 76.59 47.96 22.90 5.84 -10.28	59.80 93.63 143.71 139.15 94.01 57.71 32.38 9.65	11 11 11 11 11 10 9 5	9 10 9 10 11 6 5
Depth (m)	Mean	J Std. Dev.	une Skew	Min	Max	N	М
10 25 45 80 120 160 200 250	5.21 33.01 81.71 105.77 69.71 40.79 19.08 1.30	21.22 22.79 21.26 17.10 10.13 7.21 7.31 10.17	-0.02 0.18 0.03 -0.12 0.06 0.42 0.08 -0.39	-28.67 -1.22 42.35 72.85 51.51 31.81 9.10 -14.23	39.25 65.78 114.66 134.22 84.75 52.17 29.46 12.96	11 11 11 11 11 10 8 5	9 10 9 10 11 5 5
Depth (m)	Mean	J Std. Dev.	uly Skew	Min	Max	N	М
10 25 45 80 120 160 200 250	-21.57 9.37 58.31 94.71 63.59 37.94 20.51 5.87	17.02 16.82 18.01 12.30 8.60 6.65 8.43 11.46	-0.05 0.31 0.44 -0.62 -0.71 -0.20 -0.32 -0.65	-47.81 -14.08 29.26 67.87 44.41 28.89 7.69 -12.54	1.45 41.51 96.91 113.59 75.26 46.34 29.92 15.36	11 11 11 11 11 11 9 5	10 9 11 11 5 6 5
Depth (m)	Mean	Au Std. Dev.	gust Skew	Min	Max	N	М
10 25 45 80 120 160 200 250	-33.12 -5.19 41.49 85.76 62.86 38.40 24.38 11.85	8.78 10.13 13.13 10.97 11.78 9.41 8.95 14.50	0.16 0.65 1.03 -0.15 -0.93 -0.90 -0.97	-45.21 -15.65 28.54 65.89 35.68 17.98 5.96 -13.72	-21.49 15.21 71.19 101.12 75.65 47.92 31.20 28.71	11 11 11 11 11 11 9	10 9 9 11 11 5 6

Table A6. Continued.

Depth (m)	Mean	Sept Std. Dev.	ember Skew	Min	Max	и м
10	-36.40	13.49	0.59	-59.89	-5.13	11 10
25	-11.36	9.14	-0.09	-26.29	3.02	11 9
45	32.17	11.75	-0.15	12.27	50.89	11 9
80	80.62	12.97	0.02	63.64	96.50	11 11
120	64.72	15.46	-0.34	36.06	83.96	11 11
160	40.60	12.36	-0.80	15.49	54.03	11 5
200	26.54	9.94	-1.48	2.29	34.25	9 6
250	11.21	15.11	-0.47	-15.21	31.64	6 6
Depth (m)	Mean	Oct Std. Dev.	ober Skew	Min	Max	N M
10	-36.15	15.84	0.37	-57.78	-7.41	11 10
25	-10.06	8.55	0.23	-20.52	2.55	11 9
45	32.69	9.69	0.99	21.14	55.63	11 9
80	81.67	14.22	-0.59	56.73	98.93	11 10
120	66.25	19.63	-0.07	33.91	99.67	11 11
160	41.13	15.90	-0.39	12.20	67.79	11 5
200	26.93	13.18	-0.89	-1.82	43.91	9 6
250	8.10	16.04	-0.21	-17.84	31.09	6 6
Depth (m)	Mean	Nov Std. Dev.	ember Skew	Min	Max	N M
10	-35.10	10.49	0.14	-49.78	-18.51	10 9
25	-5.47	10.93	0.54	-21.39	15.95	10 9
45	38.50	15.38	0.46	17.71	70.28	10 7
80	85.50	16.23	-0.59	54.38	104.72	10 9
120	64.07	16.91	-0.69	32.99	84.06	10 10
160	37.59	13.14	-1.05	10.77	47.17	10 6
200	20.07	13.66	-0.55	-4.67	37.88	10 6
250	7.01	15.90	0.21	-14.39	32.02	6 6
Depth (m)	Mean	Dec Std. Dev.	ember Skew	Min	Max	N M
10	-25.50	10.05	0.28	-40.67	-6.69	10 9
25	4.79	16.99	0.47	-14.70	36.55	10 9
45	47.52	20.40	0.27	17.65	84.65	10 8
80	90.07	15.07	0.09	64.50	117.61	10 9
120	68.87	17.20	-0.35	42.46	92.43	10 10
160	40.80	11.60	-0.65	22.08	51.54	10 6
200	21.75	9.88	-0.22	4.76	36.82	10 6
250	4.38	13.33	0.64	-10.16	27.48	6 6

Table A7. Mean seasonal cycles of meridional velocity (in cm s⁻¹) between the surface and 250 m at 0°, 110°W. Statistics are based on N directly measured monthly estimates.

		_				
Depth (m)	Mean	Jan Std. Dev.	uary Skew	Min	Max	N
10 25 45 80 120 160 200 250	2.99 -1.13 -3.61 4.02 3.29 1.13 -1.20 -0.46	6.42 4.88 5.77 8.83 8.59 4.73 3.68 2.92	0.62 0.90 0.43 0.63 0.75 0.28 -0.53	-4.31 -7.92 -10.14 -6.53 -7.02 -3.88 -7.06 -5.18	14.90 9.77 5.11 20.86 21.53 8.28 2.71 2.40	9 8 9 10 6 5
Dankh (m)			ruary	16 2 -		
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	1.19 -1.24 -3.66 2.38 1.19 0.83 2.61 -0.10	5.03 4.92 4.71 7.92 4.47 3.70 2.89 2.21	-0.20 -0.32 -0.68 -0.17 -0.78 -0.16 0.22 0.24	-5.95 -9.23 -11.83 -10.45 -6.84 -4.10 -1.38 -2.85	7.11 4.82 0.77 13.35 5.17 4.96 7.20 3.31	9 9 8 10 9 6 6
5 13 ()			rch	.		
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-0.75 -0.70 -1.20 2.38 0.75 -0.55 -0.20 0.77	5.86 7.65 7.12 9.76 5.29 3.78 4.19 1.26	0.62 0.21 0.03 -0.19 -0.34 0.20 -0.61 0.33	-8.76 -13.61 -13.47 -13.36 -7.33 -5.33 -8.10 -0.91	9.52 12.36 10.89 16.17 8.07 5.13 5.14 2.84	9 10 9 11 10 7 7 6
,			ril			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	0.30 1.18 0.57 4.65 0.94 0.17 -4.05 1.01	6.66 8.40 9.29 10.30 5.35 4.07 5.60 3.09	0.20 0.43 0.02 -0.45 0.18 -0.27 -0.83 0.71	-9.50 -9.65 -12.44 -15.32 -6.01 -5.57 -14.10 -1.46	12.66 17.13 14.05 19.37 10.57 5.17 0.26 6.06	9 10 9 10 10 6 6

Table A7. Continued.

		M	lay			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-0.38 -2.34 -3.70 2.46 -0.42 -0.19 -2.74 1.73	6.54 7.29 9.67 9.17 7.15 3.87 6.51 2.62	-0.43 -0.51 -0.49 -0.35 -0.51 -0.30 -0.32 0.20	-12.97 -16.02 -22.83 -15.83 -15.95 -5.18 -11.47 -1.57	9.37 7.33 10.59 16.97 10.56 4.02 3.54 5.53	9 10 9 10 11 6 5
			une			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-2.32 -5.91 -7.17 0.10 -1.95 -0.87 0.83 2.34	8.59 7.03 6.18 8.63 7.16 2.26 3.80 1.48	-0.30 0.50 0.22 1.05 -0.42 -0.83 0.55 0.11	-17.69 -14.71 -16.73 -9.49 -18.12 -4.72 -2.85 0.47	9.78 8.50 4.08 19.98 11.36 1.07 6.87 4.35	9 10 9 10 11 5 5
Depth (m)	Mean	Std. Dev.	uly Skew	Min	Max	N
10 25 45 80 120 160 200 250	-0.95 -5.57 -5.43 0.69 -1.12 -0.91 1.15 1.13	3.17 4.04 3.28 7.55 6.98 2.55 3.94 1.72	0.61 -0.16 -1.16 0.33 0.62 0.57 0.52 0.84	-4.25 -13.08 -12.99 -9.79 -13.47 -3.65 -2.51 -0.12	4.65 0.12 -2.37 15.22 15.23 3.20 7.10 4.07	10 9 9 11 11 5 6 5
Depth (m)	Mean	Au Std. Dev.	ıgust Skew	Min	Max	N
10 25 45 80 120 160 200 250	2.02 -4.12 -5.41 0.36 -0.48 -1.85 -2.38 -2.64	3.75 3.28 1.57 7.96 6.43 3.28 5.74 8.09	0.40 0.65 0.54 -0.25 -0.09 0.97 -0.35 -0.80	-2.20 -8.37 -7.30 -14.65 -12.50 -4.30 -11.80 -17.60	8.42 2.76 -2.30 11.98 10.11 3.91 4.81 6.22	10 9 9 11 11 5 6

Table A7. Continued.

Depth (m)	Mean	Sept Std. Dev.	ember Skew	Min	Max	N
10 25 45 80 120 160 200 250	4.58 -2.46 -5.29 0.68 0.06 -3.24 -1.26 -1.64	5.03 4.91 4.69 7.62 5.66 3.56 5.17 5.36	-0.37 -0.30 0.65 0.41 0.04 0.30 -0.48 -0.23	-5.20 -11.91 -11.10 -11.70 -7.44 -7.53 -9.69 -9.56	10.98 5.82 4.65 15.95 8.41 2.05 4.20 3.94	10 9 9 11 11 5 6
Depth (m)	Mean	Oct Std. Dev.	ober Skew	Min	Max	N
10 25 45 80 120 160 200 250	5.04 -1.50 -3.32 3.68 2.10 -1.84 -0.15 -1.07	10.10 10.89 10.85 8.56 5.81 4.88 4.85 3.29	1.35 1.56 1.42 0.78 0.13 -0.79 -0.32 0.52	-6.85 -11.45 -14.15 -6.43 -8.36 -10.04 -7.79 -4.58	30.39 25.50 22.85 22.65 12.59 2.15 5.07 4.30	10 9 9 10 11 5 6
Depth (m)	Mean	Nov Std. Dev.	rember Skew	Min	Max	N
10 25 45 80 120 160 200 250	1.88 -4.57 -5.25 3.26 2.24 -0.07 0.16 0.10	4.21 2.26 4.63 4.61 6.73 4.92 3.24 2.45	0.23 0.72 0.23 -0.44 -0.49 -0.64 1.21 -0.20	-4.19 -7.12 -10.84 -5.14 -11.70 -8.88 -2.06 -3.57	9.02 -0.21 1.66 9.09 12.36 5.78 6.61 3.08	9 7 9 10 6 6
Depth (m)	Mean	Dec Std. Dev.	ember Skew	Min	Max	N
10 25 45 80 120 160 200	2.93 -2.31 -2.92 3.92 2.26 0.43 0.06	5.20 3.88 8.29 7.43 7.60 4.35 5.42	0.28 1.05 0.82 0.65 0.01 0.02	-3.04 -5.36 -13.86 -5.55 -10.47 -5.57 -7.53	10.29 5.86 14.05 18.59 12.97 6.50 8.98	9 8 9 10 6

Table A8. Mean seasonal cycles of winds and air temperature at 0°, 110°W. Statistics are based on N directly measured monthly estimates.

Zonal Wind Pseudo-stress (m**2/s**2)								
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	-16.39 -12.72 -9.91 -10.64 -16.33 -20.73 -24.26 -26.07 -26.61 -26.16 -23.36 -19.61	6.72 5.14 3.21 3.58 5.81 5.80 5.70 5.17 5.02 4.73 7.47 7.97	0.46 0.32 1.30 0.84 0.38 0.48 0.43 0.22 0.16 0.40 0.91 0.64	-24.64 -20.61 -12.82 -13.78 -25.79 -28.42 -31.61 -33.14 -32.83 -32.17 -30.33 -27.72	-5.04 -2.87 -2.37 -3.50 -6.20 -9.44 -13.69 -17.53 -19.26 -17.69 -10.39 -7.04	9 9 8 10 10 9 10 10 10		
Meridional Wind Pseudo-stress (m**2/s**2)								
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	13.71 8.78 4.97 5.97 11.72 15.54 16.18 16.75 18.45 19.01 16.91 15.80	6.73 5.34 4.35 4.66 6.20 6.43 5.28 4.06 4.68 4.54 6.75 7.58	0.25 0.23 -0.30 -0.02 -0.38 -0.55 -0.14 0.04 0.60 0.41 -0.54 -0.30	3.98 1.60 -2.38 0.69 1.31 5.12 8.47 10.45 13.31 12.36 5.19 4.40	25.74 16.50 10.15 11.62 18.31 22.08 22.56 23.41 27.94 26.51 25.94 26.72	9 9 8 10 10 9 10 10 10 8		
		ir Temperatu	-					
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	23.50 24.72 25.43 25.24 24.88 24.02 23.01 22.24 22.04 22.05 22.15 22.53	1.06 0.75 0.69 0.95 1.54 1.56 1.34 1.08 1.10 1.26 1.50	-0.24 0.59 0.56 -1.07 -0.64 -0.28 0.31 0.82 0.87 0.26 -0.33 -0.66	21.71 23.75 24.61 23.30 21.80 21.21 21.12 20.86 20.66 20.32 19.74 19.94	25.13 26.21 26.78 26.12 26.59 25.98 25.02 24.46 24.41 24.12 23.81 24.12	8 8 8 7 9 9 8 9 9 7 7 8		

Table A8. Continued.

Zonal Wind Velocity (m/s)								
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	-3.23 -2.74 -2.41 -2.56 -3.31 -3.84 -4.28 -4.49 -4.50 -4.43 -4.11 -3.64	0.88 0.82 0.64 0.61 0.74 0.64 0.60 0.51 0.46 0.79 0.90	0.72 0.83 1.37 1.00 0.52 0.58 0.46 0.11 -0.05 0.15 0.93 0.68	-4.11 -3.78 -3.10 -3.15 -4.46 -4.68 -5.12 -5.25 -5.14 -5.09 -4.88 -4.35	-1.67 -0.98 -0.87 -1.26 -1.88 -2.51 -3.14 -3.67 -3.82 -3.63 -2.75 -2.20	9 9 8 10 10 10 10 10		
	Meridi	onal Wind V	elocity	(m/s)				
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	2.72 1.93 1.25 1.36 2.26 2.81 2.83 2.87 3.11 3.21 2.96 2.94	0.85 0.87 1.01 0.99 1.03 0.99 0.73 0.50 0.52 0.54 0.84 0.98	0.02 -0.14 -0.48 -0.10 -0.42 -0.59 -0.04 -0.02 0.93 0.68 -0.56 -0.45	1.46 0.57 -0.58 0.05 0.37 0.97 1.95 2.11 2.61 2.54 1.44 1.39	4.08 2.98 2.33 2.59 3.52 3.84 3.77 3.66 4.20 4.16 4.06 4.25	9 9 8 10 10 10 10 10 8		
		Wind Speed	(m/s)					
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	4.44 3.83 3.35 3.41 4.33 4.99 5.30 5.47 5.60 5.61 5.21 4.85	1.09 0.87 0.66 0.75 1.04 0.92 0.74 0.59 0.58 0.58 1.07 1.25	-0.47 -0.39 -0.79 -0.46 -0.72 -0.90 -0.74 -0.44 -0.18 -0.39 -0.93 -0.68	2.49 2.15 2.02 2.11 2.51 3.13 3.81 4.36 4.73 4.53 3.31 2.92	5.88 5.02 4.09 4.17 5.64 5.91 6.02 6.14 6.41 6.28 6.30 6.19	9 9 8 10 10 10 10 10 8		

Table A9. Annual means for ocean temperature and velocity at 0°, 110°W. Statistics are based on N = 12 climatological monthly means as presented in Tables A5-A7. NTOT is an index showing the total number of months of directly measured data at each depth.


Depth (m)	Mean	Zonal Cu Std. Dev.	urrents Skew	(cm/s) Min	Max	N	NTOT
10 25 45 80 120 160 200 250	-11.37 19.38 64.80 93.85 66.08 38.35 19.48 2.93	24.66 27.37 28.69 10.30 4.02 3.46 5.24 6.13	0.51 0.43 0.40 0.40 0.03 -1.00 -0.25 -0.06		30.09 65.91 112.53 111.65 72.48 41.23 26.93 11.85	12 12 12 12 12 12 12 12	112 112 103 119 125 66 68 66
Depth (m)	Mean	Meridional Std. Dev.	Current Skew	s (cm/s) Min	Max	N	NTOT
10 25 45 80 120 160 200 250	1.38 -2.56 -3.87 2.38 0.74 -0.58 -0.60 0.15	2.28 2.12 2.08 1.59 1.57 1.25 1.84 1.43	0.08 -0.11 0.53 -0.15 -0.07 -0.57 -0.20 -0.38	-2.32 -5.91 -7.17 0.10 -1.95 -3.24 -4.05 -2.64	5.04 1.18 0.57 4.64 3.29 1.13 2.61 2.34	12 12 12 12 12 12 12 12	112 112 103 119 125 66 68 66
Danth (m)	M	Temperati			160	27	NECES
Depth (m) SST 10 25 45 60 80 100 120 140 160 200 250 300 500	Mean 23.67 23.28 22.25 20.23 18.64 16.66 15.28 14.42 13.80 13.40 12.87 12.45 11.84 8.12	1.38 1.21 0.94 0.54 0.34 0.25 0.15 0.08 0.05 0.04 0.04 0.12 0.09 0.07	Skew 0.29 0.22 0.22 0.32 0.18 -0.22 0.06 0.14 0.10 -0.95 0.03 0.11 -0.38 0.17	Min 22.20 21.90 21.11 19.64 18.16 16.19 15.03 14.30 13.69 13.33 12.80 12.29 11.67 8.02	Max 25.70 25.00 23.61 21.13 19.23 16.99 15.53 14.55 13.88 13.45 12.93 12.63 12.00 8.26	N 12 12 12 12 12 12 12 12 12 12 12 12 12	NTOT 113 106 112 121 69 119 103 96 82 71 107 71 54 42

Table A10. Annual means for winds and air temperatures at 0°, 110°W. Statistics are based on N = 12 climatological monthly means as presented in Table A8. NTOT is an index showing the total number of months of directly measured data at each depth.

Air Temperature (degrees C)								
	Mean	Std. Dev.		Min	Max	N	NTOT	
Air T	23.48	1.32	0.23	22.04	25.43	12	99	
Winds (m/s) Mean Std. Dev. Skew Min Max N NTOT								
Zonal Meridional Speed	-3.63 2.52 4.70	0.77 0.67 0.82	0.29 -0.85 -0.45	1.25	-2.41 3.21 5.61	12 12 12	113 113 113	
Wind Pseudo-stress (m**2/s**2) Mean Std. Dev. Skew Min Max N NTOT								
Zonal Meridional	-19.40 13.65	6.13 4.75	0.26 -0.67	-26.61 4.97	-9.91 19.01	12 12	113 113	

APPENDIX B

0°, 140°W Figures and Tables



Bar chart showing velocity and temperature data availability from current meters and from wind recorders as a function of depth at 0°, 140°W. Figure B1a.




Figure B1b. Bar chart showing availability of data from temperature recorders (TRs) at 0°, 140°W.




Figure B2. Time series of monthly mean temperatures (in °C) at 0°, 140°W. Dotted lines indicate data that have been filled by vertical interpolation or extrapolation.




Figure B2. Continued.




Figure B3. Time series of monthly mean zonal velocities (in cm s⁻¹) at 0°, 140°W. Dotted lines indicate data that have been filled by vertical interpolation or extrapolation.




Figure B4. Time series of monthly mean meridional velocities (in cm s⁻¹) at 0°, 140°W.




Figure B5. Time series of monthly mean winds and air temperatures at 0°, 140°W.




Figure B6. Time series of climatological monthly mean temperatures (in °C) at 0°, 140°W. One standard error is shown for means based on more than 3 estimates.




Figure B6. Continued.




Figure B7. Time series of climatological monthly mean zonal velocities (in cm s⁻¹) at 0°, 140°W. One standard error is shown for means based on more than 3 estimates.




Figure B8. Time series of climatological monthly mean meridional velocities (in cm s⁻¹) at 0°, 140°W. One standard error is shown for means based on more than 3 estimates.




Figure B9. Time series of climatological monthly mean winds and air temperatures at 0°, 140°W. One standard error is shown for means based on more than 3 estimates.




Figure B10. Contoured time series of zonal velocity (u), meridional velocity (v) and temperature (T) at 0°, 140°W. Velocities are in cm s⁻¹ and temperature is in °C. Dashed contours are for westward or southward flow. Shading highlights zonal velocities > 100 cm s⁻¹, meridional velocities > 6 cm s⁻¹ and temperatures between 15°-20°C.




Figure B11. Climatological monthly mean profiles of zonal velocity, meridonal velocity and temperature at 0°, 140°W. Solid circles on the left axes indicate standard depths on which the profiles are based.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B11. Continued.




Figure B12a. Profiles of annual mean zonal velocity, meridional velocity and temperature at 0°, 140°W. Solid circles on the left axes indicate standard depths on which the profiles are based.




Figure B12b. Profiles of annual standard deviations for zonal velocity, meridional velocity and temperature at 0°, 140°W. Solid circles on the left axes indicate standard depths on which the profiles are based.

Table B1. Monthly averaged temperatures (in °C) at 0°, 140°W for 1983-1991. Filled data are underlined and missing data are indicated by -999.99.

$\begin{array}{c} \text{0} \text{0} \text{0} \text{0} \text{0} \text{0} \text{0} 0$
250 120 120 120 120 120 120 120 120 120 12
13. 12. 13. 13. 13. 13. 13. 13. 13. 13. 13. 13
160 141 142 144 144 145 146 147 147 147 147 147 147 147 147 147 147
160.39
1188 2222222222222222222222222222222222
1000 m 10
22222222222222222222222222222222222222
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
255
22222222222222222222222222222222222222
28222222222222222222222222222222222222
$\begin{array}{c} 1000000000000000000000000000000000000$
SST 299.17 29.17 29.17 29.17 29.17 29.17 29.17 29.17 29.18 29.18 29.18 29.18 29.18 29.18 29.18 29.18 29.18 29.18 29.18 29.
M. M

959 960 960 960 960 960 960 960 96	
800 11111111111111111111111111111111111	
20 20 20 20 20 20 20 20 20 20 20 20 20 2	
160 m 115.73 113.127 113.127 113.127 113.127 113.127 113.127 113.127 113.127 113.127 114.107 114.127 115.137 117.129 117.12	
140 17. 190 18. 190 19. 19. 190 19.	
220 0001 00000 00000 00000 00000 0000 0000 0000 0000 0000 0000 0000 0000 0000 0000 000	
100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
824484848484848484848484848484848484848	
200 200 200 200 200 200 200 200 200 200	
45 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
22 22 22 22 22 22 22 22 22 22 22 22 22	
22222222222222222222222222222222222222	
22 22 22 22 22 22 22 22 22 22 22 22 22	
22222222222222222222222222222222222222	
Month Sep 87 Sep 88 Sep 89 Sep	

Table B2. Monthly averaged zonal velocity (in cm s⁻¹) at 0°, 140°W for 1983–1991. Filled data are underlined and missing data are indicated by -999.99.

Month	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Apr 83	-11.99	-1.85	$\frac{23.90}{55.07}$	89.27	95.97	64.62	-999.99	19.64
May 83 Jun 83	3.04 19.68	25.32 55.44	$\frac{55.97}{91.54}$	106.39 122.75	92.63 85.14	59.35 50.36	-999.99 -999.99	11.36 -0.98
Jul 83	34.44	69.92	$1\frac{91.54}{08.64}$	121.72	75.31	43.12	-999.99	-5.62
Aug 83	31.61	66.06	104.08	112.12	66.92	39.36	-999.99	-4.82
Sep 83	-4.03	33.05	65.10	106.51	67.15	40.34	-999.99	-5.08
Oct 83	-43.57	-9.70	20.05	102.78	78.11	48.75	-999.99	2.62
Nov 83	-56.28	-29.46	6.22	95.03	92.68	62.61	-999.99	20.06
Dec 83 Jan 84	-46.65 -42.47	-25.37 -20.00	9.63 12.11	89.07 88.23	$105.51 \\ 106.54$	74.45 74.97	-999.99 -999.99	31.00 30.76
Feb 84	-47.96	-16.77	25.64	100.66	98.55	69.96		31.74
Mar 84	-24.20	9.45	62.40	129.71	99.66	69.97		32.38
Apr 84	17.84 35.44	45.79	98.49	146.91	102.43	69.72	-999.99	25.10
May 84	55.11	60.64	107.75	146.99	101.39	67.81		20.49
Jun 84	34.02 18.61	53.96 30.96	88.97 54.85	140.84 121.15	105.05 103.62	68.20 66.94	-999.99 -999.99	20.14 14.18
Jul 84 Aug 84	-11.68	30.96 -0.85	21.19	91.52	99.09	67.17		10.15
Sep 84	-43.71	-32.43	-8.36	60.89	98.92	68.77		10.11
Oct 84	-64.39	-51.26	-24.23	44.97	100.26	73.29	-999.99	10.90
Nov 84	-53.98	-39.72	-13.88	54.19	108.11	82.05		19.10
Dec 84	-27.67	-22.42 -20.97	-2.47 -5.36	59.91 47.04	109.98 105.14	81.77 81.29		24.74 25.75
Jan 85 Feb 85	-16.67 -15.44	-15.64	0.55	51.06	102.94	78.86		24.45
Mar 85	-13.08	-3.13	19.29	82.60	107.68	74.63	-999.99	20.50
Apr 85	5.44	20.25	46.62	114.69	119.86	80.72		22.59
May 85	$2\overline{7.44}$	42.66	68.44	128.87	120.36	80.22		22.55
Jun 85 Jul 85	19.63 0.39	33.65 11.25	59.11 33.17	122.76 101.80	119.43 125.40	76.69 76.73		18.31 14.82
Aug 85	-12.94	-5.60	9.88	71.23	118.67	70.00		5.19
Sep 85	-22.78	-16.27	-7.15	50.81	107.14	68.18	-999.99	-0.35
Oct 85	-25.42	-17.27	-4.88	47.44	104.24	79.86		7.76
Nov 85	-25.87 -28.14	-16.95 -20.61	6.27 1.74	42.55 27.91	98.25 86.37	89.59 85.52		16.52 16.26
Dec 85 Jan 86	-37.86	-30.07	-10.71	20.65	87.04	76.51		13.74
Feb 86	-46.90	-25.15	-1.73	43.76	104.80	78.39		18.90
Mar 86	-999.99	2.56	30.06	85.15	117.10	82.11		22.16
Apr 86	-999.99	27.35	58.38	123.38	122.60	79.84		19.38
May 86 Jun 86	-999.99 25.24	$\frac{\overline{38.83}}{35.69}$	71.65 64.97	143.52 134.62	131.97 126.47	80.16 73.15		17.78 9.93
Jul 86	12.80	20.64	43.63	107.52	115.10	70.17		4.09
Aug 86	4.13	11.26	28.68	79.52	118.08	80.01		10.03
Sep 86	1.55	7.33	20.10	61.89	120.04	81.78	-999.99	13.06
Oct 86	-10.16	-5.08	10.18	51.05	112.33		-999.99	10.35
Nov 86 Dec 86	-16.94 -12.64	-11.77 -7.61	$\frac{10.07}{17.09}$	40.32 30.99	99.23 79.30	79.29 80.10	-999.99 -999.99	13.40 18.67
Jan 87	-22.29	-18.01	$\frac{17.03}{4.81}$	19.91	56.33	60.06	-999.99	10.48
Feb 87	-32.57	-26.68	-5.42	17.56	54.40	47.08	-999.99	3.96
Mar 87	-20.47	-9.22	15.20	34.97	72.54	58.23	-999.99	7.97
Apr 87	7.20	14.67	$\frac{49.22}{74.00}$	66.08	88.15	65.56	-999.99	8.31
May 87 Jun 87	$3\overline{4.69}$ 25.36	33.13 26.69	74.00 58.34	95.44 100.99	96.21 96.43	63.94 61.04	-999.99 -999.99	6.89 0.42
Jul 87	-2.74	3.87	25.56	88.56	95.65	64.22	-999.99 -999.99	-2.03
Aug 87	-20.17	-11.59	7.90	74.00	97.19	68.89	-999.99	6.16

Table B2. Continued.

Month	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Sep 87	-40.85	-28.68	-7.58	67.36	100.89	66.92	-999.99	9.94
Oct 87	-45.46	-31.58	-9.36	70.82	105.15	-999.99	41.78	-999.99
Nov 87	-36.89	-23.72	$\overline{-1.93}$	73.40	102.36	-999.99	39.84	-999.99
Dec 87	-29.59	-17.60	5.30	77.19	102.72	-999.99	42.66	-999.99
Jan 88	-22.81	-10.53	$1\overline{3.65}$	79.82	100.84	-999.99	45.02	-999.99
Feb 88	-27.00	-8.81	$\frac{13.03}{15.68}$	88.53	88.18	-999.99	41.66	-999.99
		3.50	$\frac{13.00}{30.22}$			-999.99		
Mar 88	-23.35			109.78	86.68		41.74	-999.99
Apr 88	3.42	30.03	61.54	126.71	92.83	-999.99	42.69	-999.99
May 88	27.53	46.90	81.45	135.51	98.45	-999.99	44.80	-999.99
Jun 88	<u>25.40</u>	41.58	75.17	133.38	105.88	-999.99	45.29	-999.99
Jul 88	6.08	21.60	51.59	123.83	107.25	-999.99	39.37	-999.99
Aug 88	-18.33	-4.59	20.67	108.17	100.71	-999.99	36.68	-999.99
Sep 88	-39.42	-27.22	-6.06	89.76	89.66	-999.99	37.13	-999.99
Oct 88	-46.26	-34.55	-4.60	84.59	88.56	-999.99	40.27	-999.99
Nov 88	-999.99	-999.99	2.19	72.71	99.18	-999.99	51.03	-999.99
Dec 88	-51.80	-33.07	-3.29	57.37	106.26	-999.99	61.81	-999.99
Jan 89	-30.94	-9.63	$\frac{3123}{14.72}$	67.86	109.25	-999.99	62.96	-999.99
Feb 89	-5.42	19.33	$\frac{11.72}{48.91}$	90.23	112.58	-999.99	58.67	-999.99
Mar 89	11.34	37.64	$\frac{40.51}{70.53}$	109.02	119.05	-999.99	56.28	-999.99
	19.76	44.29	$\frac{70.33}{78.37}$	125.23	125.28	-999.99	51.14	-999.99
Apr 89								
May 89	19.00	39.18	$\frac{72.34}{40.34}$	129.60	123.21	-999.99	42.20	-999.99
Jun 89	4.75	18.77	$\frac{48.24}{333333}$	110.79	113.68	-999.99	33.78	-999.99
Jul 89	-12.15	-2.54	23.09	85.85	108.72	-999.99	29.65	-999.99
Aug 89	-27.85	-18.49	4.25	58.13	104.38	-999.99	31.65	-999.99
Sep 89	-41.70	-31.94	$-1\overline{1.63}$	30.17	97.84	-999.99	36.32	-999.99
Oct 89	-42.86	-33.22	<u>-13.14</u>	24.00	99.52	-999.99	42.18	-999.99
Nov 89	-28.36	-18.27	4.51	38.25	97.83	-999.99	52.86	-999.99
Dec 89	-5.03	2.68	29.25	58.17	87.51	-999.99	58.36	-999.99
Jan 90	6.16	9.89	37.76	-999.99	84.33	-999.99	50.64	-999.99
Feb 90	-999.99	-999.99	-9 99.99	-999.99	87.61	-999.99	41.99	-999.99
Mar 90	-999.99	-999.99	-999.99	-999.99	87.34	-999.99	37.68	-999.99
Apr 90	-999.99	-999.99	-999.99	-999.99	91.50	-999.99	36.85	-999.99
May 90	1.06	15.11	46.80	113.49	101.66	-999.99	36.17	-999.99
Jun 90	-5.96	8.48	41.76	117.41	116.29	-999.99	38.22	-999.99
Jul 90	-8.51	3.92	32.29	106.98	127.74	-999.99	41.85	-999.99
Aug 90	-24.69	-15.54	6.49	72.39	120.71	-999.99	41.68	-999.99
Sep 90	-42.40	-33.28	-12.44	44.64	107.95	-999.99	43.79	-999.99
Oct 90	-42.23	-32.02	-13.38	37.23	107.35	-999.99	47.79	-999.99
Nov 90	-34.99	-25.41	-10.12	36.98	98.99	-999.99	54.32	21.13
Dec 90	-21.33	-12.40	4.43	37.84	86.16	-999.99	57.52	21.36
Jan 91	-25.47	-14.48	5.99	27.51	75.73	-999.99	47.84	16.20
Feb 91	-40.27	-25.75	-4.32	20.02	82.30	-999.99	42.29	14.84
Mar 91	<u>-26.20</u>	-11.09	12.98	43.94	103.33	-999.99	51.31	22.30
Apr 91	0.15	13.52	<u>42.04</u>	86.03	117.76	-999.99	54.88	28.35
May 91	9.32	20.81	50.65	111.37	117.32	-999.99	47.07	-999.99
Jun 91	2.37	12.41	40.73	108.40	115.63	-999.99	43.56	-999.99
Jul 91	-9.82	-0.32	25.70	91.28	117.49	-999.99	44.59	-999.99
Aug 91	-20.92	-9.67	$\overline{14.67}$	76.65	120.77	-999.99	44.56	-999.99
Sep 91	-17.65	-5.84	$\frac{19.19}{19.19}$	70.30	121.58	-999.99	45.38	-999.99
Oct 91	-4.14	5.28	$\frac{33.13}{32.32}$	69.81	118.21	-999.99	46.40	-999.99
		5.25	<u></u>	55.01	,		- 3 . 1 3	

Table B3. Monthly averaged meridional velocity (in cm s⁻¹) at 0°, 140°W for 1983–1991. Missing data are indicated by -999.99.

Month	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Apr 83	-2.73	7.16	-999.99	-3.03	5.08	-3.30	-999.99	2.44
May 83 Jun 83	-3.68 -1.73	6.07 5.64	-999.99 -999.99	$-1.14 \\ 1.77$	4.39 5.94	-1.08 1.33	-999.99 -999.99	2.43 3.26
Jul 83	5.76	8.44	-999.99	3.78	6.26	3.09	-999.99	1.91
Aug 83	7.96	7.96	-999.99	6.06	6.21	4.28	-999.99	0.12
Sep 83	-3.24	-0.13	-999.99	6.88	6.58	2.42	-999.99	3.52
Oct 83 Nov 83	-11.51 -13.79	$-4.68 \\ -8.44$	-999.99 -8.74	4.99 2.51	4.06 5.04	-2.08 -1.53	-999.99 -999.99	3.90 0.36
Dec 83	-13.60	-11.23	-12.77	-3.53	6.61	0.68	-999.99	-1.61
Jan 84	-7.13	-5.13	-8.37	-6.16	2.29	-1.91	-999.99	-8.20
Feb 84	-6.55	-0.32	-1.70	-0.99	3.64	-1.33	-999.99	-9.64
Mar 84	-7.99 -3.94	1.53	3.30	-0.66	9.85	0.47	-999.99	-2.14
Apr 84 May 84	2.22	2.18 4.91	2.56 0.75	-7.30 -6.40	6.60 2.28	-3.46 -4.57	-999.99 -999.99	0.32 -4.24
Jun 84	5.32	7.01	1.26	1.70	4.30	-1.75	-999.99	-7.47
Jul 84	3.38	3.20	-2.24	1.96	4.07	-1.45	-999.99	-4.12
Aug 84	3.33	-0.15	-5.15	-3.78	2.82	-3.04	-999.99	1.12
Sep 84 Oct 84	-999.99 -999.99	-0.40 5.12	-4.54 -0.35	-9.92 -10.76	1.21 -1.48	-4.26 -3.05	-999.99 -999.99	3.40
Nov 84	8.29	6.73	1.37	-8.40	-4.29	-2.18	-999.99 -999.99	1.97 -2.52
Dec 84	2.83	0.72	-1.63	-9.98	-4.55	-1.51	-999.99	-3.83
Jan 85	2.04	-0.58	-1.51	-7.61	0.86	2.08	-999.99	-1.06
Feb 85	3.14 -999.99	0.79 2.48	-0.19	-6.48	2.45	2.14	-999.99	-1.64
Mar 85 Apr 85	-999.99	4.30	-999.99 -999.99	-5.77 0.15	$1.56 \\ 4.98$	-1.61 -3.43	-999.99 -999.99	-2.84 -1.90
May 85	-1.07	0.99	-7.14	0.19	6.94	-5.08	-999.99	-0.53
Jun 85	0.06	-1.41	-7.29	-3.97	4.14	-6.79	-999.99	2.51
Jul 85	5.31	3.66	-1.34	-3.84	-0.09	-5.80	-999.99	3.78
Aug 85 Sep 85	6.70 1.84	4.98 -0.85	0.88 0.30	-3.79 -2.12	-0.85 1.08	-4.25 -4.52	-999.99 -999.99	0.13 -1.59
Oct 85	-1.18	-2.86	7.61	2.50	0.75	-4.35	-999.99	3.39
Nov 85	-0.17	-0.22	13.49	2.29	-0.49	-3.81	-999.99	5.23
Dec 85	2.02	2.28	15.05	0.41	-1.29	-2.98	-999.99	2.68
Jan 86 Feb 86	2.41 3.22	3.47 5.45	12.06 4.46	-2.31 -2.17	-4.16 -1.53	-2.24 -2.66	-999.99 -999.99	3.31 6.54
Mar 86	-999.99	-999.99	2.74	2.91	4.95	-1.83	-999.99	7.44
Apr 86	-999.99	-999.99	6.24	9.27	5.21	2.13	-999.99	1.84
May 86	-999.99	-999.99	4.45	12.38	3.13	5.67	-999.99	-2.10
Jun 86 Jul 86	5.72 -2.45	6.75 -2.46	0.23 -5.00	8.69 4.03	4.05 7.34	6.28 5.47	-999.99 -999.99	-0.67
Aug 86	~5.76	-6.43	-6.54	1.72	10.88	4.26	-999.99 -999.99	-0.03 0.63
Sep 86	-4.09	-5.88	-7.01	-2.62	9.92	3.45	-999.99	1.86
Oct 86	-6.02	-9.69	-16.57	-6.76		2.63	-999.99	1.64
Nov 86	-5.91 -9.94	-8.94	-999.99	-3.78	4.51	4.81	-999.99	1.14
Dec 86 Jan 87	-9.79	-11.45 -11.87	-999.99 -999.99	-6.14 -8.65	3.38 -1.90	5.58 1.67	-999.99 -999.99	2.65 3.29
Feb 87	-1.75	-7.96	-999.99	-1.08	-0.94	1.20	-999.99	0.12
Mar 87	-999.99	-8.40	-999.99	-0.07	0.39	-0.48	-999.99	-3.35
Apr 87	-999.99	-2.03	-999.99	-1.44	2.10	-1.80	-999.99	-0.37
May 87 Jun 87	8.38 2.35	4.80 1.66	9.63 4.14	1.45 1.94	5.24 6.43	$1.94 \\ 1.27$	-999.99 -999.99	3.48 0.91
Jul 87	-0.71	-0.60	1.94	5.20	9.88	-1.51	-999.99 -999.99	-2.09
Aug 87	-0.10	0.13	2.30	8.39	12.39	0.07	-999.99	-0.01

Table B3. Continued.

Month	10 m	25 m	45 m	80 m	120 m	160 m	200 m	250 m
Sep 87	-4.50	-3.90	-0.39	6.51	10.15	2.80	-999.99	4.63
Oct 87	-9.63	-8.64	-999.99	3.63	6.51	-999.99	-1.26	-999.99
Nov 87	-9.57	-9.01	-999.99	3.88	2.00	-999.99	-0.76	-999.99
Dec 87	-5.98	-6.13	-999.99	4.64	-0.57	-999.99	-1.78	-999.99
Jan 88	-5.31	-5.35	-999.99	2.44	0.38	-999.99	-2.41	-999.99
Feb 88	-5.05	-3.99	-999.99	4.66	1.47	-999.99	0.48	-999.99
Mar 88	-2.38	0.87	-999.99	10.42	2.56	-999.99	-0.79	-999.99
Apr 88	-14.02	-4.80	-999.99	10.94	1.46	-999.99	-1.90	-999.99
May 88	-33.52	-7.93	-999.99	10.42	-1.85	-999.99	0.62	-999.99
Jun 88	-999.99	1.76	-999.99	12.82	-3.43	-999.99	-0.81	-999.99
Jul 88	-999.99	-0.01	-999.99	10.37	-5.78	-999.99	-3.40	-999.99
Aug 88	-999.99	-6.36	-999.99	2.34	-8.30	-999.99	-2.28	-999.99
Sep 88	-999.99	-2.21	-999.99	-2.64	-7.21	-999.99	-0.25	-999.99
Oct 88	-999.99	4.49	-999.99	-1.59	-4.11	-999.99	3.07	-999.99
Nov 88	-999.99	-999.99	-999.99	0.97	1.94	-999.99	6.57	-999.99
Dec 88	-0.72	-3.64	-999.99	4.66	10.95	-999.99	6.89	-999.99
Jan 89	-8.10 -13.39	-8.85 -10.39	-999.99 -999.99	7.02	16.61 17.85	-999.99	9.13 9.85	-999.99
Feb 89 Mar 89	-13.39 -10.88	-10.39 -4.05	-999.99	6.89 9.16	21.03	-999.99 -999.99	8.80	-999.99 -999.99
Apr 89	-4.98	2.80	-999.99	9.13	22.84	-999.99 -999.99	11.83	-999.99
May 89	-2.55	2.29	-999.99	6.82	21.56	-999.99	12.93	-999.99
Jun 89	0.45	0.39	-999.99	1.83	20.74	-999.99	7.23	-999.99
Jul 89	1.97	-1.60	-999.99	-6.46	18.52	-999.99	2.30	-999.99
Aug 89	4.04	-1.65	-999.99	-5.63	17.84	-999.99	1.73	-999.99
Sep 89	7.00	-0.99	-999.99	0.25	17.47	-999.99	0.75	-999.99
Oct 89	4.35	-2.53	-999.99	-0.60	15.45	-999.99	1.38	-999.99
Nov 89	-999.99	-4.17	-999.99	-7.40	10.54	-999.99	1.96	-999.99
Dec 89	-7.19	-2.87	-999.99	-14.64	3.01	-999.99	2.20	-999.99
Jan 90	3.35	5.34	-999.99	-999.99	2.62	-999.99	5.34	-999.99
Feb 90	-999.99	-999.99	-999.99	-999.99	4.30	-999.99	6.76	-999.99
Mar 90	-999.99	-999.99	-999.99	-999.99	1.67	-999.99	4.48	-999.99
Apr 90	-999.99	-999.99	-999.99	-999.99	2.37	-999.99	1.48	-999.99
May 90	-4.12	-3.88	0.09	17.04	4.49	-999.99	0.35	-999.99
Jun 90	-3.62	-4.12	1.23	16.58	5.81	-999.99	0.99	-999.99
Jul 90	-2.82 2.23	-3.96	1.25 0.99	13.69 8.27	8.23	-999.99	-0.71	-999.99
Aug 90 Sep 90	3.08	-1.83 -3.67	-0.81	8.09	8.77 10.17	-999.99 -999.99	-1.41 1.73	-999.99 -999.99
Oct 90	-1.14	-7.42	-5.52	10.00	11.47	-999.99	3.17	-999.99
Nov 90	-1.94	-6.87	-8.07	7.59	9.83	-999.99	7.38	2.66
Dec 90	-4.28	-7.80	-9.41	5.18	10.73	-999.99	10.14	1.99
Jan 91	-4.53	-7.74	-999.99	2.95	11.29	-999.99	6.07	0.38
Feb 91	-1.43	-3.98	-999.99	-0.03	7.43	-999.99	4.34	-2.87
Mar 91	-999.99		-999.99	3.44		-999.99	6.06	
Apr 91	-999.99	0.02	-999.99	11.18	6.20	-999.99	4.91	-0.25
May 91	-7.96	-5.26	-999.99	13.93	12.04	-999.99	0.60	-999.99
Jun 91	-8.01	-8.35	-999.99	13.10	12.22	-999.99	-0.34	-999.99
Jul 91	-5.05	-5.67	-999.99	10.76	10.67	-999.99	0.08	-999.99
Aug 91	-3.22	-4.77	-999.99	9.78	11.76	-999.99	0.65	-999.99
Sep 91	-3.52	-6.06	-999.99	6.38	10.01	-999.99	2.90	-999.99
Oct 91	-4.65	-6.99	-999.99	-0.94	5.91	-999.99	3.92	-999.99

Table B4. Monthly averaged winds and air temperatures at 0°, 140°W for 1983–1991. Missing data are indicated by -999.99.

	W	ind	Wind	Wind	Air
		ocity	Speed	Pseudostres	
		m/s) Î	(m/s)	(m**2/s**2)	
Month	u	v		u v	_
May 84	-3.68	-0.31	3.93	-16.32 -1.2	
Jun 84	-4.47	0.02	4.66	-22.85 0.2	
Jul 84	-5.27 -5.55	0.72 1.43	5.45 5.83	-30.38 4.2 -33.83 8.5	
Aug 84 Sep 84	-5.70	1.43	6.08	-36.31 11.3	
Oct 84	-6.30	1.53	6.61	-43.59 9.8	
Nov 84	-7.01	0.66	7.16	-51.89 4.3	
Dec 84	-7.37	0.22	7.43	-56.18 1.3	
Jan 85	-7.29	0.25	7.36	-55.15 1.6	
Feb 85	-6.72	0.10	6.83	-47.81 0.7	
Mar 85	-5.78	-0.26	5.96	$ \begin{array}{rrrr} -36.40 & -1.3 \\ -29.93 & -1.4 \end{array} $	
Apr 85 May 85	-5.24 -5.52	-0.27 0.41	5.42 5.73	-29.93 -1.2 -33.41 2.3	
Jun 85	-5.85	1.30	6.18	-38.16 7.0	
Jul 85	-5.99	1.74	6.38	-39.83 10.	
Aug 85	-999.99	-999.99	-999.99	-999.99 -999.9	99 -999.99
Sep 85	-999.99	-999.99	-999.99	-999.99 -999.9	
Oct 85	-6.11	1.37	6.36	-40.72 8.6	
Nov 85	-6.89	1.23	7.10	-50.69 8.3	
Dec 85 Jan 86	-7.51 -7.60	$1.24 \\ 1.24$	7.70 7.80	-58.98 9.4 -60.37 9.8	
Feb 86	-6.82	0.76	6.97	-49.28 5.8	
Mar 86	-5.63	0.20	5.76	-33.69	
Apr 86	-5.02	0.05	5.24	-27.59 0.5	
May 86	-5.15	0.52	5.51	-30.88 3.9	
Jun 86	-5.91	1.27	6.34	-39.56 8.9	
Jul 86	-6.48	1.48	6.88	-45.64 10.2	
Aug 86 Sep 86	-6.60 -6.48	1.68 2.32	7.05 7.11	-47.78 11.9 -47.26 16.3	
Oct 86	-6.06	2.50	6.76	-42.26 17.2	
Nov 86	-5.96	2.07	6.52	-40.25 13.0	
Dec 86	-6.27	1.82	6.70	-43.17 12.3	
Jan 87	-6.38	1.55	6.75	-43.88 10.0	
Feb 87	-6.30	1.05	6.62	-42.49 6.9	
Mar 87	-999.99 -999.99	-999.99 -999.99	-999.99 -999.99	-999.99 -999.9 -999.99 -999.9	
Apr 87 May 87	-3.46	1.47	4.10	-17.21 8.2	
Jun 87	-4.08	2.31	5.08	-23.33 13.5	
Jul 87	-4.56	2.94	5.78	-28.24 17.	
Aug 87	-4.98	2.99	6.06	-32.10 18.7	
Sep 87	-5.16	2.86	6.11	-33.28 18.0	
Oct 87	-5.27	2.38	6.04	-33.89 14.4 -40.51 9.9	
Nov 87 Dec 87	-5.91 -6.61	1.62 1.07	6.38 6.86	-40.51 9.9 -47.62 6.9	
Jan 88	-6.62	0.79	6.78	-47.82 5.3 -46.82 5.3	
Feb 88	-5.98	0.33	6.12	-38.59 2.0	
Mar 88	-5.19	-0.17	5.34	-29.24 -1.0	25.48
Apr 88	-4.89	-0.34	5.05	-25.92 -2.0	
May 88	-5.22	-0.36	5.34	-29.23 -2.3	
Jun 88	-5.83	-0.23	5.91	-35.70 -1 .4	
Jul 88 Aug 88	-6.05 -5.82	0.13 0.71	$6.14 \\ 5.99$	-38.63 0.4 -36.72 4.0	
nag 00	3.02	0.71	3.33	30.72 4.0	25.10

Table B4. Continued.

	W	ind	Wind		Wind	Air
		ocity	Speed		dostress	Temperature
		m/s)	(m/s)	(m**	2/s**2)	(deg C)
Month Sep 88	u -5.93	v 0.93	6.14	u 20.26	V	000 00
Oct 88	-6.02	0.45	6.15	-38.26 -39.15	5.88 2.79	-999.99 -999.99
Nov 88	-6.14	0.26	6.23	-40.62	1.49	-999.99
Dec 88	-6.45	0.42	6.53	-44.26	2.63	22.88
Jan 89	-6.01	0.35	6.10	-39.18	2.11	23.28
Feb 89	~5.16	0.02	5.30	-29.72	0.34	23.96
Mar 89 Apr 89	-4.65 -4.73	-0.44 -0.36	4.85 4.90	-24.13 -24.60	-2.01 -1.70	24.56 25.17
May 89	-5.16	0.30	5.32	-28.87	1.81	25.65
Jun 89	-5.66	0.81	5.84	-34.47	4.68	25.78
Jul 89	-6.35	0.90	6.50	-42.48	5.67	25.56
Aug 89	-6.70	1.01	6.83	-46.35	6.78	25.16
Sep 89 Oct 89	-6.70 -6.68	1.15 0.95	6.85 6.83	-46.51 -46.66	7.70 6.22	24.90
Nov 89	-6.48	0.67	6.59	-44.10	4.07	24.76 24.71
Dec 89	-6.42	0.94	6.57	-43.32	6.10	25.00
Jan 90	-6.48	1.17	6.71	-44.49	7.80	25.42
Feb 90	-6.18	0.65	6.37	-40.70	4.06	25.82
Mar 90 Apr 90	-5.59 -5.21	0.41 0.72	5.72 5.37	-33.40 -29.19	2.20 3.83	26.38 26.89
May 90	-5.29	0.88	5.49	-30.38	4.65	26.91
Jun 90	-5.64	0.95	5.87	-34.83	5.22	26.57
Jul 90	-6.16	0.98	6.40	-41.77	5.93	26.27
Aug 90	-6.54	0.97	6.76	-45.84	6.25	25.81
Sep 90 Oct 90	-6.44 -6.67	0.93 0.65	6.62 6.78	-43.60 -46.48	5.92 4.12	25.33 -999.99
Nov 90	-7.11	0.08	7.19	-52.32	0.47	25.65
Dec 90	- 7.12	-0.23	7.21	-52.39	-1.68	25.87
Jan 91	-7.14	-0.08	7.24	-52.71	-0.55	26.14
Feb 91 Mar 91	-999.99 -999.99	-999.99	-999.99	-999.99	-999.99	-999.99
Apr 91	-999.99 -999.99	-999.99 -999.99	-999.99 -999.99	-999.99 -999.99	-999.99 -999.99	-999.99 -999.99
May 91	-4.46	1.41	5.02	-23.79	6.99	27.26
Jun 91	-5.06	0.95	5.51	-29.87	5.10	27.11
Jul 91	-5.97	0.58	6.32	-39.35	3.69	26.67
Aug 91	-6.23	0.44	6.56	-42.39	2.70	26.03
Sep 91 Oct 91	-5.73 -5.42	0.79 1.20	6.11 5.82	-36.95 -33.26	4.50 6.93	25.79 26.10
000 71	3.12	1.20	5.02	33.20	0.93	20.10

Table B5. Mean seasonal cycles of temperature (in °C) between the surface and 500 m at 0°, 140°W. Statistics are based on N monthly estimates, M of which are directly measured.

Depth (m)	Mean	Jan Std. Dev.	uary Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	24.98 24.94 24.80 24.70 24.50 24.16 23.36 21.84 19.98 18.00 16.15 13.63 12.49 11.67 8.06	1.33 1.40 1.46 1.55 1.74 1.95 2.47 2.65 2.39 1.67 0.51 0.19 0.14	0.17 0.19 0.12 0.11 0.12 0.14 0.06 0.19 0.29 0.37 0.44 0.65 0.84 -0.19 -0.67	23.33 23.19 22.90 22.76 22.42 21.92 20.72 18.47 16.65 15.44 14.52 13.17 12.33 11.48 7.77	27.08 27.08 27.01 27.02 26.98 26.92 26.24 25.56 24.00 21.50 18.72 14.59 12.81 11.85 8.20	888888888564	778836768748564
Depth (m)	Mean	Feb Std. Dev.	ruary Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	25.33 25.25 25.01 24.83 24.50 24.00 22.83 20.96 18.72 16.70 15.20 13.25 12.32 11.42 7.99	1.11 1.10 1.19 1.29 1.45 1.76 2.01 2.30 2.12 1.61 1.07 0.26 0.15 0.22 0.23	0.35 0.41 0.43 0.42 0.42 0.32 -0.04 -0.08 0.27 0.58 -0.04 -0.01 -0.25 -0.42	24.06 23.88 23.57 23.39 22.90 21.92 19.85 17.60 15.94 14.89 13.94 12.86 12.14 11.12 7.67	27.29 27.24 27.14 27.13 27.02 26.87 25.34 23.80 22.30 19.65 17.25 13.57 12.47 11.64 8.20	8888888888564	678836768748564

Table B5. Continued.

		Ma	rch				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	25.78 25.66 25.31 25.01 24.55 23.84 22.33 20.27 17.96 15.97 14.65 13.07 12.24 11.39 8.10	1.00 1.00 1.13 1.33 1.65 2.22 2.68 2.61 2.09 1.31 0.89 0.24 0.14 0.24	0.57 0.62 0.68 0.54 0.28 -0.05 -0.37 -0.32 0.22 0.08 0.22 -1.18 -0.33 -0.83 0.57	24.68 24.50 24.17 23.65 22.65 20.80 18.32 16.46 15.03 13.99 13.27 12.55 12.03 10.94 7.92	27.66 27.57 27.43 27.37 27.19 26.92 25.43 23.60 21.76 18.30 16.30 13.25 12.41 11.62 8.40	888888888564	578826768748564
		Ap	ril				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	26.21 26.08 25.73 25.41 24.92 24.07 22.42 20.24 17.88 15.99 14.59 13.06 12.26 11.47 8.22	1.15 1.14 1.35 1.62 1.97 2.57 3.01 2.62 1.89 1.26 0.81 0.32 0.18 0.25 0.19	0.56 0.52 0.28 0.01 -0.24 -0.66 -0.67 -0.58 -0.68 -0.63 -0.70 -0.07 -0.79 0.49	24.95 24.74 23.82 22.84 21.57 19.66 17.12 15.86 14.66 13.74 13.09 12.45 12.01 11.01 8.06	28.31 28.16 28.01 27.92 27.67 27.19 25.23 22.64 19.91 17.38 15.65 13.44 12.50 11.73 8.48	8888888888564	578826747548564

Table B5. Continued.

Depth (m)	Mean	Std. Dev.	lay Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	26.40 26.28 26.04 25.82 25.35 24.43 22.69 20.40 17.91 16.05 14.61 13.03 12.26 11.54 8.29	1.43 1.40 1.56 1.75 2.07 2.55 2.91 2.46 1.75 1.23 0.82 0.29 0.15 0.24 0.14	0.13 0.09 -0.11 -0.26 -0.42 -0.50 -0.72 -0.70 -0.54 -0.43 -0.21 -0.82 -0.05 -0.93 0.16	24.09 23.97 23.32 22.66 21.57 19.94 17.59 16.28 15.02 13.96 13.25 12.46 12.05 11.12 8.16	28.85 28.66 28.54 28.49 28.26 27.63 25.55 22.86 19.95 17.63 15.83 13.28 12.46 11.74 8.44	8888888888553	8 8 8 7 5 3 8 5 8 4 4 7 5 5 3
Depth (m)	Mean	Std. Dev.	une Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	26.31 26.21 26.08 25.97 25.60 24.75 23.00 20.62 18.15 16.22 14.78 13.06 12.29 11.68 8.18	1.51 1.46 1.51 1.59 1.78 2.08 2.33 2.07 1.42 0.90 0.66 0.21 0.09 0.08	-0.09 -0.12 -0.18 -0.22 -0.35 -0.41 -0.62 -0.45 -0.33 -0.31 -0.02 -0.85 -0.37 -0.33	23.69 23.65 23.40 23.11 22.35 21.20 18.99 17.32 15.97 14.67 13.75 12.64 12.15 11.56 8.18	28.74 28.56 28.46 28.46 28.22 27.44 25.33 23.01 19.76 17.55 15.77 13.27 12.41 11.77 8.18	888888888561	788855868647561

Table B5. Continued.

Depth (m)	Mean	J Std. Dev.	uly Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	25.98 25.89 25.71 25.63 25.23 24.44 22.92 20.63 18.29 16.42 14.94 13.14 12.33 11.78 8.12	1.31 1.27 1.37 1.44 1.67 2.01 2.14 2.02 1.48 0.98 0.67 0.24 0.14	-0.20 -0.21 -0.19 -0.23 -0.34 -0.50 -0.59 -0.35 -0.49 -0.26 -0.33 0.05 -0.12	23.51 23.49 23.31 23.08 22.61 20.94 19.29 17.53 15.77 14.83 13.88 12.77 12.17 11.64 8.12	28.16 28.00 27.89 27.90 27.63 26.84 25.10 23.25 19.89 17.62 15.82 13.43 12.52 11.91 8.12	9999999999661	7 9 9 8 5 5 9 6 9 6 5 7 6 6 1
Depth (m)	Mean	Au Std. Dev.	gust Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	25.57 25.48 25.27 25.17 24.81 24.17 22.97 20.95 18.63 16.75 15.14 13.22 12.35 11.90 8.09	1.30 1.27 1.44 1.57 1.81 2.19 2.51 2.50 1.97 1.41 0.95 0.32 0.20 0.09	-0.16 -0.18 -0.35 -0.43 -0.56 -0.71 -0.76 -0.52 -0.58 -0.47 -0.26 -0.18 -0.34 0.63	23.34 23.28 22.98 22.63 21.73 20.03 18.26 16.68 15.09 14.33 13.58 12.76 12.03 11.80 8.09	27.68 27.52 27.39 27.40 27.16 26.65 25.38 24.01 20.70 18.28 16.32 13.62 12.61 12.05 8.09	9999999999661	699855969657661

Table B5. Continued.

		Sont	ember				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	25.27 25.17 24.94 24.81 24.43 23.85 22.85 21.20 19.01 17.05 15.31 13.27 12.37 11.91 8.06	1.39 1.36 1.55 1.69 1.98 2.44 2.95 2.98 2.58 1.88 1.23 0.38 0.19 0.10	-0.22 -0.22 -0.40 -0.49 -0.63 -0.75 -0.65 -0.38 -0.23 -0.15 -0.38 -0.38	22.96 22.88 22.53 22.09 21.09 19.35 17.50 16.18 14.86 14.18 13.48 12.64 12.06 11.80 8.06	27.25 27.10 26.92 26.89 26.59 26.24 26.00 24.13 22.25 19.55 16.94 13.77 12.57 12.06 8.06	999999999661	699855969657661
		Oct	ober				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	25.13 25.02 24.81 24.67 24.30 23.74 22.88 21.42 19.43 17.34 15.53 13.33 12.41 11.88 8.02	1.62 1.62 1.75 1.88 2.16 2.65 3.17 3.39 3.03 2.22 1.46 0.46 0.14 0.12 0.05	-0.43 -0.45 -0.50 -0.58 -0.65 -0.70 -0.71 -0.51 -0.18 -0.04 -0.56 0.41 0.19 0.00	22.06 21.93 21.55 21.13 20.35 19.19 17.64 15.91 14.94 14.02 13.28 12.43 12.26 11.71 7.98	26.95 26.83 26.65 26.69 26.56 26.44 26.12 25.38 23.66 20.81 18.06 13.97 12.62 12.06 8.05	9999999999562	699845969647562

Table B5. Continued.

Depth (m)	Mean	Nov Std. Dev.	rember Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	24.80 24.72 24.54 24.41 24.10 23.58 22.77 21.25 19.38 17.31 15.61 13.45 12.52 11.88 8.09	1.65 1.68 1.80 1.91 2.12 2.49 2.78 3.12 2.64 1.92 1.25 0.45 0.14 0.11 0.08	-0.33 -0.36 -0.40 -0.42 -0.50 -0.52 -0.45 -0.24 -0.14 -0.23 -0.33 -0.33 -0.39 0.00	21.84 21.68 21.30 20.96 20.27 19.24 18.55 16.72 15.79 14.51 13.65 12.64 12.33 11.78 8.03	26.84 26.81 26.73 26.76 26.69 26.64 25.61 23.19 19.58 17.04 14.02 12.72 12.05 8.15	888888888562	7 7 8 8 4 7 7 7 8 8 4 7 5 6 6 2
Depth (m)	Mean	Dec Std. Dev.	cember Skew	Min	Max	N	М
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	24.80 24.75 24.62 24.52 24.30 23.93 23.22 21.81 20.13 18.12 16.25 13.72 12.57 11.86 8.18	1.49 1.50 1.59 1.67 1.79 2.03 2.29 2.86 2.88 2.46 1.72 0.59 0.21 0.16 0.11	-0.08 -0.09 -0.17 -0.19 -0.22 -0.22 -0.11 0.15 0.26 0.30 0.38 0.51 0.65 0.42 0.08	22.56 22.43 22.10 21.88 21.44 20.78 20.09 18.04 16.50 15.36 14.42 13.09 12.35 11.67 8.05	26.90 26.83 26.86 26.85 26.87 26.29 24.59 21.49 18.79 14.76 12.92 12.14 8.31	888888888564	7 7 8 8 4 6 7 6 8 7 4 8 5 6 4

Table B6. Mean seasonal cycles of zonal velocity (in cm s⁻¹) between the surface and 250 m at 0°, 140°W. Statistics are based on N monthly estimates, M of which are directly measured.

Depth (m)	Mean	Jan Std. Dev.	uary Skew	Min	Max	N	М
10 25 45 80 120 160 200 250	-24.04 -14.22 9.12 50.15 90.65 73.21 51.62 19.39	14.89 11.71 14.70 28.73 18.38 9.17 7.90 8.53	0.71 0.75 0.51 0.13 -0.59 -0.55 0.57	-42.47 -30.07 -10.71 19.91 56.33 60.06 45.02 10.48	6.16 9.89 37.76 88.23 109.25 81.29 62.96 30.76	8 8 7 8 4 4 5	8 8 7 8 4 4 5
			ruary				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
10 25 45 80 120 160 200 250	-30.79 -14.21 11.33 58.83 91.42 68.57 46.15 18.78	16.03 16.18 20.20 34.44 18.08 14.90 8.35 10.43	0.34 1.12 0.76 -0.01 -0.80 -0.60 0.75 -0.17	-47.96 -26.68 -5.42 17.56 54.40 47.08 41.66 3.96	-5.42 19.33 48.91 100.66 112.58 78.86 58.67 31.74	7 7 7 7 8 4 4 5	7 7 3 7 8 4 4 5
			rch				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
10 25 45 80 120 160 200 250	-15.99 4.24 34.38 85.02 99.17 71.24 46.75 21.06	14.15 16.41 23.03 35.08 16.09 10.01 8.54 8.70	1.08 1.00 0.57 -0.25 -0.25 -0.22 0.03 -0.24	-26.20 -11.09 12.98 34.97 72.54 58.23 37.68 7.97	11.34 37.64 70.53 129.71 119.05 82.11 56.28 32.38	6 7 7 8 4 4 5	3 6 2 7 8 4 4 5
Donth (m)	Wass		ril	Wi -	Mari	NT.	M
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
10 25 45 80 120 160 200 250	8.97 27.99 62.09 112.72 107.55 73.96 46.39 20.75	7.99 13.13 20.05 27.47 15.46 7.50 8.15 7.69	0.34 0.26 0.68 -0.51 -0.10 -0.09 -0.09	0.15 13.52 42.04 66.08 88.15 65.56 36.85 8.31	19.76 45.79 98.49 146.91 125.28 80.72 54.88 28.35	6 7 7 8 4 4 5	3 6 2 7 8 4 4 5

Table B6. Continued.

		M	lay				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
10 25 45 80 120 160 200 250	22.07 37.16 71.64 125.60 111.32 73.03 42.56 16.93	12.97 14.41 18.80 17.58 13.48 8.41 4.70 6.97	-0.44 -0.05 0.44 -0.36 0.20 -0.07 -0.38 -0.58	1.06 15.11 46.80 95.44 96.21 63.94 36.17 6.89	35.44 60.64 107.75 146.99 131.97 80.22 47.07 22.55	7 8 8 8 8 4 4 4	7 7 5 8 4 4 4
Depth (m)	Mean	Std. Dev.	une Skew	Min	Max	N	М
10 25 45 80 120 160 200 250	16.35 28.90 59.66 121.15 112.36 69.77 40.21 12.20	14.11 15.37 16.64 14.20 9.46 6.78 5.24 9.02	-0.34 0.14 0.41 0.02 -0.21 -0.24 -0.18 -0.31	-5.96 8.48 40.73 100.99 96.43 61.04 33.78 0.42	34.02 53.96 88.97 140.84 126.47 76.69 45.29 20.14	8 8 8 8 4 4 4	7 8 5 8 4 4 4
Depth (m)	Mean	Std. Dev.	uly Skew	Min	Max	N	М
10 25 45 80 120 160 200 250	4.34 17.70 44.28 105.41 108.48 69.51 38.86 7.76	15.36 22.59 26.74 14.74 16.09 5.39 6.50 8.17	0.64 1.21 1.41 -0.02 -0.68 0.34 -0.52	-12.15 -2.54 23.09 85.85 75.31 64.22 29.65 -2.03	34.44 69.92 108.64 123.83 127.74 76.73 44.59 14.82	9 9 9 9 9 4 4	8 9 5 9 9 4 4 4
Depth (m)	Mean	Au Std. Dev.	gust Skew	Min	Max	N	М
10 25 45 80 120 160 200 250	-11.20 1.22 24.20 82.64 105.17 71.52 38.64 7.88	18.56 25.84 31.02 17.87 17.39 5.78 5.69 2.58	1.27 1.66 1.82 0.48 -0.94 0.66 -0.16	-27.85 -18.49 4.25 58.13 66.92 67.17 31.65 5.19	31.61 66.06 104.08 112.12 120.77 80.01 44.56 10.15	9 9 9 9 9 4 4 4	8 9 5 9 4 4 4

Table B6. Continued.

Depth (m)	Mean	Sept Std. Dev.	ember Skew	Min	Max	N	м
10 25 45 80 120 160	-27.89 -15.03 5.69 64.70 101.24 71.41	17.75 22.79 25.56 22.98 16.43 6.95	0.54 0.96 1.30 0.34 -0.64 0.72	-43.71 -33.28 -12.44 30.17 67.15 66.92	1.55 33.05 65.10 106.51 121.58 81.78	9 9 9 9 9	7 9 5 9 4
200 250	40.66 8.19	4.60 5.87 Oct Std. Dev.	0.03 -0.61 ober Skew	36.32 -0.35 Min	45.38 13.06	4 4	4 4
Depth (m)	Mean				Max	N	М
10 25 45 80 120 160 200 250	-36.05 -23.27 -0.78 59.19 101.13 76.69 43.68 9.67	19.17 17.75 18.08 24.80 11.94 3.29 3.23 1.68	0.40 0.13 0.55 0.31 -0.50 -0.07 0.23 -0.34	-64.39 -51.26 -24.23 24.00 78.11 73.29 40.27 7.76	-4.14 5.28 32.32 102.78 118.21 79.86 47.79 10.90	99999353	7 9 4 9 9 3 5 3
		Nov	ember				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
10 25 45 80 120 160 200 250	-36.19 -23.61 0.42 56.68 99.58 78.39 49.51 18.04	14.49 9.22 8.47 21.41 4.37 11.38 6.59 3.11	-0.24 -0.41 -0.56 0.56 0.46 -0.42 -0.66 -0.43	-56.28 -39.72 -13.88 36.98 92.68 62.61 39.84 13.40	-16.94 -11.77 10.07 95.03 108.11 89.59 54.32 21.13	7 7 8 8 8 4 4 5	6 7 4 8 8 4 4 5
		Dec	ember				
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N	M
10 25 45 80 120 160 200 250	-27.86 -17.05 7.71 54.81 95.48 80.46 55.09 22.41	15.70 11.13 10.91 21.70 11.80 4.60 8.49 5.75	-0.15 0.34 0.79 0.17 -0.05 -0.22 -0.64 0.38	-51.80 -33.07 -3.29 27.91 79.30 74.45 42.66 16.26	-5.03 2.68 29.25 89.07 109.98 85.52 61.81 31.00	8 8 8 8 4 4 5	8 8 8 8 4 4 5

Table B7. Mean seasonal cycles of meridional velocity (in cm s⁻¹) between the surface and 250 m at 0°, 140°W. Statistics are based on N directly measured monthly estimates.

		Tan	uary			
Depth (m)	Mean	Std. Dev.		Min	Max	N
10 25 45 80 120 160 200 250	-3.38 -3.84 0.73 -1.76 3.50 -0.10 4.53 -0.46	5.22 6.06 10.40 6.03 6.96 2.29 4.91 4.72	0.20 0.27 0.21 0.16 0.77 0.00 -0.49 -0.68	-9.79 -11.87 -8.37 -8.65 -4.16 -2.24 -2.41 -8.20	3.35 5.34 12.06 7.02 16.61 2.08 9.13 3.31	8 8 3 7 8 4 4 5
		Feb	ruary			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-3.12 -2.91 0.86 0.11 4.33 -0.16 5.36 -1.50	5.85 5.39 3.21 4.43 6.17 2.22 3.96 5.82	-0.45 0.10 0.29 0.17 1.13 -0.06 -0.10	-13.39 -10.39 -1.70 -6.48 -1.53 -2.66 0.48 -9.64	3.22 5.45 4.46 6.89 17.85 2.14 9.85 6.54	7 7 3 7 8 4 4 5
			rch			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-7.08 -1.32 3.02 2.78 5.70 -0.86 4.64 -0.58	4.32 4.14 0.40 5.67 6.85 1.07 4.03 4.52	0.20 -0.67 0.00 0.02 1.30 0.23 -0.32 1.04	-10.88 -8.40 2.74 -5.77 0.39 -1.83 -0.79 -3.35	-2.38 2.48 3.30 10.42 21.03 0.47 8.80 7.44	3 6 2 7 8 4 4 5
		Αp	ril			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-7.65 0.41 4.40 4.56 6.47 -1.64 4.08 -0.07	5.54 3.38 2.60 7.35 6.90 2.63 5.87 1.35	-0.37 -0.34 0.00 -0.44 1.56 0.57 0.29 0.07	-14.02 -4.80 2.56 -7.30 1.46 -3.46 -1.90 -1.90	-3.94 4.30 6.24 11.18 22.84 2.13 11.83 1.84	3 6 2 7 8 4 4 5

Table B7. Continued.

		M	lay			
Depth (m)	Mean	Std. Dev.		Min	Max	N
10 25 45 80 120 160 200 250	-5.52 -0.58 1.56 6.98 6.73 -0.51 3.63 -0.85	13.38 5.11 6.16 7.98 7.19 5.21 6.20 3.26	-1.12 -0.20 -0.09 -0.33 0.89 0.16 0.75 0.29	-33.52 -7.93 -7.14 -6.40 -1.85 -5.08 0.35 -4.24	8.38 4.91 9.63 17.04 21.56 5.67 12.93 3.48	7 7 5 8 8 4 4
Depth (m)	Mean	J Std. Dev.	une Skew	Min	Max	N
10 25 45 80 120 160 200 250	0.32 0.46 -0.09 6.59 6.78 -0.25 1.77 -1.18	4.89 5.18 4.28 7.22 7.07 5.48 3.72 4.39	-0.43 -0.23 -0.75 0.01 0.62 0.00 0.66 -0.56	-8.01 -8.35 -7.29 -3.97 -3.43 -6.79 -0.81 -7.47	5.72 7.01 4.14 16.58 20.74 6.28 7.23 2.51	7 8 5 8 4 4 4
Depth (m)	Mean	Std. Dev.	uly Skew	Min	Max	N
10 25 45 80 120 160 200 250	0.67 0.11 -1.08 4.39 6.57 -0.04 -0.43	4.02 4.35 2.80 6.66 6.87 4.40 2.35 3.13	-0.02 0.50 -0.20 -0.21 -0.13 0.00 -0.11 -0.03	-5.05 -5.67 -5.00 -6.46 -5.78 -5.80 -3.40 -4.12	5.76 8.44 1.94 13.69 18.52 5.47 2.30 3.78	8 9 5 9 5 4 5
Depth (m)	Mean	Au Std. Dev.	gust Skew	Min	Max	N
10 25 45 80 120 160 200 250	1.90 -0.90 -1.50 2.60 6.84 0.26 -0.33 0.40	4.71 4.89 4.03 5.91 7.91 3.98 1.84 0.47	-0.29 0.48 -0.28 -0.15 -0.51 0.00 0.04 0.53	-5.76 -6.43 -6.54 -5.63 -8.30 -4.25 -2.28 -0.01	7.96 7.96 2.30 9.78 17.84 4.28 1.73 1.12	8 9 5 9 5 4 5

Table B7. Continued.

			ember			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-0.49 -2.68 -2.49 1.20 6.60 -0.02 1.28 2.36	4.47 2.30 3.15 6.12 7.21 4.01 1.35 2.42	0.51 -0.32 -0.42 -0.35 -0.45 -0.27 0.06 -0.67	-4.50 -6.06 -7.01 -9.92 -7.21 -4.52 -0.25 -1.59	7.00 -0.13 0.30 8.09 17.47 3.45 2.90 4.63	7 9 5 9 9 5 4 5
		Oct	ober			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-4.25 -3.69 -3.71 0.05 4.77 -1.71 2.06 2.73	5.45 5.40 10.13 6.22 6.10 3.04 2.07 1.09	0.14 0.57 -0.16 -0.19 0.25 0.54 -0.63 0.04	-11.51 -9.69 -16.57 -10.76 -4.11 -4.35 -1.26 1.64	4.35 5.12 7.61 10.00 15.45 2.63 3.92 3.90	7 9 4 9 9 4 5 4
Dombh (m)	V		ember			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-3.85 -4.42 -0.49 -0.29 3.63 -0.68 3.79 1.37	7.75 5.86 10.40 5.66 4.99 3.78 3.86 2.86	0.24 0.85 0.39 -0.23 -0.01 0.60 -0.14 -0.01	-13.79 -9.01 -8.74 -8.40 -4.29 -3.81 -0.76 -2.52	8.29 6.73 13.49 7.59 10.54 4.81 7.38 5.23	6 7 4 8 8 4 4 5
			ember			
Depth (m)	Mean	Std. Dev.	Skew	Min	Max	N
10 25 45 80 120 160 200 250	-4.61 -5.01 -2.19 -2.42 3.53 0.44 4.36 0.38	5.76 5.09 12.40 7.44 5.63 3.74 5.23 2.95	-0.09 0.06 0.47 -0.34 0.07 0.42 -0.06 -0.42	-13.60 -11.45 -12.77 -14.64 -4.55 -2.98 -1.78 -3.83	2.83 2.28 15.05 5.18 10.95 5.58 10.14 2.68	8 8 4 8 4 4 5

Table B8. Mean seasonal cycles of winds and air temperature at 0°, 140°W. Statistics are based on N directly measured monthly estimates.

Zonal Wind Velocity (m/s)									
Month	Mean	Std. Dev.	Skew	Min	Max	N			
January February March April May June July August September October November December	-6.79 -6.19 -5.37 -5.02 -4.74 -5.31 -5.85 -6.06 -6.02 -6.07 -6.50 -6.82	0.57 0.60 0.46 0.22 0.79 0.70 0.63 0.64 0.55 0.51 0.51	-0.10 0.56 0.58 0.16 0.63 0.69 0.96 0.48 0.18 0.29 -0.01	-7.60 -6.82 -5.78 -5.24 -5.52 -5.91 -6.48 -6.70 -6.68 -7.11 -7.51	-6.01 -5.16 -4.65 -4.73 -3.46 -4.08 -4.56 -4.98 -5.16 -5.27 -5.27	7 6 5 5 8 8 7 7 8 7 7			
	Merid	ional Wind V	elocity	(m/s)					
Month	Mean	Std. Dev.	Skew	Min	Max	N			
January February March April May June July August September October November December	0.75 0.48 -0.05 -0.04 0.54 0.92 1.18 1.32 1.54 1.38 0.94 0.78	0.60 0.40 0.35 0.46 0.69 0.79 0.87 0.85 0.81 0.75 0.73	-0.05 0.11 0.22 0.78 0.05 0.13 0.78 0.88 0.50 0.34 0.29 -0.01	-0.08 0.02 -0.44 -0.36 -0.36 -0.23 0.13 0.44 0.79 0.45 0.08 -0.23	1.55 1.05 0.41 0.72 1.47 2.31 2.94 2.99 2.86 2.50 2.07 1.82	7 6 5 5 8 8 7 7 8 7			
		Wind Speed	(m/s)						
Month	Mean	Std. Dev.	Skew	Min	Max	N			
January February March April May June July August September October November December	6.96 6.37 5.53 5.20 5.05 5.67 6.23 6.44 6.43 6.42 7.00	0.55 0.61 0.44 0.22 0.67 0.56 0.44 0.48 0.43 0.38 0.40 0.45	0.00 -0.67 -0.50 -0.24 -0.72 -0.56 -0.39 -0.07 0.48 -0.28 0.05 0.33	6.10 5.30 4.85 4.90 3.93 4.66 5.45 5.83 6.08 5.82 6.23 6.53	7.80 6.97 5.96 5.42 5.73 6.34 6.88 7.05 7.11 6.83 7.19 7.70	7 6 5 5 8 8 7 7 8 7 7			

Table B8. Continued.

Zonal Wind Pseudo-stress (m**2/s**2)								
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	-48.94 -41.43 -31.37 -27.45 -26.26 -32.35 -38.29 -40.72 -40.31 -40.75 -45.77 -49.42	7.40 7.06 4.79 2.22 6.46 6.38 5.99 6.43 5.45 5.12 5.66 6.48	-0.22 0.42 0.44 0.11 0.54 0.47 0.58 0.19 -0.13 0.30 -0.14	-60.37 -49.28 -36.40 -29.93 -33.41 -39.56 -45.64 -47.78 -47.26 -46.66 -52.32 -58.98	-39.18 -29.72 -24.13 -24.60 -16.32 -22.85 -28.24 -32.10 -33.28 -33.26 -40.25 -43.17	765588877877		
Meridional Wind Pseudo-stress (m**2/s**2)								
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	5.25 3.33 -0.15 -0.14 3.07 5.49 7.34 8.44 10.01 8.78 6.03 5.30	4.36 2.72 1.85 2.44 3.65 4.76 5.38 5.46 5.48 4.96 4.80 4.86	0.01 0.14 0.26 0.70 -0.05 0.12 0.62 0.76 0.43 0.46 0.31	-0.55 0.34 -2.01 -2.01 -2.13 -1.41 0.46 2.70 4.50 2.79 0.47 -1.68	10.68 6.92 2.20 3.83 8.25 13.58 17.70 18.79 18.01 17.22 13.69 12.34	7 6 5 5 8 8 7 7 8 7 7		
Air Temperature (deg C)								
Month	Mean	Std. Dev.	Skew	Min	Max	N		
January February March April May June July August September October November December	25.23 25.36 25.30 25.65 26.20 26.07 25.80 25.47 25.63 25.66 25.46 25.04	1.37 1.22 0.82 1.09 1.38 1.31 1.21 1.25 0.83 1.01 1.08	-0.30 0.08 0.33 0.35 -0.03 -0.23 -0.40 -0.51 0.16 -0.26 -0.22	23.28 23.96 24.56 24.88 24.04 23.73 23.54 23.18 24.65 24.39 24.01 22.88	26.85 27.00 26.38 26.89 28.23 28.09 27.58 27.15 26.80 26.58 26.50 26.61	654378876556		

Table B9. Annual means for ocean temperature and velocity at 0°, 140°W. Statistics are based on N = 12 climatological monthly means as presented in Tables B5-B7. NTOT is an index showing the total number of months of directly measured data at each depth.

		Zonal Cu	irrents	(cm/s)			
Depth (m)	Mean	Std. Dev.		Min	Max	N	NTOT
10 25 45 80 120 160 200 250	-13.19 0.82 27.48 81.41 101.96 73.15 45.01 15.25	20.97 22.04 26.14 28.09 7.23 3.68 5.22 5.69	0.44 0.39 0.44 0.38 -0.11 0.64 0.42	-36.19 -23.61 -0.78 50.15 90.65 68.57 38.64 7.76	22.07 37.16 71.64 125.60 112.36 80.46 55.09 22.41	12 12 12 12 12 12 12 12	79 93 47 96 100 47 49 53
Depth (m)	Mean	Meridional Std. Dev.	Current Skew	s (cm/s) Min	Max	N	NTOT
10 25 45 80 120 160 200 250	-3.09 -2.03 -0.08 2.06 5.45 -0.44 2.89 0.21	3.08 1.96 2.35 3.10 1.40 0.68 1.97 1.34	0.16 -0.07 0.33 0.18 -0.35 -0.69 -0.50 0.63	-1.71	1.90 0.46 4.40 6.98 6.84 0.44 5.36 2.72	12 12 12 12 12 12 12 12	79 93 47 96 100 51 49 57
Depth (m)	Mean	Temperatu Std. Dev.	ire (deg Skew	rees C) Min	Max	N	NTOT
SST 10 25 35 45 60 80 100 120 140 160 200 250 300 500	25.55 25.46 25.24 25.08 24.72 24.08 22.85 20.97 18.79 16.83 15.23 13.27 12.37 11.70 8.11	0.58 0.56 0.54 0.52 0.47 0.33 0.29 0.55 0.80 0.75 0.57 0.23 0.11 0.20 0.09	0.14 0.16 0.30 0.40 0.53 0.44 -0.19 0.20 0.36 0.41 0.51 0.72 0.53 -0.34 0.42	24.80 24.72 24.54 24.41 24.10 23.58 22.33 20.24 17.88 15.98 14.59 13.03 12.24 11.39 7.99	26.40 26.28 26.08 25.97 25.60 24.75 23.36 21.84 20.13 18.12 16.25 13.72 12.57 11.91 8.29	12 12 12 12 12 12 12 12 12 12 12 12 12 1	77 94 100 95 47 65 94 70 99 75 51 89 63 71 31

Table B10. Annual means for winds and air temperatures at 0° , 140° W. Statistics are based on N = 12 climatological monthly means as presented in Table B8. NTOT is an index showing the total number of months of directly measured data at each depth.

	Ai Mean	r Temperatu Std. Dev.		rees C) Min	Max	N	NTOT
Air T	25.51	0.28	0.21	25.04	26.02	12	70
	Mean	Winds Std. Dev.	(m/s) Skew	Min	Max	N	NTOT
Zonal Meridional Speed	-5.90 0.81 6.18	0.67 0.52 0.66		-6.82 -0.05 5.06			83 83 83
Wind Pseudo-stress (m**2/s**2) Mean Std. Dev. Skew Min Max N NTOT							
Zonal Meridional	-38.75 5.41	7.73 3.57	0.21 -0.15		-26.61 10.93	12 12	83 83

^{*}U.S. GOVERNMENT PRINTING OFFICE: 1992-673-025/69021