

NOAA Technical Memorandum ERL PMEL-3

CURRENT METER MEASUREMENTS
IN THE GULF OF ALASKA - PART I
RESULTS FROM NEGOA MOORINGS 60, 61, 62A

R. Michael Reynolds
Bernard Walter

Pacific Marine Environmental Laboratory
Seattle, Washington
May 1975

UNITED STATES
DEPARTMENT OF COMMERCE
Rogers C.B. Morton, Secretary

NATIONAL OCEANIC AND
ATMOSPHERIC ADMINISTRATION
Robert M. White, Administrator

Environmental Research
Laboratories
Wilmot N. Hess, Director




DISCLAIMER

The Environmental Research Laboratories do not approve, recommend, or endorse any proprietary product or proprietary material mentioned in this publication. No reference shall be made to the Environmental Research Laboratories or to this publication furnished by the Environmental Research Laboratories in any advertising or sales promotion which would indicate or imply that the Environmental Research Laboratories approve, recommend, or endorse any proprietary product or proprietary material mentioned herein, or which has as its purpose an intent to cause directly or indirectly the advertised product to be used or purchased because of this Environmental Research Laboratories publication.

TABLE OF CONTENTS

	Page
ABSTRACT	1
1. INTRODUCTION	1
2. DATA PROCESSING OF AANDERAA CURRENT METER RECORDS	3
3. THE MOORINGS	8
3.1 NEGOA 60	8
3.2 NEGOA 61	8
3.3 NEGOA 62A	11
4. ACKNOWLEDGMENTS	13
5. REFERENCES	14
APPENDIX A: NEGOA 60 DATA	15
A.1. Current Meter 625 - 20 meters	16
A.2. Current Meter 412 - 30 meters	42
A.3. Current Meter 392 - 50 meters	60
A.4. Current Meter 624 - 90 meters	78
APPENDIX B: NEGOA 61 DATA	101
B.1. Current Meter 604 - 20 meters	102
B.2. Current Meter 601 - 30 meters	128
B.3. Current Meter 711 - 50 meters	136
B.4. Current MEter 603 - 100 meters	154
B.5. Current Meter 602 - 162 meters	172
APPENDIX C: NEGOA 62A DATA	191
C.1. Current Meter 598 - 24 meters	192
C.2. Current Meter 617 - 50 meters	231
C.3. Current Meter 616 - 100 meters	240
C.4. Current Meter 600 - 178 meters	258



CURRENT METER MEASUREMENTS
IN THE GULF OF ALASKA - PART I
RESULTS FROM NEGOA MOORINGS 60, 61, 62A

R. Michael Reynolds
Bernard Walter

Three moorings in the physical oceanographic study of the Northeast Gulf of Alaska, deployed in the last half of 1974, are described. Time series analysis of the moorings with a recently developed Aanderaa processing system is described, and time series analysis plots are presented.

1. INTRODUCTION

During 1974, the Institute of Marine Sciences of the University of Alaska and the Pacific Marine Environmental Laboratory (PMEL) of NOAA began a joint study of the physical oceanography of the Northeast Gulf of Alaska (NEGOA). Three moorings were deployed on the continental shelf. The purpose of these initial moorings is to begin describing the vertical and time variability of the currents in three areas of the shelf which have differing topographical environments. Figure 1 shows the positions and dates of the three moorings.

This memorandum is a summary of the data collected of these three moorings. The computer processing is briefly discussed, then the moorings are described, including a summary of the performance of the instruments. The data summaries are found in the appendices.




Figure 1. Location of NEG0A moorings 60, 61, 62A showing dates of deployment.

2. DATA PROCESSING OF AANDERAA CURRENT METER RECORDS

Figure 2 is a schematic of the data processing procedure. The original data tape is removed from the current meter without rewinding. This original tape is then re-recorded backwards onto a stronger 1.5 mil working tape which is used in all future data processing operations. The delicate 0.5 mil original Aanderaa tape is stored, and need not be replayed under normal circumstances. The purpose of this process is to minimize handling of the original tape.

The working tape is then played into the PMEL tape translating facility which generates a computer-compatible 7-track tape (556 bpi). The reader detects incorrect bit counts in any words, and an incorrect number of words in any data record. (A full discussion of the intricacies of the reader facility including software will appear in a forthcoming technical report.) At the time of translation, the data stream is checked by a bit display module and can be plotted on an analog chart.

Once the Aanderaa working tape has been translated onto a computer tape, two programs are required to edit the data for time-series analysis. The first program, AANCMRD, takes the first look at the data. As each data record is read, calibration equations are applied to the raw binary data giving physical values of speed, direction, etc. At this time, any irregularities from "dead zone" readings in speed or direction are noted and interpolated across. Also, magnetic deviation correction is applied, resulting in "true" compass directions, and all detected errors or interpolations are flagged. A binary tape with the processed data is created as well as a printer output. A sample of the printout is shown in Figure 3. On the




Figure 2. Block diagram of Aanderaa data processing.

RECORD	CALCULATED DATA			INTERPOLATION			RAW DATA			REF	A B C D E		
	SPEED	J13	TE1P	ZOND	DEPTH	FLAG	SPEED	DIR	COND	DEPTH			
1	63.45	53.25	23.693	.067	-30	0	468	22	1023	2	6.2	0	
2	1.50	51.52	21.693	.057	-30	0	468	21	1023	2	6.2	0	
3	1.50	51.17	20.693	.067	-30	0	468	20	1023	2	6.2	0	
4	1.50	325.14	21.693	.157	-30	0	468	19	1023	2	6.2	0	
5	1.50	20.90	20.465	.167	-45	0	468	18	1013	2	6.2	0	
6	1.50	16.15	17.454	.057	-45	0	468	17	958	0.1	6.2	0	
7	1.50	130.06	16.222	.067	-46	0	468	27.0	827	2	6.2	0	
8	1.50	326.16	15.674	.167	-31	0	468	80.9	88.3	2	6.2	0	
9	1.50	309.76	15.195	.167	-31	0	468	75.2	78.2	2	6.2	0	
10	1.50	329.30	14.785	.067	-31	0	468	81.8	76.4	2	6.2	0	
11	1.50	16.13	14.488	.067	-43	0	468	93.5	75.1	2	5.3	0	
12	26.37	142.25	14.306	.154	425	0	650	262	74.3	51.1	5.5	0	
13	37.44	247.29	14.206	.154	235	0	913	58.3	53.6	52.3	21.1	0	
14	13.48	222.06	9.949	.155	58.5	0	1022	91.3	55.2	52.7	20.9	0	
15	22.03	224.23	18.132	.155	77.5	1	153	51.7	56.0	53.1	20.6	0	
16	23.38	246.36	9.744	.155	437	0	363	58.6	54.3	52.6	20.3	0	
17	31.03	239.96	3.363	.153	57.2	0	681	56.2	55.2	52.8	20.0	0	
18	33.62	247.29	10.049	.155	77.5	0	836	58.3	55.6	53.1	19.8	0	
19	33.08	257.76	10.084	.156	450	1	23	61.3	59.3	54.1	19.5	0	
20	32.39	275.21	13.656	.156	11.2	0	239	66.3	58.3	53.6	19.2	0	
21	29.15	259.56	10.702	.156	11.2	0	446	61.8	58.5	53.6	19.0	0	
22	24.87	275.21	3.949	.155	37.2	21.13	615	66.3	55.2	52.8	18.9	0	
23	23.50	290.91	10.086	.155	78.7	0	773	78.8	55.8	53.0	18.9	0	
24	22.52	312.23	3.233	.155	38.2	21.13	0	938	76.9	53.4	52.6	18.9	0
25	22.82	319.88	9.478	.155	235	21.13	1	55	79.1	53.1	52.3	18.9	0
26	23.09	312.90	3.195	.154	9.665	21.13	0	213	77.1	51.5	51.9	18.9	0
27	22.27	306.96	9.151	.154	965	21.13	0	365	75.4	51.7	51.9	19.1	0
28	21.13	316.04	9.265	.155	189	0	509	78.0	52.2	52.1	19.4	0	
29	23.50	312.91	9.219	.155	132	22.34	0	678	77.1	52.8	52.8	19.7	0
30	21.04	316.10	8.991	.156	938	22.65	0	813	76.3	51.8	51.7	19.9	0
31	15.72	303.82	9.388	.154	762	23.26	0	939	74.5	51.6	51.6	20.3	0
32	16.46	303.82	8.672	.154	561	23.61	0	7	74.5	49.6	51.3	20.3	0
33	14.21	316.39	8.717	.154	627	23.86	0	100	76.1	49.8	51.4	20.7	0
34	13.25	352.33	8.193	.154	222	23.86	0	186	68.4	47.5	50.8	20.7	0
35	11.49	321.97	8.251	.154	238	24.17	0	259	79.7	47.6	50.9	20.9	0
36	9.84	290.95	9.456	.154	492	24.17	0	328	71.7	48.7	51.2	20.9	0
37	12.16	301.73	9.444	.154	625	24.17	0	391	73.9	48.6	51.1	20.9	0
38	12.98	320.92	9.591	.154	692	24.17	0	482	79.4	49.2	51.2	20.9	0
39	9.56	323.36	10.109	.155	775	24.17	0	561	80.1	55.9	53.1	20.9	0
40	6.47	326.05	10.747	.156	517	24.82	0	592	81.1	58.7	54.2	20.8	0
41	10.38	209.60	10.793	.156	452	23.71	0	657	475	58.9	54.1	20.6	0
42	23.63	226.77	10.314	.155	377	23.41	0	797	50.7	56.8	53.4	20.4	0

rotor released, unit at surface
unit of depth

Figure 3. Typical output from Program AANCMD.

right hand are the Aanderaa binary coded raw data, and on the left hand are the calculated physical values.

The printout from AANCMRD is carefully analyzed for any systematic errors. Also, the validity of all detected errors is appraised. Time-marks taken from a mooring log are compared to the recorded data (for example, Fig. 3 shows change in values when the current meter enters the water, with the prior release of the rotor).

The second program, EDTDAT, completes the data editing. This program accepts hand editing via data cards, and interpolates or deletes any desired error records. Figure 4 is a sample of the final output of this program. Each sample is given a true GMT time. Then the data are formatted onto another binary file, ready for time-series analysis and plotting by the standard PMEL time-series analysis packages, CURPLT and TEMPLT (Halpern et al., 1974).

These packages provide a complete overview of the available data. The program CURPLT performs a time-series analysis of current vectors in a rectangular coordinate system and produces Calcomp plots of histogram statistics, time-series, progressive vector diagrams, and spectra (u , v , power and rotary spectra). TEMPLT performs one-dimensional time-series analysis of any scalars such as temperature, conductivity, or pressure. Again, Calcomp plots of histogram, time-series, and power spectrum are produced.

REF. NO.	TIME	DATE	J-EEL.		V-VEL.		SPEED		COMPASS		TEMP.		COND.	DEPTH
			CM/SEC	CM/SEC	CM/SEC	CM/SEC	DEGREES	DEG. C	MV/CN	METERS	MV/CN	METERS		
1	0336	2 JUL 74	-3.235	1.6.352	1.7.646	3.62.742	5.048	27.729	1023.000					
2	0346	2 JUL 74	-2.779	7.192	7.7.719	3.60.875	5.048	27.729	1023.000					
3	0356	2 JUL 74	-2.420	6.093	7.7.296	3.61.633	5.026	27.729	1023.000					
4	0406	2 JUL 74	-2.520	6.184	6.082	3.61.523	5.003	27.729	1023.000					
5	0416	2 JUL 74	-1.767	6.222	6.468	3.61.148	5.003	27.729	1023.000					
6	0426	2 JUL 74	-2.295	6.048	6.468	3.69.227	5.026	27.729	1023.000					
7	0436	2 JUL 74	-2.182	5.647	6.654	3.68.875	5.003	27.729	1023.000					
8	0446	2 JUL 74	-1.341	5.426	5.664	3.68.148	5.003	27.729	1023.000					
9	0456	2 JUL 74	-0.634	6.921	6.054	3.61.992	4.981	27.666	1023.000					
10	0506	2 JUL 74	-0.778	5.169	5.226	3.51.531	4.958	27.666	1023.000					
11	0516	2 JUL 74	1.368	4.844	5.226	2.31.17	4.958	27.666	1023.000					
12	0526	2 JUL 74	-0.799	4.037	4.012	3.55.750	4.958	27.666	1023.000					
13	0536	2 JUL 74	1.333	6.123	4.398	2.0.359	4.958	27.666	1023.000					
14	0546	2 JUL 74	2.912	3.296	4.390	4.1.453	4.958	27.666	1023.000					
15	0556	2 JUL 74	3.633	2.453	3.946	5.2.000	4.958	27.666	1023.000					
16	0606	2 JUL 74	3.805	1.182	3.946	7.2.742	4.958	27.666	1023.000					
17	0616	2 JUL 74	3.393	0.876	3.984	8.8.914	4.958	27.666	1023.000					
18	0626	2 JUL 74	3.653	-1.598	3.984	11.3.523	4.958	27.666	1023.000					
19	0636	2 JUL 74	2.561	-2.388	3.570	13.1.895	4.958	27.666	1023.000					
20	0646	2 JUL 74	2.730	-2.730	3.570	15.9.891	4.958	27.666	1023.000					
21	0656	2 JUL 74	2.375	-3.199	3.984	14.3.486	4.981	27.729	1023.000					
22	0706	2 JUL 74	2.578	-3.563	4.398	14.1.189	4.981	27.729	1023.000					
23	0716	2 JUL 74	3.177	-6.177	5.660	1.37.781	4.981	27.729	1023.000					
24	0726	2 JUL 74	2.791	-5.423	6.054	15.1.692	5.003	27.729	1023.000					
25	0736	2 JUL 74	3.367	-6.511	7.718	1.59.831	5.003	27.729	1023.000					
26	0746	2 JUL 74	4.129	-6.512	7.710	1.67.625	5.026	27.729	1023.000					
27	0756	2 JUL 74	4.121	-7.478	8.538	1.5.141	5.003	27.729	1023.000					
28	0806	2 JUL 74	5.636	-7.993	9.780	1.6.812	5.026	27.729	1023.000					
29	0816	2 JUL 74	4.083	-6.465	9.366	1.5.656	5.026	27.729	1023.000					
30	0826	2 JUL 74	3.364	-9.213	10.194	1.56.656	5.026	27.729	1023.000					
31	0836	2 JUL 74	3.334	-10.580	11.022	1.62.391	5.026	27.729	1023.000					
32	0846	2 JUL 74	4.704	-10.424	11.436	1.55.711	5.026	27.729	1023.000					
33	0856	2 JUL 74	4.959	-12.530	13.546	1.50.875	5.026	27.729	1023.000					
34	0906	2 JUL 74	4.088	-13.318	13.920	1.63.894	5.026	27.729	1023.000					
35	0916	2 JUL 74	4.962	-12.123	13.892	1.57.820	5.026	27.729	1023.000					
36	0926	2 JUL 74	2.966	-13.176	13.516	1.67.312	5.026	27.729	1023.000					
37	0936	2 JUL 74	3.583	-16.326	14.746	1.66.258	5.003	27.666	1023.000					
38	0946	2 JUL 74	2.885	-13.194	13.546	1.67.664	5.003	27.666	1023.000					
39	0956	2 JUL 74	2.397	-13.714	13.920	1.70.125	5.003	27.666	1023.000					

Figure 4. Typical output from Program EDTDAT.

3. THE MOORINGS

3.1 NEGOA 60

Mooring NEGOA 60 (Fig. 5) was designed and installed by the Institute of Marine Sciences, University of Alaska. The mooring depth was approximately 100 meters, and the position was $60^{\circ} 5.4'N$, $145^{\circ} 40.7'W$.

The subsurface mooring included 4 Aanderaa current meters located at 20, 30, 50 and 90 m depth. The sampling interval for the meters was 10 min. The mooring was deployed on 2 July 1974 and recovered in September. Because of weather problems, the meters were not recovered before the internal tapes had overrun.

During processing only the first 8000 data points (55.5 days) were considered, since weakening batteries began to generate excessive tape noise after this period. All four current meters produced clean readable tapes, and all sensors appear to have worked well.

3.2 NEGOA 61

Mooring NEGOA 61 was installed by PMEL at $59^{\circ} 34.2'N$, $145^{\circ} 47.6'W$ in 173 m of water (Fig. 6). Five Aanderaa current meters were located at nominal depths of 20, 30, 50, 100 and 163 m depth. The sampling interval was 30 min, and all meters were operating on recovery. Table 1 shows the sensors included in the mooring and their performance.




Figure 5. MOORING NEGOA 60




Figure 6. MOORING NEGOA 61

Table 1. Sensors Included in Mooring NEGOA 61

Current Meter	Nominal Depth (m)	S	Φ	T	P	C
604	20	✓	✓	✓	✓	✓
601	30	x	✓	✓	o	✓
711	50	✓	✓	✓	x	o
603	100	✓	✓	✓	o	o
602	163	✓	✓	✓	o	30%

✓ sensor apparently 100% operational

o sensor not included

x sensor failed totally

30% data recovered

3.3 NEGOA 62A

Mooring 62A was installed by PMEL at $59^{\circ} 34.4'N$, $142^{\circ} 10.5'W$ in 188 m of water (Fig. 7). Four Aanderaa current meters were located at 24, 50, 100 and 178 m depth. The sampling interval of the instruments was 30 min. This mooring is the first in a year long series of current meter data to be collected at this location. Table 2 shows the sensors included in the mooring and their performance.

Table 2. Sensors Included in Mooring NEGOA 62A

Current Meter	Nominal Depth (m)	S	Φ	T	P	C
598	20	✓	✓	✓	✓	✓
617*	50	25%	25%	25%	o	o
616†	100	60%	60%	60%	o	o
600	178	✓	✓	✓	o	✓

✓ sensor apparently 100% operational

o sensor not included

* Even though the sensors appear operational this unit became defective after 30 days because of clock problems

† Excessive noise requires extensive interpolation.




Figure 7. MOORING NEGOA 62A

4. ACKNOWLEDGMENTS

The electronic work was excellently done by Roy Newman and David Spell. James Holbrook was most helpful in sharing his experience and programming expertise. The patience of the NEGOA Project Office was most appreciated.

5. REFERENCES

Halpern, D., J.R. Holbrook and R.M. Reynolds (1974). A Compilation of wind, current and temperature measurement: Oregon, July and August 1973. CUEA Technical Report 6, Department of Oceanography, University of Washington, 190 pp.

APPENDIX A
TIME SERIES ANALYSIS OF DATA FROM
NEGOA 60

- A.1. Current Meter 625 at 20 meters
- A.2. Current Meter 412 at 30 meters
- A.3. Current Meter 392 at 50 meters
- A.4. Current Meter 624 at 90 meters

A.1. TIME SERIES ANALYSIS Current Meter 625 Nominal Depth: 20m
 Part 1 of 2; 2 July - 1 August 1974

Mooring Designation NEGOA 60

Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$



Sensors: Speed, Direction, Temperature, Pressure, Conductivity

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	.17.94	87.33	9.34	.629	2.44	54.08	1.50
U	-8.96	141.45	11.89	-.017	2.79	29.42	-46.28
V	5.26	159.69	12.64	-.259	2.95	41.46	-36.56

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 60
OBSERVATION PERIOD 30.0 DAYS FROM 0330 GMT 2 JUL 74.
DEPTH 20.0 METERS.





A.1. TIME SERIES ANALYSIS Current Meter 625
 Part 1 of 2 (Continued)




A.1. TIME SERIES ANALYSIS Current Meter 625
 Part 1 of 2 (Continued)

TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
 DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 4320
 OBSERVATION PERIOD 30.0 DAYS FROM 0330 GMT 2 JUL 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
9.57	.50	.71	.68	3.86	12.17	7.29





A.1. TIME SERIES ANALYSIS Current Meter 625 Part 1 of 2 (Continued)



A.1. TIME SERIES ANALYSIS Current Meter 625
Part 1 of 2 (Continued)


CONDUCTIVITY STATISTICS LAT. 60 05.4N LONG. 145 40.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 4320
OBSERVATION PERIOD 30.0 DAYS FROM 0330 GMT 2 JUL 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
30.55	.15	.38	.21	3.35	32.67	29.16



A.1. TIME SERIES ANALYSIS Current Meter 625 Part 1 of 2 (Continued)



HOURLY AVERAGES OF CONDUCTIVITY DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625
 Part 1 of 2 (Continued)

DEPTH STATISTICS LAT. 60 05.4N LONG. 145 40.7W
 DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 4320
 OBSERVATION PERIOD 30.0 DAYS FROM 0330 GMT 2 JUL 74

MEAN (METER)	VARIANCE (METERS)	ST-DEV (METER)	SKEW	KURT	MAX (METER)	MIN (METER)
19.15	.52	.72	.19	3.29	21.69	17.07



A.1. TIME SERIES ANALYSIS Current Meter 625 Part 1 of 2 (Continued)



A.1. TIME SERIES ANALYSIS Current Meter 625 Nominal Depth: 20m
Part 2 of 2; 1 August - 26 August 1974

Mooring Designation NEGOA 60

Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$



Sensors: Speed, Direction, Temperature, Pressure, Conductivity

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	16.76	41.41	6.43	.487	2.71	40.00	2.74
U	-5.16	144.18	12.01	.133	2.53	28.80	-39.56
V	-4.06	134.96	11.62	.208	2.48	30.70	-37.49

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 2 of 2 (Continued)




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 60
OBSERVATION PERIOD 25.6 DAYS FROM 0330 GMT 1 AUG 74.
DEPTH 20.0 METERS.





A.1. TIME SERIES ANALYSIS Current Meter 625
 Part 2 of 2 (Continued)



A.1. TIME SERIES ANALYSIS Current Meter 625
Part 2 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 3680
OBSERVATION PERIOD 25.5 DAYS FROM 0330 GMT 1 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
11.17	.68	.82	-.26	2.41	13.18	8.87



A.1. TIME SERIES ANALYSIS Current Meter 625 Part 2 of 2 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 20.0 METERS.



A.1. TIME SERIES ANALYSIS Current Meter 625
 Part 2 of 2 (Continued)


CONDUCTIVITY STATISTICS LAT. 60 05.4N LONG. 145 40.7W
 DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 3680
 OBSERVATION PERIOD 25.5 DAYS FROM 0330 GMT 1 AUG 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
31.44	.24	.49	.13	3.09	32.91	29.83



A.1. TIME SERIES ANALYSIS Current Meter 625 Part 2 of 2 (Continued)



HOURLY AVERAGES OF CONDUCTIVITY DEPTH 20.0 METERS.




A.1. TIME SERIES ANALYSIS Current Meter 625
 Part 2 of 2 (Continued)

DEPTH STATISTICS LAT. 60 05.4N LONG. 145 40.7W
 DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 3680
 OBSERVATION PERIOD 25.5 DAYS FROM 0330 GMT 1 AUG 74

MEAN (METER)	VARIANCE (METERS)	ST-DEV (METER)	SKEW	KURT	MAX (METER)	MIN (METER)
19.03	.39	.63	.05	2.48	20.15	17.84



A.1. TIME SERIES ANALYSIS Current Meter 625 Part 2 of 2 (Continued)



A.2. TIME SERIES ANALYSIS Current Meter 412 Nominal Depth: 30m
Part 1 of 2; 2 July - 1 August 1974



Mooring Designation NEGOA 60
Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$
Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	13.19	36.94	6.08	.962	3.25	35.12	2.32
U	7.54	73.22	8.56	-.028	2.73	31.83	-19.72
V	-2.51	74.58	8.64	.270	2.58	23.26	-25.34

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 30.0 METERS.




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH
30.0 METERS.




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 30.0 METERS.




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 30.0 METERS.




A.2. TIME SERIES ANALYSIS Current Meter 412
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 60
OBSERVATION PERIOD 30.0 DAYS FROM 0342 GMT 2 JUL 74.
DEPTH 30.0 METERS.





A.2. TIME SERIES ANALYSIS Current Meter 412
 Part 1 of 2 (Continued)



A.2. TIME SERIES ANALYSIS Current Meter 412
Part 1 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
DEPTH 30.0 METERS NUMBER OF OBSERVATIONS = 4320
OBSERVATION PERIOD 30.0 DAYS FROM 0342 GMT 2 JUL 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
8.18	.42	.65	-.08	2.44	9.79	6.43



A.2. TIME SERIES ANALYSIS Current Meter 412 Part 1 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 30.0 METERS.



A.2. TIME SERIES ANALYSIS Current Meter 412 Nominal Depth: 30m
Part 2 of 2; 1 August - 26 August 1974



Mooring Designation NEGOA 60
Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$
Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	13.33	29.56	5.44	1.034	4.37	36.35	3.96
U	3.88	89.16	9.44	.227	2.61	33.32	-21.35
V	4.52	82.70	9.09	-.115	2.67	33.72	-25.95


S = SPEED

U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 2 of 2 (Continued)




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 30.0 METERS.




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 30.0 METERS.




A.2. TIME SERIES ANALYSIS Current Meter 412 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 30.0 METERS.




A.2. TIME SERIES ANALYSIS Current Meter 412
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 60
OBSERVATION PERIOD 24.5 DAYS FROM 0342 GMT 1 AUG 74.
DEPTH 30.0 METERS.





A.2. TIME SERIES ANALYSIS Current Meter 412
 Part 2 of 2 (Continued)




A.2. TIME SERIES ANALYSIS Current Meter 412
 Part 2 of 2 (Continued)

TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
 DEPTH 30.0 METERS NUMBER OF OBSERVATIONS = 3529
 OBSERVATION PERIOD 24.5 DAYS FROM 0342 GMT 1 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
9.24	1.08	1.04	.50	2.22	12.26	7.29



A.2. TIME SERIES ANALYSIS Current Meter 412 Part 2 of 2 (Continued)



A.3. TIME SERIES ANALYSIS Current Meter 392 Nominal Depth: 50m
Part 1 of 2; 2 July - 1 August 1974

Mooring Designation NEGOA 60

Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$



Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	10.62	11.60	3.41	.712	2.99	23.23	2.32
U	-3.17	39.57	6.29	.316	2.20	13.91	-18.30
V	.80	74.18	8.61	-.207	1.92	20.75	-21.58

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 50.0 METERS.




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 50.0 METERS.




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




A.3. 'TIME SERIES ANALYSIS Current Meter 392
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 60
OBSERVATION PERIOD 30.0 DAYS FROM 0324 GMT 2 JUL 74.
DEPTH 50.0 METERS.





A.3. TIME SERIES ANALYSIS Current Meter 392
 Part 1 of 2 (Continued)



A.3. TIME SERIES ANALYSIS Current Meter 392
Part 1 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
DEPTH 50.0 METERS NUMBER OF OBSERVATIONS = 4320
OBSERVATION PERIOD 30.0 DAYS FROM 0324 GMT 2 JUL 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
6.04	.08	.28	1.55	5.23	7.62	5.52



A.3. TIME SERIES ANALYSIS Current Meter 392 Part 1 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 50.0 METERS.



A.3. TIME SERIES ANALYSIS Current Meter 392 Nominal Depth: 50m
 Part 2 of 2; 1 August - 26 August 1974

Mooring Designation NEGOA 60

Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$



Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	10.71	10.22	3.20	.688	3.38	22.41	2.73
U	-1.77	45.01	6.71	.183	1.85	14.99	-17.24
V	-1.25	75.32	8.68	.125	1.90	19.89	-20.32

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH
50.0 METERS.




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 2 of 2 (Continued)




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




A.3. TIME SERIES ANALYSIS Current Meter 392 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




A.3. TIME SERIES ANALYSIS Current Meter 392
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 60
OBSERVATION PERIOD 24.3 DAYS FROM 0324 GMT 1 AUG 74.
DEPTH 50.0 METERS.





A.3. TIME SERIES ANALYSIS Current Meter 392
 Part 2 of 2 (Continued)




A.3. TIME SERIES ANALYSIS Current Meter 392
 Part 2 of 2 (Continued)

TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
 DEPTH 50.0 METERS NUMBER OF OBSERVATIONS = 3497
 OBSERVATION PERIOD 24.3 DAYS FROM 0324 GMT 1 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
6.49	.16	.40	.60	3.07	8.19	5.75



A.3. TIME SERIES ANALYSIS Current Meter 392 Part 2 of 2 (Continued)





Mooring Designation NEGOA 60
Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$
Sensors: Speed, Direction, Temperature, Conductivity

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	9.52	13.81	3.72	.358	2.47	23.03	1.50
U	.23	30.77	5.55	-.136	2.16	15.12	-14.18
V	-1.21	72.16	8.49	.070	1.99	20.45	-20.75

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOM - 60
OBSERVATION PERIOD 30.0 DAYS FROM 0336 GMT 2 JUL 74.
DEPTH 90.0 METERS.





A.4. TIME SERIES ANALYSIS Current Meter 624
 Part 1 of 2 (Continued)



A.4. TIME SERIES ANALYSIS Current Meter 624
Part 1 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
DEPTH 90.0 METERS NUMBER OF OBSERVATIONS = 4320
OBSERVATION PERIOD 30.0 DAYS FROM 0336 GMT 2 JUL 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.08	.03	.18	.76	2.58	5.59	4.80



A.4. TIME SERIES ANALYSIS Current Meter 624 Part 1 of 2 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 90.0 METERS.



A.4. TIME SERIES ANALYSIS Current Meter 624
 Part 1 of 2 (Continued)


CONDUCTIVITY STATISTICS LAT. 60 05.4N LONG. 145 40.7W
 DEPTH 90.0 METERS NUMBER OF OBSERVATIONS = 4320
 OBSERVATION PERIOD 30.0 DAYS FROM 0336 GMT 2 JUL 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
27.73	.02	.14	-.97	23.21	28.11	25.88



A.4. TIME SERIES ANALYSIS Current Meter 624 Part 2 of 2 (Continued)

HOURLY AVERAGES OF CONDUCTIVITY DEPTH 90.0 METERS.



A.4. TIME SERIES ANALYSIS Current Meter 624 Nominal Depth: 90m
 Part 2 of 2; 1 August - 26 August 1974

Mooring Designation NEGOA 60
 Location: $60^{\circ} 5.4'N$ $145^{\circ} 47.7'W$



Sensors: Speed, Direction, Temperature, Conductivity

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	9.75	17.99	4.24	.631	2.95	27.17	1.50
U	.87	34.63	5.89	-.254	2.52	17.22	-17.95
V	-.97	76.71	8.76	.320	2.31	23.46	-18.72

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEG0A - 60
OBSERVATION PERIOD 25.6 DAYS FROM 0336 GMT 1 AUG 74.
DEPTH 90.0 METERS.




A.4. TIME SERIES ANALYSIS Current Meter 624 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 90.0 METERS.





A.4. TIME SERIES ANALYSIS Current Meter 624
 Part 2 of 2 (Continued)




A.4. TIME SERIES ANALYSIS Current Meter 624
Part 2 of 2 (Continued)

TEMPERATURE STATISTICS LAT. 60 05.4N LONG. 145 40.7W
DEPTH 90.0 METERS NUMBER OF OBSERVATIONS = 3680
OBSERVATION PERIOD 25.5 DAYS FROM 0336 GMT 1 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.35	.03	.18	.25	3.04	5.88	4.98





A.4. TIME SERIES ANALYSIS Current Meter 624 Part 2 of 2 (Continued)




A.4. TIME SERIES ANALYSIS Current Meter 624
Part 2 of 2 (Continued)

CONDUCTIVITY STATISTICS LAT. 60 05.4N LONG. 145 40.7W
DEPTH 90.0 METERS NUMBER OF OBSERVATIONS = 3680
OBSERVATION PERIOD 25.5 DAYS FROM 0336 GMT 1 AUG 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
27.93	.02	.14	.11	3.12	28.37	27.41



A.4. TIME SERIES ANALYSIS Current Meter 624 Part 2 of 2 (Continued)





APPENDIX B
TIME SERIES ANALYSIS OF DATA FROM
NEGOA 61

- B.1. Current Meter 604 at 20 meters
- B.2. Current Meter 601 at 30 meters*
- B.3. Current Meter 711 at 50 meters
- B.4. Current Meter 603 at 100 meters
- B.5. Current Meter 602 at 162 meters

*Rotor defective for this instrument.

B.1. TIME SERIES ANALYSIS Current Meter 604 Nominal Depth: 20m
 Part 1 of 2; 16 August - 15 October 1974

Mooring Designation NEGOA 61
 Location: $59^{\circ} 34.2'N$ $145^{\circ} 47.7'W$



Sensors: Speed, Direction, Temperature, Conductivity, Pressure

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	27.51	283.63	16.84	1.341	4.59	110.70	1.50
U	-18.21	360.19	18.98	-.766	3.77	33.72	-90.52
V	4.12	331.68	18.21	.172	4.12	97.50	-61.82

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH
20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOR - 61
OBSERVATION PERIOD 60.0 DAYS FROM 1000 GMT 16 AUG 74.
DEPTH 20.0 METERS.





B.1. TIME SERIES ANALYSIS Current Meter 604
Part 1 of 2 (Continued)



B.1. TIME SERIES ANALYSIS Current Meter 604
Part 1 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 1000 GMT 16 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
10.59	1.90	1.38	-.32	2.40	13.48	6.50



B.1. TIME SERIES ANALYSIS Current Meter 604 Part 1 of 2 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 20.0 METERS.



B.1. TIME SERIES ANALYSIS Current Meter 604
Part 1 of 2 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 1000 GMT 16 AUG 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
35.83	1.23	1.11	.15	2.34	38.41	32.87



B.1. TIME SERIES ANALYSIS Current Meter 604 Part 1 of 2 (Continued)



HOURLY AVERAGES OF CONDUCTIVITY DEPTH 20.0 METERS.



B.1. TIME SERIES ANALYSIS Current Meter 604
Part 1 of 2 (Continued)


DEPTH STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 1000 GMT 16 AUG 74

MEAN (METER)	VARIANCE (METERS)	ST-DEV (METER)	SKEW	KURT	MAX (METER)	MIN (METER)
23.36	1.06	1.03	-.02	2.08	26.30	20.98



B.1. TIME SERIES ANALYSIS Current Meter 604 Part 1 of 2 (Continued)

HOURLY AVERAGES OF DEPTH DEPTH 20.0 METERS.



B.1. TIME SERIES ANALYSIS Current Meter 604 Nominal Depth: 20m
 Part 2 of 2; 16 October - 21 November 1974

Mooring Designation NEGOA 61

Location: 59° 34.2'N 145° 47.7'W



Sensors: Speed, Direction, Temperature, Conductivity, Pressure

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	54.58	524.19	22.90	.351	2.47	122.18	3.96
U	-43.28	718.29	26.80	.159	3.06	43.84	-119.42
V	4.00	895.21	29.92	.204	3.01	99.82	-91.32

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 20.0 METERS.




B.1. TIME SERIES ANALYSIS Current Meter 604
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 61
OBSERVATION PERIOD 36.5 DAYS FROM 1000 GMT 15 OCT 74.
DEPTH 20.0 METERS.





B.1. TIME SERIES ANALYSIS Current Meter 604
 Part 2 of 2 (Continued)



B.1. TIME SERIES ANALYSIS Current Meter 604
Part 2 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 1753
OBSERVATION PERIOD 36.5 DAYS FROM 1000 GMT 15 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
8.59	.48	.69	.24	2.26	10.11	7.05



B.1. TIME SERIES ANALYSIS Current Meter 604 Part 2 of 2 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 20.0 METERS.



B.1. TIME SERIES ANALYSIS Current Meter 604
Part 2 of 2 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 1753
OBSERVATION PERIOD 36.5 DAYS FROM 1000 GMT 15 OCT 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
33.75	.36	.60	-.70	3.55	35.10	31.86



B.1. TIME SERIES ANALYSIS Current Meter 604 Part 2 of 2 (Continued)



HOURLY AVERAGES OF CONDUCTIVITY DEPTH 20.0 METERS.



B.1. TIME SERIES ANALYSIS Current Meter 604
Part 2 of 2 (Continued)


DEPTH STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 20.0 METERS NUMBER OF OBSERVATIONS = 1753
OBSERVATION PERIOD 36.5 DAYS FROM 1000 GMT 15 OCT 74

MEAN (METER)	VARIANCE (METERS)	ST-DEV (METER)	SKEW	KURT	MAX (METER)	MIN (METER)
24.03	1.67	1.29	.00	3.55	30.55	20.98



B.1. TIME SERIES ANALYSIS Current Meter 604 Part 2 of 2 (Continued)

HOURLY AVERAGES OF DEPTH





B.2. TIME SERIES ANALYSIS Current Meter 601 Nominal Depth: 30m
Part 1 of 2; 16 August - 15 October 1974

Mooring Designation NEGOA 61
Location: 59° 34.2'N 145° 47.7'W
Sensors: Speed, Direction, Temperature


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 30.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 0932 GMT 16 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
9.22	2.87	1.69	.05	1.81	13.38	6.19



B.2. TIME SERIES ANALYSIS Current Meter 601 Part 1 of 2 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 30.0 METERS.



B.2. TIME SERIES ANALYSIS Current Meter 601
 Part 1 of 2 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.2N LONG. 145 47.7W
 DEPTH 30.0 METERS NUMBER OF OBSERVATIONS = 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0932 GMT 16 AUG 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
33.96	1.49	1.22	.16	2.17	37.52	31.15



B.2. TIME SERIES ANALYSIS Current Meter 601 Part 1 of 2 (Continued)

HOURLY AVERAGES OF CONDUCTIVITY DEPTH 30.0 METERS.





B.2. TIME SERIES ANALYSIS Current Meter 601 Nominal Depth: 30m
Part 2 of 2; 16 October - 21 November 1974

Mooring Designation NEGOA 61
Location: 59° 34.2'N 145° 47.7'W
Sensors: Speed, Direction, Temperature


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 30.0 METERS NUMBER OF OBSERVATIONS = 1748
OBSERVATION PERIOD 36.4 DAYS FROM 0932 GMT 15 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
8.65	.47	.69	.11	4.42	10.12	3.18



B.2. TIME SERIES ANALYSIS Current Meter 601 Part 2 of 2 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 30.0 METERS.



B.2. TIME SERIES ANALYSIS Current Meter 601
Part 2 of 2 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 30.0 METERS NUMBER OF OBSERVATIONS = 1748
OBSERVATION PERIOD 36.4 DAYS FROM 0932 GMT 15 OCT 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
33.05	.28	.53	-.51	3.40	34.23	31.36



B.2. TIME SERIES ANALYSIS Current Meter 601 Part 2 of 2 (Continued)

HOURLY AVERAGES OF CONDUCTIVITY DEPTH 30.0 METERS.



B.3. TIME SERIES ANALYSIS Current Meter 711 Nominal Depth: 50m
 Part 1 of 2; 16 August - 15 October 1974



Mooring Designation NEGOA 61
 Location: $59^{\circ}34.2'N$ $145^{\circ}47.7'W$
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	23.45	132.17	11.50	1.485	6.21	89.38	2.05
U	-11.45	274.45	16.57	-.410	2.93	25.86	-71.42
V	2.47	270.19	16.44	.318	2.95	80.85	-40.58

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGORA - 61
OBSERVATION PERIOD 60.0 DAYS FROM 1004 GMT 16 AUG 74.
DEPTH 50.0 METERS.





B.3. TIME SERIES ANALYSIS Current Meter 711
 Part 1 of 2 (Continued)



B.3. TIME SERIES ANALYSIS Current Meter 711
Part 1 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 50.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 1004 GMT 16 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
7.36	2.03	1.42	1.09	3.17	12.00	5.71



B.3. TIME SERIES ANALYSIS Current Meter 711 Part 1 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 50.0 METERS.



B.3. TIME SERIES ANALYSIS Current Meter 711 Nominal Depth: 50m
 Part 2 of 2; 16 October - 21 November 1974



Mooring Designation NEGOA 61
 Location: $59^{\circ} 34.2'N$ $145^{\circ} 47.7'W$
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	44.69	297.71	17.25	.557	3.31	113.57	10.25
U	-34.12	485.50	22.03	.172	3.11	33.21	-105.74
V	3.73	631.01	25.12	-.032	2.63	81.66	-63.49

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




B.3. TIME SERIES ANALYSIS Current Meter 711
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGGA - 61
OBSERVATION PERIOD 36.5 DAYS FROM 1004 GMT 15 OCT 74.
DEPTH 50.0 METERS.





B.3. TIME SERIES ANALYSIS Current Meter 711
 Part 2 of 2 (Continued)



B.3. TIME SERIES ANALYSIS Current Meter 711
Part 2 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 50.0 METERS NUMBER OF OBSERVATIONS = 1753
OBSERVATION PERIOD 36.5 DAYS FROM 1004 GMT 15 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
8.70	.44	.66	.65	2.35	10.26	7.45



B.3. TIME SERIES ANALYSIS Current Meter 711 Part 2 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 50.0 METERS.



B.4. TIME SERIES ANALYSIS Current Meter 603 Nominal Depth: 100m
Part 1 of 2; 16 August - 21 November 1974



Mooring Designation NEGOA 61
Location: $59^{\circ} 34.2'N$ $145^{\circ} 47.7'W$
Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	5.40	10.89	3.30	5.299	44.65	50.15	1.50
U	-1.45	18.91	4.35	-2.036	16.12	8.02	-50.06
V	.94	18.19	4.27	.769	7.12	34.88	-10.94

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 61
OBSERVATION PERIOD 60.0 DAYS FROM 1036 GMT 16 AUG 74.
DEPTH 100.0 METERS.





B.4. TIME SERIES ANALYSIS Current Meter 603
 Part 1 of 2 (Continued)



B.4. TIME SERIES ANALYSIS Current Meter 603
 Part 1 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
 DEPTH 100.0 METERS NUMBER OF OBSERVATIONS = 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 1036 GMT 16 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.68	.40	.63	3.65	19.89	9.86	5.05



B.4. TIME SERIES ANALYSIS Current Meter 603 Part 1 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 100.0 METERS.



B.4. TIME SERIES ANALYSIS Current Meter 603 Nominal Depth: 100m
 Part 2 of 2; 16 October - 21 November 1974



Mooring Designation NEGOA 61
 Location: $59^{\circ} 34.2'N$ $145^{\circ} 47.7'W$
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	10.95	156.13	12.50	2.204	7.64	72.29	1.50
U	-8.15	130.83	11.44	-2.203	8.23	6.37	-71.46
V	3.33	67.56	8.22	1.973	9.12	52.79	-26.57

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




B.4. TIME SERIES ANALYSIS Current Meter 603
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 61
OBSERVATION PERIOD 36.5 DAYS FROM 1036 GMT 15 OCT 74.
DEPTH 100.0 METERS.





B.4. TIME SERIES ANALYSIS Current Meter 604
 Part 2 of 2 (Continued)



B.4. TIME SERIES ANALYSIS Current Meter 603
Part 2 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 100.0 METERS NUMBER OF OBSERVATIONS = 1753
OBSERVATION PERIOD 36.5 DAYS FROM 1036 GMT 15 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
8.35	.60	.78	.25	3.10	10.09	5.94



B.4. TIME SERIES ANALYSIS Current Meter 603 Part 2 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 100.0 METERS.



B.5. TIME SERIES ANALYSIS Current Meter 602 Nominal Depth: 162m
 Part 1 of 2; 16 August - 15 October 1974



Mooring Designation NEG0A 61
 Location: 59° 34.2'N 145° 47.7'W
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	29.54	225.56	15.02	.747	2.86	85.41	3.41
U	-7.19	438.17	20.93	-.499	2.46	42.88	-78.64
V	-6.87	561.09	23.69	-.302	2.16	53.01	-73.64

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY. EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY. NORTH = POSITIVE V




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 61
OBSERVATION PERIOD 60.0 DAYS FROM 0908 GMT 16 AUG 74.
DEPTH 162.0 METERS.





B.5. TIME SERIES ANALYSIS Current Meter 602
 Part 1 of 2 (Continued)



B.5. TIME SERIES ANALYSIS Current Meter 602
Part 1 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 162.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 0908 GMT 16 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.30	.10	.32	6.08	50.99	8.74	4.78



B.5. TIME SERIES ANALYSIS Current Meter 602 Part 1 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 162.0 METERS.



B.5. TIME SERIES ANALYSIS Current Meter 602 Nominal Depth: 162m
 Part 2 of 2; 16 October - 21 November 1974



Mooring designation NEG0A 61
 Location: $59^{\circ} 34.2'N$ $145^{\circ} 47.7'W$
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	35.61	354.25	18.82	.438	2.31	86.10	.27
U	-18.05	663.90	25.77	-.106	2.38	44.91	-84.36
V	-.96	631.42	25.13	-.412	2.97	67.18	-84.80

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 2 Of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 162.0 METERS.




B.5. TIME SERIES ANALYSIS Current Meter 602
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOA - 61
OBSERVATION PERIOD 36.5 DAYS FROM 0908 GMT 15 OCT 74.
DEPTH 162.0 METERS.





B.5. TIME SERIES ANALYSIS Current Meter 602
 Part 2 of 2 (Continued)



B.5. TIME SERIES ANALYSIS Current Meter 602
Part 2 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.2N LONG. 145 47.7W
DEPTH 162.0 METERS NUMBER OF OBSERVATIONS = 1752
OBSERVATION PERIOD 36.5 DAYS FROM 0908 GMT 15 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
6.79	1.15	1.07	.33	2.17	9.83	4.89



B.5. TIME SERIES ANALYSIS Current Meter 602 Part 2 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 162.0 METERS.



APPENDIX C
TIME SERIES ANALYSIS OF DATA FROM NEGOA 62A

- C.1 Current Meter 598 at 20 meters
- C.2 Current Meter 617 at 50 meters
- C.3 Current Meter 616 at 100 meters
- C.4 Current Meter 600 at 178 meters

C.1. TIME SERIES ANALYSIS Current Meter 598 Nominal Depth: 20m
Part 1 of 3; 17 August - 16 October 1974

Mooring Designation NEGOA 62A
Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$



Sensors: Speed, Direction, Temperature, Conductivity, Pressure

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	23.96	236.36	15.37	1.536	6.10	97.41	1.50
U	-2.85	278.40	16.69	-.594	4.31	78.05	-89.28
V	13.34	345.92	18.60	.675	4.03	95.96	-43.07

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 1 of 3 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 1 of 3 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 1 of 3 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 1 of 3 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598
Part 1 of 3 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF CURRENTS
OBSERVATION PERIOD 61.0 DAYS FROM 0000 GMT 17 AUG 74.
DEPTH 24.0 METERS.





C.1. TIME SERIES ANALYSIS Current Meter 598
Part 1 of 3 (Continued)



C.1. TIME SERIES ANALYSIS Current Meter 598
 Part 1 of 3 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
 DEPTH 25.0 METERS NUMBER OF OBSERVATIONS - 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0000 GMT 17 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
10.33	2.09	1.44	.18	1.81	13.10	7.08



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 1 of 3 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 25.0 METERS,



C.1. TIME SERIES ANALYSIS Current Meter 598
 Part 1 of 3 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.4N LONG. 142 10.5W
 DEPTH 25.0 METERS NUMBER OF OBSERVATIONS = 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0000 GMT 17 AUG 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
31.48	1.12	1.06	.24	1.87	33.67	29.08



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 1 of 3 (Continued)



HOURLY AVERAGES OF CONDUCTIVITY DEPTH 25.0 METERS.



C.1. TIME SERIES ANALYSIS Current Meter 598
Part 1 of 3 (Continued)


DEPTH STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 25.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 0000 GMT 17 AUG 74

MEAN (METER)	VARIANCE (METERS)	ST-DEV (METER)	SKEW	KURT	MAX (METER)	MIN (METER)
25.00	1.19	1.09	-.15	2.95	29.85	21.09



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 1 of 3 (Continued)

HOURLY AVERAGES OF DEPTH DEPTH 25.0 METERS.



C.1. TIME SERIES ANALYSIS Current Meter 598 Nominal Depth: 20m
Part 2 of 3; 17 October - 16 December 1974

Mooring Designation NEGOA 62A

Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$



Sensors: Speed, Direction, Temperature, Conductivity, Pressure

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	45.44	358.54	18.94	.773	3.87	120.32	.67
U	-12.29	635.17	25.20	-.139	3.32	108.38	-101.24
V	31.71	631.36	25.13	-.314	3.94	117.06	-98.49


S = SPEED

U = EAST-WEST COMPONENT OF VELOCITY. EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY. NORTH = POSITIVE V




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 2 of 3 (Continued)




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 2 of 3 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 2 of 3 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 2 of 3 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598
Part 2 of 3 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF CURRENTS
OBSERVATION PERIOD 60.0 DAYS FROM 0000 GMT 17 OCT 74.
DEPTH 24.0 METERS.





C.1. TIME SERIES ANALYSIS Current Meter 598
 Part 2 of 3 (Continued)



C.1. TIME SERIES ANALYSIS Current Meter 598
 Part 2 of 3 (Continued)


TEMPERATURE STATISTICS LAT. 59° 34.4N LONG. 142° 10.5W
 DEPTH 25.0 METERS NUMBER OF OBSERVATIONS = 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0000 GMT 16 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
8.01	.41	.64	.60	2.50	9.58	6.77



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 2 of 3 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 25.0 METERS.



C.1. TIME SERIES ANALYSIS Current Meter 598
Part 2 of 3 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 25.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 0000 GMT 16 OCT 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
29.57	.26	.51	.76	2.75	30.98	28.56



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 2 of 3 (Continued)



HOURLY AVERAGES OF CONDUCTIVITY DEPTH 25.0 METERS.



C.1. TIME SERIES ANALYSIS Current Meter 598
 Part 2 of 3 (Continued)


DEPTH STATISTICS LAT. 59 34.4N LONG. 142 10.5W
 DEPTH 25.0 METERS NUMBER OF OBSERVATIONS \approx 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0000 GMT 16 OCT 74

MEAN (METER)	VARIANCE (METERS)	ST-DEV (METER)	SKEW	KURT	MAX (METER)	MIN (METER)
24.55	2.85	1.69	-.09	3.43	30.61	19.43



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 2 of 3 (Continued)

HOURLY AVERAGES OF DEPTH DEPTH 25.0 METERS.



C.1. TIME SERIES ANALYSIS Current Meter 598 Nominal Depth: 20m
 Part 3 of 3; 16 December - 2 February 1975

Mooring Designation NEGOA 62A
 Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$



Sensors: Speed, Direction, Temperature, Conductivity, Pressure

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	37.24	258.12	16.07	.927	3.74	98.93	1.50
U	.77	658.49	25.66	-.401	2.95	66.33	-95.76
V	20.80	553.35	23.52	-.325	3.20	90.62	-61.48

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 3 of 3 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 3 of 3 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 Part 3 of 3 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598 (Part 3 of 3 (Continued))

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 24.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598
Part 3 of 3 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEG0A - 62A
OBSERVATION PERIOD 47.7 DAYS FROM 0000 GMT 16 DEC 74.
DEPTH 24.0 METERS.





C.1. TIME SERIES ANALYSIS Current Meter 598
Part 3 of 3 (Continued)



C.1. TIME SERIES ANALYSIS Current Meter 598
Part 3 of 3 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 25.0 METERS NUMBER OF OBSERVATIONS = 2337
OBSERVATION PERIOD 48.7 DAYS FROM 0000 GMT 15 DEC 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
6.21	.69	.83	.16	1.64	7.77	4.70



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 3 of 3 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 25.0 METERS.



C.1. TIME SERIES ANALYSIS Current Meter 598
Part 3 of 3 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 25.0 METERS NUMBER OF OBSERVATIONS = 2337
OBSERVATION PERIOD 48.7 DAYS FROM 0000 GMT 15 DEC 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
28.02	.46	.68	.22	1.71	29.48	26.86



C.1. TIME SERIES ANALYSIS Current Meter 598 Part 3 of 3 (Continued)



HOURLY AVERAGES OF CONDUCTIVITY DEPTH 25.0 METERS.




C.1. TIME SERIES ANALYSIS Current Meter 598
Part 3 of 3 (Continued)

DEPTH STATISTICS LAT. 59.34.4N LONG. 142 10.5W
DEPTH 25.0 METERS NUMBER OF OBSERVATIONS = 2337
OBSERVATION PERIOD 48.7 DAYS FROM 0000 GMT 15 DEC 74

MEAN (METER)	VARIANCE (METERS)	ST-DEV (METER)	SKEW	KURT	MAX (METER)	MIN (METER)
24.15	5.50	2.35	1.36	17.39	50.56	15.50



C.1. TIME SERIES ANALYSIS Current Meter- 598 Part 3 of 3 (Continued)



C.2. TIME SERIES ANALYSIS Current Meter 617 Nominal Depth: 50m
 Part 1 of 1; 17 August - 5 October 1974



Mooring Designation NEGOA 62A
 Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	19.03	117.22	10.83	1.608	11.08	130.65	1.50
U	-4.16	168.92	13.00	-.386	4.71	44.93	-90.91
V	10.14	190.39	13.80	.421	4.64	98.21	-28.38

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.2. TIME SERIES ANALYSIS Current Meter 617 Part 1 of 1 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 50.0 METERS.




C.2. TIME SERIES ANALYSIS Current Meter 617 Part 1 of 1 (Continued)




C.2. TIME SERIES ANALYSIS Current Meter 617 Part 1 of 1 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




C.2. TIME SERIES ANALYSIS Current Meter 617 Part 1 of 1 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 50.0 METERS.




C.2. TIME SERIES ANALYSIS Current Meter 617
Part 1 of 1 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOR - 62A
OBSERVATION PERIOD 48.3 DAYS FROM 0102 GMT 17 AUG 74.
DEPTH 50.0 METERS.





C.2. TIME SERIES ANALYSIS Current Meter 617
Part 1 of 1 (Continued)



C.2. TIME SERIES ANALYSIS Current Meter 617
Part 1 of 1 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 50.0 METERS NUMBER OF OBSERVATIONS = 2319
OBSERVATION PERIOD 48.3 DAYS FROM 0102 GMT 17 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
6.89	1.01	1.01	1.78	6.45	11.89	5.90



C.2. TIME SERIES ANALYSIS Current Meter 617 Part 1 of 1 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 50.0 METERS.



C.3. TIME SERIES ANALYSIS Current Meter 616 Nominal Depth: 100m
 Part 1 of 2; 17 August - 16 November 1974



Mooring Designation NEGOA 62A
 Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	18.10	63.30	7.96	1.233	5.54	57.26	4.92
U	-4.92	135.84	11.65	.192	2.91	40.27	-46.04
V	9.39	142.61	11.94	.027	3.39	54.73	-26.52

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 1 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 1 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 1 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616
Part 1 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGORA - 62A
OBSERVATION PERIOD 60.0 DAYS FROM 0034 GMT 17 AUG 74.
DEPTH 100.0 METERS.





C.3. TIME SERIES ANALYSIS Current Meter 616
 Part 1 of 2 (Continued)



C.3. TIME SERIES ANALYSIS Current Meter 616
 Part 1 of 2 (Continued)



TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
 DEPTH 100.0 METERS NUMBER OF OBSERVATIONS = 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0034 GMT 17 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.47	.06	.24	-.83	5.40	6.49	4.47



C.3. TIME SERIES ANALYSIS Current Meter 616 Part 1 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 100.0 METERS.



C.3. TIME SERIES ANALYSIS Current Meter 616 Nominal Depth: 100m
 Part 2 of 2; 16 October - 20 November 1974



Mooring Designation NEGOA 62A
 Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$
 Sensors: Speed, Direction, Temperature

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	29.13	80.61	8.98	.592	3.30	68.19	9.43
U	-11.60	203.61	14.27	.628	3.10	43.66	-45.44
V	19.36	215.81	14.69	-.569	3.57	67.32	-28.75

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 2 of 2 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 2 of 2 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616 Part 2 of 2 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 100.0 METERS.




C.3. TIME SERIES ANALYSIS Current Meter 616
Part 2 of 2 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEGOM - 62A
OBSERVATION PERIOD 34.4 DAYS FROM 0034 GMT 16 OCT 74.
DEPTH 100.0 METERS.





C.3. TIME SERIES ANALYSIS Current Meter 616
 Part 2 of 2 (Continued)



C.3. TIME SERIES ANALYSIS Current Meter 616
Part 2 of 2 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 100.0 METERS NUMBER OF OBSERVATIONS = 1652
OBSERVATION PERIOD 34.4 DAYS FROM 0034 GMT 16 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
6.04	.38	.61	1.06	3.39	7.90	5.15



C.3. TIME SERIES ANALYSIS Current Meter 616 Part 2 of 2 (Continued)

HOURLY AVERAGES OF TEMPERATURE DEPTH 100.0 METERS.



C.4. TIME SERIES ANALYSIS Current Meter 600 Nominal Depth: 178m
Part 1 of 3; 17 August - 16 October 1974

Mooring Designation NEGOA 62A
Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$



Sensors: Speed, Direction, Temperature, Conductivity

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	14.08	49.42	7.03	.909	4.00	45.11	1.50
U	1.21	82.15	9.06	.014	2.59	26.01	-25.46
V	3.57	151.22	12.30	-.099	2.96	40.65	-31.40

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 1 of 3 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 1 of 3 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 1 of 3 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 1 of 3 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600
Part 1 of 3 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF CURRENTS
OBSERVATION PERIOD 61.0 DAYS FROM 0036 GMT 17 AUG 74.
DEPTH 178.0 METERS.





C.4. TIME SERIES ANALYSIS Current Meter 600
 Part 1 of 3 (Continued)



C.4. TIME SERIES ANALYSIS Current Meter 600
Part 1 of 3 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 178.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 0036 GMT 17 AUG 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.33	.01	.08	-1.05	8.01	5.55	4.73



C.4. TIME SERIES ANALYSIS Current Meter 600 Part 1 of 3 (Continued)


HOURLY AVERAGES OF TEMPERATURE DEPTH 178.0 METERS.



C.4. TIME SERIES ANALYSIS Current Meter 600
 Part 1 of 3 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.4N LONG. 142 10.5W
 DEPTH 178.0 METERS NUMBER OF OBSERVATIONS = 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0036 GMT 17 AUG 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
32.27	.04	.20	-.12	4.47	32.87	31.60




CONDUCTIVITY SPECTRUM.

PERIOD (HOURS)



C.4. TIME SERIES ANALYSIS Current Meter 600 Part 1 of 3 (Continued)

HOURLY AVERAGES OF CONDUCTIVITY DEPTH 178.0 METERS.



C.4. TIME SERIES ANALYSIS Current Meter 600 Nominal Depth: 178m
 Part 2 of 3; 17 October - 16 December 1974

Mooring Designation NEGOA 62A
 Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$



Sensors: Speed, Direction, Temperature, Conductivity

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	21.32	125.90	11.22	.749	3.12	62.22	1.50
U	-4.67	154.71	12.44	-.525	3.50	30.04	-53.40
V	11.63	268.58	16.39	-.324	3.14	55.72	-42.20

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 2 of 3 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 2 of 3 (Continued)

HOURLY VECTOR AVERAGES OF DIRECTION.
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 2 of 3 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 2 of 3 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600
Part 2 of 3 (Continued)

PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF CURRENTS
OBSERVATION PERIOD 60.0 DAYS FROM 0036 GMT 17 OCT 74.
DEPTH 178.0 METERS.





C.4. TIME SERIES ANALYSIS Current Meter 600
 Part 2 of 3 (Continued)



C.4. TIME SERIES ANALYSIS Current Meter 600
Part 2 of 3 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 178.0 METERS NUMBER OF OBSERVATIONS = 2880
OBSERVATION PERIOD 60.0 DAYS FROM 0036 GMT 16 OCT 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.58	.08	.29	2.17	11.09	7.51	4.89



C.4. TIME SERIES ANALYSIS Current Meter 600 Part 2 of 3 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 178.0 METERS.



C.4. TIME SERIES ANALYSIS Current Meter 600
 Part 2 of 3 (Continued)


CONDUCTIVITY STATISTICS LAT. 59 34.4N LONG. 142 10.5W
 DEPTH 178.0 METERS NUMBER OF OBSERVATIONS = 2880
 OBSERVATION PERIOD 60.0 DAYS FROM 0036 GMT 16 OCT 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
32.14	.07	.26	-.62	4.40	33.02	30.11



C.4. TIME SERIES ANALYSIS Current Meter 600 Part 2 of 3 (Continued)

HOURLY AVERAGES OF CONDUCTIVITY DEPTH 178.0 METERS.



C.4. TIME SERIES ANALYSIS Current Meter 600 Nominal Depth: 178m
 Part 3 of 3; 16 December 1974 - 2 February 1975

Mooring Designation NEGOA 62A

Location: $59^{\circ} 34.4'N$ $142^{\circ} 10.5'W$



Sensors: Speed, Direction, Temperature, Conductivity

	MEAN (CM/SEC)	VARIANCE (CM/SEC) ²	ST-DEV (CM/SEC)	SKEW	KURT	MAX (CM/SEC)	MIN (CM/SEC)
S	23.22	134.20	11.58	.862	4.42	84.71	1.09
U	-1.94	191.92	13.85	-.148	2.49	31.84	-42.16
V	9.39	389.47	19.74	-.102	3.01	83.99	-46.69

S = SPEED


U = EAST-WEST COMPONENT OF VELOCITY, EAST = POSITIVE U

V = NORTH-SOUTH COMPONENT OF VELOCITY, NORTH = POSITIVE V




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 3 of 3 (Continued)

HOURLY VECTOR AVERAGES OF SPEED.
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 3 of 3 (Continued)




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 3 of 3 (Continued)

HOURLY AVERAGES OF EAST-WEST COMPONENTS OF CURRENT VELOCITY
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600 Part 3 of 3 (Continued)

HOURLY AVERAGES OF NORTH-SOUTH COMPONENTS OF CURRENT VELOCITY
DEPTH 178.0 METERS.




C.4. TIME SERIES ANALYSIS Current Meter 600
 Part 3 of 3 (Continued)



C.4. TIME SERIES ANALYSIS Current Meter 600
Part 3 of 3 (Continued)



PROGRESSIVE VECTOR DIAGRAM OF HOURLY AVERAGES OF NEG0A - 62A
OBSERVATION PERIOD 47.7 DAYS FROM 0036 GMT 16 DEC 74.
DEPTH 178.0 METERS.



C.4. TIME SERIES ANALYSIS Current Meter 600
Part 3 of 3 (Continued)


TEMPERATURE STATISTICS LAT. 59 34.4N LONG. 142 10.5W
DEPTH 178.0 METERS NUMBER OF OBSERVATIONS = 2337
OBSERVATION PERIOD 48.7 DAYS FROM 0036 GMT 15 DEC 74

MEAN (DEG C)	VARIANCE (DEG C)	ST-DEV (DEG C)	SKEW	KURT	MAX (DEG C)	MIN (DEG C)
5.96	.13	.35	.26	3.16	7.03	4.64



C.4. TIME SERIES ANALYSIS Current Meter 600 Part 3 of 3 (Continued)



HOURLY AVERAGES OF TEMPERATURE DEPTH 178.0 METERS.



C.4. TIME SERIES ANALYSIS Current Meter 600
 Part 3 of 3 (Continued)

CONDUCTIVITY STATISTICS LAT. 59 34.4N LONG. 142 10.5W
 DEPTH 178.0 METERS NUMBER OF OBSERVATIONS = 2337
 OBSERVATION PERIOD 48.7 DAYS FROM 0036 GMT 15 DEC 74

MEAN (MMHO)	VARIANCE (MMHO)	ST-DEV (MMHO)	SKEW	KURT	MAX (MMHO)	MIN (MMHO)
32.59	.09	.31	-.53	4.36	33.47	31.01



C.4. TIME SERIES ANALYSIS Current Meter 600 Part 3 of 3 (Continued)

HOURLY AVERAGES OF CONDUCTIVITY DEPTH 178.0 METERS.

