

Asbestosis: Years of potential life lost to age 65 and to life expectancy by race and sex, U.S. residents age 15 and over, 1996–2005

Year	White		Black		Other		Total
	Male	Female	Male	Female	Male	Female	
Years of Potential Life Lost to Age 65							
1996	715	25	70	-	25	-	835
1997	660	-	40	-	-	-	700
1998	605	45	50	-	10	-	710
1999	585	10	50	-	25	-	670
2000	700	25	80	-	10	-	815
2001	685	20	145	-	5	-	855
2002	615	25	65	-	-	-	705
2003	785	40	50	5	10	-	890
2004	645	10	110	10	-	-	775
2005	585	30	90	-	5	-	710
TOTAL	6,580	230	750	15	90	-	7,665
Years of Potential Life Lost to Life Expectancy							
1996	10,741	571	840	28	67	-	12,247
1997	10,652	408	582	30	54	-	11,726
1998	11,189	457	593	23	75	9	12,346
1999	11,436	407	592	14	170	-	12,619
2000	13,062	602	782	21	151	-	14,618
2001	13,118	417	898	7	133	-	14,573
2002	13,304	487	735	23	56	-	14,605
2003	13,291	693	780	47	135	-	14,946
2004	13,103	497	962	44	83	7	14,696
2005	12,724	586	753	42	97	-	14,202
TOTAL	122,620	5,125	7,517	279	1,021	16	136,578

- indicates no deaths listed.

NOTE: See selected limitations for general cautions regarding inferences based on small numbers of deaths, and see appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause-of-death data.