

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black

Percent

Total of all cities of 100,000 or more

Number

Low birthweight	101,980	54,011	41,324	629	6,016	24,837	29,431	40,367
Care beginning in first trimester	919,403	638,513	212,862	5,287	62,741	271,530	368,980	205,909
Late or no care	57,623	32,980	20,811	612	3,220	22,083	11,204	20,042

Percent

Low birthweight	8.4	6.7	13.5	7.9	7.4	6.5	6.8	13.6
Care beginning in first trimester	79.7	82.0	73.4	70.1	81.4	74.9	87.9	73.4
Late or no care	5.0	4.2	7.2	8.1	4.2	6.1	2.7	7.1

Abilene, Texas

Number

Low birthweight	131	114	13	1	3	30	83	13
Care beginning in first trimester	1,527	1,357	121	10	39	361	999	118
Late or no care	81	65	13	1	2	38	27	13

Percent

Low birthweight	6.8	6.7	*	*	*	5.6	7.1	*
Care beginning in first trimester	79.2	79.9	70.8	*	81.3	68.1	85.3	70.2
Late or no care	4.2	3.8	*	*	*	7.2	2.3	*

Akron, Ohio

Number

Low birthweight	345	181	159	-	5	3	179	158
Care beginning in first trimester	3,066	2,150	871	10	35	36	2,118	864
Late or no care	112	61	50	-	1	1	60	50

Percent

Low birthweight	9.7	7.5	14.7	*	*	*	7.5	14.7
Care beginning in first trimester	86.1	88.7	80.9	*	66.0	83.7	88.8	80.9
Late or no care	3.1	2.5	4.6	*	*	*	2.5	4.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Albany, New York								
Number								
Low birthweight	94	45	46	3	-	5	23	45
Care beginning in first trimester	979	547	389	6	37	64	251	373
Late or no care	63	26	37	-	-	6	11	34
Percent								
Low birthweight	7.6	7.0	8.6	*	*	*	8.0	8.9
Care beginning in first trimester	79.7	85.2	72.7	*	86.0	75.3	87.5	73.6
Late or no care	5.1	4.0	6.9	*	*	*	*	6.7
Albuquerque, New Mexico								
Number								
Low birthweight	635	560	22	34	19	341	225	21
Care beginning in first trimester	4,535	4,080	116	207	132	2,382	1,728	107
Late or no care	846	748	28	52	18	482	269	28
Percent								
Low birthweight	8.1	7.9	10.2	8.5	*	7.9	8.0	10.4
Care beginning in first trimester	65.2	65.6	60.7	58.8	70.2	62.6	70.4	60.1
Late or no care	12.2	12.0	14.7	14.8	*	12.7	11.0	15.7
Alexandria city, Virginia								
Number								
Low birthweight	193	97	82	-	14	27	69	81
Care beginning in first trimester	1,925	1,288	496	1	140	310	984	491
Late or no care	164	82	70	1	11	54	29	70
Percent								
Low birthweight	7.8	6.1	11.6	*	*	5.5	6.2	11.6
Care beginning in first trimester	78.5	82.1	70.5	*	79.1	62.9	90.5	70.6
Late or no care	6.7	5.2	9.9	*	*	11.0	2.7	10.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Allentown, Pennsylvania								
Number								
Low birthweight	162	129	27	1	5	63	62	25
Care beginning in first trimester	1,251	1,093	114	6	38	420	663	99
Late or no care	42	28	14	-	-	13	14	13
Percent								
Low birthweight	9.8	9.1	15.2	*	*	10.6	7.6	16.0
Care beginning in first trimester	83.1	84.3	73.1	*	80.9	79.4	88.5	71.7
Late or no care	2.8	2.2	*	*	*	*	*	*
Amarillo, Texas								
Number								
Low birthweight	227	196	25	2	4	70	126	25
Care beginning in first trimester	2,394	2,212	124	9	49	679	1,536	123
Late or no care	120	93	20	5	2	48	46	19
Percent								
Low birthweight	7.5	7.1	14.0	*	*	7.3	7.0	14.4
Care beginning in first trimester	79.2	80.1	69.3	*	76.6	70.7	84.9	70.7
Late or no care	4.0	3.4	11.2	*	*	5.0	2.5	*
Anaheim, California								
Number								
Low birthweight	369	301	15	-	53	227	75	14
Care beginning in first trimester	5,504	4,745	108	6	645	3,470	1,289	100
Late or no care	259	230	6	2	21	191	37	6
Percent								
Low birthweight	5.5	5.1	*	*	7.1	5.1	5.1	*
Care beginning in first trimester	81.7	81.2	81.2	*	86.6	79.1	87.5	81.3
Late or no care	3.8	3.9	*	*	2.8	4.4	2.5	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Anchorage, coext. with Anchorage city, Alaska								
Number								
Low birthweight	274	179	33	42	20	29	158	31
Care beginning in first trimester	3,576	2,659	250	457	210	312	2,396	244
Late or no care	109	68	11	17	13	6	64	10
Percent								
Low birthweight	6.4	5.8	11.0	7.2	7.1	7.5	5.7	10.7
Care beginning in first trimester	84.5	86.2	83.1	80.0	76.1	81.3	86.5	83.3
Late or no care	2.6	2.2	*	*	*	*	2.3	*
Ann Arbor, Michigan								
Number								
Low birthweight	97	62	18	-	17	2	58	18
Care beginning in first trimester	1,144	889	93	6	156	29	802	88
Late or no care	26	17	4	-	5	-	11	3
Percent								
Low birthweight	7.1	6.1	*	*	*	*	6.4	*
Care beginning in first trimester	91.8	93.4	79.5	*	91.2	90.6	94.2	79.3
Late or no care	2.1	*	*	*	*	*	*	*
Arlington, Texas								
Number								
Low birthweight	456	308	109	-	39	104	206	108
Care beginning in first trimester	4,453	3,450	687	8	308	943	2,505	683
Late or no care	428	336	65	3	24	217	119	64
Percent								
Low birthweight	7.7	6.7	12.0	*	9.8	6.6	6.9	11.9
Care beginning in first trimester	76.8	76.5	76.9	*	81.5	60.9	84.6	77.0
Late or no care	7.4	7.5	7.3	*	6.3	14.0	4.0	7.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Arlington, Virginia								
Number								
Low birthweight	158	110	32	-	16	36	73	32
Care beginning in first trimester	2,114	1,681	230	2	201	502	1,175	226
Late or no care	112	78	25	-	9	54	23	25
Percent								
Low birthweight	6.0	5.4	9.5	*	*	4.8	5.6	9.6
Care beginning in first trimester	80.7	82.8	69.1	*	78.8	67.7	91.8	68.9
Late or no care	4.3	3.8	7.5	*	*	7.3	1.8	7.6
Atlanta, Georgia								
Number								
Low birthweight	947	206	724	4	13	70	120	709
Care beginning in first trimester	7,058	2,778	4,087	7	186	921	1,736	4,019
Late or no care	313	76	233	-	4	52	21	229
Percent								
Low birthweight	10.6	6.3	13.3	*	*	5.4	6.5	13.3
Care beginning in first trimester	83.6	89.4	80.1	*	86.9	79.3	95.2	79.9
Late or no care	3.7	2.4	4.6	*	*	4.5	1.2	4.6
Aurora, Colorado								
Number								
Low birthweight	439	318	94	3	24	107	214	92
Care beginning in first trimester	4,148	3,347	540	37	224	983	2,392	528
Late or no care	215	165	40	1	9	101	65	40
Percent								
Low birthweight	8.6	7.8	13.4	*	8.9	7.3	8.0	13.4
Care beginning in first trimester	81.9	82.4	77.8	90.2	83.6	68.1	90.2	77.8
Late or no care	4.2	4.1	5.8	*	*	7.0	2.5	5.9

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Austin, Texas								
Number								
Low birthweight	782	584	150	-	48	322	264	148
Care beginning in first trimester	9,321	7,843	968	13	497	3,712	4,145	944
Late or no care	615	523	69	-	23	457	67	66
Percent								
Low birthweight	6.6	5.9	11.5	*	8.4	6.0	5.8	11.7
Care beginning in first trimester	80.6	80.6	76.8	*	89.7	70.4	92.6	76.8
Late or no care	5.3	5.4	5.5	*	4.2	8.7	1.5	5.4
Bakersfield, California								
Number								
Low birthweight	427	350	60	2	15	185	152	60
Care beginning in first trimester	5,348	4,658	463	44	183	2,361	2,176	455
Late or no care	129	109	14	2	4	65	42	14
Percent								
Low birthweight	6.1	5.7	10.1	*	*	5.6	5.7	10.3
Care beginning in first trimester	84.4	84.2	86.1	81.5	85.1	81.6	87.2	86.3
Late or no care	2.0	2.0	*	*	*	2.2	1.7	*
Baltimore city, Maryland								
Number								
Low birthweight	1,512	263	1,237	6	6	23	236	1,233
Care beginning in first trimester	7,231	2,365	4,746	17	103	92	2,256	4,726
Late or no care	643	107	526	4	6	17	91	523
Percent								
Low birthweight	14.7	9.3	16.9	*	*	14.5	8.9	17.0
Care beginning in first trimester	76.3	87.6	71.6	*	79.8	67.2	88.6	71.6
Late or no care	6.8	4.0	7.9	*	*	*	3.6	7.9

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Baton Rouge, Louisiana								
Number								
Low birthweight	587	155	424	-	8	4	151	424
Care beginning in first trimester	3,942	1,879	1,972	5	86	72	1,812	1,968
Late or no care	194	26	166	-	2	-	26	166
Percent								
Low birthweight	11.6	7.4	14.7	*	*	*	7.5	14.8
Care beginning in first trimester	77.9	90.5	68.5	*	85.1	84.7	90.8	68.4
Late or no care	3.8	1.3	5.8	*	*	*	1.3	5.8
Beaumont, Texas								
Number								
Low birthweight	194	65	121	1	7	12	53	121
Care beginning in first trimester	1,490	712	735	2	41	148	564	734
Late or no care	75	30	42	-	3	7	24	41
Percent								
Low birthweight	11.1	7.9	13.8	*	*	*	8.6	13.8
Care beginning in first trimester	85.5	88.2	84.1	*	69.5	76.3	91.9	84.2
Late or no care	4.3	3.7	4.8	*	*	*	3.9	4.7
Berkeley, California								
Number								
Low birthweight	63	27	29	-	7	4	23	29
Care beginning in first trimester	876	601	161	5	109	136	467	156
Late or no care	16	10	3	-	3	3	7	3
Percent								
Low birthweight	6.7	4.2	15.9	*	*	*	4.7	16.4
Care beginning in first trimester	93.3	94.6	89.0	*	93.2	93.2	95.1	88.6
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Birmingham, Alabama								
Number								
Low birthweight	526	93	433	-	-	6	87	433
Care beginning in first trimester	3,500	1,044	2,424	5	27	65	979	2,422
Late or no care	215	44	169	-	2	11	32	169
Percent								
Low birthweight	11.7	7.6	13.5	*	*	*	7.8	13.5
Care beginning in first trimester	78.2	85.4	75.4	*	84.4	58.6	88.2	75.4
Late or no care	4.8	3.6	5.3	*	*	*	2.9	5.3
Boise City, Idaho								
Number								
Low birthweight	190	177	3	3	7	11	165	3
Care beginning in first trimester	2,591	2,465	18	15	93	141	2,319	16
Late or no care	112	107	1	2	2	21	84	1
Percent								
Low birthweight	6.0	5.9	*	*	*	*	6.0	*
Care beginning in first trimester	83.2	83.2	*	*	85.3	65.9	84.7	*
Late or no care	3.6	3.6	*	*	*	9.8	3.1	*
Boston, Massachusetts								
Number								
Low birthweight	674	268	368	-	38	119	181	338
Care beginning in first trimester	7,007	3,703	2,761	12	531	1,479	2,654	2,326
Late or no care	221	88	122	-	11	44	48	118
Percent								
Low birthweight	8.4	6.5	11.4	*	6.3	6.9	6.3	12.2
Care beginning in first trimester	87.9	89.7	85.5	*	88.1	86.5	92.2	84.2
Late or no care	2.8	2.1	3.8	*	*	2.6	1.7	4.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Bridgeport, Connecticut								
Number								
Low birthweight	243	127	107	-	9	83	42	106
Care beginning in first trimester	1,647	1,002	557	3	85	622	372	542
Late or no care	76	42	33	-	1	26	15	32
Percent								
Low birthweight	10.4	9.1	13.0	*	*	9.6	8.2	13.2
Care beginning in first trimester	80.2	82.1	76.5	*	84.2	80.3	85.3	76.1
Late or no care	3.7	3.4	4.5	*	*	3.4	*	4.5
Bronx borough, Bronx county, New York								
Number								
Low birthweight	2,098	982	1,045	2	69	1,037	117	854
Care beginning in first trimester	12,679	6,765	5,437	17	460	6,745	1,301	4,093
Late or no care	1,202	553	605	-	44	615	79	455
Percent								
Low birthweight	9.3	8.2	10.7	*	9.4	8.6	6.3	11.3
Care beginning in first trimester	72.3	73.6	70.4	*	75.2	71.6	78.2	71.2
Late or no care	6.9	6.0	7.8	*	7.2	6.5	4.8	7.9
Brooklyn borough, Kings county, New York								
Number								
Low birthweight	3,366	1,352	1,790	2	222	739	697	1,671
Care beginning in first trimester	23,343	12,080	9,237	11	2,015	5,938	6,782	8,458
Late or no care	2,890	1,129	1,281	1	479	706	479	1,212
Percent								
Low birthweight	8.5	6.6	11.4	*	6.6	7.8	5.8	11.6
Care beginning in first trimester	72.0	75.0	69.1	*	68.1	72.1	77.2	69.0
Late or no care	8.9	7.0	9.6	*	16.2	8.6	5.5	9.9

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Buffalo, New York								
Number								
Low birthweight	493	179	303	2	9	42	105	300
Care beginning in first trimester	3,085	1,878	1,115	27	65	259	1,171	1,105
Late or no care	495	202	277	5	11	84	112	274
Percent								
Low birthweight	10.6	7.2	15.1	*	*	9.8	6.7	15.1
Care beginning in first trimester	71.9	78.7	63.0	64.3	69.9	62.9	79.7	63.0
Late or no care	11.5	8.5	15.6	*	*	20.4	7.6	15.6
Cedar Rapids, Iowa								
Number								
Low birthweight	117	97	12	2	6	2	96	12
Care beginning in first trimester	1,588	1,482	55	3	48	34	1,449	55
Late or no care	29	23	6	-	-	2	21	6
Percent								
Low birthweight	6.5	5.9	*	*	*	*	6.0	*
Care beginning in first trimester	88.0	89.5	62.5	*	84.2	70.8	90.0	63.2
Late or no care	1.6	1.4	*	*	*	*	1.3	*
Charlotte, North Carolina								
Number								
Low birthweight	865	405	428	2	30	68	338	426
Care beginning in first trimester	8,467	5,349	2,728	23	367	764	4,600	2,713
Late or no care	241	105	124	-	12	48	57	123
Percent								
Low birthweight	8.9	6.8	13.0	*	6.9	6.5	6.9	13.0
Care beginning in first trimester	87.8	90.5	83.4	92.0	84.8	73.0	94.2	83.4
Late or no care	2.5	1.8	3.8	*	*	4.6	1.2	3.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chattanooga, Tennessee								
Number								
Low birthweight	266	115	146	-	5	7	108	146
Care beginning in first trimester	1,831	1,187	604	1	39	49	1,138	604
Late or no care	97	43	52	-	2	14	29	52
Percent								
Low birthweight	11.5	8.2	17.1	*	*	*	8.2	17.1
Care beginning in first trimester	80.0	84.9	71.5	*	88.6	58.3	86.6	71.5
Late or no care	4.2	3.1	6.2	*	*	*	2.2	6.2
Chesapeake city, Virginia								
Number								
Low birthweight	235	124	105	-	6	1	123	105
Care beginning in first trimester	2,408	1,645	704	2	57	28	1,619	701
Late or no care	80	31	48	-	1	1	30	48
Percent								
Low birthweight	8.4	6.8	11.4	*	*	*	6.9	11.5
Care beginning in first trimester	86.0	90.6	76.5	*	90.5	87.5	90.7	76.4
Late or no care	2.9	1.7	5.2	*	*	*	1.7	5.2
Chicago, Illinois								
Number								
Low birthweight	5,064	1,883	3,014	2	165	1,214	675	3,002
Care beginning in first trimester	35,966	20,951	13,460	29	1,526	12,398	8,604	13,389
Late or no care	3,425	1,467	1,816	5	137	1,064	411	1,805
Percent								
Low birthweight	10.0	6.6	15.0	*	8.1	6.8	6.4	15.1
Care beginning in first trimester	74.3	77.5	69.3	63.0	78.4	72.5	86.0	69.3
Late or no care	7.1	5.4	9.4	*	7.0	6.2	4.1	9.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chula Vista, California								
Number								
Low birthweight	174	125	25	-	24	96	35	19
Care beginning in first trimester	2,719	2,294	128	5	292	1,747	573	114
Late or no care	151	132	2	2	15	121	12	2
Percent								
Low birthweight	5.3	4.5	17.0	*	7.0	4.4	5.5	*
Care beginning in first trimester	83.5	83.2	87.1	*	85.1	81.1	90.8	85.7
Late or no care	4.6	4.8	*	*	*	5.6	*	*
Cincinnati, Ohio								
Number								
Low birthweight	683	223	453	-	7	4	221	451
Care beginning in first trimester	4,862	2,582	2,175	7	98	56	2,535	2,166
Late or no care	485	150	328	2	5	8	142	327
Percent								
Low birthweight	11.5	7.7	15.6	*	*	*	7.8	15.6
Care beginning in first trimester	82.3	89.3	75.0	*	91.6	83.6	89.5	75.0
Late or no care	8.2	5.2	11.3	*	*	*	5.0	11.3
Cleveland, Ohio								
Number								
Low birthweight	990	298	686	2	4	47	250	636
Care beginning in first trimester	6,301	2,987	3,210	16	88	438	2,531	3,028
Late or no care	614	155	454	-	5	30	122	374
Percent								
Low birthweight	11.6	8.1	14.7	*	*	7.9	8.1	14.5
Care beginning in first trimester	77.3	81.5	73.7	*	80.7	74.1	82.9	74.6
Late or no care	7.5	4.2	10.4	*	*	5.1	4.0	9.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Colorado Springs, Colorado								
Number								
Low birthweight	659	532	85	8	34	87	449	84
Care beginning in first trimester	5,615	4,868	446	60	241	773	4,131	435
Late or no care	261	202	46	6	7	78	125	45
Percent								
Low birthweight	9.7	9.2	13.5	*	11.7	8.0	9.4	13.7
Care beginning in first trimester	82.5	83.9	71.0	76.9	82.8	71.5	86.6	71.1
Late or no care	3.8	3.5	7.3	*	*	7.2	2.6	7.4
Columbus, Georgia								
Number								
Low birthweight	295	93	197	-	5	13	80	197
Care beginning in first trimester	1,944	942	966	-	36	78	864	963
Late or no care	105	41	64	-	-	11	31	63
Percent								
Low birthweight	11.0	7.8	13.7	*	*	*	7.4	13.8
Care beginning in first trimester	76.9	82.3	72.4	*	75.0	71.6	83.3	72.4
Late or no care	4.2	3.6	4.8	*	*	*	3.0	4.7
Columbus, Ohio								
Number								
Low birthweight	945	496	422	5	22	26	471	415
Care beginning in first trimester	8,466	5,808	2,324	21	313	248	5,567	2,302
Late or no care	662	325	309	5	23	21	300	302
Percent								
Low birthweight	8.9	7.1	12.8	*	5.6	7.6	7.1	12.8
Care beginning in first trimester	84.3	87.6	77.2	77.8	85.3	75.8	88.2	77.3
Late or no care	6.6	4.9	10.3	*	6.3	6.4	4.8	10.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Concord, California								
Number								
Low birthweight	117	92	6	-	19	38	53	6
Care beginning in first trimester	1,501	1,253	47	8	193	455	807	45
Late or no care	49	41	3	-	5	25	17	2
Percent								
Low birthweight	6.6	6.2	*	*	*	6.3	6.0	*
Care beginning in first trimester	84.9	84.8	82.5	*	85.8	75.1	91.6	83.3
Late or no care	2.8	2.8	*	*	*	4.1	*	*
Corpus Christi, Texas								
Number								
Low birthweight	379	362	11	1	5	261	101	11
Care beginning in first trimester	3,788	3,564	151	7	66	2,411	1,152	147
Late or no care	191	181	10	-	-	138	44	9
Percent								
Low birthweight	8.1	8.2	*	*	*	8.5	7.7	*
Care beginning in first trimester	81.7	81.6	82.1	*	88.0	78.5	88.9	82.1
Late or no care	4.1	4.1	*	*	*	4.5	3.4	*
Dallas, Texas								
Number								
Low birthweight	1,914	1,122	731	5	56	795	325	716
Care beginning in first trimester	18,269	13,549	4,103	37	580	9,015	4,510	4,012
Late or no care	1,219	832	368	2	17	676	150	360
Percent								
Low birthweight	8.0	6.4	13.2	*	8.4	6.4	6.3	13.2
Care beginning in first trimester	79.1	79.2	77.7	75.5	88.5	75.3	88.3	77.6
Late or no care	5.3	4.9	7.0	*	*	5.6	2.9	7.0

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Dayton, Ohio								
Number								
Low birthweight	337	159	177	-	1	1	158	177
Care beginning in first trimester	2,436	1,447	959	7	23	38	1,412	957
Late or no care	122	40	80	1	1	1	39	80
Percent								
Low birthweight	11.2	9.6	13.4	*	*	*	9.7	13.5
Care beginning in first trimester	80.8	87.1	72.8	*	82.1	88.4	87.0	72.8
Late or no care	4.0	2.4	6.1	*	*	*	2.4	6.1
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	924	720	160	14	30	421	312	155
Care beginning in first trimester	7,370	6,201	829	83	257	3,054	3,215	797
Late or no care	766	641	86	14	25	535	111	84
Percent								
Low birthweight	9.1	8.4	14.0	*	9.1	8.4	8.6	14.1
Care beginning in first trimester	73.5	73.3	74.6	63.8	78.8	61.4	90.0	74.5
Late or no care	7.6	7.6	7.7	*	7.7	10.8	3.1	7.9
Des Moines, Iowa								
Number								
Low birthweight	252	186	47	4	15	17	155	42
Care beginning in first trimester	2,822	2,411	242	19	150	241	2,093	221
Late or no care	120	93	14	2	11	26	66	14
Percent								
Low birthweight	7.4	6.5	14.3	*	*	*	6.4	14.3
Care beginning in first trimester	84.0	85.3	75.4	*	79.8	68.5	87.5	77.0
Late or no care	3.6	3.3	*	*	*	7.4	2.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Detroit, Michigan								
Number								
Low birthweight	2,301	230	2,048	2	21	69	120	2,038
Care beginning in first trimester	9,442	1,692	7,614	14	122	524	1,038	7,571
Late or no care	1,363	229	1,122	2	10	89	86	1,098
Percent								
Low birthweight	14.7	8.5	16.1	*	10.0	6.8	8.4	16.1
Care beginning in first trimester	67.3	70.0	66.7	*	65.2	60.4	79.1	66.8
Late or no care	9.7	9.5	9.8	*	*	10.3	6.5	9.7
District of Columbia								
Number								
Low birthweight	987	141	831	2	13	48	94	823
Care beginning in first trimester	4,501	1,544	2,850	3	104	370	1,170	2,827
Late or no care	582	102	471	-	9	68	35	469
Percent								
Low birthweight	13.1	6.4	16.1	*	*	6.1	6.7	16.1
Care beginning in first trimester	71.9	82.7	67.1	*	75.9	64.2	90.9	67.0
Late or no care	9.3	5.5	11.1	*	*	11.8	2.7	11.1
Durham, North Carolina								
Number								
Low birthweight	311	85	217	-	9	17	67	216
Care beginning in first trimester	2,740	1,388	1,213	6	133	331	1,062	1,205
Late or no care	67	13	54	-	-	8	5	54
Percent								
Low birthweight	9.8	5.5	14.6	*	*	*	6.0	14.6
Care beginning in first trimester	88.2	93.3	82.3	*	95.0	84.0	96.6	82.3
Late or no care	2.2	*	3.7	*	*	*	*	3.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
El Monte, California								
Number								
Low birthweight	159	139	-	-	20	136	3	-
Care beginning in first trimester	2,316	2,006	5	3	302	1,929	82	2
Late or no care	47	46	-	-	1	43	3	-
Percent								
Low birthweight	6.0	6.0	*	*	6.2	6.1	*	*
Care beginning in first trimester	87.2	86.3	*	*	94.4	86.2	91.1	*
Late or no care	1.8	2.0	*	*	*	1.9	*	*
El Paso, Texas								
Number								
Low birthweight	899	856	38	3	2	753	104	37
Care beginning in first trimester	7,633	7,311	219	24	79	6,191	1,125	211
Late or no care	1,535	1,510	18	4	3	1,427	85	15
Percent								
Low birthweight	7.1	7.0	11.8	*	*	7.0	6.7	12.3
Care beginning in first trimester	62.8	62.5	69.5	75.0	80.6	60.5	75.4	71.5
Late or no care	12.6	12.9	*	*	*	14.0	5.7	*
Elizabeth, New Jersey								
Number								
Low birthweight	180	95	80	-	5	70	29	76
Care beginning in first trimester	1,261	899	330	-	32	704	227	298
Late or no care	160	94	64	-	2	76	16	64
Percent								
Low birthweight	9.0	6.8	14.8	*	*	6.3	8.9	15.1
Care beginning in first trimester	66.3	67.5	62.9	*	71.1	66.3	74.7	61.3
Late or no care	8.4	7.1	12.2	*	*	7.2	*	13.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Erie, Pennsylvania								
Number								
Low birthweight	158	99	59	-	-	9	90	57
Care beginning in first trimester	1,250	1,017	226	-	7	66	951	223
Late or no care	81	46	34	1	-	6	40	34
Percent								
Low birthweight	9.5	7.7	16.0	*	*	*	7.6	15.6
Care beginning in first trimester	78.0	81.6	65.3	*	*	69.5	82.6	65.2
Late or no care	5.1	3.7	9.8	*	*	*	3.5	9.9
Escondido, California								
Number								
Low birthweight	144	130	3	2	9	68	63	3
Care beginning in first trimester	2,024	1,868	44	11	101	1,002	870	40
Late or no care	161	149	4	3	5	132	18	3
Percent								
Low birthweight	5.3	5.2	*	*	*	4.5	6.2	*
Care beginning in first trimester	75.3	74.9	78.6	*	82.1	67.0	86.7	78.4
Late or no care	6.0	6.0	*	*	*	8.8	*	*
Eugene, Oregon								
Number								
Low birthweight	127	116	3	3	5	8	106	3
Care beginning in first trimester	1,375	1,291	23	10	51	89	1,162	23
Late or no care	84	70	-	3	11	6	62	-
Percent								
Low birthweight	7.3	7.2	*	*	*	*	7.3	*
Care beginning in first trimester	79.6	80.4	76.7	*	70.8	76.7	80.5	76.7
Late or no care	4.9	4.4	*	*	*	*	4.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Evansville, Indiana								
Number								
Low birthweight	141	116	23	1	1	-	116	23
Care beginning in first trimester	1,664	1,433	206	2	23	24	1,406	205
Late or no care	52	38	13	1	-	-	38	13
Percent								
Low birthweight	7.3	7.1	9.0	*	*	*	7.2	9.1
Care beginning in first trimester	85.8	86.7	79.8	*	85.2	88.9	86.7	79.8
Late or no care	2.7	2.3	*	*	*	*	2.3	*
Fayette, coext. with Lexington-Fayette, Kentucky								
Number								
Low birthweight	264	183	77	1	3	10	175	75
Care beginning in first trimester	2,851	2,325	452	11	63	92	2,236	445
Late or no care	122	86	35	1	-	22	64	35
Percent								
Low birthweight	7.9	6.8	13.3	*	*	*	6.9	13.1
Care beginning in first trimester	86.7	88.0	79.7	*	94.0	62.6	89.5	79.7
Late or no care	3.7	3.3	6.2	*	*	15.0	2.6	6.3
Flint, Michigan								
Number								
Low birthweight	344	121	221	-	2	4	117	221
Care beginning in first trimester	2,479	1,283	1,172	4	20	33	1,242	1,171
Late or no care	139	43	96	-	-	2	42	95
Percent								
Low birthweight	10.8	8.1	13.2	*	*	*	8.0	13.3
Care beginning in first trimester	77.7	85.7	70.4	*	87.0	84.6	85.7	70.5
Late or no care	4.4	2.9	5.8	*	*	*	2.9	5.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Lauderdale, Florida								
Number								
Low birthweight	313	103	206	-	4	34	68	206
Care beginning in first trimester	2,423	1,281	1,100	3	39	370	915	1,095
Late or no care	245	78	165	-	2	45	34	164
Percent								
Low birthweight	9.5	6.7	11.9	*	*	6.8	6.5	12.0
Care beginning in first trimester	75.3	84.7	66.3	*	88.6	76.1	88.2	66.5
Late or no care	7.6	5.2	9.9	*	*	9.3	3.3	10.0
Fort Wayne, Indiana								
Number								
Low birthweight	313	222	83	-	8	15	207	83
Care beginning in first trimester	2,824	2,316	450	4	54	187	2,121	447
Late or no care	174	110	60	-	4	16	93	59
Percent								
Low birthweight	8.5	7.7	11.8	*	*	*	7.9	11.9
Care beginning in first trimester	78.2	81.5	65.0	*	75.0	70.8	82.5	65.1
Late or no care	4.8	3.9	8.7	*	*	*	3.6	8.6
Fort Worth, Texas								
Number								
Low birthweight	842	536	289	1	16	281	256	288
Care beginning in first trimester	7,841	6,078	1,524	14	225	2,844	3,238	1,517
Late or no care	871	633	224	-	14	480	155	222
Percent								
Low birthweight	8.1	6.7	13.4	*	*	6.7	6.8	13.5
Care beginning in first trimester	75.9	77.0	71.6	*	76.8	67.8	87.1	71.9
Late or no care	8.4	8.0	10.5	*	*	11.5	4.2	10.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fremont, California								
Number								
Low birthweight	164	75	8	1	80	21	54	8
Care beginning in first trimester	2,660	1,314	93	11	1,242	424	894	90
Late or no care	58	32	1	2	23	16	17	1
Percent								
Low birthweight	5.4	5.0	*	*	5.7	4.1	5.4	*
Care beginning in first trimester	88.5	88.2	87.7	*	88.9	84.1	90.0	87.4
Late or no care	1.9	2.1	*	*	1.6	*	*	*
Fresno, California								
Number								
Low birthweight	631	460	77	10	84	321	144	75
Care beginning in first trimester	7,618	6,107	626	71	814	3,890	2,242	615
Late or no care	239	186	27	5	21	147	40	26
Percent								
Low birthweight	6.9	6.4	10.2	*	8.2	6.8	5.8	10.1
Care beginning in first trimester	84.4	85.3	83.5	74.7	80.0	82.3	90.7	83.6
Late or no care	2.6	2.6	3.6	*	2.1	3.1	1.6	3.5
Fullerton, California								
Number								
Low birthweight	97	77	3	2	15	45	32	3
Care beginning in first trimester	1,640	1,383	38	12	207	763	623	35
Late or no care	43	40	-	-	3	29	10	-
Percent								
Low birthweight	5.2	4.9	*	*	*	4.9	4.8	*
Care beginning in first trimester	88.0	87.3	90.5	*	92.4	83.2	93.0	89.7
Late or no care	2.3	2.5	*	*	*	3.2	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Garden Grove, California								
Number								
Low birthweight	174	122	2	1	49	79	43	2
Care beginning in first trimester	2,440	1,601	29	9	801	1,111	498	26
Late or no care	83	59	2	-	22	51	9	1
Percent								
Low birthweight	6.0	6.3	*	*	5.3	5.7	7.7	*
Care beginning in first trimester	84.1	82.7	87.9	*	86.9	80.1	89.2	89.7
Late or no care	2.9	3.0	*	*	2.4	3.7	*	*
Garland, Texas								
Number								
Low birthweight	250	178	51	-	21	87	89	50
Care beginning in first trimester	2,676	2,134	319	6	217	967	1,160	312
Late or no care	159	122	30	2	5	83	39	29
Percent								
Low birthweight	7.3	6.5	12.0	*	8.2	6.5	6.4	12.0
Care beginning in first trimester	79.1	78.9	76.3	*	86.8	73.3	84.3	76.1
Late or no care	4.7	4.5	7.2	*	*	6.3	2.8	7.1
Gary, Indiana								
Number								
Low birthweight	235	36	197	1	1	11	25	197
Care beginning in first trimester	1,253	223	1,026	-	4	63	159	1,025
Late or no care	154	30	124	-	-	9	21	124
Percent								
Low birthweight	12.3	11.1	12.4	*	*	*	10.9	12.4
Care beginning in first trimester	66.6	70.8	65.7	*	*	67.0	72.3	65.7
Late or no care	8.2	9.5	7.9	*	*	*	9.5	7.9

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Glendale, Arizona								
Number								
Low birthweight	311	273	20	4	14	85	189	20
Care beginning in first trimester	3,715	3,394	158	55	108	993	2,404	152
Late or no care	161	137	9	10	5	93	43	9
Percent								
Low birthweight	6.7	6.5	9.5	*	*	5.9	6.9	9.9
Care beginning in first trimester	82.9	83.3	78.2	68.8	85.0	71.0	89.8	77.9
Late or no care	3.6	3.4	*	*	*	6.7	1.6	*
Glendale, California								
Number								
Low birthweight	143	112	2	-	29	49	63	2
Care beginning in first trimester	1,973	1,565	37	2	369	660	907	35
Late or no care	20	17	1	-	2	8	9	1
Percent								
Low birthweight	6.6	6.5	*	*	7.2	6.5	6.5	*
Care beginning in first trimester	91.6	91.4	92.5	*	92.3	88.2	93.8	92.1
Late or no care	0.9	*	*	*	*	*	*	*
Grand Rapids, Michigan								
Number								
Low birthweight	325	193	115	3	14	49	130	114
Care beginning in first trimester	2,743	2,125	490	8	120	411	1,601	484
Late or no care	168	99	54	-	15	48	40	53
Percent								
Low birthweight	8.0	6.5	13.0	*	*	7.1	6.3	13.1
Care beginning in first trimester	72.5	76.5	60.7	*	64.9	63.0	81.8	60.8
Late or no care	4.4	3.6	6.7	*	*	7.4	2.0	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Greensboro, North Carolina								
Number								
Low birthweight	311	101	199	1	10	11	90	199
Care beginning in first trimester	2,844	1,501	1,200	16	127	174	1,333	1,195
Late or no care	81	31	43	1	6	10	21	43
Percent								
Low birthweight	9.6	6.2	13.8	*	*	*	6.3	13.9
Care beginning in first trimester	87.8	92.0	83.3	*	84.1	80.2	93.8	83.2
Late or no care	2.5	1.9	3.0	*	*	*	1.5	3.0
Hampton city, Virginia								
Number								
Low birthweight	185	66	112	1	6	3	63	112
Care beginning in first trimester	1,571	814	703	4	50	51	769	698
Late or no care	80	24	54	-	2	3	22	53
Percent								
Low birthweight	9.1	6.8	11.3	*	*	*	6.9	11.4
Care beginning in first trimester	77.5	83.8	70.8	*	83.3	75.0	84.5	70.7
Late or no care	3.9	2.5	5.4	*	*	*	2.4	5.4
Hartford, Connecticut								
Number								
Low birthweight	277	134	137	-	6	119	14	137
Care beginning in first trimester	1,721	941	748	5	27	786	156	741
Late or no care	75	53	22	-	-	45	8	22
Percent								
Low birthweight	12.9	10.7	15.9	*	*	11.4	*	16.0
Care beginning in first trimester	82.1	78.1	87.9	*	77.1	77.7	80.8	87.8
Late or no care	3.6	4.4	2.6	*	*	4.5	*	2.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Hayward, California								
Number								
Low birthweight	164	97	24	-	43	75	24	24
Care beginning in first trimester	2,407	1,611	276	20	500	1,138	496	268
Late or no care	91	68	5	2	16	45	23	4
Percent								
Low birthweight	5.7	5.0	7.5	*	7.2	5.5	4.1	7.7
Care beginning in first trimester	84.4	83.9	87.1	80.0	84.5	83.5	85.7	87.3
Late or no care	3.2	3.5	*	*	*	3.3	4.0	*
Hialeah, Florida								
Number								
Low birthweight	169	155	12	-	2	122	37	8
Care beginning in first trimester	2,269	2,169	74	2	24	1,803	405	39
Late or no care	32	30	1	1	-	24	7	1
Percent								
Low birthweight	6.7	6.5	*	*	*	6.1	8.4	*
Care beginning in first trimester	90.5	90.6	88.1	*	85.7	90.6	91.4	79.6
Late or no care	1.3	1.3	*	*	*	1.2	*	*
Hollywood, Florida								
Number								
Low birthweight	164	99	58	-	7	32	70	55
Care beginning in first trimester	1,622	1,200	369	22	31	431	795	343
Late or no care	116	58	56	-	2	23	38	53
Percent								
Low birthweight	8.1	6.9	11.0	*	*	6.1	7.5	11.1
Care beginning in first trimester	80.9	84.5	70.7	91.7	79.5	83.0	85.2	70.0
Late or no care	5.8	4.1	10.7	*	*	4.4	4.1	10.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Honolulu, Hawaii								
Number								
Low birthweight	340	53	14	-	273	21	49	13
Care beginning in first trimester	3,727	878	119	25	2,705	311	762	106
Late or no care	90	9	-	-	81	7	9	-
Percent								
Low birthweight	7.6	5.5	*	*	8.2	5.8	5.9	*
Care beginning in first trimester	88.8	94.3	93.7	86.2	86.9	89.1	94.9	93.0
Late or no care	2.1	*	*	*	2.6	*	*	*
Houston, Texas								
Number								
Low birthweight	3,410	1,952	1,279	4	175	1,389	567	1,274
Care beginning in first trimester	33,207	23,681	7,375	33	2,118	16,335	7,369	7,337
Late or no care	1,795	1,259	482	3	51	1,057	201	476
Percent								
Low birthweight	7.9	6.3	13.1	*	7.2	6.2	6.7	13.1
Care beginning in first trimester	80.7	80.5	79.0	80.5	89.6	76.9	89.8	79.0
Late or no care	4.4	4.3	5.2	*	2.2	5.0	2.4	5.1
Huntington Beach, California								
Number								
Low birthweight	134	111	1	1	21	39	73	1
Care beginning in first trimester	2,297	2,015	15	14	253	538	1,469	14
Late or no care	36	32	-	-	4	13	18	-
Percent								
Low birthweight	5.3	5.0	*	*	7.6	6.0	4.7	*
Care beginning in first trimester	91.2	91.1	*	*	91.7	82.6	94.7	*
Late or no care	1.4	1.4	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Huntsville, Alabama								
Number								
Low birthweight	174	79	91	3	1	5	74	91
Care beginning in first trimester	1,747	1,069	633	14	31	36	1,032	632
Late or no care	87	29	58	-	-	4	25	58
Percent								
Low birthweight	8.3	6.6	10.5	*	*	*	6.5	10.5
Care beginning in first trimester	82.9	89.8	72.8	*	93.9	67.9	90.8	72.8
Late or no care	4.1	2.4	6.7	*	*	*	2.2	6.7
Independence, Missouri								
Number								
Low birthweight	99	90	4	2	3	5	85	4
Care beginning in first trimester	1,395	1,310	39	18	28	68	1,245	39
Late or no care	48	44	3	-	1	2	42	3
Percent								
Low birthweight	6.1	5.9	*	*	*	*	5.9	*
Care beginning in first trimester	86.9	87.0	81.3	*	82.4	84.0	87.2	81.3
Late or no care	3.0	2.9	*	*	*	*	2.9	*
Indianapolis, Indiana								
Number								
Low birthweight	1,285	724	537	2	22	52	674	536
Care beginning in first trimester	10,553	7,769	2,588	11	185	436	7,341	2,582
Late or no care	522	296	217	1	8	81	215	217
Percent								
Low birthweight	9.4	7.6	13.9	*	9.6	6.5	7.7	13.9
Care beginning in first trimester	78.3	82.0	68.9	*	84.1	56.4	84.3	68.9
Late or no care	3.9	3.1	5.8	*	*	10.5	2.5	5.8

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Inglewood, California								
Number								
Low birthweight	181	91	89	-	1	86	5	88
Care beginning in first trimester	2,212	1,573	606	2	31	1,524	54	598
Late or no care	78	46	25	-	7	49	1	21
Percent								
Low birthweight	6.8	4.8	12.2	*	*	4.7	*	12.4
Care beginning in first trimester	84.3	85.2	83.7	*	60.8	84.8	90.0	84.3
Late or no care	3.0	2.5	3.5	*	*	2.7	*	3.0
Irvine, California								
Number								
Low birthweight	84	48	1	-	35	6	40	1
Care beginning in first trimester	1,463	969	22	1	471	146	812	20
Late or no care	11	4	2	-	5	1	3	2
Percent								
Low birthweight	5.4	4.7	*	*	7.0	*	4.7	*
Care beginning in first trimester	94.6	95.0	81.5	*	94.6	91.8	95.5	80.0
Late or no care	*	*	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	288	207	49	1	31	115	92	47
Care beginning in first trimester	2,897	2,243	309	11	334	1,158	1,085	307
Late or no care	160	126	20	4	10	82	46	18
Percent								
Low birthweight	7.8	7.1	12.5	*	8.1	7.0	7.3	12.2
Care beginning in first trimester	79.7	78.6	79.6	*	88.1	72.3	86.5	80.6
Late or no care	4.4	4.4	5.2	*	*	5.1	3.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Jackson, Mississippi								
Number								
Low birthweight	476	45	430	-	1	3	42	430
Care beginning in first trimester	2,379	498	1,860	-	21	11	485	1,860
Late or no care	136	8	128	-	-	1	7	128
Percent								
Low birthweight	15.6	8.2	17.3	*	*	*	7.9	17.3
Care beginning in first trimester	78.5	91.9	75.5	*	84.0	*	92.2	75.5
Late or no care	4.5	*	5.2	*	*	*	*	5.2
Jacksonville, Florida								
Number								
Low birthweight	1,071	511	516	4	40	40	475	513
Care beginning in first trimester	9,187	5,975	2,807	25	380	382	5,617	2,788
Late or no care	405	137	258	1	9	13	124	257
Percent								
Low birthweight	9.4	7.5	12.7	*	9.0	8.8	7.4	12.7
Care beginning in first trimester	84.5	90.3	74.0	92.6	87.8	86.6	90.5	74.0
Late or no care	3.7	2.1	6.8	*	*	*	2.0	6.8
Jersey City, New Jersey								
Number								
Low birthweight	410	147	193	3	67	108	46	183
Care beginning in first trimester	2,591	1,169	934	9	479	869	393	830
Late or no care	282	88	133	-	61	64	33	122
Percent								
Low birthweight	10.6	8.8	13.0	*	9.4	8.6	8.5	13.7
Care beginning in first trimester	70.2	73.3	66.4	*	70.6	71.5	76.9	65.7
Late or no care	7.6	5.5	9.5	*	9.0	5.3	6.5	9.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Kansas City, Kansas								
Number								
Low birthweight	221	113	105	-	3	23	89	105
Care beginning in first trimester	2,043	1,346	636	10	51	420	920	636
Late or no care	134	87	42	-	5	42	45	42
Percent								
Low birthweight	8.5	6.8	12.0	*	*	4.1	8.2	12.0
Care beginning in first trimester	78.5	81.7	73.0	*	72.9	75.4	84.8	73.1
Late or no care	5.1	5.3	4.8	*	*	7.5	4.1	4.8
Kansas City, Missouri								
Number								
Low birthweight	688	320	354	3	11	46	273	351
Care beginning in first trimester	5,905	3,866	1,896	28	115	577	3,293	1,879
Late or no care	254	97	142	5	10	24	74	141
Percent								
Low birthweight	9.4	7.2	13.5	*	*	6.2	7.4	13.5
Care beginning in first trimester	84.7	89.2	77.5	66.7	76.7	82.0	90.6	77.4
Late or no care	3.6	2.2	5.8	*	*	3.4	2.0	5.8
Knoxville, Tennessee								
Number								
Low birthweight	224	172	49	1	2	3	169	49
Care beginning in first trimester	2,358	1,960	342	6	50	25	1,935	342
Late or no care	105	63	41	-	1	8	55	41
Percent								
Low birthweight	7.8	7.4	10.1	*	*	*	7.5	10.1
Care beginning in first trimester	82.7	85.2	70.4	*	89.3	50.0	86.0	70.4
Late or no care	3.7	2.7	8.4	*	*	*	2.4	8.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lakewood, Colorado								
Number								
Low birthweight	155	141	5	-	9	28	113	5
Care beginning in first trimester	1,587	1,467	23	20	77	261	1,213	21
Late or no care	49	46	-	2	1	21	26	-
Percent								
Low birthweight	8.6	8.5	*	*	*	8.1	8.5	*
Care beginning in first trimester	88.4	88.7	85.2	69.0	88.5	76.5	91.8	84.0
Late or no care	2.7	2.8	*	*	*	6.2	2.0	*
Lansing, Michigan								
Number								
Low birthweight	199	110	76	1	12	17	91	76
Care beginning in first trimester	2,054	1,469	487	8	90	232	1,205	486
Late or no care	43	27	15	1	-	5	21	15
Percent								
Low birthweight	9.0	7.1	13.8	*	*	*	7.2	13.9
Care beginning in first trimester	94.4	95.6	91.0	*	95.7	93.9	96.3	91.0
Late or no care	2.0	1.8	*	*	*	*	1.7	*
Laredo, Texas								
Number								
Low birthweight	333	330	-	-	3	320	10	-
Care beginning in first trimester	3,837	3,819	2	-	16	3,754	64	2
Late or no care	410	410	-	-	-	408	2	-
Percent								
Low birthweight	6.4	6.3	*	*	*	6.2	*	*
Care beginning in first trimester	73.2	73.2	*	*	*	73.0	88.9	*
Late or no care	7.8	7.9	*	*	*	7.9	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Las Vegas, Nevada								
Number								
Low birthweight	934	686	156	11	81	247	434	153
Care beginning in first trimester	8,927	7,325	822	84	696	2,364	4,915	793
Late or no care	676	578	74	5	19	366	209	70
Percent								
Low birthweight	7.4	6.6	12.6	*	8.6	6.1	7.0	12.9
Care beginning in first trimester	77.3	77.3	73.9	72.4	82.2	64.8	85.2	74.0
Late or no care	5.9	6.1	6.7	*	*	10.0	3.6	6.5
Lincoln, Nebraska								
Number								
Low birthweight	211	184	12	3	12	7	175	12
Care beginning in first trimester	2,883	2,626	93	38	126	124	2,472	91
Late or no care	82	61	8	6	7	7	52	8
Percent								
Low birthweight	6.3	6.1	*	*	*	*	6.2	*
Care beginning in first trimester	86.2	86.8	78.8	74.5	83.4	75.6	87.3	78.4
Late or no care	2.5	2.0	*	*	*	*	1.8	*
Little Rock, Arkansas								
Number								
Low birthweight	306	83	212	-	11	4	79	212
Care beginning in first trimester	2,464	1,277	1,119	6	62	74	1,204	1,117
Late or no care	109	31	75	1	2	4	27	75
Percent								
Low birthweight	10.3	5.8	14.4	*	*	*	5.9	14.4
Care beginning in first trimester	84.1	90.1	77.8	*	93.9	71.2	91.6	77.7
Late or no care	3.7	2.2	5.2	*	*	*	2.1	5.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Livonia, Michigan								
Number								
Low birthweight	71	68	3	-	-	-	67	1
Care beginning in first trimester	977	930	16	5	26	15	888	8
Late or no care	19	15	2	-	2	-	13	1
Percent								
Low birthweight	6.7	6.8	*	*	*	*	7.0	*
Care beginning in first trimester	93.5	93.9	*	*	89.7	*	94.1	*
Late or no care	*	*	*	*	*	*	*	*
Long Beach, California								
Number								
Low birthweight	626	378	177	1	70	279	98	176
Care beginning in first trimester	6,889	4,919	1,092	17	861	3,457	1,503	1,068
Late or no care	300	193	58	2	47	164	30	58
Percent								
Low birthweight	7.3	6.3	12.8	*	6.3	6.4	5.9	13.0
Care beginning in first trimester	82.9	83.9	80.9	*	80.0	81.3	90.8	80.8
Late or no care	3.6	3.3	4.3	*	4.4	3.9	1.8	4.4
Los Angeles, California								
Number								
Low birthweight	4,314	3,097	871	10	336	2,420	686	847
Care beginning in first trimester	54,679	45,114	5,592	108	3,865	35,635	9,606	5,403
Late or no care	1,728	1,411	229	6	82	1,311	106	220
Percent								
Low birthweight	6.7	5.8	12.6	*	7.7	5.6	6.6	12.7
Care beginning in first trimester	85.2	85.3	82.2	85.7	88.8	83.3	93.4	82.2
Late or no care	2.7	2.7	3.4	*	1.9	3.1	1.0	3.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Louisville, Kentucky								
Number								
Low birthweight	672	342	319	2	9	10	332	317
Care beginning in first trimester	6,068	4,145	1,772	17	134	119	4,032	1,766
Late or no care	167	68	92	1	6	8	60	92
Percent								
Low birthweight	9.7	7.5	14.6	*	*	*	7.5	14.6
Care beginning in first trimester	87.9	91.0	81.2	*	88.7	81.0	91.4	81.2
Late or no care	2.4	1.5	4.2	*	*	*	1.4	4.2
Lowell, Massachusetts								
Number								
Low birthweight	142	94	10	-	38	20	75	9
Care beginning in first trimester	1,332	939	83	2	308	241	718	63
Late or no care	65	32	13	-	20	20	18	7
Percent								
Low birthweight	8.5	8.5	*	*	8.7	6.4	9.0	*
Care beginning in first trimester	80.3	85.3	70.3	*	70.3	77.0	87.3	75.0
Late or no care	3.9	2.9	*	*	4.6	6.4	*	*
Lubbock, Texas								
Number								
Low birthweight	293	238	47	2	6	123	115	47
Care beginning in first trimester	2,468	2,226	196	4	42	888	1,335	196
Late or no care	165	133	28	1	3	89	44	28
Percent								
Low birthweight	9.0	8.3	14.9	*	*	9.5	7.3	14.9
Care beginning in first trimester	77.6	79.1	63.8	*	82.4	70.1	86.5	64.1
Late or no care	5.2	4.7	9.1	*	*	7.0	2.8	9.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Macon, Georgia								
Number								
Low birthweight	238	29	208	-	1	-	29	208
Care beginning in first trimester	1,478	456	998	2	22	18	437	995
Late or no care	81	11	70	-	-	4	7	70
Percent								
Low birthweight	12.5	5.5	15.4	*	*	*	5.8	15.5
Care beginning in first trimester	79.6	87.7	76.0	*	100.0	*	88.8	76.1
Late or no care	4.4	*	5.3	*	*	*	*	5.4
Madison, Wisconsin								
Number								
Low birthweight	183	125	32	6	20	17	110	31
Care beginning in first trimester	2,302	1,876	238	21	167	193	1,687	235
Late or no care	70	37	20	3	10	13	24	20
Percent								
Low birthweight	6.8	5.9	10.2	*	8.6	*	5.9	10.0
Care beginning in first trimester	85.5	88.6	75.6	75.0	72.0	72.3	90.9	75.6
Late or no care	2.6	1.7	6.3	*	*	*	1.3	6.4
Manhattan borough, New York county, New York								
Number								
Low birthweight	1,571	931	514	1	125	539	451	421
Care beginning in first trimester	13,366	9,148	2,635	7	1,576	4,255	5,579	1,818
Late or no care	1,018	494	441	2	81	496	130	305
Percent								
Low birthweight	8.0	7.3	11.3	*	5.3	7.6	6.6	13.1
Care beginning in first trimester	77.6	81.7	66.2	*	77.3	69.2	90.9	66.4
Late or no care	5.9	4.4	11.1	*	4.0	8.1	2.1	11.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Memphis, Tennessee								
Number								
Low birthweight	1,480	225	1,236	2	17	27	199	1,236
Care beginning in first trimester	8,484	2,523	5,781	9	171	219	2,306	5,780
Late or no care	875	168	690	3	14	90	78	690
Percent								
Low birthweight	13.0	7.4	15.2	*	*	6.5	7.6	15.2
Care beginning in first trimester	75.2	84.1	71.8	*	77.7	54.5	88.7	71.8
Late or no care	7.8	5.6	8.6	*	*	22.4	3.0	8.6
Mesa, Arizona								
Number								
Low birthweight	482	435	23	12	12	156	280	21
Care beginning in first trimester	5,811	5,391	152	141	127	1,379	4,004	143
Late or no care	366	336	11	17	2	216	118	10
Percent								
Low birthweight	6.5	6.4	11.8	*	*	7.2	6.0	11.4
Care beginning in first trimester	79.6	79.8	79.2	70.1	81.9	65.1	86.7	79.0
Late or no care	5.0	5.0	*	*	*	10.2	2.6	*
Mesquite, Texas								
Number								
Low birthweight	133	105	21	-	7	25	77	21
Care beginning in first trimester	1,490	1,198	219	7	66	289	906	218
Late or no care	65	53	10	1	1	18	35	10
Percent								
Low birthweight	7.4	7.2	8.0	*	*	6.6	7.1	8.0
Care beginning in first trimester	83.2	82.5	84.9	*	90.4	77.7	84.1	84.8
Late or no care	3.6	3.7	*	*	*	*	3.2	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Miami, Florida								
Number								
Low birthweight	1,155	430	713	4	8	390	74	683
Care beginning in first trimester	10,538	5,830	4,551	59	98	5,167	954	4,321
Late or no care	383	142	232	5	4	137	21	221
Percent								
Low birthweight	8.8	6.3	11.9	*	*	6.3	6.7	12.0
Care beginning in first trimester	80.8	85.0	76.1	73.8	82.4	84.1	87.2	76.0
Late or no care	2.9	2.1	3.9	*	*	2.2	1.9	3.9
Milwaukee, Wisconsin								
Number								
Low birthweight	1,138	362	725	9	42	123	246	719
Care beginning in first trimester	8,489	4,491	3,596	88	314	1,219	3,307	3,571
Late or no care	661	187	439	9	26	112	79	436
Percent								
Low birthweight	10.1	6.7	13.9	*	9.0	7.2	6.5	13.8
Care beginning in first trimester	75.5	82.8	68.7	72.1	67.4	71.4	87.8	68.7
Late or no care	5.9	3.4	8.4	*	5.6	6.6	2.1	8.4
Minneapolis, Minnesota								
Number								
Low birthweight	469	186	214	21	48	44	135	212
Care beginning in first trimester	4,045	2,639	1,039	118	249	384	1,910	1,010
Late or no care	280	98	113	34	35	50	46	110
Percent								
Low birthweight	7.5	5.1	11.6	7.7	8.7	5.8	5.5	11.7
Care beginning in first trimester	72.1	80.0	64.4	50.6	53.9	54.5	85.6	64.0
Late or no care	5.0	3.0	7.0	14.6	7.6	7.1	2.1	7.0

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Mobile, Alabama								
Number								
Low birthweight	371	101	266	-	4	-	101	266
Care beginning in first trimester	2,701	1,397	1,257	3	44	28	1,375	1,255
Late or no care	175	48	125	-	2	2	47	125
Percent								
Low birthweight	10.9	6.4	15.0	*	*	*	6.5	15.0
Care beginning in first trimester	79.2	88.6	70.6	*	86.3	73.7	88.9	70.6
Late or no care	5.1	3.0	7.0	*	*	*	3.0	7.0
Modesto, California								
Number								
Low birthweight	251	197	24	1	29	107	91	24
Care beginning in first trimester	3,054	2,683	131	27	213	1,247	1,453	122
Late or no care	129	112	7	3	7	73	40	7
Percent								
Low birthweight	6.5	5.9	14.5	*	10.1	6.3	5.4	15.4
Care beginning in first trimester	80.1	80.5	79.4	71.1	75.8	74.4	86.7	78.2
Late or no care	3.4	3.4	*	*	*	4.4	2.4	*
Montgomery, Alabama								
Number								
Low birthweight	357	76	275	-	6	4	73	275
Care beginning in first trimester	2,675	1,182	1,451	5	37	43	1,141	1,450
Late or no care	144	21	123	-	-	2	19	123
Percent								
Low birthweight	10.9	6.0	14.0	*	*	*	6.0	14.0
Care beginning in first trimester	81.8	93.7	74.0	*	86.0	86.0	94.1	74.0
Late or no care	4.4	1.7	6.3	*	*	*	*	6.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Moreno Valley, California								
Number								
Low birthweight	158	98	53	-	7	63	37	52
Care beginning in first trimester	1,931	1,452	368	7	104	973	487	362
Late or no care	67	52	9	-	6	40	12	9
Percent								
Low birthweight	6.8	5.6	11.8	*	*	5.3	6.3	11.7
Care beginning in first trimester	84.0	84.4	82.5	*	83.9	84.5	84.3	82.5
Late or no care	2.9	3.0	*	*	*	3.5	*	*
Nashville-Davidson, Tennessee								
Number								
Low birthweight	808	424	356	5	23	29	397	355
Care beginning in first trimester	7,232	4,802	2,161	15	254	389	4,418	2,158
Late or no care	233	112	113	1	7	39	73	113
Percent								
Low birthweight	9.7	7.8	13.8	*	7.4	4.9	8.2	13.8
Care beginning in first trimester	87.6	89.1	85.2	*	83.6	66.4	91.8	85.2
Late or no care	2.8	2.1	4.5	*	*	6.7	1.5	4.5
New Haven, Connecticut								
Number								
Low birthweight	219	88	123	-	8	50	36	114
Care beginning in first trimester	1,428	774	591	2	61	417	332	505
Late or no care	59	27	30	-	2	23	4	24
Percent								
Low birthweight	11.2	8.9	14.0	*	*	8.8	9.1	15.2
Care beginning in first trimester	81.0	83.9	77.0	*	85.9	79.7	89.5	78.7
Late or no care	3.3	2.9	3.9	*	*	4.4	*	3.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
New York, New York								
Number								
Low birthweight	10,185	4,827	4,348	12	998	3,103	2,059	3,891
Care beginning in first trimester	73,799	42,214	22,996	72	8,517	23,164	21,826	19,580
Late or no care	6,728	2,980	2,783	4	961	2,414	918	2,398
Percent								
Low birthweight	8.5	7.2	11.2	*	7.3	7.8	6.5	11.7
Care beginning in first trimester	74.7	77.5	70.7	77.4	73.1	70.6	84.6	70.9
Late or no care	6.8	5.5	8.6	*	8.2	7.4	3.6	8.7
Newark, New Jersey								
Number								
Low birthweight	665	165	493	-	7	139	34	477
Care beginning in first trimester	2,644	1,206	1,399	3	36	926	339	1,334
Late or no care	639	157	474	2	6	141	23	456
Percent								
Low birthweight	13.6	8.5	17.2	*	*	9.0	7.1	17.3
Care beginning in first trimester	59.8	68.9	53.6	*	66.7	65.8	78.1	53.4
Late or no care	14.5	9.0	18.2	*	*	10.0	5.3	18.3
Newport News city, Virginia								
Number								
Low birthweight	280	121	152	2	5	12	109	152
Care beginning in first trimester	2,544	1,429	1,034	4	77	120	1,322	1,024
Late or no care	104	35	67	-	2	4	31	67
Percent								
Low birthweight	8.8	7.3	10.7	*	*	*	7.2	10.7
Care beginning in first trimester	79.9	86.4	72.3	*	83.7	77.9	87.3	72.2
Late or no care	3.3	2.1	4.7	*	*	*	2.0	4.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Norfolk city, Virginia								
Number								
Low birthweight	386	121	256	-	9	6	115	256
Care beginning in first trimester	3,010	1,479	1,417	7	107	135	1,351	1,411
Late or no care	183	59	118	-	6	7	51	118
Percent								
Low birthweight	10.0	7.0	12.9	*	*	*	7.4	13.0
Care beginning in first trimester	78.1	85.7	71.2	*	81.7	80.4	86.4	71.2
Late or no care	4.7	3.4	5.9	*	*	*	3.3	6.0
Oakland, California								
Number								
Low birthweight	506	197	249	-	60	118	77	248
Care beginning in first trimester	5,392	2,679	1,907	25	781	1,687	1,001	1,886
Late or no care	133	53	60	2	18	43	10	60
Percent								
Low birthweight	8.0	6.4	10.8	*	6.7	5.8	7.1	10.9
Care beginning in first trimester	87.9	89.3	85.6	83.3	89.7	86.9	93.6	85.5
Late or no care	2.2	1.8	2.7	*	*	2.2	*	2.7
Oceanside, California								
Number								
Low birthweight	198	151	30	5	12	84	69	30
Care beginning in first trimester	2,273	1,903	160	24	186	833	1,078	155
Late or no care	196	174	7	1	14	143	31	7
Percent								
Low birthweight	5.7	5.2	11.5	*	*	6.1	4.5	11.8
Care beginning in first trimester	74.3	73.9	78.0	75.0	75.0	64.8	82.8	77.9
Late or no care	6.4	6.8	*	*	*	11.1	2.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Oklahoma City, Oklahoma								
Number								
Low birthweight	607	408	154	29	16	68	334	145
Care beginning in first trimester	4,607	3,423	818	177	189	395	2,945	769
Late or no care	187	112	47	24	4	24	81	42
Percent								
Low birthweight	8.1	7.5	10.8	8.5	*	5.3	8.3	10.7
Care beginning in first trimester	82.5	85.1	75.8	67.8	85.1	73.8	87.1	76.0
Late or no care	3.3	2.8	4.4	9.2	*	4.5	2.4	4.2
Omaha, Nebraska								
Number								
Low birthweight	467	314	134	6	13	51	260	134
Care beginning in first trimester	4,820	3,931	728	52	109	514	3,386	725
Late or no care	233	142	73	14	4	51	90	72
Percent								
Low birthweight	7.9	6.7	13.4	*	*	6.9	6.7	13.5
Care beginning in first trimester	81.6	84.2	72.5	57.8	77.9	69.0	87.0	72.7
Late or no care	3.9	3.0	7.3	*	*	6.8	2.3	7.2
Ontario, California								
Number								
Low birthweight	208	174	21	3	10	138	37	21
Care beginning in first trimester	2,524	2,266	164	11	83	1,806	472	160
Late or no care	165	152	8	1	4	127	25	8
Percent								
Low birthweight	6.3	5.9	10.1	*	*	5.7	6.4	10.5
Care beginning in first trimester	76.7	76.8	78.8	*	72.2	75.4	82.4	80.0
Late or no care	5.0	5.2	*	*	*	5.3	4.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Orange, California								
Number								
Low birthweight	127	103	5	-	19	59	45	4
Care beginning in first trimester	2,037	1,806	27	5	199	939	867	25
Late or no care	57	52	-	-	5	41	11	-
Percent								
Low birthweight	5.4	4.9	*	*	*	5.1	4.8	*
Care beginning in first trimester	87.3	87.0	75.0	*	92.6	81.4	93.8	73.5
Late or no care	2.4	2.5	*	*	*	3.6	*	*
Orlando, Florida								
Number								
Low birthweight	636	331	272	3	30	140	192	271
Care beginning in first trimester	5,756	3,943	1,536	8	269	1,426	2,535	1,517
Late or no care	292	146	135	1	10	68	82	130
Percent								
Low birthweight	9.0	7.2	12.7	*	9.5	8.0	6.7	12.8
Care beginning in first trimester	82.9	87.0	73.4	*	86.5	83.1	89.3	73.4
Late or no care	4.2	3.2	6.5	*	*	4.0	2.9	6.3
Orleans, coext. with New Orleans city, Louisiana								
Number								
Low birthweight	990	100	882	-	8	12	89	881
Care beginning in first trimester	6,118	1,326	4,647	3	142	139	1,199	4,642
Late or no care	375	29	341	-	5	8	21	341
Percent								
Low birthweight	12.9	7.0	14.5	*	*	*	6.9	14.6
Care beginning in first trimester	79.8	92.3	76.6	*	85.5	83.2	93.2	76.7
Late or no care	4.9	2.0	5.6	*	*	*	1.6	5.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Overland Park, Kansas								
Number								
Low birthweight	119	101	6	2	10	5	93	6
Care beginning in first trimester	1,895	1,740	46	8	101	83	1,628	45
Late or no care	12	10	-	1	1	6	4	-
Percent								
Low birthweight	6.0	5.5	*	*	*	*	5.5	*
Care beginning in first trimester	95.5	95.8	92.0	*	95.3	82.2	96.6	91.8
Late or no care	*	*	*	*	*	*	*	*
Oxnard, California								
Number								
Low birthweight	208	181	11	-	16	144	21	9
Care beginning in first trimester	3,103	2,864	72	9	158	2,355	317	62
Late or no care	92	83	6	-	3	76	3	5
Percent								
Low birthweight	5.5	5.2	*	*	*	5.0	5.8	*
Care beginning in first trimester	84.2	84.4	78.3	*	84.0	83.7	89.3	78.5
Late or no care	2.5	2.4	*	*	*	2.7	*	*
Pasadena, California								
Number								
Low birthweight	191	126	48	1	16	71	53	45
Care beginning in first trimester	1,939	1,458	250	7	224	824	636	242
Late or no care	60	46	13	-	1	39	7	13
Percent								
Low birthweight	8.0	7.0	14.5	*	*	6.6	7.5	14.1
Care beginning in first trimester	85.5	86.0	78.4	*	92.2	81.1	92.8	79.1
Late or no care	2.6	2.7	*	*	*	3.8	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Pasadena, Texas								
Number								
Low birthweight	181	175	4	-	2	114	61	4
Care beginning in first trimester	2,117	2,068	17	2	30	1,390	679	16
Late or no care	115	115	-	-	-	84	31	-
Percent								
Low birthweight	6.6	6.5	*	*	*	6.2	7.3	*
Care beginning in first trimester	79.8	79.6	*	*	100.0	77.8	83.7	*
Late or no care	4.3	4.4	*	*	*	4.7	3.8	*
Paterson, New Jersey								
Number								
Low birthweight	286	124	152	1	9	129	16	126
Care beginning in first trimester	1,824	1,045	714	3	62	1,043	199	515
Late or no care	282	159	116	-	7	160	30	82
Percent								
Low birthweight	9.7	7.4	13.0	*	*	7.7	*	15.0
Care beginning in first trimester	64.3	64.5	63.4	*	72.1	64.3	64.6	63.7
Late or no care	9.9	9.8	10.3	*	*	9.9	9.7	10.1
Peoria, Illinois								
Number								
Low birthweight	175	81	91	-	3	1	80	91
Care beginning in first trimester	1,548	1,039	455	-	54	31	1,009	454
Late or no care	76	23	51	1	1	2	21	51
Percent								
Low birthweight	9.3	7.0	14.0	*	*	*	7.2	14.1
Care beginning in first trimester	82.4	89.3	69.9	*	84.4	66.0	90.3	70.0
Late or no care	4.0	2.0	7.8	*	*	*	1.9	7.9

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Philadelphia, coext. with Phila. city, Pennsylvania								
Number								
Low birthweight	2,457	671	1,698	8	80	252	431	1,674
Care beginning in first trimester	15,310	7,240	7,277	43	750	1,808	5,467	7,153
Late or no care	1,409	377	965	7	60	151	225	955
Percent								
Low birthweight	11.3	7.3	15.0	*	7.1	9.9	6.5	15.1
Care beginning in first trimester	74.6	82.0	69.0	67.2	69.5	73.5	85.4	69.0
Late or no care	6.9	4.3	9.1	*	5.6	6.1	3.5	9.2
Phoenix, Arizona								
Number								
Low birthweight	1,764	1,500	175	51	38	858	641	171
Care beginning in first trimester	16,469	14,810	872	402	385	7,567	7,264	847
Late or no care	1,836	1,650	92	69	25	1,423	228	88
Percent								
Low birthweight	7.3	7.0	13.3	7.2	7.7	6.7	7.4	13.4
Care beginning in first trimester	71.6	71.9	71.0	58.9	81.1	62.0	86.2	70.9
Late or no care	8.0	8.0	7.5	10.1	5.3	11.7	2.7	7.4
Pittsburgh, Pennsylvania								
Number								
Low birthweight	423	171	240	3	9	1	169	240
Care beginning in first trimester	3,386	2,080	1,170	9	127	47	2,037	1,163
Late or no care	155	50	99	1	5	2	47	99
Percent								
Low birthweight	10.4	7.3	15.1	*	*	*	7.4	15.2
Care beginning in first trimester	86.3	91.3	78.0	*	94.1	95.9	91.3	77.9
Late or no care	4.0	2.2	6.6	*	*	*	2.1	6.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Plano, Texas								
Number								
Low birthweight	223	178	17	-	28	20	159	15
Care beginning in first trimester	3,040	2,472	140	5	423	339	2,129	137
Late or no care	88	80	3	-	5	34	46	3
Percent								
Low birthweight	6.7	6.5	*	*	6.3	4.4	7.0	*
Care beginning in first trimester	91.4	91.0	87.5	*	95.3	75.3	94.1	87.8
Late or no care	2.6	2.9	*	*	*	7.6	2.0	*
Pomona, California								
Number								
Low birthweight	170	138	20	-	12	130	8	20
Care beginning in first trimester	2,439	2,136	174	2	127	1,940	207	166
Late or no care	104	94	7	-	3	87	8	7
Percent								
Low birthweight	5.6	5.1	9.3	*	*	5.3	*	9.8
Care beginning in first trimester	80.4	79.9	82.1	*	88.2	79.6	82.5	82.2
Late or no care	3.4	3.5	*	*	*	3.6	*	*
Portland, Oregon								
Number								
Low birthweight	390	275	74	2	39	50	224	73
Care beginning in first trimester	5,750	4,643	490	65	552	630	4,006	477
Late or no care	291	237	21	4	29	68	164	20
Percent								
Low birthweight	5.4	4.8	11.7	*	5.5	5.3	4.7	11.8
Care beginning in first trimester	80.5	81.0	77.8	80.2	78.7	66.5	84.0	77.4
Late or no care	4.1	4.1	3.3	*	4.1	7.2	3.4	3.2

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Portsmouth city, Virginia								
Number								
Low birthweight	156	47	109	-	-	-	47	109
Care beginning in first trimester	1,202	560	617	2	23	18	550	613
Late or no care	102	22	80	-	-	2	20	80
Percent								
Low birthweight	9.7	7.1	12.0	*	*	*	7.3	12.0
Care beginning in first trimester	75.1	84.8	67.8	*	79.3	*	85.4	67.7
Late or no care	6.4	3.3	8.8	*	*	*	3.1	8.8
Providence, Rhode Island								
Number								
Low birthweight	243	152	54	11	26	87	52	44
Care beginning in first trimester	2,098	1,539	377	47	135	946	474	317
Late or no care	42	18	11	7	6	16	5	6
Percent								
Low birthweight	9.2	8.1	11.2	*	13.1	7.4	9.5	11.0
Care beginning in first trimester	88.0	89.8	86.7	77.0	76.7	88.5	90.5	87.8
Late or no care	1.8	*	*	*	*	*	*	*
Queens borough, Queens county, New York								
Number								
Low birthweight	2,609	1,157	892	6	554	699	476	846
Care beginning in first trimester	20,356	10,862	5,214	31	4,249	5,629	5,412	4,759
Late or no care	1,433	696	395	-	342	547	169	368
Percent								
Low birthweight	8.2	6.8	11.4	*	8.1	6.8	6.8	11.8
Care beginning in first trimester	76.2	76.9	76.7	86.1	73.7	68.6	87.8	76.3
Late or no care	5.4	4.9	5.8	*	5.9	6.7	2.7	5.9

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Raleigh, North Carolina								
Number								
Low birthweight	406	199	196	-	11	36	163	196
Care beginning in first trimester	3,936	2,624	1,125	5	182	359	2,274	1,116
Late or no care	166	77	85	-	4	49	28	85
Percent								
Low birthweight	8.6	6.6	13.2	*	*	6.0	6.7	13.3
Care beginning in first trimester	84.1	87.3	76.4	*	92.4	60.5	93.8	76.3
Late or no care	3.5	2.6	5.8	*	*	8.3	1.2	5.8
Rancho Cucamonga, California								
Number								
Low birthweight	55	42	6	1	6	22	21	6
Care beginning in first trimester	791	672	63	-	56	319	356	62
Late or no care	34	31	2	1	-	22	10	2
Percent								
Low birthweight	5.4	4.8	*	*	*	5.0	4.9	*
Care beginning in first trimester	78.1	77.6	77.8	*	86.2	72.5	82.6	78.5
Late or no care	3.4	3.6	*	*	*	5.0	*	*
Reno, Nevada								
Number								
Low birthweight	225	194	2	4	25	61	133	2
Care beginning in first trimester	2,424	2,152	56	33	183	722	1,431	56
Late or no care	77	65	1	5	6	34	30	1
Percent								
Low birthweight	7.6	7.5	*	*	10.5	6.2	8.3	*
Care beginning in first trimester	85.9	86.7	76.7	71.7	83.6	80.3	90.4	76.7
Late or no care	2.7	2.6	*	*	*	3.8	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Richmond city, Virginia								
Number								
Low birthweight	359	64	291	-	4	8	57	291
Care beginning in first trimester	2,205	865	1,313	4	23	45	825	1,310
Late or no care	191	25	164	-	2	8	16	164
Percent								
Low birthweight	12.3	6.7	15.1	*	*	*	6.4	15.1
Care beginning in first trimester	75.4	90.3	67.9	*	82.1	65.2	92.3	67.8
Late or no care	6.5	2.6	8.5	*	*	*	*	8.5
Riverside, California								
Number								
Low birthweight	334	268	44	3	19	156	116	43
Care beginning in first trimester	4,560	3,999	326	30	205	2,376	1,651	313
Late or no care	206	184	13	4	5	132	53	13
Percent								
Low birthweight	5.9	5.4	10.6	*	*	5.1	6.0	10.9
Care beginning in first trimester	81.1	81.1	79.7	65.2	87.6	78.2	85.1	80.5
Late or no care	3.7	3.7	*	*	*	4.3	2.7	*
Rochester, New York								
Number								
Low birthweight	395	123	259	-	13	31	87	258
Care beginning in first trimester	2,516	1,430	1,007	4	75	373	982	995
Late or no care	336	134	192	-	10	51	77	190
Percent								
Low birthweight	10.2	6.3	14.4	*	*	5.5	6.8	14.5
Care beginning in first trimester	74.5	82.0	66.3	*	70.8	75.8	84.1	66.2
Late or no care	10.0	7.7	12.6	*	*	10.4	6.6	12.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Rockford, Illinois								
Number								
Low birthweight	220	139	76	-	5	24	117	74
Care beginning in first trimester	2,034	1,628	348	2	56	285	1,345	345
Late or no care	112	62	50	-	-	17	45	50
Percent								
Low birthweight	8.1	6.7	13.1	*	*	5.9	7.0	12.8
Care beginning in first trimester	77.5	80.9	63.7	*	87.5	72.7	82.8	63.9
Late or no care	4.3	3.1	9.2	*	*	*	2.8	9.3
Sacramento, California								
Number								
Low birthweight	760	404	209	7	140	184	224	208
Care beginning in first trimester	8,051	5,370	1,287	86	1,308	2,163	3,287	1,245
Late or no care	511	309	99	9	94	156	153	97
Percent								
Low birthweight	7.2	5.9	11.9	*	7.4	6.4	5.5	12.3
Care beginning in first trimester	77.2	79.7	74.8	71.7	70.6	76.1	82.1	74.8
Late or no care	4.9	4.6	5.8	*	5.1	5.5	3.8	5.8
Salem, Oregon								
Number								
Low birthweight	157	147	2	1	7	39	107	2
Care beginning in first trimester	1,975	1,862	16	30	67	435	1,409	15
Late or no care	146	130	1	1	14	75	52	1
Percent								
Low birthweight	5.9	5.9	*	*	*	5.2	6.2	*
Care beginning in first trimester	74.1	74.8	*	73.2	59.8	58.2	82.4	*
Late or no care	5.5	5.2	*	*	*	10.0	3.0	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Salinas, California								
Number								
Low birthweight	194	171	4	3	16	143	29	4
Care beginning in first trimester	2,466	2,286	35	10	135	1,808	486	31
Late or no care	191	175	3	-	13	164	12	3
Percent								
Low birthweight	5.7	5.4	*	*	*	5.5	5.3	*
Care beginning in first trimester	73.6	73.3	77.8	*	76.7	70.1	88.4	77.5
Late or no care	5.7	5.6	*	*	*	6.4	*	*
Salt Lake City, Utah								
Number								
Low birthweight	426	380	12	9	25	92	287	12
Care beginning in first trimester	4,234	3,939	54	33	208	696	3,239	53
Late or no care	318	256	9	9	44	111	145	9
Percent								
Low birthweight	7.2	7.1	*	*	7.3	7.4	7.0	*
Care beginning in first trimester	76.8	78.2	61.4	48.5	64.8	58.7	84.2	61.6
Late or no care	5.8	5.1	*	*	13.7	9.4	3.8	*
San Antonio, Texas								
Number								
Low birthweight	1,665	1,476	156	2	31	1,119	350	151
Care beginning in first trimester	18,208	16,827	1,051	27	303	11,850	4,873	1,021
Late or no care	662	601	54	1	6	524	70	51
Percent								
Low birthweight	7.6	7.3	11.7	*	9.3	7.7	6.5	11.7
Care beginning in first trimester	84.4	84.5	80.5	79.4	90.7	81.8	91.9	80.6
Late or no care	3.1	3.0	4.1	*	*	3.6	1.3	4.0

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Bernardino, California								
Number								
Low birthweight	306	193	97	2	14	147	49	94
Care beginning in first trimester	3,004	2,353	528	23	100	1,715	656	515
Late or no care	267	207	49	2	9	161	46	48
Percent								
Low birthweight	7.2	5.8	13.1	*	*	5.9	5.7	12.9
Care beginning in first trimester	73.7	74.2	72.9	71.9	67.6	72.9	78.5	72.7
Late or no care	6.6	6.5	6.8	*	*	6.8	5.5	6.8
San Diego, California								
Number								
Low birthweight	1,175	778	203	4	190	418	364	197
Care beginning in first trimester	15,311	11,543	1,385	66	2,317	5,723	5,879	1,342
Late or no care	739	587	81	2	69	494	94	79
Percent								
Low birthweight	6.3	5.6	11.6	*	6.9	5.5	5.7	11.6
Care beginning in first trimester	83.6	83.6	81.1	84.6	85.0	76.2	92.3	81.1
Late or no care	4.0	4.2	4.7	*	2.5	6.6	1.5	4.8
San Francisco, coext. with San Fran. city, Califor								
Number								
Low birthweight	552	265	117	3	167	93	172	117
Care beginning in first trimester	6,791	3,889	550	22	2,330	1,379	2,488	540
Late or no care	247	121	64	2	60	80	43	62
Percent								
Low birthweight	6.8	5.8	14.6	*	6.1	5.1	6.3	14.9
Care beginning in first trimester	84.1	85.8	70.3	78.6	85.4	76.3	91.8	70.1
Late or no care	3.1	2.7	8.2	*	2.2	4.4	1.6	8.1

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Jose, California								
Number								
Low birthweight	971	618	41	6	306	373	240	41
Care beginning in first trimester	13,222	8,960	387	44	3,831	5,144	3,771	368
Late or no care	491	360	14	4	113	310	50	13
Percent								
Low birthweight	6.1	5.6	8.7	*	6.8	5.4	5.9	9.3
Care beginning in first trimester	83.5	82.6	83.9	77.2	85.9	75.8	93.6	85.0
Late or no care	3.1	3.3	*	*	2.5	4.6	1.2	*
Santa Ana, California								
Number								
Low birthweight	466	431	5	-	30	398	30	5
Care beginning in first trimester	6,975	6,488	48	8	431	5,959	530	43
Late or no care	285	273	3	-	9	265	8	3
Percent								
Low birthweight	5.4	5.4	*	*	5.9	5.4	5.2	*
Care beginning in first trimester	82.0	81.9	77.4	*	84.8	81.1	92.3	75.4
Late or no care	3.4	3.4	*	*	*	3.6	*	*
Santa Clarita, California								
Number								
Low birthweight	21	20	-	-	1	4	16	-
Care beginning in first trimester	157	138	4	-	15	28	111	4
Late or no care	2	1	-	-	1	-	1	-
Percent								
Low birthweight	12.1	13.1	*	*	*	*	*	*
Care beginning in first trimester	90.8	90.2	*	*	*	87.5	91.0	*
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Santa Rosa, California								
Number								
Low birthweight	151	134	7	5	5	65	70	5
Care beginning in first trimester	2,016	1,831	44	35	106	687	1,150	41
Late or no care	46	37	3	1	5	22	16	2
Percent								
Low birthweight	6.2	6.1	*	*	*	7.2	5.4	*
Care beginning in first trimester	88.2	88.8	81.5	87.5	81.5	83.9	91.9	82.0
Late or no care	2.0	1.8	*	*	*	2.7	*	*
Savannah, Georgia								
Number								
Low birthweight	295	62	230	-	3	3	60	229
Care beginning in first trimester	2,018	855	1,126	2	35	40	819	1,119
Late or no care	88	17	71	-	-	2	16	70
Percent								
Low birthweight	11.1	6.1	14.4	*	*	*	6.2	14.4
Care beginning in first trimester	78.7	86.2	73.6	*	87.5	66.7	87.2	73.6
Late or no care	3.4	*	4.6	*	*	*	*	4.6
Scottsdale, Arizona								
Number								
Low birthweight	163	138	6	10	9	25	112	6
Care beginning in first trimester	2,385	2,188	35	82	80	253	1,941	31
Late or no care	75	63	2	10	-	38	23	1
Percent								
Low birthweight	6.1	5.7	*	*	*	6.7	5.4	*
Care beginning in first trimester	90.1	91.3	77.8	67.8	96.4	71.1	95.1	79.5
Late or no care	2.8	2.6	*	*	*	10.7	1.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Seattle, Washington								
Number								
Low birthweight	456	264	97	9	86	34	205	87
Care beginning in first trimester	5,202	3,756	536	66	844	431	3,187	508
Late or no care	171	89	30	5	47	27	58	28
Percent								
Low birthweight	6.4	5.5	10.6	*	6.5	5.1	5.4	10.4
Care beginning in first trimester	85.2	89.0	74.8	71.0	78.1	74.6	91.2	74.7
Late or no care	2.8	2.1	4.2	*	4.4	4.7	1.7	4.1
Shreveport, Louisiana								
Number								
Low birthweight	350	72	277	-	1	6	66	277
Care beginning in first trimester	2,466	1,123	1,304	4	35	48	1,079	1,303
Late or no care	190	42	147	-	1	2	40	147
Percent								
Low birthweight	11.1	5.7	15.0	*	*	*	5.5	15.1
Care beginning in first trimester	78.5	89.3	70.8	*	94.6	88.9	89.4	70.8
Late or no care	6.0	3.3	8.0	*	*	*	3.3	8.0
Simi Valley, California								
Number								
Low birthweight	88	83	-	1	4	12	57	-
Care beginning in first trimester	1,414	1,281	16	9	108	273	852	12
Late or no care	13	12	-	-	1	5	5	-
Percent								
Low birthweight	5.7	6.0	*	*	*	*	6.4	*
Care beginning in first trimester	91.8	92.2	*	*	90.8	84.8	95.2	*
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Sioux Falls, South Dakota								
Number								
Low birthweight	125	107	6	4	8	4	103	6
Care beginning in first trimester	1,701	1,579	37	56	29	48	1,531	37
Late or no care	38	28	1	5	4	3	25	1
Percent								
Low birthweight	6.3	5.9	*	*	*	*	6.0	*
Care beginning in first trimester	85.2	87.8	66.1	56.0	69.0	61.5	89.0	66.1
Late or no care	1.9	1.6	*	*	*	*	1.5	*
South Bend, Indiana								
Number								
Low birthweight	169	102	67	-	-	19	83	67
Care beginning in first trimester	1,596	1,227	338	2	29	197	1,029	337
Late or no care	136	69	66	-	1	23	46	66
Percent								
Low birthweight	7.9	6.6	11.9	*	*	*	6.6	11.9
Care beginning in first trimester	75.0	80.1	60.8	*	80.6	70.1	82.3	60.8
Late or no care	6.4	4.5	11.9	*	*	8.2	3.7	11.9
Spokane, Washington								
Number								
Low birthweight	224	195	12	6	11	6	188	11
Care beginning in first trimester	2,713	2,491	61	69	92	93	2,390	58
Late or no care	57	48	-	4	5	2	46	-
Percent								
Low birthweight	6.8	6.5	*	*	*	*	6.6	*
Care beginning in first trimester	89.4	90.1	85.9	76.7	86.0	85.3	90.4	85.3
Late or no care	1.9	1.7	*	*	*	*	1.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Springfield, Illinois								
Number								
Low birthweight	148	105	42	-	1	3	102	42
Care beginning in first trimester	1,484	1,229	221	-	34	21	1,208	221
Late or no care	48	22	26	-	-	-	22	26
Percent								
Low birthweight	8.3	7.5	11.6	*	*	*	7.5	11.6
Care beginning in first trimester	83.5	88.7	62.1	*	97.1	75.0	88.9	62.3
Late or no care	2.7	1.6	7.3	*	*	*	1.6	7.3
Springfield, Massachusetts								
Number								
Low birthweight	210	152	57	-	1	82	72	55
Care beginning in first trimester	1,746	1,304	391	2	49	640	680	377
Late or no care	100	72	22	-	6	43	32	19
Percent								
Low birthweight	8.8	8.8	9.9	*	*	9.1	8.6	9.9
Care beginning in first trimester	76.4	78.2	71.6	*	74.2	73.4	83.3	71.5
Late or no care	4.4	4.3	4.0	*	*	4.9	3.9	*
Springfield, Missouri								
Number								
Low birthweight	163	141	18	3	1	8	133	18
Care beginning in first trimester	1,903	1,803	56	8	36	49	1,754	56
Late or no care	43	35	5	1	2	2	33	5
Percent								
Low birthweight	7.4	6.9	*	*	*	*	6.7	*
Care beginning in first trimester	87.1	88.1	69.1	*	80.0	77.8	88.4	69.1
Late or no care	2.0	1.7	*	*	*	*	1.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Louis city, Missouri								
Number								
Low birthweight	647	138	505	-	4	8	130	505
Care beginning in first trimester	4,186	1,612	2,468	7	99	88	1,525	2,467
Late or no care	290	46	241	-	3	3	43	241
Percent								
Low birthweight	11.7	7.3	14.4	*	*	*	7.3	14.4
Care beginning in first trimester	78.2	88.3	72.6	*	83.2	86.3	88.4	72.6
Late or no care	5.4	2.5	7.1	*	*	*	2.5	7.1
St. Paul, Minnesota								
Number								
Low birthweight	412	200	110	11	91	41	151	108
Care beginning in first trimester	3,365	2,368	474	41	482	332	1,985	465
Late or no care	213	84	50	6	73	33	50	47
Percent								
Low birthweight	8.1	6.4	13.0	*	8.7	7.0	6.1	13.0
Care beginning in first trimester	73.9	83.0	65.0	55.4	53.7	68.0	86.0	64.9
Late or no care	4.7	2.9	6.9	*	8.1	6.8	2.2	6.6
St. Petersburg, Florida								
Number								
Low birthweight	352	187	142	-	23	16	172	141
Care beginning in first trimester	2,773	1,909	744	6	114	132	1,781	740
Late or no care	125	56	66	-	3	5	51	66
Percent								
Low birthweight	10.4	8.5	13.6	*	17.8	*	8.4	13.6
Care beginning in first trimester	82.2	86.7	71.8	*	89.1	79.5	87.3	71.7
Late or no care	3.7	2.5	6.4	*	*	*	2.5	6.4

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stamford, Connecticut								
Number								
Low birthweight	166	103	47	-	16	27	67	46
Care beginning in first trimester	1,653	1,274	271	-	108	325	853	266
Late or no care	42	26	13	-	3	14	8	13
Percent								
Low birthweight	8.7	7.1	13.5	*	*	6.1	7.5	13.4
Care beginning in first trimester	87.6	88.9	80.9	*	90.0	74.0	95.8	80.6
Late or no care	2.2	1.8	*	*	*	*	*	*
Staten Island borough, Richmond county, New York								
Number								
Low birthweight	541	405	107	1	28	89	318	99
Care beginning in first trimester	4,055	3,359	473	6	217	597	2,752	452
Late or no care	185	108	61	1	15	50	61	58
Percent								
Low birthweight	9.2	8.7	12.6	*	8.5	9.1	8.6	12.1
Care beginning in first trimester	84.4	87.2	71.5	*	77.5	74.1	90.5	71.5
Late or no care	3.9	2.8	9.2	*	*	6.2	2.0	9.2
Sterling Heights, Michigan								
Number								
Low birthweight	94	84	2	-	8	2	71	2
Care beginning in first trimester	1,323	1,186	13	7	117	21	1,114	11
Late or no care	24	22	-	-	2	-	19	-
Percent								
Low birthweight	6.1	6.1	*	*	*	*	5.6	*
Care beginning in first trimester	92.6	92.9	*	*	93.6	91.3	93.2	*
Late or no care	1.7	1.7	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stockton, California								
Number								
Low birthweight	332	179	73	4	76	118	68	72
Care beginning in first trimester	3,515	2,417	403	32	663	1,458	1,010	389
Late or no care	333	229	42	5	57	171	62	42
Percent								
Low birthweight	6.4	5.1	11.9	*	7.6	5.2	5.2	12.1
Care beginning in first trimester	69.9	70.7	68.2	74.4	67.8	65.5	79.7	68.1
Late or no care	6.6	6.7	7.1	*	5.8	7.7	4.9	7.4
Sunnyvale, California								
Number								
Low birthweight	175	91	3	-	81	40	46	3
Care beginning in first trimester	1,906	1,033	27	1	845	312	652	26
Late or no care	22	10	1	-	11	4	6	1
Percent								
Low birthweight	8.5	8.2	*	*	8.8	11.4	6.7	*
Care beginning in first trimester	93.2	93.8	81.8	*	92.8	89.1	95.9	81.3
Late or no care	1.1	*	*	*	*	*	*	*
Syracuse, New York								
Number								
Low birthweight	230	100	118	6	6	10	88	114
Care beginning in first trimester	1,710	1,007	596	26	81	109	867	571
Late or no care	127	58	65	1	3	13	41	61
Percent								
Low birthweight	10.1	7.9	13.4	*	*	*	8.3	13.6
Care beginning in first trimester	75.5	80.6	68.1	70.3	77.9	65.7	82.1	68.7
Late or no care	5.6	4.6	7.4	*	*	*	3.9	7.3

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tacoma, Washington								
Number								
Low birthweight	301	170	74	11	46	22	146	67
Care beginning in first trimester	2,794	2,048	398	69	279	260	1,743	368
Late or no care	192	109	35	12	36	24	84	32
Percent								
Low birthweight	7.4	6.0	11.9	*	9.4	5.6	6.1	11.6
Care beginning in first trimester	75.5	78.5	72.1	61.1	65.8	71.6	79.6	72.0
Late or no care	5.2	4.2	6.3	*	8.5	6.6	3.8	6.3
Tallahassee, Florida								
Number								
Low birthweight	194	77	115	-	2	7	70	115
Care beginning in first trimester	1,925	1,036	821	3	65	63	973	818
Late or no care	34	12	21	1	-	1	11	21
Percent								
Low birthweight	9.1	7.0	11.9	*	*	*	6.8	12.0
Care beginning in first trimester	90.3	94.4	85.3	*	95.6	90.0	94.7	85.2
Late or no care	1.6	*	2.2	*	*	*	*	2.2
Tampa, Florida								
Number								
Low birthweight	698	384	293	1	20	135	251	288
Care beginning in first trimester	7,186	5,103	1,846	16	221	1,621	3,510	1,821
Late or no care	192	105	84	-	3	44	60	84
Percent								
Low birthweight	8.3	6.7	12.2	*	8.0	7.1	6.5	12.2
Care beginning in first trimester	85.8	89.3	77.2	*	89.5	85.4	91.0	77.4
Late or no care	2.3	1.8	3.5	*	*	2.3	1.6	3.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tempe, Arizona								
Number								
Low birthweight	123	100	7	5	11	35	66	7
Care beginning in first trimester	1,714	1,445	78	75	116	436	1,004	74
Late or no care	110	92	3	9	6	61	26	3
Percent								
Low birthweight	5.6	5.4	*	*	*	5.1	5.8	*
Care beginning in first trimester	79.7	80.3	83.0	64.1	82.3	65.8	88.8	83.1
Late or no care	5.1	5.1	*	*	*	9.2	2.3	*
Thousand Oaks, California								
Number								
Low birthweight	73	67	1	-	5	15	49	1
Care beginning in first trimester	961	862	5	5	89	208	642	5
Late or no care	9	8	-	-	1	3	5	-
Percent								
Low birthweight	7.2	7.3	*	*	*	*	7.4	*
Care beginning in first trimester	94.9	94.6	*	*	97.8	88.5	96.8	*
Late or no care	*	*	*	*	*	*	*	*
Toledo, Ohio								
Number								
Low birthweight	434	282	149	-	3	27	255	149
Care beginning in first trimester	4,453	3,457	916	13	67	281	3,185	910
Late or no care	147	93	53	-	1	19	74	52
Percent								
Low birthweight	8.5	7.3	12.8	*	*	7.8	7.2	12.9
Care beginning in first trimester	87.0	89.2	78.9	*	91.8	81.2	90.0	78.9
Late or no care	2.9	2.4	4.6	*	*	*	2.1	4.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Topeka, Kansas								
Number								
Low birthweight	156	119	33	3	1	21	96	33
Care beginning in first trimester	1,736	1,477	221	22	16	183	1,284	213
Late or no care	45	33	10	2	-	4	29	10
Percent								
Low birthweight	8.0	7.2	12.4	*	*	9.4	6.8	12.9
Care beginning in first trimester	88.3	89.3	83.1	81.5	*	82.1	90.3	83.5
Late or no care	2.3	2.0	*	*	*	*	2.0	*
Torrance, California								
Number								
Low birthweight	131	87	14	-	30	51	37	13
Care beginning in first trimester	1,914	1,288	75	2	549	587	705	72
Late or no care	39	24	-	-	15	21	4	-
Percent								
Low birthweight	6.2	6.1	*	*	5.0	7.4	4.9	*
Care beginning in first trimester	90.4	90.1	86.2	*	91.5	85.9	93.9	86.7
Late or no care	1.8	1.7	*	*	*	3.1	*	*
Tucson, Arizona								
Number								
Low birthweight	750	650	44	27	29	351	294	42
Care beginning in first trimester	8,183	7,450	273	237	223	3,559	3,866	251
Late or no care	904	819	32	31	22	574	227	31
Percent								
Low birthweight	6.7	6.4	11.3	7.6	9.7	6.7	6.1	11.6
Care beginning in first trimester	73.8	74.1	70.9	67.7	75.1	68.6	80.4	70.1
Late or no care	8.2	8.1	8.3	8.9	7.4	11.1	4.7	8.7

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tulsa, Oklahoma								
Number								
Low birthweight	547	344	176	22	5	41	295	168
Care beginning in first trimester	4,784	3,573	854	256	101	404	3,114	835
Late or no care	383	225	106	45	7	41	180	103
Percent								
Low birthweight	8.3	7.3	13.5	5.7	*	6.2	7.4	13.2
Care beginning in first trimester	75.0	77.6	67.7	67.5	75.4	62.5	80.3	67.7
Late or no care	6.0	4.9	8.4	11.9	*	6.3	4.6	8.4
Vallejo, California								
Number								
Low birthweight	155	48	67	2	38	22	27	66
Care beginning in first trimester	1,111	511	293	4	303	271	250	288
Late or no care	66	25	24	2	15	13	14	23
Percent								
Low birthweight	8.7	5.9	14.0	*	7.9	5.1	6.6	14.1
Care beginning in first trimester	74.7	75.4	72.5	*	76.5	75.7	74.2	73.1
Late or no care	4.4	3.7	5.9	*	*	*	*	5.8
Virginia Beach city, Virginia								
Number								
Low birthweight	459	250	186	4	19	19	237	185
Care beginning in first trimester	5,379	3,932	1,146	16	285	234	3,720	1,135
Late or no care	169	89	68	1	11	6	84	66
Percent								
Low birthweight	7.4	5.7	12.8	*	*	*	5.7	12.9
Care beginning in first trimester	86.8	89.6	79.2	*	84.1	84.2	89.9	79.5
Late or no care	2.7	2.0	4.7	*	*	*	2.0	4.6

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Waco, Texas								
Number								
Low birthweight	182	130	50	-	2	47	84	49
Care beginning in first trimester	1,426	1,104	308	2	12	414	690	307
Late or no care	194	141	52	-	1	89	53	51
Percent								
Low birthweight	7.9	7.4	9.6	*	*	6.0	8.6	9.5
Care beginning in first trimester	63.3	64.1	59.8	*	*	53.7	72.4	60.1
Late or no care	8.6	8.2	10.1	*	*	11.5	5.6	10.0
Warren, Michigan								
Number								
Low birthweight	132	120	4	-	8	-	106	4
Care beginning in first trimester	1,472	1,326	51	6	89	19	1,233	48
Late or no care	28	24	3	-	1	1	21	1
Percent								
Low birthweight	7.9	8.0	*	*	*	*	7.6	*
Care beginning in first trimester	91.2	91.5	85.0	*	93.7	*	91.7	88.9
Late or no care	1.7	1.7	*	*	*	*	1.6	*
Waterbury, Connecticut								
Number								
Low birthweight	147	98	45	-	4	46	49	44
Care beginning in first trimester	1,212	921	261	3	27	340	593	243
Late or no care	73	47	22	1	3	21	26	22
Percent								
Low birthweight	8.9	8.0	11.9	*	*	9.1	6.7	12.3
Care beginning in first trimester	76.8	78.4	71.9	*	71.1	70.7	83.8	71.3
Late or no care	4.6	4.0	6.1	*	*	4.4	3.7	6.5

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Wichita, Kansas								
Number								
Low birthweight	499	377	99	7	16	40	336	99
Care beginning in first trimester	5,531	4,573	629	52	277	504	4,066	629
Late or no care	166	120	37	3	6	45	74	37
Percent								
Low birthweight	7.7	7.1	12.2	*	*	5.3	7.4	12.2
Care beginning in first trimester	85.9	87.4	77.7	75.4	84.7	70.4	90.1	77.7
Late or no care	2.6	2.3	4.6	*	*	6.3	1.6	4.6
Winston-Salem, North Carolina								
Number								
Low birthweight	368	172	195	-	1	54	118	195
Care beginning in first trimester	2,699	1,683	977	2	37	456	1,228	976
Late or no care	90	45	45	-	-	29	16	45
Percent								
Low birthweight	11.9	9.0	17.0	*	*	8.9	9.0	17.0
Care beginning in first trimester	87.1	88.0	85.1	*	100.0	75.4	93.9	85.1
Late or no care	2.9	2.4	3.9	*	*	4.8	*	3.9
Worcester, Massachusetts								
Number								
Low birthweight	222	159	46	1	16	58	103	44
Care beginning in first trimester	2,042	1,686	218	5	133	441	1,275	189
Late or no care	89	63	20	1	5	35	31	17
Percent								
Low birthweight	9.0	8.0	15.6	*	*	9.5	7.2	17.6
Care beginning in first trimester	82.6	84.5	73.9	*	77.3	72.4	89.1	75.3
Late or no care	3.6	3.2	6.8	*	*	5.7	2.2	*

Table 1-25. Number and Percent of Births of Low Birthweight, and Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: United States, 1999

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								

Yonkers, New York

Number								
Low birthweight	231	125	89	1	16	72	56	86
Care beginning in first trimester	1,677	1,210	342	2	123	496	716	330
Late or no care	490	358	110	-	22	245	114	109
Percent								
Low birthweight	8.6	6.5	14.7	*	*	7.5	5.8	14.6
Care beginning in first trimester	65.2	65.5	60.9	*	76.4	53.6	77.2	60.4
Late or no care	19.1	19.4	19.6	*	13.7	26.5	12.3	20.0

- Quantity zero.

* Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.