

# VITAL STATISTICS OF THE UNITED STATES

1960

VOLUME II—MORTALITY  
PART A



U.S. DEPARTMENT OF  
HEALTH, EDUCATION, AND WELFARE

ANTHONY J. CELEBREZZE, SECRETARY  
PUBLIC HEALTH SERVICE

LUTHER L. TERRY, SURGEON GENERAL

WASHINGTON: 1963

## NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH. D., *Director*

THEODORE D. WOOLSEY, *Assistant Director*

O. K. SAGEN, PH. D., *Assistant Director*

## NATIONAL VITAL STATISTICS DIVISION

O. K. SAGEN, PH. D., *Chief*

ROBERT D. GROVE, PH. D., *Assistant Chief*

MONROE G. SIRKEN, PH. D., *Surveys and Actuarial Branch*

ELEANOR L. MADIGAN, *Computer Applications Branch*

J. K. KNEE, *Conference and Training Branch*

HUGH CARTER, PH. D., *Marriage and Divorce Statistics Branch*

LILLIAN GURALNICK, *Mortality Statistics Branch*

ANDERS S. LUNDE, PH. D., *Natality Statistics Branch*

HAZEL V. AUNE, *Registration Methods Branch*

MARVIN C. TEMPLETON, *Statistical Operations Branch*

MARSHALL C. EVANS, *Administrative Services*

JOHN STORCK, PH. D., *Staff Assistant*



# VITAL STATISTICS OF THE UNITED STATES, 1960

## VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

### PART A

Section 1. Mortality Analysis and Summary Separate release.

Text discussion of national trends and differences between population groups; charts. Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and selected morbidity data.

Section 2. Life Tables Separate release.

Text discussion of national trends in expectation of life. Abridged life tables and interpolated values of the  $l_x$  and  $e_x^o$  by single years of age for the national population by color and sex.

Section 3. Infant Mortality Separate release.

Text discussion of national trends for infant and neonatal mortality. Tabulations of infant deaths and death rates by color, by sex, by cause of death, and by State. Additional frequency tables by month of death, urban and rural and metropolitan and nonmetropolitan areas.

Section 4. Fetal Mortality Separate release.

Text discussion of registration practices; trend analysis; tabulations of numbers of deaths and ratios by age of mother, period of gestation, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, birth weight.

Section 5. General Mortality: Tables

Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, month, and marital status.

Section 6. Accident Mortality Detail: Tables

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

Section 7. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics in Volume II.

Section 8. Index

Consolidated indexes of the text and statistical tables in Volume II.

### PART B

Section 9. Geographic Detail for Mortality: Tables

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates. Tabulations shown by each State, county, specified urban places, population-size groups, metropolitan and nonmetropolitan counties, urban and rural areas, and standard metropolitan statistical areas.

Section 10. Puerto Rico and Virgin Islands: Tables

Frequency tabulations for most variables shown in other sections in Volume II. General mortality rates by age, sex, and cause of death.

### **Symbols used in tables**

Class or item not applicable-----	...
Data not available-----	---
Quantity zero in frequency tables-----	-
Quantity zero in rate or percent tables-----	0
Rate or percent more than 0 but less than 0.05-----	0.0
Both frequency and population base zero in rate or percent tables-----	-
Figures within parentheses not included in totals----	( )

# *Section 1. Mortality Analysis and Summary*

	Page
Highlights of 1960-----	1-3
Specific death rates by age, color, and sex-----	1-3
Leading causes of death, 1960-----	1-5
General mortality trends-----	1-5
Rates for the total population-----	1-5
Death rates by age, color, and sex-----	1-6
Causes of death, 1951 to 1960-----	1-7
Mortality by geographic areas-----	1-10
Mortality for urban and rural areas-----	1-10
Mortality by geographic division and State-----	1-11
Death rates by specified race-----	1-15
Residence statistics-----	1-16
Maternal mortality-----	1-16

## Figures

1-1. Death rates by age, color, and sex: United States, 1960-----	1-4
1-2. The 10 leading causes of death, by color and sex: United States, 1960-----	1-5
1-3. Death rates: Death-registration States, 1900-1960-----	1-6
1-4. Age-adjusted death rates by color and sex: Death-registration States, 1900-1960-----	1-6
1-5. Crude death rates by State: United States, 1960-----	1-12
1-6. Age-adjusted death rates by State: United States, 1960-----	1-13
1-7. Maternal mortality rates by color: Birth-registration States, 1915-60-----	1-16

## Text Tables

1-A. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-60-----	1-18
1-B. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-60-----	1-19
1-C. Death rates by age, color, and sex: United States, 1950-60-----	1-20
1-D. Death rates by age, color, and sex: United States, 1960-----	1-21
1-E. Deaths and death rates by specified race, age, and sex: United States, 1960-----	1-22
1-F. Deaths and death rates for males, including deaths among Armed Forces abroad, by age and color: United States, 1960-----	1-22
1-G. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1960-----	1-23
1-H. Mortality from 15 leading causes of death: United States, 1960-----	1-23
1-J. Age-adjusted death rates for selected causes, by color and sex: United States, 1960-----	1-23
1-K. Mortality from selected causes of death: Death-registration States, 1900-1930, and United States, 1940-60--	1-24

## Text Tables—Continued

	Page
1-L. Death rates for 59 selected causes: United States, 1950-60 -----	1-25
1-M. Death rates for 59 selected causes, by age, color, and sex: United States, 1960 -----	1-26
1-N. Death rates by color and sex, for metropolitan and nonmetropolitan counties: United States, 1950 and 1960 ---	1-34
1-O. Death rates by color, for urban and rural areas, and population-size groups in metropolitan and nonmetropolitan counties: United States, 1960 -----	1-34
1-P. Death rates for geographic divisions: United States, 1900-1960-----	1-34
1-Q. Crude and age-adjusted death rates: United States, each division and State, 1940, 1950, and 1960, with percent decreases-----	1-35
1-R. Death rates: United States, each division and State, 1950-60 -----	1-36
1-S. Deaths by age: United States, each division and State, 1960-----	1-37
1-T. Death rates by age: United States, each division and State, 1960-----	1-38
1-U. Deaths of nonresidents in each State and deaths of residents in other States: United States, 1960-----	1-39
1-V. Deaths from 59 selected causes: United States, each division and State, 1960 -----	1-40
1-W. Death rates for 59 selected causes: United States, each division and State, 1960-----	1-44
1-X. Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1960----	1-48
1-Y. Maternal mortality rates by color: Birth-registration States or United States, 1915-60-----	1-49
1-Z. Average maternal mortality rates for urban and rural areas in metropolitan and nonmetropolitan counties: United States and each geographic division, 1958-60-----	1-49
1-AA. Average maternal mortality rates by color: United States, each division and State, 1958-60-----	1-50
1-AB. Reported cases of specified notifiable diseases: United States, 1950-60-----	1-51
1-AC. Reported cases of specified notifiable diseases: United States, each division and State, 1960-----	1-52

## SECTION 1. MORTALITY ANALYSIS AND SUMMARY

### Highlights of 1960

The level of mortality in 1960 was heightened somewhat by an influenza epidemic during the first part of the year. As a result, the crude death rate rose to 9.5 per 1,000 population, slightly higher than the rate of 9.4 recorded for 1959. The total number of registered deaths for 1960 was 1,711,982. Rates for both males and females were higher than those for 1959 but identical to those for 1958 when a similar epidemic occurred (table 1-A).

The impact of the epidemic in January, February, and March may be seen by comparing the monthly rates per 100,000 population for all causes and for influenza and pneumonia, except pneumonia of the newborn, in 1959 and 1960.

MONTH	ALL CAUSES		INFLUENZA AND PNEUMONIA	
	1960	1959	1960	1959
January-----	1,082.2	1,021.7	63.9	43.3
February-----	1,119.9	974.1	88.2	38.0
March-----	1,015.1	985.5	53.4	39.1
April-----	928.1	973.5	31.4	39.0
May-----	912.7	931.7	26.0	29.4
June-----	898.9	917.1	22.9	23.4
July-----	874.9	884.6	21.4	21.7
August-----	851.5	888.0	20.4	23.9
September-----	865.0	866.4	22.5	22.6
October-----	921.1	891.4	27.8	25.3
November-----	939.9	952.6	30.8	31.2
December-----	1,014.2	984.6	39.4	38.0

Severe outbreaks of respiratory illness were reported throughout most of the country during the first quarter of the year, and the death rates for influenza and pneumonia were substantially above the level for the corresponding months of the previous year.

The death rate for only one age group, infants under 1 year of age, was lower in 1960 than in the previous year. The largest rate increase occurred among persons aged 85 years and over.

The largest increases in crude rates between 1959 and 1960, 3 to 4 percent, occurred in the three geographic divisions of the South. In no geographic division was the crude rate for 1960 lower than the level for 1959.

The increased death rate was reflected in the mortality rates recorded for a number of diseases. The death rate for 1960 for influenza and pneumonia, except pneumonia of newborn—37.3 per 100,000 population—was the highest in more than a decade. Similarly, death rates for diabetes mellitus and bronchitis, diseases generally associated with epidemic influenza in terms of increased risk of death, also were

higher than in the 1950's. The death rate for the major cardiovascular-renal diseases was the third highest on record, lower only than the rates for 1957 and 1958.

In the past decade, which was marked by small changes in the total death rate, two groups of causes of death have become conspicuous by their sharp increases. The death rate for malignant neoplasms of the respiratory system has continued its upward trend since 1930, when this category was first classified separately, rising from 14.1 per 100,000 population in 1950 to 22.2 in 1960. The group Other Diseases of Respiratory System has almost doubled in rate since 1950 with its largest component, emphysema without mention of bronchitis, increasing from a rate of 0.8 per 100,000 population recorded for 1950 to 5.2 for 1960.

### Specific death rates by age, color, and sex

Figure 1-1 and table 1-D show the age-specific death rates for 1960 for white and nonwhite males and females. The age pattern of mortality is, as usual, similar for each of the four color-sex groups; high rates in infancy are followed by successively lower rates until the minimum is reached during grade school age; then the rates rise for each older age group. The one exception is that the rate for white males is higher at ages 20-24 than at 25-29 years. This is also true for the population including Armed Forces abroad (table 1-F) and reflects the predominance of accidents, particularly motor vehicle accidents, as a cause of death among white male adults.

The mortality rates are, in general, higher for nonwhites than for whites and for males than for females. The excess mortality for nonwhites is evident in every age group under 75 years, but beyond this age group the rates for whites are higher. The lower rates for nonwhite groups in the oldest age categories may result from more inaccurate statements of age among the nonwhite population. Excess mortality for males is slightly greater among whites than among nonwhites, and the relative differences in rates by color for age-sex groups are greater for females than for males.

When death rates for the period 1950-60 are examined by age (table 1-C) it may be seen that the larger part of the declines registered between 1950 and 1960 occurred in the years from 1950 to 1954. Since 1954, in fact, the age-specific death rates at ages 1-34 have been virtually unchanged, while for the age groups 35-74 years the very moderate rate changes that have taken place have reflected largely the presence or absence of epidemic conditions during the particular year. The age group 85 years and over, by virtue of being an open-end category, is not strictly comparable to the other age groups. Deaths in this age group in 1960 are shown by single years of age in table 1-G.

SECTION 1 - MORTALITY

FIGURE 1-1





FIGURE 1-2

### THE 10 LEADING CAUSES OF DEATH, BY COLOR AND SEX: UNITED STATES, 1960

(Rates per 100,000 population in specified group enumerated as of April 1)



decline in tuberculosis mortality. This cause, which ranked as the 7th leading cause of death in 1950, was 15th in 1959, and dropped below 15th place in 1960. The death rate for this cause has fallen continuously from 22.5 per 100,000 population in 1950 to 6.1 in 1960. Ulcer of stomach and duodenum replaced tuberculosis in 1960 as 15th cause; its appearance was the first change in causes included among the leading 15 in 8 years. The only other difference in rank order between 1960 and 1959 was that suicide, which had been the 11th leading cause in 1959, became the 12th, reversing positions with other diseases of the circulatory system.

### General Mortality Trends

#### Rates for the total population

*Crude death rates.*—Table 1-A and figure 1-3 show the crude death rate for each year from 1900 through 1960. Within this period the crude death rate decreased by 47 percent, from 17.2 per 1,000 population in 1900 to a low of 9.2 in 1954. The decline from 1900 to 1953 had been fairly continuous, the only major interruption being the influenza pandemic of 1918, when the rate rose to 18.1. The decrease in the death rate between 1953 and 1954, which was unusually large, reflected primarily the fact that 1954 was a year singularly free of epidemics of respiratory disease. Since that year the crude rate appears to have fluctuated within a narrow range. The rate of 9.5 in 1960 corresponded to the average rate for the decade 1950-59.

It will be seen from figure 1-3 that the rate of decline varied throughout the period 1900-1954. Between 1900 and 1917 the rate declined almost three times faster than it did for the period 1921-37. Probably reflecting the successive introduction of serum therapy, the chemotherapeutic drugs, and antibiotic agents, the trend again accelerated beginning in 1938. The fall in the crude death rate for 1938-54 was almost twice as rapid as that for the preceding period. Changes in the crude death rate over the years are brought about not only by changes in health conditions but also by changes in the characteristics of the population—particularly the age distribution. The decline in the crude death rate during the first half of this century resulted chiefly from improved mortality among infants, children, and young adults. The survival of children to adult ages, the halt in the flow of immigrants after World War I, and the decline in fertility of successive cohorts of American women—all contributed to the aging of the population. The median age of the population of the death-registration States advanced from 26.2 years in 1910 to 30.2 years in 1950. Since 1950, however, the relatively high level of the birth rate has checked the rise in the median age, bringing the figure down to 29.5 years at the 1960 census.

*Age-adjusted death rates.*—A rate free of the influence of the changes in age composition of the population is needed to evaluate the trend of mortality. The age-adjusted death rate is such a refinement of the crude death rate, valuable because it removes the effect of differences in age composition between two populations. The age-adjusted rates in this volume are computed by using the distribution of the


### Leading causes of death, 1960

In 1960 nearly 90 percent of all deaths were from the 15 leading causes<sup>1</sup> of death (figure 1-2 and table 1-H). The first three causes of death alone—diseases of heart, malignant neoplasms, and vascular lesions of central nervous system—accounted for 66 percent of all deaths. About 40 percent of all deaths to whites were from diseases of heart compared with about 28 percent to nonwhites. Malignant neoplasms, too, was a cause of death proportionally greater among whites than among nonwhites.

The chief change in rank order among the 15 leading causes of death in recent years has resulted from the

<sup>1</sup>For explanation of method of ranking, see Technical Appendix.

FIGURE 1-3



enumerated population of the United States in 1940 as a standard population. Each figure represents the rate that would have existed if the age-specific rates of the data year prevailed in a population whose age distribution was like that of the United States in 1940. The age-adjusted death

rates for the total population and for the four color-sex groups are shown in table 1-B for the expanding group of death-registration States from 1900 to 1960. For the total population the rate of 7.6 per 1,000 population was the same in 1960 as the rate for 1954-56 and 1958; only the rate for 1959 was lower. For each color-sex group, the age-adjusted death rate was also slightly higher in 1960 than in the previous year.


Age-adjusted rates are abstract figures and should not be compared with the crude rates for the same year. However, they may be compared with other age-adjusted rates based on the same standard population. The trend of the crude death rates discussed earlier showed that the rate of decline had decreased following the 1918 epidemic, and had resumed at an accelerated pace after 1938. From the age-adjusted rates (figure 1-4), it may be seen that the rate of decline in the period 1921-37 was only slightly slower than that for the period 1900-1917. However, the decline during the period 1938-54 was even more rapid than that shown by the crude death rate.

The relative change between 1950 and 1960 for the age-adjusted death rate differs notably from that for the crude death rate. While almost no change was shown in the crude rate, the decrease in the age-adjusted rate for the decade was about 10 percent. The record low crude death rate was registered in 1954; the lowest age-adjusted death rate was reached in 1959.

**Death rates by age, color, and sex**

*Specific rates.*—Death rates by age, color, and sex for 1950-60 are shown in table 1-C. This table continues the series shown in Volume I of *Vital Statistics of the United*

FIGURE 1-4





States, 1950, table 8.40, for 1900-1950. The figures show that the rates tended to become relatively stable since 1954.

Without exception, the 1960 rate was lower than that for 1950 for each color-sex group at every age interval. The greatest relative reductions between 1950 and 1960—all at least about 15 percent—were for rates in the age groups under 45 years. Declines between 1950 and 1960 were proportionally greater for females than for males at all ages under 85 years. Reductions in the death rates for females within the age groups 55-84 years, in particular, were substantially larger than those for males in the comparable age groups. Except for infant deaths and for ages 75-84 years, death rates for the nonwhite population at all ages declined more rapidly than did rates for the white population. Among the nonwhite population, rates for age groups from 1 to 54 years decreased by more than 20 percent between 1950 and 1960. For the age groups 55 years and over, declines were under 12 percent.

*Age-adjusted death rates.*—Figure 1-4 shows that the gap between the age-adjusted death rate for males and that for females for both color groups has increased in recent decades. Among the white population the age-adjusted death rate for males in 1960 was 64 percent greater than that for females; this compares with 48 percent in 1950. For the nonwhite population the age-adjusted death rate for males was 36 percent above the rate for females in 1960 and 25 percent in 1950. The divergence between the age-adjusted death rates of the two color groups has lessened over the years; nevertheless, considerable difference remains. In 1960 the age-adjusted rate for nonwhites was 42 percent higher than that for whites. In 1950 and in 1940 the rates for the nonwhite population were 54 and 60 percent, respectively, above the rates for the white population.

### Causes of Death, 1951 to 1960

During the past decade most of the year to year changes in death rates for the causes shown in table 1-L have been slight. Most causes of death, except for those infective diseases which follow cyclical patterns, have tended consistently either to rise or to fall. Death rates for diseases that respond to new or increased use of drugs, and those that reflect improved nutritional levels or better conditions of environmental sanitation have continued in most cases to decline, while rates for some of the chronic diseases associated with aging have remained almost level or even increased during this period. The changes which occurred between 1957 and 1958 were to varying extents also influenced by the fact that the cause of death in these 2 years was assigned under two successive revisions of the International Lists, the Sixth and the Seventh.<sup>2</sup> Data for certain earlier years are shown for selected causes of death in table 1-K. Age-adjusted death rates for specified causes of death are shown by color and sex in table 1-J.

<sup>2</sup>For a discussion of the comparability between the Sixth and Seventh Revisions, see Section 1, Volume I, *Vital Statistics of the United States, 1958*, National Office of Vital Statistics, Washington, U.S. Government Printing Office, 1960.

The list of causes of death shown in tables 1-L and 1-M is based on List B, the Abbreviated List of 50 Causes for Tabulation of Mortality, recommended by the World Health Organization. This list serves to illustrate major trends in mortality; additional detailed data are shown in Section 5, Volume II, *Vital Statistics of the United States, 1960*, for the 255 selected cause list, an extension of List A, the International List of 150 Causes for Tabulation of Morbidity and Mortality.<sup>3</sup> Deaths assigned to these causes by age, race, and sex appear in table 5-9 for 1960 and in a similar table for earlier years. Deaths and death rates for each cause appear in table 5-6 for 1960 and in an equivalent table for earlier years.

*Infectious diseases.*—The remarkable decline in tuberculosis mortality since the start of the 20th century continued without interruption during the past decade. The death rate for tuberculosis, all forms, dropped from 20.1 per 100,000 population in 1951 to 6.1 in 1960 (table 1-L). Mortality from this disease has been curtailed in every age group. The death rate for each age group from under 1 year to 44 years fell by more than 80 percent during the past 10 years; rates for the remaining age groups also declined, the percentage tending to decrease with increasing age. For both sexes, the tuberculosis death rate for 1960 falls to a low at 5-14 years of age of only 0.1 per 100,000 population (table 1-M) and then rises in each succeeding age group to a peak at 85 years and over of 64.9 per 100,000 population for males and 23.5 for females. From 15 to 24 years of age the rate was higher for females than for males but it was about the same for both sexes at 25-34 years. From 35 to 64 years of age the rate rises more rapidly for males so that the sex differential is greatest at ages 55-74 years, after which it decreases somewhat.

Downward trends in the tuberculosis death rate for sex and color groups noted during the 1940's were accentuated over the past decade. The rate of decline has continued to be greater for females than for males, and for nonwhites than for whites. Mortality still varies widely by color, however, and the death rate for nonwhites—13.2 per 100,000 population in 1960—was about 2½ times that of 5.1 for whites. A decade earlier the rate for nonwhites had been 3½ times that for whites. The color differential was most marked in the younger age groups, with the rates for nonwhites more than seven times those for whites aged 15-34 years.

Most deaths from tuberculosis in 1960 were from tuberculosis of the respiratory system, for which the death rate was 5.6 per 100,000 population compared with that of 0.4 for tuberculosis, other forms. The relative difference in mortality by sex is considerably greater for respiratory than for the nonrespiratory forms of the disease. In 1960 the respiratory tuberculosis death rate for males was 8.4 per 100,000 population, almost three times that for females (2.9). For nonrespiratory tuberculosis, the death rate for males was 0.5, for females, 0.4.

<sup>3</sup>See discussion on cause of death in the Technical Appendix.

The trend of the death rate for syphilis and its sequelae has been steadily downward from 4.1 per 100,000 population in 1951 to 1.6 in 1960. In 1939, the year that marks the approximate beginning of the rapid decline for this cause, the rate was 15.0 per 100,000 population. In 1960, the rates were 2.4 for males and 0.9 for females.

The death rates for pneumonia, except pneumonia of newborn, declined swiftly after the introduction of chemotherapy in 1938, reaching their lowest levels during the years 1949-56. The influenza epidemic of 1957-58 resulted in sharp increases in the rates for all ages. In 1959 the age-specific rates declined from the 1957 and 1958 levels, but these rose again in 1960 because of an epidemic in the early part of the year.

Another group of respiratory diseases, which is included in the residual of table 1-L, has shown a remarkable increase in rates in recent years. The rates for 1950 and 1960 per 100,000 population for these causes are:

	1960	1950
Other bronchopulmonic diseases -----525-527	9.6	3.3
Other chronic interstitial pneumonia-----525	2.2	0.7
Bronchiectasis -----526	1.3	1.4
Other diseases of lung and pleural cavity-----527	6.0	1.2
Pulmonary collapse (1 year and over) ----- 527.0	0.1	0.1
Emphysema without mention of bronchitis -----527.1	5.2	0.8
Other -----527.2	0.8	0.3

For the group as a whole relatively little if any of the rise can be ascribed to increased assignments under the Seventh Revision of the International Lists as compared with the Sixth Revision.<sup>4</sup> For emphysema without mention of bronchitis, the subcategory which has shown the most rapid growth, an increase of only about 2 percent resulted from transfers in classification. For another subcategory—other diseases of lung and pleural cavity—the transfer of “hyaline membrane” to ill-defined diseases peculiar to early infancy resulted in a net decrease of 56 percent; despite this change, however, the rate for the subcategory was higher in 1960 than in 1950. On the other hand, the small decline in the rate for the category bronchiectasis between 1950 and 1960 occurred in the face of an increase of about 15 percent in assignments resulting from the new provisions. Classification changes did not significantly affect other chronic interstitial pneumonia; the death rate for this category tripled between 1950 and 1960.

*Chronic diseases.*—In 1960, 55 percent of all deaths were caused by the major cardiovascular-renal diseases compared with 53 percent in 1950 (table 1-K). The importance of this group of diseases, which had risen steadily over the first half of the present century (the group accounted for 20 percent of all deaths in 1900), thus appears

to have changed relatively little in the last decade. The death rate for the major cardiovascular diseases, which had been generally increasing from 1949 to 1956, rose sharply in 1957 and 1958, chiefly as a result of the influenza epidemic, attaining record levels of 523.7 deaths per 100,000 population each year. The death rates in 1959-60, although below those of 1957-58, were higher than in 1956. A small part of the increase in level of the rates since 1958 has been brought about by changes in classification introduced in the Seventh Revision.<sup>5</sup>

Within this complex of diseases the trends for the various components have varied, reflecting a number of factors. Some of these are the improved diagnostic ability of physicians, the increasing proportion of deaths occurring in hospitals or related institutions, and new concepts in the developing science of medicine. Another important factor has been the revision of the International Lists. Changes within the major cardiovascular-renal group in the Seventh Revision resulted largely from changes in designating assignment when two or more conditions classifiable to the group are jointly reported. Deletion of a note of preference for arteriosclerotic heart disease was responsible for a decrease of about 8 percent in this category and much of the increase in other causes. Causes receiving increased assignments (and the percentage change) included: other diseases of heart (10), hypertensive heart disease (11); and other hypertensive disease (33). The relatively large increase for the latter group occurred in part because of a note giving greater preference to conditions in this category.

Cardiovascular-renal disease mortality varies considerably by age, color, and sex. The risk of dying from this group of diseases, which is progressively higher with increasing age, is greater for males than for females at every age. The ratio of death rates is at a maximum at ages 35-64 years when the rates for males are more than twice those for females. The rates for nonwhites are at least twice those for whites at all ages under 55 years. They are also higher at 55-74 years but are below rates for whites at older ages. Between 1950 and 1960 age-specific death rates for males and females for both color groups declined at all but the age extremes (under 1 year, 85 years and over). The downward trend was most evident for children and young adults. Declines for adults generally were greater for females than for males and for nonwhites than for whites.

The death rate for vascular lesions affecting central nervous system, one of the components of the diseases of cardiovascular system, also showed the impact of the influenza epidemic. The rates had varied within a fairly narrow range from 1950 to 1956, then rose in 1957-58 and declined in 1959-60 but remained above the level of the earlier years. The principal changes since 1950 have been reduced rates at ages 45-64 years and increments for the groups 85 years and over. This has been true for both sexes.

In 1960 the death rates for vascular lesions affecting central nervous system were higher for both the nonwhite males and females than for the white at all ages under 75 years. The rates were higher for the white of both sexes only at ages 75 years and over. Among persons in the age groups from 25 to 64 years the level of mortality attributed

<sup>4</sup>Source: Unpublished National Vital Statistics Division data.

<sup>5</sup>See reference cited in footnote 2.

to this cause of death generally was three to five times higher among nonwhites than among whites. The death rates for other diseases of circulatory system have increased every year since 1950; the rate of 11.0 per 100,000 population in 1960 was more than twice that of a decade earlier. The rates for rheumatic fever and chronic rheumatic heart disease, nonrheumatic chronic endocarditis and other myocardial degeneration, hypertensive heart disease and chronic and unspecified nephritis and other renal sclerosis have decreased annually, with but few exceptions, since 1950. The downward trend for other hypertensive disease was only apparently interrupted in 1958, the first year the Seventh Revision of the International Lists was used. When rates are adjusted for the change produced by the revision, it is evident that the declining trend was continued.<sup>6</sup> Since 1955 the death rate for general arteriosclerosis has fluctuated at a level higher than the low point of 1954 but below the levels obtaining from 1950 to 1953.

The death rate for arteriosclerotic heart disease, including coronary disease, has increased formidably during the past decade. The death rate for this cause was 275.6 per 100,000 population in 1960 compared with 213.0 in 1950. The percent of all deaths from major cardiovascular-renal diseases attributed to this component rose from 42 to 53 percent during this period. During the same years the rate for males for arteriosclerotic heart disease has risen from 277.8 per 100,000 population to 348.0 and from 149.1 to 205.4 for females. The rise in rates for males resulted from increases at all ages above 24 years. In general, the older the age group the greater has been the percentage increase in the death rate. Among females rates are now higher than in 1950 among the population 55 years and over, but except at the oldest ages, the changes have not been as marked as among males. For both sexes in 1960 the rates were low at ages under 25 years and then rose rapidly in successive age groups to reach their highest point at 85 years and over. From 15 to 44 years of age the increase in the death rate was more rapid for males than for females, the ratio of death rates by sex being over 5 for ages 35-44 years. At ages 45 years and over the rate rose faster for females so that at 85 years and over the sex differential was slight.

Mortality from malignant neoplasms increased fairly steadily over the last decade, although at a rate much reduced from that of preceding periods. Small increments were shown for the death rate each year from 1950--when the rate was 139.8 per 100,000 population--through 1957. The rate in 1958 was slightly lower than that in 1957, partly as a result of fewer assignments of deaths under the Seventh Revision. The rate has since continued upward, reaching 149.2 in 1960.

Long-established trends in mortality from malignant neoplasms continued during the 1950's. While the death rate for white females appeared to have stabilized--it was 139.9 in 1950 and 139.8 in 1960--the death rate for white males rose during these years from 147.2 to 166.1. When the rates for the 2 years are examined by age, it is seen that the rates for white females in 1960 were lower at every age than in 1950. For white males, however, death rates in 1960 at all age groups 5 years and over were higher than in 1950. These

trends are reflected in the age-adjusted death rates, which for white males have risen from 130.9 per 100,000 population in 1950 to 141.6 in 1960, while at the same time they have declined for white females from 119.4 to 109.5. Among nonwhite males the death rates for malignant neoplasms in 1960 exceeded those in 1950 for every age group after childhood; the rise in the rate occurring at ages 65-74 years was particularly steep. Among nonwhite females the rates for the age groups 5-14 years and 75 years and over were higher in 1960 than in 1950. Thus while the age-adjusted death rate for nonwhite females dropped from 131.0 in 1950 to 125.0 in 1960, the rate for males increased from 125.8 to 154.8, from a figure below the female rate to one well above it. While the total death rate for malignant neoplasms for the nonwhite population remains below that for the white, the age-adjusted rates are higher. Although rate increases for nonwhites have tended to outdistance those for whites in recent years, this change may represent in part a differential effect by color of improvements in diagnostic methods and facilities on the reporting of malignant neoplasms.

When mortality for malignant neoplasms is examined by site it is seen that the outstanding change for males has been the continued increase in death rates for malignant neoplasm of respiratory system. This rate has increased every year since 1930, the first year in which this group of sites was separately classified; the rate was 38.5 per 100,000 population in 1960 compared with 23.1 in 1950. Increases among males also have occurred in the death rates for malignant neoplasms of urinary organs and of genital organs and for leukemia and aleukemia. For females, the major changes have been decreases for malignant neoplasm of genital organs and for malignant neoplasm of digestive organs. Increases have occurred in the rates for most of the other groups of sites shown in table 1-M.

The death rates for diabetes mellitus have fluctuated within a fairly narrow range in recent years; the rate for 1960 of 16.7 per 100,000 population was the highest since 1949, and the lowest was 15.5 in 1955.

The death rate for diabetes mellitus of 19.6 per 100,000 population for females in 1960 was 42 percent higher than that for males (13.8). In 1950 the excess in rate was 59 percent. The sex differential characteristic of diabetes mortality is largely a consequence of higher rates for females than for males at ages 55 years and over. In the age group 45-54 years, for example, mortality rates for males and females were identical in 1960, while at ages 65-74 years the rate for females was 42 percent higher than that for males.

In the past decade the color difference in diabetes mellitus mortality has reversed itself. In 1950 the diabetes death rate was about 14 percent higher for whites than for nonwhites; in 1960 the rate for nonwhites was about 15 percent more than that for whites. While decreases among whites took place in nearly all rates at ages 55-84 years between 1950 and 1960, extensive increases in rates occurred among nonwhites--both males and females--in these age classes. For nonwhites the death rate for females exceeded the rate for males by a considerably wider margin than for whites.

The death rate for cirrhosis of liver has been rising slowly since the midthirties. At ages under 25 years this is a minor cause of death, but the rate rises steeply with

<sup>6</sup>See reference cited in footnote 2.

increasing age. Since 1940 the rates have generally been increasing at ages 25-74 years and declining at ages 75 years and over. Increases for all age groups 25-54 years between 1950 and 1960 were in excess of 25 percent; increases at ages 55-74 years were somewhat smaller. At ages 45-54 years the death rate for cirrhosis of liver rose from 19.1 per 100,000 population in 1950 to 27.6 in 1960, a record high. On the other hand, the death rate for this cause among persons aged 75-84 years was lower in 1960 than for any previous year on record. In 1950 the risk of death from cirrhosis of liver among the population 75 years of age and over was about twice as great as that among persons 45-54 years of age. In 1960 the risks experienced by the two groups were almost equal. The death rate for males in 1960 was twice as high as that for females.

*Deaths from external causes.*—The death rate for accidents, which was relatively stable from 1950 to 1953, fell by about 7 percent in 1954 and then remained at approximately the same level through 1957. The rate decreased in 1958, chiefly as a result of fewer assignments to nonmotor vehicle accidents under the Seventh Revision, and remained about the same in 1959 and 1960. In the list of 59 selected causes, accidents are classified as motor vehicle and nonmotor vehicle, primarily in order to treat separately the former group which is relatively homogeneous compared with the latter category.

The death rate for motor vehicle accidents has been generally lower in 1958-60 than in the previous 8 years, but there is no clear downward trend. The death rate for nonmotor vehicle accidents declined rapidly from a rate of 55.7 per 100,000 population in 1943 to 33.8 in 1954. Between 1954 and 1957 the rate remained fairly level. As noted before, there was a decrease in assignments to nonmotor vehicle accidents with the advent of the Seventh Revision in 1958. The death rates since 1958, like those for motor vehicles have held stable. The long-term decrease has probably resulted in part from improved housing conditions, greater control of industrial hazards, and better medical treatment of accidents.

The category nonmotor vehicle accidents includes a number of types of accidents for which the distribution of deaths varies considerably by age and sex. For example, the death rate for accidental falls is highest among elderly females, while the loss from accidental drowning is greatest among young males. As a result, trends in age-specific death rates reflect trends in fatality for particular kinds of accidents. For infants under 1 year of age the fluctuating rates each year from 1953 forward have all been at least 10 percent below the level for 1948-52. Among children at ages 1-4 a drop of 29 percent occurred in the rate between 1945 and 1950; between 1950 and 1960, however, the decline was smaller—15 percent. Decreases in the death rates for ages up to 64 years have generally followed a similar pattern, rapid during the late 1940's and moderate in the 1950's. At ages 65 years and over, however, the general downward trends have not slackened. Among females in the three oldest age categories death rates between 1950 and 1960 dropped by more than 30 percent; among males the percentage declines tended to be only slightly lower. A limited part of the decrease was the result of the classification changes of the Seventh Revision.

While the death rate for nonmotor vehicle accidents in 1960 was 17 percent lower than in 1950, the comparable decline in the rate for motor vehicle accidents was only 8 percent. Since 1950 the number of automobiles registered and the number of vehicle miles driven have risen annually. The risk of death from a motor vehicle accident depends on these factors rather than on the size of the population, so the death rate based on the population does not reflect the hazards involved. The figures shown in table 1-L indicate the loss of population through motor vehicle accidents and are thus comparable with figures for other causes of death.

Among males aged 55 years and over there has been since 1950 a downward trend in mortality from motor vehicle accidents. Rates for males in these age groups were at least 17 percent lower in 1960 than in 1950. Among males in the younger ages the changes have been irregular. Indications of changes in the rates for females appear even more random. Among persons of both sexes the age group 15-24 years old is the only one that clearly has not experienced a decline. Despite the more notable downward trends for males the risk of dying from motor vehicle accidents in 1960 was still markedly higher among males, with the rates at all ages 2.9 times that for females. The comparable ratio in 1950 was 3.2.

The death rate for suicide has been below 11 per 100,000 population since 1951 and far below the record high of 17.4 per 100,000 population in 1932. The lowest rate—9.8—was recorded in 1957. Since then the level of the rate has risen, partly as a result of increased assignments under the Seventh Revision. Rates for suicide are much higher for males than for females, and in each sex group are higher for whites than for nonwhites.

The death rate for homicide reached a high of 9.8 per 100,000 in 1933 and then fell steadily for more than a decade. From the postwar high of 6.4 in 1946 the rate dropped to 4.5 in 1955 and has since hovered about this level. In each sex group, rates have been much higher for nonwhites than for whites. As with suicide, rates are higher for males than for females.

### Mortality by Geographic Areas

#### Mortality for urban and rural areas

*Standard metropolitan statistical areas.*—In 1960 over three-fifths of all deaths were to residents of the 201 standard metropolitan statistical areas. The crude death rate for these areas, 9.3 per 1,000 enumerated population, was lower than the rates of 10.0 for all nonmetropolitan areas and 9.5 for the country as a whole. (See table 1-N and table 9-5 in Section 9, Part B of Volume II, *Vital Statistics of the United States, 1960*.) Counties which are included in the standard metropolitan statistical areas (SMSA's) or, in New England, in the metropolitan State economic areas (MSEA's), are called metropolitan counties; all other counties are classified as nonmetropolitan. (For further explanation, see Technical Appendix.)

*Metropolitan and nonmetropolitan counties.*—Death rates in 1960 for the sum of nonmetropolitan counties for the total population and for each color-sex group are higher than rates for the combined metropolitan counties (table 1-N). The age composition of the total population partially explains this difference; the high-risk group—65 years and over—ac-

counts for 10.1 of the total population in nonmetropolitan counties and 8.7 percent in the other counties. Age-specific rates by type of county for both 1950 and 1960 are shown below:

AGE	METROPOLITAN COUNTIES		NONMETROPOLITAN COUNTIES	
	1960	1950	1960	1950
ALL AGES-----	9.3	9.7	10.0	9.6
Under 1 year-----	26.0	30.3	28.7	36.2
1-4 years-----	1.0	1.2	1.3	1.6
5-14 years-----	0.4	0.5	0.5	0.7
15-24 years-----	0.9	1.1	1.3	1.5
25-34 years-----	1.4	1.6	1.6	2.0
35-44 years-----	3.0	3.6	3.1	3.6
45-54 years-----	7.8	9.0	7.1	7.9
55-64 years-----	18.0	20.4	18.3	17.2
65-74 years-----	39.6	43.1	36.0	37.7
75-84 years-----	89.0	95.2	85.3	91.2
85 years and over---	196.9	197.4	200.7	206.9

While the proportion of persons in the older age groups is higher in the nonmetropolitan counties, the death rates for every age group 45 years and over (with the exception of the open-end category 85 years and over) are lower than for the metropolitan counties. This contrasts with the consistently higher rates at all ages below 45 years. The same relationship of rates by age was shown by the rates for 1950. The rates for every age group in both types of areas declined from the figures recorded for 1950, but the amount of decline was such that the basic pattern remained unchanged.

*Urban and rural areas.*—In 1960, as in earlier years for which comparison could be made, mortality was higher in urban places than in rural areas (table 1-0). The recorded death rate for all urban places was 10.3 per 1,000 population in 1960 and for rural areas, 8.4. When the death rates for cities are grouped by population size it is seen that among each of the five groups of places of 50,000 inhabitants or more the rate exceeds the national average (9.5). The crude death rate—9.8 for places having populations of 50,000 to 100,000—becomes progressively higher as population size of city increases, reaching 11.5 for cities of 1 million persons or more. For this latter group, the fact that the proportion of the residents aged 65 years and over is 10.2 percent compared with only 9.2 percent for the Nation as a whole partially accounts for this high rate. Population figures by age were not compiled for other population-size categories.

In metropolitan counties, this difference in death rates between urban and rural areas is more pronounced than in nonmetropolitan counties. As noted in the Technical Appendix, the National Vital Statistics Division (NVSD) definition of rural includes in large part the urbanized fringe of metropolitan areas. This factor may partially explain the reported difference in urban (10.1) and rural (6.8) mortality since the suburban areas are generally inhabited by a young population subject to low mortality rates.

For the nonmetropolitan counties, the rural area (as used in this volume) includes about two-thirds of the population. In these counties the rural area defined for vital statistics tabulations more nearly corresponds to that currently delineated by the Bureau of the Census than is true for the metropolitan counties. In nonmetropolitan counties only a minor share of the population can be considered as living in suburbs of large urban centers. The high rate of 11.6 for places of 2,500 to 10,000 may be due in part to errors in urban and rural classification. An overstatement in urban deaths may occur because the distinction between residence within the incorporated city, which is classified as urban, and residence outside the city limits (rural) has always been a difficult one to make from the information on the death certificate.

A change in the residence item on the 1956 certificate was made in order to improve the allocation of residence to urban areas. The revised certificate, which will be in use for the decade 1956-65, contains checkboxes for answers ("yes" or "no") to the question, "Is residence inside city limits?" No direct measures of the changes produced in the numbers of deaths assigned to urban areas as a result of the revisions are available. Examination of annual data for individual cities suggests that the use of the question and checkboxes has served to improve the accuracy of the allocation for some cities. In others, there is evidence that the question may not be answered correctly.

Errors in coding place of residence occur between the urban and rural parts of both metropolitan and nonmetropolitan counties but not between the two types of counties. Therefore, figures for metropolitan and nonmetropolitan areas as a whole may be used with confidence. They can also serve as approximations of urban and rural differences. The proportion of the population for 1960 as defined by NVSD which falls into each area is:

	Metropolitan counties	Nonmetropolitan counties
United States --	100.0	100.0
Urban -----	75.5	36.3
Rural -----	24.5	63.7

### Mortality by geographic division and State

*Crude death rates.*—Differences in the crude death rates for States and larger geographic divisions may reflect differences in health conditions to some extent, but, in part, may also be attributed to the major variations in the age, race, and sex composition of the population for each area. For example, the relatively high death rates for most of the States of the Northeast are associated with the older average age of persons living in this area and do not necessarily indicate less favorable mortality conditions.

The crude death rates in 1960 by State of residence, shown in table 1-R, range from 5.6 per 1,000 population for Hawaii, which following its admission to statehood is

included in the rates for the United States for the first time this year, to 11.5 for the District of Columbia. In Hawaii the percentage of the population over 65 years of age (4.6) is smaller than in any other State except Alaska, where the crude death rate is almost as low. In the District of Columbia the proportion of the population over 65 years of age is about the same as the average for the entire country (9.2). In addition, the District of Columbia is entirely urban, and comparison of its rates with rates for cities of over one-half million persons, therefore, are more meaningful than comparisons with rates for the 50 States.

In general, in 1960 as in the 2 preceding decennial years, the higher crude rates were for residents of the Northeast and North Central Regions and the lower rates for those in the Southern and Western States (figure 1-5).


Among the geographic divisions the largest absolute increase in crude death rates between 1950 and 1960 was recorded for the East South Central States, paralleling the greatest increase in median age of the population. The greatest reduction in crude death rates and the largest drop in median age took place in the Pacific Division. The

median ages (in years) of the populations in the geographic divisions of the United States in 1960 and 1950 were as follows:

	1960	1950
New England-----	31.6	32.3
Middle Atlantic -----	32.6	32.7
East North Central -----	29.6	31.2
West North Central-----	30.0	31.1
South Atlantic-----	27.5	27.3
East South Central -----	26.7	26.2
West South Central -----	27.2	27.7
Mountain -----	25.9	27.5
Pacific-----	29.7	31.8

In about half the States crude death rates were higher in 1960 than in 1950. The higher rates, though not confined to a single region, were most characteristic of Southern States.

FIGURE 1-5





The greatest absolute increases in crude death rates between 1950 and 1960—upwards of 1.0 death per 1,000 population—occurred in Arkansas, Oklahoma, and West Virginia. The median age of the population in these three States also showed the greatest increment between the 2 census years. In a period when the median age of the Nation as a whole dropped, the median age of the population within each of these States rose by more than 1 year, evidently a result of large-scale age-selective out-migration.

Conversely, the sharpest declines in median age (2.5 years) between 1950 and 1960 took place in the two States—Alaska and Delaware—where crude death rates decreased most.


Death rates for geographic divisions of the United States from the period when the division as a whole became part of the death-registration area through 1960 are shown in table 1-P.

*Age-adjusted death rates.*—Owing to the wide variation in the age structure of the population across the Nation, rates for individual States free of the effects of age are better measures of mortality conditions than are crude rates.

Rates for 1940, 1950, and 1960 adjusted for differences in the age composition of the population are shown in table 1-Q. These are the rates that would have obtained in each State if the age distribution of its population were the same as that for the United States in 1940. The range of rates for 1960 is considerably reduced from that seen for the crude death rates. The highest rate was 9.2 per 1,000 population for residents of South Carolina, and the lowest (6.6) for residents of Iowa, Kansas, and Nebraska. By geographic division, the lowest rates are found for the West North Central and Pacific, the highest for the South Atlantic and East South Central States. (See figure 1-6.)

The range of the age-adjusted death rates by geographic divisions shown in table 1-Q was somewhat smaller in 1960 than in 1940. In 1960 the rate for the South Atlantic Division (8.1), where the level of mortality adjusted for age was highest, was less than 18 percent above the rate for the West North Central Division (6.9), where the level was lowest. In 1940, when rates for the same two divisions also marked the respective extremes, the corresponding difference was 33 percent.

FIGURE 1-6



Between 1940 and 1960 the decline in the age-adjusted rate for the United States as a whole was almost 30 percent. The reductions for most of the States were of a similar order of magnitude—for more than three-fourths of the States the decrease ranged between 25 and 35 percent.

Although without exception, the age-adjusted rates in 1960 for the total population of each State were lower than the rates for 1950 (table 1-Q), the percent reductions in this period were uniformly less than those between 1940 and 1950. Between 1940 and 1950 the decline was less than 15 percent in only two States and was more than 20 percent for over half the States. By comparison, between 1950 and 1960 the decline was below 15 percent in all States except Alaska (a Territory in 1950) and was between 5 and 10 percent for a majority of the States. The distribution of the percent declines in age-adjusted death rates, by intervals of 5 percentage points, among the States (including the District of Columbia but excluding Alaska and Hawaii) are shown below:

PERCENT DECREASE	NUMBER OF STATES		
	1940 to 1960	1950 to 1960	1940 to 1950
35.0-39.9-----	2	-	-
30.0-34.9-----	16	-	-
25.0-29.9-----	23	-	9
20.0-24.9-----	7	-	25
15.0-19.9-----	1	-	13
10.0-14.9-----	-	17	2
5.0-9.9-----	-	29	-
0-4.9-----	-	3	-

*Age-specific rates.*—Table 1-T gives death rates by age for residents of each State for 1960. For each age group the death rates show substantial variation among the States. The lowest death rates up to 35 years were found in the New England States while rates in the East South Central Division were among the highest. The rates were lowest at ages 35-74 years in the West North Central Division and at ages 75 years and over in the West South Central Division. The highest rates for ages 35-64 years occurred in the South Atlantic Division, for 65-84 years in the Middle Atlantic Division, and for 85 years and over in the East North Central Division.

For each age group up to age 45 the highest death rate for a State was at least twice the lowest rate. The greatest contrast was for persons aged 15-24, where the rate per 100,000 population for Wyoming was 3.7 times that for Rhode Island. The smallest difference was for persons aged 65-74, where the rate for Nevada was 1.4 times that for Florida. Death rates for the population 85 years of age and over may be considerably understated for a number of States, largely because of a tendency to overstate age in the census of population among certain groups of the population. In Alaska, to cite the extreme instance, the recorded death rate is lower than that for any other State at ages 85 years and over. At

the same time, the death rate in this State is the highest in the Nation among children through 14 years of age and is close to the national average at ages 55-74 years. The low rate for the 85 years and over group could very possibly result from inaccurate statements of age, particularly among Indians and Eskimos, who comprise a greater proportion of the population of this State than of any other.

The actual number of deaths by age in each division and State is shown in table 1-S. These figures indicate, for example, that 23 percent of all deaths in Alaska were of infants under 1 year of age, while the corresponding proportion in Massachusetts was 4 percent. Differences in the population composition of geographic areas as well as in age-specific rates discussed above are reflected in the diverse rates by cause. Death rates for 59 causes of death for each division and State are found in table 1-W and the number of deaths in table 1-V.

*Random variation.*—In the statistical analysis of geographic variation of rates, a problem arises because the rates based on different population sizes have varying degrees of reliability. The rate for a large population is subject to less random variation than the rate for a small population. Thus, a rate that is the same for two areas of different population size may be significantly greater than the rate for the United States for the area of larger population but not for the smaller. One method for the assessment of differences between rates can be made by examining the deviation of each rate from the value for the United States weighted by the standard error of the rate. The distribution of the weighted deviations divided by the standard error of this distribution is approximately normal with a mean of zero, and a variance of unity. If the computed value for any State is greater than 2, it may be assumed that random variation could not account for the difference between the death rate for that State and the United States.

By this criterion of significance, the crude death rates for New York and Pennsylvania were significantly greater than the United States average of 9.5 deaths for 1,000 population. For neither of these States is this the case for any of the age groups under 65 years. The crude death rate for Texas was significantly lower than the national average. For the specified age groups, there were only three States in which an age-specific rate was significantly lower than the national figure: California for the 65-74 year group, Texas for the group 85 years of age and over, and Florida for the three age groups 65 years and over. In contrast, there were nine States and the District of Columbia in which one or more age-specific rates were significantly above the national average, as follows:

- 1-4 years-----Mississippi, South Carolina
- 5-14 years-----None
- 15-24 years-----Alabama, New Mexico
- 25-34 years-----Georgia, North Carolina, South Carolina
- 35-44 years--District of Columbia, Georgia, South Carolina
- 45-54 years--District of Columbia, Georgia, South Carolina
- 55-64 years-----Georgia, South Carolina
- 65-74 years-----New York, Pennsylvania
- 75-84 years-----New York, Pennsylvania
- 85 years and over-----Ohio



## Death Rates by Specified Race

Deaths and death rates for the white, Negro, and other nonwhite races for 1940, 1950, and 1960 are shown in the adjacent column. The recorded rates for 1960 range from 5.1 per 1,000 population for the Japanese to 10.4 for the Negro.

To some extent the divergence in rates can be explained by variations in demographic characteristics among the races. However, sizable differences in mortality by race remain when such population variables as age and sex are held constant. Socioeconomic concomitants of race have been recognized as accounting for some of the divergence. Probably these factors explain the higher crude death rate for Negroes than for whites despite the lower median age of the Negro population.

Comparison of the rates for American Indians and for the other nonwhite population over the 3 census years shown must allow for the effect of differences in classification of race in the registration of deaths and in the census of population, most particularly in the enumeration of 1950. Factors relating to classification by race in the 1960 Census of Population and for vital statistics are discussed in the Technical Appendix.

In the 1950 census, people of mixed stock of Indian and other races resident in several Southern States, particularly North Carolina, who considered themselves Indians were classified as "other nonwhite." These groups contained about 32,000 people.<sup>7</sup> It is believed that for these mixed stock, as well as for Indians living off the reservations but not in an identifiable group, who may not have been classified as Indian in the 1950 census, deaths have been registered as Indian. The death rate for Indians based on the enumerated population in 1950 was 13.0 per 1,000; based on the enumerated population plus the count of the mixed stock group, the rate was 11.9. In 1960, when the death rate for Indians was 8.6, the mixed stock as well as off-reservation Indians tended to be classified in the census of population as Indian.

The death rates for the other nonwhite population also have been affected by this difference in registration and census practice. If the mixed stock groups are subtracted from the enumerated "other nonwhite" population in 1950 the death rate for the latter group becomes 5.1 rather than 3.6, as shown in the above table. This remarkably low rate (5.1) suggests the possibility of further inconsistencies in the reporting of race on the death certificate and in the census enumeration.

The figure for the "other nonwhite" group for 1960 (5.4) is not comparable with the rate for 1950 because of the change in the population included in figures for the United States. In 1960 a majority of the enumerated persons in the "other nonwhite" group were residents of the States of Hawaii and Alaska (Hawaiians and Part-Hawaiians, Filipinos, Eskimos and Aleuts) which were not included in the death

rate for the United States in 1950. Death rates for 1960 illustrating the effect on rates for Chinese, Japanese, and

SEX AND RACE	1960	1950	1940
<b>NUMBER OF DEATHS</b>			
Total-----	1,711,982	1,452,454	1,417,269
White-----	1,505,335	1,276,085	1,231,223
Nonwhite-----	206,647	176,369	186,046
Negro-----	196,010	169,606	178,743
Indian-----	4,528	4,440	4,791
Chinese-----	1,620	1,057	1,184
Japanese-----	2,354	865	856
Other-----	12,135	401	472
Male-----	975,648	827,749	791,003
White-----	860,857	731,366	690,901
Nonwhite-----	114,791	96,383	100,102
Negro-----	107,701	92,004	95,517
Indian-----	2,658	2,497	2,527
Chinese-----	1,328	888	1,049
Japanese-----	1,572	658	633
Other-----	21,532	336	376
Female-----	736,334	624,705	626,266
White-----	644,478	544,719	540,322
Nonwhite-----	91,856	79,986	85,944
Negro-----	88,309	77,602	83,226
Indian-----	1,870	1,943	2,264
Chinese-----	292	169	135
Japanese-----	782	207	223
Other-----	3,603	65	96
<b>RATE PER 1,000 POPULATION</b>			
Total-----	9.5	9.6	10.8
White-----	9.5	9.5	10.4
Nonwhite-----	10.1	11.2	13.8
Negro-----	10.4	11.3	13.9
Indian-----	8.6	13.0	14.3
Chinese-----	6.8	9.0	15.3
Japanese-----	5.1	6.1	6.7
Other-----	5.4	3.6	9.4
Male-----	11.0	11.1	12.0
White-----	11.0	10.9	11.6
Nonwhite-----	11.5	12.5	15.1
Negro-----	11.8	12.6	15.2
Indian-----	10.1	14.0	14.7
Chinese-----	9.8	11.6	18.3
Japanese-----	7.0	8.6	8.8
Other-----	6.7	4.6	8.7
Female-----	8.1	8.2	9.5
White-----	8.0	8.0	9.2
Nonwhite-----	8.7	9.9	12.6
Negro-----	9.0	10.0	12.6
Indian-----	7.2	11.8	13.9
Chinese-----	2.9	4.2	6.7
Japanese-----	3.3	3.2	4.1
Other-----	3.6	1.7	13.3

<sup>1</sup>Includes 450 deaths of Hawaiians and Part-Hawaiians and 255 deaths of Aleuts and Eskimos.

<sup>2</sup>Includes 258 deaths of Hawaiians and Part-Hawaiians and 139 deaths of Aleuts and Eskimos.

<sup>3</sup>Includes 192 deaths of Hawaiians and Part-Hawaiians and 116 deaths of Aleuts and Eskimos.

<sup>7</sup>National Office of Vital Statistics, *Vital Statistics of the United States 1950* Volume I. Washington, U. S. Government Printing Office, 1954, ch. 8.

"Other nonwhite races" by the addition of data from the two newest States are as follows:

	Total United States	Conterminous United States	Hawaii and Alaska
Chinese -----	6.8	6.8	7.0
Japanese -----	5.1	4.9	5.3
Other nonwhite races-----	5.4	4.9	5.9

The rates shown for "Conterminous United States" for 1960 are comparable with the 1950 rates for the United States.

Deaths and death rates by age for the white, Negro, and other nonwhite races are shown in table 1-E. At the present time, population data are not available in sufficient detail to compute the rates for the individual nonwhite races other than the Negro.

**Residence Statistics**

A death in 1960 is classified as "nonresident" if the information on the death certificate indicates that it did not occur in the county or county equivalent in which the decedent had usually resided. Previously, unit of residence was defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group within the same county, or the rural area of a county. Of the 1,711,982 deaths registered in the United States in 1960, 17 percent were nonresident according to the 1960 definition (table 1-U). About four in five of the nonresident deaths occurred in the State of residence.

A summary of deaths in 1960 by place of occurrence and by place of residence is given for each State in table 1-U, showing the total amount of interstate and intrastate movement for individual States. For most States the total deaths of residents do not vary markedly from total deaths occurring within their boundaries, and for those States the reallocation of interstate nonresident deaths is relatively unimportant. The reallocation does, however, have a major effect on the data for certain communities lying close to State borders.


When the numbers of deaths on an occurrence and on a residence basis are compared, the largest proportionate difference is seen in the figures for the District of Columbia. The excess of 15 percent in the number of deaths occurring in the District of Columbia over the total deaths of residents is probably due largely to the use of hospitals in the National Capital by residents of Maryland and Virginia. Other areas for which the number of deaths reported on an occurrence basis was comparatively high relative to the number by residence (an excess of over 500 deaths) were Florida, Minnesota, Missouri, and Tennessee. States for which the total deaths of residents exceeded by more than 500 the number of deaths occurring within its boundaries were Illinois, New Jersey, and Virginia. In general, those States

in which the highest percentages of decedents were residents of other States and States the highest percentage of whose residents died outside its boundaries were sparsely populated areas such as Nevada and Wyoming.

**Maternal Mortality**

There were 1,579 maternal deaths registered in the United States in 1960. These are deaths in which the underlying cause reported by the certifying physician indicated that the death was the result of a complication of pregnancy or delivery. Maternal deaths are those assigned to International List numbers 640-689, Deliveries and complications of pregnancy, childbirth, and the puerperium.<sup>8</sup> The maternal death rate, computed for the first time in 1960 on the larger base of 100,000 live births, was 37.1. For nonwhite women, the rate was 97.9, or almost four times the rate of 26.0 for white women (table 1-X). The maternal mortality rate has declined consistently since the first year this figure was recorded. Rates for 1915-60 are shown in table 1-Y by color. Little change was evident until the midthirties, when the rates began a rapid drop which continued until 1956 (figure 1-7). In the last 5 years, rates

FIGURE 1-7



NOTE - Deaths each year are classified according to the International Lists used at that time, for discussion of comparability, see Technical Appendix

<sup>8</sup> World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*. Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1. Geneva, Switzerland, 1957.

for white mothers have been reduced slowly, reaching a minimum of 25.8 maternal deaths per 100,000 live births in 1959. The figure for 1960 is actually slightly higher. The fall in the rate has been slower for nonwhites than for whites, so that the rate in 1960 is nearly four times that for whites, while the same ratio in 1945 was under 3.

The large differences in rates by color obtain at every age shown in table 1-X. The risk of maternal death for both white and nonwhite mothers is lowest at ages under 25 years. The ratio of the rates is also at a minimum, with the nonwhite figure about three times the white. At ages 25 and over the maternal death rate increases with age until by age 40-44 years the figure is almost seven times that at 20-24 years.

The chief causes of maternal deaths are also shown in table 1-X. The percentage of all maternal deaths in 1960 assigned to the categories in the table are:

	<i>White</i>	<i>Nonwhite</i>
Toxemias of pregnancy and puerperium, except abortion with toxemia-----642,685,686	17.7	21.3
Hemorrhage of pregnancy and childbirth-----643,644,670-672	17.9	15.6
Abortion with sepsis-----651	10.4	14.6
Sepsis of pregnancy, childbirth, and puerperium---640,641,681, 682,684	12.0	8.2
Ectopic pregnancy-----645	4.5	12.0

When the number of maternal deaths is further classified by other variables, for example, by geographic area, the number in any recent year may be too small to provide statistically reliable rates. Combined data for several years may prove more useful to measure differences in rates between groups or areas (tables 1-Z and 1-AA).

Average rates for 1958-60 are shown in table 1-Z for the geographic divisions and for the urban and rural areas of metropolitan and nonmetropolitan counties within these

divisions.<sup>9</sup> As in earlier years, the lowest maternal mortality rates were found in the rural parts of metropolitan counties. These comprise chiefly the unincorporated suburbs around large cities. The rate of 49.5 for the rural parts of nonmetropolitan counties was almost twice that of 26.0 for the rural area of the metropolitan counties. In every division of the country, the rate was higher for the urban part of the metropolitan counties than for the rural. This difference varied greatly, from 0.5 percent for the West North Central States to 78 percent for the Middle Atlantic States. This relationship was reversed for the nonmetropolitan counties. In these areas, rates were consistently higher for the rural portions of each division than for the cities.

The rates for 1958-60 are shown by State and color in table 1-AA. For areas in which the number of maternal deaths in these 3 years was less than 20, the rate is underlined. Valid comparisons cannot be made for these rates. Figures by division seen in table 1-V are shown by color also in table 1-AA.

Much the same relationships as were observed for infant mortality rates between different parts of the country hold for maternal mortality rates as well. Again, the New England area registered the lowest rate of any division. Other divisions where the rate was below the national average were (in ascending order of rate) West North Central, Pacific, East North Central, Mountain, and Middle Atlantic. The divisions showing above average rates were West South Central, South Atlantic, and East South Central.

The rate for a division did not always characterize each State within it. For example, in the West South Central Division (rate 48.0) the rate for Oklahoma was 36.7, slightly below the national average. Rates of 32.1 for Maryland and 34.9 for West Virginia compare favorably with the rate of 51.4 shown for the South Atlantic Division. Rates are above average for each of the four States in the East South Central group. However, rates for Alabama and Mississippi are about double those of Kentucky and Tennessee. The rate for Mississippi is higher than that for any other State.

<sup>9</sup>For detailed definitions, see Technical Appendix.

Table 1-A. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-60

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1, for 1940, 1950, and 1960, and estimated as of July 1 for all other years)

AREA AND YEAR	Number			Rate								
	Total	White	Nonwhite	Total			White			Nonwhite		
				Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES <sup>1</sup>												
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,390,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,523,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.4	8.8
1954	1,461,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.5	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.2	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,985	170,470	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,385,617	1,232,337	153,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,235,989	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	15.5	10.5
1944	1,411,338	1,238,828	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,382,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,386,903	1,207,197	179,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES <sup>2</sup>												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.3	10.3	17.1	17.9	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,008,673	885,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,116,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	18.3	15.8	25.6	26.7	24.4
1917	961,238	862,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.6	22.3	21.2
1908	587,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.8	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,006	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	316,850	10,445	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	308,850	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.8	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

<sup>1</sup>Alaska included beginning 1959, and Hawaii, 1960.

<sup>2</sup>Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

## SECTION 1 - MORTALITY

1-19

Table I-B. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-60

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Based on age-specific rates shown in Vital Statistics of the United States as follows: Rates for 1900-1939 are shown in table 8.40 of the 1950 report; for 1940-49, in table AO of the 1954 report; and for 1950-60, in table 1-C of this report)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES <sup>1</sup>									
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.4	12.1	8.9
1959	7.5	9.5	5.9	7.2	9.0	5.5	10.3	11.8	8.8
1958	7.6	9.4	6.0	7.3	9.1	5.6	10.6	12.1	9.2
1957	7.8	9.5	6.1	7.4	9.2	5.7	10.8	12.3	9.4
1956	7.6	9.4	6.0	7.3	9.0	5.7	10.5	11.9	9.1
1955	7.6	9.3	6.1	7.3	9.0	5.7	10.4	11.8	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.7	10.6	12.0	9.3
1953	8.0	9.7	6.5	7.7	9.4	6.1	11.5	13.0	10.0
1952	8.1	9.8	6.6	7.8	9.4	6.2	11.8	13.2	10.3
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.6
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES <sup>2</sup>									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.8	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.8	18.4	16.8	27.8	28.7	27.1

<sup>1</sup>Alaska included beginning 1959, and Hawaii, 1960.<sup>2</sup>Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-C. Death Rates by Age, Color, and Sex: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	36.2	87.5	198.6
1959	9.4	27.6	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	191.2
1958	9.5	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.3	87.8	191.1
1957	9.6	28.0	1.1	0.5	1.2	1.5	3.1	7.7	17.8	38.9	88.4	188.4
1956	9.4	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.5	37.8	88.5	181.4
1955	9.3	28.5	1.1	0.5	1.1	1.5	3.1	7.6	17.3	37.9	89.0	179.3
1954	9.2	29.2	1.2	0.5	1.1	1.5	3.1	7.8	17.4	37.6	87.5	172.6
1953	9.6	30.7	1.3	0.6	1.2	1.6	3.3	8.2	18.4	39.1	92.4	183.4
1952	9.6	32.1	1.4	0.6	1.3	1.7	3.4	8.3	18.7	39.2	91.9	183.0
1951	9.7	32.3	1.4	0.6	1.3	1.8	3.5	8.5	18.8	40.0	93.2	182.3
1950	9.6	33.0	1.4	0.6	1.3	1.8	3.6	8.5	19.0	41.0	93.3	202.0
MALE												
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.6	211.9
1959	10.8	31.2	1.2	0.6	1.5	1.9	3.7	9.7	22.7	47.8	99.0	204.3
1958	11.0	31.8	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.4	100.8	204.2
1957	11.1	31.6	1.2	0.6	1.6	1.9	3.8	9.9	23.5	48.8	100.7	201.9
1956	10.8	32.1	1.2	0.6	1.7	1.9	3.7	9.6	23.0	47.2	100.6	195.1
1955	10.8	32.1	1.2	0.6	1.7	1.9	3.8	9.8	22.6	46.9	100.5	191.7
1954	10.7	33.0	1.3	0.7	1.7	2.0	3.8	9.9	22.6	46.3	98.5	185.0
1953	11.1	34.7	1.4	0.7	1.7	2.1	4.1	10.4	23.8	47.6	103.4	197.8
1952	11.1	36.2	1.5	0.7	1.8	2.2	4.2	10.5	23.9	47.5	102.6	194.6
1951	11.1	36.6	1.5	0.7	1.7	2.2	4.3	10.6	23.9	48.6	103.9	207.4
1950	11.1	37.3	1.5	0.7	1.7	2.2	4.3	10.7	24.0	49.3	104.3	216.4
FEMALE												
1960	6.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	26.7	76.3	190.1
1959	6.0	23.9	1.0	0.4	0.6	1.1	2.2	5.2	11.8	26.6	75.5	182.8
1958	6.1	24.6	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.5	182.5
1957	6.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	76.5	179.5
1956	7.9	24.3	1.0	0.4	0.7	1.1	2.3	5.4	12.3	29.4	78.7	173.0
1955	7.9	24.7	1.0	0.4	0.7	1.1	2.4	5.5	12.3	29.7	79.5	171.1
1954	7.8	25.3	1.1	0.4	0.7	1.1	2.4	5.7	12.4	29.6	76.4	164.3
1953	8.1	26.5	1.2	0.4	0.8	1.2	2.6	6.0	13.2	31.2	83.1	173.7
1952	8.2	27.9	1.3	0.5	0.8	1.3	2.7	6.2	13.5	31.5	82.8	175.1
1951	8.2	27.8	1.3	0.5	0.9	1.4	2.8	6.3	13.8	32.2	84.2	182.0
1950	8.2	28.5	1.3	0.5	0.9	1.4	2.9	6.4	14.0	33.3	84.0	181.9
WHITE												
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.2	0.9	0.5	1.0	1.3	2.6	6.8	16.2	36.8	86.8	196.2
1958	9.4	24.6	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.5	88.9	195.9
1957	9.5	24.7	1.0	0.5	1.1	1.3	2.7	6.9	16.8	38.1	89.5	193.0
1956	9.3	25.1	1.0	0.4	1.1	1.3	2.6	6.8	16.5	37.2	89.8	186.6
1955	9.2	25.3	1.0	0.5	1.1	1.3	2.7	6.9	16.4	37.2	90.2	184.4
1954	9.1	26.1	1.1	0.5	1.0	1.3	2.7	7.0	16.5	37.0	88.6	177.2
1953	9.4	27.5	1.2	0.5	1.1	1.4	2.9	7.3	17.5	38.3	93.2	187.8
1952	9.4	28.6	1.3	0.6	1.2	1.4	2.9	7.5	17.7	38.5	92.6	187.6
1951	9.5	29.3	1.2	0.6	1.1	1.5	3.0	7.6	17.8	39.3	94.1	197.3
1950	9.5	29.9	1.2	0.6	1.1	1.5	3.1	7.7	18.0	40.2	94.2	206.8
WHITE MALE												
1960	11.0	25.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.6	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.2	100.3	210.2
1958	10.9	27.9	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.7	102.2	209.5
1957	11.0	28.1	1.1	0.6	1.6	1.7	3.4	9.2	22.6	48.2	102.2	207.0
1956	10.8	28.6	1.1	0.5	1.6	1.7	3.3	9.0	22.1	46.7	102.2	200.4
1955	10.7	28.8	1.1	0.6	1.5	1.7	3.4	9.1	21.9	46.5	102.1	197.3
1954	10.6	29.7	1.1	0.6	1.5	1.7	3.4	9.2	21.8	45.9	99.9	180.1
1953	11.0	31.4	1.3	0.6	1.6	1.8	3.6	9.6	23.0	47.1	104.6	202.3
1952	11.0	32.4	1.4	0.7	1.6	1.9	3.7	9.7	23.0	47.0	103.6	199.1
1951	11.0	33.3	1.3	0.7	1.6	1.9	3.8	9.8	23.0	47.9	105.0	212.8
1950	10.9	34.0	1.4	0.7	1.5	1.9	3.8	9.8	23.0	48.6	105.3	221.2
WHITE FEMALE												
1960	6.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.7	0.9	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	187.3
1958	8.0	21.3	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.4	187.1
1957	8.0	21.1	0.9	0.4	0.6	0.9	1.8	4.7	11.3	29.0	79.5	184.0
1956	7.8	21.4	0.9	0.4	0.6	0.9	1.9	4.6	11.2	28.6	79.9	177.6
1955	7.8	21.7	0.9	0.4	0.6	0.9	2.0	4.7	11.2	28.9	80.5	175.9
1954	7.6	22.4	1.0	0.4	0.6	0.9	2.0	4.9	11.4	28.9	79.3	168.7
1953	8.0	23.4	1.1	0.4	0.6	1.0	2.1	5.1	12.1	30.4	83.7	178.0
1952	8.0	24.7	1.1	0.5	0.7	1.1	2.2	5.2	12.4	30.7	83.5	179.9
1951	8.0	25.1	1.1	0.4	0.7	1.1	2.3	5.4	12.7	31.3	84.9	186.8
1950	8.0	25.7	1.1	0.5	0.7	1.1	2.4	5.5	12.9	32.4	84.8	196.8
NONWHITE												
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	46.9	1.9	0.7	1.7	3.2	6.3	13.2	27.1	46.3	72.5	129.8
1958	10.3	49.7	2.0	0.6	1.6	3.3	6.3	13.8	28.1	48.3	73.5	132.0
1957	10.5	47.7	2.0	0.7	1.8	3.5	6.7	14.3	29.3	48.6	72.4	130.5
1956	10.1	47.2	1.9	0.7	1.8	3.3	6.5	13.9	28.5	46.3	71.4	122.0
1955	10.0	47.6	2.0	0.7	1.8	3.3	6.5	14.3	27.5	46.4	71.5	116.7
1954	10.1	48.9	2.1	0.7	1.9	3.5	6.7	15.0	27.5	45.2	72.6	115.5
1953	10.8	51.6	2.2	0.8	2.1	3.8	7.3	16.2	29.6	48.3	79.8	130.3
1952	11.0	55.5	2.5	0.8	2.3	4.1	7.6	16.5	30.2	48.7	80.1	128.1
1951	11.1	51.7	2.5	0.9	2.4	4.2	7.8	16.8	30.5	50.3	80.8	133.3
1950	11.2	53.7	2.5	0.9	2.5	4.4	8.1	17.1	31.3	52.0	80.4	144.7

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.  
<sup>2</sup>Based on enumerated population adjusted for age bias in the nonwhite population at ages 55-69 years.

SECTION 1 - MORTALITY

Table 1-C. Death Rates by Age, Color, and Sex: United States, 1950-60—Con.

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
<b>NONWHITE MALE</b>												
1960-----	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959-----	11.3	52.0	2.1	0.8	2.2	4.0	7.3	15.1	30.9	54.5	81.9	159.6
1958-----	11.6	55.4	2.0	0.7	2.2	4.0	7.2	15.4	31.8	56.4	85.2	145.3
1957-----	11.9	53.0	2.1	0.8	2.3	4.2	7.5	15.9	35.4	56.0	81.4	144.0
1956-----	11.4	53.3	2.1	0.8	2.4	4.1	7.3	15.3	32.1	52.8	80.5	135.8
1955-----	11.4	52.9	2.1	0.8	2.3	4.0	7.4	15.7	31.3	52.9	79.5	127.1
1954-----	11.5	54.6	2.2	0.8	2.4	4.3	7.4	16.4	31.4	51.2	87.3	144.8
1953-----	12.3	56.8	2.5	0.9	2.7	4.6	8.2	17.9	34.0	54.8	87.3	142.4
1952-----	12.5	62.3	2.7	0.9	2.9	4.8	8.5	18.1	34.4	54.5	88.9	146.0
1951-----	12.5	58.6	2.7	1.0	2.8	4.8	8.5	18.3	34.3	56.3	90.3	160.2
1950-----	12.5	59.9	2.7	1.0	2.9	5.0	8.6	18.6	<sup>2</sup> 54.8	<sup>2</sup> 57.9		
<b>NONWHITE FEMALE</b>												
1960-----	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959-----	8.6	41.8	1.7	0.5	1.2	2.6	5.5	11.4	23.4	38.8	64.1	122.3
1958-----	9.0	44.0	1.9	0.5	1.1	2.7	5.6	12.3	24.5	40.9	64.8	121.7
1957-----	9.1	42.5	1.8	0.5	1.3	2.8	5.9	12.8	25.2	41.7	64.2	120.3
1956-----	8.8	41.2	1.8	0.5	1.2	2.7	5.9	12.5	24.9	40.2	62.9	113.3
1955-----	8.8	42.3	1.9	0.6	1.3	2.7	5.8	12.9	23.8	40.2	63.9	108.9
1954-----	8.8	43.3	1.9	0.6	1.4	2.9	6.0	13.7	23.6	39.4	64.8	107.2
1953-----	9.4	46.4	2.0	0.6	1.6	3.1	6.5	14.5	25.3	42.0	72.4	119.8
1952-----	9.6	48.8	2.3	0.7	1.8	3.5	6.8	15.0	25.9	43.0	70.7	117.9
1951-----	9.8	44.9	2.3	0.7	2.0	3.6	7.2	15.3	26.8	44.3	72.8	124.1
1950-----	9.9	47.5	2.3	0.7	2.2	3.9	7.5	15.5	<sup>2</sup> 27.6	<sup>2</sup> 46.1	70.6	133.7

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.  
<sup>2</sup>Based on enumerated population adjusted for age bias in the nonwhite population at ages 55-69 years.

Table 1-D. Death Rates by Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 1,000 population in specified group, enumerated as of April 1)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES <sup>1</sup> -----	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
Under 1 year-----	27.0	30.6	23.2	23.6	26.9	20.1	46.3	51.9	40.7
1-4 years-----	1.1	1.2	1.0	1.0	1.0	0.9	1.9	2.1	1.7
5-9 years-----	0.5	0.6	0.4	0.5	0.5	0.4	0.7	0.7	0.6
10-14 years-----	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.8	0.4
15-19 years-----	0.9	1.3	0.5	0.9	1.3	0.5	1.2	1.7	0.8
20-24 years-----	1.2	1.8	0.7	1.1	1.7	0.6	2.0	2.7	1.4
25-29 years-----	1.3	1.7	0.9	1.1	1.5	0.7	2.7	3.4	2.1
30-34 years-----	1.6	2.0	1.2	1.3	1.7	1.0	3.6	4.3	3.1
35-39 years-----	2.3	2.9	1.8	2.0	2.5	1.5	5.2	6.0	4.5
40-44 years-----	3.7	4.6	2.8	3.3	4.2	2.4	7.6	8.8	6.6
45-49 years-----	5.9	7.6	4.2	5.4	7.1	3.7	10.8	12.4	9.2
50-54 years-----	9.4	12.5	6.4	8.7	11.8	5.6	16.6	19.2	14.2
55-59 years-----	13.8	18.5	9.4	13.0	17.8	8.3	22.2	25.0	19.5
60-64 years-----	21.5	28.6	15.0	20.2	27.5	13.6	35.2	40.5	30.2
65-69 years-----	31.4	41.4	22.6	30.4	40.5	21.5	42.5	51.0	34.7
70-74 years-----	47.2	59.5	36.7	46.5	59.1	35.8	55.8	64.9	47.4
75-79 years-----	72.0	86.2	60.7	72.4	87.0	60.8	67.1	76.3	58.8
80-84 years-----	117.2	135.7	105.3	118.6	135.4	106.5	96.5	110.2	84.8
85 years and over-----	198.6	211.9	190.1	205.5	217.5	194.8	139.1	152.4	126.7

<sup>1</sup>Figures for age not stated included in "All Ages" but not distributed among age groups.

Table 1-E. Deaths and Death Rates by Specified Race, Age, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 1,000 population in specified group enumerated as of April 1. Age-specific rates for "Negro" and "Other" based on a 25-percent sample of population; all other rates based on total count)

SPECIFIED RACE AND SEX	Total	Under	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85 years	Not stated
		1 year	years	years	years	years	years	years	years	years	and over		
<b>NUMBER OF DEATHS</b>													
Total-----	1,711,982	110,873	17,682	16,537	25,533	33,414	72,103	154,676	270,197	420,312	405,209	184,526	720
White-----	1,505,335	82,479	13,200	13,488	20,890	24,895	56,157	127,927	231,480	378,847	380,982	174,563	437
Nonwhite-----	206,647	28,394	4,482	3,049	4,653	8,519	15,946	26,949	38,717	41,465	24,227	9,963	283
Negro-----	196,010	26,691	4,136	2,821	4,277	8,059	15,262	25,941	37,109	39,627	22,557	9,265	265
Indian-----	4,528	983	231	116	249	284	356	415	518	548	510	305	13
Chinese-----	1,620	86	14	16	20	38	85	194	391	407	257	112	-
Japanese-----	2,354	189	33	47	43	66	129	128	265	521	693	230	-
Other-----	2,135	435	68	49	64	72	114	271	434	362	210	51	5
Male-----	975,648	63,936	9,844	10,036	18,106	21,010	43,828	100,140	174,059	251,434	206,063	76,753	437
White-----	860,857	49,063	7,409	8,255	15,063	16,221	35,139	84,963	152,430	227,995	193,078	71,974	267
Nonwhite-----	114,791	15,873	2,435	1,783	3,043	4,789	8,689	15,177	21,629	23,439	12,985	4,779	170
Negro-----	107,701	14,912	2,256	1,642	2,767	4,508	8,275	14,477	20,462	22,151	11,789	4,305	157
Indian-----	2,658	544	119	73	182	185	213	245	313	324	288	164	8
Chinese-----	1,328	57	9	10	14	21	54	167	337	344	216	99	-
Japanese-----	1,572	115	17	27	30	34	82	72	153	333	534	175	-
Other-----	1,532	245	34	31	50	41	65	216	364	287	158	36	5
Female-----	736,334	46,937	7,838	6,499	7,427	12,404	28,275	54,736	96,138	168,878	199,146	107,773	283
White-----	644,478	34,416	5,791	5,233	5,817	8,674	21,018	42,964	79,050	150,852	187,904	102,589	170
Nonwhite-----	91,856	12,521	2,047	1,266	1,610	3,730	7,257	11,772	17,088	16,026	11,242	5,184	113
Negro-----	88,308	11,779	1,880	1,179	1,510	3,551	6,987	11,464	16,847	17,476	10,766	4,960	108
Indian-----	1,870	439	112	43	67	99	143	170	205	224	222	141	5
Chinese-----	292	29	5	6	6	17	31	27	54	63	41	13	-
Japanese-----	782	84	16	20	13	32	47	56	112	189	159	55	-
Other-----	603	190	34	18	14	31	49	55	70	75	52	15	-
<b>RATE PER 1,000 POPULATION<sup>1</sup></b>													
Total-----	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	36.2	87.5	196.6	...
White-----	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5	...
Nonwhite-----	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1	...
Negro-----	10.4	11.3	1.6	0.6	1.6	3.4	6.6	13.9	28.4	48.8	76.9	147.9	...
Other-----	6.6	8.8	0.6	0.6	1.6	1.8	3.4	7.0	13.5	33.4	79.2	161.3	...
Male-----	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9	...
White-----	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5	...
Nonwhite-----	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4	...
Negro-----	11.8	12.6	1.8	0.8	2.1	4.1	7.7	16.3	32.8	58.3	87.9	163.8	...
Other-----	8.3	9.6	0.8	0.8	2.3	2.3	3.9	8.0	16.6	40.0	89.9	190.1	...
Female-----	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1	...
White-----	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8	...
Nonwhite-----	8.7	40.7	1.7	0.5	1.2	2.6	5.5	11.4	24.1	39.8	67.1	129.7	...
Negro-----	9.0	10.0	1.5	0.5	1.1	2.7	5.7	11.7	24.3	40.5	67.5	136.5	...
Other-----	4.6	7.9	0.5	0.5	0.9	1.3	2.7	5.4	9.1	24.2	60.9	122.1	...

<sup>1</sup>Figures for age not stated included in totals but not distributed among the specified age groups.

Table 1-F. Deaths and Death Rates for Males, Including Deaths Among Armed Forces Abroad, by Age and Color: United States, 1960

(Includes Alaska and Hawaii. Rates per 1,000 population in specified group, including Armed Forces abroad, enumerated as of April 1)

AGE	NUMBER			RATE		
	Total	White	Nonwhite	Total	White	
					White	Nonwhite
15-19 years-----	8,788	7,455	1,333	1.3	1.3	1.7
20-24 years-----	9,956	8,191	1,765	1.8	1.7	2.7
25-29 years-----	9,500	7,381	2,119	1.7	1.5	3.4
30-34 years-----	11,914	9,195	2,719	2.0	1.7	4.3
35-39 years-----	17,747	13,942	3,805	2.9	2.5	6.0
40-44 years-----	26,358	21,452	4,906	4.6	4.2	8.7
45-49 years-----	40,879	34,299	6,580	7.6	7.1	12.4
50-54 years-----	58,342	50,741	8,601	12.5	11.8	19.2
55-59 years <sup>1</sup> -----	76,518	66,550	9,968	18.5	17.8	25.0

<sup>1</sup>Includes deaths among Armed Forces abroad at ages 60 years and over. Rates based on male population aged 55-59 years.



Table 1-G. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii)

AGE	Total	WHITE		NONWHITE	
		Male	Female	Male	Female
85 YEARS AND OVER-----	184,526	71,974	102,589	4,779	5,184
85 years-----	30,785	13,043	16,148	835	759
86 years-----	26,724	11,240	14,230	636	618
87 years-----	24,234	9,915	13,149	639	531
88 years-----	20,911	8,439	11,528	466	478
89 years-----	17,712	6,865	9,954	438	455
90 years-----	15,719	5,839	8,931	443	506
91 years-----	11,479	4,225	6,772	236	246
92 years-----	9,641	3,487	5,688	190	276
93 years-----	7,778	2,749	4,646	162	221
94 years-----	5,661	1,953	3,370	146	192
95 years-----	4,087	1,368	2,407	132	180
96 years-----	2,987	977	1,786	88	126
97 years-----	2,186	685	1,310	81	110
98 years-----	1,486	434	919	51	82
99 years-----	1,093	306	665	43	79
100 years-----	753	184	436	53	80
101 years-----	412	112	232	25	43
102 years-----	288	60	166	20	42
103 years-----	176	29	95	19	33
104 years-----	109	17	54	15	23
105 years-----	98	19	39	17	23
106 years-----	50	8	22	11	9
107 years-----	37	3	10	6	18
108 years-----	27	4	5	4	14
109 years-----	17	3	3	4	7
110 years-----	25	2	6	5	12
111 years-----	11	2	-	1	8
112 years-----	10	2	2	2	4
113 years-----	7	2	2	1	2
114 years-----	2	1	-	1	-
115 years-----	7	-	1	4	2
116 years-----	1	-	1	-	-
117 years-----	1	-	-	1	-
118 years-----	5	1	-	1	3
119 years-----	1	-	-	1	-
120 years-----	1	-	-	1	-
122 years-----	2	-	1	1	-
124 years-----	1	-	-	-	1
128 years-----	1	-	-	-	1
130 years-----	1	-	1	-	-

Table 1-H. Mortality From 15 Leading Causes of Death: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population enumerated as of April 1. Ranked on the basis of the List of 59 Selected Causes of Death; see table 1-L. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rank order	CAUSE OF DEATH	Rate	Percent of total deaths
	ALL CAUSES-----	954.7	100.0
1	Diseases of heart-----400-402,410-443	369.0	38.7
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	149.2	15.6
3	Vascular lesions affecting central nervous system-----330-334	106.0	11.3
4	Accidents-----E800-E962	52.3	5.5
...	Motor vehicle accidents-----E810-E835	21.3	2.2
...	Other accidents-----E800-E802, E840-E862	31.0	3.3
5	Certain diseases of early infancy-----760-776	37.4	3.9
6	Influenza and pneumonia, except pneumonia of newborn-----480-493	37.3	3.9
7	General arteriosclerosis-----450	20.0	2.1
8	Diabetes mellitus-----280	16.7	1.8
9	Congenital malformations-----750-759	12.2	1.3
10	Cirrhosis of liver-----581	11.3	1.2
11	Other diseases of circulatory system-----451-468	11.0	1.2
12	Suicide-----E963, E970-E979	10.6	1.1
13	Other hypertensive disease-----444-447	7.1	0.7
14	Chronic and unspecified nephritis and other renal sclerosis-----592-594	6.7	0.7
15	Ulcer of stomach and duodenum-----540,541	6.3	0.7
...	All other causes-----	99.5	10.4

Table 1-J. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Based on age-specific death rates per 100,000 population in specified group, enumerated as of April 1. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Numbers after causes of deaths are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL CAUSES-----	760.9	949.3	590.6	727.0	917.7	555.0	1,046.1	1,211.0	893.3
Major cardiovascular-renal diseases-----330-334,400-468,592-594	399.3	500.5	308.5	386.8	493.2	291.5	513.6	564.0	467.1
Diseases of cardiovascular system-----330-334,400-468	393.5	493.6	303.7	381.9	487.3	287.6	499.0	547.8	453.8
Vascular lesions affecting central nervous system-----330-334	79.7	85.4	74.7	74.2	80.3	68.7	134.8	135.2	134.4
Diseases of heart-----400-402,410-443	286.2	375.5	205.7	281.5	375.4	197.1	324.2	368.3	285.3
General arteriosclerosis-----450	13.2	14.8	11.8	13.1	14.7	11.7	13.8	15.5	12.3
Chronic and unspecified nephritis and other renal sclerosis-592-594	5.7	6.8	4.8	4.9	5.9	3.9	14.6	16.1	13.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	125.8	143.0	111.2	124.2	141.6	109.5	139.3	154.8	125.0
Accidents-----E800-E962	49.9	73.9	26.8	47.6	70.6	25.4	67.3	101.1	36.1
Motor vehicle accidents-----E810-E835	22.5	34.5	11.0	22.3	34.0	11.1	24.4	39.5	10.6
Other accidents-----E800-E802, E840-E862	27.4	39.3	15.8	25.3	36.5	14.4	42.9	61.6	25.5
Influenza and pneumonia, except pneumonia of newborn-----480-493	28.0	35.0	21.8	24.6	31.0	19.0	55.2	68.0	43.3
Diabetes mellitus-----260	13.6	12.0	15.0	12.8	11.6	13.7	21.6	16.1	26.8
Cirrhosis of liver-----581	10.5	14.5	6.9	10.3	14.4	6.6	11.9	14.9	9.1
Tuberculosis, all forms-----001-019	5.4	8.2	2.9	4.4	6.8	2.2	15.1	21.4	9.3

Table 1-K. Mortality From Selected Causes of Death: Death-Registration States, 1900-1930, and United States, 1940-60

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1940, 1950, and 1960, and estimated as of July 1 for all other years. Category titles and numbers are those of the Seventh Revision of the International Lists, 1955. For category numbers under previous revisions and effects of revisions on comparability, see "Death Rates for Selected Causes by Age, Race, and Sex: United States, 1900-1953," *Vital Statistics—Special Reports*, Vol. 43, 1956; see also Technical Appendix)

CAUSE OF DEATH	UNITED STATES <sup>1</sup>			DEATH-REGISTRATION STATES <sup>2</sup>			
	1960	1950	1940	1930	1920	1910	1900
RATES PER 100,000 POPULATION							
ALL CAUSES-----	954.7	963.8	1,076.4	1,132.1	1,298.9	1,468.0	1,719.1
Tuberculosis, all forms-----001-019	6.1	22.5	45.9	71.1	113.1	153.8	194.4
Influenza and pneumonia, except pneumonia of newborn-----480-493	37.3	31.3	70.3	102.5	207.3	155.9	202.2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	4.4	5.1	10.3	26.0	53.7	115.4	142.7
Diphtheria-----055	0.0	0.3	1.1	4.9	15.3	21.1	40.3
Typhoid fever-----040	0.0	0.1	1.0	4.7	7.6	22.5	31.3
Major cardiovascular-renal diseases-----330-334,400-468,592-594	521.8	510.8	485.7	414.4	364.9	371.9	345.2
Vascular lesions affecting central nervous system-----330-334	106.0	104.0	90.9	89.0	93.0	95.8	106.9
Diseases of heart-----400-402,410-443	369.0	356.8	293.9	216.7	163.4	165.1	142.7
Other hypertensive disease and general arteriosclerosis-----444-447,450	27.1	28.7	18.3	19.0	26.2	26.4	14.7
Other diseases of circulatory system-----451-468	11.0	4.9	3.5	3.1			
Chronic and unspecified nephritis and other renal sclerosis-----592-594	6.7	16.4	79.0	86.7	82.4	84.6	61.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	149.2	139.8	120.3	97.4	83.4	76.2	64.0
Diabetes mellitus-----260	16.7	16.2	26.6	19.1	16.1	15.3	11.0
Motor vehicle accidents-----E810-E835	21.3	23.1	26.2	26.7	10.3	1.8	---
All other accidents-----E800-E802, E840-E962	31.0	37.5	47.0	53.1	59.7	82.4	72.3
All other causes-----Residual	166.9	177.2	242.1	312.2	367.3	451.6	615.7
PERCENT OF TOTAL DEATHS							
ALL CAUSES-----	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tuberculosis, all forms-----001-019	0.6	2.3	4.3	6.3	8.7	10.5	11.3
Influenza and pneumonia, except pneumonia of newborn-----480-493	3.9	3.2	6.5	9.1	16.0	10.6	11.8
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	0.5	0.5	1.0	2.3	4.1	7.9	8.3
Diphtheria-----055	0.0	0.0	0.1	0.4	1.2	1.4	2.3
Typhoid fever-----040	0.0	0.0	0.1	0.4	0.6	1.5	1.8
Major cardiovascular-renal diseases-----330-334,400-468,592-594	54.7	53.0	45.1	36.6	28.1	25.3	20.1
Vascular lesions affecting central nervous system-----330-334	11.3	10.8	8.4	7.9	7.2	6.5	6.2
Diseases of heart-----400-402,410-443	38.7	37.0	27.3	19.1	12.6	11.2	8.3
Other hypertensive disease and general arteriosclerosis-----444-447,450	2.8	3.0	1.7	1.7	2.0	1.8	0.9
Other diseases of circulatory system-----451-468	1.2	0.5	0.3	0.3			
Chronic and unspecified nephritis and other renal sclerosis-----592-594	0.7	1.7	7.3	7.7	6.3	5.8	4.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	15.6	14.5	11.2	8.6	6.4	5.2	3.7
Diabetes mellitus-----260	1.8	1.7	2.5	1.7	1.2	1.0	0.6
Motor vehicle accidents-----E810-E835	2.2	2.4	2.4	2.4	0.8	0.1	...
All other accidents-----E800-E802, E840-E962	3.3	3.9	4.4	4.7	4.6	5.6	4.2
All other causes-----Residual	17.5	18.4	22.5	27.6	28.3	30.8	35.8

<sup>1</sup>Alaska and Hawaii included beginning 1960.

<sup>2</sup>Increased in number from 10 States and the District of Columbia in 1900 to 47 States and the District of Columbia in 1930.

## SECTION 1 - MORTALITY

1-25

Table 1-L. Death Rates for 59 Selected Causes: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1950-57 and according to the Seventh Revision for 1958-60)

CAUSE OF DEATH	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
ALL CAUSES-----	954.7	938.6	951.2	959.0	935.4	930.4	918.8	958.6	961.0	966.3	963.8
Tuberculosis, all forms-----001-019	6.1	6.5	7.1	7.8	8.4	9.1	10.2	12.3	15.8	20.1	22.5
Tuberculosis of respiratory system-----001-008	5.6	6.0	6.8	7.3	7.8	8.3	9.3	11.3	14.4	18.4	20.6
Tuberculosis, other forms-----010-019	0.4	0.5	0.5	0.6	0.6	0.8	0.8	1.1	1.4	1.7	1.9
Syphilis and its sequelae-----020-029	1.6	1.7	2.0	2.2	2.3	2.3	3.0	3.3	3.7	4.1	5.0
Dysentery, all forms-----045-049	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.6	0.6	0.7	0.6
Scarlet fever and streptococcal sore throat-----050,051	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2
Diphtheria-----055	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.3
Whooping cough-----056	0.1	0.2	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.6	0.7
Meningococcal infections-----057	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.8	0.9	0.7	0.6
Acute poliomyelitis-----080	0.1	0.4	0.1	0.1	0.3	0.6	0.8	0.9	2.0	1.0	1.3
Measles-----085	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.4	0.3
Other infective and parasitic diseases-----030-044, 049, 052-054, 058-074, 081-084, 088-139	3.2	3.1	3.0	2.8	2.7	2.6	2.7	2.7	2.9	2.8	2.6
Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140-205	149.2	147.3	146.9	148.7	147.9	146.5	145.6	144.7	143.3	140.5	139.8
Malignant neoplasm of buccal cavity and pharynx-----140-148	3.4	3.4	3.3	3.4	3.3	3.4	3.3	3.2	3.2	3.2	3.4
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----150-156A, 157-159	50.8	50.7	50.9	51.7	52.5	52.3	53.0	53.3	53.4	53.3	54.2
Malignant neoplasm of respiratory system, not specified as secondary-----160-164	22.2	21.2	20.4	19.9	19.2	18.2	17.1	16.7	15.6	14.7	14.1
Malignant neoplasm of breast-----170	13.4	13.1	13.1	13.3	13.3	13.4	13.0	13.0	12.8	12.5	12.6
Malignant neoplasm of genital organs-----171-179	21.6	21.6	22.2	22.6	22.6	22.8	22.9	22.9	22.7	22.5	23.1
Malignant neoplasm of urinary organs-----180,181	7.1	7.1	7.0	7.1	7.0	7.0	6.9	6.9	6.9	6.6	6.7
Malignant neoplasm of other and unspecified sites-----156B, 165, 190-199	16.5	16.2	16.1	16.7	16.3	16.4	16.5	16.3	16.6	16.1	14.7
Leukemia and aleukemia-----204	7.1	7.0	6.9	6.9	6.8	6.6	6.5	6.3	6.3	6.1	5.9
Lymphosarcoma and other neoplasm of lymphatic and hemopoietic tissues-----200-203, 205	7.2	7.1	6.9	7.0	6.8	6.5	6.3	6.1	5.8	5.5	5.2
Benign neoplasms and neoplasms of unspecified nature-----210-239	2.7	2.8	2.9	3.0	2.9	3.1	3.2	3.3	3.3	3.4	3.6
Asthma-----241	3.0	2.8	2.9	3.9	3.6	3.6	3.8	4.3	4.5	4.5	2.9
Diabetes mellitus-----260	16.7	15.9	15.9	16.0	15.7	15.5	15.6	16.3	16.4	16.3	16.2
Anemias-----290-293	1.9	1.8	1.8	1.8	1.9	1.9	2.0	2.3	2.6	2.6	2.7
Meningitis, except meningococcal and tuberculous-----340	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.3	1.2	1.2	1.2
Major cardiovascular-renal diseases-----330-334, 400-468, 592-594	521.8	515.9	523.7	523.7	510.7	506.0	495.1	514.6	511.6	513.0	510.8
Diseases of cardiovascular system-----330-334, 400-468	515.1	508.9	515.8	514.9	501.5	496.4	484.5	502.7	498.3	498.3	494.4
Vascular lesions affecting central nervous system-----330-334	108.0	108.4	110.1	110.2	108.3	106.0	104.1	107.3	106.8	106.6	104.0
Diseases of heart-----400-402, 410-443	369.0	363.2	367.8	369.6	361.1	356.5	348.3	361.2	357.4	356.8	356.8
Rheumatic fever and chronic rheumatic heart disease-----400-402, 410-416	10.3	10.4	10.8	11.8	12.0	12.0	12.1	13.3	13.7	14.1	14.8
Arteriosclerotic heart disease, including coronary disease-----420	275.6	268.6	266.3	265.7	255.6	247.0	235.6	236.0	226.1	219.5	213.0
Nonrheumatic chronic endocarditis and other myocardial degeneration-----421, 422	31.8	31.8	33.8	36.8	37.7	39.9	41.0	46.3	49.2	52.6	56.5
Other diseases of heart-----430-434	14.3	13.8	14.2	12.8	12.6	12.6	13.0	14.3	14.5	15.1	15.9
Hypertensive heart disease-----440-443	37.0	38.6	42.7	42.5	43.3	45.0	46.6	51.3	53.9	55.6	56.5
Other hypertensive disease-----444-447	7.1	7.4	8.0	6.5	6.5	6.8	7.1	7.8	8.0	8.6	8.3
General arteriosclerosis-----450	20.0	19.6	19.9	19.5	19.1	19.8	18.8	20.4	20.3	20.8	20.4
Other diseases of circulatory system-----451-468	11.0	10.3	9.9	9.0	8.4	7.3	6.4	6.0	5.7	5.4	4.9
Chronic and unspecified nephritis and other renal sclerosis-----592-594	6.7	7.0	8.0	8.8	9.1	9.6	10.6	11.9	13.3	14.7	16.4
Influenza and pneumonia, except pneumonia of newborn-----480-493	37.3	31.2	33.2	35.8	28.2	27.1	25.4	33.0	29.7	31.4	31.3
Influenza-----480-483	4.4	1.6	2.6	4.4	1.4	1.7	1.7	6.0	3.6	4.5	4.4
Pneumonia, except pneumonia of newborn-----490-493	32.9	29.6	30.6	31.4	26.8	25.4	23.8	27.0	26.1	26.9	26.9
Bronchitis-----500-502	2.4	2.2	2.3	2.1	1.9	1.9	1.8	1.9	1.9	1.9	2.0
Ulcer of stomach and duodenum-----540, 541	6.3	6.0	6.2	6.1	6.0	5.9	5.8	5.8	5.6	5.5	5.5
Appendicitis-----550-553	1.0	1.0	1.1	1.2	1.3	1.4	1.4	1.5	1.7	1.9	2.0
Hernia and intestinal obstruction-----560, 561, 570	5.1	5.2	5.1	5.0	5.1	5.3	5.3	5.5	5.4	5.6	5.9
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----545, 571, 572	4.4	4.4	4.5	4.7	4.5	4.7	4.9	5.4	5.6	5.2	5.1
Cirrhosis of liver-----581	11.3	10.9	10.8	11.3	10.7	10.2	10.1	10.4	10.2	9.8	9.2
Cholelithiasis, cholecystitis, and cholangitis-----584, 585	2.6	2.5	2.7	2.9	3.1	3.6	3.5	3.5	3.8	3.7	3.9
Acute nephritis, and nephritis with edema including nephrosis-----590, 591	0.9	1.0	1.3	1.3	1.4	1.5	1.6	1.8	2.0	2.1	2.3
Infections of kidney-----600	4.3	3.9	4.0	3.7	3.4	3.0	2.7	2.6	2.4	2.1	2.1
Hyperplasia of prostate-----610	2.5	2.6	2.7	3.0	3.2	3.7	3.8	3.9	4.0	4.2	4.2
Deliveries and complications of pregnancy, childbirth, and the puerperium-----640-689	0.9	0.9	0.9	1.0	1.0	1.2	1.3	1.5	1.7	1.8	2.0
Abortion-----650-652	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Other complications of pregnancy, childbirth, and the puerperium-----640-649, 660-689	0.7	0.7	0.8	0.9	0.9	1.0	1.1	1.3	1.5	1.6	1.8
Congenital malformations-----760-769	12.2	12.3	12.4	12.8	12.6	12.5	12.5	12.6	12.7	12.3	12.2
Certain diseases of early infancy-----760-776	37.4	38.5	39.8	39.1	38.6	39.0	39.4	40.1	40.9	41.1	40.5
Birth injuries, postnatal asphyxia, and atelectasis-----760-762	16.6	17.1	18.2	17.8	17.7	17.8	17.8	17.9	17.6	17.6	16.6
Infections of newborn-----763-768	2.7	2.9	3.2	3.0	2.8	2.6	2.7	2.6	2.6	2.6	2.6
Other diseases peculiar to early infancy, and immaturity unqualified-----769-776	18.2	18.5	18.4	19.3	18.1	18.6	18.9	19.6	20.7	21.0	21.3
Symptoms, senility, and ill-defined conditions-----790-795	11.4	10.8	11.4	11.3	11.3	12.1	12.5	13.7	14.1	14.8	14.9
All other diseases-----Residual	38.5	37.3	36.6	35.0	32.9	31.9	31.2	32.2	32.6	32.5	32.1
Accidents-----E800-E992	52.3	52.2	52.3	56.0	56.7	56.9	55.9	60.0	61.7	62.5	60.6
Motor vehicle accidents-----E810-E835	21.3	21.5	21.3	22.7	23.7	23.4	22.1	24.0	24.3	24.1	23.1
Other accidents-----E800-E802, E840-E992	31.0	30.7	31.0	33.2	33.0	33.5	33.8	36.1	37.5	38.4	37.5
Suicide-----E963, E970-E979	10.6	10.6	10.7	9.8	10.0	10.2	10.1	10.1	10.0	10.4	11.4
Homicide-----E964, E960-E965	4.7	4.6	4.5	4.5	4.6	4.5	4.8	4.8	5.2	4.9	5.3

SECTION 1 - MORTALITY

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL CAUSES-----	954.7	2,696.4	109.1	46.6	106.3	146.4	299.4	756.0	1,735.1	3,822.1	8,745.2	19,857.5
Male-----	1,104.5	3,059.3	119.5	55.7	152.1	187.9	372.8	992.2	2,309.5	4,914.4	10,178.4	21,186.3
Female--	809.2	2,321.3	96.4	37.3	61.3	106.6	229.4	526.7	1,196.4	2,871.8	7,633.1	19,008.4
White-----	947.8	2,357.7	95.2	43.9	99.1	123.6	260.4	692.3	1,632.8	3,739.8	8,827.2	20,354.5
Male-----	1,086.5	2,694.1	104.9	52.7	143.7	163.2	332.6	932.2	2,225.2	4,848.4	10,299.6	21,750.0
Female--	800.9	2,007.7	85.2	34.7	54.9	85.0	191.1	458.8	1,078.9	2,779.3	7,696.6	19,477.7
Nonwhite-----	1,008.5	4,626.4	190.8	64.3	158.2	318.6	633.4	1,342.9	2,774.6	4,784.9	7,631.1	13,907.6
Male-----	1,152.0	5,189.4	207.3	75.2	213.8	386.4	729.2	1,551.0	3,151.5	5,664.0	8,662.6	15,238.7
Female--	872.6	4,067.1	174.4	53.4	106.1	260.0	547.3	1,144.9	2,409.7	3,981.4	6,708.4	12,871.2
Tuberculosis, all forms (001-019)-----	6.1	0.9	0.6	0.1	0.6	2.4	5.1	9.3	15.5	23.2	32.8	39.6
Male-----	8.9	0.9	0.6	0.1	0.5	2.3	6.2	14.4	26.6	39.3	52.2	64.9
Female--	3.3	0.9	0.6	0.1	0.7	2.4	4.2	4.5	5.1	9.1	17.8	23.5
White-----	5.1	0.5	0.3	0.1	0.2	1.3	3.3	7.5	13.3	21.2	30.7	35.9
Male-----	7.7	0.4	0.3	0.1	0.2	1.4	3.8	11.6	23.1	36.2	48.8	56.8
Female--	2.8	0.5	0.4	0.1	0.2	1.3	2.8	3.5	4.1	8.2	16.9	22.8
Nonwhite-----	15.2	3.4	1.9	0.4	3.0	10.3	21.2	26.5	38.2	46.3	61.4	83.8
Male-----	19.4	3.3	2.1	0.3	2.0	10.2	27.2	40.3	61.8	74.7	94.7	149.9
Female--	8.2	3.6	1.6	0.5	3.9	10.5	15.8	13.4	15.4	20.3	31.6	32.3
Tuberculosis of respiratory system (001-008)-----	5.6	0.4	0.2	0.1	0.4	2.1	4.7	8.8	14.7	21.9	31.3	37.4
Male-----	8.4	0.5	0.2	0.1	0.3	2.1	5.7	13.6	25.4	37.4	50.5	62.1
Female--	2.9	0.3	0.2	0.1	0.5	2.2	3.8	4.1	4.6	8.3	16.4	21.7
White-----	4.8	0.2	0.1	0.0	0.2	1.2	3.0	7.1	12.7	20.2	29.5	34.0
Male-----	7.4	0.3	0.1	0.1	0.2	1.2	3.5	11.0	22.3	34.8	47.5	55.0
Female--	2.4	0.2	0.0	0.0	0.1	1.2	2.6	3.3	3.7	7.5	15.6	20.9
Nonwhite-----	11.7	1.6	0.9	0.1	2.3	9.2	19.3	24.3	34.7	41.5	55.8	78.2
Male-----	16.7	2.0	0.9	0.1	1.3	9.4	24.9	37.8	56.7	67.7	87.4	137.1
Female--	7.0	1.3	0.9	0.2	3.3	9.1	14.3	11.4	13.4	17.7	27.4	32.3
Tuberculosis, other forms (010-019)-----	0.4	0.5	0.4	0.1	0.1	0.3	0.4	0.6	0.9	1.3	1.5	2.2
Male-----	0.5	0.3	0.4	0.0	0.1	0.2	0.4	0.7	1.2	1.9	1.7	2.8
Female--	0.4	0.6	0.4	0.1	0.1	0.3	0.4	0.4	0.5	0.8	1.4	1.8
White-----	0.3	0.2	0.3	0.0	0.1	0.1	0.2	0.4	0.6	1.0	1.2	1.9
Male-----	0.3	0.2	0.2	0.0	0.0	0.2	0.2	0.5	0.8	1.4	1.2	1.8
Female--	0.3	0.3	0.3	0.1	0.1	0.2	0.2	0.4	0.6	1.2	1.2	1.9
Nonwhite-----	1.5	1.8	1.0	0.3	0.6	1.1	1.8	2.2	3.5	4.7	5.7	5.6
Male-----	1.7	1.3	1.3	0.2	0.7	0.8	2.3	2.5	5.1	7.0	7.3	12.8
Female--	1.2	2.3	0.8	0.3	0.6	1.4	1.4	2.0	2.0	2.7	4.2	0
Syphilis and its sequelae (020-029)-----	1.6	0.7	0	0.0	0.0	0.2	0.5	1.9	5.6	9.1	8.7	9.5
Male-----	2.4	1.0	0	0.0	0.1	0.2	0.6	2.7	8.6	15.2	13.1	12.7
Female--	0.9	0.4	0	0	0.0	0.1	0.3	1.1	2.8	3.8	5.2	7.4
White-----	1.3	0.4	0	0.0	0.0	0.1	0.2	1.0	4.0	7.5	7.7	8.2
Male-----	1.9	0.6	0	0.0	0.0	0.1	0.4	1.6	6.4	12.6	11.7	10.0
Female--	0.7	0.2	0	0	0.0	0.0	0.1	0.5	1.8	3.1	4.7	7.0
Nonwhite-----	4.5	2.4	0	0.0	0.1	0.7	2.3	9.8	21.6	27.6	21.7	25.1
Male-----	6.6	3.3	0	0.0	0.1	0.7	3.2	13.6	31.2	44.7	31.4	41.5
Female--	2.6	1.6	0	0	0.1	0.7	1.6	6.2	12.4	12.4	13.1	12.4
Dysentery, all forms (045-048)-----	0.2	3.4	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.7	1.0
Male-----	0.2	4.0	0.4	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.6	1.1
Female--	0.2	2.8	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.7	0.9
White-----	0.1	1.7	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.5	0.8
Male-----	0.1	2.1	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.6	0.6
Female--	0.1	1.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.9
Nonwhite-----	0.7	13.0	1.1	0.1	0.1	0.0	0.1	0.2	0.7	0.9	2.8	2.8
Male-----	0.8	14.7	1.3	0.0	0.1	0.1	0	0.3	0.9	1.0	1.3	6.4
Female--	0.7	11.4	0.9	0.3	0.1	0	0.2	0.2	0.6	0.9	4.2	0
Scarlet fever and streptococcal sore throat (050, 051)-----	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2
Male-----	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0
Female--	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.4
White-----	0.1	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.2
Male-----	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0
Female--	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.4
Nonwhite-----	0.1	0.2	0.1	0.1	0.1	0	0.1	0.1	0	0	0	0
Male-----	0.1	0	0.2	0.0	0.1	0	0	0.1	0	0	0	0
Female--	0.1	0.3	0.1	0.1	0.1	0	0.2	0.1	0	0	0	0
Diphtheria (055)-----	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0	0.0	0	0
Male-----	0.0	0.0	0.2	0.1	0.0	0.0	0	0	0	0	0	0
Female--	0.0	0.0	0.3	0.1	0	0	0.0	0.0	0	0.0	0	0
White-----	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0	0.0	0	0
Male-----	0.0	0.1	0.1	0.1	0.0	0.0	0	0	0	0	0	0
Female--	0.0	0.1	0.2	0.0	0	0.0	0.0	0.0	0	0.0	0	0
Nonwhite-----	0.1	0	0.7	0.2	0	0	0	0	0	0	0	0
Male-----	0.1	0	0.6	0.1	0	0	0	0	0	0	0	0
Female--	0.2	0	0.9	0.3	0	0	0	0	0	0	0	0
Whooping cough (056)-----	0.1	1.8	0.2	0.0	0.0	0	0.0	0	0	0	0	0
Male-----	0.1	2.1	0.1	0.0	0	0	0	0	0	0	0	0
Female--	0.1	1.4	0.4	0.0	0.0	0	0.0	0	0	0	0	0
White-----	0.0	0.7	0.1	0.0	0.0	0	0.0	0	0	0	0	0
Male-----	0.0	0.8	0.0	0.0	0	0	0	0	0	0	0	0
Female--	0.0	0.5	0.2	0	0.0	0	0.0	0	0	0	0	0
Nonwhite-----	0.4	8.0	1.0	0.0	0	0	0	0	0	0	0	0
Male-----	0.4	9.5	0.7	0	0	0	0	0	0	0	0	0
Female--	0.3	6.5	1.3	0.0	0	0	0	0	0	0	0	0

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION 1 - MORTALITY

1-27

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningococcal infections (057)-----	0.4	4.8	1.4	0.2	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.2
Male-----	0.4	5.4	1.7	0.2	0.2	0.0	0.1	0.2	0.2	0.1	0.1	0
Female-----	0.3	4.1	1.1	0.2	0.1	0.1	0.0	0.2	0.1	0.2	0.1	0.4
White-----	0.3	4.6	1.4	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2
Male-----	0.4	5.3	1.6	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0
Female-----	0.3	3.9	1.1	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.4
Nonwhite-----	0.7	5.7	2.0	0.4	0.3	0.1	0.1	0.4	0.4	0.5	0.5	0
Male-----	0.8	5.9	2.5	0.5	0.5	0.1	0.3	0.5	0.7	0.7	0.7	0
Female-----	0.5	5.5	1.5	0.3	0.2	0.2	0	0.3	0.1	0.4	0	0
Acute poliomyelitis (080)-----	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0	0.0	0	0
Male-----	0.2	0.2	0.3	0.2	0.2	0.3	0.1	0.1	0	0	0	0
Female-----	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.0	0	0.0	0	0
White-----	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.0	0	0.0	0	0
Male-----	0.1	0.2	0.3	0.2	0.2	0.5	0.1	0.1	0	0	0	0
Female-----	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.0	0	0.0	0	0
Nonwhite-----	0.2	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0	0	0	0
Male-----	0.3	0.3	0.5	0.4	0.1	0.1	0.3	0.2	0	0	0	0
Female-----	0.1	0.3	0.3	0.0	0.1	0.2	0	0.1	0	0	0	0
Measles (085)-----	0.2	2.1	1.2	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Male-----	0.2	2.2	1.3	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Female-----	0.2	1.9	1.2	0.2	0.0	0.0	0.0	0	0	0	0.0	0
White-----	0.2	1.7	1.0	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Male-----	0.2	1.6	1.1	0.2	0.0	0.0	0.0	0	0	0	0.1	0
Female-----	0.2	1.8	0.9	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Nonwhite-----	0.5	4.2	2.6	0.2	0	0.0	0	0	0	0	0	0
Male-----	0.5	5.9	2.4	0.1	0	0	0	0	0	0	0	0
Female-----	0.5	2.6	2.9	0.4	0	0.1	0	0	0	0	0	0
Other infective and parasitic diseases (030-044, 049, 052-054, 058-074, 081-084, 086-138)-----	3.2	20.9	3.0	0.9	1.1	1.4	1.8	2.9	4.9	7.6	12.3	22.9
Male-----	3.5	25.2	3.2	0.9	1.0	1.1	1.9	3.4	5.6	9.7	14.9	24.0
Female-----	2.9	16.6	2.8	1.0	1.1	1.6	1.7	2.5	4.2	5.9	10.3	22.2
White-----	2.8	16.4	2.6	0.9	1.0	1.1	1.5	2.5	4.4	7.2	12.2	23.7
Male-----	3.1	19.5	2.8	0.9	0.9	0.8	1.5	2.8	4.9	9.2	15.0	24.8
Female-----	2.6	13.2	2.4	0.9	1.0	1.4	1.4	2.1	3.9	5.6	10.1	23.0
Nonwhite-----	5.7	46.6	5.3	1.2	1.9	3.2	5.1	9.6	12.1	13.5	14.0	14.0
Male-----	6.5	58.2	5.4	1.2	1.6	2.8	5.5	8.4	12.1	15.0	12.7	15.9
Female-----	5.0	35.1	5.3	1.2	2.2	3.6	4.8	5.8	7.2	9.5	14.3	12.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	149.2	7.2	10.9	6.8	8.3	19.5	59.7	177.0	396.8	713.9	1,127.4	1,450.0
Male-----	162.5	7.7	12.4	7.6	10.2	18.8	48.9	170.8	459.9	890.5	1,389.4	1,741.2
Female-----	136.4	6.8	9.3	6.0	6.5	20.1	70.0	185.0	337.7	560.2	924.1	1,263.9
White-----	152.8	7.4	11.4	7.1	8.4	18.8	56.7	170.0	387.9	713.0	1,145.4	1,492.6
Male-----	166.1	7.9	13.1	8.0	10.3	18.8	46.3	164.1	450.9	887.3	1,413.7	1,791.4
Female-----	139.8	6.8	9.7	6.2	6.5	18.8	66.6	175.7	329.0	562.1	959.3	1,304.9
Nonwhite-----	121.6	6.5	7.6	4.8	7.9	24.3	85.7	241.6	487.8	723.8	885.5	959.5
Male-----	134.1	6.5	8.2	4.9	9.2	18.2	71.7	233.6	549.8	927.5	1,086.1	1,211.7
Female-----	109.8	6.5	7.0	4.8	6.7	29.6	98.3	249.3	427.8	537.8	702.3	727.5
Malignant neoplasm of buccal cavity and pharynx (140-148)-----	3.4	0	0.0	0.1	0.1	0.2	1.1	5.3	9.9	15.6	24.4	34.8
Male-----	5.3	0	0.0	0.1	0.2	0.3	1.5	7.9	16.3	26.5	40.5	60.7
Female-----	1.7	0	0.0	0.0	0.1	0.2	0.7	2.8	3.8	6.2	11.8	18.2
White-----	3.5	0	0.0	0.1	0.1	0.2	1.0	5.1	9.9	15.9	25.0	36.0
Male-----	5.5	0	0.0	0.1	0.1	0.2	1.2	7.5	16.5	27.2	42.2	65.5
Female-----	1.7	0	0.0	0.0	0.1	0.2	0.7	2.7	3.7	6.1	11.8	18.8
Nonwhite-----	2.7	0	0	0.0	0.1	0.6	2.4	7.8	9.8	12.6	15.4	19.5
Male-----	4.0	0	0	0	0.2	0.8	3.7	12.1	14.7	19.1	19.3	31.9
Female-----	1.4	0	0	0.0	0.1	0.4	1.2	3.7	5.1	6.6	11.9	9.9
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A, 157-159)-----	50.8	0.7	0.3	0.1	0.5	2.6	11.6	45.9	127.1	272.4	482.6	630.7
Male-----	56.4	0.4	0.3	0.2	0.5	2.9	12.5	53.2	155.7	334.9	559.5	676.6
Female-----	45.3	1.0	0.2	0.1	0.4	2.4	10.8	39.9	102.2	218.0	422.9	601.4
White-----	51.9	0.7	0.3	0.1	0.4	2.5	10.6	45.0	122.1	270.9	481.0	652.7
Male-----	57.0	0.4	0.3	0.1	0.4	2.7	11.1	49.3	147.2	330.6	570.1	699.9
Female-----	47.0	1.1	0.2	0.1	0.5	2.3	10.3	36.8	98.6	219.1	430.3	623.1
Nonwhite-----	41.8	0.5	0.3	0.2	1.0	3.9	19.9	73.5	178.7	290.1	368.2	361.1
Male-----	51.4	0	0.3	0.3	1.3	4.4	24.8	89.6	218.7	385.7	427.0	430.5
Female-----	32.8	1.0	0.4	0.1	0.7	3.5	15.4	58.1	139.9	204.5	315.7	317.8
Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	22.2	0.2	0.1	0.0	0.1	1.1	7.3	32.0	61.5	117.2	102.9	79.1
Male-----	39.5	0.1	0.0	0.0	0.2	1.7	11.4	54.7	150.2	221.7	188.5	132.2
Female-----	6.2	0.2	0.1	0.1	0.0	0.6	3.4	10.1	17.0	26.2	36.5	45.2
White-----	22.8	0.2	0.1	0.0	0.1	1.1	6.8	31.1	61.0	118.7	104.0	79.4
Male-----	39.6	0.1	0.0	0.0	0.2	1.6	10.4	55.0	149.8	225.1	191.9	133.9
Female-----	6.4	0.2	0.1	0.0	0.1	0.8	3.4	9.8	16.7	26.5	36.5	45.2
Nonwhite-----	17.3	0.2	0.1	0.1	0.1	1.5	11.2	40.8	86.1	99.4	87.6	75.4
Male-----	30.5	0.3	0.1	0.0	0.1	2.5	19.8	70.4	154.2	183.4	145.4	114.8
Female-----	4.9	0	0.1	0.1	0	0.7	3.5	12.5	20.2	22.5	35.8	44.7
Malignant neoplasm of breast (170)-----	13.4	0.1	0	0.0	0.1	2.0	10.4	26.2	37.0	48.7	75.9	118.1
Male-----	0.2	0.1	0	0	0.0	0	0.1	0.2	1.0	1.2	1.7	2.5
Female-----	26.1	0.1	0	0.0	0.1	3.8	20.2	51.4	70.8	90.0	129.9	191.9
White-----	13.9	0.1	0	0.0	0.1	1.8	10.1	26.0	37.5	49.6	75.9	123.6
Male-----	0.2	0.1	0	0	0.0	0	0.1	0.2	0.9	1.1	1.7	2.4
Female-----	27.2	0.1	0	0.0	0.1	3.6	19.7	51.2	71.8	91.6	132.8	199.7
Nonwhite-----	9.4	0.5	0	0	0.2	3.1	12.8	27.3	31.8	37.3	47.2	51.6
Male-----	0.3	0.3	0	0	0	0	0.3	0.2	1.6	1.4	2.7	3.2
Female-----	17.9	0.6	0	0	0.3	5.9	24.1	53.0	61.1	70.0	87.1	89.4

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of genital organs (171-179)-----	21.6	0.0	0.1	0.1	0.9	3.5	10.7	24.7	49.0	99.8	192.0	262.7
Male-----	17.4	0.0	0.2	0.0	0.9	1.7	1.6	4.0	23.5	102.1	265.9	468.2
Female-----	25.6	0.0	0.1	0.2	0.9	5.2	19.4	44.8	73.0	97.9	119.1	131.4
White-----	21.2	0.0	0.1	0.1	0.8	3.1	9.8	22.7	45.4	85.3	180.3	262.0
Male-----	17.2	0.1	0.2	0.0	0.9	1.9	1.6	3.4	20.3	35.0	282.7	471.4
Female-----	25.1	0	0.1	0.2	0.7	4.2	17.3	41.4	68.8	95.6	119.3	150.4
Nonwhite-----	24.5	0.2	0.2	0.1	1.1	6.7	20.3	43.8	86.4	152.9	215.1	270.8
Male-----	19.1	0	0.3	0	0.4	0.3	2.3	10.1	55.1	182.4	326.2	433.7
Female-----	29.6	0.3	0	0.2	1.6	12.2	36.5	75.8	116.6	125.9	115.8	144.0
Malignant neoplasm of urinary organs (180,181)-----	7.1	0.7	1.0	0.3	0.1	0.2	1.4	5.9	17.4	36.2	69.7	87.4
Male-----	9.7	0.7	1.0	0.3	0.1	0.3	2.0	8.3	25.9	57.2	98.6	120.4
Female-----	4.6	0.6	0.9	0.3	0.1	0.2	0.8	3.5	9.3	21.6	45.5	66.3
White-----	7.5	0.7	1.0	0.3	0.1	0.2	1.3	5.5	17.2	38.9	71.3	91.1
Male-----	10.2	0.7	1.0	0.3	0.1	0.3	1.9	8.0	26.2	56.8	103.2	126.9
Female-----	4.8	0.6	0.9	0.3	0.1	0.2	0.7	3.0	8.8	21.6	46.7	68.5
Nonwhite-----	4.7	0.5	0.9	0.3	0.1	0.3	2.3	9.2	18.8	29.8	33.7	43.3
Male-----	5.6	0.3	0.9	0.2	0.1	0.3	2.5	11.0	23.2	38.9	41.4	51.0
Female-----	3.7	0.6	1.0	0.4	0.1	0.3	2.1	7.4	14.7	21.4	26.9	37.2
Malignant neoplasm of other and unspecified sites (158B,165,190-199)-----	16.5	2.2	3.2	2.3	2.7	4.3	9.2	21.5	42.4	64.6	101.5	158.9
Male-----	18.0	2.7	3.6	2.3	3.3	5.1	10.2	23.8	50.1	75.0	114.2	175.0
Female-----	15.0	1.6	2.9	2.3	2.1	3.6	8.2	19.2	35.1	55.6	91.6	148.7
White-----	17.0	2.2	3.3	2.4	2.7	4.4	9.2	21.2	41.7	64.4	103.3	185.7
Male-----	18.6	2.6	3.6	2.4	3.3	5.2	10.3	23.9	50.1	75.0	117.3	181.9
Female-----	15.4	1.8	2.9	2.3	2.1	3.7	8.1	18.6	33.9	55.3	92.5	155.5
Nonwhite-----	12.8	2.1	3.1	1.9	2.7	3.7	9.0	24.0	49.2	67.2	76.9	78.2
Male-----	13.3	3.3	3.3	1.6	3.2	4.4	9.0	23.3	50.3	75.2	76.1	102.0
Female-----	12.4	1.0	2.8	2.2	2.2	3.1	9.0	24.6	48.2	59.9	77.6	59.6
Leukemia and aleukemia (204)-----	7.1	2.7	5.5	3.2	2.1	2.3	3.2	6.2	13.2	26.7	44.7	47.0
Male-----	8.3	2.8	6.3	3.7	2.6	2.9	3.7	7.2	16.1	34.0	56.5	64.9
Female-----	5.9	2.6	4.7	2.7	1.6	1.7	2.7	5.3	10.6	20.2	35.5	35.6
White-----	7.5	2.8	6.0	3.5	2.1	2.3	3.3	6.2	13.5	27.7	46.8	49.6
Male-----	8.8	2.9	6.9	4.0	2.6	2.9	3.8	7.3	16.6	35.5	59.5	68.9
Female-----	6.2	2.6	5.1	2.9	1.7	1.8	2.8	5.2	10.6	20.9	37.0	37.4
Nonwhite-----	3.9	2.3	2.5	1.8	1.7	2.2	2.9	5.8	11.1	15.0	16.4	16.8
Male-----	4.4	2.3	2.8	2.2	2.4	2.9	3.4	5.5	11.2	17.9	19.3	22.3
Female-----	3.4	2.3	2.2	1.4	1.1	1.5	2.4	6.0	11.0	12.4	13.7	12.4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	7.2	0.7	0.7	0.7	1.8	3.1	4.8	9.3	19.2	30.7	36.8	31.3
Male-----	8.6	0.8	0.9	0.9	2.4	4.0	5.9	11.6	23.1	37.9	43.9	40.9
Female-----	5.9	0.5	0.4	0.4	1.2	2.3	3.7	7.1	15.7	24.5	31.4	25.2
White-----	7.6	0.7	0.7	0.7	1.9	3.3	4.7	9.3	19.6	31.7	37.8	32.5
Male-----	9.0	1.0	1.0	1.0	2.6	4.2	5.9	11.6	23.3	38.0	45.1	42.6
Female-----	6.2	0.5	0.4	0.4	1.3	2.4	3.6	7.0	16.1	25.4	32.3	26.2
Nonwhite-----	4.5	0.3	0.5	0.5	1.1	2.2	5.0	9.7	15.9	19.6	23.0	16.8
Male-----	5.5	0	0.5	0.6	1.5	2.6	5.9	11.3	20.8	25.4	28.7	22.3
Female-----	3.5	0.6	0.4	0.3	0.7	2.0	4.1	8.2	11.1	14.4	17.9	12.4
Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.7	3.4	0.6	0.7	0.7	1.2	2.5	4.1	6.0	7.9	11.1	21.2
Male-----	2.5	3.3	0.6	0.7	0.7	0.8	2.0	3.8	6.2	8.5	11.1	17.7
Female-----	2.9	3.5	0.7	0.6	0.8	1.5	3.1	4.5	5.9	7.4	11.1	23.5
White-----	2.6	3.4	0.6	0.6	0.7	1.0	2.2	3.8	5.7	7.8	11.2	21.7
Male-----	2.5	3.3	0.6	0.7	0.6	0.8	1.9	3.6	6.0	8.5	11.4	18.1
Female-----	2.7	3.5	0.6	0.5	0.7	1.2	2.5	4.0	5.4	7.1	11.0	23.9
Nonwhite-----	3.5	3.1	0.9	0.9	1.1	2.5	5.4	7.5	9.7	9.2	10.1	15.4
Male-----	2.6	2.9	0.6	1.0	0.9	1.2	3.0	5.5	8.3	8.0	8.0	12.8
Female-----	4.4	3.2	1.1	0.8	1.3	3.6	7.5	9.3	11.1	10.4	11.9	17.4
Asthma (241)-----	3.0	0.6	0.4	0.2	0.4	0.7	1.8	3.7	7.8	13.8	18.9	18.2
Male-----	3.9	0.5	0.4	0.2	0.3	0.5	1.5	4.4	11.5	22.3	28.6	24.0
Female-----	2.1	0.7	0.3	0.2	0.5	0.9	2.1	3.1	4.4	6.4	11.5	14.5
White-----	2.9	0.4	0.2	0.1	0.3	0.5	1.4	3.4	7.6	13.9	19.3	18.5
Male-----	3.9	0.4	0.3	0.1	0.2	0.3	1.1	4.1	11.3	22.7	29.5	25.1
Female-----	2.0	0.4	0.2	0.1	0.4	0.6	1.6	2.8	4.1	6.3	11.6	14.4
Nonwhite-----	3.6	1.6	1.0	0.6	1.2	2.8	5.2	6.6	10.2	12.7	13.5	14.0
Male-----	3.9	1.0	0.9	0.5	1.1	2.3	4.4	7.3	13.7	18.4	17.3	12.8
Female-----	3.3	2.3	1.0	0.6	1.3	3.2	6.0	6.0	6.8	7.5	10.1	14.9
Diabetes mellitus (260)-----	16.7	0.4	0.3	0.4	0.9	2.3	4.5	12.1	37.9	93.4	163.7	181.7
Male-----	13.8	0.5	0.3	0.3	0.8	2.7	5.1	12.1	31.9	76.1	144.6	170.6
Female-----	19.6	0.3	0.3	0.5	1.0	2.0	4.0	12.1	43.7	108.4	178.5	188.7
White-----	16.4	0.4	0.3	0.4	0.8	2.2	3.8	9.8	33.5	91.3	165.4	184.8
Male-----	13.7	0.4	0.3	0.2	0.7	2.6	4.7	10.9	29.5	75.1	146.9	174.7
Female-----	19.1	0.3	0.3	0.5	0.9	1.8	2.9	8.7	37.2	105.4	179.6	191.2
Nonwhite-----	18.8	0.7	0.3	0.4	1.7	3.4	11.1	33.0	83.4	117.0	140.2	143.8
Male-----	13.9	1.0	0.3	0.5	2.0	3.5	9.1	23.2	55.8	86.8	116.1	127.5
Female-----	23.4	0.3	0.3	0.4	1.5	3.3	12.9	42.4	110.1	144.7	161.7	156.4
Anemias (290-293)-----	1.9	2.7	1.2	0.5	0.6	0.6	0.5	1.0	2.5	6.5	17.6	35.1
Male-----	1.8	3.2	1.1	0.4	0.6	0.5	0.4	0.8	2.7	7.6	18.2	34.0
Female-----	1.9	2.2	1.4	0.6	0.5	0.8	0.6	1.1	2.2	5.6	17.1	35.8
White-----	1.7	1.5	0.8	0.4	0.4	0.3	0.3	0.8	2.3	6.4	18.3	36.4
Male-----	1.6	1.7	0.6	0.2	0.4	0.2	0.2	0.7	2.7	7.7	19.0	35.7
Female-----	1.8	1.3	0.9	0.5	0.4	0.5	0.9	2.0	5.3	17.7	36.8	
Nonwhite-----	2.9	9.5	3.9	1.2	2.0	3.2	1.9	2.5	3.7	7.4	7.6	19.5
Male-----	2.9	12.1	4.0	1.3	2.2	2.7	1.8	1.9	3.4	6.5	8.0	15.9
Female-----	3.0	6.8	3.8	1.1	1.8	3.6	1.9	3.1	3.9	8.2	7.2	22.3

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION 1 - MORTALITY

1-29

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningitis, except meningococcal and tuberculous (340)-----	1.3	21.2	2.8	0.4	0.2	0.3	0.4	0.8	1.1	1.5	2.0	2.3
Male-----	1.5	25.1	3.3	0.5	0.3	0.4	0.5	1.0	1.3	1.5	2.4	2.8
Female-----	1.1	17.2	2.2	0.3	0.2	0.2	0.3	0.7	0.8	1.5	1.6	1.9
White-----	1.0	15.3	2.3	0.4	0.2	0.2	0.3	0.6	0.8	1.3	1.8	2.0
Male-----	1.2	19.7	2.8	0.4	0.2	0.3	0.4	0.8	1.0	1.3	2.1	2.7
Female-----	0.8	12.7	1.7	0.3	0.1	0.2	0.2	0.5	0.6	1.3	1.6	1.5
Nonwhite-----	3.5	49.2	5.6	0.7	0.7	0.9	1.5	2.6	3.7	4.2	4.4	5.6
Male-----	4.0	56.2	5.8	0.9	0.6	1.2	1.9	3.3	4.5	3.9	6.7	3.2
Female-----	2.9	42.2	5.5	0.4	0.7	0.7	1.2	2.0	2.8	4.4	2.4	7.4
Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	521.8	12.2	2.5	2.7	8.4	25.8	100.8	344.9	943.8	2,373.7	6,123.8	14,945.1
Male-----	591.7	14.5	2.8	2.8	9.0	30.3	140.6	501.8	1,306.8	3,030.6	8,921.2	15,491.2
Female-----	453.9	9.7	2.1	2.5	7.9	21.4	62.9	192.6	603.4	1,802.3	5,505.0	14,598.2
White-----	530.5	10.3	1.9	2.3	7.2	20.5	86.0	312.5	879.5	2,318.0	6,196.1	15,376.6
Male-----	604.4	12.8	2.2	2.5	8.0	25.9	128.4	478.5	1,263.5	2,998.0	7,029.2	15,977.8
Female-----	458.1	7.7	1.6	2.1	6.5	15.3	45.3	150.9	520.4	1,728.9	5,556.3	14,998.9
Nonwhite-----	455.8	23.0	5.8	5.1	17.0	65.4	227.7	643.9	1,597.2	3,024.8	5,141.1	9,779.9
Male-----	491.7	24.8	6.8	4.9	16.6	65.8	248.2	719.1	1,738.5	3,400.7	5,571.1	10,356.8
Female-----	421.7	21.1	4.9	5.2	17.4	65.2	209.3	572.4	1,460.5	2,681.1	4,756.5	9,330.6
Diseases of cardiovascular system (330-334,400-468)-----	515.1	11.6	2.2	2.2	6.7	22.9	96.6	337.6	931.7	2,349.8	6,070.4	14,813.1
Male-----	584.2	13.9	2.5	2.3	6.9	26.8	135.5	493.3	1,292.5	3,002.8	8,856.9	15,329.5
Female-----	448.0	9.3	1.9	2.1	6.6	19.2	59.5	186.4	593.3	1,781.7	5,460.2	14,485.2
White-----	524.4	9.8	1.7	1.8	5.6	18.0	62.7	306.9	869.8	2,297.6	6,146.9	15,252.4
Male-----	597.7	12.2	2.0	2.0	5.9	22.7	124.4	471.4	1,251.8	2,974.5	6,970.5	15,824.9
Female-----	453.0	7.4	1.5	1.7	5.3	15.5	42.7	146.7	512.7	1,711.2	5,514.5	14,992.7
Nonwhite-----	442.9	22.2	5.1	4.3	14.8	60.0	215.4	620.4	1,560.2	2,959.9	5,030.6	9,553.7
Male-----	477.7	23.9	5.9	4.1	13.9	60.3	234.1	696.6	1,698.8	3,400.7	5,571.1	10,101.7
Female-----	409.9	20.5	4.3	4.6	15.5	59.7	199.6	547.9	1,426.1	2,626.8	4,668.2	9,227.0
Vascular lesions affecting central nervous system (330-334)-----	108.0	4.1	0.9	0.7	1.8	4.7	14.7	49.2	147.3	469.2	1,491.3	3,680.5
Male-----	104.5	5.0	0.9	0.7	1.9	4.5	14.6	52.2	165.8	500.7	1,555.9	3,643.1
Female-----	111.4	3.2	0.7	0.6	1.6	4.9	14.8	46.3	131.8	415.7	1,441.1	3,704.4
White-----	106.4	3.4	0.7	0.7	1.5	3.5	10.7	37.3	120.4	437.9	1,496.9	3,772.2
Male-----	102.7	4.3	0.8	0.7	1.7	3.5	11.3	40.9	139.0	501.0	1,564.8	3,734.8
Female-----	110.1	2.6	0.5	0.6	1.4	3.4	10.1	35.8	105.0	385.3	1,444.7	3,795.7
Nonwhite-----	119.7	8.0	1.6	0.9	3.6	14.3	49.6	158.5	420.4	834.9	1,415.5	2,582.5
Male-----	118.2	9.5	1.8	0.8	3.9	12.1	44.4	156.7	411.3	868.2	1,445.0	2,675.3
Female-----	121.2	6.5	1.4	1.1	3.2	16.2	54.2	160.3	429.3	804.4	1,389.2	2,510.2
Diseases of heart (400-402,410-413)-----	369.0	6.6	1.3	1.3	4.0	15.6	74.6	271.8	737.9	1,740.5	4,089.4	9,317.8
Male-----	439.5	7.8	1.4	1.4	4.2	20.1	112.7	420.4	1,066.9	2,291.3	4,742.4	9,789.9
Female-----	300.6	5.4	1.1	1.2	3.7	11.3	38.2	127.5	429.4	1,261.3	3,588.7	9,016.8
White-----	379.6	5.6	0.9	1.0	3.2	12.8	67.2	256.2	708.2	1,725.6	4,155.4	9,610.7
Male-----	454.6	6.9	1.0	1.1	3.6	17.6	107.5	413.2	1,058.0	2,297.9	4,839.9	10,135.8
Female-----	306.5	4.3	0.9	0.9	2.8	8.2	28.6	103.4	385.0	1,229.8	3,629.7	9,280.8
Nonwhite-----	287.1	12.4	3.3	3.0	9.1	36.7	137.4	415.3	1,040.1	1,914.7	3,195.0	5,611.2
Male-----	320.5	13.1	3.8	3.1	8.7	40.1	158.9	487.4	1,175.6	2,216.9	3,523.1	6,128.6
Female-----	255.5	11.7	2.8	2.9	9.6	33.7	118.2	346.8	909.0	1,638.4	2,897.7	5,564.1
Rheumatic fever and chronic rheumatic heart disease (400-402,410-413)-----	10.3	0.1	0.2	0.7	2.0	4.8	10.2	19.7	28.7	31.1	36.7	53.4
Male-----	9.9	0.0	0.2	0.7	1.9	4.7	10.5	19.9	29.0	31.0	35.2	46.1
Female-----	10.6	0.1	0.2	0.7	2.1	4.8	9.9	19.5	28.4	31.2	37.9	59.0
White-----	10.6	0.1	0.1	0.4	1.7	4.4	10.2	20.4	29.8	32.0	37.6	53.5
Male-----	10.3	0.1	0.1	0.4	1.6	4.4	10.5	20.5	30.2	31.7	35.5	45.3
Female-----	11.0	0.1	0.1	0.4	1.7	4.3	9.8	20.2	29.5	32.3	39.1	58.7
Nonwhite-----	7.4	0	0.6	2.0	4.2	7.8	10.7	13.6	17.3	20.5	25.5	51.6
Male-----	7.5	0	0.5	2.0	3.6	7.5	10.5	14.0	17.9	23.4	31.4	54.2
Female-----	7.4	0	0.6	2.0	4.8	8.0	10.9	13.1	16.8	17.9	20.3	49.7
Arteriosclerotic heart disease, including coronary disease (420)-----	275.6	0.3	0.1	0.1	0.6	6.8	50.4	207.7	580.9	1,356.1	2,998.0	6,368.6
Male-----	348.0	0.3	0.1	0.1	0.8	10.9	86.2	347.1	885.2	1,853.2	3,636.6	6,930.6
Female-----	205.4	0.2	0.0	0.0	0.4	2.8	16.4	72.4	295.6	614.8	2,502.5	6,009.4
White-----	290.5	0.3	0.0	0.1	0.5	6.1	48.6	205.2	579.0	1,377.2	3,084.4	6,625.4
Male-----	368.0	0.3	0.1	0.1	0.7	10.3	86.0	352.5	901.3	1,909.2	3,758.4	7,248.7
Female-----	215.1	0.2	0.0	0.0	0.3	1.9	12.7	61.9	277.6	616.3	2,566.9	6,233.7
Nonwhite-----	160.4	0.5	0.2	0.0	1.4	12.3	66.1	230.9	601.0	1,108.6	1,823.4	3,294.4
Male-----	190.7	0.3	0.2	0.0	1.5	15.7	87.8	297.0	723.7	1,540.2	2,114.1	3,574.5
Female-----	131.7	0.6	0.2	0	1.3	9.3	46.7	168.0	482.3	897.0	1,563.4	3,076.3
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)-----	31.8	0.8	0.2	0.1	0.4	0.9	2.6	9.7	34.2	119.6	455.9	1,547.8
Male-----	32.0	0.9	0.3	0.2	0.5	1.1	3.3	13.0	44.5	143.9	491.4	1,564.0
Female-----	31.6	0.6	0.2	0.1	0.3	0.6	1.8	6.6	24.6	98.5	428.3	1,537.5
White-----	32.2	0.6	0.1	0.1	0.3	0.6	2.0	8.0	28.9	112.3	457.6	1,592.0
Male-----	32.1	0.8	0.1	0.1	0.4	0.8	2.8	11.5	39.2	136.1	493.1	1,613.7
Female-----	32.2	0.4	0.2	0.1	0.2	0.3	1.3	4.7	19.2	91.8	430.3	1,578.3
Nonwhite-----	29.1	1.5	0.9	0.2	0.9	3.0	7.1	25.8	88.4	204.4	432.5	1,019.0
Male-----	31.2	1.3	1.2	0.3	0.9	3.3	7.7	27.5	97.0	232.5	470.3	1,039.5
Female-----	27.1	1.6	0.6	0.2	0.9	2.7	6.6	23.7	80.1	178.7	398.6	1,003.1
Other diseases of heart (430-434)-----	14.3	5.5	0.8	0.4	0.8	2.0	5.0	11.9	26.6	58.9	148.6	363.8
Male-----	16.9	6.5	0.9	0.5	0.9	2.0	6.3	16.5	37.0	78.9	177.9	390.0
Female-----	11.9	4.5	0.7	0.4	0.7	1.9	3.6	7.5	16.9	41.4	125.8	347.1
White-----	13.5	4.6	0.6	0.4	0.7	1.4	3.9	9.6	22.9	53.8	145.4	366.2
Male-----	15.9	5.7	0.7	0.4	0.8	1.5	5.2	13.8	33.0	72.7	174.2	391.9
Female-----	11.2	3.6	0.5	0.3	0.5	1.3	2.6	5.5	13.4	37.4	123.3	350.1
Nonwhite-----	20.4	10.3	1.7	0.7	1.8	6.1	14.4	33.7	64.9	118.3	191.2	335.0
Male-----	24.0	11.1	2.0	0.7	1.8	6.1	16.9	42.0	77.2	149.8	224.2	369.9
Female-----	16.9	9.4	1.4	0.7	1.8	6.1	12.1	25.9	52.9	89.5	161.7	307.9

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases—Con.												
Diseases of cardiovascular system—Con.												
Diseases of heart—Continued												
Hypertensive heart disease (440-443)-----	37.0	0.0	0.0	0.0	0.2	1.3	6.4	22.7	67.4	174.9	450.2	984.2
Male-----	32.7	0.0	0	0.0	0.2	1.3	6.4	23.9	71.2	174.3	401.2	858.2
Female-----	41.2	0	0.0	0.0	0.2	1.2	6.5	21.5	63.9	175.4	488.3	1,064.8
White-----	32.7	0	0	0.0	0.1	0.4	2.6	13.0	47.6	150.3	430.4	973.6
Male-----	26.3	0	0	0.0	0.1	0.5	3.0	14.9	52.3	148.2	378.7	856.2
Female-----	37.1	0	0	0.0	0.1	0.3	2.2	11.1	43.3	152.1	470.1	1,060.0
Nonwhite-----	69.9	0.2	0.0	0.0	0.9	7.5	39.1	111.6	268.4	462.9	720.4	1,111.2
Male-----	67.1	0.3	0	0.0	0.9	7.5	36.0	106.9	259.7	471.0	683.1	1,090.5
Female-----	72.4	0	0.1	0.0	0.8	7.5	41.9	116.1	277.0	455.4	753.7	1,127.2
Other hypertensive disease (444-447)-----	7.1	0	0.0	0.0	0.1	0.9	3.2	5.7	10.0	27.1	61.8	230.5
Male-----	7.2	0	0.0	0.0	0.2	1.0	3.9	6.6	10.9	30.6	90.1	253.4
Female-----	6.9	0	0.0	0.0	0.1	0.9	2.6	4.8	9.1	24.1	75.4	215.9
White-----	6.4	0	0.0	0.0	0.1	0.4	1.5	3.6	7.7	24.1	80.5	232.6
Male-----	6.4	0	0.0	0.0	0.1	0.5	1.9	4.3	8.7	27.6	88.7	254.7
Female-----	6.3	0	0	0.0	0.0	0.3	1.0	2.9	6.8	21.2	74.3	218.7
Nonwhite-----	12.6	0	0	0	0.4	4.8	16.1	25.1	33.6	62.1	99.2	205.2
Male-----	13.4	0	0	0	0.5	4.7	20.9	28.6	35.4	65.2	107.4	239.2
Female-----	11.8	0	0	0	0.3	4.9	15.6	21.8	33.8	59.2	91.9	178.8
General arteriosclerosis (450)-----	20.0	0	0	0	0	0.1	0.3	1.8	10.9	56.9	307.4	1,423.3
Male-----	19.3	0	0	0	0	0.1	0.4	2.5	14.3	68.8	340.9	1,453.3
Female-----	20.7	0	0	0	0	0.1	0.2	1.0	7.7	46.5	281.4	1,404.1
White-----	20.9	0	0	0	0	0.1	0.2	1.5	9.4	53.6	311.8	1,471.9
Male-----	20.0	0	0	0	0	0.1	0.3	2.3	12.5	65.9	346.6	1,502.2
Female-----	21.8	0	0	0	0	0.0	0.1	0.8	6.4	43.4	285.1	1,452.8
Nonwhite-----	13.0	0	0	0	0	0.1	1.0	3.8	26.4	92.3	248.9	841.7
Male-----	14.0	0	0	0	0	0.2	1.3	4.6	31.6	101.7	268.8	937.5
Female-----	12.0	0	0	0	0	0.1	0.7	3.1	21.4	83.7	227.4	767.2
Other diseases of circulatory system (451-468)-----	11.0	0.9	0.1	0.2	0.9	1.6	3.8	9.1	25.6	56.1	100.5	161.0
Male-----	13.7	1.1	0.2	0.2	0.5	1.2	3.9	11.5	36.6	81.4	127.6	190.7
Female-----	8.5	0.8	0.1	0.2	1.2	2.0	3.6	6.8	15.3	34.1	79.5	142.0
White-----	11.1	0.8	0.1	0.2	0.8	1.3	3.1	8.2	24.2	56.1	102.3	165.0
Male-----	14.0	1.0	0.2	0.2	0.5	1.0	3.4	10.7	35.6	82.2	130.5	197.3
Female-----	8.4	0.5	0.1	0.2	1.0	1.6	2.9	5.8	13.6	33.5	80.7	144.7
Nonwhite-----	10.4	1.8	0.2	0.4	1.7	4.1	9.3	17.6	39.6	56.0	75.9	113.1
Male-----	11.6	1.3	0.3	0.2	0.8	3.2	8.6	19.4	46.9	72.3	91.4	121.2
Female-----	9.4	2.3	0.1	0.6	2.5	4.8	10.0	15.9	32.6	41.1	62.1	106.8
Chronic and unspecified nephritis and other renal scleroses (592-594)-----	6.7	0.5	0.2	0.5	1.7	2.9	4.2	7.4	12.1	23.9	53.3	132.0
Male-----	7.5	0.7	0.3	0.5	2.1	3.5	5.1	8.5	14.3	27.8	64.3	161.8
Female-----	5.9	0.4	0.2	0.5	1.3	2.2	3.4	6.2	10.1	20.5	44.8	113.1
White-----	5.9	0.5	0.1	0.4	1.6	2.5	3.3	5.8	9.7	20.4	49.1	124.2
Male-----	6.7	0.6	0.2	0.5	2.1	3.3	4.1	7.0	11.7	23.5	58.6	152.9
Female-----	5.2	0.4	0.1	0.4	1.2	1.7	2.6	4.2	7.7	17.7	41.8	106.1
Nonwhite-----	12.9	0.8	0.7	0.7	2.2	5.5	12.3	23.5	37.0	64.9	110.6	226.1
Male-----	14.1	1.0	0.9	0.8	2.7	5.5	14.1	22.5	39.6	76.4	135.4	255.1
Female-----	11.8	0.6	0.5	0.6	1.8	5.4	10.6	24.5	34.4	54.3	88.3	203.6
Influenza and pneumonia, except pneumonia of newborn (480-493)-----	37.3	239.0	16.2	2.6	3.0	4.8	9.3	19.6	43.2	112.1	340.6	1,126.6
Male-----	43.2	267.7	16.8	2.7	3.4	5.1	11.5	26.8	60.2	154.7	422.0	1,270.0
Female-----	31.5	209.4	15.6	2.5	2.7	4.5	7.1	12.7	27.2	75.1	277.4	1,035.0
White-----	34.1	166.8	12.4	2.3	2.6	3.5	6.7	15.7	36.8	103.9	337.7	1,150.5
Male-----	39.2	191.5	12.4	2.4	3.0	3.9	8.5	21.6	52.2	144.0	436.7	1,303.1
Female-----	29.0	141.1	12.3	2.2	2.3	3.2	5.0	10.0	22.5	69.3	277.1	1,054.7
Nonwhite-----	62.0	650.6	38.8	4.6	5.7	14.4	31.2	56.1	107.8	207.4	380.2	840.3
Male-----	74.3	711.7	43.3	4.6	6.0	14.7	38.6	76.0	140.3	276.2	489.0	921.5
Female-----	50.4	589.9	34.3	4.6	5.4	14.1	24.6	37.1	76.3	144.4	282.8	777.1
Influenza (480-485)-----	4.4	13.1	1.2	0.3	0.6	0.7	1.1	2.5	5.4	14.6	43.6	160.1
Male-----	4.6	14.0	1.0	0.2	0.6	0.7	1.1	3.1	6.6	18.4	49.7	173.9
Female-----	4.1	12.1	1.4	0.3	0.6	0.6	1.0	2.0	4.3	11.3	38.8	151.3
White-----	3.9	7.2	0.9	0.3	0.5	0.5	0.8	1.9	4.2	12.3	41.8	160.2
Male-----	4.1	7.8	0.8	0.2	0.6	0.6	0.9	2.3	5.2	15.7	47.6	177.1
Female-----	3.7	6.6	1.1	0.3	0.5	0.5	0.8	1.4	3.2	9.4	37.4	149.6
Nonwhite-----	8.0	46.6	2.5	0.5	1.1	1.6	3.3	8.7	18.3	40.7	67.1	159.1
Male-----	8.6	50.3	2.0	0.5	0.8	1.3	3.4	10.2	20.7	49.1	76.1	140.3
Female-----	7.4	42.9	3.0	0.5	1.3	2.0	3.2	7.3	16.1	35.1	59.1	173.8
Pneumonia, except pneumonia of newborn (490-493)-----	32.9	225.9	15.0	2.3	2.4	4.1	8.2	17.1	37.8	97.5	297.0	966.5
Male-----	38.5	253.6	15.9	2.5	2.8	4.4	10.4	23.7	53.6	136.3	372.3	1,096.1
Female-----	27.4	197.3	14.2	2.2	2.1	3.9	6.1	10.7	22.9	65.8	238.6	883.6
White-----	30.1	159.6	11.4	2.0	2.1	3.0	5.9	13.8	32.7	91.6	295.9	990.3
Male-----	35.1	183.7	11.6	2.2	2.5	3.2	7.6	19.2	46.9	128.3	369.1	1,126.0
Female-----	25.3	134.5	11.2	1.9	1.8	2.7	4.3	8.6	19.3	59.8	239.6	935.1
Nonwhite-----	54.0	604.0	36.4	4.1	4.6	12.7	28.0	47.3	89.4	166.6	313.1	681.2
Male-----	65.7	661.4	41.4	4.2	5.2	13.4	35.2	65.8	119.6	227.2	412.9	781.2
Female-----	43.0	547.0	31.3	4.1	4.1	12.1	21.4	29.8	60.2	111.3	223.8	603.3
Bronchitis (500-502)-----	2.4	16.0	2.1	0.2	0.1	0.1	0.4	1.5	4.2	9.9	16.1	32.7
Male-----	3.4	19.3	2.4	0.2	0.1	0.2	0.5	2.3	6.9	17.3	25.5	41.7
Female-----	1.4	12.5	1.9	0.2	0.2	0.1	0.3	0.8	1.7	3.4	8.7	27.0
White-----	2.4	14.7	2.1	0.2	0.1	0.2	0.4	1.5	4.2	10.0	16.5	33.7
Male-----	3.5	18.7	2.3	0.2	0.1	0.2	0.5	2.2	6.9	17.7	26.6	43.5
Female-----	1.4	10.5	1.8	0.2	0.2	0.1	0.3	0.8	1.7	3.4	8.8	27.5
Nonwhite-----	2.2	23.3	2.5	0.1	0.3	0.2	0.8	2.0	4.2	8.1	9.4	20.9
Male-----	2.8	23.2	2.5	0.1	0.1	0.2	1.1	3.2	6.8	13.0	12.0	22.3
Female-----	1.7	23.4	2.6	0.1	0.4	0.2	0.5	0.9	1.6	3.5	7.2	19.9

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



## SECTION 1 - MORTALITY

1-31

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ulcer of stomach and duodenum (540,541)-----	6.3	1.9	0.1	0.0	0.1	0.7	2.5	7.3	15.7	29.9	55.6	77.9
Male-----	9.6	2.7	0.1	0.0	0.2	1.1	3.9	11.6	26.5	49.4	85.0	114.3
Female-----	3.1	1.0	0.1	0.1	0.1	0.4	1.2	3.2	5.6	12.9	29.3	54.7
White-----	6.6	1.2	0.1	0.0	0.1	0.6	2.3	7.1	15.8	30.4	55.6	81.9
Male-----	10.0	1.8	0.1	0.0	0.2	1.0	3.6	11.3	26.8	50.4	88.5	120.9
Female-----	3.3	0.6	0.1	0.1	0.1	0.3	1.0	3.0	5.5	13.1	30.4	57.3
Nonwhite-----	4.5	5.7	0.2	0.1	0.1	1.5	4.4	9.5	15.0	24.2	26.8	30.7
Male-----	6.9	7.8	0.2	0.1	0.1	2.2	6.6	15.0	23.8	38.7	40.7	44.6
Female-----	2.2	3.6	0.2	0.0	0.1	0.8	2.3	4.2	6.6	11.0	14.3	19.9
Appendicitis (550-553)-----	1.0	0.3	0.3	0.4	0.3	0.3	0.5	1.0	2.2	4.0	7.1	9.9
Male-----	1.3	0.3	0.4	0.4	0.4	0.3	0.6	1.5	3.2	5.5	9.9	11.6
Female-----	0.8	0.3	0.3	0.4	0.2	0.2	0.4	0.5	1.5	2.7	5.1	8.8
White-----	1.0	0.3	0.3	0.4	0.3	0.2	0.4	0.8	1.9	3.8	7.2	9.9
Male-----	1.3	0.4	0.4	0.3	0.4	0.3	0.5	1.3	2.8	5.1	10.0	11.5
Female-----	0.7	0.3	0.2	0.4	0.2	0.1	0.3	0.4	1.1	2.6	5.0	8.9
Nonwhite-----	1.5	0.2	0.4	0.7	0.5	0.7	1.3	2.1	5.0	6.7	6.6	9.8
Male-----	1.8	0	0.4	0.8	0.5	0.9	1.0	2.8	6.8	9.7	7.3	12.8
Female-----	1.2	0.3	0.4	0.6	0.5	0.5	1.6	1.5	3.2	4.0	6.0	7.4
Hernia and intestinal obstruction (560,561,570)-----	5.1	22.4	0.4	0.1	0.2	0.5	1.3	3.5	8.4	20.1	49.8	109.3
Male-----	5.1	25.9	0.6	0.1	0.2	0.5	1.3	3.5	9.3	22.4	51.3	104.9
Female-----	5.1	18.8	0.3	0.1	0.2	0.5	1.4	3.5	7.5	18.1	48.7	112.2
White-----	5.0	22.0	0.4	0.1	0.2	0.4	1.1	3.0	7.7	19.5	50.3	112.6
Male-----	4.9	25.2	0.5	0.1	0.2	0.4	1.0	3.1	8.8	21.5	51.1	108.8
Female-----	5.1	18.7	0.3	0.1	0.2	0.4	1.1	3.0	6.7	17.8	49.7	115.1
Nonwhite-----	5.4	24.6	0.7	0.3	0.4	1.3	3.6	7.7	14.6	27.0	43.5	69.8
Male-----	5.9	30.1	1.0	0.4	0.5	1.5	3.2	8.1	14.4	32.9	54.0	63.8
Female-----	4.9	19.2	0.3	0.3	0.3	1.3	4.0	7.5	12.8	21.6	34.0	74.5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)-----	4.4	63.8	3.3	0.2	0.4	0.7	1.1	2.4	4.8	11.4	25.4	55.1
Male-----	4.6	69.7	3.8	0.3	0.4	0.7	1.1	2.7	5.5	12.3	24.7	54.1
Female-----	4.2	57.6	2.7	0.2	0.5	0.6	1.1	2.1	4.1	10.7	25.9	55.7
White-----	3.8	38.3	2.5	0.2	0.4	0.7	1.0	2.3	4.7	11.4	26.1	56.0
Male-----	3.9	40.8	3.0	0.2	0.4	0.7	1.1	2.7	5.5	12.3	25.5	55.3
Female-----	3.7	31.6	2.1	0.2	0.5	0.6	1.0	1.9	4.0	10.7	26.6	56.4
Nonwhite-----	9.5	220.3	7.5	0.4	0.4	0.8	1.7	3.0	5.4	11.3	15.4	44.7
Male-----	10.4	238.3	9.0	0.5	0.4	0.7	1.7	2.9	5.5	12.1	15.3	41.5
Female-----	8.6	202.4	5.9	0.3	0.4	0.8	1.8	3.2	5.2	10.6	15.5	47.2
Cirrhosis of liver (581)-----	11.3	0.8	0.2	0.1	0.3	2.9	11.8	27.6	32.7	37.4	32.1	28.8
Male-----	15.3	0.8	0.2	0.1	0.2	3.1	14.4	36.8	48.5	57.4	45.1	40.0
Female-----	7.5	0.9	0.1	0.2	0.3	2.7	9.3	18.6	17.9	20.1	22.0	21.7
White-----	11.5	0.7	0.2	0.1	0.2	2.1	10.8	27.2	33.1	38.9	33.2	29.7
Male-----	15.6	0.7	0.2	0.1	0.2	2.3	13.4	36.5	49.2	59.7	46.8	41.7
Female-----	7.4	0.8	0.1	0.2	0.2	1.8	8.2	18.1	18.0	20.8	22.7	22.2
Nonwhite-----	10.2	1.3	0.2	0.1	0.6	9.1	21.0	30.9	29.1	20.8	18.0	18.1
Male-----	12.6	1.3	0.1	0.1	0.5	9.3	23.8	39.1	41.5	30.9	23.3	22.3
Female-----	7.9	1.3	0.3	0.1	0.7	9.0	18.5	23.1	17.1	11.5	13.1	14.9
Cholelithiasis, cholecystitis, and cholangitis (584,585)-----	2.6	0.0	0.0	0	0.1	0.2	0.6	1.6	4.2	13.0	31.3	59.0
Male-----	2.1	0.0	0	0	0.0	0.1	0.4	1.4	3.5	11.9	29.9	48.9
Female-----	3.0	0	0.0	0	0.1	0.3	0.8	1.8	4.8	13.9	32.3	65.4
White-----	2.8	0.0	0	0	0.1	0.2	0.6	1.6	4.3	13.4	32.6	62.0
Male-----	2.3	0.1	0	0	0.0	0.1	0.4	1.4	3.6	12.5	31.3	51.4
Female-----	3.2	0	0	0	0.1	0.3	0.8	1.7	4.9	14.1	33.5	68.7
Nonwhite-----	1.2	0	0.0	0	0.1	0.3	0.8	1.8	3.4	8.0	13.9	22.3
Male-----	0.8	0	0	0	0.1	0.1	0.6	1.2	2.5	4.8	12.7	22.3
Female-----	1.5	0	0.1	0	0.1	0.5	1.0	2.3	4.2	10.8	14.9	22.3
Acute nephritis, and nephritis with edema including nephrosis (590,591)-----	0.9	1.1	0.5	0.3	0.4	0.4	0.5	1.0	1.7	2.8	4.6	9.8
Male-----	1.0	1.4	0.4	0.4	0.5	0.6	0.6	1.2	2.0	3.3	5.9	12.1
Female-----	0.8	0.7	0.6	0.3	0.3	0.3	0.5	0.9	1.5	2.3	3.7	8.3
White-----	0.8	0.9	0.4	0.3	0.3	0.4	0.4	0.8	1.4	2.5	4.3	9.7
Male-----	0.9	1.1	0.4	0.3	0.4	0.5	0.4	0.9	1.7	2.9	5.5	12.4
Female-----	0.7	0.8	0.5	0.3	0.2	0.2	0.4	0.7	1.2	2.1	3.3	8.0
Nonwhite-----	1.8	1.8	0.9	0.6	0.7	1.2	1.7	3.1	4.4	5.8	9.8	11.2
Male-----	2.1	3.3	0.9	0.8	0.7	1.4	2.3	3.8	4.5	7.5	10.7	9.6
Female-----	1.5	0.3	0.9	0.3	0.8	1.0	1.3	2.5	4.2	4.2	9.0	12.4
Infections of kidney (600)-----	4.3	1.7	0.1	0.1	0.3	0.9	2.0	4.1	8.4	17.4	40.1	90.7
Male-----	4.4	2.2	0.1	0.1	0.3	0.7	1.6	3.8	8.5	21.1	49.4	107.9
Female-----	4.2	1.2	0.1	0.2	0.3	1.1	2.4	4.4	8.3	14.2	32.9	79.7
White-----	3.9	1.4	0.1	0.1	0.2	0.6	1.4	2.9	6.5	15.6	39.3	82.7
Male-----	4.0	1.7	0	0.1	0.3	0.5	1.2	2.9	6.7	18.9	48.1	108.8
Female-----	3.7	1.1	0.1	0.2	0.2	0.8	1.6	3.0	6.3	12.8	32.5	82.6
Nonwhite-----	7.5	3.3	0.2	0.2	0.7	2.7	7.0	14.7	27.5	38.3	52.0	67.0
Male-----	7.5	4.6	0.4	0.1	0.7	2.0	5.2	12.5	26.2	46.2	66.7	98.8
Female-----	7.4	1.9	0	0.3	0.8	3.2	8.6	16.8	28.8	31.1	38.8	42.2
Hyperplasia of prostate (610)-----	2.5	0	0	0	0	0.0	0.0	0.2	2.0	11.3	40.3	103.0
Male-----	5.0	0	0	0	0	0.0	0.1	0.5	4.2	24.3	92.3	264.2
White-----	2.4	0	0	0	0	0.0	0.0	0.1	1.6	10.1	39.4	102.1
Male-----	4.9	0	0	0	0	0.0	0.0	0.3	3.3	21.8	90.7	264.7
Nonwhite-----	2.9	0	0	0	0	0	0.1	1.1	6.5	25.0	52.6	113.1
Male-----	5.9	0	0	0	0	0	0.3	2.4	13.3	52.4	111.4	258.3
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	0.9	...	...	0.0	1.8	2.9	1.9	0.1	0	0	0	0
Female-----	1.7	...	...	0.0	3.5	5.8	3.7	0.1	0	0	0	0
White-----	0.8	...	...	0.0	1.2	2.0	1.3	0.0	0	0	0	0
Female-----	1.2	...	...	0.0	2.4	3.9	2.6	0.1	0	0	0	0
Nonwhite-----	3.1	...	...	0.1	5.8	10.4	7.1	0.4	0	0	0	0
Female-----	6.1	...	...	0.2	11.3	19.4	13.6	0.8	0	0	0	0

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Deliveries and complications of pregnancy, childbirth, and the puerperium—Con.												
Abortion (650-652)-----	0.2	...	...	0.0	0.3	0.7	0.2	0.0	0	0	0	0
Female-----	0.3	...	...	0.0	0.7	1.4	0.4	0.0	0	0	0	0
White-----	0.1	...	...	0.0	0.2	0.4	0.1	0.0	0	0	0	0
Female-----	0.2	...	...	0.0	0.3	0.8	0.2	0.0	0	0	0	0
Nonwhite-----	0.7	...	...	0.0	1.5	2.9	0.7	0.0	0	0	0	0
Female-----	1.3	...	...	0.0	3.0	5.4	1.4	0.1	0	0	0	0
Other complications of pregnancy, childbirth, and the puerperium (640-649, 660-689)-----	0.7	...	...	0.0	1.4	2.2	1.7	0.1	0	0	0	0
Female-----	1.4	...	...	0.0	2.8	4.4	3.4	0.1	0	0	0	0
White-----	0.5	...	...	0.0	1.0	1.5	1.2	0.0	0	0	0	0
Female-----	1.0	...	...	0.0	2.1	3.0	2.3	0.1	0	0	0	0
Nonwhite-----	2.4	...	...	0.1	4.3	7.6	6.4	0.3	0	0	0	0
Female-----	4.8	...	...	0.2	8.3	14.1	12.2	0.7	0	0	0	0
Congenital malformations (750-759)-----	12.2	374.3	12.9	3.6	2.7	2.0	2.2	2.7	2.9	2.8	2.8	3.2
Male-----	13.5	407.0	12.9	3.8	3.2	2.2	2.5	3.0	3.0	3.7	3.0	5.5
Female-----	10.9	340.4	12.9	3.5	2.2	1.9	1.9	2.4	2.8	1.9	2.6	1.8
White-----	12.0	385.6	12.4	3.7	2.8	2.0	2.1	2.8	2.9	2.8	2.7	3.1
Male-----	13.3	413.6	12.3	3.9	3.3	2.2	2.5	2.9	2.9	3.8	2.9	5.1
Female-----	10.8	352.5	12.6	3.5	2.3	1.8	1.8	2.3	2.9	2.0	2.5	1.9
Nonwhite-----	13.7	319.8	15.6	3.2	2.0	2.5	2.6	3.3	2.6	1.8	3.8	4.2
Male-----	15.8	366.8	16.4	3.2	2.5	2.3	2.8	3.8	3.6	2.9	4.0	9.6
Female-----	11.7	273.2	14.8	3.1	1.4	2.6	2.4	2.9	1.6	0.9	3.6	0
Certain diseases of early infancy (760-776)-----	37.4	1,631.2	0.1	0.0	0.0	0	0	0	0	0	0	0
Male-----	44.3	1,870.5	0.1	0.0	0	0	0	0	0	0	0	0
Female-----	30.8	1,383.9	0.1	0.0	0.0	0	0	0	0	0	0	0
White-----	32.3	1,465.3	0.1	0.0	0.0	0	0	0	0	0	0	0
Male-----	38.6	1,692.8	0.1	0.0	0	0	0	0	0	0	0	0
Female-----	26.2	1,229.5	0.0	0.0	0.0	0	0	0	0	0	0	0
Nonwhite-----	77.2	2,578.7	0.1	0.0	0	0	0	0	0	0	0	0
Male-----	89.2	2,906.4	0.2	0	0	0	0	0	0	0	0	0
Female-----	65.8	2,249.1	0.1	0.0	0	0	0	0	0	0	0	0
Birth injuries, postnatal asphyxia, and atelectasis (780-782)-----	16.6	722.2	0	0	0	0	0	0	0	0	0	0
Male-----	20.0	845.0	0	0	0	0	0	0	0	0	0	0
Female-----	13.2	595.3	0	0	0	0	0	0	0	0	0	0
White-----	14.9	674.3	0	0	0	0	0	0	0	0	0	0
Male-----	18.1	796.8	0	0	0	0	0	0	0	0	0	0
Female-----	11.6	546.7	0	0	0	0	0	0	0	0	0	0
Nonwhite-----	29.8	995.4	0	0	0	0	0	0	0	0	0	0
Male-----	34.6	1,125.9	0	0	0	0	0	0	0	0	0	0
Female-----	25.3	865.6	0	0	0	0	0	0	0	0	0	0
Infections of newborn (763-768)-----	2.7	116.4	0	0	0	0	0	0	0	0	0	0
Male-----	3.2	133.9	0	0	0	0	0	0	0	0	0	0
Female-----	2.2	98.3	0	0	0	0	0	0	0	0	0	0
White-----	2.0	89.3	0	0	0	0	0	0	0	0	0	0
Male-----	2.4	103.9	0	0	0	0	0	0	0	0	0	0
Female-----	1.6	74.1	0	0	0	0	0	0	0	0	0	0
Nonwhite-----	8.1	270.8	0	0	0	0	0	0	0	0	0	0
Male-----	9.5	308.9	0	0	0	0	0	0	0	0	0	0
Female-----	6.8	232.9	0	0	0	0	0	0	0	0	0	0
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)-----	18.2	792.6	0.1	0.0	0.0	0	0	0	0	0	0	0
Male-----	21.1	891.5	0.1	0.0	0	0	0	0	0	0	0	0
Female-----	15.3	690.3	0.1	0.0	0.0	0	0	0	0	0	0	0
White-----	15.5	701.7	0.1	0.0	0.0	0	0	0	0	0	0	0
Male-----	18.0	792.1	0.1	0.0	0	0	0	0	0	0	0	0
Female-----	13.0	607.7	0.0	0.0	0.0	0	0	0	0	0	0	0
Nonwhite-----	39.3	1,310.5	0.1	0.0	0	0	0	0	0	0	0	0
Male-----	45.2	1,471.5	0.2	0	0	0	0	0	0	0	0	0
Female-----	33.7	1,150.5	0.1	0.0	0	0	0	0	0	0	0	0
Symptoms, senility, and ill-defined conditions (780-795)-----	11.4	61.2	2.8	0.5	1.3	2.6	4.7	10.0	18.0	33.3	81.6	309.3
Male-----	13.6	67.7	3.2	0.6	1.5	2.9	5.7	13.9	25.3	46.2	106.6	325.4
Female-----	9.2	54.5	2.4	0.4	1.0	2.2	3.6	6.3	11.1	22.0	62.2	299.0
White-----	8.3	27.8	1.6	0.4	0.9	1.6	3.2	7.0	12.7	24.1	65.1	261.4
Male-----	10.1	31.4	1.8	0.4	1.2	1.8	4.1	10.2	19.3	35.2	85.7	270.8
Female-----	6.4	24.0	1.3	0.3	0.7	1.4	2.2	3.8	6.6	14.4	49.3	255.6
Nonwhite-----	35.5	251.9	10.2	1.7	3.8	9.6	17.4	38.0	71.2	140.8	306.2	882.2
Male-----	41.0	279.5	11.3	2.1	4.2	11.5	19.9	47.5	85.2	171.1	368.3	902.4
Female-----	30.3	224.5	9.0	1.2	3.4	8.1	15.2	29.0	57.7	113.1	250.6	866.5
All other diseases (Residual)-----	38.5	101.9	11.9	4.7	6.6	10.0	19.2	38.5	77.6	151.7	255.7	462.1
Male-----	48.0	120.4	13.2	5.0	7.7	10.9	21.3	48.9	108.5	219.1	338.5	558.7
Female-----	29.4	82.8	10.5	4.5	5.5	9.2	17.2	28.3	48.7	93.0	191.4	400.4
White-----	38.1	90.1	11.2	4.6	5.9	8.0	16.3	35.3	76.0	152.1	259.7	471.2
Male-----	47.6	107.4	12.5	4.9	7.0	8.9	18.1	45.2	107.2	220.4	345.0	569.9
Female-----	28.8	72.1	9.9	4.4	4.7	7.0	14.5	25.7	46.8	92.9	194.2	409.2
Nonwhite-----	42.2	169.1	15.8	5.2	11.5	25.8	44.4	67.5	94.5	147.0	201.0	353.2
Male-----	50.9	196.2	17.7	5.4	12.4	27.2	49.6	85.4	121.2	204.4	258.2	440.0
Female-----	34.1	142.3	13.9	5.0	10.6	24.7	39.8	52.4	68.5	94.5	149.8	285.5
Accidents (E900-E962)-----	52.3	93.2	31.6	19.3	56.0	43.0	40.9	49.8	59.0	88.1	214.5	624.7
Male-----	72.8	103.0	35.9	26.6	93.0	72.0	65.8	77.6	89.2	119.8	236.4	581.9
Female-----	32.4	85.0	27.2	11.7	19.7	15.1	17.2	22.7	31.5	60.6	197.5	652.1
White-----	50.5	76.4	27.5	17.7	55.8	40.5	37.8	46.5	56.0	86.4	217.4	646.8
Male-----	70.0	85.6	31.8	24.8	92.2	67.7	60.8	72.3	84.2	117.7	238.7	600.5
Female-----	31.5	68.7	23.0	10.4	19.7	14.0	15.7	21.4	29.6	59.3	201.0	675.9
Nonwhite-----	66.1	188.8	55.8	29.2	57.9	61.6	67.7	80.2	69.4	107.8	174.8	360.1
Male-----	95.0	204.3	60.0	38.6	98.8	106.1	110.4	127.8	129.1	142.8	206.8	365.8
Female-----	38.7	173.5	51.5	19.9	19.6	23.1	29.3	34.8	51.0	75.8	146.2	340.2

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

## SECTION 1 - MORTALITY

1-33

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidents—Con.												
Motor vehicle accidents (E810-E835)-----	21.3	8.1	10.0	7.9	58.0	24.3	19.3	21.4	25.1	31.4	41.8	37.9
Male-----	31.8	8.6	11.5	10.4	61.2	40.1	29.9	31.6	35.6	45.8	66.0	62.7
Female-----	11.0	7.5	8.4	5.4	15.1	9.2	9.1	11.6	15.2	19.0	25.0	22.0
White-----	21.2	8.1	9.8	7.9	39.0	23.6	18.5	20.4	24.5	31.5	42.5	37.5
Male-----	31.5	8.8	11.3	10.3	62.7	38.6	28.4	29.7	34.4	45.5	66.8	61.9
Female-----	11.2	7.5	8.3	5.3	15.6	9.0	8.9	11.4	15.3	19.3	25.8	22.2
Nonwhite-----	21.9	7.7	11.2	8.3	30.3	29.5	25.2	30.5	30.7	30.9	32.4	41.9
Male-----	34.4	7.5	13.1	10.7	50.7	51.7	43.1	49.1	47.6	49.1	56.0	70.2
Female-----	10.1	7.8	9.4	5.9	11.2	10.3	11.0	12.8	14.4	14.4	11.3	19.9
Other accidents (E800-E802, E840-E862)-----	31.0	85.1	21.6	11.3	18.1	18.6	21.7	28.4	33.9	56.7	172.7	596.8
Male-----	41.1	94.4	24.3	16.3	31.7	31.9	35.9	46.1	52.6	74.0	170.3	519.2
Female-----	21.3	75.5	18.7	6.3	4.6	5.9	8.0	11.2	15.3	41.6	174.5	630.0
White-----	29.4	68.2	17.7	9.9	16.7	18.9	19.3	26.1	31.5	54.9	174.9	609.2
Male-----	38.6	78.8	20.6	14.5	29.5	29.1	32.4	42.6	49.7	72.3	171.9	539.5
Female-----	20.4	59.3	14.7	5.0	4.1	5.0	6.8	10.0	14.4	39.9	177.2	655.7
Nonwhite-----	44.1	181.2	44.5	20.9	27.6	32.1	41.5	49.7	58.7	76.9	142.4	318.3
Male-----	60.6	196.8	46.9	27.8	48.1	54.4	67.3	78.8	81.5	95.8	150.8	315.7
Female-----	28.6	165.7	42.2	14.0	8.4	12.8	18.3	22.0	36.7	61.4	134.9	320.3
Suicide (E963, E970-E979)-----	10.6	0	0	0.3	5.2	10.0	14.2	20.7	23.7	23.0	27.9	26.0
Male-----	16.5	0	0	0.4	8.2	14.7	21.0	31.6	38.1	39.6	52.5	57.4
Female-----	4.9	0	0	0.1	2.2	5.5	7.7	10.2	10.2	8.4	8.9	6.0
White-----	11.4	0	0	0.3	5.4	10.3	14.9	22.1	25.0	24.2	29.4	27.4
Male-----	17.6	0	0	0.5	8.6	14.9	21.9	33.7	40.2	42.0	55.7	61.3
Female-----	5.3	0	0	0.1	2.3	5.8	8.1	10.9	10.9	8.8	9.2	6.1
Nonwhite-----	4.5	0	0	0.1	3.4	7.9	8.3	7.9	10.0	8.0	7.6	9.8
Male-----	7.2	0	0	0.1	5.3	12.9	13.5	12.8	16.9	12.6	11.3	15.9
Female-----	2.0	0	0	0.0	1.5	3.5	3.7	3.2	3.4	3.8	4.2	5.0
Homicide (E964, E980-E985)-----	4.7	4.8	0.7	0.5	5.9	9.7	8.1	6.2	4.2	2.8	2.4	2.4
Male-----	7.1	4.7	0.7	0.5	9.1	14.9	12.3	9.6	6.6	4.6	3.7	3.6
Female-----	2.4	4.9	0.7	0.4	2.8	4.6	4.1	2.9	2.0	1.3	1.3	1.6
White-----	2.5	3.7	0.6	0.4	3.0	4.1	3.8	3.5	2.9	2.2	1.8	2.0
Male-----	3.6	3.8	0.6	0.4	4.4	6.2	5.5	5.0	4.3	3.4	2.7	2.7
Female-----	1.4	3.5	0.5	0.3	1.5	2.0	2.2	1.9	1.5	1.1	1.2	1.5
Nonwhite-----	21.9	11.6	1.7	1.2	27.0	51.6	44.6	31.4	17.7	10.5	9.4	7.0
Male-----	34.5	10.1	1.6	1.4	43.7	84.7	72.3	51.5	29.1	18.6	16.7	12.8
Female-----	9.9	13.0	1.7	1.0	11.3	22.9	19.6	12.3	8.6	3.1	3.0	2.5

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

Table I-N. Death Rates by Color and Sex, for Metropolitan and Nonmetropolitan Counties: United States, 1950 and 1960

(By place of residence. Data refer only to deaths occurring within the United States. Alaska and Hawaii included for 1960. Excludes fetal deaths. Rates per 1,000 population in specified group, enumerated as of April 1 of each year. Counties are classified as metropolitan or nonmetropolitan according to 1950 and 1960 definitions, respectively; see Technical Appendix)

AREA, YEAR, AND SEX	Total	White	Nonwhite
<b>BOTH SEXES</b>			
United States:			
1960-----	9.5	9.5	10.1
1950-----	9.6	9.5	11.2
Metropolitan counties:			
1960-----	9.3	9.3	9.6
1950-----	9.7	9.5	11.2
Nonmetropolitan counties:			
1960-----	10.0	9.8	11.0
1950-----	9.6	9.3	11.2
<b>MALE</b>			
United States:			
1960-----	11.0	11.0	11.5
1950-----	11.1	10.9	12.5
Metropolitan counties:			
1960-----	10.7	10.7	11.0
1950-----	11.1	11.0	12.6
Nonmetropolitan counties:			
1960-----	11.6	11.5	12.4
1950-----	11.0	10.8	12.4
<b>FEMALE</b>			
United States:			
1960-----	8.1	8.0	8.7
1950-----	8.2	8.0	9.9
Metropolitan counties:			
1960-----	8.0	7.9	8.3
1950-----	8.3	8.2	9.8
Nonmetropolitan counties:			
1960-----	8.3	8.2	9.6
1950-----	8.1	7.8	10.1

Table I-O. Death Rates by Color, for Urban and Rural Areas, and Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 1,000 population in specified group, enumerated as of April 1. For definitions of areas, see Technical Appendix)

AREA	Total	White	Nonwhite
UNITED STATES-----	9.5	9.5	10.1
Urban-----	10.3	10.3	10.3
Places of 1,000,000 or more-----	11.5	12.0	9.4
Places of 500,000 to 1,000,000-----	11.2	11.7	9.7
Places of 250,000 to 500,000-----	10.6	10.8	9.9
Places of 100,000 to 250,000-----	10.4	10.3	10.5
Places of 50,000 to 100,000-----	9.8	9.7	10.5
Places of 25,000 to 50,000-----	9.2	9.1	11.0
Places of 10,000 to 25,000-----	9.3	9.1	11.8
Places of 2,500 to 10,000-----	10.5	10.3	12.8
Rural-----	8.4	8.2	9.6
Metropolitan counties-----	9.3	9.3	9.6
Urban-----	10.1	10.2	9.8
Places of 1,000,000 or more-----	11.5	12.0	9.4
Places of 500,000 to 1,000,000-----	11.2	11.7	9.7
Places of 250,000 to 500,000-----	10.6	10.8	9.9
Places of 100,000 to 250,000-----	10.4	10.3	10.5
Places of 50,000 to 100,000-----	9.8	9.8	10.5
Places of 25,000 to 50,000-----	8.2	8.2	8.8
Places of 10,000 to 25,000-----	8.1	8.0	9.8
Places of 2,500 to 10,000-----	8.6	8.6	10.0
Rural-----	6.8	6.7	8.2
Nonmetropolitan counties-----	10.0	9.8	11.0
Urban-----	11.0	10.7	12.8
Places of 50,000 to 100,000 <sup>1</sup> -----	6.3	6.3	3.9
Places of 25,000 to 50,000-----	10.5	10.3	12.2
Places of 10,000 to 25,000-----	10.5	10.3	12.6
Places of 2,500 to 10,000-----	11.8	11.5	13.4
Rural-----	9.4	9.3	10.1

<sup>1</sup>Rates are for Woodbridge township, Middlesex county, New Jersey. This township is classified as urban under special rule relating to population size and density, although Middlesex County is not included in a standard metropolitan statistical area and therefore is a nonmetropolitan county.

Table I-P. Death Rates for Geographic Divisions: United States, 1900-1960

(By place of occurrence. Prior to 1933, data for death-registration States only. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the area)

YEAR	United States <sup>1</sup>	GEOGRAPHIC DIVISION								
		New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific <sup>1</sup>
1960-----	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1959-----	9.4	10.5	10.4	9.4	10.0	8.8	9.2	8.4	8.1	8.6
1958-----	9.5	10.8	10.5	9.5	10.0	9.0	9.6	8.5	8.1	8.7
1957-----	9.6	10.8	10.6	9.8	10.1	9.0	9.4	8.5	8.2	8.8
1956-----	9.4	10.6	10.3	9.5	9.7	8.7	9.0	8.3	8.1	8.8
1955-----	9.3	10.8	10.3	9.5	9.6	8.6	8.9	7.9	8.2	8.8
1950-54-----	9.5	10.6	10.4	9.8	10.0	8.8	9.1	8.3	8.7	9.1
1945-49-----	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44-----	10.6	11.8	11.5	10.9	10.8	9.9	9.9	9.0	10.4	10.9
1935-39-----	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34-----	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29-----	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24-----	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19-----	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14-----	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09-----	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904-----	16.2	16.8	---	---	---	---	---	---	---	---

<sup>1</sup>Alaska included beginning 1959, and Hawaii, 1960.

## SECTION 1 MORTALITY

1-35

Table 1-Q. Crude and Age-Adjusted Death Rates: United States, Each Division and State, 1940, 1950, and 1960, With Percent Decreases

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 population in each area. Crude rates based on population enumerated as of April 1 of each year; age-adjusted rates computed by the direct method using as the standard population the age distribution of the population of the United States as enumerated in 1940. Plus sign (+) denotes increase)

DIVISION AND STATE	CRUDE DEATH RATES						AGE-ADJUSTED DEATH RATES					
	1960	1950	1940	Percent decrease			1960	1950	1940	Percent decrease		
				1940 to 1960	1950 to 1960	1940 to 1950				1940 to 1960	1950 to 1960	1940 to 1950
UNITED STATES <sup>1</sup> .....	9.5	9.6	10.8	12.0	1.0	11.1	7.6	8.4	10.8	29.6	9.5	22.2
GEOGRAPHIC DIVISION:												
New England.....	10.6	10.4	11.7	9.4	+1.9	11.1	7.4	7.9	10.2	27.5	6.3	22.5
Middle Atlantic.....	10.5	10.5	11.2	6.2	0	6.2	7.9	8.8	11.1	28.8	10.2	20.7
East North Central.....	9.6	10.0	11.0	12.7	4.0	9.1	7.6	8.4	10.4	26.9	9.5	19.2
West North Central.....	10.1	10.1	10.3	1.9	0	1.9	6.9	7.6	9.0	23.3	9.2	15.6
South Atlantic.....	9.1	8.9	10.5	13.3	+2.2	15.2	8.1	9.1	12.0	32.5	11.0	24.2
East South Central.....	9.5	9.1	10.4	8.7	+4.4	12.5	8.0	8.9	11.6	31.0	10.1	23.5
West South Central.....	8.7	8.4	9.7	10.3	+3.6	13.4	7.4	8.1	10.8	31.5	8.6	25.0
Mountain.....	8.1	8.6	10.2	20.6	5.8	15.7	7.3	8.2	10.6	31.1	11.0	22.6
Pacific <sup>2</sup> .....	8.7	9.3	11.5	24.3	6.5	19.1	7.1	7.9	10.1	29.7	10.1	21.8
NEW ENGLAND:												
Maine.....	11.1	10.8	12.5	11.2	+2.8	13.6	7.6	8.0	10.2	25.5	5.0	21.6
New Hampshire.....	11.0	11.4	12.7	13.4	3.5	10.2	7.4	8.0	10.0	26.0	7.5	20.0
Vermont.....	11.4	11.0	13.0	12.3	+3.6	15.4	7.5	7.9	10.4	27.9	5.1	24.0
Massachusetts.....	11.0	10.5	11.8	6.8	+4.8	11.0	7.5	7.8	10.3	27.2	3.9	24.3
Rhode Island.....	10.5	10.5	11.2	6.2	0	6.2	7.5	8.5	10.6	29.2	11.8	19.8
Connecticut.....	9.4	9.5	10.6	11.3	1.1	10.4	7.2	7.7	10.0	28.0	6.5	23.0
MIDDLE ATLANTIC:												
New York.....	10.6	10.5	11.1	4.5	+1.0	5.4	7.9	8.7	11.0	28.2	9.2	20.9
New Jersey.....	9.8	10.2	11.0	10.9	3.9	7.3	7.8	8.6	11.0	29.1	9.3	21.8
Pennsylvania.....	10.7	10.5	11.3	5.3	+1.9	7.1	8.0	8.9	11.4	29.8	10.1	21.9
EAST NORTH CENTRAL:												
Ohio.....	9.6	10.1	11.4	15.8	5.0	11.4	7.6	8.2	10.5	27.6	7.3	21.9
Indiana.....	9.7	10.3	11.8	17.8	5.8	12.7	7.5	8.3	10.4	27.9	9.6	20.2
Illinois.....	10.2	10.6	11.3	9.7	3.8	6.2	7.8	8.7	10.8	27.8	10.3	19.4
Michigan.....	8.7	9.1	9.9	12.1	4.4	8.1	7.6	8.4	10.2	25.5	9.5	17.6
Wisconsin.....	9.7	9.8	10.1	4.0	1.0	3.0	7.1	7.8	9.2	22.8	9.0	15.2
WEST NORTH CENTRAL:												
Minnesota.....	9.3	9.4	9.4	1.1	1.1	0	6.7	7.3	8.6	22.1	8.2	15.1
Iowa.....	10.4	10.3	10.4	0	+1.0	1.0	6.6	7.3	8.6	23.3	9.6	15.1
Missouri.....	11.2	11.1	11.6	3.4	+0.9	4.3	7.4	8.2	10.1	26.7	9.8	18.8
North Dakota.....	8.6	8.4	8.2	+4.9	+2.4	+2.4	6.7	7.5	8.6	22.1	10.7	12.8
South Dakota.....	9.7	9.0	8.9	+9.0	+7.8	+1.1	7.1	7.5	8.6	17.4	5.3	12.8
Nebraska.....	10.0	9.5	9.6	+4.2	+3.3	1.0	6.6	7.1	8.5	22.4	7.0	16.5
Kansas.....	9.7	10.0	10.3	5.8	3.0	2.9	6.6	7.3	8.7	24.1	9.6	16.1
SOUTH ATLANTIC:												
Delaware.....	9.4	11.0	12.3	23.6	14.5	10.6	8.2	9.5	11.4	28.1	13.7	16.7
Maryland.....	9.0	9.6	12.1	25.6	6.2	20.7	8.4	9.2	12.2	31.1	8.7	24.6
District of Columbia.....	11.5	10.7	12.2	5.7	+7.5	12.3	9.1	9.9	12.5	27.2	8.1	20.8
Virginia.....	8.7	9.0	11.1	21.6	3.3	19.9	8.1	9.2	12.3	34.1	12.0	25.2
West Virginia.....	9.7	8.7	9.3	+4.3	+11.5	6.5	7.7	8.6	10.7	28.0	10.5	19.6
North Carolina.....	8.4	7.7	8.9	5.6	+9.1	13.5	8.3	8.7	11.3	26.5	4.6	23.0
South Carolina.....	8.7	8.5	10.7	18.7	+2.3	20.6	9.2	10.0	13.5	31.9	8.0	25.9
Georgia.....	9.0	8.8	10.4	13.5	+2.3	15.4	8.5	9.3	12.3	30.9	8.6	24.4
Florida.....	9.7	9.6	11.4	14.9	+1.0	15.8	7.3	8.4	11.6	37.1	13.1	27.6
EAST SOUTH CENTRAL:												
Kentucky.....	9.9	9.5	10.5	5.7	+4.2	9.5	7.7	8.5	10.8	28.7	9.4	21.3
Tennessee.....	9.2	8.9	10.1	8.9	+3.4	11.9	7.7	8.7	11.2	31.2	11.5	22.3
Alabama.....	9.3	8.8	10.4	10.6	+5.7	15.4	8.3	9.1	12.5	33.6	8.8	27.2
Mississippi.....	10.0	9.5	10.7	6.5	+5.3	11.2	8.3	9.5	12.3	32.5	12.6	22.8
WEST SOUTH CENTRAL:												
Arkansas.....	10.0	8.1	8.8	+13.6	+23.5	8.0	7.3	7.5	9.9	26.3	2.7	24.2
Louisiana.....	9.1	8.8	10.8	15.7	+3.4	18.5	8.4	9.0	12.6	33.3	6.7	28.6
Oklahoma.....	9.8	8.7	8.9	+10.1	+12.5	2.2	7.0	7.4	9.6	27.1	5.4	22.9
Texas.....	8.1	8.2	9.8	17.3	1.2	16.3	7.2	8.1	10.9	33.9	11.1	25.7
MOUNTAIN:												
Montana.....	9.7	9.9	10.3	5.8	2.0	3.9	7.7	8.4	10.3	25.2	8.3	18.4
Idaho.....	8.1	8.2	9.4	13.8	1.2	12.8	6.8	7.7	9.9	31.3	11.7	22.2
Wyoming.....	8.5	8.0	8.6	1.2	+6.3	7.0	7.7	8.2	9.8	21.4	6.1	16.3
Colorado.....	8.7	9.3	10.9	20.2	5.5	14.7	7.0	7.6	10.2	31.4	7.9	23.3
New Mexico.....	6.9	8.0	10.3	33.0	13.7	22.3	7.5	8.7	11.4	34.2	13.8	23.7
Arizona.....	7.8	8.6	11.1	29.7	9.3	22.5	7.6	8.8	12.3	38.2	13.6	28.3
Utah.....	6.8	7.2	8.8	22.7	5.6	18.2	6.7	7.5	9.9	32.3	10.7	24.2
Nevada.....	8.9	9.9	12.7	29.9	10.1	22.0	8.8	9.5	12.8	31.2	7.4	25.8
PACIFIC:												
Washington.....	9.3	9.5	11.6	19.8	2.1	18.1	7.0	7.8	10.0	30.0	10.3	22.0
Oregon.....	9.5	9.2	11.2	15.2	+3.3	17.9	7.0	7.6	9.5	26.3	7.9	20.0
California.....	8.6	9.3	11.5	25.2	7.3	19.1	7.1	7.9	10.3	31.1	10.1	23.3
Alaska <sup>3</sup> .....	5.8	(9.7)	---	---	(40.2)	---	6.6	(11.9)	---	---	(27.7)	---
Hawaii <sup>3</sup> .....	5.6	(5.8)	(7.3)	(23.3)	(3.4)	(20.5)	6.9	(7.9)	(11.2)	(38.4)	(12.7)	(29.5)

<sup>1</sup>For 1940 and 1950, rates based on totals excluding Alaska and Hawaii; percent decreases for all periods exclude figures for these two States.<sup>2</sup>Figures for 1950 are by place of occurrence.<sup>3</sup>Figures for 1940 and 1950 are by place of occurrence.

Table 1-R. Death Rates: United States, Each Division and State, 1950-60

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years)

DIVISION AND STATE	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
UNITED STATES <sup>1</sup> -----	9.5	9.4	9.5	9.6	9.4	9.3	9.2	9.6	9.6	9.7	9.6
White <sup>1</sup> -----	9.5	9.3	9.4	9.5	9.3	9.2	9.1	9.4	9.4	9.5	9.5
Nonwhite <sup>1</sup> ---	10.1	9.9	10.3	10.5	10.1	10.0	10.1	10.8	11.0	11.1	11.2
GEOGRAPHIC DIVISIONS:											
New England-----	10.6	10.5	10.9	10.8	10.7	10.8	10.3	10.6	10.8	11.1	10.4
Middle Atlantic-----	10.5	10.5	10.5	10.7	10.3	10.3	10.0	10.5	10.5	10.5	10.5
East North Central-----	9.6	9.5	9.6	9.8	9.6	9.6	9.4	10.0	10.0	10.1	10.0
West North Central-----	10.1	9.9	10.0	10.1	9.6	9.6	9.7	10.1	10.1	9.9	10.1
South Atlantic-----	9.1	8.8	8.9	8.9	8.6	8.5	8.4	8.6	8.8	8.6	8.9
East South Central-----	9.5	9.2	9.5	9.3	9.0	8.9	8.8	9.1	9.2	9.1	9.1
West South Central-----	8.7	8.4	8.5	8.5	8.3	8.0	8.2	8.3	8.2	8.5	8.4
Mountain-----	8.1	8.0	7.9	8.1	7.9	8.0	8.0	8.4	8.6	8.8	8.6
Pacific <sup>1</sup> -----	8.7	8.6	8.7	8.8	8.8	8.8	8.7	9.0	9.2	9.4	9.3
NEW ENGLAND:											
Maine-----	11.1	11.3	11.1	10.8	10.9	11.1	10.9	10.9	10.9	11.0	10.8
New Hampshire-----	11.0	11.2	11.2	11.6	11.4	11.6	11.1	11.1	11.5	11.7	11.4
Vermont-----	11.4	11.3	11.3	11.7	11.7	11.4	10.8	10.7	11.0	11.3	11.0
Massachusetts-----	11.0	10.7	11.4	11.2	11.0	11.1	10.7	10.9	11.2	11.7	10.5
Rhode Island-----	10.5	10.3	10.3	10.1	10.0	10.5	10.0	10.2	10.3	10.5	10.5
Connecticut-----	9.4	9.4	9.7	9.9	9.7	9.8	9.3	9.7	9.8	9.9	9.5
MIDDLE ATLANTIC:											
New York-----	10.6	10.6	10.6	10.7	10.3	10.3	10.1	10.6	10.5	10.5	10.5
New Jersey-----	9.8	9.8	10.0	10.3	9.9	10.1	9.8	10.3	10.2	10.1	10.2
Pennsylvania-----	10.7	10.6	10.7	10.9	10.6	10.5	10.1	10.6	10.5	10.7	10.5
EAST NORTH CENTRAL:											
Ohio-----	9.6	9.5	9.7	9.8	9.6	9.5	9.2	10.0	10.3	10.3	10.1
Indiana-----	9.7	9.6	9.6	9.7	9.6	9.6	9.4	9.9	10.0	10.0	10.3
Illinois-----	10.2	10.2	10.3	10.7	10.4	10.4	10.2	10.8	10.8	10.7	10.6
Michigan-----	8.7	8.6	8.6	8.8	8.7	8.7	8.6	9.1	9.0	9.2	9.1
Wisconsin-----	9.7	9.5	9.7	9.7	9.5	9.6	9.4	10.0	9.8	9.8	9.8
WEST NORTH CENTRAL:											
Minnesota-----	9.3	9.1	9.2	9.4	9.1	9.0	8.9	9.6	9.2	9.2	9.4
Iowa-----	10.4	10.3	10.2	10.2	9.7	10.0	9.8	10.2	10.1	10.1	10.3
Missouri-----	11.2	10.9	11.0	11.1	10.5	10.2	10.7	11.1	11.2	10.9	11.1
North Dakota-----	8.6	8.5	8.4	8.7	8.3	8.4	8.1	8.4	8.1	8.4	8.4
South Dakota-----	9.7	9.3	9.3	9.2	8.8	8.8	8.7	8.9	8.9	8.9	9.0
Nebraska-----	10.0	9.9	9.9	9.9	9.5	9.6	9.7	10.2	10.0	9.8	9.5
Kansas-----	9.7	9.5	9.5	9.6	9.3	8.2	9.5	9.7	9.9	9.8	10.0
SOUTH ATLANTIC:											
Delaware-----	9.4	9.0	9.6	9.4	9.1	9.7	9.5	10.2	10.4	10.4	11.0
Maryland-----	9.0	8.9	9.1	9.2	8.8	8.7	8.7	9.2	9.6	8.7	9.6
District of Columbia-----	11.5	11.5	11.7	11.6	11.1	10.4	9.7	10.3	10.5	10.4	10.7
Virginia-----	8.7	8.5	8.5	8.6	8.5	8.5	8.4	8.5	8.7	8.7	9.0
West Virginia-----	9.7	9.5	9.4	9.5	9.0	8.8	8.4	8.5	8.7	8.5	8.7
North Carolina-----	8.4	8.0	8.0	7.9	7.6	7.5	7.6	7.6	7.8	7.6	7.7
South Carolina-----	8.7	8.4	8.4	8.2	8.0	8.0	7.9	8.3	8.4	8.2	8.5
Georgia-----	9.0	8.6	8.6	8.7	8.4	8.4	8.4	8.6	8.5	8.7	8.8
Florida-----	9.7	9.3	9.5	9.4	9.4	9.1	9.1	9.3	9.4	9.4	9.6
EAST SOUTH CENTRAL:											
Kentucky-----	9.9	9.5	9.8	9.9	9.8	9.5	9.2	9.5	9.7	9.3	9.5
Tennessee-----	9.2	9.0	9.3	9.0	8.6	8.5	8.5	8.8	8.8	8.8	8.9
Alabama-----	9.3	8.9	9.2	8.9	8.7	8.5	8.6	8.8	8.8	8.9	8.8
Mississippi-----	10.0	9.7	10.2	9.6	9.3	9.4	9.3	9.6	9.5	9.6	9.5
WEST SOUTH CENTRAL:											
Arkansas-----	10.0	9.4	9.6	9.3	9.0	8.6	8.5	8.5	8.4	8.2	8.1
Louisiana-----	9.1	8.8	9.1	9.0	8.7	8.3	8.4	8.8	8.7	8.9	8.8
Oklahoma-----	9.8	9.6	9.6	9.5	9.4	9.0	9.4	9.3	9.0	9.2	8.7
Texas-----	8.1	7.8	7.9	8.0	7.8	7.5	7.7	7.9	7.8	8.3	8.2
MOUNTAIN:											
Montana-----	9.7	9.9	9.4	9.8	10.0	9.9	9.9	10.1	10.1	10.0	9.9
Idaho-----	8.1	8.3	8.1	8.3	8.1	8.2	8.4	8.5	8.4	8.5	8.2
Wyoming-----	8.5	8.1	7.9	8.1	7.9	7.8	8.1	8.0	8.4	8.0	8.0
Colorado-----	8.7	8.6	8.5	8.5	8.3	8.4	8.5	8.9	9.4	9.5	9.3
New Mexico-----	6.9	6.7	6.8	7.0	6.7	6.9	6.9	7.2	7.3	7.7	8.0
Arizona-----	7.8	7.7	7.7	7.8	7.8	7.9	7.7	8.7	8.7	9.0	8.6
Utah-----	6.8	6.7	6.8	6.9	6.7	6.7	6.8	7.0	7.2	7.2	7.2
Nevada-----	8.9	8.6	8.7	8.3	8.1	8.3	8.4	9.6	9.4	9.9	9.9
PACIFIC:											
Washington-----	9.3	9.3	9.2	9.2	9.0	9.3	9.2	9.4	9.4	9.6	9.5
Oregon-----	9.5	9.5	8.9	9.0	8.9	9.1	8.9	9.0	9.2	9.3	9.2
California-----	8.6	8.4	8.5	8.7	8.7	8.7	8.6	8.9	9.2	9.3	9.3
Alaska <sup>2</sup> -----	5.8	5.2	(5.4)	(5.5)	(5.6)	(5.4)	(5.5)	(6.1)	(6.4)	(6.3)	(9.7)
Hawaii <sup>4</sup> -----	5.6	(5.4)	(5.3)	(5.9)	(5.6)	(5.9)	(5.9)	(5.7)	(5.6)	(5.6)	(5.8)

<sup>1</sup>Excludes Alaska prior to 1959, and Hawaii prior to 1960.<sup>2</sup>There were 1,822 deaths reported for Massachusetts which were counted twice. Figures have not been corrected for this error. The correct resident death rate is probably between 11.0 and 11.4.<sup>3</sup>Figures for 1950-58 are by place of occurrence.<sup>4</sup>Figures for 1950-59 are by place of occurrence.

SECTION 1 - MORTALITY

Table 1-S. Deaths by Age: United States, Each Division and State, 1960

(By place of residence. Includes only deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

DIVISION AND STATE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES-----	1,711,982	110,873	17,682	16,537	25,533	33,414	72,103	154,876	270,197	420,312	406,209	184,526	720
<b>GEOGRAPHIC DIVISIONS:</b>													
New England-----	111,593	5,261	738	789	1,100	1,413	3,712	8,723	17,063	29,045	29,208	14,487	55
Middle Atlantic-----	358,596	17,846	2,740	2,573	3,640	5,742	13,985	33,033	61,801	96,123	85,341	35,656	116
East North Central-----	347,920	21,078	3,300	3,110	4,660	6,150	13,547	30,148	54,264	87,347	85,066	39,182	48
West North Central-----	156,100	8,491	1,322	1,426	2,150	2,362	4,659	10,979	21,216	37,879	43,299	22,265	52
South Atlantic-----	235,819	19,221	3,039	2,946	4,398	6,296	13,241	25,416	39,878	54,265	47,146	19,931	142
East South Central-----	114,904	9,501	1,528	1,437	2,302	2,710	5,303	10,725	17,060	26,081	26,172	11,964	121
West South Central-----	147,982	12,436	2,213	1,879	2,905	3,447	6,520	13,805	23,121	33,733	32,629	15,163	71
Mountain-----	55,349	5,177	940	771	1,377	1,473	2,889	4,951	7,769	12,310	12,168	5,671	53
Pacific-----	185,719	11,802	1,862	1,707	3,001	3,821	8,447	17,096	28,025	43,529	44,160	20,207	62
<b>NEW ENGLAND:</b>													
Maine-----	10,761	592	93	87	149	131	341	750	1,507	2,559	2,951	1,592	9
New Hampshire-----	6,662	327	47	56	88	98	168	453	965	1,678	1,627	955	-
Vermont-----	4,428	227	39	33	51	54	131	321	559	1,009	1,234	769	1
Massachusetts-----	56,838	2,490	317	384	499	667	1,873	4,437	8,871	14,839	15,003	7,436	22
Rhode Island-----	9,005	428	77	50	63	106	264	720	1,454	2,446	2,367	1,024	6
Connecticut-----	23,899	1,197	165	178	250	357	935	2,042	3,707	6,514	5,826	2,711	17
<b>MIDDLE ATLANTIC:</b>													
New York-----	177,896	8,673	1,419	1,299	1,828	3,100	6,808	16,491	31,075	47,786	41,890	17,457	70
New Jersey-----	99,462	3,251	496	414	589	935	2,508	5,717	10,357	15,981	13,531	5,664	19
Pennsylvania-----	121,238	5,922	825	860	1,223	1,707	4,669	10,825	20,369	32,356	29,920	12,535	27
<b>EAST NORTH CENTRAL:</b>													
Ohio-----	93,466	5,547	814	803	1,133	1,668	3,603	8,037	14,112	22,935	23,574	11,231	9
Indiana-----	45,369	2,689	428	464	676	762	1,671	3,673	6,560	10,933	11,782	5,703	28
Illinois-----	103,028	5,968	948	824	1,251	1,851	4,266	9,453	17,050	26,516	24,116	10,781	4
Michigan-----	67,911	4,704	716	694	1,000	1,289	2,851	6,257	11,023	17,171	15,540	6,662	4
Wisconsin-----	38,146	2,170	394	325	600	580	1,156	2,728	5,519	9,792	10,074	4,805	3
<b>WEST NORTH CENTRAL:</b>													
Minnesota-----	31,674	1,890	312	321	424	447	958	2,257	4,357	7,955	8,539	4,206	8
Iowa-----	28,770	1,404	225	240	373	359	739	1,730	3,665	6,906	8,445	4,678	6
Missouri-----	48,350	2,420	361	345	631	773	1,569	3,681	7,084	11,889	15,086	6,485	26
North Dakota-----	5,430	413	56	79	100	115	151	331	714	1,256	1,500	655	-
South Dakota-----	6,618	496	76	90	128	135	206	422	879	1,582	1,759	842	3
Nebraska-----	14,097	749	112	123	181	212	376	969	1,824	3,491	3,931	2,125	4
Kansas-----	21,161	1,119	180	228	313	321	660	1,529	2,693	4,800	6,039	3,274	5
<b>SOUTH ATLANTIC:</b>													
Delaware-----	4,186	276	32	46	66	81	209	427	667	996	958	422	6
Maryland-----	27,968	2,108	306	294	378	654	1,526	2,918	4,888	6,561	5,843	2,488	4
District of Columbia-----	8,782	723	70	78	109	109	590	1,123	1,620	1,840	1,596	799	3
Virginia-----	34,459	2,851	415	398	637	863	1,901	3,582	5,592	7,850	7,112	3,232	36
West Virginia-----	18,067	1,005	180	218	277	353	811	1,651	2,730	4,304	4,500	2,051	7
North Carolina-----	38,160	3,484	499	521	894	1,198	2,287	4,159	6,323	8,363	7,420	2,995	17
South Carolina-----	20,688	2,051	397	357	527	741	1,458	2,575	3,807	4,261	3,261	1,211	42
Georgia-----	35,357	3,290	518	461	743	1,031	2,122	4,245	6,123	7,690	6,439	2,684	12
Florida-----	48,152	3,433	622	483	768	1,143	2,337	4,736	8,128	12,400	10,018	4,069	15
<b>EAST SOUTH CENTRAL:</b>													
Kentucky-----	29,959	2,015	329	317	504	601	1,226	2,527	4,292	6,918	7,636	3,583	11
Tennessee-----	32,901	2,409	382	385	611	762	1,513	3,114	4,978	7,554	7,641	3,545	7
Alabama-----	30,300	2,616	439	407	725	829	1,596	3,129	4,831	6,839	6,271	2,535	83
Mississippi-----	21,744	2,461	378	328	462	518	968	1,955	2,959	4,770	4,624	2,301	20
<b>WEST SOUTH CENTRAL:</b>													
Arkansas-----	17,911	1,110	223	226	344	329	648	1,493	2,705	4,508	4,411	1,908	6
Louisiana-----	29,704	2,888	496	375	630	766	1,469	3,043	5,057	6,721	5,719	2,523	17
Oklahoma-----	22,914	1,298	254	235	392	425	806	1,919	3,352	5,190	5,834	3,176	33
Texas-----	77,453	7,200	1,240	1,043	1,539	1,927	3,597	7,350	12,007	17,314	16,665	7,556	15
<b>MOUNTAIN:</b>													
Montana-----	6,552	436	77	72	136	136	294	567	846	1,644	1,667	671	6
Idaho-----	5,426	394	75	68	119	112	223	424	762	1,208	1,367	667	7
Wyoming-----	2,796	240	39	44	88	83	155	226	428	625	608	289	1
Colorado-----	15,342	1,180	180	173	285	342	608	1,204	1,981	3,457	3,837	2,083	2
New Mexico-----	6,525	1,019	193	127	256	247	569	608	840	1,241	1,075	524	6
Arizona-----	10,146	1,174	236	136	266	325	568	1,049	1,621	2,287	1,762	675	25
Utah-----	6,022	515	102	113	151	137	288	541	799	1,300	1,450	622	4
Nevada-----	2,540	219	39	36	56	91	164	330	492	548	402	161	2
<b>PACIFIC:</b>													
Washington-----	26,532	1,529	239	252	366	424	1,047	2,153	3,761	6,307	7,201	3,238	15
Oregon-----	16,819	891	159	155	246	273	654	1,425	2,556	4,195	4,367	1,889	9
California-----	155,508	8,677	1,355	1,154	2,228	2,949	6,399	12,981	20,979	32,157	31,790	14,764	35
Alaska-----	1,319	306	57	40	59	72	126	173	150	149	143	41	3
Hawaii-----	3,541	399	52	66	102	103	221	364	579	721	659	275	-

Table 1-T. Death Rates by Age: United States, Each Division and State, 1960

(By place of residence. Includes only deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in each area for specified group, enumerated as of April 1)

DIVISION AND STATE	Total <sup>1</sup>	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UNITED STATES-----	954.7	2,696.4	109.1	46.6	106.3	146.4	299.4	756.0	1,735.1	3,822.1	8,745.2	19,857.5
GEOGRAPHIC DIVISIONS:												
New England-----	1,061.8	2,292.3	61.5	40.6	61.8	109.1	257.5	704.4	1,725.4	3,969.3	9,141.1	20,553.0
Middle Atlantic-----	1,049.5	2,518.4	97.4	41.8	67.5	130.5	285.7	768.5	1,833.9	4,172.3	9,481.7	20,653.1
East North Central-----	960.4	2,470.2	97.1	43.4	99.9	132.9	277.5	734.0	1,714.9	3,920.9	9,021.8	20,892.6
West North Central-----	1,014.0	2,363.3	94.5	46.9	106.5	129.6	246.5	640.3	1,484.5	3,447.4	8,467.7	20,263.9
South Atlantic-----	908.0	3,169.1	127.6	53.0	115.5	186.7	381.5	898.0	1,963.1	3,814.2	8,304.9	18,275.4
East South Central-----	953.6	3,324.6	136.5	55.4	128.5	187.2	359.4	615.4	1,756.9	3,787.1	8,658.2	19,484.7
West South Central-----	873.0	3,028.8	137.5	52.7	120.1	160.1	307.6	742.5	1,673.0	3,590.6	8,039.3	17,873.1
Mountain-----	807.4	2,875.6	134.8	51.5	140.9	165.8	303.8	697.7	1,575.4	3,520.8	8,185.1	19,504.1
Pacific-----	666.7	2,477.6	98.7	41.3	105.9	135.8	279.5	708.7	1,608.4	3,526.7	8,255.1	19,384.1
NEW ENGLAND:												
Maine-----	1,110.2	2,679.2	107.4	45.3	111.7	113.1	286.7	708.8	1,717.7	3,867.1	9,045.2	20,555.2
New Hampshire-----	1,097.7	2,425.3	89.3	46.1	111.3	135.6	213.5	652.7	1,683.5	3,904.0	9,164.3	19,949.9
Vermont-----	1,135.7	2,539.1	111.6	41.9	94.2	122.9	278.6	743.7	1,584.2	3,742.7	9,080.9	24,083.9
Massachusetts-----	1,104.0	2,237.9	72.5	41.2	76.1	105.5	268.4	728.4	1,771.0	3,975.5	9,215.7	20,816.4
Rhode Island-----	1,047.7	2,334.1	107.8	32.5	53.7	101.2	220.0	706.2	1,772.0	4,114.7	9,478.6	19,988.3
Connecticut-----	942.7	2,181.1	74.0	38.0	61.8	109.4	246.7	661.0	1,643.1	3,996.2	8,680.4	19,244.7
MIDDLE ATLANTIC:												
New York-----	1,060.0	2,508.6	105.5	44.2	90.1	141.7	288.4	766.8	1,787.7	4,111.8	9,487.8	20,801.7
New Jersey-----	980.1	2,544.5	96.4	37.4	82.1	117.2	273.0	755.0	1,824.0	4,144.4	9,215.3	20,245.9
Pennsylvania-----	1,071.1	2,518.8	86.6	40.8	86.4	120.8	289.0	778.6	1,918.2	4,279.5	9,598.5	20,635.4
EAST NORTH CENTRAL:												
Ohio-----	962.9	2,460.4	89.1	41.4	90.8	132.3	271.4	745.1	1,727.6	3,914.7	9,114.0	21,351.7
Indiana-----	973.1	2,471.3	98.6	49.4	107.5	128.3	273.9	722.0	1,664.7	3,827.0	8,900.9	20,762.3
Illinois-----	1,022.0	2,577.8	105.5	44.0	96.6	143.7	307.9	777.6	1,800.4	4,045.6	9,017.6	20,706.0
Michigan-----	868.1	2,454.3	92.1	42.8	98.9	127.3	267.9	728.0	1,707.8	3,947.3	9,122.7	20,286.9
Wisconsin-----	965.3	2,262.8	105.5	40.6	118.4	122.6	233.8	613.2	1,529.4	3,684.4	8,612.7	21,208.5
WEST NORTH CENTRAL:												
Minnesota-----	927.8	2,203.6	94.5	45.5	95.0	111.8	230.3	609.4	1,424.3	3,408.3	8,532.6	20,148.5
Iowa-----	1,043.3	2,245.0	92.0	43.6	104.1	113.3	220.5	571.9	1,413.6	3,357.6	8,480.3	20,853.2
Missouri-----	1,119.3	2,553.3	97.3	43.2	112.5	130.4	280.0	720.9	1,666.5	3,716.8	8,648.4	20,122.3
North Dakota-----	858.6	2,516.0	88.7	57.2	111.1	158.9	207.1	573.1	1,380.8	3,518.9	8,613.8	19,652.0
South Dakota-----	972.5	2,859.6	115.1	61.9	140.3	172.2	256.7	597.9	1,463.8	3,358.0	8,641.6	20,835.5
Nebraska-----	998.8	2,267.8	98.1	44.6	96.8	125.1	220.3	623.4	1,376.8	3,520.1	8,098.0	20,307.7
Kansas-----	971.3	2,253.7	91.6	53.5	108.0	118.8	240.6	645.2	1,383.7	3,208.1	8,154.2	19,848.4
SOUTH ATLANTIC:												
Delaware-----	938.0	2,454.2	72.5	52.2	115.4	130.0	324.3	879.0	1,937.8	4,237.4	9,445.9	20,114.4
Maryland-----	902.0	2,860.0	104.5	47.0	91.2	155.3	332.8	840.5	2,035.5	4,309.8	9,456.2	19,878.6
District of Columbia-----	1,149.5	4,244.2	114.6	67.5	98.9	212.0	553.8	1,123.5	2,131.5	3,966.9	8,563.2	19,386.5
Virginia-----	868.7	3,077.1	113.5	47.9	104.6	162.3	344.5	841.2	1,922.1	4,106.1	8,770.0	19,356.8
West Virginia-----	971.1	2,616.4	114.0	54.2	105.9	162.9	339.7	780.1	1,699.1	3,861.6	8,791.8	20,567.1
North Carolina-----	837.5	3,267.6	118.9	52.4	123.2	199.9	385.7	867.4	1,942.4	3,973.9	8,702.0	18,223.3
South Carolina-----	868.3	3,437.9	166.8	64.3	133.2	249.6	486.0	1,093.9	2,472.6	4,119.7	8,209.5	16,270.3
Georgia-----	896.7	3,407.5	138.0	54.1	123.3	202.9	420.2	997.4	2,132.1	3,947.8	8,091.1	17,002.4
Florida-----	972.5	3,103.0	144.5	52.2	121.2	182.6	358.1	850.6	1,757.2	3,185.3	7,168.4	16,892.2
EAST SOUTH CENTRAL:												
Kentucky-----	986.1	2,886.9	120.6	49.7	112.8	165.5	328.0	776.4	1,670.8	3,673.9	8,839.6	20,316.4
Tennessee-----	922.3	3,031.5	121.6	52.4	116.2	169.8	329.2	773.5	1,698.1	3,738.5	8,802.1	19,724.0
Alabama-----	927.5	3,303.0	141.1	56.7	146.8	207.4	395.5	874.6	1,940.3	3,935.2	8,572.4	17,847.1
Mississippi-----	998.3	4,293.5	171.0	65.4	139.4	219.3	405.5	852.2	1,720.0	3,830.6	8,576.3	19,855.0
WEST SOUTH CENTRAL:												
Arkansas-----	1,002.7	2,816.7	143.8	60.2	137.0	173.5	310.4	720.3	1,633.2	3,535.1	7,907.4	17,238.9
Louisiana-----	912.0	3,285.1	148.1	51.7	134.9	187.6	367.5	885.5	2,034.1	4,169.7	8,610.4	18,091.2
Oklahoma-----	984.2	2,643.4	131.2	51.7	119.1	152.2	279.9	713.0	1,551.6	3,297.6	7,794.5	19,134.8
Texas-----	808.5	3,048.9	133.9	51.9	112.2	151.0	294.1	707.2	1,597.3	3,509.5	7,980.7	17,480.6
MOUNTAIN:												
Montana-----	971.0	2,574.5	116.4	50.0	150.5	168.7	342.0	773.8	1,628.5	3,823.6	8,732.8	20,119.9
Idaho-----	813.3	2,389.1	114.4	45.6	126.1	145.3	266.9	585.9	1,518.6	3,202.8	7,899.9	20,605.5
Wyoming-----	847.1	2,906.3	117.5	62.2	199.2	190.1	356.3	633.4	1,681.4	3,555.2	8,674.6	19,560.3
Colorado-----	874.7	2,772.6	108.1	48.1	117.3	147.5	282.1	651.0	1,467.4	3,431.9	8,125.6	20,503.5
New Mexico-----	686.1	3,547.2	179.6	58.6	177.6	166.5	327.0	694.7	1,496.8	3,551.0	7,968.9	16,502.8
Arizona-----	779.2	3,393.2	178.3	48.3	153.1	191.3	328.3	768.1	1,745.4	3,594.0	7,831.5	16,495.6
Utah-----	676.2	2,026.3	101.2	54.3	110.4	121.5	275.0	650.4	1,354.7	3,300.3	8,373.8	19,132.6
Nevada-----	890.4	3,172.1	149.1	66.4	148.1	226.2	378.3	923.0	2,186.0	4,336.1	8,493.6	20,074.8
PACIFIC:												
Washington-----	929.9	2,416.7	94.7	43.7	95.7	122.4	270.1	659.3	1,573.2	3,511.8	8,620.3	20,348.1
Oregon-----	950.9	2,465.9	106.5	43.1	108.6	134.1	277.8	666.4	1,594.7	3,479.7	8,234.2	18,773.6
California-----	862.2	2,458.2	97.3	39.6	107.1	138.4	280.9	723.9	1,618.6	3,531.0	8,170.4	19,323.8
Alaska-----	583.2	4,309.3	210.4	86.7	144.9	181.5	394.0	912.6	1,640.1	3,978.6	10,561.3	14,285.7
Hawaii-----	559.6	2,367.4	61.1	48.2	96.7	110.2	246.6	611.3	1,532.4	3,669.8	8,306.0	17,405.1

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



## SECTION 1 - MORTALITY

1-39

Table 1-U. Deaths of Nonresidents in Each State and Deaths of Residents in Other States: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA			DEATHS OF RESIDENTS IN OTHER AREAS			Total deaths of residents
		Total	From same State	From other States	Total	In same State	In other States	
UNITED STATES-----	1,711,982	283,588	228,373	55,215	283,588	228,373	55,215	1,711,982
Alabama-----	30,055	4,165	3,489	676	4,410	3,489	921	30,300
Alaska-----	1,215	188	188	-	292	188	104	1,319
Arizona-----	10,557	1,625	730	895	1,214	730	484	10,146
Arkansas-----	17,800	3,992	3,148	844	4,103	3,148	955	17,911
California-----	135,344	13,928	12,166	1,762	14,092	12,166	1,926	135,508
Colorado-----	15,773	4,260	3,430	830	3,829	3,430	399	15,342
Connecticut-----	23,550	2,748	2,199	547	3,095	2,199	896	23,899
Delaware-----	4,349	742	376	366	579	376	203	4,186
District of Columbia-----	10,094	2,252	...	2,252	950	...	950	8,782
Florida-----	49,532	7,398	4,168	3,228	6,016	4,168	1,848	48,152
Georgia-----	35,564	7,819	6,635	1,184	7,612	6,635	977	35,357
Hawaii-----	3,596	92	92	89	126	92	34	3,541
Idaho-----	5,243	1,054	779	275	1,237	779	458	5,426
Illinois-----	101,547	13,299	11,012	2,287	14,780	11,012	3,768	103,028
Indiana-----	44,988	7,939	6,477	1,462	8,320	6,477	1,843	45,389
Iowa-----	28,724	6,286	5,165	1,121	6,332	5,165	1,167	28,770
Kansas-----	20,909	4,168	3,123	1,045	4,420	3,123	1,297	21,161
Kentucky-----	29,550	5,569	4,519	1,050	5,978	4,519	1,459	29,959
Louisiana-----	29,926	7,017	6,236	781	6,795	6,236	559	29,704
Maine-----	10,709	1,697	1,403	294	1,749	1,403	346	10,761
Maryland-----	27,761	6,984	5,237	1,747	7,191	5,237	1,954	27,968
Massachusetts-----	57,114	9,599	8,158	1,441	9,323	8,158	1,165	56,838
Michigan-----	67,480	10,263	9,167	1,116	10,714	9,167	1,547	67,911
Minnesota-----	32,212	7,653	6,113	1,540	7,115	6,113	1,002	31,674
Mississippi-----	21,580	3,932	3,303	649	4,116	3,303	813	21,744
Missouri-----	48,951	11,632	9,514	2,318	11,231	9,514	1,717	48,350
Montana-----	6,442	1,238	1,044	194	1,548	1,044	304	6,552
Nebraska-----	14,112	3,156	2,536	620	3,141	2,536	605	14,097
Nevada-----	2,748	631	217	414	423	217	206	2,540
New Hampshire-----	6,682	1,184	677	507	1,164	677	487	6,662
New Jersey-----	57,949	9,721	7,055	1,666	10,334	7,055	3,279	59,462
New Mexico-----	6,552	1,414	904	510	1,387	904	483	6,525
New York-----	178,085	20,480	17,102	3,378	20,281	17,102	3,189	177,896
North Carolina-----	38,378	7,628	6,505	1,123	7,410	6,505	905	38,160
North Dakota-----	5,428	1,785	1,367	398	1,787	1,367	400	5,430
Ohio-----	93,105	12,833	10,689	2,144	13,194	10,689	2,505	93,466
Oklahoma-----	22,444	4,406	3,960	546	4,876	3,960	1,016	22,914
Oregon-----	16,761	3,016	2,417	599	3,074	2,417	657	16,819
Pennsylvania-----	121,011	16,632	13,926	2,706	16,859	13,926	2,933	121,238
Rhode Island-----	8,954	1,261	885	376	1,312	885	427	9,005
South Carolina-----	20,388	3,214	2,750	464	3,514	2,750	764	20,688
South Dakota-----	6,590	1,928	1,484	444	1,956	1,484	472	6,618
Tennessee-----	34,356	6,544	4,245	2,299	5,089	4,245	844	32,901
Texas-----	77,610	12,915	11,381	1,534	12,758	11,381	1,377	77,453
Utah-----	6,233	1,235	850	385	1,024	850	174	6,022
Vermont-----	4,458	866	567	319	856	567	289	4,428
Virginia-----	33,783	11,443	10,121	1,322	12,119	10,121	1,998	34,459
Washington-----	26,713	3,581	2,760	801	3,360	2,760	620	26,532
West Virginia-----	18,237	4,214	2,902	1,312	4,044	2,902	1,142	18,067
Wisconsin-----	39,139	6,012	4,916	1,096	6,019	4,916	1,103	38,146
Wyoming-----	2,811	625	366	259	610	366	244	2,796

SECTION 1 - MORTALITY

Table 1-V. Deaths From 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

DIVISION AND STATE	Total	Tuber-	Tuber-	Tuber-	Syphilis	Dysen-	Scarlet	Diph-	Whoop-	Menin-	Acute	Measles	Other	Malignant	Malignant	Malignant
		culosis, all forms	culosis of respiratory system	culosis, other forms	and its sequelae	tery, all forms	fever and strep- tococ- cal sore throat	theria	oping cough	gococ- cal infec- tions	polio- mye- litis		infective and parasitic diseases	neoplasms, including neoplasms of lymphatic and hema- topoietic tissues	neoplasm of buccal cavity and pharynx	neoplasm of digestive organs and peri- toneum, not spec- ified as secondary
		001-019	001-008	010- 019	020-029	045- 048	050,051	055	056	057	080	085	030-044, 049, 052-054, 058-074, 081-084, 086-138	140-205	140-148	150-156A, 157-159
1 UNITED STATES----	1,711,982	10,866	10,089	777	2,945	355	108	69	118	644	230	580	5,672	267,627	6,175	91,035
GEOGRAPHIC DIVISIONS:																
2 New England-----	111,593	565	551	34	172	7	5	1	1	29	25	16	300	19,035	514	6,916
3 Middle Atlantic-----	358,596	2,552	2,394	158	551	13	12	2	8	116	44	43	923	61,593	1,405	22,537
4 East North Central-----	347,920	1,895	1,759	136	473	25	20	7	9	138	35	74	931	56,419	1,239	18,800
5 West North Central-----	156,100	606	558	48	250	8	11	6	6	28	12	17	468	24,228	504	8,408
6 South Atlantic-----	235,819	1,517	1,403	114	470	60	15	13	33	134	36	50	991	32,797	797	10,113
7 East South Central-----	114,904	1,127	1,045	82	167	67	17	8	18	61	21	45	503	14,946	385	4,666
8 West South Central-----	147,982	1,226	1,138	88	408	117	18	31	34	57	19	89	733	21,386	475	6,538
9 Mountain-----	55,349	402	366	36	98	35	3	1	6	23	11	30	232	7,568	134	2,435
10 Pacific-----	185,719	976	895	81	356	23	7	-	3	58	27	16	591	29,655	724	9,622
NEW ENGLAND:																
11 Maine-----	10,761	42	38	4	8	-	2	-	-	4	7	2	31	1,729	31	602
12 New Hampshire-----	6,662	17	15	2	19	-	-	-	-	1	-	1	14	1,072	29	397
13 Vermont-----	4,428	19	19	-	9	-	-	-	-	1	-	-	11	696	21	225
14 Massachusetts-----	56,838	329	308	20	86	1	2	-	1	18	5	7	167	9,505	263	3,432
15 Rhode Island-----	9,005	59	59	-	13	5	1	1	-	1	8	-	21	1,621	48	608
16 Connecticut-----	25,699	100	92	8	37	1	-	-	-	4	5	6	56	4,413	122	1,652
MIDDLE ATLANTIC:																
17 New York-----	177,696	1,272	1,193	79	227	11	6	1	4	61	26	31	430	31,471	750	11,640
18 New Jersey-----	59,462	370	347	23	84	1	1	1	2	22	5	6	163	10,655	219	3,941
19 Pennsylvania-----	121,238	910	854	56	240	1	5	1	2	33	13	6	330	19,487	434	6,956
EAST NORTH CENTRAL:																
20 Ohio-----	93,466	491	461	30	180	4	8	4	1	27	7	17	276	15,217	350	5,171
21 Indiana-----	45,369	249	233	16	67	4	-	1	3	15	9	11	141	6,810	130	2,278
22 Illinois-----	105,028	641	586	55	92	9	4	1	3	47	11	18	215	16,966	371	6,158
23 Michigan-----	67,911	392	367	25	69	5	5	1	1	30	5	17	179	11,299	258	3,670
24 Wisconsin-----	38,146	122	112	10	35	3	3	-	1	19	3	11	120	6,122	130	2,323
WEST NORTH CENTRAL:																
25 Minnesota-----	31,674	98	91	7	48	-	1	3	-	10	4	5	102	5,097	103	1,941
26 Iowa-----	28,770	59	51	8	32	-	3	1	-	4	2	2	85	4,534	87	1,554
27 Missouri-----	49,350	319	304	15	98	4	6	-	3	5	5	3	126	7,455	184	2,513
28 North Dakota-----	5,430	18	13	3	3	-	1	1	-	1	1	-	21	813	14	294
29 South Dakota-----	6,618	28	22	6	20	-	-	1	3	1	-	-	29	995	12	352
30 Nebraska-----	14,097	29	22	7	20	1	-	-	-	4	-	-	41	2,240	40	829
31 Kansas-----	21,161	57	55	2	41	3	-	1	-	3	-	4	66	3,088	64	926
SOUTH ATLANTIC:																
32 Delaware-----	4,186	25	23	2	6	-	-	-	-	2	-	-	13	652	18	197
33 Maryland-----	27,968	269	252	17	83	3	-	-	-	15	9	6	92	4,408	87	1,395
34 District of Columbia-----	8,782	90	86	4	19	-	-	-	-	4	1	3	39	1,433	50	489
35 Virginia-----	34,459	250	232	18	59	20	3	4	9	20	3	4	157	4,735	98	1,433
36 West Virginia-----	18,067	122	110	12	36	2	3	-	1	16	4	2	61	2,566	40	877
37 North Carolina-----	38,160	199	190	9	53	6	3	2	4	25	5	12	146	4,594	129	1,395
38 South Carolina-----	20,688	137	126	11	45	6	-	1	8	9	7	7	106	2,285	57	673
39 Georgia-----	35,357	211	189	22	69	19	4	3	7	26	2	13	169	4,355	115	1,256
40 Florida-----	48,152	214	195	19	100	4	2	3	4	17	5	3	208	7,789	203	2,408
EAST SOUTH CENTRAL:																
41 Kentucky-----	29,959	325	299	26	42	7	12	1	-	11	10	8	123	4,172	119	1,446
42 Tennessee-----	32,901	357	335	22	40	15	1	-	3	20	4	13	130	4,374	107	1,334
43 Alabama-----	30,300	300	279	21	52	17	2	3	8	18	2	15	145	3,791	94	1,096
44 Mississippi-----	21,744	145	132	13	33	28	2	4	7	12	5	9	105	2,609	65	790
WEST SOUTH CENTRAL:																
45 Arkansas-----	17,911	188	178	10	32	12	2	3	5	8	1	9	71	2,438	56	722
46 Louisiana-----	29,704	277	261	16	113	14	1	7	3	12	1	21	185	4,292	108	1,297
47 Oklahoma-----	22,914	171	160	11	43	8	2	1	4	6	3	7	96	3,443	65	1,092
48 Texas-----	77,453	590	539	51	220	63	13	20	22	29	14	52	381	11,223	246	3,427
MOUNTAIN:																
49 Montana-----	6,552	32	26	4	7	1	-	-	1	4	7	1	19	950	18	310
50 Idaho-----	5,426	17	17	-	7	-	-	-	-	-	-	1	14	724	12	228
51 Wyoming-----	2,796	12	9	3	3	1	-	-	-	1	2	-	7	351	5	98
52 Colorado-----	15,342	76	70	6	33	4	2	-	-	4	-	5	69	2,189	42	728
53 New Mexico-----	6,525	77	71	6	11	13	-	-	2	3	-	6	31	793	8	289
54 Arizona-----	10,146	157	143	14	24	15	-	-	2	6	1	9	55	1,423	25	447
55 Utah-----	6,022	18	15	3	6	1	-	1	1	4	1	5	31	801	12	230
56 Nevada-----	2,540	13	13	-	7	-	-	1	-	1	-	1	6	337	12	105
PACIFIC:																
57 Washington-----	26,532	90	87	3	55	2	1	-	-	5	3	1	58	4,205	104	1,376
58 Oregon-----	16,819	64	58	6	31	-	2	-	-	8	-	2	47	2,667	51	853
59 California-----	135,508	788	720	66	265	19	4	-	3	42	24	12	460	22,065	548	7,097
60 Alaska-----	1,319	20	18	2	-	2	-	-	-	2	-	-	10	118	4	32
61 Hawaii-----	3,541	14	12	2	5	-	-	-	-	1	-	1	16	600	17	264

SECTION 1 - MORTALITY

United States, Each Division and State, 1960

fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Table with columns: Cause of death (e.g., Malignant neoplasm of respiratory system), Category number, and Mortality count. Rows list various causes of death and their corresponding mortality numbers.



SECTION 1 MORTALITY

United States, Each Division and State, 1960—Con.

fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis	Acute nephritis, and nephritis with edema, including nephrosis	Infections of kidney	Hypertrophy of prostate	Deliveries and complications of pregnancy, childbirth, and the puerperium	Abortion	Other complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Certain diseases of early infancy	Birth injuries, post-natal asphyxia, and atelectasis	Infections of newborn	Other diseases peculiar to early infancy, and immaturity unqualified	Symptoms, senility, and ill-defined conditions	All other diseases	Accidents	Motor vehicle accidents	Other accidents	Suicide	Homicide
584,585	590,591	600	610	640-689	650-652	640-649, 660-689	750-759	760-776	760-762	763-768	769-776	780-795	Residual	E800-E862	E810-E835	E800-E802, E840-E862	E863, E870-E879	E964, E960-E985
4,619	1,851	7,645	4,449	1,579	289	1,290	21,860	67,094	29,697	4,786	32,611	20,385	69,117	93,806	38,137	55,669	19,041	8,464
296	98	514	246	50	8	42	1,253	3,271	1,410	187	1,674	609	4,319	4,706	1,366	3,340	956	153
1,059	261	1,451	980	289	72	217	3,980	11,443	5,153	661	5,629	1,778	12,987	14,013	4,622	9,391	3,205	1,016
1,060	316	1,422	940	258	32	226	4,417	13,356	6,738	817	5,901	1,692	12,730	17,193	7,451	9,742	3,755	1,296
513	130	545	502	95	11	84	2,036	5,223	2,267	320	2,636	1,445	6,405	8,786	3,689	5,087	1,653	351
459	311	1,403	580	330	66	264	3,194	11,112	4,651	910	5,551	4,244	10,494	14,874	6,049	8,325	2,645	2,186
246	165	561	344	180	18	162	1,456	5,066	1,820	462	2,764	5,330	4,484	7,537	3,197	4,340	1,035	974
378	182	749	412	187	27	160	2,031	7,345	2,898	729	3,718	3,250	6,485	10,205	4,350	5,855	1,485	1,263
172	59	200	128	53	12	41	910	3,037	1,245	198	1,594	1,296	3,111	4,859	2,222	2,637	874	310
436	129	800	419	137	43	94	2,583	7,241	3,515	502	3,224	731	9,202	11,633	5,191	6,442	3,219	875
31	15	50	33	5	-	5	116	357	180	22	155	64	390	519	177	342	114	17
14	9	17	21	2	-	2	75	209	75	17	117	80	259	274	107	167	78	6
18	2	12	16	1	-	1	52	144	61	6	77	78	168	219	91	128	51	-
151	48	307	109	28	6	22	585	1,546	616	98	632	246	2,210	2,454	625	1,829	414	68
30	5	38	21	5	-	5	115	237	121	7	109	10	324	296	73	223	54	12
52	19	90	46	9	2	7	310	778	357	37	384	131	978	944	293	651	245	50
550	106	788	460	166	52	114	2,006	5,567	2,519	318	2,730	713	5,682	6,773	2,158	4,615	1,625	549
173	57	236	140	46	7	39	681	2,055	941	137	977	129	2,060	2,295	763	1,532	479	159
336	98	427	280	77	13	64	1,293	3,821	1,693	206	1,922	936	5,155	4,945	1,701	3,244	1,101	308
267	93	429	259	74	3	64	1,225	3,562	1,714	210	1,638	454	3,870	4,717	1,979	2,738	1,033	336
133	49	181	130	27	6	24	579	1,650	745	94	811	218	1,838	2,643	1,183	1,460	533	141
271	89	487	246	61	5	56	1,060	3,764	2,382	285	1,097	604	2,946	4,158	1,670	2,488	964	478
232	58	195	206	68	15	53	1,013	3,042	1,339	186	1,537	242	2,645	3,652	1,702	1,950	795	280
157	27	130	99	28	3	25	540	1,338	558	62	718	164	1,431	2,023	917	1,106	430	61
131	27	94	74	11	4	7	483	1,140	497	50	593	182	1,386	1,809	773	1,036	330	45
78	21	81	95	12	-	12	348	879	350	55	674	114	1,156	1,539	639	900	311	27
134	46	211	167	48	5	43	540	1,479	694	103	692	691	1,854	2,585	1,067	1,528	496	200
17	3	16	15	4	1	3	91	267	124	17	126	32	214	399	170	229	58	9
24	4	16	26	5	-	5	109	276	93	29	154	89	287	465	236	229	70	20
65	6	47	55	6	-	6	180	481	213	19	249	76	551	749	295	454	152	27
64	23	80	70	9	1	8	285	701	306	47	348	261	957	1,240	519	721	236	30
8	3	17	14	4	1	3	62	152	65	9	78	28	185	216	84	132	49	24
58	18	135	64	26	4	22	392	1,332	457	110	765	107	1,268	1,414	522	892	323	176
13	12	113	28	16	5	11	122	502	344	17	141	26	428	419	95	324	67	88
64	43	204	76	53	12	41	548	1,696	718	138	840	495	1,580	2,034	753	1,281	481	285
37	24	76	50	11	1	10	216	577	239	44	294	387	766	1,100	380	720	252	67
75	49	182	71	59	14	45	536	1,887	785	150	952	1,025	1,632	2,684	1,260	1,424	456	420
27	32	154	42	43	10	33	285	1,044	389	119	536	791	795	1,675	684	991	173	238
56	59	246	95	61	9	52	465	1,846	728	157	961	464	1,672	2,405	1,030	1,375	372	430
121	71	276	140	57	10	47	578	2,076	926	166	984	921	2,168	2,927	1,241	1,686	676	458
69	47	137	80	28	5	23	396	1,175	475	110	590	331	1,232	1,940	776	1,164	305	185
101	36	147	108	35	3	32	429	1,369	525	97	747	1,573	1,302	1,980	859	1,121	332	270
49	39	161	78	63	6	57	384	1,356	475	129	752	1,483	1,174	2,069	941	1,128	246	344
27	43	116	78	54	4	50	247	1,166	345	126	695	1,993	776	1,548	621	927	152	175
41	24	74	50	23	3	20	198	589	224	68	297	486	736	1,232	466	766	147	133
55	24	203	68	41	5	36	452	1,679	680	199	800	261	1,261	2,012	828	1,184	267	269
84	28	115	90	16	3	13	241	774	289	56	429	998	1,001	1,593	684	909	237	135
198	106	357	204	107	16	91	1,140	4,303	1,705	406	2,192	1,495	3,487	5,368	2,372	2,996	844	726
18	4	18	6	4	-	4	92	241	102	19	120	171	303	534	220	314	108	26
19	11	12	19	2	-	2	90	244	84	21	139	74	286	507	209	298	74	10
14	2	11	2	2	-	-	47	150	58	9	85	24	144	305	139	166	61	17
37	15	60	39	10	2	8	218	800	370	46	394	56	859	1,095	459	636	220	68
36	11	22	21	13	5	8	132	552	206	45	301	471	367	708	332	109	58	53
31	9	47	20	12	1	11	185	607	230	43	334	160	719	871	418	453	151	89
12	5	24	9	6	1	5	121	306	151	9	146	294	308	553	253	300	86	19
5	2	6	10	4	1	3	25	137	44	6	87	36	145	286	148	138	65	23
51	18	94	58	15	1	14	363	931	423	42	466	150	1,150	1,609	622	987	398	74
43	13	65	36	13	2	11	190	511	253	24	234	150	774	1,172	477	695	231	44
333	92	624	320	105	38	67	1,916	5,381	2,695	402	2,284	354	6,034	8,330	3,936	4,394	2,510	714
2	-	-	2	1	-	1	37	144	51	14	79	48	80	250	46	204	35	21
7	6	17	3	3	2	1	77	274	93	20	161	29	164	272	110	162	45	60











Table 1-X. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Rates per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND COLOR	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over
NUMBER OF DEATHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	1,579	135	296	326	346	334	127	15
White-----	936	68	187	191	202	197	84	7
Nonwhite---	643	67	109	135	144	137	43	8
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	165	19	35	31	33	35	11	1
White-----	112	16	24	23	21	19	8	1
Nonwhite---	53	3	11	8	12	16	3	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)----	303	47	69	47	44	67	28	1
White-----	166	18	47	23	26	36	16	-
Nonwhite---	137	29	22	24	18	31	12	1
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	268	9	34	50	73	62	36	4
White-----	168	5	20	35	50	30	26	2
Nonwhite---	100	4	14	15	23	32	10	2
Ectopic pregnancy (645)-----	119	4	22	27	29	29	8	-
White-----	42	-	12	5	7	14	4	-
Nonwhite---	77	4	10	22	22	15	4	-
Abortion without mention of sepsis or toxemia (650)-----	86	7	15	23	26	10	6	1
White-----	46	6	8	13	9	6	4	-
Nonwhite---	42	1	7	10	17	4	2	1
Abortion with sepsis (651)-----	191	23	33	64	43	23	3	2
White-----	97	6	13	37	22	15	2	2
Nonwhite---	94	17	20	27	21	8	1	-
Abortion with toxemia, without mention of sepsis (652)-----	10	-	3	2	2	2	1	-
White-----	4	-	2	1	1	-	-	-
Nonwhite---	6	-	1	1	1	2	1	-
Other complications of pregnancy, childbirth, and puerperium and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	435	26	85	82	96	106	34	6
White-----	301	17	61	54	66	77	24	2
Nonwhite---	134	9	24	28	30	29	10	4
RATE PER 100,000 LIVE BIRTHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	37.1	22.7	20.7	29.8	50.3	92.8	138.7	269.5
White-----	26.0	14.6	15.3	20.3	34.3	64.1	107.7	166.2
Nonwhite---	97.9	50.3	52.7	89.6	145.0	261.0	316.5	824.7
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)-----	3.9	3.2	2.5	2.8	4.8	9.7	12.0	19.3
White-----	3.1	3.5	2.0	2.4	3.6	6.2	10.3	23.7
Nonwhite---	8.1	2.3	5.3	5.3	12.1	30.5	22.1	0
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)----	7.1	7.9	4.8	4.3	6.4	18.6	30.6	19.3
White-----	4.6	3.9	3.9	2.4	4.4	11.7	20.5	0
Nonwhite---	20.8	21.8	10.6	15.9	18.1	59.1	88.3	103.1
Hemorrhage of pregnancy and childbirth (643,644,670-672)-----	6.3	1.5	2.4	4.6	10.6	17.2	39.3	77.2
White-----	4.7	1.1	1.6	3.7	8.5	9.8	33.3	47.5
Nonwhite---	15.2	3.0	6.8	10.0	23.2	61.0	73.6	206.2
Ectopic pregnancy (645)-----	2.8	0.7	1.5	2.5	4.2	8.1	8.7	0
White-----	1.2	0	1.0	0.5	1.2	4.6	5.1	0
Nonwhite---	11.7	3.0	4.8	14.6	22.2	28.6	29.4	0
Abortion without mention of sepsis or toxemia (650)-----	2.1	1.2	1.1	2.1	3.8	2.8	6.6	19.3
White-----	1.3	1.3	0.7	1.4	1.5	2.0	5.1	0
Nonwhite---	6.4	0.8	3.4	6.6	17.1	7.6	14.7	103.1
Abortion with sepsis (651)-----	4.5	3.9	2.3	5.9	6.3	6.4	3.0	39.6
White-----	2.7	1.3	1.1	3.9	3.7	4.9	2.6	47.5
Nonwhite---	14.3	12.8	9.7	17.9	21.1	15.2	7.4	0
Abortion with toxemia, without mention of sepsis (652)-----	0.2	0	0.2	0.2	0.3	0.6	1.1	0
White-----	0.1	0	0.2	0.1	0.2	0	-	0
Nonwhite---	0.9	0	0.5	0.7	1.0	3.8	7.4	0
Other complications of pregnancy, childbirth, and puerperium and delivery without mention of complication (646-649,660,673-680,683,687-689)-----	10.2	4.4	6.0	7.5	14.0	29.5	37.1	115.8
White-----	8.4	3.7	5.0	5.7	11.2	25.0	30.8	47.5
Nonwhite---	20.4	6.8	11.6	18.6	30.2	55.3	73.6	412.4

## SECTION 1 - MORTALITY

1-49

Table 1-Y. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-60

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time; for discussion of comparability, see Technical Appendix)

YEAR	Total	White	Nonwhite	YEAR	Total	White	Nonwhite
1960	37.1	26.0	97.9	1947	134.5	108.6	334.6
1959	37.4	25.8	102.1	1946	156.7	130.7	358.9
1958	37.6	26.3	101.8	1945	207.2	172.1	454.8
1957	41.0	27.5	118.3	1944	227.9	189.4	506.0
1956	40.9	28.7	110.7	1943	245.2	210.5	509.9
1955	47.0	32.8	130.3	1942	258.7	221.8	544.0
1954	52.4	37.2	143.8	1941	316.5	266.0	678.1
1953	61.1	44.1	166.1	1940	376.0	319.8	773.5
1952	67.8	48.9	188.1	1935-39	493.9	439.9	875.5
1951	75.0	54.9	201.3	1930-34 <sup>1</sup>	636.0	575.4	1,080.7
1950	83.3	61.1	221.6	1925-29	668.6	615.0	1,163.7
1949	90.3	68.1	234.8	1920-24	689.5	649.2	1,134.3
1948	116.6	89.4	301.0	1915-19	727.9	700.3	1,253.5

<sup>1</sup>For 1932-34, Mexicans are included with "Nonwhite."

Table 1-Z. Average Maternal Mortality Rates for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each Geographic Division, 1958-60

(By place of residence. Data refer only to deaths occurring within the United States. Rates per 100,000 live births in specified group. For 1958 and 1959, counties are classified as metropolitan or nonmetropolitan according to 1950 definitions. For 1960, these counties are classified according to 1960 definitions; see Technical Appendix)

AREA	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNITED STATES <sup>1</sup>	37.4	35.6	40.1	33.0	35.5	26.0	44.3	36.1	49.5
New England	21.5	21.8	20.9	20.5	21.6	17.1	24.7	23.1	25.7
Middle Atlantic	37.1	41.8	26.2	39.3	43.9	24.7	26.9	23.9	29.0
East North Central	30.3	31.1	28.7	30.8	32.9	23.2	29.1	23.8	32.8
West North Central	25.0	22.7	28.0	21.7	21.7	21.6	27.8	24.4	29.8
South Atlantic	51.4	48.8	53.6	38.8	45.3	28.9	62.6	54.8	66.2
East South Central	62.0	50.1	71.0	42.9	46.5	35.4	72.7	54.7	80.1
West South Central	48.0	42.2	59.9	36.1	36.7	33.0	60.4	52.0	68.5
Mountain	31.6	25.8	39.3	26.7	26.8	26.4	34.7	25.0	44.2
Pacific <sup>1</sup>	27.0	28.2	24.9	29.2	29.9	27.6	19.8	19.3	20.2

<sup>1</sup>Includes Alaska for 1959, and Alaska and Hawaii for 1960.

Table 1-AA. Average Maternal Mortality Rates by Color: United States, Each Division and State, 1958-60

(By place of residence. Data refer only to deaths occurring within the United States. Rates per 100,000 live births in specified group, 1958-60. Rates for frequencies less than 20 are underlined)

DIVISION AND STATE	Total	White	Nonwhite	DIVISION AND STATE	Total	White	Nonwhite
UNITED STATES <sup>1</sup> -----	37.4	26.0	100.6	SOUTH ATLANTIC:			
GEOGRAPHIC DIVISIONS:				Delaware-----	40.1	24.6	108.8
New England-----	21.5	19.2	82.9	Maryland-----	32.1	19.6	74.7
Middle Atlantic-----	37.1	27.6	107.3	District of Columbia-----	60.4	46.2	67.2
East North Central-----	30.3	25.1	71.5	Virginia-----	48.5	28.0	114.9
West North Central-----	25.0	22.4	64.6	West Virginia-----	34.9	30.9	109.4
South Atlantic-----	51.4	24.2	115.9	North Carolina-----	51.9	20.4	116.6
East South Central-----	62.0	35.2	126.4	South Carolina-----	67.5	28.9	119.6
West South Central-----	48.0	33.9	100.6	Georgia-----	64.2	22.3	139.8
Mountain-----	31.6	27.8	79.1	Florida-----	52.3	23.7	128.1
Pacific <sup>1</sup> -----	27.0	22.2	67.7	EAST SOUTH CENTRAL:			
NEW ENGLAND:				Kentucky-----	40.4	38.3	62.5
Maine-----	28.8	29.1	0	Tennessee-----	46.8	29.4	106.6
New Hampshire-----	22.2	22.4	0	Alabama-----	79.4	41.7	142.4
Vermont-----	21.2	21.3	0	Mississippi-----	86.0	29.3	133.8
Massachusetts-----	19.5	17.5	72.8	WEST SOUTH CENTRAL:			
Rhode Island-----	23.4	24.4	0	Arkansas-----	59.7	32.8	122.6
Connecticut-----	21.8	15.6	124.9	Louisiana-----	54.9	28.3	96.5
MIDDLE ATLANTIC:				Oklahoma-----	36.7	31.2	71.4
New York-----	41.4	30.5	116.2	Texas-----	45.9	36.1	102.7
New Jersey-----	36.6	25.1	113.1	MOUNTAIN:			
Pennsylvania-----	31.1	24.6	87.6	Montana-----	21.0	22.5	0
EAST NORTH CENTRAL:				Idaho-----	15.6	13.9	107.3
Ohio-----	32.1	25.8	85.6	Wyoming-----	28.2	25.0	122.2
Indiana-----	25.7	23.9	46.7	Colorado-----	29.2	27.9	62.4
Illinois-----	28.0	24.1	48.6	New Mexico-----	42.4	38.6	75.1
Michigan-----	32.8	23.9	104.2	Arizona-----	39.3	30.8	85.9
Wisconsin-----	31.2	29.3	79.7	Utah-----	28.4	25.1	176.1
WEST NORTH CENTRAL:				Nevada-----	42.6	32.6	111.9
Minnesota-----	14.6	14.4	21.4	PACIFIC:			
Iowa-----	24.6	23.4	105.3	Washington-----	16.3	14.0	56.3
Missouri-----	38.5	32.4	77.0	Oregon-----	23.4	22.3	57.1
North Dakota-----	21.9	20.7	56.5	California-----	29.2	23.6	75.1
South Dakota-----	24.6	26.4	0	Alaska <sup>2</sup> -----	47.8	28.3	88.7
Nebraska-----	20.7	18.5	69.9	Hawaii <sup>3</sup> -----	17.6	13.4	19.4
Kansas-----	21.3	19.4	47.6				

<sup>1</sup>Includes Alaska for 1959 and Alaska and Hawaii for 1960.<sup>2</sup>Rates based on figures by place of occurrence for 1958, and by place of residence for 1959 and 1960.<sup>3</sup>Rates based on figures by place of occurrence for 1958 and 1959, and by place of residence for 1960.

## SECTION 1 - MORTALITY

1-51

Table 1-AB. Reported Cases of Specified Notifiable Diseases: United States, 1950-60

(Data refer only to cases of notifiable diseases occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Numbers after diseases are category numbers of the Seventh Revision of the International Lists, 1955)

DISEASE	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
Tuberculosis, all forms <sup>1</sup> -----001-019	70,843	75,484	82,266	86,861	90,465	98,860	100,540	106,925	109,637	116,491	121,742
Syphilis and its sequelae-----020-029	122,003	120,766	113,694	123,758	130,168	122,592	130,697	148,573	167,762	174,924	217,558
Gonococcal infection-----030-034	258,933	240,158	232,513	214,496	224,542	236,197	242,050	238,540	244,957	254,470	286,746
Typhoid fever-----040	818	859	1,043	1,231	1,700	1,704	2,169	2,252	2,541	2,123	2,484
Paratyphoid fever and other Salmonella infections-----041,042	6,929	6,606	6,363	6,893	6,704	5,447	5,375	5,946	5,596	1,773	1,233
Brucellosis (undulant fever)-----044	751	892	924	983	1,300	1,444	1,823	2,032	2,537	3,139	3,510
Bacillary dysentery-----045	12,487	12,888	11,661	9,622	10,506	13,912	13,846	16,533	25,197	32,215	28,367
Amebiasis-----046	3,424	3,508	4,390	5,031	3,689	3,348	3,523	4,444	4,280	3,550	4,568
Botulism-----049-1	12	20	6	23	17	16	18	18	18	33	20
Scarlet fever and streptococcal sore throat-----050,051	315,173	334,715	284,097	226,973	176,392	147,502	147,785	132,935	113,677	84,151	64,494
Diphtheria-----055	918	934	918	1,211	1,568	1,984	2,041	2,355	2,960	3,983	5,796
Whooping cough-----056	14,609	40,005	32,148	28,295	31,732	62,786	60,886	37,129	45,030	68,687	120,718
Meningococcal infections-----057	2,259	2,180	2,581	2,691	2,735	3,455	4,436	5,077	4,864	4,164	3,788
Flague-----058	2	4	-	21	1	-	-	-	-	-	3
Tularemia-----059	390	459	587	601	522	584	661	601	668	702	927
Leprosy-----060	54	44	39	36	52	75	56	60	57	57	44
Tetanus-----061	368	445	445	447	463	462	524	506	484	506	486
Anthrax-----062	23	12	16	26	38	39	22	45	47	60	49
Leptospirosis-----072	53	63	55	47	44	24	48	42	62	9	30
Acute poliomyelitis-----080	3,190	8,425	5,787	5,485	15,140	28,985	38,476	35,592	57,679	28,386	33,300
Paralytic poliomyelitis-----080.0,080.1	2,525	6,289	3,697	2,499	7,911	13,850	18,308	15,648	21,269	10,037	---
Nonparalytic poliomyelitis-----080.2	626	2,045	1,941	2,826	6,555	12,453	13,221	12,144	12,602	5,470	---
Unspecified poliomyelitis-----080.3	39	91	149	160	674	2,662	6,947	7,800	23,808	12,879	---
Acute infectious encephalitis-----082	2,341	2,437	2,587	2,135	2,624	2,166	2,606	1,935	1,912	1,123	1,135
Smallpox-----084	-	-	-	31	-	32	39	4	21	11	39
Measles-----085	441,703	406,162	763,094	486,799	611,936	555,156	682,720	449,146	683,077	530,118	319,124
Dengue-----090	-	-	-	2	1	6	6	8	5	16	26
Infectious hepatitis <sup>4</sup> -----092	41,666	23,574	16,294	14,922	19,234	31,961	50,093	33,700	17,428	7,349	2,820
Rabies <sup>5</sup> -----094	2	6	5	5	10	4	13	12	24	18	18
Psittacosis and ornithosis-----096.2	113	147	158	278	568	334	563	169	135	25	26
Flea-borne endemic typhus (murine)-----101	68	51	71	113	98	135	163	221	205	378	685
Rocky Mountain spotted fever-----104 pt.	204	199	243	240	293	295	294	313	327	347	464
Malaria-----110-117	72	71	85	132	234	522	715	1,310	7,023	5,600	2,184
Trichinosis-----128	160	227	176	178	262	264	277	395	367	393	327

<sup>1</sup>Active and inactive cases.<sup>2</sup>Delayed report of a case in Texas.<sup>3</sup>These cases do not fulfill the generally accepted criteria for a diagnosis of smallpox.<sup>4</sup>Includes serum hepatitis (E951 pt. or E993.5).<sup>5</sup>Figures represent registered deaths.Source: Figures are from Morbidity and Mortality Weekly Report (annual supplements) issued by the Communicable Disease Center for 1960, and for 1959, by this Office, except figures for syphilis and its sequelae and gonococcal infection (civilian cases only) which are from Venereal Disease Program; and tuberculosis, all forms, for 1960, which are from Tuberculosis Program.

Table 1-AC. Reported Cases of Specified Notifiable Diseases: United States, Each Division and State, 1960

(Data refer only to cases of notifiable diseases occurring within the United States, including Alaska and Hawaii. Numbers under diseases are category numbers of the Seventh Revision of the International Lists, 1955)

DIVISION AND STATE	Typhoid fever 040	Brucel- losis (undul- ant fever) 044	Scarlet fever and strepto- coccal sore throat 050,051	Diphthe- ria 055	Whooping cough 056	Meningo- coccal infec- tions 057	Tulare- mia 069	ACUTE POLIOMYELITIS		Acute infec- tious encepha- litis 062	Measles 065	Infec- tious hepati- tis <sup>1</sup> 092	Psitta- cosis and orni- thosis 096.2	Rocky Mountain spotted fever 104 pt.	Malaria 110-117
								Total 080	Para- lytic 080.0, 080.1						
UNITED STATES-----	816	751	315,173	919	14,809	2,259	390	3,180	2,525	2,341	441,703	41,666	113	204	72
GEOGRAPHIC DIVISIONS:															
New England-----	13	5	15,086	13	821	143	1	242	185	75	44,355	1,215	6	1	5
Middle Atlantic-----	61	19	19,151	15	1,297	394	2	498	409	406	64,347	5,316	36	22	8
East North Central-----	102	97	35,053	39	2,215	474	58	517	385	371	151,527	7,368	35	23	6
West North Central-----	56	434	9,301	66	457	127	52	176	109	105	9,862	2,902	5	11	5
South Atlantic-----	136	48	22,392	242	1,387	343	63	604	486	227	24,007	4,835	-	89	17
East South Central-----	122	41	55,059	142	1,595	247	56	282	249	179	54,719	5,971	10	22	6
West South Central-----	201	50	43,538	360	2,705	151	108	287	191	154	53,582	3,100	1	13	6
Mountain-----	45	25	66,052	40	1,586	64	38	98	77	123	25,604	3,215	3	18	5
Pacific-----	80	33	49,531	2	2,746	276	12	486	412	701	53,700	7,744	17	5	12
NEW ENGLAND:															
Maine-----	3	1	846	3	173	16	-	50	49	8	3,538	89	-	-	1
New Hampshire-----	-	-	570	-	103	-	-	3	1	-	1,929	70	-	-	-
Vermont-----	-	-	487	-	45	-	-	12	10	-	3,266	29	-	-	-
Massachusetts-----	5	1	5,950	9	226	69	1	38	29	29	22,403	548	2	1	3
Rhode Island-----	-	1	1,120	1	43	15	-	103	79	24	1,892	221	-	-	-
Connecticut-----	5	2	6,113	-	231	38	-	36	27	14	11,327	258	4	-	1
MIDDLE ATLANTIC:															
New York-----	33	9	11,316	6	734	195	1	271	213	160	46,443	2,719	9	6	6
New Jersey-----	8	3	3,305	1	226	80	-	76	64	99	10,559	441	-	7	-
Pennsylvania-----	22	6	4,530	8	337	119	1	151	132	147	7,345	2,156	27	9	2
EAST NORTH CENTRAL:															
Ohio-----	36	4	7,569	11	127	103	1	112	89	56	18,170	2,377	1	8	3
Indiana-----	26	9	7,483	8	290	47	19	145	117	90	10,225	937	-	5	2
Illinois-----	19	74	4,402	9	442	115	37	145	112	167	22,448	1,707	7	10	-
Michigan-----	14	5	9,287	9	1,129	169	-	86	56	55	36,161	2,113	3	-	-
Wisconsin-----	7	5	6,322	1	227	40	1	27	21	3	44,523	234	24	-	1
WEST NORTH CENTRAL:															
Minnesota-----	1	15	833	39	22	41	1	46	37	8	4,203	576	4	-	-
Iowa-----	13	308	2,519	9	115	9	-	25	6	15	1,790	460	-	3	1
Missouri-----	26	8	880	2	71	25	30	43	38	13	799	954	-	2	-
North Dakota-----	4	9	3,521	3	56	5	-	19	6	27	2,774	160	-	1	-
South Dakota-----	5	26	154	10	66	9	-	7	2	5	79	164	-	2	-
Nebraska-----	5	20	15	2	66	24	-	17	11	7	217	280	-	2	2
Kansas-----	2	48	1,379	1	61	14	21	19	9	30	( <sup>2</sup> )	308	1	3	2
SOUTH ATLANTIC:															
Delaware-----	1	-	340	-	24	-	1	-	-	-	656	277	-	2	-
Maryland-----	6	1	1,017	1	120	42	3	165	147	67	3,202	532	-	8	2
District of Columbia-----	10	-	107	-	52	15	-	5	5	12	1,197	68	-	1	2
Virginia-----	24	34	6,066	39	344	65	39	58	55	28	7,595	845	-	40	3
West Virginia-----	14	-	8,530	4	164	26	-	64	51	9	3,812	906	-	3	-
North Carolina-----	19	4	1,098	22	111	83	4	85	64	36	1,417	582	-	18	7
South Carolina-----	19	1	1,708	50	128	17	-	131	92	5	1,789	193	-	1	-
Georgia-----	27	5	174	53	21	38	15	30	27	15	236	324	-	15	-
Florida-----	16	3	5,352	73	423	57	1	66	47	55	4,083	1,108	-	1	3
EAST SOUTH CENTRAL:															
Kentucky-----	33	6	7,618	56	336	64	14	146	127	48	11,367	2,037	2	10	3
Tennessee-----	56	10	45,124	9	1,111	66	24	55	41	36	19,202	2,100	8	9	-
Alabama-----	25	16	940	40	104	80	7	24	24	19	2,069	1,283	-	3	2
Mississippi-----	8	9	1,377	37	44	37	11	57	57	76	2,081	551	-	-	3
WEST SOUTH CENTRAL:															
Arkansas-----	52	9	332	16	54	19	73	36	27	17	1,410	263	1	5	-
Louisiana-----	58	14	217	80	14	66	13	49	32	( <sup>2</sup> )	266	200	-	-	-
Oklahoma-----	12	5	541	25	103	26	13	18	14	21	1,232	350	-	7	1
Texas-----	79	22	42,448	239	2,534	80	9	184	118	116	50,674	2,287	-	1	5
MOUNTAIN:															
Montana-----	10	3	2,881	3	301	11	2	21	15	4	2,458	202	-	3	-
Idaho-----	3	3	3,555	16	107	4	-	12	10	8	3,227	336	-	2	-
Wyoming-----	4	-	1,971	3	27	2	14	22	18	10	716	40	-	2	4
Colorado-----	1	2	24,319	3	448	18	1	21	21	50	6,794	1,177	1	6	-
New Mexico-----	15	1	12,497	4	50	6	2	7	4	7	1,901	364	-	-	-
Arizona-----	10	3	9,606	3	398	13	-	10	4	20	4,863	659	1	1	1
Utah-----	2	12	10,926	7	249	9	16	5	5	23	4,908	330	1	3	-
Nevada-----	-	1	297	1	6	1	3	-	-	1	757	107	-	1	-
PACIFIC:															
Washington-----	7	-	13,395	-	251	28	2	49	46	9	13,678	1,087	2	1	1
Oregon-----	8	3	2,652	-	534	35	7	33	17	43	11,104	1,129	3	2	1
California-----	62	29	32,189	1	1,957	209	3	394	340	643	22,684	5,039	12	2	10
Alaska-----	3	1	1,111	1	4	-	-	2	1	6	1,260	368	-	-	-
Hawaii-----	-	-	195	-	-	4	-	8	8	-	4,974	91	-	-	-

<sup>1</sup>Includes serum hepatitis (E951 pt. or N998.5).

<sup>2</sup>Disease stated not notifiable.

Source: Communicable Disease Center, Morbidity and Mortality Weekly Report (annual supplement), Vol. 9, No. 53, 1961.

## *Section 2. Life Tables*

	Page
The life table program-----	2-3
Life table values for 1960-----	2-3
Trends and comparisons-----	2-4
Explanations of the columns of the life table-----	2-6
 General Tables	
2-1. Abridged life tables for total, male, and female population: United States, 1960-----	2-7
2-2. Abridged life tables by color and sex: United States, 1960-----	2-8
2-3. Number of survivors out of 100,000 born alive at single years of age, by color and sex: United States, 1960-----	2-9
2-4. Expectation of life at single years of age, by color and sex: United States, 1960-----	2-10
2-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1960-----	2-11
2-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-60-----	2-12

## SECTION 2. LIFE TABLES

The mortality rates for a specific period may be summarized by the life table method to obtain measures of comparative longevity. There are two types of life tables—the generation or cohort life table and the current life table. The generation life table provides a "longitudinal" perspective in that it follows the mortality experience of a particular cohort, all persons born in the year 1900 for example, from the moment of birth through consecutive ages in successive calendar years. Based on age-specific mortality rates observed during consecutive calendar years, the generation life table reflects the mortality experience of a cohort from birth until no lives remain in the group.

The better-known current life table may, by contrast, be characterized as "cross-sectional." Unlike the generation life table, the current life table does not represent the mortality experience of an actual cohort. Rather, the current life table considers a hypothetical cohort and assumes that it is subject to the age-specific mortality rates observed for an actual population during a particular period. Thus, for example, a current life table for 1960 assumes a hypothetical cohort subject throughout its lifetime to the age-specific mortality rates prevailing for the actual population in 1960. The current life table may thus be characterized as rendering a "snapshot" of current mortality experience. In this section, the term "life table" refers to the current life table only and not to the generation life table.

### The life table program

There are three series of life tables prepared in the National Vital Statistics Division (NVSD)—complete, provisional abridged, and final abridged life tables. The complete life tables for the U.S. population contain life table values for single years of age and are based on decennial census data and deaths for a 3-year period about the census year and have been prepared by NVSD since 1900. The provisional abridged life tables contain values by age groups and are based on a 10-percent sample of deaths. The final abridged life tables (referred to in this section as "abridged life table") also contain values by age groups but are based on a total count of deaths.

In response to a growing number of requests for postcensal life table values, a series of abridged life tables was initiated in 1945. Available annually since that year, the abridged life tables are based on deaths occurring during the calendar year and on midyear postcensal population estimates provided by the U.S. Bureau of the Census. The population figures used in the 1960 abridged life tables, however, were taken from the April 1 census enumeration. Refinements in both the techniques for estimating population and

the methods for constructing abridged life tables permit the preparation of abridged life tables which provide reasonably accurate data on current trends in expectation of life and survivorship. Abridged life tables for 1945 to 1952 were constructed by the Greville method;<sup>1</sup> since 1953, a modified method has been employed. The 1945 abridged life tables were prepared for white and nonwhite males and females. Since 1946, abridged life tables for the total population have also been available and since 1957 abridged life tables have been calculated for total males and total females regardless of color. Starting with 1959, additional abridged life tables have been published for total whites and total nonwhites regardless of sex.

Tables showing  $l_x$  and  $e_x^0$  values by single years of age, interpolated from the 1960 abridged life tables, are included for the first time in the annual publication of abridged life tables (see tables 2-3 and 2-4). Numerous requests have been received annually for current life table statistics that are more detailed than those available in the abridged life tables. Interpolated life table values based on the NVSD abridged life tables have been computed in the past by the Metropolitan Life Insurance Company for selected calendar years and published in its *Statistical Bulletin*.

The demand for information regarding up-to-date life table values has been responsible for the introduction of a third series, provisional abridged life tables. Starting with 1958, provisional abridged life tables have been published, for the total population only, in Part 2 of the Annual Summary, *Monthly Vital Statistics Report*. Values in these life tables are based on population estimates provided by the U.S. Bureau of the Census and on the estimated number of deaths derived from the Current Mortality Sample (CMS). The CMS is a 10-percent sample of death certificates received each month in vital statistics offices; the sample is taken by selecting 1 certificate out of every 10 death certificates received between two dates a month apart.

### Life table values for 1960

The two basic sources of data used in the preparation of the U.S. life tables for 1960 are the final mortality statistics and the population distribution figures by age, color, and sex as enumerated in the census of 1960.<sup>2</sup>

<sup>1</sup>Thomas N. E. Greville, "Method of Constructing the Abridged Life Tables for the United States, 1949," *Vital Statistics—Special Reports*, Vol. 33, No. 15, 1953.

<sup>2</sup>U.S. Bureau of the Census, *United States Census of Population: 1960, General Population Characteristics, United States Summary, Final Report PC(1)-1B*. Washington, U.S. Government Printing Office, 1961.



*Expectation of life.*—Perhaps the best known of the life table statistics are the estimates of expectation of life ( $e_x^o$ ), that is, the average remaining lifetime, in years, for persons who have attained a given age ( $x$ ). Values of expectation of life at specified ages in 1960 are shown for the total U.S. population, total males, and total females in table 2-1; and for total whites, white males, white females, total nonwhites, nonwhite males, and nonwhite females in table 2-2. In addition, values of expectation of life at single years of age, by color and sex, are shown in table 2-4.

The expectation of life at birth ( $e_0^o$ ) is the most widely used of the expectation of life values. This measure represents the average number of years that the members of the life table cohort may expect to live at the time of birth. In other words, it is the average age at death of the life table cohort. Based on the mortality experience of the population during 1960, the expectation of life at birth is 67.4 years for white males, 74.1 for white females, 61.1 for nonwhite males, and 66.3 for nonwhite females. These values reflect the higher mortality of males over females and of nonwhites over whites. Expectation of life at birth for white females is 6.7 years longer than that for white males, and the corresponding excess for nonwhite females is 5.2 years. However, because of the substantially higher mortality of nonwhites over whites, the life expectancy at birth for white males exceeds that for nonwhite females by 1.1 years.

Expectation of life at birth is strongly affected by the relatively large number of deaths occurring during the first year of life. In comparing the mortality experience of two (or more) populations, it is sometimes preferable to consider expectation of life at age 1 ( $e_1^o$ ), since this measure is not affected by the infant mortality rate. Indeed, as shown in tables 2-1 and 2-2,  $e_1^o$  is higher than  $e_0^o$  in all population groups; those persons who survive the hazards of infancy exhibit an increase in the average number of years of life remaining over the number expected when they were 1 year younger. The 1960 values of expectation of life at age 1 are 68.2 years for white males, 74.6 for white females, 63.2 for nonwhite males, and 67.9 for nonwhite females. The increase in expectation of life at age 1 over that at age 0 is substantial for nonwhite males and females (2.1 and 1.6 years, respectively) but considerably smaller for white males and females (0.8 and 0.5 year, respectively), and this reflects the higher infant mortality experience of the nonwhite population.

Values of expectation of life for single years of age are presented in table 2-4. It may be of interest for certain purposes, for example, to examine average remaining lifetime at ages 21, 62, and 65. These ages may be regarded as representing, respectively, the attainment of adulthood, the minimum retirement age prescribed by the Social Security Act, and the normal retirement age. The 1960 values of expectation of life for age 21 are 49.2 years for white males, 55.3 years for white females, 44.6 years for nonwhite males, and 49.0 years for nonwhite females. Corresponding values for age 62 are 14.6, 18.1, 13.9, and 16.7 years; and for age 65 are 12.9, 15.9, 12.7, and 15.2 years.

The concept "expectation of life" is misleading if it implies the notion of forecasting. It is important to understand that expectation of life values forecast average remaining lifetime only for the hypothetical cohort of the life table. Forecasts of expectation of life in 1960 for any actual population must take into consideration not only mortality experience in 1960 but also mortality experience in subsequent calendar years.

*Median length of life.*—Another possible standard for comparing longevity among different populations is provided by the median length of life at birth, or "probable lifetime," which is the age at which exactly half of the members of the original life table cohort have died. In other words, it is the median age at death of the life table cohort. For the 1960 abridged life tables, which start with cohorts of 100,000 live births, the median length of life at birth is the age at which there remain exactly 50,000 survivors. Readily computed from the  $l_x$  values in table 2-3, median length of life at birth, on the basis of the 1960 mortality rates, is 71.3 years for white males, 78.3 for white females, 65.1 for nonwhite males, and 70.1 for nonwhite females. In computing median length of life at birth, it is assumed that deaths are evenly distributed within the age interval containing the median age.

A comparison of these "probable lifetime" measures with those for expectation of life at birth shows that the former exceed the latter for each population group. Thus, median length of life at birth for white males in 1960 is 3.9 years longer than expectation of life at birth; for white females, 4.2 years; for nonwhite males, 4.0; and for nonwhite females, 3.8. These differences are, in large part, brought about by the relatively high toll of mortality to the cohort during the first year of life.

*Survivors to specified ages.*—Another value which can be readily determined from the life table is the number (or percentage) of persons in the original cohort surviving to a specified age. The  $l_x$  columns in tables 2-1 to 2-3 contain such data. Thus on the basis of the 1960 life tables, the percentage of white males in a cohort of 100,000 live births surviving to age 1 is 97.4; of white females, 98.0; of nonwhite males, 95.2; and of nonwhite females, 96.1. At age 21, respective percentages are 95.7, 97.1, 92.7, and 94.5; and at age 65, respective percentages are 65.5, 80.5, 50.2, and 60.0.

## Trends and comparisons

Table 2-5 shows expectation of life values ( $e_x^o$ ) at specified ages as well as numbers of survivors ( $l_x$ ) to specified ages for selected years during the period 1900 to 1960. Although life table values for periods prior to the 1929-31 life table are not strictly comparable with those for later periods, certain trends may be noted.

The geographic areas covered in life tables prior to 1939-41 were limited to the death-registration areas (data from Texas were estimated for the 1929-31 life tables). Life tables for 1939-41 through 1958 cover the conterminous United States. For 1959 the data include Alaska; and beginning 1960, Alaska and Hawaii. However, it is not believed that the in-

clusion of these two States materially affects life table values. Life tables for 1919-21 were constructed using mortality data from the 1920 death-registration States—34 States and the District of Columbia—and for 1900-1902 and 1909-11, from the 1900 death-registration States—10 States and the District of Columbia.

Life table values shown in this section differ from those shown for 1959,<sup>3</sup> because the previous estimates of the 1959 population have now been revised on the basis of the latest estimates for 1959, which take into account the 1960 census enumeration. In general, the life expectancy values were slightly higher than those shown previously for 1959 due to the upward revision of the population estimates.

Life expectancy values for 1960 decreased slightly from the comparable revised figures for 1959. The decrease in expectation of life at birth was 0.2 year for the total population, 0.2 year for males, and 0.1 year for females. In the 1900-1902 life table, the expectation of life at birth for the white female was 16.1 years greater than the nonwhite female; in the 1960 life table, the differential is 7.8 years. Comparable figures for males are, respectively, 15.7 and 6.3 years.

In making comparisons between 1900-1902 life table values and current figures, it should be kept in mind that the former data were based on the death-registration States only. The values shown in the 1900-1902 life tables are probably not totally reflective of the entire population. This is particularly true in the case of the nonwhite group because the mortality data covered mainly the urban Northeast and excluded the majority of the nonwhites living in the Southern States. Therefore, complete comparability between 1900-1902 values and current values does not exist.

Females in both color groups during the period 1900 to 1960 have had greater increases in expectation of life at birth than have males. In the 1900-1902 life tables, expectation of life at birth for the white female was 2.9 years longer than for the white male; for the nonwhite female it was 2.5 years in excess of that for the nonwhite male. Comparable figures for the 1960 life tables are, respectively, 6.7 and 5.2 years.

For all color-sex groups, expectation of life values between 1900 and 1960 have increased not only at age 0 but also at every successive age. An inspection of table 2-5 shows that increases are generally greatest for the younger

elements of the population, but the recent values even at relatively older ages are substantially higher than in 1900-1902. The increase in expectation of life at age 20 from 1900 to the present is 7.9 years for white males, 12.4 for white females, 10.4 for nonwhite males, and 13.0 for nonwhite females. For the same population groups, respective increases at age 65 are 1.4, 3.7, 2.3, and 3.8 years.

Trends in survivorship may also be determined by an examination of the proportion of persons in the original cohort who survive to specified ages. Between 1900 and 1960, the proportion of the life table cohort reaching age 65 has increased by 67 percent for white males, 84 percent for white females, 164 percent for nonwhite males, and 173 percent for nonwhite females. It is apparent that the greater relative mortality improvement has occurred in the nonwhite population. Although mortality rates for nonwhites are still substantially higher than those for whites, comparatively greater strides have been made in the reduction of the nonwhite mortality rates.

In recent years there has been an increasing interest in data on average length of life ( $e_0^o$ ) for single calendar years prior to the initiation of the annual abridged life table series in 1945. In order to meet these needs, the estimated figures given in table 2-6 have been computed.<sup>4</sup> From these estimates, average annual increases in expectation of life at birth may be computed. Since the turn of the century, the total population has, on the average, each year added 0.37 year to its expectation of life at birth. During the same period, white males have added 0.35 year per annum; white females, 0.42; nonwhite males, 0.48; and nonwhite females, 0.55. Such annual increases have not, however, been evenly distributed over the period since 1900. Average annual increases during 1950 to 1960 are, for example, less marked than those for 1940 to 1950. Average annual increases in expectation of life at birth for 1940 to 1950 were 0.44 year per annum for white males, 0.56 for white females, 0.76 for nonwhite males, and 0.80 for nonwhite females. Corresponding figures for 1950 to 1960 are, respectively, 0.09, 0.19, 0.20, and 0.34 year. These statistics suggest that although increases in expectation of life at birth are still taking place, the rate of increase is slowing down. No clear-cut reason for the leveling off process is apparent.

<sup>3</sup>National Office of Vital Statistics, *Vital Statistics of the United States, 1959*, Volume I, Section 5. Washington, U. S. Government Printing Office, 1961.

<sup>4</sup>For estimating procedure, see "Estimated Average Length of Life in the Death-Registration States," by Thomas N. E. Greville and Gustav A. Carlson, *Vital Statistics—Special Reports*, Vol. 33, No. 9, 1951.

### Explanation of the Columns of the Life Table

*Column 1—Age interval ( $x$  to  $x + n$ ).*—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

*Column 2—Proportion dying ( ${}_nq_x$ ).*—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for white males in the age interval 20-25, the proportion dying is 0.0082—out of every 1,000 white males alive and exactly 20 years old at the beginning of the period, 8.2 will die before reaching their 25th birthday. In other words, the  ${}_nq_x$  values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

*Column 3—Number surviving ( $l_x$ ).*—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The  $l_x$  values are computed from the  ${}_nq_x$  values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 white male babies born alive, 97,398 will complete the first year of life and enter the second; 96,997 will begin the sixth year; 95,887 will reach age 20; and 12,629 will live to age 85.

*Column 4—Number dying ( ${}_nd_x$ ).*—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 white males born alive, 2,602 die in the first year of life, 401 in the succeeding 4 years, 790 in the 5-year period between exact ages 20 and 25, and 12,629 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

*Columns 5 and 6—Stationary population ( ${}_nL_x$  and  $T_x$ ).*—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same

numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for white males in the age interval 20-25 is 477,485. This means that in a stationary population of white males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 477,485 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of white males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,802,112 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,736,870.

*Column 7—Average remaining lifetime ( $e_x^o$ ).*—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus, the figure 477,485 for white males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,887 (column 3) who reached the 20th birthday out of 100,000 white males born alive. The corresponding figure (4,802,112) in column 6 is the total number of years lived after attaining age 20 by the 95,887 reaching that age. This number of years divided by the number of persons (4,802,112 divided by 95,887) gives 50.1 years as the average remaining lifetime of white males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus, in observing that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among whites than among nonwhites; yet the average length of life remaining at age 65 is nearly the same for both groups.

## SECTION 2 - MORTALITY

2-7

Table 2-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1960

(Includes Alaska and Hawaii)

AGE INTERVAL  Period of life between two exact ages stated in years  (1)	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
	Proportion of persons alive at beginning of age interval dying during interval  (2)	Number living at beginning of age interval  (3)	Number dying during age interval  (4)	In the age interval  (5)	In this and all subsequent age intervals  (6)	Average number of years of life remaining at beginning of age interval  (7)
x to x+n	$nq_x$	$l_x$	$n^d_x$	$n^l_x$	$^r_x$	$e_x$
<b>TOTAL</b>						
0-1	0.0261	100,000	2,606	97,703	6,973,762	69.7
1-5	.0043	97,394	417	368,569	6,876,059	70.6
5-10	.0024	96,977	236	484,252	6,487,490	66.9
10-15	.0022	96,741	215	483,207	6,003,238	62.1
15-20	.0046	96,526	441	481,607	5,520,031	57.2
20-25	.0061	96,085	589	478,987	5,038,424	52.4
25-30	.0065	95,496	625	475,951	4,559,437	47.7
30-35	.0081	94,871	764	472,534	4,083,496	43.0
35-40	.0117	94,107	1,097	467,966	3,610,952	38.4
40-45	.0184	93,010	1,708	461,071	3,142,986	33.8
45-50	.0293	91,302	2,672	450,248	2,681,915	29.4
50-55	.0462	88,630	4,095	433,512	2,231,667	25.2
55-60	.0672	84,535	5,679	409,216	1,798,155	21.3
60-65	.1022	78,856	8,058	374,957	1,388,939	17.6
65-70	.1469	70,798	10,397	328,980	1,013,982	14.3
70-75	.2127	60,401	12,846	270,815	685,002	11.3
75-80	.3066	47,555	14,578	201,506	414,187	8.7
80-85	.4524	32,977	14,920	126,471	212,681	6.4
85 and over	1.0000	18,057	18,057	86,210	86,210	4.8
<b>MALE</b>						
0-1	0.0294	100,000	2,936	97,402	6,657,748	66.6
1-5	.0047	97,064	454	387,167	6,560,346	67.6
5-10	.0028	96,610	270	482,332	6,173,179	63.9
10-15	.0028	96,340	269	481,085	5,690,847	59.1
15-20	.0064	96,071	619	478,927	5,209,762	54.2
20-25	.0089	95,452	847	475,181	4,730,835	49.6
25-30	.0087	94,605	824	470,985	4,255,654	45.0
30-35	.0100	93,781	939	466,659	3,784,669	40.4
35-40	.0144	92,842	1,340	461,078	3,318,010	35.7
40-45	.0229	91,502	2,095	452,643	2,856,932	31.2
45-50	.0376	89,407	3,362	439,178	2,404,289	26.9
50-55	.0625	86,045	5,378	417,575	1,965,111	22.8
55-60	.0888	80,667	7,165	386,268	1,547,536	19.2
60-65	.1340	73,502	9,849	343,730	1,161,268	15.8
65-70	.1886	63,653	12,008	289,019	817,538	12.8
70-75	.2608	51,645	13,467	225,064	528,519	10.2
75-80	.3546	38,178	13,539	156,715	303,455	7.9
80-85	.4982	24,639	12,276	91,215	146,740	6.0
85 and over	1.0000	12,363	12,363	55,525	55,525	4.5
<b>FEMALE</b>						
0-1	0.0226	100,000	2,260	98,019	7,314,855	73.1
1-5	.0039	97,740	378	390,039	7,216,836	73.8
5-10	.0021	97,362	200	486,266	6,826,797	70.1
10-15	.0016	97,162	159	485,434	6,340,531	65.3
15-20	.0027	97,003	259	484,410	5,855,097	60.4
20-25	.0035	96,744	337	482,905	5,370,667	55.5
25-30	.0045	96,407	430	481,001	4,887,782	50.7
30-35	.0062	95,977	590	478,485	4,406,781	45.9
35-40	.0090	95,387	861	474,911	3,928,296	41.2
40-45	.0140	94,526	1,325	469,528	3,453,385	36.5
45-50	.0211	93,201	1,968	461,368	2,983,657	32.0
50-55	.0316	91,233	2,887	449,349	2,522,489	27.6
55-60	.0459	88,346	4,056	432,170	2,073,140	23.5
60-65	.0723	84,290	6,091	406,996	1,640,970	19.5
65-70	.1083	78,199	8,465	370,984	1,233,974	15.8
70-75	.1692	69,734	11,802	320,492	862,990	12.4
75-80	.2655	57,932	15,383	251,973	542,498	9.4
80-85	.4171	42,549	17,748	167,578	290,525	6.8
85 and over	1.0000	24,801	24,801	122,947	122,947	5.0

SECTION 2 - MORTALITY

Table 2-2. Abridged Life Tables by Color and Sex: United States, 1960

(Includes Alaska and Hawaii)

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME	AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(1)	(2)	(3)	(4)	(5)	(6)	(7)
$x$ to $x+n$	$n^q_x$	$l_x$	$n^d_x$	$n^l_x$	$r_x$	$\bar{q}_x$	$x$ to $x+n$	$n^q_x$	$l_x$	$n^d_x$	$n^l_x$	$r_x$	$\bar{q}_x$
<b>TOTAL WHITE</b>							<b>TOTAL NONWHITE</b>						
0-1	0.0229	100,000	2,292	97,947	7,059,933	70.6	0-1	0.0434	100,000	4,337	96,359	6,362,302	63.6
1-5	.0037	97,709	366	389,957	6,981,986	71.3	1-5	.0074	95,653	709	380,886	6,285,943	65.5
5-10	.0023	97,342	223	486,114	6,572,029	67.5	5-10	.0033	94,954	314	473,905	5,985,055	62.0
10-15	.0021	97,119	203	485,121	6,085,915	62.7	10-15	.0031	94,640	296	472,541	5,411,150	57.2
15-20	.0044	96,918	422	483,584	5,600,794	57.8	15-20	.0061	94,344	576	470,424	4,939,609	52.3
20-25	.0056	96,494	539	481,146	5,117,200	53.0	20-25	.0100	93,788	937	466,803	4,468,185	47.7
25-30	.0066	95,955	535	478,482	4,636,054	48.3	25-30	.0136	92,831	1,258	461,107	4,001,582	43.1
30-35	.0067	95,420	640	475,576	4,157,592	43.6	30-35	.0179	91,573	1,640	453,942	3,540,475	38.7
35-40	.0099	94,780	942	471,705	3,682,014	38.8	35-40	.0264	89,933	2,371	444,020	3,086,533	34.3
40-45	.0162	93,838	1,521	465,862	3,210,309	34.2	40-45	.0368	87,562	3,224	430,178	2,642,513	30.2
45-50	.0265	92,317	2,450	455,888	2,744,647	29.7	45-50	.0537	84,338	4,532	410,922	2,212,335	26.2
50-55	.0428	89,867	3,941	440,364	2,288,779	25.5	50-55	.0784	79,806	6,340	383,835	1,801,413	22.6
55-60	.0630	86,036	5,424	417,392	1,948,415	21.5	55-60	.1056	73,466	7,759	346,402	1,417,578	19.3
60-65	.0968	80,612	7,797	384,475	1,431,023	17.8	60-65	.1618	65,707	10,331	302,145	1,069,176	16.3
65-70	.1425	72,825	10,375	339,277	1,046,548	14.4	65-70	.1945	55,076	10,715	248,506	767,031	13.9
70-75	.2100	62,450	13,115	280,502	707,271	11.3	70-75	.2449	44,361	10,866	194,436	518,525	11.7
75-80	.3079	49,335	15,180	209,935	426,789	8.7	75-80	.2878	33,435	9,639	142,941	324,089	9.7
80-85	.4565	34,145	15,586	130,597	217,834	6.4	80-85	.3981	23,856	9,259	95,333	181,148	7.6
85 and over	1.0000	18,559	18,589	87,237	87,237	4.7	85 and over	1.0000	14,597	14,597	85,915	85,915	5.9
<b>WHITE MALE</b>							<b>NONWHITE MALE</b>						
0-1	0.0260	100,000	2,602	97,665	6,736,870	67.4	0-1	0.0480	100,000	4,804	95,937	6,109,681	61.1
1-5	.0041	97,398	401	388,643	6,639,206	68.2	1-5	.0080	95,196	764	378,871	6,013,744	63.2
5-10	.0027	96,997	258	484,300	6,250,562	64.4	5-10	.0036	94,432	340	471,239	5,634,873	59.7
10-15	.0026	96,739	254	483,112	5,766,262	59.6	10-15	.0040	94,032	376	489,615	5,163,534	54.9
15-20	.0062	96,485	588	481,038	5,283,150	54.8	15-20	.0083	93,716	779	486,636	4,694,019	50.1
20-25	.0082	95,987	790	477,485	4,802,112	50.1	20-25	.0136	92,937	1,263	481,667	4,227,183	45.5
25-30	.0076	95,097	725	473,682	4,324,627	45.5	25-30	.0171	91,674	1,566	454,553	3,765,516	41.1
30-35	.0086	94,372	814	469,917	3,850,945	40.6	30-35	.0209	90,108	1,886	446,006	3,310,963	36.7
35-40	.0126	93,558	1,181	465,045	3,381,028	36.1	35-40	.0304	88,222	2,679	434,705	2,884,857	32.5
40-45	.0207	92,377	1,913	456,581	2,915,983	31.6	40-45	.0424	85,543	3,630	419,113	2,430,252	28.4
45-50	.0349	90,485	3,161	444,964	2,459,402	27.2	45-50	.0619	81,913	5,074	397,558	2,011,139	24.6
50-55	.0577	87,304	5,040	424,713	2,014,438	23.1	50-55	.0910	76,839	6,991	367,454	1,613,601	21.0
55-60	.0857	82,264	7,049	394,596	1,589,725	19.3	55-60	.1179	69,848	8,232	329,120	1,246,147	17.8
60-65	.1292	75,215	9,719	352,697	1,195,129	15.9	60-65	.1647	61,616	11,380	279,730	817,027	14.9
65-70	.1850	65,496	12,119	298,064	842,432	12.9	65-70	.2282	50,256	11,463	222,322	637,297	12.7
70-75	.2591	53,377	13,632	235,901	544,368	10.2	70-75	.2812	39,773	10,904	166,264	414,975	10.7
75-80	.3873	39,545	14,131	162,093	311,467	7.9	75-80	.3205	27,669	8,931	116,475	248,711	8.9
80-85	.5031	25,414	12,785	93,751	149,384	5.9	80-85	.4263	18,938	8,262	73,221	132,236	7.0
85 and over	1.0000	12,629	12,629	55,633	55,633	4.4	85 and over	1.0000	10,676	10,676	59,015	59,015	5.5
<b>WHITE FEMALE</b>							<b>NONWHITE FEMALE</b>						
0-1	0.0196	100,000	1,964	98,246	7,411,812	74.1	0-1	0.0386	100,000	3,862	96,789	6,628,221	66.3
1-5	.0034	98,056	329	391,347	7,313,566	74.6	1-5	.0068	96,138	654	382,939	6,531,432	67.9
5-10	.0019	97,707	186	489,033	6,922,219	70.8	5-10	.0030	95,484	288	476,610	6,148,493	64.4
10-15	.0018	97,521	151	487,242	6,434,186	66.0	10-15	.0023	95,196	215	475,509	5,671,893	59.6
15-20	.0025	97,370	242	486,277	5,946,944	61.1	15-20	.0040	94,981	380	474,048	5,196,374	54.7
20-25	.0030	97,129	292	484,932	5,460,667	56.2	20-25	.0068	94,601	640	471,479	4,722,325	49.9
25-30	.0038	96,836	347	483,347	4,975,735	51.4	25-30	.0105	93,961	984	467,437	4,250,947	45.2
30-35	.0048	96,489	467	481,359	4,492,398	46.6	30-35	.0153	92,977	1,421	461,504	3,783,410	40.7
35-40	.0074	96,022	707	478,454	4,011,049	41.8	35-40	.0226	91,556	2,087	452,932	3,321,906	36.3
40-45	.0119	95,315	1,131	473,938	3,532,595	37.1	40-45	.0318	89,489	2,849	440,605	2,869,074	32.1
45-50	.0183	94,184	1,722	466,884	3,058,657	32.5	45-50	.0461	86,620	3,991	423,588	2,428,469	28.0
50-55	.0277	92,462	2,561	456,303	2,591,773	28.0	50-55	.0683	82,629	5,641	399,593	2,004,811	24.3
55-60	.0408	89,901	3,672	440,915	2,135,470	23.8	55-60	.0934	76,988	7,161	367,422	1,605,289	20.9
60-65	.0660	86,229	5,690	417,734	1,694,555	19.7	60-65	.1398	69,977	9,758	324,854	1,237,866	17.7
65-70	.1033	80,599	8,318	383,157	1,276,821	15.9	65-70	.1831	60,039	9,793	275,736	913,012	15.2
70-75	.1659	72,221	11,885	332,604	893,684	12.4	70-75	.2102	50,246	10,561	224,759	637,274	12.7
75-80	.2661	60,236	16,028	261,987	561,060	9.3	75-80	.2568	39,685	10,391	172,621	412,515	10.4
80-85	.4209	44,208	18,609	173,695	299,073	6.8	80-85	.3513	29,494	10,160	120,852	239,894	8.1
85 and over	1.0000	25,599	25,599	125,378	125,378	4.9	85 and over	1.0000	19,134	19,134	119,042	119,042	6.2

SECTION 2 - MORTALITY

Table 2-3. Number of Survivors out of 100,000 Born Alive at Single Years of Age, by Color and Sex: United States, 1960

(Includes Alaska and Hawaii)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,394	97,064	97,740	97,398	97,708	96,036	96,663	95,196	96,158
2	97,224	96,883	97,582	97,565	97,246	97,902	95,343	94,848	95,845
3	97,123	96,771	97,481	97,475	97,147	97,822	95,175	94,684	95,683
4	97,042	96,682	97,420	97,402	97,064	97,758	95,052	94,533	95,578
5	96,977	96,610	97,362	97,342	96,997	97,707	94,954	94,432	95,484
6	96,913	96,533	97,312	97,282	96,923	97,662	94,871	94,340	95,408
7	96,860	96,471	97,268	97,231	96,863	97,621	94,801	94,265	95,343
8	96,815	96,421	97,229	97,189	96,815	97,584	94,742	94,202	95,287
9	96,776	96,378	97,194	97,152	96,775	97,551	94,689	94,146	95,239
10	96,741	96,340	97,162	97,119	96,739	97,521	94,640	94,092	95,196
11	96,707	96,302	97,132	97,087	96,704	97,483	94,591	94,036	95,158
12	96,671	96,260	97,103	97,054	96,665	97,465	94,540	93,973	95,117
13	96,631	96,210	97,073	97,016	96,618	97,437	94,483	93,901	95,076
14	96,583	96,168	97,040	96,971	96,559	97,406	94,419	93,816	95,031
15	96,526	96,071	97,003	96,916	96,485	97,370	94,344	93,716	94,981
16	96,457	95,977	96,960	96,850	96,394	97,330	94,257	93,599	94,923
17	96,377	95,886	96,912	96,773	96,286	97,284	94,156	93,463	94,856
18	96,287	95,740	96,859	96,686	96,163	97,234	94,041	93,308	94,780
19	96,189	95,601	96,803	96,592	96,029	97,182	93,912	93,133	94,695
20	96,085	95,452	96,744	96,494	95,887	97,128	93,768	92,937	94,601
21	95,975	95,293	96,683	96,391	95,736	97,073	93,610	92,720	94,497
22	95,859	95,125	96,619	96,284	95,577	97,016	93,436	92,482	94,381
23	95,739	94,951	96,552	96,174	95,414	96,958	93,247	92,254	94,254
24	95,618	94,776	96,481	96,064	95,253	96,898	93,045	91,955	94,114
25	95,496	94,605	96,407	95,955	95,097	96,836	92,831	91,674	93,961
26	95,374	94,438	96,330	95,848	94,947	96,772	92,605	91,382	93,794
27	95,252	94,274	96,249	95,742	94,801	96,706	92,366	91,078	93,613
28	95,128	94,111	96,163	95,637	94,659	96,637	92,114	90,764	93,416
29	95,002	93,948	96,073	95,530	94,517	96,565	91,850	90,440	93,204
30	94,871	93,781	95,977	95,420	94,372	96,489	91,573	90,108	92,977
31	94,734	93,610	95,875	95,305	94,223	96,408	91,284	89,767	92,734
32	94,591	93,433	95,765	95,185	94,070	96,322	90,980	89,415	92,473
33	94,440	93,248	95,648	95,059	93,910	96,230	90,658	89,045	92,192
34	94,279	93,052	95,522	94,925	93,740	96,130	90,310	88,650	91,887
35	94,107	92,842	95,387	94,780	93,558	96,022	89,933	88,222	91,555
36	93,922	92,616	95,242	94,623	93,362	95,905	89,523	87,757	91,196
37	93,722	92,371	95,085	94,453	93,148	95,778	89,079	87,256	90,806
38	93,505	92,106	94,915	94,267	92,914	95,638	88,603	86,718	90,387
39	93,269	91,817	94,729	94,063	92,658	95,484	88,097	86,147	89,941
40	93,010	91,502	94,526	93,838	92,377	95,315	87,562	85,543	89,469
41	92,727	91,157	94,304	93,590	92,068	95,128	86,996	84,905	88,969
42	92,423	90,779	94,061	93,317	91,726	94,922	86,395	84,228	88,437
43	92,079	90,364	93,797	93,015	91,348	94,697	85,755	83,508	87,871
44	91,709	89,908	93,511	92,683	90,929	94,451	85,071	82,758	87,287
45	91,302	89,407	93,201	92,317	90,465	94,184	84,339	81,913	86,620
46	90,859	88,880	92,865	91,915	89,953	93,884	83,554	81,032	85,930
47	90,376	88,262	92,505	91,474	89,389	93,579	82,717	80,093	85,193
48	89,847	87,602	92,114	90,990	88,765	93,237	81,819	79,088	84,402
49	89,267	86,866	91,691	90,456	88,072	92,865	80,851	78,005	83,550
50	88,630	86,045	91,233	89,867	87,304	92,462	79,806	76,839	82,629
51	87,932	85,132	90,736	89,219	86,455	92,024	78,676	75,579	81,634
52	87,170	84,127	90,198	88,510	85,523	91,548	77,462	74,228	80,564
53	86,348	83,039	89,619	87,742	84,511	91,035	76,177	72,806	79,426
54	85,469	81,883	89,002	86,917	83,424	90,486	74,841	71,340	78,232
55	84,535	80,667	88,345	86,036	82,264	89,901	73,456	69,848	76,989
56	83,546	79,396	87,650	85,098	81,032	89,278	72,064	68,345	75,703
57	82,497	78,062	86,908	84,098	79,723	88,610	70,626	66,819	74,370
58	81,375	76,649	86,110	83,025	78,326	87,888	69,116	65,226	72,963
59	80,165	75,134	85,241	81,866	76,827	87,098	67,487	63,505	71,446
60	78,856	73,502	84,290	80,612	75,215	86,229	65,707	61,616	69,797
61	77,443	71,747	83,250	79,257	73,488	85,274	63,763	59,545	68,002
62	75,926	69,876	82,119	77,801	71,649	84,230	61,676	57,317	66,080
63	74,309	67,896	80,898	76,243	69,701	83,093	59,492	54,980	64,074
64	72,598	65,818	79,591	74,584	67,648	81,864	57,276	52,602	62,046
65	70,798	63,653	78,199	72,825	65,496	80,539	55,076	50,236	60,039
66	68,910	61,406	76,722	70,965	63,249	79,116	52,812	47,903	58,074
67	66,931	59,078	75,150	69,002	60,910	77,585	50,777	45,598	56,139
68	64,857	56,673	73,471	66,932	58,482	75,935	48,656	43,316	54,212
69	62,682	54,194	71,670	64,749	55,969	74,151	46,523	41,044	52,256
70	60,401	51,645	69,734	62,450	53,377	72,221	44,361	38,773	50,246
71	58,016	49,032	67,661	60,037	50,711	70,142	42,167	36,504	48,176
72	55,533	46,365	65,450	57,515	47,982	67,913	39,956	34,252	46,061
73	52,958	43,657	63,095	54,888	45,202	65,525	37,753	32,042	43,922
74	50,296	40,923	60,590	52,159	42,385	62,968	35,592	29,907	41,789
75	47,555	38,178	57,932	49,335	39,545	60,236	33,495	27,869	39,685
76	44,743	35,434	55,123	46,424	36,694	57,332	31,470	25,933	37,616
77	41,869	32,699	52,169	43,436	33,844	54,263	29,509	24,001	35,576
78	38,943	29,963	49,081	40,384	31,006	51,042	27,598	22,325	33,552
79	35,975	27,293	45,870	37,282	28,192	47,686	25,719	20,614	31,529
80	32,977	24,639	42,549	34,145	25,414	44,208	23,856	18,938	29,494
81	29,962	22,032	39,132	30,990	22,687	40,627	21,998	17,282	27,441
82	26,946	19,488	35,634	27,855	20,027	36,959	20,140	15,633	25,370
83	23,944	17,014	32,069	24,698	17,451	33,221	18,282	13,983	23,286
84	20,976	14,634	28,453	21,599	14,978	29,429	16,430	12,350	21,201
85	18,057	12,363	24,801	18,559	12,629	25,599	14,597	10,676	19,134

SECTION 2 - MORTALITY

Table 2-4. Expectation of Life at Single Years of Age, by Color and Sex:  
United States, 1960

(Includes Alaska and Hawaii)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	69.7	66.6	73.1	70.5	67.4	74.1	63.6	61.1	66.3
1	70.6	67.6	73.8	71.3	68.2	74.6	65.5	63.2	67.9
2	69.7	66.7	73.0	70.4	67.3	73.7	64.7	62.4	67.1
3	68.8	65.8	72.0	69.4	66.3	72.8	63.8	61.5	66.3
4	67.9	64.8	71.1	68.5	65.4	71.8	62.9	60.6	65.3
5	66.9	63.9	70.1	67.5	64.4	70.8	62.0	59.7	64.4
6	65.9	62.9	69.2	66.6	63.5	69.9	61.0	58.7	63.4
7	65.0	62.0	68.2	65.6	62.5	68.9	60.1	57.8	62.5
8	64.0	61.0	67.2	64.6	61.6	67.9	59.1	56.8	61.5
9	63.0	60.0	66.2	63.6	60.6	67.0	58.1	55.8	60.6
10	62.1	59.1	65.3	62.7	59.6	66.0	57.2	54.9	59.6
11	61.1	58.1	64.3	61.7	58.6	65.0	56.2	53.9	58.6
12	60.1	57.1	63.3	60.7	57.7	64.0	55.2	52.9	57.6
13	59.1	56.1	62.3	59.7	56.7	63.0	54.3	52.0	56.7
14	58.2	55.2	61.3	58.8	55.7	62.1	53.3	51.0	55.7
15	57.2	54.2	60.4	57.8	54.8	61.1	52.3	50.1	54.7
16	56.2	53.3	59.4	56.8	53.8	60.1	51.4	49.1	53.7
17	55.3	52.3	58.4	55.9	52.9	59.1	50.4	48.2	52.8
18	54.3	51.4	57.4	54.9	51.9	58.2	49.5	47.3	51.8
19	53.4	50.5	56.5	54.0	51.0	57.2	48.6	46.4	50.9
20	52.4	49.6	55.5	53.0	50.1	56.2	47.7	45.5	49.9
21	51.5	48.6	54.5	52.1	49.2	55.3	46.7	44.6	49.0
22	50.6	47.7	53.6	51.1	48.2	54.3	45.8	43.7	48.0
23	49.6	46.8	52.6	50.2	47.3	53.3	44.9	42.8	47.1
24	48.7	45.9	51.7	49.3	46.4	52.3	44.0	41.9	46.2
25	47.7	45.0	50.7	48.3	45.5	51.4	43.1	41.1	45.2
26	46.8	44.1	49.7	47.4	44.5	50.4	42.2	40.2	44.3
27	45.9	43.1	48.8	46.4	43.6	49.5	41.3	39.3	43.4
28	44.9	42.2	47.8	45.5	42.7	48.5	40.4	38.5	42.5
29	44.0	41.3	46.9	44.5	41.7	47.5	39.5	37.6	41.6
30	43.0	40.4	45.9	43.6	40.8	46.6	38.7	36.7	40.7
31	42.1	39.4	45.0	42.6	39.9	45.6	37.8	35.9	39.8
32	41.2	38.5	44.0	41.7	38.9	44.6	36.9	35.0	38.9
33	40.2	37.6	43.1	40.7	38.0	43.7	36.0	34.2	38.0
34	39.3	36.7	42.1	39.8	37.1	42.7	35.2	33.3	37.2
35	38.4	35.7	41.2	38.8	36.2	41.8	34.3	32.5	36.3
36	37.4	34.8	40.2	37.9	35.2	40.8	33.5	31.6	35.4
37	36.5	33.9	39.3	37.0	34.3	39.9	32.6	30.8	34.6
38	35.6	33.0	38.4	36.1	33.4	38.9	31.8	30.0	33.7
39	34.7	32.1	37.5	35.1	32.5	38.0	31.0	29.2	32.9
40	33.8	31.2	36.5	34.2	31.6	37.1	30.2	28.4	32.1
41	32.9	30.3	35.6	33.3	30.7	36.1	29.4	27.6	31.2
42	32.0	29.5	34.7	32.4	29.8	35.2	28.6	26.8	30.4
43	31.1	28.6	33.8	31.5	28.9	34.3	27.8	26.1	29.6
44	30.2	27.7	32.9	30.6	28.0	33.4	27.0	25.3	28.8
45	29.4	26.9	32.0	29.7	27.2	32.5	26.2	24.6	28.0
46	28.5	26.1	31.1	28.9	26.3	31.6	25.5	23.8	27.3
47	27.7	25.2	30.2	28.0	25.5	30.7	24.7	23.1	26.5
48	26.8	24.4	29.4	27.1	24.7	29.8	24.0	22.4	25.7
49	26.0	23.6	28.5	26.3	23.9	28.9	23.3	21.7	25.0
50	25.2	22.8	27.6	25.5	23.1	28.0	22.6	21.0	24.3
51	24.4	22.1	26.6	24.6	22.3	27.2	21.9	20.3	23.6
52	23.6	21.3	25.6	23.8	21.5	26.3	21.2	19.7	22.9
53	22.8	20.6	24.6	23.0	20.8	25.4	20.6	19.1	22.2
54	22.0	19.9	24.3	22.3	20.0	24.6	19.9	18.5	21.5
55	21.3	19.2	23.5	21.5	19.3	23.8	19.3	17.8	20.9
56	20.5	18.5	22.6	20.7	18.6	22.9	18.7	17.2	20.2
57	19.8	17.8	21.8	20.0	17.9	22.1	18.0	16.6	19.6
58	19.0	17.1	21.0	19.2	17.2	21.3	17.4	16.0	18.9
59	18.3	16.4	20.2	18.5	16.5	20.5	16.8	15.4	18.3
60	17.6	15.8	19.5	17.8	15.9	19.7	16.3	14.9	17.7
61	16.9	15.2	18.7	17.0	15.3	18.9	15.8	14.4	17.2
62	16.3	14.6	18.0	16.4	14.6	18.1	15.3	13.9	16.7
63	15.6	14.0	17.2	15.7	14.0	17.3	14.8	13.5	16.2
64	15.0	13.4	16.5	15.0	13.4	16.6	14.4	13.1	15.7
65	14.3	12.8	15.8	14.4	12.9	15.9	13.9	12.7	15.2
66	13.7	12.3	15.1	13.7	12.3	15.1	13.5	12.3	14.7
67	13.1	11.8	14.4	13.1	11.8	14.4	13.0	11.9	14.2
68	12.5	11.2	13.7	12.5	11.2	13.7	12.6	11.5	13.7
69	11.9	10.7	13.0	11.9	10.7	13.0	12.1	11.1	13.2
70	11.3	10.2	12.4	11.3	10.2	12.4	11.7	10.7	12.7
71	10.8	9.8	11.7	10.8	9.7	11.7	11.3	10.3	12.2
72	10.2	9.3	11.1	10.2	9.2	11.1	10.9	10.0	11.7
73	9.7	8.8	10.5	9.7	8.8	10.5	10.5	9.6	11.3
74	9.2	8.4	9.9	9.2	8.3	9.9	10.1	9.3	10.8
75	8.7	7.9	9.4	8.7	7.9	9.3	9.7	8.9	10.4
76	8.2	7.5	8.8	8.2	7.5	8.8	9.3	8.6	9.9
77	7.8	7.1	8.3	7.7	7.0	8.2	8.8	8.2	9.5
78	7.3	6.7	7.8	7.2	6.6	7.7	8.4	7.8	9.0
79	6.9	6.3	7.3	6.8	6.2	7.2	8.0	7.4	8.6
80	6.4	6.0	6.8	6.4	5.9	6.8	7.5	7.0	8.1
81	6.1	5.6	6.4	6.0	5.5	6.3	7.2	6.6	7.7
82	5.7	5.3	6.0	5.6	5.2	5.9	6.8	6.3	7.3
83	5.3	5.0	5.6	5.3	4.9	5.5	6.5	6.0	6.9
84	5.0	4.7	5.2	5.0	4.6	5.2	6.2	5.7	6.6
85	4.8	4.5	5.0	4.7	4.4	4.9	5.9	5.5	6.2





## SECTION 2 - MORTALITY

Table 2-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-60

(Estimates based on life table values shown in table 2-5)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES <sup>1</sup>									
1960-----	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959-----	69.9	66.8	73.2	70.7	67.6	74.2	63.8	61.4	66.5
1958-----	69.4	66.4	72.7	70.3	67.2	73.7	63.0	60.6	65.5
1957-----	69.3	66.3	72.5	70.0	67.1	73.5	62.7	60.3	65.2
1956-----	69.6	66.6	72.8	70.2	67.3	73.7	63.2	61.1	65.9
1955-----	69.5	66.6	72.7	70.2	67.3	73.6	63.2	61.2	65.9
1954-----	69.6	66.7	72.7	70.3	67.4	73.6	63.1	61.0	65.8
1953-----	68.8	65.9	71.9	69.6	66.8	72.9	61.7	59.7	64.4
1952-----	68.6	65.7	71.6	69.4	66.6	72.7	61.1	59.1	63.7
1951-----	68.4	65.6	71.3	69.2	66.5	72.4	61.0	59.1	63.3
1950-----	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949-----	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948-----	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947-----	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946-----	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945-----	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944-----	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943-----	63.3	62.4	64.4	64.2	63.2	65.7	55.6	54.4	56.1
1942-----	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941-----	64.8	63.1	66.6	66.2	64.4	68.5	53.8	52.5	55.3
1940-----	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939-----	63.7	62.1	65.4	64.9	63.3	66.6	54.5	52.2	56.0
1938-----	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937-----	60.0	56.0	62.4	61.4	59.3	63.8	50.3	46.3	52.5
1936-----	58.5	56.6	60.6	59.8	58.0	61.9	49.0	47.0	51.4
1935-----	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934-----	61.1	59.3	63.3	62.4	60.5	64.6	51.6	50.2	53.7
1933-----	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932-----	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.3	54.6
1931-----	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930-----	59.7	56.1	61.6	61.4	59.7	63.5	49.1	47.3	49.2
1929-----	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.6
DEATH-REGISTRATION STATES									
1928-----	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927-----	60.4	59.0	62.1	62.0	60.5	63.9	49.2	47.6	48.9
1926-----	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925-----	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924-----	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.6
1923-----	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922-----	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921-----	60.6	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920-----	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919-----	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918-----	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917-----	50.8	48.4	54.0	52.0	49.3	55.3	36.8	37.0	40.8
1916-----	51.7	49.6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915-----	54.5	52.5	56.8	55.1	53.1	57.5	36.9	37.5	40.5
1914-----	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913-----	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912-----	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911-----	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910-----	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909-----	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908-----	51.1	49.5	52.6	51.5	49.9	53.3	34.9	33.8	36.0
1907-----	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906-----	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905-----	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904-----	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903-----	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902-----	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901-----	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900-----	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

<sup>1</sup>Alaska included beginning 1959, and Hawaii, 1960.

## *Section 3. Infant Mortality*

	Page
Trend of infant mortality-----	3-3
Infant mortality by age, color, and sex-----	3-3
Infant mortality by cause-----	3-4
Infant mortality by geographic area and color-----	3-7
Infant mortality rates adjusted for changing numbers of births-----	3-7
Figure	
3-1. Infant mortality rates by age: Birth-registration States, 1915-60-----	3-3
Text Tables	
3-A. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-60-----	3-4
3-B. Infant mortality rates by age, color, and sex: United States, 1960-----	3-4
3-C. Infant mortality rates by age and color: United States, 1950-60-----	3-5
3-D. Infant mortality rates for 55 selected causes: United States, 1950-60-----	3-6
3-E. Infant mortality rates by color: United States, each division and State, 1950 and 1957-60-----	3-8
3-F. Neonatal mortality rates by color: United States, each division and State, 1950 and 1957-60-----	3-9
General Tables	
3-1. Deaths under 1 year, by age, race, and sex: United States and each State, 1960-----	3-10
3-2. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1960-----	3-24
3-3. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1960-----	3-31
3-4. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for urban and rural areas in metropolitan and nonmetropolitan counties: United States, 1960-----	3-34
3-5. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1960-----	3-40
3-6. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1960-----	3-58

## SECTION 3. INFANT MORTALITY

### Trend of infant mortality


In contrast to the experience of the general population, infant mortality for 1960 showed no evidence of the epidemic of respiratory diseases that took place early in the year. The death rate for 1960 of 26.0 deaths under 1 year per 1,000 live births is below the figure of 26.4 for 1959 and is as low as it has ever been. Most of the drop took place among deaths at ages under 28 days. The neonatal mortality rate—deaths under 28 days per 1,000 live births—was 18.7 for 1960 and 19.0 for 1959. These figures are shown separately for white and nonwhite infants for the years 1915 through 1960 (table 3-A).

Despite the drop in rate between 1959 and 1960, there is no evidence that the long-term decline has been resumed. In a recent study, it was pointed out that a change in the trend of infant mortality appears to have taken place around 1949 or 1950. The author states, "During the period 1933-49, the infant mortality rate for all races decreased about 4.3 percent each year. . . . However, beginning about 1950 the rate of decrease in infant mortality dropped to 2.0 percent per annum.

"The mortality experience of white infants follows the same pattern as the total infant mortality trend. For nonwhites the deceleration in the downward trend is even more marked. In the period 1933-49, the nonwhite infant mortality rate decreased 4.6 percent per annum. Between 1950 and 1956, the rate of decline slowed down to 1.2 percent per year."<sup>1</sup> This series of declines was broken by successive increases in the rate for 1957 and 1958. The rate for 1959 decreased from that for the previous year, and a further decline in 1960 brought the infant mortality rate back to the low point reached in 1956.

In an attempt to discover possible differences in or exceptions to the change in the basic trend, the study examined such factors as age of mother, birth order, age at death, and urban and rural residence. Adjustments of rates for the changing distribution of live births by birth order and age of mother indicated that these factors did not account for the changes in the trend of infant mortality. It was observed that both urban and rural trends have slowed down. By age, the annual rate of decline of neonatal mortality fell from about 3.0 percent for both groups in the period 1933-49 to 1.7 percent for whites and 0.4 percent for nonwhites during the period 1950 and after, but for postneonatal deaths, the annual rate of decline changed around 1946. Thus before 1946 rates

were dropping 5.2 percent and 5.0 percent each year for whites and nonwhites, respectively. After 1946 the comparable percentages were 4.6 for whites and 1.5 for nonwhites.



### Infant mortality by age, color, and sex

The sex and color differences characteristic of infant mortality in the past are repeated for 1960. These figures are shown by age in table 3-B. For both color groups, rates for all ages under 6 months are considerably higher for males than for females. Rates for nonwhites, both male and female, are higher than those for white infants at every age. The most pronounced difference between the two color groups occurred during the postneonatal period. The death rates at ages 28 days-11 months were 1,635.4 per 100,000 live births for nonwhites and 566.4 for whites. For whites, 25 percent of all infant deaths occurred during the postneonatal period compared with 38 percent for nonwhites.

Infant mortality rates for each year 1950-60 are given by age and color in table 3-C and by cause in table 3-D. Beginning with this report, these rates are presented per 100,000 live births in order to facilitate comparison of

<sup>1</sup>Iwao M. Moriyama, "Recent Change in Infant Mortality Trend," *Public Health Reports*, May 1960.

SECTION 3 - MORTALITY

Table 3-A Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-60

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group)

YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE			YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE		
	Total	White	Non-White	Total	White	Non-White		Total	White	Non-White	Total	White	Non-White
1960	26.0	22.9	43.2	18.7	17.2	26.9	1949	31.3	28.9	47.3	21.4	20.3	28.6
1959	26.4	23.2	44.0	19.0	17.5	27.7	1948	32.0	29.9	46.5	22.2	21.2	29.1
1958	27.1	23.8	45.7	19.5	17.8	29.0	1947	32.2	30.1	48.5	22.8	21.7	31.0
1957	26.3	23.3	43.7	19.1	17.5	27.6	1946	33.6	31.8	49.5	24.0	23.1	31.5
1956	26.0	23.2	42.1	18.9	17.5	27.0	1945	38.3	35.6	57.0	24.3	23.3	32.0
1955	26.4	23.6	42.8	19.1	17.7	27.2	1940-44	42.4	39.0	66.9	28.2	24.9	35.6
1954	26.6	23.9	42.8	19.1	17.8	27.0	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1953	27.8	25.0	44.7	19.6	18.3	27.4	1930-34	60.4	55.2	98.6	34.4	32.5	48.2
1952	28.4	25.5	47.0	19.8	18.5	28.0	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1951	28.4	25.8	44.8	20.0	18.9	27.3	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1950	29.2	26.8	44.5	20.5	19.4	27.5	1915-19	95.7	92.8	149.7	43.4	42.3	56.1

<sup>1</sup>For 1932-34, Mexicans are included with "Nonwhite."

Table 3-B. Infant Mortality Rates by Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 live births in specified color-sex group)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNDER 1 YEAR	2,604.0	2,933.2	2,258.6	2,290.6	2,600.5	1,963.8	4,321.1	4,788.0	3,945.6
Under 28 days	1,872.6	2,123.7	1,609.3	1,724.2	1,965.8	1,469.5	2,685.7	3,004.1	2,361.6
Under 1 day	1,034.2	1,163.1	898.9	960.7	1,085.6	829.0	1,436.6	1,595.4	1,274.9
Under 1 hour	193.1	204.0	181.7	183.0	192.2	173.3	246.5	269.7	227.0
1-23 hours	841.0	959.2	717.1	777.7	893.4	655.7	1,199.1	1,325.7	1,047.9
1 day	271.2	314.7	225.6	253.3	294.7	209.6	369.5	426.2	311.7
2 days	176.9	208.5	143.8	172.0	203.2	139.1	203.9	237.7	169.5
3 days	82.6	97.3	67.2	77.7	91.0	63.7	109.4	132.4	86.0
4 days	46.3	51.6	40.8	41.3	45.2	37.3	73.8	87.5	59.9
5 days	34.2	38.5	29.7	30.4	35.1	25.3	55.4	57.3	53.4
6 days	25.0	27.3	22.5	22.5	24.8	20.1	38.3	41.6	35.0
7-13 days	99.0	107.0	90.6	86.3	93.6	76.6	173.9	181.6	166.2
14-20 days	58.2	64.7	51.4	46.2	52.9	39.0	124.3	130.6	117.9
21-27 days	45.0	50.9	38.7	34.8	39.6	29.8	100.4	113.7	86.9
28-59 days	170.8	192.2	148.3	133.8	153.1	113.5	373.5	410.5	335.7
2 months	132.9	152.8	112.0	103.4	120.9	84.9	294.6	330.9	258.0
3 months	100.7	111.9	89.0	78.6	89.0	67.7	221.7	239.5	203.6
4 months	77.2	83.9	70.3	57.3	62.0	52.5	166.3	206.3	165.9
5 months	57.4	63.7	50.8	43.2	47.8	38.3	135.6	152.6	118.2
6 months	47.2	51.3	43.0	35.2	36.8	31.3	113.2	120.7	105.7
7 months	39.2	42.1	36.3	30.4	32.7	28.0	87.5	94.1	80.8
8 months	33.2	34.7	31.7	26.4	27.7	25.1	70.5	73.9	67.0
9 months	26.7	28.9	24.4	21.3	23.2	19.3	56.3	60.6	51.9
10 months	23.0	23.7	22.2	18.4	19.3	17.3	46.2	48.0	48.5
11 months	22.9	24.3	21.4	18.3	20.3	16.3	47.8	46.8	48.8

differences in rate from one year to another in categories where frequencies are small.

Between 1950 and 1960, death rates among whites declined for all ages shown in table 3-C. The largest changes occurred at ages 5 months and over. For example, for deaths to white infants at 3 months of age, the rate for 1960 was 21 percent below that for 1950; at 5 and 9 months of age, rates for 1960 were 30 and 39 percent, respectively, below those for 1950. In contrast, rates among nonwhites were higher in 1960 than those in 1950 for the age groups under 1 day, 21-27 days, 28-59 days, and 2, 3, and 4 months. In the important age interval under 1 day, during which about one-third of all infant deaths take place, the mortality rate among nonwhites in 1960 was 11 percent higher than that for 1950. A suggestion has been made that this rise may reflect more

accurate reporting for births now taking place in hospitals. Formerly, a death soon after delivery might have been reported as a fetal death.

**Infant mortality by cause**

Rates by cause for 1950 to 1960 are given in table 3-D. For most of the more frequent causes, the rates change very little from year to year. In 1960 the rate for deaths from congenital malformations was 361.4—8.7 percent under the comparable rate for 1950. This rate has been declining moderately but fairly consistently throughout the past 10 years. The rate for deaths from postnatal asphyxia and atelectasis with immaturity increased steadily from 1950 to 1958. At the same time, deaths recorded as due to immaturity, unqualified, de-

## SECTION 3 - MORTALITY

3-5

Table 3-C. Infant Mortality Rates by Age and Color: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 live births)

AGE AND COLOR	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
<b>TOTAL</b>											
Under 1 year-----	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1	2,844.1	2,844.7	2,921.2
Under 28 days-----	1,872.6	1,903.0	1,945.8	1,905.8	1,889.4	1,911.2	1,909.8	1,956.2	1,982.1	2,004.7	2,049.9
Under 1 day-----	1,034.2	1,029.8	1,021.5	994.8	992.7	1,000.2	962.6	965.5	972.5	977.7	1,015.0
1 day-----	271.2	277.7	277.0	275.2	282.1	288.9	289.2	296.0	301.4	307.8	311.8
2 days-----	176.9	182.3	186.0	183.3	174.5	184.0	193.8	202.0	205.9	206.1	204.1
3 days-----	82.6	85.2	93.9	89.6	89.1	93.5	97.0	107.5	105.6	109.9	106.4
4 days-----	46.3	50.1	57.7	53.8	53.2	55.1	58.1	61.9	59.5	62.4	62.8
5 days-----	34.2	36.8	44.5	42.0	41.5	45.0	47.4	46.9	47.4	48.1	48.6
6 days-----	25.0	28.3	32.7	31.9	32.2	31.6	32.7	31.1	33.7	34.7	35.6
7-13 days-----	99.0	105.2	116.9	118.9	116.4	108.1	119.8	121.9	129.1	131.9	134.6
14-20 days-----	58.2	59.8	64.2	65.9	61.1	61.2	64.2	70.5	72.7	73.1	74.8
21-27 days-----	45.0	47.8	49.5	50.3	46.8	45.7	45.3	52.3	54.8	53.1	56.2
28-59 days-----	170.8	172.5	177.1	166.2	161.8	162.4	163.1	173.3	180.7	174.1	182.9
2 months-----	132.9	132.8	137.1	126.6	122.5	123.7	122.9	136.4	139.4	136.0	136.7
3 months-----	100.7	102.3	104.7	97.8	94.3	95.3	99.6	108.3	111.6	109.5	115.5
4 months-----	77.2	74.8	78.8	78.3	74.7	77.2	79.2	88.0	92.0	90.8	91.3
5 months-----	57.4	62.5	61.6	59.4	57.6	62.2	64.5	72.3	76.1	74.8	73.6
6 months-----	47.2	47.1	50.8	49.4	47.7	51.7	54.8	60.2	64.8	61.8	64.2
7 months-----	39.2	39.3	39.0	39.2	40.1	41.5	43.6	48.0	52.5	51.0	55.4
8 months-----	33.2	32.5	33.4	34.5	34.4	36.0	37.4	42.3	45.6	43.6	46.9
9 months-----	28.7	26.9	29.5	29.6	27.6	29.1	31.4	35.9	38.6	37.4	40.8
10 months-----	23.0	23.8	25.3	23.8	25.0	25.9	26.1	28.4	30.8	31.6	33.9
11 months-----	22.9	22.3	23.8	23.9	23.5	25.1	25.8	28.8	30.0	29.5	30.2
<b>WHITE</b>											
Under 1 year-----	2,290.6	2,320.9	2,377.6	2,330.9	2,318.6	2,361.8	2,387.0	2,503.6	2,550.7	2,585.0	2,677.2
Under 28 days-----	1,724.2	1,747.5	1,777.0	1,753.2	1,747.6	1,773.6	1,778.8	1,829.3	1,852.9	1,889.0	1,937.2
Under 1 day-----	960.7	954.2	948.9	925.3	926.6	934.4	902.2	912.6	924.6	931.0	969.5
1 day-----	253.3	262.9	260.3	261.1	270.9	278.8	278.7	285.9	289.1	286.3	302.1
2 days-----	172.0	175.2	176.4	176.0	165.7	178.3	186.3	196.9	198.8	202.1	200.1
3 days-----	77.7	79.6	84.4	82.4	82.9	88.0	91.1	101.9	99.0	105.5	101.7
4 days-----	41.3	45.3	50.4	47.7	49.2	49.8	53.5	55.4	53.2	55.4	58.6
5 days-----	30.4	31.7	38.5	37.1	37.6	37.2	38.3	41.6	41.5	42.4	42.8
6 days-----	22.5	24.9	27.3	28.0	28.3	27.9	29.0	26.9	29.1	31.0	30.8
7-13 days-----	85.3	87.8	100.7	101.7	99.6	92.4	103.9	106.7	112.9	116.5	117.5
14-20 days-----	46.2	48.3	51.9	52.7	50.0	51.1	53.7	58.6	60.5	63.1	64.8
21-27 days-----	34.8	37.6	38.3	41.1	36.9	35.8	42.0	42.8	44.3	45.7	49.2
28-59 days-----	135.8	137.0	139.6	134.2	130.4	129.4	132.8	141.2	147.3	143.9	155.0
2 months-----	103.4	103.3	106.8	99.5	99.0	99.0	99.8	113.6	113.0	113.0	115.7
3 months-----	78.6	78.5	82.8	76.8	75.9	76.9	79.9	87.6	89.7	91.5	98.9
4 months-----	57.3	55.7	60.6	61.4	58.3	61.2	65.8	71.5	74.3	74.4	77.4
5 months-----	43.2	47.6	48.7	45.5	46.0	50.4	52.2	57.9	60.2	61.8	61.7
6 months-----	35.2	36.0	39.5	38.4	37.9	41.7	45.1	48.4	51.2	50.1	53.2
7 months-----	30.4	30.4	31.5	31.1	31.7	33.9	36.1	39.5	42.1	42.2	47.2
8 months-----	26.4	25.4	27.2	27.9	28.3	30.0	31.2	34.8	37.6	36.6	40.5
9 months-----	21.3	21.4	23.7	23.4	23.0	23.3	25.7	30.3	31.5	31.6	34.8
10 months-----	18.4	20.1	21.3	20.0	21.0	21.0	22.2	25.0	25.8	26.2	29.4
11 months-----	18.3	18.1	18.9	19.5	19.5	21.4	21.4	24.5	25.1	24.8	26.1
<b>NONWHITE</b>											
Under 1 year-----	4,321.1	4,404.8	4,569.1	4,370.9	4,205.7	4,283.1	4,286.1	4,467.6	4,703.4	4,481.3	4,445.7
Under 28 days-----	2,665.7	2,766.9	2,900.5	2,778.5	2,703.2	2,719.0	2,696.4	2,736.8	2,801.3	2,733.5	2,753.6
Under 1 day-----	1,436.6	1,449.6	1,432.4	1,391.9	1,371.6	1,396.4	1,325.2	1,291.5	1,276.1	1,272.0	1,299.0
1 day-----	369.5	360.1	371.8	356.1	346.4	348.0	352.1	358.3	379.0	360.1	372.1
2 days-----	203.9	221.7	239.9	225.0	225.2	218.1	238.8	233.6	251.4	231.2	229.1
3 days-----	109.4	116.5	147.4	130.7	124.6	125.7	132.3	141.7	147.4	139.0	135.8
4 days-----	73.8	76.3	96.7	89.2	76.1	86.6	85.6	102.0	99.6	106.5	88.9
5 days-----	55.4	65.7	78.7	70.1	63.6	77.1	72.0	83.1	80.9	84.1	84.8
6 days-----	38.3	47.3	63.3	54.2	54.6	53.2	54.9	56.8	63.1	57.6	65.8
7-13 days-----	173.9	202.2	221.5	217.3	212.5	200.1	215.1	215.6	231.9	228.7	241.4
14-20 days-----	124.3	123.6	133.5	140.8	124.5	120.4	127.2	143.8	150.3	135.5	137.0
21-27 days-----	100.4	104.1	113.2	103.3	104.1	103.6	93.2	110.4	121.7	99.8	99.7
28-59 days-----	373.5	369.7	399.1	349.1	342.1	355.9	345.1	371.0	392.3	364.4	357.2
2 months-----	294.8	297.2	308.5	281.5	257.2	269.2	261.4	276.5	307.1	281.4	267.3
3 months-----	221.7	234.8	228.7	217.7	200.1	203.6	216.0	235.6	250.0	222.9	219.0
4 months-----	186.3	180.9	181.9	174.8	168.7	171.4	171.7	189.8	203.7	193.7	178.2
5 months-----	135.6	144.9	134.9	139.3	124.0	131.4	138.2	160.6	176.6	157.1	148.0
6 months-----	113.2	106.9	114.3	112.6	104.3	110.6	124.6	133.3	150.9	135.9	132.9
7 months-----	87.5	82.0	81.1	85.7	81.1	86.1	88.9	100.1	118.2	106.5	106.8
8 months-----	70.5	71.8	68.1	72.5	69.8	71.5	74.3	88.8	96.1	87.6	86.8
9 months-----	56.3	57.3	62.2	65.2	54.1	63.2	65.5	70.6	83.5	74.2	77.9
10 months-----	48.2	44.6	48.0	45.3	47.8	54.5	49.5	49.3	62.7	65.6	62.0
11 months-----	47.8	45.7	51.8	48.6	46.5	46.7	52.5	55.2	60.8	58.8	56.1

Table 3-D. Infant Mortality Rates for 55 Selected Causes: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1950-57 and according to the Seventh Revision for 1958-60. Rates for frequencies less than 20 are underlined)

CAUSE OF DEATH	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
ALL CAUSES-----	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1	2,844.1	2,844.7	2,921.2
Dysentery, all forms-----045-048	3.3	4.0	4.4	5.1	5.2	6.7	7.5	12.5	13.4	15.0	14.7
Septicemia and pyemia-----053	9.6	10.0	10.3	10.2	7.9	7.7	7.3	5.9	6.4	5.1	5.0
Whooping cough-----056	1.7	4.3	3.1	2.9	4.1	8.3	6.5	4.7	6.8	17.4	21.0
Meningococcal infections-----057	4.6	4.8	5.8	5.8	6.1	6.3	7.5	10.1	10.3	8.1	7.1
Tetanus-----061	1.6	1.9	2.0	1.8	1.9	1.9	2.3	2.5	2.4	2.9	3.4
Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	13.1	13.1	13.8	12.5	15.2	13.6	17.4	18.6	25.2	25.4	27.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	7.0	6.6	6.2	6.6	7.2	7.1	7.6	7.7	7.6	7.2	7.7
Benign neoplasms and neoplasms of unspecified nature-----210-239	3.2	3.0	3.2	3.1	3.8	4.0	4.2	4.0	3.9	3.9	3.9
Diseases of thymus gland-----273	2.7	3.5	3.3	4.0	4.4	6.1	7.2	9.5	11.9	13.4	15.1
Meningitis, except meningococcal and tuberculous-----340	20.5	19.7	20.9	18.1	17.9	16.7	16.1	17.6	16.8	15.1	16.1
Other diseases of nervous system and sense organs-----330-334,341-398	22.3	22.0	22.9	20.0	19.2	20.4	20.8	21.0	22.1	21.2	26.8
Acute upper respiratory infections-----470-475	9.8	11.7	10.8	10.8	9.9	10.4	10.0	10.8	11.2	9.1	8.6
Influenza and pneumonia, except pneumonia of newborn-----480-493	230.8	229.6	235.9	225.9	207.4	205.5	206.3	232.5	236.7	221.6	237.4
Influenza-----480-483	12.6	8.0	10.6	15.2	6.9	9.1	10.6	26.2	21.3	20.7	20.7
Pneumonia, except pneumonia of newborn-----490-493	218.2	221.6	225.3	210.7	200.5	196.4	195.7	206.3	215.3	200.9	216.7
Bronchitis-----500-502	15.4	17.3	18.6	18.0	18.8	16.6	17.1	17.1	17.2	15.5	16.4
Other diseases of respiratory system-----510-522,525-527	36.1	35.5	36.3	61.6	54.4	46.4	38.3	31.9	25.2	16.6	11.6
Pulmonary congestion and hypostasis-----522	4.3	3.7	---	---	---	---	---	---	---	---	---
Other chronic interstitial pneumonia-----525	21.9	20.9	---	---	---	---	---	---	---	---	---
Bronchiectasis-----526	0.0	0.0	---	---	---	---	---	---	---	---	---
Other diseases of lung and pleural cavity-----527.2	5.5	5.9	---	---	---	---	---	---	---	---	---
All other diseases of respiratory system-----510-521,527.1	4.3	4.9	---	---	---	---	---	---	---	---	---
Hernia and intestinal obstruction-----560,561,570	21.7	22.5	22.6	24.5	25.9	23.6	25.5	25.5	24.8	25.8	27.0
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	61.6	60.1	63.5	72.8	67.4	80.5	89.4	108.0	113.5	105.2	105.5
Other diseases of digestive system-----530-542,544-553,573-587	15.9	16.1	17.6	13.0	13.9	12.8	16.4	15.4	14.7	14.7	15.2
Congenital malformations-----750-759	361.4	367.0	370.0	371.4	376.5	379.4	376.3	388.7	394.7	392.5	396.0
Spina bifida and meningocele-----751	25.7	28.2	27.6	27.6	31.3	29.8	34.1	38.3	41.8	41.5	42.9
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	38.6	38.8	39.7	41.6	40.9	44.6	43.3	46.6	46.6	48.7	39.5
Congenital malformations of circulatory system-----754	178.2	177.2	181.0	178.0	177.5	172.4	171.9	170.6	178.2	173.2	183.3
Other congenital malformations-----750,755-759	118.8	122.8	121.8	124.2	126.9	132.6	127.0	133.1	128.2	129.1	130.2
Certain diseases of early infancy-----760-776	1,575.3	1,600.0	1,639.9	1,564.2	1,549.7	1,581.7	1,579.4	1,625.3	1,654.1	1,680.8	1,715.4
Birth injuries-----760,761	238.6	245.5	264.7	287.9	276.6	285.7	280.0	300.1	307.0	314.8	334.1
Without mention of immaturity (.0)-----	94.0	98.0	108.7	111.6	119.4	123.7	126.9	142.3	149.5	160.8	175.4
With immaturity (.5)-----	144.6	148.5	156.0	156.3	157.2	162.0	153.1	157.7	158.5	154.0	160.7
Intracranial and spinal injury at birth-----760	74.6	80.7	92.9	97.3	104.1	109.6	109.5	122.8	127.9	133.5	139.4
Without mention of immaturity (.0)-----	43.6	48.1	56.5	60.0	66.3	70.6	73.6	85.2	90.7	97.7	102.2
With immaturity (.5)-----	31.0	32.6	36.3	37.3	37.7	38.9	36.0	37.6	37.2	35.8	37.2
Other birth injury-----761	164.0	165.8	171.9	170.6	172.5	176.1	170.4	177.3	179.1	181.3	194.7
Without mention of immaturity (.0)-----	50.4	49.8	52.1	51.5	53.0	53.0	53.3	57.1	57.9	63.0	71.2
With immaturity (.5)-----	113.6	116.0	119.7	119.0	119.5	123.1	117.1	120.2	121.2	118.3	123.5
Postnatal asphyxia and atelectasis-----762	458.9	466.1	485.2	443.6	434.2	436.9	432.7	424.2	404.0	403.9	371.4
Without mention of immaturity (.0)-----	123.4	129.4	138.9	126.1	124.0	138.2	145.5	152.0	149.6	152.1	138.3
With immaturity (.5)-----	335.5	336.6	346.2	317.5	310.2	298.6	287.3	272.1	254.4	251.8	233.1
Pneumonia of newborn-----763	83.2	88.6	93.2	87.3	81.7	76.8	78.2	78.8	76.5	75.3	78.0
Without mention of immaturity (.0)-----	60.2	62.9	65.1	59.9	57.1	52.4	51.9	53.7	52.6	53.4	53.7
With immaturity (.5)-----	23.0	25.7	28.1	27.5	24.6	24.4	26.3	25.1	23.9	21.9	24.3
Diarrhea of newborn-----764	10.9	11.6	12.6	12.1	12.7	13.5	17.4	17.9	20.1	18.3	20.5
Without mention of immaturity (.0)-----	8.5	9.1	10.2	9.4	10.2	10.6	13.2	12.8	15.3	13.9	14.8
With immaturity (.5)-----	2.4	2.5	2.5	2.7	2.5	2.9	4.2	5.1	4.8	4.4	5.7
Other infections of newborn-----765-768	18.3	19.1	25.7	20.1	16.5	13.5	12.9	10.7	8.8	11.1	9.7
Without mention of immaturity (.0)-----	11.9	13.1	16.2	13.5	11.1	8.8	8.7	7.2	6.9	8.4	6.9
With immaturity (.5)-----	6.4	6.0	9.6	6.7	5.3	4.6	4.3	3.4	3.0	2.6	2.8
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	23.5	20.6	19.1	15.3	15.9	17.5	10.1	10.9	12.8	16.3	29.7
Without mention of immaturity (.0-.4)-----	8.3	6.9	6.5	4.7	4.7	5.5	5.3	6.3	7.2	7.3	7.5
With immaturity (.5-.9)-----	15.2	13.7	12.6	10.6	11.3	12.0	4.8	4.6	5.6	9.0	22.1
Hemolytic disease of newborn (erythroblastosis)-----770	50.4	51.5	56.4	59.3	56.7	59.9	61.8	65.4	68.1	70.0	71.2
Without mention of immaturity (.0-.2)-----	40.0	40.9	45.8	48.0	45.1	47.2	49.8	52.7	55.0	57.2	56.6
With immaturity (.5-.7)-----	10.4	10.6	10.6	11.3	11.7	12.7	11.9	12.7	13.1	12.9	14.6
Hemorrhagic disease of newborn-----771	14.6	15.9	16.2	17.4	17.3	18.9	21.1	20.4	22.7	25.6	24.2
Without mention of immaturity (.0)-----	9.2	9.6	9.8	10.8	11.0	11.5	13.3	12.9	15.2	16.7	16.0
With immaturity (.5)-----	5.3	6.3	6.4	6.5	6.3	7.4	7.8	7.6	7.6	9.2	8.2
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	189.2	179.7	159.5	95.3	93.0	82.2	82.8	87.3	96.4	99.3	105.6
Without mention of immaturity (.0)-----	55.3	52.7	49.1	23.1	23.2	23.4	24.8	29.2	34.8	38.8	38.8
With immaturity (.5)-----	134.0	127.0	110.4	72.2	69.7	58.8	57.9	58.1	61.6	62.4	66.8
Immaturity with mention of any other subsidiary condition-----774	30.8	31.5	30.8	58.5	51.9	46.7	41.1	33.6	33.8	28.8	40.4
Immaturity, unqualified-----776	457.0	468.9	476.4	487.3	493.2	530.1	541.4	576.1	602.8	616.2	630.6
Symptoms and ill-defined conditions-----780-793,795	59.1	58.1	65.5	60.1	61.4	68.9	69.2	75.9	87.2	90.1	102.3
All other diseases-----Residual	32.6	33.6	33.8	33.1	33.4	31.7	33.6	36.7	37.2	35.5	33.1
Accidents-----E800-E962	90.0	90.9	93.2	86.3	84.0	81.7	89.1	93.0	97.0	98.9	101.1
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	28.3	27.2	30.2	26.4	23.7	21.7	24.8	26.1	23.8	26.0	24.8
Accidental mechanical suffocation in bed and cradle-----E924	23.9	27.0	26.8	25.1	24.3	24.8	28.0	28.3	31.2	34.0	36.4
Other accidental causes-----E800-E920,E923,E925-E962	37.8	36.7	36.1	34.9	36.0	35.2	36.4	38.5	42.0	39.0	40.0
Homicide-----E964,E980-E984	4.7	3.5	3.2	2.9	3.0	3.2	3.3	2.8	3.3	3.8	3.9

clined in rate for each of these years. The increases in the former rate from 1950 to 1958 may thus be the result of the use of more specific terms in reporting infant deaths.

The death rate for birth injuries declined 29 percent between 1950 and 1960. The most frequently reported birth injuries are those classified as intracranial and spinal injury at birth. The rate for this cause for 1960 was 46 percent below that for 1950. The rate for deaths due to influenza and pneumonia, except pneumonia of newborn, has fluctuated within a narrow range. This rate was 230.8 in 1960 compared with a low for the decade of 205.5 in 1955 and high of 237.4 in 1950.

Immaturity is a major cause of infant deaths. The International Classification of Diseases<sup>2</sup> defines an infant whose birth weight is less than 2,500 grams as immature. Immaturity as a factor associated with the cause of death is contained in the classification for those causes which fall under the general heading Certain Diseases of Early Infancy. Since the death certificate does not contain an item on weight at birth, the assignments to immaturity in the cause of death classification depend entirely on the physician's entry of this fact in the medical certification. Sixty percent of all infant deaths in 1960 were assigned to Certain Diseases of Early Infancy. Within this group, immaturity was mentioned in almost three-fourths of the cases.

#### Infant mortality by geographic area and color

Infant mortality rates by color for 1950 and 1957 through 1960 are shown for each State and geographic division in table 3-E, and neonatal mortality rates by the same variables are given in table 3-F. The infant mortality rate was lower for 1960 than that for 1959 for 29 States and the District of Columbia, equal for 2 States, and higher for 19.

The infant mortality rate for the United States for 1960 was 11 percent below that for 1950. A comparison of the rates for individual States for these 2 years shows that 43 of the 48 States comprising the Union in 1950 and the District of Columbia experienced lower infant mortality rates in 1960 than those recorded in 1950. The drop was more than 20 percent in eight States and 15 to 20 percent

in seven States. The rate for New Mexico declined from 54.8 in 1950 to 33.2 in 1960, a reduction of 39 percent. The rate for Arizona declined from 45.8 to 31.9 (30 percent) in the same period. One of the lowest rates for an individual State in 1950 was 23.7 for Utah. The rate of 19.6 recorded for 1960 represents a reduction of 17 percent and is the lowest rate for any State in 1960. The States which made substantial progress in lowering the infant mortality rate in the last 10 years are distributed among all sections of the country, and no tendency for them to be concentrated in any particular area can be discerned.

The infant mortality rate for the New England Division in 1960 was 22.2, the lowest for any of the divisions. The rates for all the States in this division were below that for the United States. Next lowest was the West North Central Division, where the rate was 23.0. Lower than average rates prevailed in all the States in this division except South Dakota. Also below the average for the United States were the rates for the Middle Atlantic (24.3), East North Central (24.0), and Pacific Divisions (23.6). Rates were above average in the three southern divisions and in the Mountain Division.

#### Infant mortality rates adjusted for changing numbers of births

The infant mortality rate is based on live births and infant deaths occurring in the same calendar year. This has the effect of lowering the infant death rate for a year when there has been an increase in the number of births. For a year when the number of births had declined, the opposite effect would occur. A truer measure would result if deaths were allocated to the year in which each infant was born. The following rates for 1935, 1940, and 1945-60 approximate such an allocation by taking into account differences in the number of births between consecutive years. For recent years, the adjusted rate has not varied greatly from the conventional rate.

1960 -----	26.0	1951 -----	28.6
1959 -----	26.4	1950 -----	29.2
1958 -----	27.0	1949 -----	31.4
1957 -----	26.4	1948 -----	31.8
1956 -----	26.1	1947 -----	32.8
1955 -----	26.4	1946 -----	34.6
1954 -----	26.7	1945 -----	38.1
1953 -----	27.8	1940 -----	47.4
1952 -----	28.5	1935 -----	55.7

<sup>2</sup>World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume I. Geneva, Switzerland, 1957.

## SECTION 3 - MORTALITY

Table 3-E. Infant Mortality Rates by Color: United States, Each Division and State, 1950 and 1957-60

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Deaths under 1 year per 1,000 live births in specified group. Rates for frequencies less than 20 are underlined)

DIVISION AND STATE	1960			1959			1958			1957			1950		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
UNITED STATES <sup>1</sup> -----	26.0	22.9	43.2	26.4	23.2	44.0	27.1	23.8	45.7	26.3	23.3	43.7	29.2	26.8	44.5
GEOGRAPHIC DIVISIONS:															
New England-----	22.2	21.7	35.2	22.9	22.1	43.4	23.4	22.6	44.5	23.1	22.5	41.0	24.3	24.0	39.2
Middle Atlantic-----	24.3	22.0	41.4	24.8	22.2	43.3	24.8	22.1	45.2	24.1	21.8	42.9	25.8	24.2	43.2
East North Central-----	24.0	22.1	39.4	24.5	22.7	39.0	24.9	23.1	39.6	24.5	22.5	40.8	26.3	25.3	37.7
West North Central-----	25.0	21.7	42.5	22.7	21.4	42.4	24.2	22.8	46.7	25.4	22.2	42.7	26.3	25.5	49.8
South Atlantic-----	30.6	23.8	47.2	31.8	24.6	47.9	31.3	24.5	47.4	30.3	23.8	45.0	33.7	29.1	46.5
East South Central-----	32.3	25.6	48.4	31.7	25.4	46.8	33.7	28.7	50.7	31.4	25.8	44.7	36.2	32.5	44.9
West South Central-----	29.0	24.9	44.3	28.7	24.4	45.0	30.7	28.2	47.6	29.3	25.6	43.3	34.6	32.4	43.1
Mountain-----	27.7	25.7	51.7	28.1	26.4	49.2	29.7	27.6	57.2	30.2	27.9	62.5	36.2	33.0	90.6
Pacific <sup>2</sup> -----	23.6	22.6	30.5	24.1	23.0	33.3	24.7	23.4	37.2	24.5	23.4	35.6	25.1	24.4	34.6
NEW ENGLAND:															
Maine-----	25.5	25.7	12.9	26.1	26.2	19.8	26.5	26.5	31.0	25.1	25.2	13.0	30.9	30.8	50.8
New Hampshire-----	23.6	23.7	10.6	22.1	22.0	39.5	24.9	24.9	29.4	26.4	26.2	69.0	24.5	24.3	142.9
Vermont-----	24.1	24.2	0	23.7	23.7	0	22.4	22.4	41.7	25.4	25.3	55.6	24.5	24.6	0
Massachusetts-----	21.6	21.1	34.4	22.3	21.8	35.5	22.8	22.2	36.8	22.7	22.1	39.9	23.3	23.0	35.2
Rhode Island-----	23.3	22.4	44.4	24.0	23.7	31.7	21.3	20.0	53.1	24.1	23.9	27.7	27.6	27.2	51.0
Connecticut-----	21.1	20.0	36.9	22.4	20.3	60.0	23.8	22.2	51.2	21.7	20.3	47.1	21.8	21.1	40.6
MIDDLE ATLANTIC:															
New York-----	24.1	21.5	41.6	24.7	22.1	42.6	24.5	21.8	43.4	23.9	21.5	42.3	24.7	23.2	39.4
New Jersey-----	24.6	21.9	41.7	24.6	21.7	43.9	24.5	21.3	46.2	24.2	21.6	43.2	25.2	22.8	47.5
Pennsylvania-----	24.5	22.6	40.6	24.9	22.7	44.0	25.5	22.9	47.7	24.5	22.4	43.7	27.6	26.0	47.0
EAST NORTH CENTRAL:															
Ohio-----	24.0	22.2	39.4	25.0	23.0	41.3	25.3	23.3	42.9	24.7	22.8	41.6	26.8	25.7	40.4
Indiana-----	23.9	22.6	37.7	23.4	22.0	39.6	24.6	23.3	39.2	23.8	22.4	40.3	27.0	26.2	40.7
Illinois-----	25.0	22.2	39.6	25.0	22.4	39.6	24.9	22.4	38.5	25.5	22.2	44.0	25.6	24.4	35.8
Michigan-----	24.1	22.1	40.4	24.4	23.0	35.9	24.6	23.3	34.4	24.4	23.0	35.6	26.3	25.4	35.1
Wisconsin-----	21.8	21.2	35.3	23.4	22.6	45.7	23.6	23.1	35.9	22.2	21.5	40.9	25.7	25.2	49.3
WEST NORTH CENTRAL:															
Minnesota-----	21.6	21.6	22.6	21.1	20.8	34.7	22.8	22.7	29.0	23.0	22.8	36.3	25.1	24.9	39.2
Iowa-----	21.9	21.7	35.2	21.5	21.2	39.6	22.7	22.5	51.7	20.9	20.5	51.7	24.8	24.8	27.2
Missouri-----	24.7	21.4	45.4	24.5	21.6	42.6	26.4	24.4	46.5	25.0	22.6	40.9	29.2	27.0	49.5
North Dakota-----	24.8	24.1	43.3	23.7	23.0	42.3	24.9	23.6	65.8	25.7	24.2	67.7	26.6	25.6	65.1
South Dakota-----	28.1	24.2	78.0	22.9	20.1	61.4	26.3	23.0	70.9	26.0	23.0	71.8	26.6	23.4	87.5
Nebraska-----	21.9	21.3	34.3	23.5	22.6	42.8	24.7	23.5	52.6	23.9	23.1	40.9	25.0	24.6	42.1
Kansas-----	22.1	21.3	33.4	22.6	21.4	39.1	23.0	21.8	40.3	22.4	21.4	37.4	25.7	24.7	47.1
SOUTH ATLANTIC:															
Delaware-----	23.8	17.8	50.6	24.8	20.8	42.5	28.1	24.2	45.4	23.4	19.4	42.9	30.7	28.3	41.9
Maryland-----	27.3	22.3	44.6	26.6	23.1	46.9	28.8	23.9	45.6	29.1	22.8	46.4	27.0	22.7	42.3
District of Columbia-----	36.4	29.4	39.6	36.8	31.4	39.4	38.7	31.7	42.3	35.5	29.3	39.2	30.4	30.5	30.3
Virginia-----	29.8	24.6	45.5	31.0	24.8	49.0	31.1	25.0	49.2	30.2	24.3	47.4	34.6	28.6	51.5
West Virginia-----	25.5	24.8	37.7	27.2	26.9	32.8	26.4	25.8	37.5	27.4	26.4	44.0	36.1	35.4	45.8
North Carolina-----	31.7	22.3	52.4	32.7	24.4	50.2	32.6	24.5	49.2	30.5	22.4	46.6	34.5	26.7	49.7
South Carolina-----	34.3	23.9	48.5	35.0	23.6	50.1	33.9	23.1	48.3	31.6	22.2	44.0	36.6	29.4	49.3
Georgia-----	33.0	24.6	48.1	32.5	24.3	47.5	31.1	23.7	44.6	30.4	22.7	44.1	33.5	26.8	44.4
Florida-----	29.7	23.6	46.1	31.7	25.3	48.7	31.7	24.7	50.2	31.9	24.4	51.6	32.1	26.8	45.2
EAST SOUTH CENTRAL:															
Kentucky-----	27.9	26.0	48.3	27.3	26.3	37.9	29.1	27.5	46.6	28.7	27.1	45.6	34.9	34.0	46.1
Tennessee-----	29.4	25.3	43.5	30.3	26.4	43.6	30.9	26.4	47.6	29.2	25.3	42.8	36.4	34.0	46.2
Alabama-----	32.4	24.9	45.0	31.8	23.5	49.3	35.4	26.1	51.0	32.1	24.6	44.2	36.8	30.6	46.3
Mississippi-----	41.6	26.6	54.3	39.0	24.6	51.3	41.0	26.8	52.8	37.0	25.8	45.9	36.7	28.6	42.7
WEST SOUTH CENTRAL:															
Arkansas-----	27.4	22.5	38.7	26.5	22.4	36.2	26.3	21.5	37.5	26.2	21.1	37.6	26.5	25.0	30.5
Louisiana-----	32.0	22.6	46.9	32.9	21.9	50.1	34.7	25.2	49.6	32.3	24.2	45.1	34.6	26.4	46.4
Oklahoma-----	25.5	22.7	42.8	24.1	21.5	40.4	27.4	24.5	45.9	25.6	23.2	41.0	30.2	27.4	51.7
Texas-----	28.9	28.3	43.9	28.5	25.9	43.9	30.6	27.4	49.4	29.5	27.0	43.9	37.4	36.5	43.2
MOUNTAIN:															
Montana-----	25.0	24.2	34.5	24.5	22.6	50.8	25.7	24.3	47.2	25.1	23.0	56.5	28.2	25.9	70.3
Idaho-----	22.9	22.7	33.3	22.2	21.8	44.5	23.7	23.3	45.2	24.8	24.3	50.0	27.1	27.0	33.7
Wyoming-----	28.2	27.5	48.6	26.9	26.1	52.0	27.8	27.0	50.0	26.5	25.9	40.6	32.5	30.9	84.4
Colorado-----	27.5	26.9	44.0	28.8	28.3	41.8	30.6	30.4	35.0	30.2	30.1	34.7	34.4	34.7	22.5
New Mexico-----	33.2	30.9	52.8	32.9	31.2	47.3	37.3	33.3	72.8	39.4	36.9	62.0	54.8	49.8	117.3
Arizona-----	31.9	26.6	60.8	33.1	29.3	52.6	33.0	27.6	61.6	35.7	28.7	76.3	45.8	34.7	107.0
Utah-----	19.6	18.8	54.0	20.0	19.7	34.8	22.1	21.6	48.4	21.6	20.8	60.8	23.7	22.8	78.0
Nevada-----	30.1	29.6	33.9	32.4	28.9	56.6	31.9	30.5	42.1	30.8	27.4	59.2	37.9	33.5	69.3
PACIFIC:															
Washington-----	23.4	22.7	36.7	24.0	23.1	39.2	26.1	24.6	52.3	24.2	23.0	47.0	27.3	26.1	58.6
Oregon-----	23.2	23.0	29.2	25.1	24.8	35.4	23.4	22.6	52.3	21.9	21.3	40.9	22.5	22.0	46.7
California-----	23.3	22.5	29.7	23.6	22.8	30.5	24.6	23.3	35.5	24.9	23.8	34.4	25.0	24.3	31.9
Alaska <sup>3</sup> -----	40.5	27.9	65.2	42.9	26.9	72.9	(58.7)	(27.7)	(63.0)	(58.0)	(26.7)	(70.3)	(51.8)	(24.1)	(99.9)
Hawaii <sup>4</sup> -----	23.2	21.5	24.0	(24.0)	(23.3)	(24.3)	(23.1)	(20.0)	(24.3)	(24.0)	(22.0)	(24.8)	(24.0)	(33.3)	(21.8)

<sup>1</sup>Excludes Alaska prior to 1959, and Hawaii prior to 1960.<sup>2</sup>Figures for 1950 and 1957-58 are by place of occurrence.<sup>3</sup>Figures for 1950 and 1957-58 are by place of occurrence.













SECTION 3 - MORTALITY

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	IOWA-----	1,404	124	495	150	85	49	29	21	17
2	Male----	818	66	276	94	53	29	13	15	12
3	Female--	586	58	219	56	32	20	16	6	5
4	White-----	1,369	121	484	146	85	49	28	19	17
5	Male----	798	64	272	91	53	29	12	14	12
6	Female--	570	57	212	55	32	20	16	5	5
7	Negro-----	32	3	11	4	-	-	1	2	-
8	Male----	17	2	4	3	-	-	1	1	-
9	Female--	15	1	7	1	-	-	-	1	-
10	Other-----	3	-	-	-	-	-	-	-	-
11	Male----	2	-	-	-	-	-	-	-	-
12	Female--	1	-	-	-	-	-	-	-	-
13	KANSAS-----	1,119	93	398	144	73	23	17	13	7
14	Male----	663	50	253	63	36	11	12	10	6
15	Female--	456	43	145	61	37	12	5	3	1
16	White-----	1,005	90	364	132	66	22	15	10	6
17	Male----	590	47	228	76	33	11	10	7	5
18	Female--	415	43	136	56	33	11	5	3	1
19	Negro-----	108	3	30	12	7	1	2	3	1
20	Male----	68	3	21	7	3	-	2	3	1
21	Female--	40	-	9	5	4	1	-	-	-
22	Other-----	6	-	4	-	-	-	-	-	-
23	Male----	5	-	4	-	-	-	-	-	-
24	Female--	1	-	-	-	-	-	-	-	-
25	KENTUCKY-----	2,015	142	595	200	113	71	38	33	32
26	Male----	1,121	70	340	112	57	36	25	19	18
27	Female--	894	72	255	88	56	35	13	14	14
28	White-----	1,713	124	525	177	97	63	35	32	26
29	Male----	951	61	298	98	49	29	24	19	14
30	Female--	762	63	227	79	48	34	11	13	12
31	Negro-----	301	18	69	23	16	6	3	1	6
32	Male----	170	9	42	14	8	7	1	4	4
33	Female--	131	9	27	9	8	1	2	1	2
34	Other-----	1	-	1	-	-	-	-	-	-
35	Male----	-	-	-	-	-	-	-	-	-
36	Female--	1	-	1	-	-	-	-	-	-
37	LOUISIANA-----	2,888	174	619	293	196	77	44	42	32
38	Male----	1,629	99	461	177	123	44	28	22	19
39	Female--	1,259	75	358	116	73	33	16	20	13
40	White-----	1,251	86	405	166	120	43	23	15	14
41	Male----	734	52	226	100	77	28	13	9	7
42	Female--	517	34	179	66	43	15	10	6	7
43	Negro-----	1,628	88	412	126	76	34	21	27	18
44	Male----	892	47	234	76	46	16	15	13	12
45	Female--	737	41	178	50	30	18	6	14	6
46	Other-----	8	-	2	1	-	-	-	-	-
47	Male----	3	-	1	1	-	-	-	-	-
48	Female--	5	-	1	-	-	-	-	-	-
49	MAINE-----	592	66	193	57	32	19	7	3	8
50	Male----	364	39	121	35	18	14	3	3	6
51	Female--	228	27	72	22	14	5	4	-	2
52	White-----	588	65	192	57	32	19	7	3	8
53	Male----	363	38	121	35	16	14	3	3	6
54	Female--	225	27	71	22	14	5	4	-	2
55	Negro-----	1	-	-	-	-	-	-	-	-
56	Male----	-	-	-	-	-	-	-	-	-
57	Female--	-	-	-	-	-	-	-	-	-
58	Other-----	3	1	1	-	-	-	-	-	-
59	Male----	1	1	-	-	-	-	-	-	-
60	Female--	2	-	1	-	-	-	-	-	-
61	MARYLAND-----	2,108	165	687	215	140	65	44	33	25
62	Male----	1,184	85	396	124	77	41	22	21	7
63	Female--	924	80	291	91	63	24	22	12	18
64	White-----	1,336	123	455	153	104	45	25	21	17
65	Male----	787	65	273	88	61	26	14	12	4
66	Female--	549	58	182	65	43	19	11	9	13
67	Negro-----	767	41	230	62	35	20	19	12	8
68	Male----	414	19	121	36	16	15	8	9	3
69	Female--	353	22	109	26	19	5	11	3	5
70	Other-----	5	1	2	-	1	-	-	-	-
71	Male----	3	1	2	-	-	-	-	-	-
72	Female--	2	-	-	-	1	-	-	-	-
73	MASSACHUSETTS-----	2,480	210	868	259	195	104	42	29	20
74	Male----	1,484	117	536	154	124	67	24	20	10
75	Female--	996	93	332	105	71	37	18	9	10
76	White-----	2,343	204	808	248	186	100	39	28	20
77	Male----	1,406	112	502	145	120	63	22	20	10
78	Female--	937	92	306	101	66	37	17	8	10
79	Negro-----	143	6	57	13	6	4	3	1	-
80	Male----	85	5	31	9	4	4	2	1	-
81	Female--	58	1	26	4	2	1	1	1	-
82	Other-----	4	-	-	-	1	-	-	-	-
83	Male----	3	-	3	-	-	-	-	-	-
84	Female--	1	-	-	-	1	-	-	-	-
85	MICHIGAN-----	4,704	378	1,693	527	334	141	78	54	36
86	Male----	2,743	217	993	319	211	95	44	26	16
87	Female--	1,961	161	700	208	123	46	34	28	20
88	White-----	3,833	299	1,364	442	293	122	64	45	30
89	Male----	2,251	167	814	264	187	82	35	21	15
90	Female--	1,582	132	550	178	106	40	29	24	15
91	Negro-----	866	77	325	85	41	19	14	9	6
92	Male----	483	49	177	55	24	13	9	5	1
93	Female--	373	28	146	30	17	6	5	4	5
94	Other-----	15	2	4	-	-	-	-	-	-
95	Male----	9	1	2	-	-	-	-	-	-
96	Female--	6	1	2	-	-	-	-	-	-



SECTION 3 - MORTALITY

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	MINNESOTA-----	1,890	165	661	188	121	58	34	23	16
2	Male----	1,108	86	388	123	74	41	18	16	7
3	Female--	782	79	273	65	47	17	16	7	9
4	White-----	1,853	162	653	186	119	57	33	23	16
5	Male----	1,096	85	380	122	73	40	18	16	7
6	Female--	767	77	273	64	46	17	15	7	9
7	Negro-----	22	2	6	-	2	1	1	-	-
8	Male----	14	1	6	-	1	1	-	-	-
9	Female--	8	1	-	-	1	-	1	-	-
10	Other-----	15	1	2	2	-	-	-	-	-
11	Male----	8	-	2	1	-	-	-	-	-
12	Female--	7	1	-	1	-	-	-	-	-
13	MISSISSIPPI-----	2,461	157	548	207	121	60	56	43	25
14	Male----	1,398	90	314	114	81	46	36	23	19
15	Female--	1,063	67	234	93	40	34	20	20	6
16	White-----	721	64	214	91	55	30	17	13	6
17	Male----	423	38	121	52	39	15	9	8	4
18	Female--	298	26	93	39	16	15	8	5	2
19	Negro-----	1,731	93	333	115	66	49	39	29	19
20	Male----	971	52	192	62	42	30	27	15	15
21	Female--	760	41	141	53	24	19	12	14	4
22	Other-----	9	-	1	1	-	-	-	1	-
23	Male----	4	-	1	-	-	-	-	-	-
24	Female--	5	-	-	1	-	-	-	1	-
25	MISSOURI-----	2,420	173	778	256	155	81	39	39	28
26	Male----	1,411	94	461	134	91	47	26	21	19
27	Female--	1,009	79	317	122	64	34	13	18	9
28	White-----	1,810	141	580	193	127	61	32	35	24
29	Male----	1,053	77	345	101	75	35	21	19	16
30	Female--	757	64	235	92	52	26	11	16	8
31	Negro-----	605	30	186	63	27	20	7	4	4
32	Male----	355	16	115	33	15	12	5	2	3
33	Female--	250	14	81	30	12	8	2	2	1
34	Other-----	5	2	2	-	1	-	-	-	-
35	Male----	3	1	1	-	1	-	-	-	-
36	Female--	2	1	1	-	-	-	-	-	-
37	MONTANA-----	436	29	131	38	31	15	7	9	3
38	Male----	256	18	77	26	16	8	2	1	1
39	Female--	180	11	54	12	15	7	5	8	2
40	White-----	392	27	123	35	30	14	7	8	3
41	Male----	232	16	73	26	15	7	2	-	1
42	Female--	160	11	50	9	15	7	5	8	2
43	Negro-----	3	-	-	-	-	-	-	-	-
44	Male----	2	-	-	-	-	-	-	-	-
45	Female--	1	-	-	-	-	-	-	-	-
46	Other-----	41	2	8	3	1	1	1	1	-
47	Male----	22	2	4	-	1	-	-	1	-
48	Female--	19	-	4	3	-	-	-	-	-
49	NEBRASKA-----	749	61	277	98	53	19	15	10	7
50	Male----	435	29	164	63	30	13	7	8	4
51	Female--	314	32	113	35	23	6	8	2	3
52	White-----	697	57	261	92	48	18	15	10	6
53	Male----	400	28	153	57	26	12	7	8	3
54	Female--	297	29	108	35	22	6	8	2	3
55	Negro-----	40	15	6	6	5	1	-	-	1
56	Male----	28	1	10	6	4	1	-	-	1
57	Female--	12	2	5	1	1	-	-	-	-
58	Other-----	12	1	1	-	-	-	-	-	-
59	Male----	7	1	1	-	-	-	-	-	-
60	Female--	5	1	-	-	-	-	-	-	-
61	NEVADA-----	219	15	64	23	16	10	6	5	3
62	Male----	119	6	42	10	11	5	3	1	2
63	Female--	100	9	22	13	5	5	3	2	1
64	White-----	187	14	58	21	15	10	5	3	2
65	Male----	100	5	38	9	11	5	3	1	1
66	Female--	87	9	20	12	4	5	2	2	1
67	Negro-----	22	-	4	2	1	1	1	1	1
68	Male----	12	-	2	1	-	-	-	-	1
69	Female--	10	-	2	1	1	-	1	-	-
70	Other-----	10	1	2	-	-	-	-	-	-
71	Male----	7	1	2	-	-	-	-	-	-
72	Female--	3	-	-	-	-	-	-	-	-
73	NEW HAMPSHIRE-----	327	28	116	47	25	5	9	5	4
74	Male----	192	11	62	33	18	1	2	4	3
75	Female--	135	17	54	14	7	4	7	1	1
76	White-----	326	28	116	46	25	5	9	5	4
77	Male----	191	11	62	32	18	1	2	4	3
78	Female--	135	17	54	14	7	4	7	1	1
79	Negro-----	1	-	-	1	-	-	-	-	-
80	Male----	1	-	-	1	-	-	-	-	-
81	Female--	-	-	-	-	-	-	-	-	-
82	Other-----	-	-	-	-	-	-	-	-	-
83	Male----	-	-	-	-	-	-	-	-	-
84	Female--	-	-	-	-	-	-	-	-	-
85	NEW JERSEY-----	3,251	277	1,079	379	232	96	57	50	39
86	Male----	1,871	147	634	217	132	62	33	25	20
87	Female--	1,380	130	445	162	100	34	24	25	19
88	White-----	2,516	222	862	291	198	82	47	36	31
89	Male----	1,447	121	504	162	114	52	28	21	15
90	Female--	1,069	101	358	129	84	30	19	15	16
91	Negro-----	728	55	212	88	54	14	10	14	8
92	Male----	420	26	128	55	18	10	5	4	5
93	Female--	308	29	84	33	16	4	5	10	3
94	Other-----	7	-	-	-	-	-	-	-	-
95	Male----	4	-	2	-	-	-	-	-	-
96	Female--	3	-	3	-	-	-	-	-	-



SECTION 3 - MORTALITY

Sex: United States and Each State, 1960-Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Table with 17 columns representing mortality periods: Under 7 days, 7-13 days, 14-20 days, 21-27 days, Under 28 days, 28-59 days, 2 months, 3 months, 4 months, 5 months, 6 months, 7 months, 8 months, 9 months, 10 months, 11 months, and an unlabeled final column. The rows list various states and their corresponding mortality counts for each period.



SECTION 3 - MORTALITY

Sex: United States and Each State, 1960—Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Table with 16 columns for mortality periods (Under 7 days to 11 months) and multiple rows of numerical data representing mortality counts.

SECTION 3 - MORTALITY

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

AREA, RACE, AND SEX		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	RHODE ISLAND-----	428	35	140	44	28	20	10	2	1
2	Male----	243	14	89	27	18	11	7	-	-
3	Female--	185	21	52	17	10	9	3	2	1
4	White-----	395	32	129	39	28	18	10	2	1
5	Male----	227	13	81	26	18	9	7	-	-
6	Female--	168	19	48	13	10	9	3	2	1
7	Negro-----	29	3	9	5	-	2	-	-	-
8	Male----	13	1	6	1	-	2	-	-	-
9	Female--	16	2	3	4	-	-	-	-	-
10	Other-----	4	-	2	-	-	-	-	-	-
11	Male----	3	-	1	-	-	-	-	-	-
12	Female--	1	-	1	-	-	-	-	-	-
13	SOUTH CAROLINA-----	2,051	114	443	191	111	57	38	33	17
14	Male----	1,159	53	251	111	69	31	25	13	10
15	Female--	692	61	192	80	42	26	13	20	7
16	White-----	628	55	255	103	67	25	13	9	9
17	Male----	481	23	146	61	47	16	10	2	6
18	Female--	347	32	109	42	20	9	3	7	3
19	Negro-----	1,221	58	187	88	44	32	25	24	8
20	Male----	678	30	105	50	22	15	15	11	4
21	Female--	543	29	82	38	22	17	10	13	4
22	Other-----	2	-	1	-	-	-	-	-	-
23	Male----	-	-	-	-	-	-	-	-	-
24	Female--	2	-	1	-	-	-	-	-	-
25	SOUTH DAKOTA-----	496	39	150	44	22	19	15	5	3
26	Male----	294	28	98	28	12	11	7	3	3
27	Female--	202	11	52	16	10	8	8	2	-
28	White-----	394	37	131	39	20	13	14	4	2
29	Male----	234	27	85	26	10	8	6	2	2
30	Female--	160	10	46	13	10	5	8	2	-
31	Negro-----	4	-	1	1	-	-	-	-	-
32	Male----	1	-	1	-	-	-	-	-	-
33	Female--	3	-	-	1	-	-	-	-	-
34	Other-----	98	2	18	4	2	6	1	1	1
35	Male----	59	1	12	2	2	3	1	1	1
36	Female--	39	1	6	2	-	3	-	-	-
37	TENNESSEE-----	2,409	166	680	278	167	77	40	31	20
38	Male----	1,372	97	423	176	101	47	21	16	8
39	Female--	1,037	69	257	102	66	30	19	15	12
40	White-----	1,618	132	462	207	134	57	29	24	15
41	Male----	946	75	297	135	82	36	16	14	7
42	Female--	672	57	165	72	52	21	13	10	8
43	Negro-----	790	34	218	71	33	20	11	7	5
44	Male----	426	22	126	41	19	11	5	2	1
45	Female--	364	12	92	30	14	9	6	5	4
46	Other-----	1	-	-	-	-	-	-	-	-
47	Male----	-	-	-	-	-	-	-	-	-
48	Female--	1	-	-	-	-	-	-	-	-
49	TEXAS-----	7,200	330	2,163	793	536	229	123	103	71
50	Male----	4,105	168	1,226	491	311	136	68	52	44
51	Female--	3,095	162	937	302	225	93	55	51	27
52	White-----	5,581	270	1,733	644	453	185	91	80	55
53	Male----	3,197	138	984	402	262	110	44	42	34
54	Female--	2,384	132	739	242	191	75	47	38	21
55	Negro-----	1,607	60	425	148	82	44	32	23	16
56	Male----	901	30	227	89	49	26	24	10	10
57	Female--	706	30	198	59	33	18	9	13	6
58	Other-----	12	-	5	1	1	-	-	-	-
59	Male----	7	-	5	-	-	-	-	-	-
60	Female--	5	-	-	1	1	-	-	-	-
61	UTAH-----	515	33	143	86	46	32	9	6	1
62	Male----	302	20	88	45	31	18	4	5	-
63	Female--	213	13	55	41	15	14	5	1	1
64	White-----	485	33	136	82	45	32	9	6	1
65	Male----	285	20	82	43	31	18	4	5	-
66	Female--	200	13	54	39	14	14	5	1	1
67	Negro-----	8	-	3	1	-	-	-	-	-
68	Male----	5	-	3	-	-	-	-	-	-
69	Female--	3	-	-	1	-	-	-	-	-
70	Other-----	22	-	4	3	1	-	-	-	-
71	Male----	12	-	3	2	-	-	-	-	-
72	Female--	10	-	1	1	1	-	-	-	-
73	VERMONT-----	227	22	76	25	20	10	4	3	1
74	Male----	135	11	47	12	10	7	2	3	1
75	Female--	92	11	29	13	10	3	2	-	-
76	White-----	227	22	76	25	20	10	4	3	1
77	Male----	135	11	47	12	10	7	2	3	1
78	Female--	92	11	29	13	10	3	2	-	-
79	Negro-----	-	-	-	-	-	-	-	-	-
80	Male----	-	-	-	-	-	-	-	-	-
81	Female--	-	-	-	-	-	-	-	-	-
82	Other-----	-	-	-	-	-	-	-	-	-
83	Male----	-	-	-	-	-	-	-	-	-
84	Female--	-	-	-	-	-	-	-	-	-
85	VIRGINIA-----	2,651	202	866	291	175	94	56	35	35
86	Male----	1,652	111	517	178	96	61	23	23	17
87	Female--	1,199	91	349	113	79	33	33	12	18
88	White-----	1,787	142	583	200	127	63	38	23	16
89	Male----	1,069	84	362	125	73	48	18	18	6
90	Female--	698	58	231	75	54	15	20	5	10
91	Negro-----	1,080	60	270	90	48	31	20	12	19
92	Male----	580	27	153	52	23	13	7	5	11
93	Female--	500	33	117	38	25	18	13	7	8
94	Other-----	4	-	3	1	-	-	-	-	-
95	Male----	3	-	2	1	-	-	-	-	-
96	Female--	1	-	1	-	-	-	-	-	-





SECTION 3 - MORTALITY

Sex: United States and Each State, 1960-Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months
1,021	62	25	18	1,126	99	95	64	40	27	25	12	12	13	9	7
804	37	10	10	861	47	55	35	23	15	14	6	6	5	4	3
417	25	15	8	465	52	40	29	17	8	11	4	6	5	4	3
954	59	19	18	1,050	90	86	56	29	21	20	6	6	7	4	4
564	35	7	10	616	40	50	30	17	15	11	7	6	4	3	3
390	24	12	8	434	50	36	26	12	6	9	4	3	5	4	3
32	3	1	-	36	4	1	5	3	1	1	-	-	1	-	1
22	2	-	-	24	2	-	4	2	-	-	-	-	-	-	-
10	1	1	-	12	2	1	1	1	1	1	-	-	-	-	-
35	-	5	-	40	5	8	3	8	5	4	-	2	1	-	-
18	-	3	-	21	5	5	1	4	4	3	-	1	1	-	-
17	-	2	-	19	-	3	2	4	1	1	-	1	-	-	-
617	49	29	18	713	69	48	39	30	27	21	19	11	7	30	12
342	25	14	6	387	36	33	26	14	9	6	12	5	5	3	4
275	24	15	12	326	33	15	13	16	18	15	7	6	2	6	4
590	46	25	16	677	64	39	33	25	23	21	18	11	6	8	8
328	24	13	6	371	33	27	20	13	8	6	11	5	5	2	4
262	22	12	10	308	31	12	13	12	15	15	7	6	6	4	4
27	3	4	2	36	5	9	6	5	4	1	1	1	1	1	1
14	1	1	-	16	3	6	6	1	1	-	-	-	-	1	4
13	2	3	2	20	2	3	-	4	3	-	-	-	-	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,503	73	41	30	1,647	112	91	66	56	51	45	28	25	19	13	17
860	47	29	18	954	62	55	44	35	23	24	20	14	12	6	25
643	26	12	12	693	50	36	22	21	28	21	8	11	7	7	26
1,428	67	38	28	1,559	100	77	62	51	47	42	22	23	18	12	6
817	43	28	17	905	56	48	41	31	22	21	17	13	11	6	27
609	24	10	11	654	44	29	21	20	25	21	5	10	7	6	28
71	4	2	2	79	8	10	3	3	4	3	4	2	1	1	29
40	3	1	1	45	2	4	2	2	1	1	2	1	1	-	30
31	1	1	1	34	6	6	1	1	3	-	2	1	1	-	31
6	1	1	-	9	4	4	1	2	-	-	2	1	1	-	32
3	1	-	-	4	4	3	1	-	-	-	1	-	-	-	33
3	1	1	-	5	-	-	-	-	-	-	1	-	-	-	34
167	7	6	3	183	7	19	8	5	3	1	4	2	4	3	35
97	3	2	2	104	5	14	4	3	3	1	2	2	4	1	36
70	4	4	1	79	2	5	4	2	-	-	2	2	4	-	37
160	7	3	3	173	6	17	8	4	3	1	4	2	4	3	38
91	3	1	2	97	4	13	4	2	3	1	4	2	4	1	39
69	4	2	1	76	2	4	4	2	-	-	2	2	2	2	40
3	-	1	-	4	-	-	-	-	-	-	-	-	-	-	41
2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	42
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	43
4	-	2	-	6	1	2	-	1	-	-	-	-	-	-	44
4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	45
-	-	2	-	4	1	-	-	-	-	-	-	-	-	-	46
-	-	2	-	2	-	1	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48







SECTION 3 - MORTALITY

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Continued													
Female—Continued													
Under 28 days—Continued													
Under 7 days—Continued													
6 days-----	467	35	35	28	42	35	36	38	34	54	51	44	37
White-----	353	24	29	20	32	24	30	27	28	43	37	34	26
Nonwhite--	114	9	7	8	10	11	6	11	6	11	14	10	11
7-13 days-----	1,883	169	158	158	140	153	142	161	166	172	179	148	157
White-----	1,342	119	100	113	105	106	96	113	133	120	128	100	109
Nonwhite--	541	50	58	25	35	47	46	48	53	52	51	48	48
14-20 days-----	1,068	119	68	80	67	72	71	76	89	108	111	95	92
White-----	684	74	45	48	61	46	46	47	59	75	77	49	57
Nonwhite--	384	45	23	32	26	26	25	29	30	33	34	46	35
21-27 days-----	805	74	78	71	55	54	56	75	76	62	75	55	76
White-----	522	47	47	47	34	39	35	51	53	38	44	33	54
Nonwhite--	283	27	31	24	21	15	21	22	23	24	31	22	22
28-59 days-----	3,082	297	282	259	226	210	200	210	224	259	279	306	330
White-----	1,989	172	174	163	149	147	142	144	161	174	177	191	205
Nonwhite--	1,093	125	108	96	77	63	58	66	63	85	102	125	125
2 months-----	2,328	233	230	211	182	172	140	126	159	156	216	237	286
White-----	1,488	134	150	128	118	123	98	78	101	104	124	149	181
Nonwhite--	840	99	80	83	64	49	42	48	58	52	92	88	105
3 months-----	1,849	200	172	184	120	124	123	101	101	115	143	202	264
White-----	1,196	114	107	108	61	93	61	67	69	75	97	132	162
Nonwhite--	653	86	65	76	59	31	42	34	32	40	46	70	102
4 months-----	1,460	180	163	143	107	116	79	74	61	75	109	142	191
White-----	920	107	100	98	66	78	51	57	51	50	69	80	113
Nonwhite--	540	73	63	45	41	38	28	17	30	25	40	62	78
5 months-----	1,056	109	121	106	80	98	64	74	52	59	81	90	132
White-----	671	52	62	63	59	62	42	42	34	41	49	56	89
Nonwhite--	385	57	59	43	21	26	22	32	18	16	32	34	43
6 months-----	893	100	104	105	77	54	59	62	46	53	64	61	108
White-----	549	63	53	67	51	41	36	39	29	29	35	45	61
Nonwhite--	344	37	51	38	26	13	23	23	17	24	29	16	47
7 months-----	754	83	79	79	57	64	47	47	47	36	61	69	85
White-----	491	50	51	54	42	45	34	29	38	20	39	38	53
Nonwhite--	263	33	28	25	15	19	13	16	9	16	22	31	32
8 months-----	658	78	62	75	60	53	43	34	43	35	52	52	70
White-----	440	49	42	48	41	31	31	20	32	26	33	38	49
Nonwhite--	218	27	20	30	19	22	12	14	11	9	19	14	21
9 months-----	508	61	59	51	42	42	41	44	30	35	31	42	50
White-----	339	48	28	33	33	22	31	23	17	22	20	29	33
Nonwhite--	169	13	11	18	9	20	10	21	13	13	11	13	17
10 months-----	462	57	45	45	34	26	32	38	40	28	40	38	39
White-----	304	34	28	28	23	13	23	29	25	19	29	26	27
Nonwhite--	158	23	17	17	11	13	9	9	15	9	11	12	12
11 months-----	444	49	37	37	32	39	32	33	33	34	38	39	42
White-----	285	30	29	24	18	24	14	22	22	20	27	24	31
Nonwhite--	159	19	8	13	14	14	18	11	11	14	11	15	11
ALABAMA													
Under 1 year-----	2,616	279	200	216	168	201	200	209	216	208	234	223	262
White-----	1,265	117	85	104	93	105	93	100	116	106	123	105	119
Nonwhite--	1,350	162	115	112	75	96	107	109	100	102	111	118	143
Under 28 days-----	1,668	147	107	128	115	151	157	148	156	155	149	127	128
White-----	942	79	52	73	72	88	78	82	94	88	90	73	73
Nonwhite--	726	68	55	55	43	63	79	66	62	67	59	54	55
ALASKA													
Under 1 year-----	306	29	19	16	29	34	41	25	27	22	18	23	23
White-----	145	12	8	10	14	11	20	8	12	11	13	12	14
Nonwhite--	161	17	11	6	15	23	21	17	15	11	5	11	9
Under 28 days-----	172	19	10	11	17	15	25	10	17	16	9	12	11
White-----	109	10	5	9	12	5	17	8	10	10	7	8	9
Nonwhite--	63	9	5	2	5	10	8	2	7	6	2	4	3
ARIZONA													
Under 1 year-----	1,174	107	75	98	82	77	87	105	97	108	114	97	137
White-----	823	76	58	64	59	59	57	73	57	86	72	66	96
Nonwhite--	351	31	17	34	23	18	30	32	30	22	42	31	41
Under 28 days-----	711	60	44	59	53	42	57	70	60	77	71	48	70
White-----	584	50	36	46	47	37	45	60	43	67	59	42	52
Nonwhite--	127	10	8	13	6	5	12	10	17	10	12	6	18
ARKANSAS													
Under 1 year-----	1,110	118	86	90	74	89	96	78	96	93	97	103	90
White-----	637	48	44	60	50	65	49	51	57	56	54	54	50
Nonwhite--	473	70	42	30	24	24	48	27	39	37	43	49	40
Under 28 days-----	716	65	46	57	50	61	68	59	74	74	55	60	47
White-----	469	36	25	43	38	48	40	39	45	47	37	36	34
Nonwhite--	247	29	21	14	12	12	28	20	29	27	18	24	13
CALIFORNIA													
Under 1 year-----	8,677	760	709	725	706	676	726	716	687	703	749	730	791
White-----	7,429	651	618	623	608	584	612	622	607	585	626	621	672
Nonwhite--	1,248	109	90	102	96	92	114	94	80	118	123	109	119
Under 28 days-----	6,413	493	500	531	555	519	573	555	556	535	561	494	541
White-----	5,496	428	443	452	480	453	482	480	488	447	465	424	456
Nonwhite--	915	65	57	79	75	66	91	75	68	86	96	70	85
COLORADO													
Under 1 year-----	1,180	108	91	97	90	101	82	97	121	108	113	80	94
White-----	1,110	103	79	89	84	97	76	96	119	96	111	75	85
Nonwhite--	70	5	12	8	6	4	6	1	2	10	2	5	9
Under 28 days-----	910	82	70	77	67	79	66	83	99	82	81	61	63
White-----	856	79	62	70	62	75	60	83	97	74	79	56	59
Nonwhite--	54	3	8	7	5	4	6	8	2	8	2	5	4

## SECTION 3 - MORTALITY

3-27

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>CONNECTICUT</b>													
Under 1 year-----	1,197	106	86	104	84	107	102	95	83	99	119	102	110
White-----	1,062	95	76	89	77	94	93	87	77	86	103	92	93
Nonwhite--	135	11	10	15	7	13	9	8	6	13	16	10	17
Under 28 days-----	932	80	66	83	58	81	76	76	68	85	102	83	76
White-----	833	74	60	73	55	70	68	70	65	72	87	74	65
Nonwhite--	99	6	6	10	3	11	8	6	3	11	15	9	11
<b>DELAWARE</b>													
Under 1 year-----	276	21	26	20	22	24	18	21	21	22	23	29	29
White-----	168	12	13	12	16	14	13	16	11	13	13	18	17
Nonwhite--	108	9	13	8	6	10	5	5	10	9	10	11	12
Under 28 days-----	187	14	16	13	16	15	14	16	13	18	10	24	18
White-----	120	8	9	9	12	8	11	11	8	11	7	16	10
Nonwhite--	67	6	7	4	4	7	3	5	5	7	3	8	8
<b>DISTRICT OF COLUMBIA</b>													
Under 1 year-----	723	54	53	66	59	75	55	53	58	59	62	60	69
White-----	182	10	17	22	19	17	14	7	21	17	14	13	11
Nonwhite--	541	44	36	44	40	58	41	46	37	42	48	47	58
Under 28 days-----	545	28	36	45	43	60	47	41	52	48	50	46	49
White-----	138	7	9	16	14	13	12	5	18	13	12	9	10
Nonwhite--	407	21	27	29	29	47	35	36	34	35	38	37	39
<b>FLORIDA</b>													
Under 1 year-----	3,433	330	325	249	239	288	265	255	289	285	291	280	337
White-----	1,994	183	183	150	153	164	154	151	155	173	179	153	196
Nonwhite--	1,439	147	142	99	86	124	111	104	134	112	112	127	141
Under 28 days-----	2,405	198	195	154	168	217	203	192	234	221	229	187	205
White-----	1,531	127	122	113	114	132	127	127	136	141	152	106	134
Nonwhite--	872	71	73	41	54	85	76	65	98	80	77	81	71
<b>GEORGIA</b>													
Under 1 year-----	3,280	294	285	286	230	231	259	254	254	247	318	288	324
White-----	1,584	133	129	139	119	121	140	129	123	118	146	133	154
Nonwhite--	1,706	161	156	147	111	110	119	125	131	129	172	165	170
Under 28 days-----	2,127	166	169	156	149	169	200	193	180	173	218	174	180
White-----	1,186	90	83	85	85	95	117	105	104	96	115	94	106
Nonwhite--	941	76	86	60	64	74	83	88	76	77	103	80	74
<b>HAWAII</b>													
Under 1 year-----	399	34	44	32	32	34	28	21	32	32	35	40	35
White-----	114	12	16	10	7	10	7	4	9	6	12	11	10
Nonwhite--	285	22	28	22	25	24	21	17	23	26	23	29	25
Under 28 days-----	317	30	34	23	25	28	24	19	22	26	25	34	27
White-----	97	10	14	8	5	9	7	4	7	5	10	10	8
Nonwhite--	220	20	20	15	20	19	17	15	15	21	15	24	19
<b>IDAHO</b>													
Under 1 year-----	394	36	24	31	29	43	34	32	31	32	36	43	23
White-----	383	35	24	30	29	42	34	31	29	31	34	42	22
Nonwhite--	11	1	-	1	-	1	-	1	2	1	2	1	1
Under 28 days-----	297	23	17	25	23	34	24	25	19	20	31	35	21
White-----	281	22	17	24	23	33	24	25	19	20	29	35	20
Nonwhite--	6	1	-	1	-	1	-	-	-	-	2	-	1
<b>ILLINOIS</b>													
Under 1 year-----	5,968	470	487	523	521	481	474	470	503	486	487	522	544
White-----	4,453	352	354	374	377	387	374	344	389	363	354	400	405
Nonwhite--	1,515	118	133	149	144	114	100	126	114	123	133	122	139
Under 28 days-----	4,332	309	320	352	364	353	361	352	405	374	366	392	396
White-----	3,366	236	253	265	277	276	291	270	325	291	279	303	300
Nonwhite--	966	73	67	87	87	77	70	82	78	83	87	79	96
<b>INDIANA</b>													
Under 1 year-----	2,689	236	203	206	221	249	198	177	235	240	239	234	251
White-----	2,335	194	176	181	185	220	170	156	205	205	212	213	218
Nonwhite--	354	42	27	25	36	29	28	21	30	35	27	21	33
Under 28 days-----	1,973	170	143	148	159	186	151	134	183	178	177	177	167
White-----	1,732	139	125	130	137	169	128	118	160	153	162	163	148
Nonwhite--	241	31	18	18	22	17	23	16	23	25	15	14	19
<b>IOWA</b>													
Under 1 year-----	1,404	130	102	111	121	120	133	117	114	120	123	96	117
White-----	1,369	120	97	111	121	118	131	115	113	117	116	96	114
Nonwhite--	35	10	5	-	-	2	2	2	1	3	7	-	3
Under 28 days-----	1,070	98	69	83	81	93	104	98	97	101	94	70	82
White-----	1,046	91	68	83	81	91	102	96	96	98	90	70	80
Nonwhite--	24	7	1	-	-	2	2	2	1	3	4	-	2
<b>KANSAS</b>													
Under 1 year-----	1,119	118	95	83	89	101	83	102	81	76	95	102	94
White-----	1,005	102	84	74	75	97	77	95	72	66	86	97	80
Nonwhite--	114	16	11	9	14	4	6	7	9	10	9	5	14
Under 28 days-----	855	72	71	53	64	81	71	91	62	68	76	64	62
White-----	781	64	63	48	56	79	66	84	55	59	68	61	57
Nonwhite--	74	8	8	5	8	2	5	7	6	9	8	3	5
<b>KENTUCKY</b>													
Under 1 year-----	2,015	185	170	162	147	175	147	146	155	168	168	165	227
White-----	1,713	150	149	149	121	150	122	122	129	142	141	139	199
Nonwhite--	302	35	21	13	25	25	25	24	26	26	27	26	28
Under 28 days-----	1,419	123	114	97	93	131	115	120	125	127	118	119	136
White-----	1,231	101	100	88	78	117	97	101	111	108	101	105	124
Nonwhite--	187	22	14	9	15	14	18	19	14	19	17	14	12

SECTION 3 - MORTALITY

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960-Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>LOUISIANA</b>													
Under 1 year-----	2,986	252	241	252	219	209	241	242	216	231	228	289	288
White-----	1,251	109	106	123	109	98	95	89	91	107	104	107	113
Nonwhite--	1,637	143	136	129	110	111	146	153	125	124	124	162	175
Under 28 days-----	1,959	133	139	152	156	153	173	181	180	182	170	182	158
White-----	965	73	70	86	84	79	77	77	80	88	65	82	84
Nonwhite--	994	60	69	66	72	74	96	104	100	94	65	100	74
<b>MAINE</b>													
Under 1 year-----	592	55	45	41	60	37	58	43	46	43	57	47	60
White-----	598	55	45	41	59	36	57	43	45	43	57	47	60
Nonwhite--	4	-	-	-	1	1	1	-	1	-	-	-	42
Under 28 days-----	438	36	35	28	42	30	37	32	42	35	44	35	42
White-----	436	36	35	28	41	30	37	32	41	35	44	35	42
Nonwhite--	2	-	-	-	1	-	-	-	1	-	-	-	-
<b>MARYLAND</b>													
Under 1 year-----	2,108	199	184	187	157	175	171	173	150	177	199	150	196
White-----	1,336	122	128	112	103	107	117	102	102	118	129	78	118
Nonwhite--	772	77	56	75	54	68	54	71	48	59	70	72	68
Under 28 days-----	1,550	132	119	121	117	138	144	143	116	135	148	103	134
White-----	1,035	87	90	77	81	86	88	87	81	97	100	60	91
Nonwhite--	515	45	29	44	36	52	46	56	35	38	48	43	43
<b>MASSACHUSETTS</b>													
Under 1 year-----	2,490	211	196	212	192	204	235	209	156	195	216	232	232
White-----	2,343	197	183	209	182	194	219	199	144	165	198	217	216
Nonwhite--	147	14	13	3	10	10	16	10	12	10	18	15	16
Under 28 days-----	1,890	160	140	169	145	155	186	175	134	149	163	157	159
White-----	1,786	147	131	166	138	149	173	164	124	142	153	151	148
Nonwhite--	104	13	9	3	7	6	13	9	10	7	10	6	11
<b>MICHIGAN</b>													
Under 1 year-----	4,704	422	380	410	372	413	361	355	355	406	391	411	428
White-----	3,833	333	310	351	292	343	293	287	291	339	312	343	339
Nonwhite--	871	89	70	59	80	70	68	68	64	67	79	68	89
Under 28 days-----	3,581	297	277	294	279	310	283	276	304	322	309	312	318
White-----	2,936	240	228	256	220	254	226	228	248	270	252	265	248
Nonwhite--	645	57	49	38	59	56	57	48	55	52	57	47	70
<b>MINNESOTA</b>													
Under 1 year-----	1,890	159	159	141	154	171	165	165	163	149	160	141	163
White-----	1,853	156	156	134	153	166	161	162	161	148	158	137	161
Nonwhite--	37	3	3	7	1	5	4	3	2	1	2	4	2
Under 28 days-----	1,402	106	113	103	104	130	141	125	131	113	126	99	111
White-----	1,384	105	112	97	104	126	140	123	130	113	125	99	110
Nonwhite--	18	1	1	6	-	4	1	2	1	-	1	-	1
<b>MISSISSIPPI</b>													
Under 1 year-----	2,461	244	205	209	167	148	179	216	184	205	222	228	254
White-----	721	70	49	61	59	56	57	75	49	68	57	56	64
Nonwhite--	1,740	174	156	148	108	92	122	141	135	137	165	172	190
Under 28 days-----	1,489	120	95	133	113	106	126	155	138	147	124	126	116
White-----	552	47	33	50	40	49	47	58	42	61	45	40	40
Nonwhite--	947	73	62	83	73	57	79	97	96	86	79	86	76
<b>MISSOURI</b>													
Under 1 year-----	2,420	199	182	209	191	214	175	189	195	175	237	209	245
White-----	1,810	148	156	162	143	164	123	142	143	127	180	156	166
Nonwhite--	610	51	46	47	48	50	52	47	52	48	57	53	59
Under 28 days-----	1,765	133	111	138	144	166	143	154	158	141	167	143	167
White-----	1,357	103	88	109	107	129	102	115	118	104	131	114	137
Nonwhite--	408	30	23	29	37	37	41	39	40	37	36	29	30
<b>MONTANA</b>													
Under 1 year-----	436	40	36	26	38	26	38	46	36	35	44	29	42
White-----	392	39	31	23	36	26	36	38	33	29	39	27	35
Nonwhite--	44	1	5	3	2	-	2	8	3	6	5	2	7
Under 28 days-----	299	25	20	14	28	17	28	35	31	25	30	19	26
White-----	280	25	19	13	27	17	27	30	28	23	30	19	23
Nonwhite--	19	-	1	1	1	-	1	5	3	2	-	-	3
<b>NEBRASKA</b>													
Under 1 year-----	749	51	47	54	56	63	56	76	85	74	62	57	68
White-----	697	49	44	48	50	57	52	72	75	69	62	55	64
Nonwhite--	52	2	3	6	6	6	4	4	10	5	-	2	4
Under 28 days-----	593	36	38	48	42	47	45	64	70	59	57	40	47
White-----	556	35	36	43	40	43	42	61	63	55	57	38	43
Nonwhite--	37	1	2	5	2	4	3	3	7	4	-	2	4
<b>NEVADA</b>													
Under 1 year-----	219	13	12	20	12	14	20	14	18	14	29	21	32
White-----	187	12	11	18	9	10	19	11	17	9	28	17	26
Nonwhite--	32	1	1	2	3	4	1	3	1	5	1	4	6
Under 28 days-----	153	9	7	10	11	7	18	11	15	12	19	13	21
White-----	138	8	7	9	9	6	18	9	14	9	19	11	19
Nonwhite--	15	1	-	1	2	1	-	2	1	3	-	2	2
<b>NEW HAMPSHIRE</b>													
Under 1 year-----	327	27	26	28	32	26	20	31	28	25	29	20	35
White-----	326	27	26	28	32	26	20	30	28	25	29	20	35
Nonwhite--	1	-	-	-	-	-	-	1	-	-	-	-	-
Under 28 days-----	262	21	19	21	25	20	19	30	22	21	24	17	23
White-----	261	21	19	21	25	20	19	29	22	21	24	17	23
Nonwhite--	1	-	-	-	-	-	1	-	-	-	-	-	-

## SECTION 3 - MORTALITY

3-29

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW JERSEY</b>													
Under 1 year-----	3,251	284	271	246	269	247	276	262	280	273	269	259	315
White-----	2,516	218	209	198	202	196	205	201	218	204	217	201	249
Nonwhite--	735	66	62	50	67	51	71	61	62	69	52	58	66
Under 28 days-----	2,455	194	189	180	182	191	222	219	222	229	208	195	224
White-----	1,952	160	150	150	142	158	168	171	175	171	171	153	165
Nonwhite--	503	34	39	30	40	33	54	48	47	58	37	42	41
<b>NEW MEXICO</b>													
Under 1 year-----	1,019	91	101	106	69	81	89	80	63	66	108	87	78
White-----	846	77	82	84	53	69	71	71	54	51	91	77	66
Nonwhite--	173	14	19	22	16	12	18	9	9	15	17	10	12
Under 28 days-----	620	46	67	67	40	54	59	57	38	36	59	50	47
White-----	551	44	58	59	35	51	49	53	35	32	52	44	39
Nonwhite--	69	2	9	8	5	3	10	4	3	4	7	6	8
<b>NEW YORK</b>													
Under 1 year-----	6,873	757	687	748	708	758	657	719	702	672	782	719	764
White-----	6,735	596	506	566	558	601	497	547	563	515	621	560	605
Nonwhite--	1,938	161	181	182	150	157	160	172	139	157	161	159	159
Under 28 days-----	6,569	526	489	522	525	591	525	605	587	540	614	533	512
White-----	5,138	426	361	408	419	476	389	449	472	418	496	411	413
Nonwhite--	1,431	100	128	114	106	115	136	156	115	122	118	122	99
<b>NORTH CAROLINA</b>													
Under 1 year-----	3,484	309	305	297	250	242	237	282	280	241	294	347	390
White-----	1,677	141	140	144	131	120	131	140	151	113	134	171	161
Nonwhite--	1,807	168	165	153	119	122	106	142	139	128	160	176	229
Under 28 days-----	2,219	172	165	166	176	171	181	225	220	174	195	200	174
White-----	1,244	98	92	99	101	86	101	125	128	90	112	118	94
Nonwhite--	975	74	73	67	75	85	80	100	92	84	83	82	80
<b>NORTH DAKOTA</b>													
Under 1 year-----	415	35	27	34	28	45	35	34	33	36	36	34	40
White-----	386	31	24	29	28	43	35	33	32	33	33	33	34
Nonwhite--	27	2	3	5	-	2	-	1	1	3	3	1	6
Under 28 days-----	317	22	17	23	25	37	30	29	27	27	24	25	31
White-----	305	21	14	22	25	35	30	29	26	26	22	25	28
Nonwhite--	14	1	3	1	-	2	-	-	1	1	2	-	3
<b>OHIO</b>													
Under 1 year-----	5,547	444	451	502	449	479	403	473	459	422	479	451	535
White-----	4,593	359	365	409	373	392	330	398	387	350	392	375	463
Nonwhite--	954	85	86	93	76	87	73	75	72	72	87	76	72
Under 28 days-----	4,249	320	323	381	336	377	319	397	377	344	377	326	372
White-----	3,528	263	264	309	282	308	266	335	315	286	309	270	323
Nonwhite--	721	57	59	72	54	69	53	64	62	58	68	56	49
<b>OKLAHOMA</b>													
Under 1 year-----	1,288	122	98	97	100	131	101	114	97	96	114	103	125
White-----	995	90	71	70	81	97	83	90	78	78	89	77	91
Nonwhite--	303	32	27	27	19	34	18	24	19	18	25	26	34
Under 28 days-----	938	87	55	65	68	101	81	94	74	67	85	71	90
White-----	766	69	43	49	58	84	69	79	60	57	71	56	71
Nonwhite--	172	18	12	16	10	17	12	15	14	10	14	15	19
<b>OREGON</b>													
Under 1 year-----	891	78	75	68	63	74	78	71	62	84	71	72	95
White-----	852	75	69	62	61	71	76	71	59	82	67	67	92
Nonwhite--	39	3	6	6	2	3	2	-	3	2	4	5	3
Under 28 days-----	636	48	49	44	48	50	57	54	53	68	52	51	62
White-----	612	48	46	41	47	48	55	54	50	66	50	47	60
Nonwhite--	24	-	3	3	1	2	2	-	3	2	2	4	2
<b>PENNSYLVANIA</b>													
Under 1 year-----	5,922	494	460	453	527	493	504	512	476	478	507	479	539
White-----	4,888	419	382	384	429	412	399	423	385	399	402	388	456
Nonwhite--	1,034	75	78	69	98	81	105	89	81	79	105	91	83
Under 28 days-----	4,566	347	335	328	397	389	409	425	399	387	398	381	371
White-----	3,815	303	280	285	325	324	326	353	353	322	326	311	327
Nonwhite--	751	44	55	43	72	65	83	72	66	65	72	70	44
<b>RHODE ISLAND</b>													
Under 1 year-----	428	42	35	34	36	35	35	31	42	35	35	25	45
White-----	395	39	33	32	29	33	33	29	40	33	31	22	41
Nonwhite--	33	3	2	2	7	2	-	2	2	2	4	3	4
Under 28 days-----	299	34	23	23	27	24	22	18	29	30	26	16	27
White-----	275	31	21	22	21	22	22	17	27	29	24	14	25
Nonwhite--	24	3	2	1	6	2	-	1	2	1	2	2	2
<b>SOUTH CAROLINA</b>													
Under 1 year-----	2,051	211	175	200	141	144	130	167	144	150	173	189	227
White-----	828	75	57	70	52	69	58	87	68	70	64	73	85
Nonwhite--	1,223	136	118	130	89	75	72	80	76	80	109	116	142
Under 28 days-----	1,215	107	87	111	94	103	97	120	102	96	108	100	90
White-----	603	45	36	45	42	53	46	71	56	57	53	51	48
Nonwhite--	612	62	51	66	52	50	51	49	46	39	55	49	42
<b>SOUTH DAKOTA</b>													
Under 1 year-----	496	29	46	36	34	50	31	52	32	37	51	32	66
White-----	394	22	39	25	28	41	26	39	27	29	36	23	60
Nonwhite--	102	7	7	11	6	9	5	14	5	8	15	9	6
Under 28 days-----	345	20	36	21	27	35	24	38	26	29	30	17	42
White-----	302	17	31	18	23	33	20	29	24	24	28	15	40
Nonwhite--	43	3	5	3	4	2	4	9	2	5	2	2	2

## SECTION 3 - MORTALITY

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>TENNESSEE</b>													
Under 1 year-----	2,409	251	195	199	197	186	167	177	170	192	215	214	246
White-----	1,618	178	141	137	125	134	121	115	115	125	133	131	163
Nonwhite--	791	73	54	62	72	52	46	62	55	67	82	83	83
Under 28 days-----	1,656	154	125	123	142	141	129	139	127	143	155	125	153
White-----	1,185	114	100	87	98	104	98	94	90	98	102	86	114
Nonwhite--	471	40	25	36	44	37	31	45	37	45	53	39	39
<b>TEXAS</b>													
Under 1 year-----	7,200	633	559	577	500	572	568	637	608	564	642	649	691
White-----	5,581	481	420	447	381	452	458	507	480	451	480	494	520
Nonwhite--	1,619	152	139	130	119	120	110	130	128	113	152	155	171
Under 28 days-----	4,977	410	356	383	364	411	416	474	468	410	454	410	421
White-----	3,977	333	280	304	287	329	346	381	368	336	350	321	342
Nonwhite--	1,000	77	76	79	77	82	70	93	100	74	104	89	79
<b>UTAH</b>													
Under 1 year-----	515	59	36	36	43	46	59	44	37	35	37	53	30
White-----	485	58	31	32	37	44	57	42	37	34	35	50	28
Nonwhite--	30	1	5	4	6	2	2	2	-	1	2	3	2
Under 28 days-----	382	42	26	30	26	32	46	37	31	28	27	54	21
White-----	368	42	23	26	25	31	45	37	31	26	27	33	20
Nonwhite--	14	-	3	4	3	1	1	-	-	-	-	1	1
<b>VERMONT</b>													
Under 1 year-----	227	20	20	26	20	12	20	23	16	15	29	9	17
White-----	227	20	20	26	20	12	20	23	16	15	29	9	17
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days-----	176	13	16	18	13	10	16	18	14	13	24	6	12
White-----	176	13	16	18	13	10	16	18	14	13	24	6	12
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>VIRGINIA</b>													
Under 1 year-----	2,851	265	248	260	206	215	214	216	232	226	233	250	286
White-----	1,767	165	155	160	137	136	139	141	146	126	141	155	166
Nonwhite--	1,084	100	93	100	69	79	75	75	86	100	92	95	120
Under 28 days-----	2,008	165	161	168	145	172	171	166	180	170	159	172	180
White-----	1,335	114	104	116	106	112	111	111	118	106	106	117	114
Nonwhite--	673	51	57	52	39	60	60	55	62	64	52	55	66
<b>WASHINGTON</b>													
Under 1 year-----	1,529	154	116	136	140	145	140	115	112	103	115	118	135
White-----	1,398	142	109	128	125	127	130	105	101	94	110	112	115
Nonwhite--	131	12	7	8	15	18	10	10	11	9	5	6	20
Under 28 days-----	1,126	112	82	100	106	104	105	97	81	65	85	85	104
White-----	1,050	108	79	95	93	97	98	90	76	61	84	79	90
Nonwhite--	76	4	3	5	13	7	7	7	5	4	1	6	14
<b>WEST VIRGINIA</b>													
Under 1 year-----	1,005	95	85	86	86	72	66	91	93	80	81	84	96
White-----	933	93	72	79	82	63	60	87	78	75	75	80	89
Nonwhite--	72	2	13	7	4	9	6	4	5	5	6	4	7
Under 28 days-----	713	58	50	61	64	52	53	75	68	61	56	57	58
White-----	677	57	42	57	63	47	50	73	65	58	54	56	55
Nonwhite--	36	1	8	4	1	5	3	2	3	3	2	1	3
<b>WISCONSIN</b>													
Under 1 year-----	2,170	194	150	183	167	178	192	175	166	162	191	193	219
White-----	2,030	183	142	168	153	163	176	161	155	154	185	184	206
Nonwhite--	140	11	8	15	14	15	16	14	11	8	6	9	13
Under 28 days-----	1,647	151	100	130	120	141	148	148	133	123	152	154	147
White-----	1,559	143	95	122	114	131	139	137	125	118	147	148	140
Nonwhite--	88	8	5	8	6	10	9	11	8	5	5	6	7
<b>WYOMING</b>													
Under 1 year-----	240	13	27	18	23	26	25	15	20	17	21	21	14
White-----	226	11	25	16	22	22	25	14	19	17	21	20	14
Nonwhite--	14	2	2	2	1	4	-	1	1	-	-	1	-
Under 28 days-----	183	9	17	10	19	23	19	14	15	14	15	17	11
White-----	173	8	16	9	18	20	19	13	14	14	15	16	11
Nonwhite--	10	1	1	1	1	3	-	1	1	-	-	1	-



SECTION 3 - MORTALITY

Table 3-3. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS-ALL CAUSES-----	79,733	6,422	5,908	6,280	6,252	6,803	6,808	7,111	7,032	6,771	7,105	6,489	6,752
Dysentery, all forms-----045-048	8	-	1	-	-	-	1	2	1	-	-	3	-
Septicemia and pyemia-----053	4	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough-----056	4	-	1	-	2	1	-	-	-	-	-	-	-
Meningococcal infections-----057	15	2	-	2	1	1	-	-	2	-	3	1	1
Tetanus-----061	67	9	8	3	2	6	9	6	3	7	7	3	4
Other infective and parasitic diseases-----001-044,049-052,054,055,058-060,062-138	102	8	10	7	7	7	8	12	5	10	8	14	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	41	3	5	-	3	4	6	4	5	1	3	4	3
Benign neoplasms and neoplasms of unspecified nature-----210-239	56	3	4	5	4	5	5	7	6	3	3	6	5
Diseases of thymus gland-----273	26	2	5	3	1	1	4	2	1	2	2	1	2
Meningitis, except meningococcal and tuberculous-----340	214	20	14	17	18	14	18	15	19	21	25	19	14
Other diseases of nervous system and sense organs-----330-334,341-398	172	9	23	7	18	16	19	16	11	12	13	16	12
Acute upper respiratory infections-----470-475	60	8	7	8	5	5	1	4	1	5	6	4	6
Influenza and pneumonia, except pneumonia of newborn-----480-493	53	10	15	7	3	2	-	1	1	2	5	3	4
Influenza-----480-483	53	10	15	7	3	2	-	1	1	2	5	3	4
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	51	3	3	3	4	1	7	5	3	4	4	12	2
Other diseases of respiratory system-----510-522,525-527	201	17	15	18	16	21	18	19	12	21	14	13	17
Pulmonary congestion and hypostasis-----522	56	2	-	9	3	7	6	9	3	4	5	4	4
Other chronic interstitial pneumonia-----525	12	2	3	-	-	1	1	-	1	1	1	1	1
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	43	2	3	5	5	7	3	-	4	7	1	2	4
All other diseases of respiratory system-----510-521,527.1	90	11	9	4	9	6	8	10	4	9	7	6	8
Hernia and intestinal obstruction-----560,561,570	669	44	62	49	49	61	50	60	66	63	67	50	48
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	6	-	-	1	-	1	1	-	1	1	1	-	-
Other diseases of digestive system-----530-542,544-553,573-587	323	31	34	18	18	18	22	35	30	27	29	34	32
Congenital malformations-----750-759	9,981	862	710	831	765	765	790	836	939	943	884	813	855
Spina bifida and meningocele-----751	581	42	36	45	46	43	43	52	50	51	57	56	60
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	867	76	62	62	65	79	73	75	74	81	69	84	67
Congenital malformations of circulatory system-----754	4,460	395	328	403	329	316	335	391	424	428	406	341	364
Other congenital malformations-----750,755-759	4,073	349	284	321	325	325	329	318	391	363	352	332	364
Certain diseases of early infancy-----760-776	65,486	5,167	4,789	5,104	5,198	5,740	5,704	5,894	5,738	5,482	5,630	5,317	5,533
Birth injuries-----760,761	10,146	789	749	823	798	869	673	875	880	871	881	871	867
Without mention of immaturity (.0)-----	3,993	273	295	354	308	335	312	342	374	340	362	371	347
With immaturity (.5)-----	6,153	516	454	469	490	534	561	533	506	531	529	500	520
Intracranial and spinal injury at birth-----760	3,175	246	238	271	245	256	261	271	280	289	293	278	246
Without mention of immaturity (.0)-----	1,857	136	129	169	146	156	132	153	173	163	179	167	152
With immaturity (.5)-----	1,318	112	109	102	97	100	129	118	107	125	114	111	94
Other birth injury-----761	6,971	541	511	552	543	613	612	604	600	583	598	593	621
Without mention of immaturity (.0)-----	2,136	137	166	165	160	179	180	189	201	177	183	204	195
With immaturity (.5)-----	4,835	404	345	387	383	434	432	415	399	406	415	389	426
Postnatal asphyxia and atelectasis-----762	19,248	1,463	1,448	1,432	1,562	1,714	1,626	1,701	1,738	1,604	1,781	1,534	1,665
Without mention of immaturity (.0)-----	5,025	394	417	404	374	387	390	439	459	448	454	416	443
With immaturity (.5)-----	14,223	1,069	1,031	1,028	1,188	1,327	1,236	1,262	1,279	1,156	1,307	1,118	1,222
Pneumonia of newborn-----763	3,844	323	317	317	248	246	270	262	311	292	295	322	341
Without mention of immaturity (.0)-----	2,563	241	234	231	174	176	181	182	203	216	223	235	267
With immaturity (.5)-----	981	82	83	86	74	70	89	80	108	76	72	87	74
Diarrhea of newborn-----764	460	38	21	24	18	20	32	32	47	73	71	50	34
Without mention of immaturity (.0)-----	360	28	19	21	16	17	24	22	32	53	56	43	29
With immaturity (.5)-----	100	10	2	3	2	3	8	10	15	20	15	7	5
Other infections of newborn-----765-768	768	64	47	63	47	61	67	79	74	85	74	56	51
Without mention of immaturity (.0)-----	496	39	28	42	37	39	41	45	50	64	44	33	34
With immaturity (.5)-----	272	25	19	21	10	22	26	34	24	21	30	23	17
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	988	107	91	67	86	88	71	79	66	86	92	80	73
Without mention of immaturity (.0-.4)-----	345	40	24	18	19	27	27	33	25	34	34	33	31
With immaturity (.5-.9)-----	643	67	67	49	69	61	44	46	41	52	58	47	42
Hemolytic disease of newborn (erythroblastosis)-----770	2,124	182	152	183	159	160	179	181	172	187	193	199	167
Without mention of immaturity (.0-.2)-----	1,686	147	124	149	119	114	142	157	134	150	161	158	131
With immaturity (.5-.7)-----	438	35	28	34	40	46	37	34	38	37	32	41	36
Hemorrhagic disease of newborn-----771	614	40	49	58	39	42	49	60	63	50	61	44	59
Without mention of immaturity (.0)-----	389	25	33	41	23	24	33	42	41	30	38	27	32
With immaturity (.5)-----	225	15	16	17	16	18	16	18	22	20	23	17	27
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	7,233	557	516	561	573	641	627	711	638	584	593	578	654
Without mention of immaturity (.0)-----	1,650	137	128	133	118	135	134	141	135	131	142	137	179
With immaturity (.5)-----	5,583	420	388	428	455	506	493	570	503	453	451	441	475
Immaturity with mention of any other subsidiary condition-----774	1,036	103	77	88	73	85	101	85	95	76	78	83	102
Immaturity, unqualified-----776	19,325	1,501	1,322	1,508	1,593	1,814	1,909	1,819	1,654	1,574	1,721	1,490	1,520
Symptoms and ill-defined conditions-----780-793,795	1,036	107	98	87	63	61	79	93	86	84	91	81	106
All other diseases-----Residual	432	42	34	42	32	25	33	38	38	36	37	38	37
Accidents-----E800-E962	598	61	59	59	43	40	37	48	54	37	62	47	51
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	294	30	22	26	23	19	21	27	27	18	31	24	26
Accidental mechanical suffocation in bed and cradle-----E924	150	19	18	17	9	9	4	4	10	7	10	15	8
Other accidental causes-----E800-E920,E923,E925-E962	174	12	19	16	11	12	12	17	17	12	21	8	17
Homicide-----E964,E980-E984	129	14	11	9	10	10	6	14	10	10	11	10	14



SECTION 3 - MORTALITY

Table 3-3. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS TO 11 MONTHS--ALL CAUSES-----	31,140	3,443	3,051	2,976	2,397	2,254	1,962	1,911	1,814	2,048	2,573	2,940	3,791
Dysentery, all forms-----045-048	132	12	10	7	4	4	11	9	17	16	18	15	9
Septicemia and pyemia-----053	408	40	44	33	23	24	42	26	21	34	33	29	59
Whooping cough-----056	69	6	5	7	4	10	3	6	6	5	11	4	4
Meningococcal infections-----057	163	27	19	17	15	13	10	6	10	10	22	14	20
Tetanus-----061	2	-	-	-	-	-	-	-	-	-	-	-	1
Other infective and parasitic diseases-----001-044, 049-052, 054, 055, 058-060, 062-138	455	44	41	52	49	50	33	29	25	24	35	28	45
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	257	20	36	15	21	23	19	20	11	16	27	24	25
Benign neoplasms and neoplasms of unspecified nature-----210-239	82	8	6	8	7	7	6	9	4	6	4	12	5
Diseases of thymus gland-----273	89	8	14	6	9	12	10	3	2	3	3	6	8
Meningitis, except meningococcal and tuberculous-----340	658	76	58	61	65	44	44	34	25	35	56	63	97
Other diseases of nervous system and sense organs-----330-334, 341, 398	778	88	68	54	60	58	62	56	68	46	65	83	72
Acute upper respiratory infections-----470-475	357	42	47	38	31	25	15	15	11	16	25	46	46
Influenza and pneumonia, except pneumonia of newborn-----480-483	9,775	1,237	1,204	1,157	777	672	488	441	385	452	737	854	1,371
Influenza-----480-483	485	90	145	102	25	17	5	4	7	7	20	16	47
Pneumonia, except pneumonia of newborn-----490-493	9,290	1,147	1,059	1,055	752	655	483	437	378	445	717	838	1,324
Bronchitis-----500-502	605	70	70	83	50	41	33	27	30	27	36	75	83
Other diseases of respiratory system-----510-522, 525-527	1,338	170	129	132	97	81	76	87	56	119	94	122	165
Pulmonary congestion and hypostasis-----522	128	10	12	6	12	8	10	9	9	14	8	17	13
Other chronic interstitial pneumonia-----523	921	110	94	94	69	64	56	63	37	65	58	60	111
Bronchiectasis-----526	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527, 2	193	29	17	22	14	8	8	6	10	19	15	31	31
All other diseases of respiratory system-----510-521, 527, 1	95	21	6	9	2	5	2	7	4	10	9	10	10
Hernia and intestinal obstruction-----560, 561, 570	253	22	24	19	23	16	15	15	21	16	27	21	34
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543, 571, 572	2,616	281	181	174	141	142	157	199	215	245	297	313	281
Other diseases of digestive system-----530-542, 544-553, 573-587	348	24	31	22	23	29	28	30	33	36	25	33	34
Congenital malformations-----750-759	5,408	517	472	461	452	416	418	388	377	430	437	485	555
Spina bifida and meningocele-----751	515	51	48	40	44	49	36	38	33	53	32	54	37
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752, 753	778	71	68	73	54	52	53	63	69	59	72	70	74
Congenital malformations of circulatory system-----754	3,129	305	264	265	276	227	253	218	210	255	253	271	332
Other congenital malformations-----750, 755-759	986	90	92	83	78	88	76	69	65	63	80	90	112
Certain diseases of early infancy-----760-776	1,588	171	134	125	95	108	104	107	118	127	157	149	193
Birth injuries-----760, 761	12	-	2	2	1	1	1	1	1	-	2	-	1
Without mention of immaturity (.0)-----	8	-	2	2	-	1	1	1	1	-	-	-	-
With immaturity (.5)-----	4	-	-	-	1	-	-	-	-	-	2	-	1
Intracranial and spinal injury at birth-----760	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)-----	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)-----	...	...	...	...	...	...	...	...	...	...	...	...	...
Other birth injury-----761	12	-	2	2	1	1	1	1	1	-	2	-	1
Without mention of immaturity (.0)-----	8	-	2	2	1	1	1	1	1	-	-	-	-
With immaturity (.5)-----	4	-	-	-	1	-	-	-	-	-	2	-	1
Postnatal asphyxia and atelectasis-----762	291	25	29	28	24	32	20	16	22	10	22	23	40
Without mention of immaturity (.0)-----	230	20	22	23	19	28	13	10	16	8	17	21	33
With immaturity (.5)-----	61	5	7	5	5	4	7	6	6	2	5	2	7
Pneumonia of newborn-----763	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)-----	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)-----	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn-----764	3	1	-	-	1	-	-	-	-	-	-	-	1
Without mention of immaturity (.0)-----	2	-	-	-	1	-	-	-	-	-	-	-	1
With immaturity (.5)-----	1	1	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn-----765-768	11	2	1	-	2	-	1	1	1	-	1	1	1
Without mention of immaturity (.0)-----	10	2	1	-	2	-	1	1	1	-	1	1	1
With immaturity (.5)-----	1	-	-	-	-	-	-	-	-	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	13	1	2	1	-	2	-	-	2	2	1	1	1
Without mention of immaturity (.0-.4)-----	9	-	2	1	-	1	-	-	-	2	1	1	1
With immaturity (.5-.9)-----	4	1	-	-	-	1	-	-	2	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)-----770	21	3	2	-	1	-	1	3	1	3	2	-	5
Without mention of immaturity (.0-.2)-----	16	3	1	-	1	-	1	1	1	2	2	-	4
With immaturity (.5-.7)-----	5	-	1	-	-	-	-	2	-	1	-	-	1
Hemorrhagic disease of newborn-----771	6	-	1	-	1	-	1	2	-	-	-	1	-
Without mention of immaturity (.0)-----	4	-	1	-	-	-	-	2	-	-	-	1	-
With immaturity (.5)-----	2	-	-	-	1	-	1	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772, 773	824	98	68	60	38	44	44	59	61	76	90	87	99
Without mention of immaturity (.0)-----	703	89	56	54	30	35	37	51	53	62	76	70	90
With immaturity (.5)-----	121	9	12	6	8	9	7	8	8	14	14	17	9
Immaturity with mention of any other subsidiary condition-----774	274	33	19	19	23	18	24	18	18	20	28	20	34
Immaturity, unqualified-----776	133	8	10	15	4	11	12	7	12	16	11	16	11
Symptoms and ill-defined conditions-----780-793, 795	1,482	168	132	150	108	102	84	88	73	72	124	162	219
All other diseases-----Residual	954	93	73	80	92	86	67	66	65	70	86	84	92
Accidents-----E800-E962	3,233	311	249	294	244	255	232	242	233	236	257	312	366
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	910	96	74	90	71	70	71	63	56	69	66	76	108
Accidental mechanical suffocation in bed and cradle-----E924	888	94	65	87	85	69	69	54	62	51	63	77	112
Other accidental causes-----E800, E920, E923, E925, E962	1,435	121	110	117	88	116	92	125	115	116	128	159	148
Homicide-----E964, E980, E984	70	10	4	1	7	6	5	3	8	9	7	5	5

## SECTION 3 - MORTALITY

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 1 YEAR--ALL CAUSES-----	110,873	69,632	41,241	67,942	52,930	15,012	42,931	16,702	26,229
Dysentery, all forms-----045-049	140	51	89	32	21	11	108	30	78
Septicemia and pyemia-----053	408	222	186	209	160	49	199	62	137
Whooping cough-----056	73	32	41	14	12	2	59	20	39
Meningococcal infections-----057	196	103	93	110	76	34	86	27	59
Tetanus-----061	69	33	36	16	10	6	53	23	30
Other infective and parasitic dis.----001-044,049-052,054,055,058-060,062-138	557	289	268	255	194	61	302	95	207
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	298	184	114	160	136	44	118	48	70
Benign neoplasms and neoplasms of unspecified nature-----210-239	138	94	44	64	73	11	54	21	33
Diseases of thymus gland-----273	115	58	57	52	34	18	63	24	39
Meningitis, except meningococcal and tuberculous-----340	872	529	343	543	407	136	329	122	207
Other diseases of nervous system and sense organs-----330-334,341-398	950	589	361	568	448	120	382	141	241
Acute upper respiratory infections-----470-475	417	242	175	233	160	53	184	62	122
Influenza and pneumonia, except pneumonia of newborn-----480-493	9,828	5,636	4,192	5,513	4,299	1,214	4,315	1,337	2,978
Influenza-----480-483	538	176	362	139	81	58	399	95	304
Pneumonia, except pneumonia of newborn-----490-493	9,290	5,460	3,830	5,374	4,218	1,156	3,916	1,242	2,674
Bronchitis-----500-502	656	383	273	385	293	92	271	90	181
Other diseases of respiratory system-----510-522,525-527	1,539	971	568	1,139	831	308	400	140	260
Pulmonary congestion and hypostasis-----522	164	131	33	143	118	25	41	13	28
Other chronic interstitial pneumonia-----525	933	595	338	741	526	213	192	67	125
Bronchiectasis-----526	1	-	-	-	-	-	1	-	1
Other diseases of lung and pleural cavity-----527.2	236	125	111	119	85	34	117	40	77
All other diseases of respiratory system-----510-521,527.1	185	120	65	136	100	36	49	20	29
Hernia and intestinal obstruction-----560,561,570	922	599	323	610	458	152	312	141	171
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,622	1,340	1,282	1,110	833	277	1,512	507	1,005
Other diseases of digestive system-----530-542,544-553,573-587	676	407	269	376	269	87	300	118	182
Congenital malformations-----750-759	15,389	9,663	5,726	9,718	7,400	2,318	5,671	2,263	3,408
Spina bifida and meningocele-----751	1,096	665	431	667	500	167	429	165	264
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,645	1,020	625	971	748	223	674	272	402
Congenital malformations of circulatory system-----754	7,589	4,764	2,825	4,852	3,684	1,168	2,737	1,060	1,657
Other congenital malformations-----750,755-759	5,359	3,214	1,845	3,228	2,468	760	1,831	746	1,085
Certain diseases of early infancy-----760-776	67,074	44,104	22,970	42,989	33,953	9,036	24,385	10,151	13,934
Birth injuries-----760,761	10,158	6,482	3,676	6,358	4,684	1,474	3,800	1,598	2,202
Without mention of immaturity (.0)-----	4,001	2,473	1,528	2,373	1,615	558	1,628	658	970
With immaturity (.5)-----	6,157	4,009	2,148	3,985	3,069	916	2,172	940	1,232
Intracranial and spinal injury at birth-----760	3,175	2,048	1,127	2,076	1,627	449	1,099	421	678
Without mention of immaturity (.0)-----	1,857	1,167	690	1,134	884	250	723	283	440
With immaturity (.5)-----	1,318	881	437	942	743	199	376	138	238
Other birth injury-----761	6,983	4,434	2,549	4,282	3,257	1,025	2,701	1,177	1,524
Without mention of immaturity (.0)-----	2,144	1,306	838	1,239	931	308	905	375	530
With immaturity (.5)-----	4,839	3,128	1,711	3,043	2,326	717	1,796	802	994
Postnatal asphyxia and atelectasis-----762	19,539	13,515	6,024	13,541	10,874	2,667	5,998	2,641	3,357
Without mention of immaturity (.0)-----	5,355	3,409	1,846	3,278	2,583	695	1,977	826	1,151
With immaturity (.5)-----	14,284	10,106	4,178	10,263	8,291	1,972	4,021	1,815	2,206
Pneumonia of newborn-----763	3,544	2,160	1,384	2,153	1,667	486	1,391	493	686
Without mention of immaturity (.0)-----	2,563	1,526	1,037	1,548	1,201	347	1,025	325	690
With immaturity (.5)-----	981	634	347	605	466	139	376	168	208
Diarrhea of newborn-----764	463	225	238	198	141	57	265	84	181
Without mention of immaturity (.0)-----	362	176	186	156	112	44	206	64	142
With immaturity (.5)-----	101	49	52	42	29	13	59	20	39
Other infections of newborn-----765-768	779	487	292	469	373	116	290	114	176
Without mention of immaturity (.0)-----	506	311	195	301	233	68	205	78	127
With immaturity (.5)-----	273	176	97	188	140	46	85	36	49
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	1,001	608	393	550	431	119	451	177	274
Without mention of immaturity (.0-.4)-----	354	212	142	199	152	47	155	60	95
With immaturity (.5-.9)-----	647	396	251	351	279	72	296	117	179
Hemolytic disease of newborn (erythroblastosis)-----770	2,145	1,352	793	1,394	1,042	352	751	310	441
Without mention of immaturity (.0-.2)-----	1,702	1,064	638	1,091	812	279	611	252	359
With immaturity (.5-.7)-----	443	288	155	303	230	73	140	58	82
Hemorrhagic disease of newborn-----771	620	406	212	383	304	79	237	104	133
Without mention of immaturity (.0)-----	393	256	137	236	197	49	157	69	88
With immaturity (.5)-----	227	152	75	147	117	30	80	35	45
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	8,057	5,097	2,960	4,860	3,835	1,025	3,197	1,262	1,935
Without mention of immaturity (.0)-----	1,314	1,314	1,039	1,167	891	286	1,186	433	753
With immaturity (.5)-----	5,704	3,783	1,921	3,693	2,954	739	2,011	829	1,182
Immaturity with mention of any other subsidiary condition-----774	1,310	860	450	665	465	160	485	195	290
Immaturity, unqualified-----776	19,458	12,910	6,548	12,238	9,737	2,501	7,220	3,173	4,047
Symptoms and ill-defined conditions-----780-793,795	2,518	1,344	1,474	898	644	254	1,620	400	1,220
All other diseases-----Residual	1,386	830	556	833	636	197	553	194	359
Accidents-----E800-E962	3,831	2,080	1,751	1,917	1,411	506	1,914	669	1,245
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1,204	668	536	609	445	164	595	223	372
Accidental mechanical suffocation in bed and cradle-----E924	1,018	532	486	468	346	122	550	186	364
Other accidental causes-----E900-E920,E923,E925-E962	1,609	880	729	840	620	220	769	260	509
Homicide-----E964,E980-E984	199	149	50	158	132	26	41	17	24

SECTION 3 - MORTALITY

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 1 YEAR—ALL CAUSES-----	82,479	51,004	31,475	50,959	38,085	12,876	31,520	12,921	18,599
Dysentery, all forms-----045-048	60	28	32	16	11	5	44	17	27
Septicemia and pyemia-----053	289	154	135	151	111	40	138	43	95
Whooping cough-----056	24	8	16	6	4	2	18	4	14
Meningococcal infections-----057	161	65	96	90	61	29	71	24	47
Tetanus-----061	20	12	8	6	4	2	14	8	6
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	374	194	180	183	132	51	191	62	129
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	258	154	104	154	113	41	104	41	63
Benign neoplasms and neoplasms of unspecified nature-----210-239	119	82	37	74	63	11	45	19	26
Diseases of thymus gland-----273	97	48	49	46	28	18	51	20	31
Meningitis, except meningococcal and tuberculous-----340	570	355	215	378	272	106	192	83	109
Other diseases of nervous system and sense organs-----330-334,341-398	725	447	278	437	334	103	288	113	175
Acute upper respiratory infections-----470-475	273	164	109	172	126	46	101	58	63
Influenza and pneumonia, except pneumonia of newborn-----480-493	5,835	3,355	2,480	3,442	2,580	892	2,393	805	1,588
Influenza-----480-483	252	91	161	75	44	31	177	47	130
Pneumonia, except pneumonia of newborn-----490-493	5,583	3,264	2,319	3,367	2,506	861	2,216	758	1,458
Bronchitis-----500-502	513	294	219	305	218	85	210	76	134
Other diseases of respiratory system-----510-522,525-527	1,101	664	437	802	554	248	299	110	169
Pulmonary congestion and hypostasis-----522	149	100	48	109	87	22	39	13	26
Other chronic interstitial pneumonia-----525	645	377	268	496	325	171	149	52	97
Bronchiectasis-----526	1	-	1	-	-	-	1	-	1
Other diseases of lung and pleural cavity-----527.2	162	93	69	90	66	24	72	27	45
All other diseases of respiratory system-----510-521,527.1	145	94	51	107	76	31	38	18	20
Hernia and intestinal obstruction-----560,561,570	771	489	282	516	378	138	255	111	144
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,270	705	565	595	436	159	675	269	406
Other diseases of digestive system-----530-542,544-553,573-587	512	301	211	278	203	75	234	98	136
Congenital malformations-----750-759	13,426	8,270	5,156	8,390	6,225	2,165	5,036	2,045	2,991
Spina bifida and meningocele-----751	1,031	621	410	632	468	164	399	164	246
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,423	867	556	840	629	211	583	238	345
Congenital malformations of circulatory system-----754	6,589	4,036	2,553	4,126	3,049	1,077	2,463	987	1,476
Other congenital malformations-----750,755-759	4,383	2,746	1,637	2,792	2,079	713	1,591	667	924
Certain diseases of early infancy-----760-776	51,260	32,589	18,671	32,312	24,413	7,899	18,948	8,176	10,772
Birth injuries-----760,761	8,379	5,216	3,163	5,178	3,842	1,336	3,201	1,374	1,827
Without mention of immaturity (.0)-----	3,146	1,897	1,259	1,851	1,355	496	1,295	532	763
With immaturity (.5)-----	5,233	3,329	1,904	3,327	2,487	840	1,906	842	1,064
Intracranial and spinal injury at birth-----760	2,457	1,523	934	1,575	1,176	399	882	347	535
Without mention of immaturity (.0)-----	1,466	900	566	894	670	224	572	230	342
With immaturity (.5)-----	991	623	368	681	506	175	310	117	193
Other birth injury-----761	5,922	3,693	2,229	3,603	2,666	937	2,319	1,027	1,292
Without mention of immaturity (.0)-----	1,680	987	693	957	685	272	723	302	421
With immaturity (.5)-----	4,242	2,706	1,536	2,646	1,981	665	1,596	725	871
Postnatal asphyxia and atelectasis-----762	15,209	10,018	5,191	10,234	7,841	2,393	4,975	2,177	2,798
Without mention of immaturity (.0)-----	4,153	2,616	1,537	2,573	1,937	611	1,580	654	926
With immaturity (.5)-----	11,056	7,402	3,654	7,661	5,879	1,782	3,395	1,523	1,872
Pneumonia of newborn-----763	2,372	1,412	960	1,458	1,068	390	782	344	570
Without mention of immaturity (.0)-----	1,687	986	701	1,036	758	278	651	228	423
With immaturity (.5)-----	685	426	259	422	310	112	263	116	147
Diarrhea of newborn-----764	217	119	98	118	81	37	99	38	61
Without mention of immaturity (.0)-----	165	97	68	97	67	30	68	30	38
With immaturity (.5)-----	52	22	30	21	14	7	31	8	23
Other infections of newborn-----765-768	535	326	209	332	236	96	203	90	113
Without mention of immaturity (.0)-----	353	222	131	216	161	55	137	61	76
With immaturity (.5)-----	182	104	78	116	75	41	66	29	37
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	779	477	302	437	332	105	342	145	197
Without mention of immaturity (.0-.4)-----	260	157	103	151	107	44	109	50	59
With immaturity (.5-.9)-----	519	320	199	286	225	61	233	95	138
Hemolytic disease of newborn (erythroblastosis)-----770	1,994	1,246	748	1,289	951	338	705	285	410
Without mention of immaturity (.0-.2)-----	1,679	979	600	1,008	741	267	571	238	333
With immaturity (.5-.7)-----	415	267	148	281	210	71	134	57	77
Hemorrhagic disease of newborn-----771	438	283	155	275	209	66	163	74	89
Without mention of immaturity (.0)-----	270	175	95	165	127	38	105	48	57
With immaturity (.5)-----	168	108	60	110	82	28	58	26	32
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	6,008	3,683	2,325	3,535	2,673	862	2,473	1,010	1,463
Without mention of immaturity (.0)-----	1,621	918	703	829	608	221	792	310	482
With immaturity (.5)-----	4,387	2,765	1,622	2,706	2,065	641	1,681	700	981
Immaturity with mention of any other subsidiary condition-----774	930	590	340	575	442	133	355	148	207
Immaturity, unqualified-----776	14,399	9,219	5,180	8,881	6,738	2,143	5,518	2,481	3,037
Symptoms and ill-defined conditions-----780-795,795	972	491	481	476	333	143	496	158	338
All other diseases-----Residual	1,049	614	435	648	475	173	401	139	262
Accidents-----E900-E962	2,672	1,411	1,261	1,386	962	424	1,286	449	837
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	902	493	409	462	325	137	440	168	272
Accidental mechanical suffocation in bed and cradle-----E924	683	343	340	333	224	109	350	119	231
Other accidental causes-----E900-E920,E923,E925-E962	1,087	575	512	591	415	178	496	162	334
Homicide-----E964,E960-E984	128	90	38	98	77	21	30	13	17

SECTION 3 - MORTALITY

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 1 YEAR—ALL CAUSES-----	28,394	16,628	9,766	16,983	14,847	2,136	11,411	3,781	7,630
Dysentery, all forms-----045-048	80	23	57	16	10	6	64	13	51
Septicemia and pyemia-----053	119	68	51	58	49	9	61	19	42
Whooping cough-----056	49	24	25	8	8	-	41	16	25
Meningococcal infections-----057	35	18	17	20	15	5	15	3	12
Tetanus-----061	49	21	28	10	6	4	39	15	24
Other infective and parasitic dis.----001-044,049-052,054,055,058-060,062-138	183	95	88	72	62	10	111	33	78
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	40	30	10	26	23	3	14	7	7
Benign neoplasms and neoplasms of unspecified nature-----210-239	19	12	7	10	10	-	9	2	7
Diseases of thymus gland-----273	18	10	8	6	6	-	12	4	8
Meningitis, except meningococcal and tuberculous-----340	302	174	128	165	135	30	137	39	98
Other diseases of nervous system and sense organs-----330-334,341-398	225	142	83	131	114	17	94	28	66
Acute upper respiratory infections-----470-475	144	78	66	61	54	7	83	24	59
Influenza and pneumonia, except pneumonia of newborn-----480-493	3,993	2,281	1,712	2,071	1,749	322	1,922	532	1,390
Influenza-----480-483	266	85	201	64	37	27	222	48	174
Pneumonia, except pneumonia of newborn-----490-493	3,707	2,196	1,511	2,007	1,712	295	1,700	484	1,216
Bronchitis-----500-502	143	89	54	82	75	7	61	14	47
Other diseases of respiratory system-----510-522,525-527	438	307	131	337	277	60	101	30	71
Pulmonary congestion and hypostasis-----522	36	31	5	34	31	3	2	-	2
Other chronic interstitial pneumonia-----525	288	218	70	245	203	42	43	15	28
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	74	32	42	29	19	10	45	13	32
All other diseases of respiratory system-----510-521,527.1	40	26	14	29	24	5	11	2	9
Hernia and intestinal obstruction-----560,561,570	151	110	41	94	80	14	57	30	27
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,352	835	517	515	397	118	837	138	599
Other diseases of digestive system-----530-542,544-553,573-587	164	106	58	98	86	12	66	20	46
Congenital malformations-----750-759	1,963	1,393	570	1,328	1,175	153	635	218	417
Spina bifida and meningocele-----751	65	44	21	35	32	3	30	12	18
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	220	153	69	131	119	12	91	34	57
Congenital malformations of circulatory system-----754	1,000	728	272	726	635	91	274	93	181
Other congenital malformations-----750,755-759	678	468	208	450	389	61	240	79	161
Certain diseases of early infancy-----760-776	15,614	11,515	4,299	10,677	9,540	1,137	5,137	1,975	3,162
Birth injuries-----780,761	1,779	1,260	513	1,180	1,042	138	599	224	375
Without mention of immaturity (.0)-----	855	586	269	522	460	62	333	126	207
With immaturity (.5)-----	924	680	244	658	582	76	266	98	168
Intracranial and spinal injury at birth-----760	718	525	193	501	451	50	217	74	143
Without mention of immaturity (.0)-----	391	267	124	240	214	26	151	53	98
With immaturity (.5)-----	327	258	69	261	237	24	66	21	45
Other birth injury-----761	1,061	741	320	679	591	88	382	150	232
Without mention of immaturity (.0)-----	464	319	145	282	246	36	182	73	109
With immaturity (.5)-----	597	422	175	397	345	52	200	77	123
Postnatal asphyxia and atelectasis-----762	4,330	3,497	833	3,307	3,033	274	1,013	404	559
Without mention of immaturity (.0)-----	1,102	793	309	705	621	84	397	171	225
With immaturity (.5)-----	3,228	2,704	524	2,602	2,412	190	626	232	334
Pneumonia of newborn-----763	1,172	748	424	695	599	96	477	149	328
Without mention of immaturity (.0)-----	876	540	336	512	443	69	364	97	267
With immaturity (.5)-----	296	208	88	183	156	27	113	52	61
Diarrhea of newborn-----764	246	106	140	80	60	20	166	46	120
Without mention of immaturity (.0)-----	197	79	118	59	45	14	138	34	104
With immaturity (.5)-----	49	27	22	21	15	6	28	12	16
Other infections of newborn-----765-768	244	161	83	157	137	20	87	24	63
Without mention of immaturity (.0)-----	153	89	64	85	72	13	68	17	51
With immaturity (.5)-----	91	72	19	72	65	7	19	7	12
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	221	131	91	113	99	14	109	32	77
Without mention of immaturity (.0-.4)-----	94	55	39	48	45	3	46	10	36
With immaturity (.5-.9)-----	128	76	52	65	54	11	63	22	41
Hemolytic disease of newborn (erythroblastosis)-----770	151	108	43	105	91	14	46	15	31
Without mention of immaturity (.0-.2)-----	123	85	38	83	71	12	40	14	26
With immaturity (.3-.7)-----	28	23	7	22	20	2	8	1	5
Hemorrhagic disease of newborn-----771	182	125	57	108	95	13	74	30	44
Without mention of immaturity (.0)-----	125	81	44	71	60	11	52	21	31
With immaturity (.5)-----	59	44	15	37	35	2	22	9	13
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,049	1,414	635	1,525	1,162	363	724	252	472
Without mention of immaturity (.0)-----	732	396	336	338	273	65	394	123	271
With immaturity (.5)-----	1,317	1,018	299	1,187	889	298	330	129	201
Immaturity with mention of any other subsidiary condition-----774	380	270	110	250	223	27	150	47	83
Immaturity, unqualified-----776	5,069	3,601	1,568	3,357	2,999	358	1,702	692	1,010
Symptoms and ill-defined conditions-----780-793,795	1,346	553	993	422	311	111	1,124	242	882
All other diseases-----Residual	357	216	141	185	161	24	153	55	97
Accidents-----E800-E962	1,159	689	490	531	449	82	628	200	408
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	307	175	137	147	120	27	155	56	100
Accidental mechanical suffocation in bed and cradle-----E924	335	189	146	155	127	28	200	67	133
Other accidental causes-----E800-E920,E923,E925-E962	517	305	217	249	207	42	273	98	175
Homicide-----E964,E980-E984	71	46	12	60	55	5	11	4	7

SECTION 3 - MORTALITY

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 28 DAYS—ALL CAUSES.....	79,733	51,822	27,911	50,674	39,730	10,944	29,059	12,092	16,967
Dysentery, all forms.....045-048	8	2	6	2	1	1	6	1	5
Septicemia and pyemia.....053	-	-	-	-	-	-	-	-	-
Whooping cough.....056	4	1	3	1	1	1	3	-	3
Meningococcal infections.....057	13	5	8	5	3	2	8	2	6
Tetanus.....061	67	32	35	16	10	6	51	22	29
Other infective and parasitic dis.....001-044,049-052,054,055,058-060,062-138	102	54	48	51	35	16	51	19	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues.....140-205	41	24	17	20	14	6	21	10	11
Benign neoplasms and neoplasms of unspecified nature.....210-239	56	39	17	36	31	5	20	8	12
Diseases of thymus gland.....273	26	9	17	9	7	2	17	2	15
Meningitis, except meningococcal and tuberculous.....340	214	122	92	136	99	38	78	24	54
Other diseases of nervous system and sense organs.....330-334,341-398	172	109	63	103	82	21	69	27	42
Acute upper respiratory infections.....470-475	60	34	26	34	23	11	26	11	15
Influenza and pneumonia, except pneumonia of newborn.....480-493	53	15	38	13	7	6	40	8	32
Influenza.....480-483	53	15	38	13	7	6	40	8	32
Pneumonia, except pneumonia of newborn.....490-493	...	...	...	...	...	...	...	...	...
Bronchitis.....500-502	51	28	23	26	20	6	25	8	17
Other diseases of respiratory system.....510-522,525-527	201	124	77	129	96	33	72	28	44
Pulmonary congestion and hypostasis.....522	56	38	18	41	33	8	15	5	10
Other chronic interstitial pneumonia.....525	12	7	5	6	4	2	6	3	3
Bronchiectasis.....526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity.....527.2	43	20	23	20	13	7	23	7	16
All other diseases of respiratory system.....510-521,527.1	90	59	31	62	46	16	28	13	15
Hernia and intestinal obstruction.....560,561,570	689	439	230	457	346	111	212	93	119
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn.....543,571,572	6	3	3	3	3	-	3	-	3
Other diseases of digestive system.....530-542,544-553,573-587	328	206	122	190	145	45	139	61	77
Congenital malformations.....750-759	9,981	6,294	3,687	6,311	4,787	1,524	3,670	1,507	2,163
Spina bifida and meningocele.....751	581	348	233	370	272	98	211	76	135
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs.....752,753	867	535	332	484	378	106	583	157	226
Congenital malformations of circulatory system.....754	4,460	2,799	1,661	2,818	2,126	692	1,642	673	969
Other congenital malformations.....750,755-759	4,073	2,612	1,461	2,639	2,011	628	1,434	601	833
Certain diseases of early infancy.....760-776	65,486	43,217	22,269	42,163	33,317	8,866	23,303	9,900	13,403
Birth injuries.....760,761	10,146	6,475	3,671	6,351	4,878	1,473	3,795	1,597	2,198
Without mention of immaturity (.0).....	3,993	2,469	1,524	2,369	1,812	557	1,624	657	967
With immaturity (.5).....	6,153	4,006	2,147	3,982	3,066	916	2,171	940	1,231
Intracranial and spinal injury at birth.....760	3,175	2,048	1,127	2,076	1,627	449	1,099	421	678
Without mention of immaturity (.0).....	1,857	1,167	690	1,154	884	250	723	283	440
With immaturity (.5).....	1,318	881	437	942	743	199	376	138	238
Other birth injury.....761	6,971	4,427	2,544	4,275	3,251	1,024	2,696	1,176	1,520
Without mention of immaturity (.0).....	2,136	1,302	834	1,235	928	307	574	227	347
With immaturity (.5).....	4,835	3,125	1,710	3,040	2,323	717	1,795	802	993
Postnatal asphyxia and atelectasis.....762	19,248	13,318	5,930	13,342	10,712	2,630	5,906	2,606	3,300
Without mention of immaturity (.0).....	5,025	3,257	1,768	3,123	2,458	665	1,902	799	1,103
With immaturity (.5).....	14,223	10,061	4,162	10,219	8,254	1,965	4,004	1,807	2,197
Pneumonia of newborn.....763	3,544	2,160	1,384	2,153	1,667	486	1,391	493	898
Without mention of immaturity (.0).....	2,563	1,526	1,037	1,548	1,201	347	1,015	325	690
With immaturity (.5).....	981	634	347	605	466	139	376	168	208
Diarrhea of newborn.....764	450	284	166	236	140	55	265	84	181
Without mention of immaturity (.0).....	360	176	184	154	112	42	206	64	142
With immaturity (.5).....	100	48	52	41	28	13	59	20	39
Other infections of newborn.....765-768	769	480	288	484	368	116	284	112	172
Without mention of immaturity (.0).....	496	305	191	296	228	68	200	77	123
With immaturity (.5).....	272	175	97	188	140	48	84	35	49
Neonatal disorders arising from certain diseases of mother during pregnancy.....769	988	600	388	541	424	117	447	176	271
Without mention of immaturity (.0-4).....	345	207	138	193	147	46	52	60	92
With immaturity (.5-9).....	643	393	250	348	277	71	295	116	179
Hemolytic disease of newborn (erythroblastosis).....770	2,124	1,342	782	1,379	1,032	347	745	310	435
Without mention of immaturity (.0-.2).....	1,686	1,055	631	1,078	803	275	608	252	356
With immaturity (.5-.7).....	438	287	151	301	229	72	137	58	79
Hemorrhagic disease of newborn.....771	614	406	208	380	305	77	234	103	131
Without mention of immaturity (.0).....	389	255	134	234	187	47	155	68	87
With immaturity (.5).....	225	151	74	146	116	30	79	35	44
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment.....772,773	7,233	4,694	2,539	4,538	3,563	955	2,695	1,111	1,584
Without mention of immaturity (.0).....	1,650	975	675	897	674	223	501	201	296
With immaturity (.5).....	5,583	3,719	1,864	3,641	2,909	732	1,942	810	1,132
Immaturity with mention of any other subsidiary condition.....774	1,036	680	356	653	527	126	583	153	230
Immaturity, unqualified.....776	19,325	12,838	6,487	12,167	9,683	2,484	7,158	3,155	4,003
Symptoms and ill-defined conditions.....780-793,795	1,036	411	625	317	235	82	719	176	543
All other diseases.....Residual	432	262	160	264	204	60	168	68	100
Accidents.....E800-E962	598	283	315	264	177	87	334	106	228
Inhalation and ingestion of food or other object causing obstruction or suffocation.....E921,E922	294	146	148	118	84	34	176	62	114
Accidental mechanical suffocation in bed and cradle.....E924	130	56	74	57	30	27	73	19	54
Other accidental causes.....E800-E920,E923,E925-E962	174	81	93	89	56	33	85	25	60
Homicide.....E964,E960-E964	129	99	30	104	88	16	25	11	14

## SECTION 3 - MORTALITY

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 28 DAYS—ALL CAUSES-----	62,085	39,240	22,845	39,037	29,352	9,685	23,048	9,898	13,160
Dysentery, all forms-----045-048	2	2	-	1	1	-	1	1	-
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-
Whooping cough-----056	-	-	-	-	-	-	-	-	-
Meningococcal infections-----057	11	3	8	4	2	2	7	1	6
Tetanus-----061	19	11	8	6	4	2	13	7	6
Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	64	32	32	34	19	15	30	13	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	31	19	12	16	12	4	15	7	8
Benign neoplasms and neoplasms of unspecified nature-----210-239	49	33	16	31	26	5	18	7	11
Diseases of thymus gland-----273	23	7	16	8	6	2	15	1	14
Meningitis, except meningococcal and tuberculous-----340	164	100	64	111	79	32	53	21	32
Other diseases of nervous system and sense organs-----330-334,341-398	134	84	50	78	60	18	58	24	32
Acute upper respiratory infections-----470-475	40	25	15	28	18	10	12	7	5
Influenza and pneumonia, except pneumonia of newborn-----480-493	24	8	16	7	4	3	17	4	13
Influenza-----480-483	24	8	16	7	4	3	17	4	13
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	37	21	16	20	14	6	17	7	10
Other diseases of respiratory system-----510-522,525-527	157	94	63	99	70	29	58	24	34
Pulmonary congestion and hypostasis-----522	45	29	16	31	24	7	14	5	9
Other chronic interstitial pneumonia-----525	7	3	4	3	1	2	4	2	2
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527.2	30	15	15	15	10	5	15	5	10
All other diseases of respiratory system-----510-521,527.1	75	47	28	50	35	15	25	12	13
Hernia and intestinal obstruction-----560,561,570	596	383	213	406	300	106	190	63	107
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	4	2	2	2	2	-	2	-	2
Other diseases of digestive system-----530-542,544-553,573-587	252	151	101	138	98	40	114	53	61
Congenital malformations-----750-759	8,619	5,451	3,368	5,510	4,077	1,433	3,309	1,374	1,935
Spina bifida and meningocele-----751	545	325	220	352	256	96	193	69	124
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	768	463	305	425	323	102	343	140	203
Congenital malformations of circulatory system-----754	3,931	2,410	1,521	2,430	1,788	642	1,501	622	879
Other congenital malformations-----750,755-759	3,575	2,254	1,321	2,305	1,710	595	1,272	544	728
Certain diseases of early infancy-----760-776	50,424	32,132	18,292	31,873	24,382	7,791	18,551	8,050	10,501
Birth injuries-----760,761	8,371	5,212	3,159	5,173	3,838	1,335	3,198	1,374	1,824
Without mention of immaturity (.0)-----	3,142	1,886	1,256	1,849	1,354	495	1,293	532	761
With immaturity (.5)-----	5,229	3,326	1,903	3,324	2,484	840	1,905	842	1,063
Intracranial and spinal injury at birth-----760	2,457	1,523	934	1,575	1,176	399	882	347	535
Without mention of immaturity (.0)-----	1,466	900	566	894	670	224	572	230	342
With immaturity (.5)-----	991	623	368	681	506	175	310	117	193
Other birth injury-----761	5,914	3,689	2,225	3,598	2,682	916	2,316	1,027	1,289
Without mention of immaturity (.0)-----	1,676	986	690	955	684	271	721	302	419
With immaturity (.5)-----	4,238	2,703	1,535	2,643	1,978	665	1,595	725	870
Postnatal asphyxia and atelectasis-----762	15,009	9,895	5,114	10,102	7,741	2,361	4,907	2,154	2,753
Without mention of immaturity (.0)-----	3,491	2,518	1,473	2,467	1,882	585	1,524	635	868
With immaturity (.5)-----	11,018	7,377	3,641	7,635	5,859	1,776	3,383	1,518	1,885
Pneumonia of newborn-----763	2,372	1,412	960	1,458	1,088	390	914	344	570
Without mention of immaturity (.0)-----	1,687	986	701	1,036	758	278	651	228	423
With immaturity (.5)-----	685	426	259	422	310	112	263	116	147
Diarrhea of newborn-----764	217	119	98	118	61	37	98	38	61
Without mention of immaturity (.0)-----	165	97	68	97	67	30	66	30	36
With immaturity (.5)-----	52	22	30	21	14	7	31	8	23
Other infections of newborn-----765-768	528	321	207	329	233	96	199	88	111
Without mention of immaturity (.0)-----	347	218	129	213	158	55	134	60	74
With immaturity (.5)-----	181	103	78	116	75	41	65	28	37
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	767	470	297	428	325	103	339	145	194
Without mention of immaturity (.0-.4)-----	251	152	99	145	102	43	108	50	58
With immaturity (.5-.9)-----	516	318	198	283	223	60	233	95	136
Hemolytic disease of newborn (erythroblastosis)-----770	1,979	1,239	740	1,277	944	333	702	295	407
Without mention of immaturity (.0-.2)-----	1,567	973	594	998	735	263	589	238	351
With immaturity (.5-.7)-----	412	266	146	279	209	70	133	57	76
Hemorrhagic disease of newborn-----771	435	282	153	273	209	64	162	73	89
Without mention of immaturity (.0)-----	267	174	93	163	127	36	104	47	57
With immaturity (.5)-----	168	108	60	110	82	28	58	26	32
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	5,631	3,503	2,128	3,399	2,587	832	2,232	936	1,296
Without mention of immaturity (.0)-----	1,295	765	529	717	522	195	578	244	334
With immaturity (.5)-----	4,336	2,737	1,599	2,682	2,065	637	1,654	692	962
Immaturity with mention of any other subsidiary condition-----774	786	498	288	477	368	109	309	130	179
Immaturity, unqualified-----776	14,329	9,181	5,148	8,839	6,708	2,131	5,490	2,473	3,017
Symptoms and ill-defined conditions-----780-793,795	406	224	182	198	145	53	208	79	129
All other diseases-----Residual	346	211	135	214	160	54	132	51	81
Accidents-----E800-E962	392	181	211	183	116	67	209	65	144
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	213	105	108	84	59	25	129	46	83
Accidental mechanical suffocation in bed and cradle-----E924	76	29	47	39	21	18	37	8	29
Other accidental causes-----E900-E920,E923,E925-E962	103	47	56	60	36	24	43	11	32
Homicide-----E964,E980-E984	91	65	26	70	57	13	21	8	13

SECTION 3 - MORTALITY

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 28 DAYS—ALL CAUSES-----	17,648	12,582	5,066	11,637	10,378	1,259	6,011	2,204	3,807
Dysentery, all forms-----045-048	6	-	6	1	-	1	5	-	5
Septicemia and pyemia-----053	-	-	-	-	-	-	-	-	-
Whooping cough-----056	4	1	3	1	1	-	3	-	3
Meningococcal infections-----057	2	2	-	1	1	-	1	1	-
Tetanus-----061	49	21	27	10	6	4	38	15	23
Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-158	38	22	16	17	16	1	21	6	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	10	5	5	4	2	2	6	3	3
Benign neoplasms and neoplasms of unspecified nature-----210-239	7	6	1	5	5	-	2	1	1
Diseases of thymus gland-----273	3	2	1	1	1	-	2	1	1
Meningitis, except meningococcal and tuberculous-----340	50	22	28	25	19	6	25	3	22
Other diseases of nervous system and sense organs-----330-334,341-398	38	25	13	25	22	3	13	3	10
Acute upper respiratory infections-----470-475	20	9	11	6	5	1	14	4	10
Influenza and pneumonia, except pneumonia of newborn-----480-493	29	7	22	6	3	3	23	4	19
Influenza-----480-483	29	7	22	6	3	3	23	4	19
Pneumonia, except pneumonia of newborn-----490-493	...	...	...	...	...	...	...	...	...
Bronchitis-----500-502	14	7	7	6	6	-	8	1	7
Other diseases of respiratory system-----510-522,525-527	44	30	14	30	26	4	14	4	10
Pulmonary congestion and hypostasis-----522	11	9	2	10	9	1	1	-	1
Other chronic interstitial pneumonia-----525	5	4	1	3	3	-	2	1	1
Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-----527-2	13	5	8	5	3	2	8	2	6
All other diseases of respiratory system-----510-521,527.1	15	12	3	12	11	1	3	1	2
Hernia and intestinal obstruction-----560,561,570	75	56	17	51	46	5	22	10	12
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2	1	1	1	1	-	1	-	1
Other diseases of digestive system-----530-542,544-553,573-587	76	55	21	52	47	5	24	8	16
Congenital malformations-----750-759	1,162	843	319	801	710	91	361	133	228
Spina bifida and meningocele-----751	36	23	13	18	16	2	18	7	11
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	99	72	27	59	55	4	40	17	23
Congenital malformations of circulatory system-----754	529	389	140	388	338	50	141	51	90
Other congenital malformations-----750,755-759	498	358	140	336	301	35	182	57	105
Certain diseases of early infancy-----760-776	15,062	11,085	3,977	10,310	9,235	1,075	4,752	1,850	2,902
Birth injuries-----760,761	1,775	1,263	512	1,178	1,040	138	597	223	374
Without mention of immaturity (.0)-----	851	583	268	520	458	62	331	125	206
With immaturity (.5)-----	924	680	244	658	582	76	266	98	168
Intracranial and spinal injury at birth-----760	718	525	193	501	451	50	217	74	143
Without mention of immaturity (.0)-----	391	267	124	240	214	26	151	53	98
With immaturity (.5)-----	327	258	69	261	237	24	66	21	45
Other birth injury-----761	1,057	738	319	677	589	88	380	149	231
Without mention of immaturity (.0)-----	460	316	144	280	244	36	180	72	109
With immaturity (.5)-----	597	422	175	397	345	52	200	77	123
Postnatal asphyxia and atelectasis-----762	4,239	3,423	816	3,240	2,971	269	999	452	547
Without mention of immaturity (.0)-----	1,034	739	295	656	576	80	378	163	215
With immaturity (.5)-----	3,205	2,684	521	2,584	2,395	189	621	289	332
Pneumonia of newborn-----763	1,172	748	424	695	599	96	477	149	328
Without mention of immaturity (.0)-----	876	540	336	512	443	69	364	97	267
With immaturity (.5)-----	296	208	88	183	156	27	113	52	61
Diarrhea of newborn-----764	243	105	138	77	59	18	166	46	120
Without mention of immaturity (.0)-----	195	79	116	57	45	12	138	34	104
With immaturity (.5)-----	48	26	22	20	14	6	28	12	16
Other infections of newborn-----765-768	240	159	81	155	135	20	85	24	61
Without mention of immaturity (.0)-----	149	87	62	83	70	13	66	17	49
With immaturity (.5)-----	91	72	19	72	65	7	19	7	12
Neonatal disorders arising from certain diseases of mother during pregnancy-----769	221	130	91	113	99	14	108	31	77
Without mention of immaturity (.0-.4)-----	94	55	39	48	45	3	46	10	36
With immaturity (.5-.9)-----	127	75	52	65	54	11	62	21	41
Hemolytic disease of newborn (erythroblastosis)-----770	145	103	42	102	88	14	43	15	28
Without mention of immaturity (.0-.2)-----	119	82	37	80	68	12	39	14	25
With immaturity (.5-.7)-----	26	21	5	22	20	2	4	1	3
Hemorrhagic disease of newborn-----771	179	124	55	107	94	15	72	30	42
Without mention of immaturity (.0)-----	122	81	41	71	60	11	51	21	30
With immaturity (.5)-----	57	43	14	36	34	2	21	9	12
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,602	1,191	411	1,139	1,016	123	463	175	288
Without mention of immaturity (.0)-----	355	208	146	180	152	28	175	57	118
With immaturity (.5)-----	1,247	982	265	959	864	95	288	118	170
Immaturity with mention of any other subsidiary condition-----774	250	182	68	176	159	17	74	23	51
Immaturity, unqualified-----776	4,996	3,657	1,339	3,328	2,975	353	1,668	682	986
Symptoms and ill-defined conditions-----780-793,795	630	187	443	119	90	29	511	97	414
All other diseases-----Residual	86	61	25	50	44	6	36	17	19
Accidents-----E800-E962	206	102	104	81	61	20	125	41	84
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	81	41	40	34	25	9	47	16	31
Accidental mechanical suffocation in bed and cradle-----E924	54	27	27	18	16	2	36	11	25
Other accidental causes-----E800-E920,E923,E925-E962	71	34	37	29	20	9	42	14	28
Homicide-----E964,E980-E984	38	34	4	34	31	3	4	3	1

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, BOTH SEXES--ALL CAUSES-----	110,873	9,223	35,810	11,549	7,533	3,517	1,973	1,457	1,063
2	Dysentery, all forms-----045-048	140	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	408	-	-	-	-	-	-	-	-
4	Whooping cough-----056	73	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	196	-	-	1	1	1	-	-	-
6	Tetanus-----061	69	-	1	-	-	3	-	3	7
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	557	4	13	9	9	6	3	3	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	298	9	12	4	2	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	138	8	17	10	2	2	1	2	-
10	Diseases of thymus gland-----273	115	1	8	5	2	-	-	2	7
11	Meningitis, except meningococcal and tuberculous-----340	872	-	2	4	15	13	10	10	7
12	Other diseases of nervous system and sense organs-----330-334,341-398	950	1	46	26	22	14	9	5	9
13	Acute upper respiratory infections-----470-475	417	-	-	8	4	3	2	1	1
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	9,828	-	2	1	2	3	3	2	2
15	Influenza-----480-483	538	-	2	1	2	3	3	2	2
16	Pneumonia, except pneumonia of newborn-----490-493	9,290	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	656	1	5	2	3	1	1	4	-
18	Other diseases of respiratory system-----510-522,525-527	1,539	8	49	44	17	8	10	6	4
19	Pulmonary congestion and hypostasis-----522	184	-	13	7	6	3	5	2	1
20	Other chronic interstitial pneumonia-----525	933	1	2	1	2	2	1	-	1
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	236	1	5	12	4	1	2	1	1
23	All other diseases of respiratory system-----510-521,527.1	185	6	29	24	5	2	4	3	1
24	Hernia and intestinal obstruction-----560,561,570	922	66	256	83	59	31	17	19	11
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,622	-	-	1	-	1	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	676	-	14	24	33	37	29	22	32
27	Congenital malformations-----750-759	15,369	1,443	2,739	1,043	997	675	427	308	226
28	Spina bifida and meningocele-----751	1,096	68	123	39	37	20	23	22	18
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,645	171	321	71	55	45	27	10	13
30	Congenital malformations of circulatory system-----754	7,589	135	689	605	680	446	244	155	111
31	Other congenital malformations-----750,755-759	5,059	369	1,406	328	245	164	133	121	63
32	Certain diseases of early infancy-----760-776	67,074	6,650	32,172	10,069	6,187	2,594	1,377	999	708
33	Birth injuries-----760,761	10,158	1,788	5,304	1,424	903	404	182	120	69
34	Without mention of immaturity (.0)-----	4,901	830	1,557	518	449	233	98	59	40
35	With immaturity (.5)-----	6,157	988	3,447	806	454	171	84	61	29
36	Intracranial and spinal injury at birth-----760	3,175	181	1,121	614	541	270	129	81	52
37	Without mention of immaturity (.0)-----	1,857	126	608	360	318	172	78	49	32
38	With immaturity (.5)-----	1,318	55	513	254	223	98	51	32	20
39	Other birth injury-----761	6,983	1,607	3,883	810	362	134	53	39	17
40	Without mention of immaturity (.0)-----	2,144	674	949	258	131	61	20	10	8
41	With immaturity (.5)-----	4,839	933	2,934	552	231	73	33	29	9
42	Postnatal asphyxia and atelectasis-----762	19,539	1,500	10,195	3,622	2,090	687	303	194	136
43	Without mention of immaturity (.0)-----	5,255	492	2,277	1,034	656	213	87	64	39
44	With immaturity (.5)-----	14,284	1,008	7,918	2,588	1,424	474	216	130	97
45	Pneumonia of newborn-----763	3,544	40	394	368	375	238	154	154	113
46	Without mention of immaturity (.0)-----	2,563	30	251	244	240	168	95	99	80
47	With immaturity (.5)-----	981	10	143	124	135	70	61	55	33
48	Diarrhea of newborn-----764	483	-	3	2	3	6	9	6	11
49	Without mention of immaturity (.0)-----	362	-	3	2	2	6	7	5	8
50	With immaturity (.5)-----	121	-	-	-	1	-	2	1	3
51	Other infections of newborn-----765-768	779	16	66	40	45	62	50	46	45
52	Without mention of immaturity (.0)-----	506	6	35	25	30	40	34	21	25
53	With immaturity (.5)-----	273	10	31	15	15	22	16	25	20
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	1,001	129	471	163	97	56	19	19	6
55	Without mention of immaturity (.0-.4)-----	354	48	148	53	47	22	3	7	3
56	With immaturity (.5-.9)-----	647	81	323	110	50	34	16	12	3
57	Hemolytic disease of newborn (erythroblastosis)-----770	2,145	459	954	192	158	127	75	40	24
58	Without mention of immaturity (.0-.2)-----	1,702	373	756	159	121	101	48	29	19
59	With immaturity (.5-.7)-----	443	86	198	33	37	26	27	11	5
60	Hemorrhagic disease of newborn-----771	620	25	163	108	95	61	27	31	18
61	Without mention of immaturity (.0)-----	393	16	114	67	65	34	18	14	13
62	With immaturity (.5)-----	227	9	69	41	30	27	8	17	5
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	8,057	438	3,248	1,495	942	364	167	98	68
64	Without mention of immaturity (.0)-----	2,353	69	539	397	264	116	41	13	19
65	With immaturity (.5)-----	5,704	349	2,709	1,098	658	246	126	85	69
66	Immaturity with mention of any other subsidiary condition-----774	1,310	77	425	141	106	47	43	31	24
67	Immaturity, unqualified-----776	19,458	2,178	11,229	2,514	1,363	542	348	260	174
68	Symptoms and ill-defined conditions-----780-793,795	2,518	115	317	128	92	64	37	29	20
69	All other diseases-----Residual	1,386	18	95	42	37	27	18	20	12
70	Accidents-----E800-E962	3,831	19	47	35	46	35	23	21	21
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1,204	-	20	12	31	26	14	14	13
72	Accidental mechanical suffocation in bed and cradle-----E924	1,018	2	3	9	3	3	3	1	4
73	Other accidental causes-----E800-E920,E923,E925-E962	1,609	17	24	14	12	4	6	6	4
74	Homicide-----E964,E980-E984	189	80	25	11	3	1	1	-	-



SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
71,125	4,215	2,479	1,914	79,733	7,272	5,659	4,288	3,289	2,445	2,011	1,671	1,415	1,138	978	974	1
-	2	4	2	8	18	18	16	12	14	10	14	11	7	6	6	2
-	-	-	-	-	111	89	53	44	31	18	15	11	11	11	7	3
3	1	-	3	4	7	15	7	7	12	8	1	8	2	1	4	4
14	3	2	5	13	17	21	16	14	22	13	25	13	15	13	14	5
48	45	6	2	67	-	-	-	-	-	-	1	-	-	-	1	6
30	20	22	12	102	54	49	42	45	45	35	46	39	46	24	30	7
42	2	9	-	41	39	18	25	19	18	19	20	26	19	28	26	8
19	5	6	3	56	16	11	18	7	4	4	3	4	7	4	4	9
65	3	2	2	26	28	15	15	9	6	3	3	2	5	3	-	10
132	72	47	30	214	110	96	50	75	59	60	60	59	40	22	27	11
18	16	14	10	172	135	108	105	70	72	64	69	40	35	38	42	12
15	11	12	19	60	84	77	41	42	30	17	18	13	10	11	14	13
15	7	13	18	53	2,143	1,915	1,524	1,125	780	632	484	379	290	277	226	14
...	7	13	18	53	73	66	68	66	59	48	23	31	18	16	17	15
17	...	...	...	...	2,070	1,849	1,456	1,059	721	584	461	348	272	261	209	16
146	9	9	16	51	108	124	97	61	50	46	36	22	18	23	20	17
37	15	23	17	201	380	305	249	131	96	64	34	36	24	21	18	18
10	4	6	9	56	35	38	18	7	9	6	3	5	2	3	2	19
25	-	1	1	12	263	198	173	97	70	39	26	17	17	10	11	20
74	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
541	4	10	4	43	38	51	36	21	12	11	3	10	3	5	3	22
2	7	6	3	90	24	18	22	6	5	7	2	4	2	3	2	23
190	54	40	34	669	76	40	28	30	22	11	16	9	7	10	4	24
7,658	2	3	1	6	519	389	296	266	237	219	183	153	146	97	111	25
351	75	47	16	328	89	65	46	42	26	21	22	11	8	10	8	26
713	1,108	687	528	9,981	1,490	909	705	558	419	327	275	230	194	152	149	27
3,245	75	90	65	581	147	91	71	40	52	29	19	21	15	12	18	28
3,549	713	59	45	867	142	104	96	82	69	64	61	48	43	40	29	29
60,756	615	337	263	4,460	828	552	426	351	238	192	157	130	105	74	76	30
9,894	368	201	155	4,073	373	162	112	85	60	42	38	31	26	26	31	31
3,854	2,481	1,292	957	65,486	659	346	183	132	80	51	48	25	28	15	21	32
6,040	165	52	35	10,146	7	3	-	-	1	-	-	-	-	-	-	33
2,989	79	32	28	3,993	6	1	-	-	-	-	-	-	-	-	-	34
1,743	86	20	7	6,153	1	2	-	-	-	-	1	-	-	-	-	35
1,246	124	35	27	3,175	...	...	...	...	...	...	...	...	...	...	...	36
6,905	67	22	25	1,857	...	...	...	...	...	...	...	...	...	...	...	37
2,111	57	13	2	1,318	...	...	...	...	...	...	...	...	...	...	...	38
4,794	41	17	8	6,971	7	3	-	-	1	-	1	-	-	-	-	39
18,717	12	10	3	2,136	6	1	-	-	1	-	-	-	-	-	-	40
4,862	29	7	5	4,835	1	2	-	-	-	-	1	-	-	-	-	41
13,855	350	120	61	19,248	118	64	38	21	11	14	9	3	4	3	6	42
1,836	85	47	31	5,025	79	52	30	20	11	13	9	3	4	3	6	43
1,205	265	73	30	14,223	39	12	8	1	-	1	-	-	-	-	-	44
631	672	528	508	3,544	...	...	...	...	...	...	...	...	...	...	...	45
40	487	437	434	2,563	...	...	...	...	...	...	...	...	...	...	...	46
33	185	91	74	961	...	...	...	...	...	...	...	...	...	...	...	47
7	134	158	128	460	3	-	-	-	-	-	-	-	-	-	-	48
370	96	122	109	360	2	-	-	-	-	-	-	-	-	-	-	49
216	38	36	19	100	1	-	-	-	-	-	-	-	-	-	-	50
154	230	120	48	768	8	1	-	1	-	1	-	-	-	-	-	51
960	162	86	32	496	7	1	-	-	-	-	-	-	-	-	-	52
331	68	34	16	272	1	-	-	-	-	-	-	-	-	-	-	53
629	21	6	1	988	6	5	1	-	1	-	-	-	-	-	-	54
2,029	12	2	-	345	4	3	-	-	1	-	-	-	-	-	-	55
1,606	9	4	1	643	2	2	-	-	-	-	-	-	-	-	-	56
423	75	12	8	2,124	15	4	1	-	-	-	-	1	-	-	-	57
548	63	10	7	1,686	10	4	1	-	-	-	-	1	-	-	-	58
342	12	2	1	438	5	-	-	-	-	-	-	-	-	-	-	59
206	44	8	14	614	6	-	-	-	-	-	-	-	-	-	-	60
6,840	28	7	12	369	4	-	-	-	-	-	-	-	-	-	-	61
1,498	16	1	2	225	2	-	-	-	-	-	-	-	-	-	-	62
5,342	215	111	67	7,233	256	173	119	89	57	33	32	21	23	9	12	63
894	54	57	41	1,650	193	146	105	83	52	32	31	19	22	8	12	64
18,628	161	54	26	5,583	63	27	14	6	5	1	1	2	1	1	1	65
802	75	44	23	1,036	157	67	18	16	7	2	3	-	1	2	1	66
259	500	133	64	19,325	83	29	6	5	3	1	3	-	-	1	2	67
247	92	73	69	1,036	375	298	233	191	112	82	49	49	32	33	28	68
132	64	57	52	432	173	130	112	86	63	101	57	70	39	46	57	69
28	128	109	114	598	643	607	423	320	225	204	184	196	150	128	153	70
97	78	44	40	294	220	203	150	104	58	46	34	34	29	11	21	71
121	25	38	39	130	241	231	135	83	72	55	26	20	14	6	5	72
2	25	27	35	174	182	173	138	133	95	103	124	142	107	111	127	73
	2	2	4	129	18	14	4	3	2	2	5	5	5	5	7	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, MALE--ALL CAUSES-----	63,936	4,446	20,907	6,860	4,544	2,121	1,125	839	596
2	Dysentery, all forms-----045-048	83	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	259	-	-	-	-	-	-	-	-
4	Whooping cough-----056	44	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	113	-	-	1	-	-	-	-	-
6	Tetanus-----061	42	-	-	-	-	2	-	2	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-136	319	2	7	6	8	5	2	2	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	161	5	5	3	2	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	68	3	12	3	2	1	1	-	-
10	Diseases of thymus gland-----273	69	1	7	1	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	524	-	1	-	10	9	6	7	5
12	Other diseases of nervous system and sense organs-----330-334,341-398	557	1	29	20	13	6	5	3	7
13	Acute upper respiratory infections-----470-475	246	-	-	4	3	-	1	2	1
14	Influenza and pneumonia, except pneumonia of newborn-----480-483	5,594	-	2	1	-	1	2	-	1
15	Influenza-----480-483	295	-	2	1	-	1	2	-	1
16	Pneumonia, except pneumonia of newborn-----490-493	5,301	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	404	-	2	2	2	1	1	2	-
18	Other diseases of respiratory system-----510-522,525-527	931	5	23	29	11	3	4	5	3
19	Pulmonary congestion and hypostasis-----522	115	-	5	6	4	1	4	2	1
20	Other chronic interstitial pneumonia-----525	563	1	2	1	1	-	-	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	147	1	3	7	2	1	1	1	1
23	All other diseases of respiratory system-----510-521,527.1	105	3	13	15	4	1	-	2	1
24	Hernia and intestinal obstruction-----560,561,570	542	31	132	50	36	17	10	13	5
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,457	-	-	1	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	408	-	8	17	21	25	19	15	18
27	Congenital malformations-----750-759	8,505	579	1,569	643	614	406	235	169	126
28	Spina bifida and meningocele-----751	480	26	57	16	13	13	12	11	13
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	649	78	174	40	29	20	17	6	4
30	Congenital malformations of circulatory system-----754	4,369	72	556	368	438	282	137	88	60
31	Other congenital malformations-----750,755-759	2,807	403	801	199	134	91	69	64	49
32	Certain diseases of early infancy-----760-776	39,091	3,707	18,841	5,944	3,708	1,565	793	577	396
33	Birth injuries-----760,761	6,100	1,006	3,028	868	571	246	116	78	31
34	Without mention of immaturity (.0)-----	2,453	453	940	405	298	148	86	38	15
35	With immaturity (.5)-----	3,647	553	2,088	463	273	100	50	40	16
36	Intracranial and spinal injury at birth-----760	2,020	101	716	411	352	170	85	53	26
37	Without mention of immaturity (.0)-----	1,212	72	395	250	210	113	55	33	14
38	With immaturity (.5)-----	808	29	321	161	142	57	30	20	12
39	Other birth injury-----761	4,080	905	2,312	457	213	78	33	25	5
40	Without mention of immaturity (.0)-----	1,241	381	545	155	88	35	13	5	1
41	With immaturity (.5)-----	2,839	524	1,767	302	131	43	20	20	4
42	Postnatal asphyxia and atelectasis-----762	11,560	863	6,008	2,193	1,248	422	182	122	73
43	Without mention of immaturity (.0)-----	3,113	273	1,303	621	424	148	55	46	18
44	With immaturity (.5)-----	8,447	590	4,705	1,572	824	274	127	76	55
45	Pneumonia of newborn-----763	2,078	22	241	226	27	143	92	79	70
46	Without mention of immaturity (.0)-----	1,483	14	156	149	140	101	52	49	50
47	With immaturity (.5)-----	595	8	85	77	87	42	40	30	20
48	Diarrhea of newborn-----764	264	-	2	1	2	5	2	3	8
49	Without mention of immaturity (.0)-----	218	-	2	1	2	5	2	3	6
50	With immaturity (.5)-----	46	-	-	-	-	-	1	-	2
51	Other infections of newborn-----765-768	457	6	32	26	29	47	29	29	28
52	Without mention of immaturity (.0)-----	303	-	15	15	19	32	23	11	17
53	With immaturity (.5)-----	154	6	17	11	10	15	6	18	11
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	594	67	273	102	61	34	8	13	3
55	Without mention of immaturity (.0-.4)-----	216	26	85	33	36	13	2	6	2
56	With immaturity (.5-.9)-----	369	41	188	69	25	21	6	7	1
57	Hemolytic disease of newborn (erythroblastosis)-----770	1,148	202	509	101	97	72	50	31	17
58	Without mention of immaturity (.0-.2)-----	913	163	410	87	70	57	30	22	14
59	With immaturity (.5-.7)-----	235	39	99	14	27	15	20	9	3
60	Hemorrhagic disease of newborn-----771	381	12	108	72	64	43	12	19	11
61	Without mention of immaturity (.0)-----	252	5	65	41	43	22	9	7	8
62	With immaturity (.5)-----	149	7	43	31	21	21	3	12	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,921	244	1,937	889	588	224	87	59	53
64	Without mention of immaturity (.0)-----	1,479	52	321	260	185	78	27	8	14
65	With immaturity (.5)-----	3,342	192	1,616	629	403	146	60	51	39
66	Immaturity with mention of any other subsidiary condition-----774	756	49	257	80	61	26	21	20	15
67	Immaturity, unqualified-----776	10,942	1,236	6,446	1,366	760	301	161	124	87
68	Symptoms and ill-defined conditions-----780-793,795	1,425	59	174	82	54	39	27	17	13
69	All other diseases-----Residual	850	7	56	26	28	18	5	14	5
70	Accidents-----E800-E962	2,153	6	27	22	26	20	13	11	13
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	696	-	12	7	17	16	6	7	9
72	Accidental mechanical suffocation in bed and cradle-----E924	589	1	7	7	2	2	2	-	2
73	Other accidental causes-----E900-E920,E923,E925-E962	866	5	14	8	9	2	5	4	2
74	Homicide-----E964,E980-E984	99	40	13	5	1	-	1	-	-

SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
41,458	2,332	1,411	1,109	46,290	4,190	3,331	2,439	1,829	1,389	1,118	917	757	630	516	530	1
-	2	4	1	7	13	13	10	5	7	5	7	8	3	4	1	2
-	-	-	-	-	66	59	35	31	20	9	11	9	9	6	4	3
-	-	-	-	-	7	7	5	4	5	4	1	5	1	1	1	4
1	1	1	1	5	11	14	11	7	11	5	15	7	8	9	8	5
6	28	5	2	41	-	-	-	-	-	-	-	-	-	-	1	6
33	13	18	6	70	30	26	19	27	23	23	24	17	29	15	16	7
16	1	2	-	19	20	12	16	13	8	9	12	10	12	16	14	8
22	3	3	1	29	8	7	4	3	3	3	2	4	2	1	2	9
10	2	1	1	14	17	11	10	6	3	1	1	-	4	2	-	10
38	47	33	17	135	56	61	30	49	38	34	35	36	23	13	14	11
88	13	9	8	116	75	63	55	39	42	40	42	21	21	18	25	12
11	6	9	9	35	46	47	26	28	18	8	10	9	5	7	9	13
7	4	6	11	28	1,267	1,154	896	601	453	335	251	193	152	141	123	14
7	4	6	11	28	49	43	38	41	28	22	9	11	10	8	6	15
...	...	...	...	...	1,218	1,111	858	560	425	313	242	182	142	133	117	16
10	3	7	11	31	71	71	60	37	33	30	17	13	12	14	15	17
83	6	11	12	112	210	203	152	83	51	41	21	19	12	15	12	18
23	1	2	5	31	16	30	12	5	6	5	2	5	1	1	1	19
5	-	-	1	6	159	128	100	60	37	25	15	9	8	8	8	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
16	4	5	3	28	17	30	13	4	8	3	3	3	3	5	2	22
39	1	4	3	47	18	14	10	5	4	2	1	2	-	1	1	23
296	36	21	25	378	47	30	24	21	10	7	11	4	3	5	2	24
1	-	3	-	4	276	201	163	156	122	133	106	86	93	54	63	25
123	46	27	7	203	59	44	28	4	19	10	8	8	4	6	4	26
4,340	623	377	295	5,635	836	513	361	280	233	162	134	109	92	73	77	27
161	28	37	27	253	62	42	35	17	21	12	10	6	6	5	11	28
368	24	37	21	450	71	61	46	46	31	31	33	19	24	20	17	29
2,001	361	193	152	2,707	478	310	219	176	139	96	71	66	44	32	31	30
1,810	210	110	95	2,225	225	100	61	41	42	23	20	18	18	16	18	31
35,531	1,335	736	565	38,167	382	202	100	78	48	32	26	18	18	9	11	32
5,948	97	25	24	6,094	2	3	-	-	-	-	1	-	-	-	-	33
2,365	48	20	18	2,451	1	1	-	-	-	-	-	-	-	-	-	34
3,583	49	5	6	3,643	1	2	-	-	-	-	1	-	-	-	-	35
1,914	71	16	19	2,020	...	...	...	...	...	...	...	...	...	...	...	36
1,142	39	14	17	1,212	...	...	...	...	...	...	...	...	...	...	...	37
772	32	2	2	808	...	...	...	...	...	...	...	...	...	...	...	38
4,034	26	9	5	4,074	2	3	-	-	-	-	1	-	-	-	-	39
1,223	9	6	1	1,239	1	1	-	-	-	-	-	-	-	-	-	40
2,811	17	3	4	2,835	1	2	-	-	-	-	1	-	-	-	-	41
11,111	179	73	30	11,393	65	39	25	10	8	7	2	3	3	3	2	42
2,888	44	30	16	2,978	46	32	20	10	8	6	2	3	3	3	2	43
8,223	135	43	14	8,415	19	7	5	-	-	1	-	-	-	-	-	44
1,100	370	303	305	2,078	...	...	...	...	...	...	...	...	...	...	...	45
711	266	247	259	1,483	...	...	...	...	...	...	...	...	...	...	...	46
389	104	56	46	595	...	...	...	...	...	...	...	...	...	...	...	47
24	75	87	75	261	3	-	-	-	-	-	-	-	-	-	-	48
21	55	72	68	216	2	-	-	-	-	-	-	-	-	-	-	49
3	20	15	7	45	1	-	-	-	-	-	-	-	-	-	-	50
226	119	76	29	450	6	-	-	-	-	1	-	-	-	-	-	51
132	90	53	22	297	5	-	-	-	-	1	-	-	-	-	-	52
94	29	23	7	153	1	-	-	-	-	-	-	-	-	-	-	53
561	14	4	-	579	3	2	-	-	-	-	-	-	-	-	-	54
203	8	1	-	212	2	2	-	-	-	-	-	-	-	-	-	55
358	6	3	-	367	1	-	-	-	-	-	-	-	-	-	-	56
1,079	44	6	6	1,135	9	3	-	-	-	-	-	1	-	-	-	57
853	38	6	6	903	6	3	-	-	-	-	-	1	-	-	-	58
226	6	-	-	232	3	-	-	-	-	-	-	-	-	-	-	59
341	23	3	10	377	4	-	-	-	-	-	-	-	-	-	-	60
200	16	3	10	229	3	-	-	-	-	-	-	-	-	-	-	61
141	7	-	-	148	1	-	-	-	-	-	-	-	-	-	-	62
4,081	124	69	40	4,314	164	104	66	60	34	21	19	14	15	4	6	63
945	34	37	27	1,043	124	88	60	55	33	20	18	14	14	4	6	64
3,136	90	32	13	3,271	40	16	6	5	1	1	1	-	1	-	-	65
529	47	25	13	614	84	34	6	6	6	2	2	-	-	-	-	66
10,531	243	65	33	10,872	42	17	3	2	2	1	2	-	-	1	2	67
465	44	39	31	579	214	160	132	102	66	50	30	27	20	16	19	68
159	44	42	34	279	108	82	69	58	43	62	35	44	21	22	26	69
140	73	57	62	332	365	347	231	180	136	113	113	109	62	66	79	70
74	47	23	20	164	128	126	80	60	37	30	28	20	15	3	9	71
17	10	19	25	71	140	128	76	45	46	30	15	10	6	1	1	72
49	16	15	17	97	97	93	75	75	53	53	72	79	61	62	69	73
60	1	-	4	65	7	4	2	2	1	2	4	1	4	3	4	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, FEMALE--ALL CAUSES-----	46,937	3,777	14,903	4,689	2,989	1,396	648	618	467
2	Dysentery, all forms-----045-048	57	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	149	-	-	-	-	-	-	-	-
4	Whooping cough-----056	29	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	83	-	-	-	1	1	1	1	1
6	Tetanus-----061	27	-	1	-	-	-	-	-	5
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	238	2	6	2	1	1	1	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	137	4	7	1	-	-	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	70	5	5	7	-	1	-	2	-
10	Diseases of thymus gland-----273	46	-	1	4	1	-	-	2	1
11	Meningitis, except meningococcal and tuberculous-----340	348	-	1	4	6	4	7	3	2
12	Other diseases of nervous system and sense organs-----330-334,341-399	393	-	17	6	9	6	4	2	2
13	Acute upper respiratory infections-----470-475	169	-	-	4	1	2	2	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-495	4,234	-	-	-	2	2	1	2	1
15	Influenza-----480-485	245	-	-	-	2	2	1	2	1
16	Pneumonia, except pneumonia of newborn-----490-495	3,989	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	252	1	3	-	1	-	-	2	-
18	Other diseases of respiratory system-----510-522,525-527	606	3	26	15	6	5	6	1	1
19	Pulmonary congestion and hypostasis-----522	69	-	8	1	2	2	1	-	-
20	Other chronic interstitial pneumonia-----525	370	-	-	-	1	2	1	-	1
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	89	-	2	5	2	2	4	-	-
23	All other diseases of respiratory system-----510-521,527.1	80	3	16	9	1	1	4	1	-
24	Hernia and intestinal obstruction-----560,561,570	380	35	124	33	20	14	7	6	6
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,165	-	-	-	-	1	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	268	-	6	7	12	12	9	7	14
27	Congenital malformations-----750-759	6,984	664	1,171	400	363	269	192	139	100
28	Spina bifida and meningocele-----751	616	42	66	23	24	7	11	11	6
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	796	93	147	31	26	25	10	4	9
30	Congenital malformations of circulatory system-----754	3,220	63	353	217	222	164	107	67	51
31	Other congenital malformations-----750,755-759	2,252	466	606	129	111	73	64	57	34
32	Certain diseases of early infancy-----760-776	27,943	2,943	13,331	4,126	2,479	1,029	584	422	312
33	Birth injuries-----760,761	4,056	782	1,876	556	332	156	64	42	38
34	Without mention of immaturity (.0)-----	1,548	347	617	213	151	85	30	21	25
35	With immaturity (.5)-----	2,510	435	1,359	343	181	71	34	21	13
36	Intracranial and spinal injury at birth-----760	1,155	80	405	203	189	100	44	28	26
37	Without mention of immaturity (.0)-----	645	54	213	110	108	59	23	16	18
38	With immaturity (.5)-----	510	26	192	93	81	41	21	12	8
39	Other birth injury-----761	2,903	702	1,571	353	143	56	20	14	12
40	Without mention of immaturity (.0)-----	903	283	404	103	43	26	7	5	7
41	With immaturity (.5)-----	2,000	409	1,167	250	100	30	13	9	5
42	Postnatal asphyxia and atelectasis-----762	7,979	637	4,187	1,429	832	265	121	72	63
43	Without mention of immaturity (.0)-----	2,142	219	974	413	232	85	32	19	14
44	With immaturity (.5)-----	5,837	418	3,213	1,016	600	200	89	54	42
45	Pneumonia of newborn-----763	1,466	16	153	142	148	95	62	75	43
46	Without mention of immaturity (.0)-----	1,090	16	53	95	100	67	41	50	30
47	With immaturity (.5)-----	386	2	58	47	48	28	21	25	13
48	Diarrhea of newborn-----764	199	1	1	1	1	1	6	3	3
49	Without mention of immaturity (.0)-----	144	1	1	1	1	1	5	2	2
50	With immaturity (.5)-----	55	-	-	-	-	-	1	1	1
51	Other infections of newborn-----765-768	322	10	34	14	16	15	21	17	17
52	Without mention of immaturity (.0)-----	203	6	20	10	11	8	11	10	8
53	With immaturity (.5)-----	119	4	14	4	5	7	10	7	9
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	417	62	198	61	36	22	11	6	3
55	Without mention of immaturity (.0-.4)-----	138	22	63	20	11	9	1	1	1
56	With immaturity (.5-.9)-----	279	40	135	41	25	13	10	5	2
57	Hemolytic disease of newborn (erythroblastosis)-----770	997	257	445	91	61	55	25	9	7
58	Without mention of immaturity (.0-.2)-----	789	210	346	72	51	44	18	7	5
59	With immaturity (.5-.7)-----	208	47	99	19	10	11	7	2	2
60	Hemorrhagic disease of newborn-----771	239	13	75	36	31	18	15	12	7
61	Without mention of immaturity (.0)-----	161	11	49	26	22	12	10	7	5
62	With immaturity (.5)-----	78	2	26	10	9	6	5	5	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	3,236	194	1,311	608	354	140	80	39	35
64	Without mention of immaturity (.0)-----	874	37	218	137	99	38	14	5	5
65	With immaturity (.5)-----	2,362	157	1,093	469	255	102	66	34	30
66	Immaturity with mention of any other subsidiary condition-----774	554	28	168	61	45	21	22	11	9
67	Immaturity, unqualified-----776	8,516	942	4,763	1,128	623	241	157	136	87
68	Symptoms and ill-defined conditions-----780-793,795	1,103	56	143	46	39	25	10	12	7
69	All other diseases-----Residual	536	11	29	16	9	9	13	6	7
70	Accidents-----E800-E962	1,678	13	20	13	18	15	10	10	8
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	506	-	8	5	14	12	6	7	4
72	Accidental mechanical suffocation in bed and cradle-----E924	449	1	2	2	1	1	1	1	2
73	Other accidental causes-----E800-E920,E923,E925-E962	723	12	10	6	3	2	1	2	2
74	Homicide-----E964,E980-E984	100	40	12	6	2	1	-	-	-

SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
29,687	1,683	1,068	805	33,443	3,082	2,328	1,849	1,460	1,056	893	754	658	508	462	444	1
-	-	-	1	1	5	5	6	7	7	5	7	3	4	2	5	2
-	-	-	-	-	45	30	18	13	11	9	7	6	2	5	3	3
-	-	-	1	1	-	8	2	3	7	4	-	3	1	-	-	4
2	2	1	-	5	7	5	7	7	11	8	10	6	7	4	6	5
8	17	1	-	26	-	-	-	-	-	-	1	-	-	-	-	6
15	7	4	6	32	24	23	23	18	22	12	22	22	17	9	14	7
14	1	7	-	22	19	6	9	6	10	10	8	16	7	12	12	8
20	2	3	2	27	8	4	14	4	1	1	1	-	5	3	2	9
9	1	1	1	12	11	4	5	3	3	2	2	2	1	1	-	10
27	25	14	13	79	54	35	20	26	21	26	25	23	17	9	13	11
46	3	5	2	56	60	45	50	31	30	24	27	19	14	20	17	12
7	5	3	10	25	36	30	15	14	12	9	8	4	5	4	5	13
8	3	7	7	25	876	761	628	524	327	297	233	186	138	136	103	14
8	3	7	7	25	24	23	30	25	31	26	14	20	8	8	11	15
...	...	...	...	...	852	738	598	499	296	271	219	166	130	128	92	16
7	6	2	5	20	37	53	37	24	17	16	19	9	6	9	5	17
63	9	12	5	89	150	102	97	48	45	23	13	17	12	6	6	18
14	3	4	4	25	19	8	6	2	3	1	1	-	1	2	1	19
5	-	1	-	6	104	70	73	37	33	14	11	8	9	2	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
9	-	5	1	15	21	20	6	8	8	3	-	7	-	-	1	22
35	6	2	-	43	6	4	12	1	1	5	1	2	2	2	1	23
245	18	19	9	291	29	10	4	9	12	4	5	5	4	5	2	24
1	-	-	1	2	243	188	133	110	115	86	77	67	53	43	48	25
67	29	20	9	125	30	21	18	23	11	11	14	3	4	4	4	26
3,318	485	310	233	4,346	654	596	344	278	186	165	141	121	102	79	72	27
190	47	53	38	328	85	49	36	23	31	17	9	15	9	7	7	28
545	26	22	24	417	71	43	50	36	38	33	28	29	19	20	12	29
1,244	254	144	111	1,753	350	242	207	175	99	96	86	64	61	42	45	30
1,539	158	91	60	1,948	148	62	51	44	18	19	18	13	13	10	8	31
25,225	1,146	556	392	27,319	277	144	83	54	32	19	22	7	10	6	10	32
3,946	68	27	11	4,052	5	-	-	-	1	-	-	-	-	-	-	33
1,489	31	12	10	1,542	5	-	-	-	1	-	-	-	-	-	-	34
2,457	37	15	1	2,510	-	-	-	-	-	-	-	-	-	-	-	35
1,075	53	19	8	1,155	...	...	...	...	...	...	...	...	...	...	...	36
601	28	8	8	645	...	...	...	...	...	...	...	...	...	...	...	37
474	25	11	-	510	...	...	...	...	...	...	...	...	...	...	...	38
2,871	15	8	3	2,897	5	-	-	-	1	-	-	-	-	-	-	39
688	3	4	2	897	5	-	-	-	1	-	-	-	-	-	-	40
1,983	12	4	1	2,000	-	-	-	-	-	-	-	-	-	-	-	41
7,606	171	47	31	7,855	53	25	13	11	3	7	7	-	1	-	4	42
1,974	41	17	15	2,047	33	20	10	3	20	10	7	-	1	-	4	43
5,632	130	30	16	5,808	20	5	3	1	-	-	-	-	-	-	-	44
736	302	225	203	1,466	...	...	...	...	...	...	...	...	...	...	...	45
494	221	190	175	1,080	...	...	...	...	...	...	...	...	...	...	...	46
242	81	35	28	386	...	...	...	...	...	...	...	...	...	...	...	47
16	59	71	53	199	-	-	-	-	-	-	-	-	-	-	-	48
12	41	50	41	144	-	-	-	-	-	-	-	-	-	-	-	49
4	18	21	12	55	-	-	-	-	-	-	-	-	-	-	-	50
144	111	44	19	318	2	1	-	1	-	-	-	-	-	-	-	51
84	72	33	10	199	2	1	-	1	-	-	-	-	-	-	-	52
60	39	11	9	119	-	-	-	-	-	-	-	-	-	-	-	53
399	7	2	1	409	3	3	1	-	1	-	-	-	-	-	-	54
128	4	1	-	133	2	1	1	-	1	-	-	-	-	-	-	55
271	3	1	1	276	1	2	-	-	-	-	-	-	-	-	-	56
950	31	6	2	989	6	1	1	-	-	-	-	-	-	-	-	57
753	25	4	1	783	4	1	1	-	-	-	-	-	-	-	-	58
187	6	2	1	206	2	-	-	-	-	-	-	-	-	-	-	59
207	21	5	4	237	2	-	-	-	-	-	-	-	-	-	-	60
142	12	4	2	160	1	-	-	-	-	-	-	-	-	-	-	61
65	9	1	2	77	1	-	-	-	-	-	-	-	-	-	-	62
2,759	91	42	27	2,919	92	69	53	29	23	12	13	7	8	5	6	63
553	20	20	14	607	89	58	45	28	19	12	15	5	8	4	6	64
2,206	71	22	13	2,312	23	11	8	1	4	-	-	2	-	1	1	65
365	28	19	10	422	73	33	12	10	1	-	1	-	1	1	1	66
8,097	257	68	31	8,453	41	12	3	3	3	-	-	-	-	-	-	67
337	48	34	38	457	161	138	101	89	46	32	19	22	12	17	9	68
100	20	15	18	153	85	48	43	28	40	39	21	26	18	24	31	69
107	55	52	52	266	278	260	192	140	89	91	71	87	68	62	74	70
58	31	21	20	130	92	77	70	44	21	16	8	14	14	8	12	71
11	15	19	14	59	101	103	59	38	26	25	11	10	8	5	4	72
38	9	12	18	77	85	80	63	58	42	50	52	63	46	49	58	73
61	1	2	-	64	11	10	2	1	1	-	1	4	1	2	3	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, BOTH SEXES--ALL CAUSES-----	82,479	6,590	28,003	9,121	6,193	2,798	1,488	1,093	811
2	Dysentery, all forms-----045-048	60	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	289	-	-	-	-	-	-	-	-
4	Whooping cough-----056	24	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	161	-	-	1	1	1	-	-	-
6	Tetanus-----061	20	-	1	-	-	2	-	-	3
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	374	3	7	8	3	2	2	3	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	258	8	11	3	2	1	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	119	7	14	10	2	2	1	1	-
10	Diseases of thymus gland-----273	97	1	6	4	2	-	-	2	5
11	Meningitis, except meningococcal and tuberculous-----340	570	-	2	3	13	6	12	9	7
12	Other diseases of nervous system and sense organs-----330-334,341-398	725	1	33	18	16	12	6	3	7
13	Acute upper respiratory infections-----470-478	273	-	-	5	1	3	1	-	1
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	5,835	-	-	-	1	2	2	1	1
15	Influenza-----480-483	252	-	-	-	1	2	2	-	1
16	Pneumonia, except pneumonia of newborn-----490-493	5,583	...	...	...	...	...	...	...	...
17	Bronchitis-----500-502	513	1	4	2	3	1	-	2	-
18	Other diseases of respiratory system-----510-522,525-527	1,101	6	38	39	12	7	6	5	3
19	Pulmonary congestion and hypostasis-----522	148	-	12	6	3	3	3	2	1
20	Other chronic interstitial pneumonia-----525	645	1	2	1	1	1	-	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	162	-	4	3	3	1	-	-	1
23	All other diseases of respiratory system-----510-521,527.1	145	5	20	23	5	2	3	2	1
24	Hernia and intestinal obstruction-----560,561,570	771	63	235	76	53	24	13	16	10
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,270	-	-	1	-	1	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	512	-	13	21	26	29	16	15	20
27	Congenital malformations-----750-759	13,426	1,108	2,445	910	895	597	377	266	198
28	Spina bifida and meningocele-----751	1,031	61	118	36	34	20	21	20	16
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,423	151	287	61	51	40	22	10	11
30	Congenital malformations of circulatory system-----754	6,569	114	759	529	533	397	220	137	99
31	Other congenital malformations-----750,755-759	4,383	782	1,271	284	217	140	114	99	70
32	Certain diseases of early infancy-----760-776	51,260	5,267	24,954	7,906	5,052	2,038	1,004	731	525
33	Birth injuries-----760,761	8,379	1,485	4,177	1,126	779	331	141	103	52
34	Without mention of immaturity (.0)-----	3,146	-	1,216	463	361	166	75	50	29
35	With immaturity (.5)-----	5,233	845	2,961	663	398	145	66	53	23
36	Intracranial and spinal injury at birth-----760	2,457	137	858	452	457	216	96	70	39
37	Without mention of immaturity (.0)-----	1,466	101	475	271	272	135	60	43	24
38	With immaturity (.5)-----	991	36	383	181	185	81	36	27	15
39	Other birth injury-----761	5,922	1,348	3,319	674	322	115	45	33	13
40	Without mention of immaturity (.0)-----	1,680	539	741	192	109	51	15	7	5
41	With immaturity (.5)-----	4,242	809	2,578	482	213	64	30	26	8
42	Postnatal asphyxia and atelectasis-----762	15,209	1,126	7,863	2,902	1,721	546	226	142	109
43	Without mention of immaturity (.0)-----	4,153	373	1,797	828	548	171	68	45	35
44	With immaturity (.5)-----	11,056	753	6,066	2,074	1,173	375	158	97	74
45	Pneumonia of newborn-----763	2,372	29	263	272	286	167	108	85	73
46	Without mention of immaturity (.0)-----	1,687	21	166	173	176	112	59	57	52
47	With immaturity (.5)-----	685	8	97	99	110	55	49	38	21
48	Diarrhea of newborn-----764	217	-	2	-	1	3	4	4	7
49	Without mention of immaturity (.0)-----	165	-	2	-	-	3	3	3	5
50	With immaturity (.5)-----	52	-	-	-	1	-	1	1	2
51	Other infections of newborn-----765-768	535	11	48	25	34	46	36	29	31
52	Without mention of immaturity (.0)-----	353	2	29	15	23	30	24	14	17
53	With immaturity (.5)-----	182	9	19	10	11	16	12	15	14
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	779	91	371	135	78	44	16	15	1
55	Without mention of immaturity (.0-.4)-----	260	32	110	39	37	16	3	7	1
56	With immaturity (.5-.9)-----	519	59	261	97	41	28	13	8	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	1,994	446	910	182	139	115	62	32	22
58	Without mention of immaturity (.0-.2)-----	1,579	360	719	149	106	92	40	25	17
59	With immaturity (.5-.7)-----	415	86	191	33	33	23	22	7	5
60	Hemorrhagic disease of newborn-----771	438	20	127	72	77	42	19	21	14
61	Without mention of immaturity (.0)-----	270	12	79	39	49	24	14	9	9
62	With immaturity (.5)-----	168	8	48	33	28	18	5	12	5
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	6,006	319	2,477	1,242	810	288	127	73	66
64	Without mention of immaturity (.0)-----	1,621	59	425	346	249	94	31	8	15
65	With immaturity (.5)-----	4,387	260	2,052	896	561	204	96	65	51
66	Immaturity with mention of any other subsidiary condition-----774	930	53	328	110	85	32	32	23	22
67	Immaturity, unqualified-----776	14,399	1,677	8,388	1,840	1,042	414	233	184	128
68	Symptoms and ill-defined conditions-----780-793,795	972	43	130	50	50	23	12	7	10
69	All other diseases-----Residual	1,049	14	65	36	29	23	16	19	11
70	Accidents-----E900-E962	2,672	12	29	20	25	25	16	13	15
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	902	-	17	10	19	22	12	10	9
72	Accidental mechanical suffocation in bed and cradle-----E924	683	2	1	3	1	-	2	1	3
73	Other accidental causes-----E800-E920,E923,E925-E962	1,087	10	11	7	5	3	2	2	3
74	Homicide-----E964,E980-E984	128	56	17	9	1	1	-	-	-

SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
56,097	3,072	1,662	1,254	62,085	4,818	3,722	2,831	2,065	1,554	1,267	1,096	952	768	661	660	1
-	1	-	1	2	9	5	5	6	10	1	6	8	1	3	4	2
-	-	-	-	-	72	69	38	35	23	11	12	8	8	7	6	3
-	-	-	-	-	1	6	1	3	4	4	-	3	-	1	1	4
3	2	2	4	11	15	15	12	12	17	12	22	12	10	11	12	5
6	11	2	-	19	-	-	-	-	-	-	-	-	-	-	-	6
33	15	11	5	64	34	30	32	34	27	22	31	32	35	14	19	7
27	-	4	-	31	38	14	22	17	15	15	19	21	16	25	25	8
37	5	5	2	49	11	9	17	7	4	4	2	4	5	4	3	9
16	3	2	2	23	24	14	14	6	5	2	-	1	5	3	-	10
50	57	35	22	164	79	62	35	42	36	26	37	35	24	15	15	11
97	15	13	9	134	101	86	77	50	59	47	51	29	30	27	34	12
11	6	8	15	40	56	51	25	25	18	12	14	10	7	7	8	13
6	3	8	7	24	1,312	1,184	917	658	432	365	284	212	163	156	128	14
6	3	8	7	24	34	31	29	34	19	20	16	19	12	5	9	15
...	...	...	...	...	1,278	1,183	888	624	413	345	268	193	151	151	119	16
13	6	7	11	37	83	83	81	51	41	29	30	20	14	18	16	17
116	11	17	13	157	248	238	162	82	69	42	26	25	10	13	9	18
30	3	5	7	45	25	32	15	6	3	3	3	3	1	3	3	19
6	-	-	1	7	183	153	121	61	48	24	19	10	7	6	6	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
19	3	6	2	30	23	37	28	10	9	7	3	9	1	2	3	22
61	5	6	3	75	17	16	18	5	3	4	1	3	1	2	3	23
490	43	35	28	596	56	28	19	20	12	8	11	6	6	7	2	24
2	-	2	-	4	220	157	138	117	111	104	102	69	92	65	71	25
140	66	37	9	252	70	45	33	29	24	15	14	11	6	8	5	26
6,796	977	601	445	8,819	1,297	777	602	457	363	278	222	202	158	130	121	27
328	71	86	60	545	136	89	62	39	50	29	17	21	15	11	17	28
633	41	52	42	768	118	85	85	69	60	53	50	43	38	32	22	29
2,858	553	297	223	3,931	727	473	365	284	203	164	127	112	82	63	58	30
2,977	312	166	120	3,575	316	130	90	65	50	32	28	28	23	24	24	31
47,477	1,662	739	546	50,424	344	193	98	59	34	24	29	15	18	11	11	32
8,194	119	33	25	8,371	3	3	-	1	3	-	-	-	-	-	-	33
3,040	60	23	19	3,142	2	1	-	-	1	-	-	-	-	-	-	34
5,154	59	10	6	5,229	1	1	-	-	1	-	-	-	-	-	-	35
2,325	91	23	18	2,457	...	...	...	...	...	...	...	...	...	...	...	36
1,381	52	16	17	1,466	...	...	...	...	...	...	...	...	...	...	...	37
944	39	7	1	991	...	...	...	...	...	...	...	...	...	...	...	38
5,869	28	10	7	5,914	3	3	-	-	1	-	-	-	-	-	-	39
1,659	8	7	2	1,676	2	1	-	-	1	-	-	-	-	-	-	40
4,210	20	3	5	4,238	1	2	-	-	-	-	-	-	-	-	-	41
14,635	251	78	45	15,009	78	51	23	16	5	9	5	3	4	2	4	42
5,865	68	31	27	3,991	53	41	22	15	5	8	5	3	4	2	4	43
10,770	183	47	18	11,018	25	1	-	1	-	-	-	-	-	-	-	44
1,293	443	331	305	2,372	...	...	...	...	...	...	...	...	...	...	...	45
816	326	278	267	1,687	...	...	...	...	...	...	...	...	...	...	...	46
477	117	53	38	685	...	...	...	...	...	...	...	...	...	...	...	47
21	74	67	55	217	-	-	-	-	-	-	-	-	-	-	-	48
16	53	47	49	165	-	-	-	-	-	-	-	-	-	-	-	49
5	21	20	6	52	-	-	-	-	-	-	-	-	-	-	-	50
260	160	78	30	528	7	-	-	-	-	-	-	-	-	-	-	51
154	113	57	23	347	6	-	-	-	-	-	-	-	-	-	-	52
106	47	21	7	181	1	-	-	-	-	-	-	-	-	-	-	53
751	14	2	-	767	6	4	1	-	1	-	-	-	-	-	-	54
244	7	-	-	251	4	3	1	-	1	-	-	-	-	-	-	55
507	7	2	-	516	2	1	-	-	-	-	-	-	-	-	-	56
1,908	58	8	5	1,979	11	2	1	-	-	-	-	-	1	-	-	57
1,508	48	7	4	1,567	9	2	1	-	-	-	-	-	1	-	-	58
400	10	1	1	412	3	-	-	-	-	-	-	-	-	-	-	59
392	31	3	9	435	3	-	-	-	-	-	-	-	-	-	-	60
235	21	3	8	267	3	-	-	-	-	-	-	-	-	-	-	61
157	10	-	1	168	-	-	-	-	-	-	-	-	-	-	-	62
5,412	144	45	30	5,631	117	82	55	34	19	14	21	11	13	7	4	63
1,227	32	19	17	1,295	88	71	51	33	18	13	20	9	13	6	4	64
4,185	112	26	13	4,336	29	11	4	1	1	1	1	2	-	1	-	65
695	54	26	11	786	80	13	6	5	1	1	1	1	1	1	1	66
13,916	314	68	31	14,329	39	16	5	3	3	-	1	-	-	1	2	67
325	37	23	21	406	156	123	89	70	32	28	17	18	11	10	12	68
213	59	37	37	346	124	94	69	67	67	76	33	55	32	29	37	69
155	91	72	74	392	459	422	302	216	150	140	132	134	117	94	114	70
99	62	29	23	213	170	157	117	78	42	33	25	24	21	9	13	71
13	13	25	25	76	166	151	96	58	47	39	23	11	9	4	3	72
43	16	18	26	103	123	114	89	80	61	68	84	99	87	81	98	73
84	2	2	3	91	9	7	3	2	1	2	2	2	-	3	6	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, MALE--ALL CAUSES-----	48,063	3,552	16,512	5,447	3,756	1,682	835	649	458
2	Dysentery, all forms-----045-048	36	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	184	-	-	-	-	-	-	-	-
4	Whooping cough-----056	15	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	95	-	-	1	-	-	-	-	-
6	Tetanus-----061	12	-	-	-	-	2	-	-	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-139	207	2	3	5	7	3	2	2	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	141	4	5	2	2	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	59	2	10	3	2	1	1	-	-
10	Diseases of thymus gland-----273	59	1	6	1	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	352	-	1	-	9	4	6	6	3
12	Other diseases of nervous system and sense organs-----330-334,341-398	423	1	21	13	12	6	3	2	5
13	Acute upper respiratory infections-----470-475	182	-	-	3	1	-	1	1	1
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	3,417	-	-	-	-	-	1	-	-
15	Influenza-----480-483	139	-	-	-	-	-	1	-	-
16	Pneumonia, except pneumonia of newborn-----490-493	3,278	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	333	-	2	2	2	1	-	1	-
18	Other diseases of respiratory system-----510-522,525-527	694	4	18	27	9	3	3	5	3
19	Pulmonary congestion and hypostasis-----522	93	1	4	5	2	1	3	2	1
20	Other chronic interstitial pneumonia-----525	409	1	2	1	1	-	-	-	-
21	Bronchiectasis-----526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	107	-	3	6	2	1	-	1	-
23	All other diseases of respiratory system-----510-521,527.1	84	3	9	15	4	1	-	2	1
24	Hernia and intestinal obstruction-----560,561,570	450	29	125	44	35	14	9	10	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	728	-	-	1	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	308	-	8	15	15	19	10	10	11
27	Congenital malformations-----750-759	7,383	500	1,386	561	551	363	203	150	110
28	Spina bifida and meningocele-----751	446	20	53	15	11	13	10	11	13
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	734	68	154	35	28	16	14	6	4
30	Congenital malformations of circulatory system-----754	3,816	61	466	336	394	258	122	80	53
31	Other congenital malformations-----750,755-759	2,367	351	713	175	118	76	57	53	40
32	Certain diseases of early infancy-----760-776	30,201	2,952	14,786	4,699	3,044	1,221	578	438	300
33	Birth injuries-----760,761	5,094	858	2,558	690	492	202	91	70	25
34	Without mention of immaturity (.0)-----	1,961	381	741	309	254	117	49	34	11
35	With immaturity (.5)-----	3,133	477	1,817	381	238	85	42	36	14
36	Intracranial and spinal injury at birth-----760	1,583	82	557	308	296	154	65	48	20
37	Without mention of immaturity (.0)-----	962	64	308	192	180	87	40	30	10
38	With immaturity (.5)-----	621	20	249	116	115	47	25	18	10
39	Other birth injury-----761	3,511	776	2,001	582	197	68	28	22	5
40	Without mention of immaturity (.0)-----	999	319	433	117	74	30	9	4	1
41	With immaturity (.5)-----	2,512	457	1,568	265	123	38	19	18	4
42	Postnatal asphyxia and atelectasis-----762	9,122	664	4,694	1,782	1,033	339	139	94	59
43	Without mention of immaturity (.0)-----	2,510	218	1,050	511	350	118	45	35	16
44	With immaturity (.5)-----	6,612	446	3,644	1,271	683	221	94	59	43
45	Pneumonia of newborn-----763	1,405	15	160	167	180	96	61	45	42
46	Without mention of immaturity (.0)-----	986	8	104	106	104	63	29	24	31
47	With immaturity (.5)-----	419	7	56	61	76	33	32	21	11
48	Diarrhea of newborn-----764	126	-	1	-	-	3	-	2	5
49	Without mention of immaturity (.0)-----	103	-	1	-	-	3	-	2	4
50	With immaturity (.5)-----	23	-	-	-	-	-	-	-	1
51	Other infections of newborn-----765-768	323	6	22	15	22	34	19	20	22
52	Without mention of immaturity (.0)-----	217	-	11	6	15	23	15	9	13
53	With immaturity (.5)-----	106	6	11	7	7	11	4	11	9
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	462	46	220	84	49	27	8	11	1
55	Without mention of immaturity (.0-.4)-----	160	17	64	23	29	10	2	6	1
56	With immaturity (.5-.9)-----	302	29	156	61	20	17	6	5	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	1,047	197	481	94	86	64	40	24	16
58	Without mention of immaturity (.0-.2)-----	832	158	388	80	61	50	24	19	13
59	With immaturity (.5-.7)-----	215	39	93	14	25	14	16	5	3
60	Hemorrhagic disease of newborn-----771	276	8	80	49	51	28	8	13	9
61	Without mention of immaturity (.0)-----	156	2	46	22	31	14	7	4	6
62	With immaturity (.5)-----	130	6	34	27	20	14	1	9	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	3,603	169	1,496	731	507	181	66	43	41
64	Without mention of immaturity (.0)-----	1,019	36	252	225	160	62	20	4	12
65	With immaturity (.5)-----	2,584	133	1,246	506	347	119	46	39	29
66	Immaturity with mention of any other subsidiary condition-----774	540	41	198	66	49	18	15	14	15
67	Immaturity, unqualified-----776	8,203	948	4,874	1,021	575	229	131	102	65
68	Symptoms and ill-defined conditions-----780-793,795	560	19	73	31	29	13	8	4	6
69	All other diseases-----Residual	646	5	40	22	21	15	4	13	5
70	Accidents-----E800-E962	1,528	3	19	12	15	14	6	7	9
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	536	-	10	6	11	12	4	5	7
72	Accidental mechanical suffocation in bed and cradle-----E924	389	1	1	2	-	-	1	-	1
73	Other accidental causes-----E800-E920,E923,E925-E962	803	2	8	4	4	2	1	2	1
74	Homicide-----E964,E960-E984	68	30	9	5	1	-	-	-	-



SECTION 3. - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-15 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
32,891	1,730	978	732	36,331	2,829	2,234	1,645	1,145	883	718	605	512	429	357	375	1
-	1	-	1	2	6	4	5	3	5	1	3	6	1	1	1	2
-	-	-	-	-	43	42	26	26	15	5	6	1	1	1	1	3
1	-	-	4	6	8	11	9	7	8	4	12	7	7	9	7	4
3	6	2	-	11	-	-	-	-	-	-	-	-	-	-	-	5
24	8	8	2	42	23	18	13	18	12	14	16	11	21	9	10	7
14	-	1	-	15	19	10	13	13	6	7	11	9	11	14	13	8
19	3	2	1	25	6	6	4	3	3	3	2	4	1	1	1	9
9	2	1	1	13	13	10	9	4	3	1	-	-	4	2	2	10
29	39	27	11	106	41	40	22	28	22	18	25	21	13	8	8	11
65	12	8	7	92	57	52	26	26	26	25	17	17	13	13	20	12
7	3	5	8	23	33	29	43	16	15	5	9	7	18	3	5	13
1	2	4	5	12	81	716	565	358	251	206	145	111	87	78	77	14
1	2	4	5	12	22	21	16	17	9	12	7	6	8	4	5	15
...	...	...	...	...	789	695	549	341	242	194	138	105	79	74	72	16
8	3	6	9	26	54	59	32	30	30	20	15	12	10	12	11	17
72	5	10	10	97	148	169	115	55	37	26	18	11	3	9	6	18
18	1	2	5	28	10	25	11	4	6	5	3	3	1	1	1	19
5	-	-	1	6	115	107	74	39	26	15	12	4	2	5	4	20
14	3	4	1	22	11	25	24	8	2	5	3	2	1	2	2	21
35	1	4	3	43	12	12	6	4	3	1	1	2	1	1	1	23
270	28	20	20	338	31	22	16	14	6	8	2	3	5	1	24	4
1	-	2	-	3	119	82	77	66	63	67	59	49	63	35	45	25
88	42	21	3	154	46	31	21	13	13	7	4	8	3	5	3	26
3,824	537	337	238	4,936	728	435	304	229	201	142	112	97	75	63	61	27
146	25	35	25	231	59	41	31	16	19	12	9	6	6	5	11	28
325	19	33	18	395	60	51	41	39	26	26	28	17	23	17	12	29
1,770	321	177	125	2,393	422	265	184	143	122	86	61	58	34	26	22	30
1,583	172	92	70	1,917	187	78	48	32	34	18	14	16	12	15	16	31
28,018	923	436	336	29,713	199	118	54	32	18	14	19	10	11	6	7	32
4,986	68	16	19	5,089	1	3	-	-	-	-	1	-	-	-	-	33
1,896	36	14	14	1,960	-	1	-	-	-	-	-	-	-	-	-	34
5,090	32	2	5	5,129	1	2	-	-	-	-	-	-	-	-	-	35
1,507	50	12	14	1,583	...	...	...	...	...	...	...	...	...	...	...	36
909	30	13	13	982	...	...	...	...	...	...	...	...	...	...	...	37
598	20	10	1	621	...	...	...	...	...	...	...	...	...	...	...	38
3,479	18	4	5	3,506	1	3	-	-	-	-	1	-	-	-	-	39
987	6	4	1	998	1	1	-	-	-	-	1	-	-	-	-	40
2,492	12	4	4	2,508	1	2	-	-	-	-	1	-	-	-	-	41
8,804	133	43	24	9,004	43	33	15	7	3	5	2	3	3	2	2	42
2,343	37	17	14	2,411	30	28	15	7	3	4	2	3	3	2	2	43
6,461	96	26	10	6,593	13	5	-	-	-	1	-	-	-	-	-	44
766	250	205	184	1,405	...	...	...	...	...	...	...	...	...	...	...	45
469	183	170	164	986	...	...	...	...	...	...	...	...	...	...	...	46
297	67	35	20	419	...	...	...	...	...	...	...	...	...	...	...	47
111	46	36	33	126	...	...	...	...	...	...	...	...	...	...	...	48
10	35	28	30	103	-	-	-	-	-	-	-	-	-	-	-	49
1	11	8	3	23	-	-	-	-	-	-	-	-	-	-	-	50
160	89	49	20	318	5	-	-	-	-	-	-	-	-	-	-	51
94	68	34	17	213	4	-	-	-	-	-	-	-	-	-	-	52
66	21	15	3	105	1	-	-	-	-	-	-	-	-	-	-	53
446	9	2	-	457	3	2	-	-	-	-	-	-	-	-	-	54
152	4	-	-	156	2	2	-	-	-	-	-	-	-	-	-	55
294	5	2	-	301	1	1	-	-	-	-	-	-	-	-	-	56
1,002	29	4	3	1,038	6	2	-	-	-	-	-	-	-	-	-	57
783	25	4	3	825	4	2	-	-	-	-	-	-	-	-	-	58
209	4	-	-	213	2	2	-	-	-	-	-	-	-	-	-	59
246	17	3	8	274	2	-	-	-	-	-	-	-	-	-	-	60
132	11	3	8	154	2	-	-	-	-	-	-	-	-	-	-	61
114	6	-	-	120	-	-	-	-	-	-	-	-	-	-	-	62
3,236	61	29	16	3,362	80	54	33	22	10	8	15	6	8	3	2	63
771	19	11	13	814	58	46	30	21	10	7	14	6	8	3	2	64
2,465	62	18	3	2,548	22	8	3	1	-	1	1	-	-	-	-	65
416	36	15	7	474	39	14	4	2	5	1	-	-	-	-	1	66
7,945	165	34	22	8,166	20	2	1	1	-	-	1	-	-	1	2	67
183	20	17	11	231	97	69	53	32	18	18	13	10	7	3	9	68
125	40	29	22	215	61	56	37	27	34	18	19	34	17	18	18	69
85	55	41	40	221	262	247	169	119	91	79	81	80	63	54	62	70
55	40	17	11	123	100	98	66	46	27	22	21	15	11	2	5	71
6	4	12	18	40	97	89	58	32	27	20	14	4	6	1	1	72
24	11	12	11	58	65	60	45	41	37	37	46	61	46	51	56	73
45	1	-	3	49	3	4	1	1	-	2	1	-	-	2	4	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, FEMALE--ALL CAUSES-----	34,416	3,038	11,491	3,674	2,437	1,116	653	444	353
2	Dysentery, all forms-----045-046	22	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	105	-	-	-	-	-	-	-	-
4	Whooping cough-----056	9	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	68	-	-	-	1	1	-	-	-
6	Tetanus-----061	8	-	1	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	167	1	3	2	1	-	-	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	117	4	6	1	-	-	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	60	5	4	7	-	1	-	1	-
10	Diseases of thymus gland-----273	38	-	-	3	1	-	-	2	1
11	Meningitis, except meningococcal and tuberculous-----340	218	-	1	3	4	2	6	3	2
12	Other diseases of nervous system and sense organs-----350-354,341-396	302	-	12	5	5	4	3	1	2
13	Acute upper respiratory infections-----470-475	111	-	-	2	-	-	2	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----460-493	2,418	-	-	-	1	2	1	-	1
15	Influenza-----460-483	113	-	-	-	-	2	1	-	1
16	Pneumonia, except pneumonia of newborn-----480-493	2,305	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	180	1	2	-	1	-	-	1	-
18	Other diseases of respiratory system-----510-522,525-527	407	2	20	12	3	4	3	-	-
19	Pulmonary congestion and hypostasis-----522	55	-	8	1	-	1	-	-	-
20	Other chronic interstitial pneumonia-----525	236	-	-	-	-	2	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527-2	55	-	1	3	1	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	61	2	11	6	1	1	3	-	-
24	Hernia and intestinal obstruction-----560,561,570	321	34	110	32	18	10	4	6	6
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	542	-	-	-	-	1	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	204	-	5	6	11	10	6	5	9
27	Congenital malformations-----750-759	6,043	608	1,059	349	344	234	174	116	89
28	Spina bifida and meningocele-----751	585	41	65	21	23	7	11	9	5
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	689	63	133	26	23	24	8	4	7
30	Congenital malformations of circulatory system-----754	2,773	53	303	193	199	139	98	57	46
31	Other congenital malformations-----750,755-759	1,996	431	558	109	99	64	57	46	30
32	Certain diseases of early infancy-----760-776	21,059	2,315	10,166	3,207	2,008	817	426	293	225
33	Birth injuries-----760,761	3,285	627	1,619	436	287	129	50	33	27
34	Without mention of immaturity (.0)-----	1,185	259	476	154	127	69	26	16	18
35	With immaturity (.5)-----	2,100	368	1,144	282	160	60	24	17	9
36	Intracranial and spinal injury at birth-----760	874	55	301	144	162	82	33	22	19
37	Without mention of immaturity (.0)-----	504	39	167	79	92	48	20	13	14
38	With immaturity (.5)-----	370	16	134	65	70	34	13	9	5
39	Other birth injury-----761	2,411	572	1,318	292	125	47	17	11	8
40	Without mention of immaturity (.0)-----	681	220	308	75	35	21	6	3	4
41	With immaturity (.5)-----	1,730	352	1,010	217	90	26	11	8	4
42	Postnatal asphyxia and atelectasis-----762	6,087	462	3,169	1,120	688	207	87	48	50
43	Without mention of immaturity (.0)-----	1,843	155	747	317	198	53	23	10	27
44	With immaturity (.5)-----	4,444	307	2,422	803	490	154	64	38	31
45	Pneumonia of newborn-----763	967	14	103	105	106	71	47	50	31
46	Without mention of immaturity (.0)-----	701	13	62	67	72	49	30	33	21
47	With immaturity (.5)-----	266	1	41	38	34	22	17	17	10
48	Diarrhea of newborn-----764	91	-	1	-	-	-	4	2	2
49	Without mention of immaturity (.0)-----	62	-	1	-	-	-	3	1	1
50	With immaturity (.5)-----	29	-	-	-	1	-	1	1	1
51	Other infections of newborn-----765-768	212	5	26	10	12	12	17	9	9
52	Without mention of immaturity (.0)-----	136	2	18	7	8	7	9	5	4
53	With immaturity (.5)-----	76	3	8	3	4	5	6	4	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	317	45	151	51	29	17	8	4	-
55	Without mention of immaturity (.0-.4)-----	100	15	46	15	8	6	1	1	-
56	With immaturity (.5-.9)-----	217	30	105	36	21	11	7	3	-
57	Hemolytic disease of newborn (erythroblastosis)-----770	947	249	429	68	53	51	22	8	6
58	Without mention of immaturity (.0-.2)-----	747	202	331	69	45	42	16	6	4
59	With immaturity (.5-.7)-----	200	47	98	19	8	9	6	2	2
60	Hemorrhagic disease of newborn-----771	162	12	47	23	26	14	11	8	5
61	Without mention of immaturity (.0)-----	114	10	33	17	18	10	7	5	3
62	With immaturity (.5)-----	48	2	14	6	8	4	4	3	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,405	150	979	511	303	117	61	30	25
64	Without mention of immaturity (.0)-----	802	23	173	121	89	32	11	4	3
65	With immaturity (.5)-----	1,803	127	806	390	214	85	50	26	22
66	Immaturity with mention of any other subsidiary condition-----774	390	22	130	44	36	14	17	9	7
67	Immaturity, unqualified-----776	6,186	729	3,514	819	467	185	102	92	63
68	Symptoms and ill-defined conditions-----780-793,795	412	24	57	19	21	10	4	3	4
69	All other diseases-----Residual	403	9	25	14	8	8	12	6	6
70	Accidents-----E800-E962	1,144	9	10	8	10	11	10	6	6
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	366	-	7	4	9	10	8	5	2
72	Accidental mechanical suffocation in bed and cradle-----E924	294	1	-	1	1	-	1	1	2
73	Other accidental causes-----E800-E920,E923,E925-E962	484	8	3	3	1	1	1	-	-
74	Homicide-----E964,E980-E984	60	25	8	4	-	1	-	-	-

SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
23,206	1,342	684	522	25,754	1,989	1,488	1,186	920	671	549	491	440	339	304	285	1
-	-	-	-	-	3	1	-	3	5	-	3	2	-	2	3	2
-	-	-	-	-	29	27	12	9	8	6	4	4	-	4	2	3
-	-	-	-	-	-	-	-	1	1	3	-	2	-	4	-	4
2	2	1	-	5	7	4	3	5	9	8	10	5	3	2	5	5
3	5	-	-	8	-	-	-	-	-	-	-	-	-	-	-	6
9	7	3	3	22	11	12	19	16	15	8	15	21	14	5	9	7
13	-	3	-	16	19	4	9	4	9	8	8	12	5	11	12	8
18	2	3	1	24	5	3	13	4	1	1	5	-	4	3	1	9
7	1	1	1	10	11	4	5	2	2	1	-	1	1	1	-	10
21	16	8	11	58	36	22	13	14	14	8	12	14	11	7	7	11
32	3	5	2	42	44	34	34	24	26	21	25	12	12	14	14	12
4	3	3	7	17	23	22	9	10	7	7	5	3	4	1	1	13
5	1	4	2	12	501	468	352	300	181	159	139	101	76	78	51	14
5	1	4	2	12	12	10	13	17	10	8	9	13	4	1	4	15
...	...	...	...	...	489	458	339	283	171	151	130	88	72	77	47	16
5	3	1	2	11	29	34	29	19	11	9	15	8	4	6	5	17
44	6	7	3	60	100	69	67	27	32	16	8	7	7	4	3	18
12	2	3	2	19	15	7	4	2	3	1	7	-	1	2	2	19
1	-	-	-	1	68	46	47	22	22	9	7	6	5	1	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
5	-	2	1	8	12	12	4	2	7	2	2	7	-	-	1	22
26	4	2	-	32	5	4	12	1	-	4	-	-	1	1	-	23
220	15	15	8	258	25	6	3	6	6	4	3	4	3	2	1	24
1	-	-	-	1	101	75	61	51	48	37	43	40	29	30	26	25
52	24	16	6	98	24	14	12	16	11	8	10	3	3	3	2	26
2,972	440	264	207	3,883	569	342	298	228	162	136	110	105	83	67	60	27
182	45	51	35	314	77	48	31	23	31	17	8	15	9	6	6	28
308	22	19	24	373	58	34	44	31	34	27	22	26	15	15	10	29
1,088	232	120	98	1,538	305	208	181	141	81	78	66	54	48	37	36	30
1,394	140	74	50	1,658	129	52	42	33	16	14	14	10	11	9	8	31
19,459	739	305	210	20,711	145	75	44	27	16	10	10	5	7	5	4	32
3,208	51	17	6	3,282	2	-	-	1	1	-	-	-	-	-	-	33
1,144	24	9	5	1,162	2	-	-	-	1	-	-	-	-	-	-	34
2,084	27	8	1	2,100	-	1	-	-	-	-	-	-	-	-	-	35
818	41	11	4	874	...	...	...	...	...	...	...	...	...	...	...	36
472	22	4	4	504	...	...	...	...	...	...	...	...	...	...	...	37
346	19	5	-	370	...	...	...	...	...	...	...	...	...	...	...	38
2,390	10	6	2	2,408	2	-	-	-	1	-	-	-	-	-	-	39
672	2	3	1	678	2	-	-	-	1	-	-	-	-	-	-	40
1,718	8	3	1	1,730	-	-	-	-	-	-	-	-	-	-	-	41
5,831	118	35	21	6,005	35	18	8	9	2	4	3	-	1	-	2	42
1,522	31	14	13	1,580	23	13	7	8	2	4	3	-	1	-	2	43
4,309	87	21	8	4,425	12	5	1	1	-	-	-	-	-	-	-	44
527	195	126	121	967	...	...	...	...	...	...	...	...	...	...	...	45
347	143	108	103	701	...	...	...	...	...	...	...	...	...	...	...	46
180	50	18	18	266	...	...	...	...	...	...	...	...	...	...	...	47
10	28	31	22	91	-	-	-	-	-	-	-	-	-	-	-	48
6	16	19	19	62	-	-	-	-	-	-	-	-	-	-	-	49
4	10	12	3	29	-	-	-	-	-	-	-	-	-	-	-	50
100	71	29	10	210	2	-	-	-	-	-	-	-	-	-	-	51
60	45	23	6	134	2	-	-	-	-	-	-	-	-	-	-	52
40	26	6	4	76	-	-	-	-	-	-	-	-	-	-	-	53
305	5	-	-	310	3	2	1	-	1	-	-	-	-	-	-	54
92	3	-	-	95	2	1	1	-	1	-	-	-	-	-	-	55
213	2	-	-	215	1	1	-	-	-	-	-	-	-	-	-	56
906	29	4	2	941	5	-	1	-	-	-	-	-	-	-	-	57
715	23	3	1	742	4	-	1	-	-	-	-	-	-	-	-	58
181	6	1	1	199	1	-	-	-	-	-	-	-	-	-	-	59
146	14	-	1	161	1	-	-	-	-	-	-	-	-	-	-	60
103	10	-	-	113	1	-	-	-	-	-	-	-	-	-	-	61
43	4	-	1	48	-	-	-	-	-	-	-	-	-	-	-	62
2,176	63	16	14	2,289	37	28	22	12	9	6	6	5	5	4	2	63
456	13	8	4	481	30	25	21	12	8	6	6	3	5	3	2	64
1,720	50	8	10	1,788	7	3	1	-	1	-	-	-	-	1	-	65
279	18	11	4	312	41	21	9	4	-	-	1	-	1	1	-	66
5,971	149	34	9	6,163	19	6	3	2	3	-	-	-	-	-	-	67
142	17	6	10	175	59	54	36	36	14	10	4	8	4	7	3	68
88	19	8	15	130	43	38	32	18	33	28	15	21	15	11	19	69
70	36	31	34	171	197	175	133	97	59	61	51	54	54	40	52	70
44	22	12	12	90	70	59	51	32	15	11	4	9	10	7	8	71
7	9	13	7	36	69	62	38	26	20	19	9	7	3	3	2	72
19	5	6	15	45	58	54	44	39	24	31	38	38	41	30	42	73
39	1	2	-	42	6	3	2	1	1	-	1	1	-	1	2	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, BOTH SEXES--ALL CAUSES-----	28,394	1,633	7,807	2,428	1,340	719	485	364	252
2	Dysentery, all forms-----045-048	80	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	119	-	-	-	-	-	-	-	-
4	Whooping cough-----056	49	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	35	-	-	-	-	-	-	-	-
6	Tetanus-----061	49	-	-	-	-	1	-	5	4
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	183	1	7	1	1	3	1	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	40	1	1	1	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	19	1	3	-	-	-	-	1	-
10	Diseases of thymus gland-----273	16	-	2	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	302	-	-	1	3	7	1	1	2
12	Other diseases of nervous system and sense organs-----330-334,341-398	225	-	13	8	5	2	3	2	2
13	Acute upper respiratory infections-----470-475	144	-	-	3	3	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	3,993	-	2	1	1	1	1	2	1
15	Influenza-----480-483	286	-	2	1	1	1	1	2	1
16	Pneumonia, except pneumonia of newborn-----490-493	3,707	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	143	-	1	-	-	-	1	2	-
18	Other diseases of respiratory system-----510-522,525-527	438	2	11	5	5	1	4	1	1
19	Pulmonary congestion and hypostasis-----522	36	-	1	1	3	-	2	-	-
20	Other chronic interstitial pneumonia-----525	289	-	-	-	1	1	1	-	1
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	74	1	1	3	1	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	40	1	9	1	-	-	1	-	-
24	Hernia and intestinal obstruction-----560,561,570	151	3	21	7	5	7	4	3	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,352	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	164	-	1	3	7	8	12	7	12
27	Congenital malformations-----750-759	1,963	135	294	133	102	78	50	42	28
28	Spina bifida and meningocele-----751	65	7	5	3	3	-	2	2	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	222	20	34	10	4	5	5	-	2
30	Congenital malformations of circulatory system-----754	1,000	21	120	76	67	49	24	18	12
31	Other congenital malformations-----750,755-759	676	87	135	44	28	24	19	22	13
32	Certain diseases of early infancy-----760-776	15,814	1,363	7,218	2,163	1,135	556	373	268	183
33	Birth injuries-----760,761	1,779	303	827	298	124	73	41	17	17
34	Without mention of immaturity (.0)-----	855	160	341	155	68	47	23	9	11
35	With immaturity (.5)-----	924	143	486	143	56	26	18	8	6
36	Intracranial and spinal injury at birth-----760	718	44	263	162	84	54	33	11	13
37	Without mention of immaturity (.0)-----	391	25	133	89	46	37	18	6	8
38	With immaturity (.5)-----	327	19	130	73	38	17	15	5	5
39	Other birth injury-----761	1,061	259	564	136	40	19	8	6	4
40	Without mention of immaturity (.0)-----	464	135	208	66	22	10	5	3	3
41	With immaturity (.5)-----	597	124	356	70	18	9	3	3	1
42	Postnatal asphyxia and atelectasis-----762	4,330	374	2,332	720	359	141	77	52	27
43	Without mention of immaturity (.0)-----	1,102	119	480	206	108	42	19	15	4
44	With immaturity (.5)-----	3,228	255	1,852	514	251	99	58	33	23
45	Pneumonia of newborn-----763	1,172	11	131	96	89	71	46	59	40
46	Without mention of immaturity (.0)-----	876	9	85	71	64	56	34	42	28
47	With immaturity (.5)-----	296	2	46	25	25	15	12	17	12
48	Diarrhea of newborn-----764	246	-	1	2	2	3	5	2	4
49	Without mention of immaturity (.0)-----	197	-	1	2	2	3	4	2	3
50	With immaturity (.5)-----	49	-	-	-	-	-	1	-	1
51	Other infections of newborn-----765-768	244	5	18	15	11	16	14	17	14
52	Without mention of immaturity (.0)-----	153	4	6	10	7	10	10	7	8
53	With immaturity (.5)-----	91	1	12	5	4	6	4	10	6
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	222	38	100	28	19	12	3	4	5
55	Without mention of immaturity (.0-.4)-----	94	16	38	15	10	6	-	-	2
56	With immaturity (.5-.9)-----	128	22	62	13	9	6	3	4	3
57	Hemolytic disease of newborn (erythroblastosis)-----770	151	13	44	10	19	12	13	8	2
58	Without mention of immaturity (.0-.2)-----	123	13	37	10	15	9	8	4	2
59	With immaturity (.5-.7)-----	28	-	7	-	4	3	5	4	-
60	Hemorrhagic disease of newborn-----771	182	5	56	36	18	19	8	10	4
61	Without mention of immaturity (.0)-----	123	4	35	28	16	10	5	5	4
62	With immaturity (.5)-----	59	1	21	8	2	9	3	5	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,049	119	771	253	132	66	40	25	22
64	Without mention of immaturity (.0)-----	732	30	114	51	35	22	10	5	4
65	With immaturity (.5)-----	1,317	89	657	202	97	44	30	20	18
66	Immaturity with mention of any other subsidiary condition-----774	380	14	97	31	21	15	11	8	2
67	Immaturity, unqualified-----776	5,059	501	2,841	674	341	128	115	66	46
68	Symptoms and ill-defined conditions-----780-793,795	1,546	72	187	78	42	41	25	22	10
69	All other diseases-----Residual	337	4	20	6	8	4	2	1	1
70	Accidents-----E800-E962	1,159	7	18	15	21	10	7	8	6
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	302	-	3	2	12	6	2	4	4
72	Accidental mechanical suffocation in bed and cradle-----E924	335	-	2	6	2	3	1	-	1
73	Other accidental causes-----E800-E920,E923,E925-E962	522	7	13	7	7	1	4	4	1
74	Homicide-----E964,E980-E984	71	24	8	2	2	-	1	-	-

SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
15,028	1,143	817	660	17,648	2,454	1,937	1,457	1,224	891	744	575	463	370	317	314	1
-	1	4	1	6	9	13	11	6	4	9	8	3	6	3	2	2
-	-	-	-	-	39	20	15	9	8	7	5	3	2	4	1	2
-	1	-	3	4	6	9	6	4	8	4	1	5	3	-	-	4
8	1	4	1	2	2	6	4	2	5	1	3	1	5	2	2	5
15	34	4	2	48	-	-	-	-	-	-	-	-	-	-	-	6
5	5	11	7	38	20	19	10	11	18	13	15	7	11	10	11	7
3	2	5	-	10	1	4	3	2	3	4	1	5	3	3	1	8
5	-	1	1	7	5	2	1	2	-	-	1	-	2	-	1	9
3	-	-	-	3	4	1	1	3	1	1	3	1	-	-	-	-
15	15	12	8	50	31	24	15	33	23	34	23	24	16	7	12	11
35	1	1	1	38	34	34	22	29	13	17	18	11	5	11	8	12
7	5	4	4	20	28	26	16	17	12	5	4	3	3	4	6	13
9	4	5	11	29	831	731	607	467	348	267	200	167	127	121	98	14
9	4	5	11	29	39	35	39	32	40	28	7	12	6	11	8	15
...	...	...	...	...	792	696	568	435	308	239	193	155	121	110	90	16
4	3	2	5	14	25	31	16	10	9	17	6	2	4	5	4	17
30	4	6	4	44	112	67	49	27	22	22	8	11	14	8	9	18
7	1	1	2	11	10	6	3	1	-	-	2	1	-	-	2	19
4	-	1	-	5	80	45	52	36	22	15	7	10	4	5	20	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
6	1	4	2	13	15	14	8	11	3	4	1	2	2	3	-	22
13	2	-	-	15	7	2	4	1	2	3	1	1	1	1	2	23
51	11	5	6	73	20	12	9	10	10	3	5	3	1	3	2	24
-	-	1	1	2	299	232	158	149	126	115	81	64	54	32	40	25
50	9	10	7	76	19	20	13	13	2	6	8	-	2	2	3	26
862	151	86	83	1,162	193	132	103	101	56	49	53	28	36	22	28	27
23	4	4	5	36	11	2	9	1	2	-	2	-	-	1	1	28
80	9	7	3	99	24	19	11	13	9	11	11	5	5	8	7	29
367	62	40	40	529	101	79	61	67	35	28	30	18	23	11	18	30
372	56	35	35	498	57	32	22	20	10	10	10	5	8	2	2	31
13,279	819	553	411	15,062	315	153	85	73	46	27	19	10	10	4	10	32
1,700	46	18	10	1,775	4	-	-	-	-	-	-	-	-	-	-	33
814	19	9	9	851	4	-	-	-	-	-	-	-	-	-	-	34
886	27	10	1	924	-	-	-	-	-	-	-	-	-	-	-	35
664	33	12	9	718	...	...	...	...	...	...	...	...	...	...	...	36
362	15	6	8	391	...	...	...	...	...	...	...	...	...	...	...	37
302	18	6	1	327	...	...	...	...	...	...	...	...	...	...	...	38
1,036	13	7	1	1,057	4	-	-	-	-	-	-	-	-	-	-	39
452	4	3	1	460	4	-	-	-	-	-	-	-	-	-	-	40
584	9	4	-	597	-	-	-	-	-	-	-	-	-	-	-	41
4,082	99	42	16	4,239	40	13	15	5	6	5	4	-	-	1	2	42
997	17	16	4	1,034	26	11	8	5	6	5	4	-	-	1	2	43
3,085	82	26	12	3,205	14	2	7	-	-	-	-	-	-	-	-	44
543	229	187	203	1,172	...	...	...	...	...	...	...	...	...	...	...	45
369	161	159	167	876	...	...	...	...	...	...	...	...	...	...	...	46
154	66	36	36	296	...	...	...	...	...	...	...	...	...	...	...	47
19	60	91	73	243	3	-	-	-	-	-	-	-	-	-	-	48
17	43	75	60	195	2	-	-	-	-	-	-	-	-	-	-	49
2	17	16	13	48	1	-	-	-	-	-	-	-	-	-	-	50
110	70	42	18	240	1	1	-	1	-	1	-	-	-	-	-	51
62	49	29	9	149	1	1	-	1	-	1	-	-	-	-	-	52
48	21	13	9	91	-	-	-	-	-	-	-	-	-	-	-	53
209	7	4	1	221	-	1	-	-	-	-	-	-	-	-	-	54
87	5	2	-	94	-	-	-	-	-	-	-	-	-	-	-	55
122	2	2	1	127	-	1	-	-	-	-	-	-	-	-	-	56
121	17	4	3	145	4	2	-	-	-	-	-	-	-	-	-	57
98	15	3	3	119	2	2	-	-	-	-	-	-	-	-	-	58
23	2	1	-	26	2	-	-	-	-	-	-	-	-	-	-	59
156	13	5	5	179	3	-	-	-	-	-	-	-	-	-	-	60
107	7	4	4	122	1	-	-	-	-	-	-	-	-	-	-	61
49	6	1	1	57	2	-	-	-	-	-	-	-	-	-	-	62
1,428	71	66	37	1,602	139	91	64	55	38	19	11	10	10	2	8	63
271	22	38	24	355	105	75	54	50	34	19	11	10	9	2	8	64
1,157	49	28	13	1,247	34	16	10	5	4	-	-	-	-	-	-	65
1,199	21	18	12	250	77	32	5	2	2	1	2	-	-	1	-	66
4,712	186	65	33	4,996	44	13	1	10	2	1	2	-	-	-	-	67
477	55	50	48	630	219	175	144	121	80	54	32	31	21	23	16	68
46	5	20	15	86	49	36	23	19	16	25	24	15	7	17	20	69
92	37	37	40	206	184	185	121	104	75	64	52	62	33	34	39	70
33	16	15	17	81	50	46	33	26	16	13	9	10	8	2	8	71
15	12	13	14	54	75	80	39	25	25	16	3	9	5	2	2	72
44	9	9	9	71	59	59	49	53	34	35	40	43	20	30	29	73
37	-	-	1	38	9	7	1	1	1	-	3	3	5	2	1	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, MALE--ALL CAUSES-----	15,873	894	4,395	1,413	798	439	290	190	136
2	Dysentery, all forms-----045-048	45	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	75	-	-	-	-	-	-	-	-
4	Whooping cough-----056	29	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	18	-	-	-	-	-	-	-	-
6	Tetanus-----061	30	-	-	-	-	-	-	2	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	112	-	4	1	1	2	-	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	20	1	-	1	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	9	1	2	-	-	-	-	-	-
10	Diseases of thymus gland-----273	10	-	1	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	172	-	-	-	1	5	-	1	2
12	Other diseases of nervous system and sense organs-----330-334,341-396	134	-	8	7	1	-	2	1	2
13	Acute upper respiratory infections-----470-475	86	-	-	1	2	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	2,177	-	2	1	-	1	1	-	1
15	Influenza-----480-483	154	-	2	1	-	1	1	-	1
16	Pneumonia, except pneumonia of newborn-----490-493	2,023	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	71	-	-	-	-	-	1	1	-
18	Other diseases of respiratory system-----510-522,525-527	237	1	5	2	2	-	1	-	-
19	Pulmonary congestion and hypostatis-----522	22	-	1	1	2	-	-	-	-
20	Other chronic interstitial pneumonia-----525	154	-	-	-	-	-	-	-	-
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	40	1	-	1	-	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	21	-	4	-	-	-	-	-	-
24	Hernia and intestinal obstruction-----560,561,570	92	2	7	6	3	3	1	3	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	729	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,573-587	100	-	-	2	6	6	9	5	7
27	Congenital malformations-----750-759	1,122	79	182	82	63	43	32	19	16
28	Spina bifida and meningocele-----751	34	6	4	1	2	-	2	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	115	10	20	5	1	4	3	-	-
30	Congenital malformations of circulatory system-----754	553	11	70	52	44	24	15	8	7
31	Other congenital malformations-----750,755-759	420	52	88	24	16	15	12	11	9
32	Certain diseases of early infancy-----760-776	8,890	755	4,055	1,245	664	344	215	139	96
33	Birth injuries-----760,761	1,005	148	470	178	79	46	27	8	6
34	Without mention of immaturity (.0)-----	492	72	199	96	44	31	19	4	4
35	With immaturity (.5)-----	514	76	271	82	35	15	8	4	2
36	Intracranial and spinal injury at birth-----760	437	19	159	103	57	36	22	5	6
37	Without mention of immaturity (.0)-----	253	10	87	58	30	26	15	3	4
38	With immaturity (.5)-----	167	9	72	45	27	10	7	2	2
39	Other birth injury-----761	569	129	311	75	22	10	5	3	-
40	Without mention of immaturity (.0)-----	242	62	112	38	14	5	4	1	-
41	With immaturity (.5)-----	327	67	199	37	8	5	1	2	-
42	Postnatal asphyxia and atelectasis-----762	2,438	199	1,314	411	215	83	43	28	14
43	Without mention of immaturity (.0)-----	605	55	253	110	74	30	10	11	2
44	With immaturity (.5)-----	1,835	144	1,061	301	141	53	33	17	12
45	Pneumonia of newborn-----763	673	7	81	59	47	47	31	34	28
46	Without mention of immaturity (.0)-----	497	6	52	43	36	38	23	25	19
47	With immaturity (.5)-----	176	1	29	16	11	9	8	9	9
48	Diarrhea of newborn-----764	138	-	1	1	2	2	3	1	3
49	Without mention of immaturity (.0)-----	115	-	1	1	2	2	2	1	2
50	With immaturity (.5)-----	23	-	-	-	-	-	1	-	1
51	Other infections of newborn-----765-768	134	-	10	11	7	13	10	9	6
52	Without mention of immaturity (.0)-----	86	-	4	7	4	9	8	2	4
53	With immaturity (.5)-----	48	-	6	4	3	4	2	7	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	122	21	53	18	12	7	-	2	2
55	Without mention of immaturity (.0-.4)-----	56	9	21	10	7	3	-	-	1
56	With immaturity (.5-.9)-----	66	12	32	8	5	4	-	2	1
57	Hemolytic disease of newborn (erythroblastosis)-----770	101	5	28	7	11	8	10	7	1
58	Without mention of immaturity (.0-.2)-----	81	5	22	7	9	7	6	3	1
59	With immaturity (.5-.7)-----	20	-	6	-	2	1	4	4	-
60	Hemorrhagic disease of newborn-----771	105	4	28	23	13	15	4	6	2
61	Without mention of immaturity (.0)-----	76	3	19	19	12	8	2	3	2
62	With immaturity (.5)-----	29	1	9	4	1	7	2	3	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,218	75	439	158	81	43	21	16	12
64	Without mention of immaturity (.0)-----	460	16	69	35	25	16	7	4	2
65	With immaturity (.5)-----	758	59	370	123	56	27	14	12	10
66	Immaturity with mention of any other subsidiary condition-----774	216	8	59	14	12	8	6	6	-
67	Immaturity, unqualified-----776	2,739	268	1,572	355	185	72	60	22	22
68	Symptoms and ill-defined conditions-----780-793,795	855	40	101	51	25	26	19	13	7
69	All other diseases-----Residual	204	2	16	4	7	3	1	1	-
70	Accidents-----E800-E962	625	3	8	10	13	6	7	4	4
71	Inhalation and ingestich of food or other object causing obstruction or suffocation-----E921,E922	162	-	2	1	6	4	2	2	2
72	Accidental mechanical suffocation in bed and cradle-----E924	180	-	-	5	2	2	1	-	1
73	Other accidental causes-----E800-E920,E923,E925-E962	283	3	6	4	5	-	4	2	1
74	Homicide-----E964,E980-E984	31	10	4	-	-	-	1	-	-

SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
8,547	602	433	377	9,959	1,361	1,097	794	684	506	400	312	245	201	159	155	1
-	1	4	-	5	7	9	5	2	2	4	4	2	2	3	-	2
-	-	-	-	-	23	17	9	5	5	4	3	5	1	3	-	3
-	1	-	2	3	6	3	4	2	2	3	1	4	1	-	-	4
3	1	3	1	2	2	3	2	-	3	1	3	-	1	-	-	5
9	22	10	4	30	-	-	-	-	-	-	-	-	-	-	-	6
2	5	-	-	28	7	8	6	-	11	9	8	6	8	6	6	7
2	-	1	-	4	1	2	3	-	2	2	1	1	1	2	1	8
3	1	1	-	4	2	1	-	-	-	-	-	-	1	-	1	9
1	-	-	-	1	4	1	1	2	-	-	1	-	-	-	-	10
9	8	6	6	29	15	21	8	21	16	10	15	10	10	5	6	11
21	1	1	1	24	18	11	12	13	9	14	16	4	3	5	5	12
4	3	4	1	12	13	18	10	13	7	3	1	2	1	1	4	13
6	2	2	6	16	456	438	331	243	202	129	106	82	65	63	46	14
6	2	2	6	16	27	22	22	24	19	10	2	5	2	4	1	15
...	...	...	...	...	429	416	309	219	183	119	104	77	63	59	45	16
2	-	1	2	5	17	12	8	5	3	10	2	1	2	2	4	17
11	1	-	-	15	62	34	37	28	14	15	3	8	9	6	6	18
5	-	-	-	5	6	5	1	1	-	-	-	-	1	-	1	19
-	-	-	-	44	21	26	21	11	11	10	3	5	6	3	4	20
2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	21
4	-	-	-	6	6	6	6	5	2	3	1	2	2	3	-	22
-	-	-	-	4	6	2	4	1	1	2	-	-	-	-	1	23
26	8	1	5	40	16	8	8	7	4	3	3	2	-	-	1	24
-	-	1	-	1	157	119	86	90	59	66	47	37	30	19	18	25
35	4	6	4	49	13	13	7	6	2	3	4	-	1	1	1	26
516	86	40	57	699	108	78	57	51	32	20	22	12	17	10	16	27
15	3	2	2	22	3	1	4	1	2	-	1	-	-	-	-	28
43	5	4	3	55	11	10	5	8	5	5	5	2	1	3	5	29
231	40	16	27	314	56	45	35	33	17	10	10	8	10	6	9	30
227	38	18	25	308	38	22	13	9	8	5	6	2	13	6	2	31
7,513	412	300	229	8,454	183	84	46	46	30	18	7	8	7	3	4	32
962	29	9	5	1,005	1	-	-	-	-	-	-	-	-	-	-	33
469	12	6	4	491	1	-	-	-	-	-	-	-	-	-	-	34
493	17	3	1	514	-	-	-	-	-	-	-	-	-	-	-	35
407	21	4	5	437	...	...	...	...	...	...	...	...	...	...	...	36
233	9	4	4	250	...	...	...	...	...	...	...	...	...	...	...	37
174	12	-	1	187	...	...	...	...	...	...	...	...	...	...	...	38
555	8	5	-	568	1	-	-	-	-	-	-	-	-	-	-	39
236	3	2	-	241	1	-	-	-	-	-	-	-	-	-	-	40
319	5	3	-	327	-	-	-	-	-	-	-	-	-	-	-	41
2,307	46	30	6	2,389	22	6	10	3	5	2	-	-	-	1	-	42
545	7	13	2	567	16	4	5	3	5	2	-	-	-	1	-	43
1,762	39	17	4	1,822	6	2	5	-	-	-	-	-	-	-	-	44
334	120	98	121	673	...	...	...	...	...	...	...	...	...	...	...	45
242	83	77	95	497	...	...	...	...	...	...	...	...	...	...	...	46
92	37	21	26	176	...	...	...	...	...	...	...	...	...	...	...	47
13	29	51	42	135	3	-	-	-	-	-	-	-	-	-	-	48
11	20	44	38	113	2	-	-	-	-	-	-	-	-	-	-	49
2	9	7	4	22	1	-	-	-	-	-	-	-	-	-	-	50
66	30	27	9	132	1	-	-	-	-	1	-	-	-	-	-	51
39	22	19	5	84	1	-	-	-	-	1	-	-	-	-	-	52
28	8	8	4	48	-	-	-	-	-	-	-	-	-	-	-	53
115	5	2	-	122	-	-	-	-	-	-	-	-	-	-	-	54
51	4	1	-	56	-	-	-	-	-	-	-	-	-	-	-	55
64	1	1	-	66	-	-	-	-	-	-	-	-	-	-	-	56
77	15	2	3	97	3	1	-	-	-	-	-	-	-	-	-	57
60	13	2	3	78	2	1	-	-	-	-	-	-	-	-	-	58
17	2	-	-	19	1	-	-	-	-	-	-	-	-	-	-	59
95	6	-	2	103	2	-	-	-	-	-	-	-	-	-	-	60
68	5	-	2	75	1	-	-	-	-	-	-	-	-	-	-	61
27	1	-	-	28	1	-	-	-	-	-	-	-	-	-	-	62
845	43	40	24	952	84	50	35	38	24	13	4	8	7	1	4	63
174	15	26	14	229	66	42	30	34	23	13	4	8	6	1	4	64
671	28	14	7	723	18	8	3	4	1	-	-	-	1	-	-	65
113	11	10	6	140	45	20	2	4	1	1	1	-	-	1	-	66
2,586	78	31	11	2,706	22	7	1	1	1	1	1	-	-	-	-	67
282	24	22	20	348	117	81	79	70	48	32	17	17	13	13	10	68
34	4	13	12	63	27	26	12	9	9	14	16	10	4	4	8	69
55	18	16	22	111	103	100	62	61	45	34	32	29	19	12	17	70
19	7	6	9	41	28	28	14	14	10	8	5	4	1	1	4	71
11	6	7	7	31	43	39	18	13	19	10	6	-	-	-	-	72
25	5	3	6	39	32	33	30	34	16	16	26	18	15	11	13	73
15	-	-	1	16	4	-	1	1	1	-	3	-	4	-	-	74

SECTION 3 - MORTALITY

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

COLOR, SEX, AND CAUSE OF DEATH		Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, FEMALE--ALL CAUSES-----	12,521	739	3,412	1,015	552	280	195	174	114
2	Dysentery, all forms-----045-048	35	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-----053	44	-	-	-	-	-	-	-	-
4	Whooping cough-----056	20	-	-	-	-	-	-	-	-
5	Meningococcal infections-----057	17	-	-	-	-	-	-	-	-
6	Tetanus-----061	19	-	-	-	-	1	-	1	3
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	71	1	3	-	-	1	1	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	20	-	1	-	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-----210-239	10	-	1	-	-	-	-	1	-
10	Diseases of thymus gland-----273	8	-	1	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-----340	130	-	-	1	2	2	1	-	-
12	Other diseases of nervous system and sense organs-----350-354,341-398	91	-	5	1	4	2	1	1	-
13	Acute upper respiratory infections-----470-475	58	-	-	2	1	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-----480-493	1,816	-	-	-	1	-	-	2	-
15	Influenza-----480-483	132	-	-	-	1	-	-	2	-
16	Pneumonia, except pneumonia of newborn-----490-493	1,684	-	-	-	-	-	-	-	-
17	Bronchitis-----500-502	72	-	1	-	-	-	-	1	-
18	Other diseases of respiratory system-----510-522,525-527	201	1	6	3	3	1	3	1	1
19	Pulmonary congestion and hypostasis-----522	14	-	-	-	1	-	1	-	-
20	Other chronic interstitial pneumonia-----525	134	-	-	-	1	1	1	-	1
21	Bronchiectasis-----526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-----527.2	34	-	1	2	1	-	-	-	-
23	All other diseases of respiratory system-----510-521,527.1	19	1	5	1	-	-	1	1	-
24	Hernia and intestinal obstruction-----560,561,570	59	1	14	1	2	4	3	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	623	-	-	-	-	-	-	-	-
26	Other diseases of digestive system-----530-542,544-553,575-587	64	-	-	1	1	2	3	2	5
27	Congenital malformations-----750-759	841	56	112	51	39	35	16	23	12
28	Spina bifida and meningocele-----751	31	1	1	2	1	-	-	2	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	107	10	14	5	3	1	2	-	2
30	Congenital malformations of circulatory system-----754	447	10	50	24	23	25	9	10	5
31	Other congenital malformations-----750,755-759	256	35	47	20	12	9	7	11	4
32	Certain diseases of early infancy-----760-776	6,924	628	3,163	918	471	212	158	129	87
33	Birth injuries-----760,761	773	155	357	120	45	27	14	9	11
34	Without mention of immaturity (.0)-----363	88	142	59	24	16	4	5	7	7
35	With immaturity (.5)-----410	67	215	61	21	11	10	4	4	4
36	Intracranial and spinal injury at birth-----760	281	25	104	59	27	16	11	6	7
37	Without mention of immaturity (.0)-----141	15	46	31	16	11	3	3	4	4
38	With immaturity (.5)-----140	10	58	26	11	7	8	3	3	3
39	Other birth injury-----761	492	130	253	61	18	9	3	3	4
40	Without mention of immaturity (.0)-----222	73	96	26	8	5	1	2	3	3
41	With immaturity (.5)-----270	57	157	33	10	4	2	1	2	1
42	Postnatal asphyxia and atelectasis-----762	1,892	175	1,018	309	144	58	34	24	13
43	Without mention of immaturity (.0)-----499	64	227	96	34	12	9	6	2	2
44	With immaturity (.5)-----1,393	111	791	213	110	46	25	16	11	11
45	Pneumonia of newborn-----763	499	4	50	37	42	24	15	25	12
46	Without mention of immaturity (.0)-----379	3	33	28	28	18	11	17	9	9
47	With immaturity (.5)-----120	1	17	9	14	6	4	9	3	3
48	Diarrhea of newborn-----764	108	-	-	1	-	1	2	1	1
49	Without mention of immaturity (.0)-----82	-	-	1	-	-	1	2	1	1
50	With immaturity (.5)-----26	-	-	-	-	-	-	-	-	-
51	Other infections of newborn-----765-768	110	5	8	4	4	3	4	8	8
52	Without mention of immaturity (.0)-----67	4	2	3	3	1	2	5	4	4
53	With immaturity (.5)-----43	1	6	1	1	2	2	3	4	4
54	Neonatal disorders arising from certain diseases of mother during pregnancy-----769	100	17	47	10	7	5	3	2	3
55	Without mention of immaturity (.0-.4)-----38	7	17	5	3	3	-	-	1	1
56	With immaturity (.5-.9)-----10	62	10	30	5	4	2	3	2	2
57	Hemolytic disease of newborn (erythroblastosis)-----770	50	8	16	3	8	4	3	1	1
58	Without mention of immaturity (.0-.2)-----42	8	15	3	6	2	2	1	1	1
59	With immaturity (.5-.7)-----8	-	1	-	2	2	1	-	-	-
60	Hemorrhagic disease of newborn-----771	77	1	28	13	5	4	4	4	2
61	Without mention of immaturity (.0)-----47	1	16	9	4	2	3	2	2	2
62	With immaturity (.5)-----30	-	12	4	1	2	1	2	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	831	44	332	95	51	23	19	9	10
64	Without mention of immaturity (.0)-----272	14	45	16	10	6	3	1	1	2
65	With immaturity (.5)-----559	30	287	79	41	17	16	8	9	9
66	Immaturity with mention of any other subsidiary condition-----774	164	6	36	17	9	7	5	2	2
67	Immaturity, unqualified-----776	2,320	213	1,269	309	156	56	55	44	24
68	Symptoms and ill-defined conditions-----780-793,795	691	32	86	27	17	15	6	9	3
69	All other diseases-----Residual	133	2	4	2	1	1	1	-	1
70	Accidents-----E800-E962	534	4	10	5	8	4	-	4	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	140	-	1	1	6	2	-	2	2
72	Accidental mechanical suffocation in bed and cradle-----E924	155	-	2	1	-	1	-	-	-
73	Other accidental causes-----E800-E920,E923,E925-E962	239	4	7	3	2	1	-	2	-
74	Homicide-----E964,E980-E984	40	14	4	2	2	-	-	-	-



SECTION 3 - MORTALITY

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,481	541	584	283	7,689	1,093	840	663	540	385	344	263	218	169	158	159	1
-	-	-	1	1	2	4	6	4	2	5	4	1	4	-	2	2
-	-	-	-	-	18	3	6	4	3	3	2	2	2	1	1	3
-	-	-	1	1	-	6	2	2	6	1	-	1	1	-	4	4
5	12	1	-	18	-	3	2	2	2	-	-	1	1	2	1	5
6	-	1	3	10	13	11	4	2	7	4	1	1	3	4	5	7
1	1	4	-	6	-	2	-	2	1	2	-	4	2	1	-	8
2	-	-	1	5	3	1	1	-	-	-	1	-	1	-	-	9
2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	10
6	7	6	2	21	16	13	7	12	7	18	15	9	6	2	6	11
14	-	-	-	14	16	11	16	7	4	3	2	2	2	2	3	12
3	2	-	3	8	15	8	6	4	5	2	3	1	1	1	2	15
3	2	3	5	13	375	293	276	224	146	138	94	85	62	58	52	14
3	2	3	5	15	12	13	17	8	21	18	5	7	4	7	7	15
...	...	...	...	...	363	280	259	216	125	120	89	78	58	51	45	16
2	3	1	3	9	8	19	8	5	6	7	4	1	2	3	-	17
19	3	5	2	29	50	33	30	21	13	5	5	3	5	2	3	18
2	1	1	2	6	4	1	2	-	-	-	-	-	-	-	1	19
4	-	1	-	5	36	24	26	15	11	5	4	2	4	1	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	-	3	-	7	9	8	2	6	1	1	-	-	-	-	-	22
9	2	-	-	11	1	-	-	-	1	1	1	1	1	1	1	25
25	3	4	1	33	4	4	1	3	6	-	2	1	1	3	1	24
-	-	-	1	1	142	113	72	59	67	49	34	27	24	13	22	25
15	5	4	3	27	6	7	6	7	-	3	4	-	1	1	2	26
346	45	46	26	463	85	54	46	50	24	29	31	16	19	12	12	27
8	1	2	3	14	8	8	5	-	-	1	1	-	-	1	1	28
37	4	3	-	44	13	9	6	5	4	6	6	3	4	5	2	29
156	22	24	13	215	45	34	26	34	18	18	20	10	13	9	30	
145	18	17	10	190	19	10	9	11	2	5	4	3	2	1	31	
5,766	407	253	182	6,608	132	69	39	27	16	9	12	2	3	1	6	32
738	17	10	5	770	3	-	-	-	-	-	-	-	-	-	-	33
345	7	3	5	360	3	-	-	-	-	-	-	-	-	-	-	34
393	10	7	-	410	-	-	-	-	-	-	-	-	-	-	-	35
257	12	8	4	281	...	...	...	...	...	...	...	...	...	...	...	36
129	6	2	4	141	...	...	...	...	...	...	...	...	...	...	...	37
128	6	6	-	140	...	...	...	...	...	...	...	...	...	...	...	38
481	5	2	1	489	3	-	-	-	-	-	-	-	-	-	-	39
216	1	1	1	219	3	-	-	-	-	-	-	-	-	-	-	40
265	4	1	-	270	-	-	-	-	-	-	-	-	-	-	-	41
1,775	53	12	10	1,850	18	7	5	2	1	3	4	-	-	-	2	42
452	10	3	2	467	10	7	3	2	1	3	4	-	-	-	2	43
1,323	43	9	8	1,383	8	-	2	-	-	-	-	-	-	-	-	44
209	109	99	82	499	...	...	...	...	...	...	...	...	...	...	...	45
147	78	82	72	379	...	...	...	...	...	...	...	...	...	...	...	46
62	31	17	10	120	...	...	...	...	...	...	...	...	...	...	...	47
6	31	40	31	108	-	-	-	-	-	-	-	-	-	-	-	48
6	31	31	22	82	-	-	-	-	-	-	-	-	-	-	-	49
-	8	9	9	26	-	-	-	-	-	-	-	-	-	-	-	50
44	40	15	9	108	-	1	-	1	-	-	-	-	-	-	-	51
24	27	10	4	65	-	1	-	1	-	-	-	-	-	-	-	52
20	13	5	5	43	-	-	-	-	-	-	-	-	-	-	-	53
94	2	2	1	99	-	1	-	-	-	-	-	-	-	-	-	54
36	1	1	1	38	-	-	-	-	-	-	-	-	-	-	-	55
58	1	1	1	61	-	1	-	-	-	-	-	-	-	-	-	56
44	2	2	-	48	1	-	-	-	-	-	-	-	-	-	-	57
38	2	1	-	41	1	1	-	-	-	-	-	-	-	-	-	58
6	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-	59
61	7	5	3	76	1	-	-	-	-	-	-	-	-	-	-	60
39	2	4	2	47	-	-	-	-	-	-	-	-	-	-	-	61
22	5	1	1	29	1	-	-	-	-	-	-	-	-	-	-	62
583	28	26	13	650	55	41	31	17	14	6	7	2	3	1	4	63
97	7	12	10	126	39	33	24	16	11	6	7	2	3	1	4	64
486	21	14	3	524	16	8	7	1	3	-	-	-	-	-	-	65
86	10	8	6	110	32	12	3	6	1	-	-	-	-	-	-	66
2,126	108	34	22	2,290	22	6	6	1	-	-	1	-	-	-	-	67
195	31	28	28	282	102	84	65	51	32	22	15	14	8	10	6	68
12	1	7	3	23	22	10	11	10	7	11	6	5	3	13	12	69
37	19	21	18	95	81	85	59	43	30	30	20	33	14	22	22	70
14	9	9	8	40	22	18	19	12	6	5	4	5	4	1	4	71
4	6	6	7	23	32	41	21	12	6	6	2	3	5	2	2	72
19	4	6	3	32	27	19	19	19	18	19	14	25	5	19	16	73
22	-	-	-	22	5	7	-	-	-	-	-	3	1	1	1	74

SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	UNITED STATES				ALABAMA					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	110,873	62,085	17,648	20,394	10,746	2,616	942	726	324	624
2 Dysentery, all forms-----045-048	140	2	6	58	74	4	-	-	-	3
3 Septicemia and pyemia-----053	406	-	-	289	119	13	-	-	5	8
4 Whooping cough-----056	73	-	4	24	45	6	-	-	1	5
5 Meningococcal infections-----057	196	11	2	150	33	6	-	-	3	3
6 Tetanus-----061	69	19	48	1	1	6	1	5	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	557	64	38	310	145	15	1	2	6	6
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	298	31	10	227	30	5	-	-	2	3
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	138	49	7	70	12	3	1	-	2	-
10 Diseases of thymus gland-----273	115	23	3	74	15	1	1	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	872	164	50	406	252	28	1	3	10	14
12 Other diseases of nervous system and sense organs-----330-334,341-398	950	134	38	591	187	19	2	2	9	6
13 Acute upper respiratory infections-----470-475	417	40	20	233	124	7	-	-	1	6
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	9,828	24	29	5,811	3,964	273	2	1	78	192
15 Influenza-----480-483	538	24	29	228	257	31	2	1	4	24
16 Pneumonia, except pneumonia of newborn-----490-493	9,290	...	...	5,583	3,707	242	...	...	74	168
17 Bronchitis-----500-502	656	37	14	476	129	12	1	1	6	4
18 Other diseases of respiratory system-----510-522,525-527	1,539	157	44	944	394	30	2	2	11	15
19 Pulmonary congestion and hypostasis-----522	184	45	11	103	25	2	-	1	1	-
20 Other chronic interstitial pneumonia-----525	933	7	5	638	283	20	-	-	8	12
21 Bronchiectasis-----526	1	-	-	1	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	236	30	13	132	61	5	-	1	2	2
23 All other diseases of respiratory system-----510-521,527.1	185	75	15	70	25	3	2	-	-	1
24 Hernia and intestinal obstruction-----560,561,570	922	596	73	175	78	12	4	2	1	5
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,622	4	2	1,266	1,350	119	-	-	26	93
26 Other diseases of digestive system-----530-542,544-553,573-587	676	252	76	260	89	14	4	-	5	5
27 Congenital malformations-----750-759	15,389	8,819	1,162	4,807	801	282	147	51	63	21
28 Spina bifida and meningocele-----751	1,096	545	36	466	29	28	15	2	10	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	1,645	768	99	655	123	42	23	3	14	2
30 Congenital malformations of circulatory system-----754	7,589	3,931	529	2,858	471	106	48	21	26	11
31 Other congenital malformations-----750,755-759	5,059	3,575	498	808	178	106	61	25	13	7
32 Certain diseases of early infancy-----760-776	67,074	50,424	15,062	836	752	1,355	746	556	8	45
33 Birth injuries-----760,761	10,158	8,371	1,775	8	4	169	117	51	-	1
34 Without mention of immaturity (.0)-----4,001	4,001	3,142	851	4	4	78	39	38	-	1
35 With immaturity (.5)-----6,157	6,157	5,229	924	4	-	91	78	13	-	-
36 Intracranial and spinal injury at birth-----760	3,175	2,457	718	...	...	61	34	27	...	...
37 Without mention of immaturity (.0)-----1,857	1,857	1,466	391	...	...	41	19	22	...	...
38 With immaturity (.5)-----1,318	1,318	991	327	...	...	20	15	5	...	...
39 Other birth injury-----761	6,983	5,914	1,057	8	4	108	83	24	-	1
40 Without mention of immaturity (.0)-----2,144	2,144	1,678	460	4	4	37	20	16	-	1
41 With immaturity (.5)-----4,839	4,839	4,238	597	4	-	71	63	8	-	-
42 Postnatal asphyxia and atelectasis-----762	19,539	15,009	4,239	200	91	306	194	105	2	5
43 Without mention of immaturity (.0)-----5,255	5,255	3,991	1,034	162	68	105	56	43	2	4
44 With immaturity (.5)-----14,284	14,284	11,018	3,205	38	23	201	138	62	-	1
45 Pneumonia of newborn-----763	3,544	2,372	1,172	...	...	83	28	55	...	...
46 Without mention of immaturity (.0)-----2,563	2,563	1,687	876	...	...	63	19	44	...	...
47 With immaturity (.5)-----981	981	685	296	...	...	20	9	11	...	...
48 Diarrhea of newborn-----764	463	217	243	-	3	28	6	20	-	-
49 Without mention of immaturity (.0)-----362	362	165	195	-	2	20	3	17	-	-
50 With immaturity (.5)-----101	101	52	48	-	1	6	3	3	-	-
51 Other infections of newborn-----765-768	779	528	240	7	4	20	8	12	-	-
52 Without mention of immaturity (.0)-----506	506	347	149	6	4	13	6	7	-	-
53 With immaturity (.5)-----273	273	181	91	1	-	7	2	5	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	1,001	767	221	12	1	23	14	9	-	-
55 Without mention of immaturity (.0-.4)-----354	354	251	94	9	-	6	3	3	-	-
56 With immaturity (.5-.9)-----647	647	516	127	3	1	17	11	6	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	2,145	1,979	145	15	6	25	23	2	-	-
58 Without mention of immaturity (.0-.2)-----1,702	1,702	1,567	119	12	4	19	17	2	-	-
59 With immaturity (.5-.7)-----443	443	412	26	3	2	6	6	-	-	-
60 Hemorrhagic disease of newborn-----771	620	435	179	3	3	14	8	6	-	-
61 Without mention of immaturity (.0)-----393	393	267	122	3	1	9	5	4	-	-
62 With immaturity (.5)-----227	227	168	57	-	2	5	3	2	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	8,057	5,631	1,602	377	447	177	92	52	4	29
64 Without mention of immaturity (.0)-----2,853	2,853	1,295	355	328	377	79	30	21	3	25
65 With immaturity (.5)-----5,704	5,704	4,336	1,247	51	70	98	62	31	1	4
66 Immaturity with mention of any other subsidiary condition-----774	1,510	786	250	144	150	26	12	7	2	5
67 Immaturity, unqualified-----776	19,458	14,529	4,996	70	65	486	244	237	-	-
68 Symptoms and ill-defined conditions-----780-793,795	2,518	406	630	566	916	259	18	91	38	112
69 All other diseases-----Residual	1,386	346	86	703	251	28	4	4	12	8
70 Accidents-----E800-E962	3,831	392	206	2,280	953	117	5	5	37	70
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1,204	213	81	689	221	23	2	-	10	11
72 Accidental mechanical suffocation in bed and cradle-----E924	1,018	76	54	607	281	38	1	3	10	24
73 Other accidental causes-----E900-E920,E923,E925-E962	1,609	103	71	984	451	58	2	2	17	35
74 Homicide-----E964,E980-E984	199	91	38	37	33	2	2	-	-	-



SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	COLORADO				CONNECTICUT					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non- white	White	Non- white		White	Non- white	White	Non- white
1 ALL CAUSES-----	1,180	856	54	254	16	1,197	633	99	229	36
2 Dysentery, all forms-----045-048	2	-	-	2	-	-	-	-	-	-
3 Septicemia and pyemia-----053	6	-	-	6	-	5	-	-	3	2
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	1	-	-	1	-	2	-	-	2	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.....001-044,049-052,054,055,058-060,062-136	4	-	-	3	1	-	-	-	-	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1	-	-	1	-	3	-	-	2	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	2	1	-	1	-
10 Diseases of thymus gland-----273	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	8	-	-	7	1	8	3	-	5	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	14	4	-	10	-	6	-	1	4	1
13 Acute upper respiratory infections-----470-475	8	1	-	6	1	9	1	-	6	2
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	69	-	-	62	7	75	-	-	63	12
15 Influenza-----480-483	4	-	-	4	-	1	-	-	1	-
16 Pneumonia, except pneumonia of newborn-----490-493	65	...	...	58	7	74	...	...	62	12
17 Bronchitis-----500-502	19	-	-	17	2	5	-	-	5	-
18 Other diseases of respiratory system-----510-522,525-527	9	2	-	7	-	13	1	1	10	1
19 Pulmonary congestion and hypostasis-----522	1	1	-	-	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	7	-	-	7	-	4	-	-	4	-
21 Bronchiectasis-----526	-	-	-	-	-	6	-	-	5	-
22 Other diseases of lung and pleural cavity-----527.2	-	-	-	-	-	3	1	1	5	1
23 All other diseases of respiratory system-----510-521,527.1	1	1	-	-	-	3	1	-	1	1
24 Hernia and intestinal obstruction-----560,561,570	5	4	-	1	-	13	9	-	4	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	21	-	-	19	2	9	-	-	4	1
26 Other diseases of digestive system-----530-542,544-553,573-587	9	4	1	4	-	9	4	1	4	-
27 Congenital malformations-----750-759	149	90	4	54	1	203	124	4	67	8
28 Spina bifida and meningocele-----751	11	4	1	5	-	18	11	-	7	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	9	4	-	5	-	27	11	2	11	3
30 Congenital malformations of circulatory system-----754	77	46	2	28	1	89	44	2	38	5
31 Other congenital malformations-----750,755-759	52	36	1	15	-	69	58	-	11	-
32 Certain diseases of early infancy-----760-776	800	735	47	18	-	778	678	90	10	-
33 Birth injuries-----760,761	143	137	6	-	-	103	92	11	-	-
34 Without mention of immaturity (.0)-----	44	41	3	-	-	45	40	5	-	-
35 With immaturity (.5)-----	99	96	3	-	-	58	52	6	-	-
36 Intracranial and spinal injury at birth-----760	43	41	2	...	...	44	38	6	...	...
37 Without mention of immaturity (.0)-----	24	23	1	...	...	21	20	1	...	...
38 With immaturity (.5)-----	19	18	1	...	...	23	18	5	...	...
39 Other birth injury-----761	100	96	4	-	-	59	54	5	-	-
40 Without mention of immaturity (.0)-----	20	18	2	-	-	24	20	4	-	-
41 With immaturity (.5)-----	80	78	2	-	-	35	34	1	-	-
42 Postnatal asphyxia and atelectasis-----762	227	211	11	5	-	254	222	28	4	-
43 Without mention of immaturity (.0)-----	48	45	-	3	-	60	53	3	4	-
44 With immaturity (.5)-----	179	166	11	2	-	194	169	25	-	-
45 Pneumonia of newborn-----763	33	28	5	...	...	28	25	3	...	...
46 Without mention of immaturity (.0)-----	19	17	2	...	...	24	22	2	...	...
47 With immaturity (.5)-----	14	11	3	...	...	4	3	1	...	...
48 Diarrhea of newborn-----764	4	4	-	-	-	1	-	1	-	-
49 Without mention of immaturity (.0)-----	3	3	-	-	-	1	-	1	-	-
50 With immaturity (.5)-----	1	1	-	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	9	9	-	-	-	8	7	1	-	-
52 Without mention of immaturity (.0)-----	4	4	-	-	-	5	5	-	-	-
53 With immaturity (.5)-----	5	5	-	-	-	3	2	1	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	16	12	3	1	-	9	9	-	-	-
55 Without mention of immaturity (.0-.4)-----	5	4	1	-	-	2	2	-	-	-
56 With immaturity (.5-.9)-----	11	8	2	1	-	7	7	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	15	15	-	-	-	30	29	-	-	-
58 Without mention of immaturity (.0-.2)-----	10	10	-	-	-	24	24	-	-	-
59 With immaturity (.5-.7)-----	5	5	-	-	-	6	5	-	1	-
60 Hemorrhagic disease of newborn-----771	9	8	1	-	-	4	4	-	-	-
61 Without mention of immaturity (.0)-----	3	3	-	-	-	3	3	-	-	-
62 With immaturity (.5)-----	6	5	1	-	-	1	1	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	125	107	7	11	-	113	94	16	3	-
64 Without mention of immaturity (.0)-----	22	10	2	10	-	22	15	4	3	-
65 With immaturity (.5)-----	103	97	5	1	-	91	79	12	-	-
66 Immaturity with mention of any other subsidiary condition-----774	7	6	-	1	-	19	14	3	2	-
67 Immaturity, unqualified-----776	212	198	14	-	-	209	162	27	-	-
68 Symptoms and ill-defined conditions-----780-793,795	5	2	-	3	-	7	-	-	5	2
69 All other diseases-----Residual	9	4	1	4	-	18	5	1	12	-
70 Accidents-----E800-E962	40	9	1	29	1	34	7	1	21	5
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	15	4	1	9	1	14	4	-	9	1
72 Accidental mechanical suffocation in bed and cradle-----E924	9	2	-	7	-	5	-	-	4	1
73 Other accidental causes-----E800-E920,E923,E925-E962	16	3	-	13	-	15	3	1	8	3
74 Homicide-----E964,E980-E984	1	1	-	-	-	2	-	-	1	1

SECTION 3 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1960-Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Table with columns for DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, and GEORGIA, each subdivided into 'Under 28 days' and '28 days-11 months' for 'White' and 'Non-white' populations. Includes 'Total, under 1 year' for each state and a final column for 'Total, under 1 year' across all states. The table lists 55 causes of death, each with a category number and corresponding mortality counts.

SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	HAWAII				IDAHO					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	399	97	220	17	65	394	291	6	92	5
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	2	-	-	1	1	-	-	-	-	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	-	-	-	-	-	-	-	-	-	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-136	-	-	-	-	-	1	-	-	1	-
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	-	-	-	-	-	2	1	-	1	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	-	-	1	-	-	-	-	-
10 Diseases of thymus gland-----273	2	-	-	-	2	1	1	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	3	-	-	1	2	2	-	-	2	-
12 Other diseases of nervous system and sense organs-----330-334,341-398	4	-	2	-	2	3	2	-	1	-
13 Acute upper respiratory infections-----470-475	-	-	-	-	-	1	-	-	1	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	28	-	-	6	22	24	-	-	22	2
15 Influenza-----480-483	2	-	-	-	2	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----480-493	26	...	...	6	20	24	...	...	22	2
17 Bronchitis-----500-502	3	-	-	1	2	5	-	-	5	-
18 Other diseases of respiratory system-----510-522,525-527	3	-	-	1	2	4	1	-	3	-
19 Pulmonary congestion and hypostatis-----522	-	-	-	-	-	-	-	-	-	-
20 Other chronic interstitial pneumonia-----525	2	-	-	1	1	2	-	-	2	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	-	-	-	-	-	1	-	-	1	-
23 All other diseases of respiratory system-----510-521,527.1	1	-	-	-	1	-	1	-	-	-
24 Hernia and intestinal obstruction-----560,561,570	3	1	1	1	-	6	4	-	2	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	6	-	-	-	6	6	1	-	4	1
26 Other diseases of digestive system-----530-542,544-553,573-587	-	-	-	-	-	2	1	-	1	-
27 Congenital malformations-----750-759	54	11	25	2	16	60	58	1	21	-
28 Spina bifida and meningocele-----751	1	-	1	-	-	2	1	-	1	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	4	2	-	-	2	2	2	-	-	-
30 Congenital malformations of circulatory system-----754	29	5	10	2	12	35	22	1	12	-
31 Other congenital malformations-----750,755-759	20	4	14	-	2	21	13	-	8	-
32 Certain diseases of early infancy-----760-776	274	84	189	-	1	244	237	5	1	1
33 Birth injuries-----760,761	37	6	31	-	-	30	28	2	-	-
34 Without mention of immaturity (.0)-----	15	4	11	-	-	14	14	-	-	-
35 With immaturity (.5)-----	22	2	20	-	-	16	14	2	-	-
36 Intracranial and spinal injury at birth-----760	14	-	14	...	...	8	7	1	...	...
37 Without mention of immaturity (.0)-----	7	-	7	...	...	8	6	-	...	...
38 With immaturity (.5)-----	7	-	7	...	...	2	1	1	...	...
39 Other birth injury-----761	23	6	17	-	-	22	21	1	-	-
40 Without mention of immaturity (.0)-----	8	4	4	-	-	8	8	-	-	-
41 With immaturity (.5)-----	15	2	13	-	-	14	13	1	-	-
42 Postnatal asphyxia and atelectasis-----762	56	18	38	-	-	54	53	1	-	-
43 Without mention of immaturity (.0)-----	14	5	9	-	-	14	13	1	-	-
44 With immaturity (.5)-----	42	13	29	-	-	40	40	-	-	-
45 Pneumonia of newborn-----763	18	6	12	...	...	15	15	-	...	...
46 Without mention of immaturity (.0)-----	15	4	11	...	...	8	8	-	...	...
47 With immaturity (.5)-----	3	2	1	...	...	7	7	-	...	...
48 Diarrhea of newborn-----764	1	-	1	-	-	1	1	-	-	-
49 Without mention of immaturity (.0)-----	1	-	1	-	-	1	1	-	-	-
50 With immaturity (.5)-----	1	-	1	-	-	-	-	-	-	-
51 Other infections of newborn-----765-768	1	-	1	-	-	5	5	-	-	-
52 Without mention of immaturity (.0)-----	1	-	1	-	-	4	4	-	-	-
53 With immaturity (.5)-----	-	-	-	-	-	1	1	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	5	-	5	-	-	6	6	-	-	-
55 Without mention of immaturity (.0-.4)-----	2	-	2	-	-	3	3	-	-	-
56 With immaturity (.5-.9)-----	3	-	3	-	-	3	3	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	2	2	-	-	-	8	8	-	-	-
58 Without mention of immaturity (.0-.2)-----	1	1	-	-	-	7	7	-	-	-
59 With immaturity (.5-.7)-----	1	1	-	-	-	1	1	-	-	-
60 Hemorrhagic disease of newborn-----771	1	-	1	-	-	2	2	-	-	-
61 Without mention of immaturity (.0)-----	1	-	1	-	-	2	2	-	-	-
62 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	54	26	28	-	-	32	30	-	1	1
64 Without mention of immaturity (.0)-----	2	1	1	-	-	9	7	-	1	1
65 With immaturity (.5)-----	52	25	27	-	-	23	23	-	-	-
66 Immaturity with mention of any other subsidiary condition-----774	6	1	4	-	-	3	3	-	-	-
67 Immaturity, unqualified-----776	93	25	68	-	-	88	86	2	-	-
68 Symptoms and ill-defined conditions-----780-793,796	2	1	1	-	-	3	1	-	2	-
69 All other diseases-----Residual	4	-	-	3	1	4	1	-	3	-
70 Accidents-----E800-E962	9	-	2	1	6	25	3	-	21	1
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	3	-	1	1	1	9	3	-	6	-
72 Accidental mechanical suffocation in bed and cradle-----E924	1	-	-	-	1	3	-	-	2	1
73 Other accidental causes-----E900-E920,E923,E925-E962	5	-	1	-	4	13	-	-	13	-
74 Homicide-----E964,E960-E984	1	-	-	-	1	1	-	-	1	-



SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	KENTUCKY				LOUISIANA					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	2,015	1,251	187	492	115	2,898	965	964	286	643
2 Dysentery, all forms-----045-048	5	-	-	5	-	3	-	-	-	5
3 Septicemia and pyemia-----053	13	-	-	11	2	37	-	-	13	24
4 Whooping cough-----056	-	-	-	-	-	2	-	1	1	-
5 Meningococcal infections-----057	5	1	-	4	-	5	-	-	3	2
6 Tetanus-----061	-	-	-	-	-	5	-	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	18	-	-	17	1	21	1	3	11	6
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	4	1	-	3	-	6	-	-	5	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	3	2	-	1	-	-	-	-	-	-
10 Diseases of thymus gland-----273	1	-	-	1	-	3	-	-	1	2
11 Meningitis, except meningococcal and tuberculous-----340	12	1	1	7	3	31	4	3	11	13
12 Other diseases of nervous system and sense organs-----330-334,341-398	18	3	-	14	1	23	1	1	11	10
13 Acute upper respiratory infections-----470-475	18	1	-	11	6	2	-	-	1	1
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	202	3	1	154	44	350	-	-	75	255
15 Influenza-----480-483	23	3	1	18	1	10	-	-	7	10
16 Pneumonia, except pneumonia of newborn-----490-493	179	...	...	136	43	320	...	...	75	245
17 Bronchitis-----500-502	9	3	-	6	-	8	4	5	19	27
18 Other diseases of respiratory system-----510-522,525-527	9	3	-	4	2	55	-	-	1	1
19 Pulmonary congestion and hypostasis-----522	2	-	-	1	1	2	1	-	-	-
20 Other chronic interstitial pneumonia-----525	1	-	-	1	-	36	-	2	15	21
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	3	-	-	2	1	7	-	2	2	3
23 All other diseases of respiratory system-----510-521,527.1	3	3	-	-	-	8	3	1	2	2
24 Hernia and intestinal obstruction-----560,561,570	14	10	-	4	-	29	12	7	3	7
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	47	-	-	34	13	100	-	-	16	84
26 Other diseases of digestive system-----530-542,544-553,573-587	8	4	-	4	-	32	6	12	2	12
27 Congenital malformations-----750-759	304	188	15	96	5	326	158	79	57	52
28 Spina bifida and meningocele-----751	30	17	1	11	1	51	10	3	13	5
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	35	20	-	15	-	27	10	5	9	4
30 Congenital malformations of circulatory system-----754	158	90	9	55	4	157	55	42	29	31
31 Other congenital malformations-----750,755-759	81	61	5	15	-	111	63	29	7	12
32 Certain diseases of early infancy-----760-776	1,174	973	161	28	12	1,679	781	645	7	46
33 Birth injuries-----760,761	146	133	12	1	-	240	125	115	-	-
34 Without mention of immaturity (.0)-----	77	67	9	1	-	99	53	46	-	-
35 With immaturity (.5)-----	69	66	3	-	-	141	72	69	-	-
36 Intracranial and spinal injury at birth-----760	38	33	5	...	...	114	47	67	...	...
37 Without mention of immaturity (.0)-----	28	25	3	...	...	42	22	20	...	...
38 With immaturity (.5)-----	10	8	2	...	...	72	25	47	...	...
39 Other birth injury-----761	108	100	7	1	-	126	78	48	-	-
40 Without mention of immaturity (.0)-----	49	42	6	1	-	57	31	26	-	-
41 With immaturity (.5)-----	59	58	1	-	-	69	47	22	-	-
42 Postnatal asphyxia and atelectasis-----762	329	287	39	3	-	440	230	202	2	6
43 Without mention of immaturity (.0)-----	114	91	20	3	-	128	72	49	2	5
44 With immaturity (.5)-----	215	196	19	-	-	312	158	153	-	1
45 Pneumonia of newborn-----763	82	68	14	...	...	141	40	101	...	...
46 Without mention of immaturity (.0)-----	65	55	10	...	...	103	29	74	...	...
47 With immaturity (.5)-----	17	13	4	...	...	38	11	27	...	...
48 Diarrhea of newborn-----764	10	6	4	-	-	24	3	21	-	-
49 Without mention of immaturity (.0)-----	7	4	3	-	-	16	2	14	-	-
50 With immaturity (.5)-----	3	2	1	-	-	8	1	7	-	-
51 Other infections of newborn-----765-768	16	17	1	-	-	34	13	21	-	-
52 Without mention of immaturity (.0)-----	13	12	1	-	-	23	7	16	-	-
53 With immaturity (.5)-----	5	5	-	-	-	11	6	5	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	16	13	5	-	-	14	5	8	1	-
55 Without mention of immaturity (.0-.4)-----	9	5	4	-	-	8	1	6	-	-
56 With immaturity (.5-.9)-----	9	8	1	-	-	6	4	2	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	41	39	2	-	-	32	20	12	-	-
58 Without mention of immaturity (.0-.2)-----	34	32	2	-	-	25	14	11	-	-
59 With immaturity (.5-.7)-----	7	7	-	-	-	7	6	1	-	-
60 Hemorrhagic disease of newborn-----771	13	12	1	-	-	24	5	19	-	-
61 Without mention of immaturity (.0)-----	8	7	1	-	-	11	2	9	-	-
62 With immaturity (.5)-----	5	5	-	-	-	13	3	10	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	136	98	11	19	8	224	102	96	3	23
64 Without mention of immaturity (.0)-----	60	32	5	16	7	65	17	26	3	19
65 With immaturity (.5)-----	76	66	6	3	1	159	65	70	-	4
66 Immaturity with mention of any other subsidiary condition-----774	25	16	4	3	2	57	18	26	1	12
67 Immaturity, unqualified-----776	356	284	68	2	2	449	220	224	-	5
68 Symptoms and ill-defined conditions-----780-793,795	26	11	2	12	1	34	6	13	3	12
69 All other diseases-----Residual	32	10	2	17	3	57	4	10	12	31
70 Accidents-----E800-E962	91	15	5	49	22	99	8	10	35	48
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	32	8	1	15	8	27	6	3	9	9
72 Accidental mechanical suffocation in bed and cradle-----E924	33	6	3	19	5	21	2	1	8	10
73 Other accidental causes-----E800-E920,E923,E925-E962	26	1	1	15	9	51	-	6	16	29
74 Homicide-----E964,E960-E984	2	2	-	-	-	1	-	-	-	1





SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non- white	White	Non- white		White	Non- white	White	Non- white
1 ALL CAUSES-----	1,890	1,384	18	469	19	2,461	552	947	169	793
2 Dysentery, all forms-----045-048	-	-	-	-	-	14	-	-	1	13
3 Septicemia and pyemia-----053	8	-	-	8	-	12	-	-	6	6
4 Whooping cough-----056	-	-	-	-	-	5	-	-	5	5
5 Meningococcal infections-----057	1	-	-	1	-	5	-	-	5	-
6 Tetanus-----061	-	-	-	-	-	4	-	-	4	-
7 Other infective and parasitic dis-----001-044,049-052,054,055,058-060,062-138	4	1	-	3	-	20	-	3	4	13
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	11	3	-	8	-	3	-	-	1	2
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	1	-	-	-	-	-	-	-	-
10 Diseases of thymus gland-----273	-	-	-	-	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	17	8	-	9	-	31	2	7	1	21
12 Other diseases of nervous system and sense organs-----330-334,341-398	17	2	-	14	1	22	3	2	7	10
13 Acute upper respiratory infections-----470-475	4	-	-	4	-	7	-	-	1	6
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	138	-	-	132	6	232	-	8	28	196
15 Influenza-----480-483	5	-	-	5	-	40	-	8	1	31
16 Pneumonia, except pneumonia of newborn-----480-493	133	...	...	127	6	192	...	...	27	165
17 Bronchitis-----500-502	12	1	-	9	2	10	-	3	5	2
18 Other diseases of respiratory system-----510-522,525-527	59	6	-	53	-	9	2	2	2	3
19 Pulmonary congestion and hypostasis-----522	37	4	-	33	-	1	1	-	-	-
20 Other chronic interstitial pneumonia-----525	14	-	-	14	-	2	-	1	1	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	3	1	-	2	-	4	-	1	1	2
23 All other diseases of respiratory system-----510-521,527.1	5	1	-	4	-	2	1	-	-	1
24 Hernia and intestinal obstruction-----560,561,570	23	16	-	6	1	12	3	3	2	4
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	19	-	-	19	-	151	-	-	11	140
26 Other diseases of digestive system-----530-542,544-553,573-587	13	7	-	5	1	17	3	1	6	7
27 Congenital malformations-----750-759	323	204	1	117	1	171	64	38	36	53
28 Spina bifida and meningocele-----751	18	6	-	12	-	10	4	1	4	1
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	34	20	-	14	-	24	5	6	2	11
30 Congenital malformations of circulatory system-----754	175	110	-	64	1	78	27	18	22	11
31 Other congenital malformations-----750,755-759	96	66	1	27	-	59	28	13	8	10
32 Certain diseases of early infancy-----760-776	1,140	1,103	17	16	4	1,166	452	647	8	59
33 Birth injuries-----760,761	232	230	2	-	-	120	59	60	-	1
34 Without mention of immaturity (.0)-----	62	61	1	-	-	64	28	35	-	1
35 With immaturity (.5)-----	170	169	1	-	-	56	31	25	-	-
36 Intracranial and spinal injury at birth-----760	55	55	-	...	...	43	20	23	...	...
37 Without mention of immaturity (.0)-----	24	24	-	...	...	31	15	16	...	...
38 With immaturity (.5)-----	31	31	-	...	...	12	5	7	...	...
39 Other birth injury-----761	177	175	2	-	-	77	39	37	-	1
40 Without mention of immaturity (.0)-----	38	37	1	-	-	35	13	19	-	1
41 With immaturity (.5)-----	139	138	1	-	-	44	26	18	-	-
42 Postnatal asphyxia and atelectasis-----762	265	256	4	5	-	225	131	89	1	4
43 Without mention of immaturity (.0)-----	76	71	1	4	-	103	56	44	1	2
44 With immaturity (.5)-----	189	185	3	1	-	122	75	45	-	2
45 Pneumonia of newborn-----763	37	37	-	...	...	80	24	56	...	...
46 Without mention of immaturity (.0)-----	26	26	-	...	...	60	17	43	...	...
47 With immaturity (.5)-----	11	11	-	...	...	20	7	13	...	...
48 Diarrhea of newborn-----764	2	2	-	-	-	24	2	22	-	-
49 Without mention of immaturity (.0)-----	2	2	-	-	-	22	2	20	-	-
50 With immaturity (.5)-----	-	-	-	-	-	2	-	2	-	-
51 Other infections of newborn-----765-768	11	10	1	-	-	22	11	11	-	-
52 Without mention of immaturity (.0)-----	6	5	1	-	-	14	5	9	-	-
53 With immaturity (.5)-----	5	5	-	-	-	8	6	2	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	20	19	-	1	-	27	12	15	-	-
55 Without mention of immaturity (.0-.4)-----	5	4	-	1	-	13	5	8	-	-
56 With immaturity (.5-.9)-----	15	15	-	-	-	14	7	7	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	58	58	-	-	-	26	17	9	-	-
58 Without mention of immaturity (.0-.2)-----	47	47	-	-	-	26	17	9	-	-
59 With immaturity (.5-.7)-----	11	11	-	-	-	-	-	-	-	-
60 Hemorrhagic disease of newborn-----771	4	4	-	-	-	15	6	9	-	-
61 Without mention of immaturity (.0)-----	3	3	-	-	-	12	4	8	-	-
62 With immaturity (.5)-----	1	1	-	-	-	3	2	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	146	133	5	7	1	184	57	90	6	31
64 Without mention of immaturity (.0)-----	31	28	-	3	-	88	20	38	5	25
65 With immaturity (.5)-----	115	105	5	4	1	96	37	52	1	6
66 Immaturity with mention of any other subsidiary condition-----774	25	22	1	1	1	23	8	4	1	10
67 Immaturity, unqualified-----776	540	532	4	2	2	420	125	282	-	13
68 Symptoms and ill-defined conditions-----780-793,795	26	15	-	11	-	430	15	207	14	194
69 All other diseases-----Residual	26	11	-	14	1	41	4	7	10	20
70 Accidents-----E800-E962	47	6	-	39	2	98	4	15	21	58
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	10	3	-	7	-	20	3	6	7	4
72 Accidental mechanical suffocation in bed and cradle-----E924	14	2	-	11	1	31	1	4	7	19
73 Other accidental causes-----E800-E920,E923,E925-E962	23	1	-	21	1	47	-	5	7	35
74 Homicide-----E964,E980-E984	1	-	-	1	-	1	-	-	-	1



SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	NEW HAMPSHIRE				NEW JERSEY					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non- white	White	Non- white		White	Non- white	White	Non- white
1 ALL CAUSES-----	327	261	1	65	-	3,251	1,952	505	564	232
2 Dysentery, all forms-----045-048	-	-	-	-	-	-	-	-	-	-
3 Septicemia and pyemia-----053	1	-	-	1	-	8	-	-	4	4
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	-	-	-	-	-	6	-	-	5	1
6 Tetanus-----061	-	-	-	-	-	1	1	-	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	1	-	-	1	-	11	1	-	7	3
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1	-	1	-	-	15	3	-	12	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	8	2	-	5	1
10 Diseases of thymus gland-----273	1	-	-	1	-	9	2	-	5	2
11 Meningitis, except meningococcal and tuberculous-----340	4	2	-	2	-	18	5	2	3	8
12 Other diseases of nervous system and sense organs-----330-334,341-398	1	-	-	1	-	32	4	-	24	4
13 Acute upper respiratory infections-----470-475	2	1	-	1	-	7	2	-	5	2
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	19	-	-	19	-	253	-	-	162	91
15 Influenza-----480-483	1	-	-	1	-	-	-	-	-	-
16 Pneumonia, except pneumonia of newborn-----490-493	18	...	...	18	-	253	...	...	162	91
17 Bronchitis-----500-502	2	-	-	2	-	9	1	-	7	1
18 Other diseases of respiratory system-----510-522,525-527	4	1	-	3	-	14	2	-	9	3
19 Pulmonary congestion and hypostasis-----522	2	-	-	2	-	9	-	-	6	3
20 Other chronic interstitial pneumonia-----525	2	-	-	2	-	9	-	-	6	3
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	1	-	-	1	-	2	-	-	2	-
23 All other diseases of respiratory system-----510-521,527.1	1	1	-	-	-	3	2	-	1	-
24 Hernia and intestinal obstruction-----560,561,570	4	2	-	2	-	26	20	2	3	1
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1	-	-	1	-	68	-	-	30	38
26 Other diseases of digestive system-----530-542,544-553,573-597	3	2	-	1	-	23	8	-	11	4
27 Congenital malformations-----750-759	54	46	-	8	-	494	287	37	151	19
28 Spina bifida and meningocele-----751	7	6	-	1	-	29	12	-	17	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	7	5	-	2	-	51	29	3	15	4
30 Congenital malformations of circulatory system-----754	23	18	-	5	-	235	128	13	86	8
31 Other congenital malformations-----750,755-759	17	17	-	-	-	179	118	21	33	7
32 Certain diseases of early infancy-----760-776	209	203	-	6	-	2,055	1,573	443	27	12
33 Birth injuries-----760,761	26	26	-	-	-	280	245	35	-	-
34 Without mention of immaturity (.0)-----	7	7	-	-	-	120	104	16	-	-
35 With immaturity (.5)-----	19	19	-	-	-	160	141	19	-	-
36 Intracranial and spinal injury at birth-----760	4	4	-	...	...	91	78	13	...	...
37 Without mention of immaturity (.0)-----	3	3	-	...	...	50	43	7	...	...
38 With immaturity (.5)-----	1	1	-	...	...	41	35	6	...	...
39 Other birth injury-----761	22	22	-	-	-	189	167	22	-	-
40 Without mention of immaturity (.0)-----	4	4	-	-	-	70	61	9	-	-
41 With immaturity (.5)-----	18	18	-	-	-	119	106	13	-	-
42 Postnatal asphyxia and atelectasis-----762	49	48	-	1	-	661	503	150	7	1
43 Without mention of immaturity (.0)-----	12	11	-	1	-	171	120	47	4	-
44 With immaturity (.5)-----	37	37	-	-	-	490	383	103	3	1
45 Pneumonia of newborn-----763	15	15	-	...	...	104	70	34	...	...
46 Without mention of immaturity (.0)-----	11	11	-	...	...	61	42	19	...	...
47 With immaturity (.5)-----	4	4	-	...	...	43	28	15	...	...
48 Diarrhea of newborn-----764	-	-	-	-	-	8	6	1	-	1
49 Without mention of immaturity (.0)-----	-	-	-	-	-	7	5	1	-	1
50 With immaturity (.5)-----	-	-	-	-	-	1	1	-	-	-
51 Other infections of newborn-----765-768	2	2	-	-	-	25	17	6	2	-
52 Without mention of immaturity (.0)-----	2	2	-	-	-	19	11	6	2	-
53 With immaturity (.5)-----	-	-	-	-	-	6	6	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	8	7	-	1	-	26	22	4	-	-
55 Without mention of immaturity (.0-.4)-----	1	1	-	-	-	7	6	1	-	-
56 With immaturity (.5-.9)-----	7	6	-	1	-	19	16	3	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	9	9	-	-	-	73	66	5	2	-
58 Without mention of immaturity (.0-.2)-----	5	5	-	-	-	62	56	4	2	-
59 With immaturity (.5-.7)-----	4	4	-	-	-	11	10	1	-	-
60 Hemorrhagic disease of newborn-----771	-	-	-	-	-	25	20	5	-	-
61 Without mention of immaturity (.0)-----	-	-	-	-	-	16	13	3	-	-
62 With immaturity (.5)-----	-	-	-	-	-	9	7	2	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	28	26	-	2	-	207	153	39	10	5
64 Without mention of immaturity (.0)-----	5	5	-	-	-	55	33	9	8	5
65 With immaturity (.5)-----	23	21	-	2	-	152	120	30	2	-
66 Immaturity with mention of any other subsidiary condition-----774	5	3	-	2	-	28	17	1	6	4
67 Immaturity, unqualified-----776	67	67	-	-	-	618	454	163	-	-
68 Symptoms and ill-defined conditions-----780-793,795	7	3	-	4	-	19	10	6	2	1
69 All other diseases-----Residual	4	1	-	3	-	47	18	4	21	4
70 Accidents-----E800-E962	9	-	-	9	-	124	12	6	73	33
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	4	-	-	4	-	44	5	1	33	5
72 Accidental mechanical suffocation in bed and cradle-----E924	2	-	-	2	-	35	4	3	17	11
73 Other accidental causes-----E800-E920,E923,E925-E962	3	-	-	3	-	45	3	2	23	17
74 Homicide-----E964,E980-E984	-	-	-	-	-	4	2	2	-	-



SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	OHIO					OKLAHOMA				
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	5,547	3,528	721	1,065	253	1,298	766	172	229	131
2 Dysentery, all forms-----045-048	1	-	-	-	1	1	-	-	-	1
3 Septicemia and pyemia-----053	14	-	-	12	2	6	-	-	3	5
4 Whooping cough-----056	-	-	-	-	-	1	-	-	-	1
5 Meningococcal infections-----057	8	-	-	7	1	-	-	-	-	-
6 Tetanus-----061	-	-	-	-	-	5	1	4	-	-
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-080,082-138	22	4	-	16	2	7	1	-	2	4
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	15	-	-	15	-	8	-	-	8	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	5	1	-	3	1	-	-	-	-	-
10 Diseases of thymus gland-----273	6	1	-	5	-	-	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	34	11	-	20	3	8	1	1	2	4
12 Other diseases of nervous system and sense organs-----330-334,341-398	50	4	1	39	6	17	5	2	8	2
13 Acute upper respiratory infections-----470-475	52	6	3	29	14	1	1	-	-	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	311	-	-	247	64	91	-	-	45	46
15 Influenza-----480-483	12	-	-	12	-	7	-	-	4	5
16 Pneumonia, except pneumonia of newborn-----490-493	299	...	...	235	64	84	...	...	41	43
17 Bronchitis-----500-502	35	1	-	28	6	3	-	1	2	-
18 Other diseases of respiratory system-----510-522,525-527	107	7	2	76	22	11	4	1	4	2
19 Pulmonary congestion and hypostasis-----522	6	-	1	5	-	2	-	-	-	-
20 Other chronic interstitial pneumonia-----525	71	-	-	53	18	3	-	-	2	1
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	21	2	-	16	3	2	-	-	1	1
23 All other diseases of respiratory system-----510-521,527.1	9	5	1	2	1	4	2	1	1	-
24 Hernia and intestinal obstruction-----560,561,570	54	38	3	10	3	8	7	-	1	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	73	-	-	62	11	32	-	-	22	10
26 Other diseases of digestive system-----530-542,544-553,573-587	19	7	4	6	2	9	5	-	3	1
27 Congenital malformations-----750-759	891	528	50	282	31	171	101	9	52	9
28 Spina bifida and meningocele-----751	76	34	3	36	3	14	6	1	7	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	98	49	3	43	3	23	9	-	11	3
30 Congenital malformations of circulatory system-----754	430	231	24	154	21	74	37	4	28	5
31 Other congenital malformations-----750,755-759	287	214	20	49	4	60	49	4	6	1
32 Certain diseases of early infancy-----760-776	3,561	2,859	646	36	20	774	615	136	15	8
33 Birth injuries-----760,761	670	557	112	1	-	108	94	14	-	-
34 Without mention of immaturity (.0)-----	239	203	35	1	-	45	35	10	-	-
35 With immaturity (.5)-----	431	354	77	-	-	63	59	4	-	-
36 Intracranial and spinal injury at birth-----760	171	132	39	...	...	30	25	5	...	...
37 Without mention of immaturity (.0)-----	108	92	16	...	...	18	15	3	...	...
38 With immaturity (.5)-----	63	40	23	...	...	12	10	2	...	...
39 Other birth injury-----761	499	425	73	1	-	78	69	9	-	-
40 Without mention of immaturity (.0)-----	131	111	19	1	-	27	20	7	-	-
41 With immaturity (.5)-----	368	314	54	-	-	51	49	2	-	-
42 Postnatal asphyxia and atelectasis-----762	1,044	872	158	10	4	181	147	31	1	2
43 Without mention of immaturity (.0)-----	244	204	33	6	1	57	43	11	1	2
44 With immaturity (.5)-----	800	668	125	4	3	124	104	20	-	-
45 Pneumonia of newborn-----763	172	140	32	...	...	36	27	9	...	...
46 Without mention of immaturity (.0)-----	113	100	13	...	...	27	20	7	...	...
47 With immaturity (.5)-----	59	40	19	...	...	9	7	2	...	...
48 Diarrhea of newborn-----764	8	4	4	-	-	7	7	-	-	-
49 Without mention of immaturity (.0)-----	6	2	4	-	-	6	6	-	-	-
50 With immaturity (.5)-----	2	2	-	-	-	1	1	-	-	-
51 Other infections of newborn-----765-768	30	21	8	-	1	13	11	2	-	-
52 Without mention of immaturity (.0)-----	19	13	3	-	1	12	10	2	-	-
53 With immaturity (.5)-----	11	6	5	-	-	1	1	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	51	41	10	-	-	14	12	2	-	-
55 Without mention of immaturity (.0-.4)-----	15	14	1	-	-	7	5	2	-	-
56 With immaturity (.5-.9)-----	36	27	9	-	-	7	7	-	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	135	123	11	1	-	22	22	-	-	-
58 Without mention of immaturity (.0-.2)-----	106	98	7	1	-	17	17	-	-	-
59 With immaturity (.5-.7)-----	29	25	4	-	-	5	5	-	-	-
60 Hemorrhagic disease of newborn-----771	29	21	7	1	-	11	8	3	-	-
61 Without mention of immaturity (.0)-----	15	11	3	1	-	9	6	3	-	-
62 With immaturity (.5)-----	14	10	4	-	-	2	2	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	431	339	74	10	8	144	99	34	7	4
64 Without mention of immaturity (.0)-----	111	84	13	9	5	34	20	3	7	4
65 With immaturity (.5)-----	320	255	61	1	3	110	79	31	-	-
66 Immaturity with mention of any other subsidiary condition-----774	74	50	11	7	6	12	7	1	2	2
67 Immaturity, unqualified-----776	917	691	219	6	1	228	181	40	5	-
68 Symptoms and ill-defined conditions-----780-793,795	59	24	2	23	10	50	11	6	18	15
69 All other diseases-----Residual	78	13	5	53	7	28	6	5	7	8
70 Accidents-----E800-E962	140	18	2	94	26	65	6	7	36	16
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	43	12	1	22	8	19	4	4	4	7
72 Accidental mechanical suffocation in bed and cradle-----E924	31	2	-	25	4	18	1	1	13	3
73 Other accidental causes-----E800-E920,E923,E925-E962	66	4	1	47	14	28	1	2	19	6
74 Homicide-----E964,E980-E984	12	6	3	2	1	4	2	-	1	1

# SECTION 3 - MORTALITY

## From 55 Selected Causes, by Color: United States and Each State, 1960-Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

OREGON					PENNSYLVANIA					RHODE ISLAND					SOUTH CAROLINA						
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months			
	White	Non- white	White	Non- white		White	Non- white	White	Non- white		White	Non- white	White	Non- white		White	Non- white	White	Non- white	White	Non- white
891	612	24	240	15	5,922	5,815	751	1,073	283	428	275	24	120	9	2,051	603	612	225	611	1	
1					19										4				2	2	2
2					2										8				5	3	3
74					15										45				15	21	73

SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	SOUTH DAKOTA				TENNESSEE					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	496	302	43	92	59	2,409	1,185	471	433	320
2 Dysentery, all forms-----045-048	-	-	-	-	-	3	-	1	1	1
3 Septicemia and pyemia-----053	4	-	-	2	2	10	-	-	4	6
4 Whooping cough-----056	3	-	-	1	2	2	-	-	2	-
5 Meningococcal infections-----057	-	-	-	-	-	4	-	-	2	2
6 Tetanus-----061	-	-	-	-	-	4	-	3	-	1
7 Other infective and parasitic dis.-----001-044,049-052,054,055,058-060,062-138	4	-	-	3	1	23	1	1	13	8
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	2	-	-	1	1	8	1	-	6	1
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	-	-	-	-	-	2	-	-	2	-
10 Diseases of thymus gland-----273	1	-	-	1	-	2	1	-	1	-
11 Meningitis, except meningococcal and tuberculous-----340	1	-	-	-	1	19	5	1	5	8
12 Other diseases of nervous system and sense organs-----330-334,341-398	3	-	-	1	2	17	1	-	9	7
13 Acute upper respiratory infections-----470-475	1	-	-	-	1	11	-	1	4	6
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	52	-	-	28	24	180	1	3	95	81
15 Influenza-----480-483	5	-	-	4	1	20	1	3	6	10
16 Pneumonia, except pneumonia of newborn-----490-493	47	...	...	24	23	160	...	...	89	71
17 Bronchitis-----500-502	6	-	-	5	1	13	-	1	9	3
18 Other diseases of respiratory system-----510-522,525-527	5	1	-	2	2	14	2	3	4	5
19 Pulmonary congestion and hypostatis-----522	1	1	-	-	-	2	1	1	-	-
20 Other chronic interstitial pneumonia-----525	2	-	-	2	-	2	-	-	1	1
21 Bronchiectasis-----526	-	-	-	-	-	1	-	-	1	-
22 Other diseases of lung and pleural cavity-----527.2	1	-	-	-	1	6	-	-	2	4
23 All other diseases of respiratory system-----510-521,527.1	1	-	-	-	1	3	1	2	-	-
24 Hernia and intestinal obstruction-----560,561,570	6	4	-	2	-	20	13	2	1	4
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	13	2	-	4	9	63	-	-	25	38
26 Other diseases of digestive system-----530-542,544-553,573-587	5	2	-	1	-	11	4	2	4	1
27 Congenital malformations-----750-759	81	48	5	25	3	317	173	27	98	19
28 Spina bifida and meningocele-----751	3	2	-	1	-	34	10	2	22	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	8	4	1	3	-	27	11	-	13	3
30 Congenital malformations of circulatory system-----754	44	25	-	18	1	157	84	12	47	14
31 Other congenital malformations-----750,755-759	26	17	4	3	2	99	68	13	16	2
32 Certain diseases of early infancy-----760-776	276	238	34	3	1	1,369	932	394	16	27
33 Birth injuries-----760,761	36	35	1	-	-	195	140	53	-	-
34 Without mention of immaturity (.0)-----	12	11	1	-	-	101	72	29	-	-
35 With immaturity (.5)-----	24	24	-	-	-	92	68	24	-	-
36 Intracranial and spinal injury at birth-----760	8	8	-	...	...	73	47	26	...	...
37 Without mention of immaturity (.0)-----	6	6	-	...	...	50	34	16	...	...
38 With immaturity (.5)-----	2	2	-	...	...	23	13	10	...	...
39 Other birth injury-----761	28	27	1	-	-	120	93	27	-	-
40 Without mention of immaturity (.0)-----	6	5	1	-	-	51	38	13	-	-
41 With immaturity (.5)-----	22	22	-	-	-	69	55	14	-	-
42 Postnatal asphyxia and atelectasis-----762	57	47	8	2	-	332	263	63	2	4
43 Without mention of immaturity (.0)-----	19	13	4	2	-	109	83	21	2	3
44 With immaturity (.5)-----	38	34	4	-	-	223	180	42	-	1
45 Pneumonia of newborn-----763	26	20	6	...	...	72	43	29	...	...
46 Without mention of immaturity (.0)-----	19	13	6	...	...	57	32	25	...	...
47 With immaturity (.5)-----	7	7	-	...	...	15	11	4	...	...
48 Diarrhea of newborn-----764	2	1	1	-	-	8	2	6	-	-
49 Without mention of immaturity (.0)-----	1	1	1	-	-	6	1	5	-	-
50 With immaturity (.5)-----	1	1	-	-	-	2	1	-	-	-
51 Other infections of newborn-----765-768	1	-	1	-	-	17	16	1	-	-
52 Without mention of immaturity (.0)-----	1	-	1	-	-	11	11	-	-	-
53 With immaturity (.5)-----	-	-	-	-	-	6	5	1	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	6	5	1	-	-	20	15	5	-	-
55 Without mention of immaturity (.0-.4)-----	1	1	-	-	-	8	4	4	-	-
56 With immaturity (.5-.9)-----	5	4	1	-	-	12	11	1	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	14	14	-	-	-	33	30	3	-	-
58 Without mention of immaturity (.0-.2)-----	8	8	-	-	-	29	26	3	-	-
59 With immaturity (.5-.7)-----	6	6	-	-	-	4	4	-	-	-
60 Hemorrhagic disease of newborn-----771	-	-	-	-	-	20	12	7	1	-
61 Without mention of immaturity (.0)-----	-	-	-	-	-	17	9	7	1	-
62 With immaturity (.5)-----	-	-	-	-	-	3	3	-	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	46	42	2	1	1	159	104	29	11	15
64 Without mention of immaturity (.0)-----	11	9	1	1	1	60	31	9	9	12
65 With immaturity (.5)-----	35	34	1	-	-	99	73	21	2	3
66 Immaturity with mention of any other subsidiary condition-----774	4	3	1	-	-	19	13	2	2	2
67 Immaturity, unqualified-----776	84	71	13	-	-	496	294	198	-	6
68 Symptoms and ill-defined conditions-----780-793,795	12	3	4	2	3	195	33	28	67	67
69 All other diseases-----Residual	10	4	-	2	4	21	6	2	10	5
70 Accidents-----E800-E962	13	2	-	9	2	99	10	2	55	32
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	1	-	-	1	-	33	4	1	21	7
72 Accidental mechanical suffocation in bed and cradle-----E924	1	-	-	1	-	25	4	-	16	5
73 Other accidental causes-----E900-E920,E923,E925-E962	11	2	-	7	2	41	2	1	16	20
74 Homicide-----E964,E960-E984	-	-	-	-	-	2	2	-	-	-



SECTION 3 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1960-Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Table with columns for STATES (TEXAS, UTAH, VERMONT, VIRGINIA), Total, under 1 year, Under 28 days, 28 days-11 months, White, Non-white, and Cause (rows 1-74).

SECTION 3 - MORTALITY

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

CAUSE OF DEATH	WASHINGTON				WEST VIRGINIA					
	Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	1,529	1,050	76	348	55	1,005	677	36	256	36
2 Dysentery, all forms-----045-048	-	-	-	-	-	2	-	-	1	1
3 Septicemia and pyemia-----053	6	-	-	6	-	2	-	-	2	-
4 Whooping cough-----056	-	-	-	-	-	-	-	-	-	-
5 Meningococcal infections-----057	1	-	-	1	-	2	-	-	2	-
6 Tetanus-----061	-	-	-	-	-	-	-	-	-	-
7 Other infective and parasitic dis-----001-044,049-052,054,065,068-060,062-138	3	-	-	1	2	6	1	-	4	1
8 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	3	-	-	3	-	3	-	1	2	-
9 Benign neoplasms and neoplasms of unspecified nature-----210-239	1	-	-	1	-	2	1	-	1	-
10 Diseases of thymus gland-----273	4	1	-	2	1	8	-	-	-	-
11 Meningitis, except meningococcal and tuberculous-----340	11	5	1	7	7	8	3	1	5	1
12 Other diseases of nervous system and sense organs-----330-334,341-398	14	2	1	10	1	7	2	-	4	1
13 Acute upper respiratory infections-----470-475	7	-	-	6	1	3	-	-	3	-
14 Influenza and pneumonia, except pneumonia of newborn-----480-493	145	-	-	120	25	105	-	-	92	13
15 Influenza-----480-483	2	-	-	2	-	3	-	-	3	-
16 Pneumonia, except pneumonia of newborn-----490-493	143	...	...	118	25	102	...	...	89	13
17 Bronchitis-----500-502	13	1	-	10	2	6	-	-	6	-
18 Other diseases of respiratory system-----510-522,525-527	18	5	-	9	4	11	1	-	8	2
19 Pulmonary congestion and hypostasis-----522	1	-	-	1	-	5	1	-	2	-
20 Other chronic interstitial pneumonia-----523	6	1	-	3	2	1	-	-	1	-
21 Bronchiectasis-----526	-	-	-	-	-	-	-	-	-	-
22 Other diseases of lung and pleural cavity-----527.2	6	1	-	3	2	5	-	-	3	2
23 All other diseases of respiratory system-----510-521,527.1	5	3	-	2	-	2	-	-	2	-
24 Hernia and intestinal obstruction-----560,561,570	14	10	-	4	-	9	7	-	2	-
25 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	4	-	-	2	2	14	-	-	12	2
26 Other diseases of digestive system-----530-542,544-553,573-587	5	1	-	4	-	6	4	-	2	-
27 Congenital malformations-----750-759	248	151	8	81	8	158	105	1	48	4
28 Spina bifida and meningocele-----751	11	7	-	4	-	15	7	-	8	-
29 Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	30	16	1	11	2	23	17	-	6	-
30 Congenital malformations of circulatory system-----754	150	73	4	48	5	71	40	1	28	2
31 Other congenital malformations-----750,755-759	77	55	3	18	1	49	41	-	6	2
32 Certain diseases of early infancy-----760-776	931	866	61	5	1	577	525	31	18	3
33 Birth injuries-----780,781	140	132	8	-	-	75	73	2	-	-
34 Without mention of immaturity (.0)-----	61	56	5	-	-	41	40	1	-	-
35 With immaturity (.5)-----	79	76	3	-	-	34	33	1	-	-
36 Intracranial and spinal injury at birth-----760	28	24	4	...	...	21	19	2	...	...
37 Without mention of immaturity (.0)-----	16	15	3	...	...	14	13	1	...	...
38 With immaturity (.5)-----	10	9	1	...	...	7	6	1	...	...
39 Other birth injury-----761	112	108	4	-	-	54	54	-	-	-
40 Without mention of immaturity (.0)-----	45	41	2	-	-	27	27	-	-	-
41 With immaturity (.5)-----	69	67	2	-	-	27	27	-	-	-
42 Postnatal asphyxia and atelectasis-----762	285	262	21	-	-	164	153	6	4	1
43 Without mention of immaturity (.0)-----	79	75	4	-	-	57	53	1	3	-
44 With immaturity (.5)-----	204	187	17	-	-	107	100	5	1	1
45 Pneumonia of newborn-----763	36	32	4	...	...	34	30	4	...	...
46 Without mention of immaturity (.0)-----	26	24	2	...	...	22	20	2	...	...
47 With immaturity (.5)-----	10	8	2	...	...	12	10	2	...	...
48 Diarrhea of newborn-----764	1	1	-	-	-	8	8	-	-	-
49 Without mention of immaturity (.0)-----	1	1	-	-	-	5	5	-	-	-
50 With immaturity (.5)-----	-	-	-	-	-	3	3	-	-	-
51 Other infections of newborn-----765-768	5	5	-	-	-	2	2	-	-	-
52 Without mention of immaturity (.0)-----	5	5	-	-	-	2	2	-	-	-
53 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
54 Neonatal disorders arising from certain diseases of mother during pregnancy-----769	9	9	-	-	-	8	7	1	-	-
55 Without mention of immaturity (.0-.4)-----	3	3	-	-	-	2	2	-	-	-
56 With immaturity (.5-.9)-----	6	6	-	-	-	6	5	1	-	-
57 Hemolytic disease of newborn (erythroblastosis)-----770	32	32	-	-	-	15	15	-	-	-
58 Without mention of immaturity (.0-.2)-----	26	26	-	-	-	11	11	-	-	-
59 With immaturity (.5-.7)-----	6	6	-	-	-	4	4	-	-	-
60 Hemorrhagic disease of newborn-----771	7	7	-	-	-	5	4	1	-	-
61 Without mention of immaturity (.0)-----	4	4	-	-	-	3	3	-	-	-
62 With immaturity (.5)-----	3	3	-	-	-	2	1	1	-	-
63 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	134	129	4	-	1	87	73	2	11	1
64 Without mention of immaturity (.0)-----	30	29	-	-	1	32	21	-	10	1
65 With immaturity (.5)-----	104	100	4	-	-	55	52	2	1	-
66 Immaturity with mention of any other subsidiary condition-----774	13	9	1	3	-	17	15	-	3	1
67 Immaturity, unqualified-----776	271	248	23	-	-	162	147	15	-	-
68 Symptoms and ill-defined conditions-----780-793,795	16	4	1	9	2	25	10	1	10	4
69 All other diseases-----Residual	13	2	2	9	-	16	5	-	11	-
70 Accidents-----E800-E962	69	2	2	59	6	42	12	1	25	4
71 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	33	1	2	28	2	16	5	1	8	2
72 Accidental mechanical suffocation in bed and cradle-----E924	10	1	-	8	1	7	4	-	3	-
73 Other accidental causes-----E800-E920,E923,E925-E962	26	-	-	23	3	19	5	-	14	2
74 Homicide-----E964,E960-E984	3	2	-	1	-	1	1	-	-	-

SECTION 3 - MORTALITY

From 55 Selected Causes, by Color: United States and Each State, 1960-Continued.

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Total, under 1 year	WISCONSIN				Total, under 1 year	WYOMING				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,170	1,559	88	471	52	240	173	10	53	4	1
2	-	-	2	-	-	-	-	-	-	2
5	-	-	5	-	3	-	-	3	-	3
1	-	-	1	-	-	-	-	-	-	4
7	1	-	5	1	1	-	-	1	-	5
1	1	-	-	-	-	-	-	-	-	6
7	2	-	4	1	-	-	-	-	-	7
13	3	-	9	1	-	-	-	-	-	8
3	1	-	2	-	-	-	-	-	-	9
2	-	-	2	-	1	-	-	1	-	10
18	2	-	14	-	1	-	-	1	-	11
15	2	1	11	1	2	2	-	-	-	12
9	1	-	7	1	1	-	-	1	-	13
168	2	-	144	22	19	-	-	17	2	14
16	2	-	12	2	1	-	-	1	-	15
152	...	...	132	20	18	...	...	16	2	16
14	3	-	11	-	2	-	-	2	-	17
14	1	-	12	1	1	-	-	1	-	18
2	-	-	2	-	-	-	-	-	-	19
10	-	-	10	-	1	-	-	1	-	20
-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	23
24	16	-	8	-	1	1	-	-	-	24
26	-	-	18	8	2	-	-	2	-	25
16	10	-	6	-	1	-	-	1	-	26
376	243	11	119	3	35	28	1	6	-	27
19	10	1	8	-	1	1	-	-	-	28
37	14	1	21	1	4	2	-	2	-	29
188	109	8	69	2	17	14	1	2	-	30
132	110	1	21	-	13	11	-	2	-	31
1,338	1,247	75	14	2	150	140	9	-	1	32
281	264	16	1	-	22	20	2	-	-	33
85	77	8	-	-	7	7	-	-	-	34
196	187	8	1	-	15	13	2	-	-	35
54	48	6	...	...	5	5	-	...	...	36
42	36	6	...	...	3	3	-	...	...	37
12	12	-	...	...	2	2	-	...	...	38
227	216	10	1	-	17	15	2	-	-	39
43	41	2	-	-	4	4	-	-	-	40
184	175	8	1	-	13	11	2	-	-	41
277	259	13	4	1	36	36	-	-	-	42
92	84	3	4	-	13	13	-	-	-	43
185	175	10	-	-	23	23	-	-	-	44
48	47	1	...	...	4	4	3	...	...	45
51	30	1	...	...	3	3	-	...	...	46
17	17	1	...	...	1	1	3	...	...	47
4	3	1	-	-	2	1	1	-	-	48
4	3	1	-	-	2	1	1	-	-	49
-	-	-	-	-	-	-	-	-	-	50
10	10	-	-	-	-	-	-	-	-	51
8	8	-	-	-	-	-	-	-	-	52
2	2	-	-	-	-	-	-	-	-	53
28	26	2	-	-	7	6	1	-	-	54
5	5	-	-	-	4	3	1	-	-	55
23	21	2	-	-	3	3	-	-	-	56
73	73	-	-	-	4	4	-	-	-	57
58	59	-	-	-	4	4	-	-	-	58
15	15	-	-	-	-	-	-	-	-	59
9	9	-	-	-	3	3	-	-	-	60
8	8	-	-	-	3	3	-	-	-	61
1	1	-	-	-	-	-	-	-	-	62
181	148	29	3	1	25	23	1	-	1	63
34	33	-	1	-	7	6	-	-	1	64
147	115	29	2	1	18	17	1	-	-	65
16	12	1	3	-	2	2	-	-	-	66
411	396	12	3	-	42	41	1	-	-	67
8	2	1	5	-	-	-	-	-	-	68
48	16	-	28	4	4	1	-	3	-	69
55	5	-	43	7	16	1	-	14	1	70
21	3	-	13	5	8	1	-	7	-	71
13	1	-	11	1	2	-	-	2	-	72
21	1	-	19	1	6	-	-	5	1	73
2	1	-	1	-	-	-	-	-	-	74

# *Section 4. Fetal Mortality*

	Page
Trend of the fetal death ratio-----	4-3
Fetal deaths by age of mother, gestation, and legitimacy-----	4-7
Fetal deaths by sex and plurality-----	4-7
Fetal deaths by period of gestation and geographic area-----	4-8
Fetal death ratios by State-----	4-10
Figure	
4-1. Fetal death ratios by color: Birth-registration States, 1922-60-----	4-7
Text Tables	
4-A. Minimum period of gestation for which fetal death registration is required and fetal deaths by period of gestation: United States and each State, 1960-----	4-4
4-B. Fetal deaths and fetal death ratios by color: Birth-registration States, 1922-32, and United States, 1933-60---	4-5
4-C. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1960-----	4-6
4-D. Fetal deaths and fetal death ratios, by legitimacy status, age of mother, and color: Total of 35 reporting States, 1960-----	4-6
4-E. Fetal deaths and fetal death rates, by plurality of birth, color, and sex: United States, 1960-----	4-8
4-F. Fetal deaths and fetal death ratios, by period of gestation and color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for urban and rural areas in the United States: 1960-----	4-9
4-G. Fetal death ratios by color: United States, each division and State, 1956-60-----	4-11
General Tables	
4-1. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1960-----	4-12
4-2. Fetal deaths by month and color: United States and each State, 1960-----	4-15
4-3. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1960-----	4-17
4-4. Fetal deaths by age of mother and race: United States and each State, 1960-----	4-19
4-5. Fetal deaths by total-birth order and color: United States and each State, 1960-----	4-23
4-6. Fetal deaths by attendant, gestation group, and color: United States and each State, 1960-----	4-25
4-7. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1960-----	4-28
4-8. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1960-----	4-29
4-9. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1960-----	4-30
4-10. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1960-----	4-33

## SECTION 4: FETAL MORTALITY

The total number of fetal deaths registered in the United States in 1960 was 94,452. Of these, 68,480 are recorded as having occurred at gestation periods of 20 weeks or over, or gestation not stated, and 25,972 at earlier periods. Eight States and New York City required registration of fetal deaths of all gestations in 1960 and these areas account for nearly all of the early fetal deaths recorded during the year.<sup>1</sup> In Hawaii, which requires reporting of fetal deaths of all gestations and which is included in the tabulations for the United States for the first time, 1,031 fetal deaths were registered. Of these, 768 occurred at gestations of 19 weeks or less. The minimum period of gestation for which fetal death registration is required is shown for each State in table 4-A.

The fetal death rates and ratios presented in this report are based on occurrences at gestations of 20 weeks or over, or gestation not stated, except in table 4-B which also gives ratios based on all reported fetal deaths. The fetal death ratio for occurrences at gestations of 20 weeks or over is representative of all of the States and is the maximum span for which registration is required by laws or regulations in every State at the present time.

As has been noted in previous years, fetal deaths appear not to be fully reported, especially those which occur at 20-23 weeks gestation. Further information on underreporting in New York City based on a sample of patients of private physicians is given in a special study.<sup>2</sup> The sample contained 530 fetal deaths of which 171 were not reported to the Department of Health, a deficiency in reporting of 32.3 percent. For two gestation groups the figures are:

	<i>Gestation at termination</i>	
	<i>Under 20 weeks</i>	<i>20 weeks or more</i>
Total-----	345	185
Not reported-----	139	32
Percent not reported --	40.8	17.3

<sup>1</sup>Virginia, where the requirement for registration of fetal deaths of all gestations was put into effect on July 1, 1960, is not included.

<sup>2</sup>Unpublished fetal mortality data—derived from work sheets used in preparing a thesis for Harvard School of Public Health, April 1962—supplied in a letter of August 9, 1962, from Carl L. Erhardt, Sc. D., Director, Bureau of Records and Statistics, Department of Health, New York, N. Y.

New York City was the first registration area to require reporting of fetal deaths of all gestations. Since this requirement was put into effect in 1948 the Department of Health in that city has devoted considerable effort toward securing complete registration. It is therefore probable that New York City has achieved a level of completeness equal or superior to that found in most of the other parts of the country. Even so, about one-third of these events and about one-sixth of those occurring after 20 weeks gestation may be unreported.

Also, the comparatively large number of fetal-death certificates which do not contain information as to length of pregnancy complicates the problem of computing ratios based on events at gestations of 20 weeks or over. About one-third of the fetal deaths at gestations of 20 weeks or over in the United States were recorded in areas which require the registration of fetal deaths of all gestations. These areas also registered 2,554 fetal deaths out of a total of 8,018 for the entire United States in which gestation was not stated. In view of the registration requirements in these areas it cannot be assumed that the fetal deaths for which gestation information is not given belong chiefly to the 20 weeks and over group.

Prior to September 1960, Massachusetts certificates did not ask for gestation information. This question now appears on the fetal-death certificates in that State and should remove a sizable number of records from the category of gestation unknown by 1961. Further reduction in the number of these *unknowns* is needed, however, to provide the basis for more accurate rates.

### Trend of the fetal death ratio

Fetal death ratios based on events reported as having occurred at gestations of 20 weeks or over or gestation not stated are given in table 4-B for each year from 1942 to the present. The slight rise from 16.3 in 1957 to 16.5 in 1958 is the only exception to a steady downward trend resulting in a ratio of 16.1 per 1,000 live births in 1960, which is less than two-thirds the ratio of 25.6 shown for 1942 when this series was begun. Ratios by color are shown in figure 4-1. Proportionally, the decrease among nonwhites has been somewhat greater than among whites, although the former ratio continues to be substantially higher. The ratio of 14.1 for whites in 1960 is the lowest ever recorded. The 26.8 recorded for nonwhites in 1960 returns this ratio to its previous low, first reached in 1957.

SECTION 4 - MORTALITY

Table 4-A. Minimum Period of Gestation for Which Fetal Death Registration is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1960

(By place of occurrence)

AREA	Minimum period of gestation for which fetal death registration is required	Total fetal deaths	PERIOD OF GESTATION <sup>1</sup>											Not stated
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	
UNITED STATES-----	...	94,452	21,333	4,039	7,535	7,050	7,611	8,181	4,938	7,575	14,693	2,028	871	8,018
Alabama-----	Advanced through 5th month (20 weeks)	1,784	5	16	148	215	213	186	131	127	571	14	7	151
Alaska-----	After 20 weeks	92	-	1	11	6	10	24	7	16	15	-	3	1
Arizona-----	Advanced to 20th week	475	-	3	52	45	51	54	43	56	132	20	6	14
Arkansas-----	All periods of gestation	721	240	27	58	58	67	55	38	43	182	4	1	148
California-----	Advanced to 20th week	4,779	12	46	262	400	471	674	235	815	277	369	216	1,000
Colorado-----	All periods of gestation	2,266	21,277	249	112	73	58	75	49	86	77	19	2	191
Connecticut-----	20 weeks	718	1	3	83	80	93	118	56	112	123	20	8	21
Delaware-----	After 20 weeks	179	1	2	19	11	21	17	13	23	39	2	-	31
District of Columbia-----	After 5th month	543	5	9	45	64	77	61	32	89	30	37	15	59
Florida-----	Advanced to 20th week	1,822	-	4	143	181	257	229	201	214	542	29	11	11
Georgia-----	All periods of gestation	3,591	21,236	286	312	241	265	208	156	174	545	18	7	143
Hawaii-----	All periods of gestation	1,031	2,691	77	56	34	33	52	14	25	42	6	4	16
Idaho-----	After 20 weeks	215	-	3	13	15	18	23	14	20	42	5	2	59
Illinois-----	Advanced to 5th month (20 weeks)	3,561	12	29	416	391	430	439	261	373	1,103	65	23	19
Indiana-----	20 weeks	1,618	4	22	137	140	163	194	103	169	395	49	13	229
Iowa-----	Advanced to 5th month (20 weeks)	767	1	2	45	84	78	96	52	109	170	27	6	97
Kansas-----	After 20 weeks <sup>2</sup>	697	2	4	69	52	77	105	64	111	162	30	12	9
Kentucky-----	20 weeks	1,111	3	3	101	109	145	117	106	119	340	20	9	39
Louisiana-----	After 20 weeks	1,478	3	24	131	171	218	217	138	132	403	19	8	15
Maine-----	All periods of gestation	423	248	31	32	29	38	30	29	26	59	13	3	85
Maryland-----	20 weeks <sup>4</sup>	1,183	27	28	80	131	116	148	44	167	55	86	38	263
Massachusetts-----	20 weeks	1,582	---	---	---	---	---	---	---	---	---	---	---	1,582
Michigan-----	After 20 weeks	3,028	8	15	263	331	359	378	278	356	754	69	28	189
Minnesota-----	After 20 weeks	1,075	1	12	87	83	99	144	70	116	203	57	15	188
Mississippi-----	All periods of gestation	2,400	2,659	184	236	145	183	136	89	78	516	10	5	157
Missouri-----	After 20 weeks	1,580	11	30	166	173	165	191	112	190	367	51	15	117
Montana-----	After 20 weeks	190	1	4	13	19	20	22	16	32	31	7	5	26
Nebraska-----	5 months	422	2	6	33	60	29	51	31	37	91	17	4	61
Nevada-----	After 20 weeks	103	-	-	6	13	13	10	13	11	29	-	1	5
New Hampshire-----	Advanced to 20th week	167	-	-	15	15	20	20	13	22	35	8	3	16
New Jersey-----	After 20 weeks	1,994	13	19	214	206	223	246	146	221	439	75	31	161
New Mexico-----	Advanced to 20th week	424	1	3	39	35	56	48	32	42	101	12	-	55
New York (excl. N.Y.C.)-----	20 weeks	2,918	6	20	321	321	336	422	240	374	669	112	36	61
New York City-----	All periods of gestation	22,985	215,104	2,368	1,210	649	514	540	177	574	250	221	141	1,237
North Carolina-----	Advanced to 20th week	2,093	2	3	171	217	274	265	174	205	711	29	21	21
North Dakota-----	Advanced to 20th week	226	-	7	28	26	25	32	14	33	49	4	3	5
Ohio-----	20 weeks	3,357	2	21	352	371	374	482	289	378	622	86	22	368
Oklahoma-----	After 20 weeks	692	-	10	45	45	66	67	37	36	213	7	7	162
Oregon-----	All periods of gestation	1,301	2,536	131	97	58	49	58	48	82	62	17	7	126
Pennsylvania-----	After 16 weeks	4,658	9	540	707	455	476	486	326	489	982	123	38	27
Rhode Island-----	After 20 weeks <sup>3</sup>	454	133	40	29	40	24	38	14	30	81	14	3	8
South Carolina-----	Advanced to 20th week	1,258	2	15	72	127	172	151	61	85	426	12	3	112
South Dakota-----	After 20 weeks	264	16	23	19	20	20	30	27	26	58	14	3	9
Tennessee-----	After 20 weeks	1,444	-	-	181	127	193	192	108	122	513	11	6	1
Texas-----	After 20 weeks	3,791	10	34	323	393	469	448	380	437	1,098	82	30	87
Utah-----	After 20 weeks	278	-	1	18	24	33	37	17	33	54	5	4	52
Vermont-----	All periods of gestation	304	2145	23	16	18	10	12	13	13	25	5	5	19
Virginia-----	All periods of gestation <sup>5</sup>	3,594	21,299	234	257	211	196	205	165	179	371	37	8	432
Washington-----	After 20 weeks	753	1	7	81	83	104	111	56	106	167	21	11	5
West Virginia-----	5 months <sup>6</sup>	620	1	10	44	73	50	73	60	49	166	12	6	76
Wisconsin-----	After 20 weeks	1,325	3	6	152	142	150	165	121	210	265	57	17	37
Wyoming-----	After 20 weeks	99	-	2	9	9	10	9	5	12	23	2	2	16

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as follows. 1-3 months to "Under 16 weeks"; 4 months to "16-19 weeks"; 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "43 weeks and over."

<sup>2</sup>For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas-----	-	6	17	17
Colorado-----	15	205	610	447
Georgia-----	7	211	621	387
Hawaii-----	6	111	318	256
Maine-----	-	7	14	27
Mississippi-----	9	146	263	241
New York City-----	450	2,682	7,067	4,905
Oregon-----	3	111	255	167
Vermont-----	3	24	68	50
Virginia-----	9	293	643	354

<sup>3</sup>Asks but does not require that all fetal deaths be reported irrespective of the month of uterogestation.

<sup>4</sup>Further specifies that at 20 weeks "fetus averages 10 inches in length, 9 ounces in weight."

<sup>5</sup>Prior to July 1, 1960, reporting of fetal deaths at "advanced to 20th week" was required.

<sup>6</sup>Further specifies "or total length of 10 inches"

SECTION 4 - MORTALITY

Table 4-B. Fetal Deaths and Fetal Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-60

(Data refer only to fetal deaths occurring within the specified area. Ratios per 1,000 live births in specified group)

AREA AND YEAR	ALL FETAL DEATHS REPORTED REGARDLESS OF PERIOD OF GESTATION						FETAL DEATHS AT GESTATIONS OF 20 WEEKS OR MORE AND NOT STATED					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
<b>UNITED STATES<sup>1</sup></b>												
1960	94,452	69,118	25,336	22.2	19.2	39.6	69,490	50,894	17,596	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.8	18.9	36.0	68,613	50,911	17,702	16.2	14.2	27.5
1958	92,873	68,970	23,903	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.3	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	36.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	36.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,836	20,477	22.1	19.6	37.9	69,395	53,252	16,143	17.8	15.9	29.6
1952	85,549	64,702	20,847	22.2	19.5	39.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	68,262	52,319	15,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	83,021	64,262	18,759	23.5	20.9	41.3	72,858	56,232	16,626	20.6	18.3	36.5
1947	87,851	69,013	18,838	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,677	16,593	25.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,890	15,164	26.6	24.1	44.6	65,513	51,242	14,271	25.9	21.4	42.0
1944	75,485	60,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	28.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.3	72,017	---	---	25.6	---	---
1941	75,133	58,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,892	16,706	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,155	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	58,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,058	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
<b>BIRTH-REGISTRATION STATES<sup>2</sup></b>												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	39.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,931	67,056	15,875	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

<sup>1</sup>Alaska included beginning 1959, and Hawaii, 1960.

<sup>2</sup>Increased in number from 30 States and the District of Columbia in 1922 to the entire contiguous United States in 1933.

## SECTION 4 - MORTALITY

Table 4-C. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1960

(By place of residence. Includes fetal deaths for areas in the United States which required reporting of all periods of gestation, except Virginia, which initiated reporting of all periods of gestation beginning July 1. The areas are: Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, and Vermont)

AGE OF MOTHER	NUMBER				PERCENT <sup>1</sup>			
	Total	Period of gestation			Total	Period of gestation		
		Under 20 weeks	20 weeks and over	Not stated		Under 20 weeks	20 weeks and over	Not stated
TOTAL-----	33,714	22,058	9,598	2,058	100.0	100.0	100.0	
Under 15 years-----	67	24	39	4	0.2	0.4	0.2	
15-19 years-----	3,151	1,795	1,159	197	9.4	8.2	9.9	
20-24 years-----	9,247	6,236	2,445	566	27.7	28.5	28.3	
25-29 years-----	8,593	5,935	2,170	486	25.8	27.1	24.4	
30-34 years-----	6,441	4,245	1,822	374	19.3	19.4	18.7	
35-39 years-----	4,214	2,635	1,317	262	12.6	12.0	13.1	
40-44 years-----	1,481	951	436	94	4.4	4.3	4.7	
45 years and over-----	158	90	54	14	0.5	0.4	0.7	
Not stated-----	362	147	156	59	...	...	...	

<sup>1</sup>Excludes fetal deaths for which age of mother was not stated.

Table 4-D. Fetal Deaths and Fetal Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 35 Reporting States, 1960

(By place of residence. Data refer only to fetal deaths occurring within the reporting area for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. For States reporting legitimacy status, see Technical Appendix)


AGE OF MOTHER AND COLOR	NUMBER			RATIO <sup>2</sup>		
	Total	Legitimate <sup>1</sup>	Illegitimate	Total	Legitimate <sup>1</sup>	Illegitimate
TOTAL-----	45,680	41,200	4,480	15.8	15.1	27.4
Under 15 years-----	155	42	113	30.8	28.8	31.7
15-19 years-----	5,606	4,211	1,395	13.8	12.3	21.8
20-24 years-----	11,246	10,130	1,116	11.7	11.1	23.1
25-29 years-----	10,174	9,511	663	14.0	13.6	29.1
30-34 years-----	8,312	8,244	568	19.3	18.6	42.1
35-39 years-----	6,525	6,099	426	27.2	26.2	56.5
40 years and over-----	2,657	2,505	152	40.7	39.7	71.2
Not stated-----	505	458	47	...	...	...
White-----	33,282	31,995	1,287	13.8	13.6	22.9
Under 15 years-----	51	31	20	28.4	31.6	24.5
15-19 years-----	3,603	3,209	394	11.6	11.1	17.9
20-24 years-----	8,445	8,101	344	10.4	10.2	19.5
25-29 years-----	7,687	7,496	191	12.4	12.3	27.5
30-34 years-----	6,430	6,298	132	16.7	16.5	34.0
35-39 years-----	4,732	4,603	129	23.3	23.0	51.2
40 years and over-----	1,956	1,911	45	35.6	35.4	52.7
Not stated-----	358	346	12	...	...	...
Nonwhite-----	12,418	9,205	3,213	26.2	25.2	29.6
Under 15 years-----	104	11	93	32.2	22.7	33.8
15-19 years-----	2,003	1,002	1,001	21.3	19.2	23.9
20-24 years-----	2,801	2,029	772	19.1	17.5	25.1
25-29 years-----	2,487	2,015	472	23.4	22.3	29.8
30-34 years-----	2,382	1,946	436	33.8	31.9	45.3
35-39 years-----	1,793	1,496	297	48.2	46.5	59.1
40 years and over-----	701	594	107	67.5	65.3	83.5
Not stated-----	147	112	35	...	...	...

<sup>1</sup>Includes legitimacy not stated.

<sup>2</sup>Figures for age of mother not stated are distributed.



FIGURE 4-1



### Fetal deaths by age of mother, gestation, and legitimacy

Comparison of fetal losses prior to 20 weeks with those which occur after 20 weeks can be made for areas which require reporting of fetal losses at all gestations. With the admission of Hawaii to statehood there were nine such areas in 1960, as listed in the headnote to table 4-C. This table presents frequencies and percentage distribution of fetal deaths, by age of mother, by these two gestation groups as well as the fetal deaths for which gestation was not given on the certificates. The percentage of fetal deaths at less than 20 weeks gestation is considerably lower for mothers under age 20 than is the case for fetal deaths of longer gestations. This result is similar to that which has been found in previous years. A possible explanation for this is that the early fetal deaths may be less well reported among the younger mothers because of the high proportion of illegitimate births in these ages.

Information concerning illegitimate fetal deaths by age of mother and color is given in table 4-D. The data for this table are provided by 35 States in which legitimacy is reported on fetal-death certificates. Except for white mothers under 15 years of age where the frequencies are extremely small, the fetal death ratios for illegitimate births are higher in every age category than those for legitimate births. It may

also be noted that the differences in these ratios are generally smaller among nonwhites than among whites.

Ratios for all fetal deaths in each age group show that some important differences exist when age of mother alone is considered. Ratios are lowest for mothers in the group 20-24 years. In the age groups immediately below and above this, that is, 15-19 and 25-29 years, the ratio increases slightly but is still below the average for mothers of all ages. With increasing age, the fetal death ratio increases sharply. The fetal death ratio for mothers under 15 years of age is 30.8, nearly double that for all ages. With minor variations, this pattern holds for both whites and nonwhites.

### Fetal deaths by sex and plurality

Fetal deaths and fetal death rates per 1,000 live births by plurality, sex, and color are given in table 4-E. Fetal death rates are lower than ratios computed for the same data because of the addition of the fetal death component to the denominator of the rate. They are also more meaningful since the sum of births and fetal deaths represents the entire population known to be exposed to the risk of fetal death. The use of ratios in other fetal death tables has been deemed satisfactory because in groups where the ratios do not vary too greatly among themselves the effect of omitting fetal deaths

## SECTION 4 - MORTALITY

Table 4-E. Fetal Deaths and Fetal Death Rates, by Plurality of Birth, Color, and Sex: United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group)

PLURALITY OF BIRTH AND COLOR	NUMBER				RATES <sup>1</sup>		
	Total	Male	Female	Sex not stated	Total	Male	Female
TOTAL-----	68,480	34,603	29,736	4,122	15.8 <del>16.1</del>	16.6 <del>16.8</del>	15.0 <del>15.3</del>
Fetal deaths in single deliveries-----	64,467	32,602	27,861	4,004	15.2 <del>15.5</del>	16.0 <del>16.3</del>	14.4 <del>14.7</del>
Fetal deaths in twin deliveries-----	3,893	1,970	1,815	108	43.6 <del>44.0</del>	45.0 <del>45.4</del>	42.1 <del>42.5</del>
Fetal deaths in other plural deliveries-----	120	54	56	10	88.0 <del>88.6</del>	86.6 <del>87.2</del>	89.3 <del>90.0</del>
White-----	50,894	25,671	22,368	2,867	13.9 <del>14.2</del>	14.5 <del>14.7</del>	13.3 <del>13.5</del>
Fetal deaths in single deliveries-----	47,905	24,147	20,975	2,781	13.4 <del>13.6</del>	13.9 <del>14.1</del>	12.8 <del>13.0</del>
Fetal deaths in twin deliveries-----	2,894	1,478	1,337	79	40.6 <del>41.0</del>	42.2 <del>42.6</del>	39.0 <del>39.4</del>
Fetal deaths in other plural deliveries-----	97	46	44	7	91.1 <del>91.5</del>	92.3 <del>92.7</del>	89.9 <del>90.3</del>
Nonwhite-----	17,586	8,955	7,378	1,255	26.1 <del>26.5</del>	28.3 <del>28.7</del>	23.8 <del>24.2</del>
Fetal deaths in single deliveries-----	16,564	8,455	6,888	1,223	25.2 <del>25.6</del>	27.5 <del>27.9</del>	22.9 <del>23.3</del>
Fetal deaths in twin deliveries-----	999	492	478	29	55.4 <del>55.8</del>	56.5 <del>56.9</del>	54.4 <del>54.8</del>
Fetal deaths in other plural deliveries-----	23	8	12	3	76.9 <del>77.3</del>	64.7 <del>65.1</del>	84.5 <del>84.9</del>

<sup>1</sup>Figures for "Sex not stated" are distributed.

from the denominator is approximately the same for all ratios in the table and they are therefore comparable. The variation in relative incidence of fetal deaths between the groups represented in table 4-E is too great to permit the use of ratios. About 6 percent of all fetal deaths in 1960 occurred in plural births. In comparison, 2.0 percent of all live-born infants are plural born. The fetal death rate among twins is 45.6, about three times the fetal death rate for single births. For other plural deliveries (triplets or higher) the rate is 96.5, over six times that for single deliveries. High fetal death rates among plural deliveries affect both sexes in about the same proportion.

The fetal death rate for males was over 11 percent higher than that for females. The same percentage difference was found for fetal death rates for single born males and single born females. Among twins, the fetal death rate for males was about 7 percent above that for females. Differences between the sexes with respect to rates for multiple deliveries of three or more babies deviate from the above pattern, but the number of cases involved in a single year is too small to allow for valid comparison.

The fetal death rate of 58.7 for nonwhite twins was 39 percent above the rate of 42.3 for the white. Among fetal deaths in single deliveries, however, the rate for nonwhites was almost double that for whites. The marked effect of plurality in reducing racial differences by greatly increasing rates for whites and nonwhites alike is evidence of the great influence of this factor on pregnancy outcome.

### Fetal deaths by period of gestation and geographic area

Fetal deaths and ratios for whites and nonwhites by selected gestation intervals are given for different types of population aggregates in table 4-F. Counties have been classified as metropolitan when containing at least one city of 50,000 inhabitants or more in 1960 or when contiguous to such a county and socially and economically integrated with the city. Counties not meeting these criteria have been classified as nonmetropolitan. This dichotomy has been superimposed on the standard urban and rural classification used in the past, wherein each incorporated place of 2,500 population or more is classified as urban, and all remaining areas as rural. Table 4-F presents these data for the United States. Data for Massachusetts, which did not begin recording gestation on its certificates until the latter part of 1960, have been excluded from this table.

A comparison by area type shows that the ratios were lowest for residents of the rural areas in metropolitan counties. Actually such areas are more often suburban than rural in character. For whites, ratios for residents of the urban and rural parts of the nonmetropolitan counties were lower than the ratio for residents of the urban areas in metropolitan counties. For nonwhites, however, the ratio for residents of the rural areas in metropolitan counties was lower than that for the residents of the urban parts of metropolitan counties. Ratios for nonwhites were highest in nonmetropolitan

## SECTION 4 - MORTALITY

4-9

Table 4-F. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER				RATIO			
	Total	Period of gestation			Total	Period of gestation		
		20-27 weeks	28 weeks and over	Not stated		20-27 weeks	28 weeks and over	Not stated
UNITED STATES <sup>1</sup>	66,905	14,559	45,883	6,463	16.1	3.5	11.1	1.6
White	49,399	10,249	34,230	4,920	14.2	2.9	9.8	1.4
Nonwhite	17,506	4,310	11,653	1,543	26.8	6.6	17.9	2.4
Urban	42,626	9,885	28,400	4,241	16.6	3.9	11.0	1.6
White	30,716	6,754	20,636	3,126	14.5	3.2	9.8	1.5
Nonwhite	11,910	3,231	7,564	1,115	26.4	7.2	16.7	2.5
Rural	24,279	4,574	17,483	2,222	15.4	2.9	11.1	1.4
White	18,683	3,495	13,394	1,794	13.6	2.6	9.8	1.3
Nonwhite	5,596	1,079	4,089	428	27.8	5.4	20.3	2.1
Metropolitan counties	42,180	9,824	28,323	4,033	16.2	3.8	10.8	1.5
White	31,216	6,825	21,395	2,996	14.3	3.1	9.8	1.4
Nonwhite	10,964	2,999	6,928	1,037	25.8	7.0	16.3	2.4
Urban	33,470	8,133	22,009	3,328	17.0	4.1	11.2	1.7
White	23,640	5,363	15,894	2,383	14.8	3.4	10.0	1.5
Nonwhite	9,830	2,770	6,115	945	26.1	7.4	16.3	2.5
Rural	8,710	1,691	6,314	705	13.7	2.7	9.9	1.1
White	7,576	1,462	5,501	613	12.9	2.5	9.4	1.0
Nonwhite	1,134	229	613	92	22.8	4.6	16.4	1.9
Nonmetropolitan counties	24,725	4,735	17,560	2,430	16.1	3.1	11.5	1.6
White	18,183	3,424	12,835	1,924	13.9	2.6	9.8	1.5
Nonwhite	6,542	1,311	4,725	506	28.8	5.8	20.6	2.2
Urban	9,156	1,852	6,381	913	15.3	3.1	10.7	1.5
White	7,076	1,391	4,942	743	13.6	2.7	9.5	1.4
Nonwhite	2,080	461	1,449	170	27.5	6.1	19.2	2.2
Rural	15,569	2,883	11,169	1,517	16.7	3.1	12.0	1.6
White	11,107	2,033	7,893	1,181	14.2	2.6	10.1	1.5
Nonwhite	4,462	850	3,276	336	29.5	5.6	21.6	2.2
NEW ENGLAND <sup>1</sup>	1,656	356	1,130	170	13.6	2.9	9.3	1.4
White	1,561	331	1,063	167	13.4	2.8	9.1	1.4
Nonwhite	95	25	67	3	19.7	5.2	13.9	0.6
Metropolitan counties	911	214	641	56	13.4	3.2	9.5	0.8
White	830	192	584	54	13.0	3.0	9.2	0.8
Nonwhite	81	22	57	2	20.1	5.5	14.2	0.5
Nonmetropolitan counties	745	142	489	114	13.8	2.6	9.1	2.1
White	731	139	479	113	13.8	2.6	9.0	2.1
Nonwhite	14	3	10	1	17.8	3.8	12.7	1.3
MIDDLE ATLANTIC	14,463	4,073	8,899	1,491	19.7	5.6	12.1	2.0
White	11,277	2,913	7,363	981	17.5	4.5	11.5	1.5
Nonwhite	3,186	1,160	1,516	510	35.6	12.9	16.9	5.7
Metropolitan counties	12,315	3,601	7,320	1,394	20.7	6.0	12.3	2.3
White	9,254	2,476	5,884	894	18.1	4.8	11.5	1.7
Nonwhite	3,061	1,125	1,436	500	36.2	13.3	17.0	5.9
Nonmetropolitan counties	2,148	472	1,579	97	15.6	3.4	11.5	0.7
White	2,023	437	1,499	87	15.3	3.3	11.3	0.7
Nonwhite	125	35	80	10	24.9	7.0	15.9	2.0
EAST NORTH CENTRAL	12,851	2,713	9,278	860	14.6	3.1	10.6	1.0
White	10,543	2,116	7,667	760	13.5	2.7	9.8	1.0
Nonwhite	2,308	597	1,611	100	23.7	6.1	16.5	1.0
Metropolitan counties	9,062	1,988	6,619	455	15.0	3.3	11.0	0.8
White	6,885	1,421	5,093	371	13.4	2.8	9.9	0.7
Nonwhite	2,177	567	1,526	84	25.8	6.2	16.7	0.9
Nonmetropolitan counties	3,789	725	2,859	405	13.8	2.6	9.7	1.5
White	3,658	695	2,574	389	13.7	2.6	9.6	1.5
Nonwhite	131	30	85	16	22.4	5.1	14.5	2.7
WEST NORTH CENTRAL	4,851	930	3,445	476	13.2	2.5	9.3	1.3
White	4,317	809	3,061	447	12.5	2.3	8.8	1.3
Nonwhite	534	121	384	29	23.3	5.3	16.7	1.3
Metropolitan counties	2,314	496	1,688	130	13.3	2.8	9.7	0.7
White	1,926	394	1,410	122	12.2	2.5	9.0	0.8
Nonwhite	388	102	278	8	22.7	6.0	16.2	0.5
Nonmetropolitan counties	2,537	434	1,757	346	13.1	2.2	9.0	1.8
White	2,391	415	1,651	325	12.7	2.2	8.8	1.7
Nonwhite	146	19	106	21	25.0	3.3	16.2	3.6
SOUTH ATLANTIC	11,715	2,407	8,172	1,136	18.6	3.8	13.0	1.8
White	8,502	1,324	4,454	724	14.7	3.0	10.0	1.6
Nonwhite	5,213	1,083	3,718	412	28.1	5.8	20.1	2.2
Metropolitan counties	5,593	1,191	3,763	639	17.3	3.7	11.7	2.0
White	3,331	689	2,164	448	14.2	3.0	9.3	1.9
Nonwhite	2,292	502	1,599	191	25.6	5.6	17.9	2.1
Nonmetropolitan counties	6,122	1,216	4,409	497	20.0	4.0	14.4	1.6
White	3,201	635	2,290	276	15.2	3.0	10.9	1.3
Nonwhite	2,921	581	2,119	221	30.5	6.1	22.1	2.3

<sup>1</sup>Excludes data for Massachusetts. This State did not require the reporting of period of gestation before September 1960.

SECTION 4 - MORTALITY

Table 4-F. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1960-Continued.

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER				RATIO			
	Total	Period of gestation			Total	Period of gestation		
		20-27 weeks	28 weeks and over	Not stated		20-27 weeks	28 weeks and over	Not stated
EAST SOUTH CENTRAL-----	5,817	1,256	4,214	347	19.8	4.3	14.3	1.2
White-----	3,076	624	2,281	173	14.8	5.0	11.0	0.8
Nonwhite--	2,739	632	1,933	174	31.6	7.3	22.4	2.0
Metropolitan counties-----	1,950	482	1,386	82	17.6	4.4	12.5	0.7
White-----	1,040	246	744	50	13.3	3.2	9.5	0.6
Nonwhite--	910	236	642	32	27.8	7.2	19.6	1.0
Nonmetropolitan counties-----	3,867	774	2,828	265	21.1	4.2	15.4	1.4
White-----	2,038	378	1,537	123	15.7	2.9	11.8	0.9
Nonwhite--	1,829	396	1,291	142	34.0	7.4	24.0	2.6
WEST SOUTH CENTRAL-----	6,575	1,227	4,929	419	15.3	2.8	11.4	1.0
White-----	4,376	785	3,287	304	12.9	2.3	9.7	0.9
Nonwhite--	2,199	442	1,642	115	24.1	4.9	18.0	1.3
Metropolitan counties-----	3,583	704	2,737	142	14.5	2.6	11.1	0.6
White-----	2,465	457	1,933	95	12.5	2.3	9.8	0.5
Nonwhite--	1,098	247	804	47	22.5	5.1	16.5	1.0
Nonmetropolitan counties-----	2,992	523	2,192	277	16.3	2.6	11.9	1.5
White-----	1,891	328	1,354	209	13.4	2.3	9.6	1.5
Nonwhite--	1,101	195	638	68	26.1	4.6	19.9	1.6
MOUNTAIN-----	2,505	500	1,595	410	13.4	2.7	8.5	2.2
White-----	2,287	459	1,437	391	13.2	2.7	6.3	2.3
Nonwhite--	219	41	158	19	15.5	2.9	11.3	1.4
Metropolitan counties-----	1,293	289	803	201	14.3	3.2	8.9	2.2
White-----	1,198	266	737	195	14.0	3.1	8.6	2.3
Nonwhite--	95	23	66	6	18.4	4.4	12.8	1.2
Nonmetropolitan counties-----	1,212	211	792	209	12.6	2.2	6.2	2.2
White-----	1,089	193	700	196	12.4	2.2	6.0	2.2
Nonwhite--	123	18	92	13	13.9	2.0	10.4	1.5
PACIFIC-----	6,472	1,097	4,221	1,154	12.9	2.2	6.4	2.3
White-----	5,458	889	3,537	973	12.4	2.0	8.2	2.2
Nonwhite--	1,014	209	624	181	16.6	3.4	10.2	3.0
Metropolitan counties-----	5,159	859	3,366	934	13.0	2.2	9.5	2.3
White-----	4,297	684	2,846	767	12.4	2.0	8.2	2.2
Nonwhite--	862	175	520	167	16.5	3.3	9.9	3.2
Nonmetropolitan counties-----	1,313	238	855	220	12.9	2.3	9.3	2.1
White-----	1,161	204	751	206	12.4	2.2	8.0	2.2
Nonwhite--	152	34	104	14	17.0	3.8	11.7	1.6

counties. The differences in the ratios by geographic classification which have been described in this paragraph were similar to those found in 1959.

Table 4-F also presents fetal deaths and ratios by gestation, color, and geographic area.

**Fetal death ratios by State**

Fetal death ratios by color, for each division and State are shown for the years 1956 to 1960 in table 4-G. As mentioned previously, fetal deaths are known to be seriously underreported. The extent to which this underreporting varies from one State or division to another is unknown. Hence, comparison of fetal mortality levels between different geographic locations is difficult. Comparisons between one time period and another for the same State or division can be made, however, subject to the assumption that the extent to which fetal deaths were underreported did not vary greatly over a short period of years. Such an assumption would not be warranted in a State where it was known that concerted efforts toward improvement in reporting had been made.

While fetal death ratios for the United States were lower for both whites and nonwhites in 1960 than in 1959, a reduction was not experienced in all divisions. In the East North Central Division fetal death ratios went up in 1960 for both whites and nonwhites. In the New England, Middle Atlantic, and South Atlantic Divisions, ratios were lower for nonwhites but higher for whites, and in the West North Central Division the ratio for whites declined and for nonwhites increased. Ratios were lower in 1960 for both whites and nonwhites in the West South Central, Mountain, and Pacific Divisions. For both whites and nonwhites combined, the fetal death ratio declined in four divisions, increased in four, and remained the same as in 1959 in one. The largest decreases were recorded in the Mountain Division, where the fetal death ratio was 13.4 in 1960 compared with 13.9 for the previous year, and in the West South Central Division, with a ratio of 15.3 in 1960 as compared with 16.0 in 1959.

For the 51 areas listed in table 4-G the fetal death ratio was lower in 1960 than in 1959 in 26, higher in 23, and equal to 1959 in 2. In most places differences in ratio from 1959 to 1960 were slight.





SECTION 4 - MORTALITY

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Continued

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																			
	Interstate nonresidents—Continued																			
	State of residence—Continued																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Ma.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
UNITED STATES-----	119	29	20	41	43	24	2	123	23	38	25	25	47	3	20	3	23	82	24	
Alabama-----	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-	
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arizona-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	
Arkansas-----	1	-	-	-	-	1	-	-	-	-	-	-	5	-	-	-	-	-	-	
California-----	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	
Colorado-----	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	6	
Connecticut-----	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Delaware-----	-	-	-	1	-	-	-	7	-	-	-	-	-	-	-	-	-	1	-	
District of Columbia-----	-	-	-	-	-	-	-	93	-	2	-	-	-	-	-	-	-	-	-	
Florida-----	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
Georgia-----	-	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Idaho-----	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	1	
Illinois-----	... 8	5	-	-	1	-	-	-	-	3	1	3	11	-	-	-	-	-	-	
Indiana-----	26	...	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-	
Iowa-----	12	-	...	-	-	-	-	-	-	-	3	-	6	-	11	-	-	-	1	
Kansas-----	-	-	-	...	-	-	-	-	-	-	-	-	19	-	-	-	-	-	-	
Kentucky-----	5	6	-	-	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Louisiana-----	-	-	-	1	-	...	-	-	1	-	-	3	-	-	-	-	-	-	-	
Maine-----	-	-	-	-	-	-	...	-	3	-	-	-	-	-	-	-	10	-	-	
Maryland-----	-	-	-	-	1	-	-	...	-	-	-	-	1	-	-	-	-	1	-	
Massachusetts-----	-	1	-	-	-	-	-	-	...	-	-	1	-	-	-	-	7	-	1	
Michigan-----	1	1	-	-	-	-	-	1	-	...	-	1	-	-	-	-	-	-	-	
Minnesota-----	-	-	5	-	-	-	-	-	-	1	...	-	1	-	-	-	-	-	-	
Mississippi-----	1	-	-	-	-	16	-	-	-	-	-	...	-	-	-	-	-	-	-	
Missouri-----	46	1	2	34	-	1	-	-	1	-	1	-	...	...	2	-	-	-	-	
Montana-----	-	-	-	-	-	-	-	-	-	-	1	-	-	...	-	-	-	-	-	
Nebraska-----	-	-	5	1	-	-	-	-	-	-	-	-	1	-	...	...	-	-	-	
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	
New Hampshire-----	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	...	-	-	
New Jersey-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	
New Mexico-----	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	...	
New York-----	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	41	-	
North Carolina-----	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
North Dakota-----	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-	
Ohio-----	3	8	-	-	15	-	-	1	-	16	-	-	-	-	-	-	-	-	-	
Oklahoma-----	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Oregon-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Pennsylvania-----	1	-	-	-	-	-	-	11	-	1	2	-	-	-	-	-	-	37	-	
Rhode Island-----	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	1	-	
South Carolina-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Dakota-----	1	-	-	-	-	-	-	-	-	-	1	-	-	-	7	-	-	-	-	
Tennessee-----	2	1	-	-	15	-	-	-	-	-	-	11	1	-	-	-	-	-	-	
Texas-----	-	1	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	10	
Utah-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	
Vermont-----	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	-	-	
Virginia-----	-	-	-	-	2	-	-	3	1	1	-	-	1	-	-	-	-	1	-	
Washington-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
West Virginia-----	-	-	-	-	8	-	-	7	-	-	-	-	-	-	-	-	-	-	-	
Wisconsin-----	14	-	3	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-	
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Continued

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																		Total fetal deaths to residents	
	Interstate nonresidents—Continued																			
	State of residence—Continued																			
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.		Wyo.
UNITED STATES-----	42	31	13	67	19	8	54	5	38	11	48	44	8	16	99	17	36	31	2	68,480
Alabama-----	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	1,772
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
Arizona-----	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	457
Arkansas-----	-	-	-	8	-	-	-	-	-	-	1	5	-	-	-	-	-	-	-	685
California-----	-	1	-	1	-	2	-	-	-	-	1	1	1	-	1	-	-	-	-	4,746
Colorado-----	-	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	739
Connecticut-----	7	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	735
Delaware-----	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	174
District of Columbia-----	2	-	-	-	-	-	-	-	-	2	-	-	-	-	48	-	1	-	-	398
Florida-----	2	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	1,835
Georgia-----	-	1	-	2	-	-	-	-	15	-	7	-	-	-	-	-	-	-	-	2,047
Hawaii-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
Idaho-----	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	207
Illinois-----	1	-	-	2	-	2	-	-	-	5	3	-	-	2	-	-	-	7	-	3,577
Indiana-----	-	-	-	13	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1,575
Iowa-----	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	745
Kansas-----	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	707
Kentucky-----	-	1	-	10	1	-	1	-	-	-	12	-	-	4	-	9	-	-	-	1,096
Louisiana-----	-	-	-	-	-	-	1	-	-	-	9	-	-	1	-	-	-	-	-	1,454
Maine-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	331
Maryland-----	1	1	-	-	-	-	2	-	-	-	1	-	-	8	-	4	-	-	-	1,219
Massachusetts-----	7	-	-	-	-	-	-	3	-	-	-	-	3	-	-	-	-	-	-	1,575
Michigan-----	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	10	-	3,025
Minnesota-----	-	-	7	-	1	-	-	-	-	2	3	-	-	-	-	-	-	12	-	1,053
Mississippi-----	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	1	-	1,546
Missouri-----	-	-	-	1	1	-	-	-	-	-	3	-	-	1	-	1	-	-	-	1,484
Montana-----	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	186
Nebraska-----	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	422
Nevada-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
New Hampshire-----	1	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	176
New Jersey-----	8	-	-	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	2,021
New Mexico-----	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	434
New York-----	...	-	-	4	-	-	18	-	-	-	-	-	-	1	-	-	1	-	-	8,347
North Carolina-----	1	...	-	-	-	-	-	-	20	2	-	-	-	-	13	-	-	-	-	2,081
North Dakota-----	-	-	...	1	1	-	-	-	5	-	-	-	-	-	-	-	-	-	-	216
Ohio-----	3	-	-	...	-	-	1	-	-	-	2	-	-	-	-	7	-	-	-	3,354
Oklahoma-----	-	-	-	-	...	-	-	-	-	-	2	-	-	-	-	-	-	-	-	693
Oregon-----	-	-	-	-	-	...	-	-	-	-	-	-	-	-	15	-	-	-	-	619
Pennsylvania-----	3	-	-	6	-	-	...	-	-	-	-	-	-	1	-	1	-	-	-	4,095
Rhode Island-----	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	273
South Carolina-----	-	12	-	-	-	-	1	-	...	-	-	-	-	-	-	-	-	-	-	1,260
South Dakota-----	-	-	3	-	-	-	-	-	...	...	-	-	-	-	-	-	-	-	-	224
Tennessee-----	-	3	-	-	-	-	-	-	-	...	-	-	-	14	-	-	-	-	-	1,403
Texas-----	-	-	-	-	2	-	-	1	-	...	...	-	-	-	-	-	-	-	-	5,763
Utah-----	-	-	-	-	-	-	-	-	-	-	-	...	...	-	-	-	-	-	1	275
Vermont-----	4	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	141
Virginia-----	2	11	-	-	-	2	-	3	-	6	1	-	...	...	-	12	-	-	-	2,107
Washington-----	-	-	-	-	3	-	-	-	-	-	1	1	-	-	...	-	-	-	-	753
West Virginia-----	-	-	-	25	-	6	-	-	-	-	-	-	-	4	-	...	-	-	-	594
Wisconsin-----	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	...	-	-	1,320
Wyoming-----	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	...	-	95



## SECTION 4 - MORTALITY

4-15

Table 4-2. Fetal Deaths by Month and Color: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES-----	68,480	5,749	5,305	5,336	5,255	5,719	5,704	6,000	6,179	5,968	5,857	5,707	5,701
White-----	50,894	4,323	3,987	3,953	3,922	4,233	4,239	4,444	4,547	4,415	4,373	4,241	4,257
Nonwhite--	17,586	1,426	1,338	1,403	1,333	1,486	1,465	1,556	1,632	1,553	1,484	1,466	1,444
Alabama-----	1,772	155	135	138	121	144	142	160	170	153	146	150	158
White-----	769	67	56	59	48	70	53	64	70	69	75	69	69
Nonwhite--	1,003	88	79	79	73	74	89	96	100	84	71	81	89
Alaska-----	91	8	8	8	10	3	9	7	2	11	8	9	8
White-----	53	5	6	5	5	2	7	5	-	5	6	6	1
Nonwhite--	38	3	2	3	5	1	2	2	2	6	2	3	7
Arizona-----	487	39	32	27	34	35	38	46	45	43	41	36	51
White-----	383	35	25	26	28	30	29	36	38	38	34	27	37
Nonwhite--	84	4	7	1	6	5	9	10	7	5	7	9	14
Arkansas-----	665	54	46	56	49	53	69	55	59	65	52	50	57
White-----	357	27	20	30	25	27	38	26	32	32	37	33	30
Nonwhite--	308	27	26	26	24	26	31	29	27	33	15	17	27
California-----	4,746	411	375	395	350	371	423	426	405	423	405	373	393
White-----	4,025	353	311	341	293	323	354	345	344	365	341	314	342
Nonwhite--	720	58	62	54	57	48	69	81	59	58	64	59	51
Colorado-----	738	54	60	70	45	58	59	71	71	67	61	66	56
White-----	702	51	55	69	44	54	56	69	66	64	59	62	53
Nonwhite--	36	3	5	1	1	4	3	2	5	3	2	4	3
Connecticut-----	735	50	58	61	63	57	53	73	62	52	71	63	72
White-----	660	46	54	53	58	53	49	68	55	48	63	53	62
Nonwhite--	75	4	4	8	5	4	4	7	7	4	8	10	10
Delaware-----	174	19	5	10	10	15	17	14	22	14	23	12	13
White-----	118	15	2	4	2	9	12	11	16	8	18	10	11
Nonwhite--	56	4	3	6	8	6	5	3	6	6	5	2	2
District of Columbia-----	398	24	50	25	30	22	35	44	34	35	30	38	31
White-----	101	4	16	4	11	7	10	9	8	8	6	12	6
Nonwhite--	297	20	34	21	19	15	25	35	26	27	24	26	25
Florida-----	1,835	153	161	137	147	142	135	161	176	154	152	158	159
White-----	1,035	91	91	75	89	93	75	80	101	60	80	85	95
Nonwhite--	800	62	70	62	58	49	60	81	75	74	72	73	64
Georgia-----	2,047	175	153	153	150	192	164	170	201	187	168	164	170
White-----	981	74	79	68	78	103	82	81	81	94	72	79	90
Nonwhite--	1,066	101	74	85	72	89	82	89	120	93	96	85	80
Hawaii-----	263	21	22	24	14	25	17	32	23	24	23	21	17
White-----	95	5	11	10	8	7	7	9	8	10	9	5	6
Nonwhite--	168	16	11	14	6	18	10	23	15	14	14	16	11
Idaho-----	207	12	18	16	27	17	21	17	16	15	15	10	23
White-----	199	12	18	15	24	16	21	17	14	14	15	10	23
Nonwhite--	8	-	-	1	3	1	-	-	2	1	-	-	-
Illinois-----	3,577	301	284	295	252	298	293	300	335	322	315	272	310
White-----	2,652	227	218	207	198	222	213	224	254	234	239	207	219
Nonwhite--	925	74	66	88	64	76	80	76	81	88	76	65	91
Indiana-----	1,575	158	118	135	126	139	130	124	129	134	130	125	127
White-----	1,355	136	108	116	112	119	109	107	107	119	108	106	108
Nonwhite--	220	22	10	19	14	20	21	17	22	15	22	19	19
Iowa-----	745	62	72	56	52	58	61	71	67	63	63	57	63
White-----	724	59	69	56	49	58	60	69	66	62	62	52	62
Nonwhite--	21	3	3	-	3	-	1	2	1	1	1	5	1
Kansas-----	707	54	59	59	61	61	68	76	52	64	48	60	45
White-----	618	46	50	51	55	54	60	63	45	60	41	54	39
Nonwhite--	89	8	9	8	6	7	8	13	7	4	7	6	6
Kentucky-----	1,096	103	92	79	89	83	85	96	96	107	97	87	82
White-----	940	90	81	71	78	67	72	85	80	89	87	70	70
Nonwhite--	156	13	11	8	11	16	13	11	16	18	10	17	12
Louisiana-----	1,454	129	108	99	106	118	101	137	127	148	133	122	126
White-----	608	51	46	45	55	44	52	41	49	67	55	52	51
Nonwhite--	846	78	62	54	51	74	49	96	78	81	78	70	75
Maine-----	331	28	35	17	30	21	24	29	27	36	22	27	35
White-----	329	27	35	17	29	21	24	29	27	36	22	27	35
Nonwhite--	2	1	-	-	1	-	-	-	-	-	-	-	-
Maryland-----	1,219	104	81	102	71	113	124	97	107	113	96	97	114
White-----	814	79	61	68	42	72	84	65	68	70	73	56	76
Nonwhite--	405	25	20	34	29	41	40	32	39	43	23	41	38
Massachusetts-----	1,575	142	125	138	151	161	134	139	140	146	91	111	97
White-----	1,495	138	118	127	140	155	125	130	131	141	87	109	94
Nonwhite--	80	4	7	11	11	6	9	9	9	5	4	2	3
Michigan-----	3,025	226	224	244	219	231	256	266	308	288	248	273	241
White-----	2,456	181	185	198	172	185	212	225	249	231	197	232	191
Nonwhite--	569	45	41	46	47	46	44	41	59	57	52	41	50
Minnesota-----	1,053	98	102	71	79	87	83	89	83	97	80	93	91
White-----	1,024	95	98	68	79	84	82	87	80	96	80	89	86
Nonwhite--	29	3	4	3	-	3	1	2	3	1	-	4	5
Mississippi-----	1,546	143	131	131	106	141	144	129	134	114	131	143	101
White-----	435	41	37	33	36	39	32	39	26	36	41	45	30
Nonwhite--	1,111	102	94	98	70	102	112	90	108	78	90	98	71



SECTION 4 - MORTALITY

Table 4-3. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for birth order because this State did not require reporting of the item)

AGE OF MOTHER, COLOR, AND SEX OF CHILD	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
TOTAL-----	68,480	16,322	10,723	10,152	8,224	6,058	4,039	2,874	6,738	3,350
Under 15 years-----	215	190	15	1	-	-	-	-	-	9
15-19 years-----	8,031	5,325	1,575	537	141	52	9	4	4	384
20-24 years-----	16,951	5,715	2,220	3,045	1,771	842	353	161	107	737
25-29 years-----	15,552	2,507	2,574	2,937	2,494	1,807	1,115	699	817	702
30-34 years-----	13,201	1,348	1,345	1,979	2,047	1,727	1,222	929	1,999	605
35-39 years-----	9,727	849	717	1,228	1,300	1,178	956	712	2,545	440
40-44 years-----	3,586	220	205	342	411	395	331	321	1,180	161
45-49 years-----	313	17	17	25	16	22	33	29	138	15
50 years and over-----	5	-	1	-	-	1	-	-	5	-
Not stated-----	899	350	54	58	44	34	18	19	45	277
Male-----	34,626	8,287	5,299	5,093	4,082	3,066	2,016	1,465	3,572	1,746
Under 15 years-----	113	100	9	-	-	-	-	-	-	4
15-19 years-----	4,171	2,777	814	260	74	26	5	1	1	213
20-24 years-----	8,547	2,907	2,094	1,550	909	435	184	69	53	346
25-29 years-----	7,832	1,152	1,248	1,475	1,225	904	557	383	500	388
30-34 years-----	6,592	641	644	990	997	907	603	464	1,029	317
35-39 years-----	4,899	403	350	612	651	571	466	346	1,271	228
40-44 years-----	1,829	105	105	168	189	185	176	174	620	97
45-49 years-----	156	8	8	9	12	10	16	17	69	7
50 years and over-----	3	-	-	-	-	1	-	-	2	-
Not stated-----	485	194	27	29	25	17	9	11	27	146
Female-----	29,732	6,920	4,696	4,386	3,609	2,628	1,807	1,273	2,925	1,488
Under 15 years-----	92	80	6	1	-	-	-	-	-	5
15-19 years-----	3,508	2,332	675	251	60	24	3	1	3	159
20-24 years-----	7,357	2,439	1,855	1,320	749	335	152	61	42	364
25-29 years-----	6,654	932	1,126	1,262	1,096	780	491	265	382	300
30-34 years-----	5,789	572	585	840	818	728	554	419	891	272
35-39 years-----	4,290	349	322	533	575	542	441	332	1,000	196
40-44 years-----	1,567	80	89	143	192	174	142	137	524	78
45-49 years-----	131	4	6	12	2	10	15	10	65	7
50 years and over-----	4	-	-	-	-	-	-	-	-	-
Not stated-----	344	122	22	24	17	15	9	8	18	109
Sex not stated-----	4,122	1,115	728	673	533	364	216	136	241	116
Under 15 years-----	10	10	-	-	-	-	-	-	-	-
15-19 years-----	352	216	86	26	7	2	1	2	-	12
20-24 years-----	1,047	369	271	175	113	52	17	11	12	27
25-29 years-----	1,066	223	200	200	173	123	67	31	35	14
30-34 years-----	820	135	106	149	132	92	65	46	79	16
35-39 years-----	539	97	45	83	74	65	51	34	74	16
40-44 years-----	190	25	11	31	30	26	13	10	36	8
45-49 years-----	26	6	3	2	2	2	2	2	4	1
50 years and over-----	2	-	1	-	-	-	-	-	1	-
Not stated-----	70	34	5	5	2	2	-	-	-	22
WHITE-----	50,694	12,569	8,507	8,141	6,428	4,499	2,803	1,775	3,337	2,615
Under 15 years-----	76	66	6	1	-	-	-	-	-	3
15-19 years-----	5,325	3,748	948	273	54	21	3	2	3	273
20-24 years-----	12,831	4,375	3,375	2,305	1,128	478	168	64	40	622
25-29 years-----	11,905	1,683	2,217	2,489	1,996	1,293	698	339	363	619
30-34 years-----	9,874	1,079	1,122	1,670	1,728	1,349	875	598	952	531
35-39 years-----	7,269	689	607	1,040	1,117	963	748	495	1,220	390
40-44 years-----	2,718	185	169	293	364	345	274	251	680	157
45-49 years-----	228	17	14	22	12	16	30	20	61	14
50 years and over-----	4	1	-	-	-	-	-	-	2	-
Not stated-----	664	261	48	48	29	31	9	16	16	206
Male-----	25,671	6,347	4,212	4,119	3,211	2,281	1,376	893	1,757	1,475
Under 15 years-----	45	40	4	-	-	-	-	-	-	1
15-19 years-----	2,700	1,906	475	127	26	10	-	-	1	155
20-24 years-----	6,492	2,354	1,702	1,133	586	237	84	26	18	292
25-29 years-----	5,897	955	1,082	1,261	999	645	352	181	186	346
30-34 years-----	4,969	526	536	849	850	728	420	293	486	281
35-39 years-----	3,605	328	299	509	563	464	357	240	642	203
40-44 years-----	1,396	69	63	147	172	174	145	132	370	85
45-49 years-----	114	7	7	9	8	8	15	11	43	6
50 years and over-----	2	-	-	-	-	1	-	-	1	-
Not stated-----	351	143	24	24	17	14	3	10	10	106
Female-----	22,356	5,404	3,787	3,521	2,855	1,980	1,283	810	1,458	1,259
Under 15 years-----	27	22	2	1	-	-	-	-	-	2
15-19 years-----	2,399	1,695	422	132	26	9	2	-	2	111
20-24 years-----	5,662	2,018	1,502	994	484	219	78	36	17	334
25-29 years-----	5,163	768	984	1,073	890	577	303	145	161	285
30-34 years-----	4,317	450	503	705	779	554	406	271	411	238
35-39 years-----	3,263	282	274	462	498	445	357	233	537	175
40-44 years-----	1,176	76	76	125	166	152	117	111	289	66
45-49 years-----	94	4	5	10	2	9	14	8	35	7
50 years and over-----	-	-	-	-	-	-	-	-	-	-
Not stated-----	253	92	19	19	10	15	6	6	6	80



## SECTION 4 - MORTALITY

4-19

Table 4.4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UNITED STATES-----	68,480	215	8,031	16,951	15,552	13,201	9,727	3,596	313	5	899
White-----	50,894	76	5,325	12,831	11,905	9,874	7,269	2,718	228	4	664
Nonwhite-----	17,586	139	2,706	4,120	3,647	3,327	2,458	878	85	1	235
Negro-----	16,843	137	2,644	3,964	3,458	3,165	2,544	821	82	1	227
Other-----	743	2	62	156	189	162	114	47	3	-	8
ALABAMA-----	1,772	7	244	407	339	356	277	95	10	-	35
White-----	789	3	93	217	151	143	110	33	3	-	16
Nonwhite-----	1,003	4	151	190	188	215	167	62	7	-	19
Negro-----	1,003	4	151	190	188	215	167	62	7	-	19
Other-----	-	-	-	-	-	-	-	-	-	-	-
ALASKA-----	91	-	11	19	33	8	13	4	1	-	2
White-----	53	-	6	15	19	3	7	3	-	-	-
Nonwhite-----	38	-	5	4	14	5	6	1	1	-	2
Negro-----	3	-	-	-	2	1	-	-	-	-	-
Other-----	35	-	5	4	12	4	6	1	1	-	2
ARIZONA-----	467	1	45	113	96	94	74	26	6	1	11
White-----	383	-	35	98	77	78	58	23	3	1	10
Nonwhite-----	84	1	10	15	19	16	16	3	3	-	1
Negro-----	43	1	7	9	10	9	4	1	2	-	-
Other-----	41	-	3	6	9	7	12	2	1	-	1
ARKANSAS-----	665	5	119	158	131	112	79	45	4	1	11
White-----	357	-	73	94	75	52	33	20	1	-	9
Nonwhite-----	308	5	46	64	56	60	46	25	3	1	2
Negro-----	308	5	46	64	56	60	46	25	3	1	2
Other-----	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA-----	4,746	7	589	1,291	1,135	847	614	198	16	-	49
White-----	4,026	3	487	1,103	957	741	522	168	14	-	31
Nonwhite-----	720	4	102	188	178	106	92	30	2	-	18
Negro-----	631	4	98	168	145	92	82	22	2	-	18
Other-----	89	-	4	20	33	14	10	8	-	-	-
COLORADO-----	738	1	91	196	164	131	97	29	6	-	23
White-----	702	-	87	187	155	121	94	29	6	-	23
Nonwhite-----	36	1	4	9	9	10	3	-	-	-	-
Negro-----	29	-	4	7	8	8	2	-	-	-	-
Other-----	7	1	-	2	1	2	1	-	-	-	-
CONNECTICUT-----	735	14	39	167	193	151	117	47	4	-	3
White-----	660	14	28	147	173	140	107	44	4	-	3
Nonwhite-----	75	-	11	20	20	11	10	3	-	-	-
Negro-----	74	-	11	19	20	11	10	3	-	-	-
Other-----	1	-	-	1	-	-	-	-	-	-	-
DELAWARE-----	174	3	19	35	35	40	21	8	-	-	13
White-----	118	1	9	24	31	26	14	5	-	-	8
Nonwhite-----	56	2	10	11	4	14	7	3	-	-	5
Negro-----	56	2	10	11	4	14	7	3	-	-	5
Other-----	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA-----	398	3	59	90	74	73	53	24	4	-	18
White-----	101	1	8	29	25	17	11	4	1	-	5
Nonwhite-----	297	2	51	61	49	56	42	20	3	-	13
Negro-----	293	2	51	61	47	56	41	19	3	-	13
Other-----	4	-	-	-	2	-	1	1	-	-	-
FLORIDA-----	1,835	11	269	452	429	343	234	81	10	-	6
White-----	1,035	1	150	269	255	187	122	43	4	-	4
Nonwhite-----	800	10	119	183	174	156	112	38	6	-	2
Negro-----	795	10	119	181	173	154	112	36	6	-	2
Other-----	5	-	-	2	1	2	-	-	-	-	-
GEORGIA-----	2,047	10	325	515	403	367	286	104	9	-	28
White-----	981	2	152	265	209	176	116	40	5	-	16
Nonwhite-----	1,066	8	173	250	194	191	170	64	4	-	12
Negro-----	1,066	8	173	250	194	191	170	64	4	-	12
Other-----	-	-	-	-	-	-	-	-	-	-	-
HAWAII-----	263	-	34	65	64	57	35	7	1	-	-
White-----	95	-	16	29	21	16	10	2	1	-	-
Nonwhite-----	168	-	18	36	43	41	25	5	-	-	-
Negro-----	4	-	-	1	2	1	-	-	-	-	-
Other-----	164	-	18	35	41	40	25	5	-	-	-
IDAHO-----	207	-	21	77	47	28	14	8	3	-	9
White-----	199	-	20	74	47	25	13	8	3	-	9
Nonwhite-----	8	-	1	3	-	3	1	-	-	-	-
Negro-----	1	-	-	1	-	-	-	-	-	-	-
Other-----	7	-	1	2	-	3	1	-	-	-	-

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
ILLINOIS-----	3,577	8	379	892	812	733	532	186	14	-	21
White-----	2,652	3	236	668	619	553	407	151	7	-	8
Nonwhite-----	925	5	143	224	193	180	125	35	7	-	13
Negro-----	917	5	143	220	192	177	125	35	7	-	13
Other-----	8	-	-	4	1	3	-	-	-	-	-
INDIANA-----	1,575	2	191	408	354	274	222	66	2	-	56
White-----	1,355	2	163	364	300	234	189	50	2	-	51
Nonwhite-----	220	-	28	44	54	40	33	16	-	-	5
Negro-----	218	-	28	44	53	40	32	16	-	-	5
Other-----	2	-	-	-	1	-	1	-	-	-	-
IOWA-----	745	-	62	210	179	131	104	46	1	-	12
White-----	724	-	59	205	175	127	100	45	1	-	12
Nonwhite-----	21	-	3	5	4	4	4	1	-	-	-
Negro-----	18	-	3	5	3	3	3	1	-	-	-
Other-----	3	-	-	-	1	1	-	-	-	-	-
KANSAS-----	707	-	100	176	155	121	110	37	6	-	2
White-----	618	-	84	162	132	101	102	31	4	-	2
Nonwhite-----	89	-	16	14	23	20	8	6	2	-	-
Negro-----	84	-	15	13	22	18	8	6	2	-	-
Other-----	5	-	1	1	1	2	-	-	-	-	-
KENTUCKY-----	1,096	7	173	282	213	180	164	57	9	-	12
White-----	940	5	142	243	184	163	133	52	7	-	11
Nonwhite-----	156	2	31	39	29	17	31	5	1	-	1
Negro-----	156	2	31	39	29	17	31	5	1	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA-----	1,454	10	234	358	290	271	196	88	4	-	3
White-----	608	1	87	154	137	107	87	32	1	-	2
Nonwhite-----	846	9	147	204	153	164	109	56	3	-	1
Negro-----	843	9	147	204	152	163	108	56	3	-	1
Other-----	3	-	-	-	1	1	1	-	-	-	-
MAINE-----	331	1	37	86	66	67	48	19	1	-	6
White-----	329	1	36	85	66	67	48	19	1	-	6
Nonwhite-----	2	-	1	1	-	-	-	-	-	-	-
Negro-----	1	-	-	1	-	-	-	-	-	-	-
Other-----	1	-	1	-	-	-	-	-	-	-	-
MARYLAND-----	1,219	4	161	283	285	229	180	57	1	-	19
White-----	814	-	93	187	191	161	135	36	1	-	10
Nonwhite-----	405	4	68	96	94	68	45	21	-	-	9
Negro-----	403	4	68	95	94	68	44	21	-	-	9
Other-----	2	-	-	1	-	-	1	-	-	-	-
MASSACHUSETTS-----	1,575	-	110	320	381	338	260	97	11	-	60
White-----	1,495	-	100	306	358	320	250	93	11	-	57
Nonwhite-----	80	-	10	14	23	18	10	4	-	-	3
Negro-----	78	-	10	14	23	14	10	4	-	-	3
Other-----	2	-	-	-	-	2	-	-	-	-	-
MICHIGAN-----	3,025	6	302	709	715	607	465	185	13	-	23
White-----	2,456	1	223	571	595	490	386	159	13	-	18
Nonwhite-----	569	5	79	138	120	117	79	26	-	-	5
Negro-----	552	5	77	132	117	114	78	24	-	-	5
Other-----	17	-	2	6	3	3	1	2	-	-	-
MINNESOTA-----	1,053	-	82	259	241	218	158	78	5	-	12
White-----	1,024	-	80	252	236	213	151	75	5	-	12
Nonwhite-----	29	-	2	7	5	5	7	3	-	-	-
Negro-----	10	-	-	4	2	-	4	-	-	-	-
Other-----	19	-	2	3	3	5	3	3	-	-	-
MISSISSIPPI-----	1,546	17	235	361	300	292	228	85	10	-	28
White-----	435	2	56	108	99	80	59	19	4	-	8
Nonwhite-----	1,111	15	179	253	201	202	169	66	6	-	20
Negro-----	1,105	15	177	251	199	202	169	66	6	-	20
Other-----	6	-	2	2	2	-	-	-	-	-	-
MISSOURI-----	1,484	9	164	353	325	292	210	91	5	-	15
White-----	1,159	2	136	287	264	227	158	69	3	-	13
Nonwhite-----	325	7	48	66	61	65	52	22	2	-	2
Negro-----	321	7	48	66	60	64	52	20	2	-	2
Other-----	4	-	-	-	1	1	2	2	-	-	-
MONTANA-----	188	-	21	46	44	32	24	18	-	-	3
White-----	169	-	21	39	36	31	21	18	-	-	3
Nonwhite-----	19	-	-	7	8	1	3	-	-	-	-
Negro-----	1	-	-	-	-	-	1	-	-	-	-
Other-----	18	-	-	7	6	1	2	-	-	-	-

SECTION 4 - MORTALITY

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEBRASKA-----	422	-	43	108	104	67	58	29	4	-	9
White-----	395	-	40	99	99	62	55	28	4	-	8
Nonwhite-----	27	-	3	9	5	5	3	1	-	-	1
Negro-----	22	-	3	8	4	4	1	1	-	-	1
Other-----	5	-	-	1	1	1	2	-	-	-	-
NEVADA-----	101	-	6	28	25	23	14	4	-	-	1
White-----	87	-	4	27	21	21	9	4	-	-	1
Nonwhite-----	14	-	2	1	4	2	5	-	-	-	-
Negro-----	7	-	2	1	3	-	1	-	-	-	-
Other-----	7	-	-	-	1	2	4	-	-	-	-
NEW HAMPSHIRE-----	176	1	13	51	33	35	28	13	1	-	1
White-----	175	1	13	50	33	35	28	13	1	-	1
Nonwhite-----	1	-	-	1	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	1	-	-	1	-	-	-	-	-	-	-
NEW JERSEY-----	2,021	3	169	484	461	431	318	130	4	-	21
White-----	1,615	1	108	372	372	354	280	109	4	-	17
Nonwhite-----	406	2	63	112	89	77	38	21	-	-	4
Negro-----	400	2	62	111	87	75	38	21	-	-	4
Other-----	6	-	1	1	2	2	-	-	-	-	-
NEW MEXICO-----	434	1	60	96	93	91	65	21	3	-	4
White-----	385	1	54	87	83	75	61	19	3	-	2
Nonwhite-----	49	-	6	9	10	16	4	2	-	-	2
Negro-----	15	-	1	3	2	7	2	-	-	-	-
Other-----	34	-	5	6	8	9	2	2	-	-	2
NEW YORK-----	8,347	13	644	2,067	2,114	1,750	1,198	396	32	2	131
White-----	6,220	3	403	1,461	1,596	1,343	963	332	23	2	94
Nonwhite-----	2,127	10	241	606	518	407	235	84	9	-	37
Negro-----	2,091	10	238	598	510	398	231	61	9	-	36
Other-----	36	-	3	8	8	9	4	3	-	-	1
NORTH CAROLINA-----	2,081	15	339	493	443	372	291	111	12	-	5
White-----	1,064	2	140	321	247	183	113	49	5	-	4
Nonwhite-----	1,017	13	199	172	196	189	178	62	7	-	1
Negro-----	988	13	184	167	192	184	171	60	6	-	1
Other-----	29	-	5	5	4	5	7	2	1	-	-
NORTH DAKOTA-----	216	1	17	63	51	42	26	15	1	-	-
White-----	203	1	16	61	48	39	23	14	1	-	-
Nonwhite-----	13	-	1	2	3	3	3	1	-	-	-
Negro-----	1	-	-	-	1	-	-	-	-	-	-
Other-----	12	-	1	2	2	3	3	1	-	-	-
OHIO-----	3,354	5	366	657	772	695	439	175	11	-	34
White-----	2,852	3	291	736	652	596	374	160	10	-	30
Nonwhite-----	502	2	75	121	120	99	65	15	1	-	4
Negro-----	494	2	75	118	119	98	63	14	1	-	4
Other-----	8	-	-	3	1	1	2	1	-	-	-
OKLAHOMA-----	693	3	124	180	129	97	82	44	3	-	31
White-----	530	1	96	152	103	62	55	30	3	-	28
Nonwhite-----	163	2	28	28	26	35	27	14	-	-	3
Negro-----	111	1	21	18	18	25	18	7	-	-	3
Other-----	52	1	7	10	8	10	9	7	-	-	-
OREGON-----	619	-	79	192	134	103	72	28	8	-	3
White-----	596	-	76	183	128	101	71	27	7	-	3
Nonwhite-----	23	-	3	9	6	2	1	1	1	-	-
Negro-----	14	-	3	5	2	1	1	1	1	-	-
Other-----	9	-	-	4	4	1	-	-	-	-	-
PENNSYLVANIA-----	4,095	4	377	947	1,022	807	648	222	18	1	49
White-----	3,442	1	273	773	870	686	572	204	16	1	46
Nonwhite-----	653	3	104	174	152	121	76	18	2	-	3
Negro-----	647	3	104	174	151	117	75	18	2	-	3
Other-----	6	-	-	-	1	4	1	-	-	-	-
RHODE ISLAND-----	273	1	22	72	68	56	36	15	1	-	2
White-----	256	1	19	69	63	54	36	11	1	-	2
Nonwhite-----	17	-	3	3	5	2	-	4	-	-	-
Negro-----	17	-	3	3	5	2	-	4	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA-----	1,260	8	225	289	229	211	179	54	8	-	57
White-----	461	1	66	119	96	68	43	20	-	-	28
Nonwhite-----	799	7	139	170	133	143	136	34	8	-	29
Negro-----	798	7	139	170	132	143	136	34	8	-	29
Other-----	1	-	-	-	1	-	-	-	-	-	-

SECTION 4 - MORTALITY

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									Not stated
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	
SOUTH DAKOTA-----	224	-	17	57	53	43	37	15	1	-	1
White-----	194	-	17	49	47	36	31	13	1	-	-
Nonwhite-----	30	-	-	8	6	7	6	2	-	-	1
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	30	-	-	8	6	7	6	2	-	-	1
TENNESSEE-----	1,403	7	238	347	315	237	180	60	8	-	11
White-----	934	5	138	247	229	149	110	39	7	-	10
Nonwhite-----	469	2	100	100	86	88	70	21	1	-	1
Negro-----	466	2	100	100	85	88	70	21	1	-	1
Other-----	1	-	-	-	1	-	-	-	-	-	-
TEXAS-----	3,763	14	527	958	819	699	545	179	15	-	7
White-----	2,881	6	393	739	632	533	434	127	13	-	4
Nonwhite-----	882	8	134	219	187	166	111	52	2	-	3
Negro-----	873	8	133	218	184	164	110	51	2	-	3
Other-----	9	-	1	1	3	2	1	1	-	-	-
UTAH-----	275	-	31	91	50	46	27	22	3	-	3
White-----	271	-	31	90	49	47	27	22	3	-	2
Nonwhite-----	4	-	-	1	1	1	-	-	-	-	1
Negro-----	1	-	-	1	-	-	-	-	-	-	-
Other-----	3	-	-	-	1	1	-	-	-	-	1
VERMONT-----	141	-	20	37	26	22	26	7	1	-	2
White-----	141	-	20	37	26	22	26	7	1	-	2
Nonwhite-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA-----	2,107	8	303	530	457	441	247	86	9	-	26
White-----	1,386	2	175	342	321	309	159	57	5	-	16
Nonwhite-----	721	6	128	188	136	132	88	29	4	-	10
Negro-----	715	6	128	186	134	131	88	28	4	-	10
Other-----	6	-	-	2	2	1	-	1	-	-	-
WASHINGTON-----	753	-	72	206	179	147	96	47	5	-	1
White-----	688	-	65	194	164	135	83	41	5	-	1
Nonwhite-----	65	-	7	12	15	12	13	6	-	-	-
Negro-----	34	-	7	4	7	4	9	3	-	-	-
Other-----	31	-	-	8	8	8	4	3	-	-	-
WEST VIRGINIA-----	594	3	84	136	119	101	96	42	-	-	13
White-----	542	3	77	129	110	89	85	37	-	-	12
Nonwhite-----	52	-	7	7	9	12	11	5	-	-	1
Negro-----	52	-	7	7	9	12	11	5	-	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN-----	1,320	1	112	306	329	283	195	80	8	-	6
White-----	1,228	1	105	284	306	259	181	79	8	-	5
Nonwhite-----	92	-	7	22	23	24	14	1	-	-	1
Negro-----	82	-	7	22	18	20	13	1	-	-	1
Other-----	10	-	-	-	5	4	1	-	-	-	-
WYOMING-----	95	1	7	28	24	18	9	5	2	-	1
White-----	91	1	7	28	23	17	7	5	2	-	1
Nonwhite-----	4	-	-	-	1	1	2	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	4	-	-	-	1	1	2	-	-	-	-



## SECTION 4 - MORTALITY

4-23

Table 4-5. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for birth order because this State did not require reporting of the item)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
UNITED STATES-----	68,480	16,322	10,723	10,152	8,224	6,058	4,039	2,874	6,738	3,350
White-----	50,894	12,589	8,507	8,141	6,428	4,499	2,803	1,775	3,337	2,815
Nonwhite--	17,586	3,733	2,216	2,011	1,796	1,559	1,236	1,099	3,401	535
Alabama-----	1,772	382	276	200	187	130	128	110	327	32
White-----	769	201	166	113	97	45	36	30	61	20
Nonwhite--	1,003	181	110	87	90	85	92	80	266	12
Alaska-----	91	17	21	19	5	6	8	2	12	1
White-----	53	12	17	11	4	3	4	-	2	-
Nonwhite--	38	5	4	8	1	3	4	2	10	1
Arizona-----	467	99	64	66	64	55	20	30	65	4
White-----	383	82	53	60	57	48	18	21	42	4
Nonwhite--	84	17	11	6	7	7	4	9	23	-
Arkansas-----	665	151	88	73	67	50	46	27	143	20
White-----	357	97	56	53	36	32	25	11	34	13
Nonwhite--	308	54	32	20	31	18	21	16	109	7
California-----	4,746	1,264	843	859	584	425	233	158	263	117
White-----	4,028	1,069	736	750	516	369	181	133	191	81
Nonwhite--	720	195	107	109	68	56	52	25	72	36
Colorado-----	738	198	120	116	95	68	41	23	49	28
White-----	702	190	117	112	91	64	35	20	45	28
Nonwhite--	36	8	3	4	4	4	6	3	4	-
Connecticut-----	735	168	117	130	107	78	50	28	46	11
White-----	660	153	110	115	97	68	45	24	38	10
Nonwhite--	75	15	7	15	10	10	5	4	8	1
Delaware-----	174	59	24	24	11	15	9	6	21	5
White-----	118	41	17	20	8	8	6	5	10	3
Nonwhite--	56	18	7	4	3	7	3	1	11	2
District of Columbia-----	398	128	65	43	35	34	18	17	42	16
White-----	101	41	24	15	7	7	3	2	2	2
Nonwhite--	297	87	41	30	28	27	15	15	40	14
Florida-----	1,835	438	295	237	244	160	99	95	238	29
White-----	1,035	293	198	159	154	85	43	31	55	17
Nonwhite--	800	145	97	78	90	75	56	64	183	12
Georgia-----	2,047	472	277	249	230	182	114	103	367	53
White-----	981	289	160	157	120	73	50	34	76	22
Nonwhite--	1,066	183	117	92	110	109	64	69	291	31
Hawaii-----	263	67	35	60	42	23	11	10	14	1
White-----	95	27	13	26	11	9	4	3	2	-
Nonwhite--	168	40	22	34	31	14	7	7	12	1
Idaho-----	207	51	36	39	25	15	9	16	8	8
White-----	199	50	34	39	23	14	9	15	7	8
Nonwhite--	8	1	2	-	2	1	-	1	1	-
Illinois-----	3,577	841	611	581	487	335	235	156	282	49
White-----	2,852	639	487	446	395	245	162	102	142	36
Nonwhite--	925	202	124	135	94	90	73	54	140	13
Indiana-----	1,575	408	236	251	182	159	94	75	126	44
White-----	1,355	370	213	220	157	137	77	60	84	37
Nonwhite--	220	38	23	31	25	22	17	15	42	7
Iowa-----	745	145	134	138	102	70	47	30	60	19
White-----	724	142	132	134	99	68	46	26	58	19
Nonwhite--	21	3	2	4	3	2	1	4	2	-
Kansas-----	707	168	100	105	110	77	43	31	70	3
White-----	618	152	89	94	100	70	36	23	51	3
Nonwhite--	89	16	11	11	10	7	7	8	19	-
Kentucky-----	1,096	307	153	136	104	97	65	40	135	61
White-----	940	264	138	116	84	79	53	35	112	59
Nonwhite--	156	43	15	20	20	18	10	5	23	2
Louisiana-----	1,454	318	197	152	132	139	100	88	247	81
White-----	608	138	101	78	70	65	42	31	46	37
Nonwhite--	846	180	96	74	62	74	58	57	201	44
Maine-----	331	93	37	57	44	28	20	14	30	8
White-----	329	92	37	56	44	28	20	14	30	8
Nonwhite--	2	1	-	1	-	-	-	-	-	-
Maryland-----	1,219	271	193	189	139	123	78	56	101	69
White-----	814	189	138	139	108	89	46	29	36	40
Nonwhite--	405	82	55	50	31	34	32	27	65	29
Massachusetts <sup>1</sup> -----	1,575	8	6	5	-	1	-	-	2	1,553
White-----	1,495	8	6	5	-	1	-	-	2	1,473
Nonwhite--	80	-	-	-	-	-	-	-	-	80
Michigan-----	3,025	682	459	503	412	298	221	132	247	71
White-----	2,456	548	380	419	362	242	171	100	178	56
Nonwhite--	569	134	79	84	50	56	50	32	69	15
Minnesota-----	1,053	195	157	164	155	118	88	48	103	25
White-----	1,024	190	153	163	147	115	88	48	95	25
Nonwhite--	29	5	4	1	8	3	-	-	8	-

<sup>1</sup>Birth order data shown are for fetal deaths in other States to residents of Massachusetts.

Table 4-5. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1960—Continued

(See headnote at beginning of table)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
Mississippi-----	1,546	299	171	163	151	133	113	89	391	36
White-----	435	111	80	68	48	44	27	19	28	10
Nonwhite--	1,111	188	91	95	103	89	86	70	363	26
Missouri-----	1,484	354	243	212	160	151	104	71	161	28
White-----	1,159	288	198	180	129	114	80	48	97	27
Nonwhite--	325	66	45	32	31	37	24	25	64	1
Montana-----	189	45	23	30	26	21	9	12	20	2
White-----	169	41	21	28	25	16	8	10	18	2
Nonwhite--	19	4	2	2	1	5	1	2	2	-
Nebraska-----	422	100	71	74	55	39	23	16	32	12
White-----	395	98	66	68	53	38	21	12	27	12
Nonwhite--	27	2	5	6	2	1	2	4	5	-
Nevada-----	101	18	16	20	10	14	13	1	7	2
White-----	87	18	15	19	9	13	9	-	3	1
Nonwhite--	14	-	1	1	1	1	4	1	4	1
New Hampshire-----	176	37	29	34	19	19	14	7	10	7
White-----	175	37	28	34	19	19	14	7	10	7
Nonwhite--	1	-	1	-	-	-	-	-	-	-
New Jersey-----	2,021	543	371	337	246	159	113	46	95	111
White-----	1,615	424	321	276	204	131	89	23	52	95
Nonwhite--	406	119	50	61	42	28	24	23	43	16
New Mexico-----	434	106	64	64	45	37	33	22	56	7
White-----	385	91	58	61	39	31	29	18	52	6
Nonwhite--	49	15	6	3	6	6	4	4	4	1
New York-----	8,347	2,189	1,555	1,411	1,112	742	437	272	464	165
White-----	6,220	1,675	1,179	1,105	859	526	309	169	294	114
Nonwhite--	2,127	514	376	306	253	216	128	103	180	51
North Carolina-----	2,081	495	355	276	237	179	118	102	313	6
White-----	1,064	293	230	184	139	90	44	30	53	1
Nonwhite--	1,017	202	125	92	98	89	74	72	260	5
North Dakota-----	216	44	31	34	26	30	14	11	23	3
White-----	203	43	30	32	25	29	13	8	20	3
Nonwhite--	13	1	1	2	1	1	1	3	3	-
Ohio-----	3,354	773	536	495	456	302	208	148	259	177
White-----	2,852	669	466	432	388	264	174	113	185	161
Nonwhite--	502	104	70	63	68	38	34	35	74	16
Oklahoma-----	693	212	110	102	68	48	40	20	75	18
White-----	530	171	89	86	56	38	30	11	34	15
Nonwhite--	163	41	21	16	12	10	10	9	41	3
Oregon-----	619	134	106	108	87	64	43	17	46	14
White-----	596	128	101	106	85	62	42	16	42	14
Nonwhite--	23	6	5	2	2	2	1	1	4	-
Pennsylvania-----	4,095	992	655	662	527	396	258	182	323	100
White-----	3,442	835	574	576	455	337	214	138	231	82
Nonwhite--	653	157	81	86	72	59	44	44	92	18
Rhode Island-----	273	77	37	42	36	30	14	13	20	4
White-----	256	74	35	40	34	28	13	13	16	3
Nonwhite--	17	3	2	2	2	2	1	-	4	1
South Carolina-----	1,260	324	169	121	125	95	74	61	248	43
White-----	481	150	90	73	54	32	16	12	21	13
Nonwhite--	799	174	79	48	71	63	58	49	227	30
South Dakota-----	224	43	38	38	21	25	12	15	31	3
White-----	194	41	28	34	19	24	11	13	22	2
Nonwhite--	30	2	10	2	2	1	1	2	9	1
Tennessee-----	1,403	376	230	214	142	129	72	63	148	29
White-----	934	282	160	157	99	88	43	24	55	25
Nonwhite--	469	94	70	57	43	40	29	39	93	4
Texas-----	3,763	938	542	529	437	303	230	173	521	90
White-----	2,681	752	452	414	326	235	182	114	359	67
Nonwhite--	882	186	90	115	111	68	68	59	162	23
Utah-----	275	66	44	36	25	26	22	11	33	12
White-----	271	64	44	36	25	26	22	10	32	12
Nonwhite--	4	2	-	-	-	-	-	1	1	-
Vermont-----	141	27	16	25	24	11	6	11	15	6
White-----	141	27	16	25	24	11	6	11	15	6
Nonwhite--	-	-	-	-	-	-	-	-	-	-
Virginia-----	2,107	603	386	312	246	156	108	67	168	61
White-----	1,586	437	287	217	172	97	58	28	53	37
Nonwhite--	721	166	99	95	74	59	50	39	115	24
Washington-----	753	162	113	141	113	73	47	33	70	1
White-----	688	153	108	130	104	64	44	29	55	1
Nonwhite--	65	9	5	11	9	9	3	4	15	-
West Virginia-----	594	160	74	69	63	47	40	41	85	15
White-----	542	152	69	62	59	43	35	39	69	14
Nonwhite--	52	8	5	7	4	4	5	2	16	1
Wisconsin-----	1,320	256	183	185	193	134	92	70	120	87
White-----	1,228	239	176	177	163	125	85	61	101	81
Nonwhite--	92	17	7	8	10	9	7	9	19	6
Wyoming-----	95	19	11	24	11	9	7	5	6	3
White-----	91	19	11	23	11	9	7	4	4	3
Nonwhite--	4	-	-	1	-	-	-	1	2	-

SECTION 4 - MORTALITY

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV). Fetal deaths which occurred in Massachusetts are included in Group IV because this State did not require reporting of period of gestation)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II--FETAL DEATHS OF 20-27 WEEKS GESTATION <sup>3</sup>				GROUP III--FETAL DEATHS OF 28 WEEKS GESTATION OR MORE <sup>3</sup>			
	Total	Attendant <sup>1</sup>			Total	Attendant <sup>1</sup>			Total	Attendant <sup>1</sup>		
		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife
UNITED STATES-----	68,480	63,807	2,453	1,102	14,565	13,235	844	190	45,897	43,117	1,300	855
White-----	50,894	49,125	1,233	95	10,255	9,651	477	13	34,244	33,570	569	78
Nonwhite--	17,586	14,682	1,220	1,007	4,310	3,584	367	177	11,653	9,747	731	777
Alabama-----	1,772	1,364	125	224	567	283	55	36	1,255	974	76	170
White-----	769	738	20	3	146	136	9	-	555	540	8	5
Nonwhite--	1,003	626	105	221	221	147	26	36	700	434	68	167
Alaska-----	91	70	6	5	17	13	2	1	75	57	4	4
White-----	53	49	3	-	11	9	2	-	42	40	1	-
Nonwhite--	38	21	3	5	6	4	-	1	31	17	3	4
Arizona-----	467	451	10	2	97	94	3	-	354	344	6	1
White-----	383	369	8	2	85	82	1	-	298	278	6	1
Nonwhite--	84	82	2	-	14	12	2	-	66	66	-	-
Arkansas-----	665	545	54	47	119	99	11	8	404	320	35	37
White-----	357	341	14	-	67	66	1	-	198	186	12	-
Nonwhite--	308	204	40	47	52	33	10	8	206	134	23	37
California-----	4,746	4,617	69	-	667	638	27	-	3,073	3,045	22	-
White-----	4,025	3,930	59	-	552	528	25	-	2,838	2,812	20	-
Nonwhite--	720	687	10	-	115	110	4	-	435	433	2	-
Colorado-----	738	704	27	-	181	167	11	-	369	363	6	-
White-----	702	669	26	-	172	158	11	-	347	341	6	-
Nonwhite--	36	35	1	-	9	9	-	-	22	22	-	-
Connecticut-----	735	729	6	-	167	165	2	-	535	531	4	-
White-----	660	655	5	-	149	147	2	-	480	477	3	-
Nonwhite--	75	74	1	-	18	18	-	-	55	54	1	-
Delaware-----	174	160	12	-	32	28	4	-	113	108	3	-
White-----	118	115	3	-	20	18	2	-	80	80	-	-
Nonwhite--	56	45	9	-	12	10	2	-	33	28	3	-
District of Columbia-----	398	387	4	-	85	83	1	-	263	261	2	-
White-----	101	98	-	-	19	19	-	-	65	65	-	-
Nonwhite--	297	289	4	-	66	64	1	-	198	196	2	-
Florida-----	1,835	1,683	70	52	327	304	14	4	1,494	1,369	53	47
White-----	1,035	1,003	13	6	196	190	2	-	833	809	9	6
Nonwhite--	800	680	57	46	131	114	12	4	661	560	44	41
Georgia-----	2,047	1,698	126	28	541	449	34	5	1,564	1,128	85	23
White-----	961	960	8	-	265	260	2	-	855	845	5	-
Nonwhite--	1,066	738	118	28	276	189	32	5	709	483	78	23
Hawaii-----	263	257	6	-	90	86	4	-	157	156	1	-
White-----	95	93	2	-	28	26	2	-	58	58	-	-
Nonwhite--	168	164	4	-	62	60	2	-	99	98	1	-
Idaho-----	207	202	3	-	29	28	1	-	124	121	2	-
White-----	199	194	3	-	28	27	1	-	117	114	2	-
Nonwhite--	8	8	-	-	1	1	-	-	7	7	-	-
Illinois-----	3,577	3,366	129	-	808	717	46	-	2,735	2,617	82	-
White-----	2,652	2,565	63	-	565	524	28	-	2,056	2,011	34	-
Nonwhite--	925	801	66	-	243	193	18	-	679	606	48	-
Indiana-----	1,575	1,517	44	-	279	255	20	-	1,072	1,047	20	-
White-----	1,355	1,315	30	-	241	226	13	-	930	911	14	-
Nonwhite--	220	202	14	-	38	29	7	-	142	136	6	-
Iowa-----	745	721	20	-	126	117	6	-	528	515	12	-
White-----	724	701	19	-	122	114	5	-	512	499	12	-
Nonwhite--	21	20	1	-	4	3	-	-	16	16	-	-
Kansas-----	707	691	15	-	127	122	5	-	567	557	9	-
White-----	616	604	13	-	106	101	5	-	502	493	8	-
Nonwhite--	89	87	2	-	21	21	-	-	65	64	1	-
Kentucky-----	1,096	1,005	58	23	208	187	12	6	848	785	44	14
White-----	940	867	45	21	174	158	9	5	732	681	34	14
Nonwhite--	156	138	13	2	34	29	3	1	116	104	10	-
Louisiana-----	1,454	1,308	82	39	300	252	30	8	1,135	1,040	51	30
White-----	808	588	18	-	136	126	8	-	460	451	9	-
Nonwhite--	646	720	64	39	164	126	22	8	675	589	42	30
Maine-----	331	324	7	-	60	58	2	-	189	186	3	-
White-----	329	322	7	-	60	58	2	-	188	185	3	-
Nonwhite--	2	2	-	-	-	-	-	-	1	1	-	-
Maryland-----	1,219	1,157	36	10	230	215	13	-	718	701	9	4
White-----	814	791	13	-	148	140	7	-	484	478	2	-
Nonwhite--	405	366	23	10	82	75	6	-	234	223	7	4

SECTION 4 - MORTALITY

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1960—Continued

(See headnote at beginning of table)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION <sup>3</sup>				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE <sup>3</sup>			
	Total	Attendant <sup>1</sup>			Total	Attendant <sup>1</sup>			Total	Attendant <sup>1</sup>		
		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife
Massachusetts <sup>4</sup>	1,575	1,526	32	-	6	6	-	-	14	14	-	-
White	1,495	1,450	29	-	6	6	-	-	14	14	-	-
Nonwhite	80	76	3	-	-	-	-	-	-	-	-	-
Michigan	3,025	2,944	61	-	601	559	31	-	2,235	2,200	29	-
White	2,456	2,403	39	-	459	431	20	-	1,822	1,800	18	-
Nonwhite	569	541	22	-	142	128	11	-	413	400	11	-
Minnesota	1,053	1,034	13	-	173	172	1	-	702	687	10	-
White	1,024	1,005	13	-	167	166	1	-	682	667	10	-
Nonwhite	29	29	-	-	6	6	-	-	20	20	-	-
Mississippi	1,546	1,065	115	322	383	259	31	87	1,010	698	75	222
White	435	419	12	2	108	103	3	1	258	251	5	1
Nonwhite	1,111	666	103	320	275	156	28	86	752	447	70	221
Missouri	1,484	1,401	42	8	324	291	17	1	1,044	1,003	18	7
White	1,159	1,111	30	3	248	227	16	1	812	790	11	2
Nonwhite	325	290	12	5	76	64	1	-	232	213	7	5
Montana	189	187	1	-	32	32	-	-	130	130	-	-
White	169	168	1	-	28	28	-	-	118	118	-	-
Nonwhite	19	19	-	-	4	4	-	-	12	12	-	-
Nebraska	422	407	14	-	93	85	8	-	270	265	4	-
White	395	381	13	-	84	77	7	-	254	249	4	-
Nonwhite	27	26	1	-	9	8	1	-	16	16	-	-
Nevada	101	98	2	-	21	20	1	-	76	74	1	-
White	87	85	1	-	17	17	-	-	67	65	1	-
Nonwhite	14	13	1	-	4	3	1	-	9	9	-	-
New Hampshire	176	173	3	-	28	27	1	-	128	124	2	-
White	175	172	3	-	27	26	1	-	128	124	2	-
Nonwhite	1	1	-	-	1	1	-	-	-	-	-	-
New Jersey	2,021	1,954	39	1	436	407	20	-	1,416	1,391	11	-
White	1,615	1,572	24	1	334	317	11	-	1,140	1,122	6	-
Nonwhite	406	382	15	-	104	90	9	-	276	269	5	-
New Mexico	434	415	10	5	80	77	2	1	300	285	7	4
White	385	366	10	5	72	69	2	1	264	249	7	4
Nonwhite	49	49	-	-	8	8	-	-	36	36	-	-
New York	8,347	7,952	329	1	2,482	2,324	134	-	4,574	4,454	91	-
White	6,220	5,977	197	-	1,702	1,601	81	-	3,709	3,625	65	-
Nonwhite	2,127	1,975	132	1	780	723	53	-	865	829	26	-
North Carolina	2,081	1,858	113	94	365	343	33	6	1,670	1,493	79	87
White	1,064	1,047	12	1	188	183	4	-	864	854	7	1
Nonwhite	1,017	811	101	93	197	160	29	6	806	639	72	86
North Dakota	216	208	4	-	50	47	1	-	157	152	3	-
White	203	197	3	-	48	45	1	-	147	144	2	-
Nonwhite	13	11	1	-	2	2	-	-	10	8	1	-
Ohio	3,354	3,253	83	-	731	679	45	-	2,250	2,210	29	1
White	2,852	2,764	75	-	589	545	40	-	1,929	1,894	26	1
Nonwhite	502	489	8	-	142	134	5	-	321	316	3	-
Oklahoma	693	665	16	10	90	88	2	-	441	428	6	6
White	530	517	11	2	66	64	2	-	331	327	3	1
Nonwhite	163	149	5	8	24	24	-	-	110	101	3	5
Oregon	619	605	14	-	159	150	9	-	336	331	5	-
White	598	584	12	-	153	146	7	-	322	317	5	-
Nonwhite	23	21	2	-	6	4	2	-	14	14	-	-
Pennsylvania	4,095	3,938	124	-	1,153	1,076	62	-	2,909	2,836	60	-
White	3,442	3,316	100	-	877	818	49	-	2,534	2,474	49	-
Nonwhite	653	622	24	-	276	258	13	-	375	362	11	-
Rhode Island	273	267	5	-	68	66	2	-	195	191	3	-
White	256	250	5	-	62	60	2	-	184	180	3	-
Nonwhite	17	17	-	-	6	6	-	-	11	11	-	-
South Carolina	1,260	989	96	123	207	161	25	12	942	736	70	106
White	461	448	7	2	79	75	2	-	342	335	4	2
Nonwhite	799	541	89	121	128	86	23	12	600	401	66	104
South Dakota	224	216	4	1	37	36	1	-	177	173	2	1
White	194	188	4	1	34	33	1	-	152	148	2	1
Nonwhite	30	28	-	-	3	3	-	-	25	25	-	-
Tennessee	1,403	1,307	52	28	299	274	17	4	1,101	1,029	35	24
White	934	893	25	6	196	182	10	1	736	709	15	5
Nonwhite	469	414	27	22	102	92	7	3	365	320	20	19
Texas	3,763	3,394	156	71	718	653	36	10	2,949	2,661	116	60
White	2,681	2,649	114	37	516	482	22	4	2,298	2,107	88	33
Nonwhite	882	745	42	34	202	171	14	6	651	554	28	27

## SECTION 4 - MORTALITY

4-27

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1960—Continued

(See headnote at beginning of table)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION <sup>3</sup>				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE <sup>3</sup>			
	Total	Attendant <sup>1</sup>			Total	Attendant <sup>1</sup>			Total	Attendant <sup>1</sup>		
		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife		Physician in hospital <sup>2</sup>	Physician not in hospital	Midwife
Utah-----	275	269	6	-	44	42	2	-	179	175	4	-
White-----	271	265	6	-	43	41	2	-	177	173	4	-
Nonwhite--	4	4	-	-	1	1	-	-	2	2	-	-
Vermont-----	141	133	8	-	33	30	3	-	85	82	3	-
White-----	141	133	8	-	33	30	3	-	85	82	3	-
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	2,107	1,893	136	4	487	430	35	1	1,200	1,066	87	3
White-----	1,386	1,323	48	-	308	285	17	-	759	730	21	-
Nonwhite--	721	570	88	4	179	145	18	1	441	336	66	3
Washington-----	753	735	16	-	164	153	11	-	582	575	5	-
White-----	688	671	15	-	144	134	10	-	537	530	5	-
Nonwhite--	65	64	1	-	20	19	1	-	45	45	-	-
West Virginia-----	594	566	18	4	113	103	9	-	408	392	8	4
White-----	542	518	16	3	101	91	9	-	372	360	6	3
Nonwhite--	52	48	2	1	12	12	-	-	36	32	2	1
Wisconsin-----	1,320	1,284	32	-	294	270	22	-	986	974	10	-
White-----	1,228	1,196	28	-	262	241	19	-	930	919	9	-
Nonwhite--	92	88	4	-	32	29	3	-	56	55	1	-
Wyoming-----	95	94	-	-	16	15	-	-	63	63	-	-
White-----	91	90	-	-	16	15	-	-	59	59	-	-
Nonwhite--	4	4	-	-	-	-	-	-	4	4	-	-

<sup>1</sup>Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."<sup>2</sup>It is assumed that all fetal deaths in hospitals or institutions are attended by physicians.<sup>3</sup>Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months or more to "28 weeks or more."<sup>4</sup>Gestation age data shown are for fetal deaths in other States to residents of Massachusetts.

Table 4-7. Fetal Deaths<sup>1</sup> by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	BIRTH WEIGHT <sup>1</sup>										
		1,000 grams or less	1,001- 1,500 grams	1,501- 2,000 grams	2,001- 2,500 grams	2,501- 3,000 grams	3,001- 3,500 grams	3,501- 4,000 grams	4,001- 4,500 grams	4,501- 5,000 grams	5,001 grams or more	Not stated
TOTAL-----	68,480	13,327	6,820	6,840	7,314	7,201	7,034	4,198	1,706	864	568	12,808
Fetal deaths in single deliveries-----	64,467	11,919	6,302	6,175	6,832	6,911	6,923	4,166	1,696	861	568	12,112
Fetal deaths in twin deliveries-----	3,893	1,353	504	449	476	287	111	30	10	3	-	670
Fetal deaths in other plural deliveries-----	120	55	14	16	6	3	-	-	-	-	-	26
Male-----	34,626	7,034	3,424	3,468	3,769	3,730	3,698	2,412	1,022	535	365	5,169
Fetal deaths in single deliveries-----	32,602	6,295	3,179	3,226	3,532	3,590	3,642	2,400	1,013	533	365	4,827
Fetal deaths in twin deliveries-----	1,970	709	242	232	236	139	56	12	9	2	-	333
Fetal deaths in other plural deliveries-----	54	30	3	10	1	1	-	-	-	-	-	9
Female-----	29,732	5,800	3,325	3,117	3,507	3,440	3,315	1,774	682	326	199	4,247
Fetal deaths in single deliveries-----	27,961	5,174	3,052	2,899	3,266	3,292	3,261	1,756	681	326	199	3,955
Fetal deaths in twin deliveries-----	1,815	603	262	213	236	146	54	18	8	2	-	282
Fetal deaths in other plural deliveries-----	56	23	11	5	5	2	-	-	-	-	-	10
Sex not stated-----	4,122	493	71	55	38	31	21	12	2	3	4	3,392
Fetal deaths in single deliveries-----	4,004	450	71	50	34	29	20	12	2	2	4	3,330
Fetal deaths in twin deliveries-----	108	41	-	4	4	2	1	-	-	1	-	55
Fetal deaths in other plural deliveries-----	10	2	-	1	-	-	-	-	-	-	-	7
WHITE-----	50,894	9,814	4,875	4,844	5,344	5,399	5,463	3,260	1,318	622	389	9,586
Fetal deaths in single deliveries-----	47,903	8,733	4,514	4,502	4,978	5,196	5,383	3,242	1,310	619	389	9,037
Fetal deaths in twin deliveries-----	2,894	1,036	348	329	361	201	80	16	8	3	-	510
Fetal deaths in other plural deliveries-----	97	45	13	13	5	2	-	-	-	-	-	19
Male-----	25,671	5,182	2,425	2,505	2,749	2,765	2,836	1,841	796	385	250	3,937
Fetal deaths in single deliveries-----	24,147	4,597	2,249	2,331	2,569	2,665	2,800	1,834	788	383	250	3,681
Fetal deaths in twin deliveries-----	1,478	558	173	166	179	99	36	7	8	2	-	250
Fetal deaths in other plural deliveries-----	46	27	3	8	1	1	-	-	-	-	-	6
Female-----	22,356	4,279	2,403	2,303	2,563	2,611	2,614	1,410	521	234	136	3,282
Fetal deaths in single deliveries-----	20,975	3,818	2,218	2,137	2,379	2,510	2,570	1,399	521	234	136	3,053
Fetal deaths in twin deliveries-----	1,337	444	175	161	160	100	44	11	8	2	-	222
Fetal deaths in other plural deliveries-----	44	17	10	5	4	1	-	-	-	-	-	7
Sex not stated-----	2,867	353	47	36	32	23	13	9	1	3	3	2,347
Fetal deaths in single deliveries-----	2,781	318	47	34	30	21	13	9	1	2	3	2,303
Fetal deaths in twin deliveries-----	79	34	-	2	2	2	-	-	-	1	-	38
Fetal deaths in other plural deliveries-----	7	1	-	-	-	-	-	-	-	-	-	6
NONWHITE-----	17,586	3,513	1,945	1,796	1,970	1,802	1,571	938	388	242	178	3,242
Fetal deaths in single deliveries-----	16,564	3,186	1,788	1,673	1,854	1,715	1,540	926	386	242	178	3,075
Fetal deaths in twin deliveries-----	999	317	156	120	115	86	31	12	2	-	-	160
Fetal deaths in other plural deliveries-----	23	10	1	3	1	1	-	-	-	-	-	7
Male-----	8,955	1,652	999	963	1,020	965	862	571	226	150	115	1,232
Fetal deaths in single deliveries-----	8,455	1,698	930	895	963	925	842	566	225	150	115	1,146
Fetal deaths in twin deliveries-----	492	151	69	66	57	40	20	5	1	-	-	83
Fetal deaths in other plural deliveries-----	8	3	-	2	-	-	-	-	-	-	-	3
Female-----	7,376	1,521	922	814	944	829	701	364	161	92	63	985
Fetal deaths in single deliveries-----	6,886	1,356	834	762	887	782	691	357	160	92	63	902
Fetal deaths in twin deliveries-----	478	159	87	52	56	46	10	7	1	-	-	60
Fetal deaths in other plural deliveries-----	12	6	1	-	1	1	-	-	-	-	-	3
Sex not stated-----	1,255	140	24	19	6	8	8	3	1	-	1	1,045
Fetal deaths in single deliveries-----	1,223	132	24	18	4	8	7	3	1	-	1	1,027
Fetal deaths in twin deliveries-----	29	7	-	2	2	-	1	-	-	-	-	17
Fetal deaths in other plural deliveries-----	3	1	-	1	-	-	-	-	-	-	-	1

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are as follows:

- |                     |                             |                     |                               |
|---------------------|-----------------------------|---------------------|-------------------------------|
| 1,000 grams or less | = 2 lb. 3 oz. or less       | 3,001-3,500 grams   | = 6 lb. 10 oz. - 7 lb. 11 oz. |
| 1,001-1,500 grams   | = 2 lb. 4 oz. - 3 lb. 4 oz. | 3,501-4,000 grams   | = 7 lb. 12 oz. - 8 lb. 13 oz. |
| 1,501-2,000 grams   | = 3 lb. 5 oz. - 4 lb. 6 oz. | 4,001-4,500 grams   | = 8 lb. 14 oz. - 9 lb. 14 oz. |
| 2,001-2,500 grams   | = 4 lb. 7 oz. - 5 lb. 8 oz. | 4,501-5,000 grams   | = 9 lb. 15 oz. - 11 lb. 0 oz. |
| 2,501-3,000 grams   | = 5 lb. 9 oz. - 6 lb. 9 oz. | 5,001 grams or more | = 11 lb. 1 oz. or more        |

## SECTION 4 - MORTALITY

4-29

Table 4-8. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex:  
United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for period of gestation because this State did not require reporting of the item)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	PERIOD OF GESTATION <sup>1</sup>							Not stated
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	
TOTAL-----	68,480	14,565	7,611	8,181	4,958	7,575	14,693	2,899	8,018
Fetal deaths in single deliveries-----	64,467	15,322	7,095	7,690	4,645	7,165	14,089	2,826	7,639
Fetal deaths in twin deliveries-----	3,895	1,204	498	468	286	403	596	72	366
Fetal deaths in other plural deliveries-----	120	39	20	23	7	9	8	1	13
Male-----	34,626	7,258	3,946	4,220	2,642	3,944	7,737	1,474	3,345
Fetal deaths in single deliveries-----	32,802	6,598	3,686	4,029	2,498	3,759	7,431	1,439	3,163
Fetal deaths in twin deliveries-----	1,970	638	253	242	142	181	302	35	177
Fetal deaths in other plural deliveries-----	54	22	7	9	2	5	4	-	5
Female-----	29,732	5,675	3,369	3,741	2,252	3,553	6,898	1,390	2,854
Fetal deaths in single deliveries-----	27,861	5,143	3,129	3,510	2,106	3,332	6,609	1,355	2,677
Fetal deaths in twin deliveries-----	1,815	518	229	218	141	217	285	34	173
Fetal deaths in other plural deliveries-----	56	14	11	13	5	4	4	1	4
Sex not stated-----	4,122	1,632	296	160	44	78	58	35	1,819
Fetal deaths in single deliveries-----	4,004	1,581	278	151	41	73	49	32	1,799
Fetal deaths in twin deliveries-----	108	48	16	8	3	5	9	3	16
Fetal deaths in other plural deliveries-----	10	3	2	1	-	-	-	-	4
WHITE-----	50,894	10,255	5,311	6,179	3,665	6,191	10,456	2,442	6,395
Fetal deaths in single deliveries-----	47,903	9,307	4,971	5,795	3,449	5,853	10,064	2,385	6,081
Fetal deaths in twin deliveries-----	2,894	914	328	364	210	332	387	58	301
Fetal deaths in other plural deliveries-----	97	34	12	20	6	6	5	1	13
Male-----	25,671	5,165	2,755	3,227	1,978	3,214	5,385	1,243	2,704
Fetal deaths in single deliveries-----	24,147	4,646	2,575	3,028	1,865	3,063	5,198	1,217	2,555
Fetal deaths in twin deliveries-----	1,478	497	176	191	111	148	185	26	144
Fetal deaths in other plural deliveries-----	46	22	4	8	2	3	2	-	5
Female-----	22,356	4,006	2,342	2,838	1,653	2,918	5,030	1,177	2,392
Fetal deaths in single deliveries-----	20,975	3,613	2,193	2,659	1,552	2,735	4,830	1,147	2,246
Fetal deaths in twin deliveries-----	1,337	383	142	167	97	180	197	29	142
Fetal deaths in other plural deliveries-----	44	10	7	12	4	3	3	1	4
Sex not stated-----	2,867	1,084	214	114	34	59	41	22	1,299
Fetal deaths in single deliveries-----	2,781	1,049	203	108	32	55	36	19	1,280
Fetal deaths in twin deliveries-----	79	34	10	6	2	4	5	3	15
Fetal deaths in other plural deliveries-----	7	2	1	-	-	-	-	-	4
NONWHITE-----	17,586	4,310	2,300	2,002	1,273	1,384	4,237	457	1,623
Fetal deaths in single deliveries-----	16,564	4,015	2,122	1,895	1,196	1,310	4,025	443	1,558
Fetal deaths in twin deliveries-----	999	290	170	104	76	71	209	14	65
Fetal deaths in other plural deliveries-----	23	5	8	3	1	3	3	-	-
Male-----	8,955	2,093	1,191	1,063	664	730	2,352	231	641
Fetal deaths in single deliveries-----	8,455	1,952	1,111	1,001	633	695	2,233	222	608
Fetal deaths in twin deliveries-----	492	141	77	51	31	33	117	9	33
Fetal deaths in other plural deliveries-----	8	-	3	1	-	2	2	-	-
Female-----	7,376	1,669	1,027	903	599	635	1,868	213	462
Fetal deaths in single deliveries-----	6,886	1,530	936	851	554	597	1,779	208	431
Fetal deaths in twin deliveries-----	478	135	87	51	44	37	88	5	31
Fetal deaths in other plural deliveries-----	12	4	4	1	1	1	1	-	-
Sex not stated-----	1,255	548	82	46	10	19	17	13	520
Fetal deaths in single deliveries-----	1,223	533	75	43	9	18	13	13	519
Fetal deaths in twin deliveries-----	29	14	6	2	1	1	4	-	1
Fetal deaths in other plural deliveries-----	3	1	1	1	-	-	-	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

SECTION 4 - MORTALITY

Table 4-9. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT <sup>1</sup>										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
UNITED STATES-----	68,490	13,327	6,820	6,640	7,314	7,201	7,034	4,198	1,706	864	568	12,808
White-----	50,694	9,814	4,875	4,844	5,344	5,399	5,463	3,260	1,318	622	389	9,566
Nonwhite--	17,586	3,513	1,945	1,796	1,970	1,802	1,571	938	388	242	179	3,242
Male-----	34,626	7,034	3,424	3,466	3,769	3,730	3,698	2,412	1,022	535	365	5,169
White-----	25,671	5,162	2,425	2,505	2,749	2,765	2,836	1,841	795	365	250	3,937
Nonwhite--	8,955	1,852	999	963	1,020	965	862	571	228	150	115	1,232
Female-----	29,732	5,800	3,325	3,117	3,507	3,440	3,315	1,774	682	326	199	4,247
White-----	22,356	4,279	2,403	2,303	2,563	2,611	2,614	1,410	521	234	136	3,282
Nonwhite--	7,376	1,521	922	814	944	829	701	364	161	92	63	965
Sex not stated-----	4,122	493	71	55	38	31	21	12	2	3	4	3,392
White-----	2,867	353	47	36	32	23	13	9	1	3	3	2,347
Nonwhite--	1,255	140	24	19	6	8	8	3	1	-	1	1,045
Alabama-----	1,772	275	188	195	212	202	205	117	49	29	19	281
White-----	769	122	80	86	89	81	99	49	12	13	3	135
Nonwhite--	1,003	153	108	109	123	121	106	68	37	16	16	146
Alaska-----	91	17	8	7	11	11	8	10	1	-	-	18
White-----	53	14	5	7	8	5	5	5	1	-	-	4
Nonwhite--	38	3	3	-	3	6	3	5	-	-	-	14
Arizona-----	467	75	49	49	43	56	42	30	14	7	5	98
White-----	383	64	38	40	33	44	35	20	11	7	3	88
Nonwhite--	84	11	10	9	10	12	7	10	3	-	2	10
Arkansas-----	665	106	57	43	63	51	89	40	20	11	9	177
White-----	357	58	29	19	32	18	44	27	7	7	4	112
Nonwhite--	308	48	28	24	31	33	45	13	13	4	4	65
California-----	4,746	1,082	568	551	544	573	529	301	144	73	35	346
White-----	4,026	899	456	482	461	499	471	261	125	66	25	281
Nonwhite--	720	183	112	69	83	74	58	40	19	7	10	65
Colorado-----	738	118	55	46	67	61	39	30	6	3	2	311
White-----	702	108	51	45	63	56	36	28	5	3	1	304
Nonwhite--	36	10	4	1	4	5	1	2	1	-	1	7
Connecticut-----	735	194	93	97	83	78	64	37	9	6	9	65
White-----	660	171	77	87	74	71	63	34	9	4	8	62
Nonwhite--	75	23	16	10	9	7	1	3	-	2	1	3
Delaware-----	174	33	15	20	8	19	23	13	1	1	1	40
White-----	116	21	9	13	6	14	18	9	1	-	1	26
Nonwhite--	56	12	6	7	2	5	5	4	-	1	-	14
District of Columbia-----	396	97	47	35	45	34	24	13	6	6	3	88
White-----	101	28	17	9	7	10	5	3	1	1	3	18
Nonwhite--	297	69	30	26	38	24	19	10	3	3	3	70
Florida-----	1,835	348	220	237	257	255	242	120	66	33	17	40
White-----	1,035	218	123	136	148	136	143	60	30	13	5	22
Nonwhite--	800	130	97	101	108	119	99	60	36	20	12	18
Georgia-----	2,047	342	183	151	201	198	211	103	42	21	18	577
White-----	961	169	86	61	96	99	113	47	18	5	3	264
Nonwhite--	1,066	153	97	90	105	99	98	56	24	16	15	313
Hawaii-----	263	54	20	22	16	16	18	8	2	2	-	105
White-----	95	11	5	8	5	5	5	1	-	-	-	55
Nonwhite--	168	43	15	14	11	11	13	7	2	2	-	50
Idaho-----	207	16	11	16	21	16	21	13	3	-	1	89
White-----	199	16	11	13	21	16	21	12	3	-	1	85
Nonwhite--	8	-	-	3	-	-	-	1	-	-	-	4
Illinois-----	3,577	853	418	424	452	434	408	243	121	51	33	140
White-----	2,652	611	283	307	316	324	316	198	105	40	24	128
Nonwhite--	925	242	135	117	136	110	92	45	16	11	9	12
Indiana-----	1,575	265	150	187	144	176	184	116	51	21	21	260
White-----	1,355	216	133	157	124	151	161	106	48	18	17	224
Nonwhite--	220	49	17	30	20	25	23	10	3	3	4	36
Iowa-----	745	127	84	76	69	69	90	65	23	15	13	114
White-----	724	123	82	73	66	69	87	62	23	13	13	113
Nonwhite--	21	4	2	3	3	-	3	3	-	2	-	1
Kansas-----	707	142	88	73	87	84	94	60	20	10	9	40
White-----	618	120	79	61	77	73	86	55	19	8	7	33
Nonwhite--	89	22	9	12	10	11	8	5	1	2	2	7
Kentucky-----	1,096	176	126	102	127	132	142	82	30	17	11	151
White-----	940	148	107	93	107	110	122	71	25	14	9	134
Nonwhite--	156	28	19	9	20	22	20	11	5	3	2	17
Louisiana-----	1,454	290	187	177	200	191	157	92	34	20	12	94
White-----	608	131	65	65	77	78	78	44	15	7	5	43
Nonwhite--	846	159	122	112	123	113	79	48	19	13	7	51
Maine-----	331	42	24	23	33	19	20	14	11	3	4	138
White-----	329	42	23	23	32	18	20	14	11	3	4	138
Nonwhite--	2	-	1	-	1	-	-	-	-	-	-	-

See footnote at end of table.



## SECTION 4 - MORTALITY

4-31

Table 4-9. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT <sup>1</sup>										
		1,000 grams or less	1,001- 1,500 grams	1,501- 2,000 grams	2,001- 2,500 grams	2,501- 3,000 grams	3,001- 3,500 grams	3,501- 4,000 grams	4,001- 4,500 grams	4,501- 5,000 grams	5,001 grams or more	Not stated
Maryland-----	1,219	277	123	100	112	129	103	70	33	13	5	254
White-----	814	178	79	60	67	83	72	56	20	11	2	186
Nonwhite--	405	99	44	40	45	46	31	14	13	2	3	68
Massachusetts-----	1,575	325	153	163	177	178	151	89	37	16	10	276
White-----	1,495	301	143	159	164	171	147	87	35	16	9	263
Nonwhite--	80	24	10	4	13	7	4	2	2	-	1	13
Michigan-----	3,025	585	325	293	339	317	324	207	92	62	24	457
White-----	2,456	447	248	225	262	259	274	180	80	48	18	415
Nonwhite--	569	138	77	68	77	58	50	27	12	14	6	42
Minnesota-----	1,053	181	85	100	105	115	92	70	25	17	11	252
White-----	1,024	177	80	98	103	111	89	66	25	17	10	248
Nonwhite--	29	4	5	2	2	4	3	4	-	-	1	4
Mississippi-----	1,546	231	167	110	156	151	156	82	36	21	11	425
White-----	435	63	28	26	40	31	41	19	6	5	3	173
Nonwhite--	1,111	168	139	84	116	120	115	63	30	16	8	252
Missouri-----	1,484	264	140	152	152	152	134	98	39	29	18	306
White-----	1,159	200	106	114	108	118	106	82	34	21	13	257
Nonwhite--	325	64	34	38	44	34	28	16	5	8	5	49
Montana-----	188	25	22	15	21	22	12	6	5	1	3	56
White-----	169	23	19	13	18	20	10	6	5	-	3	52
Nonwhite--	19	2	3	2	3	2	2	-	-	1	-	4
Nebraska-----	422	82	33	39	41	39	59	23	11	5	4	86
White-----	395	73	30	37	40	37	55	22	11	5	3	82
Nonwhite--	27	9	3	2	1	2	4	1	-	-	1	4
Nevada-----	101	18	12	10	16	7	12	12	3	-	1	10
White-----	87	15	11	8	14	6	9	10	3	-	1	10
Nonwhite--	14	3	1	2	2	1	3	2	-	-	-	-
New Hampshire-----	176	29	17	22	21	10	17	11	9	-	1	39
White-----	175	28	17	22	21	10	17	11	9	-	1	39
Nonwhite--	1	1	-	-	-	-	-	-	-	-	-	-
New Jersey-----	2,021	467	215	200	203	222	188	113	43	23	10	337
White-----	1,615	357	166	145	159	187	161	92	37	17	5	289
Nonwhite--	406	110	49	55	44	35	27	21	6	6	5	48
New Mexico-----	434	71	51	39	49	47	44	21	4	4	3	101
White-----	395	64	46	34	42	41	38	20	4	3	2	91
Nonwhite--	49	7	5	5	7	6	6	1	-	1	1	10
New York-----	8,347	1,548	587	577	613	595	564	326	131	62	39	3,305
White-----	6,220	1,158	443	465	512	491	487	281	115	54	31	2,185
Nonwhite--	2,127	390	144	114	101	104	77	45	16	8	8	1,120
North Carolina-----	2,081	390	232	263	298	282	283	153	42	25	16	97
White-----	1,064	213	116	125	151	140	163	77	19	10	5	45
Nonwhite--	1,017	177	116	138	147	142	120	76	23	15	11	52
North Dakota-----	216	52	23	22	23	24	26	9	6	3	3	25
White-----	203	48	22	20	23	23	25	9	5	3	2	23
Nonwhite--	13	4	1	2	-	1	1	-	1	-	1	2
Ohio-----	3,354	659	332	305	331	365	303	180	79	47	25	728
White-----	2,852	534	279	241	270	315	271	158	73	39	24	648
Nonwhite--	502	125	53	64	61	50	32	22	6	8	1	80
Oklahoma-----	693	76	43	57	58	75	70	38	29	15	10	222
White-----	530	61	27	44	43	58	54	26	19	13	8	177
Nonwhite--	163	15	16	13	15	17	16	12	10	2	2	45
Oregon-----	619	122	42	40	57	51	47	32	12	6	1	209
White-----	596	119	40	38	54	48	45	31	12	5	1	203
Nonwhite--	23	3	2	2	3	3	2	1	-	1	-	6
Pennsylvania-----	4,095	1,114	384	387	418	401	439	272	104	37	39	500
White-----	3,442	867	325	319	356	351	401	251	90	30	33	419
Nonwhite--	653	247	59	68	62	50	38	21	14	7	6	81
Rhode Island-----	273	59	27	25	33	35	32	22	8	3	5	24
White-----	256	55	25	24	30	35	30	19	7	3	4	24
Nonwhite--	17	4	2	1	3	-	2	3	1	-	1	-
South Carolina-----	1,280	172	126	140	148	119	164	86	28	17	13	247
White-----	461	77	50	53	48	46	63	35	7	4	6	72
Nonwhite--	799	95	76	87	100	73	101	51	21	13	7	175
South Dakota-----	224	35	19	22	16	29	28	20	12	7	3	32
White-----	194	32	17	20	13	26	26	17	10	4	2	27
Nonwhite--	30	4	2	2	3	3	2	3	2	3	1	5
Tennessee-----	1,403	277	154	149	198	183	188	109	32	17	9	87
White-----	934	162	104	94	130	122	136	79	26	9	4	68
Nonwhite--	469	115	50	55	68	61	52	30	6	8	5	19
Texas-----	3,763	584	402	393	471	466	491	299	118	54	38	447
White-----	2,881	433	290	290	356	369	381	237	97	42	29	347
Nonwhite--	882	151	112	103	115	97	100	62	21	12	9	100

See footnote at end of table.

Table 4-9 Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT <sup>1</sup>										Not stated
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	
Utah-----	275	33	15	18	32	22	13	12	7	2	3	118
White-----	271	31	15	17	32	22	13	12	7	2	3	117
Nonwhite--	4	2	-	1	-	-	-	-	-	-	-	1
Vermont-----	141	27	11	7	15	14	13	9	4	-	1	40
White-----	141	27	11	7	15	14	13	9	4	-	1	40
Nonwhite--	-	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	2,107	460	211	199	206	185	174	122	37	12	12	487
White-----	1,388	302	123	119	135	115	123	76	27	5	6	355
Nonwhite--	721	158	88	80	73	70	51	46	10	7	6	132
Washington-----	753	176	85	74	105	87	81	59	21	6	4	55
White-----	688	156	78	69	97	84	74	55	17	5	4	49
Nonwhite--	65	20	7	5	8	3	7	4	4	1	-	6
West Virginia-----	594	80	67	63	62	52	65	46	14	11	8	126
White-----	542	73	64	59	52	49	58	41	14	10	6	116
Nonwhite--	52	7	3	4	10	3	7	5	-	1	2	10
Wisconsin-----	1,320	241	122	116	138	142	139	93	32	19	16	262
White-----	1,228	217	109	107	132	130	129	88	30	18	16	252
Nonwhite--	92	24	13	9	6	12	10	5	2	1	-	10
Wyoming-----	95	14	5	9	15	10	12	2	-	1	1	26
White-----	91	13	5	9	14	9	12	2	-	1	1	25
Nonwhite--	4	1	-	-	1	1	-	-	-	-	-	1

<sup>1</sup>Equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less	== 2 lb. 3 oz. or less	3,001-3,500 grams	== 6 lb. 10 oz. - 7 lb. 11 oz.
1,001-1,500 grams	== 2 lb. 4 oz. - 3 lb. 4 oz.	3,501-4,000 grams	== 7 lb. 12 oz. - 8 lb. 13 oz.
1,501-2,000 grams	== 3 lb. 5 oz. - 4 lb. 8 oz.	4,001-4,500 grams	== 8 lb. 14 oz. - 9 lb. 14 oz.
2,001-2,500 grams	== 4 lb. 7 oz. - 5 lb. 8 oz.	4,501-5,000 grams	== 9 lb. 15 oz. - 11 lb. 0 oz.
2,501-3,000 grams	== 5 lb. 9 oz. - 6 lb. 9 oz.	5,001 grams or more	== 11 lb. 1 oz. or more

SECTION 4 - MORTALITY

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for period of gestation because this State did not require reporting of the item)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION <sup>1</sup>							Not stated
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	
UNITED STATES-----	68,480	14,565	7,611	8,181	4,938	7,575	14,693	2,699	8,018
White-----	50,894	10,255	5,311	6,179	3,665	6,191	10,456	2,442	6,395
Nonwhite--	17,586	4,310	2,300	2,002	1,273	1,384	4,237	457	1,623
Male-----	34,626	7,258	3,946	4,280	2,642	3,944	7,737	1,474	3,545
White-----	25,671	5,165	2,755	3,227	1,978	3,214	5,385	1,243	2,704
Nonwhite--	8,955	2,093	1,191	1,053	664	730	2,352	231	641
Female-----	29,732	5,675	3,369	3,741	2,252	3,553	6,898	1,390	2,854
White-----	22,356	4,006	2,342	2,838	1,653	2,918	5,050	1,177	2,392
Nonwhite--	7,376	1,669	1,027	903	599	635	1,868	213	462
Sex not stated-----	4,122	1,632	296	160	44	78	58	35	1,819
White-----	2,867	1,084	214	114	34	59	41	22	1,299
Nonwhite--	1,255	548	82	46	10	19	17	13	520
Alabama-----	1,772	367	217	188	132	125	571	22	150
White-----	769	146	93	96	66	55	227	18	68
Nonwhite--	1,003	221	124	92	66	70	344	4	82
Alaska-----	91	17	10	24	7	16	13	3	1
White-----	53	11	5	17	3	10	4	3	-
Nonwhite--	38	6	5	7	4	6	9	-	1
Arizona-----	467	97	50	53	41	54	131	25	16
White-----	383	83	43	45	34	50	96	20	12
Nonwhite--	84	14	7	8	7	4	35	5	4
Arkansas-----	665	119	76	59	40	40	183	6	142
White-----	357	67	39	30	15	23	88	3	92
Nonwhite--	308	52	37	29	25	17	95	3	50
California-----	4,746	667	477	678	238	821	277	582	1,006
White-----	4,026	552	403	579	198	716	242	500	836
Nonwhite--	720	115	74	99	40	105	35	82	170
Colorado-----	738	181	59	77	50	85	77	21	188
White-----	702	172	54	72	48	83	72	18	183
Nonwhite--	36	9	5	5	2	2	5	3	5
Connecticut-----	735	167	97	117	57	114	123	27	33
White-----	660	149	86	102	53	98	115	26	31
Nonwhite--	75	18	11	15	4	16	8	1	2
Delaware-----	174	32	20	18	12	22	38	3	29
White-----	118	20	8	14	8	18	29	3	18
Nonwhite--	56	12	12	4	4	4	9	-	11
District of Columbia-----	398	85	61	55	24	62	22	39	50
White-----	101	19	20	15	4	13	3	10	17
Nonwhite--	297	66	41	40	20	49	19	29	33
Florida-----	1,835	327	263	230	205	214	542	40	14
White-----	1,035	196	136	140	106	158	259	34	6
Nonwhite--	800	131	127	90	99	56	283	6	8
Georgia-----	2,047	541	259	209	155	173	543	25	142
White-----	981	265	122	106	70	90	250	17	61
Nonwhite--	1,066	276	137	103	85	83	293	8	81
Hawaii-----	263	90	33	32	14	26	42	10	16
White-----	95	28	9	10	7	13	15	4	9
Nonwhite--	168	62	24	22	7	13	27	6	7
Idaho-----	207	29	19	21	14	20	42	8	54
White-----	199	28	18	20	14	18	39	8	54
Nonwhite--	8	1	1	1	-	2	3	-	-
Illinois-----	3,577	808	433	454	266	370	1,123	89	34
White-----	2,652	565	307	332	203	320	815	79	31
Nonwhite--	925	243	126	122	63	50	308	10	3
Indiana-----	1,575	279	165	189	102	168	386	62	224
White-----	1,355	241	136	168	87	153	330	56	184
Nonwhite--	220	38	29	21	15	15	56	6	40
Iowa-----	745	126	76	92	53	105	169	33	91
White-----	724	122	75	88	52	102	162	33	90
Nonwhite--	21	4	1	4	1	3	7	-	1
Kansas-----	707	127	78	105	62	115	169	38	13
White-----	618	106	65	95	57	104	145	36	10
Nonwhite--	89	21	13	10	5	11	24	2	3
Kentucky-----	1,096	208	144	113	103	117	343	28	40
White-----	940	174	130	94	84	103	293	28	34
Nonwhite--	156	34	14	19	19	14	50	-	6
Louisiana-----	1,454	300	215	214	142	132	405	27	19
White-----	808	136	65	89	65	69	153	19	12
Nonwhite--	646	164	150	125	77	63	252	8	7
Maine-----	331	60	36	29	29	24	58	13	82
White-----	329	60	35	29	29	24	58	13	81
Nonwhite--	2	-	1	-	-	-	-	-	1

See footnotes at end of table.

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION <sup>1</sup>							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland-----	1,219	230	123	164	53	184	65	129	271
White-----	614	148	72	96	35	145	44	92	182
Nonwhite--	405	82	51	68	18	39	21	37	89
Massachusetts <sup>2</sup> -----	1,575	6	4	-	-	4	6	-	1,555
White-----	1,495	6	4	-	-	4	6	-	1,475
Nonwhite--	80	-	-	-	-	-	-	-	80
Michigan-----	3,025	601	361	381	277	360	758	98	189
White-----	2,456	459	278	300	229	319	605	92	175
Nonwhite--	569	142	83	81	49	41	153	6	14
Minnesota-----	1,053	173	101	144	71	114	199	73	178
White-----	1,024	167	97	142	70	110	193	70	175
Nonwhite--	29	6	4	2	1	4	6	3	3
Mississippi-----	1,546	383	181	139	85	78	514	13	153
White-----	435	108	42	44	27	27	111	7	69
Nonwhite--	1,111	275	139	95	58	51	403	6	84
Missouri-----	1,484	324	164	185	109	177	343	66	116
White-----	1,159	248	132	136	74	151	265	54	99
Nonwhite--	325	76	32	49	35	26	78	12	17
Montana-----	188	32	19	21	15	32	31	12	26
White-----	169	28	19	17	14	29	29	10	23
Nonwhite--	19	4	-	4	1	3	2	2	3
Nebraska-----	422	93	28	52	33	40	95	22	59
White-----	395	84	23	51	32	39	89	20	57
Nonwhite--	27	9	5	1	1	1	6	2	2
Nevada-----	101	21	13	10	12	10	29	2	4
White-----	87	17	12	9	12	7	25	2	3
Nonwhite--	14	4	1	1	-	3	4	-	1
New Hampshire-----	176	28	20	20	15	25	32	14	22
White-----	175	27	20	20	15	25	32	14	22
Nonwhite--	1	1	-	-	-	-	-	-	-
New Jersey-----	2,021	438	224	257	152	232	443	108	167
White-----	1,615	334	172	205	117	194	359	95	141
Nonwhite--	406	104	52	54	35	38	84	13	26
New Mexico-----	434	80	58	51	32	42	105	12	54
White-----	385	72	50	46	27	36	94	11	49
Nonwhite--	49	8	8	5	5	6	11	1	5
New York-----	8,347	2,482	844	955	412	938	917	508	1,291
White-----	6,220	1,702	617	765	344	775	806	402	809
Nonwhite--	2,127	780	227	190	68	163	111	106	482
North Carolina-----	2,081	385	272	263	171	206	708	50	26
White-----	1,064	188	133	140	92	127	337	35	12
Nonwhite--	1,017	197	139	123	79	79	371	15	14
North Dakota-----	216	50	23	31	13	34	50	6	9
White-----	203	48	21	30	11	33	47	5	8
Nonwhite--	13	2	2	1	2	1	3	1	1
Ohio-----	3,354	731	373	480	293	378	617	109	373
White-----	2,852	589	309	405	248	322	547	100	334
Nonwhite--	502	142	64	77	45	56	70	9	39
Oklahoma-----	693	90	66	68	39	37	219	12	162
White-----	530	66	48	57	34	30	152	10	133
Nonwhite--	163	24	18	11	5	7	67	2	29
Oregon-----	619	159	47	57	48	79	82	23	124
White-----	596	153	45	54	46	75	81	21	121
Nonwhite--	23	6	2	3	2	4	1	2	3
Pennsylvania-----	4,095	1,153	478	484	319	486	977	165	33
White-----	3,442	877	388	420	279	431	878	138	31
Nonwhite--	653	276	90	64	40	55	99	27	2
Rhode Island-----	273	66	24	36	14	28	76	17	10
White-----	256	62	24	36	11	26	71	16	10
Nonwhite--	17	6	-	-	3	2	5	1	-
South Carolina-----	1,260	207	173	150	86	87	432	14	111
White-----	461	79	54	60	29	39	148	12	40
Nonwhite--	799	128	119	90	57	48	284	2	71
South Dakota-----	224	37	20	30	24	28	57	18	10
White-----	194	34	18	28	22	26	42	16	8
Nonwhite--	30	3	2	2	2	2	15	2	2
Tennessee-----	1,403	298	183	174	103	122	500	19	4
White-----	934	196	100	110	71	104	333	18	2
Nonwhite--	469	102	83	64	32	18	167	1	2
Texas-----	3,763	718	469	449	381	439	1,098	113	96
White-----	2,881	516	333	346	288	363	873	95	67
Nonwhite--	882	202	136	103	93	76	225	18	29
Utah-----	275	44	31	34	17	35	53	9	52
White-----	271	43	30	33	17	35	53	9	51
Nonwhite--	4	1	1	1	-	-	-	-	1

See footnotes at end of table.

## SECTION 4 - MORTALITY

4-35

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION <sup>1</sup>							Not stated
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	
Vermont-----	141	33	9	15	12	11	29	9	23
White-----	141	33	9	15	12	11	29	9	23
Nonwhite--	-	-	-	-	-	-	-	-	-
Virginia-----	2,107	487	204	217	166	165	378	50	420
White-----	1,386	308	124	141	88	122	243	41	319
Nonwhite--	721	179	80	76	78	63	135	9	101
Washington-----	753	164	104	114	55	108	168	33	7
White-----	688	144	95	107	47	104	156	28	7
Nonwhite--	65	20	9	7	8	4	12	5	-
West Virginia-----	594	113	49	70	59	49	164	17	75
White-----	542	101	46	66	50	45	150	15	69
Nonwhite--	52	12	3	4	9	4	14	2	4
Wisconsin-----	1,320	294	149	164	120	213	267	73	40
White-----	1,228	262	139	155	116	206	241	73	36
Nonwhite--	92	32	10	9	4	7	26	-	4
Wyoming-----	95	16	9	9	6	11	24	4	16
White-----	91	16	8	8	6	11	22	4	16
Nonwhite--	4	-	1	1	-	-	2	-	-

<sup>1</sup>Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

<sup>2</sup>Gestation age data shown are for fetal deaths in other States to residents of Massachusetts.

## *Section 5. General Mortality: Tables*

General Tables	Page
5-1. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1960-----	5-2
5-2. Deaths by month and State of occurrence: United States and each State, 1960----	5-5
5-3. Deaths by month, color, and sex: United States and each State, 1960-----	5-6
5-4. Deaths by specified race and sex: United States and each State, 1960-----	5-12
5-5. Deaths by marital status, age, color, and sex: United States, 1960-----	5-13
5-6. Deaths and death rates for each cause, by color and sex: United States, 1960---	5-14
5-7. Deaths from 255 selected causes, by month: United States, 1960-----	5-35
5-8. Deaths from 255 selected causes, by specified race and sex: United States, 1960-	5-40
5-9. Deaths from 255 selected causes, by age, race, and sex: United States, 1960----	5-48
5-10. Deaths from 255 selected causes, by color and sex: United States and each State, 1960 -----	5-98
5-11. Deaths from 59 selected causes, by age, color, and sex: United States, 1960----	5-182
5-12. Death rates for 59 selected causes, by age, color, and sex: United States, 1960--	5-190

## SECTION 5 - MORTALITY

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in county of residence	DEATHS OF NONRESIDENTS															
			Total	Intra-state non-residents	Total	Interstate nonresidents												
						State of residence												
						Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES-----	1,711,962	1,428,394	283,588	228,373	55,215	921	104	484	955	1,926	399	896	203	950	1,848	977	34	458
Alabama-----	30,055	25,690	4,165	3,499	676	...	-	2	5	9	-	-	1	3	183	194	-	-
Alaska-----	1,215	1,027	188	188	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona-----	10,557	8,952	1,625	730	895	3	2	...	13	167	27	7	-	1	12	-	-	4
Arkansas-----	17,800	13,808	3,992	3,148	844	5	-	6	...	24	2	-	-	-	2	2	-	1
California-----	135,344	121,416	13,928	12,166	1,762	5	11	176	15	...	27	13	2	5	26	12	14	29
Colorado-----	15,773	11,513	4,260	3,430	830	3	-	15	9	51	...	-	2	2	14	1	-	4
Connecticut-----	23,550	20,804	2,746	2,199	547	2	-	3	-	5	2	...	1	3	21	3	-	-
Delaware-----	4,349	3,607	742	376	366	-	-	-	-	-	-	-	...	5	3	1	-	-
District of Columbia-----	10,064	7,832	2,252	...	2,252	15	-	2	6	22	-	4	7	...	43	24	1	-
Florida-----	49,532	42,136	7,396	4,168	3,228	111	1	5	8	29	6	61	5	18	...	226	-	2
Georgia-----	35,564	27,745	7,819	6,635	1,184	238	-	-	3	10	2	3	1	4	251	...	-	1
Hawaii-----	3,596	3,415	181	92	89	-	-	-	1	42	-	-	-	-	2	1	...	-
Idaho-----	5,243	4,189	1,054	779	275	1	-	3	-	33	4	1	-	-	-	-	1	...
Illinois-----	101,547	88,248	13,299	11,012	2,287	8	1	14	29	117	13	9	-	5	98	10	2	1
Indiana-----	44,968	37,049	7,939	6,477	1,462	7	1	3	6	32	6	1	-	3	35	4	1	-
Iowa-----	28,724	22,439	6,286	5,185	1,121	1	-	3	3	53	8	1	-	1	7	-	-	2
Kansas-----	20,909	16,741	4,168	3,123	1,045	1	-	4	17	31	49	-	-	1	6	1	1	1
Kentucky-----	28,550	23,981	5,569	4,519	1,050	17	-	3	4	8	2	2	1	2	18	13	-	-
Louisiana-----	28,926	22,909	7,017	6,236	781	44	-	-	101	20	1	-	-	1	33	10	1	-
Maine-----	10,709	9,012	1,697	1,403	294	2	-	1	1	4	-	27	-	1	10	2	-	-
Maryland-----	27,761	20,777	6,984	5,237	1,747	6	-	2	1	12	4	11	57	665	53	10	1	-
Massachusetts-----	57,114	47,515	9,599	8,158	1,441	-	-	2	-	14	2	246	1	5	80	7	1	1
Michigan-----	67,480	57,197	10,283	9,167	1,116	9	3	7	3	35	1	-	1	4	82	8	-	1
Minnesota-----	32,212	24,559	7,653	6,113	1,540	5	2	4	7	52	7	2	2	5	23	5	1	3
Mississippi-----	21,580	17,628	3,952	3,303	649	161	-	1	28	9	1	-	1	1	27	11	-	-
Missouri-----	48,951	37,119	11,832	9,514	2,318	13	1	8	123	41	14	1	-	3	16	2	-	1
Montana-----	6,442	5,204	1,238	1,044	194	-	-	1	-	6	3	-	-	-	-	-	-	16
Nebraska-----	14,112	10,956	3,156	2,536	620	-	-	4	2	49	17	-	-	-	3	1	1	2
Nevada-----	2,748	2,117	631	217	414	-	-	16	1	262	7	1	-	-	1	1	-	14
New Hampshire-----	6,682	5,498	1,184	677	507	-	-	-	-	3	-	15	-	3	9	-	-	-
New Jersey-----	57,849	49,128	8,721	7,055	1,666	7	-	1	-	10	1	22	18	6	66	4	-	-
New Mexico-----	6,552	5,138	1,414	904	510	1	-	97	7	68	39	1	-	-	6	3	-	1
New York-----	178,085	157,606	20,480	17,102	3,378	8	2	8	1	72	7	268	9	21	221	16	2	-
North Carolina-----	38,378	30,750	7,628	6,505	1,123	13	-	1	4	1	14	3	3	21	107	70	-	-
North Dakota-----	5,428	3,643	1,785	1,387	398	-	-	-	-	7	1	-	-	-	1	-	-	1
Ohio-----	93,105	80,272	12,833	10,689	2,144	5	-	14	2	49	7	2	-	2	94	6	-	-
Oklahoma-----	22,444	18,038	4,406	3,860	546	4	1	11	57	38	12	2	-	1	7	2	-	1
Oregon-----	16,761	13,745	3,016	2,417	599	-	24	3	2	142	6	-	-	1	1	-	1	85
Pennsylvania-----	121,011	104,379	16,632	13,926	2,706	9	-	7	1	25	2	22	80	24	74	5	-	1
Rhode Island-----	8,954	7,693	1,261	685	376	-	-	-	-	1	-	88	-	-	2	-	-	-
South Carolina-----	20,398	17,174	3,214	2,750	464	8	-	-	2	-	-	1	1	3	45	79	-	-
South Dakota-----	6,590	4,652	1,928	1,484	444	1	-	2	1	13	6	-	-	-	3	-	-	2
Tennessee-----	34,356	27,812	6,544	4,245	2,299	173	-	2	374	16	3	-	-	4	39	204	1	1
Texas-----	77,610	64,695	12,915	11,381	1,534	19	3	27	111	108	25	1	1	2	40	17	2	2
Utah-----	6,233	4,998	1,235	850	385	1	1	26	2	56	30	1	-	-	2	-	-	108
Vermont-----	4,456	3,572	886	567	319	-	-	-	-	1	1	20	1	-	8	-	-	-
Virginia-----	33,783	22,340	11,443	10,121	1,322	9	-	1	2	15	3	6	7	104	51	15	1	-
Washington-----	26,713	23,152	3,561	2,760	801	1	51	3	1	86	5	1	-	-	1	2	2	160
West Virginia-----	18,237	14,023	4,214	2,902	1,312	2	-	-	-	2	2	-	1	16	12	1	-	1
Wisconsin-----	38,139	32,127	6,012	4,916	1,096	2	-	3	2	24	2	2	-	-	30	4	-	4
Wyoming-----	2,811	2,186	625	366	259	-	-	4	3	29	41	-	-	-	1	-	-	7

SECTION 5 - MORTALITY

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Con.

(Excludes fetal deaths, Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																			
	Interstate nonresidents—Continued																			
	State of residence—Continued																			
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Mi.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	
UNITED STATES-----	3,768	1,843	1,167	1,297	1,459	559	346	1,954	1,165	1,547	1,002	813	1,717	304	605	206	487	3,279	483	
Alabama-----	30	11	2	3	5	19	1	1	-	10	-	71	6	-	-	-	-	4	-	
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Arizona-----	57	25	23	18	4	8	6	3	12	34	20	2	29	15	13	14	1	5	85	
Arkansas-----	29	15	5	17	4	45	-	-	-	11	4	14	173	-	2	1	-	1	3	
California-----	121	37	54	41	5	9	4	8	25	57	45	11	42	30	39	97	4	35	28	
Colorado-----	31	16	30	85	3	1	-	5	2	16	11	3	31	14	79	5	1	12	81	
Connecticut-----	3	2	3	-	1	-	13	2	86	3	-	-	1	1	-	-	8	34	-	
Delaware-----	1	1	-	-	2	-	3	104	-	1	-	-	2	-	-	-	-	94	-	
District of Columbia-----	7	7	5	1	11	2	2	1,165	18	9	1	4	4	1	1	1	2	21	2	
Florida-----	236	115	21	9	48	15	32	47	127	243	28	20	33	2	11	2	27	178	1	
Georgia-----	14	11	1	3	19	9	-	10	5	13	1	8	4	-	1	-	3	4	-	
Hawaii-----	4	1	-	-	-	-	-	-	2	4	-	-	-	1	-	-	-	1	-	
Idaho-----	3	2	2	3	-	1	-	-	-	-	-	-	2	25	3	9	-	1	-	
Illinois-----	...	592	136	15	67	11	2	10	8	170	41	23	307	6	17	1	-	16	4	
Indiana-----	558	...	8	5	167	3	-	4	2	203	18	2	21	1	3	1	-	3	-	
Iowa-----	412	9	...	13	1	1	-	1	2	7	96	4	156	1	151	-	-	1	1	
Kansas-----	31	4	21	...	3	4	1	3	-	4	2	552	-	51	-	-	-	-	6	
Kentucky-----	68	295	3	1	...	2	1	5	6	31	2	4	11	-	-	1	1	3	-	
Louisiana-----	19	9	4	2	3	...	1	1	1	7	1	172	16	1	1	-	-	6	3	
Maine-----	4	1	-	2	1	...	...	3	86	2	1	-	1	-	-	-	65	14	1	
Maryland-----	13	10	5	-	8	3	4	...	13	14	1	1	3	1	2	-	1	62	1	
Massachusetts-----	6	1	2	4	5	2	113	11	...	13	3	-	7	1	-	231	-	53	2	
Michigan-----	146	128	11	3	13	4	1	4	7	...	28	4	26	2	3	1	1	3	1	
Minnesota-----	127	35	230	16	7	2	1	4	6	45	...	1	23	27	26	1	-	6	3	
Mississippi-----	39	6	3	1	5	174	-	1	1	7	-	...	8	-	1	2	-	3	1	
Missouri-----	937	51	68	746	28	8	1	2	1	24	5	12	...	4	16	2	-	5	5	
Montana-----	4	1	2	4	1	-	-	-	-	1	9	-	-	...	3	2	-	1	1	
Nebraska-----	24	5	268	76	1	-	-	1	-	2	12	1	15	-	...	-	-	1	1	
Nevada-----	9	2	3	2	-	-	2	1	1	4	3	2	5	3	2	...	-	3	1	
New Hampshire-----	-	-	-	-	-	1	95	2	174	3	-	1	1	-	2	...	...	5	1	
New Jersey-----	14	2	1	1	2	1	10	33	28	10	1	-	2	2	1	-	4	...	-	
New Mexico-----	11	4	9	21	6	3	-	-	1	6	6	5	12	4	4	-	-	3	...	
New York-----	55	18	7	4	23	7	22	37	178	43	7	3	13	2	4	4	19	1,393	1	
North Carolina-----	8	4	1	3	10	2	3	23	15	14	1	1	5	-	-	-	2	26	1	
North Dakota-----	1	2	4	2	-	-	-	1	-	-	268	-	1	32	-	-	-	-	-	
Ohio-----	74	276	6	3	416	2	-	11	13	292	10	1	10	1	3	1	-	15	1	
Oklahoma-----	9	5	5	123	-	3	-	-	2	8	1	-	36	1	5	1	-	2	11	
Oregon-----	6	-	5	6	-	1	-	1	1	2	7	-	2	9	10	1	-	1	3	
Pennsylvania-----	33	16	5	5	10	3	5	194	28	31	9	3	8	-	-	3	4	1,174	1	
Rhode Island-----	2	-	1	1	-	-	6	2	234	1	-	-	-	-	-	-	-	6	-	
South Carolina-----	4	1	-	-	2	2	4	6	6	5	-	4	-	-	-	-	1	13	-	
South Dakota-----	7	5	73	3	1	-	-	-	3	96	9	2	7	17	87	2	-	2	2	
Tennessee-----	46	34	5	4	384	14	-	5	1	29	1	414	64	1	-	-	-	7	2	
Texas-----	55	26	19	38	9	184	6	4	6	18	13	18	44	6	18	2	-	4	217	
Utah-----	4	1	4	1	2	-	-	-	-	2	5	-	2	7	6	50	-	-	3	
Vermont-----	-	-	-	-	-	-	4	-	45	-	-	-	1	-	-	107	-	8	-	
Virginia-----	21	19	3	3	32	3	3	96	18	9	2	1	8	2	2	-	3	41	-	
Washington-----	9	3	-	1	1	1	-	1	-	1	14	1	5	57	2	1	1	1	2	
West Virginia-----	3	9	-	-	148	5	-	139	-	10	-	-	3	-	1	-	-	6	-	
Wisconsin-----	466	26	99	4	1	2	-	3	3	120	222	-	9	1	6	-	1	2	2	
Wyoming-----	7	-	10	4	1	1	-	-	1	5	5	-	6	25	39	-	-	1	4	



SECTION 5 - MORTALITY

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Con.

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																			Total deaths of residents
	Interstate nonresidents—Continued																			
	State of residence—Continued																			
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES-----	3,189	905	400	2,505	1,016	657	2,933	427	764	472	844	1,377	174	289	1,998	620	1,142	1,103	244	1,711,982
Alabama-----	11	4	-	11	2	2	4	-	6	1	48	16	-	-	5	1	2	2	1	30,300
Alaska-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,319
Arizona-----	40	2	2	40	18	10	23	1	-	3	5	53	10	5	4	14	7	24	4	10,146
Arkansas-----	5	-	1	9	209	-	3	1	-	2	35	202	1	-	4	1	-	5	-	17,911
California-----	95	5	7	60	51	158	50	6	6	8	14	89	28	1	19	94	1	36	7	135,506
Colorado-----	14	9	4	16	24	11	12	1	3	25	5	53	23	-	7	14	4	7	71	15,342
Connecticut-----	268	4	-	5	1	-	23	31	1	-	-	-	1	9	2	2	1	-	-	23,899
Delaware-----	13	-	-	2	-	-	122	1	-	-	-	-	-	-	11	-	-	-	-	4,186
District of Columbia-----	48	27	-	27	3	-	57	2	10	-	12	10	1	-	633	4	27	3	-	8,782
Florida-----	666	60	2	270	10	7	262	22	30	2	55	9	-	16	39	3	35	51	2	48,152
Georgia-----	44	54	1	36	2	-	19	-	289	-	83	15	-	-	15	2	3	2	-	35,357
Hawaii-----	6	1	2	2	1	3	4	-	-	-	1	2	1	-	2	4	-	-	-	3,541
Idaho-----	1	-	1	1	2	63	-	-	-	1	1	9	14	-	-	80	-	2	7	5,426
Illinois-----	51	5	5	86	15	5	32	2	4	15	31	34	1	3	4	10	12	237	2	103,028
Indiana-----	17	3	2	261	1	1	15	-	2	3	14	18	-	-	3	1	3	19	1	45,569
Iowa-----	3	-	10	7	4	8	5	-	-	89	-	12	1	-	1	3	1	42	-	28,770
Kansas-----	5	-	1	9	164	5	5	-	-	5	3	30	1	-	3	6	1	5	4	21,161
Kentucky-----	13	4	-	179	7	-	12	-	4	-	167	7	-	-	59	2	89	3	-	29,959
Louisiana-----	9	1	1	7	7	1	4	1	3	-	12	268	3	-	4	-	1	1	-	28,704
Maine-----	28	2	-	4	-	-	16	4	1	-	1	-	-	6	2	1	-	-	-	10,761
Maryland-----	73	20	2	21	1	1	261	1	17	-	9	10	1	1	226	2	136	1	-	27,968
Massachusetts-----	199	3	-	16	5	2	60	295	3	-	1	7	1	37	8	3	1	5	-	56,638
Michigan-----	42	4	-	250	3	3	31	1	1	-	19	15	1	-	7	4	9	186	-	67,911
Minnesota-----	14	2	223	20	8	3	7	-	-	166	4	21	-	-	2	21	2	367	2	31,674
Mississippi-----	16	2	-	2	3	-	8	-	5	-	80	33	-	-	2	-	1	5	-	21,744
Missouri-----	15	2	2	22	63	3	10	-	2	2	18	22	1	1	5	5	2	7	1	48,350
Montana-----	1	-	39	2	3	5	3	-	-	6	-	6	5	-	1	38	-	2	28	6,552
Nebraska-----	2	-	4	4	10	7	4	-	1	66	-	4	-	-	1	3	1	5	21	14,097
Nevada-----	6	1	1	-	2	9	3	1	-	-	-	6	24	-	3	10	-	2	2	2,540
New Hampshire-----	24	-	-	1	-	-	5	9	-	-	-	-	-	146	5	1	-	1	-	6,682
New Jersey-----	672	10	-	16	3	1	658	12	4	1	-	10	1	1	17	4	6	-	1	59,462
New Mexico-----	8	-	1	9	22	3	5	1	2	-	3	129	6	-	4	-	2	5	2	6,525
New York-----	...	31	1	92	4	2	562	19	13	1	12	18	1	54	45	6	12	9	-	177,896
North Carolina-----	73	...	-	18	4	1	31	1	287	-	75	4	1	1	258	1	14	1	-	38,180
North Dakota-----	1	-	...	2	3	2	1	-	-	54	1	4	-	-	-	8	-	1	-	5,430
Ohio-----	62	9	3	...	1	-	305	-	6	-	28	15	-	-	23	5	361	9	1	93,466
Oklahoma-----	2	9	1	5	...	2	8	-	1	-	1	162	-	-	1	2	2	2	-	22,914
Oregon-----	1	1	6	4	4	...	2	-	-	3	2	8	9	-	-	231	-	5	3	16,819
Pennsylvania-----	351	15	-	341	9	-	...	8	7	-	8	11	-	2	39	4	126	3	-	121,258
Rhode Island-----	17	1	-	1	-	1	4	...	2	-	-	1	1	1	1	-	1	1	-	9,005
South Carolina-----	21	199	-	3	1	-	19	1	...	-	10	4	-	-	12	5	7	-	-	20,688
South Dakota-----	-	1	48	5	2	-	-	-	1	...	-	2	-	-	1	5	1	9	36	6,618
Tennessee-----	13	81	1	26	5	-	5	-	22	-	...	18	-	-	285	-	11	4	-	32,901
Texas-----	43	11	5	22	322	7	13	-	7	7	14	...	2	3	3	6	6	14	4	77,453
Utah-----	3	-	1	5	3	5	4	-	1	1	-	3	...	-	1	1	-	-	41	6,022
Vermont-----	109	-	-	-	-	-	12	2	-	-	-	-	-	...	-	-	-	-	-	4,429
Virginia-----	56	314	1	33	2	3	76	4	17	2	65	11	1	2	...	6	243	6	-	54,459
Washington-----	2	-	18	5	5	31.7	3	-	2	6	1	5	6	-	2	...	8	4	3	26,532
West Virginia-----	12	8	-	537	-	-	154	-	4	-	3	1	-	-	229	1	...	-	-	16,067
Wisconsin-----	9	-	3	11	4	3	8	-	-	1	3	10	-	-	1	2	1	...	-	36,145
Wyoming-----	5	-	1	1	3	3	3	-	-	2	-	9	-	-	1	9	-	-	...	2,796

## SECTION 5 - MORTALITY

5-5

Table 5-2. Deaths by Month and State of Occurrence: United States and Each State, 1960

(Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES-----	1,711,982	163,833	158,754	153,997	136,415	138,786	132,461	133,372	130,004	128,012	141,073	139,513	155,762
Alabama-----	30,055	2,769	3,002	3,010	2,286	2,495	2,212	2,356	2,171	2,192	2,305	2,440	2,839
Alaska-----	1,215	115	88	86	102	114	134	87	94	103	104	89	99
Arizona-----	10,557	1,087	918	944	843	816	829	809	765	783	826	901	1,036
Arkansas-----	17,800	1,723	1,632	1,737	1,370	1,422	1,385	1,265	1,375	1,246	1,415	1,481	1,549
California-----	135,344	14,879	11,438	11,493	10,660	10,872	10,565	10,730	10,328	10,380	10,886	10,997	12,116
Colorado-----	15,773	1,444	1,459	1,310	1,264	1,308	1,281	1,246	1,294	1,201	1,368	1,225	1,373
Connecticut-----	23,550	2,173	2,162	2,171	1,837	1,874	1,915	1,818	1,743	1,743	2,033	1,942	2,139
Delaware-----	4,349	419	401	393	338	340	364	350	313	322	350	373	386
District of Columbia-----	10,084	938	923	916	820	824	790	793	734	750	834	864	898
Florida-----	49,532	4,771	4,900	5,189	3,976	3,959	3,577	3,714	3,623	3,398	3,689	3,976	4,790
Georgia-----	35,564	3,263	3,638	3,486	2,679	2,914	2,430	2,661	2,767	2,571	2,838	2,925	3,394
Hawaii-----	3,596	327	289	317	319	340	290	288	282	278	277	288	301
Idaho-----	5,243	475	396	481	415	408	493	483	397	376	436	454	439
Illinois-----	101,547	9,802	9,075	8,905	8,186	8,238	7,965	8,089	7,708	7,840	8,459	8,334	8,946
Indiana-----	44,988	3,997	4,238	4,112	3,599	3,773	3,555	3,550	3,349	3,523	3,683	3,703	3,906
Iowa-----	28,724	2,688	2,939	2,540	2,270	2,248	2,273	2,217	2,136	2,215	2,466	2,264	2,468
Kansas-----	20,909	2,113	2,058	1,799	1,621	1,744	1,627	1,492	1,599	1,526	1,712	1,725	1,893
Kentucky-----	29,550	2,894	2,896	2,528	2,241	2,409	2,296	2,255	2,195	2,223	2,395	2,420	2,798
Louisiana-----	29,926	2,708	3,005	2,849	2,343	2,375	2,352	2,527	2,172	2,047	2,315	2,457	2,776
Maine-----	10,709	953	1,006	900	879	872	833	812	892	810	929	885	938
Maryland-----	27,761	2,649	2,687	2,525	2,208	2,238	2,098	2,069	2,151	2,074	2,284	2,234	2,544
Massachusetts-----	57,114	5,353	5,703	5,043	4,525	4,481	4,420	4,303	4,272	4,251	4,859	4,597	5,297
Michigan-----	67,480	6,879	5,899	5,613	5,533	5,596	5,358	5,314	5,171	5,090	5,876	5,477	5,874
Minnesota-----	32,212	2,953	3,052	2,730	2,565	2,658	2,528	2,659	2,428	2,502	2,782	2,615	2,732
Mississippi-----	21,580	2,026	2,117	2,165	1,873	1,701	1,638	1,727	1,561	1,605	1,601	1,731	2,035
Missouri-----	48,951	4,577	4,908	4,632	3,896	4,027	3,699	3,756	3,712	3,694	3,871	3,879	4,300
Montana-----	6,442	570	565	575	513	519	510	599	517	472	543	514	545
Nebraska-----	14,112	1,291	1,402	1,244	1,159	1,139	1,028	1,106	1,109	1,097	1,161	1,118	1,238
Nevada-----	2,748	256	208	225	214	209	265	201	233	214	237	228	258
New Hampshire-----	6,682	598	633	587	506	505	516	514	526	550	580	505	662
New Jersey-----	57,849	5,270	5,171	5,144	4,692	4,642	4,531	4,599	4,454	4,327	4,892	4,707	5,420
New Mexico-----	6,552	697	665	589	490	508	499	516	483	448	567	507	583
New York-----	178,085	15,936	15,443	16,097	14,422	14,538	13,807	14,022	13,635	13,334	15,348	14,787	16,716
North Carolina-----	38,378	3,661	3,859	3,542	3,009	2,945	2,871	2,752	2,864	2,684	3,162	3,298	3,711
North Dakota-----	5,428	447	478	486	436	465	441	485	424	441	421	430	464
Ohio-----	93,105	9,167	8,495	8,206	7,392	7,541	7,003	7,172	7,113	7,014	7,873	7,703	8,426
Oklahoma-----	22,444	2,223	2,027	2,005	1,763	1,905	1,737	1,746	1,739	1,656	1,823	1,880	1,940
Oregon-----	16,761	1,432	1,392	1,487	1,372	1,422	1,397	1,397	1,360	1,347	1,361	1,366	1,408
Pennsylvania-----	121,011	11,660	10,998	10,688	9,939	9,753	9,434	9,247	9,310	8,852	10,167	9,872	11,091
Rhode Island-----	8,954	818	846	755	692	715	685	675	702	673	738	751	904
South Carolina-----	20,388	1,965	2,117	1,909	1,534	1,633	1,512	1,551	1,485	1,490	1,617	1,616	1,959
South Dakota-----	6,590	588	642	552	485	548	514	565	506	530	558	528	564
Tennessee-----	34,356	3,299	3,253	3,233	2,756	2,795	2,588	2,617	2,479	2,578	2,775	2,774	3,235
Texas-----	77,610	7,715	7,348	6,978	5,996	6,350	6,177	6,079	5,905	5,683	6,114	6,094	7,171
Utah-----	6,233	584	536	533	546	504	523	510	495	448	540	516	498
Vermont-----	4,458	396	402	419	335	347	347	355	375	342	368	380	392
Virginia-----	33,783	3,240	3,333	3,128	2,780	2,630	2,558	2,504	2,460	2,417	2,751	2,754	3,228
Washington-----	26,713	2,343	2,272	2,659	2,199	2,254	2,071	2,189	2,010	2,123	2,156	2,129	2,308
West Virginia-----	18,237	1,835	1,702	1,693	1,481	1,408	1,317	1,345	1,403	1,398	1,512	1,534	1,609
Wisconsin-----	38,139	3,644	3,688	3,158	3,008	3,232	2,989	3,014	2,946	2,926	3,182	3,023	3,329
Wyoming-----	2,811	183	250	221	238	237	234	262	249	225	244	232	256











## SECTION 5 - MORTALITY

5-11

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH-----	6,022	559	519	525	535	487	501	478	479	433	529	503	478
Male-----	3,580	358	316	301	350	285	288	275	287	269	352	275	266
Female-----	2,442	221	203	222	185	204	213	203	192	164	197	228	212
White-----	5,858	544	503	506	510	475	492	467	466	426	517	488	466
Male-----	3,475	326	308	290	354	274	284	266	292	267	323	266	255
Female-----	2,383	218	195	216	176	199	208	201	194	159	194	222	211
Nonwhite-----	164	15	16	17	25	14	9	11	13	7	12	15	12
Male-----	105	12	8	11	16	9	4	9	5	2	9	9	11
Female-----	59	3	8	6	7	5	5	2	8	5	3	6	1
VERMONT-----	4,428	404	409	422	548	549	547	538	541	532	576	567	595
Male-----	2,414	214	205	221	192	188	199	190	206	175	218	208	198
Female-----	2,014	190	204	201	356	361	348	348	335	357	358	359	397
White-----	4,424	403	409	421	548	549	547	538	541	532	575	566	595
Male-----	2,412	214	205	221	192	188	199	190	206	175	217	207	198
Female-----	2,012	189	204	200	356	361	348	348	335	357	358	359	397
Nonwhite-----	4	1	-	1	-	-	-	-	-	-	1	1	-
Male-----	2	-	-	-	-	-	-	-	-	-	1	1	-
Female-----	2	1	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA-----	34,459	3,277	3,406	3,187	2,850	2,682	2,596	2,557	2,555	2,486	2,795	2,824	3,504
Male-----	19,687	1,903	1,942	1,809	1,622	1,567	1,472	1,442	1,442	1,427	1,585	1,601	1,875
Female-----	14,772	1,374	1,464	1,378	1,228	1,115	1,124	1,095	1,093	1,059	1,210	1,223	1,629
White-----	25,289	2,397	2,428	2,285	2,095	2,052	1,916	1,875	1,888	1,843	2,028	2,103	2,405
Male-----	14,508	1,382	1,371	1,310	1,225	1,198	1,092	1,068	1,077	1,061	1,154	1,196	1,574
Female-----	10,781	1,015	1,057	975	868	854	824	807	811	782	874	907	1,029
Nonwhite-----	9,170	880	978	904	737	650	680	662	647	645	767	721	901
Male-----	5,179	521	571	499	397	369	380	374	365	366	431	405	501
Female-----	3,991	359	407	405	340	281	300	288	282	277	336	316	400
WASHINGTON-----	26,532	2,329	2,274	2,645	2,179	2,240	2,059	2,167	2,011	2,085	2,145	2,125	2,277
Male-----	15,824	1,375	1,381	1,594	1,279	1,326	1,237	1,277	1,187	1,237	1,277	1,271	1,585
Female-----	10,708	954	893	1,049	900	914	822	890	824	848	868	852	894
White-----	25,716	2,263	2,215	2,564	2,103	2,175	1,994	2,096	1,944	2,016	2,082	2,068	2,198
Male-----	15,285	1,323	1,345	1,544	1,224	1,286	1,195	1,232	1,142	1,188	1,237	1,232	1,537
Female-----	10,431	940	870	1,020	879	887	799	864	802	828	845	836	861
Nonwhite-----	816	66	59	79	76	67	65	71	67	69	63	55	79
Male-----	539	52	36	50	55	40	42	45	45	49	40	39	46
Female-----	277	14	23	29	21	27	23	26	22	20	23	16	33
WEST VIRGINIA-----	16,067	1,795	1,712	1,683	1,443	1,385	1,310	1,346	1,386	1,380	1,488	1,520	1,619
Male-----	10,765	1,066	1,034	1,027	852	802	796	819	831	799	864	922	951
Female-----	7,304	729	678	656	591	583	514	527	555	581	624	598	668
White-----	16,841	1,668	1,581	1,563	1,352	1,285	1,224	1,255	1,286	1,297	1,401	1,418	1,511
Male-----	10,029	983	951	957	800	733	745	764	775	755	815	864	895
Female-----	6,812	685	630	606	552	552	481	491	511	544	586	554	618
Nonwhite-----	1,226	127	131	120	91	100	86	91	100	85	87	102	108
Male-----	734	85	85	70	52	69	55	55	56	46	51	58	58
Female-----	492	44	48	50	39	31	35	36	44	37	36	44	50
WISCONSIN-----	59,146	3,654	3,705	3,191	3,019	3,197	2,957	2,994	2,902	2,925	3,196	3,055	3,551
Male-----	21,787	2,061	2,098	1,832	1,723	1,859	1,686	1,719	1,609	1,705	1,806	1,762	1,907
Female-----	16,379	1,593	1,607	1,359	1,296	1,338	1,271	1,275	1,293	1,220	1,390	1,293	1,644
White-----	57,543	3,593	3,640	3,139	2,965	3,145	2,908	2,953	2,853	2,873	3,165	3,017	3,512
Male-----	21,424	2,055	2,061	1,805	1,696	1,830	1,652	1,685	1,586	1,669	1,787	1,735	1,887
Female-----	16,119	1,538	1,579	1,334	1,269	1,315	1,256	1,268	1,267	1,204	1,378	1,282	1,425
Nonwhite-----	803	61	65	52	54	52	49	61	49	52	31	38	39
Male-----	545	26	37	29	27	29	34	36	25	36	19	27	20
Female-----	260	35	28	23	27	23	15	25	26	16	12	11	19
WYOMING-----	2,795	196	261	224	237	239	230	249	229	224	238	225	244
Male-----	1,741	123	176	138	158	154	135	153	140	141	151	126	146
Female-----	1,055	73	85	86	79	85	95	96	89	83	87	99	98
White-----	2,725	192	244	218	233	229	227	245	225	220	233	220	239
Male-----	1,703	120	164	136	155	149	133	152	137	140	151	123	143
Female-----	1,022	72	80	82	78	80	94	95	88	80	82	97	96
Nonwhite-----	71	4	17	6	4	10	3	4	4	4	5	5	5
Male-----	58	3	12	2	3	5	2	1	3	1	-	3	5
Female-----	33	1	5	4	1	5	1	3	1	3	5	2	2



Table 5-4. Deaths by Specified Race and Sex: United States and Each State, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES-----	1,711,982	975,648	736,334	860,857	644,478	107,701	88,309	2,658	1,870	1,328	292	1,572	782	1,532	603
Alabama-----	30,300	17,185	13,115	11,247	7,780	5,937	5,335	-	-	-	-	-	-	1	-
Alaska-----	1,319	898	431	654	252	21	8	82	57	1	-	-	-	1 <sup>150</sup>	2 <sup>114</sup>
Arizona-----	10,146	6,424	3,722	5,886	3,231	268	184	457	300	10	6	2	-	1	1
Arkansas-----	17,911	10,665	7,246	8,269	5,187	2,391	2,057	4	1	1	1	-	-	-	-
California-----	135,508	77,804	57,704	72,588	54,313	3,634	2,911	176	126	461	122	554	270	391	62
Colorado-----	15,342	8,731	6,611	8,483	6,436	181	149	21	9	5	2	33	8	8	7
Connecticut-----	23,699	13,299	10,600	12,769	10,189	517	399	2	-	6	1	-	-	-	1
Delaware-----	4,186	2,400	1,786	1,965	1,482	434	294	1	-	-	-	-	-	-	-
District of Columbia-----	6,782	4,734	4,048	2,472	2,259	2,224	1,806	1	-	26	1	1	-	10	2
Florida-----	48,152	29,190	19,962	24,005	15,039	5,165	3,912	12	7	1	-	4	1	3	3
Georgia-----	35,357	19,954	15,403	13,142	9,404	6,806	5,997	1	-	-	-	1	1	1	1
Hawaii-----	3,541	2,229	1,312	679	503	9	7	-	-	3	184	84	677	411	2 <sup>660</sup>
Idaho-----	5,426	3,403	2,023	3,338	1,991	15	7	31	23	3	-	-	16	2	-
Illinois-----	103,023	58,596	44,432	52,662	39,705	5,792	4,686	17	11	53	7	46	16	26	7
Indiana-----	45,369	25,750	19,619	24,216	16,416	1,527	1,202	1	1	4	-	1	-	1	-
Iowa-----	29,770	16,311	12,459	16,124	12,309	175	144	11	5	-	-	-	-	-	-
Kansas-----	21,161	12,079	9,092	11,525	8,617	533	456	13	8	1	-	3	-	4	1
Kentucky-----	29,969	17,224	12,735	15,423	11,316	1,786	1,417	1	-	2	1	-	-	2	1
Louisiana-----	29,704	16,817	12,887	18,070	7,606	6,130	5,266	11	11	3	1	-	1	3	1
Maine-----	10,761	6,100	4,661	6,076	4,645	11	5	9	9	-	-	-	-	4	2
Maryland-----	27,968	15,616	12,352	12,457	9,968	3,137	2,376	2	3	10	2	6	-	4	3
Massachusetts-----	56,638	30,540	26,298	29,879	25,774	588	515	14	4	55	4	3	-	1	1
Michigan-----	67,911	39,499	29,412	36,288	25,821	3,137	2,543	41	36	15	1	6	-	12	11
Minnesota-----	31,674	18,251	13,423	18,059	13,294	121	75	57	50	6	3	3	3	3	1
Mississippi-----	21,744	12,332	9,412	6,820	4,604	5,894	4,793	13	12	4	3	-	-	1	-
Missouri-----	48,350	27,061	21,289	24,388	19,139	2,654	2,143	2	4	8	1	2	1	7	1
Montana-----	6,552	4,083	2,469	3,947	2,367	16	7	114	92	2	1	2	1	2	1
Nebraska-----	14,097	8,068	6,029	7,840	5,854	167	145	33	28	-	-	7	-	1	2
Nevada-----	2,540	1,665	875	1,559	801	53	48	44	24	3	-	-	-	6	-
New Hampshire-----	6,662	3,754	2,908	3,744	2,904	9	3	-	-	-	-	-	1	-	-
New Jersey-----	59,462	32,939	26,523	30,136	24,299	2,744	2,196	1	3	18	2	5	3	35	30
New Mexico-----	6,525	3,924	2,601	3,566	2,368	79	59	271	173	1	-	-	5	1	2
New York-----	177,896	98,748	79,146	91,006	72,945	7,297	6,115	75	44	268	26	30	7	72	11
North Carolina-----	38,180	22,166	15,994	15,624	10,759	6,380	5,130	160	103	-	-	1	2	1	-
North Dakota-----	5,430	3,353	2,077	3,293	2,024	4	-	54	50	-	-	-	-	2	3
Ohio-----	93,466	52,254	41,212	47,987	37,862	4,225	3,344	4	1	25	-	4	2	9	3
Oklahoma-----	22,314	13,545	9,369	12,149	8,258	1,049	826	343	253	1	-	1	1	2	-
Oregon-----	16,819	10,071	6,748	9,861	6,629	95	58	54	42	34	7	20	6	7	4
Pennsylvania-----	121,238	67,724	53,514	62,800	49,509	4,857	3,989	6	1	40	4	3	-	18	11
Rhode Island-----	9,005	4,889	4,116	4,783	4,035	95	77	5	2	4	1	1	-	1	1
South Carolina-----	20,688	11,718	8,970	7,017	4,910	4,696	4,054	3	4	1	1	-	1	1	-
South Dakota-----	6,618	4,005	2,613	3,783	2,453	10	6	211	153	-	-	-	-	1	1
Tennessee-----	32,901	18,654	14,247	14,911	10,941	3,737	3,305	2	-	1	1	1	-	2	-
Texas-----	77,453	45,230	32,223	39,351	26,699	6,838	5,505	6	9	25	5	6	3	4	2
Utah-----	6,022	3,580	2,442	3,475	2,363	28	22	34	30	4	-	36	7	3	-
Vermont-----	4,428	2,414	2,014	2,412	2	2	-	-	-	-	-	-	-	-	-
Virginia-----	34,459	19,587	14,772	14,509	10,761	5,164	3,986	6	4	7	-	1	1	1	-
Washington-----	26,532	15,824	10,708	15,285	10,431	225	126	164	107	24	6	86	27	40	11
West Virginia-----	18,067	10,763	7,304	10,029	6,812	733	492	-	-	1	-	-	-	-	-
Wisconsin-----	39,146	21,767	16,379	21,424	16,119	269	214	68	45	3	-	-	-	3	-
Wyoming-----	2,796	1,741	1,055	1,703	1,022	12	11	21	22	1	-	3	-	1	-

<sup>1</sup>Includes 26 deaths among Aleuts and 111 deaths among Eskimos. (In addition there were 2 deaths among Aleuts and Eskimos residing in other States.)  
<sup>2</sup>Includes 16 deaths among Aleuts and 97 deaths among Eskimos. (In addition there were 3 deaths among Aleuts and Eskimos residing in other States.)  
<sup>3</sup>Includes 254 deaths among Hawaiians and Part-Hawaiians. (In addition there were 4 deaths among Hawaiians and Part-Hawaiians residing in other States.)  
<sup>4</sup>Includes 191 deaths among Hawaiians and Part-Hawaiians. (In addition there was 1 death among Hawaiians and Part-Hawaiians residing in other States.)



SECTION 5 - MORTALITY

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

Table with columns for Number, Cause of death, and Rate (Total, White, Nonwhite). Rows include ALL CAUSES, I. Infective and parasitic diseases, Tuberculosis of respiratory system, and various subtypes like Respiratory tuberculosis, Pleural tuberculosis, etc.



Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases--Con.										
	Diseases attributable to viruses--Con.										
085	Late effects of acute infectious encephalitis-----	88	45	41	1	1	0.0	0.1	0.1	0.0	0.0
.0	Postencephalitic Parkinsonism-----	69	35	33	1	-	0.0	0.0	0.0	0.0	0.0
.1	Postencephalitic personality and character disorders-----	1	1	-	-	-	0.0	0.0	0	0	0
.2	Postencephalitic psychosis-----	18	9	8	-	1	0.0	0.0	0	0	0.0
.3	Other postencephalitic conditions-----	-	-	-	-	-	0	0	0	0	0
084	Smallpox-----	-	-	-	-	-	0	0	0	0	0
085	Measles-----	380	150	130	48	52	0.2	0.2	0.2	0.5	0.5
.0	Without mention of pneumonia-----	136	54	53	11	18	0.1	0.1	0.1	0.1	0.2
.1	With pneumonia-----	244	96	77	37	34	0.1	0.1	0.1	0.4	0.3
086	Rubella (German measles)-----	12	-	8	3	1	0.0	0	0	0	0.0
087	Chickenpox-----	126	44	57	16	9	0.1	0.1	0.1	0.2	0.1
088	Herpes zoster-----	78	32	44	-	2	0.0	0.0	0.1	0	0.0
089	Mumps-----	42	26	13	1	2	0.0	0.0	0.1	0	0.0
090	Dengue-----	-	-	-	-	-	0	0	0	0	0
091	Yellow fever-----	-	-	-	-	-	0	0	0	0	0
092	Infectious hepatitis-----	938	360	435	63	80	0.5	0.5	0.5	0.6	0.8
093	Glandular fever (infectious mononucleosis)-----	16	10	5	-	1	0.0	0.0	0.0	0	0.0
094	Rabies-----	2	-	1	1	-	0.0	0	0.0	0.0	0
095	Trachoma-----	-	-	-	-	-	0	0	0	0	0
096	Other diseases attributable to viruses-----	447	207	171	41	28	0.2	0.3	0.2	0.4	0.3
.0	Herpes febrilis-----	12	8	2	1	1	0.0	0.0	0.0	0.0	0.0
.1	Infectious keratoconjunctivitis-----	-	-	-	-	-	0	0	0	0	0
.2	Psittacosis and ornithosis-----	-	-	-	-	-	0	0	0	0	0
.3	Cowpox-----	-	-	-	-	-	0	0	0	0	0
.4	Epidemic hemorrhagic fever-----	-	-	-	-	-	0	0	0	0	0
.5	Epidemic myalgia (Bornholm disease)-----	1	-	1	-	-	0.0	0	0.0	0	0
.6	Foot and mouth disease-----	-	-	-	-	-	0	0	0	0	0
.7	Sandfly fever-----	-	-	-	-	-	0	0	0	0	0
.8	Rift Valley fever-----	-	-	-	-	-	0	0	0	0	0
.9	Other-----	434	199	168	40	27	0.2	0.3	0.2	0.4	0.3
100-108	Typhus and other rickettsial diseases-----	11	7	4	-	-	0.0	0.0	0.0	0	0
100	Louse-borne epidemic typhus-----	-	-	-	-	-	0	0	0	0	0
101	Flea-borne endemic typhus (murine)-----	-	-	-	-	-	0	0	0	0	0
102	Brill's disease, not specified as louse- or flea-borne-----	-	-	-	-	-	0	0	0	0	0
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne-----	-	-	-	-	-	0	0	0	0	0
104	Tick-borne typhus-----	11	7	4	-	-	0.0	0.0	0.0	0	0
105	Mite-borne typhus-----	-	-	-	-	-	0	0	0	0	0
106	Volhynian fever (trench fever)-----	-	-	-	-	-	0	0	0	0	0
107	Typhus, unspecified-----	-	-	-	-	-	0	0	0	0	0
108	Other rickettsial diseases-----	-	-	-	-	-	0	0	0	0	0
110-117	Malaria-----	4	2	1	1	-	0.0	0.0	0.0	0.0	0
110	Vivax malaria (benign tertian)-----	-	-	-	-	-	0	0	0	0	0
111	Malariae malaria (quartan)-----	-	-	-	-	-	0	0	0	0	0
112	Falci-parum malaria (malignant tertian)-----	-	-	-	-	-	0	0	0	0	0
113	Ovale malaria-----	-	-	-	-	-	0	0	0	0	0
114	Mixed malarial infections-----	-	-	-	-	-	0	0	0	0	0
115	Blackwater fever-----	-	-	-	-	-	0	0	0	0	0
116	Other and unspecified forms of malaria-----	4	2	1	1	-	0.0	0.0	0.0	0.0	0
117	Recurrent induced malaria-----	-	-	-	-	-	0	0	0	0	0
120-138	Other infective and parasitic diseases-----	770	333	211	117	109	0.4	0.4	0.3	1.2	1.0
120	Leishmaniasis-----	-	-	-	-	-	0	0	0	0	0
.0	Visceral (kala-azar)-----	-	-	-	-	-	0	0	0	0	0
.1	Cutaneous (Oriental sore)-----	-	-	-	-	-	0	0	0	0	0
.2	Mucocutaneous (American)-----	-	-	-	-	-	0	0	0	0	0
.3	Unspecified-----	-	-	-	-	-	0	0	0	0	0
121	Trypanosomiasis-----	-	-	-	-	-	0	0	0	0	0
.0	African (sleeping sickness)-----	-	-	-	-	-	0	0	0	0	0
.1	South American (Chagas' disease)-----	-	-	-	-	-	0	0	0	0	0
.2	Other-----	-	-	-	-	-	0	0	0	0	0
122	Other protozoal diseases-----	8	7	-	-	1	0.0	0.0	0	0	0.0
.0	Coccidiosis-----	1	1	-	-	-	0.0	0.0	0	0	0
.1	Toxoplasmosis-----	6	5	-	-	1	0.0	0.0	0	0	0.0
.2	Other-----	1	1	-	-	-	0.0	0.0	0	0	0
123	Schistosomiasis-----	5	2	3	-	-	0.0	0.0	0.0	0	0
.0	Vesical (S. haematobium)-----	-	-	-	-	-	0	0	0	0	0
.1	Intestinal (S. mansoni)-----	-	-	-	-	-	0	0	0	0	0
.2	Oriental (S. japonicum)-----	-	-	-	-	-	0	0	0	0	0
.3	Other and unspecified schistosomiasis-----	5	2	3	-	-	0.0	0.0	0.0	0	0
124	Other trematode infestation-----	-	-	-	-	-	0	0	0	0	0
.0	Clonorchiasis-----	-	-	-	-	-	0	0	0	0	0
.1	Paragonimiasis-----	-	-	-	-	-	0	0	0	0	0
.2	Other-----	-	-	-	-	-	0	0	0	0	0
125	Hydatid disease-----	10	4	6	-	-	0.0	0.0	0.0	0	0
126	Other cestode infestation-----	3	2	1	-	-	0.0	0.0	0.0	0	0
127	Filariasis-----	-	-	-	-	-	0	0	0	0	0
128	Trichinosis-----	3	-	3	-	-	0.0	0	0.0	0	0
129	Ancylostomiasis-----	-	-	-	-	-	0	0	0	0	0
130	Infestation with worms of other, mixed, and unspecified type-----	50	6	8	15	21	0.0	0.0	0.0	0.2	0.2
.0	Ascariasis-----	36	4	6	11	15	0.0	0.0	0.0	0.1	0.1
.1	Oxyuriasis-----	-	-	-	-	-	0	0	0	0	0
.2	Mixed intestinal helminth infestation-----	-	-	-	-	-	0	0	0	0	0
.3	Other-----	14	2	2	4	6	0.0	0.0	0.0	0.0	0.1
131	Dermatophytosis-----	2	2	-	-	-	0.0	0.0	0	0	0
132	Actinomycosis-----	28	15	11	2	-	0.0	0.0	0.0	0.0	0
133	Coccidioidomycosis-----	55	26	11	14	4	0.0	0.0	0.0	0.1	0.0



Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

Table with columns: SEVENTH REVISION OF INTERNATIONAL LISTS, 1955; NUMBER (Total, White Male/Female, Nonwhite Male/Female); RATE (Total, White Male/Female, Nonwhite Male/Female). Rows include categories like Malignant neoplasm of respiratory system, breast, genital organs, skin, and bones.

## SECTION 5 - MORTALITY

5-19

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER				RATE					
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
II. Neoplasms-Con.											
Malignant neoplasm of other and unspecified sites-Con.											
197	Malignant neoplasm of connective tissue-----	1,076	574	401	56	45	0.6	0.7	0.5	0.6	0.4
.0	Head, face, and neck-----	53	29	19	3	2	0.0	0.0	0.0	0.0	0.0
.1	Trunk-----	181	109	59	6	7	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)-----	65	34	22	5	2	0.0	0.0	0.0	0.1	0.0
.3	Lower limb (including hip)-----	280	142	108	20	10	0.2	0.2	0.1	0.2	0.1
.8	Multiple sites-----	9	5	3	-	1	0.0	0.0	0.0	0	0.0
.9	Site unspecified-----	490	255	190	22	23	0.3	0.3	0.2	0.2	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes-----	214	123	73	11	7	0.1	0.2	0.1	0.1	0.1
.0	Head, face, and neck-----	119	76	37	5	1	0.1	0.1	0.0	0.1	0.0
.1	Intrathoracic-----	5	3	1	1	-	0.0	0.0	0.0	0.0	0
.2	Intra-abdominal-----	12	5	5	-	2	0.0	0.0	0.0	0	0.0
.3	Axillary and upper limb-----	11	6	5	-	-	0.0	0.0	0.0	0	0
.4	Inguinal and lower limb-----	21	11	7	2	1	0.0	0.0	0.0	0.0	0.0
.7	Other specified sites-----	5	2	3	-	-	0.0	0.0	0.0	0	0
.8	Multiple sites-----	6	4	-	2	-	0.0	0.0	0	0.0	0
.9	Site unspecified-----	35	16	15	1	3	0.0	0.0	0.0	0.0	0.0
199	Malignant neoplasm of other and unspecified sites-----	12,456	5,378	5,622	662	794	6.9	6.9	7.0	6.6	7.5
A	Of other specified sites, not specified as secondary-----	1,011	578	330	53	50	0.6	0.7	0.4	0.5	0.5
B	Primary sites not indicated-----	11,445	4,800	5,292	609	744	6.4	6.1	6.6	6.1	7.1
200-205	Neoplasms of lymphatic and hematopoietic tissues-----	25,683	13,955	10,001	995	732	14.3	17.8	12.4	10.0	7.0
200	Lymphosarcoma and reticulosarcoma-----	5,902	3,264	2,314	199	125	3.3	4.2	2.9	2.0	1.2
.0	Reticulum cell sarcoma-----	1,328	685	541	67	35	0.7	0.9	0.7	0.7	0.3
.1	Lymphosarcoma-----	3,519	1,989	1,370	101	59	2.0	2.5	1.7	1.0	0.6
.2	Other primary malignant neoplasms of lymphoid tissue-----	1,055	590	403	31	31	0.6	0.8	0.5	0.3	0.3
201	Hodgkin's disease-----	3,075	1,748	1,132	129	66	1.7	2.2	1.4	1.3	0.6
202	Other forms of lymphoma (reticulosis)-----	889	468	351	43	27	0.5	0.6	0.4	0.4	0.3
.0	Giant follicular lymphoma (Brill-Symmers' disease)-----	102	45	54	3	-	0.1	0.1	0.1	0.0	0
.1	Other-----	787	423	297	40	27	0.4	0.5	0.4	0.4	0.3
203	Multiple myeloma (plasmacytoma)-----	3,029	1,509	1,191	178	151	1.7	1.9	1.5	1.8	1.4
204	Leukemia and aleukemia-----	12,725	6,929	4,993	442	361	7.1	8.8	6.2	4.4	3.4
.0	Lymphatic leukemia-----	3,048	1,811	1,060	107	70	1.7	2.3	1.3	1.1	0.7
.1	Myeloid leukemia-----	2,196	1,144	922	62	68	1.2	1.5	1.1	0.6	0.6
.2	Myelocytic leukemia-----	984	517	405	33	29	0.5	0.7	0.5	0.3	0.3
.3	Acute leukemia-----	5,148	2,736	2,097	173	142	2.9	3.5	2.6	1.7	1.3
.4	Other and unspecified leukemia-----	1,349	721	509	67	52	0.8	0.9	0.6	0.7	0.5
205	Mycosis fungoides-----	63	37	20	4	2	0.0	0.0	0.0	0.0	0.0
210-229	Benign neoplasm-----	2,409	833	1,103	103	310	1.3	1.1	1.4	1.0	2.9
210	Benign neoplasm of buccal cavity and pharynx-----	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0
211	Benign neoplasm of other parts of digestive system-----	214	122	79	8	5	0.1	0.2	0.1	0.1	0.0
212	Benign neoplasm of respiratory system-----	105	57	30	12	6	0.1	0.1	0.0	0.1	0.1
213	Benign neoplasm of breast-----	3	-	-	-	3	0.0	0	0	0	0.0
214	Uterine fibromyoma-----	310	...	142	...	168	0.2	...	0.2	...	1.6
215	Other benign neoplasm of uterus-----	36	...	31	...	5	0.0	...	0.0	...	0.0
216	Benign neoplasm of ovary-----	153	...	127	...	26	0.1	...	0.2	...	0.2
217	Benign neoplasm of other female genital organs-----	6	...	4	...	2	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs-----	-	...	-	...	0	0	...	0	...	...
219	Benign neoplasm of kidney and other urinary organs-----	36	21	13	2	-	0.0	0.0	0.0	0.0	0
220	Benign melanoma of skin-----	1	-	1	-	-	0.0	0	0.0	0	0
221	Pilonidal cyst-----	8	2	4	-	2	0.0	0.0	0.0	0	0.0
222	Other benign neoplasm of skin-----	2	2	-	-	-	0.0	0.0	0	0	0
223	Benign neoplasm of brain and other parts of nervous system-----	967	389	484	44	50	0.5	0.5	0.6	0.4	0.5
224	Benign neoplasm of endocrine glands-----	319	134	135	24	26	0.2	0.2	0.2	0.2	0.2
225	Benign neoplasm of bone and cartilage-----	13	8	4	1	-	0.0	0.0	0.0	0.0	0
226	Lipoma-----	11	4	4	1	2	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue-----	46	23	17	2	4	0.0	0.0	0.0	0.0	0.0
228	Hemangioma and lymphangioma-----	108	43	52	7	6	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues-----	64	26	33	1	4	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature-----	2,484	1,130	1,041	161	152	1.4	1.4	1.3	1.6	1.4
230	Neoplasm of unspecified nature of digestive organs-----	281	97	155	13	16	0.2	0.1	0.2	0.1	0.2
231	Neoplasm of unspecified nature of respiratory organs-----	204	129	50	18	7	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast-----	5	-	3	-	2	0.0	0	0.0	0	0.0
233	Neoplasm of unspecified nature of uterus-----	11	...	6	...	5	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary-----	15	...	13	...	2	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified nature of other female genital organs-----	1	...	-	...	1	0.0	...	0	...	0.0
236	Neoplasm of unspecified nature of other genitourinary organs-----	86	50	26	7	3	0.0	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system-----	1,601	763	638	111	89	0.9	1.0	0.8	1.1	0.8
238	Neoplasm of unspecified nature of skin and musculoskeletal system-----	27	8	15	2	2	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs-----	253	83	135	10	25	0.1	0.1	0.2	0.1	0.2
III. Allergic, endocrine system, metabolic, and nutritional diseases											
240-245	Allergic disorders-----	5,491	3,120	1,618	397	356	3.1	4.0	2.0	4.0	3.4
240	Hay fever-----	6	3	2	-	1	0.0	0.0	0.0	0	0.0
241	Asthma-----	5,394	3,067	1,588	392	347	3.0	3.9	2.0	3.9	3.3
242	Angioneurotic edema-----	20	12	5	1	2	0.0	0.0	0.0	0.0	0.0
243	Urticaria-----	1	-	-	-	-	0.0	0.0	0	0	0
244	Allergic eczema-----	-	-	-	-	0	0	0	0	0	0
245	Other allergic disorders-----	70	37	23	4	6	0.0	0.0	0.0	0.0	0.1
250-254	Diseases of thyroid gland-----	958	156	663	21	116	0.5	0.2	0.8	0.2	1.1
250	Simple goiter-----	44	5	29	3	7	0.0	0.0	0.0	0.0	0.1
251	Nontoxic nodular goiter-----	44	9	28	1	6	0.0	0.0	0.0	0.0	0.1



Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE			
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
III. Allergic, endocrine system, metabolic, and nutritional diseases--Con.											
Diseases of thyroid gland--Con.											
252	Thyrotoxicosis with or without goiter-----	532	61	359	15	77	0.3	0.1	0.4	0.2	0.7
.0	Toxic diffuse goiter-----	481	73	322	13	73	0.3	0.1	0.4	0.1	0.7
.1	Toxic nodular goiter-----	51	8	37	2	4	0.0	0.0	0.0	0.0	0.0
253	Myxedema and cretinism-----	284	53	212	1	18	0.2	0.1	0.3	0.0	0.2
254	Other diseases of thyroid gland-----	54	8	35	1	10	0.0	0.0	0.0	0.0	0.1
260	Diabetes mellitus-----	29,971	10,761	15,360	1,386	2,464	16.7	13.7	19.1	13.9	23.4
270-277	Diseases of other endocrine glands-----	944	387	416	64	77	0.5	0.5	0.5	0.6	0.7
270	Disorders of pancreatic internal secretion other than dia-	40	16	11	5	8	0.0	0.0	0.0	0.1	0.1
271	Diseases of parathyroid gland-----	46	12	22	3	9	0.0	0.0	0.0	0.0	0.1
.0	Hyperparathyroidism-----	39	11	17	3	8	0.0	0.0	0.0	0.0	0.1
.1	Hypoparathyroidism-----	7	1	5	-	1	0.0	0.0	0.0	0	0.0
.2	Other and unspecified-----	-	-	-	-	0	0	0	0	0	0
272	Diseases of pituitary gland-----	202	80	95	11	16	0.1	0.1	0.1	0.1	0.2
273	Diseases of thymus gland-----	136	70	45	12	9	0.1	0.1	0.1	0.1	0.1
274	Diseases of adrenal glands-----	420	174	191	28	27	0.2	0.2	0.2	0.3	0.3
275	Ovarian dysfunction-----	-	---	-	---	0	---	0	---	0	---
276	Testicular dysfunction-----	-	---	-	---	0	---	0	---	0	---
277	Polyglandular dysfunction and other diseases of endocrine glands-----	100	35	52	5	8	0.1	0.0	0.1	0.1	0.1
280-289	Avitaminoses and other metabolic diseases-----	3,857	1,570	1,625	302	360	2.2	2.0	2.0	3.0	3.4
280	Beriberi-----	32	18	8	3	3	0.0	0.0	0.0	0.0	0.0
281	Pellagra-----	42	14	15	3	10	0.0	0.0	0.0	0.0	0.1
282	Scurvy-----	5	1	1	2	1	0.0	0.0	0.0	0.0	0.0
283	Active rickets-----	3	1	-	2	-	0.0	0.0	0	0.0	0
284	Late effects of rickets-----	1	1	-	-	-	0.0	0.0	0	0	0
285	Osteomalacia-----	6	1	4	-	1	0.0	0.0	0.0	0	0.0
286	Other avitaminosis and nutritional deficiency states-----	1,728	657	728	192	151	1.0	0.8	0.9	1.9	1.4
.0	Stenorrhoea and sprue-----	44	15	21	5	3	0.2	0.0	0.0	0.1	0.0
.1	Vitamin A deficiency-----	-	-	-	-	-	0	0	0	0	0
.2	Vitamin B deficiency, except beriberi and pellagra-----	6	5	-	1	-	0.0	0.0	0	0.0	0
.3	Vitamin C deficiency, except scurvy-----	-	-	-	-	-	0	0	0	0	0
.4	Vitamin D deficiency, except rickets and osteomalacia-----	-	-	-	-	-	0	0	0	0	0
.5	Malnutrition, unqualified-----	1,529	574	632	184	139	0.9	0.7	0.8	1.8	1.3
.6	Kwashiorkor (protein malnutrition)-----	5	4	1	-	-	0.0	0.0	0.0	0	0
.7	Other and multiple deficiency states-----	144	59	74	2	9	0.1	0.1	0.1	0.0	0.1
287	Obesity, not specified as of endocrine origin-----	1,193	441	576	37	139	0.7	0.6	0.7	0.4	1.3
288	Gout-----	61	45	6	8	2	0.0	0.1	0.0	0.1	0.0
289	Other metabolic diseases-----	786	391	287	55	53	0.4	0.5	0.4	0.6	0.5
.0	Lipidosis (disturbance of lipid metabolism)-----	107	56	44	5	2	0.1	0.1	0.1	0.1	0.0
.1	Amyloidosis-----	136	69	46	12	10	0.1	0.1	0.1	0.1	0.1
.2	Other-----	543	267	197	38	41	0.3	0.3	0.2	0.4	0.4
IV. Diseases of the blood and blood-forming organs											
290-299	Diseases of blood and blood-forming organs-----	5,104	2,150	2,182	385	387	2.8	2.7	2.7	3.9	3.7
290	Pernicious and other hyperchromic anemias-----	641	235	365	19	22	0.4	0.3	0.5	0.2	0.2
.0	Pernicious anemia-----	574	211	329	16	18	0.3	0.3	0.4	0.2	0.2
.1	Subacute combined degeneration of spinal cord-----	26	11	13	2	-	0.0	0.0	0.0	0.0	0
.2	Other hyperchromic anemias-----	41	13	23	1	4	0.0	0.0	0.0	0.0	0.0
291	Iron deficiency anemias (hypochromic anemias)-----	1,06	35	43	11	17	0.1	0.0	0.1	0.1	0.2
292	Other anemias of specified type-----	1,721	673	688	178	182	1.0	0.9	0.9	1.8	1.7
.0	Familial acholuric jaundice-----	110	37	56	8	9	0.1	0.0	0.1	0.1	0.1
.1	Acute hemolytic anemia-----	30	11	17	-	2	0.0	0.0	0.0	0	0.0
.2	Other hemolytic anemias-----	86	45	35	4	2	0.0	0.1	0.0	0.0	0.0
.3	Leuko-erythroblastic anemia-----	229	122	96	5	7	0.1	0.2	0.1	0.1	0.1
.4	Aplastic anemia-----	971	440	470	30	31	0.5	0.6	0.6	0.3	0.3
.5	Nonregenerative anemia-----	19	13	6	-	-	0.0	0.0	0.0	0	0
.6	Sickle cell anemia-----	267	1	5	130	131	0.1	0.0	0.0	1.3	1.2
.7	Other specified anemias-----	9	5	3	1	-	0.0	0.0	0.0	0.0	0
293	Anemia of unspecified type-----	862	336	352	80	94	0.5	0.4	0.4	0.8	0.9
294	Polycythemia-----	421	242	162	15	2	0.2	0.3	0.2	0.2	0.0
295	Hemophilia-----	77	70	-	7	-	0.0	0.1	0	0.1	0
296	Purpura and other hemorrhagic conditions-----	681	288	305	44	44	0.4	0.4	0.4	0.4	0.4
297	Agaraphlocytosis-----	174	72	93	4	5	0.1	0.1	0.1	0.0	0.0
298	Diseases of spleen-----	229	101	105	14	9	0.1	0.1	0.1	0.1	0.1
.0	Hepatolienal fibrosis-----	107	44	53	6	4	0.1	0.1	0.1	0.1	0.0
.1	Other-----	122	57	52	8	5	0.1	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs-----	192	98	69	13	12	0.1	0.1	0.1	0.1	0.1
V. Mental, psychoneurotic, and personality disorders											
300-309	Psychoses-----	1,496	740	563	110	83	0.8	0.9	0.7	1.1	0.8
300	Schizophrenic disorders (dementia praecox)-----	161	56	68	16	21	0.1	0.1	0.1	0.2	0.2
.0	Simple type-----	1	-	1	-	-	0.0	0	0.0	0	0
.1	Hebephrenic type-----	11	7	4	-	-	0.0	0.0	0.0	0	0
.2	Catatonic type-----	53	15	23	7	8	0.0	0.0	0.0	0.1	0.1
.3	Paranoid type-----	23	6	12	1	4	0.0	0.0	0.0	0.0	0.0
.4	Acute schizophrenic reaction-----	3	-	3	-	-	0.0	0	0.0	0	0
.5	Latent schizophrenia-----	-	-	-	-	-	0	0	0	0	0
.6	Schizo-affective psychosis-----	1	1	-	-	-	0.0	0.0	0	0	0
.7	Other and unspecified-----	69	27	25	8	9	0.0	0.0	0.0	0.1	0.1
301	Manic-depressive reaction-----	42	12	21	3	6	0.0	0.0	0.0	0.0	0.1
.0	Manic and circular-----	14	3	4	1	6	0.0	0.0	0.0	0.0	0.1
.1	Depressive-----	10	5	5	-	-	0.0	0.0	0.0	0	0
.2	Other-----	18	4	12	2	-	0.0	0.0	0.0	0.0	0

## SECTION 5 - MORTALITY

5-21

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER				RATE					
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
V. Mental, psychoneurotic, and personality disorders—Con.											
Psychoses—Con.											
302	Involuntional melancholia	16	5	11	-	-	0.0	0.0	0.0	0	0
303	Paranoia and paranoid states	4	3	1	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	395	119	241	20	16	0.2	0.2	0.3	0.2	0.2
305	Presenile psychosis	139	61	76	-	2	0.1	0.1	0.1	0	0.0
307	Alcoholic psychosis	458	341	34	54	9	0.2	0.4	0.0	0.5	0.1
309	Other and unspecified psychoses	300	143	111	17	29	0.2	0.2	0.1	0.2	0.3
310-318	Psychoneurotic disorders	81	22	52	2	5	0.0	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms	3	1	2	-	-	0.0	0.0	0.0	0	0
311	Hysterical reaction without mention of anxiety reaction	48	9	36	1	2	0.0	0.0	0.0	0.0	0.0
312	Phobic reaction	1	-	-	-	-	0	0	0	0	0
313	Obsessive-compulsive reaction	1	-	1	-	-	0.0	0	0.0	0	0
314	Neurotic-depressive reaction	2	2	-	-	-	0.0	0.0	0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.0	Neurocirculatory asthenia	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.1	Other heart manifestations specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.2	Other circulatory manifestations of psychogenic origin	-	-	-	-	-	0	0	0	0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	2	1	1	-	-	0.0	0.0	0.0	0	0
.0	Mucous colitis specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.1	Irritability of colon specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.2	Gastric neuroses	2	1	1	-	-	0.0	0.0	0.0	0	0
.3	Other digestive manifestations specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	-	-	-	-	-	0	0	0	0	0
.0	Psychogenic reactions affecting respiratory system	-	-	-	-	-	0	0	0	0	0
.1	Psychogenic reactions affecting genitourinary system	-	-	-	-	-	0	0	0	0	0
.2	Pruritus of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.3	Other cutaneous neuroses	-	-	-	-	-	0	0	0	0	0
.4	Psychogenic reactions affecting musculoskeletal system	-	-	-	-	-	0	0	0	0	0
.5	Psychogenic reactions affecting other systems	-	-	-	-	-	0	0	0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	22	8	11	3	0	0.0	0.0	0.0	0.0	0.0
.0	Hypochondriacal reaction	-	-	-	-	-	0	0	0	0	0
.1	Depersonalization	-	-	-	-	-	0	0	0	0	0
.2	Occupational neurosis	-	-	-	-	-	0	0	0	0	0
.3	Asthenic reaction	5	3	2	-	-	0.0	0.0	0.0	0	0
.4	Mixed	1	-	1	-	-	0.0	0	0.0	0	0
.5	Of other and unspecified types	16	5	8	-	3	0.0	0.0	0.0	0	0.0
320-326	Disorders of character, behavior, and intelligence	2,910	1,649	543	520	198	1.6	2.1	0.7	5.2	1.9
320	Pathological personality	-	-	-	-	-	0	0	0	0	0
.0	Schizoid personality	-	-	-	-	-	0	0	0	0	0
.1	Paranoid personality	-	-	-	-	-	0	0	0	0	0
.2	Cyclothymic personality	-	-	-	-	-	0	0	0	0	0
.3	Inadequate personality	-	-	-	-	-	0	0	0	0	0
.4	Antisocial personality	-	-	-	-	-	0	0	0	0	0
.5	Asocial personality	-	-	-	-	-	0	0	0	0	0
.6	Sexual deviation	-	-	-	-	-	0	0	0	0	0
.7	Other and unspecified	-	-	-	-	-	0	0	0	0	0
321	Immature personality	-	-	-	-	-	0	0	0	0	0
.0	Emotional instability	-	-	-	-	-	0	0	0	0	0
.1	Passive dependency	-	-	-	-	-	0	0	0	0	0
.2	Aggressiveness	-	-	-	-	-	0	0	0	0	0
.3	Enuresis characterizing immature personality	-	-	-	-	-	0	0	0	0	0
.4	Other symptomatic habits except speech impediments	-	-	-	-	-	0	0	0	0	0
.5	Other and unspecified	-	-	-	-	-	0	0	0	0	0
322	Alcoholism	2,235	1,327	316	438	154	1.2	1.7	0.4	4.4	1.5
.0	Acute	754	399	111	170	74	0.4	0.5	0.1	1.7	0.7
.1	Chronic	965	628	140	150	47	0.5	0.8	0.2	1.5	0.4
.2	Unspecified	516	300	65	118	33	0.3	0.4	0.1	1.2	0.3
323	Other drug addiction	190	76	25	62	27	0.1	0.1	0.0	0.6	0.3
324	Primary childhood behavior disorders	-	-	-	-	-	0	0	0	0	0
325	Mental deficiency	483	245	201	20	17	0.3	0.3	0.2	0.2	0.2
.0	Idiocy	17	11	5	-	1	0.0	0.0	0.0	0	0.0
.1	Imbecility	4	3	1	-	-	0.0	0.0	0.0	0	0
.2	Moron	4	4	-	-	-	0.0	0.0	0	0	0
.3	Borderline intelligence	-	-	-	-	-	0	0	0	0	0
.4	Mongolism	294	150	126	13	5	0.2	0.2	0.2	0.1	0.0
.5	Other and unspecified types	164	77	69	7	11	0.1	0.1	0.1	0.1	0.1
326	Other and unspecified character, behavior, and intelligence disorders	2	1	1	-	-	0.0	0.0	0.0	0	0
.0	Specific learning defects	-	-	-	-	-	0	0	0	0	0
.1	Stammering and stuttering of nonorganic origin	-	-	-	-	-	0	0	0	0	0
.2	Other speech impediments of nonorganic origin	-	-	-	-	-	0	0	0	0	0
.3	Acute situational maladjustment	1	1	-	-	-	0.0	0.0	0	0	0
.4	Other and unspecified	1	-	1	-	-	0.0	0	0.0	0	0
VI. Diseases of the nervous system and sense organs											
330-334	Vascular lesions affecting central nervous system	193,588	80,486	88,567	11,777	12,758	108.0	102.7	110.1	118.2	121.2
330	Subarachnoid hemorrhage	6,699	2,559	2,997	520	625	3.7	3.5	3.7	5.2	5.9
331	Cerebral hemorrhage	110,855	45,474	50,055	7,267	8,079	61.8	58.0	62.2	72.9	76.7
332	Cerebral embolism and thrombosis	58,689	25,456	27,546	2,853	2,834	32.7	32.5	34.2	28.6	26.9
333	Spasm of cerebral arteries	5	3	2	-	-	0.0	0.0	0.0	0	0
334	Other and ill-defined vascular lesions affecting central nervous system	17,340	6,994	7,987	1,137	1,222	9.7	8.9	9.9	11.4	11.6

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
VI. Diseases of the nervous system and sense organs—Con.											
340-345	Inflammatory diseases of central nervous system-----	5,222	2,195	1,967	585	475	2.9	2.9	2.4	5.9	4.5
340	Meningitis, except meningococcal and tuberculous-----	2,316	959	649	399	309	1.3	1.2	0.8	4.0	2.9
.0	H. influenzae-----	399	188	106	68	37	0.2	0.2	0.1	0.7	0.4
.1	Pneumococcus-----	504	185	152	97	80	0.3	0.2	0.2	0.9	0.8
.2	Due to other specified organism-----	266	138	90	33	25	0.2	0.2	0.1	0.3	0.2
.3	With no organism specified as cause-----	1,127	446	301	211	167	0.6	0.6	0.4	2.1	1.6
341	Phlebitis and thrombophlebitis of intracranial venous sinuses-----	42	13	20	2	7	0.0	0.0	0.0	0.0	0.1
342	Intracranial and intraspinal abscess-----	295	141	101	34	19	0.2	0.2	0.1	0.3	0.2
343	Rhcephalitis, myelitis, and encephalomyelitis (except acute infectious)-----	403	172	155	46	30	0.2	0.2	0.2	0.5	0.3
344	Late effects of intracranial abscess or pyogenic infection-----	692	307	264	65	56	0.4	0.4	0.3	0.7	0.5
A	Hydrocephalus not otherwise specified-----	433	191	159	45	39	0.2	0.2	0.2	0.5	0.4
B	Other late effects of intracranial abscess or pyogenic infection-----	249	116	96	20	17	0.1	0.1	0.1	0.2	0.2
345	Multiple sclerosis-----	1,484	603	788	39	54	0.8	0.8	1.0	0.4	0.5
350-357	Other diseases of central nervous system-----	8,605	4,324	3,398	673	410	4.9	0.5	4.2	6.8	3.9
350	Paralysis agitans-----	2,898	1,475	1,341	45	37	1.6	1.9	1.7	0.5	0.4
351	Cerebral spastic infantile paralysis-----	746	279	279	59	36	0.4	0.5	0.3	0.6	0.3
352	Other cerebral paralysis-----	556	215	214	63	64	0.3	0.3	0.3	0.6	0.6
353	Epilepsy-----	1,989	876	594	344	175	1.1	1.1	0.7	3.5	1.7
.0	Petit mal-----	6	2	4	-	-	0.0	0.0	0.0	0	0
.1	Grand mal-----	350	161	108	51	30	0.2	0.2	0.1	0.5	0.3
.2	Status epilepticus-----	532	228	156	99	49	0.3	0.3	0.2	0.1	0.5
.3	Other and unspecified-----	1,101	465	326	194	96	0.6	0.6	0.4	1.9	0.9
354	Migraine-----	1	-	1	-	-	0.0	0	0.0	0	0
355	Other diseases of brain-----	1,138	529	456	93	60	0.6	0.7	0.6	0.9	0.6
356	Motor neuron disease and muscular atrophy-----	1,273	748	444	51	30	0.7	1.0	0.6	0.5	0.3
.0	Progressive muscular atrophy-----	158	74	72	6	6	0.1	0.1	0.1	0.1	0.1
.1	Amyotrophic lateral sclerosis-----	1,066	651	354	40	21	0.6	0.8	0.4	0.4	0.2
.2	Spinal type of muscular atrophy-----	42	20	15	5	2	0.0	0.0	0.0	0.1	0.0
.3	Other and unspecified manifestations-----	7	3	3	-	1	0.0	0.0	0.0	0	0.0
357	Other diseases of spinal cord-----	204	109	69	18	8	0.1	0.1	0.1	0.2	0.1
360-369	Diseases of nerves and peripheral ganglia-----	252	126	105	12	9	0.1	0.2	0.1	0.1	0.1
360	Facial paralysis-----	1	-	1	-	-	0.0	0	0.0	0	0
361	Trigeminal neuralgia-----	19	6	13	-	-	0.0	0.0	0.0	0	0
362	Brachial neuritis-----	-	-	-	-	-	0	0	0	0	0
363	Sciatica-----	5	-	3	-	-	0.0	0.0	0	0	0
364	Polyneuropitis and polyradiculitis-----	164	85	65	9	7	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica-----	-	-	-	-	-	0	0	0	0	0
366	Other and unspecified forms of neuralgia and neuritis-----	33	16	14	1	2	0.0	0.0	0.0	0.0	0.0
367	Other diseases of cranial nerves-----	8	1	7	-	-	0.0	0.0	0.0	0	0
368	Other diseases of peripheral nerves except autonomic-----	14	9	4	2	-	0.0	0.0	0.0	0.0	0
369	Diseases of peripheral autonomic nervous system-----	8	8	-	-	-	0.0	0.0	0	0	0
370-379	Inflammatory diseases of eye-----	13	4	5	3	1	0.0	0.0	0.0	0.0	0.0
370	Conjunctivitis and ophthalmia-----	-	-	-	-	-	0	0	0	0	0
371	Blepharitis-----	-	-	-	-	-	0	0	0	0	0
372	Hordeolum (sty)-----	-	-	-	-	-	0	0	0	0	0
373	Iritis-----	-	-	-	-	-	0	0	0	0	0
374	Keratitis-----	-	-	-	-	-	0	0	0	0	0
375	Choroiditis-----	-	-	-	-	-	0	0	0	0	0
376	Other inflammation of uveal tract-----	4	1	2	1	-	0.0	0.0	0.0	0.0	0
377	Inflammation of optic nerve and retina-----	2	1	-	1	-	0.0	0.0	0	0.0	0
378	Inflammation of lachrymal glands and ducts-----	-	-	-	-	-	0	0	0	0	0
379	Other inflammatory diseases of eye-----	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0
380-389	Other diseases and conditions of eye-----	44	19	19	3	3	0.0	0.0	0.0	0.0	0.0
380	Refractive errors-----	-	-	-	-	-	0	0	0	0	0
381	Corneal ulcer-----	-	-	-	-	-	0	0	0	0	0
382	Corneal opacity-----	-	-	-	-	-	0	0	0	0	0
383	Pterygium-----	-	-	-	-	-	0	0	0	0	0
384	Strabismus-----	6	2	4	-	-	0.0	0.0	0.0	0	0
385	Cataract-----	21	9	9	1	2	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina-----	4	2	2	-	-	0.0	0.0	0.0	0	0
387	Glaucoma-----	6	2	3	-	-	0.0	0.0	0.0	0	0
388	Other diseases of eyes-----	7	4	1	1	1	0.0	0.0	0.0	0.0	0.0
389	Blindness-----	-	-	-	-	-	0	0	0	0	0
.0	Blindness, both eyes, specifically defined-----	-	-	-	-	-	0	0	0	0	0
.1	Blindness, both eyes, not specifically defined-----	-	-	-	-	-	0	0	0	0	0
.2	Blindness, one eye, specifically defined-----	-	-	-	-	-	0	0	0	0	0
.3	Blindness, one eye, not specifically defined-----	-	-	-	-	-	0	0	0	0	0
390-399	Diseases of ear and mastoid process-----	397	197	124	40	36	0.2	0.3	0.2	0.4	0.3
390	Otitis externa-----	2	2	-	-	-	0.0	0.0	0	0	0
391	Otitis media without mention of mastoiditis-----	276	123	92	31	30	0.2	0.2	0.1	0.3	0.3
.0	Acute-----	38	19	14	3	2	0.0	0.0	0.0	0.0	0.0
.1	Chronic-----	40	18	17	4	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	198	86	61	24	27	0.1	0.1	0.1	0.2	0.3
392	Otitis media with mastoiditis-----	39	24	11	2	2	0.0	0.0	0.0	0.0	0.0
.0	Acute-----	7	6	1	-	-	0.0	0.0	0.0	0	0
.1	Chronic-----	16	9	4	2	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	16	9	6	1	1	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media-----	69	44	17	5	3	0.0	0.1	0.0	0.1	0.0
.0	Acute-----	6	3	4	-	-	0.0	0.0	0.0	0.0	0.0
.1	Chronic-----	23	18	1	3	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified-----	38	23	12	1	2	0.0	0.0	0.0	0.0	0.0



Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE			
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
VII. Diseases of the circulatory system—Con.											
Diseases of arteries—Con.											
453	Peripheral vascular disease-----	255	177	57	13	8	0.1	0.2	0.1	0.1	0.1
.0	Reynaud's disease-----	14	6	7	1	-	0.0	0.0	0.0	0.0	0
.1	Thromboangitis obliterans-----	152	116	29	4	3	0.1	0.1	0.0	0.0	0.0
.2	Chilblains-----	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other-----	86	54	21	8	5	0.0	0.1	0.0	0.1	0.0
454	Arterial embolism and thrombosis-----	798	426	306	48	18	0.4	0.5	0.4	0.5	0.2
455	Gangrene of unspecified cause-----	258	116	86	25	31	0.1	0.1	0.1	0.3	0.3
456	Other diseases of arteries-----	1,059	379	512	39	128	0.6	0.5	0.6	0.4	1.2
480-468	Diseases of veins and other diseases of circulatory system	8,594	3,834	3,564	658	538	4.8	4.9	4.4	6.6	5.1
460	Varicose veins of lower extremities-----	259	102	135	12	10	0.1	0.1	0.2	0.1	0.1
461	Hemorrhoids-----	55	34	15	5	1	0.0	0.0	0.0	0.1	0.0
462	Varicose veins of other specified sites-----	309	183	101	21	4	0.2	0.2	0.1	0.2	0.0
.0	Varicocele-----	-	-	-	-	0	0	0	0	0	0
.1	Varicose veins of esophagus-----	287	173	90	20	4	0.2	0.2	0.1	0.2	0.0
.2	Other-----	22	10	11	1	-	0.0	0.0	0.0	0.0	0
463	Phlebitis and thrombophlebitis of lower extremities-----	1,055	413	521	63	58	0.6	0.5	0.6	0.6	0.6
464	Phlebitis and thrombophlebitis of other sites-----	749	307	360	44	38	0.4	0.4	0.4	0.4	0.4
465	Pulmonary embolism and infarction-----	3,811	1,747	1,448	339	277	2.1	2.2	1.8	3.4	2.6
466	Other venous embolism and thrombosis-----	1,686	741	734	114	97	0.9	0.9	0.8	1.1	0.9
467	Other diseases of circulatory system-----	612	278	229	55	50	0.3	0.4	0.3	0.6	0.5
.0	Hypotension-----	74	32	24	10	8	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries-----	41	20	17	2	2	0.0	0.0	0.0	0.0	0.0
.2	Other and unspecified circulatory diseases-----	497	226	168	43	40	0.3	0.3	0.2	0.4	0.4
468	Certain diseases of lymph nodes and lymph channels-----	58	29	21	5	3	0.0	0.0	0.0	0.1	0.0
.0	Chronic lymphadenitis-----	-	-	-	-	0	0	0	0	0	0
.1	Non-specific mesenteric lymphadenitis-----	21	13	5	1	2	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified-----	25	11	11	2	1	0.0	0.0	0.0	0.0	0.0
.3	Noninfective diseases of lymphatic channels-----	12	5	5	2	-	0.0	0.0	0.0	0.0	0
VIII. Diseases of the respiratory system											
470-475	Acute upper respiratory infections-----	911	371	308	132	100	0.5	0.5	0.4	1.3	0.9
470	Acute nasopharyngitis (common cold)-----	102	21	25	33	23	0.1	0.0	0.0	0.3	0.2
471	Acute sinusitis-----	22	12	7	2	1	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis-----	100	43	42	6	9	0.1	0.1	0.1	0.1	0.1
.0	Sore throat, unqualified-----	13	7	5	-	1	0.0	0.0	0.0	0	0.0
.1	Other-----	87	36	37	6	8	0.0	0.0	0.0	0.1	0.1
473	Acute tonsillitis-----	79	32	25	13	9	0.0	0.0	0.0	0.1	0.1
474	Acute laryngitis and tracheitis-----	252	119	85	32	16	0.1	0.2	0.1	0.3	0.2
475	Acute upper respiratory infection of multiple or unspecified sites-----	356	144	124	46	42	0.2	0.2	0.2	0.5	0.4
480-483	Influenza-----	7,872	3,235	2,996	661	780	4.4	4.1	3.7	8.6	7.4
480	Influenza with pneumonia-----	4,797	1,936	1,764	573	524	2.7	2.5	2.2	5.8	5.0
481	Influenza with other respiratory manifestations, and influenza unqualified-----	2,800	1,196	1,121	257	226	1.6	1.5	1.4	2.6	2.1
482	Influenza with digestive manifestations, but without respiratory symptoms-----	163	57	69	22	15	0.1	0.1	0.1	0.2	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms-----	112	46	42	9	15	0.1	0.1	0.1	0.1	0.1
490-493	Pneumonia-----	58,931	27,486	20,374	6,544	4,527	32.9	35.1	25.3	65.7	43.0
490	Lobar pneumonia-----	10,032	4,929	3,045	1,323	735	5.6	6.3	3.8	13.3	7.0
491	Bronchopneumonia-----	34,405	16,286	12,429	3,345	2,335	19.2	20.8	15.4	33.6	22.2
492	Primary atypical pneumonia-----	5,331	2,500	1,811	536	484	3.0	3.2	2.3	5.4	4.6
493	Pneumonia, other and unspecified-----	9,163	3,761	3,089	1,340	973	5.1	4.8	3.8	13.4	9.2
500-502	Bronchitis-----	4,343	2,759	1,131	278	176	2.4	3.5	1.4	2.8	1.7
500	Acute bronchitis-----	1,170	614	379	94	83	0.7	0.8	0.5	0.9	0.8
501	Bronchitis, unqualified-----	886	433	298	87	68	0.5	0.6	0.4	0.9	0.6
502	Chronic bronchitis-----	2,287	1,711	454	97	25	1.3	2.2	0.8	1.0	0.2
.0	Bronchitis with emphysema-----	1,461	1,200	205	55	3	0.8	1.5	0.3	0.6	0.0
.1	Other-----	826	511	251	42	22	0.5	0.7	0.3	0.4	0.2
510-527	Other diseases of respiratory system-----	22,109	15,647	4,476	1,384	602	12.3	20.0	5.6	13.9	5.7
510	Hypertrophy of tonsils and adenoids-----	132	59	52	12	9	0.1	0.1	0.1	0.1	0.1
.0	Without mention of tonsillectomy or adenoidectomy-----	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy-----	125	57	49	11	8	0.1	0.1	0.1	0.1	0.1
511	Peritonsillar abscess (quinsy)-----	21	10	3	5	3	0.0	0.0	0.0	0.1	0.0
512	Chronic pharyngitis and nasopharyngitis-----	3	1	1	-	1	0.0	0.0	0.0	0	0.0
.0	Chronic pharyngitis-----	-	-	-	-	0	0	0	0	0	0
.1	Chronic nasopharyngitis-----	3	1	1	-	1	0.0	0.0	0.0	0	0.0
513	Chronic sinusitis-----	79	34	25	16	4	0.0	0.0	0.0	0.2	0.0
514	Deflected nasal septum-----	1	1	1	-	-	0.0	0	0.0	0	0
515	Nasal polyp-----	2	1	1	-	-	0.0	0.0	0.0	0	0
516	Chronic laryngitis-----	4	2	1	1	-	0.0	0.0	0.0	0.0	0
517	Other diseases of upper respiratory tract-----	263	140	82	26	15	0.1	0.2	0.1	0.3	0.1
518	Empyema-----	275	161	57	42	15	0.2	0.2	0.1	0.4	0.1
519	Pleurisy-----	181	92	53	23	13	0.1	0.1	0.1	0.2	0.1
.0	Without mention of effusion or tuberculosis-----	97	50	25	14	8	0.1	0.1	0.0	0.1	0.1
.1	With effusion, with mention of a bacterial cause other than tuberculosis-----	-	-	-	-	-	0	0	0	0	0
.2	Other specified forms of effusion, except tuberculous-----	84	42	28	9	5	0.0	0.1	0.0	0.1	0.0
520	Spontaneous pneumothorax-----	104	59	32	9	4	0.1	0.1	0.0	0.1	0.0
521	Abscess of lung-----	604	336	131	94	43	0.3	0.4	0.2	0.9	0.4
522	Pulmonary congestion and hypostasis-----	1,591	673	729	103	86	0.9	0.9	0.9	1.0	0.8

## SECTION 5 - MORTALITY

5-25

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER						RATE			
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
<b>VIII. Diseases of the respiratory system—Con.</b>											
Other diseases of respiratory system—Con.											
523	Pneumoconiosis due to silica and silicates (occupational)-----	1,591	1,502	14	75	-	0.9	1.9	0.0	0.8	0
.0	Silicosis-----	550	498	8	44	-	0.3	0.6	0.0	0.4	0
.1	Anthracosilicosis-----	810	785	4	11	-	0.5	1.0	0.0	0.1	0
.2	Asbestosis-----	21	19	-	2	-	0.0	0.0	0	0.0	0
.3	Other, including pneumoconiosis unspecified-----	210	190	2	18	-	0.1	0.2	0.0	0.2	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin-----	62	54	4	4	-	0.0	0.1	0.0	0.0	0
525	Other chronic interstitial pneumonia-----	3,973	2,504	977	293	199	2.2	3.2	1.2	2.9	1.9
526	Bronchiectasis-----	2,408	1,464	794	104	46	1.3	1.9	1.0	1.0	0.4
527	Other diseases of lung and pleural cavity-----	10,615	8,555	1,519	577	164	6.0	10.9	1.9	5.8	1.6
.0	Pulmonary collapse (1 year and over)-----	210	101	82	17	10	0.1	0.1	0.1	0.2	0.1
.1	Emphysema without mention of bronchitis-----	9,253	7,714	1,047	421	71	5.2	9.8	1.3	4.2	0.7
.2	Other-----	1,352	740	390	139	83	0.8	0.9	0.5	1.4	0.8
<b>IX. Diseases of the digestive system</b>											
530-539	Diseases of buccal cavity and esophagus-----	881	470	331	50	30	0.5	0.6	0.4	0.5	0.3
530	Dental caries-----	8	3	4	-	1	0.0	0.0	0.0	0	0.0
.0	Dental caries, unqualified-----	7	3	3	-	1	0.0	0.0	0.0	0	0.0
.1	With pulp exposure-----	-	-	-	-	-	0	0	0	0	0
.2	With periapical abscess-----	-	-	-	-	-	0	0	0	0	0
.3	Other-----	1	-	1	-	-	0.0	0	0.0	0	0
531	Abscesses of supporting structures of teeth-----	11	7	2	1	1	0.0	0.0	0.0	0.0	0.0
.0	Pericoronal-----	-	-	-	-	-	0	0	0	0	0
.1	Periodontal (parietal)-----	3	1	1	-	1	0.0	0.0	0.0	0	0.0
.2	Other and unspecified-----	8	6	1	1	-	0.0	0.0	0.0	0.0	0
532	Other inflammatory diseases of supporting structures of teeth-----	32	12	8	7	5	0.0	0.0	0.0	0.1	0.0
.0	Gingivitis, except ulcerative-----	1	-	-	-	1	0.0	0	0	0	0.0
.1	Periodontitis (pyorrhea, inflammatory)-----	10	4	1	2	3	0.0	0.0	0.0	0.0	0.0
.2	Periodontosis (pyorrhea, degenerative)-----	1	-	1	-	-	0.0	0	0.0	0	0
.3	Other-----	20	8	6	5	1	0.0	0.0	0.0	0.1	0.0
533	Disorders of occlusion, eruption, and tooth development-----	-	-	-	-	-	0	0	0	0	0
.0	Malocclusion-----	-	-	-	-	-	0	0	0	0	0
.1	Disorders of first dentition-----	-	-	-	-	-	0	0	0	0	0
.2	Impacted teeth-----	-	-	-	-	-	0	0	0	0	0
.3	Unrupted teeth-----	-	-	-	-	-	0	0	0	0	0
.4	Partially erupted teeth-----	-	-	-	-	-	0	0	0	0	0
.5	Congenital anomalies of teeth-----	-	-	-	-	-	0	0	0	0	0
.6	Chronic dental fluorosis-----	-	-	-	-	-	0	0	0	0	0
.7	Other-----	-	-	-	-	-	0	0	0	0	0
534	Toothache from unspecified cause-----	-	-	-	-	-	0	0	0	0	0
535	Other diseases of teeth and supporting structures-----	34	13	16	2	3	0.0	0.0	0.0	0.0	0.0
536	Stomatitis-----	8	2	1	2	3	0.0	0.0	0.0	0.0	0.0
537	Diseases of salivary glands-----	149	58	83	6	2	0.1	0.1	0.1	0.1	0.0
538	Other diseases of buccal cavity-----	27	11	11	4	1	0.0	0.0	0.0	0.0	0.0
539	Diseases of esophagus-----	612	364	206	28	14	0.3	0.5	0.3	0.3	0.1
.0	Functional disorders of esophagus-----	34	16	15	3	-	0.0	0.0	0.0	0.0	0
.1	Other-----	578	348	191	25	14	0.3	0.4	0.2	0.3	0.1
540-545	Diseases of stomach and duodenum-----	12,730	8,630	3,001	791	308	7.1	11.0	3.7	7.9	2.9
540	Ulcer of stomach-----	5,707	3,681	1,511	388	127	3.2	4.7	1.9	3.9	1.2
.0	Without mention of perforation-----	3,816	2,464	1,034	250	68	2.1	3.1	1.3	2.5	0.6
.1	With perforation-----	1,891	1,217	477	138	59	1.1	1.6	0.6	1.4	0.6
541	Ulcer of duodenum-----	5,653	4,143	1,112	295	103	3.2	5.3	1.4	3.0	1.0
.0	Without mention of perforation-----	3,619	2,732	665	163	59	2.0	3.5	0.8	1.6	0.6
.1	With perforation-----	2,034	1,411	447	132	44	1.1	1.8	0.6	1.3	0.4
542	Gastrojejunal ulcer-----	322	229	65	23	5	0.2	0.3	0.1	0.2	0.0
.0	Without mention of perforation-----	194	136	42	11	5	0.1	0.2	0.1	0.1	0.0
.1	With perforation-----	128	93	23	12	-	0.1	0.1	0.0	0.1	0
543	Gastritis and duodenitis-----	393	212	127	28	26	0.2	0.3	0.2	0.3	0.2
544	Disorders of function of stomach-----	139	37	56	21	25	0.1	0.0	0.1	0.2	0.2
.0	Disorders of gastric secretion-----	2	2	-	-	-	0.0	0.0	0	0	0
.1	Disorders of gastric motility-----	65	18	35	6	6	0.0	0.0	0.0	0.1	0.1
.2	Other-----	72	17	21	15	19	0.0	0.0	0.0	0.2	0.2
545	Other diseases of stomach and duodenum-----	516	328	130	36	22	0.3	0.4	0.2	0.4	0.2
550-553	Appendicitis-----	1,871	988	574	184	125	1.0	1.3	0.7	1.8	1.2
550	Acute appendicitis-----	1,705	906	513	168	118	1.0	1.2	0.6	1.7	1.1
.0	Without mention of peritonitis-----	182	104	58	13	7	0.1	0.1	0.1	0.1	0.1
.1	With peritonitis-----	1,523	802	455	155	111	0.8	1.0	0.6	1.6	1.1
551	Appendicitis, unqualified-----	152	75	55	15	7	0.1	0.1	0.1	0.2	0.1
552	Other appendicitis-----	5	3	2	-	-	0.0	0.0	0.0	0	0
553	Other diseases of appendix-----	9	4	4	1	-	0.0	0.0	0.0	0.0	0
560,561	Hernia of abdominal cavity-----	3,413	1,605	1,458	228	122	1.9	2.0	1.8	2.3	1.2
560	Hernia of abdominal cavity without mention of obstruction-----	1,366	681	564	72	49	0.8	0.9	0.7	0.7	0.5
.0	Inguinal-----	153	119	8	24	2	0.1	0.2	0.0	0.2	0.0
.1	Femoral-----	17	7	10	-	-	0.0	0.0	0.0	0	0
.2	Umbilical-----	217	103	87	15	14	0.1	0.1	0.1	0.1	0.1
.3	Ventral (incisional)-----	114	42	59	4	9	0.1	0.1	0.1	0.0	0.1
.4	Of other specified site-----	746	333	368	22	23	0.4	0.4	0.5	0.2	0.2
.5	Of unspecified site-----	119	77	32	9	1	0.1	0.1	0.0	0.1	0.0
561	Hernia of abdominal cavity with obstruction-----	2,047	924	894	156	73	1.1	1.2	1.1	1.6	0.7
.0	Inguinal-----	634	446	94	85	9	0.4	0.6	0.1	0.9	0.1
.1	Femoral-----	266	69	182	5	10	0.1	0.1	0.2	0.1	0.1
.2	Umbilical-----	213	49	141	5	18	0.1	0.1	0.2	0.1	0.2
.3	Ventral (incisional)-----	348	88	238	6	16	0.2	0.1	0.3	0.1	0.2
.4	Of other specified site-----	215	87	107	12	9	0.1	0.1	0.1	0.1	0.1
.5	Of unspecified site-----	371	185	132	43	11	0.2	0.2	0.2	0.4	0.1

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

Number	Cause of death	NUMBER				RATE						
		Total	White		Nonwhite		Total	White		Nonwhite		
			Male	Female	Male	Female		Male	Female	Male	Female	
SEVENTH REVISION OF INTERNATIONAL LIST, 1955												
IX. Diseases of the digestive system—Con.												
570-578	Other diseases of intestines and peritoneum-----	16,910	6,941	6,837	1,642	1,490	9.4	8.9	8.5	16.5	14.2	
570	Intestinal obstruction without mention of hernia-----	5,668	2,269	2,643	364	392	3.2	2.9	3.3	3.7	3.7	
.0	Intussusception-----	145	75	43	19	10	0.1	0.1	0.1	0.2	0.1	
.1	Paralytic ileus-----	306	141	129	17	19	0.2	0.2	0.2	0.2	0.2	
.2	Mesenteric infarction-----	1,909	859	887	73	90	1.1	1.1	1.1	0.7	0.9	
.3	Volvulus-----	882	372	364	76-	70	0.5	0.5	0.5	0.8	0.7	
.4	Impaction of intestine-----	184	67	103	5	9	0.1	0.1	0.1	0.1	0.1	
.5	Other-----	2,242	757	1,117	174	194	1.3	1.0	1.4	1.7	1.8	
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----	4,406	1,450	1,284	916	776	2.5	1.9	1.6	9.2	7.4	
.0	Ages between 4 weeks and 2 years-----	2,957	864	636	790	667	1.6	1.1	0.8	7.9	6.3	
.1	Ages 2 years and over-----	1,449	586	628	126	109	0.8	0.7	0.8	1.3	1.0	
572	Chronic enteritis and ulcerative colitis-----	3,133	1,392	1,530	89	102	1.7	1.8	1.9	0.9	1.0	
.0	Regional enteritis-----	183	97	73	5	8	0.1	0.1	0.1	0.1	0.1	
.1	Diverticulitis-----	2,059	895	1,061	39	64	1.1	1.1	1.3	0.4	0.6	
.2	Ulcerative colitis-----	799	362	382	34	21	0.4	0.5	0.5	0.3	0.2	
.3	Other-----	92	38	34	11	9	0.1	0.0	0.0	0.1	0.1	
573	Functional disorders of intestines-----	41	10	23	2	6	0.0	0.0	0.0	0.0	0.1	
.0	Constipation-----	11	5	3	-	3	0.0	0.0	0.0	0	0.0	
.1	Mucous colitis-----	8	2	4	1	1	0.0	0.0	0.0	0.0	0.0	
.2	Irritability of colon-----	1	1	-	-	-	0.0	0.0	0	0	0	
.3	Other-----	21	2	16	1	2	0.0	0.0	0.0	0.0	0.0	
574	Anal fissure and fistula-----	7	4	2	1	-	0.0	0.0	0.0	0.0	0	
575	Abscess of anal and rectal regions-----	92	44	16	23	9	0.1	0.1	0.0	0.2	0.1	
576	Peritonitis-----	629	285	231	54	59	0.4	0.4	0.3	0.5	0.6	
577	Peritoneal adhesion-----	55	20	28	2	5	0.0	0.0	0.0	0.0	0.0	
578	Other diseases of intestines and peritoneum-----	2,879	1,467	1,080	191	141	1.6	1.9	1.3	1.9	1.3	
580-587	Diseases of liver, gallbladder, and pancreas-----	30,679	16,761	10,981	1,686	1,251	17.1	21.4	13.6	16.9	11.9	
580	Acute and subacute yellow atrophy of liver-----	492	192	218	51	31	0.3	0.2	0.3	0.5	0.3	
581	Cirrhosis of liver-----	20,296	12,231	5,981	1,252	832	11.3	15.6	7.4	12.6	7.9	
.0	Without mention of alcoholism-----	13,660	8,063	4,308	759	530	7.6	10.3	5.4	7.6	5.0	
.1	With alcoholism-----	6,636	4,168	1,673	493	302	3.7	5.3	2.1	4.9	2.9	
582	Suppurative hepatitis and liver abscess-----	130	67	38	15	10	0.1	0.1	0.0	0.2	0.1	
583	Other diseases of liver-----	963	455	382	67	59	0.5	0.6	0.5	0.7	0.6	
584	Cholelithiasis-----	2,962	1,130	1,702	42	88	1.7	1.4	2.1	0.4	0.8	
585	Cholecystitis and cholangitis, without mention of calculi-----	1,657	644	899	42	72	0.9	0.8	1.1	0.4	0.7	
586	Other diseases of gallbladder and biliary ducts-----	1,138	465	606	22	45	0.6	0.6	0.8	0.2	0.4	
587	Diseases of pancreas-----	3,041	1,577	1,155	195	114	1.7	2.0	1.4	2.0	1.1	
.0	Acute pancreatitis-----	2,025	1,068	730	140	87	1.1	1.4	0.9	1.4	0.8	
.1	Chronic pancreatitis-----	220	124	58	24	14	0.1	0.2	0.1	0.2	0.1	
A	Other diseases of pancreas, except fibrocystic disease-----	190	96	71	18	5	0.1	0.1	0.1	0.2	0.0	
B	Fibrocystic disease of pancreas-----	608	289	296	13	8	0.3	0.4	0.4	0.1	0.1	
X. Diseases of the genitourinary system												
590-594	Nephritis and nephrosis-----	13,684	5,927	4,738	1,616	1,403	7.6	7.6	5.9	16.2	13.3	
590	Acute nephritis-----	790	317	268	125	80	0.4	0.4	0.3	1.3	0.8	
591	Nephritis with edema, including nephrosis-----	861	390	305	89	77	0.5	0.5	0.4	0.9	0.7	
592	Chronic nephritis-----	9,295	4,120	3,254	1,027	894	5.2	5.3	4.0	10.3	8.5	
593	Nephritis not specified as acute or chronic-----	2,563	1,010	867	351	335	1.4	1.3	1.1	3.5	3.2	
594	Other renal sclerosis-----	175	90	44	24	17	0.1	0.1	0.1	0.2	0.2	
600-609	Other diseases of urinary system-----	10,964	4,810	4,058	1,130	966	6.1	6.1	5.0	11.3	9.2	
600	Infections of kidney-----	7,645	3,117	3,000	744	784	4.3	4.0	3.7	7.5	7.4	
.0	Pyelitis, pyelocystitis, and pyelonephritis-----	7,429	3,024	2,910	731	764	4.1	3.9	3.6	7.3	7.3	
.1	Abscess of kidney and perirenal tissue-----	145	66	56	9	14	0.1	0.1	0.1	0.1	0.1	
.2	Other-----	71	27	34	4	6	0.0	0.0	0.0	0.0	0.1	
601	Hydronephrosis-----	299	142	98	34	15	0.2	0.2	0.1	0.3	0.1	
602	Calculi of kidney and ureter-----	1,109	556	453	44	56	0.6	0.7	0.6	0.4	0.5	
603	Other diseases of kidney and ureter-----	652	301	206	74	71	0.4	0.4	0.3	0.7	0.7	
604	Calculi of other parts of urinary system-----	107	72	16	15	2	0.1	0.1	0.0	0.2	0.0	
605	Cystitis-----	385	190	140	35	20	0.2	0.2	0.2	0.4	0.2	
606	Other diseases of bladder-----	261	167	49	37	8	0.1	0.2	0.1	0.4	0.1	
607	Urethritis (nonvenereal)-----	2	2	-	-	-	0.0	0.0	0	0	0	
608	Stricture of urethra-----	193	88	2	102	1	0.1	0.1	0.0	1.0	0.0	
609	Other diseases of urethra-----	321	175	92	45	9	0.2	0.2	0.1	0.5	0.1	
610-617	Diseases of male genital organs-----	4,859	4,273	...	686	...	2.8	5.5	...	6.9	...	
610	Hyperplasia of prostate-----	4,449	3,864	...	585	...	2.5	4.9	...	5.9	...	
611	Prostatitis-----	265	213	...	52	...	0.1	0.3	...	0.5	...	
612	Other diseases of prostate-----	163	135	...	28	...	0.1	0.2	...	0.3	...	
613	Hydrocele-----	6	4	...	2	...	0.0	0.0	...	0.0	...	
614	Oorchitis and epididymitis-----	12	9	...	3	...	0.0	0.0	...	0.0	...	
615	Redundant prepuce and phimosis-----	6	5	...	1	...	0.0	0.0	...	0.0	...	
616	Sterility, male-----	-	-	...	-	...	0	0	...	0	...	
617	Other diseases of male genital organs-----	58	43	...	15	...	0.0	0.1	...	0.2	...	
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	256	-	146	-	110	0.1	0	0.2	0	1.0	
620	Chronic cystic disease of breast-----	2	-	2	-	-	0.0	0	0.0	0	0	
621	Other diseases of breast-----	10	-	8	-	2	0.0	0	0.0	0	0.0	
.0	Acute mastitis not associated with lactation-----	6	-	4	-	2	0.0	0	0.0	0	0.0	
.1	Hypertrophy of breast-----	1	-	1	-	-	0.0	0	0.0	0	0	
.2	Other-----	3	-	3	-	-	0.0	0	0.0	0	0	
622	Acute salpingitis and oophoritis-----	10	...	4	...	6	0.0	...	0.0	...	0.1	
623	Chronic salpingitis and oophoritis-----	6	...	4	...	2	0.0	...	0.0	...	0.0	
624	Salpingitis and oophoritis, unqualified-----	98	...	39	...	49	0.0	...	0.0	...	0.5	
625	Other diseases of ovary and fallopian tube-----	25	...	15	...	10	0.0	...	0.0	...	0.1	
626	Diseases of parametrium and pelvic peritoneum (female)-----	115	...	74	...	41	0.1	...	0.1	...	0.4	

## SECTION 5 - MORTALITY

5-27

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER				RATE					
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
<b>X. Diseases of the genitourinary system-Con.</b>											
630-637	Diseases of uterus and other female genital organs-----	450	...	366	...	84	0.3	...	0.5	...	0.8
630	Infective disease of uterus, vagina, and vulva-----	44	...	31	...	13	0.0	...	0.0	...	0.1
.0	Cervicitis-----	6	...	5	...	1	0.0	...	0.0	...	0.0
.1	Other infective diseases of uterus-----	28	...	17	...	11	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis-----	10	...	9	...	1	0.0	...	0.0	...	0.0
631	Uterovaginal prolapse-----	121	...	113	...	8	0.1	...	0.1	...	0.1
632	Malposition of uterus-----	5	...	5	...	-	0.0	...	0.0	...	0
633	Other diseases of uterus-----	215	...	167	...	51	0.1	...	0.2	...	0.5
634	Disorders of menstruation-----	31	...	22	...	9	0.0	...	0.0	...	0.1
635	Menopausal symptoms-----	1	...	1	...	-	0.0	...	0.0	...	0
636	Sterility, female-----	1	...	1	...	-	0.0	...	0.0	...	0
637	Other diseases of female genital organs-----	29	...	26	...	3	0.0	...	0.0	...	0.0
.0	Leukorrhea-----	-	...	-	...	-	0	...	0	...	0
.1	Other-----	29	...	26	...	3	0.0	...	0.0	...	0.0
<b>XI. Deliveries and complications of pregnancy, childbirth, and the puerperium</b>											
640-649	Complications of pregnancy-----	519	...	282	...	237	0.3	...	0.4	...	2.3
640	Pyelitis and pyelonephritis of pregnancy-----	3	...	3	...	-	0.0	...	0.0	...	0
641	Other infections of genitourinary tract during pregnancy-----	10	...	6	...	4	0.0	...	0.0	...	0.0
642	Toxemia of pregnancy-----	274	...	150	...	124	0.2	...	0.2	...	1.2
.0	Hypertensive disease arising during pregnancy-----	31	...	10	...	21	0.0	...	0.0	...	0.2
.1	Renal disease arising during pregnancy-----	20	...	14	...	6	0.0	...	0.0	...	0.1
.2	Preeclampsia of pregnancy-----	24	...	18	...	6	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy-----	119	...	60	...	59	0.1	...	0.1	...	0.6
.4	Hyperemesis gravidarum-----	4	...	3	...	1	0.0	...	0.0	...	0.0
.5	Other-----	76	...	45	...	31	0.0	...	0.1	...	0.3
643	Placenta previa-----	-	...	-	...	-	0	...	0	...	0
644	Other hemorrhage of pregnancy-----	5	...	4	...	1	0.0	...	0.0	...	0.0
645	Ectopic pregnancy-----	119	...	42	...	77	0.1	...	0.1	...	0.7
.0	Without mention of sepsis-----	109	...	39	...	70	0.1	...	0.0	...	0.7
.1	With sepsis-----	10	...	3	...	7	0.0	...	0.0	...	0.1
646	Anemia of pregnancy-----	4	...	3	...	1	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus-----	-	...	-	...	-	0	...	0	...	0
648	Other complications arising from pregnancy-----	104	...	74	...	30	0.1	...	0.1	...	0.3
.0	Threatened abortion-----	1	...	-	...	1	0.0	...	0	...	0.0
.1	Hydatidiform mole-----	4	...	3	...	1	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere-----	2	...	2	...	-	0.0	...	0.0	...	0
.3	Other-----	97	...	69	...	28	0.1	...	0.1	...	0.3
650-652	Abortion-----	289	...	147	...	142	0.2	...	0.2	...	1.3
650	Abortion without mention of sepsis or toxemia-----	88	...	46	...	42	0.0	...	0.1	...	0.4
.0	Spontaneous or unspecified-----	38	...	17	...	21	0.0	...	0.0	...	0.2
.1	Induced for medical or legal indications-----	5	...	2	...	3	0.0	...	0.0	...	0.0
.2	Induced for other reasons-----	44	...	26	...	18	0.0	...	0.0	...	0.2
.3	Other-----	1	...	1	...	-	0.0	...	0.0	...	0
651	Abortion with sepsis-----	191	...	97	...	94	0.1	...	0.1	...	0.9
.0	Spontaneous or unspecified-----	103	...	57	...	46	0.1	...	0.1	...	0.4
.1	Induced for medical or legal indications-----	5	...	4	...	1	0.0	...	0.0	...	0.0
.2	Induced for other reasons-----	81	...	35	...	46	0.0	...	0.0	...	0.4
.3	Other-----	2	...	1	...	1	0.0	...	0.0	...	0.0
652	Abortion with toxemia, without mention of sepsis-----	10	...	4	...	6	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified-----	6	...	1	...	5	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications-----	-	...	-	...	-	0	...	0	...	0
.2	Induced for other reasons-----	4	...	3	...	1	0.0	...	0.0	...	0.0
.3	Other-----	-	...	-	...	-	0	...	0	...	0
660	Delivery without mention of complication-----	47	...	31	...	16	0.0	...	0.0	...	0.2
670-678	Delivery with specified complication-----	484	...	314	...	170	0.3	...	0.4	...	1.6
670	Delivery complicated by placenta previa of antepartum hemorrhage-----	129	...	90	...	39	0.1	...	0.1	...	0.4
671	Delivery complicated by retained placenta-----	18	...	8	...	10	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage-----	116	...	66	...	50	0.1	...	0.1	...	0.5
673	Delivery complicated by abnormality of bony pelvis-----	1	...	1	...	-	0.0	...	0.0	...	0
674	Delivery complicated by disproportion or malposition of fetus-----	46	...	28	...	18	0.0	...	0.0	...	0.2
675	Delivery complicated by prolonged labor of other origin-----	20	...	14	...	6	0.0	...	0.0	...	0.1
676	Delivery with laceration of perineum, without mention of other laceration-----	1	...	1	...	-	0.0	...	0.0	...	0
677	Delivery with other trauma-----	81	...	56	...	25	0.0	...	0.1	...	0.2
678	Delivery with other complications of childbirth-----	72	...	50	...	22	0.0	...	0.1	...	0.2
680-689	Complications of the puerperium-----	240	...	182	...	78	0.1	...	0.2	...	0.7
680	Puerperal urinary infection without other sepsis-----	3	...	1	...	2	0.0	...	0.0	...	0.0
681	Sepsis of childbirth and the puerperium-----	73	...	43	...	30	0.0	...	0.1	...	0.3
682	Puerperal phlebitis and thrombosis-----	26	...	17	...	9	0.0	...	0.0	...	0.1
683	Fyrexia of unknown origin during the puerperium-----	-	...	-	...	-	0	...	0	...	0
684	Puerperal pulmonary embolism-----	55	...	43	...	10	0.0	...	0.1	...	0.1
685	Puerperal eclampsia-----	24	...	13	...	11	0.0	...	0.0	...	0.1
686	Other forms of puerperal toxemia-----	5	...	3	...	2	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium-----	18	...	13	...	5	0.0	...	0.0	...	0.0
688	Other and unspecified complications of the puerperium-----	39	...	29	...	9	0.0	...	0.0	...	0.1
.0	Anemia of puerperium-----	2	...	1	...	1	0.0	...	0.0	...	0.0
.1	Puerperal psychosis-----	1	...	1	...	-	0.0	...	0.0	...	0
.2	Sudden death from unknown cause in the puerperium-----	1	...	-	...	1	0.0	...	0.0	...	0.0
.3	Other-----	34	...	27	...	7	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation-----	-	...	-	...	-	0	...	0	...	0



SECTION 5 - MORTALITY

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER						RATE			
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
XII. Diseases of the skin and cellular tissue											
690-698	Infections of skin and subcutaneous tissue-----	632	271	269	44	49	0.4	0.3	0.3	0.4	0.5
690	Boil and carbuncle-----	120	64	49	4	3	0.1	0.1	0.1	0.0	0.0
.0	Of face-----	12	7	4	1	-	0.0	0.0	0.0	0.0	0.0
.1	Of neck-----	12	10	2	-	-	0.0	0.0	0.0	0	0
.2	Of trunk-----	18	10	8	-	-	0.0	0.0	0.0	0	0
.3	Of upper arm and forearm-----	5	4	1	-	-	0.0	0.0	0.0	0	0
.4	Of hand-----	1	1	-	-	-	0.0	0.0	0	0	0
.5	Of buttock-----	10	6	4	-	-	0.0	0.0	0.0	0	0
.6	Of other parts of lower extremity-----	2	1	1	-	-	0.0	0.0	0.0	0	0
.7	Of other parts and multiple sites-----	45	20	22	1	2	0.0	0.0	0.0	0.0	0.0
.8	Of unspecified site-----	15	5	7	2	1	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe-----	5	2	3	-	-	0.0	0.0	0.0	0	0
692	Other cellulitis and abscess without mention of lymphangitis-----	391	150	172	31	38	0.2	0.2	0.2	0.3	0.4
.0	Of head and neck-----	81	24	43	8	8	0.0	0.0	0.1	0.1	0.1
.1	Of trunk-----	90	37	35	8	10	0.1	0.0	0.0	0.1	0.1
.2	Of upper arm and forearm-----	23	11	11	-	1	0.0	0.0	0.0	0	0.0
.3	Of hand, except fingers-----	4	3	-	-	1	0.0	0.0	0	0	0.0
.4	Of leg-----	97	35	45	7	10	0.1	0.0	0.1	0.1	0.1
.5	Of foot, except toes-----	15	6	4	3	2	0.0	0.0	0.0	0.0	0.0
.6	Of other, multiple, and unspecified sites-----	81	34	34	5	8	0.0	0.0	0.0	0.1	0.1
693	Other cellulitis and abscess with lymphangitis-----	8	4	4	-	-	0.0	0.0	0.0	0	0
.0	Of head and neck-----	-	-	-	-	-	0	0	0	0	0
.1	Of trunk-----	-	-	-	-	-	0	0	0	0	0
.2	Of upper arm and forearm-----	-	-	-	-	-	0	0	0	0	0
.3	Of hand, except fingers-----	-	-	-	-	-	0	0	0	0	0
.4	Of leg-----	7	3	4	-	-	0.0	0.0	0.0	0	0
.5	Of foot, except toes-----	-	-	-	-	-	0	0	0	0	0
.6	Of other, multiple, and unspecified sites-----	1	1	-	-	-	0.0	0.0	0	0	0
694	Acute lymphadenitis-----	3	1	2	-	-	0.0	0.0	0.0	0	0
695	Impetigo-----	8	4	1	2	1	0.0	0.0	0.0	0.0	0.0
696	Infectious warts-----	-	-	-	-	-	0	0	0	0	0
697	Molluscum contagiosum-----	1	1	-	-	-	0.0	0.0	0	0	0
698	Other local infections of skin and subcutaneous tissue-----	96	45	37	7	7	0.1	0.1	0.0	0.1	0.1
700-716	Other diseases of skin and subcutaneous tissue-----	1,437	409	741	87	200	0.8	0.5	0.9	0.9	1.9
700	Seborrheic dermatitis-----	1	1	-	-	-	0.0	0.0	0	0	0
701	Eczema-----	3	2	-	1	-	0.0	0.0	0	0.0	0
702	Occupational dermatitis-----	-	-	-	-	-	0	0	0	0	0
.0	Due to plants-----	-	-	-	-	-	0	0	0	0	0
.1	Due to oils and greases-----	-	-	-	-	-	0	0	0	0	0
.2	Due to solvents-----	-	-	-	-	-	0	0	0	0	0
.3	Due to drugs-----	-	-	-	-	-	0	0	0	0	0
.4	Due to other chemicals-----	-	-	-	-	-	0	0	0	0	0
.5	Due to radiation-----	-	-	-	-	-	0	0	0	0	0
.6	Other-----	-	-	-	-	-	0	0	0	0	0
703	Other dermatitis-----	25	5	5	7	8	0.0	0.0	0.0	0.1	0.1
.0	Due to plants-----	1	-	-	-	1	0.0	0	0	0	0.0
.1	Due to oils and greases-----	-	-	-	-	-	0	0	0	0	0
.2	Due to solvents-----	-	-	-	-	-	0	0	0	0	0
.3	Due to drugs-----	7	1	1	1	4	0.0	0.0	0.0	0.0	0.0
.4	Due to other chemicals-----	-	-	-	-	-	0	0	0	0	0
.5	Due to radiation-----	-	-	-	-	-	0	0	0	0	0
.6	Due to other specified agents-----	8	-	2	4	2	0.0	0	0.0	0.0	0.0
.7	Unqualified-----	9	4	2	2	1	0.0	0.0	0.0	0.0	0.0
704	Pemphigus-----	149	52	72	6	19	0.1	0.1	0.1	0.1	0.2
.0	Dermatitis herpetiformis-----	4	1	1	1	1	0.0	0.0	0.0	0.0	0.0
.1	Other-----	145	51	71	5	18	0.1	0.1	0.1	0.1	0.2
705	Erythematous conditions-----	402	98	208	22	74	0.2	0.1	0.3	0.2	0.7
.0	Toxic erythema-----	-	-	-	-	-	0	0	0	0	0
.1	Erythema multiforme (erythema iris)-----	34	9	15	5	5	0.0	0.0	0.0	0.1	0.0
.2	Erythema nodosum-----	1	-	1	-	-	0.0	0	0.0	0	0
.3	Rosacea-----	-	-	-	-	-	0	0	0	0	0
.4	Lupus erythematosus-----	321	65	180	11	65	0.2	0.1	0.2	0.1	0.6
.5	Other and unqualified-----	46	24	12	6	4	0.0	0.0	0.0	0.1	0.0
706	Psoriasis and similar disorders-----	22	15	5	-	2	0.0	0.0	0.0	0	0.0
.0	Psoriasis-----	21	15	4	-	2	0.0	0.0	0.0	0	0.0
.1	Parapsoriasis-----	-	-	-	-	-	0	0	0	0	0
.2	Pityriasis rosea-----	-	-	-	-	-	0	0	0	0	0
.3	Other and unspecified pityriasis-----	1	-	1	-	-	0.0	0	0.0	0	0
.4	Other-----	-	-	-	-	-	0	0	0	0	0
707	Lichen planus-----	-	-	-	-	-	0	0	0	0	0
708	Pruritus and related conditions-----	6	1	5	-	-	0.0	0.0	0.0	0	0
.0	Pruritus ani-----	-	-	-	-	-	0	0	0	0	0
.1	Pruritus of genital organs-----	-	-	-	-	-	0	0	0	0	0
.2	Prurigo-----	-	-	-	-	-	0	0	0	0	0
.3	Lichenification and lichen simplex chronicus-----	4	1	3	-	-	0.0	0.0	0.0	0	0
.4	Dermatitis factitia (artefacta)-----	-	-	-	-	-	0	0	0	0	0
.5	Other pruritic conditions-----	2	-	2	-	-	0.0	0	0.0	0	0
709	Corns and callosities-----	1	1	-	-	-	0.0	0.0	0	0	0
710	Other hypertrophic and atrophic conditions of skin-----	388	99	220	17	52	0.2	0.1	0.3	0.2	0.5
.0	Scleroderma and dermatomyositis-----	382	94	219	17	52	0.2	0.1	0.3	0.2	0.5
.1	Keratoderma-----	1	1	-	-	-	0.0	0.0	0	0	0
.2	Hereditary edema of legs (Milroy's disease)-----	1	-	1	-	-	0.0	0	0.0	0	0
.3	Striae atrophicae-----	1	1	-	-	-	0.0	0.0	0	0	0
.4	Keloid scar-----	1	1	-	-	-	0.0	0.0	0	0	0
.5	Other hypertrophic and atrophic conditions of skin-----	2	2	-	-	-	0.0	0.0	0	0	0
711	Other dermatosis-----	4	3	1	-	-	0.0	0.0	0.0	0	0
712	Diseases of nail-----	1	-	1	-	-	0.0	0	0.0	0	0

## SECTION 5 - MORTALITY

5-29

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

Number	SEVENTH REVISION OF INTERNATIONAL LIST, 1955 Cause of death	NUMBER					RATE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
XII. Diseases of the skin and cellular tissue—Con.											
713	Other diseases of skin and subcutaneous tissue—Con.	-	-	-	-	-	0	0	0	0	0
714	Diseases of hair and hair follicles	2	-	-	2	-	0.0	0	0	0.0	0
	Diseases of sweat and sebaceous glands	2	-	-	2	-	0.0	0	0	0.0	0
.0	Diseases of sweat glands	-	-	-	-	-	0	0	0	0	0
.1	Acne	-	-	-	-	-	0	0	0	0	0
.2	Other diseases of sebaceous glands	-	-	-	-	-	0	0	0	0	0
715	Chronic ulcer of skin	430	130	223	32	45	0.2	0.2	0.3	0.3	0.4
716	Other diseases of skin	3	2	1	-	-	0.0	0.0	0.0	0	0
XIII. Diseases of the bones and organs of movement											
720-727	Arthritis and rheumatism, except rheumatic fever	2,017	647	1,222	58	90	1.1	0.8	1.5	0.6	0.9
720	Acute arthritis due to pyogenic organisms	39	19	12	3	5	0.0	0.0	0.0	0.0	0.0
721	Acute nonpyogenic arthritis	-	-	-	-	-	0	0	0	0	0
722	Rheumatoid arthritis and allied conditions	1,257	382	808	18	49	0.7	0.5	1.0	0.2	0.5
.0	Rheumatoid arthritis	1,228	358	803	18	49	0.7	0.5	1.0	0.2	0.5
.1	Spondylitis ankylopoietica	29	24	5	-	-	0.0	0.0	0.0	0	0
.2	Chronic rheumatoid nodular fibrositis	-	-	-	-	-	0	0	0	0	0
723	Osteoarthritis (arthrosis) and allied conditions	320	113	184	13	10	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)	292	103	172	9	8	0.2	0.1	0.2	0.1	0.1
.1	Spondylitis osteoarthritis (spondylarthrosis)	28	10	12	4	2	0.0	0.0	0.0	0.0	0.0
.2	Adult osteochondrosis of spine	-	-	-	-	-	0	0	0	0	0
724	Other specified forms of arthritis	13	5	7	1	-	0.0	0.0	0.0	0.0	0
725	Arthritis, unspecified	366	119	205	19	23	0.2	0.2	0.3	0.2	0.2
726	Muscular rheumatism	15	7	3	2	3	0.0	0.0	0.0	0.0	0.0
.0	Lumbago	-	-	-	-	-	0	0	0	0	0
.1	Myofibrosis of humerosecapular region	-	-	-	-	-	0	0	0	0	0
.2	Torticollis not specified as congenital, psychogenic, or traumatic	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other muscular rheumatism, fibrositis, and myalgia	14	6	3	2	3	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified	7	2	3	2	-	0.0	0.0	0.0	0.0	0
730-738	Osteomyelitis and other diseases of bone and joint	641	279	301	39	22	0.4	0.4	0.4	0.4	0.2
730	Osteomyelitis periostitis	175	88	61	16	10	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis	6	1	3	2	-	0.0	0.0	0.0	0.0	0
.1	Chronic osteomyelitis	55	31	14	9	1	0.0	0.0	0.0	0.1	0.0
.2	Unspecified osteomyelitis	113	56	43	5	9	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis	1	-	1	-	-	0.0	0	0.0	0	0
731	Osteitis deformans	116	56	49	7	4	0.1	0.1	0.1	0.1	0.0
732	Osteochondrosis	1	1	-	-	-	0.0	0.0	0	0	0
733	Other diseases of bone	266	93	163	6	4	0.1	0.1	0.2	0.1	0.0
734	Internal derangement of knee joint	3	-	-	1	2	0.0	0.0	0	0.0	0.0
735	Displacement of intervertebral disk	50	24	17	7	2	0.0	0.0	0.0	0	0
736	Affection of sacroiliac joint	2	1	1	1	-	0.0	0.0	0.0	0.0	0
737	Ankylosis of joint	11	6	3	2	2	0.0	0.0	0.0	0.0	0
.0	Of spine	9	5	2	2	-	0.0	0.0	0.0	0.0	0
.1	Of shoulder	-	-	-	-	-	0	0	0	0	0
.2	Of elbow	-	-	-	-	-	0	0	0	0	0
.3	Of wrist	-	-	-	-	-	0	0	0	0	0
.4	Of finger	-	-	-	-	-	0	0	0	0	0
.5	Of hip	2	1	1	-	-	0.0	0.0	0.0	0	0
.6	Of knee	-	-	-	-	-	0	0	0	0	0
.7	Of ankle	-	-	-	-	-	0	0	0	0	0
.8	Of other and multiple sites	-	-	-	-	-	0	0	0	0	0
.9	Of unspecified site	-	-	-	-	-	0	0	0	0	0
738	Other diseases of joint	17	10	7	-	-	0.0	0.0	0.0	0	0
740-749	Other diseases of musculoskeletal system	938	537	318	44	39	0.5	0.7	0.4	0.4	0.4
740	Bunion	2	-	2	-	-	0.0	0	0.0	0	0
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	12	5	3	1	3	0.0	0.0	0.0	0.0	0.0
742	Synovitis, bursitis, and tenosynovitis of occupational origin	-	-	-	-	-	0	0	0	0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	5	1	3	1	-	0.0	0.0	0.0	0.0	0
744	Other diseases of muscle, tendon, and fascia	830	495	269	37	31	0.5	0.6	0.3	0.4	0.3
.0	Myasthenia gravis	221	77	110	14	20	0.1	0.1	0.1	0.1	0.2
.1	Inborn defect of muscle	573	396	144	22	11	0.3	0.5	0.2	0.2	0.1
.2	Other	36	20	15	1	-	0.0	0.0	0.0	0.0	0
745	Curvature of spine	70	28	36	3	3	0.0	0.0	0.0	0.0	0.0
746	Flatfoot	-	-	-	-	-	0	0	0	0	0
747	Hallux valgus and varus	-	-	-	-	-	0	0	0	0	0
748	Clubfoot	2	1	1	-	-	0.0	0.0	0.0	0	0
749	Other deformities	17	9	4	2	2	0.0	0.0	0.0	0.0	0.0
XIV. Congenital malformations											
750-759	Congenital malformations	21,860	10,392	8,664	1,573	1,231	12.2	13.3	10.8	15.8	11.7
750	Monstrosity	1,042	393	577	35	37	0.6	0.5	0.7	0.4	0.4
751	Spina bifida and meningocele	1,215	497	658	37	33	0.7	0.6	0.8	0.4	0.5
752	Congenital hydrocephalus	1,622	706	682	120	114	0.9	0.9	0.8	1.2	1.1
753	Other congenital malformations of nervous system and sense organs	881	406	361	59	55	0.5	0.5	0.4	0.6	0.5
.0	Congenital cataract	5	2	1	2	-	0.0	0.0	0.0	0.0	0
.1	Other	876	404	360	57	55	0.5	0.5	0.4	0.6	0.5
754	Congenital malformations of circulatory system	11,272	5,479	4,293	813	687	6.3	7.0	5.3	8.2	6.5
.0	Tetralogy of Fallot	654	361	233	31	29	0.4	0.5	0.3	0.3	0.3
.1	Patent ductus arteriosus (Botalli)	428	187	164	40	37	0.2	0.2	0.2	0.4	0.4
.2	Interventricular septal defect	951	388	441	51	71	0.5	0.5	0.5	0.5	0.7
.3	Interatrial septal defect	616	256	287	32	41	0.3	0.3	0.4	0.3	0.4
.4	Fibrosclerosi cordis	480	215	161	55	49	0.3	0.3	0.2	0.6	0.5
.5	Other and unspecified malformations of heart	6,341	3,082	2,367	502	390	3.5	3.9	2.9	5.0	3.7
.6	Coarctation of aorta	330	183	113	21	15	0.2	0.2	0.1	0.2	0.1
.7	Other circulatory malformations	1,472	807	527	81	57	0.8	1.0	0.7	0.8	0.5

SECTION 5 - MORTALITY

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

Number	Cause of death	NUMBER				RATE						
		Total	White		Nonwhite		Total	White		Nonwhite		
			Male	Female	Male	Female		Male	Female	Male	Female	
	XIV. Congenital malformations-Con.											
	Congenital malformations-Con.											
755	Cleft palate and harelip	66	30	25	7	4	0.0	0.0	0.0	0.1	0.0	0.0
756	Congenital malformations of digestive system	1,828	852	671	177	128	1.0	1.1	0.8	1.8	1.2	0.1
.0	Congenital hypertrophic pyloric stenosis	91	57	35	15	6	0.1	0.1	0.0	0.2	0.1	0.1
.1	Imperforate anus	139	82	58	14	8	0.1	0.1	0.0	0.1	0.1	0.1
.2	Other	1,598	715	623	148	114	0.9	0.9	0.8	1.5	1.1	0.1
757	Congenital malformations of genitourinary system	1,697	939	578	123	57	0.9	1.2	0.7	1.2	0.5	0.5
.0	Undescended testicle	3	3	-	-	-	0.0	0.0	-	0	-	-
.1	Polycystic disease of kidney	1,024	517	402	65	40	0.6	0.7	0.5	0.7	0.4	0.4
.2	Congenital malformations of external genital organs	11	5	6	-	-	0.0	0.0	0.0	0	0	0
.3	Other	659	414	170	58	17	0.4	0.5	0.2	0.6	0.2	0.2
758	Congenital malformations of bone and joint	300	147	109	28	16	0.2	0.2	0.1	0.3	0.2	0.2
.0	Congenital dislocation of hip	1	-	1	-	-	0.0	0	0.0	0	0	0
.1	Chondrodystrophy	70	34	29	4	3	0.0	0.0	0.0	0.0	0.0	0.0
.2	Congenital malformations of skull	78	38	30	7	1	0.0	0.0	0.0	0.1	0.0	0.0
.3	Brittle bones	45	23	14	5	3	0.0	0.0	0.0	0.1	0.0	0.0
.4	Cervical rib	-	-	-	-	-	0.0	0	0	0	0	0
.5	Congenital abnormalities of lumbosacral region	3	2	-	1	-	0.0	0.0	0	0.0	0	0
.6	Other congenital malformations of bone and joint	105	50	35	11	9	0.1	0.1	0.0	0.1	0.1	0.1
759	Other and unspecified congenital malformations not elsewhere classified	1,937	953	710	174	100	1.1	1.2	0.9	1.7	0.9	0.9
.0	Of respiratory system	530	283	185	47	35	0.3	0.3	0.2	0.3	0.3	0.3
.1	Of skin	11	10	23	7	5	0.0	0.0	0.0	0.1	0.0	0.0
.2	Of muscle	165	95	59	7	4	0.1	0.1	0.1	0.1	0.0	0.0
.3	Other and unspecified	1,197	565	443	113	56	0.7	0.7	0.6	1.1	0.5	0.5
	XV. Certain diseases of early infancy											
760-769	Birth injuries, asphyxia, and infections of newborn	35,488	16,535	10,959	4,511	3,483	19.8	21.1	13.6	45.3	33.1	
760	Intracranial and spinal injury at birth	3,175	1,583	874	437	281	1.8	2.0	1.1	4.4	2.7	
.0	Without mention of immaturity	1,857	962	504	250	141	1.0	1.2	0.6	2.5	1.5	
.5	With immaturity	1,318	621	370	187	140	0.7	0.8	0.5	1.9	1.3	
761	Other birth injury	6,993	3,511	2,411	569	492	3.9	4.5	3.0	5.7	4.7	
.0	Without mention of immaturity	2,144	999	681	242	222	1.2	1.3	0.8	2.4	2.1	
.5	With immaturity	4,859	2,512	1,730	327	270	2.7	3.2	2.2	3.3	2.6	
762	Postnatal asphyxia and atelectasis	19,539	9,122	6,087	2,438	1,892	10.9	11.6	7.8	24.5	18.0	
.0	Without mention of immaturity	5,255	2,510	1,643	603	499	2.9	3.2	2.0	6.1	4.7	
.5	With immaturity	14,284	6,612	4,444	1,835	1,393	8.0	8.4	5.5	18.4	13.2	
763	Pneumonia of newborn	3,544	1,405	967	673	499	2.0	1.8	1.2	6.8	4.7	
.0	Without mention of immaturity	2,563	986	701	497	379	1.4	1.3	0.9	5.0	3.5	
.5	With immaturity	981	419	266	176	120	0.5	0.5	0.3	1.8	1.1	
764	Diarrhea of newborn	463	126	91	138	108	0.3	0.2	0.1	1.4	1.0	
.0	Without mention of immaturity	362	103	62	115	82	0.2	0.1	0.1	1.2	0.8	
.5	With immaturity	101	23	29	23	26	0.1	0.0	0.0	0.2	0.2	
765	Ophthalmia neonatorum	-	-	-	-	-	0	0	0	0	0	
.0	Without mention of immaturity	-	-	-	-	-	0	0	0	0	0	
.5	With immaturity	-	-	-	-	-	0	0	0	0	0	
766	Pemphigus neonatorum	30	21	4	4	1	0.0	0.0	0.0	0.0	0.0	
.0	Without mention of immaturity	22	16	1	4	1	0.0	0.0	0.0	0.0	0.0	
.5	With immaturity	8	5	3	-	-	0.0	0.0	0.0	0	0	
767	Umbilical sepsis	84	28	22	17	17	0.0	0.0	0.0	0.2	0.2	
.0	Without mention of immaturity	64	21	18	13	12	0.0	0.0	0.0	0.1	0.1	
.5	With immaturity	20	7	4	4	5	0.0	0.0	0.0	0.0	0.0	
768	Other sepsis of newborn	665	274	186	113	92	0.4	0.3	0.2	1.1	0.9	
.0	Without mention of immaturity	420	180	117	89	54	0.2	0.1	0.1	0.7	0.5	
.5	With immaturity	245	94	69	44	38	0.1	0.2	0.1	0.4	0.4	
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	1,005	465	317	122	101	0.6	0.6	0.4	1.2	1.0	
.0-.4	Without mention of immaturity	358	163	100	56	39	0.2	0.2	0.1	0.6	0.4	
.0	Attributed to "toxemia of pregnancy"	131	48	35	28	20	0.1	0.1	0.0	0.3	0.2	
.1	Attributed to maternal diabetes	112	64	35	11	2	0.1	0.1	0.0	0.1	0.0	
.2	Attributed to maternal rubella	14	10	4	-	-	0.0	0.0	0.0	0	0	
.3	Attributed to toxoplasmosis	15	6	6	1	2	0.0	0.0	0.0	0.0	0.0	
.4	Attributed to other or unspecified diseases of the mother during pregnancy	86	35	20	16	15	0.0	0.0	0.0	0.2	0.1	
.5-.9	With immaturity	647	302	217	66	62	0.4	0.4	0.3	0.7	0.6	
.5	Attributed to "toxemia of pregnancy"	238	110	77	29	22	0.1	0.1	0.1	0.3	0.2	
.6	Attributed to maternal diabetes	136	79	47	5	5	0.1	0.1	0.1	0.1	0.0	
.7	Attributed to maternal rubella	2	1	1	-	-	0.0	0.0	0.0	0	0	
.8	Attributed to toxoplasmosis	2	1	1	-	-	0.0	0.0	0.0	0	0	
.9	Attributed to other or unspecified diseases of the mother during pregnancy	269	111	91	32	35	0.2	0.1	0.1	0.3	0.3	
770-776	Other diseases peculiar to early infancy	31,806	13,876	10,106	4,381	3,443	17.6	17.5	12.6	44.0	32.7	
770	Hemolytic disease of newborn (erythroblastosis)	2,158	1,053	952	102	51	1.2	1.3	1.2	1.0	0.5	
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,608	786	713	68	41	0.9	1.0	0.9	0.7	0.4	
.1	Kernicterus, without mention of immaturity	95	40	39	14	2	0.1	0.1	0.0	0.1	0.0	
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	11	11	-	-	-	0.0	0.0	0	0	0	
.5	Erythroblastosis, without mention of nervous affection but with immaturity	410	198	191	14	7	0.2	0.3	0.2	0.1	0.1	
.6	Kernicterus with immaturity	34	18	9	6	1	0.0	0.0	0.0	0.1	0.0	
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	-	-	-	-	-	0.0	0	0	0	0	
771	Hemorrhagic disease of newborn	620	276	162	105	77	0.3	0.4	0.2	1.1	0.7	
.0	Without mention of immaturity	393	156	114	76	47	0.2	0.2	0.1	0.8	0.4	
.5	With immaturity	227	120	48	29	30	0.1	0.2	0.1	0.3	0.3	
772	Nutritional maladjustment	802	221	127	273	181	0.4	0.3	0.2	2.7	1.7	
.0	Without mention of immaturity	670	189	108	230	144	0.4	0.2	0.1	2.3	1.4	
.5	With immaturity	132	33	19	43	37	0.1	0.0	0.0	0.4	0.4	

SECTION 5 - MORTALITY

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LIST, 1955		NUMBER						RATE			
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
XV. Certain diseases of early infancy-Con.											
Other diseases peculiar to early infancy-Con.											
773	Ill-defined diseases peculiar to early infancy-----	7,256	3,383	2,278	945	650	4.0	4.3	2.8	9.5	6.2
.0	Without mention of immaturity-----	1,684	832	494	230	128	0.9	1.1	0.6	2.3	1.2
.5	With immaturity-----	5,572	2,551	1,784	715	522	3.1	3.3	2.2	7.2	5.0
774	Immaturity-with mention of any other subsidiary condition-----	1,310	540	390	216	164	0.7	0.7	0.5	2.2	1.6
776	Immaturity, unqualified-----	19,460	8,203	6,197	2,740	2,320	10.9	10.5	7.7	27.5	22.0
XVI. Symptoms, senility, and ill-defined conditions											
780-789	Symptoms referable to systems or organs-----	2,912	1,393	924	362	233	1.6	1.8	1.1	3.6	2.2
780	Certain symptoms referable to nervous system and special senses-----	147	69	33	24	21	0.1	0.1	0.0	0.2	0.2
.0	Coma and stupor-----	25	10	5	5	5	0.0	0.0	0.0	0.1	0.0
.1	Delirium-----	-	-	-	-	-	0	0	0	0	0
.2	Convulsions-----	113	52	27	19	15	0.1	0.1	0.0	0.2	0.1
.3	Jacksonian epilepsy-----	3	3	-	-	-	0.0	0.0	0	0	0
.4	Abnormal involuntary movement-----	3	2	-	-	1	0.0	0.0	0	0	0.0
.5	Disturbance of coordination-----	2	1	1	-	-	0.0	0.0	0.0	0	0
.6	Vertigo-----	-	-	-	-	-	0	0	0	0	0
.7	Disturbance of sleep-----	-	-	-	-	-	0	0	0	0	0
.8	Disturbance of memory-----	-	-	-	-	-	0	0	0	0	0
.9	Meningismus-----	1	1	-	-	-	0.0	0.0	0	0	0
781	Other symptoms referable to nervous system and special senses-----	50	26	17	3	4	0.0	0.0	0.0	0.0	0.0
.0	Disturbance of vision except defective sight-----	-	-	-	-	-	0	0	0	0	0
.1	Oculomotor disturbance-----	-	-	-	-	-	0	0	0	0	0
.2	Photophobia-----	-	-	-	-	-	0	0	0	0	0
.3	Disturbance of hearing except deafness-----	-	-	-	-	-	0	0	0	0	0
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory-----	1	1	-	-	-	0.0	0.0	0	0	0
.5	Stammering and stuttering-----	-	-	-	-	-	0	0	0	0	0
.6	Other disturbance of speech, including alexia and agraplia-----	-	-	-	-	-	0	0	0	0	0
.7	Other disturbance of sensation-----	-	-	-	-	-	0	0	0	0	0
.8	Encephalopathy-----	49	25	17	3	4	0.0	0.0	0.0	0.0	0.0
.9	Hallucinations-----	-	-	-	-	-	0	0	0	0	0
782	Symptoms referable to cardiovascular and lymphatic system-----	1,958	986	617	220	135	1.1	1.3	0.8	2.2	1.3
.0	Precordial pain-----	2	1	-	1	-	0.0	0.0	0	0.0	0
.1	Palpitation-----	-	-	-	-	-	0	0	0	0	0
.2	Tachycardia-----	1	1	-	-	-	0.0	0.0	0	0	0
.3	Pallor and cyanosis (not of newborn)-----	1	1	-	-	-	0.0	0.0	0	0	0
.4	Acute heart failure, undefined-----	1,836	941	587	204	124	1.0	1.2	0.7	2.0	1.2
.5	Syncope or collapse-----	4	1	1	1	1	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)-----	22	8	6	3	5	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node-----	1	1	-	-	-	0.0	0.0	0	0	0
.8	Splenomegaly-----	4	-	4	-	-	0.0	0	0.0	0	0
.9	Shock without mention of trauma-----	87	32	39	11	5	0.0	0.0	0.0	0.1	0.0
783	Symptoms referable to respiratory system-----	207	93	63	33	18	0.1	0.1	0.1	0.3	0.2
.0	Epistaxis-----	10	2	3	2	3	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis-----	181	85	56	25	15	0.1	0.1	0.1	0.3	0.1
.2	Dyspnea-----	3	-	2	1	-	0.0	0	0.0	0	0
.3	Cough-----	3	1	2	2	-	0.0	0.0	0	0.0	0
.4	Excess of sputum-----	-	-	-	-	-	0	0	0	0	0
.5	Change in voice-----	-	-	-	-	-	0	0	0	0	0
.6	Stridor-----	-	-	-	-	-	0	0	0	0	0
.7	Pain in chest-----	10	5	2	3	-	0.0	0.0	0.0	0.0	0
784	Symptoms referable to upper gastrointestinal tract-----	261	119	103	23	16	0.1	0.2	0.1	0.2	0.2
.0	Anorexia-----	-	-	-	-	-	0	0	0	0	0
.1	Nausea and vomiting-----	24	8	6	2	8	0.0	0.0	0.0	0.0	0.1
.2	Eylospasm-----	1	1	-	-	-	0.0	0.0	0	0	0
.3	Heartburn-----	-	-	-	-	-	0	0	0	0	0
.4	Dysphagia-----	1	-	1	-	-	0.0	0	0.0	0	0
.5	Hematemesis-----	234	109	96	21	8	0.1	0.1	0.1	0.2	0.1
.6	Excessive salivation-----	-	-	-	-	-	0	0	0	0	0
.7	Hiccough-----	1	1	-	-	-	0.0	0.0	0	0	0
.8	Erectation-----	-	-	-	-	-	0	0	0	0	0
785	Symptoms referable to abdomen and lower gastrointestinal tract-----	120	40	38	24	18	0.1	0.1	0.0	0.2	0.2
.0	Abdominal swelling (not referable to any particular organ)-----	-	-	-	-	-	0	0	0	0	0
.1	Hepatomegaly-----	5	1	3	-	1	0.0	0.0	0.0	0	0.0
.2	Jaundice (not of newborn)-----	18	8	6	3	1	0.0	0.0	0.0	0.0	0.0
.3	Ascites-----	5	2	3	-	-	0.0	0.0	0.0	0	0
.4	Flatulence-----	2	1	1	-	-	0.0	0.0	0.0	0	0
.5	Abdominal pain-----	18	8	4	4	2	0.0	0.0	0.0	0.0	0.0
.6	Diarrhea, age 2 years and over-----	69	18	20	17	14	0.0	0.0	0.0	0.2	0.1
.7	Incontinence of feces-----	-	-	-	-	-	0	0	0	0	0
.8	Melena (age 1 year and over)-----	3	2	1	-	-	0.0	0.0	0.0	0	0
.9	Visible peristalsis-----	-	-	-	-	-	0	0	0	0	0
786	Symptoms referable to genitourinary system-----	28	10	5	8	5	0.0	0.0	0.0	0.1	0.0
.0	Pain referable to urinary system-----	-	-	-	-	-	0	0	0	0	0
.1	Retention of urine-----	11	4	1	6	-	0.0	0.0	0.0	0.1	0
.2	Incontinence of urine-----	1	-	-	-	-	0.0	0	0	0.0	0
.3	Frequency of micturition-----	-	-	-	-	-	0	0	0	0	0
.4	Polyuria-----	-	-	-	-	-	0	0	0	0	0
.5	Oliguria, anuria (not of newborn)-----	16	6	4	1	5	0.0	0.0	0.0	0.0	0.0
.6	Priapism-----	-	-	-	-	-	0	0	0	0	0
.7	Pain referable to genital organs, including dyspareunia-----	-	-	-	-	-	0	0	0	0	0
787	Symptoms referable to limbs and back-----	1	-	-	1	-	0.0	0	0	0.0	0
.0	Transient paralysis of limb, cause unknown-----	-	-	-	-	-	0	0	0	0	0
.1	Pain in limb-----	-	-	-	-	-	0	0	0	0	0
.2	Swelling of limb-----	1	-	-	1	-	0.0	0.0	0	0.0	0
.3	Pain in joint-----	-	-	-	-	-	0	0	0	0	0
.4	Swelling of joint-----	-	-	-	-	-	0	0	0	0	0
.5	Pain in back-----	-	-	-	-	-	0	0	0	0	0
.6	Difficulty in walking-----	-	-	-	-	-	0	0	0	0	0
.7	Abnormality of gait-----	-	-	-	-	-	0	0	0	0	0

SECTION 5 - MORTALITY

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER				RATE					
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
XVI. Symptoms, senility, and ill-defined conditions-Con.											
788	Other general symptoms-----	129	46	43	25	15	0.1	0.1	0.1	0.3	0.1
.0	Dehydration-----	25	7	8	9	1	0.0	0.0	0.0	0.1	0.0
.1	Excessive sweating-----	-	-	-	-	-	0	0	0	0	0
.2	Rash-----	-	-	-	-	-	0	0	0	0	0
.3	Subcutaneous nodules-----	-	-	-	-	-	0	0	0	0	0
.4	Loss of weight-----	-	-	-	-	-	0	0	0	0	0
.5	Tetany-----	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.6	Acidosis-----	13	4	7	1	1	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis-----	1	1	-	-	-	0.0	0.0	0	0	0
.8	Pyrexia of unknown origin-----	60	28	26	13	13	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere-----	7	5	1	1	-	0.0	0.0	0.0	0.0	0
789	Abnormal urinary constituents of unspecified cause-----	11	4	5	1	1	0.0	0.0	0.0	0.0	0.0
.0	Albuminuria, unqualified-----	2	1	1	-	-	0.0	0.0	0	0	0
.1	Albuminuria, orthostatic-----	-	-	-	-	-	0	0	0	0	0
.2	Pyuria and bacteriuria-----	-	-	-	-	-	0	0	0	0	0
.3	Chyluria-----	-	-	-	-	-	0	0	0	0	0
.4	Hematuria-----	9	3	4	1	1	0.0	0.0	0.0	0.0	0.0
.5	Hemoglobinuria-----	-	-	-	-	-	0	0	0	0	0
.6	Glycosuria-----	-	-	-	-	-	0	0	0	0	0
.7	Acetonuria-----	-	-	-	-	-	0	0	0	0	0
.8	Other-----	-	-	-	-	-	0	0	0	0	0
790-795	Senility and ill-defined diseases-----	17,473	6,535	4,257	3,722	2,959	9.7	8.3	5.3	37.4	28.1
790	Nervousness and debility-----	68	31	26	5	6	0.0	0.0	0.0	0.1	0.1
.0	Nervousness-----	2	1	1	-	-	0.0	0.0	0.0	0	0
.1	Debility and undue fatigue-----	65	30	24	5	6	0.0	0.0	0.0	0.1	0.1
.2	Depression-----	1	-	1	-	-	0.0	0	0.0	0	0
791	Headache-----	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
792	Uremia-----	554	259	165	71	59	0.3	0.3	0.2	0.7	0.6
794	Senility without mention of psychosis-----	2,639	877	1,274	215	273	1.5	1.1	1.6	2.2	2.6
795	Ill-defined and unknown causes of mortality-----	14,206	5,366	2,790	3,430	2,620	7.9	6.8	3.5	34.4	24.9
.0	Other ill-defined conditions-----	741	300	205	143	93	0.4	0.4	0.3	1.4	0.9
.2	Sudden death (cause unknown)-----	635	292	135	123	85	0.4	0.4	0.2	1.2	0.8
.3	Found dead (cause unknown)-----	301	126	62	64	49	0.2	0.2	0.1	0.6	0.5
.4	Died without sign of disease-----	6,798	2,795	1,212	1,626	1,165	3.8	3.6	1.5	16.3	11.1
.5	Other unknown and unspecified causes-----	5,731	1,853	1,176	1,474	1,228	3.2	2.4	1.5	14.8	11.7
XVII. Accidents, poisonings, and violence											
E800-E802	Railway accidents-----	1,023	734	84	189	16	0.6	0.9	0.1	1.9	0.2
E800	Railway accident involving railroad employee-----	186	178	-	8	-	0.1	0.2	0	0.1	0
E801	Railway accident involving passenger-----	14	6	5	3	-	0.0	0.0	0.0	0.0	0
E802	Railway accident involving other and unspecified person-----	823	550	79	178	16	0.5	0.7	0.1	1.8	0.2
E810-E825	Motor vehicle traffic accidents-----	37,142	24,001	8,762	3,341	1,036	20.7	30.6	10.9	33.5	9.9
E810	Motor vehicle traffic accident involving collision with railway train-----	1,368	904	338	90	36	0.8	1.2	0.4	0.9	0.3
E811	Motor vehicle traffic accident involving collision with streetcar-----	5	-	1	4	-	0.0	0	0.0	0.0	0
E812	Motor vehicle traffic accident to pedestrian-----	7,284	4,267	1,681	951	385	4.1	5.4	2.1	9.5	3.7
E813	Motor vehicle traffic accident to pedal cyclist-----	450	366	48	33	3	0.3	0.5	0.1	0.3	0.0
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	40	38	-	2	-	0.0	0.0	0	0.0	0
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle-----	428	378	26	23	1	0.2	0.5	0.0	0.2	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles-----	12,788	7,710	3,950	826	302	7.1	9.8	4.9	8.3	2.9
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle-----	-	-	-	-	-	0	0	0	0	0
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle-----	42	24	10	7	1	0.0	0.0	0.0	0.1	0.0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object-----	1,529	1,098	243	151	37	0.9	1.4	0.3	1.5	0.4
E820	Motor vehicle traffic accident while boarding and alighting-----	39	14	21	3	1	0.0	0.0	0.0	0.0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision-----	245	220	20	4	1	0.1	0.3	0.0	0.0	0.0
E822	Motor vehicle traffic accident involving overturning in roadway-----	1,255	900	190	142	23	0.7	1.1	0.2	1.4	0.2
E823	Motor vehicle traffic accident involving running off roadway-----	7,937	5,651	1,375	752	159	4.4	7.2	1.7	7.5	1.5
E824	Other noncollision motor vehicle traffic accident-----	803	516	149	113	25	0.4	0.7	0.2	1.1	0.2
E825	Motor vehicle traffic accident of unspecified nature-----	2,929	1,915	710	240	64	1.6	2.4	0.9	2.4	0.6
E830-E835	Motor vehicle nontraffic accidents-----	995	655	227	87	26	0.6	0.8	0.3	0.9	0.2
E830	Motor vehicle nontraffic accident to pedestrian-----	569	346	155	52	16	0.3	0.4	0.2	0.5	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist-----	1	1	-	-	-	0.0	0.0	0	0	0
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle-----	17	17	-	-	-	0.0	0.0	0	0	0
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles-----	36	31	5	-	-	0.0	0.0	0.0	0	0
E834	Motor vehicle nontraffic accident while boarding and alighting-----	13	4	8	1	-	0.0	0.0	0.0	0.0	0
E835	Motor vehicle nontraffic accident of other and unspecified nature-----	359	256	59	34	10	0.2	0.3	0.1	0.3	0.1
E840-E845	Other road vehicle accidents-----	243	165	47	25	6	0.1	0.2	0.1	0.3	0.1
E840	Streetcar accident to pedestrian-----	12	8	2	2	-	0.0	0.0	0.0	0.0	0
E841	Other streetcar accident, except collision with motor vehicle-----	16	-	-	-	-	0	0	0	0	0
E842	Accident to pedestrian caused by pedal cycle-----	10	5	1	-	-	0.0	0.0	0.0	0.0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle-----	51	40	7	3	1	0.0	0.1	0.0	0.0	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle-----	9	7	-	1	1	0.0	0.0	0	0.0	0.0
E845	Other nonmotor road vehicle accidents-----	155	100	33	18	4	0.1	0.1	0.0	0.2	0.0

## SECTION 5 - MORTALITY

5-33

 Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex:  
 United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
XVII. Accidents, poisonings and violence—Con.											
E850-E858	Water transport accidents-----	1,478	1,189	98	179	12	0.8	1.5	0.1	1.8	0.1
E850	Submersion of occupant of small boat-----	1,210	964	79	155	12	0.7	1.2	0.1	1.6	0.1
E851	Other water transport injury by submersion-----	87	69	4	14	-	0.0	0.1	0.0	0.1	0
E852	Fall on stairs and ladders in water transport-----	4	4	-	-	-	0.0	0.0	0	0	0
E853	Other falls from one level to another in water transport-----	27	25	1	1	-	0.0	0.0	0.0	0.0	0
E854	Falls on same level in water transport-----	3	2	1	-	-	0.0	0.0	0.0	0	0
E855	Unspecified falls in water transport-----	3	2	-	1	-	0.0	0.0	0	0.0	0
E856	Machinery accident in water transport-----	8	8	-	-	-	0.0	0.0	0	0	0
E857	Other specified accidents in water transport-----	134	113	13	8	-	0.1	0.1	0.0	0.1	0
E858	Water transport accident of unspecified cause-----	2	2	-	-	-	0.0	0.0	0	0	0
E860-E866	Aircraft accidents-----	1,475	1,244	210	16	5	0.8	1.6	0.3	0.2	0.0
E860	Accident to personnel in military aircraft-----	264	259	-	5	-	0.1	0.3	0	0.1	0
E861	Injury to occupant by accident to commercial "transport" aircraft-----	411	298	105	6	2	0.2	0.4	0.1	0.1	0.0
E862	Other injury in commercial "transport" aircraft-----	-	-	-	-	-	0	0	0	0	0
E863	Injury to occupant by accident to other specified aircraft-----	263	227	34	2	-	0.1	0.3	0.0	0.0	0
E864	Aircraft accident at airfield to person not in aircraft-----	20	19	1	-	-	0.0	0.0	0.0	0	0
E865	Aircraft accident elsewhere to person not in aircraft-----	25	16	5	1	3	0.0	0.0	0.0	0.0	0.0
E866	Other and unspecified aircraft accidents-----	492	425	65	2	-	0.3	0.5	0.1	0.0	0
E870-E888	Accidental poisoning by solid and liquid substances-----	1,679	753	512	269	145	0.9	1.0	0.6	2.7	1.4
E870	Accidental poisoning by morphine and other opium derivatives-----	60	43	4	9	4	0.0	0.1	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives-----	289	116	163	6	4	0.2	0.1	0.2	0.1	0.0
E872	Accidental poisoning by aspirin and salicylates-----	188	82	65	28	15	0.1	0.1	0.1	0.3	0.1
E873	Accidental poisoning by bromides-----	7	2	3	-	2	0.0	0.0	0.0	0	0.0
E874	Accidental poisoning by other analgesic and soporific drugs-----	160	69	75	10	6	0.1	0.1	0.1	0.1	0.1
E875	Accidental poisoning by sulfonamides-----	-	-	-	-	-	0	0	0	0	0
E876	Accidental poisoning by strychnine-----	6	2	3	1	-	0.0	0.0	0.0	0.0	0
E877	Accidental poisoning by belladonna, hyoscyne, and atropine-----	1	1	-	-	-	0.0	0.0	0	0	0
E878	Accidental poisoning by other and unspecified drugs-----	125	52	50	15	8	0.1	0.1	0.1	0.2	0.1
E879	Accidental poisoning by noxious foodstuffs-----	7	3	4	-	-	0.0	0.0	0.0	0	0
E880	Accidental poisoning by alcohol-----	357	174	38	96	49	0.2	0.2	0.0	1.0	0.5
E881	Accidental poisoning by petroleum products-----	43	15	7	14	7	0.0	0.0	0.0	0.1	0.1
E882	Accidental poisoning by industrial solvents-----	35	20	6	6	3	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies-----	56	23	17	8	8	0.0	0.0	0.0	0.1	0.1
E884	Accidental poisoning by mercury and its compounds-----	9	3	4	1	1	0.0	0.0	0.0	0.0	0.0
E885	Accidental poisoning by lead and its compounds-----	98	29	17	30	22	0.1	0.0	0.0	0.3	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds-----	31	14	11	5	1	0.0	0.0	0.0	0.1	0.0
E887	Accidental poisoning by fluorides-----	7	3	1	1	2	0.0	0.0	0.0	0.0	0.0
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	200	102	44	41	13	0.1	0.1	0.1	0.4	0.1
E890-E895	Accidental poisoning by gases and vapors-----	1,253	794	294	106	59	0.7	1.0	0.4	1.1	0.6
E890	Accidental poisoning by utility (illuminating) gas-----	370	188	117	38	27	0.2	0.2	0.1	0.4	0.3
E891	Accidental poisoning by motor vehicle exhaust gas-----	455	333	72	25	15	0.3	0.4	0.1	0.4	0.1
E892	Accidental poisoning by other carbon monoxide gas-----	295	168	88	28	14	0.2	0.2	0.1	0.3	0.1
E893	Accidental poisoning by cyanide gas-----	8	8	-	-	-	0.0	0.0	0	0	0
E894	Accidental poisoning by other specified gases and vapors-----	112	65	16	8	3	0.1	0.1	0.0	0.1	0.0
E895	Accidental poisoning by unspecified gases and vapors-----	13	12	1	-	-	0.0	0.0	0.0	0	0
E900-E904	Accidental falls-----	19,023	8,407	9,198	890	528	10.6	10.7	11.4	8.9	5.0
E900	Fall on stairs-----	2,348	1,228	889	158	73	1.3	1.6	1.1	1.6	0.7
E901	Fall from ladders-----	316	275	13	27	1	0.2	0.4	0.0	0.3	0.0
E902	Other falls from one level to another-----	3,355	1,922	994	316	123	1.9	2.5	1.2	3.2	1.2
E903	Fall on same level-----	3,689	1,450	2,064	93	82	2.1	1.9	2.8	0.9	0.8
E904	Unspecified falls-----	9,315	3,532	5,238	296	249	5.2	4.5	6.5	3.0	2.4
E910-E936	Other accidents-----	27,673	16,062	5,270	4,215	2,126	15.4	20.5	6.5	42.3	20.2
E910	Blow from falling or projected object or missile-----	1,404	1,167	45	182	10	0.8	1.5	0.1	1.8	0.1
E911	Accident caused by vehicle-----	70	63	-	7	-	0.0	0.1	0	0.1	0
E912	Accident caused by machinery-----	1,951	1,689	63	194	5	1.1	2.2	0.1	1.9	0.0
E913	Accident caused by cutting and piercing instruments-----	126	64	20	30	12	0.1	0.1	0.0	0.3	0.1
E914	Accident caused by electric current-----	989	838	66	80	5	0.6	1.1	0.1	0.8	0.0
E915	Accident caused by explosion of pressure vessel-----	39	35	-	3	-	0.0	0.0	0	0.0	0
E916	Accident caused by fire and explosion of combustible material-----	7,645	3,100	2,148	1,179	1,218	4.3	4.0	2.7	11.8	11.6
E917	Accident caused by hot substance, corrosive liquid, and steam-----	400	159	132	71	38	0.2	0.2	0.2	0.7	0.4
E918	Accident caused by radiation-----	2	1	-	-	1	0.0	0.0	0	0	0.0
E919	Accident caused by firearm-----	2,334	1,671	229	339	95	1.3	2.1	0.3	3.4	0.9
E920	Foreign body entering eye and sinuses-----	-	-	-	-	-	0	0	0	0	0
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,949	969	604	210	166	1.1	1.2	0.8	2.1	1.6
E922	Inhalation and ingestion of other object causing obstruction or suffocation-----	448	218	142	54	34	0.2	0.3	0.2	0.5	0.3
E923	Foreign body entering other orifice-----	120	61	39	15	5	0.1	0.1	0.0	0.2	0.0
E924	Accidental mechanical suffocation in bed and cradle-----	1,047	399	304	186	158	0.6	0.5	0.4	1.9	1.5
E925	Accidental mechanical suffocation in other and unspecified circumstances-----	486	287	91	79	29	0.3	0.4	0.1	0.8	0.3
E926	Lack of care of infants under 1 year of age-----	24	3	5	8	8	0.0	0.0	0.0	0.1	0.1
E927	Accidents caused by bites and stings of venomous animals and insects-----	66	40	15	10	1	0.0	0.1	0.0	0.1	0.0
E928	Other accidents caused by animals-----	141	102	23	13	3	0.1	0.1	0.0	0.1	0.0
E929	Accidental drowning-----	5,232	3,355	708	1,032	137	2.9	4.3	0.9	10.4	1.3
E930	High and low air pressure-----	1	1	-	-	-	0.0	0.0	0	0	0
E931	Excessive heat and insulation-----	168	101	33	25	9	0.1	0.1	0.0	0.3	0.1
E932	Excessive cold-----	357	203	45	88	21	0.2	0.3	0.1	0.9	0.2
E933	Hunger, thirst, and exposure-----	222	104	38	48	32	0.1	0.1	0.0	0.5	0.3
E934	Cataclysm-----	170	62	38	48	22	0.1	0.1	0.0	0.5	0.2
E935	Lightning-----	129	83	17	26	3	0.1	0.1	0.0	0.3	0.0
E936	Other and unspecified accidents-----	2,154	1,287	465	288	114	1.2	1.6	0.6	2.9	1.1

SECTION 5 - MORTALITY

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER				RATE					
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
XVII. Accidents, poisonings, and violence—Con.											
E940-E946	Complications due to nontherapeutic medical and surgical procedures-----	90	35	32	13	10	0.1	0.0	0.0	0.1	0.1
E940	Generalized vaccinia following vaccination-----	2	1	-	-	1	0.0	0.0	0	0	0.0
E941	Postvaccinal encephalitis-----	7	2	1	-	-	0.0	0.0	0.0	0	0
E942	Other complications of smallpox vaccination-----	4	2	-	-	-	0.0	0.0	0.0	0.0	0
E943	Postimmunization jaundice and hepatitis-----	-	-	-	-	-	0	0	0	0	0
E944	Other complications of prophylactic inoculation-----	9	4	1	2	2	0.0	0.0	0.0	0.0	0.0
E945	Complications of anesthesia for nontherapeutic purpose-----	5	2	1	1	1	0.0	0.0	0.0	0.0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures-----	63	20	28	9	6	0.0	0.0	0.0	0.1	0.1
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures-----	1,025	438	441	65	81	0.6	0.6	0.5	0.7	0.8
E950	Therapeutic misadventure in surgical treatment-----	548	236	227	41	44	0.3	0.3	0.3	0.4	0.4
E951	Therapeutic misadventure in infusion or transfusion-----	101	49	42	3	7	0.1	0.1	0.1	0.0	0.1
E952	Therapeutic misadventure in local applications-----	11	4	5	-	2	0.0	0.0	0.0	0	0.0
E953	Therapeutic misadventure in administration of drugs or biologicals-----	129	59	53	9	8	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia-----	70	26	25	7	12	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure-----	40	21	15	3	1	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation-----	112	36	68	1	7	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump-----	2	1	-	1	-	0.0	0.0	0	0.0	0
E958	Late complication of irradiation-----	7	2	5	-	-	0.0	0.0	0.0	0	0
E959	Late complications of other forms of treatment-----	5	4	1	-	-	0.0	0.0	0.0	0	0
E960-E965	Late effects of injury and poisoning-----	773	454	212	82	25	0.4	0.6	0.3	0.8	0.2
E960	Late effect of motor vehicle accident-----	127	84	27	11	5	0.1	0.1	0.0	0.1	0.0
E961	Late effect of accidental poisoning-----	11	4	3	3	1	0.0	0.0	0.0	0.0	0.0
E962	Late effect of other accidental injury-----	569	318	180	54	17	0.3	0.4	0.2	0.5	0.2
E963	Late effect of self-inflicted injury-----	10	6	2	1	1	0.0	0.0	0.0	0.0	0.0
E964	Late effect of injury purposely inflicted by another person (not in war)-----	18	5	-	12	1	0.0	0.0	0	0.1	0.0
E965	Late effects of injuries due to war operations-----	38	37	-	1	-	0.0	0.0	0	0.0	0
E970-E979	Suicide-----	19,031	13,819	4,294	713	205	10.6	17.6	5.3	7.2	1.9
E970	Suicide from poisoning by analgesic and soporific substances-----	1,616	560	1,016	19	21	0.9	0.7	1.3	0.2	0.2
A	By morphine and other opium derivatives-----	12	7	5	-	-	0.0	0.0	0.0	0	0
B	By barbituric acid and derivatives-----	1,290	446	813	16	15	0.7	0.6	1.0	0.2	0.1
C	By acetylsalicylic acid-----	31	14	16	-	1	0.0	0.0	0.0	0	0.0
D	By methyl salicylate-----	13	6	5	-	2	0.0	0.0	0.0	0	0.0
E	By other salicylates-----	13	4	8	1	-	0.0	0.0	0.0	0.0	0
F	By bromides-----	-	-	-	-	-	0	0	0	0	0
G	By antipyretic substances, not elsewhere classified-----	-	-	-	-	-	0	0	0	0	0
H	By other analgesic and soporific substances-----	226	75	146	2	3	0.1	0.1	0.2	0.0	0.0
M	By unspecified drugs-----	31	8	23	-	-	0.0	0.0	0.0	0	0
E971	Suicide from poisoning by other solid and liquid substances-----	741	393	293	28	27	0.4	0.5	0.4	0.3	0.3
A	By strychnine-----	54	29	25	-	-	0.0	0.0	0.0	0	0
B	By phenol compounds-----	33	24	9	-	-	0.0	0.0	0.0	0	0
C	By lye and potash-----	39	14	21	4	-	0.0	0.0	0.0	0.0	0
D	By cresol compounds-----	6	2	4	-	-	0.0	0.0	0.0	0	0
E	By mercury and its compounds-----	13	5	8	-	-	0.0	0.0	0.0	0	0
F	By arsenic and its compounds-----	98	56	38	1	3	0.1	0.1	0.0	0.0	0.0
G	By fluorides-----	42	13	18	4	7	0.0	0.0	0.0	0.0	0.1
H	By other and unspecified solid and liquid substances-----	456	250	170	19	17	0.3	0.3	0.2	0.2	0.2
E972	Suicide from poisoning by gases in domestic use-----	186	116	65	4	1	0.1	0.1	0.1	0.0	0.0
E973	Suicide from poisoning by other gases-----	1,797	1,495	275	16	1	1.0	1.9	0.3	0.2	0.0
A	By motor vehicle exhaust gas-----	1,644	1,367	261	15	1	0.9	1.7	0.3	0.2	0.0
B	By other motor exhaust gas-----	6	6	-	-	-	0.0	0.0	0	0	0
C	By other carbon monoxide-----	121	108	13	-	-	0.1	0.1	0.0	0	0
D	By other poisonous gases-----	16	14	1	1	-	0.0	0.0	0.0	0.0	0
E974	Suicide by hanging and strangulation-----	3,366	2,461	747	115	43	1.9	3.1	0.9	1.2	0.4
E975	Suicide by submersion (drowning)-----	618	281	269	48	18	0.3	0.4	0.3	0.5	0.2
E976	Suicide by firearm and explosive-----	9,017	7,503	1,087	376	51	5.0	9.6	1.4	3.8	0.5
E977	Suicide by cutting and piercing instruments-----	486	375	91	20	2	0.3	0.5	0.1	0.2	0.0
E978	Suicide by jumping from high place-----	697	399	203	70	25	0.4	0.5	0.3	0.7	0.2
E979	Suicide by other and unspecified means-----	517	236	248	17	16	0.3	0.3	0.3	0.2	0.2
E980-E985	Homicide (not in war)-----	8,446	2,827	1,154	3,425	1,040	4.7	3.6	1.4	34.4	9.9
E980	Nonaccidental poisoning by another person-----	18	10	5	2	1	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearm and explosive-----	4,627	1,637	671	1,823	496	2.6	2.0	0.8	18.3	4.7
E982	Assault by cutting and piercing instruments-----	1,836	385	123	1,057	271	1.0	0.5	0.2	10.6	2.6
E983	Assault by other means-----	1,664	650	354	390	270	0.9	0.8	0.4	3.9	2.6
E984	Injury by intervention of police-----	245	124	1	118	2	0.1	0.2	0.0	1.2	0.0
E985	Execution-----	56	21	-	35	-	0.0	0.0	0	0.4	0
E990-E999	Injury resulting from operations of war-----	-	-	-	-	-	...	...	...	...	...
E990	Injury due to war operations by gas and chemicals-----	-	-	-	-	-	...	...	...	...	...
E991	Injury due to war operations by gunshot-----	-	-	-	-	-	...	...	...	...	...
E992	Injury due to war operations by grenade and landmine-----	-	-	-	-	-	...	...	...	...	...
E993	Injury due to war operations by bomb-----	-	-	-	-	-	...	...	...	...	...
E994	Injury due to war operations by marine mine, depth charge, and torpedo-----	-	-	-	-	-	...	...	...	...	...
E995	Injury due to war operations by explosion of artillery shell-----	-	-	-	-	-	...	...	...	...	...
E996	Injury due to war operations by explosion of undetermined origin-----	-	-	-	-	-	...	...	...	...	...
E997	Injury due to war operations by aircraft destruction-----	-	-	-	-	-	...	...	...	...	...
E998	Injury due to war operations by other and unspecified means-----	-	-	-	-	-	...	...	...	...	...
E999	Injury due to war operations but occurring after cessation of hostilities-----	-	-	-	-	-	...	...	...	...	...

## SECTION 5 - MORTALITY

5-35

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,711,982	163,835	158,754	153,997	136,415	138,786	132,461	133,372	130,004	128,012	141,073	139,513	155,762
I. Infective and parasitic diseases	21,387	2,084	2,124	1,987	1,726	1,610	1,668	1,678	1,580	1,581	1,710	1,686	1,775
Tuberculosis, all forms	10,866	1,072	1,125	989	898	945	849	871	799	783	826	827	682
Tuberculosis of respiratory system	10,089	1,012	1,070	915	834	870	785	796	754	715	766	774	620
Tuberculosis of meninges and central nervous system	228	22	16	25	25	28	17	18	16	17	17	10	17
Tuberculosis of intestines, peritoneum, and mesenteric glands	48	1	2	2	6	4	4	5	6	4	5	4	5
Tuberculosis of bones and joints	80	7	8	5	6	7	6	6	7	8	9	5	4
Tuberculosis of other organs and systems	176	15	16	17	11	15	17	17	12	18	8	16	14
Disseminated tuberculosis	245	15	13	25	16	20	21	29	24	21	21	18	22
Syphilis and its sequelae	2,945	285	242	275	230	272	202	240	201	222	264	271	241
Congenital syphilis	44	4	1	4	1	7	2	4	2	2	4	8	7
Early syphilis	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta	1,337	129	104	119	114	135	89	98	89	101	130	123	105
Other cardiovascular syphilis	1,002	101	87	92	71	93	68	87	77	71	86	85	84
Tabs dorsalis	62	6	6	7	5	6	4	6	3	5	6	5	3
General paralysis of insane	204	25	18	18	18	11	15	24	10	16	14	20	15
Other syphilis of central nervous system	245	19	23	29	17	16	19	21	15	20	18	27	22
All other syphilis	50	3	3	6	4	4	5	-	5	7	6	3	4
Gonococcal infection	38	-	5	3	5	2	2	4	6	5	1	3	2
Typhoid fever	21	-	2	-	4	1	3	3	2	2	1	2	1
Paratyphoid fever and other Salmonella infections	82	9	3	5	1	7	3	3	18	6	8	9	10
Cholera	6	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)	1	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms	355	30	24	19	12	22	25	39	39	38	45	38	24
Food poisoning (infection and intoxication)	56	6	3	3	6	4	5	5	7	7	5	3	5
Scarlet fever	14	3	2	1	1	1	1	1	1	1	1	1	2
Streptococcal sore throat	94	12	18	10	5	7	6	2	7	5	7	4	11
Erysipelas	22	-	-	3	2	3	1	-	4	4	3	2	-
Septicemia and pyemia	1,920	182	197	189	131	131	173	159	140	156	141	149	170
Diphtheria	69	11	5	4	3	-	-	5	4	7	7	8	15
Whooping cough	118	10	15	11	13	14	6	11	11	5	13	5	4
Meningococcal infections	644	77	80	71	50	47	46	22	30	29	68	61	63
Plague	6	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy	6	-	2	-	2	-	-	-	-	-	-	-	1
Tetanus	231	17	11	12	14	23	40	17	16	24	23	17	17
Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis	230	8	6	9	4	12	11	31	40	44	32	23	10
Late effects of acute poliomyelitis	148	16	9	19	16	13	8	10	12	8	10	11	16
Acute infectious encephalitis	528	50	45	50	35	37	44	44	51	47	53	38	34
Late effects of acute infectious encephalitis	68	6	8	11	6	6	7	14	4	4	10	4	8
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	380	33	44	76	69	52	36	17	7	2	10	11	23
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis	938	86	75	77	93	79	77	71	88	70	73	67	82
Rabies	2	-	-	-	-	1	-	-	-	1	-	-	-
Tick-borne typhus	11	-	-	-	-	3	3	2	3	-	-	-	-
All other rickettsial diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	4	1	-	1	-	-	-	1	-	-	-	1	-
Schistosomiasis	5	-	1	-	-	-	-	1	1	-	-	1	1
Hydatid disease	10	-	2	-	1	-	1	1	1	-	1	-	3
Filariasis	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases due to helminths	56	3	6	6	5	5	1	4	9	2	5	4	6
All other infective and parasitic diseases	1,500	166	195	142	120	123	118	100	79	108	102	105	142
054, 059, 063-074, 085-090, 093, 095, 096, 120-122, 131-138													
II. Neoplasms	272,520	23,591	21,999	22,604	21,814	22,470	22,343	22,683	23,046	22,432	23,348	22,752	23,428
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	267,627	23,166	21,567	22,184	21,427	22,106	21,911	22,247	22,638	22,066	22,949	22,330	23,036
Malignant neoplasm of buccal cavity and pharynx	6,175	516	493	520	531	493	495	499	512	516	522	532	556
Of lip	216	25	14	16	19	13	21	10	16	11	22	25	24
Of tongue	1,545	139	126	136	136	126	119	124	104	148	124	133	130
Of other and unspecified parts of buccal cavity	1,944	156	177	155	179	148	152	150	165	168	161	142	171
Of pharynx	2,470	196	176	213	197	196	203	215	207	189	215	232	251
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	91,035	7,820	7,242	7,562	7,395	7,567	7,408	7,551	7,701	7,531	7,867	7,579	7,612
Of esophagus	4,915	433	393	409	391	408	397	410	376	430	438	426	404
Of stomach	20,859	1,785	1,613	1,675	1,720	1,784	1,703	1,701	1,711	1,763	1,817	1,812	1,775
Of small intestine, including duodenum	769	71	60	78	67	65	64	60	55	59	63	61	69
Of large intestine, except rectum	28,537	2,451	2,284	2,429	2,339	2,321	2,325	2,355	2,454	2,291	2,461	2,372	2,475
Cecum, appendix, and ascending colon	4,189	346	309	356	374	377	374	345	360	360	333	331	324
Transverse colon, including hepatic and splenic flexures	1,666	153	138	125	144	131	149	135	142	129	122	142	157
Descending colon	1,272	135	104	117	92	105	100	88	102	112	95	107	115
Sigmoid colon	6,403	564	537	581	521	498	534	530	535	525	553	502	555
Multiple parts of large intestine	71	4	4	3	9	5	2	3	5	8	7	9	12
Large intestine (including colon), part unspecified	13,379	1,116	1,043	1,124	1,079	1,097	1,038	1,117	1,169	1,042	1,218	1,145	1,191
Intestinal tract, part unspecified	1,557	133	129	153	120	108	128	137	141	116	133	136	123
Of rectum	10,855	952	886	922	885	909	869	883	935	896	940	876	902
Of biliary passages and of liver (stated to be primary site)	6,246	555	496	518	495	516	506	494	538	526	559	499	544
Liver	1,890	173	148	170	143	150	174	142	141	167	154	139	189
Other and multiple sites of biliary passages	4,356	382	348	348	352	366	332	352	397	359	405	360	355
Of liver not stated whether primary or secondary	3,482	259	323	289	283	296	288	298	296	295	295	295	283
Of pancreas	13,675	1,165	1,074	1,087	1,096	1,110	1,131	1,196	1,200	1,144	1,151	1,097	1,224
Of peritoneum and of unspecified digestive organs	1,697	149	133	155	119	160	131	164	136	130	143	141	136



SECTION 5 - MORTALITY

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>II. Neoplasms—Con.</b>													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of respiratory system, not specified as secondary—160-164	39,730	3,470	3,243	3,267	3,117	3,268	3,274	3,253	3,303	3,262	3,439	3,304	3,530
Of larynx—161	2,426	206	211	214	194	207	200	177	195	214	205	191	212
Of bronchus and trachea, and of lung specified as primary—162	18,342	1,615	1,488	1,531	1,416	1,529	1,512	1,550	1,570	1,499	1,532	1,488	1,612
Of lung, unspecified as to whether primary or secondary—163	18,078	1,561	1,470	1,453	1,438	1,443	1,486	1,461	1,471	1,493	1,634	1,546	1,622
Of other parts of respiratory system—160,164	864	68	74	69	69	69	76	65	67	56	68	79	84
Malignant neoplasm of breast—170	23,970	2,136	1,984	2,014	1,899	1,933	1,957	2,039	2,050	1,966	1,990	2,111	1,981
Malignant neoplasm of genital organs—171-179	38,669	3,417	3,126	3,234	3,140	3,192	3,171	3,261	3,278	3,128	3,320	3,130	3,272
Of cervix uteri—171	8,467	752	719	715	694	713	696	682	742	677	699	670	728
Of other and unspecified parts of uterus—172-174	5,929	520	494	486	464	507	485	529	478	495	538	458	475
Of ovary, fallopian tube, and broad ligament—175	8,046	707	645	669	649	667	646	691	726	685	699	628	652
Of prostate—176	816	70	65	72	58	67	81	69	57	69	68	71	68
All other and unspecified male genital organs—178,179	14,452	1,284	1,127	1,211	1,180	1,172	1,183	1,211	1,207	1,143	1,227	1,233	1,284
Malignant neoplasm of urinary organs—180,181	959	84	75	81	85	66	78	79	66	79	89	70	85
Of kidney—180	12,804	1,075	1,067	1,045	1,086	1,045	1,097	1,097	1,105	1,036	1,050	1,054	1,099
Of bladder and other urinary organs—181	4,959	374	414	408	404	409	421	423	445	421	416	392	412
Malignant neoplasm of other and unspecified sites—156B,165,190-199	7,965	701	653	637	682	636	624	674	660	615	634	662	687
Malignant neoplasm of other and unspecified sites—156B,165,190-199	29,561	2,504	2,341	2,484	2,276	2,466	2,455	2,426	2,546	2,481	2,579	2,482	2,519
Of skin—190,191	4,009	344	304	320	304	366	346	344	315	322	332	344	368
Of eye—192	417	36	33	39	23	33	35	27	31	41	37	39	43
Of brain and other parts of nervous system—193	6,194	524	504	521	472	488	510	500	520	568	544	509	524
Of thyroid gland—194	1,040	81	87	78	84	93	83	102	81	86	76	86	103
Of bone—196	1,811	155	136	174	135	153	156	159	160	131	163	154	135
Of connective tissue—197	1,076	83	96	91	79	86	103	65	98	79	92	88	96
Of other specified sites, not stated to be secondary—195,199A	1,492	131	120	117	124	124	124	112	128	131	133	111	137
Of unspecified sites—156B,165,196,199B	13,532	1,150	1,061	1,144	1,055	1,123	1,098	1,097	1,215	1,123	1,202	1,151	1,113
Leukemia and aleukemia—204	12,725	1,083	1,111	1,039	950	1,029	1,058	1,082	1,077	1,057	1,096	1,042	1,101
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	12,958	1,145	1,050	1,019	1,033	1,123	1,048	1,039	1,054	1,089	1,086	1,096	1,166
Lymphosarcoma and reticulosarcoma—200	8,902	522	468	437	477	511	491	470	504	529	469	502	502
Hodgkin's disease—201	3,075	272	252	249	240	261	247	248	246	244	260	244	312
Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	3,981	351	330	333	316	351	310	321	314	316	337	350	352
Benign neoplasms and neoplasms of unspecified nature—210-239	4,693	425	432	420	387	364	432	446	408	366	399	422	392
Benign neoplasms of female genital organs—214-217	505	41	46	40	42	34	64	47	53	36	34	33	35
Benign neoplasm of brain and other parts of nervous system—223	967	87	69	78	61	72	80	91	82	88	83	91	67
Other benign neoplasms—210-213,216-222,224-229	937	87	81	86	66	79	84	69	69	68	74	82	90
Neoplasm of unspecified nature of female genital organs—233-235	27	1	3	4	2	2	1	5	4	-	1	3	1
Neoplasm of unspecified nature of brain and other parts of nervous system—237	1,601	126	142	124	127	117	135	157	124	121	153	138	137
Other neoplasms of unspecified nature—230-232,236,238,239	856	83	91	88	67	60	68	77	76	55	54	75	62
<b>III. Allergic, endocrine system, metabolic, and nutritional diseases—</b>													
Asthma—241	5,394	612	585	481	431	417	343	374	356	405	499	409	482
Nontoxic goiter—250,251	88	13	12	7	10	7	9	4	6	2	6	3	9
Thyrotoxicosis with or without goiter—252	532	51	59	42	42	43	45	40	37	44	33	46	50
All other diseases of thyroid gland—253,254	336	20	25	31	34	35	34	23	21	19	17	41	38
Diabetes mellitus—260	29,971	2,933	2,857	2,717	2,318	2,486	2,351	2,277	2,226	2,195	2,432	2,366	2,791
Diseases of thymus gland—273	136	11	21	11	15	13	16	12	4	6	9	10	13
Diseases of adrenal glands—274	420	49	40	23	31	37	34	33	41	33	32	19	48
Pellagra—281	42	5	2	-	2	5	2	2	1	6	3	9	5
Other avitaminoses and nutritional deficiency states—280,282-286	1,775	217	189	178	136	143	124	112	116	143	136	123	158
All other allergic, endocrine, and metabolic diseases—240,242-245,270-272,275-277,287-289	2,525	249	218	250	186	186	199	201	202	183	229	203	219
<b>IV. Diseases of the blood and blood-forming organs—</b>	5,104	440	439	462	432	410	443	407	409	390	429	390	443
Anemias—290-293	3,330	284	303	319	273	296	281	267	267	247	267	237	289
Pernicious and other hyperchromic anemias—290	641	55	63	64	43	56	55	53	54	43	44	39	70
Anemias of other and unspecified type—291-293	2,689	229	240	255	230	209	241	208	213	204	243	198	219
Purpura and other hemorrhagic conditions—296	681	62	57	59	69	55	67	48	51	55	56	50	52
Other diseases of blood and blood-forming organs—294,295,297-299	1,093	94	79	104	90	88	80	98	91	88	86	93	102
<b>V. Mental, psychoneurotic, and personality disorders—</b>	4,487	445	467	420	362	362	314	353	300	327	332	359	446
Semile psychosis—304	396	50	47	39	37	20	37	29	24	28	29	25	32
Alcoholic psychosis—307	438	37	35	39	42	38	41	38	30	45	33	30	32
Other psychoses—300-303,305,306,308,309	662	66	73	55	34	46	42	60	48	55	58	56	67
Alcoholism—322	2,235	219	233	217	184	194	145	163	143	147	169	162	239
Mental deficiency—325	463	53	50	50	41	41	35	33	27	33	27	37	55
Other disorders of personality—310-321,323,324,326	273	18	31	21	24	23	14	30	28	19	16	29	21
<b>VI. Diseases of the nervous system and sense organs—</b>	208,321	20,388	19,011	19,168	16,776	16,867	18,108	16,449	15,432	15,208	16,803	16,930	19,181
Vascular lesions affecting central nervous system—330-334	193,588	18,967	17,698	17,871	15,595	15,844	14,969	15,329	14,370	14,147	15,598	15,738	17,772
Subarachnoid hemorrhage—330	6,699	610	523	627	553	556	536	541	501	496	564	575	617
Cerebral hemorrhage—331	110,855	10,765	10,238	10,478	8,956	8,995	8,563	8,635	8,218	8,041	8,963	8,661	10,144
Cerebral embolism and thrombosis—332	58,689	5,738	5,306	5,249	4,706	4,736	4,549	4,664	4,414	4,347	4,649	4,900	5,431
Other vascular lesions affecting central nervous system—333,334	17,345	1,754	1,623	1,517	1,380	1,357	1,321	1,489	1,237	1,263	1,422	1,402	1,580



SECTION 5 - MORTALITY

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960-Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>IX. Diseases of the digestive system-Con.</b>													
Cholelithiasis, cholecystitis, and cholangitis-----584, 585	4,619	384	373	419	398	390	394	344	369	397	406	339	406
Fibrocystic disease of pancreas-----587B	606	63	58	45	45	45	49	51	42	61	54	49	44
Other diseases of digestive system-----536-539, 542, 544, 545, 573-580, 582, 583, 586, 587.0, 587.1, 587A	10,654	970	928	932	826	875	804	818	999	815	918	901	948
<b>X. Diseases of the genitourinary system-----</b>													
<b>30,313</b>													
Nephritis and nephrosis-----590-594	13,684	1,336	1,264	1,252	1,128	1,190	1,114	1,062	1,017	974	1,076	1,069	1,202
Acute nephritis-----590	790	79	71	85	63	66	58	60	82	54	65	48	69
Nephritis with edema, including nephrosis-----591	861	68	67	80	81	84	72	59	74	71	66	58	81
Chronic and unspecified nephritis and other renal sclerosis-----592-594	12,033	1,189	1,126	1,107	984	1,020	974	943	881	849	945	963	1,052
Infections of kidney-----600	7,645	675	630	617	616	583	629	602	638	614	657	681	703
Calculi of urinary system-----602, 604	1,216	110	114	107	105	100	99	86	116	84	119	88	88
Other diseases of urinary system-----601, 603, 605-609	2,103	177	196	181	155	157	182	175	177	169	172	168	194
Hyperplasia of prostate-----610	4,449	378	425	441	392	364	339	353	350	336	358	343	370
Diseases of breast-----620, 621	12	-	1	2	-	-	2	1	1	2	-	2	1
Other diseases of genital organs-----611-617, 622-637	1,204	113	106	83	96	98	110	114	87	104	96	99	96
<b>XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-----</b>													
<b>1,579</b>													
Sepsis of pregnancy, childbirth, and puerperium-----640, 641, 661, 682, 684	165	11	13	12	11	21	20	13	11	12	8	13	20
Toxemias of pregnancy and puerperium, except abortion with toxemia-----642, 685, 686	303	29	19	22	41	21	25	26	33	24	22	18	23
Hemorrhage of pregnancy and childbirth-----643, 644, 670-672	268	24	18	13	21	30	25	14	20	26	23	28	26
Ectopic pregnancy-----645	119	9	5	16	10	9	14	6	13	9	12	7	9
Abortion without mention of sepsis or toxemia-----650	88	8	1	6	10	8	8	12	13	9	3	3	7
Abortion with sepsis-----651	191	14	14	15	15	16	12	19	16	20	14	16	20
Abortion with toxemia, without mention of sepsis-----652	10	2	-	1	1	-	-	1	-	1	2	-	2
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication-----646-649, 660, 673-680, 683, 687-689	435	44	47	38	30	34	31	39	38	35	35	28	36
<b>XII. Diseases of the skin and cellular tissue-----</b>													
<b>2,069</b>													
Infections of skin and subcutaneous tissue-----690-698	632	46	67	60	60	54	55	40	71	41	55	44	39
Other diseases of skin and subcutaneous tissue-----700-716	1,437	141	114	122	121	95	123	96	143	109	116	137	120
<b>XIII. Diseases of the bones and organs of movement--</b>													
<b>3,596</b>													
Arthritis and spondylitis-----720-725	1,995	170	174	186	165	165	158	160	142	150	169	173	163
Muscular rheumatism and rheumatism unspecified-----726, 727	22	1	3	5	-	2	1	4	1	2	1	1	1
Osteomyelitis and periostitis-----730	175	19	12	12	13	8	20	19	14	17	21	11	9
Ankylosis and acquired musculoskeletal deformities-----737, 745-749	100	8	9	9	8	13	6	7	7	7	9	10	7
Inborn defect of muscle-----744.1	573	61	57	55	67	38	36	20	45	34	49	56	55
Other diseases of musculoskeletal system-----731-736, 738-744.0, 744.2	731	72	84	84	75	66	46	63	49	54	61	64	53
<b>XIV. Congenital malformations-----</b>													
<b>21,860</b>													
Spina bifida and meningocele-----751	1,215	105	88	96	102	98	81	107	91	110	96	120	111
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752, 753	2,503	237	205	224	168	209	183	185	190	203	225	223	231
Congenital malformations of circulatory system-----754	11,272	1,032	906	1,001	908	888	904	893	813	954	960	907	1,006
Other congenital malformations-----750, 755-759	6,870	622	523	567	558	574	539	527	590	581	587	565	637
<b>XV. Certain diseases of early infancy-----</b>													
<b>67,094</b>													
<b>XVI. Symptoms, senility, and ill-defined conditions--</b>													
<b>20,365</b>													
Senility without mention of psychosis-----794	2,639	308	260	278	203	190	222	182	166	163	222	198	249
Symptoms, ill-defined, and unknown causes-----780-793, 795	17,746	1,627	1,856	1,765	1,277	1,334	1,283	1,352	1,272	1,202	1,391	1,540	1,847
<b>XVII. Accidents, poisonings, and violence-----</b>													
<b>121,349</b>													
Accidents-----E800-E862	93,806	7,773	6,753	7,142	7,176	7,932	9,054	8,548	8,135	7,607	8,039	7,818	8,829
Railway accidents-----E800-E802	1,023	82	53	82	78	82	92	115	98	106	95	79	61
Motor vehicle accidents-----E810-E835	38,137	2,854	2,399	2,399	2,905	3,242	3,246	3,463	3,470	3,421	3,755	3,482	3,521
Motor vehicle traffic accidents-----E810-E825	37,142	2,812	2,367	2,344	2,821	3,155	3,127	3,345	3,359	3,309	3,648	3,394	3,462
Motor vehicle traffic accident involving collision with railway train-----E810	1,368	191	116	150	85	70	99	83	90	85	108	140	171
Motor vehicle traffic accident to pedestrian-----E812	7,284	644	586	461	573	549	524	527	546	655	778	708	723
Other motor vehicle traffic accidents involving collision-----E811, E813-E819	15,282	1,110	919	997	1,120	1,318	1,321	1,427	1,521	1,351	1,467	1,337	1,394
Motor vehicle noncollision traffic accidents-----E820-E824	10,279	659	570	574	832	961	910	987	938	962	998	948	942
Motor vehicle traffic accident of unspecified nature-----E825	2,929	208	166	162	211	257	273	321	264	275	297	263	232
Motor vehicle nontraffic accidents-----E830-E835	995	42	32	55	84	87	119	118	111	113	87	88	59
Other road vehicle accidents-----E840-E845	243	11	6	7	21	23	32	36	33	24	24	13	13
Water transport accidents-----E850-E859	1,478	54	51	52	122	212	214	221	205	113	109	80	45
Aircraft accidents-----E860-E866	1,475	187	73	134	94	105	133	119	90	103	194	54	189
Accidental poisoning by solid and liquid substances-----E870-E899	1,679	149	125	129	142	156	155	152	136	117	113	156	149
Accidental poisoning by gases and vapors-----E900-E995	1,253	224	152	187	73	45	33	26	35	33	80	123	242
Accidental falls-----E900-E904	19,023	1,757	1,634	1,613	1,464	1,559	1,522	1,497	1,524	1,570	1,574	1,530	1,779
Fall from one level to another-----E900-E902	6,019	494	425	419	469	511	533	523	529	562	518	515	521
Fall on same level-----E903	3,589	391	340	368	273	296	247	261	282	283	300	279	369
Unspecified falls-----E904	9,515	872	869	826	722	752	742	713	713	725	756	736	889
Blow from falling or projected object or missile-----E910	1,404	108	119	117	147	127	120	112	119	100	118	133	94
Accident caused by machinery-----E912	1,951	95	113	125	171	210	193	208	206	196	184	154	96

## SECTION 5 - MORTALITY

5-39

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Con.													
Accident caused by electric current-----E914	989	29	36	55	78	70	125	150	164	120	70	60	32
Accident caused by fire and explosion of combustible material-----E916	7,645	942	870	1,018	610	504	336	347	281	358	452	721	1,206
Accident caused by hot substance, corrosive liquid, steam, and radiation-----E917,E918	402	36	38	38	44	41	19	25	34	22	29	36	40
Accident caused by firearm-----E919	2,334	224	157	130	168	151	141	162	172	149	285	328	267
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	2,397	242	182	212	172	177	181	167	201	190	201	211	261
Accidental drowning-----E929	5,232	162	145	210	374	602	895	1,118	770	436	219	146	154
Excessive heat and insolation-----E931	168	-	1	1	1	-	35	55	34	36	4	1	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures-----E940-E959	1,115	76	97	96	86	97	99	84	85	97	104	90	104
All other accidents-----E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	5,858	541	502	537	426	529	483	490	478	416	449	421	566
Suicide-----E963,E970-E979	19,041	1,601	1,481	1,669	1,705	1,751	1,568	1,601	1,579	1,489	1,626	1,532	1,459
Suicide by poisoning-----E970-E973	4,330	376	350	339	345	397	366	358	340	349	424	371	315
Suicide by hanging and strangulation-----E974	3,366	284	261	305	303	329	281	301	278	260	262	266	238
Suicide by firearm and explosive-----E976	9,017	751	704	827	841	818	715	719	737	696	752	730	727
Suicide by all other means-----E963,E975,E977-E979	2,328	190	166	200	216	207	206	225	224	184	168	165	159
Homicide-----E964,E980-E985	8,464	686	649	641	671	680	660	790	777	720	717	719	754
Assault by firearm and explosive-----E981	4,627	385	358	345	363	368	340	424	416	373	383	418	453
Assault by cutting and piercing instruments-----E982	1,836	130	137	146	150	161	150	173	165	170	176	130	148
Assault by other means-----E964,E980,E983	1,700	144	137	128	138	121	133	168	165	151	138	142	136
Injury by intervention of police-----E984	245	21	14	17	17	18	30	21	27	22	18	25	15
Execution-----E985	56	6	3	4	3	12	7	4	4	4	2	4	3
Injury resulting from operations of war-----E965,E980-E999	38	3	7	5	-	1	3	4	4	1	3	3	3

## SECTION 5 - MORTALITY

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

Inter- mediate List number <sup>1</sup>	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
1	ALL CAUSES-----	1,711,982	975,648	736,334
2	I. Infective parasitic diseases-----	21,387	14,138	7,249
3	Tuberculosis, all forms-----001-019	10,866	7,887	2,979
4 A 1	Tuberculosis of respiratory system-----001-008	10,089	7,440	2,649
5 A 2	Tuberculosis of meninges and central nervous system-----010	228	124	104
6 A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	48	27	21
7 A 4	Tuberculosis of bones and joints-----012,013	80	43	37
8 A 5 pt.	Tuberculosis of other organs and systems-----014-016	176	107	69
9 A 5 pt.	Disseminated tuberculosis-----019	245	146	99
10	Syphilis and its sequelae-----020-029	2,945	2,145	800
11 A 6	Congenital syphilis-----020	94	34	10
12 A 7	Early syphilis-----021	-	-	-
13 A 10 pt.	Aneurysm of aorta-----022	1,337	977	360
14 A 10 pt.	Other cardiovascular syphilis-----023	1,002	715	289
15 A 8	Tabes dorsalis-----024	62	49	13
16 A 9	General paralysis of insane-----025	204	150	54
17 A 10 pt.	Other syphilis of central nervous system-----026	246	196	50
18 A 10 pt.	All other syphilis-----027-029	50	36	14
19 A 11	Gonococcal infection-----030-035	39	28	10
20 A 12	Typhoid fever-----040	21	11	10
21 A 13	Paratyphoid fever and other Salmonella infections-----041,042	82	46	36
22 A 14	Cholera-----043	-	-	-
23 A 15	Brucellosis (undulant fever)-----044	6	4	2
24 A 16	Dysentery, all forms-----045-048	355	189	166
25 A 43 pt.	Food poisoning (infection and intoxication)-----049	56	29	27
26 A 17	Scarlet fever-----050	14	7	7
27 A 18	Streptococcal sore throat-----051	94	47	47
28 A 19	Erysipelas-----052	22	13	9
29 A 20	Septicemia and pyemia-----053	1,920	1,082	838
30 A 21	Diphtheria-----055	69	32	37
31 A 22	Whooping cough-----056	118	58	62
32 A 23	Meningococcal infections-----057	644	372	272
33 A 24	Plague-----058	-	-	-
34 A 25	Leprosy-----060	6	3	3
35 A 26	Tetanus-----061	231	134	97
36 A 27	Anthrax-----062	-	-	-
37 A 28	Acute poliomyelitis-----080	230	140	90
38 A 30 pt.	Late effects of acute poliomyelitis-----081	148	82	66
39 A 29	Acute infectious encephalitis-----082	528	275	253
40 A 30 pt.	Late effects of acute infectious encephalitis-----083	88	46	42
41 A 31	Smallpox-----084	-	-	-
42 A 32	Measles-----085	380	198	182
43 A 33	Yellow fever-----091	-	-	-
44 A 34	Infectious hepatitis-----092	938	423	515
45 A 35	Rabies-----094	2	1	1
46 A 36 pt.	Tick-borne typhus-----100-103,105-108	11	7	4
47 A 36 pt.	All other rickettsial diseases-----100-103,105-108	-	-	-
48 A 37	Malaria-----110-117	4	3	1
49 A 38	Schistosomiasis-----123	5	2	3
50 A 39	Hydatid disease-----125	10	4	6
51 A 40	Filariasis-----127	-	-	-
52 A 41	Ancylostomiasis-----129	-	-	-
53 A 42	Other diseases due to helminths-----124,126,128,130	56	23	33
54 A 43 pt.	All other infective and parasitic diseases-----036-039,054,059,063-074,086-090,093,095,096,120-122,131-136	1,500	849	651
55	II. Neoplasms-----	272,520	145,770	126,750
56	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	287,627	143,543	124,084
57 A 44	Malignant neoplasm of buccal cavity and pharynx-----140-148	6,175	4,688	1,507
58	Of lip-----140	216	196	20
59	Of tongue-----141	1,545	1,179	366
60	Of other and unspecified parts of buccal cavity-----142-144	1,944	1,355	589
61	Of pharynx-----145-148	2,470	1,938	532
62	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary-----150-156A,157-159	91,035	49,792	41,243
63 A 45	Of esophagus-----150	4,915	3,832	1,083
64 A 46	Of stomach-----151	20,859	13,085	7,774
65 A 47 pt.	Of small intestine, including duodenum-----152	769	405	364
66 A 47 pt.	Of large intestine, except rectum-----153	28,537	13,010	15,527
67	Cecum, appendix, and ascending colon-----153.0	4,189	1,779	2,410
68	Transverse colon, including hepatic and splenic flexures-----153.1	1,666	765	901
69	Descending colon-----153.2	1,272	547	725
70	Sigmoid colon-----153.3	6,403	3,131	3,272
71	Multiple parts of large intestine-----153.7	71	36	35
72	Large intestine (including colon), part unspecified-----153.6	13,378	6,078	7,301
73	Intestinal tract, part unspecified-----153.9	1,557	672	885
74 A 48	Of rectum-----154	10,855	6,117	4,738
75 A 57 pt.	Of biliary passages and of liver (stated to be primary site)-----155	6,246	2,719	3,527
76	Liver-----155.0	1,890	1,217	673
77	Other and multiple sites of biliary passages-----155.1,155.6	4,356	1,502	2,854
78 A 57 pt.	Of liver not stated whether primary or secondary-----156A	3,482	1,847	1,635
79 A 57 pt.	Of pancreas-----157	13,675	7,982	5,693
80 A 57 pt.	Of peritoneum and of unspecified digestive organs-----158,159	1,697	795	902
81	Malignant neoplasm of respiratory system, not specified as secondary-----160-164	39,730	34,047	5,683
82 A 49	Of larynx-----161	2,428	2,201	225
83 A 50 pt.	Of bronchus and trachea, and of lung specified as primary-----162	18,342	16,164	2,178
84 A 50 pt.	Of lung, unspecified as to whether primary or secondary-----163	18,078	15,093	2,985
85 A 57 pt.	Of other parts of respiratory system-----160,164	884	589	295
86 A 51	Malignant neoplasm of breast-----170	23,970	215	23,755

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.



SECTION 5 - MORTALITY

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

Inter- mediate List number <sup>1</sup>	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
	II. Neoplasms—Continued			
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	Malignant neoplasm of genital organs-----171-179	36,669	15,391	23,276
2	A 52 Of cervix uteri-----171	8,487	...	8,487
3	A 53 Of other and unspecified parts of uterus-----172-174	5,929	...	5,929
4	A 57 pt. Of ovary, fallopian tube, and broad ligament-----175	8,046	...	8,046
5	A 57 pt. Of other and unspecified female genital organs-----176	815	...	816
6	A 54 Of prostate-----177	14,452	14,452	...
7	A 57 pt. All other and unspecified male genital organs-----178,179	939	939	...
8	A 57 pt. Malignant neoplasm of urinary organs-----180,181	12,804	8,585	4,219
9	Of kidney-----180	4,939	3,145	1,794
10	Of bladder and other urinary organs-----181	7,865	5,440	2,425
11	Malignant neoplasm of other and unspecified sites-----156B,165,190-199	29,561	15,895	13,666
12	A 55 Of skin-----190,191	4,009	2,350	1,659
13	A 57 pt. Of eye-----192	417	220	197
14	A 57 pt. Of brain and other parts of nervous system-----193	6,184	3,700	2,484
15	A 57 pt. Of thyroid gland-----194	1,040	374	666
16	A 56 pt. Of bone-----196	1,811	1,064	747
17	A 56 pt. Of connective tissue-----197	1,076	630	446
18	A 57 pt. Of other specified sites, not stated to be secondary-----195,199A	1,492	931	561
19	A 57 pt. Of unspecified sites-----156B,165,198,199B	13,532	6,626	6,906
20	A 58 Leukemia and aleukemia-----204	12,725	7,371	5,354
21	A 59 Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues-----200-203,205	12,958	7,579	5,379
22	Lymphosarcoma and reticulosarcoma-----200	5,902	3,463	2,439
23	Hodgkin's disease-----201	3,075	1,877	1,198
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	3,981	2,239	1,742
25	A 60 Benign neoplasms and neoplasms of unspecified nature-----210-239	4,893	2,227	2,666
26	Benign neoplasms of female genital organs-----214-217	505	...	505
27	Benign neoplasm of brain and other parts of nervous system-----223	967	433	534
28	Other benign neoplasms-----210-213,218-222,224-229	937	503	434
29	Neoplasm of unspecified nature of female genital organs-----233-235	27	...	27
30	Neoplasm of unspecified nature of brain and other parts of nervous system-----237	1,601	874	727
31	Other neoplasms of unspecified nature-----230-232,236,238,239	856	417	439
32	III. Allergic, endocrine system, metabolic, and nutritional diseases-----	41,221	18,164	23,057
33	A 66 pt. Asthma-----241	5,394	3,459	1,935
34	A 61 Nontoxic goiter-----250,251	88	18	70
35	A 62 Thyrotoxicosis with or without goiter-----252	532	96	436
36	A 66 pt. All other diseases of thyroid gland-----253,254	358	63	275
37	A 63 Diabetes mellitus-----260	29,971	12,147	17,824
38	A 66 pt. Diseases of thymus gland-----273	136	82	54
39	A 66 pt. Diseases of adrenal glands-----274	420	202	218
40	A 64 pt. Pellagra-----291	42	17	25
41	A 64 pt. Other avitaminoses and nutritional deficiency states-----280,282-286	1,775	878	897
42	A 66 pt. All other allergic, endocrine, and metabolic diseases-----240,242-245,270-272,275-277,287-289	2,525	1,202	1,323
43	IV. Diseases of the blood and blood-forming organs-----	5,104	2,535	2,569
44	A 65 Anemias-----290-293	3,330	1,567	1,763
45	Pernicious and other hyperchromic anemias-----290	641	254	387
46	Anemias of other and unspecified type-----291-293	2,689	1,313	1,376
47	A 66 pt. Purpura and other hemorrhagic conditions-----296	681	332	349
48	A 66 pt. Other diseases of blood and blood-forming organs-----294,295,297-299	1,093	636	457
49	V. Mental, psychoneurotic, and personality disorders-----	4,487	3,043	1,444
50	A 67 pt. Senile psychosis-----304	396	139	257
51	A 67 pt. Alcoholic psychosis-----307	458	395	63
52	A 67 pt. Other psychoses-----300-303,305,306,308,309	662	316	346
53	A 66 pt. Alcoholism-----322	2,235	1,765	470
54	A 69 Mental deficiency-----325	463	265	198
55	A 68 pt. Other disorders of personality-----310-321,323,324,326	273	163	110
56	VI. Diseases of the nervous system and sense organs-----	208,321	100,444	107,877
57	A 70 Vascular lesions affecting central nervous system-----330-334	193,588	92,263	101,325
58	Subarachnoid hemorrhage-----330	6,899	3,079	3,820
59	Cerebral hemorrhage-----331	110,855	52,741	58,114
60	Cerebral embolism and thrombosis-----332	58,669	28,309	30,360
61	Other vascular lesions affecting central nervous system-----333,334	17,345	8,134	9,211
62	A 71 Meningitis, except meningococcal and tuberculous-----340	2,316	1,358	958
63	A 72 Multiple sclerosis-----345	1,454	842	612
64	A 78 pt. Paralysis agitans-----350	2,898	1,520	1,378
65	A 78 pt. Cerebral spastic infantile paralysis-----351	746	451	295
66	A 73 Epilepsy-----353	1,969	1,220	749
67	A 74 Inflammatory diseases of eye-----370-379	13	7	6
68	A 75 Cataract-----385	21	10	11
69	A 76 Glaucoma-----387	6	3	3
70	A 77 Otitis media and mastoiditis-----381-393	384	229	155
71	A 78 pt. Other diseases of nervous system and sense organs-----341-344,352,354-369,380-384,386,388-390,394-398	4,876	2,761	2,115
72	VII. Diseases of the circulatory system-----	730,047	423,753	306,294
73	Diseases of heart-----400-402,410-443	661,712	368,205	273,507
74	A 79 Rheumatic fever-----400-402	734	365	369
75	A 80 Chronic rheumatic heart disease-----410-416	17,677	8,419	9,259
76	Diseases of mitral valve-----410	6,449	3,819	2,630
77	Diseases of aortic valve specified as rheumatic-----411	1,882	1,331	551
78	Diseases of pulmonary valve and other endocarditis, specified as rheumatic-----413,414	957	455	502
79	Other rheumatic heart diseases-----412,415,416	8,390	3,814	4,576

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

SECTION 5 - MORTALITY

Specified Race and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES				
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female		
33,649	13,491	20,158	4,887	1,855	3,032	59	16	43	19	9	10	41	16	25	14	4	10	1	
6,820	...	6,820	1,615	...	1,615	28	...	28	5	...	5	13	...	13	6	...	6	2	
5,107	...	5,107	806	...	806	9	...	9	2	...	2	3	...	3	...	...	...	3	
7,498	...	7,498	530	...	530	5	...	5	3	...	3	8	...	8	2	...	2	4	
733	...	733	81	...	81	1	...	1	...	...	...	1	...	1	...	...	...	5	
12,635	12,635	...	1,777	1,777	...	14	14	...	9	9	...	14	14	...	3	...	...	6	
858	858	...	78	...	78	2	...	2	...	...	...	2	...	2	1	...	...	7	
11,851	8,025	3,825	904	519	385	18	14	4	7	7	...	17	14	3	7	5	2	8	
4,615	2,946	1,669	295	177	118	14	11	3	2	2	...	7	5	2	6	4	2	9	
7,236	5,080	2,156	609	342	267	4	3	1	5	5	...	10	9	1	1	1	...	10	
26,929	14,570	12,359	2,486	1,226	1,260	44	26	18	34	26	8	39	27	12	29	20	9	11	
3,931	2,254	1,677	170	89	81	2	2	...	1	...	1	2	2	...	3	3	...	12	
388	209	179	28	10	18	1	1	...	1	...	1	...	...	...	...	...	...	13	
5,903	3,485	2,418	355	197	158	7	5	2	4	4	...	9	5	4	6	4	...	14	
960	548	412	72	23	49	1	1	...	3	2	...	2	2	2	2	1	...	15	
1,641	960	681	158	96	62	2	2	...	5	2	...	4	3	1	1	1	...	16	
975	574	401	96	52	44	1	1	...	1	1	...	2	1	1	1	1	...	17	
1,358	865	503	126	74	54	1	1	...	2	2	...	3	1	2	2	1	...	18	
11,973	5,885	6,088	1,481	687	794	29	14	15	18	16	2	17	15	2	14	9	5	19	
11,922	6,923	4,993	750	403	347	15	10	5	8	4	4	17	14	3	13	11	2	20	
12,034	7,025	5,008	874	515	359	13	9	4	9	6	3	15	11	2	15	12	3	21	
5,578	3,264	2,314	299	180	119	2	1	1	9	6	2	7	6	1	6	6	2	22	
2,860	1,748	1,132	188	123	65	3	3	...	1	1	...	2	2	1	1	1	...	23	
3,576	2,014	1,562	387	212	175	8	5	3	...	...	...	4	3	1	6	5	1	24	
4,167	1,963	2,204	692	248	444	13	5	8	9	6	3	6	2	4	6	3	3	25	
304	...	304	201	...	201	...	...	...	...	...	...	...	...	...	...	...	...	...	26
875	399	484	89	41	48	2	1	1	...	...	...	1	1	...	2	1	...	27	
819	444	375	107	54	53	3	2	1	1	1	...	5	1	4	2	1	...	28	
19	...	19	7	...	7	1	...	1	...	...	...	...	...	...	...	...	...	29	
1,401	763	638	185	103	82	5	2	3	8	5	3	...	...	...	2	1	...	30	
751	357	394	103	50	53	2	...	2	...	...	...	...	...	...	...	...	...	31	
35,676	15,994	19,682	5,228	1,992	3,236	126	61	65	63	43	20	71	44	27	57	30	27	32	
4,655	3,067	1,588	699	367	332	8	5	3	5	3	2	12	10	2	15	7	8	33	
71	34	37	15	4	11	1	...	1	...	...	...	...	...	...	1	...	...	34	
440	81	359	91	15	76	...	...	...	...	...	...	...	...	...	...	...	...	35	
308	61	247	28	2	26	1	...	1	...	...	...	1	...	1	...	...	...	36	
26,121	10,761	15,360	3,637	1,288	2,369	90	35	45	53	37	16	49	29	20	31	17	14	37	
115	70	45	17	10	7	2	1	1	...	...	...	...	...	...	2	1	...	38	
365	174	191	48	23	25	5	4	1	...	...	...	1	...	1	1	1	...	39	
29	14	15	13	3	10	...	...	...	...	...	...	...	...	...	...	...	...	40	
1,420	679	741	329	182	147	13	8	5	3	2	1	5	4	1	5	3	2	41	
2,152	1,073	1,079	351	118	233	16	8	8	1	1	...	3	1	2	2	1	1	42	
4,332	2,150	2,182	740	363	377	11	8	3	6	4	2	7	4	3	8	6	2	43	
2,727	1,279	1,448	567	278	309	6	4	2	3	2	1	4	2	2	3	2	1	44	
600	235	365	40	19	21	...	...	...	1	...	1	...	...	...	...	...	...	45	
2,127	1,044	1,083	547	259	288	6	4	2	2	2	...	4	2	2	3	2	1	46	
593	288	305	79	37	42	3	3	...	...	...	...	2	1	1	4	3	1	47	
1,012	583	429	74	48	26	2	1	1	3	2	1	1	1	1	1	1	...	48	
3,569	2,411	1,158	856	580	276	47	40	7	5	5	...	7	5	2	3	2	1	49	
360	119	241	32	18	14	1	...	1	1	1	...	2	1	1	...	...	...	50	
375	341	34	58	51	7	5	3	2	...	...	...	...	...	...	...	...	...	51	
568	280	288	90	33	57	2	1	1	1	1	...	1	1	...	...	...	...	52	
1,643	1,327	316	546	396	150	38	35	3	2	2	...	3	3	...	3	2	1	53	
446	245	201	35	19	16	1	1	...	...	...	...	1	...	1	...	...	...	54	
177	99	78	95	63	32	...	...	...	1	1	...	...	...	...	...	...	...	55	
181,536	87,351	94,185	25,797	12,432	13,365	345	202	143	133	104	29	325	211	114	185	144	41	56	
169,053	80,486	88,567	23,707	11,222	12,485	247	141	106	129	102	27	294	186	108	158	126	32	57	
5,556	2,559	2,997	1,081	483	598	13	8	5	11	8	3	24	13	11	14	8	6	58	
95,509	45,474	50,035	14,876	6,957	7,919	139	76	63	71	59	12	174	106	68	86	69	17	59	
53,002	25,456	27,546	5,466	2,697	2,769	61	35	26	40	30	10	75	52	23	45	39	6	60	
14,986	6,897	7,989	2,284	1,085	1,199	34	22	12	7	5	2	21	15	6	13	10	3	61	
1,608	959	649	643	359	284	49	30	19	2	2	...	6	3	3	8	5	3	62	
1,391	603	788	93	39	54	...	...	...	...	...	...	...	...	...	...	...	...	63	
2,816	1,475	1,341	75	39	36	1	...	...	...	...	...	4	4	...	2	2	...	64	
651	372	279	89	55	34	3	2	1	...	...	...	3	2	1	...	...	...	65	
1,470	876	594	492	324	166	19	14	5	...	...	...	2	1	1	6	5	1	66	
9	4	5	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	67	
18	9	9	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	68	
5	2	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	69	
311	191	120	63	30	33	5	4	1	...	...	2	2	2	...	3	2	1	70	
4,204	2,374	1,830	627	359	268	21	11	10	2	...	2	14	13	1	8	4	4	71	
663,635	387,934	275,901	63,450	33,653	29,597	819	501	318	569	488	81	751	508	243	623	469	154	72	
602,876	356,287	246,609	56,333	30,135	26,198	732	453	279	525	456	69	661	448	213	585	446	139	73	
571	287	284	155	74	81	5	2	3	...	...	...	...	...	...	3	2	1	74	
16,319	7,751	8,568	1,267	613	654	30	19	11	24	17	7	12	4	8	25	14	11	75	
5,957	2,578	3,379	454	222	232	10	6	4	12	7	5	4	...	4	11	5	6	76	
1,788	1,270	518	65	53	32	3	3	...	1	1	...	2	2	...	3	2	1	77	
907	428	479	48	25	23	1	1	...	1	1	...	...	...	...	...	...	...	78	
7,667	3,475	4,192	680	313	367	16	9	7	10	8	2	6	2	4	11	7	4	79	



SECTION 5 - MORTALITY

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

Inter- mediate List number <sup>1</sup>	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
	VII. Diseases of the circulatory system—Continued			
	Diseases of heart—Continued			
1	A 81 pt. Arteriosclerotic heart disease, including coronary disease-----420	494,282	307,377	186,905
2	Arteriosclerotic heart disease so described-----420.0	205,499	114,059	92,440
3	Heart disease specified as involving coronary arteries-----420.1	287,239	192,994	94,245
4	Angina pectoris without mention of coronary disease-----420.2	544	324	220
5	A 81 pt. Chronic endocarditis not specified as rheumatic-----421	4,945	2,863	2,082
6	Of mitral valve, specified as nonrheumatic-----421.0	294	156	138
7	Of aortic valve, not specified as rheumatic-----421.1	2,141	1,448	693
8	Of other valves, not specified as rheumatic-----421.2-421.4	2,510	1,279	1,231
9	A 81 pt. Other myocardial degeneration-----422	52,084	25,432	26,652
10	With arteriosclerosis-----422.1	38,054	18,292	19,762
11	Without mention of arteriosclerosis-----422.0,422.2	14,030	7,140	6,890
12	A 82 Other diseases of heart-----430-434	25,682	14,693	10,789
13	Acute and subacute endocarditis-----430	754	480	274
14	Acute myocarditis and acute pericarditis, not specified as rheumatic-----431,432	839	513	326
15	Functional disease of heart-----433	5,600	2,779	2,821
16	Other and unspecified diseases of heart-----434	18,409	11,421	7,288
17	A 83 Hypertensive heart disease-----440-443	66,508	28,857	37,451
18	Hypertensive heart disease with arteriolar nephrosclerosis-----442	15,740	7,649	8,091
19	Other hypertensive heart disease-----440,441,443	50,568	21,208	29,360
20	A 84 Other hypertensive disease-----444-447	12,662	6,395	6,277
21	Hypertension with arteriolar nephrosclerosis-----446	6,499	3,608	2,890
22	Essential hypertension and other hypertensive disease without mention of heart-----444,445,447	6,164	2,777	3,387
23	A 85 Diseases of arteries-----450-456	47,079	24,671	22,408
24	General arteriosclerosis-----450	35,876	17,073	18,803
25	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm-----451	8,271	6,055	2,217
26	Gangrene of unspecified cause-----455	258	141	117
27	Other arterial diseases-----452-454,456	2,974	1,404	1,270
28	A 86 Diseases of veins and other diseases of circulatory system-----460-468	8,594	4,492	4,102
29		94,166	58,696	35,470
	VIII. Diseases of the respiratory system-----			
30	A 87 Acute upper respiratory infections-----470-475	811	503	408
31	A 88 Influenza-----480-483	7,872	4,096	3,776
32	Pneumonia, except pneumonia of newborn-----480-483	58,931	34,030	24,901
33	A 89 Lobar pneumonia-----490	10,032	6,252	3,780
34	A 90 Bronchopneumonia-----491	34,405	19,541	14,764
35	A 91 pt. Primary atypical pneumonia-----492	5,331	3,036	2,295
36	A 91 pt. Pneumonia, other and unspecified-----493	9,163	5,101	4,062
37	A 92 Acute bronchitis-----500	1,170	708	462
38	A 93 Bronchitis, chronic and unqualified-----501,502	3,173	2,328	845
39	A 94 Hypertrophy of tonsils and adenoids-----510	132	71	61
40	A 95 Empyema and abscess of lung-----518,521	879	633	246
41	A 96 Flourisy-----519	181	115	66
42	A 97 pt. Emphysema without mention of bronchitis-----527.1	9,253	8,135	1,118
43	A 97 pt. Other respiratory diseases-----511-517,520,522-527.0,527.2	11,664	8,077	3,587
44		66,484	39,976	26,508
	IX. Diseases of the digestive system-----			
45	A 98 Diseases of teeth and supporting structures-----530-535	85	45	40
46	A 99 Ulcer of stomach-----540	5,707	4,069	1,638
47	A 100 Ulcer of duodenum-----541	4,653	4,438	1,215
48	A 101 Gastritis and duodenitis-----543	393	240	153
49	A 102 Appendicitis-----550-553	1,871	1,172	699
50	A 103 Hernia and intestinal obstruction-----560,561,570	9,061	4,466	4,615
51	A 104 pt. Gastroenteritis and colitis, except ulcerative, age 4 weeks and over-----571	4,406	2,366	2,040
52	A 104 pt. Chronic enteritis and ulcerative colitis-----572	3,133	1,481	1,652
53	A 105 Cirrhosis of liver-----581	20,296	13,483	6,813
54	Without mention of alcoholism-----581.0	13,660	8,822	4,838
55	With alcoholism-----581.1	6,636	4,661	1,975
56	A 106 Cholelithiasis, cholecystitis, and cholangitis-----584,585	4,619	1,858	2,761
57	A 107 pt. Fibrocystic disease of pancreas-----587B	806	502	304
58	A 107 pt. Other diseases of digestive system-----536-539,542,544,545,573-580,582,583,586,587.0,587.1,587A	10,634	6,056	4,578
59		30,313	18,442	11,871
	X. Diseases of the genitourinary system-----			
60	Nephritis and nephrosis-----590-594	13,684	7,543	6,141
61	A 108 Acute nephritis-----590	790	442	348
62	A 109 pt. Nephritis with edema, including nephrosis-----591	861	479	382
63	A 109 pt. Chronic and unspecified nephritis and other renal sclerosis-----592-594	12,033	6,622	5,411
64	A 110 Infections of kidney-----600	7,645	3,861	3,784
65	A 111 Calculi of urinary system-----602,604	1,216	687	529
66	A 114 pt. Other diseases of urinary system-----601,603,605-609	2,103	1,392	711
67	A 112 Hyperplasia of prostate-----610	4,449	4,449	...
68	A 113 Diseases of breast-----620,621	12	-	12
69	A 114 pt. Other diseases of genital organs-----611-617,622-637	1,204	510	694
70		1,579	...	1,579
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium-----			
71	A 115 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	165	...	165
72	A 116 pt. Toxemias of pregnancy and puerperium, except abortion with toxemia-----642,685,686	303	...	303
73	A 117 Hemorrhage of pregnancy and childbirth-----643,644,670-672	268	...	268
74	A 120 pt. Ectopic pregnancy-----645	119	...	119
75	A 118 Abortion without mention of sepsis or toxemia-----650	88	...	88
76	A 119 Abortion with sepsis-----651	191	...	191
77	A 116 pt. Abortion with toxemia, without mention of sepsis-----652	10	...	10
78	A 120 pt. Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication-----646-649,660,673-680,683,687-689	435	...	435

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.



SECTION 5 - MORTALITY

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

Intermediate List number <sup>1</sup>	CAUSE OF DEATH	ALL RACES		
		Total	Male	Female
1	XII. Diseases of the skin and cellular tissue-----	2,069	811	1,258
2	A 121 Infections of skin and subcutaneous tissue-----690-698	632	315	317
3	A 126 pt. Other diseases of skin and subcutaneous tissue-----700-716	1,437	496	941
4	XIII. Diseases of the bones and organs of movement-----	3,596	1,604	1,992
5	A 122 Arthritis and spondylitis-----720-725	1,985	692	1,303
6	A 123 Muscular rheumatism and rheumatism unspecified-----726,727	22	13	9
7	A 124 Osteomyelitis and periostitis-----730	175	104	71
8	A 125 Ankylosis and acquired musculoskeletal deformities-----737,745-749	100	51	49
9	A 126 pt. Inborn defect of muscle-----744.1	573	418	155
10	A 126 pt. Other diseases of musculoskeletal system-----731-736,738-744.0,744.2	731	326	405
11	XIV. Congenital malformations-----	21,860	11,965	9,895
12	A 127 Spina bifida and meningocele-----751	1,215	524	691
13	A 129 pt. Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-----752,753	2,503	1,291	1,212
14	A 128 Congenital malformations of circulatory system-----754	11,272	6,292	4,980
15	A 129 pt. Other congenital malformations-----750,755-759	6,870	3,658	3,012
16	A 130- XV. Certain diseases of early infancy-----	67,094	39,103	27,991
17	A 135 XVI. Symptoms, senility, and ill-defined conditions-----	20,385	12,012	8,373
18	A 136 Senility without mention of psychosis-----784	2,639	1,092	1,547
19	A 137 Symptoms, ill-defined, and unknown causes-----780-793,795	17,746	10,920	6,826
20	XVII. Accidents, poisonings, and violence-----	121,349	65,192	36,157
21	Accidents-----E900-E962	93,806	64,346	29,460
22	AE 139 pt. Railway accidents-----E900-E902	1,023	923	100
23	AE 138 Motor vehicle accidents-----E910-E935	38,137	28,094	10,053
24	Motor vehicle traffic accidents-----E910-E925	37,142	27,342	9,800
25	Motor vehicle traffic accident involving collision with railway train-----E910	1,366	994	374
26	Motor vehicle traffic accident to pedestrian-----E912	7,284	5,218	2,066
27	Other motor vehicle traffic accidents involving collision-----E911, E913-E919	15,282	10,660	4,622
28	Motor vehicle noncollision traffic accidents-----E920-E924	10,279	9,315	1,964
29	Motor vehicle traffic accident of unspecified nature-----E925	2,929	2,155	774
30	Motor vehicle nontraffic accidents-----E930-E935	995	742	253
31	AE 139 pt. Other road vehicle accidents-----E940-E945	243	190	53
32	AE 139 pt. Water transport accidents-----E950-E958	1,478	1,368	110
33	AE 139 pt. Aircraft accidents-----E960-E966	1,475	1,260	215
34	AE 140 pt. Accidental poisoning by solid and liquid substances-----E970-E968	1,679	1,022	657
35	AE 140 pt. Accidental poisoning by gases and vapors-----E969-E965	1,253	900	353
36	AE 141 Accidental falls-----E900-E904	19,023	9,297	9,726
37	Fall from one level to another-----E900-E902	6,013	3,926	2,093
38	Fall on same level-----E903	3,699	1,543	2,146
39	Unspecified falls-----E904	9,315	3,828	5,487
40	AE 147 pt. Blow from falling or projected object or missile-----E910	1,404	1,349	55
41	AE 142 Accident caused by machinery-----E912	1,951	1,883	68
42	AE 147 pt. Accident caused by electric current-----E914	989	916	71
43	AE 143 Accident caused by fire and explosion of combustible material-----E916	7,645	4,279	3,366
44	AE 144 Accident caused by hot substance, corrosive liquid, steam, and radiation-----E917, E918	402	231	171
45	AE 145 Accident caused by firearm-----E919	2,334	2,010	324
46	AE 147 pt. Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	2,397	1,451	946
47	AE 146 Accidental drowning-----E929	5,232	4,367	865
48	AE 147 pt. Excessive heat and insolation-----E931	168	126	42
49	AE 147 pt. Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures-----E940-E959	1,115	551	564
50	AE 147 pt. All other accidents-----E911, E913, E915, E920, E923-E926, E930, E932-E936, E960-E962	5,858	4,117	1,741
51	AE 148 Suicide-----E963, E970-E979	19,041	14,539	4,502
52	Suicide by poisoning-----E970-E973	4,330	2,631	1,699
53	Suicide by hanging and strangulation-----E974	3,366	2,576	790
54	Suicide by firearm and explosive-----E976	9,017	7,879	1,138
55	Suicide by all other means-----E963, E975, E977-E979	2,328	1,453	875
56	AE 149 Homicide-----E964, E980-E985	8,464	6,269	2,195
57	Assault by firearm and explosive-----E981	4,627	3,460	1,167
58	Assault by cutting and piercing instruments-----E982	1,836	1,442	394
59	Assault by other means-----E964, E980, E983	1,700	1,069	631
60	Injury by intervention of police-----E984	245	242	3
61	Execution-----E985	56	56	-
62	AE 150 Injury resulting from operations of war-----E965, E990-E999	38	38	-

<sup>1</sup>See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.





















SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

Table with columns: CAUSE OF DEATH, RACE, AND SEX; Total; Under 1 year; 1 year; 2 years; 3 years; 4 years; Under 5 years; 5-9 years; 10-14 years; 15-19 years. Rows include categories like SCHISTOSOMIASIS, HYDATID DISEASE, FILARIASIS, ANCYLOSTOMIASIS, OTHER DISEASES DUE TO HELMINTHS, ALL OTHER INFECTIVE AND PARASITIC DISEASES, and II. NEOPLASMS with sub-categories for MALIGNANT NEOPLASMS.











## SECTION 5 - MORTALITY

5-61

## Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	2	5	16	22	39	86	116	168	231	267	233	189	134	34	7	1	-	
-	1	1	4	8	16	33	45	69	83	119	99	70	53	14	5	-	-	
2	1	4	10	12	17	40	55	83	126	133	125	113	79	20	2	1	-	
-	-	-	-	1	1	3	7	5	8	9	4	4	1	-	-	-	-	
1	-	-	2	1	5	9	9	11	13	4	4	2	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
11	24	47	101	238	440	710	989	1,385	1,770	1,789	1,522	1,054	561	176	23	2	2	
4	14	14	42	110	185	371	515	762	981	1,007	832	532	254	62	8	1	16	
4	7	19	40	98	195	267	370	503	646	680	620	475	286	110	13	1	17	
-	2	10	6	11	24	33	54	58	76	51	28	20	5	1	1	-	18	
3	1	1	12	16	32	36	46	57	62	45	36	23	12	3	1	1	19	
-	-	2	1	2	4	3	3	4	4	4	4	3	3	-	-	-	20	
-	-	1	-	1	4	-	1	1	1	2	2	-	1	-	-	-	21	
1	14	32	56	113	200	371	569	869	1,085	1,166	869	538	244	48	6	3	22	
-	4	12	19	40	82	156	247	359	430	469	309	170	71	18	3	1	23	
1	4	11	17	56	78	169	256	433	596	632	519	349	158	29	3	-	24	
-	3	7	14	12	20	27	42	36	25	33	15	8	-	-	-	-	25	
-	3	2	4	3	13	14	18	26	28	20	15	6	6	-	-	-	26	
-	-	-	1	1	4	3	5	10	2	8	6	4	4	-	-	1	27	
-	-	-	1	1	3	2	1	5	4	4	5	1	3	1	-	1	28	
1	14	22	31	52	86	151	205	286	268	304	217	129	57	6	1	-	29	
-	4	7	7	20	39	84	114	166	156	181	116	61	22	2	-	-	30	
1	4	7	6	17	20	36	51	80	85	96	89	61	32	4	-	-	31	
-	3	7	12	17	22	33	42	25	18	19	5	4	1	-	-	-	32	
-	3	1	4	2	7	7	3	8	7	4	4	2	1	-	-	-	33	
-	-	-	1	1	4	1	4	5	-	4	2	1	1	-	-	-	34	
-	-	-	1	-	1	1	-	2	2	-	1	-	-	-	-	-	35	
-	-	10	25	61	114	220	364	583	817	862	652	409	187	42	5	3	36	
-	-	5	12	20	43	72	133	193	274	288	193	109	49	16	2	1	37	
-	-	4	11	39	58	133	205	353	511	536	430	288	126	25	3	-	38	
-	-	-	2	-	3	5	9	11	7	14	10	4	1	-	-	-	39	
-	-	1	-	1	7	7	15	18	21	16	11	4	5	-	-	-	40	
-	-	-	-	-	-	2	1	5	2	4	4	3	3	-	-	1	-	41
-	-	-	1	3	1	1	1	3	2	4	4	1	3	1	-	1	-	42
4	5	19	24	75	143	226	329	450	515	586	503	346	163	61	11	1	1	43
2	2	8	5	26	67	121	182	215	259	291	235	145	53	19	5	-	-	44
1	1	7	16	29	43	65	101	173	196	242	240	185	101	38	5	1	1	45
-	1	2	1	10	18	21	22	38	25	25	10	7	3	2	1	-	-	46
1	1	1	2	8	13	16	20	20	34	24	16	5	5	2	-	-	-	47
-	-	-	2	2	2	3	4	-	-	4	1	1	1	-	-	-	-	48
-	-	1	-	-	-	-	-	2	1	-	-	3	-	-	-	-	-	49
5	20	51	148	265	586	1,007	1,388	1,846	2,285	2,312	1,868	1,182	536	140	22	5	3	50
3	10	30	78	138	306	564	780	1,027	1,224	1,257	964	549	241	55	8	1	2	51
-	5	14	50	76	185	308	437	609	859	894	809	584	285	82	12	4	-	52
1	3	2	14	33	57	70	95	125	131	92	48	17	3	1	-	-	-	53
1	2	4	5	17	35	59	70	73	59	54	40	-28	3	1	2	-	-	54
-	-	1	1	1	1	6	5	5	7	10	5	3	3	1	-	-	-	55
-	-	-	-	2	2	-	1	7	5	5	2	1	1	-	-	-	-	56
3	10	17	31	46	80	120	135	189	245	252	231	169	108	34	3	-	-	57
1	5	12	24	32	41	63	87	96	101	100	83	76	36	8	1	-	-	58
1	4	4	12	16	35	55	48	68	107	129	132	85	66	23	2	-	-	59
1	-	-	4	3	6	6	12	11	15	14	6	5	2	2	-	-	-	60
-	1	1	3	3	6	18	12	14	20	8	10	3	4	1	-	-	-	61
-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	62
19	68	193	533	1,223	2,420	4,142	5,776	6,915	7,138	5,749	3,200	1,567	566	146	18	5	8	63
15	38	119	334	765	1,670	3,153	4,623	5,641	5,896	4,689	2,506	1,092	349	84	9	1	5	64
3	20	43	115	259	415	501	581	645	732	709	507	384	180	50	6	2	-	65
1	7	22	63	162	264	404	486	512	431	274	119	54	21	8	1	3	75	66
-	3	7	13	29	63	62	61	76	52	37	34	19	11	4	1	1	-	67
-	-	2	6	5	7	14	24	36	21	33	30	15	4	-	-	-	-	68
-	-	2	2	3	1	3	1	5	6	7	4	3	1	-	-	-	-	69
1	1	4	20	51	145	235	351	394	417	350	238	138	55	15	5	-	-	70
1	1	3	12	33	99	179	277	319	365	310	206	116	43	10	3	-	-	71
-	-	-	6	6	20	21	30	35	19	17	15	18	5	3	2	-	-	72
-	-	6	10	20	29	38	33	33	31	20	14	4	5	1	-	-	-	73
-	-	1	2	1	6	5	5	4	2	-	1	-	2	1	-	-	-	74
-	-	-	-	-	-	1	1	3	-	3	2	-	-	-	-	-	-	75
3	24	86	270	593	1,158	2,007	2,734	3,338	3,375	2,612	1,324	565	185	48	6	2	4	76
3	11	60	179	382	828	1,587	2,246	2,806	2,830	2,175	1,049	401	116	30	4	1	1	77
-	7	13	51	116	177	197	235	232	321	275	181	129	56	14	1	1	3	78
-	6	11	32	80	129	196	220	256	196	133	60	23	6	3	1	1	1	79
-	-	1	4	10	19	20	18	28	12	15	12	5	5	1	-	-	-	80
-	-	1	3	4	5	6	15	13	13	13	18	5	2	-	-	-	-	81
-	-	1	1	1	1	1	-	-	3	1	4	2	-	-	-	-	-	82
6	25	87	224	544	1,058	1,838	2,595	3,065	3,222	2,679	1,546	803	285	76	6	2	3	83
4	18	43	133	335	707	1,358	2,041	2,443	2,620	2,135	1,202	543	170	40	2	2	3	84
2	5	29	59	125	199	266	288	354	362	387	276	212	101	30	2	1	-	85
-	10	23	65	113	171	222	255	208	199	115	40	24	8	4	1	-	-	86
-	4	5	17	36	55	75	95	88	30	20	8	13	3	2	1	-	-	87
-	1	3	1	1	2	2	6	2	8	16	8	10	2	1	-	-	-	88
-	-	-	1	1	1	1	2	2	3	6	-	1	1	-	-	-	-	89





SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	II. NEOPLASMS—CON.										
2	MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.—CON.										
3	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES—CON.										
4	OF EYE.....192	417	2	6	20	17	4	49	10	2	5
5	WHITE.....MALE.....	209	1	7	7	2	2	14	6	2	2
6	FEMALE.....	179	-	3	8	6	-	17	3	-	3
7	NEGRO.....MALE.....	10	-	1	3	3	-	7	-	-	-
8	FEMALE.....	18	-	1	2	5	2	10	1	-	-
9	OTHER.....MALE.....	1	-	-	-	1	-	1	-	-	-
10	FEMALE.....	-	-	-	-	-	-	-	-	-	-
11	OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	6,184	59	79	85	102	90	415	352	188	119
12	WHITE.....MALE.....	3,485	31	43	42	52	42	210	169	81	58
13	FEMALE.....	2,318	19	26	31	40	41	157	143	85	48
14	NEGRO.....MALE.....	197	8	4	7	6	4	29	12	6	8
15	FEMALE.....	158	1	6	4	4	2	17	19	14	5
16	OTHER.....MALE.....	18	-	-	-	-	1	1	6	2	-
17	FEMALE.....	8	-	-	1	-	-	1	3	-	-
18	OF THYROID GLAND.....194	1,040	-	-	-	-	-	-	1	-	1
19	WHITE.....MALE.....	348	-	-	-	-	-	-	-	-	-
20	FEMALE.....	612	-	-	-	-	-	-	1	-	1
21	NEGRO.....MALE.....	23	-	-	-	-	-	-	-	-	-
22	FEMALE.....	49	-	-	-	-	-	-	-	-	-
23	OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	-
24	FEMALE.....	5	-	-	-	-	-	-	-	-	-
25	OF BONE.....196	1,811	2	3	5	6	4	20	28	127	130
26	WHITE.....MALE.....	960	-	2	2	3	3	10	12	60	82
27	FEMALE.....	681	1	1	3	3	1	9	12	56	34
28	NEGRO.....MALE.....	96	-	-	-	-	-	-	3	4	9
29	FEMALE.....	62	1	-	-	-	-	1	-	6	4
30	OTHER.....MALE.....	8	-	-	-	-	-	-	-	1	1
31	FEMALE.....	4	-	-	-	-	-	-	1	-	-
32	OF CONNECTIVE TISSUE.....197	1,076	7	3	7	9	6	32	12	22	29
33	WHITE.....MALE.....	574	5	2	5	6	3	21	5	11	19
34	FEMALE.....	401	1	1	2	1	1	6	6	8	7
35	NEGRO.....MALE.....	52	1	-	-	1	2	4	1	2	2
36	FEMALE.....	44	-	-	-	1	-	1	-	1	1
37	OTHER.....MALE.....	4	-	-	-	-	-	-	-	-	-
38	FEMALE.....	1	-	-	-	-	-	-	-	-	-
39	OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY.....195,199A	1,492	13	11	15	8	11	58	19	20	24
40	WHITE.....MALE.....	855	5	4	10	4	7	30	14	7	14
41	FEMALE.....	503	6	6	4	4	3	23	3	12	6
42	NEGRO.....MALE.....	72	1	1	1	-	1	4	-	-	2
43	FEMALE.....	54	1	-	-	-	-	1	1	1	2
44	OTHER.....MALE.....	4	-	-	-	-	-	-	1	-	-
45	FEMALE.....	4	-	-	-	-	-	-	-	-	-
46	OF UNSPECIFIED SITES.....156B,105,198,199B	13,532	7	5	8	9	9	38	18	10	20
47	WHITE.....MALE.....	5,885	4	1	3	6	5	19	8	3	9
48	FEMALE.....	6,088	3	1	4	1	3	12	8	5	5
49	NEGRO.....MALE.....	687	-	1	-	-	-	1	-	-	4
50	FEMALE.....	794	-	2	-	2	1	5	2	2	2
51	OTHER.....MALE.....	54	-	-	1	-	-	1	-	-	-
52	FEMALE.....	24	-	-	-	-	-	-	-	-	-
53	LEUKEMIA AND ALEUKEMIA.....204	12,725	111	132	201	300	261	1,005	704	445	309
54	WHITE.....MALE.....	6,929	52	63	98	170	156	539	393	229	169
55	FEMALE.....	4,993	45	54	90	119	85	393	262	180	116
56	NEGRO.....MALE.....	403	7	7	6	3	10	33	24	19	15
57	FEMALE.....	347	7	6	4	5	8	30	19	13	8
58	OTHER.....MALE.....	39	-	2	2	2	1	7	5	3	1
59	FEMALE.....	14	-	-	1	1	1	3	1	1	-
60	LYMPHOSARCOMA, ETC.....200-203,205	12,958	27	24	23	28	32	134	114	127	203
61	WHITE.....MALE.....	7,026	17	9	13	24	23	86	78	78	131
62	FEMALE.....	5,008	8	11	9	2	5	35	25	37	53
63	NEGRO.....MALE.....	515	-	1	1	1	3	6	7	6	13
64	FEMALE.....	359	1	2	-	1	1	5	2	5	5
65	OTHER.....MALE.....	38	-	-	-	-	-	2	2	-	1
66	FEMALE.....	12	1	1	-	-	-	2	-	1	-
67	LYMPHOSARCOMA AND RETICULOSARCOMA.....200	5,902	6	8	10	23	24	71	82	79	86
68	WHITE.....MALE.....	3,264	5	1	6	21	18	51	60	47	67
69	FEMALE.....	2,314	1	4	3	1	3	12	16	27	12
70	NEGRO.....MALE.....	180	-	1	1	1	2	5	4	3	6
71	FEMALE.....	119	-	2	-	-	1	3	2	2	1
72	OTHER.....MALE.....	19	-	-	-	-	-	-	-	-	-
73	FEMALE.....	6	-	-	-	-	-	-	-	-	-
74	HODGKINS DISEASE.....201	3,075	-	1	-	-	5	6	22	33	105
75	WHITE.....MALE.....	1,748	-	1	-	-	4	5	13	21	55
76	FEMALE.....	1,132	-	-	-	-	1	1	6	7	39
77	NEGRO.....MALE.....	123	-	-	-	-	-	-	2	2	6
78	FEMALE.....	65	-	-	-	-	-	-	-	3	4
79	OTHER.....MALE.....	6	-	-	-	-	-	-	1	-	1
80	FEMALE.....	1	-	-	-	-	-	-	-	-	-
81	OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES.....202,203,205	3,981	21	15	13	5	3	57	10	15	12
82	WHITE.....MALE.....	2,014	12	7	7	3	1	30	5	10	9
83	FEMALE.....	1,562	7	7	6	1	1	22	3	3	2
84	NEGRO.....MALE.....	212	-	-	-	-	1	1	1	1	1
85	FEMALE.....	175	1	-	-	1	-	2	-	-	-
86	OTHER.....MALE.....	13	-	-	-	-	-	-	1	-	-
87	FEMALE.....	5	1	1	-	-	-	2	-	1	-

SECTION 5 - MORTALITY

5-65

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
-	-	4	11	19	19	23	35	51	48	50	41	25	16	8	1	-	-
-	-	4	5	14	10	11	19	25	29	30	21	7	6	4	-	-	-
-	-	-	5	4	9	10	14	25	19	20	19	17	9	4	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	1	-	1	-	1	-	-	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
118	147	208	344	445	656	687	816	755	532	241	117	30	10	1	1	-	-
58	73	115	180	260	372	423	484	459	322	135	68	12	6	-	-	-	-
47	60	77	139	199	244	232	297	266	196	95	48	17	4	1	1	-	-
5	10	5	17	13	23	16	17	19	11	6	-	-	-	-	-	-	-
7	3	10	8	11	16	15	15	10	2	5	1	-	-	-	-	-	-
1	1	1	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
3	8	8	16	36	50	47	117	141	169	179	135	91	31	5	1	1	-
1	6	3	6	15	21	15	44	50	64	54	33	23	10	2	1	-	-
2	2	3	8	15	19	26	62	79	95	111	98	65	21	3	-	1	-
-	-	1	1	1	5	3	2	6	2	3	-	-	-	-	-	-	-
-	-	1	2	5	3	2	9	6	7	9	2	3	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
68	36	33	52	64	68	122	140	182	189	205	150	122	51	18	6	-	-
38	24	13	29	35	35	57	70	99	111	106	81	62	23	10	3	-	-
20	10	16	17	25	26	43	51	65	62	86	58	54	26	8	3	-	-
8	1	3	2	2	3	12	10	10	10	7	5	4	1	-	-	-	-
2	-	1	4	1	3	9	8	8	5	5	1	1	1	-	-	-	-
-	1	-	1	1	-	1	-	-	1	-	1	1	-	-	-	-	-
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
18	35	41	54	69	73	81	102	103	126	106	91	57	21	3	1	-	-
11	16	26	32	33	31	36	57	54	65	61	50	33	10	2	1	-	-
3	10	9	17	30	33	37	33	44	51	38	36	22	10	1	-	-	-
4	6	2	5	3	4	5	6	2	4	2	2	1	1	-	-	-	-
4	3	4	-	2	4	3	6	3	5	4	3	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
15	20	36	48	53	91	123	135	135	160	181	155	112	79	22	4	2	-
7	8	14	18	25	48	69	88	78	94	114	101	64	46	14	1	1	-
6	11	15	22	20	35	37	33	38	49	57	48	45	31	8	3	1	-
2	-	3	3	4	4	10	8	11	11	6	2	1	1	-	-	-	-
-	1	3	5	4	3	7	4	7	5	3	4	2	1	-	-	-	-
-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
32	58	116	220	389	697	1,101	1,415	1,722	2,069	2,000	1,686	1,149	589	169	28	2	4
16	31	48	89	132	259	478	644	805	981	884	723	480	208	57	9	1	54
9	20	46	91	181	324	450	549	670	877	917	835	617	350	103	18	1	56
1	3	12	27	43	73	113	111	112	85	45	22	16	4	1	-	2	57
5	3	10	26	44	69	94	100	133	84	98	71	27	13	5	-	1	58
-	-	-	1	4	1	4	4	2	10	13	11	2	1	-	-	-	59
1	1	-	1	1	1	2	5	1	5	3	1	1	1	-	-	-	60
192	231	292	347	429	563	706	881	1,181	1,439	1,493	1,281	790	348	75	13	1	-
104	143	141	175	223	283	385	485	649	819	849	690	425	187	33	8	-	65
62	60	121	141	165	223	262	322	451	548	586	554	350	151	41	5	-	64
18	15	14	20	19	25	22	37	37	36	36	21	6	6	3	-	-	66
8	8	13	11	20	28	31	34	42	34	22	14	7	3	1	-	1	67
-	4	3	-	1	3	2	2	1	2	-	-	-	1	-	-	-	68
-	1	-	-	1	1	2	1	1	-	-	2	-	1	-	-	-	69
237	326	389	529	620	798	1,108	1,351	1,645	1,885	1,493	1,159	547	230	55	5	1	2
139	193	222	296	330	442	617	708	887	1,010	822	588	257	113	24	3	1	72
86	109	131	178	220	272	380	527	652	778	598	521	267	105	31	2	-	73
7	14	17	31	37	39	61	66	69	59	39	26	13	5	-	-	-	74
5	10	16	24	31	40	42	44	35	34	27	19	10	5	-	-	-	75
-	-	-	-	2	4	7	6	2	3	4	4	4	2	-	-	-	76
-	-	2	-	-	1	1	-	-	1	3	1	-	-	-	-	-	77
74	77	122	205	283	363	503	614	761	869	678	601	290	108	31	3	-	79
48	47	70	106	161	202	289	345	416	471	370	304	144	52	11	2	-	80
24	22	39	80	97	132	180	230	306	369	279	275	140	52	20	1	-	81
1	3	6	11	11	17	16	24	27	17	17	10	1	1	-	-	-	82
1	5	5	8	12	11	14	10	11	11	7	9	2	2	-	-	-	83
-	-	1	-	2	1	3	5	1	1	2	2	-	1	-	-	-	84
-	-	1	-	-	-	1	-	-	-	3	-	-	-	-	-	-	85
148	236	244	247	222	227	248	270	276	288	242	146	80	30	4	1	-	-
82	141	140	146	124	135	153	142	162	158	136	79	39	13	3	1	-	87
60	84	85	79	76	76	78	109	104	119	96	61	36	15	1	-	-	88
2	8	7	15	10	10	11	16	10	7	4	3	4	1	-	-	-	89
4	3	11	7	7	5	6	3	3	4	5	2	1	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	91
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
15	13	23	77	115	208	357	467	608	x 728	573	412	177	92	20	1	1	-
9	5	12	44	45	105	175	221	309	381	316	205	74	48	10	-	1	-
2	3	7	19	47	64	122	188	242	290	223	185	91	38	10	1	-	96
4	3	4	5	11	12	34	26	32	35	18	13	8	3	-	-	-	97
-	2	-	9	12	24	22	31	24	19	15	8	3	3	-	-	-	98
-	-	-	-	-	2	4	1	1	2	1	1	-	-	-	-	-	99
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	
1	II. NEOPLASMS—CON.											
2	BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239											
3		4,893	138	24	26	23	25	241	140	92	87	
4	WHITE.....MALE....	1,963	59	14	6	9	13	101	63	44	37	
5	FEMALE..	2,204	60	10	16	10	5	101	49	33	28	
6	NEGRO.....MALE....	248	8	3	2	-	2	15	11	9	11	
7	FEMALE..	444	9	2	1	3	5	20	11	6	10	
8	OTHER.....MALE....	16	1	-	-	-	-	1	4	-	-	
9	FEMALE..	18	1	-	1	1	-	3	2	-	1	
10	BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217											
11		505	-	-	-	-	-	-	-	-	2	
12	WHITE.....FEMALE..	304	-	-	-	-	-	-	-	-	2	
13	NEGRO.....FEMALE..	201	-	-	-	-	-	-	-	-	-	
14	OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-	
15	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....223											
16		967	25	6	3	6	4	44	18	13	26	
17	WHITE.....MALE....	389	13	4	-	2	3	22	7	7	8	
18	FEMALE..	484	8	2	3	3	1	17	9	6	13	
19	NEGRO.....MALE....	41	1	-	-	-	-	1	1	-	4	
20	FEMALE..	48	1	-	-	1	-	2	48	-	1	
21	OTHER.....MALE....	3	1	-	-	-	-	1	1	-	-	
22	FEMALE..	2	1	-	-	-	-	1	-	-	-	
23	OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229											
24		937	68	5	7	5	7	92	27	26	29	
25	WHITE.....MALE....	444	24	3	2	3	3	35	13	11	16	
26	FEMALE..	375	34	1	4	1	2	42	8	9	8	
27	NEGRO.....MALE....	54	4	-	1	-	1	6	1	5	1	
28	FEMALE..	53	6	1	-	1	1	9	3	1	3	
29	OTHER.....MALE....	5	-	-	-	-	-	1	-	-	-	
30	FEMALE..	6	-	-	-	-	-	1	-	-	1	
31	NEOPLASM OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....233-235											
32		27	-	-	-	-	-	-	-	-	-	
33	WHITE.....FEMALE..	19	-	-	-	-	-	-	-	-	-	
34	NEGRO.....FEMALE..	7	-	-	-	-	-	-	-	-	-	
35	OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-	
36	NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237											
37		1,601	19	15	13	12	14	73	88	46	29	
38	WHITE.....MALE....	763	11	7	4	4	7	33	41	21	13	
39	FEMALE..	638	6	4	7	6	2	25	28	16	5	
40	NEGRO.....MALE....	103	-	3	1	-	1	5	8	4	5	
41	FEMALE..	82	2	1	-	1	4	8	8	5	6	
42	OTHER.....MALE....	8	-	-	-	-	-	2	2	-	-	
43	FEMALE..	7	-	-	1	1	-	2	1	-	-	
44	OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-232,236,238,239											
45		856	26	3	3	-	-	32	7	7	1	
46	WHITE.....MALE....	367	11	-	-	-	-	11	2	5	-	
47	FEMALE..	384	12	3	2	-	-	17	4	2	-	
48	NEGRO.....MALE....	50	3	-	-	-	-	3	1	-	1	
49	FEMALE..	53	-	-	1	-	-	1	-	-	-	
50	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-	
51	FEMALE..	2	-	-	-	-	-	-	-	-	-	
52	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....											
53		41,221	400	146	62	47	48	703	148	165	174	
54	WHITE.....MALE....	15,994	188	49	26	24	16	303	56	52	47	
55	FEMALE..	19,682	118	40	18	9	15	200	62	78	72	
56	NEGRO.....MALE....	1,992	43	29	8	8	8	96	15	17	24	
57	FEMALE..	3,236	38	21	9	5	8	81	14	16	30	
58	OTHER.....MALE....	178	8	4	-	-	-	12	-	-	-	
59	FEMALE..	139	5	3	1	1	1	11	1	2	1	
60	ASTHMA.....241											
61		5,394	24	24	11	9	13	81	40	30	46	
62	WHITE.....MALE....	3,067	7	8	2	4	5	26	16	6	9	
63	FEMALE..	1,588	7	6	6	2	1	22	9	12	17	
64	NEGRO.....MALE....	367	2	5	-	2	4	13	7	5	8	
65	FEMALE..	332	7	5	3	1	3	19	7	5	11	
66	OTHER.....MALE....	25	1	-	-	-	-	1	-	-	-	
67	FEMALE..	15	-	-	-	-	-	-	1	2	1	
68	NONTOXIC GOITER.....250,251											
69		88	3	-	-	-	-	3	-	1	-	
70	WHITE.....MALE....	14	2	-	-	-	-	2	-	-	-	
71	FEMALE..	57	-	-	-	-	-	-	-	1	-	
72	NEGRO.....MALE....	4	1	-	-	-	-	1	-	-	-	
73	FEMALE..	11	-	-	-	-	-	-	-	-	-	
74	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-	
75	FEMALE..	2	-	-	-	-	-	-	-	-	-	
76	THYROTOXICOSIS WITH OR WITHOUT GOITER.....252											
77		532	1	-	-	-	-	1	-	3	1	
78	WHITE.....MALE....	81	-	-	-	-	-	-	-	-	1	
79	FEMALE..	359	1	-	-	-	-	1	-	2	-	
80	NEGRO.....MALE....	15	-	-	-	-	-	-	-	-	1	
81	FEMALE..	76	-	-	-	-	-	-	-	1	1	
82	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-	
83	FEMALE..	1	-	-	-	-	-	-	-	-	-	
84	ALL OTHER DISEASES OF THYROID GLAND .....253,254											
85		338	14	1	1	1	-	17	-	1	-	
86	WHITE.....MALE....	61	6	1	1	1	-	9	-	-	-	
87	FEMALE..	247	5	-	-	-	-	5	-	1	-	
88	NEGRO.....MALE....	2	1	-	-	-	-	1	-	-	-	
89	FEMALE..	26	2	-	-	-	-	2	-	-	-	
90	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-	
91	FEMALE..	2	-	-	-	-	-	-	-	-	-	
92	DIABETES MELLITUS.....260											
93		29,971	17	12	3	16	13	61	50	82	84	
94	WHITE.....MALE....	10,761	8	5	1	7	6	27	14	22	27	
95	FEMALE..	15,360	5	6	2	4	6	23	30	45	47	
96	NEGRO.....MALE....	1,268	3	-	-	2	-	5	5	7	1	
97	FEMALE..	2,369	1	-	-	2	1	4	1	8	14	
98	OTHER.....MALE....	118	-	1	-	-	-	1	-	-	-	
99	FEMALE..	95	-	-	-	1	-	1	-	-	-	

SECTION 5 - MORTALITY

Race, and Sex: United States, 1960-Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
87	97	167	271	343	389	461	445	495	467	400	300	214	119	67	9	2	-
28	24	55	86	114	145	182	173	237	216	185	123	90	38	22	-	-	-
48	50	69	122	156	159	214	197	197	197	189	153	116	76	40	9	1	-
2	8	7	16	18	21	30	33	20	21	10	10	2	2	2	-	-	-
9	15	34	46	53	61	32	42	35	29	15	13	6	3	3	-	-	-
-	-	-	-	2	1	2	-	4	2	-	-	-	-	-	-	-	-
-	-	2	1	-	2	1	-	2	2	1	1	-	-	-	-	-	-
8	15	35	59	84	67	50	32	20	38	32	27	17	12	6	1	-	-
8	11	14	27	48	30	31	15	14	22	28	22	15	11	5	1	-	-
-	4	21	32	36	37	19	17	6	16	4	5	2	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	25	40	74	86	85	114	116	119	81	62	25	10	2	1	-	-	-
12	7	10	26	32	39	39	43	54	39	28	10	3	2	1	-	-	-
12	14	23	42	39	38	63	64	54	37	33	13	7	-	-	-	-	-
1	1	3	2	6	3	8	2	4	-	-	1	-	-	-	-	-	-
1	3	4	4	8	5	3	7	7	1	1	1	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
17	19	28	42	45	45	70	78	99	94	86	70	45	17	6	1	1	-
5	9	12	20	14	17	32	39	52	54	44	37	25	6	3	-	-	-
10	7	11	18	25	23	27	24	35	30	37	28	20	9	3	1	-	-
-	1	1	2	3	2	5	10	4	4	2	5	2	2	-	-	-	-
2	2	3	1	3	1	5	5	5	6	3	-	-	-	-	-	-	-
-	-	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-
-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	2	1	2	4	-	2	3	1	3	1	4	1	2	1	-	-
-	-	-	-	-	2	-	2	2	1	3	1	4	1	2	1	-	-
-	-	2	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	36	53	77	111	155	203	170	176	164	112	44	13	15	3	-	-	-
10	8	28	34	60	77	102	67	92	77	61	21	8	9	1	-	-	-
17	18	19	30	38	59	82	78	68	75	47	22	4	5	2	-	-	-
6	5	3	7	9	10	14	18	6	5	3	-	1	1	-	-	-	-
-	-	2	6	3	9	4	7	7	4	1	-	-	1	-	-	-	-
-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
3	2	9	18	15	33	24	47	78	89	105	133	125	72	49	6	1	-
1	-	5	6	8	12	9	24	39	46	52	55	54	21	17	-	-	-
1	-	2	5	6	7	11	14	24	32	41	67	66	50	28	6	1	-
1	1	-	5	-	6	3	3	6	8	5	4	1	-	2	-	-	-
-	1	2	2	1	8	1	6	9	2	6	7	4	1	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
221	373	491	810	1,113	1,567	2,450	3,307	4,844	6,321	6,710	5,798	3,678	1,691	534	88	14	21
67	138	202	327	429	648	1,005	1,351	1,839	2,471	2,586	2,252	1,413	595	173	31	3	6
102	139	161	273	388	541	864	1,285	2,235	3,116	3,583	3,142	2,072	987	325	45	7	5
26	41	40	75	103	136	195	227	262	268	189	152	64	35	15	7	-	-
22	52	82	123	182	233	365	417	472	427	307	216	106	63	18	5	3	2
2	-	1	5	6	3	12	14	19	20	30	23	16	9	2	1	-	-
2	3	5	7	5	6	9	13	17	19	15	13	7	2	1	-	-	-
48	76	94	170	256	332	432	546	676	788	731	583	295	134	23	10	2	1
8	12	21	44	75	135	237	323	453	588	508	370	183	68	8	6	1	-
25	31	32	70	105	121	138	150	154	159	182	182	100	59	13	4	-	-
7	12	16	22	28	41	28	49	40	44	25	13	5	2	2	-	-	-
7	20	23	32	45	34	28	22	26	23	9	12	4	4	4	-	-	-
1	-	-	2	2	1	1	2	3	3	4	6	2	1	-	-	-	-
-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
-	2	1	4	1	6	3	2	9	18	8	13	10	5	2	-	-	-
-	-	-	2	-	-	-	-	2	3	2	2	1	-	-	-	-	-
-	2	-	1	-	4	1	2	4	11	6	10	8	5	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
-	-	-	-	1	2	2	-	2	3	-	1	-	-	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	7	18	24	27	33	42	53	75	74	59	57	32	11	1	-	-	-
1	4	4	4	4	3	8	15	15	12	6	2	4	2	-	-	-	-
5	4	1	9	13	19	21	32	51	56	50	54	27	9	1	1	-	-
1	1	2	2	1	1	-	-	4	2	4	-	-	-	-	-	-	-
1	1	11	9	9	10	13	6	5	4	3	1	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	5	7	9	14	10	21	29	60	45	44	42	20	9	-	-	-	-
-	1	1	1	6	5	5	4	8	3	10	5	6	1	-	-	-	-
3	3	4	6	8	7	14	22	47	39	33	35	13	7	-	-	-	-
2	-	2	2	-	2	1	-	3	-	1	-	1	1	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128	232	298	481	611	929	1,548	2,292	3,617	4,879	5,388	4,646	2,938	1,263	377	44	4	15
47	106	149	232	261	412	584	831	1,187	1,674	1,858	1,684	1,070	439	124	15	-	3
56	83	101	131	189	280	538	932	1,795	2,624	3,097	2,656	1,729	755	229	20	3	4
15	24	18	45	56	78	139	156	201	190	132	107	41	21	9	4	-	3
8	19	27	67	100	152	272	351	401	360	267	171	84	42	13	5	1	2
1	-	1	4	3	2	8	10	16	15	22	16	10	5	3	-	-	100
1	-	2	2	2	5	7	12	17	16	12	12	4	1	1	-	-	101

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102







SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS—CON.											
1	SENILE PSYCHOSIS.....	304	—	—	—	—	—	—	—	—	—
2	WHITE.....MALE....	119	—	—	—	—	—	—	—	—	—
3	FEMALE....	241	—	—	—	—	—	—	—	—	—
4	NEGRO.....MALE....	18	—	—	—	—	—	—	—	—	—
5	FEMALE....	14	—	—	—	—	—	—	—	—	—
6	OTHER.....MALE....	2	—	—	—	—	—	—	—	—	—
7	FEMALE....	2	—	—	—	—	—	—	—	—	—
8	ALCOHOLIC PSYCHOSIS.....	307	—	—	—	—	—	—	—	—	—
9	WHITE.....MALE....	341	—	—	—	—	—	—	—	—	—
10	FEMALE....	34	—	—	—	—	—	—	—	—	—
11	NEGRO.....MALE....	51	—	—	—	—	—	—	—	—	—
12	FEMALE....	7	—	—	—	—	—	—	—	—	—
13	OTHER.....MALE....	3	—	—	—	—	—	—	—	—	—
14	FEMALE....	2	—	—	—	—	—	—	—	—	—
15	OTHER PSYCHOSES.....	300-303,305,306,308,309	662	—	—	—	—	—	1	3	5
16	WHITE.....MALE....	280	—	—	—	—	—	—	—	2	1
17	FEMALE....	288	—	—	—	—	—	—	1	—	2
18	NEGRO.....MALE....	33	—	—	—	—	—	—	—	—	1
19	FEMALE....	57	—	—	—	—	—	—	—	1	1
20	OTHER.....MALE....	3	—	—	—	—	—	—	—	—	—
21	FEMALE....	1	—	—	—	—	—	—	—	—	—
22	ALCOHOLISM.....	322	2,235	—	—	—	2	2	—	—	9
23	WHITE.....MALE....	1,327	—	—	—	—	—	—	—	—	5
24	FEMALE....	316	—	—	—	—	—	—	—	—	1
25	NEGRO.....MALE....	396	—	—	—	—	2	2	—	—	2
26	FEMALE....	150	—	—	—	—	—	—	—	—	1
27	OTHER.....MALE....	42	—	—	—	—	—	—	—	—	—
28	FEMALE....	4	—	—	—	—	—	—	—	—	—
29	MENTAL DEFICIENCY.....	325	483	179	49	31	18	18	295	40	29
30	WHITE.....MALE....	245	87	22	17	9	8	143	25	15	10
31	FEMALE....	201	81	24	13	7	8	133	13	9	5
32	NEGRO.....MALE....	19	7	2	—	2	1	12	—	3	2
33	FEMALE....	16	4	1	1	—	—	6	2	2	—
34	OTHER.....MALE....	1	—	—	—	—	1	1	—	—	—
35	FEMALE....	1	—	—	—	—	—	—	—	—	—
36	OTHER DISORDERS OF PERSONALITY.....	310-321,323,324,326	273	1	—	—	—	1	—	2	15
37	WHITE.....MALE....	99	1	—	—	—	—	1	—	—	9
38	FEMALE....	78	—	—	—	—	—	—	—	2	2
39	NEGRO.....MALE....	63	—	—	—	—	—	—	—	—	3
40	FEMALE....	32	—	—	—	—	—	—	—	—	1
41	OTHER.....MALE....	1	—	—	—	—	—	—	—	—	—
42	FEMALE....	—	—	—	—	—	—	—	—	—	—
43	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	208,321	1,822	580	316	220	168	3,106	623	501	537
44	WHITE.....MALE....	87,351	775	263	147	100	76	1,361	277	224	243
45	FEMALE....	94,185	520	177	91	78	55	921	236	183	177
46	NEGRO.....MALE....	12,432	263	70	41	20	19	413	54	45	58
47	FEMALE....	13,365	198	64	29	17	17	325	42	42	50
48	OTHER.....MALE....	661	43	2	4	2	1	52	7	3	8
49	FEMALE....	327	23	4	4	3	—	34	7	4	1
50	VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....	330-334	193,588	169	50	27	31	23	300	117	129
51	WHITE.....MALE....	80,486	76	23	12	13	9	133	55	61	80
52	FEMALE....	88,567	44	14	4	11	7	80	40	45	64
53	NEGRO.....MALE....	11,222	24	10	6	2	3	45	13	6	17
54	FEMALE....	12,485	19	3	3	4	4	33	7	15	16
55	OTHER.....MALE....	555	5	—	—	—	—	5	—	—	5
56	FEMALE....	273	1	—	2	1	—	4	2	2	—
57	SUBARACHNOID HEMORRHAGE.....	330	6,699	41	4	3	3	56	31	51	95
58	WHITE.....MALE....	2,559	19	4	2	1	2	28	15	23	40
59	FEMALE....	2,997	13	—	—	—	2	15	13	17	34
60	NEGRO.....MALE....	483	6	—	1	—	1	8	—	3	14
61	FEMALE....	598	3	—	—	1	—	4	2	6	5
62	OTHER.....MALE....	37	—	—	—	—	—	—	—	—	2
63	FEMALE....	25	—	—	—	1	—	1	1	2	—
64	CEREBRAL HEMORRHAGE.....	331	110,855	87	15	4	6	4	116	29	35
65	WHITE.....MALE....	45,474	40	5	—	2	3	50	14	13	22
66	FEMALE....	50,035	22	6	1	3	—	32	12	15	19
67	NEGRO.....MALE....	6,957	12	3	2	1	—	18	1	2	3
68	FEMALE....	7,919	10	1	1	—	1	13	2	5	19
69	OTHER.....MALE....	310	3	—	—	—	—	3	—	—	3
70	FEMALE....	160	—	—	—	—	—	—	—	—	—
71	CEREBRAL EMBOLISM AND THROMBOSIS.....	332	58,689	14	4	4	4	1	27	7	9
72	WHITE.....MALE....	25,456	5	1	2	1	—	9	3	4	5
73	FEMALE....	27,546	5	1	1	3	—	10	2	4	3
74	NEGRO.....MALE....	2,697	1	1	1	—	1	4	1	—	—
75	FEMALE....	2,769	2	1	—	—	—	3	1	1	1
76	OTHER.....MALE....	156	—	—	—	—	—	—	—	—	—
77	FEMALE....	65	1	—	—	—	—	1	—	—	—
78	OTHER VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....	333,334	17,345	27	27	16	18	13	101	50	34
79	WHITE.....MALE....	6,997	12	13	8	9	4	46	23	21	13
80	FEMALE....	7,989	4	7	2	5	5	23	13	9	8
81	NEGRO.....MALE....	1,085	5	6	2	1	1	15	11	1	—
82	FEMALE....	1,199	4	1	2	3	3	13	2	3	1
83	OTHER.....MALE....	52	2	—	—	—	—	2	—	—	—
84	FEMALE....	23	—	—	2	—	—	2	1	—	—



SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—CON.											
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340		2,316	872	223	124	64	36	1,319	107	40	39
WHITE.....MALE....		959	352	102	56	27	16	553	48	19	16
FEMALE....		649	218	54	35	16	9	332	38	11	8
NEGRO.....MALE....		359	148	30	19	8	8	213	10	8	5
FEMALE....		284	114	34	12	11	2	173	6	2	10
OTHER.....MALE....		40	24	1	1	-	1	27	4	-	-
FEMALE....		25	16	2	1	2	-	21	1	-	-
MULTIPLE SCLEROSIS.....345		1,484	-	-	-	-	-	-	1	3	5
WHITE.....MALE....		603	-	-	-	-	-	-	-	2	1
FEMALE....		788	-	-	-	-	-	-	-	1	4
NEGRO.....MALE....		39	-	-	-	-	-	-	-	-	-
FEMALE....		54	-	-	-	-	-	-	1	-	-
OTHER.....MALE....		-	-	-	-	-	-	-	-	-	-
FEMALE....		-	-	-	-	-	-	-	-	-	-
PARALYSIS AGITANS.....350		2,898	-	-	-	-	-	-	-	1	1
WHITE.....MALE....		1,475	-	-	-	-	-	-	-	1	-
FEMALE....		1,341	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....		39	-	-	-	-	-	-	-	-	-
FEMALE....		36	-	-	-	-	-	-	-	-	-
OTHER.....MALE....		6	-	-	-	-	-	-	-	-	-
FEMALE....		1	-	-	-	-	-	-	-	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351		746	138	60	33	26	27	284	120	105	58
WHITE.....MALE....		372	63	35	18	16	15	147	61	48	29
FEMALE....		279	52	19	9	9	8	97	45	44	19
NEGRO.....MALE....		55	16	5	2	1	1	25	7	7	4
FEMALE....		34	6	1	4	-	3	14	7	4	4
OTHER.....MALE....		4	1	-	-	-	-	1	-	1	1
FEMALE....		2	-	-	-	-	-	-	-	1	1
EPILEPSY.....353		1,989	25	23	26	24	15	113	83	91	124
WHITE.....MALE....		876	17	10	12	11	7	57	33	35	55
FEMALE....		594	5	5	6	11	5	32	32	32	35
NEGRO.....MALE....		324	2	3	1	1	-	7	10	13	19
FEMALE....		168	-	3	4	-	3	10	7	11	13
OTHER.....MALE....		20	1	1	2	1	-	5	-	-	2
FEMALE....		7	-	1	1	-	-	2	1	-	-
INFLAMMATORY DISEASES OF EYE.....370-379		13	1	-	-	-	-	1	1	1	-
WHITE.....MALE....		4	1	-	-	-	-	1	-	-	-
FEMALE....		5	-	-	-	-	-	-	1	-	-
NEGRO.....MALE....		3	-	-	-	-	-	-	-	1	-
FEMALE....		1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....		-	-	-	-	-	-	-	-	-	-
FEMALE....		-	-	-	-	-	-	-	-	-	-
CATARACT.....385		21	-	-	-	-	-	-	-	-	-
WHITE.....MALE....		9	-	-	-	-	-	-	-	-	-
FEMALE....		9	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....		1	-	-	-	-	-	-	-	-	-
FEMALE....		2	-	-	-	-	-	-	-	-	-
OTHER.....MALE....		-	-	-	-	-	-	-	-	-	-
FEMALE....		-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387		6	-	-	-	-	1	1	-	1	-
WHITE.....MALE....		2	-	-	-	-	-	-	-	1	-
FEMALE....		3	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....		1	-	-	-	-	1	1	-	-	-
FEMALE....		-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....		-	-	-	-	-	-	-	-	-	-
FEMALE....		-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393		384	90	32	7	8	8	145	24	17	17
WHITE.....MALE....		191	38	16	4	5	3	66	10	8	6
FEMALE....		120	21	12	1	1	5	40	6	6	6
NEGRO.....MALE....		30	14	2	1	1	-	18	2	1	4
FEMALE....		33	13	2	1	-	-	16	5	1	1
OTHER.....MALE....		8	3	-	-	1	-	4	-	1	-
FEMALE....		2	1	-	-	-	-	1	1	-	-
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL		4,876	527	192	99	67	58	943	170	113	111
WHITE.....MALE....		2,374	228	77	45	28	26	404	70	49	56
FEMALE....		1,830	180	73	36	30	21	340	74	44	40
NEGRO.....MALE....		359	59	20	12	7	6	104	12	9	9
FEMALE....		268	46	21	5	2	5	79	9	9	6
OTHER.....MALE....		28	9	-	1	-	-	10	3	1	-
FEMALE....		17	5	1	-	-	-	6	2	1	-
VII. DISEASES OF THE CIRCULATORY SYSTEM.....											
		730,047	310	91	56	43	40	540	216	308	466
WHITE.....MALE....		387,934	141	22	21	23	18	225	91	106	187
FEMALE....		275,901	82	31	13	11	9	146	58	109	147
NEGRO.....MALE....		33,853	42	20	15	4	5	86	27	43	60
FEMALE....		29,597	40	16	6	3	6	71	34	43	64
OTHER.....MALE....		1,966	2	-	1	2	1	6	3	4	6
FEMALE....		796	3	2	-	-	1	6	3	3	2
DISEASES OF HEART.....400-402,410-443		661,712	272	83	48	39	37	479	193	260	382
WHITE.....MALE....		356,267	123	19	17	19	16	194	82	90	164
FEMALE....		246,609	73	27	11	11	9	131	47	92	104
NEGRO.....MALE....		30,135	39	20	13	4	4	80	26	40	56
FEMALE....		26,198	34	15	6	3	6	64	32	33	51
OTHER.....MALE....		1,803	1	-	1	2	1	5	3	4	6
FEMALE....		700	2	2	-	-	1	5	3	1	1













SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VII. DISEASES OF THE CIRCULATORY SYSTEM—CON.											
DISEASES OF HEART—CON.											
HYPERTENSIVE HEART DISEASE—CON.											
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443		50,568	-	-	-	-	-	-	4	1	3
WHITE.....MALE.....		15,941	-	-	-	-	-	-	2	-	-
FEMALE.....		23,093	-	-	-	-	-	-	1	-	2
NEGRO.....MALE.....		5,044	-	-	-	-	-	-	1	-	1
FEMALE.....		6,151	-	-	-	-	-	-	-	1	-
OTHER.....MALE.....		223	-	-	-	-	-	-	-	-	-
FEMALE.....		116	-	-	-	-	-	-	-	-	-
OTHER HYPERTENSIVE DISEASE.....444-447		12,662	-	1	-	1	-	2	2	2	10
WHITE.....MALE.....		5,054	-	1	-	1	-	2	1	-	3
FEMALE.....		5,035	-	-	-	-	-	-	1	2	3
NEGRO.....MALE.....		1,304	-	-	-	-	-	-	-	-	1
FEMALE.....		1,220	-	-	-	-	-	-	-	-	3
OTHER.....MALE.....		27	-	-	-	-	-	-	-	-	-
FEMALE.....		22	-	-	-	-	-	-	-	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446		6,498	-	-	-	-	-	-	1	-	3
WHITE.....MALE.....		3,115	-	-	-	-	-	-	1	-	1
FEMALE.....		2,507	-	-	-	-	-	-	-	-	-
NEGRO.....MALE.....		475	-	-	-	-	-	-	-	-	1
FEMALE.....		370	-	-	-	-	-	-	-	-	1
OTHER.....MALE.....		18	-	-	-	-	-	-	-	-	-
FEMALE.....		13	-	-	-	-	-	-	-	-	-
ESSENTIAL HYPERTENSION AND OTHER HYPERTENSIVE DISEASE WITHOUT MENTION OF HEART.....444,445,447		6,164	-	1	-	1	-	2	1	2	7
WHITE.....MALE.....		1,939	-	1	-	1	-	2	-	-	2
FEMALE.....		2,528	-	-	-	-	-	-	1	2	3
NEGRO.....MALE.....		829	-	-	-	-	-	-	-	-	-
FEMALE.....		850	-	-	-	-	-	-	-	-	2
OTHER.....MALE.....		9	-	-	-	-	-	-	-	-	-
FEMALE.....		9	-	-	-	-	-	-	-	-	-
DISEASES OF ARTERIES.....450-456											
WHITE.....MALE.....		22,779	1	-	2	-	1	4	4	12	11
FEMALE.....		20,693	-	-	-	-	-	5	7	7	28
NEGRO.....MALE.....		1,768	1	-	1	-	-	2	-	3	2
FEMALE.....		1,655	2	-	-	-	-	2	1	10	6
OTHER.....MALE.....		124	-	-	-	-	-	-	-	-	-
FEMALE.....		60	-	-	-	-	-	-	-	2	1
GENERAL ARTERIOSCLEROSIS.....450											
WHITE.....MALE.....		15,675	-	-	-	-	-	-	-	-	-
FEMALE.....		17,538	-	-	-	-	-	-	-	-	-
NEGRO.....MALE.....		1,316	-	-	-	-	-	-	-	-	-
FEMALE.....		1,227	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....		82	-	-	-	-	-	-	-	-	-
FEMALE.....		38	-	-	-	-	-	-	-	-	-
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM.....451											
WHITE.....MALE.....		5,720	-	-	-	-	1	1	1	4	4
FEMALE.....		1,994	-	-	-	-	-	-	1	1	1
NEGRO.....MALE.....		295	-	-	-	-	-	-	-	-	1
FEMALE.....		219	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....		38	-	-	-	-	-	-	-	-	-
FEMALE.....		5	-	-	-	-	-	-	-	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455											
WHITE.....MALE.....		116	-	-	1	-	-	1	1	-	1
FEMALE.....		86	-	-	-	-	-	-	1	-	-
NEGRO.....MALE.....		25	1	-	-	-	-	1	-	-	-
FEMALE.....		30	1	-	-	-	-	1	-	-	-
OTHER.....MALE.....		-	-	-	-	-	-	-	-	-	-
FEMALE.....		1	-	-	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES.....452-454,456											
WHITE.....MALE.....		1,268	1	-	1	-	-	2	4	9	9
FEMALE.....		1,075	-	-	-	-	-	3	3	6	26
NEGRO.....MALE.....		132	-	-	1	-	-	1	-	3	1
FEMALE.....		179	1	-	-	-	-	1	1	10	6
OTHER.....MALE.....		4	-	-	-	-	-	-	-	-	-
FEMALE.....		16	-	-	-	-	-	-	-	2	1
DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM.....460-468											
WHITE.....MALE.....		3,834	17	2	2	3	1	25	4	4	9
FEMALE.....		3,564	9	4	2	-	-	15	5	8	12
NEGRO.....MALE.....		646	2	-	1	-	1	4	1	-	1
FEMALE.....		524	4	1	-	-	-	5	1	-	4
OTHER.....MALE.....		12	1	-	-	-	-	1	-	-	-
FEMALE.....		14	1	-	-	-	-	1	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....											
WHITE.....MALE.....		49,497	4,606	640	310	184	141	5,881	349	176	201
FEMALE.....		29,285	3,116	567	276	150	112	4,221	282	172	156
NEGRO.....MALE.....		8,639	2,403	328	124	74	31	2,960	82	41	54
FEMALE.....		5,813	1,985	264	102	48	26	2,425	86	40	50
OTHER.....MALE.....		560	168	22	9	3	1	203	7	1	2
FEMALE.....		372	162	27	7	8	3	207	3	3	2
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475											
WHITE.....MALE.....		371	162	31	15	14	8	230	17	7	5
FEMALE.....		308	111	28	10	10	9	168	12	10	6
NEGRO.....MALE.....		113	75	10	4	3	-	92	4	3	-
FEMALE.....		93	54	6	4	2	2	69	2	3	-
OTHER.....MALE.....		19	11	2	-	-	-	13	1	-	-
FEMALE.....		7	4	2	-	-	-	6	-	-	-





SECTION 5 - MORTALITY

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

Table with 18 columns representing age groups (20-24 to 95-99), '100 and over', and 'Not stated'. Rows represent 100 different categories, with data points for each age group.















SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT.....	3,596	128	32	10	6	3	179	28	67	127
WHITE.....MALE.....	1,463	74	15	2	4	2	97	13	45	115
FEMALE.....	1,841	45	13	7	2	1	68	10	18	8
NEGRO.....MALE.....	132	7	-	-	-	-	7	2	4	4
FEMALE.....	141	2	4	1	-	-	7	3	-	-
OTHER.....MALE.....	9	-	-	-	-	-	-	-	-	-
FEMALE.....	10	-	-	-	-	-	-	-	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	1,995	1	-	-	2	1	4	3	3	3
WHITE.....MALE.....	638	1	-	-	2	-	3	1	1	1
FEMALE.....	1,216	-	-	-	-	1	1	1	1	2
NEGRO.....MALE.....	52	-	-	-	-	-	-	1	1	-
FEMALE.....	80	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
FEMALE.....	7	-	-	-	-	-	-	-	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	22	-	-	-	-	-	-	-	-	1
WHITE.....MALE.....	9	-	-	-	-	-	-	-	-	1
FEMALE.....	6	-	-	-	-	-	-	-	-	-
NEGRO.....MALE.....	4	-	-	-	-	-	-	-	-	-
FEMALE.....	3	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....	-	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	175	2	1	-	-	-	3	4	1	-
WHITE.....MALE.....	88	1	-	-	-	-	1	-	-	-
FEMALE.....	61	-	-	-	-	-	-	1	1	-
NEGRO.....MALE.....	14	-	-	-	-	-	-	1	-	-
FEMALE.....	9	1	1	-	-	-	2	2	-	-
OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-
ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....737,745-749	100	7	1	2	-	1	11	3	3	1
WHITE.....MALE.....	44	6	-	1	-	1	8	1	-	1
FEMALE.....	44	-	1	-	-	-	1	2	3	-
NEGRO.....MALE.....	6	-	-	-	-	-	-	-	-	-
FEMALE.....	4	1	-	1	-	-	2	-	-	-
OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	573	90	25	8	4	1	128	16	52	115
WHITE.....MALE.....	396	48	11	1	2	1	63	10	40	109
FEMALE.....	144	37	11	7	2	-	57	5	10	3
NEGRO.....MALE.....	21	5	-	-	-	-	5	-	2	3
FEMALE.....	11	-	3	-	-	-	3	1	-	-
OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
FEMALE.....	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744.0,744.2	731	28	5	-	-	-	33	2	8	7
WHITE.....MALE.....	288	18	4	-	-	-	22	1	4	3
FEMALE.....	370	8	1	-	-	-	9	1	3	3
NEGRO.....MALE.....	35	2	-	-	-	-	2	-	1	1
FEMALE.....	34	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	-
FEMALE.....	1	-	-	-	-	-	-	-	-	-
XIV. CONGENITAL MALFORMATIONS.....	21,860	15,389	1,027	512	319	228	17,475	777	510	373
WHITE.....MALE.....	10,392	7,383	424	224	137	81	8,249	369	239	196
FEMALE.....	8,664	6,043	420	201	130	102	6,896	315	213	146
NEGRO.....MALE.....	1,451	1,020	96	41	28	23	1,208	40	32	18
FEMALE.....	1,129	767	79	42	21	22	931	48	19	10
OTHER.....MALE.....	122	102	4	1	-	-	107	3	2	2
FEMALE.....	102	74	4	3	3	-	84	2	5	1
SPINA BIFIDA AND MENINGOCELE.....751	1,215	1,096	46	15	7	7	1,171	17	10	8
WHITE.....MALE.....	487	446	17	7	-	-	470	4	3	3
FEMALE.....	658	585	25	7	7	7	631	13	7	5
NEGRO.....MALE.....	32	29	2	1	-	-	32	-	-	-
FEMALE.....	28	26	2	-	-	-	28	-	-	-
OTHER.....MALE.....	5	5	-	-	-	-	5	-	-	-
FEMALE.....	5	5	-	-	-	-	5	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	2,503	1,645	243	122	75	50	2,135	159	73	36
WHITE.....MALE.....	1,112	734	107	52	31	14	938	70	34	20
FEMALE.....	1,043	689	104	50	33	20	896	68	27	12
NEGRO.....MALE.....	170	109	18	7	6	8	148	8	8	2
FEMALE.....	151	96	12	13	3	8	132	10	3	1
OTHER.....MALE.....	9	6	-	-	-	-	6	2	-	-
FEMALE.....	18	11	2	-	2	-	15	1	1	1
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	11,272	7,589	573	291	193	147	8,793	523	362	266
WHITE.....MALE.....	5,479	3,816	221	121	83	56	4,297	255	163	138
FEMALE.....	4,293	2,773	233	115	82	68	3,271	204	157	108
NEGRO.....MALE.....	748	500	58	28	16	12	614	25	21	11
FEMALE.....	628	408	57	23	11	11	510	35	15	7
OTHER.....MALE.....	65	53	2	1	-	-	56	-	2	1
FEMALE.....	59	39	2	3	1	-	45	1	4	1
OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,870	5,059	165	84	44	24	5,376	78	65	63
WHITE.....MALE.....	3,314	2,387	79	44	23	11	2,544	40	39	35
FEMALE.....	2,670	1,996	58	29	8	7	2,098	30	22	21
NEGRO.....MALE.....	501	382	18	5	6	3	414	4	3	5
FEMALE.....	322	237	8	6	7	3	261	3	1	2
OTHER.....MALE.....	43	38	2	-	-	-	40	1	-	-
FEMALE.....	20	19	-	-	-	-	19	-	-	-

SECTION 5 - MORTALITY

Race, and Sex: United States, 1960-Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

Table with 18 columns representing age groups (20-24 years to 95-99 years) and 100 and over, and a 'Not stated' column. The rows represent various categories, with numerical values for each age group and a corresponding category number on the far right (1 to 102).







SECTION 5 - MORTALITY

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE—CON.										
2	ACCIDENTS—CON.										
3	MOTOR VEHICLE ACCIDENTS—CON.										
4	MOTOR VEHICLE TRAFFIC ACCIDENTS—CON.										
5	MOTOR VEHICLE NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	10,279	74	40	41	37	27	219	110	238	1,891
6	WHITE.....MALE.....	7,301	35	19	22	18	13	107	59	155	1,356
7	FEMALE.....	1,755	25	15	10	13	10	73	37	54	382
8	NEGRO.....MALE.....	889	5	2	3	4	4	14	7	18	97
9	FEMALE.....	172	7	3	4	1	3	18	6	5	28
10	OTHER.....MALE.....	125	2	1	2	1	1	5	2	5	19
11	FEMALE.....	37	-	-	-	1	1	2	1	1	9
12	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2,929	32	19	16	13	9	89	42	56	421
13	WHITE.....MALE.....	1,915	12	8	10	6	3	39	20	32	302
14	FEMALE.....	710	13	11	4	5	4	37	13	16	89
15	NEGRO.....MALE.....	222	3	-	1	1	1	6	6	5	18
16	FEMALE.....	60	4	-	1	1	1	7	3	3	7
17	OTHER.....MALE.....	18	-	-	-	-	-	-	-	-	5
18	FEMALE.....	4	-	-	-	-	-	-	-	-	-
19	MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	995	10	154	76	47	30	317	51	34	45
20	WHITE.....MALE.....	655	4	70	36	29	15	154	29	24	37
21	FEMALE.....	227	5	60	31	16	11	123	15	5	3
22	NEGRO.....MALE.....	76	1	14	4	1	3	23	5	1	3
23	FEMALE.....	21	-	5	3	1	1	10	2	3	-
24	OTHER.....MALE.....	11	-	4	-	-	-	4	-	1	2
25	FEMALE.....	5	-	1	2	-	-	3	-	-	-
26	OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	243	-	1	2	-	3	6	36	51	19
27	WHITE.....MALE.....	165	-	1	-	-	2	3	27	33	7
28	FEMALE.....	47	-	-	-	-	1	1	6	13	10
29	NEGRO.....MALE.....	17	-	-	1	-	-	-	2	4	2
30	FEMALE.....	6	-	-	-	-	-	-	-	-	-
31	OTHER.....MALE.....	8	-	-	1	-	-	1	1	-	-
32	FEMALE.....	-	-	-	-	-	-	-	-	-	-
33	WATER TRANSPORT ACCIDENTS.....E850-E858	1,478	4	3	5	4	7	23	60	78	138
34	WHITE.....MALE.....	1,189	1	1	2	4	3	11	40	53	108
35	FEMALE.....	98	3	2	3	-	4	12	11	12	9
36	NEGRO.....MALE.....	155	-	-	-	-	-	-	8	12	16
37	FEMALE.....	12	-	-	-	-	-	-	1	1	4
38	OTHER.....MALE.....	24	-	-	-	-	-	-	-	-	-
39	FEMALE.....	-	-	-	-	-	-	-	-	-	-
40	AIRCRAFT ACCIDENTS.....E860-E866	1,475	6	3	3	4	2	18	13	19	67
41	WHITE.....MALE.....	1,244	2	1	2	2	1	8	8	11	47
42	FEMALE.....	210	4	1	1	1	1	8	5	8	19
43	NEGRO.....MALE.....	15	-	-	-	-	-	-	-	-	1
44	FEMALE.....	4	-	1	-	1	-	2	-	-	-
45	OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
46	FEMALE.....	1	-	-	-	-	-	-	-	-	-
47	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES.....E870-E888	1,679	56	194	133	44	18	445	16	5	34
48	WHITE.....MALE.....	753	23	55	50	20	4	152	5	2	26
49	FEMALE.....	512	19	51	39	9	7	125	1	3	1
50	NEGRO.....MALE.....	248	9	51	29	11	4	104	4	-	6
51	FEMALE.....	136	3	34	13	3	2	55	5	-	-
52	OTHER.....MALE.....	21	1	3	2	-	-	6	1	-	1
53	FEMALE.....	9	1	-	-	1	1	3	-	-	-
54	ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,253	17	18	12	7	4	58	29	33	102
55	WHITE.....MALE.....	794	6	5	3	2	2	18	12	19	56
56	FEMALE.....	294	5	10	7	4	2	28	13	8	35
57	NEGRO.....MALE.....	104	3	2	2	-	-	7	3	4	4
58	FEMALE.....	57	3	1	-	1	-	5	1	1	7
59	OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
60	FEMALE.....	2	-	-	-	-	-	-	-	1	-
61	ACCIDENTAL FALLS.....E900-E904	19,023	207	122	71	64	20	484	111	90	127
62	WHITE.....MALE.....	8,407	88	45	22	28	8	191	58	61	90
63	FEMALE.....	9,198	55	40	23	11	7	136	31	16	20
64	NEGRO.....MALE.....	814	39	12	15	10	-	76	13	7	9
65	FEMALE.....	504	24	22	9	13	2	70	7	3	2
66	OTHER.....MALE.....	76	1	2	2	2	-	7	2	3	6
67	FEMALE.....	24	-	1	-	-	3	4	-	-	-
68	FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	6,019	152	87	55	49	14	357	86	65	91
69	WHITE.....MALE.....	3,425	70	30	17	20	6	143	47	45	66
70	FEMALE.....	1,896	39	29	16	8	5	97	21	11	12
71	NEGRO.....MALE.....	455	23	10	13	9	-	55	10	6	7
72	FEMALE.....	191	19	17	7	11	1	55	6	-	1
73	OTHER.....MALE.....	46	1	1	2	1	-	5	2	3	5
74	FEMALE.....	6	-	-	-	-	2	2	-	-	-
75	FALL ON SAME LEVEL.....E903	3,689	10	8	3	1	1	23	7	5	10
76	WHITE.....MALE.....	1,450	2	3	1	-	-	6	2	2	8
77	FEMALE.....	2,064	4	3	1	-	-	8	3	3	1
78	NEGRO.....MALE.....	86	2	1	1	-	-	4	1	-	1
79	FEMALE.....	78	2	-	-	-	-	-	-	-	-
80	OTHER.....MALE.....	7	-	-	-	-	-	-	-	-	-
81	FEMALE.....	4	-	-	-	-	1	1	-	-	-
82	UNSPECIFIED FALLS.....E904	9,315	45	27	13	14	5	104	18	20	26
83	WHITE.....MALE.....	3,532	16	12	6	8	2	42	9	14	16
84	FEMALE.....	5,238	12	8	4	3	2	31	7	2	7
85	NEGRO.....MALE.....	273	14	1	1	1	-	17	2	1	1
86	FEMALE.....	235	3	4	2	1	1	11	-	3	1
87	OTHER.....MALE.....	23	3	1	1	1	-	2	-	-	1
88	FEMALE.....	14	-	1	-	-	-	1	-	-	-











Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UNITED STATES						ALABAMA			
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES.....	1,711,982	860,857	644,478	114,791	91,856	30,300	11,247	7,780	5,938	5,335
<b>I. INFECTIVE AND PARASITIC DISEASES.....</b>	<b>21,387</b>	<b>10,718</b>	<b>5,331</b>	<b>3,420</b>	<b>1,918</b>	<b>562</b>	<b>185</b>	<b>91</b>	<b>176</b>	<b>110</b>
TUBERCULOSIS, ALL FORMS.....001-019	10,866	6,050	2,113	1,837	866	300	107	42	102	49
TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	10,089	5,777	1,908	1,663	741	279	103	40	88	48
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	228	67	53	57	51	6	-	-	6	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	48	13	12	14	9	2	1	-	1	-
TUBERCULOSIS OF BONES AND JOINTS.....012-013	80	33	28	10	9	1	-	-	1	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	176	81	59	26	10	3	1	-	2	-
DISSEMINATED TUBERCULOSIS.....019	245	79	53	67	46	9	2	2	4	1
SYPHILIS AND ITS SEQUELAE.....020-029	2,945	1,492	527	653	273	52	11	4	24	13
CONGENITAL SYPHILIS.....020	44	21	4	13	6	1	-	-	1	-
EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA.....022	1,337	801	275	176	85	24	6	4	9	5
OTHER CARDIOVASCULAR SYPHILIS.....023	1,002	385	162	328	127	17	2	-	11	4
TABES DORSALIS.....024	62	41	9	8	4	3	-	-	2	1
GENERAL PARALYSIS OF INSANE.....025	204	102	35	48	19	6	3	-	-	3
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	246	116	34	70	26	1	-	-	1	-
ALL OTHER SYPHILIS.....027-029	50	26	8	10	6	-	-	-	-	-
GONOCOCCAL INFECTION.....030-035	38	10	2	18	8	1	-	-	-	1
TYPHOID FEVER.....040	21	6	5	5	5	1	-	-	-	1
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041-042	82	32	26	14	10	-	-	-	-	-
CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS.....044	6	3	2	1	-	1	-	-	1	-
DYSENTERY, ALL FORMS.....045-048	355	109	94	80	72	17	4	3	5	5
FOOD POISONING, INFECTION AND INTOXICATION.....049	56	23	17	6	10	4	1	2	-	1
SCARLET FEVER.....050	14	7	6	-	1	1	1	-	-	-
STREPTOCOCCAL SORE THROAT.....051	94	42	40	5	7	-	-	1	-	-
ERYSIPELAS.....052	22	13	8	-	1	2	2	-	-	-
SEPTICEMIA AND PYEMIA.....053	1,920	864	655	218	183	47	16	11	11	9
DIPHTHERIA.....055	69	23	21	9	16	3	-	1	-	2
WHOOPING COUGH.....056	118	19	26	37	36	8	-	2	4	2
MENINGOCOCCAL INFECTIONS.....057	644	290	217	82	55	18	6	7	2	3
PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
LEPROSY.....060	6	2	3	1	-	-	-	-	-	-
TETANUS.....061	231	66	57	68	40	10	1	1	6	2
ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS.....080	230	115	79	25	11	2	-	-	1	1
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	148	78	63	4	3	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS.....082	528	232	225	43	28	16	5	3	6	2
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	88	45	41	1	1	2	2	-	-	-
SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
MEASLES.....085	380	150	130	48	52	15	4	4	2	5
YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS.....092	938	360	435	63	80	27	10	5	7	5
RABIES.....094	2	-	1	1	-	-	-	-	-	-
TICK-BORNE TYPHUS.....104	11	7	4	-	-	1	1	-	-	-
ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA.....110-117	4	2	1	1	-	-	-	-	-	-
SCHISTOSOMIASIS.....123	5	2	3	-	-	-	-	-	-	-
HYDATID DISEASE.....125	10	4	6	-	-	-	-	-	-	-
FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	56	8	12	15	21	2	-	1	-	1
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,500	664	512	185	139	31	14	4	5	8
<b>II. NEOPLASMS.....</b>	<b>272,520</b>	<b>132,146</b>	<b>114,733</b>	<b>13,624</b>	<b>12,017</b>	<b>3,881</b>	<b>1,480</b>	<b>1,293</b>	<b>501</b>	<b>607</b>
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	267,627	130,183	112,529	13,360	11,555	3,791	1,458	1,262	494	577
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,175	4,274	1,355	394	152	94	52	20	12	10
OF LIP.....140	216	189	18	7	2	9	7	-	1	1
OF TONGUE.....141	1,545	1,074	328	105	38	20	13	4	1	2
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	1,944	1,250	527	105	62	28	13	10	2	3
OF PHARYNX.....145-148	2,470	1,761	482	177	50	37	19	6	8	4
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	91,035	44,669	37,794	5,123	3,449	1,096	421	337	186	152
OF ESOPHAGUS.....150	4,915	3,122	884	710	199	51	20	10	17	4
OF STOMACH.....151	20,859	11,315	6,908	1,770	866	298	133	53	70	42
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	769	377	331	28	33	10	3	3	3	1
OF LARGE INTESTINE, EXCEPT RECTUM.....153	28,537	12,147	14,536	863	991	301	94	133	33	41
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,189	1,679	2,292	100	118	50	18	18	5	9
TRANSVERSE COLON.....153.1	1,666	730	854	35	47	11	3	7	1	-
DESCENDING COLON.....153.2	1,272	510	679	37	46	15	5	7	1	2
SIGMOID COLON.....153.3	6,403	2,965	3,100	166	172	51	17	25	3	6
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	71	36	32	2	1	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED.....153.8	13,379	5,604	6,756	474	545	156	45	72	17	22
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,557	623	823	49	62	18	6	4	6	2
OF RECTUM.....154	10,855	5,702	4,336	415	402	103	41	33	12	17
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	6,246	2,422	3,334	297	193	102	39	32	23	8
LIVER.....155.0	1,890	1,011	611	206	62	70	26	17	21	6
OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	4,356	1,411	2,723	91	131	32	13	15	2	2
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	3,482	1,640	1,455	207	180	14	5	2	6	6
OF PANCREAS.....157	13,675	7,241	5,215	741	478	199	83	65	23	28
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	1,697	703	795	92	107	18	7	3	3	5

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARKANSAS ARIZONA					ARIZONA ARKANSAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,319	634	252	254	179	10,146	5,686	3,231	738	491	17,911	8,269	5,187	2,396	2,059
34	9	2	13	10	269	159	40	47	23	331	151	59	66	55
20	3	-	11	6	157	112	17	21	7	188	96	33	36	23
18	3	-	11	4	143	106	16	16	5	178	93	30	33	22
-	-	-	-	-	6	2	-	3	1	4	1	1	2	-
-	-	-	-	-	1	-	-	-	1	3	2	-	1	-
2	-	-	-	2	4	2	-	2	-	2	-	2	-	-
-	-	-	-	-	3	2	1	-	-	1	-	-	-	-
-	-	-	-	-	24	17	4	2	1	32	18	3	9	2
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	10	6	4	-	-	17	11	2	3	1
-	-	-	-	-	9	7	-	1	1	10	5	1	3	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	3	3	-	-	-	2	-	-	1	-
-	-	-	-	-	1	1	-	-	-	2	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	2	2	15	1	1	9	4	12	2	-	4	6
2	-	-	-	-	-	-	-	-	-	2	1	-	1	-
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
3	2	1	-	-	15	8	5	-	2	25	8	4	5	8
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1
2	1	-	-	1	2	1	1	1	2	5	1	2	2	2
-	-	-	-	-	-	-	-	-	-	8	2	4	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	5	2	2	1	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	-	-	1	24	12	3	5	4	18	8	2	5	3
119	57	42	9	11	1,454	775	573	53	53	2,494	1,095	883	256	260
118	57	41	9	11	1,423	761	562	51	49	2,438	1,072	867	247	252
4	3	-	-	1	25	16	7	-	2	56	32	11	6	7
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-
2	1	-	-	-	12	7	4	-	1	13	6	2	3	2
1	1	-	-	1	7	5	1	-	1	23	12	6	1	4
-	-	-	-	-	6	4	2	-	-	18	12	3	2	1
32	13	14	3	2	447	236	173	21	17	722	312	246	89	75
8	5	2	1	-	30	25	5	-	-	35	25	6	2	2
-	-	-	-	-	106	67	28	6	5	174	82	39	37	16
10	3	5	-	2	3	2	1	-	-	3	1	2	-	7
2	2	2	-	2	118	54	60	3	1	199	73	91	12	23
2	-	-	-	-	18	7	11	-	-	21	10	7	1	3
-	-	-	-	-	10	6	4	-	-	9	2	6	-	1
1	1	-	-	-	2	2	10	-	-	10	5	2	1	2
-	-	-	-	-	23	13	10	-	-	30	13	12	1	4
6	2	2	-	2	57	23	31	3	-	119	40	61	6	12
1	1	1	-	-	8	3	4	-	1	10	3	3	3	1
4	2	2	-	-	44	19	23	2	-	62	22	19	9	12
2	-	1	1	-	44	18	18	3	5	38	17	16	2	3
1	-	-	-	-	9	5	4	-	-	19	11	7	1	3
1	-	1	-	-	35	13	14	3	5	19	6	9	1	3
1	-	-	-	-	15	12	2	1	-	60	18	28	9	5
4	1	3	-	-	76	32	33	5	6	134	69	42	12	11
3	2	1	-	-	11	7	3	1	-	17	5	3	6	3





SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
32	24	6	2	-	236	204	24	8	-	356	266	41	38	11
2	2	-	-	-	11	9	1	1	-	12	11	-	1	-
8	5	3	2	-	113	101	6	6	-	146	120	12	11	3
20	16	2	2	-	107	91	15	1	-	186	129	29	22	6
2	1	1	-	-	5	3	2	-	-	12	6	-	4	2
8	-	7	-	1	112	1	102	-	9	166	2	131	-	33
15	4	8	-	3	206	83	103	8	12	431	115	185	63	68
5	...	2	...	3	50	...	44	...	6	108	...	72	...	36
2	...	2	...	...	23	...	21	...	2	67	...	45	...	22
3	...	3	...	-	37	...	33	...	4	73	...	63	...	10
1	...	1	...	-	5	...	5	...	-	5	...	5	...	-
3	3	...	...	...	85	78	...	7	...	166	106	...	60	...
1	1	...	...	...	6	5	...	1	...	12	9	...	3	...
2	2	...	...	1	72	45	22	4	...	85	39	31	11	4
2	1	-	-	-	32	17	13	2	-	37	17	14	6	-
1	1	-	-	-	40	28	9	2	1	48	22	17	5	4
14	6	3	2	3	186	96	79	6	5	357	158	137	28	34
-	-	-	-	-	24	17	7	-	-	60	38	18	3	1
3	2	-	1	-	44	26	15	2	1	43	2	-	-	1
-	-	-	-	-	9	3	4	1	1	3	1	1	1	1
-	-	-	-	-	14	10	4	-	-	18	6	7	3	2
-	-	-	-	-	10	6	4	-	-	23	8	4	1	-
11	4	3	1	3	76	28	42	3	3	192	61	88	17	26
8	4	3	1	-	85	47	35	3	3	159	92	46	6	15
2	1	3	1	-	54	33	17	1	3	106	56	39	6	5
-	-	-	-	-	24	18	6	-	-	39	18	17	2	2
1	1	-	-	-	16	11	5	-	-	30	19	9	1	1
1	-	-	1	-	14	4	6	1	3	37	19	13	3	2
1	-	1	-	-	31	14	11	2	4	56	23	16	9	8
-	...	-	...	-	1	...	1	...	1	2	...	1	...	1
-	-	-	-	-	4	3	3	-	-	4	2	1	1	-
-	-	-	-	-	4	3	1	-	-	9	3	3	1	2
-	...	-	...	-	4	...	-	...	-	-	...	-	...	-
1	-	1	-	-	16	8	4	2	2	29	15	8	3	3
-	-	-	-	-	6	2	2	-	2	12	3	3	4	2
13	6	3	2	2	297	151	115	14	17	367	142	135	31	59
1	-	1	-	-	124	84	32	5	3	40	25	5	2	8
-	-	-	-	-	2	1	1	-	1	1	-	-	1	-
-	-	-	-	-	3	1	2	-	-	5	2	2	-	1
-	-	-	-	-	1	1	1	-	-	4	3	3	1	1
9	6	2	1	-	128	49	64	3	12	251	94	94	23	40
-	-	-	-	-	3	3	2	-	-	2	-	1	1	-
-	-	-	-	-	5	2	-	-	1	5	2	3	-	-
-	-	-	-	-	7	3	2	2	-	1	-	-	-	1
2	-	-	1	2	24	9	11	4	-	29	6	18	4	1
1	-	-	1	-	24	9	11	4	-	29	13	9	-	7
2	-	1	1	-	29	14	9	6	-	49	23	14	6	6
1	-	1	-	-	15	6	5	4	-	27	11	7	5	4
-	-	-	-	-	1	1	-	-	-	3	-	2	1	-
1	-	1	-	-	14	5	5	4	-	24	11	5	4	4
1	-	-	1	-	3	2	1	-	-	11	4	4	1	2
-	-	-	-	-	11	8	2	1	-	11	8	3	-	-
20	16	1	3	-	51	28	11	10	2	32	15	13	2	2
-	-	-	-	-	3	-	-	-	-	12	3	8	1	-
4	3	-	1	-	3	3	-	-	-	2	2	-	-	-
-	-	-	-	-	5	2	3	-	-	6	4	1	-	1
15	12	1	2	-	31	19	3	9	-	8	6	2	-	-
1	1	-	-	-	9	3	4	1	1	3	-	2	1	-
-	-	-	-	-	3	1	1	-	-	1	-	-	-	1
89	38	23	18	10	903	445	364	61	33	2,432	929	801	326	376
70	31	22	12	5	787	402	333	32	20	2,300	873	771	306	350
4	3	-	-	1	34	17	15	2	-	50	17	22	8	3
32	13	13	4	2	410	202	180	19	9	1,554	557	533	211	253
18	10	4	3	1	289	158	112	10	9	488	220	149	56	63
16	5	5	5	1	54	25	26	1	2	208	79	67	31	31
5	-	-	2	3	42	12	5	16	9	22	8	1	6	7
-	-	-	-	-	6	2	4	-	-	10	4	5	-	1
2	2	-	-	-	4	2	2	-	-	22	11	10	-	1
-	-	-	-	-	8	2	4	-	1	11	6	2	1	2
2	1	-	1	-	14	4	4	4	2	17	5	4	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	2	1	6	1	1	4	-	4	2	1	-	1
7	4	1	1	1	36	20	11	4	1	46	20	7	11	8

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
299	196	58	29	16	3,386	2,058	1,139	111	78	7,169	3,647	2,083	753	686
267	176	53	26	12	3,047	1,882	1,000	98	67	6,554	3,369	1,879	687	619
1	1	-	-	-	9	4	3	1	1	7	3	3	1	-
13	4	5	2	2	127	65	54	5	3	101	53	29	8	11
1	-	-	1	-	49	26	22	1	1	39	22	10	4	3
2	1	1	-	-	18	13	2	2	1	8	6	1	-	1
8	1	1	-	-	6	5	1	-	-	4	3	1	-	-
2	2	3	1	2	54	21	29	2	2	50	22	17	4	7
206	152	34	14	6	2,286	1,472	727	53	34	4,664	2,671	1,323	380	290
58	31	17	6	4	988	571	366	32	19	1,688	872	593	123	100
147	120	17	8	2	1,296	900	360	21	15	2,969	1,794	728	257	190
1	1	-	-	-	2	1	1	-	-	7	5	2	-	-
3	1	1	1	-	20	14	6	-	-	51	19	9	16	7
-	-	-	-	-	2	2	-	-	-	2	1	1	-	-
1	-	-	1	-	15	11	4	-	-	13	5	-	7	1
2	1	1	-	-	3	1	2	-	-	36	13	8	9	6
4	2	-	1	1	264	160	85	15	4	331	114	123	44	50
3	1	-	-	1	220	135	69	13	3	222	77	88	27	30
1	1	-	-	-	44	25	16	2	1	109	37	35	17	20
30	13	8	7	2	114	74	24	9	7	582	269	152	91	70
-	-	-	-	-	3	2	-	1	-	7	3	1	2	1
1	1	-	-	-	6	1	2	1	2	10	6	1	1	2
9	4	3	2	-	22	12	8	1	1	58	25	20	6	7
20	8	5	5	2	83	59	14	6	4	507	235	130	82	60
10	3	5	1	1	227	93	101	15	18	818	240	240	147	191
1	1	-	-	-	51	24	25	2	-	183	67	50	35	31
9	2	5	1	1	176	69	76	13	18	635	173	190	112	160
1	1	-	-	-	67	34	24	5	4	143	50	36	22	35
-	-	-	-	-	43	23	15	3	2	74	35	20	11	8
1	1	-	-	-	24	11	9	2	2	69	15	16	11	27
28	18	4	3	3	244	129	101	7	7	368	179	136	30	23
21	15	2	1	3	170	78	81	6	5	299	138	117	25	19
4	2	1	1	-	52	39	12	1	-	42	27	10	1	4
1	-	-	-	-	-	-	-	-	-	3	1	1	1	-
3	1	1	1	-	22	12	8	-	2	24	13	8	3	-
3	1	1	-	1	28	13	14	1	-	104	49	32	14	9
133	36	13	43	41	903	582	184	70	67	1,163	510	304	219	130
10	1	1	7	1	5	2	-	2	1	13	3	4	4	2
18	4	1	6	7	30	18	9	2	2	187	57	42	53	35
82	21	8	25	28	416	203	105	53	55	701	285	193	138	85
8	2	2	3	1	75	43	18	7	7	114	43	26	30	15
31	11	3	9	8	233	125	67	23	18	349	156	89	66	38
8	5	2	1	-	38	17	10	5	6	45	22	15	2	6
35	3	1	12	19	70	18	10	18	24	193	64	63	40	26
1	1	-	-	-	9	6	2	1	-	10	1	5	2	2
6	-	1	2	3	66	52	9	2	3	32	16	11	3	2
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	6	5	-	1	-	11	5	2	4	-
1	1	-	-	-	3	3	-	-	-	-	-	-	-	-
7	4	2	1	1	211	178	25	6	2	90	73	10	6	1
8	4	-	2	2	156	114	34	3	5	119	70	37	9	3
58	18	13	16	11	570	273	170	71	56	546	265	160	68	53
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
3	2	-	1	-	32	20	10	2	-	43	32	7	3	1
1	1	-	-	-	46	36	8	2	-	42	32	6	4	-
1	1	-	-	-	4	1	3	-	-	4	1	-	1	2
-	-	-	-	-	10	6	2	2	-	18	13	1	3	1
9	3	4	1	1	72	37	32	1	2	68	31	23	7	7
20	-	-	11	9	114	23	19	44	28	69	11	15	26	17
2	1	1	-	-	24	14	9	-	1	32	14	15	2	1
14	8	6	-	-	153	89	36	11	17	113	65	30	10	8
7	3	4	-	-	108	65	28	5	10	90	48	28	6	8
7	5	2	-	-	45	24	8	6	7	23	17	2	4	-
2	-	1	1	-	31	11	14	4	2	41	12	2	2	4
6	2	1	2	1	11	6	5	5	-	5	1	3	1	-
10	3	2	3	2	73	30	32	5	6	110	53	37	8	12
4	2	1	-	1	73	40	24	6	3	249	93	66	48	42
-	-	-	-	-	5	3	2	-	-	12	5	4	2	1
-	-	-	-	-	4	1	3	-	-	12	6	3	3	-
4	2	1	-	1	64	36	19	6	3	225	82	59	43	41
1	1	-	-	-	47	23	12	7	5	74	38	26	5	5
1	1	-	-	-	7	3	1	1	-	11	4	6	1	91
1	1	-	-	-	9	5	3	3	-	28	11	4	9	4
2	-	-	2	-	20	16	-	4	-	50	31	-	19	-
2	-	1	1	-	8	1	5	-	2	24	7	7	10	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1,579	...	936	...	643	63	...	21	...	42
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	165	...	112	...	53	8	...	4	...	4
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	303	...	166	...	137	12	...	7	...	5
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH...643,644,670-672	268	...	168	...	100	14	...	6	...	8
ECTOPIC PREGNANCY...645	119	...	42	...	77	7	...	...	...	7
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA...650	88	...	46	...	42	2	...	-	...	2
ABORTION WITH SEPSIS...651	191	...	97	...	94	4	...	-	...	4
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS...652	10	...	4	...	6	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	435	...	301	...	134	16	...	4	...	12
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,069	680	1,009	191	249	36	12	9	4	11
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE...690-698	632	271	268	44	49	11	3	3	2	3
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE...700-716	1,437	409	741	87	200	25	9	6	2	8
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	3,596	1,463	1,841	141	151	66	20	25	13	8
ARTHRITIS AND SPONDYLITIS...720-725	1,995	638	1,216	54	87	41	13	18	4	6
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED...726,727	22	9	6	4	3	1	-	-	1	-
OSTEOMYELITIS AND PERIOSTITIS...730	175	88	61	16	10	6	-	4	2	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	100	44	44	7	5	1	1	-	-	-
INBORN DEFECT OF MUSCLE...744.1	573	396	144	22	11	7	3	1	2	1
OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744,0,744.2	731	288	370	38	35	10	3	2	4	1
XIV. CONGENITAL MALFORMATIONS.....	21,860	10,392	8,664	1,573	1,231	384	138	144	59	43
SPINA BIFIDA AND MENINGOCELE...751	1,215	487	658	37	33	31	10	18	2	1
CONGENITAL HYDROCEPHALUS, ETC...752,753	2,503	1,112	1,043	179	169	66	23	32	5	6
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM...754	11,272	5,479	4,293	813	687	160	59	51	29	21
OTHER CONGENITAL MALFORMATIONS...750,755-759	6,870	3,314	2,670	544	342	127	46	43	23	15
XV. CERTAIN DISEASES OF EARLY INFANCY.....	67,094	30,211	21,065	8,892	6,926	1,356	452	303	353	248
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	20,385	7,928	5,181	4,084	3,192	1,483	345	209	463	466
SENILITY WITHOUT MENTION OF PSYCHOSIS...794	2,639	877	1,274	215	273	133	30	33	30	40
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES...780-793,795	17,746	7,051	3,907	3,869	2,919	1,350	315	176	433	426
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	121,349	71,577	30,835	13,615	5,322	2,659	1,220	449	698	292
ACCIDENTS.....E800-E962	93,806	54,883	25,385	9,463	4,075	2,069	954	394	486	235
RAILWAY ACCIDENTS.....E800-E802	1,023	734	84	189	16	24	14	-	8	2
MOTOR VEHICLE ACCIDENTS.....E810-E835	38,137	24,656	8,989	3,428	1,064	941	504	179	205	53
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	37,142	24,001	8,762	3,341	1,038	910	491	170	198	51
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,368	904	338	90	36	42	19	8	12	3
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	7,284	4,267	1,681	951	385	155	68	23	46	18
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	15,282	9,614	4,278	1,046	344	393	209	93	69	22
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	10,279	7,301	1,755	1,014	209	281	171	36	67	7
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2,929	1,915	710	240	64	39	24	10	4	1
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	995	655	227	87	26	31	13	9	7	2
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	243	165	47	25	6	4	2	-	1	1
WATER TRANSPORT ACCIDENTS.....E850-E858	1,478	1,189	98	179	12	50	39	2	9	-
AIRCRAFT ACCIDENTS.....E860-E866	1,475	1,244	210	16	5	10	9	1	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	1,679	753	512	269	145	57	23	14	12	8
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,253	794	294	106	59	14	7	2	4	1
ACCIDENTAL FALLS.....E900-E904	19,023	8,407	9,198	890	528	890	70	95	20	20
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	6,019	3,425	1,896	501	197	62	26	16	14	6
FALL ON SAME LEVEL.....E900-E903	3,689	1,450	2,064	93	82	64	17	37	2	8
UNSPECIFIED FALLS.....E904	9,315	3,532	5,238	296	249	79	27	42	4	6
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE...E910	1,404	1,167	45	182	10	35	21	3	10	1
ACCIDENT CAUSED BY MACHINERY...E912	1,951	1,689	63	194	5	45	33	-	12	-
ACCIDENT CAUSED BY ELECTRIC CURRENT...E914	989	838	66	80	5	34	26	1	7	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC...E916	7,645	3,100	2,148	1,179	1,218	257	49	40	70	98
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC...E917,E918	402	160	132	71	39	6	2	-	1	3
ACCIDENT CAUSED BY FIREARM...E919	2,334	1,671	229	339	95	83	44	8	22	9
INHALATION AND INGESTION OF OBJECTS, ETC...E921,E922	2,397	1,187	746	264	200	43	11	12	13	7
ACCIDENTAL DROWNING...E929	5,232	3,355	708	1,032	137	108	46	6	47	9
EXCESSIVE HEAT AND INSULATION...E931	168	101	33	25	9	2	1	-	1	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES...E940-E959	1,115	473	473	78	91	8	3	2	2	1
ALL OTHER ACCIDENTS.....RESIDUAL	5,858	3,200	1,310	917	431	143	50	29	42	22
SUICIDE.....E963,E970-E979	19,041	13,825	4,296	714	206	246	185	41	16	4
SUICIDE BY POISONING...E970-E973	4,330	2,564	1,649	67	50	25	12	12	-	1
SUICIDE BY HANGING AND STRANGULATION...E974	3,366	2,461	747	115	43	16	12	2	-	2
SUICIDE BY FIREARM AND EXPLOSIVE...E976	9,017	7,503	1,087	376	51	194	152	25	16	1
SUICIDE BY ALL OTHER MEANS...E963,E975,E977-E979	2,328	1,297	813	156	62	11	9	2	-	-
HOMICIDE.....E964,E980-E985	8,464	2,832	1,154	3,437	1,041	344	81	14	196	53
ASSAULT BY FIREARM AND EXPLOSIVE...E981	4,627	1,637	671	1,823	496	206	51	9	113	33
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS...E982	1,836	385	123	1,057	271	87	13	3	58	13
ASSAULT BY OTHER MEANS...E964,E980,E983	1,700	665	359	404	272	39	12	2	19	6
INJURY BY INTERVENTION OF POLICE...E984	245	124	1	118	2	11	5	-	5	1
EXECUTION...E985	56	21	-	35	-	1	-	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR...E965,E990-E999	38	37	-	1	-	-	-	-	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	1	...	-	12	...	9	...	3	23	...	7	...	16
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-
-	...	-	...	-	1	...	1	...	-	4	...	1	...	3
-	...	-	...	-	3	...	2	...	1	7	...	1	...	6
-	...	-	...	-	2	...	1	...	1	2	...	-	...	2
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	4	...	4	...	-	7	...	4	...	3
2	1	-	-	1	13	4	5	1	3	28	12	7	-	9
-	-	-	-	-	6	1	2	1	2	8	4	1	-	3
2	1	-	-	1	7	3	3	-	1	20	8	6	-	6
4	2	1	1	-	32	15	17	-	-	54	26	24	2	2
3	1	1	1	-	27	12	15	-	-	39	18	19	1	1
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	1	1	-	-	-	10	6	3	1	-
-	-	-	-	-	2	1	1	-	-	4	2	1	-	1
37	19	14	2	2	185	93	61	13	18	198	86	67	25	20
-	-	-	-	-	9	5	1	1	2	11	4	6	-	1
9	2	4	1	2	22	10	8	2	2	20	13	5	1	1
14	8	6	-	-	98	52	26	9	11	99	41	35	12	11
14	9	4	1	-	56	26	26	1	3	68	28	21	12	7
144	48	38	33	25	607	282	216	59	50	589	230	154	108	97
48	20	3	12	13	160	46	33	51	30	486	163	88	132	103
12	3	1	1	7	20	6	10	4	-	80	27	18	19	16
36	17	2	11	6	140	40	23	47	30	406	136	70	113	87
306	165	37	69	35	1,111	673	240	150	48	1,514	791	279	310	134
250	136	23	61	30	871	523	197	112	39	1,232	638	248	224	122
-	-	-	-	-	14	7	-	6	1	27	16	1	8	2
46	30	8	6	2	418	266	100	43	9	466	285	90	67	24
43	28	7	6	2	409	260	97	43	9	449	279	87	62	21
1	1	-	-	-	21	16	4	1	-	18	11	4	2	1
11	5	1	3	2	83	44	21	14	4	70	32	11	16	11
8	5	3	-	-	155	93	51	10	1	119	86	27	5	1
21	15	3	3	-	126	90	17	16	3	99	62	15	20	2
2	2	-	-	-	24	17	4	2	1	143	88	30	19	6
3	2	1	-	-	9	6	3	-	-	17	6	3	5	3
2	2	-	-	-	8	2	1	5	-	7	4	1	2	-
31	20	-	11	-	3	2	-	1	-	22	18	-	4	-
34	28	6	-	-	16	13	3	-	-	19	17	2	-	-
10	1	-	5	4	21	7	9	3	2	17	4	8	2	3
1	1	-	-	-	12	7	5	-	-	15	10	1	3	1
10	7	2	-	1	83	44	27	9	3	153	67	65	6	15
5	4	1	-	-	37	20	10	6	1	32	22	6	-	4
2	2	-	-	-	10	5	5	-	-	10	4	4	2	-
3	1	1	-	1	36	19	12	3	2	111	41	55	4	11
7	5	-	2	-	14	12	-	2	-	29	18	-	10	1
2	2	-	-	-	16	14	-	2	-	29	21	1	6	1
-	-	-	-	-	17	16	1	-	-	9	6	1	2	-
19	5	2	4	8	53	26	18	3	6	186	54	36	53	43
2	1	1	-	-	1	-	1	-	-	4	3	-	1	-
14	7	1	4	2	34	24	3	4	3	63	37	6	17	3
7	3	2	-	-	20	10	7	2	1	30	15	6	3	6
34	12	1	17	4	57	33	11	12	1	58	30	5	20	3
-	-	-	-	-	7	3	1	1	2	3	2	-	-	1
1	1	-	-	-	10	4	1	1	4	11	5	6	-	-
30	12	1	11	6	67	33	9	18	7	84	26	19	20	19
35	22	10	2	1	151	113	27	8	3	147	111	23	9	4
10	5	4	-	1	40	29	11	-	-	15	8	6	-	1
3	2	-	1	-	16	13	3	-	-	11	9	2	-	-
18	14	4	-	-	86	67	12	7	-	106	90	9	5	2
4	1	2	1	-	9	4	1	1	3	15	4	6	4	1
21	7	4	6	3	89	37	16	30	6	133	40	8	77	8
18	6	4	5	4	57	20	12	21	4	82	32	8	39	3
-	-	-	-	-	11	2	3	5	1	31	2	-	27	2
3	1	-	1	1	18	12	1	4	1	9	3	-	3	3
-	-	-	-	-	3	3	-	-	-	4	2	-	2	-
-	-	-	-	-	-	-	-	-	-	7	1	-	6	-
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	135,508	72,588	54,313	5,216	3,391	15,342	8,483	6,436	248	175
2 I. INFECTIVE AND PARASITIC DISEASES.....	1,617	947	453	158	59	193	98	83	6	6
3 TUBERCULOSIS, ALL FORMS.....001-019	788	505	173	85	25	76	48	22	3	3
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	720	472	152	78	18	70	47	18	3	2
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	18	7	7	2	2	1	1	-	-	-
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC										
7 GLANDS.....011	4	2	-	-	2	1	-	1	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	8	3	5	-	-	1	-	1	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	17	10	6	1	-	-	-	-	-	-
10 DISSEMINATED TUBERCULOSIS.....019	21	11	3	4	3	3	-	2	-	1
11 SYPHILIS AND ITS SEQUELAE.....020-029	265	165	57	31	12	33	16	15	1	1
12 CONGENITAL SYPHILIS.....020	2	2	-	-	-	1	1	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	125	82	26	11	6	16	8	8	-	-
15 OTHER CARDIOVASCULAR SYPHILIS.....023	110	63	23	18	6	8	4	3	1	-
16 TABES DORSALIS.....024	7	5	2	-	-	1	-	-	-	1
17 GENERAL PARALYSIS OF INSANE.....025	6	2	2	2	2	5	2	3	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	14	11	3	-	-	1	-	1	-	-
19 ALL OTHER SYPHILIS.....027-029	1	-	1	-	-	1	1	-	-	-
20 GONOCOCCAL INFECTION.....030-035	4	1	1	1	1	-	-	-	-	-
21 TYPHOID FEVER.....040	2	1	1	-	-	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	13	8	4	-	1	-	-	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	1	1	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	19	10	9	-	-	4	1	3	-	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	1	-	1	-	-	3	1	2	-	-
27 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	4	3	-	-	1	2	1	1	-	-
29 ERYSIPELAS.....052	1	-	1	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	137	69	58	7	3	22	12	9	-	1
31 DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
32 WHOOPING COUGH.....056	3	1	1	1	-	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	42	23	15	2	2	4	-	4	-	-
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	11	2	7	2	-	1	-	1	-	-
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	24	14	7	2	1	-	-	-	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	20	10	9	1	-	1	-	1	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	42	17	17	6	2	8	4	4	-	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	13	9	4	-	-	1	-	1	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	12	4	3	1	4	5	4	1	-	-
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	92	42	47	2	1	13	4	9	-	-
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	1	-	1	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	2	2	-	-	-	-	-	-	-	-
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	120	60	37	17	6	20	7	10	2	1
56 II. NEOPLASMS.....	22,462	11,263	9,947	735	517	2,243	1,114	1,076	31	22
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
58 AND HEMATOPOIETIC TISSUES.....140-205	22,065	11,081	9,769	716	499	2,189	1,094	1,045	29	21
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	548	369	148	27	4	42	28	13	-	1
60 OF LIP.....140	12	11	1	-	-	3	3	-	-	-
61 OF TONGUE.....141	145	102	37	5	1	11	7	4	-	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	175	109	55	11	-	10	7	2	-	1
63 OF PHARYNX.....145-148	216	147	55	11	3	18	11	7	-	-
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	7,097	3,621	3,034	286	156	728	378	326	15	9
66 OF ESOPHAGUS.....150	397	272	91	25	9	30	16	11	2	1
67 OF STOMACH.....151	1,641	901	612	88	40	160	93	62	1	4
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	55	25	28	-	2	9	6	3	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	2,090	934	1,067	46	43	238	97	134	6	1
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	371	143	213	8	7	36	17	19	-	-
71 TRANSVERSE COLON.....153.1	156	61	88	4	3	20	8	11	1	-
72 DESCENDING COLON.....153.2	102	41	57	2	2	5	3	2	-	-
73 SIGMOID COLON.....153.3	570	288	256	12	14	49	20	28	-	1
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	8	3	5	-	-	-	-	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	804	362	409	17	16	121	47	70	4	-
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	79	36	39	3	1	7	2	4	1	-
77 OF RECTUM.....154	931	522	368	26	15	71	44	24	1	2
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	533	196	287	35	15	61	28	32	1	-
79 LIVER.....155.0	174	93	56	22	3	14	11	3	-	-
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	359	103	231	13	12	47	17	29	1	-
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	161	73	76	9	3	22	10	10	2	1
82 OF PANCREAS.....157	1,159	638	444	50	27	125	77	45	2	1
83 OF PEPITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	130	60	61	7	2	12	7	5	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
23,899	12,769	10,199	530	401	4,186	1,965	1,492	435	294	8,782	2,472	2,239	2,262	1,809	
209	134	52	15	8	46	24	12	6	4	156	31	23	56	46	1
100	72	18	7	3	25	13	7	5	-	90	23	7	36	24	2
92	68	15	6	3	23	13	6	4	-	86	22	7	35	22	3
2	-	1	1	-	2	-	1	1	-	1	1	-	-	-	4
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	5
1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	6
4	3	1	-	-	-	-	-	-	-	1	-	-	-	-	7
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	8
37	24	8	5	-	6	4	1	-	1	19	3	3	8	5	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
27	19	7	1	-	2	2	-	-	-	9	3	2	2	2	11
7	3	1	3	-	3	1	1	-	1	7	1	1	5	1	12
1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	13
1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	14
1	1	-	-	-	1	1	-	-	-	-	-	-	1	-	15
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	20
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	22
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	30
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
24	12	9	2	1	5	2	2	-	1	18	2	8	2	6	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
4	2	1	-	1	2	2	-	-	-	4	-	-	2	2	37
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	38
5	3	2	-	-	2	-	-	-	-	1	-	-	1	-	39
2	1	1	-	-	2	-	-	-	2	-	-	-	-	-	40
3	2	-	-	1	1	-	1	-	-	1	1	-	-	-	41
2	2	2	-	-	1	-	-	-	-	1	1	-	-	-	42
6	5	1	-	-	-	-	-	-	-	3	-	-	2	1	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
7	2	4	-	1	1	1	-	-	-	7	-	3	2	2	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
15	8	5	1	1	4	2	1	1	-	10	1	2	2	5	50
4,502	2,404	1,956	91	51	667	300	276	51	40	1,468	419	399	377	273	51
4,413	2,366	1,908	90	49	652	297	268	48	39	1,433	414	390	363	266	52
122	99	19	4	-	18	13	3	1	1	50	18	8	22	2	53
3	2	1	-	-	-	-	-	-	-	2	1	-	1	-	54
27	25	4	-	-	7	5	1	1	-	12	5	1	6	-	55
35	30	5	-	-	2	-	-	-	1	19	5	5	8	1	56
57	44	9	4	-	9	8	1	-	-	17	7	2	7	1	57
1,652	914	691	32	15	197	96	80	15	6	489	140	124	136	89	58
99	79	12	8	-	13	10	1	2	-	47	14	-	27	6	59
403	253	134	12	4	42	30	9	2	1	97	33	13	32	19	60
16	7	9	-	-	2	1	1	-	-	2	-	-	2	-	61
519	299	272	3	5	71	29	35	5	2	144	42	52	27	23	62
70	32	37	1	-	10	6	2	-	2	24	6	8	3	4	63
31	20	10	-	1	4	2	2	-	-	8	5	1	2	-	64
19	10	9	-	-	4	1	4	1	-	8	1	2	2	3	65
111	50	58	1	2	25	10	13	2	-	26	9	10	4	3	66
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	67
250	113	135	1	1	21	8	11	2	-	74	18	26	17	13	68
36	12	23	-	1	5	2	3	-	-	4	-	4	-	-	69
210	113	93	2	2	15	5	10	-	-	72	15	25	16	16	70
107	60	45	2	2	15	5	10	-	-	28	7	8	5	8	71
22	16	4	2	-	4	2	2	-	-	15	4	6	5	4	72
85	44	41	-	-	11	3	8	-	-	13	3	6	6	4	73
40	25	14	-	1	8	3	5	-	-	16	7	2	5	2	74
233	128	97	5	3	26	13	8	3	2	76	20	21	22	13	75
25	10	15	-	-	5	-	1	3	1	7	2	3	-	2	76



Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

Table with columns for Cause of Death, California (Total, White Male/Female, Nonwhite Male/Female), and Colorado (Total, White Male/Female, Nonwhite Male/Female). Rows include categories like Malignant Neoplasms, Allergic/Endocrine/Metabolic/Nutritional Diseases, Diseases of Blood, Mental/Personality Disorders, and Diseases of the Nervous System.

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
630	512	95	23	-	107	78	12	16	1	233	108	24	88	13
37	34	2	1	-	12	8	1	2	1	25	8	3	12	2
150	122	22	6	-	51	39	6	6	-	120	48	17	47	8
430	348	67	15	-	43	31	5	7	-	87	51	4	29	3
13	8	4	1	-	1	-	-	1	-	1	1	-	-	-
403	5	393	-	5	56	1	49	-	6	132	-	82	-	50
562	218	315	16	13	91	24	48	5	14	224	41	75	42	66
87	...	79	...	8	33	...	26	...	7	57	...	24	...	33
86	...	83	...	3	12	...	9	...	3	34	...	18	...	16
142	...	140	...	2	15	...	11	...	4	46	...	31	...	15
13	...	13	...	2	2	...	2	...	-	4	...	2	...	2
222	207	...	15	...	26	21	...	5	...	79	39	...	40	...
12	11	...	1	...	3	3	...	-	...	4	2	...	2	...
239	153	75	6	5	31	15	12	2	2	60	24	7	23	6
84	49	31	2	2	14	7	5	1	1	21	9	3	7	2
155	104	44	4	3	17	8	7	1	1	39	15	4	16	4
424	245	167	4	8	102	45	44	6	7	141	47	45	27	22
56	30	23	2	.1	13	7	6	-	-	8	4	2	1	1
4	3	1	-	-	1	-	1	-	-	2	-	-	-	1
86	54	28	1	3	17	9	6	2	2	30	9	12	5	4
15	6	9	-	-	3	2	1	-	-	3	1	2	-	-
22	14	8	-	-	5	4	-	1	-	9	3	2	2	2
8	5	3	-	-	3	-	3	-	-	10	4	3	1	2
18	12	6	-	-	2	2	-	-	-	3	-	2	-	1
215	121	89	1	4	58	21	27	3	7	76	26	21	18	11
169	98	68	3	-	23	13	8	-	2	40	14	12	8	6
212	122	85	2	3	27	12	12	3	-	64	22	13	17	12
89	50	39	-	-	15	5	7	3	-	34	15	7	8	4
55	30	24	-	1	3	1	2	-	-	12	3	3	2	4
68	42	22	2	2	9	6	3	-	-	18	4	3	7	4
89	38	48	1	2	15	3	8	3	1	35	5	9	14	7
3	...	2	...	1	1	...	-	...	1	7	...	3	...	4
8	1	7	...	-	1	...	-	...	-	7	...	1	...	-
17	8	8	-	-	1	-	-	-	-	3	1	-	2	-
1	...	1	...	-	1	...	-	...	-	-	...	-	...	-
41	20	20	1	-	8	3	4	1	-	15	1	4	8	2
19	9	10	-	-	5	-	4	1	-	3	2	-	-	1
644	266	355	9	14	132	47	67	10	8	152	29	49	32	42
54	30	21	2	1	8	5	3	-	-	21	4	5	5	7
2	-	2	-	-	-	-	-	-	-	1	-	-	-	1
14	3	11	-	-	2	-	2	-	-	3	-	-	-	1
3	-	3	-	-	-	-	-	-	-	1	-	-	-	1
501	198	285	6	12	110	38	56	10	6	106	22	35	22	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	3	3	1	-	-	-	1	-	-	3	-	1	2	-
24	11	13	-	-	4	2	2	-	-	3	-	-	2	-
39	21	17	-	1	7	2	3	-	2	14	3	5	1	5
69	33	33	1	2	14	7	5	1	1	28	4	8	7	9
43	15	25	1	2	7	2	4	1	-	16	1	3	5	7
6	3	3	-	-	-	-	-	-	-	2	-	-	-	-
37	12	22	1	2	7	2	4	1	-	14	1	2	1	7
14	7	7	-	-	3	2	1	-	-	1	-	-	-	1
12	11	1	-	-	4	3	-	-	1	11	3	5	2	1
82	48	26	2	6	26	11	3	8	4	30	8	8	8	6
1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
18	14	...	1	-	6	4	1	1	-	6	5	1	-	-
6	2	4	-	-	1	-	1	-	-	6	-	2	-	3
50	29	14	1	6	18	7	7	4	4	13	1	4	5	3
6	3	3	-	-	1	-	1	-	-	2	2	-	-	75
1	-	1	-	-	-	-	-	-	-	2	-	1	1	-
2,742	1,236	1,403	48	55	398	152	172	38	36	907	201	314	200	192
2,546	1,138	1,320	38	50	364	139	163	31	31	820	176	304	166	174
111	43	61	2	5	20	10	7	2	1	54	9	13	12	20
1,301	569	679	23	30	177	61	86	10	20	323	78	112	68	65
948	442	479	12	15	141	61	56	18	6	369	80	144	69	76
186	84	101	1	-	26	7	14	1	4	74	9	35	17	13
29	16	10	1	2	7	-	2	4	1	22	8	-	10	4
22	9	11	1	1	5	2	2	1	-	10	2	2	5	5
42	21	21	-	-	2	-	1	-	-	7	5	2	2	-
11	3	7	1	-	1	1	-	-	-	6	1	1	3	1
26	15	7	4	-	5	2	-	2	1	16	1	1	11	3
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	-	-	-	2	-	-	1	1
63	33	25	3	2	14	8	4	-	2	24	8	4	8	4

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

Table with columns for Cause of Death, California (Total, White Male/Female, Nonwhite Male/Female), and Colorado (Total, White Male/Female, Nonwhite Male/Female). Rows include categories like VII. DISEASES OF THE CIRCULATORY SYSTEM, VIII. DISEASES OF THE RESPIRATORY SYSTEM, IX. DISEASES OF THE DIGESTIVE SYSTEM, and X. DISEASES OF THE GENITOURINARY SYSTEM.

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960-Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
10,559	5,780	4,509	142	128	1,884	940	679	155	110	3,474	1,151	973	704	646
9,529	5,300	3,989	120	120	1,708	870	603	138	97	3,060	1,056	840	611	553
9	4	3	-	2	1	-	1	-	-	4	1	1	1	1
292	121	164	5	2	52	21	25	-	6	73	14	28	23	8
93	36	54	2	1	26	10	14	-	2	38	5	13	16	4
39	26	13	-	-	4	2	1	-	1	8	5	3	-	-
8	3	5	-	-	2	1	1	-	-	1	-	1	-	-
152	56	92	3	1	20	8	9	-	3	26	4	11	7	4
7,813	4,584	3,056	94	79	1,106	628	356	82	40	2,090	863	568	369	290
4,170	2,240	1,828	57	45	360	178	144	26	12	963	319	290	187	167
3,642	2,343	1,228	37	34	744	448	212	56	28	1,126	544	277	182	123
1	1	-	-	-	2	2	-	-	-	1	-	1	-	-
58	37	17	2	2	28	15	8	4	1	17	5	2	6	4
2	2	-	-	-	-	-	-	-	-	2	1	-	1	-
28	16	9	1	2	8	5	2	1	-	8	4	1	1	2
28	19	8	1	-	20	10	6	3	1	7	-	1	4	2
469	206	253	4	6	233	95	96	24	18	192	43	77	31	41
393	171	214	3	5	185	75	73	22	15	149	32	68	19	30
76	35	39	1	1	48	20	23	2	3	43	11	9	12	11
207	98	98	5	6	54	28	21	3	2	121	34	31	29	27
11	6	4	-	1	2	2	-	-	-	10	3	1	6	-
10	3	7	-	-	1	1	-	-	-	3	-	2	1	-
57	27	27	1	2	15	4	10	1	-	19	5	6	3	5
129	62	60	4	3	36	21	11	2	2	89	26	22	19	22
681	250	398	10	23	234	83	96	25	30	563	96	133	152	182
142	70	69	1	2	67	31	24	5	7	217	48	54	63	52
539	180	329	9	21	167	52	72	20	23	346	48	79	89	130
156	69	76	8	3	35	14	14	5	2	95	13	16	30	36
78	38	36	2	2	25	13	10	1	1	38	10	10	6	12
78	31	40	6	1	10	4	4	4	1	57	3	6	24	35
734	340	381	11	2	111	44	50	7	10	222	64	94	33	31
563	225	332	6	-	86	31	41	7	7	167	45	79	23	20
142	97	41	2	2	20	12	5	-	3	40	16	11	7	6
3	3	-	-	-	2	-	2	-	-	2	-	1	-	1
26	15	8	3	3	3	1	2	-	-	13	3	3	3	4
140	71	63	3	3	30	12	12	5	1	97	18	23	30	26
1,217	706	447	40	24	205	80	64	34	27	575	178	104	180	113
18	8	7	2	1	2	1	1	-	-	2	-	1	1	-
25	11	11	1	2	8	2	5	-	1	6	1	2	2	1
798	409	345	26	18	134	47	43	25	19	416	106	86	135	89
129	70	48	7	4	11	4	5	1	1	126	35	18	46	27
440	231	190	12	7	67	27	24	9	7	227	52	58	68	49
73	39	29	3	2	23	6	9	4	4	12	3	-	2	7
156	69	78	4	5	33	10	5	11	7	51	16	10	19	6
9	6	3	-	-	2	-	-	1	1	6	2	1	1	2
47	32	14	1	-	4	2	2	-	-	11	4	1	5	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
14	12	2	-	-	3	2	-	1	-	11	1	-	5	5
4	2	2	-	-	-	-	-	-	-	4	-	1	1	2
132	114	15	2	1	17	12	2	3	-	67	43	1	14	9
170	112	48	8	2	35	14	11	4	6	51	20	11	16	4
972	570	360	23	19	176	102	44	21	9	457	138	111	114	94
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
86	58	27	-	1	17	10	6	-	1	36	15	6	13	2
105	78	26	1	1	11	9	1	1	-	28	11	3	9	5
5	3	2	-	-	1	-	1	-	-	6	2	2	1	1
24	12	4	5	3	4	3	1	-	-	8	1	2	3	2
123	55	63	4	1	34	19	7	6	2	54	18	20	8	8
20	7	11	1	1	7	1	1	4	1	12	1	3	3	5
48	21	25	2	-	8	3	5	-	-	19	7	7	4	1
366	228	124	4	10	64	43	12	7	2	197	58	39	47	53
252	159	88	1	4	42	28	8	5	1	107	31	29	19	28
114	69	36	3	6	22	15	4	2	1	90	27	10	28	25
52	22	29	1	-	8	4	3	-	1	13	2	8	1	2
2	2	-	-	-	2	1	1	-	-	1	-	1	-	-
139	83	49	5	2	20	9	6	3	2	83	23	20	25	15
355	177	158	12	8	90	41	32	6	11	261	63	44	77	77
167	67	87	7	6	40	17	14	1	8	78	15	18	23	22
7	3	1	2	1	1	1	-	-	-	3	1	1	1	-
12	5	5	1	1	2	-	1	-	1	9	1	2	2	4
148	59	81	4	4	37	16	13	1	7	66	13	15	20	18
90	35	50	3	2	17	6	8	1	2	113	26	20	24	43
17	11	5	1	1	5	3	2	-	-	10	4	1	3	2
22	15	7	-	-	11	5	6	-	-	26	2	4	14	6
46	46	...	-	...	14	10	...	4	...	28	16	...	12	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	3	9	1	-	3	-	2	-	1	6	-	1	1	4

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
9	...	6	...	3	4	...	4	...	-	16	...	3	...	13
1	...	-	...	1	-	...	-	...	-	1	...	-	...	1
2	...	2	...	-	1	...	1	...	-	1	...	-	...	1
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	1	...	-	...	1
1	...	1	...	-	1	...	1	...	-	4	...	-	...	4
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
3	...	2	...	1	2	...	2	...	-	2	...	1	...	1
46	22	22	2	-	5	1	2	-	2	21	-	9	3	9
19	10	8	1	-	-	-	-	-	-	8	-	3	2	3
27	12	14	1	-	5	1	2	-	2	13	-	6	1	6
34	15	18	1	-	8	4	2	1	1	13	1	6	2	4
14	3	11	-	-	5	1	2	1	1	7	-	4	-	3
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	-	-	-	-	-	1	-	-	-	1
7	3	3	1	-	3	3	-	-	-	1	-	-	1	-
9	6	3	-	-	-	-	-	-	-	3	1	2	-	-
310	155	135	10	10	62	25	24	10	3	122	23	22	45	32
19	5	14	-	-	8	3	5	-	-	1	-	-	-	1
39	15	18	3	3	7	3	2	1	1	18	3	4	7	4
141	81	51	5	4	26	11	12	2	1	72	14	8	28	22
111	54	52	2	3	21	8	5	7	1	31	6	10	10	5
778	409	279	53	37	152	58	37	40	17	502	59	53	220	170
131	70	42	13	6	28	12	9	4	3	26	5	9	9	3
9	3	6	-	-	6	3	2	1	-	2	-	1	-	1
122	67	36	13	6	22	9	7	3	3	24	5	8	9	2
1,240	744	398	68	30	289	161	60	50	18	574	162	104	228	80
944	556	314	55	19	216	121	45	35	15	419	117	82	168	52
7	6	-	1	-	2	2	-	-	-	-	-	-	-	-
293	194	72	20	7	84	54	11	14	5	95	34	16	39	6
284	188	71	18	7	82	53	10	14	5	95	34	16	39	6
11	1	2	4	-	3	2	-	-	-	1	1	-	-	-
83	55	25	2	1	11	6	2	2	1	40	12	7	19	2
84	55	23	5	-	29	21	3	3	2	28	11	4	10	3
82	62	16	4	-	18	12	1	3	2	17	8	2	7	-
24	15	5	3	1	21	12	4	5	-	9	2	3	3	1
9	6	1	2	-	2	1	1	-	-	-	-	-	-	-
24	15	5	4	-	2	2	-	-	-	2	-	-	2	-
29	21	8	-	-	5	2	1	2	-	15	6	1	5	-
18	13	5	-	-	1	1	-	-	-	6	2	-	4	-
12	9	2	-	-	2	2	1	2	1	7	2	-	-	-
282	132	143	6	1	37	15	18	3	1	128	32	35	43	18
89	55	30	4	-	7	4	1	1	1	59	13	12	25	9
47	18	28	1	-	3	2	1	-	-	21	5	9	6	1
146	59	85	1	1	27	9	16	2	-	48	14	14	12	8
4	4	-	-	-	2	2	-	-	-	4	3	-	1	-
14	12	1	1	-	1	1	-	-	-	2	-	-	2	-
9	9	-	-	-	2	2	-	-	-	4	-	-	-	-
80	39	27	9	5	27	10	6	7	4	47	9	12	16	10
6	5	1	-	-	-	-	-	-	-	2	1	-	1	-
7	5	2	-	-	4	3	-	-	1	3	1	1	1	-
36	18	17	1	-	10	6	1	1	2	33	6	8	13	6
57	33	11	10	3	14	9	2	3	-	23	8	1	14	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	11	8	1	-	2	1	1	-	-	5	1	2	1	1
46	30	12	2	2	15	8	3	3	1	43	10	4	21	8
245	169	72	3	1	49	32	14	2	1	67	31	22	9	5
73	44	28	-	1	7	4	3	-	-	13	2	6	4	1
65	47	17	1	-	9	4	4	-	1	11	7	2	1	-
71	58	11	2	-	24	18	5	1	-	19	15	4	-	-
36	20	16	-	-	9	6	2	1	-	24	7	10	4	3
50	18	12	10	10	24	8	1	13	2	88	14	-	51	23
24	10	8	2	4	10	4	1	5	-	22	4	-	12	6
10	1	-	6	3	7	2	-	4	1	29	3	-	21	5
14	5	4	2	3	7	2	-	4	1	33	7	-	14	12
1	1	-	-	-	-	-	-	-	-	4	-	-	4	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95

SECTION 5 - MORTALITY

Table 5-10 Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	48,152	24,005	15,039	5,185	3,923	35,357	13,142	9,404	6,812	5,999
2 I. INFECTIVE AND PARASITIC DISEASES.....	560	250	101	138	71	523	156	93	165	109
3 TUBERCULOSIS, ALL FORMS.....001-019	214	102	31	57	24	211	73	33	67	38
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	195	97	27	53	18	189	66	32	57	34
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	5	1	-	1	3	7	5	-	-	2
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	1	-	-	1	-
7 TUBERCULOSIS OF BONES AND JOINTS.....012,013	2	-	2	-	-	5	2	-	2	1
8 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	6	2	1	2	1	1	-	-	1	-
9 DISSEMINATED TUBERCULOSIS.....019	6	2	1	1	2	8	-	1	6	1
10 SYPHILIS AND ITS SEQUELAE.....020-029	100	45	11	30	14	69	15	4	36	14
11 CONGENITAL SYPHILIS.....020	3	1	-	1	1	2	-	-	2	-
12 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
13 ANEURYSM OF AORTA.....022	51	31	7	7	6	21	6	3	9	3
14 OTHER CARDIOVASCULAR SYPHILIS.....023	31	6	3	15	7	29	6	1	14	8
15 TABES DORSALIS.....024	1	-	-	1	-	1	1	-	-	-
16 GENERAL PARALYSIS OF INSANE.....025	4	1	-	3	-	10	2	-	6	2
17 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	8	6	-	2	-	6	-	-	5	1
18 ALL OTHER SYPHILIS.....027-029	2	-	1	1	-	-	-	-	-	-
19 GONOCOCCAL INFECTION.....030-035	1	-	-	1	-	2	-	-	1	1
20 TYPHOID FEVER.....040	1	-	-	1	-	1	-	-	-	1
21 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	4	3	1	-	-	5	-	1	2	2
22 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
23 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
24 DYSENTERY, ALL FORMS.....045-048	4	2	-	1	1	19	2	3	10	4
25 FOOD POISONING, INFECTION AND INTOXICATION.....049	2	2	-	-	-	5	1	2	2	-
26 SCARLET FEVER.....050	1	1	-	-	-	-	-	-	-	-
27 STREPTOCOCCAL SORE THROAT.....051	1	1	-	-	-	4	1	1	2	-
28 ERYSIPELAS.....052	-	-	-	-	-	1	-	-	-	1
29 SEPTICEMIA AND PYEMIA.....053	70	36	14	15	5	55	20	9	11	15
30 DIPHThERIA.....055	3	-	1	1	1	3	1	-	-	2
31 WHOOPING COUGH.....056	4	-	-	2	2	7	-	-	2	5
32 MENINGOCOCCAL INFECTIONS.....057	17	6	5	3	3	26	9	7	7	3
33 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
34 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
35 TETANUS.....061	17	2	2	6	7	11	5	-	6	-
36 ANTHRAX.....062	2	2	-	-	-	-	-	-	-	-
37 ACUTE POLIOMYELITIS.....080	5	2	1	-	2	2	2	-	-	-
38 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	3	2	1	-	-	2	-	2	-	-
39 ACUTE INFECTIOUS ENCEPHALITIS.....082	18	7	6	2	3	16	2	8	5	1
40 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
41 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
42 MEASLES.....085	3	2	1	-	-	13	2	6	1	4
43 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
44 INFECTIOUS HEPATITIS.....092	38	18	14	3	3	17	4	7	2	4
45 RABIES.....094	-	-	-	-	-	1	-	-	1	-
46 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
47 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	1	-	1	-	-
48 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
49 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
50 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
51 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
52 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
53 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	7	-	1	4	2	7	-	1	4	2
54 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	47	19	12	12	4	45	19	8	6	12
55 II. NEOPLASMS.....	7,923	3,975	2,903	549	496	4,444	1,628	1,567	594	655
56 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	7,789	3,930	2,846	541	472	4,355	1,610	1,535	580	630
57 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	203	129	52	18	4	115	64	34	11	6
58 OF LIP.....140	5	4	1	-	-	5	4	1	-	-
59 OF TONGUE.....141	49	30	10	8	1	15	7	3	4	1
60 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	60	36	19	4	1	41	18	18	3	2
61 OF PHARYNX.....145-148	89	59	22	6	2	54	35	12	4	3
62 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	2,408	1,181	904	197	126	1,256	457	434	207	158
63 OF ESOPHAGUS.....150	159	87	24	34	14	92	34	19	27	12
64 OF STOMACH.....151	532	293	156	61	22	283	89	70	83	41
65 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	18	6	10	1	1	6	2	1	2	1
66 OF LARGE INTESTINE, EXCEPT RECTUM.....153	739	313	358	31	37	370	121	171	33	45
67 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	111	43	61	4	3	39	16	17	1	5
68 TRANSVERSE COLON.....153.1	43	15	27	-	1	15	4	7	2	2
69 DESCENDING COLON.....153.2	27	8	13	4	2	12	4	5	1	2
70 SIGMOID COLON.....153.3	149	68	69	4	8	67	21	33	8	5
71 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	1	-	1	-	-	-	-	-	-	-
72 LARGE INTESTINE, PART UNSPECIFIED.....153.8	375	167	172	17	19	223	73	107	18	25
73 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	33	12	15	2	4	14	3	2	3	6
74 OF RECTUM.....154	281	133	109	21	18	107	47	33	12	15
75 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	138	68	51	12	7	70	23	36	9	2
76 LIVER.....155.0	46	26	8	9	3	23	7	6	8	2
77 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	92	42	43	3	4	47	16	30	1	-
78 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	101	55	33	8	5	73	26	26	10	11
79 OF PANCREAS.....157	381	198	146	23	14	214	97	71	26	20
80 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	59	28	17	6	8	41	18	7	5	11

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3,541	679	503	1,550	809	5,426	3,338	1,991	65	32	103,028	52,662	39,705	5,934	4,727
37	6	2	22	7	39	22	17	-	-	1,041	568	235	161	77
14	2	-	8	4	17	12	5	-	-	641	366	100	119	56
12	2	-	7	3	17	12	5	-	-	586	350	85	106	45
-	-	-	-	-	-	-	-	-	-	12	2	2	3	5
-	-	-	-	-	-	-	-	-	-	9	1	5	3	-
1	-	-	1	-	-	-	-	-	-	4	3	1	-	-
1	-	-	-	1	-	-	-	-	-	9	2	5	-	2
-	-	-	-	-	-	-	-	-	-	21	8	2	7	4
5	1	-	4	-	7	6	1	-	-	92	49	14	26	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	4	3	1	-	-	36	18	7	11	-
2	-	-	2	-	2	2	-	-	-	39	18	6	12	3
1	-	-	1	-	1	-	-	-	-	8	7	1	-	-
1	1	-	-	-	1	1	-	-	-	6	4	-	2	-
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	9	4	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
6	2	1	3	-	7	3	4	-	-	45	25	19	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	1	-	-	-	-	-	-	2	-	1	-	-
2	-	-	2	-	-	-	-	-	-	47	26	12	5	4
2	-	-	2	-	-	-	-	-	-	10	2	6	2	-
-	-	-	-	-	-	-	-	-	-	11	5	3	3	-
-	-	-	-	-	-	-	-	-	-	6	4	2	-	-
-	-	-	-	-	-	-	-	-	-	23	15	7	-	1
-	-	-	-	-	-	-	-	-	-	6	1	5	-	-
1	-	-	-	1	1	-	1	-	-	18	8	8	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	1	-	1	1	-	-	-	58	26	25	2	5
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
3	-	-	2	1	6	-	6	-	-	61	30	25	3	3
612	107	84	279	142	739	390	343	4	2	17,192	8,448	7,290	779	675
600	104	83	276	137	724	379	339	4	2	16,966	8,352	7,191	774	649
17	5	2	6	4	12	7	5	-	-	371	277	64	24	6
-	-	-	-	-	-	-	-	-	-	20	18	1	1	-
4	2	1	1	1	2	2	3	-	-	82	61	13	8	-
2	-	1	1	-	2	1	1	-	-	122	86	29	3	4
11	3	-	5	3	4	3	1	-	-	147	112	21	12	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
264	43	30	136	55	228	115	108	4	1	6,158	3,093	2,518	341	206
21	1	-	19	1	8	4	1	3	-	344	236	41	51	16
104	13	12	55	24	46	27	18	-	1	1,376	734	496	109	37
-	-	-	-	-	-	-	-	-	-	38	20	17	1	-
40	7	5	22	6	74	39	35	-	-	1,908	819	942	73	74
5	1	1	3	1	11	7	4	-	-	249	96	137	8	8
3	1	1	1	1	2	1	1	-	-	93	41	49	1	2
4	2	1	1	1	4	2	2	-	-	78	36	37	2	3
11	1	-	7	3	20	9	11	-	-	441	208	214	12	7
1	-	-	1	-	-	-	-	-	-	4	2	2	-	-
16	3	2	10	1	33	18	15	-	-	953	397	459	49	48
-	-	-	-	-	4	2	2	-	-	90	39	44	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	5	4	7	6	21	10	11	-	-	814	445	314	24	31
27	7	2	13	5	19	7	11	1	-	430	169	230	19	12
14	5	-	6	3	3	1	1	1	-	110	63	30	5	91
13	2	2	7	2	16	6	10	-	-	320	106	200	7	92
13	1	2	6	4	12	5	7	-	-	284	131	129	16	8
34	9	3	14	8	40	21	19	-	-	878	493	312	47	26
3	-	2	-	1	6	2	4	-	-	86	46	37	1	2

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

Table with 12 columns: CAUSE OF DEATH, FLORIDA (Total, White Male, White Female, Nonwhite Male, Nonwhite Female), and GEORGIA (Total, White Male, White Female, Nonwhite Male, Nonwhite Female). Rows list various causes of death such as MALIGNANT NEOPLASMS, ALLERGIC/ENDOCRINE SYSTEM DISEASES, and DISEASES OF THE BLOOD.

SECTION 5 - MORTALITY

5-117

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
109	24	6	63	16	75	61	14	-	-	2,552	2,012	332	178	30
9	2	1	6	-	2	2	-	-	-	156	131	11	12	2
52	13	1	30	8	30	28	2	-	-	1,103	873	119	98	13
46	9	4	25	8	40	29	11	-	-	1,244	976	188	65	15
2	-	-	2	-	3	2	1	-	-	49	32	14	3	-
38	-	21	-	17	57	-	57	-	-	1,649	8	1,515	3	123
49	8	8	10	23	126	62	64	-	-	2,400	801	1,332	97	170
18	...	3	...	15	15	...	15	...	...	493	...	398	...	95
3	...	-	...	3	22	...	22	...	...	399	...	356	...	43
10	...	5	...	5	26	...	26	...	...	554	...	527	...	27
17	...	-	...	-	1	...	1	...	...	56	...	51	...	5
1	8	...	9	...	59	59	...	...	...	838	745	...	93	...
15	7	...	1	...	3	3	...	-	...	60	56	...	4	...
7	3	-	2	2	47	33	14	-	-	845	550	241	26	28
8	4	-	4	-	27	17	10	-	-	316	198	103	9	19
					20	16	4	-	-	529	352	138	17	22
58	8	9	28	13	91	49	41	-	1	1,445	759	593	57	36
8	1	3	4	-	7	3	4	-	-	206	116	86	2	2
1	1	-	-	-	1	1	-	-	-	27	10	13	3	1
9	2	-	4	3	24	13	11	-	-	387	234	129	15	9
7	2	1	1	3	6	1	5	-	-	75	21	50	2	2
3	-	-	3	-	7	3	4	-	-	128	61	50	9	10
2	-	-	1	1	3	2	1	-	-	47	31	13	3	30
5	1	1	1	2	6	4	2	-	-	95	62	32	1	29
23	1	4	14	4	37	22	14	-	1	480	224	220	22	14
24	4	5	12	3	42	26	16	-	-	767	438	290	19	20
26	5	2	15	4	46	26	20	-	-	779	414	306	29	30
13	1	1	8	3	22	16	6	-	-	439	237	175	13	14
7	4	-	3	-	13	6	7	-	-	151	83	60	5	3
6	-	1	4	1	11	4	7	-	-	189	94	71	11	13
12	3	1	3	5	15	11	4	-	-	226	96	99	5	26
-	...	-	...	-	-	...	-	...	-	46	...	27	...	19
3	1	-	2	-	4	3	1	-	-	69	34	27	2	6
5	-	1	1	3	6	4	2	-	-	47	23	22	1	1
2	...	-	...	-	-	...	-	...	-	-	-	-	...	-
2	1	-	1	1	4	3	1	-	-	40	23	15	2	-
2	1	-	-	1	1	1	-	-	-	24	16	8	-	-
133	17	29	45	42	116	57	55	1	3	2,036	801	1,014	82	139
27	5	4	12	6	22	16	6	-	-	298	181	89	12	16
1	-	-	-	1	1	1	1	-	-	8	2	6	-	-
1	-	1	-	-	1	-	1	-	-	36	2	29	-	5
-	-	-	-	-	1	-	1	-	-	20	5	13	-	2
84	8	19	26	31	82	37	42	1	2	1,500	525	803	65	107
2	-	-	1	1	1	-	1	-	-	11	6	4	1	-
2	-	-	1	1	1	-	1	-	-	31	14	15	1	1
9	1	3	4	1	2	2	-	-	-	-	-	-	-	-
7	3	2	1	1	5	2	2	-	1	89	44	38	1	6
12	1	1	6	4	22	14	8	-	-	260	97	127	19	17
6	-	-	4	2	13	7	6	-	-	165	58	80	14	13
1	-	-	-	1	3	1	2	-	-	35	14	18	3	-
5	-	-	4	1	10	6	4	-	-	130	44	62	11	13
2	-	-	2	2	2	1	1	-	-	37	12	19	4	2
4	1	1	2	-	7	6	1	-	-	58	27	28	1	2
10	1	1	6	2	11	5	4	2	-	141	91	25	21	4
1	-	-	1	-	1	1	-	-	-	6	-	6	-	-
-	-	-	-	-	-	-	-	-	-	16	13	3	3	-
5	-	-	4	1	7	4	1	2	-	14	7	4	1	2
3	1	1	1	1	3	-	3	-	-	83	58	8	15	2
1	-	-	1	-	-	-	-	-	-	16	10	5	1	-
374	56	52	176	90	735	385	342	6	2	11,478	4,937	5,486	480	575
331	50	47	153	81	673	350	316	5	2	10,715	4,572	5,163	436	544
27	6	4	6	11	10	3	6	1	-	322	141	128	18	35
174	20	19	85	50	415	221	190	3	1	6,330	2,623	3,080	271	356
102	18	20	49	15	194	98	94	1	1	3,250	1,453	1,543	129	125
28	6	4	13	5	54	28	26	-	-	813	355	412	18	28
10	1	1	6	2	4	2	2	-	-	131	63	39	20	9
1	-	1	-	-	10	6	4	-	-	103	39	59	2	3
3	-	-	-	-	19	7	12	-	-	132	65	64	2	1
7	1	2	2	2	3	2	1	-	-	41	22	17	2	-
-	-	-	-	-	5	3	1	1	-	98	51	35	8	4
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	-	-	2	-	-	-	-	-	-	1	1	-	-	-
17	2	1	10	4	20	14	6	-	-	228	109	98	9	12

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95







SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
3	...	2	...	1	2	...	2	...	-	61	...	45	...	16
-	...	-	...	-	-	...	-	...	-	8	...	6	...	2
-	...	-	...	-	-	...	-	...	-	9	...	6	...	3
-	...	-	...	-	1	...	1	...	-	11	...	11	...	7
-	...	-	...	-	-	...	-	...	-	6	...	2	...	4
1	...	1	...	-	-	...	-	...	-	1	...	-	...	1
1	...	1	...	-	-	...	-	...	-	3	...	2	...	1
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
1	...	-	...	1	1	...	1	...	-	22	...	18	...	4
8	1	1	5	1	5	3	2	-	-	108	32	56	3	17
3	1	-	2	-	3	1	2	-	-	33	15	15	-	3
5	-	1	3	1	2	2	-	-	-	75	17	41	3	14
7	3	-	4	-	16	10	6	-	-	154	81	66	4	3
2	1	-	1	-	9	5	4	-	-	71	30	40	-	1
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-
-	-	-	-	-	-	-	-	-	-	7	2	4	-	1
1	-	-	1	-	-	-	-	-	-	4	2	2	-	-
2	1	-	1	-	4	4	-	-	-	30	25	4	1	-
2	1	-	1	-	3	1	2	-	-	39	20	16	2	1
77	9	10	36	22	90	47	42	1	-	1,060	492	442	68	58
2	-	1	-	1	3	1	2	-	-	63	14	46	1	2
12	3	2	3	4	6	3	3	-	-	116	55	48	5	8
38	3	5	18	12	55	27	27	1	-	563	264	219	40	40
25	3	2	15	5	26	16	18	-	-	318	159	129	22	8
274	49	35	105	85	244	138	100	3	3	3,764	1,722	1,129	510	403
29	6	2	14	7	74	47	24	2	1	604	303	197	65	39
10	1	-	5	4	32	14	17	1	-	16	5	10	1	-
19	5	2	9	3	42	33	7	1	1	588	298	187	64	39
339	86	22	180	51	591	424	147	16	4	5,601	3,409	1,405	574	213
272	69	18	144	41	507	358	133	12	4	4,158	2,561	1,120	335	142
-	-	-	-	-	4	3	1	-	-	70	54	9	7	-
110	38	6	51	15	209	139	64	3	3	1,670	1,109	423	102	36
106	38	6	48	14	201	131	64	3	3	1,635	1,086	415	100	34
-	-	-	-	-	5	3	2	-	-	97	64	29	-	4
32	6	1	19	6	20	15	4	1	-	289	192	64	26	7
31	18	2	9	2	65	39	25	-	1	768	479	226	48	15
40	13	3	18	6	60	46	11	1	2	432	315	84	26	7
3	1	-	2	-	51	28	22	1	-	49	36	12	-	1
4	-	-	3	1	8	8	-	-	-	35	23	8	2	2
1	-	-	1	-	1	1	-	-	-	13	9	4	-	-
3	3	-	-	-	15	12	-	3	-	48	40	4	4	-
1	1	-	-	-	11	11	-	-	-	83	60	22	1	-
2	1	-	1	-	5	3	2	-	-	73	25	23	13	12
-	-	-	-	-	5	4	1	-	-	110	75	27	7	1
24	4	1	17	2	76	42	32	1	1	825	384	362	62	17
17	2	1	13	1	24	16	8	-	-	352	195	96	47	14
-	-	-	-	-	8	5	2	-	1	132	49	74	8	1
7	2	-	4	1	44	21	22	1	-	341	140	192	7	2
-	-	-	-	-	23	23	-	-	-	37	32	1	4	-
12	2	-	10	-	21	21	-	-	-	106	99	3	3	1
5	2	-	3	-	5	4	-	1	-	43	38	3	2	-
7	3	1	3	-	19	14	5	-	-	348	162	100	46	40
2	3	-	2	-	2	1	1	-	-	23	10	6	4	3
3	1	1	1	-	26	21	5	-	-	100	75	10	10	5
8	2	-	4	2	12	8	4	-	-	54	32	17	3	2
20	5	2	10	3	39	27	9	3	-	240	175	25	31	9
1	-	-	1	-	1	1	-	-	-	8	6	-	2	-
1	1	-	-	-	5	1	4	-	-	28	10	14	1	3
72	6	7	40	19	28	22	5	1	-	279	166	67	33	13
45	13	3	24	5	74	61	12	1	-	964	694	229	24	17
9	2	2	3	2	10	7	3	-	-	169	101	63	2	3
14	1	-	11	2	8	7	1	-	-	237	169	60	3	5
18	10	-	7	1	48	42	5	1	-	406	343	47	12	4
4	-	1	3	-	8	5	3	-	-	152	81	59	7	5
22	4	1	12	5	10	5	2	3	-	478	153	56	215	54
11	2	1	5	3	6	2	1	3	-	243	82	30	105	26
3	1	-	2	-	2	1	1	-	-	112	17	10	74	11
8	1	-	5	2	2	2	-	-	-	102	45	16	24	17
-	-	-	-	-	-	-	-	-	-	21	9	-	12	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA				1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95	
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male		Female
21,161	11,525	8,617	554	465	29,959	15,423	11,316	1,801	1,419	29,704	10,670	7,606	6,147		5,281
175	95	61	13	6	539	302	168	41	28	634	201	90	216	127	
57	33	17	6	1	325	188	93	30	14	277	123	31	90	33	
55	32	16	6	1	299	179	80	29	11	261	121	30	79	31	
-	-	-	-	-	9	1	5	1	2	6	1	1	3	1	
1	1	-	-	-	3	2	1	-	-	3	-	-	3	-	
1	-	1	-	-	3	1	2	-	-	1	-	-	-	-	
-	-	-	-	-	8	4	4	-	-	1	-	-	1	-	
-	-	-	-	-	3	1	1	-	1	6	1	-	4	1	
41	25	8	5	3	42	26	8	6	2	113	19	5	63	26	
-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	
23	15	6	1	1	24	19	3	1	1	37	11	4	11	11	
11	5	1	3	2	8	3	2	3	-	49	3	1	36	9	
1	1	-	-	-	1	1	1	-	-	1	-	-	1	-	
6	4	1	1	-	2	2	1	2	1	5	1	-	3	1	
-	-	-	-	-	1	1	1	-	-	12	2	-	2	2	
1	1	-	-	-	-	-	-	-	-	6	2	-	2	2	
2	1	1	-	-	2	-	2	-	-	6	1	2	1	2	
3	-	2	1	-	1	4	2	1	-	14	1	5	3	5	
1	-	1	-	-	2	1	1	-	-	1	-	-	1	-	
1	1	-	-	-	10	4	5	-	1	1	1	-	-	-	
14	10	4	-	-	54	27	19	2	6	95	18	23	28	26	
1	1	-	-	-	1	1	-	-	-	7	2	-	1	4	
3	1	1	-	1	11	8	3	-	-	12	2	3	1	5	
2	-	2	-	-	7	2	4	-	-	10	2	-	4	4	
2	2	7	-	-	10	4	5	1	-	1	1	-	-	-	
13	6	7	-	-	8	5	2	1	-	16	2	6	2	-	
1	-	1	-	-	1	-	1	-	-	2	2	-	-	-	
4	1	2	1	-	8	3	5	-	-	21	5	5	5	6	
6	3	3	-	-	14	9	3	-	2	16	5	6	3	2	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
23	10	12	-	1	29	15	12	-	2	25	7	2	9	7	
3,124	1,570	1,411	75	68	4,263	1,998	1,842	223	200	4,372	1,654	1,282	755	681	
3,088	1,558	1,390	74	66	4,172	1,958	1,801	219	194	4,282	1,627	1,254	732	669	
64	46	15	2	1	119	78	28	10	3	108	65	17	16	10	
3	3	-	-	-	3	3	-	-	-	4	2	-	-	1	
10	7	3	-	-	23	16	3	3	1	36	21	5	6	4	
25	19	5	1	-	34	18	13	1	2	22	16	1	2	3	
26	17	7	1	1	59	41	12	6	-	46	26	10	8	2	
926	451	430	28	17	1,446	636	633	102	75	1,297	457	369	270	201	
25	17	5	3	-	73	43	17	10	3	65	32	3	20	10	
210	124	73	9	4	319	132	124	39	24	360	106	65	120	69	
10	3	7	-	-	12	8	2	1	1	7	3	3	-	1	
303	124	168	7	4	458	178	237	20	23	340	103	152	35	50	
52	26	25	1	-	56	28	24	3	1	50	14	25	3	8	
23	5	17	1	-	18	4	13	1	2	16	2	12	-	2	
11	8	2	-	1	21	6	12	1	5	40	6	6	1	3	
63	29	32	1	1	69	23	37	4	-	-	10	22	3	5	
144	53	85	4	2	261	98	139	10	14	205	66	84	27	28	
10	3	7	-	-	33	19	12	2	-	13	5	3	1	4	
105	59	40	2	4	131	67	48	11	5	113	43	28	23	19	
72	27	45	-	-	93	33	55	3	2	53	18	18	13	4	
16	7	9	-	-	23	10	10	2	1	13	5	3	3	2	
56	20	36	-	-	70	23	45	1	1	40	13	15	10	2	
32	10	21	-	1	118	53	54	5	6	74	29	18	14	13	
154	82	62	7	3	207	105	81	12	9	247	112	70	42	23	
15	5	9	-	1	35	17	15	1	2	38	11	12	3	12	



SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	INDIANA					IOWA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS--CON.										
MALIGNANT NEOPLASMS, ETC.--CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
AS SECONDARY.....160-164	1,006	794	146	58	8	554	471	74	8	1
OF LARYNX.....161	63	56	4	3	-	32	29	3	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	400	320	46	30	4	173	151	16	6	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	512	399	86	25	2	336	282	51	2	1
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	31	19	10	-	2	13	9	4	-	-
MALIGNANT NEOPLASM OF BREAST.....170	606	9	568	-	29	431	2	426	-	3
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,053	383	585	31	54	703	332	357	6	8
OF CERVIX UTERI.....171	252	...	224	...	28	119	...	116	...	3
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	154	...	146	...	8	78	...	76	...	2
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	214	...	199	...	15	149	...	146	...	3
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	19	...	16	...	3	19	...	19	...	-
OF PROSTATE.....177	380	349	...	31	...	323	317	...	6	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	34	34	...	...	...	15	15	...	...	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	341	219	90	14	18	248	171	77	-	-
OF KIDNEY.....180	143	91	42	4	6	99	58	41	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	198	128	48	10	12	149	113	36	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	765	411	329	17	8	455	248	205	1	1
OF SKIN.....190,191	120	79	38	2	1	62	36	26	-	-
OF EYE.....192	13	8	4	1	-	12	3	9	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	181	112	65	4	-	94	62	32	-	-
OF THYROID GLAND.....194	27	8	18	1	-	16	6	9	-	1
OF BONE.....196	54	31	23	-	-	33	18	15	-	-
OF CONNECTIVE TISSUE.....197	24	9	13	-	2	12	9	3	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	50	31	16	2	1	31	18	13	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	296	133	152	7	4	195	96	98	1	-
LEUKEMIA AND ALEUKEMIA.....204	314	175	128	8	3	240	136	101	2	1
LYMPHOSARCOMA, ETC.....200-203,205	317	181	124	8	4	262	151	108	2	1
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	136	86	48	2	-	120	76	42	2	-
HODGKINS DISEASE.....201	76	42	32	1	1	55	33	21	-	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	105	53	44	5	3	87	42	45	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	100	50	43	1	6	67	32	35	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	9	...	5	...	4	2	...	2	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	22	12	9	-	1	17	6	11	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	22	11	10	1	-	14	9	5	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS...233-235	1	...	1	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC...237	28	16	11	-	1	18	8	10	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	18	11	7	-	-	16	9	7	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,236	492	660	33	51	698	319	372	2	5
ASTHMA.....241	142	82	45	8	7	118	82	34	2	-
NONTOXIC GOITER.....250,251	1	-	1	-	-	2	1	1	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	26	3	20	1	2	10	1	9	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	11	3	8	-	-	10	1	9	-	-
DIABETES MELLITUS.....260	930	346	525	20	39	481	193	285	-	3
DISEASES OF THYMUS GLAND.....273	1	-	1	-	-	2	1	1	-	-
DISEASES OF ADRENAL GLANDS.....274	13	4	8	-	1	4	3	-	-	-
PELLAGRA.....281	1	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	47	21	21	4	1	26	15	11	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	65	33	31	-	1	45	22	21	-	2
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	157	63	85	6	3	98	52	45	-	1
ANEMIAS.....290-293	93	35	53	2	3	66	36	29	-	1
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	24	5	19	-	-	22	9	13	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	69	30	34	2	3	44	27	16	-	1
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	23	11	11	1	-	12	5	7	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	41	17	21	3	-	20	11	9	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	82	46	25	7	4	57	40	17	-	-
SENILE PSYCHOSIS.....304	15	4	11	-	-	10	3	7	-	-
ALCOHOLIC PSYCHOSIS.....307	5	4	-	1	-	6	6	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	9	3	5	-	1	15	7	8	-	-
ALCOHOLISM.....322	44	31	6	6	1	17	16	1	-	-
MENTAL DEFICIENCY.....325	8	4	2	-	2	6	6	-	-	-
OTHER DISORDERS OF PERSONALITY...RESIDUAL	1	-	1	-	-	3	2	1	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	6,201	2,841	3,043	166	151	4,227	2,021	2,168	19	19
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	5,818	2,658	2,869	149	142	3,950	1,872	2,041	19	18
SUBARACHNOID HEMORRHAGE.....330	150	70	71	5	4	76	29	47	-	-
CEREBRAL HEMORRHAGE.....331	3,544	1,622	1,754	83	85	2,341	1,110	1,207	13	11
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,618	748	792	37	41	1,123	545	569	4	5
OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	506	218	252	24	12	410	188	218	2	2
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	57	21	27	6	3	23	12	10	-	1
MULTIPLE SCLEROSIS.....345	29	14	14	-	1	34	12	22	-	-
PARALYSIS AGITANS.....350	92	44	47	-	1	78	45	33	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS...351	22	13	8	1	-	9	6	3	-	-
EPILEPSY.....353	43	19	20	4	-	26	13	13	-	-
INFLAMMATORY DISEASES OF EYE...370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	1	1	-	-	-
GLAUCOMA.....387	-	-	-	-	-	1	1	-	-	-
OTITIS MEDIA AND MASTOIDITIS...391-393	7	4	3	-	-	10	8	2	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	133	68	55	6	4	95	51	44	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
404	325	61	14	4	589	438	95	46	10	730	473	62	166	29
20	16	3	-	1	41	35	4	2	-	40	29	1	9	1
138	116	15	5	2	226	173	29	21	3	273	172	17	75	9
238	192	37	8	1	305	218	59	22	6	405	265	41	82	17
8	1	6	1	-	17	12	3	1	1	12	7	2	-	2
294	5	273	-	16	326	5	288	1	32	336	2	223	2	109
463	177	258	13	15	643	230	339	32	42	636	137	232	108	159
87	...	83	...	4	161	...	138	...	23	173	...	88	...	85
66	...	60	...	6	95	...	83	...	12	105	...	58	...	47
113	...	108	...	5	112	...	107	...	5	98	...	77	...	21
7	...	7	...	-	13	...	11	...	2	15	...	9	...	6
179	166	...	13	...	252	221	...	31	...	232	128	...	104	...
11	11	...	-	...	10	9	...	1	...	13	9	...	4	...
162	115	45	1	1	157	89	57	4	7	175	72	41	35	27
64	44	20	-	-	63	42	19	-	2	59	25	19	8	7
98	71	25	1	1	94	47	38	4	5	116	47	22	27	20
395	214	166	9	6	520	271	224	13	12	611	228	199	88	96
56	31	24	1	-	78	47	29	2	-	90	47	29	8	6
4	3	1	-	-	7	4	3	-	-	8	5	1	-	2
81	49	29	2	1	79	48	28	2	1	85	42	26	9	8
15	11	4	-	-	15	6	9	-	-	14	4	6	3	27
31	21	9	1	-	45	29	14	1	1	21	7	7	4	28
14	9	5	-	-	14	5	11	-	-	18	5	8	5	29
22	9	11	1	1	27	16	11	4	-	22	7	10	4	30
172	81	83	4	4	255	112	125	8	10	353	114	112	55	72
213	123	81	5	4	198	114	68	8	8	214	105	68	23	18
167	102	61	2	2	174	97	69	3	5	175	88	43	24	33
78	47	29	-	2	71	36	33	1	1	73	40	15	11	7
35	24	10	1	-	51	26	24	-	1	36	15	11	6	35
54	31	22	1	-	52	35	12	2	3	66	33	17	7	9
36	12	21	1	2	91	40	41	4	6	90	27	28	23	12
3	...	2	...	1	6	...	2	...	4	6	...	2	...	4
11	2	8	1	-	12	1	7	3	1	13	3	6	3	1
1	4	4	-	-	4	1	3	-	-	9	5	2	1	41
8	...	...	...	1	...	...	...	...	...	...	...	...	...	42
8	3	5	-	-	38	21	17	-	-	47	14	15	13	43
5	3	2	-	-	31	17	12	1	1	15	5	3	6	44
540	236	267	17	20	637	248	317	24	48	837	200	275	126	236
70	47	20	3	-	119	73	36	6	4	86	31	12	28	15
1	-	1	-	-	-	-	-	-	-	2	-	-	-	2
5	1	4	-	-	10	1	9	-	-	8	1	1	2	4
3	1	2	-	-	4	1	3	-	-	6	-	3	-	3
378	152	198	11	17	420	145	227	10	38	628	144	230	71	183
1	1	1	-	-	13	2	10	1	-	3	1	1	1	55
8	4	3	1	-	1	1	1	-	-	2	-	1	-	56
-	-	-	-	-	1	1	1	-	-	-	-	-	-	57
27	10	14	2	1	38	16	16	5	1	48	12	14	13	9
47	20	25	-	2	31	9	15	2	5	54	11	14	10	19
83	38	43	1	1	92	46	35	5	6	110	31	24	27	28
53	19	33	1	-	66	33	24	3	6	78	19	14	20	25
12	1	11	-	-	16	8	5	1	2	2	1	-	-	1
41	18	22	1	-	50	25	19	2	4	76	18	14	20	24
13	9	4	-	-	5	3	1	1	-	14	5	3	4	2
17	10	6	-	1	21	10	10	1	-	18	7	7	3	1
60	38	18	4	-	70	41	17	10	2	51	26	8	10	7
11	6	5	-	-	6	1	5	-	-	3	2	1	-	-
4	4	-	-	-	4	3	-	1	-	5	5	-	-	-
11	4	6	1	-	14	4	8	1	1	14	6	4	3	1
28	20	5	3	-	30	21	1	7	1	16	7	5	4	74
4	2	2	-	-	15	12	2	1	-	12	6	3	-	75
2	2	-	-	-	1	-	1	-	-	1	-	1	1	2
2,785	1,268	1,368	63	86	4,130	1,871	1,750	271	238	3,346	946	985	697	718
2,579	1,163	1,279	57	80	3,858	1,735	1,647	250	226	3,090	862	929	636	663
52	25	24	-	3	85	31	46	3	5	119	38	36	17	28
1,551	696	770	39	46	2,257	1,043	939	139	136	2,145	561	589	483	512
703	321	343	14	25	1,092	488	484	61	59	626	208	220	106	92
273	121	142	4	6	424	173	178	47	26	200	55	84	30	84
17	9	6	1	1	33	16	12	5	-	71	21	9	22	19
24	5	17	-	2	10	5	4	-	1	6	1	3	-	86
67	39	28	-	-	49	26	20	1	2	17	6	8	2	1
10	6	4	-	-	24	14	10	-	-	17	9	7	-	88
27	16	8	2	1	46	19	13	11	3	43	10	5	16	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	2	-	-	9	4	4	1	-	11	3	3	3	5
59	30	24	3	2	101	52	40	3	6	91	36	23	18	14

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95





SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	INDIANA						IOWA					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	27	...	24	...	3	12	...	11	...	1		
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC....640,641,681,682,684	4	...	4	...	-	1	...	1	...	-		
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC....642,685,686	5	...	4	...	1	-	...	-	...	4		
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH....643,644,670-672	5	...	5	...	-	3	...	3	...	-		
ECTOPIC PREGNANCY.....645	2	...	2	...	-	-	...	-	...	-		
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-		
ABORTION WITH SEPSIS.....651	3	...	2	...	1	-	...	-	...	-		
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-		
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC....RESIDUAL	8	...	7	...	1	8	...	7	...	1		
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	52	10	36	1	5	36	15	20	-	1		
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	13	3	9	-	1	7	3	4	-	-		
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	39	7	27	1	4	29	12	16	-	1		
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	114	46	63	2	3	69	26	41	1	1		
ARTHRITIS AND SPONDYLITIS.....720-725	63	20	40	1	2	36	9	25	1	1		
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-		
OSTEOMYELITIS AND PERIOSTITIS.....730	4	2	2	-	-	2	2	-	-	-		
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES....737,745-749	4	1	2	1	-	2	-	2	-	-		
INBORN DEFECT OF MUSCLE.....744.1	11	9	2	-	-	10	6	4	-	-		
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	32	14	17	-	1	19	9	10	-	-		
XIV. CONGENITAL MALFORMATIONS.....	579	284	244	26	25	348	192	151	1	4		
SPINA BIFIDA AND MENINGOCELE.....751	30	10	19	-	1	23	14	9	-	-		
CONGENITAL HYDROCEPHALUS, ETC.....752,753	81	39	32	6	4	43	23	20	-	-		
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	295	153	118	11	13	189	98	88	1	2		
OTHER CONGENITAL MALFORMATIONS.....750,755-759	173	82	75	9	7	93	57	34	-	2		
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,650	865	579	125	81	879	498	359	14	8		
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	218	86	115	10	7	114	60	54	-	-		
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	74	19	54	1	-	47	21	26	-	-		
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	144	67	61	9	7	67	39	28	-	-		
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	3,317	2,120	976	166	55	1,878	1,289	567	11	11		
ACCIDENTS.....E800-E962	2,643	1,677	824	97	45	1,539	1,018	503	9	9		
RAILWAY ACCIDENTS.....E800-E802	35	33	1	-	-	18	15	2	1	-		
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,183	820	298	47	18	639	452	184	2	1		
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,150	793	294	47	16	621	438	181	1	1		
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	74	49	23	2	-	31	22	9	-	-		
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	165	107	40	14	4	69	44	25	-	-		
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	544	360	160	16	8	310	215	94	1	-		
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	317	241	57	15	4	184	141	42	-	1		
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	50	36	14	-	-	27	16	11	-	-		
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	33	27	4	-	2	18	14	3	1	-		
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	5	-	-	-	4	4	-	-	-		
WATER TRANSPORT ACCIDENTS.....E850-E858	22	17	3	2	-	16	13	2	1	-		
AIRCRAFT ACCIDENTS.....E860-E866	29	25	3	1	-	18	15	3	-	-		
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	27	13	11	2	1	18	12	6	-	-		
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	44	30	11	2	1	34	20	3	-	1		
ACCIDENTAL FALLS.....E900-E904	639	285	339	9	5	384	173	210	1	-		
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	188	118	60	5	5	114	74	40	-	-		
FALL ON SAME LEVEL.....E903	189	76	110	2	1	121	49	71	1	-		
UNSPECIFIED FALLS.....E904	262	91	169	2	-	149	50	99	-	-		
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	37	33	1	3	-	20	19	1	-	-		
ACCIDENT CAUSED BY MACHINERY.....E912	73	71	2	-	-	58	54	4	-	-		
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	29	27	1	1	-	17	14	2	1	-		
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	166	101	51	9	5	67	39	24	-	4		
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917, E918	8	4	2	1	1	11	8	3	-	-		
ACCIDENT CAUSED BY FIREARM.....E919	40	30	8	1	1	24	21	3	-	-		
INHALATION AND INGESTION OF OBJECTS, ETC.....E921, E922	42	23	17	1	1	28	20	8	-	-		
ACCIDENTAL DROWNING.....E929	92	65	16	9	2	58	47	8	3	-		
EXCESSIVE HEAT AND INSOLATION.....E931	5	3	2	-	-	5	3	2	-	-		
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	23	10	10	2	1	25	15	10	-	-		
ALL OTHER ACCIDENTS.....RESIDUAL	144	82	48	6	8	115	84	28	-	3		
SUICIDE.....E963, E970-E979	533	388	128	16	1	311	254	56	-	1		
SUICIDE BY POISONING.....E970-E973	122	65	52	5	-	47	33	14	-	-		
SUICIDE BY HANGING AND STRANGULATION.....E974	95	76	19	-	-	71	57	14	-	-		
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	263	220	34	9	-	161	148	12	-	1		
SUICIDE BY ALL OTHER MEANS.....E963, E975, E977-E979	53	27	23	2	1	32	16	16	-	-		
HOMICIDE.....E964, E980-E985	141	55	24	53	9	27	16	8	2	1		
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	85	31	12	37	5	17	10	5	1	1		
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	23	6	4	11	2	5	3	2	-	-		
ASSAULT BY OTHER MEANS.....E964, E980, E983	32	17	8	5	2	4	2	1	1	-		
INJURY BY INTERVENTION OF POLICE.....E984	1	1	-	-	-	1	1	-	-	-		
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-		
INJURY RESULTING FROM OPERATIONS OF WAR.....E965, E990-E999	-	-	-	-	-	1	1	-	-	-		

SECTION 5 - MORTALITY

5-129

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
9	...	6	...	3	28	...	27	...	1	41	...	13	...	28
1	...	-	...	1	5	...	5	...	-	5	...	1	...	4
1	...	1	...	-	1	...	1	...	-	1	...	1	...	2
2	...	1	...	-	6	...	5	...	-	5	...	2	...	7
2	...	2	...	-	3	...	2	...	-	6	...	3	...	2
-	...	-	...	-	2	...	3	...	-	1	...	1	...	5
1	...	1	...	-	3	...	2	...	-	4	...	1	...	1
-	...	-	...	-	-	...	-	...	-	-	...	-	...	3
2	...	1	...	1	8	...	8	...	-	11	...	5	...	6
19	4	15	-	-	32	13	12	3	4	40	8	9	5	18
6	3	3	-	-	13	5	6	1	1	8	1	1	3	16
13	1	12	-	-	19	8	6	2	3	32	7	8	2	17
62	24	37	-	1	74	29	41	1	3	55	18	29	5	18
38	13	25	-	-	49	14	33	-	2	31	8	19	1	21
-	-	-	-	-	1	-	-	-	-	-	-	-	-	3
3	1	2	-	-	1	1	1	-	-	3	1	1	-	24
5	1	4	-	-	2	2	2	-	-	-	-	-	-	25
7	6	1	-	-	-13	10	2	1	-	7	4	3	-	26
9	3	5	-	1	9	3	5	-	1	14	5	6	3	27
285	167	106	8	4	396	200	170	16	10	452	147	129	104	72
10	3	7	-	-	31	13	16	1	1	32	13	11	4	32
30	13	16	-	1	45	21	24	-	-	41	19	7	8	33
150	89	53	6	2	210	111	81	12	6	236	69	62	63	34
95	62	30	2	1	110	55	49	3	3	143	46	49	29	35
701	371	258	46	26	1,175	554	448	100	73	1,679	463	325	491	37
261	141	109	7	4	331	157	138	20	16	261	56	57	70	38
102	48	49	3	2	109	46	54	7	2	68	15	17	10	39
159	93	60	4	2	222	111	84	13	14	193	41	40	60	40
1,540	1,023	454	43	20	2,430	1,608	542	202	78	2,548	1,142	438	679	41
1,240	812	388	24	16	1,940	1,252	481	140	67	2,012	903	372	488	42
9	8	-	1	-	29	25	1	3	-	15	8	1	6	43
519	361	144	12	2	776	572	144	50	10	828	416	161	180	44
501	349	138	12	2	761	563	138	50	10	813	408	159	176	45
40	29	11	-	-	29	19	8	2	-	29	13	3	10	46
37	21	12	4	-	150	108	29	11	2	166	67	20	50	47
285	190	89	5	1	203	138	41	19	5	416	228	102	59	48
115	94	19	2	-	202	160	27	12	3	173	88	24	54	49
24	15	7	1	1	177	138	33	6	-	29	12	10	7	50
18	12	6	-	-	15	9	6	-	-	15	8	2	4	51
5	4	1	-	-	6	6	-	-	-	6	4	-	1	52
10	10	-	-	-	20	20	-	-	-	74	57	3	13	53
24	23	1	-	-	6	6	-	-	-	10	9	1	-	54
15	6	9	-	-	24	19	3	2	-	30	2	10	10	55
16	11	4	-	1	28	17	7	3	1	19	4	4	8	56
282	128	148	3	3	372	150	198	10	14	261	94	106	38	57
74	49	24	1	-	87	55	26	4	2	62	29	15	11	58
97	37	59	1	1	41	17	21	1	2	32	14	17	1	59
111	42	65	2	2	244	78	151	5	10	167	51	74	26	60
14	14	-	-	-	70	64	2	4	-	23	15	1	7	61
66	62	3	1	-	47	43	1	3	-	31	22	-	8	62
14	13	1	-	-	34	30	1	3	-	46	39	-	7	63
77	47	23	1	6	179	78	45	23	33	241	48	38	61	64
6	5	1	-	-	9	2	6	1	-	8	1	-	6	65
23	22	1	-	-	61	48	9	3	1	71	35	5	27	66
29	12	14	1	2	46	24	10	6	6	53	20	8	15	67
61	51	8	2	-	96	65	18	13	-	135	63	9	60	68
11	-	4	2	-	4	3	1	1	-	3	-	-	2	69
58	31	25	1	1	18	9	6	2	1	36	15	6	5	70
236	185	45	5	1	115	71	30	13	1	122	51	19	34	71
38	20	18	-	-	305	248	43	12	2	267	186	50	28	72
41	31	10	-	-	35	25	9	1	-	37	21	14	1	73
142	129	9	4	-	46	40	4	2	-	20	16	2	2	74
15	5	8	1	1	194	164	22	7	1	190	139	30	19	75
63	25	21	14	3	30	19	8	2	1	20	10	4	6	76
37	12	15	9	1	185	108	18	50	9	269	53	16	163	77
10	4	3	3	1	138	83	16	32	7	159	38	12	93	78
15	8	3	3	1	17	8	7	7	2	70	7	2	50	79
1	1	-	-	-	27	16	2	9	-	30	6	2	12	80
-	-	-	-	-	3	1	-	2	-	10	2	-	8	81
1	1	-	-	-	-	-	-	-	-	-	-	-	-	82
1	1	-	-	-	-	-	-	-	-	-	-	-	-	83
1	1	-	-	-	-	-	-	-	-	-	-	-	-	84
1	1	-	-	-	-	-	-	-	-	-	-	-	-	85
1	1	-	-	-	-	-	-	-	-	-	-	-	-	86
1	1	-	-	-	-	-	-	-	-	-	-	-	-	87
1	1	-	-	-	-	-	-	-	-	-	-	-	-	88
1	1	-	-	-	-	-	-	-	-	-	-	-	-	89
1	1	-	-	-	-	-	-	-	-	-	-	-	-	90
1	1	-	-	-	-	-	-	-	-	-	-	-	-	91
1	1	-	-	-	-	-	-	-	-	-	-	-	-	92
1	1	-	-	-	-	-	-	-	-	-	-	-	-	93
1	1	-	-	-	-	-	-	-	-	-	-	-	-	94
1	1	-	-	-	-	-	-	-	-	-	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	10,761	6,076	4,645	24	16	27,968	12,457	9,968	3,159	2,384
2 1. INFECTIVE AND PARASITIC DISEASES.....	96	62	33	-	1	477	186	92	143	56
3 TUBERCULOSIS, ALL FORMS.....001-019	42	27	14	-	1	269	122	49	74	24
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	38	26	11	-	1	252	118	44	69	21
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	2	-	2	-	-	4	2	1	-	1
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC	-	-	-	-	-	-	-	-	-	-
7 GLANDS.....011	-	-	-	-	-	1	-	1	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	1	-	1	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	1	-	-	-	6	2	1	2	1
10 DISSEMINATED TUBERCULOSIS.....019	1	-	1	-	-	5	-	1	3	1
11 SYPHILIS AND ITS SEQUELAE.....020-029	8	6	2	-	-	83	24	8	37	14
12 CONGENITAL SYPHILIS.....020	-	-	-	-	-	1	-	-	1	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	2	1	1	-	-	35	16	8	6	5
15 OTHER CARDIOVASCULAR SYPHILIS.....023	4	3	1	-	-	32	4	-	22	6
16 TABES DORSALIS.....024	-	-	-	-	-	1	-	-	1	-
17 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	5	3	-	2	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	2	2	-	-	-	8	-	-	5	3
19 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	1	1	-	-	-
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	1	-	-	1	-
21 TYPHOID FEVER.....040	-	-	-	-	-	1	-	-	1	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	2	-	-	1	1
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	-	-	-	-	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	3	1	-	1	1
27 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	2	1	1	-	-	-	-	-	-	-
29 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	19	11	8	-	-	29	6	8	10	5
31 DIPHThERIA.....055	-	-	-	-	-	-	-	-	-	-
32 WHOOPING COUGH.....056	-	-	-	-	-	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	4	4	-	-	-	15	8	4	3	-
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	-	-	-	-	-	-	-	-	-	-
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	7	5	2	-	-	9	2	3	3	1
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	3	3	-	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	3	2	1	-	-	9	5	4	-	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	2	1	1	-	-	6	-	4	1	1
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	4	2	2	-	-	18	6	3	5	4
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	1	-	-	-	1
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	5	3	2	-	-	28	9	9	6	4
56 II. NEOPLASMS.....	1,764	906	853	4	1	4,534	1,939	1,818	430	347
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC	-	-	-	-	-	-	-	-	-	-
58 AND HEMATOPOIETIC TISSUES.....140-205	1,728	888	835	4	1	4,408	1,890	1,769	421	328
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	31	19	12	-	-	87	57	18	10	2
60 OF LIP.....140	2	2	-	-	-	2	1	-	1	-
61 OF TONGUE.....141	3	3	-	-	-	22	18	3	1	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	9	7	2	-	-	24	13	7	4	-
63 OF PHARYNX.....145-148	17	7	10	-	-	39	25	8	4	2
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,	-	-	-	-	-	-	-	-	-	-
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	602	321	281	-	-	1,395	613	555	131	96
66 OF ESOPHAGUS.....150	22	18	4	-	-	78	49	8	19	2
67 OF STOMACH.....151	127	78	49	-	-	296	144	82	46	24
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	5	3	2	-	-	8	4	3	1	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	206	86	120	-	-	457	178	232	21	26
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	36	15	21	-	-	59	18	37	1	3
71 TRANSVERSE COLON.....153.1	9	4	5	-	-	21	6	13	-	2
72 DESCENDING COLON.....153.2	7	1	6	-	-	19	6	13	-	-
73 SIGMOID COLON.....153.3	55	23	32	-	-	88	37	39	9	3
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	2	-	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	81	39	42	-	-	238	101	110	11	16
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	18	4	14	-	-	30	10	18	-	2
77 OF RECTUM.....154	85	47	38	-	-	161	67	70	11	13
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	27	13	14	-	-	83	30	40	7	6
79 LIVER.....155.0	8	6	2	-	-	28	16	7	4	1
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	19	7	12	-	-	55	14	33	3	5
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	31	13	18	-	-	73	35	25	4	9
82 OF PANCREAS.....157	93	58	35	-	-	205	96	76	20	13
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	6	5	1	-	-	34	10	19	2	3

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
56,838	29,879	25,774	661	524	67,911	36,288	25,821	3,211	2,591	31,674	18,059	13,294	192	129
615	396	187	22	10	724	389	192	99	44	271	174	92	2	3
328	236	77	10	5	392	240	73	57	22	98	67	30	-	1
308	226	70	8	4	367	235	66	51	15	91	64	26	-	1
2	1	1	-	-	4	-	1	2	1	2	1	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
4	2	2	-	-	4	1	2	1	-	1	1	1	-	-
5	2	2	1	-	6	1	3	2	-	2	1	1	-	-
9	5	2	1	1	10	3	1	1	5	2	1	1	-	-
86	56	27	2	1	89	40	18	24	7	48	38	10	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
60	41	19	-	-	20	12	2	6	-	30	23	7	-	-
18	9	7	2	-	48	17	13	13	5	11	8	3	-	-
1	1	1	-	-	-	-	-	-	-	-	1	1	-	-
2	2	1	-	-	10	6	2	2	-	5	5	-	-	-
2	4	-	-	1	6	4	1	1	-	1	1	-	-	-
5	4	-	-	-	4	1	-	2	1	-	-	-	-	-
1	1	-	-	-	5	3	-	2	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
3	1	3	-	-	3	2	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	5	3	2	-	-	1	1	-	-	-
-	-	-	-	-	1	1	-	-	-	3	3	-	-	-
2	2	-	-	-	4	1	2	-	1	1	1	-	-	-
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
84	40	39	4	1	48	18	24	3	3	44	28	13	2	1
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-
1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
18	10	6	2	1	30	14	9	5	2	10	4	5	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	-	-	-	2	1	1	-	-	-	-	-	-	-
5	3	2	-	-	5	3	1	-	1	4	2	2	-	-
6	4	2	-	-	6	4	2	-	-	6	4	2	-	-
10	7	2	1	-	24	6	17	1	-	7	4	3	-	-
4	3	1	-	-	2	1	1	-	-	4	3	1	-	-
7	4	2	-	1	17	7	5	3	2	5	2	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	7	11	1	-	41	15	20	2	4	18	5	13	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	19	15	2	1	44	26	15	1	2	18	10	8	-	-
9,693	5,000	4,531	89	73	11,467	5,856	4,741	477	393	5,188	2,803	2,332	34	19
9,505	4,910	4,441	87	67	11,298	5,795	4,650	473	380	5,097	2,766	2,279	33	19
263	203	51	8	1	258	203	40	11	4	103	76	26	1	-
6	6	-	-	-	10	9	1	-	-	1	1	-	-	-
56	43	13	-	-	69	56	8	3	2	25	18	7	-	-
85	58	23	3	1	73	53	14	5	1	36	26	10	-	-
116	96	15	5	-	106	85	17	3	1	41	31	9	1	-
3,432	1,790	1,596	25	21	3,870	2,009	1,563	184	114	1,941	1,102	813	19	7
192	150	41	-	1	193	137	28	22	6	90	70	15	4	1
795	471	304	16	4	964	590	282	62	30	505	323	178	3	1
34	21	13	-	-	36	24	10	1	1	25	12	13	-	-
1,136	478	647	4	7	1,191	512	617	32	30	563	271	283	6	3
177	77	97	1	2	197	82	104	3	8	89	35	53	1	-
50	19	31	-	-	80	31	47	2	-	40	26	14	-	-
50	20	30	-	-	47	21	24	-	2	29	12	17	-	-
277	132	142	1	2	300	139	147	6	8	160	85	74	1	-
3	2	1	-	-	4	4	-	-	-	-	-	-	-	-
487	187	296	1	3	491	202	256	21	12	219	96	117	4	2
92	41	50	1	-	72	33	39	-	-	26	17	8	-	1
450	248	197	3	2	433	216	189	17	11	243	151	89	2	1
182	73	103	1	5	270	91	158	11	10	149	57	90	1	1
50	24	24	-	2	67	31	25	9	2	32	15	16	1	-
132	49	79	1	3	203	60	133	2	8	117	42	74	-	1
119	64	54	1	-	166	80	80	4	2	34	18	16	-	-
468	260	206	-	2	564	335	174	32	23	299	189	108	2	-
56	25	31	-	-	53	24	25	3	1	33	11	21	1	-

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
AS SECONDARY.....160-164	251	212	39	-	-	719	524	74	106	15
OF LARYNX.....161	20	18	2	-	-	38	32	3	3	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	94	79	15	-	-	268	204	21	37	6
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	130	111	19	-	-	396	280	48	60	8
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	7	4	3	-	-	17	8	2	6	1
MALIGNANT NEOPLASM OF BREAST.....170	154	4	150	-	-	430	1	366	2	61
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	289	106	179	3	1	628	162	311	72	83
OF CERVIX UTERI.....171	72	...	71	...	1	146	...	104	...	42
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	49	...	49	...	-	99	...	...	...	21
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	52	...	52	...	-	138	...	121	...	17
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	7	...	7	...	-	11	...	...	...	3
OF PROSTATE.....177	105	103	...	2	...	216	150	...	66	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	4	3	...	1	...	18	12	...	6	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	77	50	27	-	-	206	102	65	25	14
OF KIDNEY.....180	41	24	17	-	-	66	31	24	9	2
OF BLADDER AND OTHER URINARY ORGANS.....181	36	26	10	-	-	140	71	41	16	12
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	173	83	90	-	-	564	249	223	55	37
OF SKIN.....190,191	14	7	7	-	-	73	46	20	4	3
OF EYE.....192	-	-	-	-	-	4	1	3	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	27	11	16	-	-	86	42	34	4	6
OF THYROID GLAND.....194	7	4	3	-	-	13	4	7	-	2
OF BONE.....196	17	7	10	-	-	35	18	9	8	-
OF CONNECTIVE TISSUE.....197	9	6	3	-	-	16	8	6	1	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	9	7	2	-	-	27	12	12	2	1
OF UNSPECIFIED SITES.....156B,165,198,199B	90	41	49	-	-	310	118	132	36	24
LEUKEMIA AND ALEUKEMIA.....204	71	43	27	1	-	183	83	84	8	8
LYMPHOSARCOMA, ETC.....200-203,205	80	50	30	-	-	196	99	73	12	12
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	33	22	11	-	-	81	40	31	7	3
HODGKINS DISEASE.....201	22	15	7	-	-	50	28	18	2	2
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	25	13	12	-	-	65	31	24	3	7
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	36	18	18	-	-	126	49	49	9	19
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	3	...	-	15	...	7	...	8
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	9	4	5	-	-	12	4	7	1	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	4	-	4	-	-	21	12	6	1	2
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	14	10	4	-	-	58	25	20	7	6
OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	6	4	2	-	-	20	8	9	-	3
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	212	100	111	-	1	760	254	338	63	105
ASTHMA.....241	44	28	16	-	-	92	45	19	14	14
NONTOXIC GOITER.....250,251	1	1	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	2	-	2	-	-	7	-	4	-	3
ALL OTHER DISEASES OF THYROID GLAND.....253,254	2	1	1	-	-	8	1	5	-	2
DIABETES MELLITUS.....260	146	60	85	-	1	566	183	271	35	77
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	2	1	1	-	-
DISEASES OF ADRENAL GLANDS.....274	1	1	-	-	-	5	1	3	1	-
PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	5	2	3	-	-	25	5	9	6	5
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	11	7	4	-	-	55	18	26	7	4
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	29	18	11	-	-	79	34	32	4	9
ANEMIAS.....290-293	20	13	7	-	-	44	20	17	1	6
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	4	1	3	-	-	2	1	-	-	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	16	12	4	-	-	42	19	17	1	5
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	4	2	2	-	-	17	4	9	1	3
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	5	3	2	-	-	18	10	6	2	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	30	18	12	-	-	93	37	22	26	8
SENILE PSYCHOSIS.....304	5	1	4	-	-	3	1	1	1	-
ALCOHOLIC PSYCHOSIS.....307	3	3	-	-	-	7	2	1	4	-
OTHER PSYCHOSSES.....300-303,305,306,308,309	2	1	1	-	-	12	1	7	4	-
ALCOHOLISM.....322	16	10	6	-	-	61	30	7	17	7
MENTAL DEFICIENCY.....325	3	3	-	-	-	7	2	4	-	1
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	1	-	1	-	-	3	1	2	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	1,383	691	690	1	1	2,579	920	1,112	274	273
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	1,299	639	658	1	1	2,305	824	1,015	229	237
SUBARACHNOID HEMORRHAGE.....330	36	19	16	-	-	150	49	56	21	24
CEREBRAL HEMORRHAGE.....331	778	388	389	1	-	1,295	463	574	125	133
CEREBRAL EMBOLISM AND THROMBOSIS.....332	364	167	197	-	-	663	250	295	58	60
OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	121	65	56	-	-	197	62	90	25	20
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	10	7	3	-	-	44	11	5	14	14
MULTIPLE SCLEROSIS.....345	9	5	4	-	-	27	10	13	3	1
PARALYSIS AGITANS.....350	25	12	13	-	-	51	22	26	2	1
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	4	4	-	-	-	7	3	3	1	-
EPILEPSY.....353	8	4	4	-	-	35	14	10	7	4
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	1	1	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	1	1	-	-	-	18	5	4	4	5
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	27	19	8	-	-	91	30	36	14	11

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,323	1,101	199	19	4	1,712	1,394	187	114	17	506	426	73	5	2
106	96	9	1	-	104	81	10	12	1	28	25	1	1	1
354	298	51	4	1	663	565	45	50	3	312	273	36	3	3
844	698	129	14	3	906	723	121	51	11	153	118	33	1	1
19	9	10	-	-	39	25	11	1	2	13	10	3	-	8
924	7	903	-	14	977	7	908	-	62	475	6	464	-	5
1,205	491	688	15	11	1,641	588	886	55	112	709	350	353	2	4
194	...	188	...	6	377	...	318	...	59	96	...	94	...	2
191	...	188	...	3	242	...	213	...	29	102	...	100	...	2
290	...	289	...	1	349	...	325	...	24	154	...	154	...	1
24	...	23	...	1	30	...	30	...	-	5	...	5	...	-
473	459	...	14	...	602	548	...	54	...	337	335	...	2	...
33	32	...	1	...	41	40	...	1	...	15	15	...	-	...
505	341	156	5	3	634	404	183	32	15	248	166	80	2	...
190	123	65	-	2	232	130	87	11	4	115	69	44	2	...
315	218	91	5	1	402	274	96	21	11	193	97	36	-	...
996	515	464	8	9	1,098	577	454	38	29	595	291	240	3	1
107	63	43	-	1	135	73	56	4	2	70	37	33	-	-
13	7	6	-	-	16	13	3	-	-	12	8	4	-	-
189	97	91	1	-	287	161	108	9	9	141	84	56	1	-
38	15	23	-	-	42	10	31	-	1	21	8	13	-	-
69	42	24	2	1	82	54	24	2	2	31	13	17	1	-
30	22	8	-	-	38	25	11	-	-	17	12	5	-	-
47	26	17	1	3	74	44	24	6	-	23	16	7	-	-
503	243	252	4	4	424	197	197	17	13	220	113	105	1	1
379	202	171	4	2	519	283	213	14	9	284	175	108	1	-
478	260	213	3	2	589	330	216	25	18	296	174	122	1	-
190	101	87	1	1	226	135	84	4	3	119	69	50	-	-
121	76	44	1	-	144	85	47	6	6	66	36	30	-	-
167	83	82	1	1	219	110	85	15	9	111	69	42	-	-
188	90	90	2	6	169	61	91	4	13	91	37	53	1	-
6	...	6	...	-	19	...	14	...	5	6	...	6	...	-
30	12	17	-	1	59	24	32	-	3	31	9	22	...	-
27	15	10	-	2	46	20	19	3	4	23	11	12	-	-
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-
80	40	37	-	3	26	11	14	-	-	19	11	7	...	-
43	23	18	2	-	19	6	12	-	1	11	6	5	-	-
1,327	564	728	12	23	2,321	907	1,223	78	113	707	345	356	3	3
158	104	50	1	3	258	158	78	14	8	110	68	42	-	-
3	-	3	-	-	6	-	6	-	-	3	1	2	-	-
9	2	7	-	-	28	7	17	2	2	7	2	5	-	-
18	1	15	1	1	10	2	6	-	2	7	2	5	-	-
992	393	575	8	16	1,791	656	999	51	85	494	225	264	2	3
-	-	-	-	-	12	8	3	1	-	1	-	1	-	-
18	6	11	1	-	21	7	13	1	-	7	6	1	-	-
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
49	26	22	1	-	50	18	25	3	4	32	16	15	1	-
79	31	45	-	3	144	50	76	6	12	46	25	21	-	-
149	71	74	3	1	253	110	115	16	12	104	47	55	-	2
90	42	46	1	1	178	69	87	11	11	70	30	39	-	1
21	5	16	-	-	44	17	25	1	1	19	6	12	-	-
69	37	30	1	1	134	52	62	10	10	51	24	27	-	1
22	10	11	1	-	30	19	9	2	-	11	6	5	-	-
37	19	17	1	-	45	22	19	3	1	23	11	11	-	1
95	62	31	2	-	174	89	54	23	8	123	74	47	1	1
7	-	7	-	-	23	7	15	1	-	22	6	16	-	-
19	15	3	1	-	15	12	-	2	1	14	12	1	-	1
12	3	9	-	-	29	15	11	1	2	29	16	13	-	-
44	36	7	1	-	78	42	12	19	5	30	28	1	1	-
9	5	4	-	-	22	10	12	-	-	27	12	15	-	-
4	3	1	-	-	7	3	4	-	-	1	-	1	-	-
6,582	2,776	3,674	73	59	8,333	3,767	3,842	343	381	4,593	2,164	2,388	22	19
6,081	2,532	3,437	57	55	7,714	3,448	3,602	305	359	4,233	1,967	2,228	20	18
207	91	103	4	9	283	106	115	25	37	145	61	82	-	2
3,283	1,377	1,854	28	24	4,421	1,958	2,101	169	193	2,428	1,107	1,284	12	11
2,184	902	1,244	20	18	2,445	1,120	1,114	96	115	1,227	598	619	6	4
407	162	236	5	4	565	264	272	15	14	433	201	229	2	1
75	43	25	6	1	79	39	23	10	7	36	22	13	1	-
58	21	36	1	1	62	31	28	2	1	40	19	21	-	-
110	45	65	-	-	134	65	69	-	-	92	47	45	-	-
12	6	6	-	-	31	17	9	4	1	15	10	5	-	-
90	57	27	6	-	78	40	25	10	3	22	13	9	-	-
1	-	1	-	-	1	-	-	1	-	1	-	1	-	-
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
8	6	1	1	-	14	10	4	-	-	6	4	2	-	-
147	66	76	3	2	219	117	81	11	10	147	81	64	1	1

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE						MARYLAND					
	Total	White		Nonwhite		Total	White		Nonwhite			
		Male	Female	Male	Female		Male	Female	Male	Female		
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	4,942	2,848	2,080	8	6	12,534	5,936	4,677	1,063	858		
DISEASES OF HEART.....400-402,410-443	4,463	2,619	1,830	8	6	11,474	5,500	4,260	943	771		
RHEUMATIC FEVER.....400-402	7	3	4	-	-	10	-	6	3	1		
CHRONIC RHEUMATIC HEART DISEASE.....410-416	113	50	63	-	-	247	106	112	16	13		
DISEASES OF MITRAL VALVE.....410	49	21	28	-	-	78	30	39	6	3		
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	20	15	5	-	-	23	12	8	2	1		
DISEASES OF PULMONARY VALVE, ETC.....413,414	4	1	3	-	-	11	3	6	1	1		
OTHER RHEUMATIC HEART DISEASES.....412,415,416	40	13	27	-	-	135	61	59	7	8		
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	3,358	2,094	1,253	6	5	6,797	3,853	2,271	390	283		
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,159	653	504	2	-	2,157	1,117	790	141	109		
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	2,183	1,434	740	4	5	4,633	2,733	1,479	248	173		
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	16	7	9	-	-	7	3	2	1	1		
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	36	24	12	-	-	73	37	18	8	10		
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	2	1	1	-	-	4	1	-	1	2		
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	9	8	1	-	-	30	20	6	2	2		
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	25	15	10	-	-	39	16	12	5	6		
OTHER MYOCARDIAL DEGENERATION.....422	442	206	233	2	1	2,134	847	957	193	137		
WITH ARTERIOSCLEROSIS.....422.1	232	110	122	-	-	1,921	771	855	173	122		
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	210	96	111	2	1	213	76	102	20	15		
OTHER DISEASES OF HEART.....430-434	129	81	48	-	-	375	149	152	39	35		
ACUTE AND SUBACUTE ENDOCARDITIS.....430	7	5	2	-	-	15	6	4	1	4		
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	2	-	2	-	-	13	2	6	4	1		
FUNCTIONAL DISEASE OF HEART.....433	29	20	9	-	-	106	39	58	4	5		
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	91	56	35	-	-	241	102	84	30	25		
HYPERTENSIVE HEART DISEASE.....440-443	378	161	217	-	-	1,838	508	744	294	292		
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	94	37	57	-	-	447	158	183	51	55		
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	284	124	160	-	-	1,391	350	561	243	237		
OTHER HYPERTENSIVE DISEASE.....444-447	100	49	51	-	-	167	54	56	31	26		
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	67	36	31	-	-	87	35	36	11	5		
ESSENTIAL HYPERTENSION.....444,445,447	33	13	20	-	-	80	19	20	20	21		
DISEASES OF ARTERIES.....450-456	322	158	164	-	-	744	340	304	55	45		
GENERAL ARTERIOSCLEROSIS.....450	253	104	149	-	-	516	200	250	35	31		
AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	52	43	9	-	-	168	111	35	14	8		
GANGRENE OF UNSPECIFIED CAUSE.....455	4	3	1	-	-	9	4	1	2	2		
OTHER ARTERIAL DISEASES.....452-454,456	13	8	5	-	-	51	25	18	4	4		
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	57	22	35	-	-	149	42	57	34	16		
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	507	317	185	-	5	1,483	667	370	291	155		
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	1	1	-	-	-	21	7	7	3	4		
INFLUENZA.....480-483	47	18	29	-	-	54	23	24	2	5		
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	320	195	121	-	4	937	384	245	202	106		
LOBAR PNEUMONIA.....490	56	43	13	-	-	189	105	29	40	15		
BRONCHOPNEUMONIA.....491	166	100	66	-	-	403	186	132	102	63		
PRIMARY ATYPICAL PNEUMONIA.....492	40	21	19	-	-	72	31	21	11	9		
PNEUMONIA, OTHER AND UNSPECIFIED.....493	58	31	23	-	4	193	62	63	49	19		
ACUTE BRONCHITIS.....500	6	3	3	-	-	24	11	5	6	2		
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	25	15	10	-	-	51	31	10	3	7		
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	3	-	2	1	-		
EMPHYEMA AND ABSCESS OF LUNG.....518,521	6	5	1	-	-	15	6	1	7	1		
PLEURISY.....519	-	-	-	-	-	2	1	-	1	-		
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	45	39	6	-	-	138	110	12	15	1		
OTHER RESPIRATORY DISEASES.....RESIDUAL	57	41	15	-	1	238	94	64	51	29		
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	357	202	155	-	-	1,066	517	355	119	75		
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	-	1	-	-	-	-	-	-	-		
ULCER OF STOMACH.....540	38	29	9	-	-	91	55	24	11	1		
ULCER OF DUODENUM.....541	39	34	5	-	-	79	54	18	6	1		
GASTRITIS AND DUODENITIS.....543	1	1	-	-	-	6	2	2	2	-		
APPENDICITIS.....550-553	8	5	3	-	-	32	10	9	8	5		
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	70	31	39	-	-	155	53	71	18	13		
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	14	8	6	-	-	55	10	19	16	10		
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	15	9	6	-	-	42	20	17	3	2		
CIRRHOSIS OF LIVER.....581	64	36	28	-	-	329	187	87	31	24		
WITHOUT MENTION OF ALCOHOLISM.....581.0	49	26	23	-	-	224	131	61	16	16		
WITH ALCOHOLISM.....581.1	15	10	5	-	-	105	56	26	15	8		
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	31	12	19	-	-	58	18	31	2	7		
FIBROCYSTIC DISEASE OF PANCREAS.....587B	7	3	4	-	-	13	8	5	-	-		
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	69	34	35	-	-	206	100	72	22	12		
X. DISEASES OF THE GENITOURINARY SYSTEM.....	223	127	96	-	-	495	214	135	86	60		
NEPHRITIS AND NEPHROSIS.....590-594	107	43	64	-	-	232	89	76	44	23		
ACUTE NEPHRITIS.....590	7	3	4	-	-	8	5	2	-	1		
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	8	3	5	-	-	10	5	4	-	1		
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	92	37	55	-	-	214	79	70	44	21		
INFECTIONS OF KIDNEY.....600	50	29	21	-	-	135	51	39	17	28		
CALCULI OF URINARY SYSTEM.....602,604	7	3	4	-	-	16	5	9	2	-		
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	15	13	2	-	-	32	12	5	11	4		
HYPERPLASIA OF PROSTATE.....610	33	33	...	-	...	64	57	...	7	...		
DISEASES OF BREAST.....620,621	1	-	1	-	-	-	-	-	-	-		
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	10	6	4	-	-	16	-	6	5	5		



Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILD BIRTH, AND THE PUERPERIUM.....	5	...	5	...	-	26	...	12	...	14
SEPSIS OF PREGNANCY, CHILD BIRTH, ETC...640,641,681,682,684	1	...	1	...	-	6	...	3	...	3
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC...642,685,686	-	...	-	...	-	1	...	1	...	-
HEMORRHAGE OF PREGNANCY AND CHILD BIRTH...643,644,670-672	-	...	-	...	-	3	...	2	...	1
ECTOPIC PREGNANCY...645	1	...	1	...	-	3	...	-	...	3
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA...650	-	...	-	...	-	1	...	1	...	-
ABORTION WITH SEPSIS...651	-	...	-	...	-	3	...	-	...	3
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS...652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILD BIRTH, ETC...RESIDUAL	3	...	3	...	-	9	...	5	...	4
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	13	5	8	-	-	49	16	19	5	9
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE...690-698	7	4	3	-	-	15	5	6	1	3
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE...700-716	6	1	5	-	-	34	11	13	4	6
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	13	7	6	-	-	58	20	31	4	3
ARTHRITIS AND SPONDYLITIS...720-725	2	1	1	-	-	31	7	19	2	3
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED...726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS...730	2	-	2	-	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	1	-	-	3	-	3	-	-
INBORN DEFECT OF MUSCLE...744.1	4	4	4	-	-	12	7	4	1	-
OT. DIS. OF MUSCULOSKELETAL SYS...731-736,738-744.0,744.2	4	2	2	-	-	12	6	5	1	-
XIV. CONGENITAL MALFORMATIONS.....	116	81	34	-	1	382	170	140	37	35
SPINA BIFIDA AND MENINGOCELE...751	8	4	4	-	-	14	4	9	-	1
CONGENITAL HYDROCEPHALUS, ETC...752,753	20	15	5	-	-	43	14	19	2	8
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM...754	52	36	15	-	1	219	104	78	22	15
OTHER CONGENITAL MALFORMATIONS...750,755-759	36	26	10	-	-	106	48	34	13	11
XV. CERTAIN DISEASES OF EARLY INFANCY.....	357	211	145	1	-	1,332	503	350	255	224
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	64	26	37	1	-	107	39	41	14	13
SENILITY WITHOUT MENTION OF PSYCHOSIS...794	45	14	31	-	-	25	11	11	3	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES...780-793,795	19	12	6	1	-	82	28	30	11	13
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	650	457	184	9	-	1,914	1,005	424	345	140
ACCIDENTS.....E800-E962	519	362	150	7	-	1,414	736	333	247	98
RAILWAY ACCIDENTS.....E800-E802	6	5	1	-	-	23	19	1	3	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	177	122	51	4	-	522	313	100	87	22
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	172	119	49	4	-	510	306	97	85	22
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	1	-	-	-	6	2	4	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	44	28	14	2	-	159	81	32	36	10
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	52	34	18	-	-	189	122	36	22	9
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	72	55	15	2	-	122	80	18	23	1
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	3	1	2	-	-	34	21	7	4	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	5	3	2	-	-	12	7	3	2	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	-	-	-	-	-	2	-	2	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	16	16	3	-	-	45	36	1	8	-
AIRCRAFT ACCIDENTS.....E860-E866	3	3	-	-	-	33	23	7	-	3
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	10	7	2	1	-	32	9	14	7	2
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	11	6	5	-	-	16	7	4	3	2
ACCIDENTAL FALLS.....E900-E904	101	51	50	-	-	292	119	122	30	21
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	33	25	8	-	-	127	64	36	16	11
FALL ON SAME LEVEL.....E903	24	10	14	-	-	45	21	20	4	-
UNSPECIFIED FALLS.....E904	44	16	28	-	-	120	34	66	10	10
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	19	17	1	1	-	16	12	-	4	-
ACCIDENT CAUSED BY MACHINERY.....E912	7	7	-	-	-	23	19	1	4	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	7	7	-	-	-	18	14	-	3	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	61	42	19	-	-	111	26	23	33	29
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	2	1	1	-	-	9	2	4	1	2
ACCIDENT CAUSED BY FIREARM.....E919	16	16	-	-	-	30	21	3	5	1
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	19	12	7	-	-	50	26	12	5	7
ACCIDENTAL DROWNING.....E929	33	26	6	1	-	86	50	12	22	2
EXCESSIVE HEAT AND INSULATION.....E931	1	1	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	3	-	3	-	-	16	5	6	5	-
ALL OTHER ACCIDENTS.....RESIDUAL	27	23	4	-	-	90	35	21	27	7
SUICIDE.....E963,E970-E979	114	88	24	2	-	323	228	67	17	11
SUICIDE BY POISONING.....E970-E973	17	11	6	-	-	73	41	25	1	6
SUICIDE BY HANGING AND STRANGULATION.....E974	12	9	2	1	-	36	16	7	7	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	68	63	5	-	-	140	119	14	5	2
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	17	5	11	1	-	51	32	12	4	3
HOMICIDE.....E964,E980-E985	17	7	10	-	-	176	40	24	81	31
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	10	4	6	-	-	83	19	12	42	10
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1	-	1	-	-	45	8	2	26	9
ASSAULT BY OTHER MEANS.....E964,E980,E983	6	3	3	-	-	44	12	10	10	12
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	3	-	-	3	-
EXECUTION.....E985	-	-	-	-	-	1	1	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
28	...	25	...	3	68	...	43	...	25	11	...	10	...	1
4	...	3	...	1	7	...	5	...	2	2	...	2	...	-
3	...	5	...	-	8	...	6	...	2	2	...	2	...	-
5	...	2	...	-	10	...	6	...	4	1	...	1	...	-
1	...	1	...	-	6	...	3	...	3	-	...	1	...	-
3	...	3	...	-	13	...	7	...	6	2	...	2	...	1
2	...	1	...	1	-	...	-	...	-	6	...	2	...	-
9	...	9	...	-	22	...	15	...	7	2	...	2	...	-
71	30	40	-	1	54	20	29	3	2	47	15	32	-	-
20	11	8	-	1	16	8	7	1	-	18	8	10	-	-
51	19	32	-	-	38	12	22	2	2	29	7	22	-	-
97	39	57	-	1	156	65	80	6	5	56	20	36	-	-
41	15	26	-	-	93	27	60	3	3	35	12	23	-	-
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
8	5	2	-	1	12	6	3	2	1	2	2	-	-	-
9	4	5	-	-	2	1	1	-	-	-	-	-	-	-
13	8	5	-	-	29	21	7	1	-	5	1	4	-	-
25	7	18	-	-	19	9	9	-	1	14	5	9	-	-
585	306	267	4	8	1,013	497	401	67	48	483	251	227	4	1
40	15	25	-	-	53	27	25	-	1	20	8	12	-	-
55	34	21	-	-	110	50	50	4	6	52	23	28	1	-
302	163	130	3	6	521	261	198	32	30	263	144	117	2	-
188	94	91	1	2	329	159	128	31	11	148	76	70	1	1
1,546	899	550	59	38	3,042	1,460	993	333	256	1,140	671	448	12	9
246	138	104	1	3	242	122	91	13	16	182	114	66	1	1
11	1	10	-	-	20	4	15	-	1	14	3	11	-	-
235	137	94	1	3	222	118	76	13	15	168	111	55	1	1
2,936	1,733	1,101	79	23	4,730	2,911	1,330	361	128	2,185	1,520	621	32	12
2,454	1,384	989	61	20	3,652	2,241	1,104	218	89	1,809	1,232	544	24	9
19	14	5	-	-	22	15	3	3	1	21	21	-	-	-
625	448	160	13	4	1,702	1,131	445	89	37	773	539	215	14	5
614	441	156	13	4	1,660	1,100	435	88	37	752	526	207	14	5
2	2	-	-	-	71	50	17	3	1	39	28	11	-	-
198	136	53	8	1	306	203	70	24	9	120	73	40	5	2
145	95	48	-	2	743	463	237	30	13	332	227	101	4	-
190	153	35	2	-	395	290	69	25	11	196	154	35	4	3
79	55	20	3	1	145	94	42	6	3	65	44	20	1	-
11	7	4	-	-	42	31	10	1	-	21	13	8	-	-
6	4	2	-	-	8	7	1	-	-	6	5	1	-	-
19	14	1	2	2	53	44	3	6	-	46	39	5	2	-
44	39	3	1	1	34	29	5	-	-	25	21	4	-	-
35	14	19	1	1	35	17	11	4	3	14	10	4	-	-
43	33	9	-	1	56	36	15	4	1	23	17	6	-	-
1,036	497	577	17	5	806	359	402	28	17	432	236	194	2	-
277	149	119	9	-	221	140	64	14	3	163	106	57	-	-
131	51	78	-	2	86	37	44	2	3	93	45	46	2	-
628	237	380	8	3	499	182	294	12	11	176	85	91	-	-
12	11	-	1	-	40	38	1	-	1	23	20	3	-	-
23	21	-	2	-	63	56	2	5	-	62	59	3	-	-
15	14	1	-	-	27	20	6	1	-	10	10	-	-	-
178	93	76	7	2	234	101	83	31	19	82	49	27	2	4
9	5	4	-	-	17	7	5	5	-	6	5	1	-	-
20	16	2	2	-	48	37	9	1	1	40	39	1	-	-
76	38	33	5	-	104	63	35	5	1	36	18	17	1	-
112	88	20	4	-	195	150	25	17	3	82	60	20	2	-
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-
47	18	28	-	1	24	11	7	4	2	18	8	10	-	-
135	77	49	6	3	184	120	46	15	3	103	72	30	1	-
414	320	86	8	-	795	578	185	26	6	330	261	65	3	1
98	64	33	1	-	234	149	78	5	2	71	53	18	-	-
117	95	21	1	-	165	112	50	2	1	81	64	16	1	-
115	101	11	3	-	326	278	33	15	-	140	125	14	1	-
84	60	21	3	-	70	39	24	4	3	38	19	17	1	1
68	29	26	10	3	280	89	41	117	33	45	26	12	5	2
28	12	11	4	1	117	42	18	46	11	21	11	6	3	1
16	5	4	5	2	79	12	5	49	13	6	4	1	1	-
23	11	11	1	-	77	32	18	18	9	17	10	5	1	1
1	1	-	-	-	7	3	-	4	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MISSISSIPPI				MISSOURI					
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	21,744	6,620	4,604	5,712	4,808	48,350	24,388	19,139	2,673	2,150
4 I. INFECTIVE AND PARASITIC DISEASES.....	350	89	53	107	101	569	324	148	65	32
7 TUBERCULOSIS, ALL FORMS.....001-019	145	40	17	52	36	319	207	56	39	17
8 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	132	39	15	48	30	304	202	53	35	14
9 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	4	-	1	2	1	3	1	1	-	1
10 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC										
11 GLANDS.....011	4	-	1	1	2	-	-	-	-	-
12 TUBERCULOSIS OF BONES AND JOINTS.....012,013	1	-	-	-	1	-	2	1	-	1
13 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	1	-	-	-	2	1	-	1	-
14 DISSEMINATED TUBERCULOSIS.....019	3	-	-	1	2	6	1	1	3	1
15 SYPHILIS AND ITS SEQUELAE.....020-029	33	6	1	16	10	98	52	20	20	6
16 CONGENITAL SYPHILIS.....020	3	-	-	1	2	1	1	-	-	-
17 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
18 ANEURYSM OF AORTA.....022	15	4	1	6	4	40	21	11	5	3
19 OTHER CARDIOVASCULAR SYPHILIS.....023	14	1	-	9	4	37	17	7	12	1
20 TABES DORSALIS.....024	-	-	-	-	-	1	1	-	-	-
21 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	6	5	-	1	-
22 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	1	1	-	-	-	12	6	2	2	2
23 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	1	1	-	-	-
24 GONOCOCCAL INFECTION.....030-035	3	-	-	2	1	1	-	-	1	-
25 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
26 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	-	-	2	-	-	-	-	-	-
27 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
28 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
29 DYSENTERY, ALL FORMS.....045-048	28	3	5	9	11	4	2	1	-	1
30 FOOD POISONING, INFECTION AND INTOXICATION.....049	2	1	-	-	1	3	1	1	-	1
31 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
32 STREPTOCOCCAL SORE THROAT.....051	2	-	-	1	1	6	3	3	-	-
33 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
34 SEPTICEMIA AND PYEMIA.....053	40	16	6	7	11	41	18	18	1	4
35 DIPHTHERIA.....055	4	1	2	1	-	-	-	-	-	-
36 WHOOPING COUGH.....056	7	-	-	4	3	3	1	-	-	2
37 MENINGOCOCCAL INFECTIONS.....057	12	4	4	1	3	5	3	2	-	-
38 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
39 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
40 TETANUS.....061	11	2	1	4	4	3	1	2	-	-
41 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
42 ACUTE POLIOMYELITIS.....080	5	1	2	2	-	5	2	3	1	-
43 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	2	1	1	-	-
44 ACUTE INFECTIOUS ENCEPHALITIS.....082	11	3	6	-	2	11	4	7	-	-
45 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	1	1	-	-	-	4	1	3	-	-
46 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
47 MEASLES.....085	9	3	1	1	4	3	1	2	-	-
48 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
49 INFECTIOUS HEPATITIS.....092	9	3	2	2	2	25	8	16	1	-
50 RABIES.....094	-	-	-	-	-	-	-	-	-	-
51 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
52 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
53 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
54 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
55 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
56 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
57 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
58 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	2	-	-	-	-	2	-	-	-	-
59 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	24	5	6	3	10	36	19	13	3	1
60 II. NEOPLASMS.....	2,677	902	759	511	505	7,577	3,641	3,209	383	344
61 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
62 AND HEMATOPOIETIC TISSUES.....140-205	2,609	877	751	498	483	7,455	3,608	3,141	377	329
63 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	65	31	16	9	9	184	138	31	8	7
64 OF LIP.....140	3	3	-	-	-	9	8	1	-	-
65 OF TONGUE.....141	9	4	3	1	1	38	25	8	3	2
66 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	25	9	10	4	2	70	52	11	3	4
67 OF PHARYNX.....145-148	28	15	3	4	6	67	53	11	2	1
68 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
69 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	790	256	239	178	117	2,513	1,193	1,035	172	113
70 OF ESOPHAGUS.....150	42	14	9	16	3	135	79	25	21	10
71 OF STOMACH.....151	221	57	41	86	37	491	280	150	44	17
72 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	5	3	1	-	1	16	9	5	1	1
73 OF LARGE INTESTINE, EXCEPT RECTUM.....153	219	59	103	27	30	805	336	406	31	32
74 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	26	7	17	1	1	111	45	58	4	4
75 TRANSVERSE COLON.....153.1	8	2	4	-	2	47	19	22	3	3
76 DESCENDING COLON.....153.2	9	3	3	2	1	47	22	25	-	-
77 SIGMOID COLON.....153.3	36	7	19	5	5	167	78	78	7	4
78 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	1	-	1	-	-	3	2	1	-	-
79 LARGE INTESTINE, PART UNSPECIFIED.....153.8	126	38	52	18	18	388	155	195	17	21
80 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	13	2	7	1	3	42	15	27	-	-
81 OF RECTUM.....154	57	17	15	12	13	285	137	124	11	13
82 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	34	15	10	6	3	192	74	101	11	6
83 LIVER.....155.0	16	8	2	5	1	55	31	14	8	2
84 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	18	7	8	1	2	137	43	87	3	4
85 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	55	20	11	12	12	160	70	70	14	6
86 OF PANCREAS.....157	140	64	47	15	14	373	190	128	35	20
87 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	17	7	2	4	4	56	18	26	4	8

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male		Female
6,552	3,947	2,367	136	102	14,097	7,840	5,854	228	175	2,540	1,559	801	106		74
72	39	19	5	9	97	50	32	9	6	29	23	3	3	-	
32	22	3	2	5	29	18	6	3	2	13	10	2	1	-	
28	20	3	2	3	22	13	5	3	1	13	10	2	1	-	
1	-	-	-	1	2	1	-	-	1	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	
3	2	-	-	1	2	2	-	-	-	-	-	-	-	-	
7	6	1	-	-	20	9	5	5	1	7	6	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	-	-	-	9	4	2	3	-	3	2	1	-	-	
5	4	1	-	-	7	3	2	2	-	3	3	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	3	2	-	-	1	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
5	1	3	1	-	14	6	6	-	2	2	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	-	2	1	1	4	1	3	-	-	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	4	2	-	1	2	1	1	-	-	-	-	-	-	-	
1	-	-	-	1	6	3	2	1	-	1	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	-	2	1	-	-	1	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	2	2	-	1	10	5	5	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	1	5	-	-	9	5	4	-	-	3	2	-	1	-	
973	549	407	10	7	2,280	1,185	1,038	28	29	345	202	127	7	9	
950	541	392	10	7	2,246	1,172	1,018	28	28	337	198	123	7	9	
18	15	3	-	-	40	23	16	1	-	12	8	4	-	-	
3	3	-	-	-	2	1	1	-	-	-	-	-	-	-	
3	2	1	-	-	11	5	5	1	-	5	4	1	-	-	
7	5	2	-	-	12	5	7	-	-	3	1	2	-	-	
5	5	-	-	-	15	12	3	-	-	4	3	1	-	-	
310	190	116	3	1	828	448	365	9	6	105	68	33	1	3	
7	7	-	-	-	33	25	7	1	-	6	5	1	-	-	
78	49	26	2	1	198	120	74	3	1	40	31	8	-	1	
3	2	1	-	-	16	7	7	-	2	-	-	-	-	-	
98	54	44	-	-	241	121	118	-	2	32	16	15	1	-	
17	8	9	-	-	36	13	23	-	-	4	1	3	-	-	
2	2	-	-	-	24	16	8	-	-	1	1	-	-	-	
4	-	4	-	-	20	9	10	-	1	4	2	2	-	-	
18	12	6	-	-	68	29	39	-	-	5	3	2	-	-	
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	
49	27	22	-	-	81	48	33	-	-	14	6	7	1	-	
8	5	3	-	-	10	4	5	-	1	4	3	1	-	-	
36	25	11	-	-	91	48	40	3	-	6	4	2	-	-	
18	13	5	-	-	81	33	48	-	-	5	2	1	-	2	
6	6	-	-	-	31	17	14	-	-	1	1	-	-	-	
12	7	5	-	-	50	16	34	-	-	4	1	1	-	2	
12	9	2	1	-	6	4	2	-	-	3	1	2	-	-	
52	31	21	-	-	144	81	60	2	1	13	9	4	-	-	
6	-	6	-	-	18	9	9	-	-	-	-	-	-	-	





SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
144	124	19	1	-	271	234	33	4	-	48	41	5	2	-
8	7	1	-	-	18	17	1	-	-	3	3	-	-	-
58	52	6	-	-	225	192	29	4	-	16	14	-	2	-
75	64	10	1	-	21	19	2	-	-	29	24	5	-	-
3	1	2	-	-	7	6	1	-	-	-	-	-	-	-
85	1	84	-	-	195	-	190	-	5	20	-	19	-	1
144	73	65	2	4	350	159	178	3	10	40	20	18	1	1
25	...	23	...	2	55	...	48	...	7	7	...	7	...	-
18	...	16	...	2	51	...	49	...	2	6	...	6	...	-
24	...	24	...	-	75	...	74	...	1	6	...	5	...	1
2	...	2	...	-	7	...	7	...	-	-	...	-	...	-
75	73	...	2	...	153	150	...	3	...	20	19	...	1	...
-	-	...	-	...	9	...	9	...	-	1	...	1	...	...
47	28	18	1	-	119	83	35	1	1	20	17	2	1	1
25	14	11	-	-	45	31	13	1	1	8	6	1	1	-
22	14	7	1	-	74	52	22	-	-	12	11	1	-	-
113	50	59	2	2	201	99	93	6	3	48	17	28	1	2
9	2	7	-	-	34	20	13	1	-	4	3	1	-	-
2	1	1	-	-	3	1	2	-	-	2	-	2	-	-
30	14	15	1	-	51	29	19	1	2	12	6	6	-	-
5	1	4	-	-	6	-	6	-	-	2	-	2	-	-
2	1	1	-	-	16	9	6	1	-	2	-	1	-	1
6	2	4	-	-	10	5	3	2	-	1	1	-	-	-
5	4	1	-	-	7	4	3	-	-	3	1	2	-	-
54	25	26	1	2	74	31	41	1	1	22	6	14	1	1
36	22	13	1	-	122	63	57	-	2	22	15	6	1	-
53	38	15	-	-	120	63	51	4	2	22	12	8	-	2
16	11	5	-	-	49	29	20	-	-	11	6	4	-	1
16	13	3	-	-	34	18	14	2	-	5	3	1	-	1
21	14	7	-	-	37	16	17	2	2	6	3	3	-	-
23	8	15	-	-	34	13	20	-	1	8	4	4	-	-
-	...	-	...	-	7	...	6	...	1	-	...	-	...	-
1	1	-	-	-	6	3	3	-	-	1	1	-	-	-
1	1	-	-	-	7	4	3	-	-	-	-	-	-	-
13	...	9	...	-	...	...	-	...	-	...	2	1	...	-
8	4	6	-	-	10	6	4	-	-	3	3	-	-	-
8	2	6	-	-	4	-	4	-	-	4	1	3	-	-
144	73	66	3	2	390	179	199	5	7	49	29	14	2	4
25	17	8	-	-	71	46	25	-	-	8	6	2	-	-
4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	3	-	3	-	-	2	-	-	-	-
92	43	45	2	2	280	120	150	4	6	31	19	7	2	3
2	2	-	-	-	4	-	-	-	-	-	-	-	-	-
1	1	-	-	-	4	2	2	-	-	-	-	-	-	-
9	-	4	-	-	10	4	6	-	-	5	2	2	-	1
10	3	6	1	-	19	7	10	1	1	3	2	1	-	-
24	16	8	-	-	45	18	27	-	-	8	4	3	1	-
16	9	7	-	-	26	11	15	-	-	4	1	2	1	-
16	-	7	-	-	10	6	4	-	-	1	1	-	-	-
3	2	1	-	-	16	5	11	-	-	3	-	2	1	-
5	5	-	-	-	13	3	9	-	-	4	3	1	-	-
19	13	3	3	-	30	19	9	2	-	18	11	7	-	-
3	2	1	-	-	8	4	4	-	-	1	-	1	-	-
2	1	-	1	-	3	3	-	-	-	3	3	-	-	-
11	9	-	2	-	4	2	2	-	-	1	-	1	-	-
3	1	2	-	-	10	6	4	1	1	13	8	5	-	-
-	-	-	-	-	2	1	1	1	-	-	-	-	-	-
771	396	355	11	9	2,004	959	1,018	13	14	230	114	99	5	12
714	371	327	7	9	1,882	893	964	11	14	213	107	91	5	10
18	8	10	-	-	41	21	20	-	-	8	5	2	-	1
456	236	209	4	7	1,119	536	568	8	7	132	70	54	5	3
159	78	77	2	2	535	251	276	3	5	48	22	22	-	4
81	49	31	1	-	187	85	100	-	-	25	10	13	-	2
9	3	4	2	-	9	7	9	1	1	4	2	1	-	1
8	6	2	-	-	18	9	9	-	-	1	1	-	-	-
17	6	11	-	-	37	16	21	-	-	1	1	-	-	-
2	1	-	1	-	7	4	2	1	-	1	-	1	-	-
7	4	2	1	-	17	9	8	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
13	4	9	-	-	33	20	13	-	-	9	4	4	-	1

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,650	1,634	951	43	22	5,992	3,480	2,364	83	65	960	627	286	32	15
2,329	1,473	800	40	16	5,433	3,197	2,099	80	57	871	572	258	30	11
4	1	3	-	-	10	4	3	1	2	-	-	-	-	-
85	38	46	1	-	150	93	56	1	-	25	10	15	-	-
38	14	23	1	-	63	39	24	-	-	13	3	10	-	-
6	5	1	-	-	16	13	3	-	-	4	3	1	-	-
8	4	4	-	-	13	6	7	-	-	2	1	1	-	-
33	15	18	-	-	58	35	22	1	-	6	3	3	-	-
1,685	1,127	520	25	13	4,080	2,515	1,463	59	43	669	463	175	21	10
546	333	194	12	7	1,461	816	585	37	23	253	161	79	10	3
1,135	791	325	13	6	2,614	1,695	877	22	20	415	302	95	11	7
4	3	1	-	-	5	4	1	-	-	1	-	1	-	-
15	5	9	1	-	47	21	26	-	-	6	4	2	-	-
1	-	-	-	-	8	2	6	-	-	-	-	-	-	-
6	3	3	-	-	17	12	5	-	-	2	2	-	-	-
8	2	6	-	-	22	7	15	-	-	4	2	2	-	-
192	109	77	5	1	472	227	233	7	5	65	35	26	3	1
105	63	37	4	1	332	163	159	5	5	37	16	18	3	1
87	46	40	1	-	140	64	74	2	-	28	19	8	-	1
189	123	58	7	1	250	150	94	3	3	53	35	14	4	-
4	1	-	-	-	6	3	3	-	-	2	2	-	-	-
4	3	1	-	-	6	4	1	1	-	1	-	1	-	-
35	20	13	1	1	77	40	34	1	2	45	1	3	1	1
149	99	44	6	-	161	103	56	1	1	45	32	10	3	-
159	70	87	1	1	424	187	224	9	4	53	25	26	2	-
44	24	19	1	-	161	83	77	-	1	13	6	7	-	-
115	46	68	-	1	263	104	147	9	3	40	19	19	2	-
40	18	22	-	-	88	44	39	3	2	24	15	6	1	2
11	8	3	-	-	47	28	17	1	1	17	11	4	-	2
29	10	19	-	-	41	16	22	2	1	7	4	2	1	35
247	129	112	3	3	427	216	206	-	5	58	36	19	1	1
197	89	104	2	2	343	160	179	-	4	43	27	13	1	2
34	30	3	1	-	68	48	20	-	-	11	7	4	-	38
5	4	1	-	-	1	1	-	-	-	-	-	-	-	39
11	6	4	-	1	15	8	6	-	1	4	2	2	-	40
11	14	17	-	3	44	23	20	-	1	7	4	3	-	41
34	-	-	-	-	-	-	-	-	-	-	-	-	-	42
380	249	106	10	15	788	457	309	10	12	140	91	28	12	9
4	3	1	-	-	8	4	4	-	-	2	1	1	-	45
35	16	16	1	2	153	74	72	-	7	4	3	-	-	46
214	126	67	8	13	417	226	181	5	5	80	42	18	12	48
35	21	7	3	4	61	35	23	2	1	11	5	3	2	49
103	60	36	1	6	214	114	98	2	-	26	17	5	2	50
16	11	4	-	1	68	39	24	1	4	15	6	3	5	51
60	34	20	4	2	74	38	36	-	-	28	14	7	3	52
10	8	2	-	-	5	3	2	-	-	2	2	-	-	54
14	10	4	-	-	41	32	8	1	-	3	2	1	-	55
-	-	-	-	-	1	-	1	-	-	1	-	1	-	56
4	2	1	1	-	9	8	1	-	-	2	1	1	-	57
3	3	-	-	-	1	1	-	-	-	-	-	-	-	58
57	51	6	-	-	81	65	15	1	-	26	24	2	-	59
39	30	9	-	-	72	44	25	3	-	20	16	4	-	60
229	152	70	1	6	521	309	193	13	6	131	86	38	4	3
1	1	-	-	-	1	1	-	-	-	-	-	-	-	64
19	12	7	-	-	43	30	12	1	-	10	8	2	-	65
16	15	1	-	-	61	50	9	1	1	12	11	1	-	66
-	-	-	-	-	7	5	1	1	-	1	1	-	-	67
8	6	2	-	-	18	8	10	-	-	3	1	1	1	68
27	15	12	-	-	66	36	30	-	-	19	13	5	-	69
9	5	4	-	-	21	8	10	2	1	5	1	2	2	70
16	11	5	-	-	33	11	22	-	-	-	-	-	-	71
59	42	14	1	2	134	89	37	6	2	50	31	16	1	72
41	29	11	1	-	36	20	15	1	-	32	19	12	1	73
18	13	3	-	2	98	69	22	5	2	18	12	4	-	74
18	10	8	-	-	65	31	31	1	2	5	3	2	-	75
4	3	1	-	-	3	2	1	-	-	2	-	2	-	76
52	32	16	-	4	69	38	30	1	-	24	17	7	-	77
93	55	33	2	3	214	130	77	3	4	42	28	10	2	78
53	34	15	1	3	72	41	30	1	-	15	11	2	1	79
2	2	-	-	-	3	3	-	-	-	-	-	-	-	80
2	2	-	-	-	3	-	3	-	-	2	1	-	1	81
49	30	15	1	3	66	38	27	1	-	13	10	2	-	82
18	9	9	-	-	47	21	23	-	3	6	1	4	1	83
2	-	2	-	-	14	2	12	-	-	2	-	2	-	84
10	5	4	1	-	8	8	-	-	-	5	4	1	-	85
6	6	...	-	...	55	53	...	2	...	10	10	...	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
4	1	3	-	-	18	5	12	-	1	4	2	1	-	88



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
4	...	4	...	-	6	...	6	...	-	4	...	3	...	1
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-
1	...	1	...	-	1	...	1	...	-	1	...	1	...	1
2	...	2	...	-	4	...	4	...	-	4	...	4	...	-
4	2	1	-	1	25	10	12	2	1	5	3	2	-	-
4	2	1	-	1	11	6	4	1	-	5	-	-	-	-
17	4	13	-	-	40	17	22	-	1	7	3	4	-	-
14	4	10	-	-	23	10	12	-	1	5	2	3	-	-
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
1	-	1	-	-	2	2	-	-	-	1	1	-	-	-
92	54	33	4	1	180	93	81	5	1	25	11	13	1	-
3	-	3	-	-	8	3	5	-	-	-	-	-	-	-
12	7	4	-	1	30	15	14	-	1	1	1	-	-	-
51	33	15	3	-	87	44	39	4	-	16	8	8	-	-
26	14	11	1	-	55	31	23	1	-	3	4	1	-	-
241	127	97	10	7	481	262	189	21	9	137	67	56	6	0
171	123	43	3	2	76	42	29	3	2	36	21	10	3	2
24	12	9	2	1	14	5	9	-	-	9	4	4	-	1
147	111	34	1	1	62	37	20	3	2	27	17	6	3	1
668	461	158	31	18	928	630	249	31	18	374	259	96	26	11
534	367	127	24	16	749	497	221	19	12	266	164	75	20	7
4	2	2	-	-	4	4	-	-	-	6	3	1	2	-
220	155	45	10	10	295	211	76	5	3	146	93	42	9	4
209	147	44	9	9	283	203	72	5	3	143	92	42	9	4
9	7	-	1	1	22	18	4	-	-	5	3	-	-	-
20	12	5	1	2	34	17	14	2	1	18	7	9	1	1
52	34	12	2	4	150	105	41	2	2	44	26	12	3	3
79	58	16	3	2	74	60	13	1	-	52	31	16	5	-
49	36	11	2	-	3	3	-	-	-	28	25	3	-	-
11	8	1	1	1	12	8	4	-	-	3	3	-	-	-
2	2	-	-	-	6	5	1	-	-	2	1	1	-	-
3	3	-	-	-	7	7	-	-	-	8	7	-	1	-
20	15	5	-	-	7	7	-	-	-	14	13	1	-	-
4	3	-	1	-	7	2	3	2	-	3	2	-	-	-
5	4	-	-	1	15	12	1	1	1	2	2	-	-	-
80	36	43	1	-	172	81	88	3	-	26	16	9	1	-
20	9	9	-	-	61	35	23	3	-	6	4	1	1	-
4	4	-	-	-	63	26	37	-	-	4	2	2	1	-
56	21	34	1	-	48	20	28	-	-	16	10	6	-	-
14	13	1	-	-	9	8	1	-	-	2	1	-	1	-
23	22	1	-	-	28	27	-	1	-	-	-	-	-	-
8	8	-	-	-	11	8	3	-	-	2	1	1	-	-
27	15	8	2	2	62	36	18	3	5	12	6	6	-	-
4	1	2	1	-	1	1	-	-	-	2	2	-	-	-
29	23	6	-	-	14	12	1	1	-	15	12	2	-	1
16	9	4	2	1	10	5	5	-	-	7	3	3	-	1
31	24	3	3	1	48	35	11	1	1	14	7	4	3	-
9	7	2	-	-	1	1	-	-	-	-	-	-	-	-
35	25	7	2	1	50	33	13	2	2	21	12	3	3	1
108	81	24	2	1	152	126	23	1	2	65	45	14	4	2
26	13	12	-	1	17	14	3	-	-	19	11	7	1	-
10	7	3	-	-	48	35	13	-	-	4	1	1	-	2
63	54	7	2	-	75	72	3	-	-	36	28	5	3	-
9	7	2	-	-	12	5	4	1	2	6	5	1	-	-
26	13	7	5	1	27	7	5	11	4	23	10	3	2	2
12	5	4	3	-	16	1	4	8	3	11	6	4	-	1
3	2	1	1	-	6	3	-	3	-	3	2	-	1	-
10	5	3	1	1	5	3	1	-	1	9	2	5	1	1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

Table with columns: CAUSE OF DEATH, NEW HAMPSHIRE (Total, White Male/Female, Nonwhite Male/Female), NEW JERSEY (Total, White Male/Female, Nonwhite Male/Female). Rows include ALL CAUSES, I. INFECTIVE AND PARASITIC DISEASES, II. NEOPLASMS, and various specific diseases like Tuberculosis, SYPHILIS, Gonococcal Infection, etc.







## SECTION 5 - MORTALITY

5-149

## and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
88	72	15	1	-	4,885	3,917	648	276	44	591	427	59	84	21	
4	4	-	-	-	330	264	38	26	2	39	26	6	6	1	
34	28	6	-	-	2,624	2,190	279	143	12	312	247	24	37	4	
47	37	9	1	-	1,836	1,409	296	103	28	220	147	24	36	13	
3	3	-	-	-	95	54	35	4	2	20	7	5	5	3	
58	1	56	-	1	3,081	26	2,876	1	178	371	2	273	3	93	
111	47	60	-	4	3,794	1,274	2,211	99	210	776	214	320	80	162	
29	...	27	...	2	709	...	593	...	116	230	...	140	...	90	
9	...	8	...	1	617	...	573	...	44	103	...	61	...	42	
22	...	21	...	1	980	...	938	...	42	133	...	109	...	24	
4	...	4	...	-	115	...	107	...	8	16	...	10	...	6	
42	42	...	-	...	1,294	1,196	...	98	...	272	197	...	75	...	
5	5	...	-	...	79	78	...	1	...	22	17	...	5	...	
38	28	7	3	3	1,551	1,010	459	46	36	167	71	62	20	14	
18	12	3	3	-	603	363	211	16	13	64	28	27	6	3	
20	16	4	-	-	948	647	248	30	23	103	43	35	14	11	
120	58	55	5	2	2,987	1,551	1,259	85	92	633	277	221	67	68	
12	8	4	-	-	344	192	137	7	8	110	62	38	8	2	
3	2	1	-	-	47	28	19	-	-	5	-	3	-	-	
22	12	9	1	-	697	391	273	17	16	107	61	27	11	8	
4	1	3	-	-	153	68	78	3	4	20	2	13	1	4	
7	3	4	-	-	182	108	66	4	4	28	9	11	4	4	
3	3	1	-	-	119	55	56	4	4	25	9	10	2	4	
3	3	-	-	-	120	71	42	5	2	28	13	11	3	1	
66	27	33	4	2	1,325	638	588	45	54	310	121	108	36	45	
37	20	16	1	-	1,263	686	520	27	30	292	143	105	25	19	
44	26	16	2	-	1,520	826	614	48	32	250	122	84	29	15	
21	11	9	1	-	742	420	292	20	10	87	42	33	7	5	
9	7	2	-	-	374	211	139	15	9	68	36	22	8	2	
14	8	5	1	-	404	195	183	13	13	95	44	29	14	8	
33	15	15	1	2	545	238	251	16	40	144	57	45	17	25	
1	...	1	...	-	66	...	45	...	21	11	...	4	...	7	
5	2	2	-	1	99	...	50	...	4	13	...	7	...	1	
3	2	1	-	-	96	...	34	3	3	16	...	5	...	4	
1	...	1	...	1	3	...	2	...	1	1	...	1	...	-	
19	8	10	1	-	192	96	82	5	9	79	36	25	9	9	
4	3	1	-	-	89	45	38	4	2	24	11	5	4	4	
139	62	68	9	-	3,978	1,588	1,986	151	253	880	295	272	133	180	
27	22	5	-	-	441	238	133	32	38	116	49	32	15	20	
3	-	3	-	-	7	1	6	-	-	2	2	2	-	-	
3	2	1	-	-	51	9	34	1	7	12	2	5	-	5	
84	31	47	6	-	28	5	22	-	1	5	3	2	-	5	
2	1	1	-	-	3,147	1,187	1,661	106	193	620	201	194	95	130	
2	2	-	-	-	6	5	1	-	-	2	-	-	1	1	
1	1	-	-	-	31	16	13	1	1	10	5	1	2	1	
7	-	4	3	-	1	1	-	-	-	2	-	2	-	1	
10	3	7	-	-	91	39	46	3	3	40	7	11	13	9	
27	14	9	1	3	175	87	70	8	10	71	28	23	6	14	
16	8	5	-	3	436	193	201	21	21	112	33	44	12	23	
3	1	2	-	-	287	113	140	19	15	78	20	29	10	19	
13	7	3	3	-	68	20	45	1	2	6	2	4	-	4	
7	3	3	1	-	219	93	95	18	13	72	18	25	10	19	
4	3	1	-	-	61	29	29	-	3	12	2	6	1	3	
20	11	6	1	2	88	51	32	2	3	22	11	9	1	1	
2	-	1	-	1	522	239	100	131	52	170	65	25	49	31	
-	-	-	-	-	11	4	7	-	-	14	1	9	-	4	
2	-	1	-	1	51	31	3	15	2	9	5	1	3	-	
13	9	3	1	-	44	20	18	1	5	13	1	4	1	7	
1	1	-	-	-	241	116	43	62	20	119	50	7	43	19	
2	1	1	-	-	47	23	19	4	1	13	7	4	2	1	
573	289	240	23	21	17,056	7,301	8,658	528	569	5,492	1,940	1,876	827	849	
490	248	214	14	14	15,701	6,644	8,126	423	508	5,168	1,809	1,784	771	804	
14	3	10	-	4	653	232	331	35	55	180	61	77	24	18	
290	146	130	10	4	8,566	3,622	4,412	247	285	2,940	991	945	482	522	
122	65	52	-	5	5,168	2,253	2,678	110	127	1,631	621	626	195	189	
64	34	22	4	4	1,314	537	705	31	41	417	136	136	70	75	
26	9	6	6	5	195	85	57	29	24	45	12	13	8	12	
3	2	1	-	-	177	70	95	4	8	18	7	4	5	1	
12	7	5	-	-	284	142	133	3	6	45	31	9	4	87	
4	4	-	-	-	51	30	19	1	1	21	11	6	1	3	
10	6	4	-	-	210	96	60	45	9	56	14	13	20	9	
-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	
-	-	-	-	-	2	1	-	-	1	1	-	-	-	1	
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	
3	1	1	-	1	29	17	8	-	4	7	2	1	3	1	
25	12	9	3	1	405	216	158	23	8	129	52	46	15	16	

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	3,093	1,761	1,329	2	1	28,582	15,142	11,656	959	825
DISEASES OF HEART.....400-402,410-443	2,727	1,574	1,150	2	1	26,293	14,116	10,567	879	731
RHEUMATIC FEVER.....400-402	3	1	2	-	-	37	13	18	4	2
CHRONIC RHEUMATIC HEART DISEASE.....410-416	70	30	40	-	-	769	298	425	27	19
DISEASES OF MITRAL VALVE.....410	20	7	13	-	-	244	79	157	3	5
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	10	6	4	-	-	79	56	20	3	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	4	2	2	-	-	35	14	19	1	1
OTHER RHEUMATIC HEART DISEASES.....412,415,416	36	15	21	-	-	411	149	229	20	13
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	2,192	1,348	843	1	-	19,564	11,234	7,257	612	461
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	949	501	448	-	-	9,885	5,094	4,266	266	259
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	1,238	844	393	1	-	9,667	6,133	2,986	346	202
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	5	3	2	-	-	12	7	5	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	16	7	9	-	-	115	60	40	7	8
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	1	1	-	-	-	1	-	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	7	5	2	-	-	58	36	17	1	4
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	8	1	7	-	-	56	24	22	6	4
OTHER MYOCARDIAL DEGENERATION.....422	123	60	63	-	-	2,879	1,361	1,344	93	81
WITH ARTERIOSCLEROSIS.....422.1	84	33	51	-	-	2,105	946	1,040	61	58
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	39	27	12	-	-	774	415	304	32	23
OTHER DISEASES OF HEART.....430-434	69	41	28	-	-	545	285	210	34	16
ACUTE AND SUBACUTE ENDOCARDITIS.....430	3	2	1	-	-	19	13	4	2	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	2	2	-	-	-	20	5	12	2	1
FUNCTIONAL DISEASE OF HEART.....433	9	5	4	-	-	120	52	60	5	3
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	55	32	23	-	-	386	215	134	25	12
HYPERTENSIVE HEART DISEASE.....440-443	254	87	165	1	1	2,384	865	1,273	102	144
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR										
NEPHROSCLEROSIS.....442	43	20	23	-	-	536	229	253	21	33
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	211	67	142	1	1	1,848	636	1,020	81	111
OTHER HYPERTENSIVE DISEASE.....444-447	40	20	20	-	-	455	182	212	27	34
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	19	10	9	-	-	273	132	120	8	13
ESSENTIAL HYPERTENSION.....444,445,447	21	10	11	-	-	182	50	92	19	21
DISEASES OF ARTERIES.....450-456	291	148	143	-	-	1,512	699	730	39	44
GENERAL ARTERIOSCLEROSIS.....450	252	125	127	-	-	1,116	446	617	22	31
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	28	19	9	-	-	297	206	71	13	5
GANGRENE OF UNSPECIFIED CAUSE.....455	-	-	-	-	-	9	4	4	1	-
OTHER ARTERIAL DISEASES.....452-454,456	11	4	7	-	-	90	41	38	3	8
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	35	19	16	-	-	322	145	147	14	16
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	328	198	130	-	-	2,537	1,414	815	186	122
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	4	3	1	-	-	14	7	4	1	2
INFLUENZA.....480-483	31	14	17	-	-	47	19	22	4	2
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	188	99	89	-	-	1,684	804	636	141	103
LOBAR PNEUMONIA.....490	29	15	14	-	-	318	154	109	38	17
BRONCHOPNEUMONIA.....491	89	48	41	-	-	1,199	574	460	91	74
PRIMARY ATYPICAL PNEUMONIA.....492	23	12	11	-	-	144	65	58	10	11
PNEUMONIA, OTHER AND UNSPECIFIED.....493	47	24	23	-	-	23	11	9	2	1
ACUTE BRONCHITIS.....500	4	2	2	-	-	37	25	9	-	3
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	18	13	5	-	-	93	65	22	5	1
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	4	1	3	-	-
EMPHYSEMA AND ABSCESS OF LUNG.....518,521	6	5	1	-	-	36	21	9	3	3
PLEURISY.....519	-	-	-	-	-	7	4	2	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	37	35	2	-	-	286	231	37	16	2
OTHER RESPIRATORY DISEASES.....RESIDUAL	40	27	13	-	-	329	237	71	15	6
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	235	149	86	-	-	2,380	1,311	875	124	70
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	19	12	7	-	-	190	114	64	11	1
ULCER OF DUODENUM.....541	39	34	5	-	-	194	152	34	6	2
GASTRITIS AND DUODENITIS.....543	2	1	1	-	-	9	3	5	-	1
APPENDICITIS.....550-553	5	3	2	-	-	56	37	14	2	3
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	37	20	17	-	-	289	128	135	12	14
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS										
AND OVER.....571	7	3	4	-	-	110	38	27	36	9
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	12	5	7	-	-	145	67	76	2	-
CIRRHOSIS OF LIVER.....581	58	39	19	-	-	875	535	278	36	26
WITHOUT MENTION OF ALCOHOLISM.....581.0	43	27	16	-	-	656	393	219	22	22
WITH ALCOHOLISM.....581.1	15	12	3	-	-	219	142	59	14	4
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	14	7	7	-	-	173	58	107	2	6
FIBROCYSTIC DISEASE OF PANCREAS.....587R	3	1	2	-	-	16	6	8	2	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	39	24	15	-	-	323	173	127	15	8
X. DISEASES OF THE GENITOURINARY SYSTEM.....	101	67	33	1	-	947	485	326	76	60
NEPHRITIS AND NEPHROSIS.....590-594	47	29	17	1	-	447	201	185	34	27
ACUTE NEPHRITIS.....590	5	-	4	1	-	28	9	16	3	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	4	4	-	-	-	29	10	12	5	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	38	25	13	-	-	390	182	157	26	25
INFECTIONS OF KIDNEY.....600	17	10	7	-	-	236	99	96	20	21
CALCULI OF URINARY SYSTEM.....602,604	7	3	4	-	-	34	22	10	1	1
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	7	4	3	-	-	61	31	19	4	7
HYPERPLASIA OF PROSTATE.....610	21	21	-	-	-	140	124	-	16	-
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	2	-	2	-	-	29	8	16	1	4

. SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,744	1,013	663	46	22	84,612	44,807	35,350	2,300	2,155	14,653	6,612	4,199	2,076	1,766	1
1,525	896	572	36	21	78,442	41,926	32,438	2,119	1,959	13,246	6,084	3,752	1,858	1,552	2
4	2	2	—	—	82	32	36	8	6	24	5	4	4	11	3
75	31	42	1	1	2,276	910	1,204	65	97	268	102	108	25	33	4
30	10	20	—	—	648	243	373	11	21	98	37	43	6	12	5
8	5	3	—	—	193	111	73	6	3	21	15	1	5	—	6
4	2	2	—	—	94	43	47	3	1	14	3	8	3	—	7
33	14	17	1	1	1,341	513	711	45	72	135	47	56	11	21	8
1,067	688	347	22	10	63,341	36,023	24,717	1,439	1,162	8,822	4,654	2,496	944	728	9
325	195	117	8	5	33,414	16,800	15,208	711	695	2,446	1,134	885	208	219	10
741	492	230	14	5	29,899	19,208	9,496	728	467	6,321	3,494	1,598	727	502	11
1	1	—	—	—	89	15	13	—	—	55	26	13	9	7	12
17	10	7	—	—	449	249	175	14	11	78	35	20	12	11	13
2	2	—	—	—	22	12	9	1	—	4	—	1	2	1	14
8	5	3	—	—	175	128	41	5	1	36	20	7	5	4	15
7	3	4	—	—	252	109	125	8	10	38	15	12	5	6	16
134	55	74	4	1	4,353	1,822	2,303	109	119	919	341	348	119	111	17
85	38	46	1	—	3,534	1,441	1,892	91	110	733	278	283	87	85	18
49	17	28	3	1	819	381	411	18	9	186	63	65	32	26	19
116	67	37	7	5	1,012	507	421	61	23	968	411	195	218	144	20
2	1	1	—	—	67	36	24	4	3	8	4	1	2	1	21
4	2	2	—	—	41	21	15	4	1	24	8	2	8	6	22
21	11	8	—	—	331	156	163	7	5	222	101	76	26	19	23
89	53	26	7	3	573	294	219	46	14	714	298	116	182	118	24
112	43	63	2	4	6,929	2,383	3,582	423	541	2,167	536	581	536	514	25
34	12	21	—	1	882	425	385	34	38	597	153	155	161	128	26
78	31	42	2	3	6,047	1,958	3,197	389	503	1,570	383	426	375	386	27
37	20	13	4	—	1,166	500	518	74	74	352	97	70	92	93	28
23	13	9	1	—	702	339	301	35	27	182	60	37	42	43	29
14	7	4	3	—	464	161	217	39	47	170	37	33	50	50	30
136	69	62	4	1	4,346	2,077	2,101	73	95	838	354	294	98	92	31
103	54	44	4	1	3,259	1,375	1,765	51	68	618	222	245	78	73	32
19	11	8	—	—	843	587	229	13	14	162	108	32	11	11	33
1	—	1	—	—	11	3	8	—	—	5	2	—	1	2	34
13	4	9	—	—	233	112	99	9	13	53	22	17	8	6	35
46	28	16	2	—	658	304	293	34	27	217	77	83	28	29	36
501	267	164	39	31	8,870	4,836	2,995	626	413	2,402	902	561	500	439	37
7	—	3	2	2	69	38	24	4	3	43	13	5	14	11	38
61	25	25	5	6	177	89	80	4	4	385	106	110	77	92	39
289	138	103	27	21	6,503	3,173	2,460	522	348	1,467	489	338	338	302	40
66	34	21	7	4	1,201	626	391	130	54	228	83	53	56	36	41
115	61	37	9	8	4,847	2,316	1,893	363	275	672	264	172	123	113	42
23	9	9	3	2	254	134	94	15	11	140	41	20	41	38	43
85	34	36	8	7	201	97	82	14	8	427	101	93	118	115	44
3	3	—	—	—	130	69	43	7	11	16	9	2	3	2	45
20	15	5	—	—	349	260	68	16	5	82	47	13	16	6	46
1	1	—	—	—	14	3	7	—	4	4	2	1	—	1	47
8	4	3	1	—	86	47	22	11	6	23	8	3	11	1	48
—	—	—	—	—	21	11	6	2	2	1	1	—	—	—	49
51	45	6	—	—	686	580	81	18	7	132	103	16	11	2	50
61	36	19	4	2	835	566	204	42	23	249	124	73	30	22	51
347	174	136	18	19	7,823	4,359	2,613	539	312	1,267	528	372	206	161	52
1	—	1	—	—	5	2	2	—	1	6	1	—	2	3	53
18	10	8	—	—	722	475	191	43	13	100	62	18	17	3	54
27	19	7	—	1	699	522	133	36	8	68	43	14	5	6	55
1	1	—	—	—	33	17	13	3	—	7	5	1	—	—	56
8	4	4	—	—	219	115	81	11	12	44	19	9	11	5	57
34	18	14	—	2	886	408	403	39	36	205	67	71	35	32	58
71	33	23	8	7	215	99	78	21	17	178	30	33	61	54	59
9	3	3	2	1	435	187	230	6	12	53	15	27	4	7	60
72	35	29	5	3	3,160	1,834	831	333	162	265	153	71	22	19	61
50	25	21	3	2	2,112	1,242	589	192	89	183	94	56	17	16	62
22	10	8	2	2	1,048	592	242	141	73	82	59	15	5	3	63
36	12	21	2	1	550	230	295	10	15	75	22	45	1	7	64
7	2	5	—	—	52	27	23	2	—	20	9	10	1	—	65
63	37	21	1	4	847	443	333	35	36	246	102	73	46	25	66
126	67	41	12	6	2,654	1,424	882	198	150	771	268	203	184	116	67
65	34	25	3	3	1,021	487	398	81	55	390	108	90	113	79	68
3	2	—	—	1	54	23	25	6	2	27	9	6	10	2	69
8	3	5	—	—	52	28	20	3	1	22	6	5	6	5	70
34	29	20	3	2	915	436	355	72	52	341	93	79	97	72	71
22	4	11	3	2	788	338	324	58	68	182	63	78	20	21	72
3	2	1	—	—	119	55	57	4	3	46	24	16	3	3	73
7	3	—	—	—	163	94	52	13	4	48	19	8	18	3	74
21	19	—	—	—	460	424	—	—	—	71	47	—	—	—	75
—	—	—	—	—	2	—	—	—	—	2	—	—	—	—	76
8	5	2	1	—	101	26	50	6	19	32	7	9	6	10	77



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
13	...	11	...	2	166	...	198	...	58	59	...	16	...	43
-	...	-	...	-	10	...	8	...	2	6	...	2	...	4
4	...	4	...	-	24	...	17	...	7	10	...	3	...	7
2	...	2	...	-	21	...	20	...	9	9	...	1	...	8
-	...	-	...	-	13	...	3	...	10	5	...	-	...	5
3	...	1	...	2	15	...	9	...	6	5	...	3	...	2
2	...	2	...	-	35	...	17	...	18	9	...	2	...	7
-	...	-	...	-	2	...	-	...	-	-	...	-	...	-
2	...	2	...	-	46	...	34	...	12	15	...	5	...	10
12	4	8	-	-	182	63	101	7	11	47	14	16	3	14
3	2	1	-	-	54	29	21	2	2	13	4	6	1	2
9	2	7	-	-	128	34	80	5	9	34	10	10	2	12
22	11	9	1	1	275	106	146	12	11	105	43	47	9	6
12	5	6	1	-	123	25	91	3	4	66	22	34	7	3
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
1	1	-	-	-	23	16	5	-	2	2	2	-	-	-
3	1	1	-	1	10	4	3	1	2	1	-	1	-	-
2	2	2	-	-	48	32	14	1	1	21	13	6	1	1
4	2	2	-	-	69	28	33	6	2	15	6	6	1	2
132	65	55	4	8	2,006	972	816	121	97	536	217	186	74	59
8	-	6	1	1	95	46	44	4	1	25	9	13	2	1
10	4	5	-	1	253	115	107	17	14	80	31	32	9	8
74	41	27	1	5	1,046	520	411	62	53	272	112	95	33	32
40	20	17	2	1	612	291	254	38	29	159	65	46	30	18
552	285	200	45	22	5,567	2,455	1,783	732	597	1,887	599	404	521	363
471	252	143	43	33	713	312	220	124	57	1,025	278	165	349	233
19	6	9	1	3	52	10	41	1	-	82	17	32	17	16
452	246	134	42	30	661	302	179	123	57	943	261	133	332	217
875	582	180	85	28	8,951	5,298	2,541	806	306	3,561	1,759	572	918	312
708	473	144	70	21	6,773	3,980	2,050	526	217	2,684	1,306	480	659	239
5	5	-	-	-	106	76	11	18	1	44	22	1	21	-
376	256	70	40	10	2,158	1,451	514	140	53	1,260	716	213	273	58
363	248	67	38	10	2,123	1,423	508	139	53	1,236	704	207	267	58
6	3	1	1	2	28	19	8	1	-	46	22	16	6	2
57	36	8	11	2	712	451	185	50	26	267	117	43	78	29
154	96	39	16	3	654	412	182	43	17	443	258	109	64	12
135	105	18	8	4	608	455	104	40	9	445	281	34	116	14
11	8	1	2	-	121	86	29	5	1	35	26	5	3	1
13	8	3	2	-	35	28	6	1	-	24	12	6	6	-
2	2	-	-	-	17	13	4	-	-	6	3	1	2	-
1	1	-	-	-	71	56	5	10	-	43	33	2	8	-
14	12	2	-	-	100	78	21	1	-	23	22	-	1	-
13	8	2	2	1	79	31	26	15	7	82	37	16	21	8
12	7	4	1	-	80	53	22	3	2	12	6	2	3	1
68	33	28	5	2	2,194	1,041	967	127	59	263	86	132	22	23
18	13	2	3	-	739	418	229	62	30	80	36	21	18	5
19	5	14	-	-	697	274	396	13	14	74	14	53	1	6
31	15	12	2	2	758	349	342	52	15	109	36	58	3	12
17	17	-	-	-	59	52	4	3	-	49	22	-	25	2
17	16	-	1	-	92	79	5	8	-	44	30	-	14	-
6	5	1	-	-	46	41	3	2	-	30	23	-	7	-
36	19	13	2	2	594	271	207	66	50	251	75	50	66	60
2	2	-	-	-	28	11	12	4	1	11	1	2	6	2
25	20	2	2	1	78	66	9	2	1	96	58	8	22	8
19	7	10	1	1	156	78	52	18	8	90	25	16	27	22
38	26	5	7	-	404	285	52	57	10	166	74	15	69	8
-	-	-	-	-	7	6	1	-	-	4	-	-	4	-
1	-	1	-	-	90	46	36	3	5	20	5	5	4	6
56	37	6	9	4	414	246	99	49	20	190	68	17	64	41
109	79	24	5	1	1,625	1,120	416	66	23	456	350	62	39	5
25	15	10	-	-	418	242	165	6	5	45	37	7	1	-
7	3	1	3	-	431	327	90	10	4	42	25	12	5	-
73	58	12	2	1	321	295	15	11	-	336	272	34	26	4
4	3	1	-	-	455	256	146	39	14	33	16	9	7	1
58	30	12	10	6	549	194	75	214	66	420	102	30	220	68
35	18	10	6	1	150	69	28	41	12	276	67	20	146	43
7	4	-	1	2	209	45	16	119	29	70	8	2	50	10
15	7	2	3	3	158	63	31	39	25	64	20	8	21	15
1	-	-	-	-	27	16	-	11	-	9	6	-	3	-
-	-	-	-	-	5	1	-	4	-	1	1	-	-	-
-	-	-	-	-	4	4	-	-	-	1	1	-	-	-

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES.....	5,430	3,293	2,024	60	53	93,466	47,987	37,862	4,267	3,350
<b>I. INFECTIVE AND PARASITIC DISEASES.....</b>	<b>44</b>	<b>21</b>	<b>18</b>	<b>3</b>	<b>2</b>	<b>1,025</b>	<b>523</b>	<b>284</b>	<b>148</b>	<b>70</b>
TUBERCULOSIS, ALL FORMS.....001-019	16	11	4	1	-	491	275	108	80	28
TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	13	10	3	-	-	461	265	97	74	25
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	12	3	3	3	3
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS.....012-013	1	1	-	-	-	3	3	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	-	1	-	-	11	4	6	1	-
DISSEMINATED TUBERCULOSIS.....019	1	-	-	1	-	4	-	2	2	-
<b>SYPHILIS AND ITS SEQUELAE.....020-029</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>190</b>	<b>82</b>	<b>47</b>	<b>37</b>	<b>24</b>
CONGENITAL SYPHILIS.....020	-	-	-	-	-	4	2	1	1	-
EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA.....022	-	-	-	-	-	75	40	16	12	7
OTHER CARDIOVASCULAR SYPHILIS.....023	-	-	-	-	-	70	22	18	18	12
TABES DORSALIS.....024	-	-	-	-	-	6	-	-	-	-
GENERAL PARALYSIS OF INSANE.....025	1	1	-	-	-	20	9	2	3	2
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	2	1	1	-	-	13	4	6	3	3
ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	2	1	1	-	-
<b>GONOCOCCAL INFECTION.....030-035</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>-</b>
TYPHOID FEVER.....040	-	-	-	-	-	1	-	1	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	-	-	-	-	-	4	2	2	-	-
CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
BRUCELLA INFECTION.....044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS.....045-048	-	-	-	-	-	4	2	-	1	1
FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	1	-	1	-	-
SCARLET FEVER.....050	1	1	-	-	-	7	4	2	1	-
STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	1	1	2	-	-
ERYSIPELAS.....052	10	3	5	1	1	86	42	31	10	3
SEPTICEMIA AND PYEMIA.....053	-	-	-	-	-	-	-	-	-	-
<b>DIPHTHERIA.....055</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>4</b>	<b>1</b>	<b>2</b>	<b>-</b>	<b>1</b>
WHOOPING COUGH.....056	-	-	-	-	-	1	1	-	-	-
MENINGOCOCCAL INFECTIONS.....057	1	1	-	-	-	27	13	11	2	1
PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
LEPROSY.....060	-	-	-	-	-	10	4	4	2	-
TETANUS.....061	-	-	-	-	-	-	-	-	-	-
ANTHRAX.....062	-	-	-	-	-	7	4	2	1	-
ACUTE POLIOMYELITIS.....080	1	-	-	1	-	9	5	4	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	34	15	15	4	-
ACUTE INFECTIOUS ENCEPHALITIS.....082	2	-	1	-	1	7	5	2	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	7	5	2	-	-
SMALLPOX.....084	-	-	-	-	-	17	9	5	2	1
MEASLES.....085	1	1	-	-	-	-	-	-	-	-
<b>YELLOW FEVER.....091</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
INFECTIOUS HEPATITIS.....092	1	-	1	-	-	40	18	16	2	4
RABIES.....094	-	-	-	-	-	1	-	1	-	-
TICK-BORNE TYPHUS.....104	1	-	1	-	-	1	-	1	-	-
ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS.....123	-	-	-	-	-	1	1	-	-	-
HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	2	-	2	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	7	2	5	-	-	78	38	27	6	7
<b>II. NEOPLASMS.....</b>	<b>825</b>	<b>458</b>	<b>351</b>	<b>8</b>	<b>8</b>	<b>15,437</b>	<b>7,605</b>	<b>6,687</b>	<b>647</b>	<b>498</b>
<b>MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205</b>	<b>813</b>	<b>454</b>	<b>344</b>	<b>7</b>	<b>8</b>	<b>15,217</b>	<b>7,529</b>	<b>6,571</b>	<b>633</b>	<b>484</b>
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	14	12	2	-	-	350	260	61	21	8
OF LIP.....140	2	2	-	-	-	16	12	3	1	-
OF TONGUE.....141	3	3	-	-	-	87	56	22	5	4
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	4	3	1	-	-	102	79	17	3	3
OF PHARYNX.....145-148	5	4	1	-	-	145	113	19	12	1
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	294	160	129	2	3	5,171	2,591	2,197	231	152
OF ESOPHAGUS.....150	12	10	2	-	-	273	183	42	39	9
OF STOMACH.....151	89	57	31	1	-	1,068	598	356	81	33
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	3	2	1	-	-	52	25	23	1	3
OF LARGE INTESTINE, EXCEPT RECTUM.....153	58	24	33	-	1	1,760	781	895	43	41
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	7	2	5	-	-	226	96	119	5	6
TRANSVERSE COLON.....153.1	2	1	2	-	-	88	42	42	3	1
DESCENDING COLON.....153.2	2	1	4	-	-	74	35	34	2	3
SIGMOID COLON.....153.3	16	11	-	-	1	384	183	182	10	9
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	3	3	-	-	-
LARGE INTESTINE, PART UNSPECIFIED.....153.8	30	10	20	-	-	872	378	456	21	17
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1	-	1	-	-	113	44	62	2	5
OF RECTUM.....154	35	20	13	1	1	646	347	261	16	22
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	27	10	16	-	1	371	138	216	10	7
LIVER.....155.0	7	4	3	-	-	91	53	26	10	2
OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	20	6	13	-	1	280	85	190	8	5
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	10	4	6	-	-	205	106	80	8	11
OF PANCREAS.....157	52	30	22	-	-	691	370	268	29	24
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	8	3	5	-	-	105	43	56	4	2

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

Table with columns for Oklahoma, Oregon, and Pennsylvania, subdivided by Total, White, and Nonwhite, with further sub-columns for Male and Female. Rows include category numbers and corresponding mortality counts.



SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
11. II. NEOPLASMS—CON.										
12. MALIGNANT NEOPLASMS, ETC.—CON.										
13. MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
14. AS SECONDARY.....160-164	86	65	16	3	2	2,218	1,745	271	181	21
15. OF LARYNX.....161	4	4	-	-	-	148	124	10	12	2
16. OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	35	25	9	1	-	958	765	95	93	5
17. OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	46	35	7	2	2	1,049	816	153	70	10
18. OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	1	1	-	-	-	63	40	13	6	4
19. MALIGNANT NEOPLASM OF BREAST.....170	70	1	69	-	-	1,372	13	1,286	1	72
20. MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	122	72	49	-	1	2,326	843	1,280	76	127
21. OF CERVIX UTERI.....171	11	...	10	...	1	506	...	447	...	59
22. OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	12	...	12	...	-	361	...	329	...	32
23. OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	25	...	25	...	-	488	...	455	...	33
24. OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	2	...	2	...	-	52	...	49	...	3
25. OF PROSTATE.....177	69	69	...	-	...	864	791	...	73	...
26. OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	3	3	...	-	...	55	52	...	3	...
27. MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	33	21	10	2	-	718	448	221	33	16
28. OF KIDNEY.....180	16	9	6	1	-	256	148	90	13	5
29. OF BLADDER AND OTHER URINARY ORGANS.....181	17	12	4	1	-	462	300	131	20	11
30. MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED										
31. SITES.....156B,165,190-199	97	63	32	-	2	1,583	810	667	54	52
32. OF SKIN.....190,191	18	15	3	-	-	205	130	66	5	4
33. OF EYE.....192	6	2	4	-	-	19	11	7	-	1
34. OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	23	17	5	-	1	359	196	141	11	11
35. OF THYROID GLAND.....194	3	1	2	-	-	62	27	32	1	2
36. OF BONE.....196	6	2	4	-	-	116	65	43	6	2
37. OF CONNECTIVE TISSUE.....197	3	2	1	-	-	69	35	26	4	4
38. OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	3	3	-	-	-	74	46	24	3	1
39. OF UNSPECIFIED SITES.....156B,165,198,199B	35	21	13	-	1	679	300	328	24	27
40. LEUKEMIA AND ALEUKEMIA.....204	39	24	15	-	-	704	377	297	14	16
41. LYMPHOSARCOMA, ETC.....200-203,205	58	36	22	-	-	775	442	291	22	20
42. LYMPHOSARCOMA AND RETICULOSARCOMA.....200	24	15	9	-	-	378	223	140	6	9
43. HODGKINS DISEASE.....201	16	10	6	-	-	190	112	69	7	2
44. OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC										
45. TISSUES.....202+203,205	18	11	7	-	-	207	107	82	9	9
46. BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	12	4	7	1	-	220	76	116	14	14
47. BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	-	...	-	...	-	26	...	18	...	8
48. BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	3	2	1	-	-	58	24	26	6	2
49. OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	6	-	5	1	-	57	22	27	4	4
50. UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS...233-235	-	...	-	...	-	2	...	2	...	-
51. NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC...237	2	2	-	-	-	45	22	22	1	-
52. OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	1	-	1	-	-	32	8	21	3	-
53. III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND										
54. NUTRITIONAL DISEASES.....	146	77	65	-	4	2,821	1,062	1,486	85	188
55. ASTHMA.....241	18	14	4	-	-	253	140	80	15	18
56. NONTOXIC GOITER.....250,251	-	-	-	-	-	6	2	3	-	-
57. THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	3	-	3	-	-	32	4	24	1	3
58. ALL OTHER DISEASES OF THYROID GLAND.....253,254	1	1	-	-	-	17	4	11	1	1
59. DIABETES MELLITUS.....260	110	53	54	-	3	2,236	780	1,261	58	137
60. DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	8	5	3	-	-
61. DISEASES OF ADRENAL GLANDS.....274	2	2	-	-	-	21	11	8	-	2
62. PELLAGRA.....281	-	-	-	-	-	1	-	-	-	1
63. OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	3	2	1	-	-	97	42	39	7	9
64. ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	9	5	3	-	1	150	74	57	3	16
65. IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	18	11	7	-	-	295	135	134	13	13
66. ANEMIAS.....290-293	14	8	6	-	-	184	75	89	8	12
67. PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	5	3	2	-	-	47	15	30	-	2
68. ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	9	5	4	-	-	137	60	59	8	10
69. PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	-	-	-	-	-	42	15	22	4	1
70. OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	4	3	1	-	-	69	45	23	1	-
71. V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	8	6	1	1	-	214	114	68	21	11
72. SENILE PSYCHOSIS.....304	-	-	-	-	-	14	6	7	-	1
73. ALCOHOLIC PSYCHOSIS.....307	3	3	-	-	-	23	16	3	3	1
74. OTHER PSYCHOSES.....300-303,305,306,308,309	1	1	-	-	-	36	11	21	1	3
75. ALCOHOLISM.....322	3	2	-	1	-	94	62	11	15	6
76. MENTAL DEFICIENCY.....325	1	-	1	-	-	30	17	11	2	-
77. OTHER DISORDERS OF PERSONALITY...RESIDUAL	-	-	-	-	-	17	2	15	-	-
78. VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	731	394	329	5	3	11,974	5,244	5,822	464	444
79. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	672	357	308	5	2	11,188	4,877	5,482	421	408
80. SUBARACHNOID HEMORRHAGE.....330	10	7	2	1	-	393	140	182	35	36
81. CEREBRAL HEMORRHAGE.....331	452	238	213	-	1	6,501	2,840	3,203	220	238
82. CEREBRAL EMBOLISM AND THROMBOSIS.....332	153	78	71	4	-	3,346	1,497	1,604	135	110
83. OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	57	34	22	-	1	948	400	493	31	24
84. MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	3	3	-	-	-	103	48	36	9	10
85. MULTIPLE SCLEROSIS.....345	10	4	6	-	-	94	33	58	-	3
86. PARALYSIS AGITANS.....350	16	12	4	-	-	166	81	77	1	7
87. CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	4	2	2	-	-	52	26	21	2	3
88. EPILEPSY.....353	7	5	2	-	-	92	46	30	12	4
89. INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
90. CATARACT.....385	-	-	-	-	-	2	-	1	1	-
91. GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
92. OTITIS MEDIA AND MASTOIDITIS.....391-393	2	2	-	-	-	15	11	4	-	-
93. OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	17	9	7	-	1	262	122	113	18	9

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
518	408	69	33	8	392	326	58	7	1	2,840	2,215	391	203	31
25	19	2	4	-	16	14	1	1	-	168	141	12	14	1
157	128	12	14	3	209	177	29	3	-	1,107	874	121	108	4
319	251	49	14	5	160	129	27	3	1	1,502	1,168	234	76	24
17	10	6	1	-	7	6	1	-	-	63	32	24	5	2
244	1	222	-	21	263	9	252	-	6	1,764	10	1,652	-	102
545	188	278	28	51	396	194	199	-	3	2,670	975	1,486	82	127
131	...	110	...	21	66	...	63	...	3	520	...	457	...	63
92	...	71	...	21	49	...	49	...	-	488	...	459	...	29
96	...	88	...	8	81	...	81	...	-	537	...	503	...	34
10	...	9	...	1	6	...	6	...	-	68	...	67	...	1
206	178	...	28	...	186	186	...	-	...	989	910	...	79	...
10	10	...	-	...	8	8	...	-	...	68	65	...	3	...
153	102	41	5	5	132	83	49	-	-	951	618	277	28	28
69	48	15	3	3	57	28	29	-	-	319	183	112	14	10
84	54	26	2	2	75	55	20	-	-	632	435	165	14	18
452	222	198	17	15	277	135	136	5	1	2,223	1,087	987	70	79
76	43	30	1	2	36	21	15	-	-	256	133	109	9	5
4	1	3	-	-	4	1	3	-	-	22	10	9	1	25
77	42	30	3	2	72	39	32	1	-	374	219	141	7	7
9	4	5	-	-	8	2	6	-	-	76	22	48	-	6
25	18	7	-	-	7	4	3	-	-	114	77	33	1	3
12	7	3	2	-	19	9	9	1	-	80	45	28	2	5
37	20	15	2	-	13	10	3	-	-	100	62	26	7	5
212	87	105	9	11	118	49	65	3	1	1,201	519	593	43	46
207	116	79	9	3	136	80	55	1	-	849	491	325	23	10
167	96	60	8	3	167	102	64	-	-	800	427	318	22	33
75	40	29	5	1	86	54	32	-	-	378	201	154	9	14
35	24	10	1	-	34	18	16	-	-	179	98	73	5	3
57	32	21	2	2	47	31	16	-	-	243	128	91	8	16
65	21	37	2	5	41	18	22	1	-	409	183	186	14	26
10	...	7	...	3	2	...	2	...	-	30	...	20	...	10
7	1	5	-	-	5	3	2	-	-	61	21	34	3	42
11	3	8	-	-	8	4	4	-	-	84	45	32	3	4
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1
24	12	10	1	1	11	6	4	1	-	153	83	60	4	6
13	5	7	1	-	15	5	10	-	-	78	34	38	4	2
608	252	268	38	50	358	168	184	3	3	3,450	1,269	1,906	96	179
105	68	29	5	3	60	45	13	1	1	314	185	94	14	21
3	1	1	-	1	-	-	-	-	-	7	2	4	-	1
11	1	8	-	2	5	-	5	-	-	39	3	31	2	3
2	-	2	-	-	2	1	1	-	-	24	3	21	-	54
385	149	177	21	38	226	89	134	1	2	2,757	946	1,613	70	128
1	1	-	-	-	-	-	-	-	-	8	3	5	-	56
5	1	2	1	1	1	-	1	-	-	34	13	18	-	3
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1
38	13	21	4	-	23	15	8	-	-	118	50	50	8	10
58	18	28	7	5	41	18	22	1	-	146	62	70	2	12
79	34	37	6	2	50	25	25	-	-	314	129	153	17	15
52	23	21	6	2	32	13	19	-	-	188	69	98	11	10
13	4	9	-	-	7	1	6	-	-	43	17	24	1	1
39	19	12	6	2	25	12	13	-	-	145	52	74	10	9
7	2	5	-	-	6	5	1	-	-	40	18	18	3	1
20	9	11	-	-	12	7	5	-	-	86	42	37	3	4
71	29	26	14	2	73	45	25	2	1	214	123	57	26	8
23	8	10	4	1	5	3	2	-	-	24	7	17	-	-
4	3	1	-	-	1	-	1	-	-	29	28	-	1	-
11	3	5	2	1	29	15	13	-	1	36	19	15	1	1
20	9	3	8	-	30	24	4	2	-	86	50	9	21	6
9	5	4	-	-	7	3	4	-	-	30	17	12	-	1
4	1	3	-	-	1	-	1	-	-	9	2	4	3	-
3,217	1,477	1,415	162	163	2,491	1,248	1,211	20	12	13,636	6,005	6,708	438	485
3,013	1,371	1,348	142	152	2,331	1,164	1,138	18	11	12,687	5,549	6,310	376	452
69	29	27	6	7	71	28	41	-	2	451	192	208	22	29
1,921	883	865	79	94	1,286	631	635	13	7	6,905	3,028	3,430	205	242
687	308	316	31	32	796	421	368	5	2	4,271	1,892	2,124	117	138
336	151	140	26	19	378	84	94	-	-	1,060	437	548	32	43
23	8	7	5	3	29	14	14	1	-	124	60	38	14	12
13	8	5	-	-	19	7	12	-	-	127	48	74	3	2
46	26	19	1	-	47	25	22	-	-	202	102	96	3	1
9	7	2	-	-	1	-	1	-	-	38	23	11	3	1
14	7	4	1	2	16	9	7	-	-	134	60	47	21	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	1	1	-	5	4	-	-	-	26	12	11	1	2
95	49	28	12	6	42	25	15	1	1	297	150	121	17	9

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,194	1,401	775	9	9	40,483	21,686	16,286	1,334	1,177
DISEASES OF HEART.....400-402,410-443	1,995	1,298	681	9	7	35,997	19,577	14,270	1,154	996
RHEUMATIC FEVER.....400-402	1	-	-	1	-	36	20	12	3	1
CHRONIC RHEUMATIC HEART DISEASE.....410-416	58	31	26	1	-	1,051	492	498	30	31
DISEASES OF MITRAL VALVE.....410	18	10	7	-	-	418	178	211	12	17
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	7	4	3	-	-	107	71	32	2	2
DISEASES OF PULMONARY VALVE, ETC.....413,414	7	4	3	-	-	53	24	28	-	1
OTHER RHEUMATIC HEART DISEASES.....412,415,416	26	13	13	-	-	473	219	227	16	11
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	1,577	1,064	499	7	7	26,898	15,692	9,899	762	545
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	596	359	232	3	2	10,719	5,390	4,815	281	233
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	981	705	267	4	5	16,152	10,287	5,075	479	311
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	-	-	-	-	-	27	15	9	2	1
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	24	13	11	-	-	228	127	84	6	11
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	16	6	8	-	2
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	18	11	7	-	-	101	66	30	4	1
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	6	2	4	-	-	111	55	46	2	8
OTHER MYOCARDIAL DEGENERATION.....422	112	59	53	-	-	2,636	1,174	1,346	54	62
WITH ARTERIOSCLEROSIS.....422.1	89	45	44	-	-	1,924	848	1,014	25	37
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	23	14	9	-	-	712	326	332	29	25
OTHER DISEASES OF HEART.....430-434	91	56	35	-	-	1,418	684	600	72	62
ACUTE AND SUBACUTE ENDOCARDITIS.....430	1	1	-	-	-	41	23	13	3	2
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	1	1	-	-	-	59	27	27	3	2
FUNCTIONAL DISEASE OF HEART.....433	21	9	12	-	-	386	180	180	17	9
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	68	45	23	-	-	932	454	380	49	49
HYPERTENSIVE HEART DISEASE.....440-443	132	75	57	-	-	3,730	1,388	1,831	227	284
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	26	15	11	-	-	1,149	514	515	65	55
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	106	60	46	-	-	2,581	874	1,316	162	229
OTHER HYPERTENSIVE DISEASE.....444-447	33	21	11	-	1	785	340	341	52	52
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	23	14	8	-	1	458	212	193	29	24
ESSENTIAL HYPERTENSION.....444,445,447	10	7	3	-	-	327	128	148	23	28
DISEASES OF ARTERIES.....450-456	140	75	64	-	1	3,283	1,585	1,502	97	99
GENERAL ARTERIOSCLEROSIS.....450	114	58	55	-	1	2,633	1,185	1,299	70	79
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	17	14	3	-	-	487	328	131	21	7
GANGRENE OF UNSPECIFIED CAUSF.....455	1	-	1	-	-	9	8	1	-	-
OTHER ARTERIAL DISEASES.....452-454,456	8	3	5	-	-	154	64	71	6	13
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	26	7	19	-	-	418	184	173	31	30
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	324	183	123	9	9	4,331	2,502	1,357	304	168
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	3	1	2	-	-	79	25	33	13	8
INFLUENZA.....480-483	29	13	15	1	-	379	204	161	6	8
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	224	126	86	5	7	2,336	1,187	870	167	112
LOBAR PNEUMONIA.....490	38	26	11	-	1	438	234	145	44	15
BRONCHOPNEUMONIA.....491	146	82	60	2	2	1,499	752	570	99	78
PRIMARY ATYPICAL PNEUMONIA.....492	21	7	10	2	2	227	103	101	13	10
PNEUMONIA, OTHER AND UNSPECIFIED.....493	19	11	5	1	2	172	98	54	11	9
ACUTE BRONCHITIS.....500	4	1	2	1	-	70	32	25	7	6
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	10	7	3	-	-	188	138	37	8	5
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	4	2	2	-	-
EMPHYSEMA AND ABSCESS OF LUNG.....518,521	2	1	1	-	-	32	25	2	3	2
PLEURISY.....519	-	-	-	-	-	14	8	4	2	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	17	15	2	-	-	543	427	70	42	4
OTHER RESPIRATORY DISEASES.....RESIDUAL	35	19	12	2	2	686	454	153	56	23
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	183	112	68	1	2	3,583	1,975	1,319	187	102
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	5	2	3	-	-
ULCER OF STOMACH.....540	11	9	2	-	-	326	214	89	18	5
ULCER OF DUODENUM.....541	21	19	2	-	-	315	216	77	18	4
GASTRITIS AND DUODENITIS.....543	2	1	1	-	-	17	10	4	2	1
APPENDICITIS.....550-553	6	2	4	-	-	112	68	29	10	5
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	27	11	16	-	-	519	229	250	28	12
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 MEETS AND OVER.....571	16	9	6	-	1	163	82	66	10	5
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	5	3	2	-	-	158	69	82	4	3
CIRRHOSIS OF LIVER.....581	46	36	9	1	-	1,132	704	324	63	41
WITHOUT MENTION OF ALCOHOLISM.....581.0	30	24	5	1	-	839	498	265	42	34
WITH ALCOHOLISM.....581.1	16	12	4	-	-	293	206	59	21	7
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	17	7	10	-	-	267	93	165	5	4
FIBROCYSTIC DISEASE OF PANCREAS.....587B	3	-	2	-	1	15	9	6	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	29	15	14	-	-	554	279	224	29	22
X. DISEASES OF THE GENITOURINARY SYSTEM.....	71	52	17	-	2	1,556	849	492	115	100
NEPHRITIS AND NEPHROSIS.....590-594	27	19	8	-	-	616	299	238	38	41
ACUTE NEPHRITIS.....590	1	-	1	-	-	31	14	14	1	2
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	2	2	-	-	-	62	30	25	3	4
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	24	17	7	-	-	523	255	199	34	35
INFECTIONS OF KIDNEY.....600	16	10	5	-	1	429	180	165	38	46
CALCULI OF URINARY SYSTEM.....602,604	5	4	1	-	-	60	38	16	3	3
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	3	1	2	-	-	133	73	41	15	4
HYPERPLASIA OF PROSTATE.....610	15	15	...	-	...	259	240	...	19	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	1	-	1	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	5	3	1	-	1	58	19	31	2	6

SECTION 5 - MORTALITY

5-159

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,545	4,887	2,998	374	286	6,964	4,280	2,585	68	31	56,866	30,270	23,339	1,788	1,469	1
7,685	4,485	2,638	322	240	6,313	3,930	2,298	58	27	51,674	27,817	20,958	1,607	1,292	2
9	4	5	-	-	4	2	2	-	-	58	23	28	2	5	3
142	73	55	8	6	197	91	100	4	2	1,497	667	760	38	32	4
55	27	21	4	3	65	26	36	1	2	538	219	300	9	10	5
11	7	4	-	-	30	18	11	1	-	141	93	40	6	2	6
6	3	3	-	-	14	4	10	-	-	95	46	47	1	1	7
70	36	27	4	3	88	43	43	2	-	723	309	373	22	19	8
5,779	3,628	1,825	207	119	4,977	3,304	1,612	46	15	38,179	22,144	14,140	1,141	754	10
1,687	927	668	60	32	1,893	1,171	704	12	6	16,846	8,644	7,071	676	455	11
4,082	2,697	1,155	145	85	3,082	2,132	907	34	9	21,310	13,488	7,059	465	298	12
10	4	2	2	2	2	1	1	-	-	23	12	10	-	1	13
45	25	15	2	3	60	40	20	-	-	392	205	166	13	8	14
2	-	1	-	-	2	2	-	-	-	25	10	15	-	-	15
14	10	3	-	1	39	27	12	-	-	125	81	35	7	2	16
29	15	11	1	2	19	11	8	-	-	242	114	116	6	6	17
460	206	213	19	22	283	113	163	2	5	4,875	2,130	2,546	99	100	18
264	117	128	9	10	178	70	104	1	3	3,722	1,637	1,936	75	74	19
196	89	85	10	12	105	43	59	1	2	1,153	493	610	24	26	20
545	294	194	34	23	249	137	109	2	1	1,629	785	737	57	50	21
8	4	3	1	-	12	8	4	-	-	50	28	11	5	6	22
16	9	7	-	-	11	5	6	-	-	71	30	37	2	2	23
104	42	54	5	3	77	33	43	1	-	465	215	238	4	8	24
417	239	130	28	20	149	91	56	1	1	1,043	512	451	46	34	25
705	255	331	52	67	543	243	292	4	4	5,044	1,863	2,581	257	343	26
234	85	107	18	24	168	80	88	-	-	1,431	637	690	47	57	27
471	170	224	34	43	375	163	204	4	4	3,613	1,226	1,891	210	286	28
157	70	56	15	16	73	35	33	4	1	848	350	383	63	52	29
73	37	26	6	4	36	18	14	3	1	456	230	193	17	16	30
84	33	30	9	12	37	17	19	1	-	392	120	190	46	36	31
589	285	248	32	24	496	271	219	4	2	3,644	1,813	1,679	66	86	32
459	192	221	25	21	348	166	180	1	1	2,905	1,332	1,470	48	55	33
84	67	10	5	2	114	89	22	3	-	539	386	122	14	17	34
7	4	2	1	-	2	2	-	-	-	20	8	10	1	1	35
39	22	15	1	1	32	14	17	-	1	160	87	77	3	13	36
114	47	56	5	6	82	44	35	2	1	700	290	319	52	39	37
1,145	637	357	85	66	828	528	286	9	5	6,181	3,848	1,816	321	196	38
9	6	3	-	-	7	3	3	-	1	42	14	19	5	4	39
127	45	45	17	13	27	13	14	-	-	351	157	186	4	4	40
691	371	220	53	47	495	275	210	7	3	3,445	1,792	1,264	228	161	41
77	40	25	8	4	60	35	21	3	1	637	368	204	40	25	42
331	194	92	22	23	307	163	139	3	2	1,784	922	675	116	71	43
54	27	17	5	5	53	35	18	-	-	445	237	159	30	19	44
229	110	86	18	15	75	42	32	1	-	579	265	226	42	46	45
16	9	5	2	-	9	9	-	-	-	69	34	30	4	1	46
42	29	9	3	1	32	23	7	1	1	169	111	48	5	5	47
2	1	-	1	-	2	1	1	-	-	8	2	3	2	1	48
8	6	-	1	1	7	5	2	-	-	61	32	18	7	4	49
5	2	3	-	-	2	1	1	-	-	9	6	2	1	-	50
109	87	18	3	1	132	119	13	-	-	532	450	57	23	2	51
136	74	54	5	3	115	79	35	1	-	1,495	1,250	189	42	14	52
834	412	309	64	49	587	354	217	9	7	4,345	2,490	1,567	167	121	53
3	1	2	-	-	-	-	-	-	-	4	-	3	1	-	54
62	39	14	6	3	59	43	15	1	-	343	235	89	13	6	55
63	49	11	3	-	5	45	11	2	-	348	258	66	18	6	56
2	-	1	1	-	5	4	1	-	-	36	26	9	-	1	57
36	17	11	6	2	18	9	9	-	-	139	79	48	9	3	58
127	63	50	5	9	83	50	33	-	-	675	310	312	26	27	59
64	23	25	11	5	24	13	9	1	1	168	65	76	13	14	60
34	13	18	2	1	28	9	19	-	-	205	102	96	4	3	61
172	102	48	8	14	154	89	56	4	5	1,290	861	357	42	30	62
131	85	37	3	6	97	57	38	-	2	933	602	290	25	16	63
41	17	11	3	8	57	32	18	4	3	357	259	67	17	14	64
84	20	52	7	5	43	18	25	-	-	336	137	182	8	9	65
13	6	6	1	-	4	2	1	-	1	30	15	14	1	-	66
174	79	71	14	10	111	72	38	1	-	771	402	315	32	22	67
496	256	144	61	35	227	141	77	6	3	1,930	1,039	655	124	112	68
230	86	82	35	27	94	52	38	1	3	948	474	390	45	39	69
12	6	4	-	2	3	1	2	-	-	40	19	16	3	2	70
16	8	5	1	2	10	5	5	-	-	58	32	19	4	3	71
202	72	73	34	23	81	46	31	1	3	850	423	355	38	34	72
115	56	41	11	7	65	35	27	3	-	427	181	159	38	49	73
17	14	3	-	-	10	5	5	-	-	73	35	31	3	4	74
30	15	10	4	1	17	11	5	1	-	115	64	35	10	6	75
90	79	•••	11	•••	36	35	•••	1	•••	280	255	•••	25	•••	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
14	6	8	-	-	5	3	2	-	-	87	30	40	3	14	78

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, 2 CHILD BIRTH, AND THE PUERPERIUM.....	4	...	4	...	-	74	...	56	...	18
3 SEPSIS OF PREGNANCY, CHILD BIRTH, ETC....640,641,681,682,684	-	...	-	...	-	10	...	8	...	2
4 TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	-	...	-	...	-	18	...	16	...	2
5 HEMORRHAGE OF PREGNANCY AND CHILD BIRTH.....643,644,670-672	-	...	-	...	-	12	...	10	...	2
6 ECTOPIC PREGNANCY.....645	-	...	-	...	-	7	...	7	...	5
7 ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	3	...	2	...	1
8 ABORTION WITH SEPSIS.....651	1	...	1	...	-	3	...	1	...	2
9 ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
10 OT. COMPLICATIONS OF PREGNANCY, CHILD BIRTH, ETC...RESIDUAL	3	...	3	...	-	21	...	17	...	4
11 XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	8	1	7	-	-	108	37	56	3	12
12 INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	3	-	3	-	-	33	17	12	2	2
13 OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	5	1	4	-	-	75	20	44	1	10
14 XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	17	9	8	-	-	235	89	136	6	4
15 ARTHRITIS AND SPONDYLITIS.....720-725	11	5	6	-	-	133	32	97	3	1
16 MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED....726,727	-	-	-	-	-	1	-	1	-	-
17 OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	11	8	2	1	-
18 ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	4	1	3	-	-
19 INBORN DEFECT OF MUSCLE.....744.1	3	2	1	-	-	33	28	4	-	1
20 OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744,0+744.2	3	2	1	-	-	53	20	29	2	2
21 XIV. CONGENITAL MALFORMATIONS.....	91	47	39	3	2	1,225	579	529	59	58
22 SPINA BIFIDA AND MENINGOCELE.....751	4	3	1	-	-	86	33	46	3	4
23 CONGENITAL HYDROCEPHALUS, ETC.....752,753	11	8	1	1	1	144	58	73	6	7
24 CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	40	19	18	2	1	609	289	257	33	30
25 OTHER CONGENITAL MALFORMATIONS.....750,755-759	36	17	19	-	-	386	199	153	17	17
26 XV. CERTAIN DISEASES OF EARLY INFANCY.....	267	146	110	8	3	3,562	1,691	1,205	387	279
27 XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	32	18	13	1	-	454	210	159	48	37
28 SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	17	7	10	-	-	60	26	32	-	2
29 SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	15	11	3	1	-	394	184	127	48	35
30 XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	467	357	89	12	9	6,089	3,686	1,786	446	171
31 ACCIDENTS.....E800-E962	399	303	79	9	8	4,717	2,836	1,466	294	121
32 RAILWAY ACCIDENTS.....E800-E802	2	2	-	-	-	41	35	2	4	-
33 MOTOR VEHICLE ACCIDENTS.....E810-E835	170	134	29	3	4	1,979	1,349	508	90	32
34 MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	164	130	27	3	4	1,931	1,311	499	90	31
35 TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	15	14	1	-	-	85	60	21	4	-
36 TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	9	6	1	2	-	386	248	100	24	14
37 OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	82	58	21	1	2	835	542	257	28	8
38 NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	44	38	4	-	2	466	344	86	29	7
39 TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	14	14	-	-	-	159	117	35	5	2
40 MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	6	4	2	-	-	48	38	9	-	1
41 OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	-	1	1	-	6	3	2	1	-
42 WATER TRANSPORT ACCIDENTS.....E850-E858	9	9	-	-	-	51	44	5	2	-
43 AIRCRAFT ACCIDENTS.....E860-E866	9	7	2	-	-	53	42	10	1	-
44 ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	4	4	-	-	-	73	31	32	6	4
45 ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	7	7	-	-	-	116	74	19	16	7
46 ACCIDENTAL FALLS.....E900-E904	67	37	28	1	1	1,237	546	617	48	26
47 FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	30	18	10	1	1	418	235	143	29	11
48 FALL ON SAME LEVEL.....E903	12	6	6	-	-	187	67	118	1	1
49 UNSPECIFIED FALLS.....E904	25	13	12	-	-	632	244	356	18	14
50 BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	3	3	-	-	-	51	40	4	7	-
51 ACCIDENT CAUSED BY MACHINERY.....E912	33	32	1	-	-	100	92	5	3	-
52 ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	3	3	-	-	-	38	33	2	2	1
53 ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	23	14	5	1	3	308	137	100	45	26
54 ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	1	-	1	-	-	16	3	10	3	-
55 ACCIDENT CAUSED BY FIREARM.....E919	15	14	1	-	-	73	53	11	7	2
56 INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	9	6	3	-	-	95	50	29	9	7
57 ACCIDENTAL DROWNING.....E929	15	9	5	1	-	187	142	20	24	1
58 EXCESSIVE HEAT AND INSULATION.....E931	2	2	-	-	-	1	1	-	-	-
59 COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	3	2	1	-	-	41	18	18	2	3
60 ALL OTHER ACCIDENTS.....RESIDUAL	22	18	2	2	-	251	143	72	24	12
61 XVIII. SUICIDE.....E963,E970-E979	58	48	9	1	-	1,033	744	257	28	4
62 SUICIDE BY POISONING.....E970-E973	8	6	2	-	-	192	123	68	1	-
63 SUICIDE BY HANGING AND STRANGULATION.....E974	17	14	3	-	-	222	145	70	6	1
64 SUICIDE BY FIREARM AND EXPLOSIVE.....E976	27	24	2	1	-	502	417	66	17	2
65 SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	6	4	2	-	-	117	59	53	4	1
66 XIX. HOMICIDE.....E964,E980-E985	9	5	1	2	1	336	103	63	124	46
67 ASSAULT BY FIREARM AND EXPLOSIVE.....E981	5	3	1	1	-	195	57	39	71	28
68 ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	-	-	-	-	-	55	9	6	31	9
69 ASSAULT BY OTHER MEANS.....E964,E980,E983	4	2	-	1	1	62	27	18	8	9
70 INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	22	9	-	13	-
71 EXECUTION.....E985	-	-	-	-	-	2	1	-	1	-
72 INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	3	3	-	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
16	...	11	...	5	13	...	13	...	-	77	...	58	...	19
-	...	-	...	-	-	...	-	...	-	11	...	9	...	2
5	...	4	...	1	1	...	1	...	-	10	...	9	...	1
2	...	1	...	1	7	...	7	...	-	9	...	7	...	2
-	...	-	...	-	-	...	-	...	-	10	...	8	...	2
1	...	-	...	1	1	...	1	...	-	5	...	2	...	3
1	...	1	...	-	1	...	1	...	-	8	...	5	...	3
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
6	...	4	...	2	3	...	3	...	-	24	...	18	...	6
29	11	12	2	4	24	6	17	1	-	150	56	77	9	8
12	8	2	1	1	6	4	2	-	-	58	22	32	1	3
17	3	10	1	3	18	2	15	1	-	92	34	45	8	5
54	28	20	3	3	44	24	19	-	1	230	105	111	4	10
28	10	13	2	3	19	6	13	-	-	130	51	73	2	4
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
4	4	-	-	-	4	2	2	-	-	12	7	5	-	-
2	2	-	-	-	3	3	-	-	-	5	2	3	-	-
7	7	-	-	-	11	9	2	-	-	32	21	11	-	-
13	5	7	1	-	7	4	2	-	1	50	23	19	2	6
241	119	95	16	11	190	104	80	4	2	1,293	645	523	68	57
17	7	8	2	-	6	2	4	-	-	82	48	32	1	1
28	17	8	-	3	19	8	11	-	-	119	60	48	2	9
122	62	46	8	6	107	63	41	1	2	687	346	273	39	29
74	33	33	6	2	58	31	24	3	-	405	191	170	26	18
774	350	280	85	59	511	287	204	6	14	3,821	1,817	1,314	350	340
988	531	281	98	78	150	87	55	6	2	936	462	306	114	54
104	38	54	3	9	46	22	24	-	-	120	39	75	4	2
884	493	227	95	69	104	65	31	6	2	816	423	231	110	52
1,966	1,198	505	190	73	1,447	1,015	372	42	18	6,358	3,861	1,834	459	204
1,593	946	449	138	60	1,172	809	319	29	15	4,945	2,953	1,519	322	151
16	9	2	4	1	9	6	3	-	-	54	37	7	10	-
684	429	182	56	17	477	331	126	15	5	1,701	1,166	409	90	36
663	412	179	56	16	463	320	123	15	5	1,664	1,144	395	89	36
35	20	13	2	-	15	8	5	1	1	24	17	6	1	-
78	39	25	11	3	72	52	17	2	1	451	286	114	29	22
351	213	104	25	9	176	116	54	4	2	574	379	153	35	7
176	126	30	16	4	137	100	31	5	1	369	278	66	20	5
23	14	7	2	-	63	44	16	3	-	246	184	56	4	2
21	17	3	-	1	14	11	3	-	-	37	22	14	1	-
6	4	-	1	1	3	3	-	-	-	10	7	2	1	-
16	13	3	-	-	33	30	2	1	-	39	35	1	3	-
35	30	5	-	-	33	30	3	-	-	53	44	8	-	1
12	5	4	2	1	17	11	5	1	-	110	44	33	22	11
23	13	8	2	-	4	3	-	1	-	81	55	16	4	6
264	119	130	6	9	183	94	88	-	1	1,400	626	686	67	21
59	41	14	2	2	75	49	25	-	1	515	289	175	42	9
54	24	26	2	2	38	16	22	-	-	231	104	108	9	10
151	54	90	2	5	70	29	41	-	-	654	233	403	16	2
14	13	-	1	-	43	40	3	-	-	98	89	1	7	1
32	28	2	2	-	42	40	1	1	-	93	86	1	6	-
29	25	2	2	-	12	11	-	1	-	43	39	4	-	-
138	65	38	18	17	69	43	23	1	2	381	169	130	40	42
9	4	7	-	1	3	2	1	-	-	14	6	5	2	1
41	30	7	4	-	28	24	3	1	-	87	71	10	5	1
38	14	9	8	7	50	29	18	1	2	133	77	46	2	8
78	56	10	10	2	81	59	17	4	1	205	139	31	30	5
6	6	-	-	-	1	1	-	-	-	5	-	1	3	1
14	7	4	2	1	19	9	10	-	-	99	48	45	1	7
138	76	39	20	3	65	43	16	2	4	339	215	83	29	12
237	181	42	12	2	231	184	41	4	2	1,101	810	258	27	6
31	21	10	-	-	52	35	16	1	-	249	158	85	5	1
20	19	1	1	1	32	26	5	-	1	301	216	77	5	3
165	130	25	9	1	129	112	14	3	-	406	355	41	9	1
21	11	7	2	1	18	11	6	-	1	145	81	55	8	1
135	70	14	40	11	44	22	12	9	1	308	95	57	109	47
81	43	6	24	8	20	11	5	4	-	121	48	25	39	9
9	3	-	6	-	9	5	-	3	-	79	18	6	38	17
34	17	7	7	3	15	6	7	2	-	102	27	26	28	21
8	4	1	3	-	-	-	-	-	-	6	-	-	4	-
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	4	3	-	1	-

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	9,005	4,783	4,035	106	81	20,688	7,017	4,910	4,701	4,060
2 I. INFECTIVE AND PARASITIC DISEASES.....	109	64	37	2	6	326	91	48	121	66
3 TUBERCULOSIS, ALL FORMS.....001-019	59	40	13	2	4	137	48	14	52	23
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	59	40	13	2	4	126	47	13	48	18
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	-	-	-	-	-	4	1	-	1	2
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC	-	-	-	-	-	-	-	-	-	-
7 GLANDS.....011	-	-	-	-	-	2	-	-	1	1
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	-	-	-	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	-	-	-	-	-	5	-	1	2	2
10 DISSEMINATED TUBERCULOSIS.....019	-	-	-	-	-	-	-	-	-	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	13	9	3	-	1	45	8	4	27	6
12 CONGENITAL SYPHILIS.....020	-	-	-	-	-	-	-	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	10	7	2	-	1	21	6	3	9	3
15 OTHER CARDIOVASCULAR SYPHILIS.....023	3	2	1	-	-	14	2	1	9	2
16 TABES DORSALIS.....024	-	-	-	-	-	-	-	-	-	-
17 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	4	-	-	4	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	-	-	-	-	-	6	-	-	5	1
19 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	-	-	-	-	-
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	1	-	-	1	-
21 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	1	-	-	-	2	2	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	5	-	5	-	-	6	2	1	3	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
27 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	1	-	1	-	-	-	-	-	-	-
29 ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	7	3	4	-	-	26	11	3	5	7
31 DIPHTHERIA.....055	1	-	1	-	-	1	-	1	-	-
32 WHOOPING COUGH.....056	-	-	-	-	-	8	-	-	3	5
33 MENINGOCOCCAL INFECTIONS.....057	1	-	1	-	-	9	1	5	2	1
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....050	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	-	-	-	-	-	9	-	1	5	3
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	8	5	3	-	-	7	4	2	-	1
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	-	-	-	-	-	1	-	1	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	1	1	-	-	-	10	3	3	1	3
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	-	-	-	-	-	7	1	1	4	1
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	6	1	5	-	-	15	6	3	2	4
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	-	-	-	-	-	1	-	-	1	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	6	-	1	1	4
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	6	4	1	-	1	35	5	8	14	8
56 II. NEOPLASMS.....	1,646	891	732	16	7	2,337	828	777	330	402
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC										
58 AND HEMATOPOIETIC TISSUES.....140-205	1,621	880	718	16	7	2,265	807	757	322	379
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	48	40	8	-	-	57	27	14	11	5
60 OF LIP.....140	1	1	-	-	-	2	1	-	-	-
61 OF TONGUE.....141	10	6	4	-	-	10	6	1	3	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	15	13	2	-	-	25	11	7	4	3
63 OF PHARYNX.....145-148	22	20	2	-	-	20	9	5	4	2
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM,										
65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	608	320	282	5	1	673	246	198	107	122
66 OF ESOPHAGUS.....150	37	31	5	1	-	38	16	7	7	8
67 OF STOMACH.....151	123	78	44	1	-	171	50	29	53	39
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	4	2	2	-	-	7	3	3	-	1
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	233	104	128	1	-	188	63	77	15	33
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	31	15	16	-	-	30	12	15	2	1
71 TRANSVERSE COLON.....153.1	13	9	4	-	-	7	2	2	1	2
72 DESCENDING COLON.....153.2	13	5	8	-	-	9	2	3	1	3
73 SIGMOID COLON.....153.3	56	28	28	-	-	23	8	12	2	1
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	-	-	-	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	105	42	62	1	-	107	37	39	7	24
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	15	5	10	-	-	12	2	6	2	2
77 OF RECTUM.....154	80	38	41	1	-	60	28	17	6	9
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	42	19	22	-	1	35	13	14	1	7
79 LIVER.....155.0	7	5	2	-	-	8	3	4	-	1
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	35	14	20	-	1	27	10	10	1	6
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	15	7	8	-	-	37	13	10	7	7
82 OF PANCREAS.....157	64	37	26	1	-	125	56	39	16	14
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	10	4	6	-	-	12	4	2	2	4

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
6,618	3,783	2,453	222	160	32,901	14,911	10,941	3,743	3,306	77,453	38,351	26,699	6,879	5,524
70	29	24	6	11	583	265	164	83	71	1,424	705	404	216	99
28	15	4	3	6	357	174	104	46	33	590	340	147	75	28
22	13	2	2	5	335	169	94	42	30	539	321	127	67	24
3	-	1	1	1	8	2	5	1	-	22	9	5	5	3
-	-	-	-	-	2	1	-	-	1	3	2	1	-	-
-	-	-	-	-	2	1	1	-	-	3	-	1	2	-
1	-	1	-	-	2	-	2	-	-	6	2	3	-	1
2	2	-	-	-	8	1	2	3	2	17	6	10	1	-
8	5	3	-	-	40	16	4	14	6	220	107	37	60	16
-	-	-	-	-	-	-	-	-	-	12	9	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	4	2	-	-	15	9	1	4	1	105	62	23	15	5
2	1	1	-	-	13	2	1	7	3	65	20	9	28	8
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-
-	-	-	-	-	6	4	-	1	1	9	2	-	5	2
-	-	-	-	-	5	1	2	2	2	17	6	3	7	1
-	-	-	-	-	1	-	-	-	-	9	6	-	3	-
-	-	-	-	-	1	-	-	-	1	2	-	-	2	-
-	-	-	-	-	1	-	-	-	-	4	1	-	1	-
-	-	-	-	-	2	1	1	-	-	2	-	1	1	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	15	8	3	2	2	83	37	26	8	12
-	-	-	-	-	3	2	-	-	1	10	5	-	1	2
-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
-	-	-	-	-	1	-	1	-	-	12	7	4	-	1
10	5	3	1	1	24	7	5	5	7	118	53	39	15	11
1	-	1	-	-	-	-	-	-	-	20	9	7	2	2
3	1	-	2	-	3	-	3	-	-	22	5	6	6	5
1	1	-	-	-	20	8	9	2	1	29	10	12	7	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	6	1	-	2	3	50	16	9	14	11
-	-	-	-	-	4	1	-	-	3	14	10	2	2	-
1	-	-	-	1	1	-	-	1	-	11	7	4	-	-
5	1	2	-	2	13	7	3	2	1	31	11	18	1	1
-	-	-	-	-	3	1	2	-	-	1	1	-	-	-
-	-	-	-	-	13	6	3	1	3	52	25	22	3	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	-	7	-	1	21	6	11	3	1	53	26	20	4	3
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	3	1	2	-	-	2	-	-	1	1
5	1	4	-	-	51	26	11	5	9	94	35	43	12	4
1,011	535	443	18	15	4,458	1,898	1,781	394	385	11,432	5,364	4,558	828	682
995	529	433	18	15	4,374	1,880	1,741	384	369	11,223	5,270	4,474	818	661
12	9	3	-	-	107	58	34	12	3	246	151	66	24	5
3	2	1	-	-	6	5	1	-	-	12	11	-	1	-
2	1	1	-	-	17	13	2	2	-	60	37	15	6	2
7	6	1	-	-	44	16	22	3	3	80	46	28	5	1
-	-	-	-	-	40	24	9	7	-	94	57	23	12	2
352	192	147	6	7	1,334	559	528	145	102	3,427	1,576	1,376	277	198
13	10	3	-	-	79	33	22	17	7	163	97	31	25	10
88	61	23	3	1	320	142	93	59	26	841	426	269	99	47
1	1	-	-	-	8	5	3	-	-	50	21	19	5	5
102	38	61	-	3	383	140	197	20	26	1,012	402	500	43	67
14	4	9	-	1	48	15	27	2	4	141	44	82	6	9
6	2	5	-	1	12	2	5	2	3	38	22	14	-	2
2	1	1	-	-	16	5	11	-	-	39	13	21	3	2
17	8	9	-	-	70	29	35	4	2	157	60	79	7	11
1	-	1	-	-	3	2	1	-	-	4	3	1	-	-
55	22	32	-	1	223	85	110	11	17	580	241	274	25	40
7	3	4	-	-	11	2	8	1	-	53	19	29	2	3
37	26	10	-	1	112	45	42	13	12	277	128	105	23	21
25	11	13	-	1	92	30	52	7	3	330	147	152	25	6
9	5	4	-	-	34	11	17	6	-	184	99	59	21	5
16	6	9	-	1	58	19	35	1	3	146	48	93	4	1
14	5	8	-	1	75	40	18	11	6	81	32	31	10	8
66	38	26	2	-	227	112	82	17	16	613	303	240	40	30
6	2	3	1	-	38	12	19	1	6	60	20	29	7	4

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	246	219	25	2	-	320	213	32	68	7
OF LARYNX.....161	17	15	2	-	-	25	15	1	8	1
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	196	175	19	2	-	107	82	7	17	1
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	31	29	2	-	-	182	116	22	39	5
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	4	-	2	-	-	6	-	2	4	-
MALIGNANT NEOPLASM OF BREAST.....170	158	1	154	1	2	164	-	117	1	46
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	204	80	120	2	2	436	70	184	68	114
OF CERVIX UTERI.....171	40	...	39	...	1	139	...	85	...	54
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	23	...	22	...	1	79	...	39	...	40
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	55	...	55	...	-	67	...	51	...	16
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	...	...	4	...	-	13	...	9	...	4
OF PROSTATE.....177	77	75	...	2	...	126	62	...	64	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	5	...	...	...	...	12	8	...	4	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	75	56	18	1	-	77	36	22	8	11
OF KIDNEY.....180	25	18	7	-	-	23	15	6	1	1
OF BLADDER AND OTHER URINARY ORGANS.....181	50	38	11	1	-	54	21	16	7	10
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....196B,199-199	151	86	60	4	1	309	117	108	31	53
OF SKIN.....190,191	17	10	7	-	-	47	26	18	1	2
OF EYE.....192	3	1	2	-	-	3	-	1	1	1
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	36	20	14	2	-	59	26	23	5	5
OF THYROID GLAND.....194	2	-	2	-	-	10	4	3	-	3
OF BONE.....196	12	6	6	-	-	17	4	7	5	1
OF CONNECTIVE TISSUE.....197	6	2	3	-	-	7	3	1	2	2
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	10	5	5	-	1	11	6	2	1	2
OF UNSPECIFIED SITES.....196B,195,199B,199B	65	42	21	2	-	155	46	59	17	37
LEUKEMIA AND ALEUKEMIA.....204	64	39	25	-	-	117	53	48	7	9
LYMPHOSARCOMA, ETC.....200-203,205	33	20	13	1	1	112	45	34	21	12
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	33	20	13	-	-	45	21	15	7	2
HODGKINS DISEASE.....201	20	11	8	-	1	27	13	6	7	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	14	8	5	1	-	40	11	13	7	9
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	25	11	14	-	-	72	21	20	8	23
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	3	...	-	7	...	...	...	7
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	3	1	2	-	-	8	4	3	1	1
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	6	4	2	-	-	5	3	-	1	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	...	1	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	7	5	2	-	-	40	12	15	4	9
OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	5	1	4	-	-	12	2	2	2	6
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	284	107	167	6	4	459	116	124	80	139
ASTHMA.....241	31	25	5	1	-	52	29	9	11	7
NONTOXIC GOITER.....250,251	-	-	-	-	-	1	-	1	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	1	-	1	-	-	9	-	3	2	4
ALL OTHER DISEASES OF THYROID GLAND.....253,254	2	1	1	-	1	3	1	2	-	-
DIABETES MELLITUS.....260	226	69	149	5	3	306	65	90	44	107
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	6	1	2	1	2
DISEASES OF ADRENAL GLANDS.....274	2	1	1	-	-	3	1	1	1	-
PELLAGRA.....281	-	-	-	-	-	2	1	-	-	1
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	12	6	6	-	-	38	11	7	12	8
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	10	5	5	-	-	39	7	13	9	10
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	21	6	15	-	-	58	11	17	17	13
ANEMIAS.....290-293	14	4	10	-	-	44	6	11	15	12
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	1	-	1	-	-	3	-	1	1	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	13	4	9	-	-	41	6	10	14	11
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	3	1	2	-	-	6	2	3	-	1
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	4	1	3	-	-	8	3	3	2	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	26	19	7	-	-	41	18	5	13	5
SENILE PSYCHOSIS.....304	-	-	-	-	-	2	-	1	1	-
ALCOHOLIC PSYCHOSIS.....307	9	8	1	-	-	2	-	-	2	-
OTHER PSYCHOSSES.....300-303,305,306,308,309	3	3	-	-	-	2	-	-	1	1
ALCOHOLISM.....322	12	6	6	-	-	29	16	-	9	4
MENTAL DEFICIENCY.....325	1	1	-	-	-	3	1	2	-	-
OTHER DISORDERS OF PERSONALITY...RESIDUAL	1	1	-	-	-	3	1	2	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	893	378	495	13	7	2,922	783	768	682	689
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	822	344	460	12	6	2,740	743	735	622	640
SUBARACHNOID HEMORRHAGE.....330	24	7	15	2	-	105	26	34	17	28
CEREBRAL HEMORRHAGE.....331	471	189	271	7	4	1,675	428	399	421	427
CEREBRAL EMBOLISM AND THROMBOSIS.....332	289	136	148	3	2	754	248	248	129	129
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	38	12	26	-	-	206	41	54	55	56
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	5	3	2	-	-	40	6	2	17	15
MULTIPLE SCLEROSIS.....345	11	6	5	-	-	15	3	6	2	4
PARALYSIS AGITANS.....350	16	6	10	-	-	13	7	4	1	1
CEREBRAL SPASTIC INFANTILE PARALYSIS...351	4	2	2	-	-	5	1	1	2	1
EPILEPSY.....353	7	4	3	-	-	27	2	6	13	6
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	1	-	-	-	1
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	2	1	1	-	-	4	1	-	1	2
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	26	12	12	1	1	77	20	14	24	19

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
126	93	27	5	1	622	452	82	71	17	1,872	1,396	248	200	28
7	7	-	-	-	45	34	3	6	2	111	90	4	15	2
60	45	9	5	1	252	202	18	30	2	1,456	1,101	192	145	18
54	39	15	-	-	303	205	51	34	13	258	175	39	36	8
5	2	3	-	-	22	11	10	1	-	47	30	13	4	-
89	-	89	-	-	364	2	295	1	66	871	6	751	5	109
153	77	74	-	2	738	255	340	58	85	1,753	564	857	145	187
23	...	22	...	1	188	...	144	...	44	383	...	299	...	84
26	...	25	...	1	112	...	87	...	25	268	...	212	...	56
24	...	24	...	-	113	...	98	...	15	369	...	328	...	41
3	...	3	...	-	12	...	11	...	1	24	...	18	...	6
72	72	...	-	...	296	240	...	56	...	669	529	...	140	...
5	5	...	-	...	17	15	...	2	...	40	...	...	5	...
61	41	18	1	1	179	87	69	13	10	499	35	...	...	...
24	12	10	1	1	70	28	31	4	7	499	285	162	34	18
37	29	8	-	-	109	59	38	9	3	235	137	82	9	7
										264	148	80	25	11
99	58	34	4	3	585	250	220	52	63	1,265	624	506	66	69
17	13	4	-	-	90	44	40	1	5	264	150	100	6	28
2	2	-	-	-	9	4	-	-	-	22	12	10	-	-
24	16	6	1	1	120	67	43	6	4	296	155	122	10	9
5	1	4	-	-	23	6	13	2	2	28	13	15	-	-
4	3	1	-	-	34	14	13	2	1	89	42	36	7	4
3	2	1	-	-	21	17	3	-	-	61	35	18	5	3
3	2	1	-	-	21	13	6	-	-	79	44	23	4	8
41	19	17	3	2	267	85	98	37	47	426	173	182	34	37
62	35	26	1	1	242	122	91	17	12	699	348	290	32	29
41	24	15	1	1	203	95	82	15	11	581	320	218	35	18
15	10	5	-	-	91	43	36	7	5	283	155	108	13	7
10	7	3	-	-	45	21	20	2	2	131	85	37	7	2
16	7	7	1	1	67	31	26	6	4	177	80	73	15	9
16	6	10	-	-	84	18	40	10	16	209	94	84	10	21
7	...	5	...	-	14	...	8	...	6	21	...	13	...	8
7	2	5	-	-	14	...	5	-	-	44	...	19	...	1
3	2	1	-	-	17	6	8	3	3	49	25	16	5	2
-	...	-	...	-	2	...	1	...	-	1	...	-	...	1
2	-	2	-	-	18	4	10	3	1	54	32	18	2	2
4	2	2	-	-	19	2	8	4	5	40	18	15	2	5
154	76	67	4	7	656	251	242	73	90	1,889	733	798	140	218
25	20	4	-	1	119	56	36	14	13	208	114	54	24	16
-	-	-	-	-	1	-	-	-	-	2	-	1	-	1
3	-	-	-	-	10	1	8	-	1	16	4	7	2	3
3	-	2	-	1	8	2	4	-	2	17	2	12	-	3
109	48	56	2	3	419	148	165	51	55	1,291	458	583	90	160
1	-	1	-	-	2	2	3	-	-	7	4	2	-	1
3	-	1	-	-	8	5	3	-	-	24	12	10	1	1
-	...	-	...	-	2	...	2	...	-	6	...	3	...	1
9	5	2	-	2	50	19	13	5	13	172	64	77	15	16
4	3	1	-	-	37	18	11	3	5	146	72	51	7	16
21	12	9	-	-	105	39	38	15	13	279	122	109	23	25
18	10	8	-	-	76	24	30	11	11	193	79	74	18	22
1	-	1	-	-	12	5	5	2	2	23	5	13	3	2
17	10	7	-	-	64	19	25	11	9	170	74	61	15	20
1	-	1	-	-	10	5	2	1	2	35	17	17	-	1
2	2	-	-	-	19	10	6	3	-	51	26	18	5	2
20	10	9	1	-	129	56	44	117	12	163	97	50	11	5
3	-	3	-	-	14	4	9	1	-	28	10	16	1	1
3	3	-	-	-	3	2	-	1	-	13	11	2	-	-
4	1	3	-	-	47	19	21	3	4	24	11	10	1	2
6	4	1	1	-	48	26	4	12	6	72	53	12	5	2
4	2	2	-	-	13	4	7	-	2	18	7	9	2	-
-	-	-	-	-	4	1	3	-	-	8	5	1	2	-
906	463	411	19	13	4,947	1,919	1,866	531	631	9,736	3,931	4,071	806	928
837	427	384	14	12	4,658	1,801	1,763	495	599	9,011	3,612	3,800	728	871
22	16	5	1	-	167	65	52	16	34	305	116	133	28	28
539	290	239	6	4	2,615	984	992	291	348	5,683	2,261	2,388	470	564
183	86	89	4	4	1,319	527	541	120	131	1,967	842	861	123	141
93	35	51	3	4	557	225	178	68	86	1,056	393	418	107	138
7	3	1	-	-	57	21	13	13	10	142	48	52	22	20
7	2	5	-	-	24	7	12	3	2	39	19	17	1	2
18	11	6	-	-	42	22	18	-	2	106	52	49	4	1
1	1	3	-	-	22	9	9	2	2	49	25	18	2	4
8	-	-	-	-	52	25	17	7	3	80	35	23	14	8
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
27	15	12	-	-	14	5	3	4	2	16	10	3	2	1
					77	29	31	6	11	289	128	108	32	21

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	4,415	2,373	1,973	39	30	7,738	3,073	1,971	1,398	1,296
DISEASES OF HEART.....400-402,410-443	4,036	2,200	1,774	34	28	6,978	2,825	1,767	1,224	1,162
RHEUMATIC FEVER.....400-402	5	2	3	-	-	22	3	1	6	12
CHRONIC RHEUMATIC HEART DISEASE.....410-416	107	44	60	-	3	121	46	33	20	22
DISEASES OF MITRAL VALVE.....410	29	14	15	-	-	33	12	9	6	6
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	19	13	5	-	1	15	10	2	3	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	3	1	2	-	-	10	6	-	1	3
OTHER RHEUMATIC HEART DISEASES.....412,415,416	56	16	38	-	2	63	18	22	10	13
ARTERIOSCLEROTIC HEART DIS. INCL. CORONARY DIS.....420	3,370	1,920	1,399	30	21	4,474	2,219	1,151	598	506
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	1,960	1,028	904	16	12	1,223	534	403	141	145
HEART DIS. SPEC. AS INVOLVING COPONARY ARTERIES.....420.1	1,406	888	495	14	9	3,235	1,681	745	453	356
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	4	4	-	-	-	16	4	3	4	5
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	12	3	9	-	-	85	28	14	19	24
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	2	-	2	-	-	3	1	1	-	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	6	1	5	-	-	36	15	6	6	9
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	4	2	2	-	-	46	12	7	13	14
OTHER MYOCARDIAL DEGENERATION.....422	150	58	92	-	-	491	143	168	86	94
WITH ARTERIOSCLEROSIS.....422.1	99	39	60	-	-	347	103	118	61	65
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0+422.2	51	19	32	-	-	144	40	50	25	29
OTHER DISEASES OF HEART.....430-434	84	45	38	1	-	428	146	94	98	90
ACUTE AND SUBACUTE ENDOCARDITIS.....430	4	1	4	1	-	10	4	1	4	4
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	2	1	1	-	-	10	4	3	3	2
FUNCTIONAL DISEASE OF HEART.....433	30	13	17	-	-	48	25	13	8	2
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	48	30	18	-	-	357	116	76	83	82
HYPERTENSIVE HEART DISEASE.....440-443	306	128	173	3	4	1,357	240	306	397	414
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	51	24	25	2	-	350	43	71	128	108
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	257	104	148	1	4	1,007	197	235	269	306
OTHER HYPERTENSIVE DISEASE.....444-447	99	39	56	3	1	206	61	35	66	44
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	68	26	40	1	1	81	33	22	14	12
ESSENTIAL HYPERTENSION.....444,445,447	31	13	16	2	-	125	28	13	52	32
DISEASES OF ARTERIES.....450-456	227	109	117	1	-	452	167	136	77	72
GENERAL ARTERIOSCLEROSIS.....450	161	64	97	-	-	334	100	110	63	61
AORTIC ANEURYSM, NONSPHILITIC, ETC.....451	38	30	8	-	-	77	48	17	6	6
GANGRENE OF UNSPECIFIED CAUSE.....455	2	1	1	-	-	6	1	1	3	1
OTHER ARTERIAL DISEASES.....452-454,456	26	14	11	1	-	35	18	8	5	4
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	53	25	26	1	1	102	20	33	31	18
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	371	229	131	6	5	1,388	367	243	441	337
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	5	2	3	-	-	17	3	-	6	8
INFLUENZA.....480-483	11	9	1	1	-	266	43	37	116	70
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	231	128	95	5	3	855	186	158	284	227
LOBAR PNEUMONIA.....490	53	32	20	1	-	165	33	28	49	55
BRONCHOPNEUMONIA.....491	144	78	63	1	2	365	92	71	116	86
PRIMARY ATYPICAL PNEUMONIA.....492	23	11	8	3	1	69	20	10	20	19
PNEUMONIA, OTHER AND UNSPECIFIED.....493	11	7	4	-	-	256	41	49	99	67
ACUTE BRONCHITIS.....500	5	2	2	-	1	10	6	1	2	1
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	29	25	3	-	1	27	14	5	4	4
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	2	-	-	-	-	-	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	1	1	-	-	-	15	6	1	3	5
PLEURISY.....519	1	1	-	-	-	2	1	1	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	42	36	6	-	-	79	56	13	7	3
OTHER RESPIRATORY DISEASES.....RESIDUAL	44	23	21	-	-	117	52	27	19	19
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	322	200	118	3	1	585	201	140	130	114
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	2	-	-	-	2
ULCER OF STOMACH.....540	27	17	9	1	-	51	27	7	11	6
ULCER OF DUODENUM.....541	43	32	11	-	-	34	13	9	8	4
GASTRITIS AND DUODENITIS.....543	1	1	-	-	-	6	3	1	2	-
APPENDICITIS.....550-553	7	5	1	1	1	11	4	1	5	1
HEPMA AND INTESTINAL OBSTRUCTION.....560,561,570	34	22	12	-	-	81	26	18	20	17
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	12	8	4	-	-	137	17	18	48	54
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	12	8	4	-	-	19	5	12	-	2
CIRRHOSIS OF LIVER.....581	105	75	29	1	-	98	56	22	12	8
WITHOUT MENTION OF ALCOHOLISM.....581.0	58	35	23	-	-	80	48	19	7	6
WITH ALCOHOLISM.....581.1	47	40	6	1	-	18	8	3	5	2
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	30	6	23	1	-	27	8	15	1	3
FIBROCYSTIC DISEASE OF PANCREAS.....587B	3	2	1	-	-	8	6	2	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	48	24	24	-	-	111	36	35	23	17
X. DISEASES OF THE GENITOURINARY SYSTEM.....	162	89	69	2	2	513	139	104	153	117
NEPHRITIS AND NEPHROSIS.....590-594	78	34	41	2	1	243	53	34	81	75
ACUTE NEPHRITIS.....590	1	1	-	-	-	27	7	3	10	7
NEPHRITIS WITH EDMA, INCLUDING NEPHROSIS.....591	4	2	2	-	-	5	-	1	3	1
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	73	31	39	2	1	211	46	30	68	67
INFECTIONS OF KIDNEY.....600	38	18	19	-	1	154	41	46	36	31
CALCULI OF URINARY SYSTEM.....602,604	6	4	2	-	-	17	6	11	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	15	11	4	-	-	31	13	5	10	3
HYPERPLASIA OF PROSTATE.....610	21	21	-	-	-	42	22	-	20	-
DISEASES OF BREAST.....620+621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	4	1	3	-	-	26	4	8	6	8

## SECTION 5 - MORTALITY

5-167

## and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,666	1,642	971	34	19	12,472	6,115	4,215	1,109	1,033	28,646	15,316	9,354	2,153	1,823
2,423	1,513	859	33	18	11,214	5,585	3,779	964	886	25,883	14,090	8,264	1,905	1,624
2	—	1	—	1	8	2	3	—	2	28	10	11	2	5
70	25	40	3	2	208	83	86	22	17	437	209	177	20	31
27	11	14	—	—	79	28	28	13	10	177	76	83	7	11
6	3	7	—	—	14	11	2	1	—	42	25	12	4	1
10	2	9	1	—	98	39	48	6	5	203	101	77	8	2
27	—	16	2	—	98	39	48	6	5	203	101	77	8	2
1,852	1,215	609	20	8	7,799	4,358	2,567	486	388	18,708	11,053	5,611	1,160	884
474	256	195	10	3	2,809	1,373	1,087	174	175	5,264	2,833	1,894	305	232
1,378	949	414	10	5	4,974	2,979	1,477	308	210	13,426	8,212	3,710	853	651
—	—	—	—	—	16	6	3	4	3	18	8	7	2	1
22	11	11	—	—	134	58	34	21	21	179	89	59	14	17
—	—	—	—	—	14	4	4	—	—	11	3	7	—	1
6	5	1	—	—	32	18	11	2	1	84	55	23	3	3
16	6	10	—	—	88	36	19	15	18	84	31	29	11	13
199	123	73	1	2	941	360	397	88	96	1,949	884	771	161	133
139	86	51	—	—	400	206	246	35	54	1,311	606	515	111	79
60	37	22	1	—	400	154	151	53	42	638	278	256	50	54
145	80	54	7	4	782	332	174	154	122	2,148	1,070	657	246	175
—	—	—	—	—	19	8	4	—	—	29	15	9	2	3
4	2	2	—	—	30	10	6	12	2	50	26	11	7	6
34	17	17	—	—	76	32	30	5	9	276	107	150	9	3
107	61	35	7	4	657	282	134	134	107	1,793	922	487	228	156
133	59	71	2	1	1,342	392	518	193	239	2,434	775	978	302	379
42	27	13	1	1	264	105	99	31	29	463	169	176	61	57
91	32	58	1	—	1,078	287	419	162	210	1,971	606	802	241	322
30	15	14	1	—	299	97	80	52	70	547	187	183	97	80
18	11	6	1	—	141	55	38	23	25	221	88	75	38	20
12	4	8	—	—	158	42	42	29	45	326	99	108	59	60
168	89	78	1	—	814	373	307	77	57	1,745	823	730	112	80
132	68	63	—	—	669	290	269	64	46	1,307	565	607	77	58
24	18	6	—	—	98	65	21	6	6	269	170	74	18	7
—	—	—	—	—	4	2	2	—	—	24	9	7	3	3
12	3	9	—	—	43	16	15	7	5	145	79	42	14	10
45	25	20	—	—	145	60	49	16	20	471	216	177	39	39
380	197	125	31	27	1,822	792	594	254	182	4,894	2,432	1,616	499	347
3	1	1	1	—	26	8	5	8	5	48	17	22	4	5
39	20	15	3	1	275	95	96	46	38	619	260	238	60	61
244	114	87	20	23	1,087	410	399	164	114	2,936	1,330	1,026	348	232
43	27	11	3	2	239	87	94	32	26	430	195	143	51	41
120	53	46	9	12	594	231	213	96	54	1,364	657	485	146	76
20	9	11	—	—	58	23	25	5	5	216	106	69	19	22
61	25	19	8	9	196	69	67	31	29	926	372	329	132	93
4	2	1	—	1	20	7	8	3	2	51	21	23	4	3
16	11	4	1	—	52	32	12	4	4	161	107	38	9	7
2	1	1	—	—	4	3	1	—	—	10	6	4	—	—
4	1	1	2	—	18	13	—	3	2	54	34	11	7	2
—	—	—	—	—	3	—	1	—	—	6	3	2	1	—
27	24	1	1	1	166	128	18	16	4	411	348	46	16	1
41	23	14	3	1	171	96	54	10	11	598	306	206	50	36
230	124	77	14	15	954	449	322	94	89	3,173	1,580	1,138	253	202
—	—	—	—	—	2	—	1	—	—	3	1	1	—	—
13	9	3	1	—	67	38	13	12	4	210	136	45	24	5
20	15	5	—	—	91	60	24	4	3	216	158	45	10	3
1	—	1	—	—	5	1	1	1	2	27	16	6	1	4
5	4	1	—	—	32	17	9	5	1	69	28	26	7	8
42	20	18	3	1	130	46	59	12	13	437	160	206	34	37
19	6	4	6	3	103	31	26	19	27	563	237	193	70	63
11	6	4	—	1	41	18	11	6	6	113	54	46	10	3
36	26	7	1	2	193	115	59	11	8	705	387	243	48	27
25	17	6	1	1	153	88	51	7	7	517	275	188	32	22
11	9	1	—	1	40	27	8	4	1	188	112	55	16	5
24	9	11	—	4	101	39	52	3	7	198	81	106	1	10
5	1	4	—	—	15	5	9	1	—	33	19	12	—	2
54	28	19	3	4	174	79	58	19	18	599	303	209	47	40
99	62	34	2	1	668	291	153	130	94	1,568	703	478	220	167
38	17	18	2	1	317	123	78	65	51	770	300	247	119	104
2	1	1	—	—	20	7	4	5	4	64	21	28	8	7
2	2	—	—	—	16	8	6	1	1	42	23	9	4	6
34	14	17	2	1	281	108	68	59	46	664	256	210	107	91
16	8	8	—	—	147	48	51	21	27	357	134	157	32	34
6	4	2	—	—	24	12	8	3	1	58	29	22	5	2
10	5	5	—	—	41	14	6	11	10	113	47	32	20	14
26	26	—	—	—	108	81	—	27	—	204	168	—	36	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	2	1	—	—	31	13	10	3	5	66	25	20	8	13



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
5	...	5	...	-	35	...	19	...	16	107	...	71	...	36
-	...	-	...	-	1	...	1	...	-	13	...	11	...	2
-	...	-	...	-	13	...	10	...	3	22	...	13	...	9
1	...	1	...	-	10	...	6	...	4	24	...	17	...	7
-	...	-	...	-	1	...	-	...	1	7	...	4	...	3
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1
-	...	-	...	-	3	...	-	...	3	11	...	5	...	6
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
4	...	4	...	-	7	...	2	...	5	25	...	18	...	7
8	2	3	2	1	30	9	13	2	6	91	21	41	9	20
3	1	-	1	1	7	3	4	-	-	32	10	16	4	2
5	1	3	1	-	23	6	9	2	6	59	11	25	5	18
19	8	11	-	-	88	34	39	6	9	173	64	90	7	12
8	4	4	-	-	60	23	28	3	6	104	27	66	2	9
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
1	-	-	-	-	2	-	-	-	-	3	-	-	-	-
1	-	-	-	-	2	2	-	-	-	6	2	3	1	-
2	1	1	-	-	12	7	2	2	1	30	22	5	2	1
7	3	4	-	-	11	2	8	-	1	30	12	15	2	1
109	50	50	7	2	429	188	174	41	26	1,140	506	486	93	55
6	3	3	-	-	38	17	18	3	-	71	20	48	2	1
10	5	4	-	-	50	16	25	7	2	112	34	52	17	9
59	25	32	2	1	217	103	78	18	18	591	283	234	45	29
34	17	11	5	1	124	52	53	13	6	366	169	152	29	16
276	153	88	22	13	1,369	588	360	230	191	4,303	1,968	1,422	509	404
89	44	20	12	13	1,573	571	367	337	298	1,495	672	433	233	157
8	3	3	1	1	83	34	37	4	8	295	100	137	34	24
81	41	17	11	12	1,490	537	330	333	290	1,200	572	296	199	133
555	376	106	50	23	2,583	1,446	550	427	160	6,940	4,137	1,580	879	344
465	310	93	44	18	1,980	1,106	469	285	120	5,368	3,205	1,363	538	262
3	1	1	1	-	20	12	7	7	-	58	38	3	15	2
236	153	44	28	11	859	527	190	102	40	2,372	1,546	554	196	76
235	152	44	28	11	839	514	186	99	40	2,286	1,497	533	183	73
5	5	-	-	-	22	12	7	2	1	125	78	33	8	6
23	9	3	8	3	145	75	31	24	15	313	191	60	40	22
128	81	31	9	7	366	204	104	40	18	1,251	810	335	79	27
61	43	7	11	-	260	192	34	29	5	547	390	87	52	18
18	14	3	-	1	46	31	10	4	1	50	28	18	4	3
1	1	-	-	-	20	13	4	3	-	86	49	21	13	3
-	-	-	-	-	4	4	-	-	-	14	9	2	2	1
3	3	-	-	-	40	35	3	2	-	70	62	3	5	-
5	2	3	-	-	19	15	3	1	-	88	83	5	-	-
4	2	1	1	-	50	21	10	13	6	81	32	33	9	7
3	1	-	-	-	17	10	6	-	1	72	37	26	7	2
69	37	29	1	2	280	98	143	27	12	631	275	316	23	17
22	14	8	-	-	69	33	15	18	3	155	94	46	10	5
12	6	5	-	1	58	20	32	3	3	114	43	64	4	3
35	17	16	1	1	153	45	96	6	6	362	138	206	9	9
7	7	-	-	-	50	39	2	9	-	60	46	4	9	1
27	27	-	-	-	43	41	-	2	-	99	82	6	11	-
6	6	-	-	-	21	17	3	1	-	105	94	7	4	-
20	12	5	3	-	230	87	46	53	44	540	214	170	65	91
2	2	-	-	-	7	4	2	1	-	27	8	12	3	4
17	16	-	1	-	59	48	5	5	1	199	148	17	26	8
8	5	3	5	-	48	22	17	8	2	137	64	42	21	10
21	15	1	5	-	86	53	-	23	2	372	244	36	81	11
1	-	-	-	-	1	1	-	-	-	20	13	4	2	1
2	-	2	-	-	22	8	8	3	3	68	24	35	5	4
31	18	4	4	5	124	64	22	31	7	355	186	88	54	27
70	61	7	2	-	332	252	57	18	5	844	647	144	40	13
7	6	1	-	-	51	34	15	-	2	137	82	48	5	2
19	15	2	2	-	27	21	5	1	-	97	75	20	1	1
41	38	3	-	-	220	178	31	9	9	558	452	67	30	9
3	2	1	-	-	34	19	6	8	1	52	38	9	4	1
20	5	6	4	5	270	87	24	124	35	726	283	73	301	69
14	5	6	1	2	173	68	15	71	19	468	198	51	180	39
2	-	-	2	-	53	2	3	38	10	161	45	10	88	18
4	-	-	1	3	35	12	6	11	6	71	29	12	18	12
-	-	-	-	-	7	5	-	2	-	18	9	-	9	-
-	-	-	-	-	2	-	-	2	-	8	2	-	6	-
-	-	-	-	-	1	1	-	-	-	2	-	-	-	-

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES.....	6,022	3,475	2,383	105	59	4,428	2,412	2,012	2	2
2 I. INFECTIVE AND PARASITIC DISEASES.....	68	37	24	5	2	40	28	12	-	-
3 TUBERCULOSIS, ALL FORMS.....001-019	18	12	3	2	1	19	13	6	-	-
4 TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	15	10	3	2	-	19	13	6	-	-
5 TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	1	-	-	-	1	-	-	-	-	-
6 TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC 7 GLANDS.....011	-	-	-	-	-	-	-	-	-	-
8 TUBERCULOSIS OF BONES AND JOINTS.....012,013	-	-	-	-	-	-	-	-	-	-
9 TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	1	1	-	-	-	-	-	-	-	-
10 DISSEMINATED TUBERCULOSIS.....019	1	1	-	-	-	-	-	-	-	-
11 SYPHILIS AND ITS SEQUELAE.....020-029	6	4	1	1	-	9	9	-	-	-
12 CONGENITAL SYPHILIS.....020	1	1	-	-	-	-	-	-	-	-
13 EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
14 ANEURYSM OF AORTA.....022	1	-	1	-	-	5	5	-	-	-
15 OTHER CARDIOVASCULAR SYPHILIS.....023	3	2	-	1	-	-	-	-	-	-
16 TABES DORSALIS.....024	-	-	-	-	-	1	1	-	-	-
17 GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	2	2	-	-	-
18 OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	1	1	-	-	-	-	-	-	-	-
19 ALL OTHER SYPHILIS.....027-029	-	-	-	-	-	1	1	-	-	-
20 GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
21 TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
22 PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	1	-	1	-	-	-	-	-	-	-
23 CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
24 BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
25 DYSENTERY, ALL FORMS.....045-048	1	-	-	1	-	-	-	-	-	-
26 FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
27 SCARLET FEVER.....050	-	-	-	-	-	-	-	-	-	-
28 STREPTOCOCCAL SORE THROAT.....051	-	-	-	-	-	-	-	-	-	-
29 FRYSIPELAE.....052	-	-	-	-	-	-	-	-	-	-
30 SEPTICEMIA AND PYEMIA.....053	10	6	3	-	1	3	-	3	-	-
31 DIPHTHERIA.....055	1	-	1	-	-	-	-	-	-	-
32 WHOOPING COUGH.....056	1	-	1	-	-	-	-	-	-	-
33 MENINGOCOCCAL INFECTIONS.....057	4	1	3	-	-	1	-	1	-	-
34 PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
35 LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
36 TETANUS.....061	-	-	-	-	-	-	-	-	-	-
37 ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
38 ACUTE POLIOMYELITIS.....080	1	-	1	-	-	-	-	-	-	-
39 LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	1	1	-	-	-	-	-	-	-	-
40 ACUTE INFECTIOUS ENCEPHALITIS.....082	4	2	1	1	-	1	1	-	-	-
41 LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	-	-	-	-	-	-	-	-	-	-
42 SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
43 MEASLES.....085	5	3	2	-	-	-	-	-	-	-
44 YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
45 INFECTIOUS HEPATITIS.....092	8	3	5	-	-	2	2	-	-	-
46 RABIES.....094	-	-	-	-	-	-	-	-	-	-
47 TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
48 ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
49 MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
50 SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
51 HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
52 FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
53 ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
54 OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
55 ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	7	5	2	-	-	5	3	2	-	-
56 II. NEOPLASMS.....	821	431	373	8	9	705	353	352	-	-
57 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC 58 AND HEMATOPOIETIC TISSUES.....140-205	801	423	362	8	8	696	350	346	-	-
59 MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	12	9	3	-	-	21	18	3	-	-
60 OF LIP.....140	1	1	-	-	-	1	1	-	-	-
61 OF TONGUE.....141	2	-	2	-	-	2	1	1	-	-
62 OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	6	5	1	-	-	10	10	-	-	-
63 OF PHARYNX.....145-148	3	3	-	-	-	8	6	2	-	-
64 MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, 65 NOT SPECIFIED AS SECONDARY.....150-156A,157-159	230	123	101	3	3	225	102	123	-	-
66 OF ESOPHAGUS.....150	10	10	-	-	-	4	2	2	-	-
67 OF STOMACH.....151	65	39	24	1	1	50	25	25	-	-
68 OF SMALL INTESTINE, INCLUDING DUODENUM.....152	2	1	1	-	-	-	-	-	-	-
69 OF LARGE INTESTINE, EXCEPT RECTUM.....153	57	24	33	-	-	90	32	58	-	-
70 CECUM, APPENDIX, AND ASCENDING COLON.....153.0	10	5	5	-	-	25	9	16	-	-
71 TRANSVERSE COLON.....153.1	6	2	4	-	-	16	9	7	-	-
72 DESCENDING COLON.....153.2	2	1	1	-	-	11	2	9	-	-
73 SIGMOID COLON.....153.3	9	6	3	-	-	31	9	22	-	-
74 MULTIPLE PARTS OF LARGE INTESTINE.....153.7	-	-	-	-	-	1	-	1	-	-
75 LARGE INTESTINE, PART UNSPECIFIED.....153.8	27	9	18	-	-	5	2	3	-	-
76 INTESTINAL TRACT, PART UNSPECIFIED.....153.9	3	1	2	-	-	1	1	-	-	-
77 OF RECTUM.....154	20	14	6	-	-	23	13	10	-	-
78 OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	24	10	12	1	1	10	4	6	-	-
79 LIVER.....155.0	5	3	2	-	-	1	1	-	-	-
80 OT. & MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	19	7	10	1	1	9	3	6	-	-
81 OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	4	1	1	1	1	4	3	1	-	-
82 OF PANCREAS.....157	39	21	18	-	-	40	21	19	-	-
83 OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	9	3	6	-	-	4	2	2	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960-Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
34,459	14,508	10,781	5,179	3,991	26,532	15,285	10,431	539	277	18,067	10,029	6,812	734	492
529	176	104	157	92	215	145	51	12	7	247	137	79	27	4
250	96	39	77	38	90	59	21	8	2	122	81	25	14	2
232	90	38	70	34	87	59	19	7	2	110	75	21	13	1
2	1	-	1	-	-	-	-	-	-	5	2	2	1	-
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1
3	1	-	-	2	1	-	-	1	-	1	1	-	-	-
7	3	-	4	-	1	-	1	-	-	4	2	2	-	-
6	1	1	2	2	-	-	-	-	-	1	1	-	-	-
59	16	8	21	14	55	41	11	-	3	36	21	9	4	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	13	5	8	3	36	28	8	-	-	17	8	5	3	1
18	2	2	8	6	15	9	3	-	3	12	3	3	-	1
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-
6	-	1	2	3	1	1	-	-	-	5	1	1	1	-
5	-	-	3	2	2	2	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	1	-	-	2	1	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	2	11	7	2	2	-	-	-	2	-	1	1	-
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-
1	1	-	-	-	-	-	-	-	-	2	-	1	-	-
2	-	2	-	-	1	1	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
76	23	24	18	11	22	14	8	-	-	10	6	2	2	-
4	-	-	2	2	-	-	-	-	-	-	-	-	-	-
9	1	1	3	4	-	-	-	-	-	1	-	1	-	-
20	11	5	3	1	5	4	1	-	-	16	6	10	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	1	-	3	1	1	1	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	-	2	-	3	3	-	-	-	4	2	2	-	-
3	2	1	-	-	2	1	1	-	-	3	-	2	1	-
10	6	3	-	1	2	1	1	-	-	13	7	6	-	-
2	-	1	-	1	2	1	1	-	-	2	1	1	-	-
4	1	2	-	1	1	-	-	1	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	3	7	2	2	17	9	4	3	1	11	4	7	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	1	1	1	-	-	-	-	-	-	-	1	-	-
38	12	7	14	5	11	7	3	-	1	19	6	8	5	-
4,824	1,900	1,856	599	469	4,269	2,353	1,812	69	35	2,607	1,374	1,078	88	67
4,735	1,868	1,821	591	455	4,205	2,315	1,788	69	33	2,566	1,353	1,059	88	66
98	51	23	20	4	104	79	23	1	1	40	28	10	1	1
2	2	-	-	-	2	2	-	-	-	2	2	-	-	-
28	16	6	6	-	27	15	11	1	-	5	2	3	-	-
30	14	11	2	3	32	23	9	-	-	14	11	2	1	-
38	19	6	12	1	43	39	3	-	1	19	13	5	-	1
1,433	538	551	214	130	1,376	750	585	29	12	877	474	347	42	14
100	38	17	35	10	59	41	15	3	-	29	19	7	3	-
299	123	76	74	26	337	211	114	8	4	220	126	75	16	3
16	4	11	-	1	12	7	5	-	-	4	2	2	-	-
437	149	211	33	44	411	186	216	6	3	234	116	109	6	3
62	22	32	4	4	58	24	32	2	-	37	20	17	-	-
16	6	9	-	1	22	11	10	1	-	13	4	9	-	-
20	12	6	6	2	13	3	10	-	-	17	8	8	-	1
73	22	36	5	10	110	52	57	1	-	42	17	24	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	84	114	20	23	185	85	96	1	3	108	58	43	5	2
25	3	14	4	4	23	11	11	1	-	17	9	8	-	-
145	50	59	20	16	153	88	61	3	1	90	45	37	7	1
85	26	47	6	6	107	40	59	7	-	65	32	31	1	1
19	10	3	4	2	34	21	11	2	-	14	11	2	1	-
66	16	44	2	4	73	19	48	5	1	51	21	29	-	1
67	19	33	8	7	35	22	13	-	-	61	33	24	2	2
249	119	78	34	18	243	146	92	2	3	159	95	53	7	4
35	10	19	4	2	19	9	10	-	-	15	6	9	-	-

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
AS SECONDARY.....160-164	84	75	7	1	1	99	83	16	-	-
OF LARYNX.....161	-	-	-	-	-	6	5	1	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	57	50	6	-	1	34	30	4	-	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	24	22	1	1	-	56	47	9	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	3	3	-	-	-	3	1	2	-	-
MALIGNANT NEOPLASM OF BREAST.....170	87	2	84	-	1	78	1	77	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	149	86	60	2	1	113	52	61	-	-
OF CERVIX UTERI.....171	17	...	17	...	-	28	...	28	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	16	...	16	...	-	17	...	17	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	27	...	26	...	1	15	...	15	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	1	...	1	...	-	1	...	1	...	-
OF PROSTATE.....177	83	81	...	2	...	50	50	...	-	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	5	5	...	-	...	2	2	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	41	26	15	-	-	41	27	14	-	-
OF KIDNEY.....180	14	11	3	-	-	12	7	5	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	27	15	12	-	-	29	20	9	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	112	55	54	2	1	59	37	22	-	-
OF SKIN.....190,191	23	11	12	-	-	12	6	6	-	-
OF EYE.....192	4	3	1	-	-	-	-	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	30	15	15	-	-	15	12	3	-	-
OF THYROID GLAND.....194	1	1	-	-	-	-	-	-	-	-
OF BONE.....196	2	2	-	-	-	2	2	-	-	-
OF CONNECTIVE TISSUE.....197	4	3	-	1	-	3	3	-	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	4	3	1	-	-	1	1	-	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	44	17	25	1	1	26	13	13	-	-
LEUKEMIA AND ALEUKEMIA.....204	45	21	23	-	1	31	14	17	-	-
LYMPHOSARCOMA, ETC.....200-203,205	41	26	15	-	-	29	16	13	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	17	12	5	-	-	16	8	8	-	-
HODGKINS DISEASE.....201	12	7	5	-	-	3	-	3	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	12	7	5	-	-	10	8	2	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	20	8	11	-	1	9	3	6	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	2	...	2	...	-	1	...	1	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	4	2	1	-	1	2	2	-	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	3	1	2	-	-	4	-	4	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	7	2	5	-	-	1	1	-	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE...230-232,236,238,239	4	3	1	-	-	1	-	1	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	133	58	71	1	3	106	40	66	-	-
ASTHMA.....241	17	14	3	-	-	15	7	8	-	-
NONTOXIC GOITER.....250,251	1	1	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	1	-	1	-	-	-	-	-	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	3	-	2	-	1	5	3	2	-	-
DIABETES MELLITUS.....260	90	35	54	-	1	79	28	51	-	-
DISEASES OF THYIMUS GLAND.....273	-	-	-	-	-	1	1	-	-	-
DISEASES OF ADRENAL GLANDS.....274	2	-	2	-	-	2	1	1	-	-
PELLAGRA.....281	4	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	15	4	2	1	1	3	-	3	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS...RESIDUAL	4	8	7	-	-	1	1	-	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	20	11	6	2	1	17	8	9	-	-
ANEMIAS.....290-293	14	8	3	2	1	12	5	7	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	1	1	-	-	-	4	1	3	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	13	7	3	2	1	8	4	4	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	3	1	2	-	-	4	3	1	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS...RESIDUAL	3	2	1	-	-	1	-	1	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	13	7	5	-	1	14	8	6	-	-
SENILE PSYCHOSIS.....304	-	-	-	-	-	3	-	3	-	-
ALCOHOLIC PSYCHOSIS.....307	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	2	-	2	-	-	1	1	-	-	-
ALCOHOLISM.....322	9	5	3	-	1	7	5	2	-	-
MENTAL DEFICIENCY.....325	2	2	-	-	-	3	2	1	-	-
OTHER DISORDERS OF PERSONALITY...RESIDUAL	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS...	621	303	304	9	5	562	243	318	-	1
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM...330-334	558	265	282	7	4	529	227	301	-	1
SUBARACHNOID HEMORRHAGE.....330	16	8	7	1	-	14	5	9	-	-
CEREBRAL HEMORRHAGE.....331	313	150	156	5	2	251	111	139	-	-
CEREBRAL EMBOLISM AND THROMBOSIS.....332	170	85	83	-	2	188	77	111	-	1
OTHER VASCULAR LESIONS AFFECTING C.N.S...333,334	59	22	36	1	-	76	34	42	-	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS...340	6	4	2	-	-	6	3	3	-	-
MULTIPLE SCLEROSIS.....345	8	4	4	-	-	6	4	2	-	-
PARALYSIS AGITANS.....350	13	6	7	-	-	12	1	11	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	3	2	1	-	-	1	1	0	-	-
EPILEPSY.....353	13	10	2	1	-	4	2	2	-	-
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	-	-	-	-	-	1	-	1	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS...RESIDUAL	20	12	6	1	1	7	5	2	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
735	483	100	131	21	643	541	81	21	-	379	311	50	15	3
33	20	2	10	1	28	24	3	1	-	19	16	3	-	-
217	159	22	31	5	326	278	39	9	-	133	116	10	6	1
461	294	68	86	13	272	225	37	10	-	218	172	35	9	2
24	10	8	4	2	17	14	2	1	-	9	7	2	-	-
429	6	351	4	68	353	6	342	-	5	171	2	159	-	10
730	192	314	95	129	603	271	318	4	10	400	143	228	11	18
188	...	123	...	65	128	...	121	...	7	113	...	108	...	5
115	...	77	...	38	74	...	72	...	2	75	...	65	...	10
123	...	100	...	23	117	...	116	...	1	49	...	46	...	3
17	...	14	...	3	9	...	9	...	-	9	...	9	...	-
269	178	...	91	...	256	252	...	4	...	145	134	...	11	...
18	14	...	4	...	19	19	...	-	...	9	9	...	-	...
192	96	62	17	17	209	140	67	1	1	102	70	28	2	...
87	48	24	8	7	86	53	32	-	-	52	35	14	1	2
105	48	38	9	10	123	87	35	1	-	50	35	14	1	-
643	271	241	65	66	454	246	200	7	1	362	192	150	8	12
70	39	25	2	4	46	26	19	1	-	52	31	19	1	1
1	1	5	-	-	5	2	3	-	-	6	3	1	-	2
134	66	49	9	10	96	66	29	1	-	60	36	20	3	1
11	2	3	2	4	11	3	8	-	-	6	2	2	-	2
40	18	12	3	7	26	13	12	1	-	32	16	16	-	-
25	11	10	2	2	23	14	9	-	-	11	8	2	-	1
27	14	7	3	3	20	11	9	-	-	12	8	3	1	-
329	120	130	44	35	227	111	111	4	1	183	88	87	3	5
229	115	92	16	6	214	141	69	3	1	120	70	43	3	4
246	116	87	29	14	249	141	103	3	2	115	63	44	6	2
94	54	32	6	2	112	60	49	2	1	54	27	24	2	1
71	34	25	8	4	62	38	23	1	-	23	14	8	1	-
81	28	30	15	8	75	43	31	-	1	38	22	12	3	1
89	32	35	8	14	64	38	24	-	2	41	21	19	-	1
6	...	2	...	4	1	...	4	...	-	2	...	1	...	1
22	8	9	1	4	10	6	4	-	-	3	...	2	...	1
14	8	5	1	-	9	6	2	-	1	9	5	4	-	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
28	8	13	5	2	36	22	13	-	1	17	7	10	-	-
18	8	6	1	3	8	4	4	-	-	10	8	2	-	-
727	228	273	102	124	590	283	285	13	9	404	167	198	21	18
117	45	33	24	15	85	61	22	1	1	77	45	26	5	1
2	-	1	1	-	1	1	1	-	-	2	1	1	-	1
15	-	11	1	3	6	2	4	-	-	4	2	2	-	-
11	-	9	-	2	-	-	-	-	-	2	2	-	-	-
478	144	185	62	87	426	188	223	9	6	271	94	151	13	13
-	-	-	-	-	4	1	2	1	-	-	-	-	-	-
11	3	4	2	2	3	3	2	-	-	6	3	3	-	-
38	12	13	8	5	21	9	12	-	-	18	10	6	-	2
55	24	17	4	10	44	20	20	2	2	24	11	9	3	1
110	30	30	24	26	96	60	33	2	1	44	20	22	-	2
75	17	17	18	23	66	42	22	1	1	29	12	16	-	1
5	1	2	1	1	16	11	5	-	-	11	5	6	-	-
70	16	15	17	22	50	31	17	1	1	18	7	10	-	1
20	6	9	3	2	8	3	4	1	-	4	1	2	-	-
15	7	4	3	1	22	15	7	-	-	11	7	4	-	-
145	76	23	39	7	99	63	27	6	3	83	49	27	6	1
3	1	2	-	-	7	1	6	-	-	9	6	3	-	-
8	7	-	1	-	5	5	-	-	-	5	3	2	-	-
13	5	6	1	1	5	3	1	-	1	12	6	5	1	-
107	54	11	37	5	73	54	12	5	2	42	25	11	5	1
11	7	3	-	1	6	-	5	1	-	13	7	6	-	-
3	2	1	-	-	3	-	3	-	-	2	2	-	-	-
4+479	1,524	1,601	690	664	3,502	1,692	1,726	54	30	2,301	1,106	1,017	90	88
4+153	1,401	1,500	624	628	3,253	1,566	1,614	48	25	2,163	1,025	970	84	84
191	75	66	22	28	122	51	57	9	5	56	25	27	3	1
2,498	812	864	394	428	1,904	877	986	28	13	1,316	619	586	53	58
1,126	408	446	157	115	974	521	440	8	5	610	302	265	24	19
338	106	124	51	57	253	117	131	3	2	181	79	92	4	6
47	12	11	15	9	32	22	7	1	2	21	12	6	2	1
28	8	18	1	1	30	9	21	-	-	17	6	10	-	-
43	22	17	1	3	70	39	29	2	-	23	14	8	1	-
27	14	4	7	2	12	3	9	-	-	11	8	3	-	-
57	11	10	24	12	35	20	11	2	2	16	14	2	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	6	3	1	-	6	2	4	-	-	6	3	3	-	-
114	50	38	17	9	64	31	31	1	1	43	23	15	3	2

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	2,258	1,334	895	20	9	1,940	1,078	860	1	1
DISEASES OF HEART.....400-402,410-443	2,050	1,216	806	19	9	1,716	957	757	1	1
RHEUMATIC FEVER.....400-402	2	1	1	-	-	-	-	-	-	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	146	73	71	1	1	44	24	20	-	-
DISPASES OF MITRAL VALVE.....410	57	29	28	-	-	18	9	9	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	11	10	1	-	-	5	4	1	-	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	4	2	2	-	-	2	1	1	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	74	32	40	1	1	19	10	9	-	-
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	1,392	925	450	12	5	1,342	781	559	1	1
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	567	318	241	5	3	680	339	340	-	1
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	824	606	209	7	2	659	440	218	1	-
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	1	1	-	-	-	3	2	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	12	7	5	-	-	19	12	7	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	-	-	-	-	-	-	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	5	3	2	-	-	11	7	4	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	7	4	3	-	-	8	5	3	-	-
OTHER MYOCARDIAL DEGENERATION.....422	189	78	107	3	1	124	62	62	-	-
WITH ARTERIOSCLEROSIS.....422.1	124	48	73	2	1	90	45	45	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	65	30	34	1	-	34	17	17	-	-
OTHER DISEASES OF HEART.....430-434	100	53	47	-	-	43	25	18	-	-
ACUTE AND SUBACUTE ENDOCARDITIS.....430	4	2	2	-	-	1	1	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	3	1	2	-	-	1	1	-	-	-
FUNCTIONAL DISEASE OF HEART.....433	26	14	12	-	-	13	5	8	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	67	36	31	-	-	28	18	10	-	-
HYPERTENSIVE HEART DISEASE.....440-443	209	79	125	3	2	144	53	91	-	-
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR										
NEPHROSCLEROSIS.....442	54	24	29	1	-	40	19	21	-	-
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	155	55	96	2	2	104	34	70	-	-
OTHER HYPERTENSIVE DISEASE.....444-447	18	10	8	-	-	50	27	23	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	10	4	6	-	-	37	23	14	-	-
ESSENTIAL HYPERTENSION.....444,445,447	8	6	2	-	-	13	4	9	-	-
DISEASES OF ARTERIES.....450-456	142	78	63	1	-	150	80	70	-	-
GENERAL ARTERIOSCLEROSIS.....450	88	39	48	1	-	121	59	62	-	-
AORTIC ANEURYSM, NONSYMPHILITIC, ETC.....451	41	33	8	-	-	24	20	4	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	2	-	2	-	-	1	-	1	-	-
OTHER ARTERIAL DISEASES.....452-454,456	11	6	5	-	-	4	1	3	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	48	30	18	-	-	24	14	10	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	334	222	100	8	4	256	158	98	-	-
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	6	3	3	-	-	1	1	-	-	-
INFLUENZA.....480-483	20	13	7	-	-	26	11	15	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	167	95	60	8	4	161	87	74	-	-
LOBAR PNEUMONIA.....490	35	21	13	1	-	24	11	13	-	-
BRONCHOPNEUMONIA.....491	76	42	28	4	2	95	48	47	-	-
PRIMARY ATYPICAL PNEUMONIA.....492	17	9	5	2	1	18	11	7	-	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	39	23	14	1	1	24	17	7	-	-
ACUTE BRONCHITIS.....500	8	7	1	-	-	1	-	1	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	20	16	4	-	-	7	5	2	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	-	-	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	4	4	-	-	-	2	2	-	-	-
PLEURISY.....519	-	-	-	-	-	-	-	-	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	52	48	4	-	-	31	29	2	-	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	57	36	21	-	-	27	23	4	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	253	154	91	3	5	171	101	70	-	-
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	-	-	-	-	-	2	1	1	-	-
ULCER OF STOMACH.....540	26	19	7	-	-	13	9	4	-	-
ULCER OF DUODENUM.....541	32	25	7	-	-	18	15	3	-	-
GASTRITIS AND DUODENITIS.....543	-	-	-	-	-	-	-	-	-	-
APPENDICITIS.....550-553	3	1	2	-	-	4	4	-	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	49	30	18	-	1	30	15	15	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS										
AND OVER.....571	10	2	7	-	1	6	5	1	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	11	6	5	-	-	12	6	6	-	-
CIRRHOSIS OF LIVER.....581	59	40	17	1	1	39	27	12	-	-
WITHOUT MENTION OF ALCOHOLISM.....581.0	34	22	10	1	1	27	16	11	-	-
WITH ALCOHOLISM.....581.1	25	18	7	-	-	12	11	1	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	12	5	5	-	2	18	3	15	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587B	4	2	2	-	-	2	-	2	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	47	24	21	2	-	27	16	11	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM.....	92	57	32	2	1	60	36	24	-	-
NEPHRITIS AND NEPHROSIS.....590-594	47	30	16	1	-	26	13	13	-	-
ACUTE NEPHRITIS.....590	1	-	1	-	-	2	2	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	4	2	2	-	-	-	-	-	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	42	28	13	1	-	24	11	13	-	-
INFECTIONS OF KIDNEY.....600	24	11	12	-	1	12	1	11	-	-
CALCULI OF URINARY SYSTEM.....602,604	1	-	1	-	-	3	3	-	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	7	7	-	-	-	3	3	-	-	-
HYPERPLASIA OF PROSTATE.....610	9	8	-	1	-	16	16	-	-	-
DISEASES OF BREAST.....620,621	1	-	1	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	3	1	2	-	-	-	-	-	-	-

SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
13,848	6,296	4,371	1,757	1,424	11,299	6,790	4,306	137	66	7,580	4,327	2,798	276	179
12,506	5,793	3,890	1,574	1,249	10,240	6,183	3,876	126	55	6,873	3,959	2,510	246	158
14	8	1	2	3	6	4	1	—	1	11	7	4	—	—
286	115	121	27	23	319	146	167	2	4	168	86	69	8	5
92	29	46	11	6	118	48	69	1	—	67	32	31	2	2
31	22	6	2	1	37	27	10	—	—	17	12	2	3	—
22	9	58	1	1	17	10	7	—	—	12	8	4	—	—
141	55	11	13	15	147	61	81	1	4	72	34	32	3	3
8,513	4,940	2,518	874	581	7,875	5,056	2,681	98	40	5,047	3,114	1,680	167	86
3,055	1,433	1,185	250	187	2,665	1,510	1,102	37	16	1,884	1,022	781	50	31
5,446	3,100	1,329	623	394	5,199	3,539	1,575	61	24	3,140	2,078	892	116	54
12	7	4	1	—	11	7	4	—	—	23	14	7	1	1
110	42	25	23	20	98	65	32	—	1	59	33	25	—	1
3	—	1	1	—	5	2	3	—	—	4	2	2	—	—
59	27	11	11	10	60	46	13	—	1	15	12	3	—	—
48	15	13	11	9	33	17	16	—	—	40	19	20	—	—
1,284	459	499	172	154	694	318	369	6	1	523	264	239	10	10
981	355	399	121	106	488	221	262	4	1	397	199	182	9	7
303	104	100	51	48	206	97	107	2	—	126	65	57	1	3
556	217	173	92	74	473	277	186	7	3	326	176	129	12	9
15	5	6	1	3	24	21	3	—	—	9	6	3	—	—
36	20	8	5	3	13	8	5	—	—	9	4	5	—	—
136	52	46	19	19	107	53	50	2	2	85	38	45	—	2
369	140	173	67	49	329	195	128	5	1	223	128	76	12	7
1,743	412	553	384	394	775	317	440	13	5	739	279	364	49	47
499	133	165	107	94	247	107	137	2	1	216	78	117	14	7
1,244	279	388	277	300	528	210	303	11	4	523	201	247	35	40
256	74	82	47	53	107	51	53	1	2	162	83	62	9	8
108	42	40	18	8	43	26	16	1	—	107	61	36	6	4
148	32	42	29	45	64	25	37	—	2	55	22	26	3	4
886	355	336	105	90	845	498	331	9	7	457	247	189	11	10
651	234	271	79	67	646	365	271	6	4	360	187	155	9	9
170	98	39	19	14	148	101	42	3	2	64	42	20	2	2
3	2	—	1	—	5	4	1	—	—	5	5	—	—	—
62	21	26	6	9	46	28	17	—	1	28	13	14	—	1
200	74	63	31	32	107	58	46	1	2	88	38	37	10	3
2,127	883	584	415	245	1,516	910	522	52	32	1,155	635	410	79	31
26	6	11	5	4	15	7	7	1	—	8	3	5	—	—
260	94	86	36	44	118	61	52	3	2	157	69	70	13	5
1,295	451	376	308	160	941	501	379	36	25	677	350	262	42	23
218	87	52	27	27	127	75	41	8	3	129	72	40	14	3
645	224	209	144	68	516	286	201	16	13	345	188	132	17	8
115	43	25	26	21	139	69	61	4	5	61	31	23	2	5
317	97	90	86	44	159	71	76	8	4	142	59	67	9	7
18	7	6	1	4	18	11	6	—	1	11	5	6	—	—
68	40	16	10	2	45	34	10	1	—	38	21	14	2	1
2	—	1	—	1	3	—	2	1	—	2	1	1	—	—
12	4	2	3	3	8	5	2	—	1	15	10	2	2	1
2	2	—	—	—	2	2	—	—	—	2	1	1	—	—
189	148	21	19	1	175	158	14	3	—	118	87	18	13	—
255	131	65	33	26	191	131	50	7	3	127	88	31	7	1
1,201	517	365	179	140	952	539	372	24	17	620	362	220	23	15
3	1	2	—	—	—	—	—	—	—	—	—	—	—	—
91	55	21	10	5	112	77	31	4	—	61	38	18	3	2
86	58	12	12	4	94	65	25	3	1	59	38	15	4	2
7	2	2	3	—	10	8	1	—	1	5	2	3	—	—
39	13	10	9	7	22	16	5	—	1	22	14	7	1	—
183	49	70	36	28	141	62	75	2	2	98	52	41	5	—
114	20	21	36	37	30	13	13	3	1	40	24	12	3	1
51	18	21	4	8	48	24	24	—	—	23	10	12	—	1
300	170	75	37	18	265	147	105	4	9	145	102	37	1	5
195	96	60	24	15	177	99	71	2	5	103	74	24	1	4
105	74	15	13	3	88	48	34	2	4	42	28	13	—	1
64	17	38	3	6	51	24	25	2	—	37	17	18	1	1
12	6	6	—	—	7	4	3	—	—	8	2	6	—	—
251	108	87	29	27	172	99	65	6	2	122	63	51	5	3
743	262	180	160	141	348	201	124	15	8	367	204	123	26	14
360	120	79	81	80	150	83	59	5	3	197	98	74	17	8
23	4	3	7	9	9	5	3	—	1	15	5	8	2	—
20	12	4	2	2	9	8	1	—	—	9	6	2	1	—
317	104	72	72	69	132	70	55	5	2	173	87	64	14	8
204	70	64	29	41	94	36	50	5	3	76	35	36	3	2
30	8	13	4	5	11	9	2	—	—	8	2	5	—	1
46	17	15	8	6	23	14	8	1	—	26	19	4	1	2
76	42	—	34	—	58	54	—	—	—	50	46	—	4	—
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26	5	8	4	9	12	5	5	—	2	10	4	4	1	1

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95



SECTION 5 - MORTALITY

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
53	...	22	...	31	15	...	13	...	2	11	...	9	...	2
4	...	2	...	2	1	...	1	...	-	1	...	1	...	-
13	...	2	...	11	1	...	1	...	-	4	...	4	...	-
7	...	1	...	6	3	...	2	...	1	3	...	2	...	1
5	...	1	...	4	-	...	-	...	-	-	...	-	...	-
3	...	2	...	1	1	...	-	...	1	1	...	-	...	1
8	...	3	...	5	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
12	...	10	...	2	9	...	9	...	-	2	...	2	...	-
60	17	18	16	9	37	13	23	-	1	16	8	5	-	3
19	6	6	6	1	15	8	7	-	-	10	5	2	-	3
41	11	12	10	8	22	5	16	-	1	6	2	2	-	-
72	30	28	8	6	68	30	37	-	1	32	12	19	-	1
48	18	23	3	4	42	17	24	-	-	19	6	12	-	1
1	-	-	2	1	1	1	-	-	-	1	1	1	-	-
2	-	-	2	-	2	1	-	-	-	1	-	-	-	-
1	1	-	-	-	4	1	1	-	-	1	-	-	-	-
11	7	3	1	-	11	2	2	-	-	-	-	-	-	-
9	4	2	2	1	8	7	4	-	-	3	1	2	-	-
548	244	184	59	61	363	187	157	10	9	216	107	90	4	7
39	17	20	-	2	13	10	3	-	-	13	8	10	-	-
73	29	24	8	12	41	24	14	2	1	38	11	17	1	1
264	117	86	26	35	210	105	93	5	7	191	54	40	2	5
172	81	54	25	12	99	48	47	3	1	67	34	31	1	1
1,696	672	414	329	281	931	508	361	38	24	577	305	238	15	19
495	178	143	96	78	150	93	48	5	4	387	222	129	22	14
92	29	41	7	15	32	14	16	-	2	82	36	41	5	-
403	149	102	89	63	118	79	32	5	2	305	186	88	17	14
2,802	1,475	585	549	193	2,082	1,418	534	102	28	1,420	994	342	57	27
2,034	1,047	454	384	149	1,609	1,078	428	81	22	1,100	746	285	48	21
25	16	2	5	2	14	11	1	1	1	14	17	4	3	-
753	463	139	121	30	622	424	160	29	9	380	271	87	19	3
733	447	136	120	30	602	411	154	28	9	370	265	85	18	2
11	7	1	3	-	13	11	2	-	-	4	4	-	-	-
160	76	30	42	12	120	82	32	6	-	43	43	4	4	1
269	166	60	31	12	189	127	51	8	3	95	71	21	3	5
223	151	35	34	3	187	130	44	9	4	85	58	19	7	1
70	47	10	10	3	93	61	25	5	2	125	89	32	7	1
20	16	3	1	-	20	13	6	1	-	10	6	2	1	1
9	2	4	3	-	8	4	3	1	-	1	1	-	-	-
36	26	-	10	-	45	36	4	4	1	7	5	1	1	-
44	35	9	-	-	62	55	7	-	-	3	3	-	-	-
48	18	8	14	8	35	19	11	5	-	17	8	5	2	2
12	7	2	2	1	19	15	3	-	1	16	9	6	1	1
346	121	176	24	25	314	161	148	4	1	183	101	77	1	4
111	45	41	16	9	82	59	19	3	1	51	35	15	-	1
69	26	38	1	4	46	25	21	-	-	8	5	3	-	-
166	50	97	7	12	186	77	108	1	-	124	61	59	1	3
52	43	2	7	-	32	29	1	2	-	73	69	-	4	-
57	40	1	16	-	26	24	1	1	-	20	18	1	2	-
18	13	2	3	-	18	18	-	-	-	10	8	-	-	-
228	64	41	72	51	87	58	23	4	2	129	70	50	4	5
8	2	3	1	2	6	3	2	1	-	6	3	3	-	-
58	33	3	18	4	34	29	1	4	-	44	36	4	2	2
47	20	12	10	5	58	33	19	3	3	24	11	10	2	1
122	68	7	41	6	107	85	11	11	-	50	40	9	1	1
1	1	-	-	-	3	3	-	-	-	1	1	-	-	-
32	9	12	4	7	33	13	16	3	1	14	6	7	-	1
138	66	31	33	8	86	58	17	8	3	98	69	21	5	3
481	347	92	36	6	398	293	91	11	3	252	206	43	2	1
84	62	20	1	1	103	71	32	-	-	19	14	5	-	-
47	26	13	7	1	57	39	14	1	3	32	27	5	-	-
315	239	47	25	4	186	152	27	7	-	175	147	26	1	1
35	20	12	3	-	52	31	18	3	-	26	18	7	1	-
285	79	39	129	38	74	46	15	10	3	67	41	14	7	5
170	54	25	74	17	36	22	7	4	3	54	35	11	6	2
53	11	4	28	10	16	10	1	5	-	2	-	1	-	1
55	13	10	21	11	20	12	7	1	-	10	5	2	1	2
6	1	-	5	-	1	1	-	-	-	1	1	-	-	-
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-

SECTION 5 - MORTALITY

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES.....	38,146	21,424	16,119	343	260	2,796	1,703	1,022	38	33
I. INFECTIVE AND PARASITIC DISEASES.....	317	177	118	14	8	26	22	4	-	-
TUBERCULOSIS, ALL FORMS.....001-019	122	73	36	10	3	12	11	1	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM.....001-008	112	71	29	10	2	9	8	1	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM.....010	1	-	-	-	1	1	1	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS.....011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS.....012-013	-	-	-	-	-	2	2	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS.....014-018	7	2	5	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS.....019	2	-	2	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE.....020-029	35	26	7	1	1	3	3	-	-	-
CONGENITAL SYPHILIS.....020	2	1	1	-	-	-	-	-	-	-
EARLY SYPHILIS.....021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA.....022	15	12	3	-	-	1	1	-	-	-
OTHER CARDIOVASCULAR SYPHILIS.....023	10	5	3	1	1	1	1	-	-	-
TABES DORSALIS.....024	2	2	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE.....025	-	-	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	5	5	-	-	-	1	1	-	-	-
ALL OTHER SYPHILIS.....027-029	1	1	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION.....030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER.....040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	2	-	1	-	1	-	-	-	-	-
CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS.....044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS.....045-048	3	1	2	-	-	1	-	1	-	-
FOOD POISONING, INFECTION AND INTOXICATION.....049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER.....050	1	1	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT.....051	2	-	2	-	-	-	-	-	-	-
ERYSIPELAS.....052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA.....053	41	24	16	1	-	5	3	2	-	-
DIPHTHERIA.....055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH.....056	1	1	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS.....057	19	10	7	1	1	1	1	-	-	-
PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
LEPROSY.....060	-	-	-	-	-	-	-	-	-	-
TETANUS.....061	7	3	4	-	-	-	-	-	-	-
ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS.....080	3	-	3	-	-	2	2	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	4	2	2	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS.....082	8	3	5	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	3	1	2	-	-	-	-	-	-	-
SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
MEASLES.....085	11	8	2	-	1	-	-	-	-	-
YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS.....092	17	4	13	-	-	2	2	-	-	-
RABIES.....094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS.....104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES.....100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA.....110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS.....123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE.....125	-	-	-	-	-	-	-	-	-	-
FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	38	20	16	1	1	-	-	-	-	-
II. NEOPLASMS.....	6,225	3,206	2,948	32	39	362	202	159	-	1
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	6,128	3,168	2,893	30	37	351	198	152	-	1
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	130	98	31	-	1	5	2	3	-	-
OF LIP.....140	4	4	-	-	-	-	-	-	-	-
OF TONGUE.....141	33	26	7	-	-	2	1	1	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY.....142-144	42	28	13	-	1	3	1	2	-	-
OF PHARYNX.....145-148	51	40	11	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	2,323	1,233	1,067	13	10	98	59	38	-	1
OF ESOPHAGUS.....150	125	101	21	3	-	4	3	1	-	-
OF STOMACH.....151	528	324	197	5	2	20	12	8	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	26	10	16	-	-	3	2	1	-	-
OF LARGE INTESTINE, EXCEPT RECTUM.....153	773	356	411	2	4	32	20	12	-	-
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	123	52	70	1	-	5	3	2	-	-
TRANSVERSE COLON.....153.1	59	31	28	-	-	2	2	2	-	-
DESCENDING COLON.....153.2	31	10	21	-	-	2	-	-	-	-
SIGMOID COLON.....153.3	190	104	86	-	-	7	4	3	-	-
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	3	1	2	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED.....152.8	305	135	168	-	2	13	8	5	-	-
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	62	23	36	1	2	3	3	-	-	-
OF RECTUM.....154	317	171	143	-	3	11	7	4	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE.....155	169	67	101	1	-	6	2	3	-	1
LIVER.....155.0	37	25	12	-	-	2	1	1	-	-
OT. 6 MULT. SITES OF BILIARY PASSAGES.....155.1,155.8	132	42	89	1	-	4	1	2	-	1
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	54	37	17	-	-	6	4	2	-	-
OF PANCREAS.....157	294	153	138	2	1	13	8	5	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS.....158,159	37	14	23	-	-	3	1	2	-	-

SECTION 5 - MORTALITY

5-179

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
<b>II. NEOPLASMS—CON.</b>										
<b>MALIGNANT NEOPLASMS, ETC.—CON.</b>										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED										
AS SECONDARY.....160-164	667	570	92	5	-	55	48	7	-	-
OF LARYNX.....161	46	44	2	-	-	4	4	-	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY.....162	266	236	27	3	-	18	13	5	-	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	334	275	57	2	-	31	29	2	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	21	15	6	-	-	2	2	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	543	3	537	-	3	32	-	32	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	866	355	491	4	16	55	29	26	-	-
OF CERVIX UTERI.....171	147	147	137	10	15	15	15	15	-	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	148	148	145	3	3	3	3	3	-	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	195	195	192	3	6	6	6	6	-	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	17	17	17	-	2	2	2	2	-	-
OF PROSTATE.....177	323	319	4	4	28	28	28	28	-	-
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	36	36	36	-	1	1	1	1	-	-
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	309	207	101	1	19	9	10	10	-	-
OF KIDNEY.....180	136	81	54	1	7	3	4	4	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	173	126	47	-	12	6	6	6	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	658	329	326	2	1	44	27	17	-	-
OF SKIN.....190,191	82	46	36	-	9	8	1	1	-	-
OF EYE.....192	6	3	3	-	2	1	1	1	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....192	140	80	60	-	5	2	3	3	-	-
OF THYROID GLAND.....194	28	10	18	-	2	2	-	-	-	-
OF BONE.....196	47	29	18	-	5	4	1	1	-	-
OF CONNECTIVE TISSUE.....197	28	14	14	-	-	-	-	-	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,190A	42	26	15	1	7	3	4	4	-	-
OF UNSPECIFIED SITES.....156B,165,198,199A	285	121	162	1	1	14	7	7	-	-
LEUKEMIA AND ALEUKEMIA.....204	343	210	126	2	5	15	7	8	-	-
LYMPHOSARCOMA, ETC.....200-203,205	289	163	122	3	1	28	17	11	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	123	63	59	1	-	13	9	4	-	-
HODGKINS DISEASE.....201	84	57	27	-	8	4	4	4	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	82	43	36	2	1	7	4	3	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE.....210-239	97	38	55	2	2	11	4	7	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	14	14	13	1	1	2	2	2	-	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS.....223	26	12	12	1	1	1	1	1	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	14	6	8	-	-	1	1	1	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS.....233-235	1	1	1	-	-	1	1	1	-	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	18	9	9	-	5	2	3	3	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE.....230-232,235,236,239	24	11	12	1	2	1	1	1	-	-
<b>III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....</b>										
ASTHMA.....241	110	66	43	1	-	10	8	2	-	-
NONTOXIC GOITER.....250,251	3	-	3	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	16	3	13	-	-	-	-	-	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	15	1	13	-	1	1	-	1	-	-
DIABETES MELLITUS.....260	762	294	459	4	5	44	25	17	-	2
DISEASES OF THYMUS GLAND.....273	3	3	-	-	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS.....274	9	5	4	-	-	1	-	1	-	-
PELLAGRA.....281	1	1	1	-	-	2	1	1	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	20	13	7	-	-	2	2	2	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS.....RESIDUAL	85	38	45	-	2	8	3	5	-	-
<b>IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...</b>										
ANEMIAS.....290-293	99	49	48	2	-	2	-	2	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	37	23	14	-	-	-	-	-	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	62	26	34	2	-	2	-	2	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	11	7	4	-	-	3	1	2	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	22	14	8	-	-	1	1	2	-	-
<b>V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS</b>										
SENILE PSYCHOSIS.....304	14	2	12	-	-	1	-	1	-	-
ALCOHOLIC PSYCHOSIS.....307	11	9	1	-	1	-	-	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	19	13	6	-	-	1	-	1	-	-
ALCOHOLISM.....322	33	26	6	-	1	7	5	1	1	-
MENTAL DEFICIENCY.....325	26	11	15	-	-	1	1	1	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	3	1	2	-	-	1	1	-	-	-
<b>VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..</b>										
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....330-334	4,747	2,334	2,357	29	27	265	125	137	2	1
SUBARACHNOID HEMORRHAGE.....330	127	49	74	2	2	4	2	2	-	-
CEREBRAL HEMORRHAGE.....331	2,688	1,330	1,336	10	12	181	86	93	1	1
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,335	679	635	11	10	57	25	32	-	-
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	597	276	312	6	3	23	12	10	1	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	46	27	18	1	-	2	1	1	-	-
MULTIPLE SCLEROSIS.....345	38	21	16	1	-	1	1	1	-	-
PARALYSIS AGITANS.....350	77	46	31	-	-	5	3	2	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	8	3	5	-	-	2	1	1	-	-
EPILEPSY.....353	41	24	16	1	-	9	5	3	-	1
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	1	-	1	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	9	6	3	-	-	-	-	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	100	60	39	1	-	12	6	6	-	-



Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	16,745	9,755	6,836	89	65	1,055	675	361	9	10
DISEASES OF HEART.....400-402,410-443	15,022	8,886	6,003	74	59	946	618	312	7	9
RHEUMATIC FEVER.....400-402	14	5	7	-	2	2	2	-	-	-
CHRONIC RHEUMATIC HEART DISEASE.....410-416	399	198	199	2	-	45	21	23	-	1
DISEASES OF MITRAL VALVE.....410	127	57	70	-	-	23	7	15	-	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	33	22	11	-	-	3	3	-	-	-
DISEASES OF PULMONARY VALVE, ETC.....413,414	36	22	14	-	-	3	2	1	-	-
OTHER RHEUMATIC HEART DISEASES.....412,415,416	203	97	104	2	-	16	9	7	-	-
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS.....420	11,567	7,256	4,227	53	31	668	469	189	5	5
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	4,858	2,659	2,163	19	17	203	121	78	3	1
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES.....420.1	6,699	4,591	2,060	34	14	465	348	111	2	4
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS.....420.2	10	6	4	-	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	90	47	43	-	-	10	6	4	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	7	3	4	-	-	7	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC.....421.1	37	22	15	-	-	7	5	2	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC.....421.2-421.4	46	22	24	-	-	3	1	2	-	-
OTHER MYOCARDIAL DEGENERATION.....422	1,274	608	657	3	6	93	48	42	2	1
WITH ARTERIOSCLEROSIS.....422.1	851	389	458	3	1	45	24	20	1	-
WITHOUT MENTION OF ARTERIOSCLEROSIS.....422.0,422.2	423	219	199	-	5	48	24	22	1	1
OTHER DISEASES OF HEART.....430-434	457	274	178	2	3	59	41	17	-	1
ACUTE AND SUBACUTE ENDOCARDITIS.....430	19	13	5	-	1	-	-	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS.....431,432	10	7	3	-	-	1	-	1	-	-
FUNCTIONAL DISEASE OF HEART.....432	143	78	65	-	-	12	10	2	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART.....434	285	176	105	2	2	46	31	14	-	1
HYPERTENSIVE HEART DISEASE.....440-443	1,221	498	692	14	17	69	31	37	-	1
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS.....442	321	139	178	2	2	26	14	12	-	-
OTHER HYPERTENSIVE HEART DISEASE.....440,441,443	900	359	514	12	15	43	17	25	-	1
OTHER HYPERTENSIVE DISEASE.....444-447	289	141	142	4	2	16	5	10	1	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS.....446	136	83	51	1	1	7	2	5	-	-
ESSENTIAL HYPERTENSION.....444,445,447	153	58	91	3	1	9	3	5	1	-
DISEASES OF ARTERIES.....450-456	1,218	608	600	7	3	73	42	31	-	-
GENERAL ARTERIOSCLEROSIS.....450	957	437	515	5	-	52	29	23	-	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC.....451	184	129	52	1	2	16	10	6	-	-
GANGRENE OF UNSPECIFIED CAUSE.....455	1	1	-	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES.....452-454,456	76	41	33	1	1	5	3	2	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS.....460-468	216	120	91	4	1	20	10	8	1	1
VIII. DISEASES OF THE RESPIRATORY SYSTEM.....	1,792	1,071	666	32	23	199	130	61	5	3
ACUTE UPPER RESPIRATORY INFECTIONS.....470-475	23	13	9	1	-	1	1	-	-	-
INFLUENZA.....480-483	195	103	87	4	1	14	7	4	1	2
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	1,132	620	470	22	20	110	68	37	4	1
LOBAR PNEUMONIA.....490	171	99	66	3	3	21	17	4	-	-
BRONCHOPNEUMONIA.....491	683	366	295	11	11	54	30	23	-	1
PRIMARY ATYPICAL PNEUMONIA.....492	103	54	38	6	5	12	6	5	1	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	175	101	71	2	1	23	15	5	3	-
ACUTE BRONCHITIS.....500	32	21	9	2	-	7	5	2	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	46	35	10	-	1	14	8	6	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	2	1	1	-	-	-	-	-	-	-
EMPHYEMA AND ABSCESS OF LUNG.....518,521	7	6	-	-	1	-	-	-	-	-
PLEURISY.....519	3	2	1	-	-	1	-	1	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	149	135	13	1	-	25	23	2	-	-
OTHER RESPIRATORY DISEASES.....RESIDUAL	203	135	66	2	-	27	18	9	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	1,440	877	540	15	8	117	65	44	3	5
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	1	1	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	155	108	45	2	-	10	6	4	-	-
ULCER OF DUODENUM.....541	111	87	24	-	-	10	9	1	-	-
GASTRITIS AND DUODENITIS.....543	6	3	3	-	-	1	1	-	-	-
APPENDICITIS.....550-553	47	33	14	-	-	8	4	4	-	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	228	109	115	2	2	25	12	11	-	2
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER.....571	64	32	25	5	2	4	3	1	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	69	41	27	1	-	4	2	2	-	-
CIRRHOSIS OF LIVER.....581	359	259	97	2	1	29	14	9	3	3
WITHOUT MENTION OF ALCOHOLISM.....581.0	258	181	74	2	1	15	8	5	2	-
WITH ALCOHOLISM.....581.1	101	78	23	-	-	14	6	4	1	3
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	157	69	87	-	1	14	5	9	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....587A	14	9	5	-	-	1	1	-	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	229	126	98	3	2	11	8	3	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM.....	590	358	218	10	4	41	18	23	-	-
NEPHRITIS AND NEPHROSIS.....590-594	250	129	113	6	2	17	6	11	-	-
ACUTE NEPHRITIS.....590	12	8	2	2	-	1	1	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	15	6	8	1	-	1	-	1	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC.....592-594	223	115	103	3	2	15	5	10	-	-
INFECTIONS OF KIDNEY.....600	130	66	61	2	1	11	6	5	-	-
CALCULI OF URINARY SYSTEM.....602,604	31	15	16	-	-	5	1	4	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	54	37	16	1	-	3	3	-	-	-
HYPERPLASIA OF PROSTATE.....610	99	98	...	1	...	2	2	...	-	...
DISEASES OF BREAST.....620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....RESIDUAL	26	13	12	-	1	3	-	3	-	-



SECTION 5 - MORTALITY

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL CAUSES-----	1,711,982	110,873	7,250	4,332	3,376	2,724	128,555	9,163	7,374	12,185
2	Male----	975,648	63,936	3,949	2,439	1,921	1,535	73,760	5,350	4,688	8,629
3	Female----	736,334	46,937	3,301	1,893	1,455	1,189	54,775	3,813	2,686	3,556
4	White-----Male----	860,857	48,063	2,828	1,948	1,513	1,220	55,472	4,408	3,847	7,308
5	Female----	644,478	34,416	2,371	1,416	1,102	902	40,207	3,019	2,214	2,901
6	Nonwhite----Male----	114,791	15,873	1,121	591	408	315	18,308	942	841	1,321
7	Female----	91,856	12,521	930	477	353	287	14,568	794	472	655
8	Tuberculosis, all forms (001-019)-----	10,866	37	47	27	12	5	128	24	21	41
9	White-----Male----	6,050	9	12	6	-	4	30	7	5	9
10	Female----	2,113	9	10	9	6	-	33	10	4	9
11	Nonwhite----Male----	1,837	10	14	5	6	-	35	3	4	10
12	Female----	866	11	11	7	-	1	30	4	8	13
13	Tuberculosis of respiratory system (001-008)-----	10,089	19	12	9	4	2	45	8	11	28
14	White-----Male----	5,777	5	3	1	-	1	10	4	4	6
15	Female----	1,908	3	1	-	1	-	5	2	2	4
16	Nonwhite----Male----	1,663	6	5	2	3	-	16	1	1	7
17	Female----	741	4	3	6	-	1	14	1	4	11
18	Tuberculosis, other forms (010-019)-----	777	19	35	18	8	3	83	16	10	13
19	White-----Male----	273	3	9	5	-	3	20	3	1	3
20	Female----	205	5	9	9	5	-	28	8	2	5
21	Nonwhite----Male----	174	4	9	3	3	-	19	2	3	3
22	Female----	125	7	8	1	-	-	18	3	4	2
23	Syphilis and its sequelae (020-029)-----	2,945	30	-	-	-	-	30	-	2	3
24	White-----Male----	1,492	11	-	-	-	-	11	-	1	1
25	Female----	527	4	-	-	-	-	4	-	-	-
26	Nonwhite----Male----	653	10	-	-	-	-	10	-	1	1
27	Female----	273	5	-	-	-	-	5	-	-	1
28	Dysentery, all forms (045-048)-----	355	140	20	14	12	10	196	16	7	5
29	White-----Male----	109	38	8	5	1	4	56	5	3	3
30	Female----	94	22	4	3	4	1	34	6	2	-
31	Nonwhite----Male----	80	45	5	1	6	3	60	1	-	1
32	Female----	72	35	3	5	1	2	46	4	2	1
33	Scarlet fever and streptococcal sore throat (050,051)-----	108	9	4	5	5	3	26	9	10	3
34	White-----Male----	49	3	2	3	2	3	13	6	4	1
35	Female----	46	5	1	1	2	-	9	3	3	1
36	Nonwhite----Male----	5	-	1	1	-	-	2	-	1	1
37	Female----	8	1	-	-	1	-	2	-	2	-
38	Diphtheria (055)-----	69	2	6	6	11	15	40	21	3	1
39	White-----Male----	23	1	1	2	1	5	10	9	2	1
40	Female----	21	1	1	1	6	4	13	5	-	-
41	Nonwhite----Male----	9	-	2	-	3	2	7	1	1	-
42	Female----	16	-	2	3	1	4	10	6	-	-
43	Whooping cough (056)-----	118	73	29	5	4	2	113	1	1	-
44	White-----Male----	19	15	2	1	-	-	18	-	1	-
45	Female----	26	9	11	2	1	-	23	-	-	-
46	Nonwhite----Male----	37	29	5	-	2	1	37	-	-	-
47	Female----	36	20	11	2	1	1	35	1	-	-
48	Meningococcal infections (057)-----	644	196	93	72	47	23	431	52	22	19
49	White-----Male----	290	95	47	37	22	9	210	23	5	10
50	Female----	217	66	33	23	11	6	139	20	6	5
51	Nonwhite----Male----	82	18	8	9	3	3	47	4	8	4
52	Female----	55	17	5	3	5	5	35	5	3	-
53	Acute poliomyelitis (060)-----	230	10	3	10	9	12	44	39	16	16
54	White-----Male----	115	4	2	5	4	8	23	18	7	5
55	Female----	79	4	1	1	1	3	10	12	7	11
56	Nonwhite----Male----	25	1	-	3	3	-	7	8	2	-
57	Female----	11	1	-	1	1	1	4	1	-	-
58	Measles (085)-----	380	85	97	42	21	39	284	74	6	3
59	White-----Male----	150	28	39	12	9	16	104	35	4	2
60	Female----	130	31	24	18	8	11	92	28	2	1
61	Nonwhite----Male----	46	18	14	6	3	5	46	2	-	-
62	Female----	52	8	20	6	1	7	42	9	-	-
63	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)-----	5,672	861	196	109	104	79	1,349	205	129	134
64	White-----Male----	2,421	348	77	51	36	36	548	91	48	55
65	Female----	2,078	227	67	30	40	26	390	80	58	55
66	Nonwhite----Male----	644	178	31	13	9	10	241	17	12	12
67	Female----	529	108	21	15	19	7	170	17	11	12
68	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	267,627	298	317	434	538	473	2,060	1,391	1,024	1,023
69	White-----Male----	130,183	141	147	220	294	263	1,065	750	504	565
70	Female----	112,529	117	125	172	198	165	777	512	420	348
71	Nonwhite----Male----	13,360	20	21	26	21	28	116	68	48	75
72	Female----	11,555	20	24	16	25	17	102	61	52	35
73	Malignant neoplasm of buccal cavity and pharynx (140-148)-----	6,175	-	-	2	1	-	3	8	10	15
74	White-----Male----	4,274	-	-	1	-	-	7	6	6	6
75	Female----	1,355	-	-	1	1	-	2	1	3	6
76	Nonwhite----Male----	394	-	-	-	-	-	-	-	-	3
77	Female----	152	-	-	-	-	-	-	-	1	-
78	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	91,035	29	17	17	10	1	74	21	19	46
79	White-----Male----	44,669	8	8	11	3	1	31	13	9	22
80	Female----	37,794	18	6	4	4	-	32	5	5	13
81	Nonwhite----Male----	5,123	-	1	-	2	-	3	3	3	10
82	Female----	3,449	3	2	2	1	-	8	-	2	1

SECTION 5 MORTALITY

Age, Color, and Sex: United States, 1960

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated		
13,348	14,214	19,200	29,161	42,942	64,283	90,593	116,753	153,444	196,605	223,707	219,978	185,231	120,366	50,278	11,839	2,045	720	1	
9,477 3,871	9,279 4,935	11,731 7,469	17,594 11,567	26,234 16,708	40,824 23,459	59,316 31,277	76,508 40,245	97,551 55,893	121,330 75,275	130,104 93,603	117,137 102,841	88,926 96,305	52,516 67,850	19,430 30,848	4,165 7,674	642 1,401	437 283	2 3	
7,755 2,916 1,722 955	7,182 3,459 2,097 1,476	9,039 5,215 2,692 2,254	13,803 8,396 4,898 3,171	21,336 12,622 6,577 4,066	34,247 18,268 6,577 5,181	50,716 24,696 8,600 6,561	66,540 32,340 9,968 7,905	85,890 46,710 11,661 9,183	108,726 65,834 12,604 9,441	119,269 85,018 10,835 8,585	109,193 96,133 7,944 6,708	85,885 49,502 5,041 4,534	49,502 65,009 3,014 2,841	18,253 29,407 1,177 1,441	3,770 7,097 395 577	449 1,076 183 325	267 170 170 113	4 5 6 7	
96 16 15 19 46	197 53 39 41 64	348 83 94 85 86	543 149 143 144 107	696 250 164 180 102	858 437 164 186 71	1,055 618 162 208 67	1,185 752 152 206 55	1,251 830 221 218 54	1,302 849 222 174 57	1,245 854 221 135 35	937 561 179 95 28	584 333 233 47 25	269 141 85 35 8	91 44 32 12 3	7 3 2 - 2	1 - 1 - -	7 6 - - 1	8 9 10 11 12	
77 15 11 12 39	174 48 34 36 54	313 72 87 78 76	498 143 133 127 95	645 231 149 170 95	806 417 158 172 59	994 588 150 198 58	1,099 729 139 186 45	1,183 796 202 203 50	1,224 817 202 158 47	1,179 818 206 122 33	899 568 221 86 24	551 323 161 45 22	257 137 80 32 8	84 43 27 11 3	6 2 2 - 2	1 - 1 - -	7 6 14 - 16	13 14 15 16 17	
19 1 4 7 7	23 5 5 3 10	35 11 7 7 10	45 6 10 17 12	51 19 15 10 7	52 20 6 14 12	61 30 13 20 9	66 23 15 20 10	68 34 15 15 4	78 32 15 16 10	66 36 12 13 2	38 13 12 9 4	33 10 18 3 2	12 4 5 3 -	7 1 5 1 -	1 1 - - -	- - - - -	- - - - -	18 19 20 21 22	
6 4 1 1 -	11 2 - 3 6	24 10 4 6 9	40 11 4 16 9	71 26 11 22 12	138 50 18 50 20	251 92 32 103 48	408 195 62 103 48	464 242 71 111 40	549 305 85 123 36	454 288 73 62 20	276 152 84 33 18	126 67 41 14 4	61 26 22 10 3	25 6 15 2 2	2 1 - 1 -	- - - - -	- - - - -	23 24 25 26 27	
2 1 1 -	4 - 3 -	2 1 1 -	8 5 2 -	3 2 - 1	5 1 1 1	121 4 6 1	13 2 5 1	10 4 2 3	18 5 7 1	13 4 7 1	20 8 5 2	12 3 5 2	7 1 4 2	2 1 1 -	- - - -	- - - -	- - - -	28 29 30 31 32	
3 -	6 -	5 3	3 2	4 1	4 3	4 1	4 3	5 3	5 1	7 4	6 3	4 2	2 2	- -	- -	- -	- -	- -	33 34 35 36 37
- -	1 -	- -	- -	1 -	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	38 39 40 41 42
1 1 -	- -	- -	- -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	43 44 45 46 47
15 5 4 3 3	4 - 3 1 -	7 3 1 3 -	8 4 4 - -	9 4 2 3 2	15 7 3 3 2	18 5 10 2 1	8 3 4 5 1	13 4 1 5 -	5 7 1 1 -	11 2 7 1 2	4 1 2 1 -	1 1 2 - -	2 2 - -	- -	- -	- -	- -	- -	48 49 50 51 52
27 12 11 2 2	29 14 11 1 3	23 17 6 - -	12 6 6 - -	11 6 2 3 1	10 5 2 2 1	2 2 - - -	- - - - -	- - - - -	1 - 1 - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- -	53 54 55 56 57
1 - 1 -	5 3 1 1	3 - 3 -	- - - -	2 1 1 -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	2 1 1 -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- -	58 59 60 61 62
124 43 49 11 21	137 35 66 12 24	174 49 75 23 27	214 70 70 36 38	227 91 82 29 25	309 139 101 38 31	288 118 97 44 29	382 169 146 42 25	375 168 140 41 26	437 223 151 37 26	402 209 151 25 17	331 163 137 15 16	240 119 109 4 8	137 60 71 3 3	60 20 38 1 1	14 2 10 1 1	2 - - - -	2 1 - - 1	63 64 65 66 67	
977 518 336 56 67	1,600 774 616 90 120	2,841 1,899 1,302 136 304	5,373 3,054 2,725 299 510	9,001 3,054 4,598 555 794	14,729 5,530 7,150 900 1,169	21,535 9,427 9,328 1,729 1,394	27,632 13,425 10,981 1,729 1,497	34,163 17,461 13,121 2,044 1,537	39,711 20,937 15,286 2,134 1,354	38,793 20,786 15,223 1,704 1,080	31,541 16,232 10,209 15,386 1,081 772	20,698 16,232 10,209 9,537 547 405	10,108 4,580 5,038 282 198	2,838 1,166 1,540 71 61	464 156 265 18 25	64 16 30 9 9	61 69 70 71 72		
13 9 3 - 1	19 5 8 2 4	36 17 9 8 2	76 39 17 15 5	190 92 58 29 11	412 240 111 43 18	661 443 143 75 20	739 535 151 56 17	802 596 142 45 19	878 654 161 47 16	841 623 172 32 14	674 486 159 19 10	455 305 130 10 10	231 156 66 6 3	76 45 29 1 1	12 6 4 2 -	4 3 - 1 -	- - - - -	73 74 75 76 77	
63 25 21 8 9	190 91 63 21 15	414 177 168 54 35	954 390 394 103 67	1,842 778 734 193 137	3,539 1,614 1,329 357 239	5,872 2,875 2,119 520 358	8,329 4,205 2,971 674 479	11,471 5,879 4,252 827 513	14,565 7,534 5,624 897 510	15,388 8,013 6,268 691 416	13,306 6,529 6,007 423 347	9,056 4,159 4,498 217 182	4,409 1,614 2,415 97 83	1,245 439 745 30 33	182 59 109 5 9	25 4 15 3 3	25 26 27 28 29 30 31 32		

SECTION 5 - MORTALITY

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.										
	Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	39,730	7	4	3	1	1	16	4	12	12
2	White-----Male----	31,012	2	2	-	-	-	4	3	3	8
3	Female----	5,170	4	2	2	-	1	9	1	5	3
4	Nonwhite-----Male----	3,035	1	-	1	-	-	2	-	1	1
5	Female----	513	-	-	-	1	-	1	-	3	-
6	Malignant neoplasm of breast (170)-----	23,970	5	-	-	-	-	5	1	-	2
7	White-----Male----	186	1	-	-	-	-	1	-	-	1
8	Female----	21,867	1	-	-	-	-	1	1	-	1
9	Nonwhite-----Male----	29	1	-	-	-	-	1	-	-	-
10	Female----	1,888	2	-	-	-	-	2	-	-	-
11	Malignant neoplasm of genital organs (171-179)-----	38,689	2	5	7	4	4	22	11	24	76
12	White-----Male----	13,481	1	2	5	2	2	12	4	3	30
13	Female----	20,158	1	3	1	1	1	5	5	19	36
14	Nonwhite-----Male----	1,900	-	-	1	1	2	4	-	-	3
15	Female----	3,120	1	-	-	-	-	1	2	2	7
16	Malignant neoplasm of urinary organs (180,181)-----	12,804	27	28	41	42	48	186	86	14	10
17	White-----Male----	8,026	13	10	23	22	19	87	37	8	5
18	Female----	3,825	11	11	18	15	24	74	36	5	4
19	Nonwhite-----Male----	559	1	3	3	1	3	11	4	1	1
20	Female----	594	2	4	2	4	2	14	9	-	-
21	Malignant neoplasm of other and unspecified sites (156B,165,190-199)---	29,561	90	107	140	152	126	615	442	373	350
22	White-----Male----	14,570	47	53	89	75	62	304	215	168	183
23	Female----	12,359	30	38	52	56	50	226	176	166	116
24	Nonwhite-----Male----	1,325	10	7	12	11	9	49	23	15	27
25	Female----	1,307	3	9	7	12	5	36	26	24	14
26	Leukemia and aleukemia (204)-----	12,725	111	132	201	300	261	1,005	704	445	309
27	White-----Male----	6,929	52	63	98	170	156	539	383	229	169
28	Female----	4,993	45	54	90	119	85	393	262	180	116
29	Nonwhite-----Male----	442	7	9	8	5	11	40	29	22	16
30	Female----	351	7	6	5	6	9	33	20	14	8
31	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	12,958	27	24	23	28	32	134	114	127	203
32	White-----Male----	7,028	17	9	13	24	23	86	76	78	131
33	Female----	5,006	8	11	9	2	5	35	25	37	53
34	Nonwhite-----Male----	533	-	1	1	1	3	6	9	6	14
35	Female----	371	2	3	-	1	1	7	2	6	5
36	Benign neoplasms and neoplasms of unspecified nature (210-239)-----	4,893	138	29	26	23	25	241	140	92	87
37	White-----Male----	1,963	59	14	6	9	13	101	63	44	37
38	Female----	2,204	60	10	16	10	5	101	49	33	28
39	Nonwhite-----Male----	264	9	3	2	-	2	15	9	11	11
40	Female----	462	10	2	2	4	5	23	13	8	11
41	Asthma (241)-----	5,394	24	24	11	9	13	81	40	30	46
42	White-----Male----	5,067	7	8	2	4	5	26	16	6	9
43	Female----	1,598	7	6	6	2	1	22	9	12	17
44	Nonwhite-----Male----	392	3	5	-	2	4	14	7	5	8
45	Female----	347	7	5	3	3	19	8	7	12	12
46	Diabetes mellitus (260)-----	29,971	17	12	3	16	13	61	50	82	88
47	White-----Male----	10,761	8	5	1	7	6	27	14	22	22
48	Female----	15,360	5	6	2	4	6	23	30	45	40
49	Nonwhite-----Male----	1,396	3	1	-	2	-	6	5	7	12
50	Female----	2,464	1	-	-	3	1	5	1	8	14
51	Anemias (290-293)-----	3,330	111	78	49	39	35	310	112	62	82
52	White-----Male----	1,279	30	19	7	12	5	73	22	16	30
53	Female----	1,448	23	17	14	15	18	87	52	27	25
54	Nonwhite-----Male----	286	37	19	14	6	8	84	19	12	13
55	Female----	315	21	23	13	5	4	66	19	7	14
56	Meningitis, except meningococcal and tuberculous (340)-----	2,316	872	223	124	64	36	1,319	107	40	39
57	White-----Male----	959	352	102	58	27	16	553	48	19	16
58	Female----	649	218	54	35	16	9	332	38	11	8
59	Nonwhite-----Male----	396	172	31	20	8	9	240	14	8	5
60	Female----	309	150	36	13	13	2	184	7	2	10
61	Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	935,868	501	153	88	84	73	899	401	541	825
62	White-----Male----	473,640	228	51	34	39	29	381	177	208	353
63	Female----	368,633	132	47	18	24	19	240	121	196	275
64	Nonwhite-----Male----	49,998	76	34	23	11	12	156	51	65	102
65	Female----	44,397	65	21	13	10	13	122	52	72	95
66	Diseases of cardiovascular system (330-334,400-468)-----	923,635	479	141	83	74	63	840	333	437	848
67	White-----Male----	468,420	217	45	33	36	27	358	146	167	267
68	Female----	384,468	126	45	17	22	16	226	98	154	211
69	Nonwhite-----Male----	47,596	73	30	22	8	9	142	43	53	88
70	Female----	43,151	63	21	11	6	11	114	46	63	82
71	Vascular lesions affecting central nervous system (330-334)-----	193,568	169	50	27	31	23	300	117	129	182
72	White-----Male----	80,486	76	23	12	13	9	133	55	61	80
73	Female----	88,567	44	14	4	11	7	80	40	45	64
74	Nonwhite-----Male----	11,777	29	10	6	2	3	50	13	6	22
75	Female----	12,758	20	3	5	5	4	37	9	17	16
76	Diseases of heart (400-402,410-443)-----	681,712	272	83	48	39	37	479	193	260	382
77	White-----Male----	356,267	123	19	17	19	16	194	82	90	164
78	Female----	246,609	73	27	11	11	9	131	47	92	104
79	Nonwhite-----Male----	31,936	40	20	14	6	5	85	29	44	62
80	Female----	26,996	36	17	6	3	7	69	35	34	52
81	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)-----	18,411	3	2	5	10	15	35	88	144	203
82	White-----Male----	8,036	1	-	1	3	6	11	27	43	70
83	Female----	8,852	2	2	-	4	3	11	21	45	70
84	Nonwhite-----Male----	745	-	-	3	2	1	6	18	30	32
85	Female----	776	-	-	1	1	5	7	22	26	31

SECTION 5 - MORTALITY

Age, Color, and Sex: United States, 1960-Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Table with 18 columns representing age groups (20-24 years to 100 and over) and 19 rows of mortality data. Each cell contains a numerical value representing the mortality rate for that specific age group and category.

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
Major cardiovascular-renal diseases—Con.											
Diseases of cardiovascular system—Con.											
Diseases of heart—Con.											
1	Arteriosclerotic heart disease, including coronary disease (420)---	494,282	12	6	2	1	-	21	6	14	36
2	White-----Male----	288,376	6	3	-	1	-	10	5	8	20
3	Female-----	173,043	3	-	1	-	-	4	1	5	8
4	Nonwhite-----Male----	19,001	1	2	-	-	-	3	-	1	5
5	Female-----	13,862	2	1	1	-	-	4	-	-	5
6	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)-----	57,029	31	20	8	6	5	70	23	26	43
7	White-----Male----	25,189	15	1	2	3	1	22	11	11	20
8	Female-----	25,880	7	6	2	2	1	18	7	10	7
9	Nonwhite-----Male----	3,106	4	8	2	1	3	18	3	3	9
10	Female-----	2,854	5	5	2	-	-	12	2	2	7
11	Other diseases of heart (430-434)-----	25,682	225	54	33	22	17	351	71	75	92
12	White-----Male----	12,498	101	15	14	12	9	151	37	28	50
13	Female-----	9,008	61	19	8	5	5	98	16	32	19
14	Nonwhite-----Male----	2,395	34	10	9	3	1	57	7	10	15
15	Female-----	1,781	29	10	2	2	2	45	11	5	8
16	Hypertensive heart disease (440-443)-----	66,308	1	1	-	-	-	2	5	1	8
17	White-----Male----	22,166	-	-	-	-	-	-	2	-	4
18	Female-----	29,826	-	-	-	-	-	-	2	-	2
19	Nonwhite-----Male----	6,891	1	-	-	-	-	1	1	-	1
20	Female-----	7,625	-	1	-	-	-	1	-	1	1
21	Other hypertensive disease (444-447)-----	12,662	-	1	-	-	-	2	2	2	10
22	White-----Male----	5,054	-	1	-	-	-	2	1	-	3
23	Female-----	5,035	-	-	-	-	-	-	1	2	3
24	Nonwhite-----Male----	1,531	-	-	-	-	-	-	-	-	1
25	Female-----	1,242	-	-	-	-	-	-	-	-	3
26	General arteriosclerosis (450)-----	35,876	-	-	-	-	-	-	-	-	-
27	White-----Male----	15,875	-	-	-	-	-	-	-	-	-
28	Female-----	17,538	-	-	-	-	-	-	-	-	-
29	Nonwhite-----Male----	1,398	-	-	-	-	-	-	-	-	-
30	Female-----	1,265	-	-	-	-	-	-	-	-	-
31	Other diseases of circulatory system (451-468)-----	19,797	38	7	8	3	3	59	21	46	74
32	White-----Male----	10,938	18	2	4	3	2	29	8	16	20
33	Female-----	6,719	9	4	2	-	-	15	10	15	40
34	Nonwhite-----Male----	1,152	4	-	2	-	1	7	1	3	3
35	Female-----	988	7	1	-	-	-	8	2	12	11
36	Chronic and unspecified nephritis and other renal sclerosis (592-594)-----	12,033	22	12	5	10	10	59	68	104	177
37	White-----Male----	5,220	11	6	1	2	2	23	31	41	88
38	Female-----	4,165	6	2	1	3	3	14	23	42	62
39	Nonwhite-----Male----	1,402	3	4	1	2	3	14	6	12	14
40	Female-----	1,248	2	-	2	2	2	8	6	9	13
41	Influenza and pneumonia, except pneumonia of newborn (480-493)-----	66,803	9,828	1,447	630	335	216	12,456	590	339	373
42	White-----Male----	30,721	3,417	462	218	113	86	4,296	243	137	160
43	Female-----	23,370	2,419	435	208	114	80	3,255	199	132	128
44	Nonwhite-----Male----	7,405	2,177	303	114	64	28	2,686	76	34	42
45	Female-----	5,307	1,816	247	90	44	22	2,219	72	36	45
46	Influenza (480-483)-----	7,872	538	114	39	21	15	727	65	41	64
47	White-----Male----	3,235	139	33	12	7	5	196	19	15	25
48	Female-----	2,995	113	44	13	11	6	187	30	20	20
49	Nonwhite-----Male----	861	154	12	8	-	3	177	7	4	7
50	Female-----	780	132	25	6	3	1	167	9	2	12
51	Pneumonia, except pneumonia of newborn (490-493)-----	58,931	9,290	1,333	591	314	201	11,729	525	298	309
52	White-----Male----	27,466	3,278	429	206	106	81	4,100	224	122	135
53	Female-----	20,374	2,305	391	195	103	74	3,068	169	112	106
54	Nonwhite-----Male----	6,544	2,023	291	106	64	25	2,509	69	30	35
55	Female-----	4,527	1,684	222	84	41	21	2,052	63	34	33
56	Bronchitis (500-502)-----	4,343	656	172	97	45	32	1,002	53	16	13
57	White-----Male----	2,758	333	78	45	22	20	498	28	10	3
58	Female-----	1,131	180	61	37	16	8	302	20	6	6
59	Nonwhite-----Male----	278	71	18	6	3	2	100	2	-	1
60	Female-----	176	72	15	9	4	2	102	3	-	3
61	Ulcer of stomach and duodenum (540,541)-----	11,360	78	7	4	5	2	96	7	8	11
62	White-----Male----	7,824	33	3	2	1	1	40	1	1	5
63	Female-----	2,623	10	2	1	3	1	17	4	5	4
64	Nonwhite-----Male----	683	24	1	1	-	-	26	1	2	2
65	Female-----	230	11	1	-	1	-	13	1	-	-
66	Appendicitis (550-553)-----	1,871	13	7	16	16	11	63	68	75	50
67	White-----Male----	988	7	3	11	8	3	32	27	27	28
68	Female-----	574	5	3	3	5	4	20	30	25	15
69	Nonwhite-----Male----	184	-	-	-	2	3	5	7	13	5
70	Female-----	125	1	1	2	1	1	6	4	10	4
71	Hernia and intestinal obstruction (560,561,570)-----	9,061	922	30	20	12	7	991	30	19	19
72	White-----Male----	3,874	450	17	9	7	2	465	12	6	3
73	Female-----	4,101	321	6	6	2	2	339	9	6	9
74	Nonwhite-----Male----	592	92	3	4	2	3	104	6	3	5
75	Female-----	514	59	2	1	1	-	63	3	4	2
76	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)-----	7,932	2,622	382	75	44	27	3,150	56	31	51
77	White-----Male----	3,054	728	156	27	17	10	938	22	15	23
78	Female-----	2,941	542	105	18	12	8	685	23	10	25
79	Nonwhite-----Male----	1,033	729	71	17	9	9	835	7	4	2
80	Female-----	904	623	50	13	6	-	692	4	2	1
81	Cirrhosis of liver (581)-----	20,296	34	10	3	7	5	59	10	40	24
82	White-----Male----	12,231	12	7	1	3	4	27	4	13	7
83	Female-----	5,981	14	1	1	3	1	20	6	22	14
84	Nonwhite-----Male----	1,252	4	-	-	1	-	5	-	3	1
85	Female-----	832	4	2	1	-	-	7	-	2	2





SECTION 5 - MORTALITY

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.)

CAUSE OF DEATH, COLOR, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Cholelithiasis, cholecystitis, and cholangitis (584,585)-----	4,619	1	-	-	1	-	2	-	-	1
2	White-----Male-----	1,774	1	-	-	-	-	1	-	-	-
3	Female-----	2,801	-	-	-	-	-	-	-	-	1
4	Nonwhite-----Male-----	84	-	-	-	-	-	-	-	-	-
5	Female-----	160	-	-	-	1	-	1	-	-	-
6	Acute nephritis, and nephritis with edema including nephrosis (590,591)---	1,651	44	29	14	20	17	124	73	43	46
7	White-----Male-----	707	19	7	6	5	7	44	28	19	21
8	Female-----	575	14	14	4	10	5	47	26	16	14
9	Nonwhite-----Male-----	214	10	5	3	2	1	21	16	4	5
10	Female-----	157	1	3	1	3	4	12	3	4	6
11	Infections of kidney (600)-----	7,645	70	7	2	4	1	64	16	27	24
12	White-----Male-----	3,117	31	-	-	-	-	31	5	4	8
13	Female-----	3,000	19	4	-	4	1	28	12	15	6
14	Nonwhite-----Male-----	744	14	3	2	-	-	19	-	3	4
15	Female-----	794	6	-	-	-	-	6	1	5	6
16	Hyperplasia of prostate (610)-----	4,449	-	-	-	-	-	-	-	-	-
17	White-----Male-----	3,864	-	-	-	-	-	-	-	-	-
18	Nonwhite-----Male-----	585	-	-	-	-	-	-	-	-	-
19	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	1,579	...	...	...	...	...	...	...	7	128
20	White-----Female-----	956	...	...	...	...	...	...	...	2	66
21	Nonwhite-----Female-----	643	...	...	...	...	...	...	...	5	62
22	Abortion (650-652)-----	289	...	...	...	...	...	...	...	2	28
23	White-----Female-----	147	...	...	...	...	...	...	...	1	11
24	Nonwhite-----Female-----	142	...	...	...	...	...	...	...	1	17
25	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)-----	1,290	...	...	...	...	...	...	...	5	100
26	White-----Female-----	789	...	...	...	...	...	...	...	1	55
27	Nonwhite-----Female-----	501	...	...	...	...	...	...	...	4	45
28	Congenital malformations (750-759)-----	21,860	15,389	1,027	512	319	228	17,475	777	510	373
29	White-----Male-----	10,392	7,593	424	224	137	81	8,249	369	239	196
30	Female-----	8,664	6,043	420	201	130	102	6,696	315	213	146
31	Nonwhite-----Male-----	1,573	1,122	100	42	28	23	1,315	43	34	20
32	Female-----	1,231	841	83	45	24	22	1,015	50	24	11
33	Certain diseases of early infancy (760-776)-----	67,094	67,074	8	1	-	3	67,086	6	1	1
34	White-----Male-----	30,211	30,201	3	1	-	2	30,207	4	-	-
35	Female-----	21,065	21,059	2	-	-	1	21,062	2	-	1
36	Nonwhite-----Male-----	8,892	8,890	2	-	-	-	8,892	-	-	-
37	Female-----	6,926	6,924	1	-	-	-	6,925	-	1	-
38	Birth injuries, postnatal asphyxia, and atelectasis (760-762)-----	29,697	29,697	-	-	-	-	29,697	-	-	-
39	White-----Male-----	14,216	14,216	-	-	-	-	14,216	-	-	-
40	Female-----	9,372	9,372	-	-	-	-	9,372	-	-	-
41	Nonwhite-----Male-----	3,444	3,444	-	-	-	-	3,444	-	-	-
42	Female-----	2,665	2,665	-	-	-	-	2,665	-	-	-
43	Infections of newborn (763-768)-----	4,786	4,786	-	-	-	-	4,786	-	-	-
44	White-----Male-----	1,854	1,854	-	-	-	-	1,854	-	-	-
45	Female-----	1,270	1,270	-	-	-	-	1,270	-	-	-
46	Nonwhite-----Male-----	945	945	-	-	-	-	945	-	-	-
47	Female-----	717	717	-	-	-	-	717	-	-	-
48	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)-----	32,611	32,581	8	1	-	3	32,603	6	1	1
49	White-----Male-----	14,141	14,131	3	1	-	2	14,137	4	-	-
50	Female-----	10,423	10,417	2	-	-	1	10,420	2	-	1
51	Nonwhite-----Male-----	4,503	4,501	2	-	-	-	4,503	-	-	-
52	Female-----	3,544	3,542	1	-	-	-	3,543	-	1	-
53	Symptoms, senility, and ill-defined conditions (780-795)-----	20,385	2,518	230	120	59	46	2,973	104	63	131
54	White-----Male-----	7,928	7,928	59	41	15	15	690	32	29	60
55	Female-----	5,161	412	43	17	13	13	498	28	19	36
56	Nonwhite-----Male-----	4,084	855	64	39	19	11	966	29	21	15
57	Female-----	3,192	691	64	23	12	7	797	15	14	20
58	All other diseases (Residual)-----	69,117	4,190	835	445	346	301	6,117	916	758	611
59	White-----Male-----	37,304	1,916	359	212	172	139	2,798	421	346	417
60	Female-----	23,160	1,236	298	152	124	110	1,810	369	291	251
61	Nonwhite-----Male-----	5,067	600	103	43	34	28	808	60	68	75
62	Female-----	3,586	438	85	38	16	24	601	66	53	68
63	Accidents (E800-E862)-----	93,806	3,831	1,680	1,337	1,144	958	8,950	3,687	3,149	6,704
64	White-----Male-----	54,863	1,528	700	592	537	420	3,777	1,896	1,994	4,726
65	Female-----	25,365	1,144	553	407	310	290	2,704	972	589	1,199
66	Nonwhite-----Male-----	9,483	625	244	193	150	118	1,330	468	446	642
67	Female-----	4,075	534	183	145	147	130	1,139	351	120	138
68	Motor vehicle accidents (E810-E835)-----	38,137	332	399	399	434	389	1,953	1,628	1,186	4,484
69	White-----Male-----	24,656	157	185	200	219	191	952	893	737	3,152
70	Female-----	8,969	126	154	134	144	130	690	491	510	968
71	Nonwhite-----Male-----	3,428	23	40	31	45	38	177	151	103	277
72	Female-----	1,064	24	20	34	26	30	134	103	36	87
73	Other accidents (E800-E802, E840-E862)-----	55,669	3,499	1,281	938	710	569	6,997	2,059	1,663	2,220
74	White-----Male-----	30,227	1,371	515	392	318	229	2,825	1,013	1,257	1,574
75	Female-----	16,396	1,016	399	273	166	160	2,014	481	279	250
76	Nonwhite-----Male-----	6,035	602	204	162	105	60	1,153	317	343	365
77	Female-----	3,011	510	163	111	121	100	1,005	248	84	51
78	Suicide (E963, E970-E979)-----	19,041	-	-	-	-	-	-	3	90	475
79	White-----Male-----	13,825	-	-	-	-	-	-	2	73	345
80	Female-----	4,296	-	-	-	-	-	-	-	15	91
81	Nonwhite-----Male-----	714	-	-	-	-	-	-	-	2	27
82	Female-----	206	-	-	-	-	-	-	1	-	12
83	Homicide (E964, E980-E985)-----	8,464	199	48	32	22	14	315	83	90	535
84	White-----Male-----	2,832	68	14	11	9	8	110	30	35	187
85	Female-----	1,154	60	15	10	8	2	95	29	22	71
86	Nonwhite-----Male-----	3,437	31	10	4	3	2	50	12	21	220
87	Female-----	1,041	40	9	7	2	2	60	12	12	57



Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii, Excludes fetal deaths. Rates per 100,000 population in spec-

CAUSE OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	ALL CAUSES-----	954.7	2,596.4	109.1	49.0	44.0	92.2	123.6
2	Male----	1,104.5	3,059.3	119.5	56.3	55.0	130.1	179.7
3	Female--	809.2	2,321.3	98.4	41.5	32.6	54.0	70.0
4	White-----	947.8	2,357.7	95.2	46.2	41.4	87.9	112.7
5	Male----	1,098.5	2,694.1	104.9	53.7	51.6	125.2	166.9
6	Female--	800.9	2,007.7	85.2	39.3	30.8	50.3	60.4
7	Nonwhite-----	1,008.5	4,626.4	190.8	66.7	61.5	122.7	201.3
8	Male----	1,152.0	5,189.4	207.3	72.3	78.6	165.9	274.9
9	Female--	872.6	4,067.1	174.4	61.0	44.2	80.4	135.8
10	Tuberculosis, all forms (001-019)-----	6.1	0.9	0.6	0.1	0.1	0.3	0.9
11	Male----	6.9	0.9	0.6	0.1	0.1	0.3	0.7
12	Female--	3.3	0.9	0.6	0.2	0.1	0.3	1.1
13	White-----	5.1	0.5	0.3	0.1	0.1	0.2	0.3
14	Male----	7.7	0.4	0.3	0.1	0.1	0.2	0.3
15	Female--	2.6	0.5	0.4	0.1	0.1	0.2	0.3
16	Nonwhite-----	13.2	3.4	1.9	0.3	0.6	1.4	4.9
17	Male----	18.4	3.3	2.1	0.2	0.4	1.3	3.0
18	Female--	8.2	3.6	1.6	0.3	0.7	1.6	6.5
19	Tuberculosis of respiratory system (001-008)-----	5.6	0.4	0.2	0.0	0.1	0.2	0.7
20	Male----	8.4	0.5	0.2	0.1	0.1	0.2	0.5
21	Female--	2.9	0.3	0.2	0.0	0.1	0.2	0.9
22	White-----	4.8	0.2	0.1	0.0	0.0	0.1	0.3
23	Male----	7.4	0.3	0.1	0.0	0.1	0.1	0.3
24	Female--	2.4	0.2	0.0	0.0	0.0	0.1	0.2
25	Nonwhite-----	11.7	1.6	0.9	0.1	0.2	1.1	3.8
26	Male----	16.7	2.0	0.9	0.1	0.1	0.9	1.9
27	Female--	7.0	1.3	0.9	0.1	0.4	1.4	5.5
28	Tuberculosis, other forms (010-019)-----	0.4	0.5	0.4	0.1	0.1	0.1	0.2
29	Male----	0.5	0.3	0.4	0.1	0.0	0.1	0.2
30	Female--	0.4	0.6	0.4	0.1	0.1	0.1	0.2
31	White-----	0.3	0.2	0.3	0.1	0.0	0.1	0.1
32	Male----	0.3	0.2	0.2	0.1	0.0	0.1	0.0
33	Female--	0.3	0.3	0.3	0.1	0.0	0.1	0.1
34	Nonwhite-----	1.5	1.6	1.0	0.2	0.3	0.3	1.1
35	Male----	1.7	1.3	1.3	0.2	0.3	0.4	1.1
36	Female--	1.2	2.3	0.8	0.2	0.4	0.2	1.0
37	Syphilis and its sequelae (020-029)-----	1.6	0.7	0	0	0.0	0.0	0.1
38	Male----	2.4	1.0	0	0	0.0	0.0	0.1
39	Female--	0.9	0.4	0	0	0	0.0	0.0
40	White-----	1.3	0.4	0	0	0.0	0.0	0.1
41	Male----	1.9	0.8	0	0	0.0	0.0	0.1
42	Female--	0.7	0.2	0	0	0	0	0.0
43	Nonwhite-----	4.5	2.4	0	0	0.0	0.1	0.1
44	Male----	6.6	3.3	0	0	0.1	0.1	0.2
45	Female--	2.6	1.6	0	0	0	0.1	0
46	Dysentery, all forms (045-048)-----	0.2	3.4	0.3	0.1	0.0	0.0	0.0
47	Male----	0.2	4.0	0.4	0.1	0.0	0.1	0.0
48	Female--	0.2	2.8	0.3	0.1	0.0	0.0	0.0
49	White-----	0.1	1.7	0.2	0.1	0.0	0.0	0.0
50	Male----	0.1	2.1	0.3	0.1	0.0	0.1	0.0
51	Female--	0.1	1.5	0.2	0.1	0.0	0	0.0
52	Nonwhite-----	0.7	13.0	1.1	0.2	0.1	0.1	0
53	Male----	0.8	14.7	1.3	0.1	0	0.1	0
54	Female--	0.7	11.4	0.9	0.3	0.2	0.1	0
55	Scarlet fever and streptococcal sore throat (050,051)-----	0.1	0.2	0.1	0.0	0.1	0.0	0.0
56	Male----	0.1	0.1	0.1	0.1	0.1	0.0	0
57	Female--	0.1	0.3	0.1	0.0	0.1	0.0	0.1
58	White-----	0.1	0.2	0.1	0.1	0.0	0.0	0.0
59	Male----	0.1	0.2	0.1	0.1	0.1	0.0	0
60	Female--	0.1	0.3	0.1	0.0	0.0	0.0	0.0
61	Nonwhite-----	0.1	0.2	0.1	0	0.1	0.1	0.1
62	Male----	0.1	0	0.2	0	0.1	0.1	0
63	Female--	0.1	0.3	0.1	0	0.2	0	0.1
64	Diphtheria (055)-----	0.0	0.0	0.2	0.1	0.0	0.0	0
65	Male----	0.0	0.0	0.2	0.1	0.0	0.0	0
66	Female--	0.0	0.0	0.3	0.1	0	0	0
67	White-----	0.0	0.1	0.2	0.1	0.0	0.0	0
68	Male----	0.0	0.1	0.1	0.1	0.0	0.0	0
69	Female--	0.0	0.1	0.2	0.1	0	0	0
70	Nonwhite-----	0.1	0	0.3	0.3	0.0	0	0
71	Male----	0.1	0	0.6	0.1	0.1	0	0
72	Female--	0.2	0	0.9	0.5	0	0	0
73	Whooping cough (056)-----	0.1	1.8	0.2	0.0	0.0	0	0.0
74	Male----	0.1	2.1	0.1	0	0.0	0	0
75	Female--	0.1	1.4	0.4	0.0	0	0	0.0
76	White-----	0.0	0.7	0.1	0	0.0	0	0.0
77	Male----	0.0	0.8	0.0	0	0.0	0	0
78	Female--	0.0	0.5	0.2	0	0	0	0.0
79	Nonwhite-----	0.4	8.0	1.0	0.0	0	0	0
80	Male----	0.4	9.5	0.7	0	0	0	0
81	Female--	0.3	6.5	1.3	0.1	0	0	0
82	Meningococcal infections (057)-----	0.4	4.8	1.4	0.3	0.1	0.1	0.1
83	Male----	0.4	5.4	1.7	0.3	0.2	0.2	0.2
84	Female--	0.3	4.1	1.1	0.3	0.1	0.1	0.1
85	White-----	0.3	4.6	1.4	0.3	0.1	0.1	0.1
86	Male----	0.4	5.3	1.6	0.3	0.1	0.2	0.1
87	Female--	0.3	3.9	1.1	0.3	0.1	0.1	0.1
88	Nonwhite-----	0.7	5.7	2.0	0.3	0.5	0.2	0.5
89	Male----	0.8	5.9	2.5	0.3	0.7	0.5	0.5
90	Female--	0.5	5.5	1.5	0.4	0.3	0	0.4

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 5 - MORTALITY

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

CAUSE OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)-----	0.1	0.2	0.2	0.2	0.1	0.1	0.2
2	Male----	0.2	0.2	0.3	0.3	0.1	0.1	0.3
3	Female--	0.1	0.2	0.1	0.1	0.1	0.2	0.2
4	White-----	0.1	0.2	0.2	0.2	0.1	0.1	0.2
5	Male----	0.1	0.2	0.3	0.2	0.1	0.1	0.3
6	Female--	0.1	0.2	0.1	0.2	0.1	0.2	0.2
7	Nonwhite-----	0.2	0.3	0.4	0.3	0.1	0	0.3
8	Male----	0.3	0.3	0.5	0.6	0.2	0	0.3
9	Female--	0.1	0.3	0.3	0.1	0	0	0.3
10	Measles (085)-----	0.2	2.1	1.2	0.4	0.0	0.0	0.0
11	Male----	0.2	2.2	1.3	0.4	0.0	0.0	0
12	Female--	0.2	1.9	1.2	0.4	0.0	0.0	0.0
13	White-----	0.2	1.7	1.0	0.4	0.0	0.0	0.0
14	Male----	0.2	1.6	1.1	0.4	0.1	0.0	0
15	Female--	0.2	1.8	0.9	0.4	0.0	0.0	0.0
16	Nonwhite-----	0.5	4.2	2.6	0.4	0	0	0
17	Male----	0.5	5.9	2.4	0.2	0	0	0
18	Female--	0.5	2.6	2.9	0.7	0	0	0
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)-----	3.2	20.9	3.0	1.1	0.8	1.0	1.1
20	Male----	3.5	25.2	3.2	1.1	0.7	1.0	1.0
21	Female--	2.9	16.6	2.8	1.1	0.8	1.0	1.3
22	White-----	2.8	16.4	2.6	1.1	0.7	0.9	1.0
23	Male----	3.1	19.5	2.8	1.1	0.6	0.9	0.9
24	Female--	2.6	13.2	2.4	1.0	0.8	1.0	1.0
25	Nonwhite-----	5.7	46.6	5.3	1.3	1.1	1.5	2.4
26	Male----	6.5	58.2	5.4	1.3	1.1	1.5	1.8
27	Female--	5.0	35.1	5.3	1.3	1.0	1.5	3.0
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)-----	149.2	7.2	10.9	7.4	6.1	7.7	9.0
29	Male----	162.5	7.7	12.4	8.6	6.5	9.6	10.9
30	Female--	136.4	6.8	9.3	6.2	5.7	5.8	7.3
31	White-----	152.8	7.4	11.4	7.8	6.3	7.9	9.0
32	Male----	166.1	7.9	13.1	9.1	6.8	9.7	11.1
33	Female--	139.8	6.8	9.7	6.5	5.8	6.0	7.0
34	Nonwhite-----	121.6	6.5	7.6	5.0	4.7	6.8	9.2
35	Male----	134.1	6.5	8.2	5.2	4.5	9.4	8.9
36	Female--	109.8	6.5	7.0	4.7	4.9	4.3	9.5
37	Malignant neoplasm of buccal cavity and pharynx (140-146)-----	3.4	0	0.0	0.0	0.1	0.1	0.1
38	Male----	5.3	0	0.0	0.1	0.1	0.1	0.2
39	Female--	1.7	0	0.0	0.0	0.0	0.1	0.1
40	White-----	3.5	0	0.0	0.0	0.1	0.1	0.1
41	Male----	5.5	0	0.0	0.1	0.1	0.1	0.2
42	Female--	1.7	0	0.0	0.0	0.0	0.1	0.1
43	Nonwhite-----	2.7	0	0	0	0.0	0.2	0.1
44	Male----	4.0	0	0	0	0	0.4	0
45	Female--	1.4	0	0	0	0.1	0	0.1
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)-----	50.8	0.7	0.3	0.1	0.1	0.3	0.6
47	Male----	56.4	0.4	0.3	0.2	0.1	0.5	0.6
48	Female--	45.3	1.0	0.2	0.1	0.2	0.2	0.5
49	White-----	51.9	0.7	0.3	0.1	0.1	0.3	0.5
50	Male----	57.0	0.4	0.3	0.2	0.1	0.4	0.5
51	Female--	47.0	1.1	0.2	0.1	0.1	0.2	0.4
52	Nonwhite-----	41.8	0.5	0.3	0.1	0.2	0.7	1.3
53	Male----	51.4	0	0.3	0.2	0.3	1.3	1.3
54	Female--	32.8	1.0	0.4	0	0.2	0.1	1.3
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)-----	22.2	0.2	0.1	0.0	0.1	0.1	0.2
56	Male----	38.5	0.1	0.0	0.0	0.0	0.1	0.3
57	Female--	6.2	0.2	0.1	0.0	0.1	0.0	0.1
58	White-----	22.8	0.2	0.1	0.0	0.1	0.1	0.2
59	Male----	39.6	0.1	0.0	0.0	0.0	0.1	0.3
60	Female--	6.4	0.2	0.1	0.0	0.1	0.1	0.1
61	Nonwhite-----	17.3	0.2	0.1	0	0.2	0.1	0.1
62	Male----	30.5	0.3	0.1	0	0.1	0.1	0.2
63	Female--	4.9	0	0.1	0	0.3	0	0
64	Malignant neoplasm of breast (170)-----	13.4	0.1	0	0.0	0	0.0	0.1
65	Male----	0.2	0	0	0	0	0.0	0
66	Female--	26.1	0.1	0	0.0	0	0.0	0.3
67	White-----	13.9	0.1	0	0.0	0	0.0	0.1
68	Male----	0.2	0.1	0	0	0	0.0	0
69	Female--	27.2	0.1	0	0.0	0	0.0	0.2
70	Nonwhite-----	9.4	0.5	0	0	0	0	0.4
71	Male----	0.3	0.3	0	0	0	0	0
72	Female--	17.9	0.6	0	0	0	0	0.7
73	Malignant neoplasm of genital organs (171-179)-----	21.6	0.0	0.1	0.1	0.1	0.6	1.2
74	Male----	17.4	0.0	0.2	0.0	0.0	0.5	1.3
75	Female--	25.6	0.0	0.1	0.1	0.3	0.7	1.1
76	White-----	21.2	0.0	0.1	0.1	0.2	0.6	1.2
77	Male----	17.2	0.1	0.2	0.0	0.0	0.5	1.4
78	Female--	25.1	0	0.1	0.1	0.3	0.6	0.9
79	Nonwhite-----	24.5	0.2	0.2	0.1	0.1	0.6	1.6
80	Male----	19.1	0	0.3	0	0	0.4	0.5
81	Female--	29.6	0.3	0	0.2	0.2	0.9	2.6
82	Malignant neoplasm of urinary organs (180,181)-----	7.1	0.7	1.0	0.5	0.1	0.1	0.1
83	Male----	9.7	0.7	1.0	0.4	0.1	0.1	0.1
84	Female--	4.6	0.6	0.9	0.5	0.1	0.1	0.1
85	White-----	7.5	0.7	1.0	0.5	0.1	0.1	0.1
86	Male----	10.2	0.7	1.0	0.5	0.1	0.1	0.1
87	Female--	4.8	0.6	0.9	0.5	0.1	0.1	0.1
88	Nonwhite-----	4.7	0.5	0.8	0.5	0.0	0.1	0.2
89	Male----	5.6	0.3	0.9	0.3	0.1	0.1	0.2
90	Female--	3.7	0.6	1.0	0.7	0	0	0.1

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.

SECTION 5 - MORTALITY

Age, Color, and Sex: United States, 1960—Continued

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over
0.3	0.2	0.1	0.1	0.1	0.0	0	0	0.0	0	0	0	0
0.3	0.3	0.1	0.2	0.1	0.0	0	0	0	0	0	0	0
0.3	0.1	0.1	0.0	0.1	0	0	0	0.0	0	0	0	0
0.3	0.2	0.1	0.1	0.1	0.0	0	0	0.0	0	0	0	0
0.3	0.3	0.1	0.1	0.1	0.0	0	0	0	0	0	0	0
0.2	0.1	0.1	0.0	0.0	0	0	0	0.0	0	0	0	0
0.3	0	0	0.3	0.3	0	0	0	0	0	0	0	0
0.2	0	0	0.5	0.4	0	0	0	0	0	0	0	0
0.4	0	0	0	0.2	0	0	0	0	0	0	0	0
0.0	0.0	0	0.0	0	0	0	0	0	0	0.1	0	0
0.1	0	0	0.0	0	0	0	0	0	0	0.1	0	0
0.0	0.0	0	0.0	0	0	0	0	0	0	0.1	0	0
0.0	0.0	0	0.0	0	0	0	0	0	0	0.1	0	0
0.1	0	0	0.0	0	0	0	0	0	0	0.1	0	0
0.0	0.1	0	0.0	0	0	0	0	0	0	0.1	0	0
0.1	0	0	0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0
0.1	0	0	0	0	0	0	0	0	0	0	0	0
1.3	1.5	1.7	2.0	2.8	3.0	4.5	5.3	7.0	8.5	10.8	15.2	22.9
0.9	1.2	1.7	2.1	3.3	3.4	5.1	6.1	8.9	10.7	13.1	18.5	24.0
1.6	1.7	1.7	1.8	2.4	2.6	4.0	4.4	5.3	6.6	9.0	12.8	22.2
1.1	1.2	1.3	1.7	2.5	2.5	4.1	4.7	6.5	8.2	10.6	15.4	23.7
0.7	0.9	1.3	1.8	2.9	2.8	4.5	5.4	8.3	10.4	13.0	19.2	24.8
1.4	1.4	1.2	1.5	2.0	2.2	3.7	4.1	4.9	6.4	8.7	12.7	25.0
2.7	3.7	5.5	4.6	6.3	8.0	8.3	11.3	12.1	12.1	14.2	12.1	14.0
2.0	3.7	5.7	5.2	7.2	9.8	10.5	14.3	15.0	15.0	14.4	8.7	15.9
3.4	3.7	5.4	4.0	5.5	6.3	6.2	8.5	9.6	9.4	14.0	15.0	12.4
14.7	23.8	43.0	77.6	135.4	224.2	327.8	478.3	634.6	818.6	1,032.9	1,310.1	1,450.0
16.2	21.1	35.2	63.6	120.0	228.4	367.2	572.1	787.1	1,029.2	1,278.0	1,617.2	1,741.2
13.3	26.3	50.5	91.0	150.3	220.1	290.0	392.6	500.2	658.4	836.5	1,086.8	1,263.9
14.5	22.7	41.0	75.4	129.4	215.7	320.0	466.9	631.1	820.1	1,047.1	1,333.6	1,492.6
16.4	21.1	33.8	59.7	114.5	219.9	350.1	559.3	780.0	1,029.9	1,297.9	1,648.4	1,791.4
12.7	24.2	47.9	86.7	143.8	211.6	281.7	382.6	500.3	641.6	847.8	1,107.2	1,304.9
16.0	32.3	60.4	114.6	189.1	304.7	401.4	605.1	672.5	800.3	849.1	959.3	939.5
14.7	21.7	47.3	99.3	169.9	308.8	435.7	710.6	854.1	1,021.2	1,038.0	1,195.5	1,211.7
17.1	41.5	72.1	128.4	207.1	300.7	389.6	505.4	498.3	596.6	676.6	757.2	727.5
0.2	0.3	0.6	1.6	3.8	7.1	8.8	11.2	14.0	17.7	22.1	28.8	34.8
0.1	0.4	0.9	2.1	5.3	10.9	14.3	18.8	23.9	30.0	37.1	47.4	60.7
0.2	0.2	0.3	1.2	2.3	3.3	3.4	4.3	5.3	7.3	10.0	15.3	18.2
0.1	0.2	0.5	1.4	3.6	6.7	8.7	11.3	14.2	18.1	22.7	29.4	36.0
0.1	0.3	0.7	1.8	5.0	10.3	14.3	19.1	24.4	30.9	38.7	49.2	63.5
0.2	0.2	0.3	1.1	3.2	3.2	3.4	4.1	5.3	7.2	10.1	15.1	18.8
0.5	0.7	1.5	3.4	5.6	10.4	9.1	10.8	12.1	13.2	13.3	20.2	19.5
0.3	1.3	2.4	5.2	8.1	16.7	14.0	15.6	19.0	19.2	18.2	21.9	31.9
0.6	0.3	0.7	1.8	3.2	4.3	4.2	6.2	5.9	7.7	8.8	18.7	9.9
1.7	3.5	7.6	15.9	32.5	61.1	98.8	160.6	232.7	324.7	435.8	573.2	630.7
2.1	3.6	8.1	17.1	36.8	71.7	118.2	196.7	287.6	398.3	511.4	658.0	676.6
1.4	3.3	7.2	14.7	28.4	50.9	80.2	127.6	184.4	261.7	375.1	511.6	601.4
1.6	3.3	7.0	14.5	30.1	57.4	94.1	154.7	229.3	325.2	442.1	584.7	652.7
1.9	3.4	7.2	15.2	33.4	67.1	112.8	188.3	280.7	397.0	520.1	671.5	699.9
1.3	3.1	6.9	13.8	26.8	48.1	76.2	124.0	184.1	264.2	380.2	522.2	623.1
2.7	5.1	12.7	25.0	54.5	96.2	143.5	226.4	271.3	318.2	352.8	402.1	367.1
3.4	5.4	16.3	34.5	67.4	115.9	169.1	287.5	363.2	414.1	406.2	474.3	430.5
2.1	4.8	9.5	22.2	42.3	77.2	118.3	168.7	187.7	229.8	304.1	340.3	317.8
0.6	1.6	4.3	10.5	22.2	43.1	68.5	96.8	114.1	121.3	104.8	99.2	79.1
0.8	2.4	6.6	16.4	36.2	75.5	124.4	181.5	216.6	228.6	174.6	132.2	132.2
0.4	0.8	2.0	4.9	8.7	11.6	14.9	19.4	23.7	29.5	32.2	44.4	45.2
0.6	1.5	4.0	9.8	21.3	42.1	68.2	96.0	122.9	155.5	106.3	99.7	94.4
0.8	2.3	6.1	15.0	34.6	73.7	124.0	180.7	219.7	232.3	199.6	176.3	133.9
0.4	0.8	2.0	4.9	8.4	11.4	14.9	18.8	24.0	29.9	32.1	44.6	45.2
0.8	2.3	6.3	16.9	30.6	52.9	71.2	106.3	98.3	100.9	85.7	91.7	75.4
1.1	3.8	10.9	29.9	51.2	95.1	127.9	190.5	184.0	184.0	143.1	150.8	114.8
0.4	1.0	2.1	5.2	11.3	14.0	15.3	26.6	21.3	24.3	33.3	41.1	44.7
0.9	2.9	7.3	13.7	21.9	30.9	33.8	40.9	53.3	66.4	88.3	118.1	118.1
0	0	0.1	0.1	0.2	0.3	0.8	1.2	1.6	1.6	1.5	2.1	2.5
1.7	5.8	14.1	26.7	43.0	60.8	65.4	77.1	84.1	97.6	118.5	151.0	191.9
0.8	2.7	7.0	13.4	21.7	30.9	34.4	41.2	45.9	54.5	68.1	90.6	123.6
0	0	0.1	0.1	0.1	0.3	0.8	1.1	1.5	1.5	1.4	2.1	2.4
1.6	5.3	13.6	26.3	42.7	60.8	66.6	77.7	85.5	99.5	121.1	154.3	199.7
1.4	4.9	9.6	16.5	24.1	31.0	27.9	37.2	36.1	39.1	44.4	53.4	51.6
0	0	0.2	0.5	0.4	0	1.0	2.4	0.4	3.0	2.9	2.2	3.2
2.6	9.0	18.1	30.9	46.4	61.0	54.3	70.0	68.5	72.4	82.4	97.2	89.4
2.5	4.4	8.0	13.7	20.6	29.4	40.4	59.3	83.8	121.0	170.1	234.2	262.7
1.7	1.6	1.5	1.8	2.2	6.1	13.9	35.1	73.1	141.0	240.7	378.3	468.2
3.3	7.0	14.1	25.1	38.5	52.0	65.8	81.3	93.2	104.0	113.5	129.4	131.4
2.3	3.7	7.1	12.3	18.9	26.8	37.5	54.6	79.1	116.4	167.7	233.5	262.0
1.9	1.8	1.6	1.6	2.1	4.8	11.9	30.4	66.1	133.5	235.6	378.1	471.4
2.7	5.6	12.4	22.7	35.4	48.2	62.0	76.6	90.6	102.0	113.7	129.6	130.4
3.9	9.4	15.3	26.0	35.7	53.4	68.2	111.0	135.3	179.1	202.1	243.9	270.8
0.3	0.3	0.6	4.1	3.4	18.0	32.6	86.2	149.0	231.9	302.5	380.3	433.7
7.0	17.2	28.4	45.8	66.1	87.6	103.2	134.5	122.9	130.4	110.4	127.1	144.0
0.1	0.3	0.9	1.9	4.1	7.8	13.9	21.4	32.5	45.6	62.5	80.6	87.4
0.2	0.4	1.2	2.8	5.6	11.4	20.3	32.8	48.9	68.5	114.7	120.4	83
0.1	0.3	0.6	1.1	2.7	4.4	7.8	11.1	18.2	26.0	39.8	55.9	66.3
0.1	0.3	0.8	1.8	3.8	7.4	13.7	21.3	32.9	46.7	64.8	85.7	91.1
0.2	0.4	1.1	2.8	5.3	11.0	20.5	35.0	49.7	71.0	94.9	120.1	126.9
0.2	0.2	0.5	0.9	2.3	5.9	7.1	10.8	18.2	26.0	40.9	57.5	68.5
0.4	0.5	1.9	2.7	6.9	11.9	16.3	22.3	28.3	31.9	33.0	35.3	45.3
0.2	0.5	2.1	3.0	7.7	14.9	17.8	30.6	40.1	37.2	41.5	41.5	51.0
0.1	0.4	1.8	2.4	6.0	9.1	14.8	14.5	17.7	27.1	25.4	29.9	37.2

SECTION 5 - MORTALITY

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

CAUSE OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--Continued							
2	Malignant neoplasm of other and unspecified sites (156B,165,190-199)-----	16.5	2.2	3.2	2.4	2.2	2.6	2.7
3	Male----	18.0	2.7	3.6	2.5	2.1	3.3	3.3
4	Female--	15.0	1.6	2.9	2.2	2.3	2.0	2.2
5	White-----	17.0	2.2	3.3	2.4	2.3	2.7	2.7
6	Male----	18.6	2.6	3.6	2.6	2.3	3.3	3.3
7	Female--	15.4	1.8	2.9	2.2	2.3	2.0	2.1
8	Nonwhite-----	12.8	2.1	3.1	2.0	1.8	2.5	2.9
9	Male----	13.3	3.3	3.3	1.8	1.4	3.4	2.9
	Female--	12.4	1.0	2.8	2.2	2.2	1.7	2.8
10	Leukemia and aleukemia (204)-----	7.1	2.7	5.5	3.8	2.7	2.3	1.8
11	Male----	8.3	2.8	6.3	4.4	2.9	2.8	2.3
12	Female--	5.9	2.6	4.7	3.1	2.4	1.9	1.3
13	White-----	7.5	2.8	6.0	4.1	2.8	2.5	1.8
14	Male----	8.8	2.9	6.9	4.6	3.1	2.9	2.2
15	Female--	6.2	2.6	5.1	3.3	2.5	2.0	1.3
16	Nonwhite-----	3.9	2.3	2.5	1.9	1.7	1.5	2.0
17	Male----	4.4	2.3	2.8	2.2	2.1	2.0	2.9
18	Female--	3.4	2.3	2.2	1.5	1.3	1.0	1.1
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)-----	7.2	0.7	0.7	0.6	0.8	1.5	2.2
20	Male----	8.6	0.8	0.9	0.9	1.0	2.2	2.8
21	Female--	5.9	0.5	0.4	0.3	0.5	0.9	1.6
22	White-----	7.6	0.7	0.7	0.6	0.8	1.6	2.4
23	Male----	9.0	1.0	1.0	1.0	1.0	2.2	3.0
24	Female--	6.2	0.5	0.4	0.3	0.5	0.9	1.8
25	Nonwhite-----	4.5	0.3	0.5	0.4	0.6	1.2	0.9
26	Male----	5.6	0	0.5	0.7	0.6	1.8	1.1
27	Female--	3.5	0.6	0.4	0.2	0.6	0.6	0.7
28	Benign neoplasms and neoplasms of unspecified nature (210-239)-----	2.7	3.4	0.6	0.7	0.5	0.7	0.8
29	Male----	2.5	3.3	0.6	0.8	0.6	0.7	0.6
30	Female--	2.9	3.5	0.7	0.7	0.5	0.6	1.0
31	White-----	2.6	3.4	0.6	0.7	0.5	0.6	0.8
32	Male----	2.5	3.3	0.6	0.8	0.6	0.6	0.6
33	Female--	2.7	3.5	0.6	0.6	0.5	0.5	1.0
34	Nonwhite-----	3.5	3.1	0.9	1.1	0.7	1.4	0.8
35	Male----	2.6	2.9	0.6	1.2	0.8	1.4	0.3
36	Female--	4.4	3.2	1.1	1.0	0.6	1.4	1.3
37	Asthma (241)-----	3.0	0.6	0.4	0.2	0.2	0.3	0.4
38	Male----	3.9	0.5	0.4	0.2	0.1	0.3	0.3
39	Female--	2.1	0.7	0.3	0.2	0.2	0.4	0.6
40	White-----	2.9	0.4	0.2	0.2	0.1	0.2	0.3
41	Male----	3.9	0.4	0.3	0.2	0.1	0.2	0.2
42	Female--	2.0	0.4	0.2	0.1	0.2	0.3	0.5
43	Nonwhite-----	3.6	1.6	1.0	0.6	0.6	1.2	1.1
44	Male----	3.9	1.0	0.9	0.5	0.5	1.0	1.1
45	Female--	3.3	2.3	1.0	0.6	0.7	1.5	1.1
46	Diabetes mellitus (260)-----	16.7	0.4	0.3	0.3	0.5	0.7	1.2
47	Male----	13.8	0.5	0.3	0.2	0.3	0.5	1.2
48	Female--	19.6	0.3	0.3	0.3	0.6	0.8	1.2
49	White-----	16.4	0.4	0.3	0.3	0.5	0.5	1.1
50	Male----	13.7	0.4	0.3	0.2	0.3	0.4	1.0
51	Female--	19.1	0.3	0.3	0.4	0.6	0.7	1.2
52	Nonwhite-----	18.8	0.7	0.3	0.2	0.7	1.6	1.9
53	Male----	13.9	1.0	0.3	0.4	0.7	1.5	2.6
54	Female--	23.4	0.3	0.3	0.1	0.7	1.7	1.3
55	Anemias (290-293)-----	1.9	2.7	1.2	0.6	0.4	0.6	0.5
56	Male----	1.8	3.2	1.1	0.4	0.3	0.6	0.6
57	Female--	1.9	2.2	1.4	0.8	0.4	0.8	0.5
58	White-----	1.7	1.5	0.8	0.5	0.3	0.5	0.3
59	Male----	1.6	1.7	0.6	0.3	0.2	0.5	0.3
60	Female--	1.8	1.3	0.9	0.7	0.4	0.4	0.3
61	Nonwhite-----	2.9	9.5	3.9	1.5	0.9	1.7	2.5
62	Male----	2.9	12.1	4.0	1.5	1.1	1.6	3.0
63	Female--	3.0	6.8	3.8	1.5	0.7	1.7	2.0
64	Meningitis, except meningococcal and tuberculous (340)-----	1.3	21.2	2.8	0.6	0.2	0.3	0.2
65	Male----	1.5	25.1	3.3	0.7	0.3	0.3	0.2
66	Female--	1.1	17.2	2.2	0.5	0.2	0.3	0.1
67	White-----	1.0	16.3	2.3	0.5	0.2	0.2	0.1
68	Male----	1.2	19.7	2.8	0.6	0.3	0.3	0.2
69	Female--	0.8	12.7	1.7	0.5	0.2	0.1	0.1
70	Nonwhite-----	3.5	49.2	5.6	0.8	0.5	0.9	0.4
71	Male----	4.0	56.2	5.9	1.1	0.7	0.6	0.6
72	Female--	2.9	42.2	5.5	0.5	0.2	1.2	0.1
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)-----	521.8	12.2	2.5	2.1	3.2	6.2	11.1
74	Male----	591.7	14.5	2.8	2.4	3.2	6.9	11.7
75	Female--	453.9	9.7	2.1	1.9	3.2	5.6	10.5
76	White-----	530.3	10.3	1.9	1.9	2.8	5.4	9.5
77	Male----	604.4	12.8	2.2	2.2	2.8	6.1	10.4
78	Female--	458.1	7.7	1.6	1.5	2.7	4.7	8.6
79	Nonwhite-----	455.8	23.0	5.8	4.0	6.4	12.2	22.8
80	Male----	491.7	24.8	6.8	3.9	6.1	12.8	21.4
81	Female--	421.7	21.1	4.9	4.0	6.7	11.7	24.0
82	Diseases of cardiovascular system (330-334, 400-468)-----	515.1	11.6	2.2	1.8	2.6	4.9	9.0
83	Male----	584.2	13.9	2.5	2.0	2.6	5.4	8.8
84	Female--	448.0	9.3	1.9	1.6	2.6	4.4	9.2
85	White-----	524.4	9.8	1.7	1.5	2.2	4.1	7.4
86	Male----	597.7	12.2	2.0	1.8	2.2	4.6	7.6
87	Female--	453.0	7.4	1.5	1.2	2.1	3.7	7.3
88	Nonwhite-----	442.9	22.2	5.1	3.4	5.4	10.6	19.8
89	Male----	477.7	23.9	5.9	3.3	5.0	11.0	17.6
90	Female--	409.9	20.5	4.3	3.5	5.9	10.1	21.9

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.





SECTION 5 - MORTALITY

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

CAUSE OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Major cardiovascular-renal diseases—Continued							
2	Diseases of cardiovascular system—Continued							
3	Vascular lesions affecting central nervous system (330-334)-----	108.0	4.1	0.8	0.6	0.8	1.4	2.3
4	Male----	104.5	5.0	0.9	0.7	0.8	1.5	2.4
5	Female--	111.4	3.2	0.7	0.5	0.8	1.2	2.1
6	White-----	106.4	3.4	0.7	0.6	0.7	1.2	1.9
7	Male----	102.7	4.3	0.8	0.7	0.8	1.4	2.0
8	Female--	110.1	2.6	0.5	0.5	0.6	1.1	1.7
9	Nonwhite-----	119.7	8.0	1.6	0.8	1.1	2.4	5.0
10	Male----	118.2	9.5	1.8	1.0	0.6	2.8	5.4
11	Female--	121.2	6.5	1.4	0.7	1.6	2.0	4.7
12	Diseases of heart (400-402,410-443)-----	569.0	6.6	1.3	1.0	1.6	2.9	5.3
13	Male----	439.5	7.9	1.4	1.2	1.6	3.4	5.3
14	Female--	300.6	5.4	1.1	0.9	1.5	2.4	5.2
15	White-----	379.6	5.6	0.9	0.8	1.2	2.3	4.4
16	Male----	454.6	6.9	1.0	1.0	1.2	2.8	4.7
17	Female--	306.5	4.3	0.9	0.6	1.3	1.8	4.1
18	Nonwhite-----	287.1	12.4	3.3	2.5	3.7	7.1	11.7
19	Male----	320.5	13.1	3.8	2.2	4.1	7.8	9.9
20	Female--	255.5	11.7	2.8	2.7	3.2	6.4	13.2
21	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)-	10.3	0.1	0.2	0.5	0.9	1.5	2.5
22	Male----	9.9	0.0	0.2	0.5	0.9	1.5	2.3
23	Female--	10.6	0.1	0.2	0.5	0.9	1.5	2.7
24	White-----	10.6	0.1	0.1	0.3	0.6	1.2	2.2
25	Male----	10.3	0.1	0.1	0.3	0.6	1.2	2.2
26	Female--	11.0	0.1	0.1	0.3	0.6	1.2	2.3
27	Nonwhite-----	7.4	0	0.6	1.5	2.6	3.9	4.6
28	Male----	7.5	0	0.5	1.4	2.8	4.0	3.0
29	Female--	7.4	0	0.6	1.7	2.4	3.8	6.0
30	Arteriosclerotic heart disease, including coronary disease (420)-----	275.6	0.3	0.1	0.0	0.1	0.3	1.0
31	Male----	348.0	0.3	0.1	0.1	0.1	0.4	1.3
32	Female--	205.4	0.2	0.0	0.0	0.1	0.2	0.7
33	White-----	290.5	0.3	0.0	0.0	0.1	0.2	0.8
34	Male----	368.0	0.3	0.1	0.1	0.1	0.3	1.1
35	Female--	215.1	0.2	0.0	0.0	0.1	0.1	0.6
36	Nonwhite-----	160.4	0.5	0.2	0	0.0	0.6	2.3
37	Male----	190.7	0.3	0.2	0	0.1	0.6	2.7
38	Female--	131.7	0.6	0.2	0	0	0.6	2.0
39	Nonrheumatic chronic endocarditis and other myocardial							
40	degeneration (421,422)-----	31.8	0.8	0.2	0.1	0.2	0.3	0.4
41	Male----	32.0	0.9	0.3	0.1	0.2	0.4	0.5
42	Female--	31.6	0.6	0.2	0.1	0.1	0.2	0.3
43	White-----	32.2	0.6	0.1	0.1	0.1	0.2	0.3
44	Male----	32.1	0.8	0.1	0.1	0.1	0.3	0.5
45	Female--	32.2	0.4	0.2	0.1	0.1	0.1	0.2
46	Nonwhite-----	29.1	1.5	0.9	0.2	0.2	1.0	0.8
47	Male----	31.2	1.3	1.2	0.2	0.3	1.1	0.6
48	Female--	27.1	1.6	0.6	0.2	0.2	0.9	0.9
49	Other diseases of heart (430-434)-----	14.3	5.5	0.8	0.4	0.4	0.7	1.0
50	Male----	16.9	6.5	0.9	0.5	0.4	1.0	0.9
51	Female--	11.9	4.5	0.7	0.3	0.4	0.4	1.1
52	White-----	13.5	4.6	0.6	0.3	0.4	0.6	0.8
53	Male----	15.9	5.7	0.7	0.5	0.4	0.9	0.8
54	Female--	11.2	3.6	0.5	0.2	0.4	0.3	0.8
55	Nonwhite-----	20.4	10.3	1.7	0.7	0.7	1.4	2.3
56	Male----	24.0	11.1	2.0	0.5	0.9	1.9	1.6
57	Female--	16.9	9.4	1.4	0.8	0.5	1.0	2.8
58	Hypertensive heart disease (440-443)-----	37.0	0.0	0.0	0.0	0.0	0.1	0.4
59	Male----	32.7	0.0	0	0.0	0	0.1	0.4
60	Female--	41.2	0	0.0	0.0	0.0	0.0	0.4
61	White-----	32.7	0	0	0.0	0	0.1	0.2
62	Male----	28.3	0	0	0.0	0	0.1	0.2
63	Female--	37.1	0	0	0.0	0	0.0	0.2
64	Nonwhite-----	69.9	0.2	0.0	0.0	0.0	0.1	1.7
65	Male----	67.1	0.3	0	0.1	0	0.1	1.9
66	Female--	72.4	0	0.1	0	0.1	0.1	1.6
67	Other hypertensive disease (444-447)-----	7.1	0	0.0	0.0	0.0	0.1	0.2
68	Male----	7.2	0	0.0	0.0	0	0.1	0.3
69	Female--	6.9	0	0	0.0	0.0	0.1	0.1
70	White-----	6.4	0	0.0	0.0	0.0	0.1	0.1
71	Male----	6.4	0	0.0	0.0	0	0.1	0.2
72	Female--	6.3	0	0	0.0	0.0	0.1	0.0
73	Nonwhite-----	12.6	0	0	0	0	0.2	0.5
74	Male----	13.4	0	0	0	0	0.1	1.0
75	Female--	11.8	0	0	0	0	0.4	0.1
76	General arteriosclerosis (450)-----	20.0	0	0	0	0	0	0
77	Male----	19.3	0	0	0	0	0	0
78	Female--	20.7	0	0	0	0	0	0
79	White-----	20.9	0	0	0	0	0	0
80	Male----	20.0	0	0	0	0	0	0
81	Female--	21.8	0	0	0	0	0	0
82	Nonwhite-----	13.0	0	0	0	0	0	0
83	Male----	14.0	0	0	0	0	0	0
84	Female--	12.0	0	0	0	0	0	0
85	Other diseases of circulatory system (451-468)-----	11.0	0.9	0.1	0.1	0.3	0.6	1.3
86	Male----	13.7	1.1	0.2	0.1	0.2	0.3	0.8
87	Female--	8.5	0.8	0.1	0.1	0.3	0.8	1.7
88	White-----	11.1	0.8	0.1	0.1	0.2	0.5	1.1
89	Male----	14.0	1.0	0.2	0.1	0.2	0.3	0.7
90	Female--	8.4	0.5	0.1	0.1	0.2	0.7	1.4
91	Nonwhite-----	10.4	1.6	0.2	0.1	0.7	0.9	2.6
92	Male----	11.6	1.3	0.3	0.1	0.3	0.4	1.3
93	Female--	9.4	2.3	0.1	0.2	1.1	1.4	3.8

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



## SECTION 5 - MORTALITY

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii, Excludes fetal deaths. Rates per 100,000 population in spec-

CAUSE OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
Major cardiovascular-renal diseases--Continued								
1	Chronic and unspecified nephritis and other renal sclerosis (592-594)-----	6.7	0.5	0.2	0.4	0.6	1.3	2.1
2	Male-----	7.5	0.7	0.3	0.4	0.6	1.5	2.9
3	Female--	5.9	0.4	0.2	0.3	0.6	1.1	1.4
4	White-----	5.9	0.5	0.1	0.3	0.6	1.3	2.0
5	Male-----	6.7	0.6	0.2	0.4	0.5	1.5	2.8
6	Female--	5.2	0.4	0.1	0.3	0.6	1.1	1.3
7	Nonwhite-----	12.9	0.8	0.7	0.5	1.0	1.7	2.9
8	Male-----	14.1	1.0	0.9	0.6	1.1	1.8	3.8
9	Female--	11.8	0.6	0.5	0.5	0.8	1.6	2.1
10	Influenza and pneumonia, except pneumonia of newborn (480-493)-----	37.3	239.0	16.2	3.2	2.0	2.8	3.2
11	Male-----	43.2	267.7	16.8	3.4	2.0	3.0	3.8
12	Female--	31.5	209.4	15.6	2.9	2.0	2.6	2.8
13	White-----	34.1	166.8	12.4	2.7	1.8	2.5	2.9
14	Male-----	39.2	191.5	12.4	3.0	1.8	2.7	3.3
15	Female--	29.0	141.1	12.3	2.5	1.8	2.2	2.4
16	Nonwhite-----	62.0	650.6	38.8	5.7	3.3	5.4	6.0
17	Male-----	74.3	711.7	43.3	5.8	3.2	5.3	6.9
18	Female--	50.4	589.9	34.3	5.5	3.4	5.5	5.3
19	Influenza (480-485)-----	4.4	13.1	1.2	0.3	0.2	0.5	0.7
20	Male-----	4.6	14.0	1.0	0.3	0.2	0.5	0.7
21	Female--	4.1	12.1	1.4	0.4	0.3	0.5	0.7
22	White-----	3.9	7.2	0.9	0.3	0.2	0.4	0.7
23	Male-----	4.1	7.8	0.8	0.2	0.2	0.4	0.7
24	Female--	3.7	6.6	1.1	0.4	0.3	0.3	0.7
25	Nonwhite-----	8.0	46.6	2.5	0.8	0.3	1.2	0.9
26	Male-----	8.6	50.3	2.0	0.5	0.4	0.9	0.6
27	Female--	7.4	42.9	3.0	0.7	0.2	1.5	1.1
28	Pneumonia, except pneumonia of newborn (480-493)-----	32.9	225.9	15.0	2.8	1.6	2.3	2.5
29	Male-----	38.5	253.6	15.9	3.1	1.8	2.6	3.1
30	Female--	27.4	197.3	14.2	2.5	1.8	2.1	2.0
31	White-----	30.1	159.6	11.4	2.4	1.6	2.1	2.2
32	Male-----	35.1	185.7	11.6	2.7	1.6	2.3	2.6
33	Female--	25.3	134.5	11.2	2.1	1.6	1.8	1.7
34	Nonwhite-----	54.0	604.0	36.4	5.1	3.0	4.2	5.1
35	Male-----	65.7	661.4	41.4	5.3	2.8	4.4	6.2
36	Female--	43.0	547.0	31.3	4.8	3.2	4.1	4.1
37	Bronchitis (500-502)-----	2.4	16.0	2.1	0.3	0.1	0.1	0.2
38	Male-----	3.4	19.3	2.4	0.3	0.1	0.1	0.1
39	Female--	1.4	12.5	1.9	0.3	0.1	0.1	0.3
40	White-----	2.4	14.7	2.1	0.3	0.1	0.1	0.2
41	Male-----	3.5	18.7	2.3	0.3	0.1	0.1	0.1
42	Female--	1.4	10.5	1.8	0.3	0.1	0.1	0.3
43	Nonwhite-----	2.2	23.3	2.5	0.2	0	0.2	0.3
44	Male-----	2.8	23.2	2.5	0.2	0	0.1	0.2
45	Female--	1.7	23.4	2.6	0.2	0	0.4	0.4
46	Ulcer of stomach and duodenum (540,541)-----	6.3	1.9	0.1	0.0	0.0	0.1	0.2
47	Male-----	9.6	2.7	0.1	0.0	0.0	0.1	0.3
48	Female--	3.1	1.0	0.1	0.1	0.1	0.1	0.1
49	White-----	6.6	1.2	0.1	0.0	0.0	0.1	0.2
50	Male-----	10.0	1.8	0.1	0.0	0.0	0.1	0.3
51	Female--	3.3	0.6	0.1	0.1	0.1	0.1	0.1
52	Nonwhite-----	4.5	5.7	0.2	0.1	0.1	0.1	0.1
53	Male-----	6.9	7.8	0.2	0.1	0.2	0.3	0
54	Female--	2.2	3.6	0.2	0.1	0	0	0.1
55	Appendicitis (550-553)-----	1.0	0.3	0.3	0.4	0.4	0.4	0.2
56	Male-----	1.3	0.3	0.4	0.4	0.5	0.5	0.3
57	Female--	0.8	0.3	0.3	0.4	0.4	0.3	0.2
58	White-----	1.0	0.3	0.3	0.4	0.4	0.4	0.2
59	Male-----	1.3	0.4	0.4	0.3	0.4	0.4	0.3
60	Female--	0.7	0.3	0.2	0.4	0.3	0.3	0.1
61	Nonwhite-----	1.5	0.2	0.4	0.4	1.1	0.6	0.4
62	Male-----	1.8	0	0.4	0.5	1.2	0.8	0.3
63	Female--	1.2	0.3	0.4	0.3	0.9	0.5	0.4
64	Hernia and intestinal obstruction (560,561,570)-----	5.1	22.4	0.4	0.2	0.1	0.1	0.3
65	Male-----	5.1	25.9	0.6	0.2	0.1	0.1	0.3
66	Female--	5.1	18.8	0.3	0.1	0.1	0.2	0.3
67	White-----	5.0	22.0	0.4	0.1	0.1	0.1	0.3
68	Male-----	4.9	25.2	0.5	0.1	0.1	0.1	0.3
69	Female--	5.1	18.7	0.3	0.1	0.1	0.2	0.2
70	Nonwhite-----	5.4	24.6	0.7	0.3	0.3	0.4	0.4
71	Male-----	5.9	30.1	1.0	0.5	0.3	0.6	0.3
72	Female--	4.9	19.2	0.3	0.2	0.4	0.2	0.4
73	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)-----	4.4	63.8	3.3	0.3	0.2	0.4	0.5
74	Male-----	4.6	69.7	3.8	0.3	0.2	0.4	0.3
75	Female--	4.2	57.6	2.7	0.3	0.1	0.4	0.6
76	White-----	3.8	36.3	2.5	0.3	0.2	0.4	0.4
77	Male-----	3.9	40.8	3.0	0.3	0.2	0.4	0.3
78	Female--	3.7	31.6	2.1	0.3	0.1	0.4	0.5
79	Nonwhite-----	9.5	220.3	7.5	0.4	0.3	0.2	0.7
80	Male-----	10.4	238.3	9.0	0.5	0.4	0.3	0.6
81	Female--	8.6	202.4	5.9	0.3	0.2	0.1	0.7
82	Cirrhosis of liver (581)-----	11.3	0.6	0.2	0.1	0.2	0.2	0.4
83	Male-----	15.3	0.8	0.2	0.0	0.2	0.1	0.3
84	Female--	7.5	0.9	0.1	0.1	0.3	0.2	0.4
85	White-----	11.5	0.7	0.2	0.1	0.2	0.2	0.2
86	Male-----	15.6	0.7	0.2	0.0	0.2	0.1	0.2
87	Female--	7.4	0.8	0.1	0.1	0.3	0.2	0.2
88	Nonwhite-----	10.2	1.3	0.2	0	0.2	0.2	1.1
89	Male-----	12.6	1.3	0.1	0	0.3	0.1	1.0
90	Female--	7.9	1.3	0.3	0	0.2	0.2	1.3

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 5 - MORTALITY

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

CAUSE OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cholelithiasis, cholecystitis, and cholangitis (584,585)-----	2.6	0.0	0.0	0	0	0.0	0.1
2	Male-----	2.1	0.0	0	0	0	0	0.1
3	Female-----	3.0	0	0.0	0	0	0.0	0.2
4	White-----	2.8	0.0	0	0	0	0.0	0.1
5	Male-----	2.3	0.1	0	0	0	0	0.0
6	Female-----	3.2	0	0	0	0	0.0	0.2
7	Nonwhite-----	1.2	0	0.0	0	0	0	0.2
8	Male-----	0.8	0	0	0	0	0	0.2
9	Female-----	1.5	0	0.1	0	0	0	0.3
10	Acute nephritis, and nephritis with edema including nephrosis (590,591)-----	0.9	1.1	0.5	0.4	0.3	0.3	0.4
11	Male-----	1.0	1.4	0.4	0.5	0.3	0.4	0.6
12	Female-----	0.8	0.7	0.6	0.3	0.2	0.3	0.3
13	White-----	0.8	0.9	0.4	0.3	0.2	0.3	0.4
14	Male-----	0.9	1.1	0.4	0.3	0.3	0.4	0.5
15	Female-----	0.7	0.8	0.5	0.3	0.2	0.2	0.2
16	Nonwhite-----	1.8	1.8	0.9	0.7	0.4	0.7	0.8
17	Male-----	2.1	3.3	0.9	1.2	0.4	0.6	0.8
18	Female-----	1.5	0.3	0.9	0.2	0.4	0.7	0.9
19	Infections of kidney (600)-----	4.3	1.7	0.1	0.1	0.2	0.2	0.4
20	Male-----	4.4	2.2	0.1	0.1	0.1	0.2	0.5
21	Female-----	4.2	1.2	0.1	0.1	0.2	0.2	0.4
22	White-----	3.9	1.4	0.1	0.1	0.1	0.1	0.3
23	Male-----	4.0	1.7	0	0.1	0.1	0.1	0.4
24	Female-----	3.7	1.1	0.1	0.2	0.2	0.1	0.3
25	Nonwhite-----	7.5	3.3	0.2	0.0	0.4	0.6	0.9
26	Male-----	7.5	4.6	0.4	0	0.3	0.5	1.0
27	Female-----	7.4	1.9	0	0.1	0.5	0.7	0.9
28	Hyperplasia of prostate (610)-----	2.5	0	0	0	0	0	0
29	Male-----	5.0	0	0	0	0	0	0
30	White-----	2.4	0	0	0	0	0	0
31	Male-----	4.9	0	0	0	0	0	0
32	Nonwhite-----	2.9	0	0	0	0	0	0
33	Male-----	5.9	0	0	0	0	0	0
34	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)-----	0.9	...	...	...	0.0	1.0	2.7
35	Female-----	1.7	...	...	...	0.1	1.9	5.4
36	White-----	0.6	...	...	...	0.0	0.6	2.0
37	Female-----	1.2	...	...	...	0.0	1.1	3.9
38	Nonwhite-----	3.1	...	...	...	0.2	3.8	8.2
39	Female-----	6.1	...	...	...	0.5	7.6	15.5
40	Abortion (650-652)-----	0.2	...	...	...	0.0	0.2	0.5
41	Female-----	0.3	...	...	...	0.0	0.4	0.9
42	White-----	0.1	...	...	...	0.0	0.1	0.2
43	Female-----	0.2	...	...	...	0.0	0.2	0.5
44	Nonwhite-----	0.7	...	...	...	0.0	1.1	2.1
45	Female-----	1.3	...	...	...	0.1	2.1	4.0
46	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)-----	0.7	...	...	...	0.0	0.8	2.3
47	Female-----	1.4	...	...	...	0.1	1.5	4.4
48	White-----	0.5	...	...	...	0.0	0.5	1.7
49	Female-----	1.0	...	...	...	0.0	1.0	3.4
50	Nonwhite-----	2.4	...	...	...	0.2	2.8	6.1
51	Female-----	4.8	...	...	...	0.4	5.5	11.5
52	Congenital malformations (750-759)-----	12.2	374.3	12.9	4.2	3.0	2.8	2.5
53	Male-----	13.5	407.0	12.9	4.3	3.2	3.3	3.1
54	Female-----	10.9	340.4	12.9	4.0	2.9	2.4	2.0
55	White-----	12.0	383.8	12.4	4.3	3.1	2.9	2.6
56	Male-----	13.3	413.8	12.3	4.5	3.2	3.4	3.1
57	Female-----	10.8	352.5	12.6	4.0	3.0	2.5	2.1
58	Nonwhite-----	13.7	319.8	15.6	3.6	2.7	1.9	2.0
59	Male-----	15.8	366.8	16.4	3.3	3.2	2.5	2.6
60	Female-----	11.7	273.2	14.8	3.8	2.2	1.4	1.6
61	Certain diseases of early infancy (760-776)-----	37.4	1,631.2	0.1	0.0	0.0	0.0	0
62	Male-----	44.3	1,870.5	0.1	0.0	0	0	0
63	Female-----	30.8	1,383.9	0.1	0.0	0.0	0.0	0
64	White-----	32.3	1,485.3	0.1	0.0	0	0.0	0
65	Male-----	38.6	1,692.8	0.1	0.0	0	0	0
66	Female-----	26.2	1,228.5	0.0	0.0	0	0.0	0
67	Nonwhite-----	77.2	2,576.7	0.1	0	0.0	0	0
68	Male-----	89.2	2,906.4	0.2	0	0	0	0
69	Female-----	65.8	2,249.1	0.1	0	0.1	0	0
70	Birth injuries, postnatal asphyxia, and atelectasis (760-762)-----	16.6	722.2	0	0	0	0	0
71	Male-----	20.0	845.0	0	0	0	0	0
72	Female-----	13.2	595.3	0	0	0	0	0
73	White-----	14.9	674.3	0	0	0	0	0
74	Male-----	18.1	796.8	0	0	0	0	0
75	Female-----	11.6	546.7	0	0	0	0	0
76	Nonwhite-----	29.8	995.4	0	0	0	0	0
77	Male-----	34.6	1,125.9	0	0	0	0	0
78	Female-----	25.3	865.6	0	0	0	0	0
79	Infections of newborn (763-768)-----	2.7	116.4	0	0	0	0	0
80	Male-----	3.2	133.9	0	0	0	0	0
81	Female-----	2.2	98.3	0	0	0	0	0
82	White-----	2.0	89.3	0	0	0	0	0
83	Male-----	2.4	103.9	0	0	0	0	0
84	Female-----	1.6	74.1	0	0	0	0	0
85	Nonwhite-----	8.1	270.8	0	0	0	0	0
86	Male-----	9.5	308.9	0	0	0	0	0
87	Female-----	6.8	232.9	0	0	0	0	0

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.



SECTION 5 - MORTALITY

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii, Excludes fetal deaths. Rates per 100,000 population in spec-

CAUSE OF DEATH, COLOR, AND SEX		Total <sup>1</sup>	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Certain diseases of early infancy—Continued							
2	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)-----	18.2	792.6	0.1	0.0	0.0	0.0	0
3	Male----	21.1	891.5	0.1	0.0	0	0	0
4	Female--	15.3	690.3	0.1	0.0	0.0	0.0	0
5	White-----	15.5	701.7	0.1	0.0	0	0.0	0
6	Male----	18.0	792.1	0.1	0.0	0	0	0
7	Female--	13.0	607.7	0.0	0.0	0	0.0	0
8	Nonwhite-----	39.3	1,310.5	0.1	0	0.0	0	0
9	Male----	45.2	1,471.5	0.2	0	0	0	0
	Female--	33.7	1,150.5	0.1	0	0.1	0	0
10	Symptoms, senility, and ill-defined conditions (780-785)-----	11.4	61.2	2.8	0.6	0.5	1.0	1.6
11	Male----	13.6	67.7	3.2	0.6	0.6	1.1	2.0
12	Female--	9.2	54.5	2.4	0.5	0.4	0.9	1.2
13	White-----	8.3	27.8	1.6	0.4	0.3	0.8	1.0
14	Male----	10.1	31.4	1.8	0.4	0.4	1.0	1.4
15	Female--	6.4	24.0	1.3	0.4	0.3	0.6	0.7
16	Nonwhite-----	35.5	251.9	10.2	1.7	1.6	2.2	5.8
17	Male----	41.0	279.5	11.3	2.2	2.0	1.9	7.2
18	Female--	30.3	224.5	9.0	1.2	1.3	2.5	4.5
19	All other diseases (Residual)-----	38.5	101.9	11.9	4.9	4.5	6.1	7.1
20	Male----	48.0	120.4	13.2	5.1	4.9	7.4	8.0
21	Female--	29.4	82.8	10.5	4.7	4.2	4.8	6.2
22	White-----	38.1	90.1	11.2	4.9	4.4	5.8	6.0
23	Male----	47.6	107.4	12.5	5.1	4.6	7.1	6.9
24	Female--	28.8	72.1	9.9	4.7	4.1	4.3	5.2
25	Nonwhite-----	42.2	189.1	15.8	4.8	5.7	8.9	14.7
26	Male----	50.9	196.2	17.7	4.6	6.4	9.4	16.3
27	Female--	34.1	142.3	13.9	5.1	5.0	8.3	13.2
28	Accidents (E800-E82)-----	52.3	93.2	31.6	19.7	18.8	50.7	62.5
29	Male----	72.8	103.0	35.9	24.9	28.6	80.9	106.1
30	Female--	32.4	83.0	27.2	14.4	8.6	20.3	19.0
31	White-----	50.5	76.4	27.5	17.8	17.6	51.0	61.6
32	Male----	70.0	85.6	31.8	23.1	26.7	81.0	106.3
33	Female--	31.5	66.7	23.0	12.3	8.2	20.8	18.5
34	Nonwhite-----	66.1	188.8	55.8	31.4	26.5	48.4	69.4
35	Male----	95.0	204.3	60.0	35.9	41.8	80.6	121.9
36	Female--	38.7	173.5	51.5	27.0	11.2	16.9	22.6
37	Motor vehicle accidents (E810-E835)-----	21.3	8.1	10.0	8.7	7.1	33.9	42.9
38	Male----	31.8	8.6	11.5	10.9	9.9	51.7	73.2
39	Female--	11.0	7.5	8.4	6.5	4.2	15.0	14.0
40	White-----	21.2	8.1	9.8	8.5	7.2	35.3	43.3
41	Male----	31.5	8.8	11.3	10.8	9.9	54.0	73.5
42	Female--	11.2	7.5	8.3	6.2	4.3	16.8	14.3
43	Nonwhite-----	21.9	7.7	11.2	9.8	6.5	22.6	39.7
44	Male----	34.4	7.5	13.1	11.6	9.6	34.8	71.0
45	Female--	10.1	7.8	9.4	7.9	3.4	10.7	11.8
46	Other accidents (E800-E802, E840-E862)-----	31.0	85.1	21.6	11.0	11.7	16.8	19.6
47	Male----	41.1	94.4	24.3	14.0	18.8	29.2	34.9
48	Female--	21.3	75.5	18.7	7.9	4.4	4.3	5.1
49	White-----	29.4	68.2	17.7	9.3	10.5	15.5	18.2
50	Male----	38.6	76.8	20.6	12.4	16.9	27.0	32.7
51	Female--	20.4	59.3	14.7	6.1	3.9	4.0	4.2
52	Nonwhite-----	44.1	181.2	44.5	21.7	20.0	25.8	29.7
53	Male----	60.6	196.8	46.9	24.3	32.1	45.8	50.9
54	Female--	28.6	185.7	42.2	19.0	7.9	6.3	10.8
55	Suicide (E963, E970-E979)-----	10.6	0	0	0.0	0.5	3.6	7.1
56	Male----	16.5	0	0	0.0	0.9	5.6	11.5
57	Female--	4.9	0	0	0.0	0.2	1.8	2.9
58	White-----	11.4	0	0	0.0	0.6	3.8	7.4
59	Male----	17.6	0	0	0.0	1.0	5.9	11.3
60	Female--	5.3	0	0	0	0.2	1.6	3.1
61	Nonwhite-----	4.5	0	0	0.0	0.1	2.4	4.5
62	Male----	7.2	0	0	0	0.2	3.4	7.8
63	Female--	2.0	0	0	0.1	0	1.5	1.6
64	Homicide (E964, E980-E985)-----	4.7	4.8	0.7	0.4	0.5	4.0	8.2
65	Male----	7.1	4.7	0.7	0.4	0.7	6.1	12.9
66	Female--	2.4	4.9	0.7	0.4	0.4	1.9	3.8
67	White-----	2.5	3.7	0.6	0.4	0.4	2.2	3.9
68	Male----	3.6	3.8	0.6	0.4	0.5	3.2	6.0
69	Female--	1.4	3.5	0.5	0.4	0.3	1.2	1.9
70	Nonwhite-----	21.9	11.6	1.7	0.9	1.5	17.2	38.9
71	Male----	34.5	10.1	1.6	0.9	2.0	27.6	64.2
72	Female--	9.9	13.0	1.7	0.9	1.1	7.0	16.3

<sup>1</sup>Figures for age not stated included in "Total" but not distributed among age groups.





## *Section 6. Accident Mortality Detail: Tables*

General Tables	Page
6-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1960-----	6-2
6-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1960-----	6-4
6-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1960-----	6-8
6-4. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1960-----	6-14
6-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1960-----	6-16
6-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1960-----	6-20

## SECTION 6 - MORTALITY

Table 6-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1960. Numbers under types of vehicles are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor bus(es) only	Motor-bus and unspecified motor vehicle	Unspecified motor vehicles
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E810-E825	MOTOR VEHICLE TRAFFIC ACCIDENTS-----	37,142	3,168	3,883	29	126	28,402	167	278	196	5	888
	White-----Male-----	24,001	2,371	2,442	20	102	18,093	104	167	95	1	606
	Female-----	8,762	332	1,055	9	17	6,986	47	85	66	3	162
	Nonwhite-----Male-----	3,341	393	294	-	5	2,497	12	17	24	1	96
	Female-----	1,038	72	92	-	2	826	4	9	11	-	22
E810	Involving collision with railway train-----	1,368	268	-	-	-	1,053	-	-	14	-	33
	White-----Male-----	904	225	-	-	-	652	-	-	3	-	24
	Female-----	338	21	-	-	-	306	-	-	4	-	7
	Nonwhite-----Male-----	90	18	-	-	-	66	-	-	4	-	2
	Female-----	36	4	-	-	-	29	-	-	3	-	-
E811	Involving collision with streetcar-----	5	-	-	-	-	5	-	-	-	-	-
	White-----Male-----	-	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite-----Male-----	4	-	-	-	-	4	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian-----	7,284	905	6	-	-	5,934	-	-	148	-	291
	White-----Male-----	4,267	541	4	-	-	3,475	-	-	78	-	169
	Female-----	1,681	193	2	-	-	1,386	-	-	48	-	52
	Nonwhite-----Male-----	961	119	-	-	-	759	-	-	15	-	58
	Female-----	385	52	-	-	-	314	-	-	7	-	12
E813	To pedal cyclist-----	450	87	-	-	-	344	-	-	4	-	15
	White-----Male-----	356	76	-	-	-	275	-	-	3	-	12
	Female-----	48	8	-	-	-	40	-	-	-	-	-
	Nonwhite-----Male-----	33	3	-	-	-	26	-	-	1	-	3
	Female-----	3	-	-	-	-	3	-	-	-	-	-
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object-----	40	-	-	-	-	40	-	-	-	-	-
	White-----Male-----	38	-	-	-	-	39	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male-----	2	-	-	-	-	2	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle-----	428	-	73	-	-	339	6	10	-	-	-
	White-----Male-----	378	-	69	-	-	295	6	8	-	-	-
	Female-----	26	-	-	-	-	24	-	2	-	-	-
	Nonwhite-----Male-----	23	-	4	-	-	19	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
E816	Other, involving two or more motor vehicles-----	12,788	390	3,804	29	126	7,803	161	258	-	5	202
	White-----Male-----	7,710	327	2,369	20	102	4,495	98	159	-	1	139
	Female-----	3,950	26	1,053	9	17	2,665	47	83	-	3	47
	Nonwhite-----Male-----	826	34	290	-	5	454	12	17	-	1	13
	Female-----	302	3	92	-	2	189	4	9	-	-	3
E818	Involving collision with animal or animal-drawn vehicle-----	42	7	-	-	-	35	-	-	-	-	-
	White-----Male-----	24	4	-	-	-	20	-	-	-	-	-
	Female-----	10	1	-	-	-	9	-	-	-	-	-
	Nonwhite-----Male-----	7	2	-	-	-	5	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
E819	Involving collision with fixed or unspecified object-----	1,529	115	-	-	-	1,358	-	-	1	-	55
	White-----Male-----	1,098	103	-	-	-	951	-	-	-	-	44
	Female-----	243	5	-	-	-	229	-	-	-	-	9
	Nonwhite-----Male-----	151	7	-	-	-	142	-	-	1	-	1
	Female-----	37	-	-	-	-	36	-	-	-	-	1
E820	While boarding and alighting-----	39	2	-	-	-	24	-	-	13	-	-
	White-----Male-----	14	1	-	-	-	10	-	-	3	-	-
	Female-----	21	-	-	-	-	13	-	-	8	-	-
	Nonwhite-----Male-----	3	1	-	-	-	1	-	-	1	-	-
	Female-----	1	-	-	-	-	-	-	-	1	-	-
E821	To rider of motorcycle not involving collision-----	245	-	-	-	-	245	-	-	-	-	-
	White-----Male-----	220	-	-	-	-	220	-	-	-	-	-
	Female-----	20	-	-	-	-	20	-	-	-	-	-
	Nonwhite-----Male-----	4	-	-	-	-	4	-	-	-	-	-
	Female-----	1	-	-	-	-	1	-	-	-	-	-
E822	Involving overturning in roadway-----	1,255	277	-	-	-	955	-	-	-	-	23
	White-----Male-----	900	218	-	-	-	662	-	-	-	-	20
	Female-----	190	17	-	-	-	172	-	-	-	-	1
	Nonwhite-----Male-----	142	37	-	-	-	103	-	-	-	-	2
	Female-----	23	5	-	-	-	18	-	-	-	-	-
E823	Involving running off roadway-----	7,937	731	-	-	-	7,023	-	-	2	-	181
	White-----Male-----	5,651	594	-	-	-	4,912	-	-	1	-	144
	Female-----	1,375	39	-	-	-	1,313	-	-	1	-	22
	Nonwhite-----Male-----	752	95	-	-	-	644	-	-	-	-	13
	Female-----	159	3	-	-	-	154	-	-	-	-	2

## SECTION 6 - MORTALITY

6-3

Table 6-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1960. Numbers under types of vehicles are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE											
			Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor bus(es) only	Motor-bus and unspecified motor vehicle	Unspecified motor vehicles		
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)		
	MOTOR VEHICLE TRAFFIC ACCIDENTS—Con.													
E824	Other noncollision accident-----	803	306	-	-	-	-	461	-	-	12	-	-	24
	White-----Male----	516	216	-	-	-	-	281	-	-	6	-	-	13
	Female----	149	19	-	-	-	-	117	-	-	5	-	-	8
	Nonwhite-----Male----	113	66	-	-	-	-	45	-	-	1	-	-	1
	Female----	25	5	-	-	-	-	18	-	-	-	-	-	2
E825	Of unspecified nature-----	2,929	80	-	-	-	-	2,783	-	-	2	-	-	64
	White-----Male----	1,915	66	-	-	-	-	1,807	-	-	1	-	-	41
	Female----	710	3	-	-	-	-	691	-	-	-	-	-	16
	Nonwhite-----Male----	240	11	-	-	-	-	223	-	-	1	-	-	5
	Female----	64	-	-	-	-	-	62	-	-	-	-	-	2
E830-E835	MOTOR VEHICLE NONTRAFFIC ACCIDENTS-----	995	425	10	-	-	-	540	-	1	4	-	-	15
	White-----Male----	655	326	7	-	-	-	311	-	-	3	-	-	8
	Female----	227	43	2	-	-	-	176	-	1	1	-	-	4
	Nonwhite-----Male----	87	46	1	-	-	-	37	-	-	-	-	-	3
	Female----	26	10	-	-	-	-	16	-	-	-	-	-	-
E830	To pedestrian-----	569	255	1	-	-	-	300	-	-	3	-	-	10
	White-----Male----	346	196	-	-	-	-	143	-	-	3	-	-	4
	Female----	155	34	-	-	-	-	118	-	-	-	-	-	3
	Nonwhite-----Male----	52	20	1	-	-	-	28	-	-	-	-	-	3
	Female----	16	5	-	-	-	-	11	-	-	-	-	-	-
E831	To pedal cyclist-----	1	-	-	-	-	-	-	-	-	-	-	-	1
	White-----Male----	1	-	-	-	-	-	-	-	-	-	-	-	1
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
E832	To rider or passenger of motorcycle-----	17	-	1	-	-	-	16	-	-	-	-	-	-
	White-----Male----	17	-	1	-	-	-	16	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
E833	Other, involving two or more motor vehicles-----	36	4	8	-	-	-	23	-	1	-	-	-	-
	White-----Male----	31	4	6	-	-	-	21	-	-	-	-	-	-
	Female----	5	-	2	-	-	-	2	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting-----	13	1	-	-	-	-	11	-	-	1	-	-	-
	White-----Male----	4	1	-	-	-	-	3	-	-	-	-	-	-
	Female----	8	-	-	-	-	-	7	-	-	1	-	-	-
	Nonwhite-----Male----	1	-	-	-	-	-	1	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-	-	-
E835	Of other and unspecified nature-----	359	165	-	-	-	-	190	-	-	-	-	-	4
	White-----Male----	256	125	-	-	-	-	128	-	-	-	-	-	3
	Female----	59	9	-	-	-	-	49	-	-	-	-	-	1
	Nonwhite-----Male----	34	26	-	-	-	-	8	-	-	-	-	-	1
	Female----	10	5	-	-	-	-	5	-	-	-	-	-	2

## SECTION 6 - MORTALITY

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
E870-E888	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES-----	1,679	898	14	-	13	2	8	56	26	32	650
	White-----Male----	753	357	9	-	9	1	5	23	15	18	516
	Female----	512	304	-	-	-	1	11	9	10	176	
	Nonwhite-----Male----	269	148	3	-	4	-	2	2	2	3	105
	Female----	145	89	2	-	-	-	-	-	-	1	53
E870	Accidental poisoning by morphine and other opium derivatives-----	60	27	-	-	-	1	-	8	-	3	21
	White-----Male----	43	16	-	-	-	1	-	8	-	2	16
	Female----	4	4	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	9	3	-	-	-	-	-	-	-	1	5
	Female----	4	4	-	-	-	-	-	-	-	-	-
E871	Accidental poisoning by barbituric acid and derivatives-----	289	178	-	-	-	1	-	11	5	3	91
	White-----Male----	116	67	-	-	-	-	-	5	3	2	39
	Female----	163	106	-	-	-	1	-	6	2	1	47
	Nonwhite-----Male----	6	2	-	-	-	-	-	-	-	-	4
	Female----	4	3	-	-	-	-	-	-	-	-	1
E872	Accidental poisoning by aspirin and salicylates-----	188	116	-	-	-	-	-	-	2	1	69
	White-----Male----	82	54	-	-	-	-	-	-	1	-	27
	Female----	65	36	-	-	-	-	-	-	-	1	28
	Nonwhite-----Male----	26	16	-	-	-	-	-	-	1	-	9
	Female----	15	10	-	-	-	-	-	-	-	-	5
E873	Accidental poisoning by bromides-----	7	5	-	-	-	-	-	-	-	-	2
	White-----Male----	2	2	-	-	-	-	-	-	-	-	-
	Female----	3	3	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	2	-	-	-	-	-	-	-	-	-	2
E874	Accidental poisoning by other analgesic and soporific drugs-----	160	90	-	-	-	-	1	6	1	1	61
	White-----Male----	69	33	-	-	-	-	1	2	1	-	32
	Female----	75	47	-	-	-	-	-	3	-	1	24
	Nonwhite-----Male----	10	8	-	-	-	-	-	1	-	-	1
	Female----	6	2	-	-	-	-	-	-	-	-	4
E876	Accidental poisoning by strychnine-----	6	2	-	-	-	-	-	-	-	-	4
	White-----Male----	2	1	-	-	-	-	-	-	-	-	1
	Female----	3	1	-	-	-	-	-	-	-	-	2
	Nonwhite-----Male----	1	-	-	-	-	-	-	-	-	-	1
	Female----	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine-----	1	1	-	-	-	-	-	-	-	-	-
	White-----Male----	1	1	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs-----	125	51	1	-	-	-	-	-	7	1	65
	White-----Male----	52	17	1	-	-	-	-	-	2	-	32
	Female----	50	21	-	-	-	-	-	-	5	1	23
	Nonwhite-----Male----	15	8	-	-	-	-	-	-	-	-	7
	Female----	8	5	-	-	-	-	-	-	-	-	3
E879	Accidental poisoning by noxious foodstuffs-----	7	1	-	-	-	-	-	-	-	2	4
	White-----Male----	3	1	-	-	-	-	-	-	-	-	2
	Female----	4	-	-	-	-	-	-	-	-	2	2
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female----	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol-----	357	149	1	-	3	-	6	5	3	10	180
	White-----Male----	174	57	1	-	1	-	4	4	3	7	97
	Female----	39	26	-	-	-	-	-	-	-	1	11
	Nonwhite-----Male----	96	40	-	-	2	-	2	1	-	1	50
	Female----	49	26	-	-	-	-	-	-	-	1	22
E881	Accidental poisoning by petroleum products-----	43	33	1	-	-	-	-	-	-	-	9
	White-----Male----	15	12	-	-	-	-	-	-	-	-	3
	Female----	7	5	-	-	-	-	-	-	-	-	2
	Nonwhite-----Male----	14	10	-	-	-	-	-	-	-	-	4
	Female----	7	6	1	-	-	-	-	-	-	-	-
E882	Accidental poisoning by industrial solvents-----	35	21	2	-	1	-	-	1	-	-	10
	White-----Male----	20	11	1	-	1	-	-	1	-	-	6
	Female----	6	3	-	-	-	-	-	-	-	-	3
	Nonwhite-----Male----	6	4	1	-	-	-	-	-	-	-	1
	Female----	3	3	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalis-----	56	30	-	-	1	-	-	-	3	2	20
	White-----Male----	23	10	-	-	1	-	-	-	1	1	10
	Female----	17	8	-	-	-	-	-	-	2	1	6
	Nonwhite-----Male----	8	6	-	-	-	-	-	-	-	-	2
	Female----	8	6	-	-	-	-	-	-	-	-	2
E884	Accidental poisoning by mercury and its compounds-----	9	3	-	-	-	-	-	-	-	1	5
	White-----Male----	3	-	-	-	-	-	-	-	-	1	2
	Female----	4	2	-	-	-	-	-	-	-	-	2
	Nonwhite-----Male----	1	1	-	-	-	-	-	-	-	-	-
	Female----	1	-	-	-	-	-	-	-	-	-	1

See footnotes at end of table.

## SECTION 6 - MORTALITY

6-5

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX <sup>1</sup>	Total deaths	PLACE OF ACCIDENT										
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES—Con.													
E885	Accidental poisoning by lead and its compounds-----	98	85	-	-	4	-	-	-	-	-	-	29
	White-----Male----	29	12	-	-	3	-	-	-	-	-	-	14
	Female-----	17	13	-	-	-	-	-	-	-	-	-	4
	Nonwhite-----Male----	30	23	-	-	1	-	-	-	-	-	-	6
	Female-----	22	17	-	-	-	-	-	-	-	-	-	5
E886	Accidental poisoning by arsenic and antimony, and their compounds----	31	21	2	-	-	-	-	-	-	-	1	7
	White-----Male----	14	10	1	-	-	-	-	-	-	-	-	3
	Female-----	11	6	-	-	-	-	-	-	-	-	1	4
	Nonwhite-----Male----	5	5	-	-	-	-	-	-	-	-	-	-
	Female-----	1	-	1	-	-	-	-	-	-	-	-	-
E887	Accidental poisoning by fluorides-----	7	5	-	-	-	-	-	1	-	-	-	1
	White-----Male----	5	2	-	-	-	-	-	-	-	-	-	1
	Female-----	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	1	1	-	-	-	-	-	-	-	-	-	-
	Female-----	2	2	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances-----	200	100	7	-	4	-	1	4	5	7	7	72
	White-----Male----	102	51	5	-	3	-	-	3	4	5	5	31
	Female-----	44	23	-	-	-	-	1	1	-	-	-	18
	Nonwhite-----Male----	41	21	2	-	1	-	-	-	1	1	1	15
	Female-----	13	5	-	-	-	-	-	-	-	-	-	8
E890-E895	ACCIDENTAL POISONING BY GASES AND VAPORS-----	1,253	824	19	4	82	4	74	63	4	90	89	89
	White-----Male----	794	484	16	4	70	3	44	42	3	64	64	64
	Female-----	294	232	-	-	5	1	14	15	-	11	11	16
	Nonwhite-----Male----	106	67	1	-	7	-	11	3	1	11	5	5
	Female-----	59	41	2	-	-	-	5	3	-	4	4	4
E890	Accidental poisoning by utility (illuminating) gas-----	370	331	-	-	3	-	-	18	1	6	6	11
	White-----Male----	188	154	-	-	3	-	-	13	1	6	6	11
	Female-----	117	112	-	-	-	-	-	5	-	-	-	-
	Nonwhite-----Male----	38	38	-	-	-	-	-	-	-	-	-	-
	Female-----	27	27	-	-	-	-	-	-	-	-	-	-
E891	Accidental poisoning by motor vehicle exhaust gas-----	455	239	8	3	32	-	70	24	-	58	21	21
	White-----Male----	333	195	5	3	25	-	41	13	-	37	14	14
	Female-----	72	36	-	-	4	-	14	5	-	10	3	3
	Nonwhite-----Male----	35	8	1	-	3	-	10	3	-	7	3	3
	Female-----	15	-	2	-	-	-	5	3	-	4	1	1
E892	Accidental poisoning by other carbon monoxide gas-----	295	211	1	1	7	4	3	15	2	10	41	41
	White-----Male----	168	106	1	1	6	3	2	11	1	7	30	30
	Female-----	88	73	-	-	1	1	1	4	-	1	8	8
	Nonwhite-----Male----	25	19	-	-	-	-	1	-	1	2	2	2
	Female-----	14	13	-	-	-	-	-	-	-	-	1	1
E893	Accidental poisoning by cyanide gas-----	8	-	2	-	6	-	-	-	-	-	-	-
	White-----Male----	8	-	2	-	6	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors-----	112	40	8	-	26	-	1	6	1	14	4	4
	White-----Male----	85	27	8	-	22	-	1	5	1	12	5	5
	Female-----	16	10	-	-	-	-	-	1	-	-	-	-
	Nonwhite-----Male----	8	2	-	-	4	-	-	-	-	2	2	2
	Female-----	3	1	-	-	-	-	-	-	-	-	-	-
E895	Accidental poisoning by unspecified gases and vapors-----	13	3	-	-	8	-	-	-	-	2	-	-
	White-----Male----	12	2	-	-	8	-	-	-	-	2	-	-
	Female-----	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E900-E904	ACCIDENTAL FALLS-----	19,023	10,379	197	31	472	67	972	666	2,588	613	3,038	3,038
	White-----Male----	8,407	3,953	173	29	415	42	640	466	989	450	1,250	1,250
	Female-----	9,198	5,644	11	1	7	15	225	151	1,528	85	1,531	1,531
	Nonwhite-----Male----	890	427	13	1	50	9	84	41	34	85	146	146
	Female-----	528	355	-	-	-	1	23	8	37	13	91	91
E900	Fall on stairs-----	2,348	1,901	6	-	9	3	10	196	76	68	79	79
	White-----Male----	1,228	957	6	-	8	2	8	139	28	36	44	44
	Female-----	889	751	-	-	1	1	1	46	44	18	27	27
	Nonwhite-----Male----	158	130	-	-	-	-	-	9	1	11	7	7
	Female-----	73	63	-	-	-	-	1	2	3	3	1	1
E901	Fall from ladders-----	316	177	14	-	39	-	6	30	3	31	16	16
	White-----Male----	275	155	13	-	34	-	6	25	2	26	14	14
	Female-----	13	13	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	27	8	1	-	5	-	-	5	1	5	2	2
	Female-----	1	1	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

## SECTION 6 - MORTALITY

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960 - Con:

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
ACCIDENTAL FALLS—Con.												
E902	Other falls from one level to another-----	3,355	1,511	127	24	326	46	85	165	576	343	152
	White-----Male-----	1,922	686	117	22	294	31	52	126	236	267	91
	Female-----	994	560	2	1	2	9	17	20	322	16	45
	Nonwhite-----Male-----	316	165	8	1	30	5	11	16	12	54	14
Female-----	123	100	-	-	-	1	5	3	6	6	2	
E903	Fall on same level-----	3,689	2,099	17	1	32	10	629	77	677	44	103
	White-----Male-----	1,450	639	15	1	24	7	399	46	242	27	50
	Female-----	2,064	1,377	-	-	2	3	175	28	418	13	48
	Nonwhite-----Male-----	93	32	2	-	6	-	42	1	5	2	3
Female-----	82	51	-	-	-	-	13	2	12	2	2	
E904	Unspecified falls-----	9,315	4,691	33	6	66	8	242	198	1,256	127	2,688
	White-----Male-----	3,532	1,516	22	6	55	2	175	130	481	94	1,051
	Female-----	5,238	2,943	9	-	2	2	32	57	744	18	1,431
	Nonwhite-----Male-----	298	92	2	-	9	4	31	10	15	13	120
Female-----	249	140	-	-	-	-	4	1	16	2	86	
E910-E936	OTHER ACCIDENTS-----	27,673	11,967	2,177	581	1,893	556	735	561	702	5,028	3,475
	White-----Male-----	16,062	5,175	1,722	512	1,604	368	545	413	374	3,518	1,855
Female-----	5,270	3,406	143	6	15	94	70	75	218	472	771	
Nonwhite-----Male-----	4,215	1,769	279	58	270	86	103	66	72	955	577	
Female-----	2,126	1,617	33	5	4	10	15	7	38	103	294	
E910	Blow from falling or projected object or missile-----	1,404	211	156	218	452	21	67	43	4	174	58
	White-----Male-----	1,167	161	135	211	382	17	51	28	1	142	39
	Female-----	45	26	6	-	2	1	2	2	1	4	1
	Nonwhite-----Male-----	182	18	12	7	68	2	14	13	2	28	18
Female-----	10	6	3	-	-	1	-	-	-	-	-	
E911	Accident caused by vehicle-----	70	-	-	46	22	-	1	1	-	-	-
	White-----Male-----	63	-	-	43	18	-	1	1	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male-----	7	-	-	3	4	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	
E912	Accident caused by machinery-----	1,951	73	863	75	556	14	115	34	10	136	75
	White-----Male-----	1,689	55	766	69	484	10	102	24	7	113	59
	Female-----	63	12	38	-	4	3	1	1	1	2	1
	Nonwhite-----Male-----	194	4	58	6	67	1	12	9	2	21	14
Female-----	5	2	1	-	1	-	-	-	-	-	1	
E913	Accident caused by cutting and piercing instruments-----	126	67	6	1	13	1	6	5	3	9	15
	White-----Male-----	64	30	4	1	8	-	4	3	2	4	8
	Female-----	20	18	-	-	-	1	1	-	-	-	5
	Nonwhite-----Male-----	30	9	2	-	5	-	1	2	1	5	2
Female-----	12	10	-	-	-	-	-	-	-	-	-	
E914	Accident caused by electric current-----	989	277	97	31	186	9	93	44	4	192	56
	White-----Male-----	838	204	86	30	163	8	83	38	3	174	49
	Female-----	66	47	3	-	2	-	3	2	1	6	2
	Nonwhite-----Male-----	80	23	8	1	21	1	7	4	-	12	3
Female-----	5	3	-	-	-	-	-	-	-	-	2	
E915	Accident caused by explosion of pressure vessel-----	38	2	1	-	29	-	1	2	1	2	-
	White-----Male-----	35	2	1	-	26	-	1	2	1	2	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male-----	3	-	-	-	3	-	-	-	-	-	-
Female-----	-	-	-	-	-	-	-	-	-	-	-	
E916	Accident caused by fire and explosion of combustible material-----	7,645	6,311	115	32	340	17	37	192	110	158	333
	White-----Male-----	3,100	2,195	82	31	295	12	26	154	73	100	132
	Female-----	2,148	1,978	13	-	4	4	8	27	22	19	73
	Nonwhite-----Male-----	1,179	1,010	14	1	40	1	2	10	10	37	54
Female-----	1,218	1,126	6	-	1	-	1	1	5	2	74	
E917	Accident caused by hot substance, corrosive liquid, and steam-----	400	309	2	-	33	-	-	6	24	4	22
	White-----Male-----	159	110	2	-	23	-	-	3	11	2	8
	Female-----	132	115	-	-	-	-	-	2	6	1	8
	Nonwhite-----Male-----	71	50	-	-	9	-	-	-	5	1	6
Female-----	38	34	-	-	1	-	-	1	2	-	-	
E918	Accident caused by radiation-----	2	-	-	-	-	-	-	1	-	-	1
	White-----Male-----	1	-	-	-	-	-	-	1	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male-----	-	-	-	-	-	-	-	-	-	-	-
Female-----	1	-	-	-	-	-	-	-	-	-	1	
E919	Accident caused by firearm-----	2,334	1,119	279	19	19	17	107	74	1	360	340
	White-----Male-----	1,671	734	240	18	15	13	77	54	1	312	207
	Female-----	229	159	10	-	1	1	6	5	-	15	32
	Nonwhite-----Male-----	339	164	25	1	2	3	21	14	-	27	62
Female-----	95	62	4	-	-	-	3	1	-	6	19	
E921	Inhalation and ingestion of food causing obstruction or suffocation-----	1,949	891	1	-	5	4	15	65	336	33	599
	White-----Male-----	969	428	1	-	5	4	11	45	161	22	292
	Female-----	604	259	-	-	-	-	1	20	119	5	200
	Nonwhite-----Male-----	210	114	-	-	-	-	3	-	35	4	54
Female-----	166	90	-	-	-	-	-	-	21	2	53	

See footnotes at end of table.

SECTION 6 - MORTALITY

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT										
			Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified	
			(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)	
OTHER ACCIDENTS—Con.													
E922	Inhalation and ingestion of other object causing obstruction or suffocation-----	448	193	1	-	-	-	2	3	2	58	9	160
	White-----Male-----	218	94	-	-	-	-	1	3	2	26	4	88
	Female-----	142	60	1	-	-	-	-	-	-	21	3	57
	Nonwhite-----Male-----	54	21	-	-	-	-	1	-	-	4	1	27
	Female-----	34	18	-	-	-	-	-	-	-	7	1	8
E923	Foreign body entering other orifice-----	120	30	1	-	1	-	-	-	-	7	2	79
	White-----Male-----	61	12	1	-	1	-	-	-	-	6	1	40
	Female-----	39	10	-	-	-	-	-	-	-	1	1	27
	Nonwhite-----Male-----	15	7	-	-	-	-	-	-	-	-	-	8
	Female-----	5	1	-	-	-	-	-	-	-	-	-	4
E924	Accidental mechanical suffocation in bed and cradle-----	1,047	985	-	-	-	-	-	1	3	6	6	44
	White-----Male-----	399	368	-	-	-	-	-	1	2	3	2	23
	Female-----	304	286	-	-	-	-	-	-	-	2	5	11
	Nonwhite-----Male-----	186	181	-	-	-	-	-	-	-	-	-	4
	Female-----	158	150	-	-	-	-	-	-	1	1	-	6
E925	Accidental mechanical suffocation in other and unspecified circumstances-----	496	206	24	17	61	1	21	4	5	77	70	70
	White-----Male-----	287	87	22	16	52	-	14	3	3	61	29	29
	Female-----	91	65	1	-	1	-	-	1	-	6	18	18
	Nonwhite-----Male-----	79	35	1	1	8	-	5	-	1	10	18	5
	Female-----	29	21	-	-	-	-	1	2	-	-	-	5
E926	Lack of care of infants under 1 year of age-----	24	9	-	-	-	-	-	-	-	-	-	15
	White-----Male-----	3	3	-	-	-	-	-	-	-	-	-	3
	Female-----	5	2	-	-	-	-	-	-	-	-	-	6
	Nonwhite-----Male-----	8	2	-	-	-	-	-	-	-	-	-	6
	Female-----	8	2	-	-	-	-	-	-	-	-	-	6
E927	Accidents caused by bites and stings of venomous animals and insects-----	66	26	14	-	1	-	1	-	-	3	21	10
	White-----Male-----	40	18	10	-	1	-	1	-	-	-	9	9
	Female-----	15	4	1	-	-	-	-	-	-	1	2	2
	Nonwhite-----Male-----	10	4	3	-	-	-	-	-	-	1	1	1
	Female-----	1	-	-	-	-	-	-	-	-	-	-	-
E928	Other accidents caused by animals-----	141	22	87	-	1	2	2	1	1	9	16	16
	White-----Male-----	102	7	71	-	1	2	2	1	1	6	13	13
	Female-----	23	9	9	-	-	-	2	-	-	2	1	1
	Nonwhite-----Male-----	13	3	7	-	-	-	-	-	-	1	2	2
	Female-----	3	3	-	-	-	-	-	-	-	-	-	-
E929	Accidental drowning-----	5,232	487	385	124	55	415	4	15	13	3,520	214	214
	White-----Male-----	3,555	249	202	77	35	263	3	8	10	2,377	131	131
	Female-----	708	173	47	6	1	74	1	3	2	373	28	28
	Nonwhite-----Male-----	1,032	38	119	36	18	70	-	3	-	698	50	50
	Female-----	137	27	17	5	1	8	-	1	1	72	5	5
E930	High and low air pressure-----	1	-	-	-	-	-	-	-	-	-	1	-
	White-----Male-----	1	-	-	-	-	-	-	-	-	-	1	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male-----	-	-	-	-	-	-	-	-	-	-	-	-
	Female-----	-	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation-----	168	18	6	-	14	-	4	1	11	17	97	97
	White-----Male-----	101	11	6	-	8	-	1	1	8	13	54	54
	Female-----	33	3	-	-	-	-	-	1	2	2	24	24
	Nonwhite-----Male-----	25	3	-	-	6	-	2	-	1	2	11	11
	Female-----	9	1	-	-	-	-	-	-	-	-	8	8
E932	Excessive cold-----	357	79	33	-	8	1	37	1	2	67	129	129
	White-----Male-----	205	39	19	-	5	1	28	-	-	42	69	69
	Female-----	45	13	3	-	-	-	4	-	2	2	21	21
	Nonwhite-----Male-----	88	20	10	-	3	-	3	-	-	22	30	30
	Female-----	21	7	1	-	-	-	2	1	-	1	9	9
E933	Hunger, thirst, and exposure-----	222	15	8	-	-	2	4	-	2	57	134	134
	White-----Male-----	104	7	2	-	-	1	1	-	-	54	59	59
	Female-----	38	2	2	-	-	-	-	-	1	7	26	26
	Nonwhite-----Male-----	48	3	4	-	-	1	1	-	1	14	24	24
	Female-----	32	3	-	-	-	-	2	-	-	2	25	25
E934	Cataclysm-----	170	47	8	-	4	1	19	5	-	80	6	6
	White-----Male-----	62	15	5	-	4	-	11	5	-	23	1	1
	Female-----	38	18	1	-	-	1	4	-	-	11	3	3
	Nonwhite-----Male-----	48	9	2	-	-	-	4	-	-	32	1	1
	Female-----	22	7	-	-	-	-	-	-	-	14	1	1
E935	Lightning-----	129	20	53	-	2	14	5	4	1	24	6	6
	White-----Male-----	83	12	35	-	2	7	2	3	1	18	3	3
	Female-----	17	5	5	-	-	4	2	-	-	1	-	-
	Nonwhite-----Male-----	26	2	12	-	-	3	1	1	-	4	3	3
	Female-----	3	1	1	-	-	-	-	-	-	1	-	-
E936	Other and unspecified accidents-----	2,154	570	37	18	92	35	190	58	103	66	965	965
	White-----Male-----	1,287	356	32	16	76	27	124	36	56	65	519	519
	Female-----	465	144	3	-	-	5	34	11	36	6	226	226
	Nonwhite-----Male-----	298	49	2	2	16	3	27	10	10	14	155	155
	Female-----	114	41	-	-	-	-	5	1	1	1	65	65

<sup>1</sup>Including home premises and any noninstitutional place of residence.

<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 6 - MORTALITY

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category

CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL MOTOR VEHICLE TRANSPORT ACCIDENTS (E810-E835)-----	36,137	332	399	399	434	389	1,953	1,628	1,196	4,484
2	White-----Male----	24,656	157	185	200	219	191	952	893	737	3,152
3	Female--	8,989	128	154	154	144	130	690	491	310	966
4	Negro-----Male----	3,023	19	33	28	40	36	156	139	89	235
5	Female--	943	23	19	29	24	24	119	98	32	66
6	Other-----Male----	405	4	7	3	5	2	21	12	14	42
7	Female--	121	1	1	5	2	6	15	5	4	19
8	Goods transport vehicle(s), but no other motor vehicle (.0)-----	3,593	13	70	72	76	75	306	234	199	259
9	White-----Male----	2,897	6	39	34	52	36	167	154	145	204
10	Female--	375	4	23	22	12	20	81	39	18	29
11	Negro-----Male----	389	2	5	10	7	11	35	23	27	21
12	Female--	68	1	2	4	3	5	15	13	3	2
13	Other-----Male----	50	-	1	-	1	1	3	2	5	3
14	Female--	14	-	-	2	1	2	5	3	1	-
15	Goods transport vehicle and passenger motor vehicle (.1)-----	3,893	39	27	18	28	28	139	74	96	453
16	White-----Male----	2,449	20	11	10	7	14	62	29	52	309
17	Female--	1,057	16	12	5	20	10	63	36	37	111
18	Negro-----Male----	245	-	1	1	-	4	6	3	4	21
19	Female--	74	-	2	2	1	-	5	2	1	6
20	Other-----Male----	50	1	1	-	-	-	2	1	1	2
21	Female--	18	1	-	-	-	-	1	1	1	2
22	Goods transport vehicle and motorbus (.2)-----	29	-	-	-	-	-	-	2	1	3
23	White-----Male----	20	-	-	-	-	-	-	-	-	3
24	Female--	9	-	-	-	-	-	-	2	1	-
25	Negro-----Male----	-	-	-	-	-	-	-	-	-	-
26	Female--	-	-	-	-	-	-	-	-	-	-
27	Other-----Male----	-	-	-	-	-	-	-	-	-	-
28	Female--	-	-	-	-	-	-	-	-	-	-
29	Goods transport vehicle and unspecified motor vehicle (.3)-----	125	2	-	2	-	-	4	-	2	3
30	White-----Male----	102	1	-	1	-	-	2	-	2	2
31	Female--	17	-	-	1	-	-	1	-	-	1
32	Negro-----Male----	5	-	-	-	-	-	-	-	-	-
33	Female--	2	1	-	-	-	-	1	-	-	-
34	Other-----Male----	-	-	-	-	-	-	-	-	-	-
35	Female--	-	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)-----	28,942	267	290	291	315	278	1,441	1,232	854	3,636
37	White-----Male----	18,404	125	129	148	151	137	690	662	509	2,348
38	Female--	7,162	101	113	100	107	98	519	382	242	800
39	Negro-----Male----	2,247	17	27	16	32	21	113	103	50	185
40	Female--	753	21	15	21	10	19	96	76	23	55
41	Other-----Male----	237	3	5	3	4	1	16	8	8	33
42	Female--	79	-	1	3	1	2	7	1	2	15
43	Passenger motor vehicle and motorbus (.5)-----	167	1	-	1	2	-	4	5	10	13
44	White-----Male----	104	-	-	-	1	-	1	3	5	9
45	Female--	47	1	-	-	-	-	2	1	4	3
46	Negro-----Male----	12	-	-	-	-	-	-	-	-	1
47	Female--	4	-	-	1	-	-	1	1	1	-
48	Other-----Male----	-	-	-	-	-	-	-	-	-	-
49	Female--	-	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)-----	279	6	2	1	2	1	12	6	7	18
51	White-----Male----	167	2	2	-	2	1	7	5	3	11
52	Female--	86	4	-	1	-	-	5	1	2	7
53	Negro-----Male----	14	-	-	-	-	-	-	-	-	-
54	Female--	8	-	-	-	-	-	-	-	2	-
55	Other-----Male----	3	-	-	-	-	-	-	-	-	-
56	Female--	1	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)-----	200	-	1	1	2	2	6	41	15	6
58	White-----Male----	98	-	-	-	-	2	2	19	7	3
59	Female--	67	-	1	-	1	-	2	14	2	1
60	Negro-----Male----	23	-	-	-	1	-	1	4	4	1
61	Female--	11	-	-	1	-	-	1	3	2	1
62	Other-----Male----	1	-	-	-	-	-	-	1	-	-
63	Female--	-	-	-	-	-	-	-	-	-	-
64	Motorbus and unspecified motor vehicle (.8)-----	5	-	-	-	-	-	-	-	-	-
65	White-----Male----	1	-	-	-	-	-	-	-	-	-
66	Female--	3	-	-	-	-	-	-	-	-	-
67	Negro-----Male----	1	-	-	-	-	-	-	-	-	-
68	Female--	-	-	-	-	-	-	-	-	-	-
69	Other-----Male----	-	-	-	-	-	-	-	-	-	-
70	Female--	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)-----	903	5	9	13	9	5	41	34	22	94
72	White-----Male----	614	3	4	7	6	1	21	11	14	63
73	Female--	166	2	5	5	3	2	17	14	4	17
74	Negro-----Male----	87	-	-	1	-	-	1	6	4	6
75	Female--	13	-	-	-	-	-	-	3	-	2
76	Other-----Male----	14	-	-	-	-	-	-	-	-	4
77	Female--	9	-	-	-	-	2	2	-	-	2



## SECTION 6 - MORTALITY

# Vehicle Involved, Age, Race, and Sex: United States, 1960

numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
4,633	2,998	2,550	2,390	2,261	2,254	2,134	2,035	1,871	1,820	1,637	1,234	704	275	66	10	1	23
3,416	2,116	1,724	1,584	1,436	1,404	1,303	1,223	1,136	1,101	1,058	793	480	170	33	2	-	13
689	445	474	493	488	529	540	586	532	551	499	379	203	81	28	8	-	5
371	311	260	238	235	233	196	149	143	118	58	41	30	13	4	-	-	4
71	78	50	59	76	51	64	47	46	35	26	12	2	8	-	-	-	1
74	39	31	22	19	26	25	24	11	12	15	7	6	3	1	-	1	5
12	9	11	4	7	11	6	6	3	3	1	2	3	-	-	-	-	6
253	237	264	257	273	276	211	205	197	127	135	84	52	19	4	-	-	4
203	186	218	200	229	214	160	155	96	94	61	41	41	10	3	-	-	4
7	8	14	16	14	18	22	20	14	17	26	20	6	2	1	-	-	10
35	35	26	33	22	37	25	21	20	12	7	3	5	2	-	-	-	11
2	1	3	3	6	3	3	3	8	1	1	-	-	1	-	-	-	12
6	7	3	4	2	3	5	2	1	1	6	-	-	-	-	-	-	13
-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	14
485	326	330	302	289	270	232	259	200	195	129	95	43	14	3	-	-	15
339	212	232	184	168	143	143	140	110	120	92	61	23	7	2	-	-	16
86	68	58	80	68	80	65	79	78	59	32	29	17	7	1	-	-	17
30	31	30	25	20	15	16	12	10	14	3	3	2	-	-	-	-	18
10	9	7	9	6	5	6	2	2	1	1	-	-	-	-	-	-	19
14	4	2	2	6	5	2	5	1	-	-	2	1	-	-	-	-	20
4	2	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	21
1	2	1	-	2	3	4	3	2	1	2	1	1	-	-	-	-	22
-	2	-	-	2	3	3	1	2	1	1	1	-	-	-	-	-	23
1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
17	10	14	11	13	7	9	14	7	7	3	2	3	-	-	-	-	29
16	6	8	10	12	7	6	12	5	6	3	2	3	-	-	-	-	30
-	2	3	1	1	-	3	2	2	1	-	-	-	-	-	-	-	31
1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3,731	2,308	1,826	1,705	1,605	1,608	1,592	1,478	1,379	1,402	1,294	997	564	227	56	10	1	15
2,746	1,620	1,193	1,098	988	961	937	857	809	824	802	636	366	143	26	2	-	7
577	350	373	378	363	433	427	461	418	448	413	310	167	64	25	8	-	4
231	240	181	166	179	167	147	102	106	88	47	33	22	10	4	-	-	3
58	65	37	46	60	42	52	42	35	31	23	11	2	7	-	-	-	1
51	27	24	16	10	16	23	13	8	8	9	5	5	3	1	-	1	40
8	6	8	1	6	7	5	3	3	3	-	2	2	-	-	-	-	41
15	17	14	19	8	7	10	13	7	9	8	3	4	1	-	-	-	42
11	14	8	12	4	3	5	6	6	5	7	2	3	-	-	-	-	43
4	3	5	4	2	4	4	6	1	4	1	1	1	1	-	-	-	44
-	-	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-	45
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
24	25	28	15	22	15	20	11	22	23	15	3	12	1	-	-	-	50
16	17	17	11	11	10	10	7	12	14	8	1	6	1	-	-	-	51
7	5	8	3	5	2	10	4	6	7	7	2	5	1	-	-	-	52
1	1	1	1	4	1	-	-	4	-	-	-	-	-	-	-	-	53
-	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	54
-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	55
3	2	6	2	5	9	8	12	14	15	24	17	11	3	1	-	-	56
2	2	3	-	2	5	5	5	6	9	7	10	5	1	1	-	-	57
-	-	2	-	2	3	1	4	3	5	7	7	6	1	-	-	-	58
1	-	1	2	1	1	2	2	2	2	-	-	-	1	-	-	-	59
-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	64
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	65
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	66
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
104	71	67	69	63	58	47	62	43	40	28	32	14	10	2	-	-	2
83	57	44	49	40	37	34	39	30	26	21	20	13	8	1	-	-	1
10	9	11	11	13	9	6	8	10	9	5	10	-	2	1	-	-	1
8	2	8	8	9	12	5	11	1	2	1	2	-	-	-	-	-	1
1	1	1	1	1	-	2	-	1	1	1	-	-	-	-	-	-	1
3	1	1	-	-	-	-	3	1	1	1	-	-	-	-	-	-	1
-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1

SECTION 6 - MORTALITY

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category

CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Motor vehicle traffic accidents (E810-E825)-----	37,142	322	245	323	367	359	1,636	1,577	1,152	4,439
2	White-----Male----	24,001	153	115	164	190	176	798	854	713	3,115
3	Female----	8,762	123	94	103	128	119	567	476	305	965
4	Negro-----Male----	2,947	18	19	24	39	33	133	134	88	232
5	Female----	922	23	14	26	23	23	109	96	29	66
6	Other-----Male----	394	4	3	3	5	2	17	12	13	40
7	Female----	116	1	-	3	2	6	12	5	4	19
8	Goods transport vehicle(s), but no other motor vehicle (.0)-----	3,168	10	31	45	57	62	205	209	174	233
9	White-----Male----	2,371	5	17	21	36	29	108	136	127	184
10	Female----	332	3	10	13	9	15	50	37	16	27
11	Negro-----Male----	348	1	2	8	7	10	28	20	26	18
12	Female----	59	1	1	2	3	5	12	11	-	2
13	Other-----Male----	45	-	1	-	1	1	3	2	4	2
14	Female----	13	-	-	1	1	2	4	3	1	-
15	Goods transport vehicle and passenger motor vehicle (.1)-----	3,883	38	27	18	28	28	139	74	96	452
16	White-----Male----	2,442	20	11	10	7	14	62	29	52	308
17	Female----	1,055	16	12	5	20	10	63	38	37	111
18	Negro-----Male----	244	-	1	1	-	4	6	3	4	21
19	Female----	74	-	2	2	1	5	2	1	8	8
20	Other-----Male----	50	1	1	-	-	-	2	1	1	2
21	Female----	18	1	-	-	-	-	1	1	1	2
22	Goods transport vehicle and motorbus (.2)-----	29	-	-	-	-	-	-	2	1	3
23	White-----Male----	20	-	-	-	-	-	-	-	-	3
24	Female----	9	-	-	-	-	-	-	2	1	-
25	Negro-----Male----	-	-	-	-	-	-	-	-	-	-
26	Female----	-	-	-	-	-	-	-	-	-	-
27	Other-----Male----	-	-	-	-	-	-	-	-	-	-
28	Female----	-	-	-	-	-	-	-	-	-	-
29	Goods transport vehicle and unspecified motor vehicle (.3)-----	126	2	-	2	-	-	4	-	2	3
30	White-----Male----	102	1	-	1	-	-	2	-	2	2
31	Female----	17	-	-	1	-	-	1	-	-	1
32	Negro-----Male----	5	-	-	-	-	-	-	-	-	-
33	Female----	2	1	-	-	-	-	1	-	-	-
34	Other-----Male----	-	-	-	-	-	-	-	-	-	-
35	Female----	-	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)-----	26,402	260	178	243	287	261	1,229	1,207	825	3,617
37	White-----Male----	18,093	122	83	125	136	129	597	651	503	2,532
38	Female----	6,986	97	67	79	94	92	429	370	239	798
39	Negro-----Male----	2,216	17	16	14	31	19	97	101	50	185
40	Female----	751	21	11	20	19	18	89	76	23	55
41	Other-----Male----	281	3	1	3	4	1	12	8	8	32
42	Female----	75	-	-	2	1	2	5	1	2	15
43	Passenger motor vehicle and motorbus (.5)-----	167	1	-	1	2	-	4	5	10	13
44	White-----Male----	104	-	-	-	1	-	1	3	5	9
45	Female----	47	1	-	-	1	-	2	1	4	3
46	Negro-----Male----	12	-	-	-	-	-	-	-	-	1
47	Female----	4	-	-	1	-	-	1	1	1	-
48	Other-----Male----	-	-	-	-	-	-	-	-	-	-
49	Female----	-	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)-----	278	6	2	1	2	1	12	5	7	18
51	White-----Male----	167	2	2	-	2	1	7	5	3	11
52	Female----	85	4	-	1	-	-	5	-	2	7
53	Negro-----Male----	14	-	-	-	-	-	-	-	-	-
54	Female----	9	-	-	-	-	-	-	-	2	-
55	Other-----Male----	3	-	-	-	-	-	-	-	-	-
56	Female----	1	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)-----	196	-	1	1	2	2	6	41	15	6
58	White-----Male----	95	-	-	-	-	2	2	19	7	3
59	Female----	66	-	1	-	1	-	2	14	2	1
60	Negro-----Male----	23	-	-	-	1	-	1	4	4	1
61	Female----	11	-	-	1	-	-	1	3	2	1
62	Other-----Male----	1	-	-	-	-	-	-	1	-	-
63	Female----	-	-	-	-	-	-	-	-	-	-
64	Motorbus and unspecified motor vehicle (.8)-----	5	-	-	-	-	-	-	-	-	-
65	White-----Male----	1	-	-	-	-	-	-	-	-	-
66	Female----	3	-	-	-	-	-	-	-	-	-
67	Negro-----Male----	1	-	-	-	-	-	-	-	-	-
68	Female----	-	-	-	-	-	-	-	-	-	-
69	Other-----Male----	-	-	-	-	-	-	-	-	-	-
70	Female----	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)-----	888	5	6	12	9	5	37	34	22	94
72	White-----Male----	806	3	2	7	6	1	19	11	14	63
73	Female----	162	2	4	4	3	2	15	14	4	17
74	Negro-----Male----	84	-	-	1	-	-	1	6	4	6
75	Female----	13	-	-	-	-	-	-	3	-	2
76	Other-----Male----	14	-	-	-	-	-	-	-	-	4
77	Female----	9	-	-	-	-	2	2	-	-	2

SECTION 6 - MORTALITY

Vehicle Involved, Age, Race, and Sex: United States, 1960-Con.

numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
4,579	2,947	2,490	2,329	2,226	2,210	2,090	1,994	1,820	1,788	1,602	1,209	690	269	64	7	1	23
3,373	2,077	1,672	1,523	1,407	1,370	1,270	1,194	1,100	1,076	1,018	776	451	168	52	1	-	13
685	444	468	488	485	524	534	583	522	545	488	371	198	78	27	6	-	5
567	301	258	235	234	229	192	142	140	117	56	41	30	12	4	-	-	4
70	77	50	59	75	51	64	46	44	35	28	12	2	8	-	-	-	1
74	39	31	22	19	25	25	23	11	12	13	7	6	3	1	-	-	4
12	9	11	4	6	11	5	6	3	3	1	2	3	-	-	-	-	6
228	215	242	234	252	248	191	184	171	116	119	75	46	18	4	-	-	4
182	170	187	181	210	191	143	138	131	87	83	52	35	9	3	-	-	4
7	9	13	16	13	18	22	20	13	16	23	20	6	6	1	-	-	10
32	29	26	29	21	33	22	20	17	11	6	3	5	2	-	-	-	11
1	1	3	3	6	3	3	3	8	1	1	1	1	1	-	-	-	12
6	7	3	4	2	2	2	2	2	1	5	-	-	-	-	-	-	13
-	-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	14
481	325	330	301	268	268	231	239	200	195	127	95	43	14	3	-	-	2
337	212	232	183	167	162	142	140	110	120	92	61	23	7	2	-	-	1
86	68	58	80	69	79	65	79	78	59	31	29	17	7	1	-	-	1
30	30	30	25	20	15	16	12	10	14	3	3	2	-	-	-	-	1
10	9	7	9	6	5	6	2	2	1	1	-	-	-	-	-	-	1
14	4	2	2	6	5	2	5	1	1	2	1	-	-	-	-	-	2
4	2	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-	2
1	2	1	-	2	3	4	3	2	1	2	1	1	-	-	-	-	2
1	2	1	-	2	3	3	1	2	1	1	1	-	-	-	-	-	2
-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
17	10	14	11	13	7	9	14	7	7	3	2	3	-	-	-	-	2
16	6	8	10	12	7	6	12	5	6	3	2	3	-	-	-	-	2
-	2	3	1	1	-	3	2	2	1	-	-	-	-	-	-	-	2
1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	1	6	2	5	8	8	12	13	15	24	16	11	3	1	-	-	3
2	1	3	-	2	4	5	6	6	5	7	2	3	-	-	-	-	3
-	3	5	4	2	4	4	6	1	4	1	1	1	-	-	-	-	3
4	-	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-	3
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
24	25	28	15	22	15	20	11	22	23	15	3	12	1	-	-	-	3
16	17	17	11	11	10	10	7	12	14	8	1	6	1	-	-	-	3
7	5	8	3	5	2	10	4	6	7	7	2	5	-	-	-	-	3
1	1	1	1	4	1	1	-	4	-	-	-	1	-	-	-	-	3
-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	3
-	2	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	3
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	3
3	1	6	2	5	8	8	12	13	15	24	16	11	3	1	-	-	3
2	1	3	-	2	4	5	6	6	7	10	9	5	1	1	-	-	3
-	-	2	-	2	3	1	4	3	5	14	6	6	-	-	-	-	3
1	-	1	2	1	1	2	2	2	2	2	1	1	1	-	-	-	3
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	3
1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	3
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	3
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
102	71	67	67	63	55	47	60	42	40	28	31	14	10	2	-	-	2
82	57	44	48	40	35	34	39	29	28	21	19	13	8	1	-	-	2
9	9	11	11	13	8	6	8	10	9	5	10	2	2	1	-	-	2
8	2	8	7	9	12	5	9	1	2	1	2	-	-	-	-	-	2
1	1	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	2
3	1	1	-	-	-	-	-	3	1	1	-	-	-	-	-	-	2
-	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2





SECTION 6 - MORTALITY

Table 6-4. Deaths From Nontransport Accidents, by Place

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers

PLACE OF ACCIDENT, RACE, AND SEX		Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL NONTRANSPORT ACCIDENTS (E870-E936)-----	49,628	3,450	1,254	916	689	549	6,858	1,908	1,754	1,936
2	White---Male---	26,016	1,349	502	380	307	219	2,757	916	1,119	1,389
3	Female---	15,274	1,003	389	289	180	151	1,972	452	236	183
4	Negro---Male---	5,047	563	181	152	99	74	1,069	276	299	313
5	Female---	2,696	474	155	96	114	93	932	232	73	45
6	Other---Male---	433	32	20	8	4	5	69	22	19	24
7	Female---	162	29	7	11	5	7	59	10	8	2
8	Home <sup>1</sup> (.0)-----	24,068	2,617	946	660	481	378	5,082	973	552	396
9	White---Male---	9,969	1,005	359	238	186	116	1,904	341	342	236
10	Female---	9,586	752	290	185	109	110	1,446	278	102	74
11	Negro---Male---	2,300	444	147	135	81	60	887	151	57	59
12	Female---	2,014	380	135	89	100	86	789	189	43	19
13	Other---Male---	111	18	10	6	1	-	35	9	5	4
14	Female---	88	18	5	8	4	6	41	5	3	2
15	Farm <sup>2</sup> (.1)-----	2,407	2	48	53	40	30	173	134	225	250
16	White---Male---	1,920	1	28	34	28	19	110	91	161	177
17	Female---	154	1	16	13	5	8	43	24	12	9
18	Negro---Male---	276	-	1	2	4	1	8	13	46	61
19	Female---	33	-	2	2	3	2	9	5	4	3
20	Other---Male---	20	-	1	1	-	-	2	1	1	-
21	Female---	4	-	-	-	-	-	1	-	-	-
22	Mine and quarry (.2)-----	616	-	-	3	5	-	8	14	37	42
23	White---Male---	545	-	-	2	4	-	6	12	17	35
24	Female---	7	-	-	1	-	-	1	1	4	1
25	Negro---Male---	52	-	-	-	1	-	1	1	14	6
26	Female---	5	-	-	-	-	-	-	-	1	-
27	Other---Male---	7	-	-	-	-	-	-	-	1	-
28	Female---	-	-	-	-	-	-	-	-	-	-
29	Industrial place and premises (.3)-----	2,460	-	1	1	3	6	11	22	15	88
30	White---Male---	2,096	-	1	1	3	4	9	15	10	79
31	Female---	27	-	-	-	-	1	1	3	1	3
32	Negro---Male---	311	-	-	-	-	1	1	3	2	6
33	Female---	4	-	-	-	-	-	-	1	1	-
34	Other---Male---	20	-	-	-	-	-	-	-	1	-
35	Female---	-	-	-	-	-	-	-	-	-	-
36	Place for recreation and sport (.4)-----	629	2	10	12	15	15	54	109	119	99
37	White---Male---	412	-	5	4	8	9	26	64	80	75
38	Female---	111	-	5	7	4	4	20	23	20	7
39	Negro---Male---	88	-	-	1	2	-	3	18	16	17
40	Female---	8	-	-	-	-	-	-	3	2	-
41	Other---Male---	7	1	-	-	1	1	3	-	1	-
42	Female---	3	1	-	-	-	1	2	1	-	-
43	Street and highway (.5)-----	1,787	11	6	6	9	3	35	35	40	87
44	White---Male---	1,234	5	1	3	2	2	13	21	28	67
45	Female---	310	2	3	2	7	-	14	10	6	10
46	Negro---Male---	183	1	1	1	-	1	4	3	4	5
47	Female---	38	2	1	-	-	-	3	1	1	2
48	Other---Male---	17	-	-	-	-	-	-	-	-	3
49	Female---	5	1	-	-	-	-	1	-	1	-
50	Public building (.6)-----	1,328	10	3	2	4	1	20	13	25	64
51	White---Male---	944	5	3	1	2	1	12	11	16	46
52	Female---	252	4	-	1	1	-	6	1	5	7
53	Negro---Male---	102	-	-	-	1	-	1	-	3	9
54	Female---	17	-	-	-	-	-	-	-	1	1
55	Other---Male---	10	-	-	-	-	-	-	1	-	1
56	Female---	1	1	-	-	-	-	1	-	-	-
57	Resident institution (.7)-----	3,320	108	9	4	5	3	129	16	18	17
58	White---Male---	1,381	47	3	-	3	3	56	14	11	9
59	Female---	1,755	32	3	4	1	-	40	3	2	2
60	Negro---Male---	86	12	1	-	1	-	14	1	1	5
61	Female---	70	10	1	-	-	-	11	-	3	1
62	Other---Male---	23	4	1	-	-	-	5	-	1	-
63	Female---	5	3	-	-	-	-	3	-	-	-
64	Other specified places (.8)-----	5,763	36	87	90	79	75	367	464	587	734
65	White---Male---	4,050	18	52	58	52	54	234	290	374	528
66	Female---	558	11	29	27	20	12	99	84	69	55
67	Negro---Male---	860	2	3	3	2	4	14	68	124	126
68	Female---	99	2	-	1	3	2	8	11	10	10
69	Other---Male---	154	2	3	1	2	3	11	10	7	15
70	Female---	22	1	-	-	-	-	1	1	3	-
71	Place not specified (.9)-----	7,252	664	144	85	48	38	979	126	136	159
72	White---Male---	3,463	268	50	39	19	11	387	57	80	115
73	Female---	2,514	201	43	29	13	16	302	25	15	15
74	Negro---Male---	769	104	28	10	7	7	156	18	32	19
75	Female---	408	80	16	5	8	3	112	22	7	9
76	Other---Male---	64	7	5	-	-	1	13	1	2	1
77	Female---	34	4	2	2	1	-	9	3	-	-

<sup>1</sup>Including home premises and any noninstitutional place of residence.

<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

SECTION 6 - MORTALITY

of Accident, Age, Race, and Sex: United States, 1960

E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,628	1,489	1,715	2,026	2,135	2,431	2,474	2,306	2,297	2,641	3,061	3,575	4,041	3,225	1,627	387	61	53	1
1,134	980	1,084	1,285	1,341	1,608	1,632	1,534	1,386	1,566	1,517	1,545	1,489	1,101	483	129	13	28	2
144	170	228	270	360	365	420	391	540	754	1,257	1,761	2,395	2,007	1,068	258	37	6	3
250	240	274	344	302	312	309	251	222	181	135	117	61	44	28	1	4	15	4
63	66	91	91	102	96	93	111	122	124	128	124	82	58	42	15	5	1	5
32	30	30	26	22	23	16	15	21	13	18	21	10	13	1	4	2	2	6
5	3	8	10	8	7	4	4	6	3	6	7	4	2	5	-	-	1	7
369	390	539	626	717	868	954	945	1,019	1,361	1,700	2,053	2,397	1,893	966	221	37	10	8
201	191	254	285	358	436	499	499	483	687	718	796	800	607	270	71	6	3	9
78	100	148	168	213	255	262	260	341	481	793	1,084	1,489	1,212	637	139	23	3	10
47	54	61	114	96	118	123	104	93	96	77	68	39	26	22	1	4	3	11
38	39	53	49	62	55	65	79	93	92	104	96	65	41	35	9	2	1	12
2	6	1	6	5	3	2	2	2	3	5	5	4	6	1	1	2	2	13
3	-	2	4	3	1	3	1	4	2	3	4	2	1	4	-	-	-	14
117	102	100	105	145	156	162	166	138	147	122	92	50	15	6	-	-	2	15
94	76	85	78	110	130	145	154	116	136	109	88	41	12	6	-	-	1	16
1	4	6	7	9	4	4	2	7	5	6	2	7	2	-	-	-	-	17
17	17	8	17	22	18	13	9	12	5	5	2	1	1	-	-	-	1	18
-	3	1	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	19
5	1	-	1	3	2	-	-	1	-	2	-	1	-	-	-	-	-	20
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
48	41	49	74	77	86	58	50	26	2	1	3	-	-	-	-	-	-	22
42	32	45	71	74	83	53	46	24	2	-	3	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
5	8	2	2	1	3	4	4	1	-	-	-	-	-	-	-	-	-	25
-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	26
1	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
221	204	280	273	283	290	267	227	165	68	26	17	5	8	-	-	-	-	29
194	177	240	224	236	236	226	197	147	58	24	15	4	7	-	-	-	-	30
2	1	3	4	4	2	1	-	-	1	2	1	1	-	-	-	-	-	31
23	23	32	45	42	40	39	28	17	8	-	1	1	1	-	-	-	-	32
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	33
2	3	5	3	1	-	1	2	1	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
48	36	23	31	14	21	23	20	7	8	3	2	6	4	2	-	-	-	36
33	26	18	22	14	14	12	14	5	5	2	2	3	2	1	-	-	-	37
2	1	2	5	4	6	8	3	2	2	1	2	2	2	1	-	-	-	38
10	7	3	4	2	1	3	2	1	1	-	-	-	-	-	-	-	-	39
1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	40
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
66	90	84	113	115	139	138	113	127	138	142	109	110	56	27	3	-	-	43
64	65	47	85	76	110	107	83	93	97	96	70	66	29	17	-	-	-	44
7	5	7	5	12	11	8	15	22	31	40	32	41	24	10	-	-	-	45
10	16	26	21	21	15	19	10	10	8	5	4	2	-	-	-	-	-	46
4	3	3	2	2	3	3	2	1	1	1	2	3	-	-	1	-	-	47
1	1	1	1	3	-	1	2	1	1	1	1	1	-	-	-	-	-	48
-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	49
61	60	59	88	105	114	109	104	96	118	96	85	55	38	12	1	-	-	50
43	43	40	69	78	82	88	86	74	78	70	50	33	18	5	-	-	2	51
5	7	6	7	13	21	16	10	13	33	24	31	21	19	6	1	-	-	52
12	9	9	10	10	9	5	7	8	5	1	2	1	-	1	-	-	-	53
1	1	2	1	5	2	-	-	-	1	1	1	-	-	-	-	-	-	54
-	-	2	1	-	-	-	1	1	1	1	1	-	1	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
18	30	22	51	42	62	78	93	138	188	322	493	621	588	300	79	11	2	57
10	19	7	32	23	41	44	53	65	97	152	191	222	192	88	29	5	1	58
4	9	9	11	12	14	24	27	40	79	156	287	391	362	208	48	6	1	59
1	1	4	8	3	4	7	9	4	6	7	1	3	1	1	-	-	-	60
2	-	1	-	3	2	3	4	6	5	6	9	4	6	3	1	-	-	61
1	1	1	-	1	-	-	-	3	-	1	5	1	2	1	1	-	-	62
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	63
477	355	342	387	347	340	310	279	210	199	133	100	58	34	9	6	-	25	64
346	249	247	280	254	254	236	212	153	154	89	63	40	21	5	5	-	16	65
19	21	15	21	22	24	17	15	15	18	21	19	13	7	3	-	-	-	66
91	65	62	62	55	42	47	35	32	19	16	11	2	3	-	-	-	6	67
7	6	6	9	5	7	4	7	3	2	1	1	2	-	-	-	-	-	68
12	12	12	11	7	14	6	8	6	6	5	5	1	2	1	1	-	2	69
2	2	-	4	2	1	-	2	1	-	1	1	-	1	-	-	-	-	70
183	181	217	278	289	365	375	309	371	412	516	621	739	589	305	77	13	12	71
107	102	101	141	144	222	222	190	206	252	257	267	280	213	91	22	2	5	72
26	22	32	45	71	48	40	59	100	104	214	305	430	359	203	50	8	1	73
34	40	47	61	50	62	49	43	45	33	24	28	12	7	4	-	-	5	74
10	12	25	27	21	26	18	17	16	22	15	15	13	8	6	4	3	-	75
6	5	6	3	4	4	5	-	3	4	4	4	2	2	1	1	-	-	76
-	-	6	1	2	3	1	-	1	-	2	2	2	-	1	-	-	1	77

## SECTION 6 - MORTALITY

**Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1960**

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motorbus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
UNITED STATES-----	38,137	3,593	3,893	29	126	26,942	167	279	200	5	903
White-----Male----	24,656	2,697	2,449	20	102	18,404	104	167	98	1	614
White-----Female----	8,989	375	1,057	9	17	7,162	47	86	67	3	166
Nonwhite-----Male----	3,428	439	295	-	5	2,534	12	17	24	1	101
Nonwhite-----Female----	1,064	82	92	-	2	842	4	8	11	-	22
Alabama-----	941	106	108	-	-	697	4	3	12	-	11
White-----Male----	504	64	57	-	-	369	3	1	2	-	6
White-----Female----	179	11	26	-	-	139	-	-	3	-	-
Nonwhite-----Male----	205	30	19	-	-	148	1	1	4	-	2
Nonwhite-----Female----	53	1	6	-	-	41	-	1	3	-	1
Alaska-----	46	11	2	-	-	33	-	-	-	-	-
White-----Male----	30	7	1	-	-	22	-	-	-	-	-
White-----Female----	8	2	1	-	-	5	-	-	-	-	-
Nonwhite-----Male----	6	2	-	-	-	4	-	-	-	-	-
Nonwhite-----Female----	2	-	-	-	-	2	-	-	-	-	-
Arizona-----	418	56	42	-	-	309	1	-	-	1	7
White-----Male----	266	40	25	-	-	197	-	-	-	1	3
White-----Female----	100	3	11	-	-	84	1	-	-	-	1
Nonwhite-----Male----	43	12	5	-	-	23	-	-	-	-	3
Nonwhite-----Female----	9	3	1	-	-	5	-	-	-	-	-
Arkansas-----	466	79	30	1	2	347	-	2	3	-	2
White-----Male----	285	49	22	1	2	206	-	1	2	-	2
White-----Female----	90	6	8	-	-	75	-	1	-	-	-
Nonwhite-----Male----	67	16	-	-	-	50	-	-	1	-	-
Nonwhite-----Female----	24	6	-	-	-	16	-	-	-	-	-
California-----	3,836	291	409	1	19	2,948	22	34	19	-	193
White-----Male----	2,594	231	259	-	16	1,910	19	23	12	-	124
White-----Female----	1,044	44	111	1	3	817	2	10	7	-	49
Nonwhite-----Male----	251	12	32	-	-	170	1	1	-	-	15
Nonwhite-----Female----	67	4	7	-	-	51	-	-	-	-	5
Colorado-----	459	41	45	-	2	361	-	4	1	-	4
White-----Male----	326	38	33	-	2	245	-	3	1	-	4
White-----Female----	127	3	12	-	-	111	-	1	-	-	-
Nonwhite-----Male----	5	-	-	-	-	5	-	-	-	-	-
Nonwhite-----Female----	1	-	1	-	-	-	-	-	-	-	-
Connecticut-----	293	26	20	-	-	243	-	-	2	-	2
White-----Male----	194	22	15	-	-	154	-	-	2	-	1
White-----Female----	72	2	3	-	-	66	-	-	-	-	1
Nonwhite-----Male----	20	1	2	-	-	17	-	-	-	-	-
Nonwhite-----Female----	7	1	-	-	-	6	-	-	-	-	-
Delaware-----	84	5	11	1	-	53	1	-	-	-	13
White-----Male----	54	4	10	1	-	29	-	-	-	-	10
White-----Female----	11	1	1	-	-	7	1	-	-	-	1
Nonwhite-----Male----	14	-	-	-	-	12	-	-	-	-	2
Nonwhite-----Female----	5	-	-	-	-	5	-	-	-	-	-
District of Columbia-----	95	9	5	-	-	77	1	1	-	-	2
White-----Male----	54	1	2	-	-	28	-	1	-	-	2
White-----Female----	16	1	1	-	-	14	-	-	-	-	-
Nonwhite-----Male----	39	7	2	-	-	29	1	-	-	-	-
Nonwhite-----Female----	6	-	-	-	-	6	-	-	-	-	-
Florida-----	1,241	90	113	-	3	930	4	30	7	-	64
White-----Male----	684	50	59	-	3	517	2	15	3	-	35
White-----Female----	286	4	34	-	-	224	2	8	1	-	13
Nonwhite-----Male----	214	33	17	-	-	141	-	5	3	-	15
Nonwhite-----Female----	57	3	3	-	-	48	-	2	-	-	1
Georgia-----	1,030	135	117	-	-	769	1	1	2	-	5
White-----Male----	564	74	67	-	-	421	1	1	1	-	-
White-----Female----	199	12	26	-	-	159	-	1	1	-	-
Nonwhite-----Male----	202	44	18	-	-	135	-	-	-	-	5
Nonwhite-----Female----	65	5	6	-	-	54	-	-	-	-	-
Hawaii-----	110	12	6	-	-	80	-	1	1	-	10
White-----Male----	38	1	4	-	-	31	-	-	-	-	2
White-----Female----	6	-	1	-	-	5	-	-	-	-	-
Nonwhite-----Male----	51	10	1	-	-	36	-	1	1	-	2
Nonwhite-----Female----	15	1	-	-	-	8	-	-	-	-	6
Idaho-----	209	19	16	-	-	170	-	1	-	-	3
White-----Male----	139	18	8	-	-	109	-	1	-	-	3
White-----Female----	64	1	6	-	-	55	-	-	-	-	-
Nonwhite-----Male----	3	-	-	-	-	3	-	-	-	-	-
Nonwhite-----Female----	3	-	-	-	-	3	-	-	-	-	-
Illinois-----	1,670	140	197	1	5	1,250	12	10	18	-	37
White-----Male----	1,109	115	125	-	4	816	5	8	9	-	27
White-----Female----	423	16	47	1	1	333	7	2	7	-	9
Nonwhite-----Male----	102	7	15	-	-	78	-	-	2	-	-
Nonwhite-----Female----	36	2	10	-	-	23	-	-	-	-	1





**Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1960—Con.**

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only	Goods transport vehicle and passenger motor vehicle	Goods transport vehicle and motorbus	Goods transport vehicle and unspecified motor vehicle	Passenger motor vehicle(s) only	Passenger motor vehicle and motorbus	Passenger motor vehicle and unspecified motor vehicle	Motor-bus(es) only	Motorbus and unspecified motor vehicle	Unspecified motor vehicles
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New Hampshire-----	107	13	7	-	-	78	-	1	1	-	7
White-----Male----	89	11	7	-	-	62	-	1	1	-	7
Female----	16	2	-	-	-	16	-	-	-	-	-
Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
Female----	-	-	-	-	-	-	-	-	-	-	-
New Jersey-----	763	55	52	-	3	596	1	7	8	-	41
White-----Male----	472	39	30	-	3	363	1	5	3	-	28
Female----	197	10	19	-	-	153	-	2	4	-	9
Nonwhite-----Male----	80	6	3	-	-	66	-	-	1	-	4
Female----	14	-	-	-	-	14	-	-	-	-	-
New Mexico-----	376	47	62	-	-	264	-	-	-	-	3
White-----Male----	256	36	33	-	-	186	-	-	-	-	1
Female----	70	1	18	-	-	49	-	-	-	-	2
Nonwhite-----Male----	40	9	10	-	-	21	-	-	-	-	-
Female----	10	1	1	-	-	8	-	-	-	-	-
New York-----	2,156	159	127	-	3	1,736	17	21	36	1	58
White-----Male----	1,451	118	88	-	2	1,154	11	12	19	-	47
Female----	514	25	31	-	-	419	5	9	14	1	10
Nonwhite-----Male----	140	14	7	-	1	114	-	-	2	-	1
Female----	53	2	1	-	-	49	-	-	1	-	-
North Carolina-----	1,260	150	146	-	1	939	3	2	4	-	13
White-----Male----	716	92	79	-	1	531	3	1	1	-	8
Female----	213	14	49	-	-	146	-	1	1	-	-
Nonwhite-----Male----	273	40	16	-	-	210	-	-	2	-	5
Female----	58	4	4	-	-	50	-	-	-	-	-
North Dakota-----	170	23	17	-	-	129	-	-	-	-	2
White-----Male----	134	20	13	-	-	99	-	-	-	-	2
Female----	29	3	4	-	-	22	-	-	-	-	-
Nonwhite-----Male----	3	-	-	-	-	3	-	-	-	-	-
Female----	4	-	-	-	-	4	-	-	-	-	-
Ohio-----	1,979	131	220	4	11	1,536	5	15	8	-	49
White-----Male----	1,349	107	137	2	8	1,040	3	9	5	-	36
Female----	508	13	71	2	2	403	2	6	1	-	8
Nonwhite-----Male----	90	9	8	-	1	68	-	-	1	-	3
Female----	32	2	4	-	-	25	-	-	1	-	-
Oklahoma-----	684	97	107	1	1	471	1	2	-	-	4
White-----Male----	429	81	57	1	1	282	1	2	-	-	4
Female----	182	9	33	-	-	140	-	-	-	-	-
Nonwhite-----Male----	56	5	15	-	-	36	-	-	-	-	-
Female----	17	2	2	-	-	13	-	-	-	-	-
Oregon-----	477	47	43	1	2	368	-	5	1	-	10
White-----Male----	331	39	25	1	1	253	-	2	-	-	10
Female----	126	6	15	-	1	100	-	3	1	-	-
Nonwhite-----Male----	15	2	2	-	-	11	-	-	-	-	-
Female----	5	-	1	-	-	4	-	-	-	-	-
Pennsylvania-----	1,701	146	155	1	20	1,299	8	9	19	1	44
White-----Male----	1,166	105	110	1	17	879	7	3	9	-	35
Female----	409	24	41	-	2	323	1	3	6	1	8
Nonwhite-----Male----	90	10	4	-	1	73	-	1	1	-	-
Female----	36	7	-	-	-	24	-	2	2	-	1
Rhode Island-----	73	7	3	-	-	58	-	2	1	-	2
White-----Male----	51	6	2	-	-	40	-	-	1	-	2
Female----	19	1	1	-	-	16	-	1	-	-	-
Nonwhite-----Male----	1	-	-	-	-	1	-	-	-	-	-
Female----	2	-	-	-	-	1	-	1	-	-	-
South Carolina-----	684	62	35	1	2	575	1	-	2	-	6
White-----Male----	353	28	25	1	1	294	-	-	1	-	3
Female----	107	7	8	-	1	91	-	-	-	-	-
Nonwhite-----Male----	175	25	2	-	-	144	-	-	1	-	3
Female----	49	2	-	-	-	46	1	-	-	-	-
South Dakota-----	236	19	23	-	1	176	-	15	1	-	1
White-----Male----	153	16	12	-	1	115	-	8	1	-	-
Female----	44	1	6	-	-	32	-	5	-	-	-
Nonwhite-----Male----	28	2	2	-	-	22	-	1	-	-	1
Female----	11	-	3	-	-	7	-	1	-	-	-
Tennessee-----	859	93	98	2	-	644	3	1	3	-	15
White-----Male----	527	66	59	2	-	398	2	-	1	-	9
Female----	190	5	26	-	-	153	1	1	1	-	3
Nonwhite-----Male----	102	21	10	-	-	70	-	-	-	-	1
Female----	40	1	3	-	-	33	-	-	1	-	2
Texas-----	2,372	316	367	-	1	1,634	13	5	6	-	30
White-----Male----	1,546	256	233	-	1	1,025	8	2	2	-	19
Female----	554	29	103	-	-	406	4	3	3	-	6
Nonwhite-----Male----	196	25	22	-	-	143	1	-	1	-	4
Female----	76	6	9	-	-	60	-	-	-	-	1

## SECTION 6 - MORTALITY

6-19

**Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1960—Con.**

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motorbus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Utah-----	253	26	27	1	-	196	-	1	-	-	2
White-----Male----	158	20	14	-	-	122	-	1	-	-	1
Female----	82	3	12	1	-	66	-	-	-	-	-
Nonwhite-----Male----	9	1	1	-	-	6	-	-	-	-	1
Female----	4	2	-	-	-	2	-	-	-	-	-
Vermont-----	91	11	4	-	-	65	-	2	-	-	9
White-----Male----	70	9	4	-	-	47	-	2	-	-	8
Female----	21	2	-	-	-	18	-	-	-	-	1
Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
Female----	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	753	72	65	3	3	559	8	6	6	-	31
White-----Male----	463	47	38	1	2	347	5	6	1	-	16
Female----	139	10	15	2	1	102	2	-	3	-	4
Nonwhite-----Male----	121	13	10	-	-	86	1	-	2	-	9
Female----	30	2	2	-	-	24	-	-	-	-	2
Washington-----	622	55	39	-	4	497	5	7	3	-	12
White-----Male----	424	47	28	-	4	330	3	3	1	-	8
Female----	160	6	9	-	-	134	2	4	2	-	3
Nonwhite-----Male----	29	2	1	-	-	26	-	-	-	-	-
Female----	9	-	1	-	-	7	-	-	-	-	1
West Virginia-----	380	33	35	-	2	295	-	4	-	-	13
White-----Male----	271	26	25	-	2	205	-	3	-	-	12
Female----	87	5	10	-	-	70	-	1	-	-	1
Nonwhite-----Male----	19	2	-	-	-	17	-	-	-	-	-
Female----	3	-	-	-	-	3	-	-	-	-	-
Wisconsin-----	917	69	74	1	3	747	5	3	2	-	13
White-----Male----	679	57	51	1	3	552	3	2	1	-	9
Female----	214	8	21	-	-	178	2	1	-	-	4
Nonwhite-----Male----	17	2	1	-	-	14	-	-	-	-	-
Female----	7	2	1	-	-	3	-	-	1	-	-
Wyoming-----	139	22	17	-	-	100	-	-	-	-	-
White-----Male----	105	19	12	-	-	74	-	-	-	-	-
Female----	29	2	4	-	-	23	-	-	-	-	-
Nonwhite-----Male----	4	1	1	-	-	2	-	-	-	-	-
Female----	1	-	-	-	-	1	-	-	-	-	-

## SECTION 6 - MORTALITY

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
UNITED STATES-----	49,628	24,068	2,407	616	2,460	629	1,787	1,326	3,320	5,763	7,252
White-----Male-----	26,016	9,969	1,920	545	2,098	412	1,234	944	1,381	4,050	3,463
White-----Female-----	15,274	9,596	154	7	27	111	510	252	1,755	558	2,514
Nonwhite-----Male-----	5,480	2,411	296	59	331	95	200	112	109	1,034	833
Nonwhite-----Female-----	2,858	2,102	37	5	4	11	43	16	75	121	442
Alabama-----	1,017	561	60	21	53	11	16	24	22	136	111
White-----Male-----	376	151	30	9	35	4	12	17	10	76	32
White-----Female-----	203	141	4	-	-	2	2	3	8	9	34
Nonwhite-----Male-----	261	123	24	11	18	5	4	3	2	44	27
Nonwhite-----Female-----	177	146	2	1	-	-	-	1	2	7	16
Alaska-----	135	53	-	1	7	1	1	1	-	39	32
White-----Male-----	54	16	-	1	3	-	1	1	-	22	10
White-----Female-----	9	5	-	-	-	1	-	-	-	1	2
Nonwhite-----Male-----	44	15	-	-	4	-	-	-	-	14	11
Nonwhite-----Female-----	28	17	-	-	-	-	-	-	-	2	9
Arizona-----	394	174	23	13	16	2	15	9	7	79	55
White-----Male-----	224	84	20	13	17	1	10	5	2	46	26
White-----Female-----	90	60	-	-	-	-	1	1	3	14	11
Nonwhite-----Male-----	55	17	2	-	1	1	3	2	1	16	10
Nonwhite-----Female-----	25	13	1	-	-	-	1	-	1	1	8
Arkansas-----	673	281	40	2	31	3	22	10	25	61	198
White-----Male-----	291	94	20	1	26	1	17	8	10	36	78
White-----Female-----	145	60	3	-	-	2	2	-	11	5	62
Nonwhite-----Male-----	141	68	15	1	5	-	3	2	3	17	27
Nonwhite-----Female-----	96	59	2	-	-	-	-	-	1	3	31
California-----	3,741	1,899	80	15	190	52	146	161	353	478	375
White-----Male-----	2,119	864	70	14	176	39	101	115	148	368	204
White-----Female-----	1,343	878	4	-	2	6	33	34	195	40	149
Nonwhite-----Male-----	202	91	6	1	11	4	11	10	9	44	15
Nonwhite-----Female-----	77	56	-	-	1	1	3	2	1	6	7
Colorado-----	574	196	36	22	26	8	19	24	57	63	124
White-----Male-----	370	109	31	19	24	7	16	20	22	53	69
White-----Female-----	195	61	3	1	2	1	2	4	33	8	50
Nonwhite-----Male-----	16	3	2	2	-	-	1	-	2	2	4
Nonwhite-----Female-----	3	2	-	-	-	-	-	-	-	-	1
Connecticut-----	568	323	9	2	23	10	24	13	45	53	66
White-----Male-----	307	162	3	2	22	5	18	10	20	35	30
White-----Female-----	220	137	4	-	-	3	6	2	25	9	34
Nonwhite-----Male-----	29	16	2	-	1	2	2	1	-	6	1
Nonwhite-----Female-----	12	8	-	-	-	-	-	-	-	3	1
Delaware-----	117	34	2	-	10	2	3	1	6	15	44
White-----Male-----	57	13	1	-	6	1	3	-	1	11	21
White-----Female-----	31	10	-	-	-	-	-	1	2	1	16
Nonwhite-----Male-----	19	5	1	-	4	-	-	-	1	3	5
Nonwhite-----Female-----	10	6	-	-	-	-	-	-	2	-	2
District of Columbia-----	300	162	-	-	8	3	19	11	28	30	39
White-----Male-----	76	31	-	-	-	-	9	5	10	11	10
White-----Female-----	62	38	-	-	-	-	4	1	13	-	6
Nonwhite-----Male-----	120	59	-	-	8	3	6	5	3	19	17
Nonwhite-----Female-----	42	34	-	-	-	-	-	-	2	-	6
Florida-----	1,447	718	39	21	55	25	49	43	54	289	154
White-----Male-----	667	281	22	6	40	14	26	29	26	161	60
White-----Female-----	369	222	3	-	-	8	10	7	22	42	55
Nonwhite-----Male-----	280	124	11	10	15	3	10	6	3	75	23
Nonwhite-----Female-----	131	91	3	3	-	-	3	1	3	11	18
Georgia-----	1,249	741	65	7	67	13	26	20	45	149	96
White-----Male-----	451	205	40	3	37	7	15	13	14	86	31
White-----Female-----	263	198	6	-	-	1	1	4	17	18	18
Nonwhite-----Male-----	322	157	36	4	30	5	7	3	6	40	34
Nonwhite-----Female-----	213	161	3	-	-	-	3	-	8	5	13
Hawaii-----	155	30	3	1	7	6	3	4	7	88	6
White-----Male-----	26	5	1	-	-	2	-	1	2	14	1
White-----Female-----	11	5	-	-	-	-	-	-	-	6	-
Nonwhite-----Male-----	92	13	2	1	7	2	3	3	4	52	5
Nonwhite-----Female-----	26	7	-	-	-	2	-	-	1	16	-
Idaho-----	259	95	26	3	24	3	6	3	11	45	43
White-----Male-----	168	56	23	2	24	3	6	3	8	37	26
White-----Female-----	64	37	2	-	-	-	-	-	3	6	15
Nonwhite-----Male-----	6	1	1	1	-	-	-	-	-	2	1
Nonwhite-----Female-----	1	1	-	-	-	-	-	-	-	-	-
Illinois-----	2,217	1,126	88	23	127	31	105	110	131	281	195
White-----Male-----	1,263	516	83	23	106	15	67	71	54	213	115
White-----Female-----	634	415	3	-	3	11	20	21	73	24	64
Nonwhite-----Male-----	218	109	2	-	17	4	17	16	2	37	14
Nonwhite-----Female-----	102	86	-	-	1	1	1	2	2	7	2

See footnotes at end of table.

## SECTION 6 - MORTALITY

6-21

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home <sup>1</sup> (.0)	Farm <sup>2</sup> (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Indiana-----	1,331	700	90	14	64	16	39	35	112	92	170
White-----Male-----	780	329	84	11	62	12	26	29	45	72	90
Female-----	502	330	6	-	1	3	8	5	66	13	70
Nonwhite-----Male-----	44	24	-	2	1	1	3	-	1	6	6
Female-----	25	17	-	1	-	-	1	1	-	1	4
Iowa-----	805	346	100	7	25	11	25	19	76	54	142
White-----Male-----	495	187	93	7	24	9	13	18	30	46	82
Female-----	297	173	7	-	1	2	5	1	46	4	58
Nonwhite-----Male-----	5	1	-	-	-	-	1	-	-	3	-
Female-----	8	5	-	-	-	-	-	-	-	1	2
Kansas-----	647	317	71	5	33	8	20	11	55	54	75
White-----Male-----	398	159	67	5	33	5	13	8	23	48	37
Female-----	227	145	4	-	-	2	6	3	32	3	32
Nonwhite-----Male-----	9	4	-	-	-	1	1	-	-	1	2
Female-----	13	9	-	-	-	-	-	-	-	2	2
Kentucky-----	1,071	492	61	61	47	21	28	17	23	92	209
White-----Male-----	603	197	75	61	43	14	21	13	10	70	99
Female-----	328	210	4	-	-	2	4	2	10	9	87
Nonwhite-----Male-----	84	42	2	-	4	5	2	-	1	13	13
Female-----	56	43	-	-	-	-	1	2	-	-	10
Louisiana-----	1,030	469	37	3	60	8	42	17	32	149	213
White-----Male-----	386	123	17	1	49	2	23	12	10	78	71
Female-----	198	126	1	-	-	1	7	-	17	7	39
Nonwhite-----Male-----	281	106	16	2	10	5	8	5	3	63	63
Female-----	165	114	3	-	1	-	4	-	2	1	40
Maine-----	311	159	8	3	15	1	13	10	6	48	48
White-----Male-----	213	95	7	3	15	1	10	8	3	41	30
Female-----	95	63	1	-	-	-	2	2	3	6	18
Nonwhite-----Male-----	3	1	-	-	-	-	1	-	-	1	-
Female-----	-	-	-	-	-	-	-	-	-	-	-
Maryland-----	762	362	33	5	42	6	40	20	74	98	82
White-----Male-----	334	98	26	3	33	2	24	13	38	62	35
Female-----	214	143	2	1	1	4	3	4	29	6	21
Nonwhite-----Male-----	141	66	5	1	8	-	10	3	5	28	15
Female-----	73	55	-	-	-	-	3	-	2	2	11
Massachusetts-----	1,680	844	9	3	51	14	57	41	251	139	271
White-----Male-----	838	356	8	3	46	13	42	32	93	107	138
Female-----	785	468	1	-	1	1	13	8	153	28	112
Nonwhite-----Male-----	45	15	-	-	4	-	1	1	3	4	7
Female-----	12	5	-	-	-	-	1	2	-	-	4
Michigan-----	1,775	777	67	18	77	24	65	50	122	205	370
White-----Male-----	979	339	60	16	67	15	47	43	52	168	172
Female-----	634	344	4	1	1	6	10	6	66	18	178
Nonwhite-----Male-----	114	56	3	1	9	2	8	-	19	16	16
Female-----	48	38	-	-	-	1	-	1	4	-	4
Minnesota-----	907	397	90	7	25	7	39	24	85	103	130
White-----Male-----	593	214	84	6	24	7	32	21	38	82	85
Female-----	302	175	6	1	1	-	7	3	47	18	44
Nonwhite-----Male-----	8	4	-	-	-	-	-	-	-	3	1
Female-----	4	4	-	-	-	-	-	-	-	-	-
Mississippi-----	844	379	57	5	31	8	14	11	19	97	223
White-----Male-----	257	88	22	2	18	5	8	7	7	36	64
Female-----	117	56	1	-	-	2	1	2	10	4	41
Nonwhite-----Male-----	282	95	31	3	13	1	5	2	-	50	82
Female-----	168	140	3	-	-	-	-	-	2	7	36
Missouri-----	1,394	741	107	6	57	20	50	35	115	109	154
White-----Male-----	740	298	97	6	49	12	43	21	49	83	83
Female-----	453	301	7	-	1	4	5	9	63	12	51
Nonwhite-----Male-----	124	77	3	-	7	3	1	5	2	12	14
Female-----	77	65	-	-	-	1	1	-	2	2	6
Montana-----	271	99	23	7	20	3	10	7	14	39	49
White-----Male-----	179	52	20	7	19	2	6	4	5	31	33
Female-----	74	40	3	-	-	1	3	3	8	4	12
Nonwhite-----Male-----	12	3	-	-	1	-	-	-	1	4	3
Female-----	6	4	-	-	-	-	1	-	-	-	1
Nebraska-----	425	211	59	5	21	13	10	17	35	34	17
White-----Male-----	258	96	52	3	19	11	9	20	15	29	7
Female-----	144	100	7	2	-	2	1	2	20	3	7
Nonwhite-----Male-----	14	7	-	-	2	-	-	1	-	2	2
Female-----	9	8	-	-	-	-	-	-	-	-	1
Nevada-----	104	49	2	2	2	2	4	6	4	20	13
White-----Male-----	63	26	1	2	1	1	3	3	4	14	8
Female-----	30	21	1	-	-	1	-	2	-	2	3
Nonwhite-----Male-----	8	2	-	-	1	-	-	-	-	4	-
Female-----	3	-	-	-	-	-	-	1	-	-	2

1 See footnotes at end of table.

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
New Hampshire	147	83	3	1	7	3	5	1	6	27	11
White—Male	94	46	2	1	6	3	5	1	4	19	7
Female	53	37	1	-	1	-	-	-	2	8	4
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,392	791	16	4	76	21	69	21	105	163	126
White—Male	680	301	10	4	68	15	40	16	38	124	64
Female	508	368	4	-	-	4	17	4	60	13	38
Nonwhite—Male	136	74	1	-	8	2	9	-	3	24	15
Female	68	48	1	-	-	-	3	1	4	2	9
New Mexico	302	128	20	19	16	3	13	10	6	45	42
White—Male	191	68	17	18	16	2	11	8	3	34	14
Female	71	46	1	-	-	1	1	2	2	4	15
Nonwhite—Male	29	9	2	1	-	-	2	-	-	7	8
Female	11	5	-	-	-	-	-	-	1	-	5
New York	4,186	1,937	77	9	202	60	222	136	373	470	700
White—Male	2,238	851	68	9	183	42	144	87	142	338	374
Female	1,445	862	7	-	1	8	56	33	212	38	228
Nonwhite—Male	347	116	2	-	18	8	20	15	9	82	77
Female	158	108	-	-	-	2	2	1	10	12	21
North Carolina	1,277	681	110	4	42	10	22	26	46	164	170
White—Male	501	217	56	1	22	8	15	16	15	90	61
Female	256	184	3	-	-	-	2	2	22	10	33
Nonwhite—Male	349	151	45	3	20	2	4	8	8	58	50
Female	171	129	6	-	-	-	1	-	3	6	26
North Dakota	199	89	29	2	10	3	9	7	17	19	15
White—Male	144	57	29	2	10	1	9	6	6	14	10
Female	46	26	-	-	-	2	-	1	10	3	4
Nonwhite—Male	5	2	-	-	-	-	-	-	-	2	1
Female	4	3	-	-	-	-	-	-	1	-	-
Ohio	2,493	1,279	91	23	133	27	93	64	238	200	346
White—Male	1,309	526	81	22	117	17	65	47	105	154	175
Female	909	581	6	-	3	2	17	12	125	18	145
Nonwhite—Male	190	106	4	1	13	8	8	4	5	26	15
Female	65	65	-	-	-	3	3	1	3	2	11
Oklahoma	802	413	59	1	40	11	17	17	47	80	117
White—Male	442	176	45	-	37	9	10	16	22	64	63
Female	247	175	10	-	-	2	3	1	19	4	33
Nonwhite—Male	73	31	4	1	3	-	4	-	4	12	14
Female	40	31	-	-	-	-	-	-	2	-	7
Oregon	593	254	36	1	73	11	15	17	39	93	54
White—Male	396	143	32	1	69	9	12	12	13	74	31
Female	174	103	4	-	1	2	2	4	26	13	19
Nonwhite—Male	13	5	-	-	3	-	-	-	-	4	1
Female	10	3	-	-	-	-	1	1	-	2	3
Pennsylvania	2,957	1,392	97	70	141	33	143	49	159	266	607
White—Male	1,585	612	89	68	122	17	102	28	63	201	293
Female	1,037	606	7	-	1	7	29	14	85	28	260
Nonwhite—Male	216	97	1	2	18	7	10	3	6	34	38
Female	109	77	-	-	-	2	2	4	5	3	16
Rhode Island	203	116	1	-	6	6	8	10	27	10	19
White—Male	111	60	1	-	6	5	5	6	9	7	12
Female	86	50	-	-	-	1	3	4	18	2	7
Nonwhite—Male	5	4	-	-	-	-	-	-	-	1	-
Female	2	2	-	-	-	-	-	-	-	-	-
South Carolina	697	386	55	1	22	10	25	22	10	110	256
White—Male	283	91	22	1	11	6	11	15	3	46	77
Female	144	79	-	-	1	1	-	4	5	6	48
Nonwhite—Male	310	115	27	-	10	3	12	3	2	53	85
Female	160	101	6	-	-	-	2	-	-	5	46
South Dakota	213	76	35	5	4	2	11	4	11	24	41
White—Male	150	45	35	5	4	2	7	3	5	19	25
Female	42	23	-	-	-	-	3	1	5	1	9
Nonwhite—Male	15	6	-	-	-	-	-	-	1	4	4
Female	6	2	-	-	-	-	1	-	-	-	3
Tennessee	993	571	70	14	60	4	31	16	34	108	85
White—Male	492	201	58	14	54	2	24	7	18	73	41
Female	259	203	3	-	-	2	3	6	14	7	21
Nonwhite—Male	166	102	9	-	6	-	4	3	2	26	14
Female	76	65	-	-	-	-	-	-	-	2	9
Texas	2,640	1,267	155	14	170	56	61	63	96	337	401
White—Male	1,417	518	127	11	145	37	44	47	51	243	194
Female	740	503	6	-	3	4	8	12	38	32	134
Nonwhite—Male	307	131	19	3	21	14	6	4	6	54	49
Female	176	135	3	-	1	1	3	-	1	8	24

See footnotes at end of table.

## SECTION 6 - MORTALITY

6-23

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home <sup>1</sup>	Farm <sup>2</sup>	Mine and quarry	Industrial place and premises	Place for recreation and sport	Street and highway	Public building	Resident institution	Other specified places	Place not specified
		(.0)	(.1)	(.2)	(.3)	(.4)	(.5)	(.6)	(.7)	(.8)	(.9)
Utah-----	272	135	11	11	16	4	7	9	22	36	21
White-----	179	73	7	10	15	2	7	8	15	31	11
Male-----	78	55	1	-	1	1	-	1	6	4	9
Female----	10	4	1	1	-	1	-	-	1	1	1
Nonwhite-----	5	3	2	-	-	-	-	-	-	-	-
Male-----	117	63	5	-	6	1	5	1	16	17	3
Female----	70	34	4	-	6	1	2	1	5	15	2
Nonwhite-----	47	29	1	-	-	-	3	-	11	2	1
Male-----	-	-	-	-	-	-	-	-	-	-	-
Female----	-	-	-	-	-	-	-	-	-	-	-
Virginia-----	1,123	589	58	31	62	7	34	16	86	136	104
White-----	490	190	38	28	41	4	20	11	27	93	38
Male-----	286	192	4	1	-	1	1	3	44	5	35
Female----	237	124	14	2	21	2	11	1	9	36	17
Nonwhite-----	110	83	2	-	-	-	2	1	6	2	14
Male-----	815	308	31	5	63	9	26	35	65	133	140
Female----	528	162	28	4	60	7	23	32	37	108	67
Nonwhite-----	234	126	1	-	-	1	2	2	27	9	66
Male-----	43	11	2	1	3	1	1	1	1	16	6
Female----	10	9	-	-	-	-	-	-	-	-	1
West Virginia-----	662	226	20	105	26	3	20	9	19	65	169
White-----	437	107	19	101	23	3	19	7	12	55	91
Male-----	184	101	1	-	1	-	1	2	7	7	64
Female----	24	9	-	4	2	-	-	-	3	3	6
Nonwhite-----	17	9	-	-	-	-	-	-	-	-	8
Male-----	993	482	89	9	51	11	31	32	79	106	103
Female----	601	230	82	9	47	8	26	21	39	82	57
Nonwhite-----	359	234	7	-	-	3	3	11	40	19	42
Male-----	24	10	-	-	4	-	2	-	-	5	3
Female----	9	8	-	-	-	-	-	-	-	-	1
Wyoming-----	149	60	14	5	18	2	7	5	3	15	20
White-----	103	37	13	5	18	2	6	2	1	10	9
Male-----	41	21	-	-	-	-	1	3	2	5	9
Female----	2	-	1	-	-	-	-	-	-	-	1
Nonwhite-----	3	2	-	-	-	-	-	-	-	-	1
Male-----											
Female----											

<sup>1</sup>Including home premises and any noninstitutional place of residence.<sup>2</sup>Including buildings and land under cultivation, but excluding farm home and home premises.

## *Section 7. Technical Appendix*

	Page
Sources of data-----	7-3
Death and fetal death statistics-----	7-3
Notifiable disease statistics-----	7-3
Standard certificates-----	7-3
History -----	7-4
Deaths and fetal deaths-----	7-4
Notifiable diseases-----	7-7
Classification of data-----	7-7
Classification by occurrence and residence-----	7-7
Geographic classification-----	7-8
Age-----	7-9
Race and color-----	7-9
Fetal deaths-----	7-9
Cause of death-----	7-11
Control of errors-----	7-13
Interpretation of data-----	7-14
Completeness of registration-----	7-14
Population bases for death rates-----	7-14
Age-adjusted rates-----	7-14
Symbols used in tables-----	7-14
 Figures	
7-1. Standard Certificate of Death-----	7-5
7-2. Standard Certificate of Fetal Death-----	7-6
 Text Table	
7-A. Inclusion of checkbox items for usual residence on certificates of birth, death, and fetal death: United States, 1960-----	7-4



## SECTION 7. TECHNICAL APPENDIX

### SOURCES OF DATA

#### Death and fetal death statistics

With the exceptions noted in the next paragraph, tabulations of deaths and fetal deaths for 1960 are based on information obtained from microfilm copies of the original certificates. These copies were received from the registration offices of all States, certain cities, the District of Columbia, Puerto Rico, and the Virgin Islands. The statistical information on these records was edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Vital Statistics Division (NVSD).

The 1960 death statistics for California and Michigan were produced by a somewhat different procedure. The vital statistics offices of these areas coded the information on their certificates according to the rules followed in NVSD. From punchcards prepared for their own use, they reproduced the information required for national tabulations on uniform punchcard forms. The reproduced cards were verified and tabulated with the cards for all of the other areas.

Although the United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Puerto Rico and the Virgin Islands also send copies of death records to NVSD. Tabulations for these areas are published in Section 10, Part B, Volume II.

Mortality data for the United States are confined to events registered within the United States and, as such, include events occurring to nonresident aliens. The data do not cover vital events for U.S. citizens occurring outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are confined to events registered in these areas.

#### Notifiable disease statistics

Tabulations of notifiable diseases are limited to the numbers of cases of certain infectious diseases which are reported to the Public Health Service by the State departments of health. The National Vital Statistics Division collected this information in 1960. The responsibility for the collection and publication of notifiable disease data was transferred to the Communicable Disease Center, effective January 1, 1961.

#### Standard certificates

Standard certificates of death and fetal death, issued by the National Vital Statistics Division, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the standard certificate of death appeared shortly before the formation of the registration area. Since then, it has been revised periodically by the national vital statistics agency, through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

The most recent revision of the standard certificate of death occurred in 1955. It was made in close collaboration with the Public Health Conference on Records and Statistics and was recommended to the States for adoption as of January 1, 1956.

The current standard certificates of death and fetal death are shown in figures 7-1 and 7-2. A major revision of the certificate of fetal death occurred in 1954 and was recommended as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death.

With a few exceptions, only minor changes in content and format were made in the 1956 revision of the standard certificates. In an effort to obtain a more accurate designation for place of residence, the question "Is residence inside city limits?" was added. Studies conducted in a few States had indicated that this question helped to correctly locate the residence of persons who had lived near but outside the corporate limits of cities.

Another item, "Is residence on a farm?" was added to serve several purposes. Federal and State agricultural agencies wanted the information in order to assess the health status of the farm population and to measure changes in its

Table 7-A. INCLUSION OF CHECKBOX ITEMS FOR USUAL RESIDENCE ON CERTIFICATES OF BIRTH, DEATH, AND FETAL DEATH: UNITED STATES, 1960

(In general, certificates containing checkbox items on usual residence are those certificates revised since the 1956 revisions of the standard certificates. Data were abstracted from copies of certificates received in the National Vital Statistics Division and include only those certificates used by the areas during all or part of 1960. Certificates revised in 1960 but not in use during the year are not included)

REGISTRATION AREA	RESIDENCE INSIDE CITY LIMITS ON CERTIFICATES OF--			RESIDENCE ON A FARM ON CERTIFICATES OF--			REGISTRATION AREA	RESIDENCE INSIDE CITY LIMITS ON CERTIFICATES OF--			RESIDENCE ON A FARM ON CERTIFICATES OF--		
	Live birth	Death	Fetal death	Live birth	Death	Fetal death		Live birth	Death	Fetal death	Live birth	Death	Fetal death
Alabama		X			X		Nebraska		X	X		X	X
Alaska	X						Nevada	X	X	X	X	X	X
Arizona	X	X	X	X	X	X	New Hampshire					X	
Arkansas	X	X	X	X	X	X	New Jersey						
California	X	X	X	X	X	X	New Mexico						
Colorado	X	X	X	X	X	X	New York (excl. N.Y.C.)	X	X	X	X	X	X
Connecticut	X	X	X			X	New York City, N.Y.						
Delaware	X	X	X	X	X	X	North Carolina	X	X	X	X	X	X
District of Columbia	X	X	X	X	X	X	North Dakota	X	X	X	X	X	X
Florida	X	X	X	X	X	X	Ohio	X	X		X	X	
Georgia	X	X	X	X		X	Oklahoma	X	X	X	X	X	X
Hawaii	X	X	X	X	X	X	Oregon						
Idaho							Pennsylvania	X	X				
Illinois	X	X	X	X	X	X	Rhode Island			X	X		X
Indiana	X	X	X	X	X	X	South Carolina	X	X	X	X	X	X
Iowa	X	X	X	X	X	X	South Dakota						
Kansas	X	X	X	X	X	X	Tennessee	X	X	X	X	X	X
Kentucky	X	X	X	X	X	X	Texas	X	X	X	X	X	X
Louisiana	X	X	X	X	X	X	Utah	X	X	X	X	X	X
Maine		X		X	X	X	Vermont						
Maryland (excl. Baltimore)	X			X	X		Virginia	X	X	X			
Baltimore, Md.			X			X	Washington	X	X	X	X	X	X
Massachusetts							West Virginia	X	X	X	X	X	X
Michigan	X	X	X				Wisconsin	X					
Minnesota	X	X	X	X	X	X	Wyoming	X	X	X	X	X	X
Mississippi	X	X		X	X								
Missouri	X	X	X	X	X	X	Puerto Rico						
Montana	X	X	X	X	X	X	Virgin Islands			X			X

demographic characteristics. It also seemed that this item would aid in correctly allocating the place of residence of decedents who had lived near but outside cities.

Table 7-A indicates the States that did and those that did not include the checkbox items on city and farm residence on all or part of the certificate forms which they used during 1960.

The wording of the cause-of-death item on the death certificate was changed to improve its clarity. The separate questions on operations were omitted.

The cause item on the fetal death certificate was revised to conform to the wording used on the death certificate.

## HISTORY

### Deaths and fetal deaths

The first death statistics published by the Federal Government concerned events in 1850 and were for the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

SECTION 7 - MORTALITY

In 1880 the Bureau of the Census established a national "registration area" for deaths. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities which had efficient systems for the registration of deaths, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but death figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain, annually, copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were

FIGURE 7-1

CERTIFICATE OF DEATH											
BIRTH NO.			STATE OF			STATE FILE NO.					
1. PLACE OF DEATH a. COUNTY						2. USUAL RESIDENCE (Where deceased lived. If institution: Residence before admission) a. STATE					
b. CITY, TOWN, OR LOCATION				c. LENGTH OF STAY IN 1b		c. CITY, TOWN, OR LOCATION					
d. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address)						d. STREET ADDRESS					
e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>				e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>		f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>					
3. NAME OF DECEASED (Type or print) First Middle Last						4. DATE OF DEATH Month Day Year					
5. SEX		6. COLOR OR RACE		7. MARRIED <input type="checkbox"/> NEVER MARRIED <input type="checkbox"/> WIDOWED <input type="checkbox"/> DIVORCED <input type="checkbox"/>		8. DATE OF BIRTH		9. AGE (In years last birthday)		IF UNDER 1 YEAR Months Days Hours Min.	
10a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)				10b. KIND OF BUSINESS OR INDUSTRY		11. BIRTHPLACE (State or foreign country)			12. CITIZEN OF WHAT COUNTRY?		
13. FATHER'S NAME						14. MOTHER'S MAIDEN NAME					
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (Yes, no, or unknown) (If yes, give year or dates of service)				16. SOCIAL SECURITY NO.		17. INFORMANT Address					
18. CAUSE OF DEATH [Enter only one cause per line for (a), (b), and (c).] PART I. DEATH WAS CAUSED BY: IMMEDIATE CAUSE (a) _____  Conditions, if any, which gave rise to above cause (a), stating the underlying cause last. } DUE TO (b) _____ DUE TO (c) _____											INTERVAL BETWEEN ONSET AND DEATH
PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)											19. WAS AUTOPSY PERFORMED? YES <input type="checkbox"/> NO <input type="checkbox"/>
20a. ACCIDENT <input type="checkbox"/> SUICIDE <input type="checkbox"/> HOMICIDE <input type="checkbox"/>			20b. DESCRIBE HOW INJURY OCCURRED. (Enter nature of injury in Part I or Part II of item 18.)								
20c. TIME OF INJURY Hour a. m. p. m. Month, Day, Year											
20d. INJURY OCCURRED WHILE AT WORK <input type="checkbox"/> NOT WHILE AT WORK <input type="checkbox"/>		20e. PLACE OF INJURY (e. g., in or about home, farm, factory, street, office bldg., etc.)			20f. CITY, TOWN, OR LOCATION COUNTY STATE						
21. I attended the deceased from _____, to _____ and last saw her/him alive on _____ Death occurred at _____ m on the date stated above; and to the best of my knowledge, from the causes stated.											
22a. SIGNATURE (Degree or title)						22b. ADDRESS			22c. DATE SIGNED		
23a. BURIAL, CREMATION, REMOVAL (Specify)			23b. DATE		23c. NAME OF CEMETERY OR CREMATORY			23d. LOCATION (City, town, or county) (State)			
24. FUNERAL DIRECTOR ADDRESS				25. DATE RECD. BY LOCAL REG.		26. REGISTRAR'S SIGNATURE					

1956 REVISION OF STANDARD CERTIFICATE  
 DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE  
 MEDICAL CERTIFICATION  
 PHS-798 REV. 11/54

poorly enforced. The important dates in the historical development of death registration in various States and the year in which each State was admitted to the death-registration area are given in table 5-1, Section 5, Volume I, *Vital Statistics of the United States, 1960*.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was

predominantly urban and was characterized by a high proportion of white persons. If those reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States was much lower, representing 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning

FIGURE 7-2

STATE OF _____		STATE FILE NO. _____		Form approved, Budget Bureau No. _____
U. S. GOVERNMENT PRINTING OFFICE 16-72175-1	<b>1. PLACE OF DELIVERY</b> a. COUNTY _____		<b>2. USUAL RESIDENCE OF MOTHER</b> (Where does mother live?) a. STATE _____ b. COUNTY _____	
	b. CITY, TOWN, OR LOCATION _____		c. CITY, TOWN, OR LOCATION _____	
	c. NAME OF HOSPITAL OR INSTITUTION (If not in hospital, give street address) _____		d. STREET ADDRESS _____	
	d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>		e. IS RESIDENCE INSIDE CITY LIMITS? YES <input type="checkbox"/> NO <input type="checkbox"/>	
f. IS RESIDENCE ON A FARM? YES <input type="checkbox"/> NO <input type="checkbox"/>				
3. NAME OF FETUS (If given) _____			4. SEX OF FETUS MALE <input type="checkbox"/> FEMALE <input type="checkbox"/> UNDETERMINED <input type="checkbox"/>	
5a. THIS DELIVERY SINGLE <input type="checkbox"/> TWIN <input type="checkbox"/> TRIPLET <input type="checkbox"/>		5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1ST <input type="checkbox"/> 2D <input type="checkbox"/> 3D <input type="checkbox"/>		6. DATE OF DELIVERY (Month) _____ (Day) _____ (Year) _____
1955 REVISION OF STANDARD CERTIFICATE (Amended)	7. NAME First _____ Middle _____ Last _____			8. COLOR OR RACE _____
	FATHER	9. AGE (At time of delivery) YEARS _____	10. BIRTHPLACE (State or foreign country) _____	11a. USUAL OCCUPATION _____
			11b. KIND OF BUSINESS OR INDUSTRY _____	
DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE	12. MAIDEN NAME First _____ Middle _____ Last _____			13. COLOR OR RACE _____
	MOTHER	14. AGE (At time of delivery) YEARS _____	15. BIRTHPLACE (State or foreign country) _____	16. PREVIOUS DELIVERIES TO MOTHER (Do NOT include this fetus) a. How many children are now living? _____ b. How many children were born alive but are now dead? _____ c. How many PREVIOUS fetal deaths (fetuses born dead at ANY time after conception)? _____
17. INFORMANT _____				
18a. LENGTH OF PREGNANCY COMPLETED WEEKS _____	18b. WEIGHT OF FETUS LB. _____ OZ. _____	19. LEGITIMATE YES <input type="checkbox"/> NO <input type="checkbox"/>	20. WHEN DID FETUS DIE? BEFORE LABOR <input type="checkbox"/> DURING LABOR OR DELIVERY <input type="checkbox"/> UNKNOWN <input type="checkbox"/>	21. WAS AUTOPSY PERFORMED? YES <input type="checkbox"/> NO <input type="checkbox"/>
PHS-797 REV. 11-55	22. CAUSE OF FETAL DEATH			
	PART I. FETAL DEATH WAS CAUSED BY:  Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity).  Fetal and/or maternal conditions, if any, giving rise to the above cause (a) stating THE UNDERLYING CAUSE LAST.			IMMEDIATE CAUSE (a) _____  DUE TO (b) _____  DUE TO (c) _____
	PART II. OTHER SIGNIFICANT CONDITIONS of fetus or mother which may have CONTRIBUTED to fetal death, but, in so far as is known, were not related to cause given in PART I (a). _____			
I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.	23a. ATTENDANT'S SIGNATURE (Specify if M. D., D. O., midwife, or other) _____			23b. DATE SIGNED _____
	23c. ATTENDANT'S ADDRESS _____		If not attended by physician	24. SIGNATURE OF AUTHORIZED OFFICIAL _____ TITLE _____
25a. BURIAL, CREMATION, REMOVAL (Specify) _____	25b. DATE _____	25c. NAME OF CEMETERY OR CREMATORY _____	25d. LOCATION (City, town, or county) _____ (State) _____	
26. FUNERAL DIRECTOR _____ ADDRESS _____		DATE REC'D BY LOCAL REG. _____	REGISTRAR'S SIGNATURE _____	

<sup>1</sup> Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

with 1922, statistics of fetal deaths (stillbirths) have been published each year for the birth-registration area and from 1933 through 1958 for 48 States and the District of Columbia which comprised the birth- and death-registration areas. Alaska was added in 1959 and Hawaii in 1960.

Table 5-1 also presents for each year through 1932 the estimated midyear population of the United States and the estimated midyear population of those States included in the registration system.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas, but beginning with 1940, all published material given in statistical series for the United States prior to the completion of the death-registration area in 1933 omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has its advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time are made. More exact trends for parts of the United States can be secured through the use of some constant area, such as the original registration States or the registration States of 1920.

### Notifiable diseases

The collection of data on notifiable diseases by the Public Health Service had its beginning over 80 years ago when, by an act of Congress in 1878, the collection of this data was authorized for use in connection with quarantine measures against such pestilential diseases as cholera, smallpox, plague, and yellow fever. One year later a specific appropriation was made for the collection and publication of reports of notifiable diseases, which were obtained principally from foreign ports. In 1893 an act was authorized providing for the collection of information each week from State and municipal authorities throughout the United States. In order to secure uniformity in the registration of morbidity statistics, Congress enacted a law in 1902 which directed the Surgeon General of the Public Health Service to provide forms for the collection, compilation, and publication of such data.

Reports of notifiable diseases were received from very few States and cities prior to 1900, but gradually more and more States submitted monthly and annual summaries. It was not until after 1925, however, that all States reported regularly.

Until 1942, the collection, compilation, and publication of morbidity statistics were under the direction of the Division of Sanitary Reports and Statistics of the Public Health Service. These functions were transferred to the Division of Public Health Methods in 1942, to the National Office of Vital Statistics in 1949, and to the Communicable Disease Center in 1961.

## CLASSIFICATION OF DATA

The principal value of vital statistics data is obtained through the presentation of such data in the form of rates, which are computed by relating the vital events of a class to the population of a similarly defined class. Vital statistics and population statistics must, therefore, be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The classification of certain important items is discussed below.<sup>1</sup>

### Classification by occurrence and residence

For the 1960 statistics by place of occurrence, events are classified according to the county in which the vital event took place but are not classified to any smaller geographic unit. In the vital statistics for years prior to 1960, place of occurrence was classified by smaller units within the county in the same detail as are statistics by place of residence.

Tabulations by place of occurrence include all deaths occurring in a given county. In residence tabulations, deaths that do not occur in institutions are allocated to the usual place of residence of the decedent which is reported on the certificate of death unless the decedent resided more than 1 year at the place of occurrence of death. In the latter event, the death is allocated to the county of occurrence of death. Deaths that occur in institutions are allocated to the usual place of residence reported on the certificate regardless of the length of stay in the institution.<sup>2</sup> For deaths that occur in institutions the death record requests "residence before admission."

The data by place of residence are classified to units within a county as follows: (1) each incorporated place of 10,000 inhabitants or more, (2) each unincorporated place of 10,000 inhabitants or more classified as urban under special rule, (3) the aggregate of incorporated places of 2,500 to 10,000 inhabitants and unincorporated places of this size defined as urban under special rule, and (4) the residual part of the county. For vital statistics purposes, the residual part of the county is referred to as rural.

Deaths of residents and nonresidents occurring within a State are compared with deaths of residents of the same State which occurred within or outside of the State in tables

<sup>1</sup>The complete rules followed in the classification of geographic and personal items for births and deaths are set forth in *Vital Statistics Instruction Manual*, Part II, "Coding and Punching Geographic and Personal Particulars," Section B, "Births, Deaths, and Fetal Deaths Occurring in 1960," National Office of Vital Statistics, Washington, 1960.

<sup>2</sup>See National Office of Vital Statistics, *Vital Statistics of the United States, 1950*, Volume I. Washington, U.S. Government Printing Office, 1954. pp. 35-43.

1-U and 5-1 in Sections 1 and 5 of this volume. For most States the number of deaths of residents occurring outside of a State is about the same as the number of deaths of non-residents occurring within the State.

For residence statistics, all events occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to a place of residence within the United States. For nonresident aliens, the place of residence is considered to be the same as the place of occurrence.

In computing the infant mortality and fetal death rates for individual counties and cities with a population of 10,000 and over in table 9-1 in Section 9, Part B, Volume II, there is a question of the consistency of residence reporting for live births on one hand and infant or fetal deaths on the other. For those States in which item 2e (Is residence within city limits?) is carried on one type of certificate but not on the other, the possibility of error is obvious. In addition, there are States in which residence coding is done by the State or by the local registrars on certificates of live birth but not on certificates of death or vice versa. Here again, residence allocation may not be consistent. In some cases in table 9-2, the unusually high or low infant death rate shown for rural areas of metropolitan counties may be the result of coding errors rather than differences in the force of mortality.

The practice of allocating notifiable diseases by residence varies not only with respect to diseases but also among the States. Corrections are usually not made for diseases of high frequency such as measles and whooping cough. In some States an attempt is made to allocate by residence cases of typhoid fever, poliomyelitis, diphtheria, smallpox, and certain other diseases, but this practice is not uniform.

### Geographic classification<sup>3</sup>

*Standard metropolitan statistical areas.*—The standard metropolitan statistical areas (SMSA's) used in this report are essentially the same as those established by the Bureau of the Budget and used by the Bureau of the Census. The only differences occur in the New England States.

Except in the latter States, an SMSA is a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition, contiguous counties are included in an SMSA if, according to specified criteria, they are (a) essentially metropolitan in character and (b) socially and economically integrated with the central city or cities.<sup>4</sup>

<sup>3</sup>The rules followed in the classification of geographic areas for deaths are set forth in Part II, Section B, of the instruction manual cited in footnote 1. The geographic code structure is given in *Vital Statistics Instruction Manual* Part II, Section C, "Geographic Code—Final—Births, Deaths, and Fetal Deaths Occurring in 1960-61," National Office of Vital Statistics, Washington, 1961.

<sup>4</sup>For a more complete discussion, see *United States Census of Population: 1960 Number of Inhabitants United States Summary Final Report PC(1)-1A*, U.S. Bureau of the Census, Washington, U.S. Government Printing Office, 1960; and *Standard Metropolitan Statistical Areas* Bureau of the Budget, Washington, U.S. Government Printing Office, 1961.

In New England, the Bureau of the Budget uses as geographic components of the SMSA, towns and cities, rather than counties. The National Vital Statistics Division cannot use the SMSA classification in these States because its data are not coded to identify all towns. Instead, the metropolitan State economic area (MSEA), established by the Bureau of the Census, which is made up of county units, is used.<sup>5</sup>

*Standard consolidated areas.*—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas, respectively.<sup>6</sup>

*Metropolitan and nonmetropolitan counties.*—Counties which are included in SMSA's or, in New England, MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan. For the 1950 classification of metropolitan and nonmetropolitan counties, see Volume I, *Vital Statistics of the United States, 1950*.

*Urban and rural areas.*—The urban population consists of inhabitants residing in the following places:

1. Each incorporated city, borough, village, and town of 2,500 inhabitants or more (except towns in New England, New York, and Wisconsin).
2. Each town in New England and each township in New Jersey and Pennsylvania that has no incorporated municipality as a subdivision and has either 25,000 inhabitants or more or a population of 2,500 to 25,000 and a density of 1,500 persons or more per square mile.<sup>7</sup>
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that has no incorporated municipality within its boundary and has a density of 1,500 persons or more per square mile.<sup>8</sup>

The rural population consists of inhabitants residing in all other areas.

This classification differs from the 1960 census definition of urban population. The latter definition includes, in addition, persons living in (a) unincorporated places of 2,500 inhabitants or more not included in the above definition of "urban" and (b) incorporated and unincorporated places of less than 2,500 inhabitants located within urban fringes of urbanized areas.

It was not feasible to use the 1960 census definitions of urban and rural for classifying vital statistics data

<sup>5</sup>For discussion of MSEA's, see *State Economic Areas*, U.S. Bureau of the Census, Washington, U.S. Government Printing Office, 1951; and the first reference cited in footnote 4. For the 1960 listing of MSEA's used for New England, see *Vital Statistics Instruction Manual*, Part II, Supplement No. 3 to Section C, "Geographic Code—1960-61 (Final)," National Office of Vital Statistics, Washington, 1961.

<sup>6</sup>See footnote 4.

<sup>7</sup>These areas are identified by the symbol (UT) in table 30 of the U.S. Bureau of the Census publication cited in footnote 4.

<sup>8</sup>Arlington County, Virginia, is the only county in this category.

since (a) boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only; many unincorporated places do not conform to political units and their boundaries change with population growth; in most instances the residence information on vital records is insufficient to allocate residence to arbitrary delimitations of unincorporated areas; and (b) vital statistics were not tabulated separately for places of less than 2,500 inhabitants. The difference in the percent distribution of the population, according to NVSD and the Bureau of the Census, is as follows:

	Census	NVSD	Percent difference <sup>9</sup>
Total-----	100.0	100.0	...
Urban-----	69.9	61.1	-12.6
Rural-----	30.1	38.9	+29.2

Vital statistics data for 1960 are classified as urban or rural according to the population of the area enumerated in the 1960 census.

### Age

The age reported on the death record is the age of the decedent at his last birthday. It has been found that a characteristic error in reported age is an excess of ages ending in 0 or 5. To minimize the effect of this error, age is usually tabulated in 5- or 10-year groups.

With respect to computation of death rates, the age classification used by the Bureau of the Census is also based on the age of the person in completed years.

### Race and color

Deaths in the United States in 1960 are classified for vital statistics into white, Negro, American Indian, Chinese, Japanese, Aleut, Eskimo, Hawaiian and Part-Hawaiian (combined), and "other nonwhite."

The category "white" includes, in addition to persons reported as "white," those reported as Mexican or Puerto Rican. If the racial entry on the death record indicates a mixture of Hawaiian and any other race, the race is classified as Part-Hawaiian. If race is given as a mixture of Negro with any other race, except Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as "other nonwhite."

In some tables an extended classification is not needed and the divisions are "white," "Negro," and "other." In tables where the main purpose is to isolate the major group, the classifications are simply "white" and "nonwhite."

The correct designation of race is a difficult and complex problem, but classification from vital statistics records into the broad groups used in this volume is relatively simple. Difficulties may arise in computing rates based on populations classified by race or color because of differences resulting from the registration and enumeration

methods used to collect this information. The procedures used in completing vital statistics records result, in general, in an entry of race on the certificate that is accepted by the family.

The 1960 census was the first in which respondents classified themselves with respect to race—in past censuses the racial classification was generally made by the enumerator on the basis of observation. Since the distribution of the population by white and nonwhite in 1960 was nearly the same as that shown by the postcensal estimates for 1960, it appears that the self-enumeration procedure may have had no effect on the comparability of vital rates for the white and nonwhite groups between 1960 and previous years. Likewise, the increase in the Negro population was consistent with statistics on its natural increase during the past 10 years. Increases in both the Chinese and Japanese populations were large, but again high rates of natural increase and substantial immigration during the decade obscure any effects of self-enumeration.

Self-enumeration procedures may have increased the accuracy of the count of the Indian population in 1960. In past censuses the enumerator often failed to identify off-reservation Indians. In several Southern States, groups of persons of mixed stock of Indian and other races, who for the purpose of reporting vital events consider themselves Indian, had been classified in the 1950 census as "other nonwhite." In censuses prior to 1950, these groups have been variously classified as Negro or Indian. In 1960, the groups in question, with minor exceptions, were classified as Indian.<sup>10</sup>

Observed differences in vital statistics rates for various racial groups should not be interpreted as being necessarily due to inherent racial causes. Race is not independent of other factors, and the economic, social, and medical circumstances of one racial group may be quite different from those of another. For example, an observed difference in mortality by race may in actuality be no more than a difference of mortality for different economic classes.

### Fetal deaths

In May 1950 the World Health Organization recommended for adoption the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy . . ." The term "fetal death" was defined on an all-inclusive basis to end confusion arising from the use of a variety of terms such as stillbirth, abortion, and miscarriage. The definition has been adopted by 21 States;<sup>11</sup> in 18 the language is essentially unchanged, and in 3 a minimum

<sup>10</sup>U. S. Bureau of the Census, *United States Census of Population: 1960, General Population Characteristics, United States Summary*, Final Report PC(1)-1B. Washington, U. S. Government Printing Office, 1961.

<sup>11</sup>Prior to the adoption of this definition the nationally recommended definition of a fetal death (stillbirth) for registration purposes was as follows: "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth."

<sup>9</sup>Census figures used as a base.

gestation period has been specified. In most of the other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)-----	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)-----	Group III
Gestation period not classifiable in Groups I, II, and III -----	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was introduced. This was revised in 1949 and 1955 and amended in 1956 (see figure 7-2). Separate certificates of fetal death are now in use in all States.

*Comparability and completeness of data.*—State requirements for registration of fetal deaths vary. Nine States and New York City require registration of fetal deaths of all periods of gestation. (See table 4-A in Section 4 of this volume.) The other States require registration only for fetuses which have attained a certain minimum gestation period. Most of the minimum periods are 20 weeks. In Pennsylvania, registration is required after 16 weeks, and a few States specify a period of 5 months. Registration of fetal deaths of all gestations is recommended but not required by Kansas and Rhode Island. Illinois regulations require the registration of any fetus which is "a member of a multiple birth (regardless of pregnancy duration) of which any member is live-born."

There are reasons for believing that not all fetal deaths for which registration is required are reported<sup>12</sup> and that in States which have a minimum gestation period requirement, underregistration is more of a problem near the lower limit. Failure to register fetal deaths near the lower limit results to a large degree from underestimation of the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true. Excluding fetal deaths at gestation periods under 20 weeks, 11.0 percent of the total for the United States fell in the group 20-23 weeks. The comparable percentage for the areas requiring reporting of all products of conception was 17.1.

<sup>12</sup>Leona Baumgartner, Helen M. Wallace, Eva Landsberg, and Vivian Pessin, "The Inadequacy of Routine Reporting of Fetal Deaths," *American Journal of Public Health*, Vol. 39, No. 12, December 1949, pp. 1549-1552.

It is evident from the data in tables 4-A, 4-8, and 4-10 that there are certain inaccuracies in the reporting of length of gestation. The comparatively large proportion of fetal deaths at 36 weeks of gestation is believed to result from erroneous conversion of 9-month gestations to 36 weeks. In addition, the heavy concentrations at 40 weeks result partly from failure to calculate the exact period of gestation for fetuses of normal size. In an effort to eliminate these inaccuracies, four areas—California, the District of Columbia, Maryland, and New York City—specify "date of last menses" on their certificate, in place of the usual "length of pregnancy" item or its equivalent.

In order to obtain data which are more nearly comparable from year to year and from State to State, most of the tables in Section 4 of this volume are based on deaths at gestations of 20 weeks or more. These tables include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

It is possible that some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States which lack a precise definition of fetal death.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period. About 30 States have adopted this change on their certificates of birth and of fetal death. For these States, the proportion of mothers of first liveborn children reported as having had previous fetal loss has increased because of this change. For this reason, the data in tables 4-3 and 4-5 are not completely comparable with similar data published for the years prior to 1956.

The following States request information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death—Arkansas, Colorado, Connecticut, Delaware, Florida, Georgia, Indiana, Iowa, Louisiana, Maine, Massachusetts, Mississippi, Missouri, Montana, Nevada, North Carolina, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, Utah, Vermont, Washington, West Virginia, and Wyoming. California, Maryland, and South Dakota require such information only on certificates of fetal death. Pennsylvania requires reporting of all fetal deaths of more than 16 weeks gestation, and New York City has for many years required reporting of all previous fetal deaths on certificates of both live birth and fetal death. The other States require reporting for fetal deaths at gestations of 20 weeks or more.

*Total-birth order.*—The number of a birth or fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.



*Legitimacy status.*—Tabulations which include legitimacy as a factor exclude those States which did not provide for the reporting of this item. The following States included this item on their birth and fetal death certificates in 1960:

Alabama	New Jersey
Alaska	North Carolina
Delaware	North Dakota
District of Columbia	Ohio
Florida	Oregon
Hawaii	Pennsylvania
Illinois	Rhode Island
Indiana	South Carolina
Iowa	South Dakota
Kansas	Tennessee
Kentucky	Texas
Louisiana	Utah
Maine	Virginia
Michigan	Washington
Minnesota	West Virginia
Mississippi	Wisconsin
Missouri	Wyoming
Nevada	

### Cause of death

Beginning with 1958, the cause-of-death statistics published by the National Vital Statistics Division have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955).<sup>13</sup>

The *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death* includes special lists of causes recommended for mortality tabulations—the Detailed Lists, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality. These lists have been adapted for use in NVSD.

The List of 255 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by a simple addition of titles. The List of 59 Selected Causes of Death is an extension of List B, except that certain causes of very low frequency in this country (typhoid fever, cholera, plague, smallpox, typhus and other rickettsial diseases, and malaria) are not shown in this list and three categories were added (asthma, infections of kidney, and cholelithiasis, cholecystitis, and cholangitis). In addition, rheumatic fever was included under the rubric diseases of heart for the first time in 1958.

The List of 55 Causes of Infant Death used in this report is selected by the National Vital Statistics Division from the Detailed List.

<sup>13</sup>For a history and description of both the Sixth and Seventh Revisions, see *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

*Effect of decennial list revisions.*—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the most part, the continuity in the mortality trends has not been considered a problem of great concern. Van Buren<sup>14</sup> described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley<sup>15</sup> measured the change in mortality by cause due to the Fifth Revision. This was done by coding mortality data for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

The Sixth Revision of the International Lists of Diseases and Causes of Death adopted by the World Health Organization in July 1948 was used for mortality data in the United States from 1949 to 1957. This revision represented a more sweeping change than any of the previous revisions. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for morbidity as well as for mortality.

In addition to the sweeping change in the International Classification itself, there was a major change in the method of selection of the cause of death for primary tabulations for use with the Sixth Revision. A large proportion of the death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, and it is necessary to employ a selection process to determine the one cause to be assigned. The method of selection used has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death to be used internationally. The form of medical certification is shown in the standard certificate of death (figure 7-1). It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are jointly recorded. In general, if the certification is completed properly, the underlying cause of death indicated by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs sharply from that used in previous years. Formerly defi-

<sup>14</sup>George H. Van Buren, "Some Things You Can't Prove by Mortality Statistics," *Vital Statistics—Special Reports*, Vol. 12, No. 13, 1940.

<sup>15</sup>Halbert L. Dunn, and William Shackley, "Comparison of Cause-of-Death Assignments by the 1929 and 1938 Revisions of the International Lists: Deaths in the United States, 1940," *Vital Statistics—Special Reports*, Vol. 19, No. 14, 1944.

nite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

In order to make it possible to maintain a comparable time series of mortality rates by cause, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 should be coded according to both the Sixth and Fifth Revisions. In the United States deaths in 1950 were used for dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause by the Fifth Revision. Until data for deaths in 1950 coded by both revisions become available, provisional comparability ratios obtained from a 10-percent sample of deaths in 1949 and 1950 are being used. These ratios and a series of comparable death rates from 1939 through 1948 are shown in a previous report.<sup>16</sup>

Beginning with 1955, the decennial conferences for revision of the International Lists are to be held in years ending in 5, rather than later in the decade as had been done previously, so that the revised classification can be used for mortality data at the beginning of years ending in 8. The new cycle provides time for sufficient experience with the new classification for fluctuations resulting from variations in interpretations of new provisions to level off by the year ending in 0. Thus, stable mortality data will be available for comparison with population figures from the decennial censuses.

The amendments in the Seventh Revision include the integration into the manual of the provisions contained in an addendum,<sup>17</sup> which, having been used with the Sixth Revision, did not represent classification changes. The only change made in the three-digit categories consisted of the rewording of a few titles. In a few cases the rewording included redefining the morbid conditions classifiable to these categories and the transfer of certain terms from one category to another. The three-digit categories affected are listed in Section 1, Volume I, *Vital Statistics of the United States, 1958*. There were also a number of alterations in four-digit categories, mostly consisting of the addition of four-digit subdivisions providing more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were either additions, deletions, or changes in four-digit subcategories are also listed in Section 1 of the 1958 report.

<sup>16</sup>See National Office of Vital Statistics publications, "The Effect of the Sixth Revision of the International Lists of Diseases and Causes of Death Upon Comparability of Mortality Trends," *Vital Statistics—Special Reports*, Vol. 36, No. 10, 1951; and *Vital Statistics of the United States, 1950*, Volume I. Washington, U. S. Government Printing Office, 1954. ch. 2.

<sup>17</sup>World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, "Supplementary Interpretations and Instructions for Coding Causes of Death." Geneva, Switzerland, 1953.

The international rules for the selection of the cause of death for primary mortality classification were recast for use with the Seventh Revision in order to simplify the prior rules and to organize them from the point of view of the steps which a coder must take in making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause which started the train of events leading directly to death. In recasting the rules, some modifications of interpretations were made, mainly involving the selection of the underlying cause for improperly completed certifications. There are some changes in local interpretations for use in adapting coding procedures to reporting practices in the United States.

In compliance with a recommendation of the Expert Committee on Health Statistics, the Seventh Revision of the International Lists was of limited scope, consisting of essential changes and amendments of errors and inconsistencies. This restriction was set forth because of a change in the revision cycle which resulted in a relatively short period between the effective date (1949) of the Sixth Revision and the Seventh Revision Conference in 1955 and thus resulted in limited experience with the Sixth Revision.

In the majority of cases, application of the rules for the Seventh Revision results in the same code assignment as that of the Sixth Revision rules. There are some differences in individual assignments affecting a number of categories. Many of these individual assignments are compensatory and result in no break in continuity of trends for various causes of death; the comparability of a number of categories is affected to a limited extent.

In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified by both the Sixth and Seventh Revisions. The comparability ratios for selected causes are shown in table 1-H, Section 1, Volume I, *Vital Statistics of the United States, 1958* and the results are discussed on pages 1-19 to 1-21 of the same report.

*Coding in 1960.*—The National Vital Statistics Division annually prepares, for its cause-of-death coding clerks, an instruction manual which contains decisions and interpretations that will apply in that year. The 1960 revision of the instruction manual for cause-of-death coding<sup>18</sup> consists mainly of modifications, for purposes of clarification, of some of the explanations and examples. Between 1959 and 1960 no revisions were made in coding procedure which affected code assignments. In prior years, changes which may affect code assignments were noted in the introduction to *Vital Statistics of the United States* for the appropriate years.

*Medical certification.*—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability

<sup>18</sup>National Office of Vital Statistics, *Vital Statistics Instruction Manual*, Part II, Section D, "Cause-of-Death Coding for 1960." Washington, 1960.

could be attained only if all of the data on cause of death were reported with equal accuracy and completeness. Since the medical certification of death can be made only by a qualified person, usually a physician or a coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out.

The quality of the basic data reported on the death certificate is, of course, of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made on the accuracy of medical diagnoses, there is an unfortunate lack of national statistics on the subject. The studies on the accuracy of cause-of-death statements have taken clinical or pathological reports as the point of departure for comparison with the medical returns on the death certificate. By necessity, these studies have been limited to deaths on which hospital records or autopsy reports were available. Since less than two-thirds of all deaths in 1958 occurred in hospitals, and autopsies were reported as having been performed on only about 19 percent of all cases (see table 6-0, Section 6, Volume I, *Vital Statistics of the United States, 1958*, and table 68 in Volume II), studies based on such data may be subject to considerable bias.

A more satisfactory evaluation of the quality of the cause-of-death statement may be made by including all deaths in the study rather than hospital deaths only. Such a pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956.<sup>19</sup> For particular causes of death, a representative sample of certificates was selected. Questionnaires were sent to the physicians signing the certificates selected asking for the diagnostic methods, with pertinent findings, on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy while for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. The authors concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.

One index of the quality of reporting of causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the cause of death, this proportion does indicate the care and consideration given to the certification of causes of death by the attending physician. It may also be used as a rough meas-

ure of the specificity of the medical diagnosis made by the physicians in various areas. In 1960 only 1.0 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.1 to 8.9 percent, reflecting differences in the quality of reporting.

*Ranking causes of death.*—Ranking causes of death is a popular method of presenting mortality statistics. The list of causes and the rules of ranking used have been recommended by the Public Health Conference on Records and Statistics at its 1951 meeting. To obtain results that are comparable, the same basic list of causes and rules of ranking must be used in comparisons of deaths for different areas or different years.

The causes included in the List of 59 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. (See table 1-H in Section 1 of this volume.) Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the single title symptoms, senility and ill-defined conditions, are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (tuberculosis of respiratory system and tuberculosis, other forms) are not ranked. The results of this procedure for the United States are shown in table 1-H.

### Control of errors

The coding and punching of mortality data, with the exception of the cause-of-death item, were performed simultaneously and the major portion of the work was verified using a partial sequential sample. The classification of the underlying cause of death and the verification of this item were performed prior to coding the other items on the death certificate.

The sample procedure was used in verifying the work of employees whose performance (as indicated by complete verification) was such so as to consistently produce an error level of less than 4 percent distributed among all the items. The procedure involved the verification of the coding and punching of every 10th card throughout each lot of 2,000 cards. If the 4-percent level of error (8 cards containing one or more incorrectly coded or punched columns) was reached, each succeeding card in the lot was verified. In such lots no review was made of that portion preceding the 8th error card. The work of trainees whose performance was such so as to produce more than 4-percent error was verified completely. Errors determined in either procedure were reviewed to detect and control bias.

The coding and simultaneous punching of fetal deaths, because of their relatively small number, were completely verified.

Tabulating, computing, table preparation, and all other operations subsequent to the preparation of punched cards were verified according to procedures designed to eliminate processing errors.

<sup>19</sup>For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by Iwao M. Moriyama, William S. Baum, William M. Haenszel, and Berwyn F. Mattison, *American Journal of Public Health*, Vol. 48, No. 10, October 1958, pp. 1376-1387.

### INTERPRETATION OF DATA

While vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors, in addition to methods of classification, are taken into account. The factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to discuss all of the pertinent factors in the use of vital statistics tabulations, but some of the more important ones should be mentioned.

Most of the factors limiting the use of the data arise from imperfections in the original records or from the impracticability of tabulating these data in very detailed categories. These defects should not be ignored, but their existence does not vitiate the value of the data for most general purposes. Analysis of small differences or exact evaluation of vital statistics requires careful study of many related elements. However, the major trends and differences will not usually be changed materially by finer analysis.

#### Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made

in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.<sup>20</sup> A similar situation may exist in other States.

#### Population bases for death rates

Unless noted otherwise, death rates shown in this report for the United States are based on resident populations of the areas which are specified. These populations exclude the Armed Forces and civilians who reside outside of the country but include the Armed Forces stationed in each area and foreign residents present in the area.

All population data shown in this report were provided by the Bureau of the Census unless otherwise noted. For more detailed information and selected population tables, see pages 5-9 and 5-11 through 5-40 in Section 5 of Volume I, *Vital Statistics of the United States, 1960*.

#### Age-adjusted rates

Age-adjusted death rates shown in this report are the death rates that would have been obtained if the age-specific rates for 1960, computed for 10-year-age intervals, prevailed in a standard population whose age distribution was the same as that of the enumerated population in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to directly compare age-adjusted death rates with the crude rates shown in other tables.

Age-specific rates for 1951-59 used to calculate age-adjusted rates for this period are computed on recently revised population estimates which reflect the 1950 and 1960 census counts.

<sup>20</sup>Tennessee Department of Public Health, "Results of Survey of Death Registration Completeness," *The Spotlight*, January 1954.

#### Symbols used in tables

Class or item not applicable-----	...
Data not available-----	---
Quantity zero in frequency tables-----	-
Quantity zero in rate or percent tables-----	0
Rate or percent more than 0 but less than 0.05-----	0.0
Both frequency and population base zero in rate or percent tables-----	-
Figures within parentheses not included in totals----	( )

*Section 8. Index*

## SECTION 8. INDEX

The various subjects covered in the text portions of Volume II and the principal variables of the tables and charts are listed in this index. For a comprehensive listing of the contents of the individual tables, the index refers the reader to the "Guide to Tables" for Sections 1 through 6, Part A, and 9 and 10, Part B. These show the specific variables covered in each table, the geographic coverage, and the type of entry (frequencies, rates, ratios, and percentages). Specific cross-classifications are not shown in the "Guides to Tables."

The page numbers of the volumes are two-part numbers separated by hyphens; the first part refers to the section and the second refers to the page within the section; for example, 1-15 means page 15 of Section 1.

- Age
- Death rate tables, *see* guides to Sections 1 and 5
  - Death rate tables, infant deaths, *see* guide to Section 3
  - Frequency tables, *see* guides to Sections 1, 5, 6, and 9
  - Frequency tables, infant deaths, *see* guide to Section 3
  - Cause of death, 1-7ff.
  - Color, 1-3, 1-6f., 1-7ff.; 3-3f.; (Fig. 1-1) 1-4
  - Death rates, 1-3, 1-6f., 1-7ff., 1-10f., 1-14; (Fig. 1-1) 1-4
  - Errors in response and reporting, 1-14; 7-9
  - Geographic divisions, 1-14
  - Infant mortality rates, 3-3f.; (Fig. 3-1) 3-3
  - Metropolitan and nonmetropolitan counties, 1-10f.
  - Random variation in death rates, 1-14
  - Sex, 1-3, 1-6f., 1-7ff.; 3-3; (Fig. 1-1) 1-4
  - States, 1-14
- Age-adjusted death rates
- Death rate tables, *see* guide to Section 1
  - Color, 1-7; (Fig. 1-4) 1-6
  - Definition, 7-14
  - Geographic divisions, 1-13
  - Sex, 1-7; (Fig. 1-4) 1-6
  - States, 1-13f.; (Fig. 1-6) 1-13
  - Trends, 1-5f., 1-7, 1-13f.; (Fig. 1-4) 1-6
- Age, median age of population, 1-12f.
- Age of mother (fetal deaths)
- Frequency tables, fetal deaths, *see* guide to Section 4
  - Ratio table, fetal deaths, *see* guide to Section 4
  - Fetal death ratios, 4-7
- Attendant at birth (fetal deaths)
- Frequency table, fetal deaths, *see* guide to Section 4
- Cause of death
- Age-adjusted death rate table, *see* guide to Section 1
  - Death rate tables, *see* guides to Sections 1 and 5
  - Death rate table, infant deaths, *see* guide to Section 3
  - Frequency tables, *see* guides to Sections 1, 5, 6, and 9
  - Frequency tables, infant deaths, *see* guide to Section 3
  - Percentage tables, *see* guide to Section 1
  - Age, 1-7ff.
  - Age-adjusted death rates, 1-9
- Cause of death--Con.
- Chronic diseases, 1-3, 1-8ff.
  - Coding procedures, 7-12, 7-13
  - Color, 1-5, 1-7ff., 1-16f.; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
  - Comparability between Revisions of the International Lists, 1-7ff.; 7-11f.
  - Death rates, 1-3, 1-5, 1-7ff., 1-16f.; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
  - External causes, 1-10
  - Geographic divisions, 1-17
  - Infant mortality rates, 3-4, 3-7
  - Infectious diseases, 1-3, 1-7f.
  - Leading causes of death, ranked, 1-5; 7-13; (Fig. 1-2) 1-5
  - Lists for tabulations, 7-11f.
  - Maternal causes of death, 1-16f.
  - Medical certification, 7-12f.
  - Sex, 1-7ff.; (Fig. 1-2) 1-5
- Cities
- Frequency tables, *see* guide to Section 9
  - Frequency table, fetal deaths, *see* guide to Section 9
  - Frequency table, infant deaths, *see* guide to Section 9
- Color
- Age-adjusted death rate tables, *see* guide to Section 1
  - Death rate tables, *see* guides to Sections 1, 5, and 9
  - Death rate table, fetal deaths, *see* guide to Section 4
  - Death rate tables, infant deaths, *see* guides to Sections 3 and 9
  - Frequency tables, *see* guides to Sections 1, 5, 6, and 9
  - Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
  - Frequency tables, infant deaths, *see* guides to Sections 3 and 9
  - Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
  - Age, 1-3, 1-6f., 1-7ff.; 3-3f.; (Fig. 1-1) 1-4
  - Age-adjusted death rates, 1-7; (Fig. 1-4) 1-6
  - Cause of death, 1-5, 1-7ff., 1-16f.; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
  - Classification scheme, 7-9
  - Death rates, 1-3, 1-6f., 1-7ff., 1-15f.; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5
  - Fetal death rates, 4-8

## Color—Con.

- Fetal death ratios, 4-3, 4-7, 4-8, 4-10; (Fig. 4-1) 4-7
- Infant mortality rates, 3-3f.
- Leading causes of death, ranked, 1-5; (Fig. 1-2) 1-5
- Maternal mortality rates, 1-16f.; (Fig. 1-7) 1-16
- Race, 1-15f.; 7-9
- Self-enumeration, effect on statistics, 7-9
- Sex, 1-3, 1-6f., 1-7ff., 1-15; 3-3; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
- Urban and rural areas, 4-8

## Comparability of the International Lists

- Death rates, 1-7ff.
- Fifth and Sixth Revisions, 7-11f.
- Sixth and Seventh Revisions, 1-7ff.; 7-11f.

## Completeness of registration

- Death-registration area, 7-14
- Fetal deaths, 4-3, 4-10; 7-10

## Control of errors, 7-13

## Counties

- Frequency tables, *see* guide to Section 9
- Frequency table, fetal deaths, *see* guide to Section 9
- Frequency table, infant deaths, *see* guide to Section 9

## Death rates

- Death rate tables, *see* guides to Sections 1, 5, and 9
- Death rate table, fetal deaths, *see* guide to Section 4
- Death rate tables, infant deaths, *see* guides to Sections 3 and 9
- Death rate tables, neonatal deaths, *see* guides to Sections 3 and 9
- Age, 1-3, 1-6f., 1-7ff., 1-10f., 1-14; 3-3f.; (Fig. 1-1) 1-4; (Fig. 3-1) 3-3
- Age-adjusted death rates, 1-5f., 1-7, 1-13f.; 7-14; (Fig. 1-4) 1-6, (Fig. 1-6) 1-13
- Age, median age of population, 1-12f.
- Cause of death, 1-3, 1-5, 1-7ff., 1-16f.; 3-4, 3-7; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
- Color, 1-3, 1-6f., 1-7ff., 1-16f.; 3-3f.; 4-8; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
- Comparability between Revisions, 1-7ff.
- Fetal death rates, 4-7f.
- Geographic divisions, 1-11f., 1-17; 3-7
- Infant mortality rates, 3-3f., 3-7; (Fig. 3-1) 3-3
- Leading causes of death, ranked, 1-5; (Fig. 1-2) 1-5
- Maternal mortality rates, 1-16f.; (Fig. 1-7) 1-16
- Race, 1-15f.
- Random variation, 1-14
- Sex, 1-3, 1-6f., 1-7ff., 1-15; 3-3; 4-7f.; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
- Standard metropolitan statistical areas, 1-10
- States, 1-11f., 1-17; 3-7; (Fig. 1-5) 1-12, (Fig. 1-6) 1-13
- Trends, 1-3, 1-5ff.; 3-3f., 3-7; (Fig. 1-3) 1-6, (Fig. 1-4) 1-6, (Fig. 1-7) 1-16; (Fig. 3-1) 3-3
- Urban and rural areas, 1-10f., 1-17

## Death-registration area

- Completeness of registration, 7-14
- History, 7-4ff., 7-14

## Fetal deaths

- Death rate table, *see* guide to Section 4
- Frequency tables, *see* guides to Sections 4 and 9
- Minimum period of gestation required for reporting, *see* guide to Section 4
- Ratio tables, *see* guides to Sections 4 and 9
- Age of mother, 4-7
- Classification scheme, 7-9f.
- Color, 4-3, 4-7, 4-8, 4-10; (Fig. 4-1) 4-7
- Completeness of registration, 4-3, 4-10; 7-10
- Errors in reporting length of gestation period, 7-10
- Errors of coverage, 4-3, 4-10
- Fetal death rates, 4-7f.
- Fetal death ratios, 4-3, 4-7f., 4-8, 4-10; (Fig. 4-1) 4-7
- Geographic divisions, 4-10
- Legitimacy status, 4-7; 7-11
- Metropolitan and nonmetropolitan counties, 4-8, 4-10
- Period of gestation, 4-7
- Plural births, 4-7f.
- Sex, 4-7f.
- Specification of previous fetal loss on State and standard certificates, 7-10
- Standard certificate, 7-10; (Fig. 7-2) 7-6
- States, 4-3, 4-10
- Total-birth order, 7-10
- Trends, 4-3, 4-10; (Fig. 4-1) 4-7
- Urban and rural areas, 4-8

## Geographic divisions

- Age-adjusted death rate table, *see* guide to Section 1
- Death rate tables, *see* guide to Section 1
- Death rate tables, infant deaths, *see* guide to Section 3
- Frequency tables, *see* guide to Section 1
- Frequency table, fetal deaths, *see* guide to Section 4
- Ratio tables, fetal deaths, *see* guide to Section 4
- Age, 1-14
- Age-adjusted death rates, 1-13
- Age, median age of population, 1-12
- Death rates, 1-11f.
- Fetal death ratios, 4-10
- Infant mortality rates, 3-7
- Maternal mortality rates, 1-17
- States, 1-11f.; 3-7

## Infant deaths

- Death rate tables, infant deaths, *see* guides to Sections 3 and 9
- Death rate tables, neonatal deaths, *see* guides to Sections 3 and 9
- Frequency tables, infant deaths, *see* guides to Sections 3 and 9
- Frequency tables, neonatal deaths, *see* guides to Sections 3 and 9
- Adjustment of rates for changing numbers of births, 3-7
- Age, 3-3f.; (Fig. 3-1) 3-3
- Cause of death, 3-4, 3-7
- Color, 3-3f.
- Geographic divisions, 3-7
- Infant mortality rates, 3-3f., 3-7; (Fig. 3-1) 3-3
- Sex, 3-3
- States, 3-7
- Trends, 3-3f., 3-7; (Fig. 3-1) 3-3

## International Lists

- Comparability between Revisions, 1-7ff.; 7-11f.
- Lists for tabulations, 7-11f.

## Legitimacy status (fetal deaths)

- Frequency table, fetal deaths, *see* guide to Section 4
- Ratio table, fetal deaths, *see* guide to Section 4
- Fetal death ratios, 4-7

## Life tables

- Life table functions, *see* guide to Section 2
- Abridged life table, final, 2-3
- Abridged life table, interpolated, 2-3
- Abridged life table, provisional, 2-3
- Color, 2-4, 2-5
- Comparison of median length of life to expectation of life, 2-4
- Complete life table, 2-3
- Current life table, 2-3
- Expectation of life, 2-4ff.
- Expectation of life at age 1, 2-4
- Expectation of life at birth, 2-4, 2-5
- Expectation of life at single years of age, 2-4
- Explanation of life table functions, 2-6
  - Age interval, ( $x$  to  $x+n$ )
  - Expectation of life, average remaining lifetime, ( $e_x^0$ )
  - Number dying, ( ${}_n d_x$ )
  - Number surviving, ( ${}_n l_x$ )
  - Proportion dying, ( ${}_n q_x$ )
  - Stationary population, ( ${}_n L_x$  and  $T_x$ )
- Generation or cohort life table, 2-3
- Geographic coverage, 2-4f.
- History, 2-3
- Median length of life at birth, 2-4
- Number of survivors, 2-4, 2-5, 2-6
- Sex, 2-4, 2-5
- Source of mortality data, 2-3
- Source of population data, 2-3
- Trends, 2-4f.

## Marital status

- Frequency table, *see* guide to Section 5

## Medical certification of cause of death, 7-12f.

## Metropolitan and nonmetropolitan counties

- Death rate tables, *see* guide to Section 1
- Death rate table, infant deaths, *see* guide to Section 9
- Frequency tables, *see* guide to Section 9
- Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
- Frequency tables, infant deaths, *see* guides to Sections 3 and 9
- Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
- Age, 1-10f.
- Classification scheme, 7-8
- Death rates, 1-10f.
- Errors in response and reporting, 1-11
- Fetal death ratios, 4-8, 4-10
- Maternal mortality rates, 1-17
- Residence allocation, deaths, 1-11
- Urban and rural areas, 1-11

## Maternal mortality

- Death rate tables, *see* guide to Section 1
- Frequency table, *see* guide to Section 1
- Cause of death, 1-16f.
- Color, 1-16f.; (Fig. 1-7) 1-16
- Geographic divisions, 1-17
- Maternal mortality rates, 1-16f.; (Fig. 1-7) 1-16
- Metropolitan and nonmetropolitan counties, 1-17
- Urban and rural areas, 1-17

## Month

- Frequency tables, *see* guide to Section 5
- Frequency table, fetal deaths, *see* guide to Section 4
- Frequency tables, infant deaths, *see* guide to Section 3

## Notifiable diseases

- Frequency tables, reported cases, *see* guide to Section 1
- History of collection, 7-7
- Residence allocation, 7-8
- Sources of data, 7-3, 7-7

## Occurrence, place of death

- Death rate table, *see* guide to Section 1
- Frequency tables, *see* guides to Sections 1, 5, and 9
- Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
- Frequency table, infant deaths, *see* guide to Section 9
- Classification scheme, 7-7
- Residence allocation, 7-7f.

## Period of gestation (fetal deaths)

- Frequency tables, fetal deaths, *see* guide to Section 4
- Minimum period of gestation required for the reporting of fetal deaths, *see* guide to Section 4
- Ratio table, fetal deaths, *see* guide to Section 4
- Fetal death ratios, 4-7f.

## Plural births (fetal deaths)

- Frequency tables, fetal deaths, *see* guide to Section 4
- Rate table, fetal deaths, *see* guide to Section 4
- Fetal death rates, 4-7f.

## Population bases, 7-14

## Population-size groups (U.S. totals only)

- Death rate table, *see* guide to Section 1
- Death rate table, infant deaths, *see* guide to Section 9
- Frequency table, *see* guide to Section 9
- Frequency table, fetal deaths, *see* guide to Section 9
- Frequency table, infant deaths, *see* guide to Section 9
- Ratio tables, fetal deaths, *see* guide to Section 9

## Puerto Rico and Virgin Islands

- Death rate tables, *see* guide to Section 10
- Frequency tables, *see* guide to Section 10
- Frequency tables, fetal deaths, *see* guide to Section 10
- Frequency tables, infant deaths, *see* guide to Section 10
- Frequency tables, neonatal deaths, *see* guide to Section 10
- Cause of death, 10-2
- Color, 10-2
- Geographic classification, 10-2
- Symbols used in tables, 10-2



Race, *see* Color

- Death rate table, *see* guide to Section 1
- Frequency tables, *see* guides to Sections 1, 5, and 6
- Frequency table, fetal deaths, *see* guide to Section 4
- Frequency table, infant deaths, *see* guide to Section 3

## Random variation in death rates, 1-14

## Ranking leading causes of death

- Color, 1-5; (Fig. 1-2) 1-5
- Death rates, 1-5; (Fig. 1-2) 1-5
- Method of ranking, 7-13
- Sex, (Fig. 1-2) 1-5

## Residence

- Allocation, deaths, 1-11, 1-16; 7-7f.
- Allocation, notifiable diseases, 7-8
- Classification scheme, 7-7f.
- Errors in response and reporting, 1-11
- Metropolitan and nonmetropolitan counties, 1-11
- Resident-nonresident interchange, 1-16
- Specification on standard certificates, 1-11, 1-16; 7-3f.; (7-A) 7-4
- States, 1-16
- Urban and rural areas, 1-11

## Sex

- Death rate tables, *see* guides to Sections 1 and 5
- Death rate table, fetal deaths, *see* guide to Section 4
- Death rate table, infant deaths, *see* guide to Section 3
- Frequency tables, *see* guides to Sections 1, 5, 6, and 9
- Frequency tables, fetal deaths, *see* guide to Section 4
- Frequency tables, infant deaths, *see* guide to Section 3
- Age, 1-3, 1-6f., 1-7ff.; 3-3; (Fig. 1-1) 1-4
- Age-adjusted death rates, 1-7; (Fig. 1-4) 1-6
- Cause of death, 1-7ff.; (Fig. 1-2) 1-5
- Color, 1-3, 1-6f., 1-7ff.; 3-3; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
- Death rates, 1-3, 1-6f., 1-7ff., 1-15; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
- Fetal death rates, 4-7f.
- Infant mortality rates, 3-3
- Leading causes of death, ranked, (Fig. 1-2) 1-5
- Race, 1-15

## Standard certificates of death and fetal death

- History, 7-3f.
- Residence specification, 1-11, 1-16; 7-3f.; (7-A) 7-4
- Specification of previous fetal loss, 7-10
- Specimens, (Fig. 7-1) 7-5, (Fig. 7-2) 7-6

## Standard consolidated areas

- Classification scheme, 7-8
- Standard metropolitan statistical areas, 7-8

## Standard metropolitan statistical areas

- Death rate table, *see* guide to Section 9
- Death rate table, infant deaths, *see* guide to Section 9
- Frequency tables, *see* guide to Section 9
- Frequency table, fetal deaths, *see* guide to Section 9
- Frequency table, infant deaths, *see* guide to Section 9
- Ratio table, fetal deaths, *see* guide to Section 9
- Classification scheme, 7-8
- Death rates, 1-10
- Standard consolidated areas, 7-8
- Urban and rural areas, 7-8f.

## Symbols used in tables, 7-14

## Total-birth order (fetal deaths)

- Frequency tables, fetal deaths, *see* guide to Section 4

## Urban and rural areas

- Death rate tables, *see* guide to Section 1
- Death rate table, infant deaths, *see* guide to Section 9
- Frequency table, *see* guide to Section 9
- Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
- Frequency tables, infant deaths, *see* guides to Sections 3 and 9
- Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
- Classification scheme, 7-8f.
- Death rates, 1-11
- Errors in response and reporting, 1-11
- Fetal death ratios, 4-8
- Maternal mortality rates, 1-17
- Metropolitan and nonmetropolitan counties, 1-11
- Residence allocation, deaths, 1-11
- Standard metropolitan statistical areas, 7-8

Virgin Islands, *see* Puerto Rico and Virgin Islands

## Weight at birth (fetal deaths)

- Frequency tables, fetal deaths, *see* guide to Section 4

SECTION 8 - MORTALITY

Guide to tables in Section 1

(Data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 1	-A	-B	-C	-D	-E	-F	-G	-H	-J	-K	-L	-M	-N	-O	-P	-Q	-R	-S	-T	-U	-V	-W	-X	-Y	-Z	-AA	-AB	-AC
PAGE: 1	-18	-19	-20	-21	-22	-22	-23	-23	-23	-24	-25	-26	-34	-34	-34	-35	-36	-37	-38	-39	-40	-44	-48	-49	-49	-50	-51	-52
Geographic area:																												
Divisions-----															X <sup>1</sup>	X	X	X	X			X	X		X	X		X
Metropolitan and nonmetropolitan counties-----													X	X											X			
Population-size groups (U.S. totals only)-----														X														
States-----																X	X	X	X	X <sup>2</sup>	X	X				X	X	
United States-----	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas---														X											X			
Years:																												
1900-1960-----	X <sup>3</sup>	X <sup>3</sup>								X <sup>4,5</sup>					X <sup>6</sup>													
1915-1960-----																								X <sup>7</sup>				
1940-1960-----																X <sup>5</sup>												
1950-1960-----			X							X		X <sup>5</sup>				X											X	
1958-1960(3-year average)																								X	X			
1960 only-----				X	X	X	X	X	X			X		X				X	X	X	X	X	X					X
Type of entry:																												
Age-adjusted rates-----		X							X							X												
Number of deaths-----	X				X	X	X											X		X	X	X						
Percent change in rates--																X												
Percentage distribution of deaths by cause-----								X	X																			
Death rates-----	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X		X			X	X	X	X	X		
Cases of notifiable diseases																											X	X
Characteristics:																												
Age-----			X	X	X	X <sup>8</sup>	X <sup>9</sup>					X						X	X				X					
Cause of death:																												
59 selected causes---											X	X											X	X				
Selected causes-----									X	X																		
15 leading causes-----								X																				
Maternal causes only--																								X	X	X	X	
Color-----	X	X	X	X		X <sup>8</sup>	X <sup>9</sup>	X			X	X	X			X <sup>10</sup>							X	X		X		
Race-----				X																								
Sex-----	X	X	X	X	X		X <sup>9</sup>	X			X	X																

<sup>1</sup>By place of occurrence.

<sup>2</sup>Both occurrence and residence distributions.

<sup>3</sup>Entire United States for 1933-1960; death-registration States for 1900-1932.

<sup>4</sup>Entire United States for 1940, 1950, and 1960; death-registration States for 1900, 1910, 1920, and 1930.

<sup>5</sup>Decennial years only.

<sup>6</sup>Data by 5-year averages for 1900-1954 and by single years for 1955-1960.

<sup>7</sup>Entire United States for 1933-1960; birth-registration States for 1915-1932. Data by 5-year averages for 1915-1939 and by single years for 1940-1960.

<sup>8</sup>Males only. Armed Forces abroad included.

<sup>9</sup>85 years and over only.

<sup>10</sup>For the United States only.

## SECTION 8 - MORTALITY

## Guide to tables in Section 2

	TABLE: 2	-1	-2	-3	-4	-5	-6
	PAGE: 2	-7	-8	-9	-10	-11	-12
Years:							
1900-1960-----							X <sup>1</sup>
1960 only-----	X	X	X	X			
Specified years and 1960-----						X <sup>2</sup>	
Type of entry:							
Proportion dying ( ${}_nq_x$ )-----	X	X					
Number surviving ( ${}_nl_x$ )-----	X	X	X			X	
Number dying ( ${}_nd_x$ )-----	X	X					
Stationary population ( ${}_nL_x$ and $T_x$ )-----	X	X					
Average remaining lifetime ( $e_x^o$ )-----	X	X		X	X		
Estimated average length of life ( $e_0^o$ )-----							X
Characteristics:							
Age by:							
Single years-----			X	X			
5-year intervals-----	X	X				X	
Sex-color specific-----		X	X	X	X	X	X
Sex specific-----	X		X	X			X
Color specific-----		X	X	X			X
Total population-----	X		X	X			X

<sup>1</sup>Entire United States for 1929-1960; death-registration States for 1900-1928.

<sup>2</sup>Entire United States for specified years from 1929-1960; death-registration States for specified years from 1900-1921.

SECTION 8 - MORTALITY

Guide to tables in Section 3

(All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

	TABLE: 3	-A	-B	-C	-D	-E	-F	-1	-2	-3	-4	-5	-6
	PAGE: 3	-4	-4	-5	-6	-8	-9	-10	-24	-31	-34	-40	-58
Geographic area:													
Divisions -----						X	X						
Metropolitan and nonmetropolitan counties-----											X		
States -----						X	X	X	X				X
United States-----		X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas-----											X		
Years:													
1915-1960 -----		X <sup>i</sup>											
1950-1960 -----				X	X								
1950 and 1957-1960-----						X	X						
1960 only-----			X					X	X	X	X	X	X
Type of entry:													
Number of infant deaths-----								X	X	X	X	X	X
Infant mortality rates (per 1,000 live births)-----		X				X	X						
Infant mortality rates (per 100,000 live births)---			X	X	X								
Characteristics:													
Age:													
Under 1 year-----		X	X	X	X	X		X	X	X	X	X	X
Under 28 days-----		X	X	X			X	X	X	X	X	X	X
28 days to 11 months-----										X			X
Detailed age groups (under 1 day-11 months)---			X	X				X	X <sup>2</sup>			X	
Cause of death (55 selected causes)-----					X					X	X	X	X
Color -----		X	X	X		X	X		X		X	X	X
Month-----									X	X			
Race -----								X					
Sex -----			X					X	X <sup>2</sup>			X	

<sup>1</sup>Entire United States for 1933-1960; birth-registration States for 1915-1932.

<sup>2</sup>For the United States only.

SECTION 8 - MORTALITY

Guide to tables in Section 4

(All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 4	-A	-B	-C	-D	-E	-F	-G	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10
PAGE: 4	-4	-5	-6	-6	-8	-9	-11	-12	-15	-17	-19	-23	-25	-28	-29	-30	-33
Geographic area:																	
Divisions-----						X	X										
Metropolitan and nonmetropolitan counties-----						X											
Selected areas-----			X <sup>1</sup>	X <sup>2</sup>													
States-----	X						X	X <sup>3</sup>	X		X	X	X			X	X
United States-----	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas---						X											
Years:																	
1922-1960 -----		X <sup>4</sup>															
1956-1960 -----							X										
1960 only -----	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X
Type of entry:																	
Number of fetal deaths---	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
Rates per 1,000 live births plus fetal deaths-----					X												
Ratios (per 1,000 live births)-----		X		X		X	X										
Minimum period required for reporting -----	X																
Characteristics:																	
Age of mother-----			X	X						X	X						
Attendant-----												X					
Color -----		X		X	X	X	X		X	X		X	X	X	X	X	X
Legitimacy status-----				X													
Month-----									X								
Period of gestation <sup>5</sup> -----	X		X			X						X		X		X	
Plural births-----					X								X	X			
Race-----										X							
Sex -----					X					X				X	X	X <sup>6</sup>	X <sup>6</sup>
Total-birth order-----										X		X					
Weight at birth-----														X		X	

<sup>1</sup> Combined totals for eight States and New York City which require the reporting of early fetal deaths.

<sup>2</sup> Combined totals for 35 States which report legitimacy status.

<sup>3</sup> Both occurrence and residence distributions.

<sup>4</sup> Entire United States for 1933-1960; birth-registration States for 1922-1932.

<sup>5</sup> Massachusetts did not require the reporting of period of gestation.

<sup>6</sup> For the United States only.

SECTION 8 - MORTALITY

Guide to tables in Section 5

(All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

	TABLE: 5	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
	PAGE: 5	-2	-5	-6	-12	-13	-14	-35	-40	-48	-98	-182	-190
Geographic area:													
States-----		X <sup>1</sup>	X <sup>2</sup>	X	X						X		
United States-----		X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:													
Number of deaths-----		X	X	X	X	X	X	X	X	X	X	X	
Death rates-----							X						X
Characteristic:													
Age-----						X				X		X	X
Cause of death:													
Each cause-----							X						
255 selected causes-----								X	X	X	X		
59 selected causes-----												X	X
Color-----				X		X	X				X	X	X
Marital status-----						X							
Month-----			X	X				X					
Race-----					X				X	X			
Sex-----				X	X	X	X		X	X	X	X	X

<sup>1</sup>Both occurrence and residence distributions.

<sup>2</sup>By place of occurrence.

Guide to tables in Section 6

(Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence)

	TABLE: 6	-1	-2	-3	-4	-5	-6
	PAGE: 6	-2	-4	-8	-14	-16	-20
Geographic area:							
States-----						X	X
United States-----		X	X	X	X	X	X
Subject matter:							
Motor vehicle accident, by type of vehicle-----		X		X		X	
Nontransport accident, by place of accident-----			X		X		X
Characteristics:							
Age-----				X	X		
Color-----		X	X			X	X
Detailed accidental causes (E810-E835, E870-E936)-----		X	X				
Race-----				X	X		
Sex-----		X	X	X	X	X	X

SECTION 8 - MORTALITY

Guide to tables in Section 9

(All data are for deaths occurring in the United States. Deaths excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11
PAGE: 9	-3	-60	-78	-87	-104	-125	-380	-384	-396	-560	-565
Geographic area:											
Counties-----	X <sup>1</sup>								X	X	
Metropolitan and nonmetropolitan counties-----		X		X					X		
Population-size groups (U.S. totals only)-----		X									
Specified urban places-----	X								X		X
Standard metropolitan statistical areas-----			X		X			X			
States-----	X <sup>1</sup>	X		X		X	X <sup>2</sup>		X	X	
United States-----	X	X		X			X		X	X	
Urban and rural areas-----		X							X		
Type of entry:											
Number of deaths—all ages-----	X	X	X	X	X	X	X	X	X	X	X
Number of fetal deaths-----	X	X	X								
Number of infant deaths-----	X	X	X								
Number of neonatal deaths-----	X	X	X								
Death rates—all ages-----			X								
Fetal death ratios (per 1,000 live births)-----		X	X								
Infant mortality rates (per 1,000 live births)-----		X	X								
Neonatal mortality rates (per 1,000 live births)-----		X	X								
Characteristics:											
Age-----				X	X	X					
Cause of death:											
59 selected causes-----						X	X	X			
Selected causes-----									X		
Specified infective diseases-----										X	X
Color-----	X	X	X	X	X	X					
Sex-----				X	X	X					

<sup>1</sup>Both occurrence and residence distributions.

<sup>2</sup>By place of occurrence.

SECTION 8 - MORTALITY

Guide to tables in Section 10

(All data are for deaths occurring in Puerto Rico or the Virgin Islands)

TABLE: 10	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18
PAGE: 10	-3	-3	-3	-4	-8	-12	-13	-13	-14	-15	-15	-16	-17	-18	-18	-18	-19	-19
Geographic area:																		
Islands-----									X <sup>1</sup>									
Municipios-----								X <sup>1</sup>										
Puerto Rico-----	X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X
Specified urban places---									X	X								
Virgin Islands-----	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X
Years:																		
1940-1960-----	X																	
1960 only-----		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:																		
Number of deaths--all ages	X	X		X	X		X	X	X	X								
Number of fetal deaths---									X	X				X	X	X	X	X
Number of infant deaths--									X	X	X	X	X <sup>2</sup>					
Number of neonatal deaths									X	X	X	X	X					
Death rates--all ages----	X		X			X												
Characteristics:																		
Age of decedent-----			X	X	X							X						
Age of mother-----															X			
Cause of death:																		
59 selected causes-----				X	X	X												
55 selected causes of infant mortality-----													X					
Motor vehicle accidents							X											
Nontransport accidents-								X										
Color (for Virgin Islands only)-----		X	X		X	X	X	X		X	X	X	X	X	X	X	X	X
Month-----		X									X			X				
Period of gestation-----																		X
Place of accident-----								X										
Sex-----		X	X	X	X	X	X	X				X						
Total-birth order-----																X		
Type of motor vehicle involved-----							X											
Weight at birth-----																	X	

<sup>1</sup>Both occurrence and residence distributions.

<sup>2</sup>Number of deaths also shown for the age-group 28 days to 11 months.