U. S. DEPARTMENT OF COMMERCE

DANIEL C. ROPER, SECRETARY

BUREAU OF THE CENSUS

WILLIAM LANE AUSTIN, Director

MORTALITY STATISTICS 1932

THIRTY-THIRD ANNUAL REPORT

RATE TABLES AND GENERAL TABLES FOR THE DEATH REGISTRATION AREA
IN CONTINENTAL UNITED STATES, WITH SUPPLEMENTAL
STATISTICS FOR HAWAII, PUERTO RICO
AND THE VIRGIN ISLANDS

PREPARED UNDER THE SUPERVISION OF DR: T. F. MURPHY Chief Statistician for Vital Statistics



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 1935

REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE BUREAU OF THE CENSUS

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the birth registration area in continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for the death registration area in continental United States, with supplemental statistics for Hawaii, Puerto Rico, and the Virgin Islands.

CONTENTS

	INI	DEX	
Index of subjects presented in the detailed tables for the re-	egistra	tion area and for the States	Page V
	TE	XT	
Extent of the registration area in 1932	8 9 11 11 15 16 17 17 17 18 19 20	Causes of Death—Continued. Tuberculosis (all forms) Tuberculosis of the respiratory system Syphilis Malaria Cancers and other malignant tumors Pellagra Diabetes mellitus Pernicious anemia Alcoholism and cirrhosis of the liver Diseases of the heart Pneumonia (all forms) Diarrhea and enteritis (under 2 years) Nephritis Puerperal causes Senility Suicide Homicide Legal executions Accidental, other, or undefined external causes Supplemental list of accidental causes of death Accidental deaths, by months Airplane and balloon accidents Motor-vehicle accidents Ill-defined causes of death Deaths of children under 1 year of age Accuracy of Statistics of Causes of Death	2678911233456785568888998890
Lethargic or epidemic encephalitis Rare infectious and parasitic diseases	22	HAWAII, PUERTO RICO, AND THE VIRGIN ISLANDS	
Table I.—Population, deaths (exclusive of stillbirths), a districts: 1932	nd dea s per 1 2 tality ate an	Statistics are tables which contain death rates per 100,000	64 67
GENI	ERAI	TABLES	
lar data for cities, which have not be	and in en sho	cities and rural districts of each registration State. [Simiwn since 1922, are retained in manuscript.]	72
Table 2.—Deaths (exclusive of stillbirths), by color, and beaths of white, Negroes, India	oy gen ans, Ca ach re in ma	eral and parent nativity of white: 1932hinese, Japanese, and other races, in the registration area, gistration State. [Similar data for cities, which have not nuscript.]	75 78
Deaths of white and colored, ur registration area, and in cities and r which have not been shown since 19:	ider 1 ural di 22, are	year of age, 1 to 4 years, and by 5-year age periods, in the stricts of each registration State. [Similar data for cities, e retained in manuscript.]	
1 to 4 years, and by 5-year age perio registration States of 1920.	ians, (ds, in	Chinese, Japanese, and other races, under 1 year of age, the registration area, each registration State, and the total	88
and by color for cities and rural dist Table 6.—Deaths (exclusive of stillbirths) from each cause	egistra tricts o	ation area, and each registration city of 25,000 or more, of each registration State.	106
District of Columbia): 1932 Causes of death by single years TABLE 7.—Deaths (exclusive of stillbirths) of Negroes, I	under ndian	5 and by 5-year age periods. s, Chinese, Japanese, Mexicans, and other races, from	130
TABLE 8.—Deaths (exclusive of stillbirths) from each caus and each registration State: 1932	se in ci	ding District of Columbia): 1932ties and rural areas and by age for the registration area 5, and by 5- and 10-year age periods.	162 165

CONTENTS

Table 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1932	388
or more on Apr. 1, 1930. Table 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1932	433
Table 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in large cities not in the birth registration area: 1932	454
\mathbf{MAP}	
Growth of the registration area for deaths: 1880 to 1932	2
DIAGRAMS	
 Percentages which the population and land area of the registration area in continental United States formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1932	4 5 6 6 10 14 38
· SUPPLEMENT	
HawaiiPuerto RicoVirgin Islands	458 470 479
APPENDIX	
TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1932.	484

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR THE STATES: 1932

[For text, see contents, p. III]


		Į											
	Popu-						DEATE	S BY-					
	lation, deaths, and	G		Race,			Importa	nt causes		G	Cause;	 	Important
AREA	rates by color; cities and rural	Cause, in full detail, with rates	Months, cities and rural	nativity of white; cities and rural	Age and color; cities and rural	Nativity of white, race, age, and sex	White and colored; cities and rural	Cities of 25,000 or more popu- lation	Cause, age, sex, and color	Cause, colored races, and sex	cities and rural, and by age	Important causes by age; large cities	causes by months; area and States
							PAGE			-			
The registration area Registration States 1	65 65	67	72 72	75 75	78 78	88 88	106 106		130	162	165		433 433
Cities in registration States 1	65		72	75	78	89	106						
Rural part of registration States Registration cities in nonregis-	65	J	72	75	. 78	89	106						
Registration cities in nonregis- tration State 2	65		72	75	78	89	106	126				426	
Alabama	64 64		72 72	75 75	78	88 90 90	106 106	114 114	484		169 175	388	433 434
Arizona Arkansas California	64 64		72	75	78	91	106 106	·114			179 185	388	434 435 436
Colorado Connecticut	64 64		72	75	78	91 91	106 106 106	114 116 116			191	391	436 436 436
Delaware District of Columbia	64 64		72 72 72 72 72 72 72 72 72 72 72 72 72 7	75 75 75 75 75 75 75 75 75 76 76 76 76 76 76 76 76 76 77 77 77 77	78 78 78 78 78 78 78 78 80 80	92 92	106	116 116 116		 	195 199 202	391 392 392	436
RIOTIGS.	64		72	75	78	92 93 93	108 108	116 116			208 214	393 395	437 437
Georgia Idaho Illinois Indiana	64		72	75	80	93	108	1			220 224		438 438 439
Indiana	64 64		72	75	80	94 94	108 108	116 118			228	395 396	439
Iowa Kansas	64 64	 	72	75	80 80 80 80 80	94 95	108	118 118	 		232 236	398 399	439 439
Kansas Kentucky Louisiana Maine Maryland	64 65		72 73	75 76	80	95 95 95 96	108 108 108	118 118			240 247	399 400 -	440 440 441
Maryland	65 65		73 73	76	80 80	1 96	108	118 120			253 257	401	441
Michigan	65		73 73	76 76	80 80 80	96 97	110 110	120 120			263 267	401 404	442 442
Minnesota	65 65		73 73	76 76	82 82	97 97	110 110	120 120			271 274 281	406	443 443 444
Montana	65 65		73 73	76 76	82 82	98 98	110 110	120 120 120			281 285 288	407	444 444 444
Nebraska Nevada	65 65		73 73	76 76	82 82 82 82 82 82 82 82 82 82 82 82	97 98 98 98 99 99	110 110	!			292	408	445
New Hampshire New Jersey	65 65		73 73	76 76	82 82	99 99	110 110	122 122			295 299	408	445 445
New Mexico New York	65 65		73 73	76 76	82 82	l 100 100	110 112	122 122			303 307	411	446 446
North Carolina North Dakota Ohio	65 65		73 73	76 76	82 84	100 101	112 112	124 124			311 317		446 447 447
OhioOklahoma	65 65		73 73	77 77	84 84 84 84	101 101	112 112	124 124 124			321 325	417 420 421	447 448 448
Oregon Pennsylvania	66 66		74 74	77	84 84	102 102	112 112	124 124			331 335	421 421	1 449
Rhode Island South Carolina	66 66		74 74	77	84 84 84	102 103	112 112	126 126			339 343	424	449 449
South Dakota Tennessee	66 66		74 74	77	84 84	103	112 112	126 126			349 353	424	450 450
Texas ²	66		l		84	104	114	126			359	426 430	451
Vermont	· 66		74 74 74	77 77 77 77 77 77	84 86	104 104	114 114	126 126 126			363 366	430	451 452
Washington West Virginia Wisconsin	66 66		74 74	77	84 86 86 86	. 105	114 114	128 128			372 376	431	4.52 4.53
Wisconsin Wyoming	66 66		74 74	77	86 86	105 105	114 114	128			380 384	432	453 453
Unitying possessions:	458		458	458		459	459	459		460	465		469
Puerto RicoVirgin Islands	479		470 479		470 479		471	471	473 480		481		478 482

Including District of Columbia.
 Represented by Beaumont, Dallas, El Paso, Fort Worth, Galveston, Houston, San Antonio, and Waco, Tex.

MORTALITY STATISTICS 1932

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1932

NOTE.—In addition to the registration States, the registration area for each year included certain cities in nonregistration States



MORTALITY STATISTICS: 1932

INTRODUCTION

This report for the calendar year 1932 is the thirtythird annual report on Mortality Statistics published by the Bureau of the Census. It relates to the regis-tration area of continental United States, the Terri-tory of Hawaii, Puerto Rico, and the Virgin Islands, and the data were compiled from transcripts of certificates of death received from the registration authorities of the States and other areas. It makes available detailed figures concerning death in individual States and in cities of 100,000 population or more individual states and in cities of a color and are and by including classifications by sex, color, and age, and by cause of death according to the International Classification of Causes of Death. The report was prepared under the direction of Dr. T. F. Murphy, Chief Statistician for Vital Statistics, assisted by Willard C. Smith, Assistant Chief Statistician for Vital Statistics.

The publication of this report was delayed by the lack of funds for printing; and in order to keep within the limits of the amount since made available it has been necessary to reduce the size of the volume considerably as compared with the report for 1930. This necessitated some rearrangements in the tabular presentation together with the elimination of certain detail, most of which is available in manuscript tables on file in the Bureau of the Census.

EXTENT OF THE REGISTRATION AREA IN 1932

In 1932 the death registration area of continental United States included 120,122,200 population, or 96.3 percent of the estimated total population on July 1. In this population there were 1,308,529 deaths, corresponding to a rate of 10.9 per 1,000 estimated population. Puerto Rico was added to the area in 1932.

The registration area in 1932 included 47 States (Texas being the only nonregistration State), the District of Columbia, 8 cities in Texas, the Territory of Hawaii, Puerto Rico, and the Virgin Islands. These areas were admitted on the basis of approximately complete registration of deaths (at least 90 percent of all deaths) and when the data at hand showed that the deaths were recorded properly under adequate registration laws.

The registration cities in the nonregistration State of Texas are:

Beaumont	Fort Worth	San Antonio
Dallas	Galveston	Waco
El Paso	Houston	

GROWTH OF THE REGISTRATION AREA, 1880 TO 1932

The first mortality statistics published by the Federal Government related to 1850, and were for the entire United States; these statistics were based on data collected at the decennial census of that year, and decennial collections of similar statistics by census enumerators were continued through 1900. In 1880, however, there was established a registration area for deaths, and for that year, as well as for 1890 and 1900, mortality returns were received from the States and cities included in the area, as well as from enumerators' returns.

The annual collection of mortality statistics for the registration area in the United States began with the calendar year 1900.

Table A shows the States which were included in the area from 1880 to 1932. In each year there were also included a number of registration cities in nonregistration States. The Territory of Hawaii was added in 1917, the Virgin Islands in 1924, and Puerto Rico in 1932.

Table A STATE	Year	STATE	Year	STATE	Year
Massachusetts New Jersey Dist. of Columbia² Connecticut Delaware ³ New Hampshire New York Rhode Island Vermont Maine Michigan Indiana Collifornia Colorado Maryland Pennsylvania South Dakota ⁴ Washington Wisconsin	} 1880 } 1900 1900 1906 } 1906 } 1908	Ohio Minnesota Montana Mortana North Carolina 3 Utah Kentucky Missouri Virginia Kansas North Carolina 6 South Carolina Tennessee Illinois Louisiana Oregon Delaware 3 Florida Mississippi	1909 } 1910 } 1911 1913 1914 } 1916 1917 } 1918 } 1919	Nebraska Georgia ' Idaho Wyoming Iowa North Dakota Alabama West Virginia Arizona Arkansas Georgia ' Oklahoma Nevada Newada New Mexico South Dakota '	1920 1922 1923 1924 } 1925 1926 1927 } 1928 } 1929 1930

Census year ending May 31.

Census year ending May 31.

Included in States.

Dropped from the area in 1910, readmitted in 1919.

Dropped from the area in 1910, readmitted in 1930.

Included only municipalities having a population of 1,000 or more in 1900; these represented only about 16 percent of the total population.

The remainder of the State of North Carolina was added to the registration area in 1916. (See note 5.)

Dropped from the area in 1925 when the State registration law was declared unconstitutional.

The State was readmitted to the area in 1928 under a new State registration law. (See note 7.)

Table B shows the growth of the registration area in population and land area from 1880 to 1932.

Table B	CONTINENTA STAT				ON AREA IN CONTINENTAL UNITED STATES			
CALENDAR YEAR Fatimated		Land area	Estimated p		Land area			
	Estimated population, July 1	(square miles)	Number	Per- cent of total	Square miles	Per- cent of total		
1932 1931 1930 1930 1928 1928 1928 1927 1928 1925 1925 1922 1922 1920 1919 1918 1918 1916 1916	113, 202, 319 111, 537, 497 109, 872, 675 108, 207, 853 106, 543, 031 105, 033, 065 103, 587, 955 102, 172, 845 100, 757, 735 99, 342, 625	2, 973, 776 2, 973, 890 2, 973, 890 2, 973, 890 2, 973, 890 2, 973, 890 2, 973, 890 2, 973, 890	120, 122, 200 119, 421, 000 118, 560, 800 116, 317, 515 114, 258, 516 108, 177, 568 104, 938, 301 102, 951, 999 100, 082, 062 97, 816, 104 93, 866, 240 93, 866, 240 89, 102, 434 87, 632, 59 85, 166, 043 81, 333, 675 74, 984, 498 71, 349, 162 67, 095, 681 65, 813, 315	96. 3 96. 2 95. 3 96. 2 95. 5 91. 5 90. 1 88. 4 87. 7 82. 3 82. 3 82. 3 87. 5 67. 5	2, 711, 617 2, 711, 619 2, 711, 619 2, 714, 743 2, 402, 433 2, 274, 398 2, 221, 892 2, 108, 072 2, 101, 456 2, 021, 237 1, 726, 012 1, 726, 012 1, 649, 281 1, 546, 166 1, 307, 819 1, 228, 704 1, 228, 644	91. 2 91. 2 91. 2 88. 8 80. 8 76. 5 70. 7 70. 3 66. 0 58. 0 45. 4 44. 0 41. 3		

Census year; enumerated population in United States, 122,775,046, Apr. 1.
 Census year; enumerated population in United States, 105,710,620, Jan. 1.
 The net reduction of 114 square miles, as compared with area stated by census of 1910, was due to irrigation projects.

1913	- I	11			
Estimated population, July 1 Land area (square miles) Number Percent of total P		ITED REGISTRAT			ENTAL
1913. 96, 512, 407 2, 973, 890 63, 200, 625 65, 5 1, 147, 039 38, 19112. 95, 097, 298 2, 973, 890 60, 359, 974 63, 5 1, 106, 777 37, 19104 92, 267, 080 52, 973, 890 60, 359, 974 63, 5 1, 106, 777 37, 19104 92, 267, 080 52, 973, 890 53, 831, 742 58, 3 71, 106, 734 37, 19104 92, 267, 080 52, 973, 890 53, 831, 742 58, 3 97, 978 33, 1909. 90, 691, 354 2, 974, 159 50, 870, 518 56, 1 765, 738 25, 1908. 89, 073, 360 2, 974, 159 46, 789, 913 52, 5 725, 117 24, 1907. 87, 455, 366 2, 974, 159 44, 983, 419 48, 9 603, 666 20, 1905. 84, 219, 378 2, 974, 159 41, 983, 419 48, 9 603, 666 20, 1905. 84, 219, 378 2, 974, 159 34, 052, 201 40, 4 212, 744 7, 1904. 82, 601, 384 2, 974, 159 33, 345, 163 40, 4 212, 762 7, 1901. 77, 747, 402 2, 974, 159 32, 098, 815 40, 4 212, 762 7, 1901. 77, 747, 402 2, 974, 159 31, 370, 952 40, 3 212, 770 7, 1900. 75, 994, 575 72, 974, 159 38, 80, 963 30, 91, 765, 618 40, 5 212, 621 7, 1900. 76, 994, 575 72, 974, 159 28, 807, 269 37, 9 176, 878 5.	YEAR Estimated Lanc	d areation, Ju	oopula- ly 1	Land a	rea
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		iles)	cent of		cent of
1880 6 50, 155, 783 2, 973, 965 8, 538, 366 17. 0 16, 481 0.	1912 95,097,288 2,97 1911 93,682,189 2,97 1910 99,691,354 2,97 1908 90,691,354 2,97 1908 38,073,360 2,97 1907 87,455,366 2,97 1906 85,837,372 2,97 1905 84,219,378 2,97 1904 82,601,384 2,97 1904 82,601,384 2,97 1902 79,365,396 2,97 1902 77,747,402 2,97 1900 7,77,747,402 2,97 1900 7,76,994,575 72,97	73, 890	63. 5 63. 2 58. 3 56. 1 52. 2 48. 9 40. 4 40. 4 40. 4 40. 3 40. 5	1, 106, 777 1, 106, 773 1, 106, 734 997, 978 765, 738 725, 117 603, 151 603, 066 212, 744 212, 744 212, 762 212, 762 212, 770 212, 621	38. 6 37. 2 37. 2 33. 6 25. 7 24. 3 20. 3 7. 2 7. 2 7. 2 7. 2 7. 2 5. 9

Census year; enumerated population in United States, 91,972,266, Apr. 15.
 The net reduction of 269 square miles, as compared with area stated by census of 1900, was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
 Census year ending May 31, enumerated population in United States.
 The increase of 194 square miles, as compared with area stated by census of 1890, was due to the reclamation of part of Potomac River Flats in the District of Columbia and a part of Lake Tulare in California.


Table C gives the populations of the registration States of 1900, of 1910, and of 1920, with the percentages that each group forms of the population of continental United States.

Table C CALENDAR YEAR		POPULATION, J TRATION STATI		TION UNIT CLUD	PERCENT OF POPULATION IN CONTINENTAL UNITED STATES INCLUDED IN THE REGISTRATION STATES OF—			
	1900	1910	1920	1900	1910	1920		
1932 1931 1930 1928 1928 1927 1928 1927 1925 1925 1923 1922 1923 1922 1921 1920 1919 1918 1919 1918 1916 1915 1916 1915 1916 1916 1917 1918 1918 1919 1918 1919 1919 1918 1919 1918 1919 1919 1910 1900	33, 774, 000 33, 496, 000 32, 969, 412 32, 444, 044 31, 918, 674 31, 393, 306 30, 867, 939, 306 29, 817, 199 29, 291, 830 28, 766, 462 28, 241, 994 27, 775, 859 27, 370, 766 26, 965, 661 26, 560, 563 26, 155, 465 25, 750, 367 25, 345, 269 24, 940, 171 24, 535, 073 24, 129, 976 23, 664, 144 23, 182, 330 22, 700, 521 222, 218, 713 21, 736, 908 1 21, 336, 715			27. 2 27. 2 27. 2 27. 1 27. 1 27. 0 26. 9 26. 8 26. 7 26. 6 26. 5 26. 5 26. 4 26. 4 26. 3 26. 3 26. 3 26. 2 26. 2 26. 2 26. 2 26. 3 26. 3	54. 0 53. 9 53. 8 53. 7 53. 5 53. 4 53. 2 53. 1 53. 0 52. 8 52. 7 52. 6 52. 3 52. 2 52. 1 52. 0 51. 8 51. 7	81. 5 81. 4 81. 4 81. 3 81. 2 81. 2 81. 1 81. 1 81. 0 80. 9 80. 9		
1903 1902 1901	1 20, 990, 841 1 20, 648, 941 1 20, 307, 043 2 19, 960, 742			25. 9 26. 0 26. 1 26. 3				

Consolidation of estimates of population as of June 1 and of July 1.
 Population by census May 31; this is used as basis of rates.

Note.—For the States included in these groups, see table A. Estimates of population are based on Federal censuses of 1900 and 1910, 1910 and 1920, and 1920 and 1930. Estimates from 1900 to 1909 from Mortality Statistics, 1909. The estimated population of the registration States of 1930 is 117,338,209, which comprises 95.2 percent of the estimated total population of continental United States.

DIAGRAM 1.—PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA IN CONTINENTAL UNITED STATES FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, and 1900 to 1932



COMPARISON WITH EARLIER REPORTS

In this report certain changes have been initiated: The term "urban" as used in the birth and mortality reports prior to 1930 included the population living in cities having 10,000 inhabitants or more. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural". This conforms with the established practice This conforms with the established practiceof the population census reports. In order, however, to facilitate comparisons with the earlier classification. the urban population as thus defined is usually subdivided into two groups, one comprising the popula-tion of cities of 10,000 or more and the other that of cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the mortality reports, and the latter, when combined with the rural population as now defined, corresponds to the population previously designated as rural.

In the text tables only two classes are shown, "cities" and "rural", the class "incorporated places" (minor cities with populations from 2,500 to 10,000)

being included in "rural."

Also the term "other races" has been substituted for other colored which heretofore has included those races not specified as Negro, Indian, Chinese, and Japanese. This change has been made to conform with the practice established at the 1930 Census of Population.

Classification of "accidental" causes. In following the requirements established by the International Commission on the International List of Causes of Death at the 1929 conference in Paris a dual method of classifying accidental causes of death has been employed, as a means of making available statistics comparable with the classification of earlier years. The supplemental figures with appropriate explanation are shown under the heading "Supplemental" at the end of Rate Table II and General Tables 6, 7, and 8.

DEATHS AND CRUDE DEATH RATES

Death rates are computed on the basis of number per 1,000 estimated population on July 1, 1932, except in dealing with the causes of deaths, for which the computations are per 100,000 estimated population.

computations are per 100,000 estimated population. Table D shows the number of deaths and the death rates from 1880 to 1932.

Table D		ROM ALL REGISTRA- A 2	Table D—Con.		ROM ALL REGISTRA- A 2
CALENDAR YEAR	Number	Rate per 1,000 popula- tion 3	CALENDAR YEAR	Number	Rate per 1,000 popula- tion ³
1932 1931 1930 1928 1928 1927 1926 1925 1925 1924 1923 1929 1920 1991 1918 1917 1918	1, 322, 587 1, 343, 356 1, 386, 363 1, 378, 675 1, 236, 949 1, 285, 927 1, 219, 019 1, 173, 990 1, 193, 017 1, 101, 863 1, 322, 009 1, 142, 558 1, 471, 367 1, 688, 932 1, 001, 921	10. 9 11. 1 11. 3 11. 9 12. 1 12. 3 11. 8 11. 8 11. 6 13. 0 12. 2 14. 3 14. 3 14. 3 14. 3	1906 1905 1904	838, 251 839, 284 805, 412 732, 538 691, 574 658, 105 545, 533 551, 354 524, 415 508, 640 518, 209 512, 669	13. 6 14. 1 13. 9 14. 2 15. 0 14. 4 16. 0 16. 5 16. 5 16. 5 17. 6 17. 8 19. 8

- ¹ Exclusive of stillbirths. ² In continental United States.
- Estimated as of July 1.
 Census year ending May 31.

DEATHS BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX

Table E shows deaths by sex, color, nativity, and parent nativity.

Table E COLOR, NATIVITY, AND	DEATHS F IN THE STATES:	REGISTRA'				
PARENT NATIVITY		Number		Distrib	oution pe	r 1,000
	Total	Male	Female	Total	Male	Female
Aggregate	1, 308, 529	712, 931	595, 598	1,000.0	1,000.0	1,000.0
White	1, 126, 226	616, 386	509, 840	860.7	864. 6	856.0
Native Both parents na-	859, 931	464, 370	395, 561	657.2	651. 4	664.1
tiveOne or both par-	518, 155	278, 309	239,846	396.0	390.4	402.7
ents foreign born Parentage un-	217, 784	115, 277	102, 507	166.4	161.7	172. 1
known	123, 992	70, 784	53, 208	-94.8	99.3	89.3
Foreign bornUnknown	249, 695 16, 600	139, 515 12, 501	110, 180 4, 099	190. 8 12. 7	195. 7 17. 5	185. 0 6. 9
Other races	182, 303	96, 545	85, 758	139.3	135. 4	144.0
Negro Indian Chinese	166, 664 4, 633 1, 250	87, 363 2, 386 1, 116	79, 301 2, 247 134	127. 4 3. 5 1. 0	122. 5 3. 3 1. 6	133. 1 3. 8 0. 2
Japanese Other	1, 019 8, 737	743 4, 937	276 3,800	0.8 6.7	1.0 6.9	0.5 6.4

The 1,308,529 deaths in 1932 were distributed as follows: Males, 54.5 percent; females, 45.5 percent; white, 86.1 percent; colored, 13.9 percent. Of the colored, the great majority, 91.4 percent (equivalent to 12.7 percent of the total for all races), were Negroes.

DIAGRAM 2.—PERCENT OF DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1932





Table F shows the age and sex distribution of decedents in 1932.

Table F	DEATHS FROM ALL CAUSES (EXCLUSIVE OF STILLEIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1932					
AGE	:	Number		Distril	oution pe	r 1,000
	Total	Male	Female	Total	Male	Female
All ages	1, 308, 529	712, 931	595, 598	1,000.0	1, 000. 0	1,000.0
Under 1 year	17, 864 9, 274 6, 607	68, 871 9, 627 4, 933 3, 482 2, 950	52, 396 8, 237 4, 341 3, 125 2, 546	92.7 13.7 7.1 5.0 4.2	96. 6 13. 5 6. 9 4. 9 4. 1	88. 0' , 13. 8 7. 3 5. 2 4. 3
Under 5 years	19, 804 16, 552 27, 054 36, 614 37, 785 40, 730 53, 456 69, 797 82, 513 108, 563 116, 378 129, 032 112, 324 44, 945 16, 023 3, 585 1, 132	89, 863 10, 831 9, 327 14, 382 18, 568 19, 094 21, 212 27, 319 33, 158 40, 396 44, 251 61, 839 64, 249 69, 849 58, 982 40, 724 20, 781 6, 670 1, 398 403 955	70, 645 8, 973 7, 225 12, 672 18, 046 18, 701 19, 518 22, 884 425, 298 29, 401 34, 479 38, 593 46, 674 51, 533 59, 183 59, 183 59, 183 59, 183 59, 183 24, 187 729 22, 628	122. 7 15. 1 12. 6 20. 7 28. 0 31. 1 38. 4 44. 7 53. 3 63. 1 71. 0 83. 0 88. 9 98. 6 85. 8 62. 7 34. 1 12. 2 2. 7 0. 9 1. 2	126. 0 15. 2 13. 1 20. 2 26. 0 26. 8 29. 8 38. 3 38. 3 46. 5 67. 4 76. 1 86. 8 91. 0 98. 0 92. 0 0. 6 1. 3	1.2

Table G and diagrams 3 and 4 show, for each year from 1900 to 1932, the number of deaths at all ages, under 1 year of age, and under 5 years of age, and the

DIAGRAM 3.—Number of Deaths in the Registration Area in Continental United States, at All Ages, Under 1 Year of Age, and From 1 to 4 Years of Age, for Each Year from 1900 to 1932



percentages which the deaths under 1 and under 5 form of the total.

In 1900 the deaths under 1 year of age formed 20.7 percent and those under 5 years 30.4 percent of the deaths at all ages, but in 1932 the corresponding percentages were 9.3 and 12.3.

Table G	DEATES FROM ALL CAUSES (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES								
CALENDAR YEAR		Under 1	year	Under 5	years				
	All ages	Number	Percent of total	Number	Percent of total				
0									
1932		121, 267	9.3	160, 508	12.3				
1931	1, 322, 587	132, 874	10.0	178, 537	13. 5				
1930	1, 343, 356	145, 374	10.8	195, 200	14. 5				
1929	1,386,363	148, 886	10.7	206, 028	14. 9				
1928	1,378,675	155, 858	11.3	216, 090	15.7				
1927	1, 236, 949	147, 134	11.9	199, 507	16. 1				
1926	1, 285, 927	163, 343	12.7	226, 824	17. 6				
1925	1, 219, 019	161,961	13. 3	218, 294	17. 9				
1924	1, 173, 990	161,404	13.7	220, 122	18.7				
1923	1, 193, 017	166, 274	13. 9	233, 918	19. 6				
1922	1, 101, 863	158, 560	14.4	218, 201	19.8				
1921	1,032,009	160,011	15.5	220, 688	21. 4				
1920	1, 142, 558	174, 710 •		248, 432	21. 7				
1919	1,096,436	161, 621	14.7	229, 813	21.0				
1918		193, 855	13. 2	306, 143	20.8				
1917	1,068,932	171,024	16.0	243, 708	22.8				
1916	1,001,921	164, 660	16.4	234, 081	23. 4				
1915 1914	909, 155	148, 561	16.3	203, 223	22.4				
1913	898, 059 890, 848	155, 075	17.3	214, 120	23.8				
1912	838, 251	159, 435	17.9	225, 129	25. 3				
1911	030, 201	147, 455	17.6	204, 639	24, 4				
1910	839, 284 805, 412	149, 322 154, 373	17.8 19.2	209, 482 217, 319	25. (27. (

Table G-Continued	DEATHS FROM THE REGISTRA					
CALENDAR YEAR		Under 1	l year	Under 5 years		
	All ages	Number	Percent of total	Number	Percent of total	
1909 1908 1907 1906 1905 1904 1904 1902 1902 1901	551, 354 524, 415	140, 057 136, 432 131, 110 133, 105 105, 553 102, 880 96, 857 98, 575 97, 477 111, 687	19. 1 19. 7 19. 1 20. 2 19. 3 18. 7 18. 5 19. 4 18. 8 20. 7	196, 534 189, 865 183, 774 186, 978 147, 384 145, 902 139, 940 143, 515 141, 678 164, 137	26. 8 27. 5 26. 7 28. 4 27. 0 26. 5 26. 7 28. 2 27. 3	

DIAGRAM 4.—PERCENT OF DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH YEAR FROM 1900 TO 1932

0	10	20	30	40	50	60	70	80	90	100
										==
										
								ــــــــــــــــــــــــــــــــــــــ		
										=
										=
										=
		///								
		iii								
			-							
7////		VIII								
				II						
7////		m								=
					I					
					<u> -</u>					
/////										\Box
7///		WHIII								
7777										
7////										
			1							
7////			-							
										=
					خنب حب					
01111		minum in		<u> </u>	11					\Box

DEATH RATES BY MONTHS

Table H shows annual death rates from all causes per 1,000 population, by months.

Table H	AN	ANNUAL DEATH RATE FROM ALL CAUSES (EXCLUSIVE OF STILL- BIRTHS) PER 1,000 ESTIMATED MIDYEAR POPULATION										LL-
MONTH	Regi	Registration area in continental United States						egistra	ation	State	s of 19	00 r
	1932	1932 1931 1930 1920 1910 1900				1932	1931	1930	1920	1910	1900	
Total	10. 9	11. 1	11. 3	13.0	15. 0	17.6	11. 3	11.4	11. 5	13. 8	15. 6	17. 2
January February March April May June	11. 1 12. 2 13. 0 11. 6 10. 7 10. 1	12.7 11.9	12. 7 12. 5 12. 4 11. 3	24.8 15.7 13.0 12.3	16. 7 15. 4	19. 1 21. 3 21. 2 17. 6	14.3 12.4	13. 6 13. 0 12. 3 11. 5	13. 2 13. 1 13. 2 11. 9	26. 5 15. 9 14. 1 13. 4	16.6 17.7 16.5 14.7	18. 4 21. 0 20. 8 17. 0
July	10. 0 9. 4 9. 3 10. 0 10. 6 13. 0	9.6 9.8	10.0 10.0 10.6	10. 5 10. 7 10. 8 11. 4	15.3 14.5 13.7 14.3	17. 8 16. 7 15. 4	9. 6 9. 5 10. 3	9, 9 10, 0 10, 6	10.0 10.0 10.8	11.0 11.3 11.2 11.8	15. 9 15. 1 14. 2 14. 5	18. 1 17. 2 15. 3 14. 4

¹ See table A.

DEATH RATES OF THE REGISTRATION AREA |

Death rates from all causes are shown in table I.

Table I	OF		BIRTHS		CAUSE 1,000		LUSIVE MATED
•	1932	1931	1930	1929	1928	1927	1920
The registration area in conti- nental United States	10. 9	11.1	11.3	11.9	12.1	11.4	13.0
Registration States ¹ Cities of 10,000 or over ¹ Smaller cities and rural areas	10.9 11.6 10.2	11. 1 11. 9 10. 2	11.3 12.2 10.4	11. 9 13. 0 10. 9	12.0 13.3 11.0	11. 4 12. 5 10. 4	13. 0 14. 1 11. 9
Registration cities in nonregistration State	12. 1 11. 7	12. 1 11, 9	13. 2 12. 3	13. 6 13. 1	13. 8 13. 3	13. 6 12. 5	16. 9 14. 2

¹ Including District of Columbia.

The death rates in 1932 were the lowest since 1920 for every subdivision of the registration area shown in table I. The rates for cities of 10,000 population or more were higher than those for smaller cities and rural areas.

In view of the many changes which have taken place in the extent of the registration area since 1900, rates for the area usually are not strictly comparable year after year; therefore, in table J, rates are presented, for the registration States of 1900—the "original registration States": Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, and the District of Columbia.

Table J	OF		RTHS) I	LL CAUS		
	1932	1931	1930	1929	1928	1920
The registration States of 1900 1	11. 3	11.4	11. 5	12.3	12. 3	13.8
Cities of 10,000 or over 2 Smaller cities and rural areas	10. 9 12. 1	11. 1 12. 0	11.3 12.0	12.3 12.3	12. 4 12. 2	13. 7 13. 9

¹ See table A.

Including District of Columbia.

DEATH RATES OF REGISTRATION STATES

Table K shows death rates from all causes in the registration States.

Caution should be exercised in drawing conclusions from crude death rates as to the health conditions in the different localities. Race stock, occupations of the inhabitants, the sex and age distribution of the population, and the relative number of deaths of nonresidents are among the factors which must be considered.

Of the 47 States in the area in both 1932 and 1931, 25 had decreases in 1932 compared with 1931. In Colorado, Florida, Iowa, Kentucky, Michigan, Minnesota, Montana, Nebraska, North Dakota, Ohio, Oregon, Tennessee, and Wisconsin the rates were the same for the 2 years. The highest rates per 1,000 population in 1932 were for Nevada (14.4), New Mexico (13.8), New Hampshire (13.5), Maine (13.4), and Vermont and Delaware (13.2). North Dakota had the lowest rate (7.5) fellowed by Oblehova (7.6) had the lowest rate (7.5), followed by Oklahoma (7.9), South Dakota (8.2), and Utah (8.6).

In 13 of the 14 States shown by color the rates for the colored populations were higher than those for the white. The most conspicuous difference was in Kentucky, where the rate for the colored was 18.8 as against 10.3 for the white.

Table K	DEATH RATE FROM ALL CAUSES 1 PER 1,000 ESTIMATED POPULATION			Table K—Contd.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 ESTIMATED POPULATION			
	1932	1931	1920		1932	1931	1920	
Registration States 2 Alabama White	10.3	11.11 10.7 8.8 14.0 13.7 8.8 14.0 13.7 11.5 11.5 11.5 12.0 13.8 11.5 12.0 13.8 14.0 13.8 14.0 13.8 14.0 14.0 15.0 16.0 1	13. 0 (3) (3) (3) (3) (4) 4.56688114.53 (4) 14.5668114.53 (5) (6) (6) (7) (11.11.11.11.11.11.11.11.11.11.11.11.11.	Minnesota Mississippi White Colored Missouri Montana Nebraska Newada New Hampshire New Jersey New Mexico New York North Carolina White Colored North Dakota Ohio Oklahoma White Colored Oregon Pennsylvania Rhode Island South Carolina White Colored South Carolina White Colored Oregon Pennsylvania Rhode Island South Carolina White Colored South Dakota Tennessee White Colored Utah Vermont Virginia White Colored Utah Vermont Virginia White Colored	10.0 8.2 11.2 9.8 9.3 11.5 10.3 11.5 10.3 12.1 11.2 11.2 11.2 11.1 11.2 11.2 11	9.9 9.10.9 8.6 6.13.1 12.1 12.1 12.7 12.7 12.7 12.7 12.7 12	10. 7 12: 22 9. 2 15. 0 0 10. 0 12: 15. 0 10. 0 15: 2 15: 0 10. 0 15: 2 11: 12: 0 12: 0 11: 12: 0 12:	
Colored Massachusetts Michigan	18. 1 11. 5 10. 0	19.3 11.3 10.0	21. 1 13. 8 13. 8	West Virginia Wisconsin Wyoming	10. 2 10. 2 9. 0	10.1 10.2 8.9	(3) 11. 2 (3)	

Exclusive of stillbirths.
 Including District of Columbia.
 Not in registration area.
 Death rates by color not available.

DEATH RATES OF LARGE CITIES

Table L shows death rates from all causes for cities of 100,000 population or more in 1930.

Table L	ALL 1,00			Table L—Contd.	ALL CAUSES 1,000 ESTIM		
	1932	1931	1920		1932	1931	1920
CITIES OF 100,000 POP- ULATION OR MORE IN 1930				CITIES OF 100,000 POP- ULATION OR MORE IN 1930—contd.			
Akron Albany Atlanta White. Colored Baltimore. White. Colored Birmingham White. Colored Boston Bridgeport Buffalo. Cambridge Camden Canton Chattanooga White. Colored Cincinnati White. Colored Colored Chicago Cincinnati Colored Cleveland	13.7 14.0 1 19.7 13.2 1 12.5 13.9 16.2 13.9 10.4 12.7 10.2 19.9 14.2 19.9 14.8 19.9	7.7 14.19 11.6 21.6 21.29 19.9 10.2 17.7 11.1 12.7 11.1 12.7 11.1 12.7 11.1 20.1 15.7 14.7 11.7	11.7 7 14.6 8 12.16.3 16.3 16.3 16.3 16.3 16.3 16.3 16.4 14.9 112.6 112.7 114.8 114.9 114.	Columbus. White. Colored. Dallas. White. Colored. Dayton. Denver. Denver. Des Moines. Detroit. Duluth Elizabeth El Paso. White. Colored. Evansville. Fall River. Filint. Fort Wayne. Fort Wayne. Fort Worth. White. Colored. Gary. White. Colored. Gary. White. Colored.	13.6 16.0 11.1 9.7 17.9 11.8 12.4 7.9 11.3 10.4 14.0 12.8 14.7 11.1 10.7 17.5 10.1 14.5 14.7 15.0 15.0 16.0 17.0 17.0 17.0 17.0 17.0 17.0 17.0 17	13. 4 13. 17 15. 1 9. 2 11. 1 9. 2 11. 8 14. 1 11. 2 10. 6 14. 8 11. 3 15. 8 11. 3 16. 9 10. 5 10. 5 10. 5 10. 7 10. 9 10. 7 10. 9 10. 7 10. 8 10. 9 10. 9 1	14.8 14.2 21.1 13.3 12.0 20.4 12.3 17.4 (2) 13.5 10.2 12.7 13.7 13.7 13.7 13.7 11.8 (2) (2) (2) (2) (2) (3) 17.8 18.2 (2) 19.8 (2) 19.8 19.8 19.8 19.8 19.8 19.8 19.8 19.8

Table L—Contd.	1,000	H RATI CAUSES D ESTIM DPULAT	IATED	Table L—Contd.	DEATH RATE FROM ALL CAUSES ¹ PER 1,000 ESTIMATED POPULATION			
	1932	1931	1920		1932	1931	1920	
CITIES OF 100,000 POP- ULATION OR MORE IN 1930—contd.				CITIES OF 100,000 POP- ULATION OR MORE IN 1930—contd.				
IN 1930—contd. Grand Rapids Hartford Houston White Colored Indianapolis White Colored Jacksonville, Fla White Colored Kansas City, Kans White Colored Kansas City, Mo White Colored Kansas City, Mo White Colored Louse White Colored Miami White Colored Miami Colored Miami Nashville White Colored Miwaukee Minneapolis Nashville White Colored Nashville White Colored New Haven New Bedford New Haven New Haven New Orleans White Colored New York Bronx Borough Brooklyn Boro Manhattan Boro	12. 2 9. 4 10. 2 10. 2 10. 4 10. 5 10. 1 10. 1 1	9. 0 13. 9 9. 1 13. 6 13. 6 13. 6 13. 7 14. 7 12. 8 12. 12. 8 12. 12. 8 12. 12. 8 13. 6 14. 7 15. 6 16. 9 16. 9 16. 9 16. 7 16. 7 16	13.55 1 2 14.3 1 5 5 6 1 2 9 0 2 7 8 6 4 1 1 0 6 9 8 8 8 6 8 0 5 7 7 3 1 1 5 5 0 9 1 2 1 2 1 3 3 4 7 1 5 5 0 1 2 1 2 1 5 3 6 4 1 1 1 3 3 5 6 1 2 2 4 7 8 6 6 8 0 5 7 7 3 1 1 5 5 0 9 4 5 6 6 5 2 4 7 1 5 2 1 5 2 6 5 7 7 3 1 1 5 2 1 5 2 6 5 2 1 2 2 1 5 2 6 5 7 7 3 1 1 5 5 0 9 4 5 6 6 5 2 9 4 5 6 6 5 2 1 2 2 1 3 3 4 4 7 1 4 5 6 5 5 2 7 1 2 2 1 3 3 4 7 1 1 2 5 1 2 1 3 3 4 7 1 1 3 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1	IN 1930—contd. Norfolk. White. Colored. Oakland. Oklahoma City. Omaha. Paterson. Peoria. Philadelphia. White. Colored. Pittsburgh. Portland, Oreg. Providence Reading. Richmond, Va. White. Colored. Rochester, N.Y. St. Louis. White. Colored. St. Paul. Salt Lake City. San Antonio. White. Colored. San Francisco. Scranton. Seattle. Somerville. South Bend. Spokane. Springfield, Mass. Syracuse. Taooma. Tampa. White. Colored. Trenton. Tuisa. White. Colored. Trenton. Tuisa. White. Colored. Utica. Washington, D.C. White. Colored. Wichita. Colored. Utica. Washington, D.C. White. Colored. Wichita. Washington, D.C. Wichita. Wilmington, Del.	10. 2 0 10. 6 12. 4 1 11. 12. 12. 12. 13. 0 14. 4 1 12. 13. 0 14. 4 2 10. 8 11. 14. 2 10. 8 11. 14. 2 10. 8 11. 1 11. 8 8 7. 7. 5 11. 18. 8 10. 6 11. 14. 6 11. 6	13. 2 10. 1 10. 8 10. 1 10. 8 13. 2 12. 8 12. 8 12. 7 11. 6 12. 7 11. 6 13. 7 10. 8 13. 2 12. 8 12. 8 11. 6 13. 7 10. 8 13. 2 12. 8 13. 2 12. 8 13. 2 12. 8 13. 2 12. 8 13. 2 14. 6 13. 7 14. 6 13. 7 14. 6 13. 7 14. 6 15. 1 16. 6 17. 7 18. 8 19. 1 19. 1	15. 5 1 1.1. 18 8 11. 14 4 1 12. 28 13. 28 1	
White	14. 1 22. 8 10. 5 8. 0 9. 7	16. 7 14. 6 22. 4 11. 4 12. 0 13. 1 16. 4 13. 5 23. 5 10. 9 8. 1 10. 1	18. 1 15. 5 24. 0 12. 9 14. 4 14. 6 14. 5 26. 2 12. 9 10. 4 12. 5	White Colored Toledo Trenton Tulsa White Colored Utica Washington, D.C White Colored	10. 6 13. 8 11. 6 14. 2 8. 3 8. 0 10. 6 14. 9 16. 1 14. 0 21. 6 9. 9	10. 1 15. 4 11. 8 14. 7 8. 0 7. 5 11. 2 15. 0 15. 8 13. 4 22. 0 9. 7		

⁴ Exclusive of stillbirths.

Of the 93 cities for which rates are shown in both 1932 and 1931, 53 had lower rates in 1932 than in 1931 and 9 had the same rates in the 2 years.

In the year 1932, the lowest rates were for Akron and Flint (7.5 each) and South Bend (7.7). Memphis (16.8), New Orleans (16.6), and Washington, D.C. (16.1) had the highest rates.

Among the cities shown by color, the rates for colored ranged from 10.6 for Tulsa, to 22.8 for New Orleans.

DEATHS BY RACE

The total deaths in the registration States in 1932 included 1,115,555 whites; 163,442 Negroes; 4,632 Indians; 1,236 Chinese; 1,017 Japanese; and 7,387 other races.

Table M shows the distribution in cities and rural districts.

... . . .

CLASSIFICATION BY RACE

The classification of births and deaths by race distinguishes white, Negro, Indian, Chinese, Japanese, and "other races." (See tables 2 and 4.) "Other races" includes Mexicans so far as reported as such. The Mexican element in the population has increased very rapidly in recent years; and for that reason it was given a separate classification in the population census of 1930, having in prior censuses not been distinguished from the white population. It is evident, however, that very many Mexican deaths are designated as white on the death certificates. The total number of deaths reported as Mexican in 1932 was 8,264, as compared with 9,310 in 1931, and 5,314 in 1930.

Table M	DEATHS	(EXCLUSIV	e of sti	LLBIRTI	IS) BY	RACE: 1	932
AREA	Total	White	Negro	In- dian 2	Chi- nese	Japa- nese	Other races
Registration States 1 Cities 1 Rural	1, 293, 269 673, 342 619, 927	1, 115, 555 591, 022 524, 533	163, 442 77, 155 86, 287	4, 632 424 4, 208	1, 236 909 327	1,017 594 423	7, 387 3, 238 4, 149
	010, 821	024, 000	00, 201	4, 203		420	
Alabama: Cities Rural	8, 273 19, 407	4, 248 10, 623	4, 022 8, 780	4			3
Arizona: Cities Rural Arkansas:	2, 132 3, 288	1, 426 1, 590	124 87	60 566	4 10	8 6	510 1,029
Cities Rural California:	3, 766 12, 549	2, 645 8, 606	1, 120 3, 937	<u>-</u>	1 3		<u>2</u>
Cities Rural Colorado:	42, 946 24, 734	38, 876 21, 161	973 344	38 306	405 234	403 287	2, 251 2, 402
Cities	6, 171 6, 428	5, 857 5, 914	176 74	2 25	6 4	9 16	121 395
Cities Rural Delaware:	11, 915 5, 04 7	11, 518 4, 976	388 71	2	7		
Cities	1, 490 1, 688	1, 257 1, 313	233 374	1			
Cities Rural	7, 974 1 0 , 314	5, 021 6, 266	2, 944 4, 044	5 2	2 1	<u>1</u>	2
Georgia: Cities Rural Idaho:	10, 638 21, 490	5, 289 11, 529	5, 347 9, 960		1	1	1
Cities Rural	590 3, 352	573 3, 240	10 9	3 87	1	2 10	1 5
Illinois: CitiesRural	52, 912 30, 268	48, 037 29, 211	4, 761 1, 024	1	65 7	6 2	42 24
Indiana: Cities Rural	17, 328 21, 428	15, 735 21, 104	1, 540 319	3	1		50 4
Iowa: Cities Rural Kansas:	9, 650 16, 136	9, 408 16, 035	223 77	3 15	3 1		13 8
Cities Rural Kentucky:	6, 857 12, 655	6, 094 12, 234	759 406	4 14	<u>-</u> -		
Cities Rural	8, 712 20, 347	6, 826 18, 003	1, 885 2, 344	1			
Louisiana: Cities Rural	11, 002 12, 309	6, 418 6, 086	4, 571 6, 193	17	8 1	1	4 12
Maine: Cities Rural	3, 498 7, 221	3, 486 7, 204	9 6	1 11	1		1
Maryland: Cities Rural	12, 367 8, 671	9, 454 6, 501	2, 903 2, 169		8	<u>i</u>	2
Massachusetts: Cities	40, 383 9, 063	39, 644 8, 924	694 127	2 8	42 4	1	
Michigan: CitiesRuralMinnesota:	27, 205 22, 380	25, 114 21, 838	2, 033 436	11 92	13 1		34 13
Cities Rural	11, 634 13, 957	11, 483 13, 706	139 29	218	5 1		1 3
Mississippi: Cities	3, 885 16, 426	1, 868 6, 435	2, 011 9, 961	3 19	3 3		<u>-</u>
See footnotes at	end of ta	ible.					

<sup>Not in registration area.
Death rates by color not available.</sup>

Table M-Contd.	DEATE	is (Exclusi	ve of s	TILLBIR	тня) вт	RACE:	1932
AREA	Total	White	Negro	In- dian	Chi- nese	Japa- nese	Other
Missouri: Cities	21, 068	17, 809 21, 308	3, 214 1, 353	1	11		_ 33
Rural Montana: Cities	22,670	11	1, 353	13	1		6
Rural Nebraska:	1, 656 3, 638	1, 621 3, 257	12	323	11	2	33
Cities Rural	4, 675 8, 247	4, 455 8, 103	205 16	67	1 1	1 2	12 58
Nevada: Cities Rural	350 992	333 856	5 3	111	4 6		1 9
New Hampshire: Cities	3, 013	3, 007 3, 313	6			<u> </u>	
Rural New Jersey: Cities	3, 316 28, 882	3, 313 26, 454	2 413	1	12	1	
Rural New Mexico: Cities	14, 032	13,009	2, 413 1, 014		5	3	1
Rural	997 4, 971	956 4,664	27 37	14 264		5	ī
New York: Cities Rural	112, 303 35, 521	105, 934 34, 714	6, 133 717	27 83	147 4	31 3	31
North Carolina: Cities	8, 274 22, 777	4, 752 14, 761	3, 517 7, 877	2	2	 	1
Rural North Dakota: Cities	993	982	7,877	138		1 2	
RuralOhio:	4, 160	4, 022	6	132			
Cities Rural Oklahoma:	44, 956 31, 330	40, 575 30, 286	4, 359 1, 036	2 3	14	2 1	4
Cities Rural	6, 461 12, 824	5, 476 11, 187	839 1, 007	124 596	2		20 34
Oregon: Cities	4,746 5,531	4,627	30 14	12 87	35 7	33 13	9 11
Rural Pennsylvania: Cities	62,793	5, 399 57, 124	5, 630	1	28	3	7
Rural Rhode Island:	46, 411	45, 070	1, 332		4		5
Cities Rural South Carolina:	7, 135 945	6, 945 924	184 19	1	3 1		2
Cities Rural	4, 387 15, 497	2, 054 6, 545	2, 331 8, 952		2		
South Dakota: Cities Rural	1, 185 4, 540	1, 176 4, 040	4 7	5 493			
Tennessee: Cities	10, 423	6, 285	4, 132 3, 667	100	2 1		4 1
Rural Utah:	18, 205 2, 202	14, 536	3, 667 17	1	1 10	16	1 14
Cities Rural Vermont:	2, 202	2, 144 2, 145	2	55	1	16 10	5
Vermont: Cities Rural	897 3, 856	896 3, 853	1 3				
Virginia: Cities Rural	8,950 19,948	5,314 12,956	3, 631 6, 977	10	3 2		2 3
Washington: Cities	9, 318 7, 263	9,020	121	40	39	71 47	27 10
Rural West Virginia: Cities		6,939	29 447	231	7 ·2	47	10
· Rural Wisconsin:	4, 749 13, 163	4,300 11,825	1, 337		1		
Rural	13, 269 17, 052	13, 142 16, 806	101 81	20 163	3		3 2
Wyoming: Cities Rural	395 1,662	363 1,516	7 15	64	<u>i</u>	2 5	23 61
District of Columbia	7, 937	5, 001	2, 924		10	1	1

DEATH RATES OF FOREIGN COUNTRIES

Table N presents death rates for certain foreign countries.

Table O presents death rates for 1900 and from 1914 to 1932 for the registration area of continental

United States and for certain countries. These rates are shown in diagram 5.

Table N		ANN	UAL CI		DEAT		E PER	1,000	1	ease be- to 1885 1930
COUNTRY	1932	1931	1926 to 1930	1921 to 1925	1916 to 1920	1911 to 1915	1906 to 1910	1901 to 1905	1881 to 1885	Percent decrease be- tween 1881 to 1885 and 1926 to 1930
United States (registration area)	10.9	11.1	11.8	11.8	14. 5	13. 9	15. 2	16. 2	(1)	(1)
Australia Austria Belgium Ceylon Cohle Denmark England and Wales Frinland France Germany Italy Jamaica Japan Netherlands New Zealand Norway Ontario, Province of Scotland Spain Sweden Switzerland Uruguay	13. 9 13. 2 20. 5 21. 0 12. 0 12. 6 2 15. 8 14. 7 17. 8 9. 0 2 10. 7 10. 5 13. 5 2 11. 6 2 11. 6 2 12. 1	13. 2 22. 0 11. 4 12. 3 13. 3 16. 4 11. 2 14. 8 19. 0 9. 6 8. 3	14. 4 13. 7 25. 1 25. 7 11. 1 13. 9 16. 8 11. 8 15. 7 19. 3 19. 4	15. 8 13. 4 27. 8 30. 2 11. 2 12. 2 14. 2 17. 2 13. 3 17. 0 23. 4	15. 8 30. 1 30. 6 13. 1 14. 4 19. 5 20. 2 19. 1 21. 8 26. 0	20. 0 14. 6 30. 6 28. 9 12. 8	15. 9 30. 8 31. 2 13. 7 14. 7 17. 4 19. 2 17. 5 21. 2 24. 4 20. 9	17. 0 26. 7 30. 8 14. 8 16. 1	30. 1 20. 6 (1) 26. 9 18. 4 19. 4 22. 2 22. 2 25. 3	40.8 52.2 33.5 (1).5 39.7 37.6 4.3 53.4 42.5 30.6 43.9 30.9 43.2 42.6

¹Figures not available.

² The figures are provisional.


Table O			DEA!	fh Rai	E PER	1,000 P	OPULA	TION			
COUNTRY	1900	1914	1915	1916	1917	1918	1919	1920	1921	1922	
United States (registration area)	17. 6	13.6	13. 6	14.0	14.3	18. 1	12.9	13. 0	11.6	11.	
Australia	11. 8 25. 4 35. 6	18. I	21.3	20.9	22.9	26.4	20.3	10. 5 19. 0 30. 7	9. 9 16. 9 32. 7	17.	
Wales France Germany Italy		² 20. 7	2 21. 0	² 19. 8 19. 2	² 20. 2 20. 6	24.8	2 19. 3 15. 6	17. 2 15. 1	17.7 13.9	14.	
Japan New Zealand Scotland	20.3 9.4 18.5	20. 5 9. 3 15. 5	20. 1 9. 1 17. 1	21. 5 9. 6 14. 7	21. 4 9. 6 14. 4	26.8 14.8 16.3	22.8 9.5 15.6	10. 2 14. 0	22. 7 8. 7 13. 6	22. 8. 14.	
SpainSweden	28. 9 16. 8	22. 0 13. 8	22. 0 14. 7	21. 3 13. 6	22. 3 13. 4	33. 1 18. 0	23. 3 14. 5	23. 8 13. 3	21. 3 -12. 4	20. § 12. §	
Table O-Contd.		DEATH RATE PER 1,000 POPULATION									
COUNTRY	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	

Table O-Contd.			DEA?	TH RAT	E PER	1,000 P	OPULA!	TION		
COUNTRY	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
United States (registration area)	12. 2	11.7	11.8	12.3	11.4	12. 1	11.9	11.3	11.1	10.9
Australia Austria Chile	9. 9 15. 3 32. 8	9. 5 15. 0 29. 2	9. 2 14. 4 27. 8	9. 4 14. 9 27. 2	9. 5 14. 9 25. 8	9. 5 14. 4 24. 4	9. 6 14. 5 26. 2	8. 6 13. 5 24. 7	8. 7 14. 0 22. 0	8. 7 13. 9 22. 8
England and Wales France Germany Italy	11. 6 16. 7 13. 9 16. 6	12. 2 16. 9 12. 3 16. 8	12. 2 17. 4 11. 9 16. 8	11.6 17.5 11.7 16.9	12.3 16.5 12.0 15.7	11.7 16.4 11.6 15.8	12.6 16.1	11.4 15.6 11.1 13.8	12.3 16.4 11.2 14.8	
Japan New Zealand Scotland Spain Sweden	22.8 9.0 13.0 20.8 11.4	21. 2 8. 3 14. 4 19. 8 12. 0	20.3 8.3 13.5 19.7 11.7	19. 2 8. 7 13. 1 19. 0 11. 8	19.8 8.5 13.6 18.9 12.7	19. 9 8. 5 13. 4 18. 4 12. 0	20. 0 8. 8 14. 6 18. 0 12. 2	18. 2 8. 6 13. 3 17. 3 11. 7	19. 0 8. 3 13. 3 17. 8 12. 5	17. 8 8. 6 13. 8 3 16. 4 3 11. 6

Based upon civilian deaths and estimated civilian population.
 Based upon the civil population of 77 "departements" not invaded.
 The figures are provisional.

Including District of Columbia.
 Transcripts of death certificates for 52 Indians received too late for inclusion. Note.—In this table the term "cities" includes places of 10,000 inhabitants or more; the remainder of the population classed as "rural."

DIAGRAM 5.—GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH YEAR FROM 1900 TO 1932



CAUSES OF DEATH

DETAILED, INTERMEDIATE, AND ABRIDGED INTERNATIONAL LISTS

In classifying causes of death, the mortality reports of the Bureau of the Census conform to the list in the fourth revision of the Manual of the International List of Causes of Death, which is based upon the proceedings of the International Commission in Paris in 1929 and was prepared and published by the Bureau of the Census.1

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for

the specific presentation of deaths from disease or violence, (2) an intermediate list in which many of the titles are consolidations of the headings of the detailed list, and (3) an abridged list in still more consolidated form.

Table P shows the distribution of deaths in 1931 and 1932 by the causes of the abridged list, with the corresponding rates and percentages. After each title of the abridged list appears the number or numbers corresponding to the included title or titles of the detailed International List.

List	Table P	DEATHS II	N REGISTRATIO	N AREA IN C	ONTINENTAL	UNITED ST	ATES
Abridged Int. no.	CAUSE OF DEATH ¹	Num	iber	Rate per 16 mated po	00,000 esti- pulation	Pero	ent
Abrid		1932	1931	1932	1931	1932	1931
	All causes (exclusive of stillbirths)	1, 308, 529	1, 322, 587	1, 089. 3	1, 107. 5	100.0	100.0
123456780	Typhoid and paratyphoid fever (1, 2). Typhus fever (3). Smallpox (6). Measles (7). Scarlet fever (8) Whooping cough (9). Diphtheria (10). Influenza (11).	36 38 1, 941 2, 577 5, 364 5, 418 37, 066	5, 382 27 95 3, 576 2, 650 4, 619 5, 738 31, 701	3.7 (2) 1.6 2.1 4.5 4.5 30.9	4. 5 (2) 0. 1 3. 0 2. 2 3. 9 4. 8 26. 5	0. 3 (3) (3) 0. 1 0. 2 0. 4 0. 4 2. 8	0. 4 · · · · · · · · · · · · · · · · · ·
9 11 12 13 14 15 15 17 18 19 20 12 22 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	Plague (14). Tuberculosis of respiratory system (23) Other forms of tuberculosis (24–32). Syphilis (34) Malaria (38). Other infectious and parasitic diseases (4, 5, 12, 13, 15–22, 33, 35, 36, 37, 39–44). Cancer and other malignant tumors (45–53). Tumors, nonmalignant, or of which the nature is not specified (54, 55). Chronic rheumatism and gout (57, 58). Diabetes mellitus (59). Alcoholism (acute or chronic) (75). Alcoholism (acute or chronic) (75). Other general diseases and chronic poisoning (56, 60–74, 76, 77). Progressive locomotor ataxia and general paralysis of the insane (80, 83). Cerebral hemorrhage, cerebral embolism and thrombosis (82). Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84–89). Diseases of the heart (90–95). Other diseases of the circulatory system (96–103). Bronchitis (106). Pneumonia (107, 108, 109). Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110–114). Disrahea and enteritis (119, 120). Appendicitis (121) Diseases of the liver and biliary passages (124–127). Other diseases of the digestive-system (115–118, 122, 123, 128, 129). Nephritis (130, 131, 132). Other diseases of the genitourinary system (133–139). Puerperal septicemia (140, 142a, 145). Other diseases of the skin and cellular tissue, and of the bones and organs of locomotion (161–156). Congenital debility and malformations, premature birth, and other diseases of early infancy (157–161).	67, 789 67, 789 10, 684 2, 568 11, 337 122, 739 1, 502 26, 368 3, 049 23, 230 5, 761 104, 897 19, 007 268, 696 26, 813 4, 338 92, 474 9, 123 19, 619 17, 111 18, 739 17, 111 18, 739 18, 354 3, 354 3, 354 3, 354	72, 515 8, 880 10, 592 2, 536 14, 855 118, 141 5, 885 24, 331 3, 933 24, 756 5, 862 103, 411 20, 661 263, 895 27, 270 4, 586 96, 974 9, 415 24, 723 18, 113 19, 349 33, 998 104, 119 15, 890 5, 445 8, 794 8, 7794	56. 4 8. 9 9. 4 102. 2 4. 9 2. 5 1. 3 22. 0 2. 5 19. 3 4. 8 87. 3 15. 8 223. 7 7. 6 7. 6 16. 3 14. 2 15. 6 5 87. 2 19. 4 10. 2 10. 2	60.7 7.4 8.9 1.2.4 192.9 1.3 20.4 3.3 20.7 4.9 86.6 17.3 212.7 22.8 3.8 7.9 20.7 15.2 27.7 87.2 16.2 27.7 87.2 13.3 14.6 7.4 3.1	5.6829441028405503175344402 0.000.2010.81020.701112810.00.40	5.7821941839448600.00.1.80018394862133379445592477.00.00.00.00.00.00.00.00.00.00.00.00.0
39 40 41 42 43	Senility (182) Suicide (163-171) Homicide (172-175) Violent and accidental deaths (suicide and homicide excepted) (176-198) Cause of death not specified or ill-defined (199, 200)	10, 207 20, 927 11, 035	10, 435 20, 088 11, 160 93, 811 22, 517	8. 5 17. 4 9. 2 71. 5 17. 5	8. 7 16. 8 9. 3 78. 6 18. 9	0.8 1.6 0.8 6.6 1.6	0.8 1.5 0.8 7.1 1.7

¹ Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are indicated by numbers.

² Less than one-tenth of 1 per 100,000 population.

³ Less than one-tenth of 1 percent.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE REGISTRATION STATES OF 1900, OF 1910, AND OF 1920

Rates from 32 important causes of death or groups of causes of death for the registration areas of continental United States for 1900, 1910, 1920, and 1922 to 1932, inclusive, are shown in table Q and graphically for 13 of these most important causes in diagram 6.

Table R shows for the registration States of 1900, rates for 1900, 1910, 1920, and 1922 to 1932, inclusive. Table S shows for the registration States of 1910 corresponding rates for 1910, and from 1920 to 1932, inclusive.

Table T shows for the registration States of 1920 the rates from 1920 to 1932.

For the populations used in obtaining the rates see table C.

¹ A pamphlet, Physicians' Pocket Reference to the International List of Causes of Death, may be obtained without charge upon application to the Bureau of the Census, Department of Commerce, Washington, D.C.

Detail- ed Int.	Table Q	DEAT	H RATE	PER 100,0	000 ESTIN	ATED PO	PULATIO	N IN TH	E REGIST	RATION	AREA IN	CONTINE	NTAL U	NITED ST	ATES
List no.	ORODE OF BEATE	1900	1910	1920	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
i	All causes (exclusive of stillbirths)	1, 755. 0	1, 496. 2	1, 303. 8	1, 173. 9	1, 219. 7	1, 173. 0	1, 184. 1	1, 225. 4	1, 143. 4	1, 206. 6	1, 191. 9	1, 133. 1	1, 107. 5	1, 089. 3
1, 2 6 7 8 9 10 11 107 108 108 109 15 18 23 24–32 24–32 24–32 24–32 106 109 109 119, 120 121 121 122 124 130–132 140, 142a, 142a, 145	Typhoid and paratyphoid fever Smallpox Measles. Scarlet fever Whooping cough Diphtheria. Influenza and pneumonia (all forms) Influenza and pneumonia? Lobar pneumonia? Lobar pneumonia. Unspecified pneumonia. Eysipelas. Epidemic cerebrospinal meningitis. Tuberculosis of the respiratory system. Other forms of tuberculosis. Malaria. Cancer and other malignant tumors. Diabetes mellitus. Cerebral hemorrhage and softening. Diseases of the heart! Bronchitis Bronchitis Appendicitis. Lernia, intestinal obstruction 8 Cirrhosis of the liver. Nephritis.	1.9 12.5 5 10.2 12.1 43.3 203.4 222.9 21.9 } 158.6 5 1 (3) 180.5 21.4 7.9 9 63.0 9.7 71.5 132.1 45.7 133.2 2 9.2 12.9 89.0	23.5 0.4 12.3 11.6 11.4 162.1 14.4 47.1 46.4 34.5 0.4 136.0 24.3 2.2 76.2 14.9 75.7 158.8 23.4 117.4 11.4 12.9 99.1 7.2	7.8 0.6 8.8 4.6 12.5 15.3 208.0 70.9 9.5 3.1 1.6 97.0 17.0 83.2 18.0 18.7 159.1 13.2 54.3 13.4 10.6 7.1 89.2	7.4 0.7 4.3 3.5 5.6 14.6 132.6 31.2 44.9 50.1 6.4 2.5 1.0 84.3 12.1 3.6 86.2 18.3 82.9 164.6 9.3 39.3 14.1 10.4 87.9 95.0 10.4 95.0 95.0 95.0 95.0 95.0 95.0 95.0 95.0	6.8 0.1 10.7 3.5 9.7 12.0 152.4 44.3 53.7 7.1 2.7 1.0 81.3 11.5 2.8 8.7 17.8 9.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0	6.7 0.9 8.5 3.1 8.2 9.3 116.7 19.4 40.6 6.1 2.5 1.0 78.0 11.7 2.4 91.1 16.5 7.2 40.5 176.5 7.2 14.8 10.5 7.3 88.8 88.9	8.0 0.7 2.3 2.7 6.7 7.8 123.4 29.7 38.7 49.9 5.1 1.75.9 10.8 2.1 92.8 12.4 1.75.9 10.8 2.1 92.8 1.0 185.7 6.5 39.4 15.2 10.8 15.2 15.2 15.2 15.2 15.2 15.2 15.2 15.2	6.5 0.4 8.2 2.5 8.9 7.5 143.5 44.0 54.0 7.2.6 1.3 76.6 10.7 9.5.1 18.0 9.5.1 18.0 18.0 19.5 6.6 33.6 15.0 11.2 98.5	5.5 0.1 4.1 2.3 6.9 7.8 103.2 2.2.6 23.8 43.2 7.2.4 1.6 9.5 7.1.4 9.5 7.7 17.5 80.4 196.0 5.4 27.6 2.7 9.5 9.5 9.5 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6	4.9 0.1 5.4 2.0 5.5 7.2 143.5 45.3 45.3 45.3 9.0 9.0 96.1 19.0 83.4 208.2 5.2 26.9 91.5 3 10.5 7.6 95.2	4.2 0.1 2.5 2.1 6.3 6.6 147.2 55.5 4.5 4.5 4.5 4.5 4.5 4.5 2.5 4.5 2.5 4.5 2.5 4.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2	4.8 0.1 3.2 1.9 4.8 4.9 102.7 19.5 34.3 45.4 3.5 2.1 2.9 97.2 19.0 205.5 4.2 26.3 15.3 10.3 7.2 90.8 4.6	4.5 0.1 3.0 2.2 3.9 4.8 107.7 26.5 33.6 44.5 3.2 1.9 2.4 4.6 20.7 7.7 2.5 2.1 98.9 20.4 20.5 20.5 20.5 20.5 20.5 20.5 20.5 20.5	3.7 (1) 1.6 (2.1 4.5 5.4 4.5 1.2 2.2 0.2 0
141, 142b- 144, 146- 150	Other puerperal causes	7. 6	8. 5	12. 5	9. 9	9. 7	9. 6	9. 3	9. 1	8.5	8.8	8. 2	8.2	7.3	7. 0
157–161 163–171 172–175 176–198	Congenital malformations and diseases of early infancy. Suicide. Homicide. [Automobile accidents 7. Automobile and railroad train collisions] Automobile and street car collisions	91. 8 11. 5 2. 1 (3) (2) (2) 79. 0	88. 1 16. 0 5. 9 1. 8 (2) (2) 82. 6	84. 7 10. 2 7. 1 10. 4 (2) (2)	77. 7 11. 8 8. 3 12. 4 (2) (2)	77. 3 11. 5 8. 1 14. 7 (2) (2)	77. 6 12. 1 8. 4 15. 5 1. 0 0. 4	74. 0 12. 1 8. 6 17. 1 1. 2 0. 5	71. 7 12. 8 8. 8 18. 0 1. 5 0. 4	67.8 13.3 8.8 19.6 1.5 0.4	65. 8 13. 6 8. 8 20. 8 1. 8 0. 5	62. 4 14. 0 8. 5 23. 3 1. 7 0. 4	60. 9 15. 6 9. 0 24. 5 1. 5 0. 4	56. 5 16. 8 9. 3 25. 2 1. 4 0. 4	53. 2 17. 4 9. 2 21. 9 1. 2 0. 3
199-200	Other external causes	79.0 73.8	82.6 23.1	66. 9 17. 7	57. 1 17. 6	61. 1 17. 0	58. 8 17. 5	59. 7 17. 4	58. 9 17. 8	57. 0 17. 6	56. 3 20. 6	55. 5 20. 9	54. 2 21. 0	51. 7 18. 9	48. 1 17. 5

¹ Less than 1/10 of 1 per 100,000 population.
2 Includes capillary bronchitis.
3 Not separately tabulated.
4 Excludes diseases of coronary arteries.

⁵ From 1900 to 1920 includes ulcer of the duodenum.
⁶ From 1900 to 1920 includes adhesions of intestines.
⁷ Excludes deaths from collision with railroad trains and street cars.

Detail- ed Int. List	Table R CAUSE OF DEATH		D	EATH RA	TE PER 1	00,000 Es	TIMATED	POPULA	TION IN	THE REG	ISTRATIO	n states	OF 1900	1	
no.		1900	1910	1920	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
	All causes (exclusive of stillbirths)	1, 719. 5	1, 562. 4	1, 376. 0	1, 245. 9	1, 275. 0	1, 215. 3	1, 230. 7	1, 276. 5	1, 173. 1	1, 229. 3	1, 234. 3	1, 152. 3	1, 136. 5	1, 127. 1
1, 2 6 7 8 9 10 11 107 108 18 18 24-32 24-32 38 45-53 82a, c	Typhoid and paratyphoid fever Smallpox Measles. Scarlet fever Whooping cough Diphtheris. Influenza and pneumonia (all forms) Influenza Bronchopneumonia - Lobar pneumonia Pneumonia Pneumonia Pneumonia erbospinal meningitis Tuberculosis of the respiratory system Other forms of tuberculosis. Malaria. Cancer and other malignant tumors. Diabetes mellitus. Cerebral hemorrhage and softening.	0 3 13.4 9.6 12.3 40.4 202.2 26.7 22.8 152.7 (4) 173.3 21 9 6.3 64.0 11.0	18. 0 0. 5 12. 6 12. 2 10. 7 22. 5 174. 4 15. 5 52. 6 53. 9 4. 9 0. 3 138. 1 26. 6 1. 3 83. 0 17. 6 88. 0	4.9 0.1 10.3 5.2 11.9 17.3 209.2 54.9 64.8 82.4 7.0 3.6 1.8 93.1 118.6 0.2 98.7 20.4	3. 9 0. 1 7. 9 4. 0 5. 7 14. 7 138. 4 23. 9 1. 2 78. 7 12. 6 0. 2 103. 9 23. 2 97. 3	3. 6 0. 1 8. 6 3. 5 12. 2 150. 3 31. 9 60. 3 4. 6 3. 0 1. 2 77. 5 12. 1 0. 1 105. 1 29. 3	3.5 0.9 5.8 3.3 6.5 10.1 115.2 12.8 44.8 54.1 3.5 2.9 1.2 73.2 12.4 0.1 108.2 200.3	3.8 0.3 3.4 2.6 5.8 8.1 122.4 20.1 43.7 55.6 3.0 2.9 1.1 70.9 11.2 0.1 110.7 21.0 90.0	2.8 (2) 11.1.1 2.8 7.7 7.6 148.0 30.2 52.4 62.9 2.5 3.2 1.3 71.2 11.2 0.1 112.6 22.0 91.3	1.9 0.1 1.9 2.6 4.7 8.4 104.1 15.4 48.8 2.1 3.0 0.1 1.3 65.4 9.9 9.0 1.1 114.7 22.0 86.7	1.9 0.1 5.5 2.1 7,4 130.8 24.3 44.5 59.9 2.1 2.8 3.2 65.3 9.6 0.1 115.8 23.6	1. 6 0. 1 2. 5 1. 9 4. 2 6. 7 140. 5 35. 2 43. 7 59. 5 63. 1 8. 8 0. 1 117. 3 24. 1	1. 6 0. 1 2. 6 1. 8 3. 4 4. 3 97. 9 11. 1 36. 7 48. 6 1. 5 2. 7 3. 6 0. 1 117. 6 24. 0 82. 7	1. 4 (2) 2. 2 2. 2 3. 4 2. 9 101. 1 16. 1 36. 2 47. 6 1. 2 2. 2 2. 3 2. 2 2. 5 5. 9 7. 4 0. 1 119. 7 25. 6	1.1 (2) 2.0 2.6 3.2 2.5 99.3 17.6 35.8 44.7 1.2 1.9 1.4 52.0 6.8 6.8 123.1 27.8
90-94a, 95 106 119, 120 121 122 124	Diseases of the heart 5	45. 2 139. 9 8. 8 11. 9 12. 6	180. 9 26. 6 119. 4 11. 1 12. 6 14. 4	197. 6 17. 1 55. 6 13. 2 11. 1 7. 7	208. 5 11. 8 36. 2 13. 7 10. 6 8. 1	220. 4 11. 2 33. 8 14. 4 10. 8 7. 6	218. 3 8. 1 27. 6 14. 9 10. 9 7. 9	232. 5 7. 6 31. 2 15. 1 10. 9 8. 2	249. 2 8. 2 24. 9 14. 8 11. 4 8. 0	238. 7 6. 1 19. 9 15. 0 10. 6 8. 0	259. 2 5. 8 19. 0 15. 2 10. 5 8. 4	266. 4 5. 8 17. 7 15. 9 10. 6 8. 1	253. 2 4. 9 17. 4 15. 8 10. 3 7. 8	249. 6 4. 1 13. 0 15. 6 10. 2 8. 3	258. 9 4. 0 10. 2 14. 6 10. 1 8. 0
130-132 140, 142a, 145 141,	Nephritis	5. 8	107. 3 6. 7	97. 4 6. 0	94. 3 5. 1	94. 9 5. 0	91. 8 5. 2	100. 7 4. 9	102.7 4.6	94. 6 4. 8	94. 6 4. 3	90. 8 4. 2	91.0	88. 3 3. 9	89. 5 3. 6
142b- 144, 146- 150	Other puerperal causes	7.6	8.4	11.5	8.8	8. 4	8.4	7.9	7.6	7.7	7.4	7.0	6.7	6. 2	5.9
157-161 163-171 172-175 176-198 199-200	Congenital malformations and diseases of early infancy Suicide Homicide Automobile accidents § Automobile and railroad train collisions Automobile and street car collisions Other external causes Ill-defined causes of death	(4)	94. 6 15. 4 3. 9 2. 0 (4) (4) 75. 8 19. 0	90. 8 10. 9 4. 2 12: 1 (4) (4) 58. 5 3. 4	81. 4 12. 7 4. 3 14. 5 (4) (4) 55. 9 3. 3	81. 0 12. 7 4. 5 16. 8 (4) (4) 60. 7 3. 2	80. 1 12. 8 5. 0 18. 0 1. 0 0. 6 56. 6 3. 4	75. 4 13. 0 5. 0 19. 0 1. 1 0. 6 58. 2 2. 8	72. 6 13. 3 5. 0 19. 3 1. 4 0. 5 56. 4 2. 5	68. 7 1 \(\). 2 5. 0 21. 3 1. 6 0. 5 53. 7 2. 3	66. 1 14. 9 4. 8 22. 4 1. 7 0. 5 54. 2 2. 2	62. 6 15. 6 5. 0 25. 1 1. 6 0. 4 53. 6 2. 3	60. 6 16. 9 5. 1 25. 0 1. 3 0. 4 51. 3 1. 9	55. 5 18. 3 5. 3 25. 5 1. 3 0. 3 49. 3 1. 8	51. 5 19. 3 5. 2 22. 5 1. 3 0. 2 45. 5 1. 8

See table A.
 Less than 1/10 of 1 per 100,000 population.
 Includes capillary bronchitis.
 Not separately tabulated.

⁵ Excludes diseases of coronary arteries.
6 From 1900 to 1920, includes ulcer of duodenum.
7 From 1900 to 1920, includes adhesions of intestines.
8 Excludes deaths from collison with railroad trains and street cars.

De- tailed Int.	Table S		DE	ATH RAT	E PER 10	00,000 ES	TIMATED	POPULA	TION IN	THE REC	ISTRATIO	N STATE	S OF 191	0 1	
List no.	CAUSE OF DEATH	1910	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
,	All causes (exclusive of stillbirths)	1, 469. 2	1, 330. 5	1, 183. 5	1, 210. 3	1, 254. 2	1, 194. 9	1, 208. 0	1, 246. 1	1, 161. 6	1, 222. 0	1, 209. 2	1, 142. 8	1, 128. 6	1, 117. 0
1, 2 6 77 8 9 10 11 107 108 109 15 18 23 24-32 24-32 38 45-53 45-53 95 90-94a, 95 106 119, 120 121 122 124 130-132	Typhoid and paratyphoid fever. Smallpox. Messles. Scarlet fever. Whooping cough. Diphtheria. Influenza and pneumonia (all forms). Influenza. Bronchopneumonia 3 Lobar pneumonia. Unspecified. Erysipelas. Epidemic cerebrospinal meningitis. Tuberculosis of the respiratory system Other forms of tuberculosis. Malaria. Cancer and other malignant tumors. Diabetes mellitus. Cerebral hemorrhage and softening. Diseases of the heart 4 Bronchitis. Diarrhea and enteritis 5 Appendicitis. Diarrhea, intestinal obstruction 6 Cirrhosis of the liver.	0.4 12.4 11.6 21.1 156.2 14.4 46.0 44.9 50.9 50.9 131.6 24.4 1.1 76.3 15.8 0 159.0 23.9 114.8 10.8	5.3 0.2 10.2 5.3 12.6 15.8 208.2 61.9 61.0 78.4 7.0 3.3 93.9 18.1 0.2 93.5 90.6 17.0 7.0 14.7 7.0 7.0 14.7 7.0 7.0 14.7 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	6.0 0.3 4.1 6.3 8.4 17.6 105.8 105.8 43.9 43.0 105.0 1	4.3 0.6 6.11 5.7 14.4 137.1 27.2 2.6 1.3 12.9 2.6 1.3 12.9 2.1 92.4 187.9 10.5 10.7 11.3 11.9 11.9 11.9 11.9 11.9 11.9 11.9	4.1 0.1 10.0 4.3 8.6 12.8 152.9 35.8 152.9 35.8 2.9 179.5 100.5 190.0 100.5 10	3.7 1.2 5.6 3.8 6.4 10.3 118.6 115.8 2.9 7.6 1.1 103.3 196.8 199.0 7.8 10.9 11.9 10.9 11.9 10.9 11.9 10.9 10.9	4. 0 0. 9 2. 9 3. 0 6. 5 8. 1 124. 1 24. 1 2. 7 7. 3. 4 11. 4 10. 1 105. 6 88. 5 211. 2 34. 5 14. 9 11. 0 11. 0 11	3.2 0.55 9.99 2.77 8.2 7.55 144.7 33.6 49.8 58.6 7.3.3 11.3 108.2 226.5 7.4 9.7 11.6 9.7 11.9 9.7 7.7	2.3 0.1 2.86 4.6 7.7 106.0 19.0 37.5 47.2 2.7 68.5 9.1 109.2 386.5 223.2 9.1 11.1 11.1 11.1 11.1 11.1 11.1 11.	2.0 0.1 4.2 5.2 6.7 138.8 35.5 2.1 2.2.6 67.8 9.5 112.2 48.9 240.4 89.9 15.2 10.9 8.6 93.1	1.9 0.1 2.7 2.1 5.0 5.6 139.2 42.0 2.8 54.2 2.0 2.8 8.8 7.0 112.5 87.4 244.7 5.8 9.1 11.1 18.9 11.1 18.9 2	2.11 2.99 3.66 3.99.8 14.30 47.05 2.33 37.05 2.33 47.05 2.33 4.01 113.52 84.7 23.6.3 4.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 4.7 23.6.3 23.6.	1.8 (2) 5.2 5.1 2.5 1 2.5 2.2 2.5 2.2 2.2 2.2 2.2 2.2 2.2 2.2	1.5 (2) 1.9 2.4 2.8 103.4 2.8 103.4 2.3 35.3 43.2 1.7 6.6 0.1 119.0 7 83.5 242.0 11.9 11.9 11.9 11.9 11.9 11.9 18.6 86.6
140, 142a,	Puerperal septicemia	7.0	6.2	6. 5	5. 1	5. 5	5. 3	5.1	4.8	4.9	4.5	4.4	4.0	4.1	3.6
145 141, 142b- 144, 146-	Other puerperal causes	8.4	11.5	9. 0	8.8	8. 4	8.4	7.9	7.7	7. 5	7.3	6.7	6.5	6.1	5.7
150 157–161 163–171 172–175 176–198 199, 200	Congenital malformations and diseases of early infancy. Suicide. Homicide. Automobile accidents ⁷ Automobile and railroad train collisions. Automobile and street car collisions. Other external causes Ill-defined causes of death.	88. 5 15. 4 4. 6 1. 8 (8) (8) 82. 8 22. 0	88. 1 11. 3 4. 9 12. 1 (8) (8) 62. 9 5. 2	87. 1 13. 9 5. 8 13. 1 (8) (8) 58. 3 4. 4	81. 0 13. 4 5. 3 14. 6 (8) (8) 58. 8 4. 5	80. 4 13. 1 5. 4 17. 4 (8) (8) 63. 8 4. 2	79. 4 13. 5 5. 6 18. 0 1. 1 0. 5 60. 6 4. 1	75. 0 13. 8 5. 7 19. 1 1. 2 0. 6 60. 5 3. 8	72. 0 14. 3 5. 5 19. 7 1. 5 0. 5 59. 2 3. 9	68. 4 14. 9 5. 5 21. 7 1. 7 0. 5 57. 0 3. 4	65. 8 15. 6 5. 4 23. 2 2. 0 0. 6 57. 6 3. 4	62. 2 16. 2 5. 4 26. 0 1. 8 0. 6 56. 7 3. 4	60. 0 17. 7 5. 7 26. 6 1. 5 0. 5 55. 0 3. 0	55. 7 18. 9 5. 7 27. 3 1. 4 0. 4 52. 4 3. 0	51. 7 19. 8 5. 6 24. 0 1. 3 0. 3 48. 3 2. 7

1 Excludes North Carolina; see table A.
2 Less than 1/10 of 1 per 100,000 population.
3 Includes capillary bronchitis.
4 Excludes diseases of coronary arteries.


5 From 1910 to 1920, includes ulcer of the duodenum.
6 From 1910 to 1920, includes adhesions of intestines.
7 Excludes deaths from collision with railroad trains and street cars.
8 Not separately tabulated.

De- tailed Int.	Table T		DEAT	H RATE	PER 100,0	00 ESTIM	ATED PO	PULATIO	N IN THE	REGISTR	ation st	ATES OF	1920 1	===
List no.		1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
	All causes (exclusive of stillbirths)	1, 297. 4	1, 152. 7	1, 176. 8	1, 227. 0	1, 178. 1	1, 180. 7	1, 233. 2	1, 153. 2	1, 222, 9	1, 204. 7	1, 143. 2	1, 123. 5	1, 105. 9
1, 2 6 7 8 9 10 11 107 108 109 15 18	Typhoid and paratyphoid fever	0.6 8.8 4.6 12.5 15.3 207.1 70.4 54.5 9.3 3.1	8.9 4.2 5.3 9.1 17.9 98.9 11.3 39.2 42.4 6.0 2.4	6.8 0.7 4.5 3.6 5.6 14.7 132.9 30.6 45.7 50.8 5.8 5.9	6.4 0.1 10.8 3.6 9.7 12.2 153.3 43.8 48.5 54.9 6.1 2.7	6.2 7.8 3.2 8.0 16.8 18.9 41.4 5.14 5.15 2.10	7.6 0.7 2.4 2.7 6.6 7.9 123.6 29.0 39.4 51.0 4.2 2.1	6.1 8.5 2.5 8.7 7.5 143.6 39.4 44.9 55.2 4.1 2.4	4.8 0.1 3.8 2.3 6.5 7.2 22.0 34.6 44.2 3.4 2.6	4.0 0.1 5.0 5.4 7.1 142.4 41.1 55.4 3.7 2.4	3. 4 0. 1 2. 6 2. 2 5. 7 64. 4 51. 1 38. 6 51. 3 2. 6	3.9 0.1 2.9 2.0 4.4 4.1.4 17.9 34.8 46.0 2.7 2.3.5	3.6 0.1 2.9 2.3 3.7 107.2 25.2 34.4 45.1 2.5 2.3	3.0 (2) 1.6 2.3 4.3 3.9 106.1 28.4 33.3 41.9 2.5 1.6
23 24-32 38 45-53 59 82a, c 90-94a,	Other forms of tuberculosis	96. 0 17. 0 3. 4 83. 3 16. 1 81. 8	84.7 13.2 3.5 85.8 16.8 80.7 156.6	83.8 12.2 3.1 88.0 18.7 84.2 168.1	82. 0 11. 7 2. 4 90. 1 18. 1 88. 0 178. 5	78. 6 11. 8 2. 1 92. 8 16. 8 89. 9 181. 5	76. 1 11. 0 2. 0 95. 0 17. 4 82. 5	76.0 10.8 1.8 97.7 18.5 84.4 206.5	70.8 9.7 1.9 99.0 18.3 82.2 204.7	70. 0 9. 4 2. 3 101. 6 20. 2 86. 1 221. 7	66. 9 8. 6 2. 1 101. 6 20. 1 84. 7 224. 6	62.6 8.3 1.8 103.0 20.2 83.1 218.3	60.1 7.5 1.4 104.8 21.6 81.0 215.6	55. 9 6. 5 1. 4 108. 2 23. 4 81. 4
106 119, 120 121 122 124 130–132 140,	Bronchitis Diarrhea and enteritis 5 Appendicitis Hernia, intestinal obstruction 6 Cirrhosis of the liver Nephritis	13. 2 53. 5 13. 1 10. 5 7. 1 88. 7	9. 0 50. 6 14. 1 10. 6 7. 4 84. 5	9.5 38.9 14.0 10.4 7.6 88.1	9.3 39.6 14.5 10.4 7.4 90.0	7.3 34.2 14.5 10.4 7.5 89.4	6.7 38.3 14.9 10.8 7.6 98.1	6.9 32.1 14.8 11.1 7.5 100.6	5. 6 26. 0 14. 8 10. 5 7. 8 95. 0	5. 5 24. 9 15. 2 10. 6 8. 1 98. 2	5. 0 21. 6 15. 2 10. 7 7. 7 94. 0	4.4 23.8 15.2 10.4 7.7 93.4	4.0 19.0 15.1 10.6 7.9 90.0	3.8 14.7 14.1 10.3 7.8 90.2
142a, 145 141, 142b- 144, 146- 150	Puerperal septicemiaOther puerperal causes	6. 5 12. 4	6. 7 9. 9	5. 5 9. 7	5. 7 9. 5	5. 6 9. 4	5. 4 9. 1	, 5.1 _. 8.9	5. 1 8. 2	4.8 8.4	4.8 7.8	4. 4 7. 6	4.3 7.1	3. 9 6. 6
157-161 163-171 172-175 176-198	Congenital malformations and diseases of early infancy. Suicide	84. 5 10. 2 6. 7 10. 3 (3) 60. 6 17. 5	83. 5 12. 5 8. 1 11. 3 (6) (8) 56. 6 15. 8	78. 0 11. 9 7. 6 12. 6 (8) (8) 57. 0 16. 0	77. 5 11. 6 7. 7 15. 0 (8) 61. 1 15. 9	77.8 12.2 8.0 15.8 1.0 0.4 59.0 16.2	73. 9 12. 3 8. 2 17. 4 1. 3 0. 5 59. 2 15. 2	71. 5 12. 9 8. 3 18. 3 1. 5 0. 5 58. 5 15. 8	67. 7 13. 6 8. 1 20. 0 1. 6 0. 5 56. 4 15. 0	65. 6 14. 3 8. 0 21. 6 1. 9 0. 5 56. 4 16. 4	61. 9 14. 6 7. 7 23. 9 1. 8 0. 5 55. 3 15. 7	60. 0 16. 3 8. 2 25. 1 1. 5 0. 4 54. 1 15. 2	55. 7 17. 4 8. 5 25. 9 1. 4 0. 4 51. 7 13. 4	52.7 18.1 8.4 22.6 1.3 0.3 47.9 11.9

See table A.
 Less than Mo of 1 per 100,000 population.
 Includes capillary bronchitis.
 Excludes diseases of coronary arteries.

5 1920 includes ulcer of the duodenum.
6 1920 includes adhesions of intestines.
7 Excludes deaths from collision with railroad trains and street cars.
8 Not separately tabulated.

DIAGRAM 6.—DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF CONTINENTAL UNITED STATES FOR THE YEARS 1900, AND 1910 TO 1932



For the registration area in continental United States in 1932, and also for the registration States of 1900, record low rates were reached; that is, lower for 1932 than for any year since the publication of the first annual report in 1900.

In the registration States of 1900 a new record low rate for diarrhea and enteritis (10.2) was shown in 1932. Diseases of the heart had the highest rate (258.9) in this group of States. The trend of mortality from cancer and other malignant tumors has been decidedly upward. There has been a steady increase, without variation, and the rates have ranged from 64 per 100,000 estimated population in 1900 to 123.1 in 1932 in the registration States of 1900. Allowance, of course, must be made for the fact that in this group of States there is a larger proportion of the population of older ages than in other groups.

The most striking of all increases has taken place in death rates from automobile accidents in the expanding registration area. These rates increased from 1.8 in 1910 to 25.2 in 1931 and then decreased in 1932 to 21.9.

Typhoid and paratyphoid fever, measles, diphtheria, and diarrhea and enteritis showed decreases in 1932 compared with 1931 in each group, while the rates from diabetes mellitus, diseases of the heart, and cancer increased in all groups.

Table U gives death rates for the 18 class groups of the International List of Causes of Death, for the

registration States of 1920.

Table U	DEATH RA	TE PER 100,00	O ESTIMATED STATES C		IN THE REGI	STRATION
CAUSE OF DEATH	То	otal	Wh	ite	Colo	ored
	1932	1931	1932	1931	1932	1931
Total deaths (all causes)	1, 105. 9	. 1, 123. 5	1, 070. 8	1, 078. 7	1, 453. 0	1, 566. 9
I.—Infectious and parasitic diseases. Tuberculosis (all forms). II.—Cancers and other tumors. Cancer and other malignant tumors III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases. IV.—Diseases of the blood and blood-making organs. V.—Chronic poisonings and intoxications. VII.—Diseases of the nervous system and of the organs of special sense. VIII.—Diseases of the incrulatory system. VIII.—Diseases of the respiratory system. IX.—Diseases of the genitourinary system. XI.—Diseases of the genitourinary system. XI.—Diseases of the genitourinary system. XII.—Diseases of the sin and cellular tissue. XIII.—Diseases of the skin and cellular tissue. XIII.—Diseases of the skin and cellular tissue. XIV.—Congenital malformations. XV.—Diseases of early infancy. XVI.—Senility. XVII.—Senility. XVII.—Violent and accidental deaths. Suicide. Homicide. Accidental, other, or undefined. XVIII.—III-defined causes of death	113. 3 108. 2 35. 1 8. 5 2. 9 110. 3 262. 5 89. 3 71. 6 10. 5 1. 5 1. 5 1. 6 42. 1 7. 1 98. 6 18. 1	132. 1 67. 6 109. 9 104. 8 34. 5 8. 4 3. 7 111. 1 251. 6 94. 0 78. 7 103. 4 11. 4 1. 3 11. 2 14. 5 7. 7 2 105. 3 17. 4 8. 5 79. 5	105. 5 50. 1 117. 5 112. 6 34. 8 9. 0 2. 8 108. 8 265. 3 83. 8 69. 8 100. 7 9. 5 1. 5 1. 4 11. 0 39. 9 6. 3 96. 6 19. 3 5. 4 71. 8 6. 6	109. 9 54. 1 114. 0 109. 1 33. 5 8. 8 3. 7 109. 4 252. 7 87. 1 75. 8 1. 3 1. 8 1. 3 1. 7 42. 5 6. 4 103. 2 18. 6 5. 5 79. 2	318. 6 184. 0 71. 7 64. 5 37. 7 4. 0 3. 7 125. 2 235. 3 143. 0 89. 6 132. 1 1. 8 1. 3 6. 5 63. 7 15. 0 6. 3 37. 4 75. 2 64. 4	351. 6 202. 0 68. 9 68. 7 44. 5 128. 0 240. 4 161. 6 104. 7 7 7. 143. 2 22. 5 2. 1. 7 7 7. 0 64. 3 14. 6 126. 1 5. 9 38. 1 82. 1

¹ See table A.

Table V gives the number of deaths by age groups, sex, color, and race in the registration States of 1920.

Table V	DEATHS F	ROM ALL C	CAUSES (E				HS) IN	THE
AGE AND SEX	Total	White	Colored	Negro	In- dian	Chi- nese	Jap- anese	Other races
All ages	1, 124, 556	988, 647	135, 909 .	126, 003	2, 076	1, 195	969	5, 666
Male Female	611, 389 513, 167	538, 878 449, 769	72, 511 63, 398	66, 405 59, 598	1, 078 998	1, 065 130	703 266	3, 260 2, 406
Under 1 year: Male Female 1 to 4 years: Male Female Under 5 years: Male Famale 5 to 9 years: Male Female 1 to 14 years:	55, 976 42, 469 16, 715 14, 342 72, 691 56, 811 8, 899 7, 311	46, 256 34, 630 13, 955 11, 815 60, 211 46, 445 7, 737 6, 256	9,720 7,839 2,760 2,527 12,480 10,366 1,162 1,055	8, 586 6, 912 2, 352 2, 144 10, 938 9, 056 1, 000 901	220 169 82 73 302 242 33 34	40 33 19 16 59 49 7	55 44 39 33 94 77 27 22	819 681 268 261 1,087 942 95 89
Male Female 15 to 19 years:	7, 665 5, 905	6, 501 4, 834	1, 164 1, 071	1, 037 949	42 47	7 5	14. 15	64 55
MaleFemale	11, 755 10, 059	9, 488 7, 375	2, 267 2, 684	2, 064 2, 469	52 67	9 6	22 19	120 123

Table V—Contd.	DEATHS F		CAUSES (E)				THS) IN	THE
AGE AND SEX	Total	White	Colored	Negro	In- dian	Chi- nese	Jap- anese	Other races
20 to 24 years: Male	15, 094 14, 429 33, 469 31, 375 51, 726 40, 656 76, 949 55, 277 102, 039 75, 702 118, 512 99, 248 111, 918 115, 991	11, 519 10, 616 25, 383 23, 656 41, 851 32, 052 65, 484 45, 789 92, 299 67, 943 111, 776 93, 713 106, 178 110, 831	3, 575 3, 813 8, 086 7, 719 9, 875 8, 604 11, 465 9, 740 7, 759 6, 736 5, 535 5, 740 5, 160	3, 260 3, 595 7, 369 7, 376 9, 183 8, 247 10, 728 9, 176 9, 113 7, 503 6, 214 5, 305 5, 284 4, 878	59 58 75 76 68 77 83 69 80 73 118 93 163 161	30 3 90 15 147 11 159 9 181 12 205 7	17 7 55 33 82 41 191 26 150 18 46 7	209 150 497 219 395 228 304 208 216 153 123 118 116
Male Female	672 403	451 259	221 144	215 143	3 1	1		2

¹ See table A.

TYPHOID AND PARATYPHOID FEVER

The number of deaths from typhoid and paratyphoid fever in the registration area in 1932 was 4,441, corresponding to a rate of 3.7 per 100,000 population, as com-

pared with 4.5 in 1931.

Thirty-six of the States in the registration area showed decreases in 1932. Arkansas and Georgia led with decreases of 5.9 and 5.3, respectively. Rates for 5 States did not change when compared with those for 1931 and 7 States had less than 1 death per 100,000 population. The highest rates were for South Carolina

opulation. The highest rates were for South Carolina (14.6), Kentucky (13.0), Georgia (12.5), and Arkansas and West Virginia (12.4 each).

Among cities of 100,000 population or more there were 10—Bridgeport, Elizabeth, Fall River, Grand Rapids, Kansas City, Kans., Lynn, Milwaukee, New Bedford, Somerville, and South Bend—that had no deaths from typhoid or paretyphoid fever in 1932. deaths from typhoid or paratyphoid fever in 1932. The highest rates were for Chattanooga (13.1), Memphis (10.8), Knoxville (10.1), Atlanta (9.7), and New

Orleans (9.0).

Orleans (9.0).

In every State shown by color, rates were higher for the colored populations. The same statement cannot be made for the large cities, as Columbus, Gary, Indianapolis, Kansas City, Kans., and Kansas City, Mo., had no deaths from these causes among their colored populations, and Louisville, Nashville, and Washington, D.C., had lower rates for the colored than for the white.

Table W shows rates for States and large cities

Table W shows rates for States and large cities.

Table W	FROM ANI PHO PE ES PO	ATH R M TYP D PAR HID FE R 100, TIMAT PULAT tes of te in the	HOID ATY- EVER ,000 ED HON 10 or	Table W—Continued	FROM AND PHO: PER EST POP [Rat mor	TH R. TYPI PARA ID FE 100, IMAT ULATI es of I e in b	HOID ATY- VER 000 ED ION 10 or old-
	1932	1931	1920		1932	1931	1920
The registration area 1 Registration States 2 Cities of 10,000 or over Smaller cities and rural areas Registration cities in nonregistration State All registration cities 2. Alabama White Colored Arizona Arkansas White Colored	3.7 2.1 5.2 5.7 2.1 10.4 11.1 1.1 1.3 1.4 1.1 1.3 1.4 1.1 1.1 1.2 1.3 1.4 1.3 1.4 1.4 1.5 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6	4.5 4.5 2.6 6.4 5.26 7.990 6.138.3 1.66.32 1.88.3 1.10.81 10.81 30.11 4.00	7.8 7.6 5.5 9.6 15.3 5.9 (3) (4) (4) 9.2 11.4 11.7 11.7 (6) (7) (8) (9) (1) (1) (1) (1) (1) (1) (2) (3) (4) (5) (6) (7) (7) (8) (9) (9) (9) (1) (1) (1) (1) (1) (1) (1) (1	Louisiana. White Colored Maine Maryland White Colored. Massachusetts Michigan. Minnesota. Mississippi White Colored Mississippi White Colored Missouri Montana Nebraska. Nevada. New Hampshire New Jersey New Mexico. New York North Carolina White Colored North Dakota. Ohio. Oklahoma White Colored Oregon Pennsylvania Rhode Island South Carolina White Colored Oregon Pennsylvania Rhode Island South Carolina	2.6 0.6 0.1 1.1 0.7 7 4.5 5.6 0.7 0.7 7 4.5 5.6 0.7 0.7 0.7 0.8 2.2 2.1 18.3 6.1 0.2 0.3 18.3 6.1 0.3	14. 7 10. 3 22. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	15.4 11.6 21.4 9.0 6.9 6.5 2.7 3.0 5.1 3.0 5.1 10.0 4.5 10.0 12.4 10.0 12.4 10.0 12.4 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10
Indiana Indiana Iowa Kansas Kentucky White Colored	1. 6 1. 6 13. 0	3.0 1.5 2.2 14.8	9.6 (3) 7.9 20.2	Colored. South Dakota Tennessee White Colored. Utah	25.3 1.4 11.6 9.8	27.1 2.4 10.6 9.3 16.8	28.8 (°) 18.5 16.4 27.1

Colored 23,7 18,2 7.8 Nashville 7.7 3.2 19,1	Table W—Continued	PHO PE: PO! [Rate most	TH R ITH R ITH P I	HOID ATY- VER 000 ED ION 10 or pold-	Table W—Continued	FROM AND PHOT PEF EST POP [Rat more	TH R. TYPE PARA TO THE TRANSPORT TO THE	HOID VER 000 ED ON 10 or
Virginia		1932	1931	1920		1932	1931	1920
Long Beach 0.7 1.7 Colored 8.2 55 Los Angeles 0.9 0.9 2.5 Worcester 1.5 0.5 1. White 0.9 0.6 2.1 Yonkers 0.7 2.2	Virginia White. Colored. Washington. West Virginia Wisconsin. Wyoming. CITIES OF 100,000 POPULATION OR MORE IN 1930 Akron. Albany. Atlanta. White. Colored. Baltimore. White. Colored. Brimingham White. Colored. Boston. Bridgeport. Buffalo. Cambridge. Camdem. Canton. Chattanooga. White. Colored. Crie. Evansville. Fall River Fort Wayne. Fort Worth. White. Colored. Grand Rapids. Hartford. Houston. White. Colored. Jacksonvile, Fla. White. Colored. Kansas City, Kansas City, Kansas City, Mowylile. Colored. Knoxville.	5.49.31.0.75.1.94.0.75.2.3.7.70.0.6.8.8.0.2.79.2.3.7.70.0.6.8.8.0.2.79.2.3.7.70.0.6.8.8.0.2.79.2.3.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	8.67.76.2 5.36.2.1.4.1.0.0.9.9.7.7 4.8.6.2.1.2.1.2.6.8.3.2.0.0.0.7 3.2.1.2.1.3.0.0.4.4.2.0.5.0.9.9.3.4.3.5.2.2.1.1.3.0.4.4.2.0.5.0.2.5.5.2.4.2.7.1.1.0.2. 1.2.6.8.3.2.2.0.0.7 3.2.1.1.1.3.0.4.4.2.0.5.0.9.9.3.4.3.5.2.2.7.1.1.0.2. 1.3.3.4.3.2.2. 3. 8.0.1.1.4.1.1.2.8.8.8.5. 3.2.2.2.1.3.3.4.3.2.2.3.3.3.3	11.2.7.4.0.6.9.8.6.1.2.1.1.2.7.6.0.8.4.8.5.5.7.7.9.9.8.5.7.7.0.9.8.5.7.7.0.9.8.5.7.7.0.9.8.5.7.7.0.9.8.5.7.7.0.9.8.5.7.7.0.9.8.5.7.7.0.9.8.5.7.7.0.9.8.5.7.7.1.2.2.1.3.2.2.3.2.3.2.3.2.3.2.3.2.3.2.3	LATION OR MORE IN 1830—continued Louisville	2.6 (4) (4) (5.2 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	5. 4. 0. 7.561183 3.36280.2889.7.0289.7.028	5.72 8.3.6.3.4 2.2.10.7.16.1.6.6.6.6.7.2.1.2.2.2.3.3.7.8.5.8.2.2.7.2.3.3.6.4.2.2.10.7.16.1.6.6.6.6.7.2.1.2.2.2.3.3.6.4.5.7.2.2.10.7.16.1.6.6.6.6.7.2.1.2.2.2.3.3.6.4.5.7.2.2.2.3.3.6.4.5.7.7.1.2.1.1.2.1.2.7.9.8.0.3.2.1.2.3.2.6.4.4.2.2.2.2.3.7.8.9.9.9.9.1.1.5.5.7.7.1.2.1.2.3.3.6.4.2.2.2.3.3.6.4.2.2.2.3.3.6.4.3.3.2.1.2.3.3.6.4.2.2.2.3.3.6.4.3.3.3.6.2.2.3.3.3.6.2.2.3.3.3.3.3.3.3.3

¹ In continental United States.
² Including District of Columbia.

<sup>Not in registration area.
Death rates by color not available.</sup>

SMALLPOX

Not for many years has smallpox been an important cause of death in this country.

In only 4 years since the publication of the annual report was begun in 1900 has the death rate from this cause exceeded 2.0 per 100,000 population. The highest rate was 6.6 in 1902; in 1903 it was 4.2; in 1901, 3.5; and in 1904, 2.1. In 1900 it was 1.9. For each of the years 1927 to 1931 inclusive it was only 0.1, and in 1932 it was below 0.1. (See table Q.)

MEASLES

A total of 1,941 persons died from measles in 1932. The death rate (1.6) was less than the rate for 1931 (3.0). Twenty-seven States had decreases, two of these being very sharp: Arizona, from 31.6, in 1931 to 0.2 in 1932, and Delaware from 8.3 in 1931 to no deaths in 1932; West Virginia reached high at 10.6. Of the 93 cities of 100,000 population or more, 34 cities had no deaths; 8 of these—Dallas, Des Moines, Duluth, Fort Worth, Long Beach, Miami, St. Paul, and Salt Lake City—had no deaths in the 2 years, 1932 and 1931; Miami is outstanding in showing no deaths for the last 4 consecutive years. Flint (12.2) and Wichita (10.4) had the highest rates.

Table X	FROI PE ES	ATH R M ME. R 100 TIMAT PULAT	ASLES ,000 ED	Table X—Continued	FROI PEI ES	TH R MEA R 100, PIMAT	ISLES 000 ED
AREA	mo	tes of re in l red ty	old-	AREA	mor	es of : e in b ed ty	old-
	1932	1931	1920		1932	1931	1920
The registration	1.6	3.0	8.8	Minnesota Mississippi		0.3	6.6
Registration States 2	1.6	3. 0	8.8	White Colored	0.2	0.5 0.4	0.6 1.4
Cities of 10,000 or overSmaller cities and	1.6	2.9	10, 3	Missouri Montana Nebraska	2.2	7.5 0.6 0.4	8. 4 4. 9 9. 3
rural areas Registration cities in	1.7	3.0	7.4	Nevada	2.2 1.3	5. 4 4. 3	(3) 9.0
nonregistration StateAll registration cities 2_	1.2 1.6	4.2 2.9	7.7 10.3	New Jersey New Mexico New York	2.3 1.7	2. 5 9. 6 2. 0	9.6 (3) 11.2
Alabama White	0. 2 0. 1	6. 4 7. 8	(3) (3)	North Carolina White Colored	1.7	3.5 4.4 1.4	2. 4 2. 8 1. 4
ColoredArizona	0. 5 0. 2	3.9 31.6	(3)	North Dakota Ohio	1.6 2.7	1.3 2.3	(3) 12, 9
Arkansas	0. 2 0. 2	1.5 1.7 0.6	(3) (3) (3)	Oklahoma White Colored	0.5	1.3 1.2 2.5	(3) (3) (3)
California White Colored	0.9	2. 1 1. 7 5. 7	6. 2 (4) (4)	Oregon Pennsylvania	1.7 2.3	0.8 4.6	3.8 13.2 11.3
Colorado Connecticut	1.4 1.2	4.8 2.3	4. 4 8. 7	Rhode Island South Carolina White	2. 5 2. 6	1. 4 2. 4 2. 1	3.3 4.2
Delaware Florida White	0.7 0.6	8. 3 2. 3 2. 7	16.1 1.3 1.7	Colored South Dakota Tennessee	0.1	2.7 0.3 4.2	2. 4 (3) 10. 6
Colored	0.9	1.4 2.3 2.2	0.6 (3)	White Colored	0.3	4.6 2.3	12. 3 3. 5
White Colored Idaho	0.8 0.4	2. 5 2. 2	(3) (3) 7. 6	Utah Vermont Virginia White	8. 1	0. 2 1. 4 3. 6	3. 5 5. 1 4. 1
Illinois Indiana Iowa	0.6	4.6 5.6 0.3	7.6 11.8 (3)	White Colored Washington	1. 0 1. 2 2. 3	3. 9 2. 6	4. 2 3. 6 5. 5
Kansas Kentucky	1.4 1.6	0. 5 7. 3	4.5 11.1	West Virginia Wisconsin	10.6 1.4	2. 2 2. 5 1. 4	(3) 8.8
White Colored Louisiana	1.6 0.9 2.1	7. 2 7. 5 0. 6	11.8 5.1 2.4	Wyoming	0.9	0. 4	(3)
WhiteColored	2. 5 1. 4	0.5	3. 1 1. 3	LATION OR MORE IN 1930			
Maine Maryland White	1 2	2.8 5.9 5.5	3. 9 6. 4 6. 8	AkronAlbany	0.8	3. 8 0. 8	17. 2 1. 8
Colored		7. 9 1. 5 0. 6	4.9 9.2 11.8	Albany Atlanta White Colored		2.5 . 2.2	9. 3 8. 6

See footnotes at end of table.

Table X—Continued	FROI PE	ATH R M ME. R 100 TIMA	ASLES ,000	Table X—Continued	DEATH RATE FROM MEASLES PER 100,000 ESTIMATED				
		POPULATION			POPULATION				
AREA			••	AREA	l				
		tes of				tes of			
		re in l ced ty				e in b			
İ		,cu 1,	P01		100	eu oy			
	1932	1931	1920		1932	1931	1920		
				ļ					
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR-MORE IN 1930—continued			ı		
Baltimore	0.1	7.6	6.5	Milwaukee	3.7	1.9	11.9		
White	0.2	7.4	6.7	Milwaukee Minneapolis		0.6	5.7		
Colored		8.8	5.4 0.5	Nashville		8.4	4.2		
White	<i>-</i>	9.0	0.9	Nashville White Colored		8.0	6. 0		
Colored		16.6		Normania NT T		9.3	10 5		
Boston	1.3	2.0	9.5	Newark, N.J New Bedford New Haven	0.2	6.2	13.5		
Bridgeport	2.0	1.4	7.7 8.4	Now Bearing	0	2.5	19.0 20.9		
Cambridge	9.5	1 4.0	12.7	New Orleans		0.4	3.6		
Camden		12.6	15.5	White	,	0.3	4.9		
Colored Birmingham White. Colored Boston Bridgeport Buffalo Cambridge Camden Canton Chattanooga White	1.9	3.7	12.5	White Colored		0.7			
Chattanooga		1.6	3.4	New York	0.9	2.1	14, 2		
White Colored Chicago Cincinnati White Colored Cleveland Columbus White Colored Colored Colored Dallas White		1.1	2.5 5.3	New York Bronx Borough Brooklyn Borough	0.9	0.7	8.7		
Chicago	1 0	2.0	3.5	Brooklyn Borough	0.2 2.0	2. 9 2. 2	12. 4 19. 6		
Cincinnati		3.9	18.8	Manhattan Borough. White	2.0	2.0	20. 4		
White		3.9	18.8	Colored	0.8	3.2	4.1		
Colored		4.0	19.3	Queens Borough	0.1	1.6	5.8		
Columbus	4.7	1.5	10.0 12.1	Richmond Borough.					
White	1.9	1.1	12.5	Norfolk	0.8		4.3		
Colored	2.9		8.8	White Colored	2.3	3.5	2.8 7.0		
Dallas			2.4	Colored	1.4		10.0		
White				Oakland Oklahoma City Omaha	1.5		7. 3		
Dayton Denver	2, 1	5.4 1.0	12.4 9.7	Omaha	0.5		7.8		
Des Moines	4.1	1.0	(3)	Paterson	0.7	2.9	11.8		
Detroit	3, 1	0. 1	8.7	Peoria	=-	10.1	6.4		
Duluth			1.0	Philadelphia	0.1	5.8	9.7		
Elizabeth	2.6	- -	13.4	White Colored	l	5.8 6.0	9.6 10.7		
Denver Des Moines Detroit Detroit Duluth Elizabeth Elizabeth Eli Paso White Colored Evansville Fall River Fint Fort Wayne Fort Worth White Colored Cary White Colored		19.0	59.9 (4)	Pittsburgh	2, 5		17. 8		
Colored		28.6	後、			, ,	5.0		
Erie	0.9	0.8	6.8	Providence	7.1	1.6	10.9		
Evansville		7.7	7.0	Reading	0.9	8.1	0.9		
Fall River	6.9	1.7	15.0	White	0.5	6.0 7.6	5.8 5.9		
Fort Worms	12.2	0.2	15.1 14.8	Colored	1.9	1.9	5.6		
Fort Worth		"."	(a)	Providence. Providence. Reading Richmond, Va. White Colored Rochester, N. Y.	7.8	3.6	10.1		
White			(3)	St. LouisWhiteColored	0.1	12.6	11.9		
Colored		<u>-</u>	(3)	White	0.1	13.8	12. 5		
Gary]	6.6	5.2	Colored]	3.1	5.6		
Colored		8.5	(9)	St. Paul Salt Lake City	l		7. 2 5. 0		
White Colored Grand Rapids Hartford Houston White Colored Indianapolis White Colored Jacksonville, Fla Colored Jersey City Kansas City, Kans White Colored University Colored Colored University Colored Colored Colored White Colored	5.8		17.3	San Antonio	1.7	11.7	1.2		
Hartford	1.2	6.0	4.3	WhiteColored	(3)	(4)	1.3		
Houston	2.3	0.3	4.9	Colored	(4)	(4)			
Colored	6.9	0,4	V. 4	San Diego		3.8	1.3		
Indianapolis		7.6	8.8	San Francisco	l በ7	0.5	5. 8 15. 9		
White		8.6	8.9	Seattle	4.3	0.3	5. 4		
Colored			8.5	Seattle Somerville South Bend	1.9	2.9	4.3		
Colored Colored	0.7			South Bend		0.9	1.4		
Jersey City	6 6	7.3	16. 1	Spokane Springfield, Mass	1 0.9		12.4		
Kansas City, Kans		2.4	15.7	Syracuse			8. 4 13. 3		
White	ļ <u>-</u>	3.0	15.0	Tacoma	1.9		3. 1		
Colored			20.4	Tampa	l	1.9	1.9		
White	1.5	2.4 2.7	9.1 9.1	White		2.4	2.4		
Colored	4.6	2.1	9.6	Toledo	0.7	0.7	14.7		
Kansas City, Mo White Colored Knoxville		6.4	93.5	TrentonTulsa		0.8	1.7		
W DILE		7.7	108.0	White		2. 3	(3)		
Colored			8.6	Colored	1	2.0	(3)		
Long Beach	0. 2	1.0	3.4 5.9	Utica Washington, D.C	2.9] 1. ol	4.2		
White	0.2	0.9	6.1	Washington, D.C	0.2	2.6	0.7		
Los Angeles White Colored Louisville	0.6	1.7	3.2	White Colored	0.3	2.5	0.9		
Louisville		14.3	2.9	Colored		3.0			
White		15.7	3.0	Wichita	10.4	0.9	4.0		
Colored		6.3	2.5	Wilmington, Del White		9.4	12.7 11.1		
Lowell	1.0	8.0	39.2	Colored		10.0	27. 6		
Memphis	1.0	1.5	2.0 0.6	Worcester			1.7		
White Colored Lowell Lynn Memphis White Colored		1.3	1.0	Yonkers	4.3	2. 9	1.7 8.8 3.7		
Colored		2.0		Youngstown	4.3 7.5	2.9	3.7		
				I .					

¹ In continental United States. ² Including District of Columbia.

SCARLET FEVER

The number of deaths from scarlet fever in the registration area in 1932 was 2,577, corresponding to a rate of 2.1 per 100,000 population as compared with 2.2 in 1931. Two States had the same rates for the 2

Not in registration area.
 Death rates by color not available.

years and 23 had decreases. Nine of the 93 cities of 100,000 population or more had no deaths from scarlet fever. The highest rates were shown for Rochester (13.3), Buffalo (9.5), Fall River (8.7), and Lowell (8.0).

Table Y	FRO: FE	ATH R M SCA VER 1 100,00 TIMAT PULAT	RLET PER O PED	Table Y—Continued	DEATH RATE FROM SCARLET FEVER PER 100,000 ESTIMATED POPULATION			
AREA	mo	tes of re in k ced ty	old-	AREA	mor	es of lee in b	old-	
	1932	1931	1920		1932	1931	1920	
The registration area !	2. 1	2. 2	4.6	Virginia White Colored	1, 3 1, 6 0, 3		1.7	
Registration States 2	2. 2	2. 2	4.6	Washington West Virginia	1. 1 2. 4	0.9	4.8	
Cities of 10,000 or over 2	2.5	2.3	5.4	Wisconsin	1.7	2.2	9.7	
Smaller cities and rural areas	1.8	2.1	3.9	Wyoming	5. 2	1.8	(3)	
Registration cities in nonregistration	1			LATION OR MORE IN				
State	1.3 2.5	0. 9 2. 3	1. 9 5. 2	1930				
-	ļ			Akron	3.0	2.7 2.3	27.	
Alabama White Colored	1.3 2.0	1. 1 1. 5	(3) (3) (3)	Albany Atlanta	2.3 0.4	6.8	3. (
ColoredArizona	0.1	0.4	(3) (3)	White Colored	0. 5	7. 6 5. 4	4. 3	
Arkansas	2. 2 1. 2 1. 5	1.8 2.3	(3) (3)	ll Baltimore	2.3 2.7	2. 0 2. 3	1. 9 2. 2	
White Colored	0.2	0. 2	(3)	White Colored Birmingham	0.7	0.7		
California White	0.9	1. 0 0. 9	2. 6 (4)	BirminghamWhite	0. 7 1. 2	1.5 1.8	3. 3 5. 4	
Colored	0.9	1. 4 3. 0	(4) (4) 4. 4	White Colored	5. 2	1.0 4.2	9. 5	
Connecticut	1.4	0.7	5.4	Boston Bridgeport	1.4	0.7	4. 9	
Delaware Florida	0.4	1.3 0.5	14.7 0.9	Buffalo Cambridge	9. 5 1. 8	4. 0 1. 8	4.3 3.6	
White	0.5	0. 5 0. 7	1.4	Camden	2. 5 2. 8	8. 4	1. 7 9. 1	
White Colored Georgia White Colored	0. 2 0. 7	1.6	(3)	Chattanooga	2. 5	0.8		
Colored	0.9	2. 1 0. 8	(3) (3) (3)	White Chicago	3. 4 4. 0	1. 1 5. 1	7. 0	
IdahoIllinois	2. 7 3. 4	0.8 2.9 4.7 4.0	(3) 5. 7	Chicago Cincinnati White	6. 8 7. 4	8. 3 8. 4	7.7 8.3	
Indiana	2.8	4.0	7. 2	White Colored	2.0	8.0		
Iowa Kansas	1.4 1.7	2.0 1.2	(3) 6.3	Cleveland Columbus	4.6 2.4	4. 2 0. 3	8. 6 5. 9	
Kentucky White	2. 9 3. 1	3.1	2.6 2.7	White Colored	1. 9 5. 8	0.4	6. 5	
Colored	0.9	3. 2	0.8	Dallas	1.1	1.1	1. 2	
Louisiana White	0. 4 0. 4	0.8 1.1	0.8 1.3	White	1.3	1.3	1. 4 6. 5	
Colored Maine	0. 3 2. 1	0. 1 2. 0	0.1 3.0	Dayton Denver	4. 5	3. 1	2.7	
Maryland	1.9	1.9	2.5	Des Moines Detroit	0. 7 2. 6	2. 1 2. 0	(3) 10, 1	
White	2.3 0.4	2. 2 0. 4	3.0	Duluth Elizabeth	3. 4	3. 4	4.0 9.3	
Massachusetts Michigan	3. 5 2. 3	2.5	5.6 8.1	El Paso	2. 9		<i>0.</i> 0	
Minnesota Mississippi	1.6	0.9	4.8 1.3	White Colored	2. 4 3. 2	3. 2		
White Colored	0.6 1.0	1, 2	1.9	Erie	0.9		7. 8	
Missouri	0. 2 3. 3	0. 1 5. 3	0.9 4.6	Evansville Fall River	4. 8 8. 7	2. 9 5. 2	3. 5 3. 3	
Montana Nebraska	1.3	2. 0 1. 4	4.0 4.6	Flint Fort Wayne	2.4	1.8	9. 0 15. 9	
Nevada New Hamsphire	2. 2	1.1	(3)	Fort Worth White	4. 2	2.4	(3)	
New Jersey	2. 4 1. 8 3. 7	0. 2 2. 0	2. 0 3. 4	Colored	5. 0	2.8	(3)	
New Mexico New York	3. 7 2. 8	2.1	(3) 4. 5	Gary	2.8	3.8	12, 2	
North Carolina	1.0	2. 0 2. 7	1.5	White Colored	2. 4 4. 3	4.8	(4)	
White Colored		റം	2.0	Grand Rapids	1. 2 3. 0	0.6	2.9	
North Dakota Ohio	0. 7 3. 3	2. 5 3. 4 2. 3	6.6	Houston	0.3	0.6	- -	
Oklahoma	2.0	2. 3	(3)	White Colored	1.2			
White Colored	1 1		(3)	Indianapolis	1.6 1.8	4.3 4.9	4. 1 4. 6	
Pennsylvania	0. 7 2. 7 3. 6	$\frac{1.0}{2.3}$	1.8 5.7	Jacksonville, Fla	0.7	1.5		
Rhode Island South Carolina	3. 6 0. 6	2.3 1.7 1.1	4.4	White Jersey City	1.1	2.4	2. 7	
White Colored	0.7	1.7	0.8	Kansas City, Kans	6. 5	1.6	3.9	
South Dakota	0.5	0. 4 0. 9	0.5	White Kansas City, Mo	8. 0 2. 0	2. 0 1. 7	4. 6 5. 2	
Pennessee	1.3 1.1 1.3	9 1	(3) 2.3	White Colored	2. 2	1.6	5.4	
White Colored	0.4	2. 8 0. 8 2. 1	2. 5 1. 3	Knoxville		2. 3 0. 9	3. 2 5. 1	
Utah Vermont	3.3 1.9	2. 1 1. 4	1. 5 4. 3	Knoxville		1.1	5. 9	

See footnotes at end of table.

Table Y—Continued	DEATH RATE FROM SCARLET FEVER PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in bold- faced type]			Table Y—Continued	DEATH RATE FROM SCARLET FEVER FER 100,000 ESTIMATED FOPULATION [Rates of 10 or more in bold- faced type]			
	1932	1931	1920		1932	1931	1920	
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				
Los Angeles White Colored Louisville White Colored Lowell Lynn Memphis White Colored Miami White Milwaukee Minneapolis Nashville White Newark, N.J New Bedford New Haven New Orleans White Colored New York Bronx Borough Brough Manhattan Borough White Colored	1.575. 3.82.11. 3.83. 0.83. 0.83. 1.32. 2.72. 2.72. 5.99. 0.15.99. 1.19. 2.22.44. 2.24.	1.92 2.33 1.00 2.74 4.4 4.4 1.15 0.99 0.44 1.12 0.72 1.20 0.88 1.92 2.22	2.1 2.5 1.8 6.0 1.8 2.0 1.6 	Pittsburgh Portland, Oreg. Providence Reading Richmond, Va White Colored Rochester, N.Y St. Louis White Colored St. Paul Salt Lake City San Antonio White San Diego Scranton Seartle Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Toledo Trenton Tulsa White	0.33.0.05 1.33.33.2.300.6.630 1.38.5 1.38.6.630 1.79.7 2.80	2. 4 1. 6 1. 5 1. 9 11. 1 8. 8 9. 5	1.2 5.9 9.4 3.2 3.6 6.3 1.7 0.6 0.7 1.8 9.4 4.1 2.8 9.2 2.8 9.2 3.1 9.2 5.3 (3) (3)	
Queens Borough. Richmond Borough. Norfolk. White. Oakland. Oklahoma City. Omaha. Paterson. Peoria. Philadelphia. White. Colored.	2. 2 1. 2 0. 8 1. 2 0. 3 4. 6 2. 3 0. 7	1. 4 1. 8 1. 5 2. 3 3. 6 0. 7 5. 5 3. 5 2. 6	3. 2 4. 2 2. 7 2. 1 6. 2 2. 2 9. 0 6. 7 7. 0 2. 1	Colored Utica Washington, D. C. White Colored Wichita Wilmington, Del White Colored Worcester Yonkers Youngstown	2. 9 2. 6 3. 4 0. 7 0. 9	4.9 1.0 1.4 2.8 3.2 6.1 0.7 4.0	1. 1 2. 0 2. 4 0. 9 5. 4 24. 5 27. 2	

¹ In continental United States. ² Including District of Columbia.

WHOOPING COUGH

Whooping cough was responsible for 5,364 deaths in 1932, with a rate of 4.5 per 100,000 population compared with 4,619 deaths with a rate of 3.9 in 1931. It is decidedly a disease of very young children. Of the total deaths in 1932 from this cause 82 percent were of children under 2 years of age and 60 percent were of children under 1 year.

The rate in general is higher for female than for male children.

Increases in rates compared with those of 1931 were shown by 25 States, the greatest increase being for Virginia. Virginia had the highest rate (14.0) and Washington the lowest (0.9).

In all States showing deaths by color, and in all but five of such cities, the rates for the colored were much higher than the rates for the white. Among the States the highest rate was shown for Virginia (22.0), and among cities, for Indianapolis (17.7). Two cities (Louisville and Tulsa) had no deaths from whooping cough in the colored population, and two (Miami and Tampa) had no deaths at all from this cause.

³ Not in registration area.
4 Death rates by color not available.

Table Z	FRO ING 100		HOOP- H PER ESTI-	Table Z—Continued	FRO ING 100	ATH R M WE COUGI	IOOP- H PER ESTI-
AREA .	[Ra	LATIO	20 or bold-	AREA	[Rat	tes of re in the	N 20 or oold-
	1932	1931	1920	•	1032	1931	1920
The registration area 1	4. 5	3. 9	12. 5	CITIES Of 100,000 POPU- LATION OF MORE IN 1930—continued		}	
Registration States 2 Cities of 10,000 or	4. 5	3. 9		Atlanta White Colored	3. 6 2. 2	2.7	32.3
over 2 Smaller cities and rural areas	3. 4 5. 5	3.3 4.4				8.6	20.3 7.6 5.3
Registration cities in nonregistration				Colored Birmingham	10.9 7.4 3.0	24.5 2.6	20.8 15.9
State All registration cities 2	3. 6 3. 4	3. 4 3. 3		White	3.0 14.6	1 3 9	23.7
Alabama	7. 6 6. 9	3. 6 3. 4	(3)	Boston Bridgeport Buffalo Cambridge Camden	3.8 4.8 3.6	2.7 2.7 2.6	16.7
White Colored Arizona		3. 9 10. 2	(3)	Cambridge Camden	3. 5 8. 4	3.5 7.6	21.8 12.0
Arkansas	6. 9 5. 2 4. 6	3.4	(3)	Canton	J. V.	2.8 9.0	14.8
Colored California	7.1 3.0	1. 5 2. 5	(3) 11. 6	Chattanooga White Colored Chicago Cincinnati	3. 4 8. 9	5.6	2. 5 31. 6
Colored	12.1	I. 6	(3)	Chicago	8.9 2.0 4.6	5.5	5.7
Colorado	3.8 2.7	8. 0 2. 7	26. 5 15. 7	White Colored	3. 2 15. 9	3. 9 17. 9	4. 6 22. 6
Delaware Florida	6.7	6.3 1.7	13. 4	Cleveland	4. 4 6. 1	2. 4 2. 0	9.7 11.3
White Colored	1. 6 3. 1	1. 5 2. 0	6.7	White Colored	5. 4 11. 7	1.9 2.9	7.9 43.9
Georgia	3. 8 2. 6	3. 9 3. 2	(3)	Dallas White	2.9	5. 5	4.9
White Colored	5. 8 1. 1	5.0	(3)	Colored	12.8	4. 4 10. 6	5.8
Idaho Illinois	3. 0	11. 4 3. 0	8.5	Dayton Denver	4.9 1.4	3.8	16. 3 19. 8
IllinoisIndianaIowa	6. 1 3. 0	4.7 2.8	10.6 (3)	Des Moines Detroit	4. 2 4. 5	3. 5 4. 1	(3) 13. 3
Kansas Kentucky	2.5 11.0	1.3 7.6	12.0 15.9	Duluth Elizabeth	2. 0 3. 4	2.6	17. 2 15. 5
Colored	10. 5 16. 0	7.4 10.2	14. 7 26. 7	El Paso White	5. 7		7.6 (4)
Louisiana White	4.3 3.1	5. 9 5. 5	10. 1 8. 4	Colored Erie Evansville	9. 6 5. 1	2. 5	(*) 19. 5
Colored Maine	6.3 2.0	6. 7 7. 0	12.9 16.4	Woll River	3.8 2.6	3. 8 3. 5	12.8 11.6
Maryland	5. 5 4. 3	7. 4 4. 2 22. 9	9. 9 6. 9	Flint Fort Wayne Fort Worth	3. 7 3. 4	2.4 1.7	9. 0 5. 7
White Colored Massachusetts	11. 4 2. 6	22.9 2.1	24.7 13.8	Fort Worth	1.8 1.4	3. 0 1. 4	(3)
Michigan Minnesota	4. 1 1. 6	2. 1 4. 1 2. 3 3. 8	13.8 12.5	White	3.8 0.9	11.3 5.7	(3) 7.0
Mississippi	5.8 4.9	3.8 2.9	8.7 5.8	Gary		3.6 12.8	(4)
White Colored Missouri	6.7	4. 7 3. 8	11. 4 9. 0	Grand Rapids Hartford	4.3 2.9 6.6	1.7	17.3 8.6
Montana	4. 1 2. 0	8. 6 4. 7	9. 3 18. 9	Houston	2.6 1.3	2.4 2.9 1.8	4. 2 4. 6
Nevada	5.4	2.4	(3) 8.1	White Colored Indianapolis	6. 1 5. 1	6. 1 5. 9	2.8 8.8
New Jersey	2.8 3.1	3, 6	12.9	white	3.4	5. 9	7.8
	3.1 7.0 2.4 7.5 5.9	3.0	10. 1 13. 8	Colored	17. 7 2. 9 2. 2	2.3 3.6	17.0 10.8
North Carolina White Colored North Dakota	5. 9 11. 1	4.7	11.4 19.4	WhiteColored	4.1		5. 9 16. 9 19. 1
North Dakota	3. 4 5. 0	11.7 3.0 6.2 9.7 5.3 3.2 7.1 2.3 2.7 1.1 2.3 6.5 11.0 6.0	(3) 14, 6	Jersey City Kansas City, Kans White Colored Kansas City, Mo	3. 1 4. 1	2.4	23.6
Oklahoma	4.1	3. 2	(3)	Colored	4.0 4.3	4.3	23.6 21.9 34.0
White Colored	4, 0 5. 0	2.7 7.2	(3)	White Colored	4.4 4.6	1.6	11.6 10.4
Oregon	2. 1 4. 6	1. 1 3. 2	5. 9 13. 6 15. 1	Colored Knoxville	2.3 10.1	13. 9 3. 7 3. 3	22. 4 26. 5
South Carolina	1.6 7.9	2.3 6.4	15.1 22.1 18.1	Knoxville	10. 9 5. 6	3. 3 5. 6	31, 1
White Colored South Dakota	4. 2 12. 5	2. 5 11. 0	26.0	Long Beach Los Angeles	3. 3	1.8	16. 9 8. 7
L'ennessee	8.91	6.0	(3) 12. 5	Colored	11.8	1.5	8.7 7.8 25.4
White Colored	8. 0 13. 3	6.9 5.7 12.1	11.4 17.2	Louisville White Colored	2. 5 3. 0	6. 2 4. 6	25.4 10.0 7.0
Jtah Vermont	1.0 3.9	5.5	24.8 7.7	Colored	7.0	14.7	24.6
Virginia White	14. 0 11. 1	6.8	20. 0 16. 3	Lynn Memphis	5.8	1.9	12.1
Colored Vashington	22. 0 0. 9	6.8 4.8 12.5 3.2 7.9	28. 7 7. 5	Colored Lowell Lynn Memphis White Colored Miami White Colored Milwaukee Minneapolis Nashville White Colored Nashville White Colored Newark, N.J	6.9	6.9	5.9
Vest Virginia Visconsin	10.8	7.9	(3)	Miami	9. 1	0.9	9.3
Vyoming	2.3 1.7	5.7	11.3 (3)	Colored		4.0	8. 9 10. 4
TIES OF 100,000 POPU-				Minneapolis	1.1	1.3	13. 2 12. 5
LATION OR MORE IN							
LATION OR MORE IN 1930 kron	1. 5	1.9	9.5	White	8. 9	5. 3	22.8

Table Z—Continued	FRO ING 100 MA	DEATH RATE FROM WHOOP- ING COUGH PER 100,000 ESTI- MATED POPU- LATION [Rates of 20 or more in bold- faced type]		Table Z—Continued	DEATH RATE FROM WHOOP- ING COUGH PER 100,000 ESTI- MATED POPU- LATION [Rates of 20 or more in bold- faced type]			
	1932	1931	1920		1932	1931	1920	
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued New Bedford New Haven New Orleans White Colored New York Bronx Borough Brooklyn Borough Manhattan Borough White Colored Queens Borough Richmond Borough Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Colored Pittsburgh Portland, Oreg Providence Reading Richmond, Va White Colored Rochester, N.Y St. Louis White	21572363004 222811144894963346335366 6152311222653123415366	3991627752748 346197454730 8 353355270 223523329402 4	18.54 4.98 11.41 9.86 12.81 12.81 14.23 14.23 15.49 16.42 16.42 16.42 16.42 16.43 16.4	CITIES OF 100,000 POPULATION OR MORE IN 1930—continued St. Paul. Salt Lake City. San Antonio. White. Colored. San Diego. San Francisco. Scranton. Seattle. Somerville. South Bend. Spokane. Springfield, Mass. Syracuse. Tacoma. Tampa. White. Colored. Toledo. Trenton. Tulsa. White. Colored. Utica. Washington, D. C. White. Colored. Wichita. Willie. Colored. Worcester. Yonkers.	0.7 3 (4) 5.8886 6.0 7.0 9 1.1 9 1.3 2.2 1.1 6 1.2 5.6 2.5 9 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	2.2.4.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	13.45084811.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	

¹ In continental United States. ² Including District of Columbia.

DIPHTHERIA

Diphtheria is primarily a disease of childhood; of the deaths from this cause in 1932 nearly 58 percent were of children under 5 years of age. In any study of crude rates, therefore, the age constitution of populations must be considered.

The total number of deaths in 1932 from diphtheria was 5,418, corresponding to a rate of 4.5 per 100,000 population. In 1900 the death rate in the registration area from this cause was 43.3. If the actual number of deaths in 1932 be compared with the number that would have occurred under the prevailing death rate in 1900, there would be shown a saving in round numbers of 47,000 lives in 1932 to be credited to the advancement made in the treatment and prevention of this disease.

Nineteen States had higher rates in 1932 than in 1931. New Mexico had the largest increase (19.5 in 1932 compared with 10.7 in 1931) and it also had the highest rate. Ten States had rates of less than 2 per 100,000 population; of these, Montana had the lowest (0.4).

Rates for cities of 100,000 population or more offer contrasts still more striking than the rates for States. In 1920, 32 cities had rates of 20 or more per 100,000 population; while in 1931 the highest rate was 18.5 for Tulsa, and in 1932 the highest rate was 17.4 for Knoxville.

Among States showing figures for the colored population the rates for every State, except California and

Not in registration area.
 Death rates by color not available.

Maryland, were lower for the colored than for the white. These favorable rates for the colored do not prevail to the same extent in cities of 100,000 population or more, although 9 cities had no deaths from diphtheria in the colored population in 1932.

Table AA	TH: 100 MA	DEATH RATE FROM DIPH- THERIA PER 100,000 ESTI- MATED POPU LATION		Table AA—Contd.	DEATH RATE FROM DIPH- THERIA PER 100,000 ESTI- MATED POPU- LATION			
AREA	moi	tes of e in k	old-	AREA	mor	tes of e in b ed ty	old-	
•	1932	1931	1920		1932	1931	192	
The registration area ¹	4. 5	4.8	15. 3	Washington West Virginia Wisconsin	1. 2 13. 4 1. 9	9.5	(3)	
Registration States 2 Cities of 10,000 or	4.4 3.4	4.8	15. 3 18. 9	Wyoming	1.3		(3)	
over 2 Smaller cities and rural areas Registration cities in	5. 5	5. 6	12.0	LATION OF MORE IN 1930				
nonregistration StateAll registration cities 2	11. 1 3. 5	7.4 4.0	12.7 18.7	Akron Albany Atlanta	4.7	1.9 4.6 4.7	10. 11.	
Alabama White Colored	7. 8 10. 6	7.6 9.0	(3)	White Colored Baltimore	1.8	3. 2 2. 8	13.	
\rizona	2.7 4.5	5. 2 6. 1	(3) (3) (3)	White Colored Birmingham	1. 2 4. 8	6.8	3.	
Arkansas White	9.9 12.0	14.3 16.1	(3)	Birmingham White Colored	4. 1 4. 8	5.4	6. 9.	
Colored Dalifornia	3.5	9. 2 3. 1	(3) 13. 0	Boston	4.3	1.0 4.8	19.	
White	3. 0 7. 5	2. 5 7. 7	(4)	Bridgeport Buffalo	3.6	1. 4 6. 2	30. 60.	
Jolorado Jonnecticut	3.9	3. 0 0. 9	14.6 17.0	Cambridge Camden	2. 6 8. 4	0.9 8.4	6. 15.	
Delaware Florida	5.0	7.5	12. 1 7. 1	CantonChattanooga	2.8 7.4	0. 9 9. 0	19. 1.	
White	1 64	5. 5	8.2	White Colored	9. 0 3. 0	9. 0 8. 9	2.	
Colored Georgia	6.3	3. 2 5. 7	4.8 (3)	Chicago Cincinnati	1.9	6.2	23,	
White Colored	7. 9 3. 5	6. 6 4. 1	(3)	White	2.8 2.5	2, 2 2, 2	13. 13.	
[daho []linois	3. 5 3. 1 3. 1	3.4 4.9	(3) 17.2	Colored Cleveland	1.4	2.0 1.2	6. 16.	
ndiana	1 5 4	4 10	12.3	Columbus	3.4	3.4	7. 6.	
Kansas	1 4.0	3.8	13. 9 17. 5	White Colored Dallas	17. 2	2. 9 7. 7	13. 14.	
Kentucky White Colored	13. 8 14. 8 3. 1	13. 3 13. 9	18.4	White Colored	14. 2 31. 9	7.1	15.	
Louisiana	6.7	6. 2 6. 4 7. 6	9.8 6.1	Dayton	7.8	2.9		
WhiteColored	15.9		6.7 5.2	Denver Des Moines	6. 5 7. 6	3.8 1.4	(3)	
Maine Maryland	1 3 0	2. 5 4. 0 3. 0	8.3 13.2	Detroit Duluth	4.0 1.0	6.0	37. 15.	
YTTLELA	00	3. 0 9. 0	14.9 4.5	Elizabeth	1.7	4.3 5.7	12. 47.	
Colored	2. 5 2. 1	3.1	15.1	White Colored	2. 4 8. 0	2.4 7.9	(4) (4)	
Minnesota	1.0	1.5	23.8 10.3	Erie	6.8	5.1	31,	
White	7. 5 9. 3	11.9		Evansville Fall River	2.6	1.9 6.9	29. 32.	
NLISSOUI1	1 1.4	6.9	18.9	Fint Fort Wayne Fort Worth	3. 0 6. 7	5.9	12.	
Montana Nebraska	0.4 3.2	1.3 4.5	5. 8 8. 6	Fort Worth White	13. 7 14. 2	7. 2 8. 5	(3)	
Nevada New Hampshire	6.5			White Colored Gary			(3) 20.	
New Jersey New Mexico	1 2.4	130	17 7	White Colored	3.6		(3)	
New York	2.1	2.2	(3) 18. 4	Grand Rapids			28.	
North Carolina White Colored	6.1		11.5 13.6	Hartford	174	5 2	20. 9.	
North Dakota	2.0	2.8	6.9	White Colored	8.3	5.7 3.6	2.	
Ohio Oklahoma	3.3	2.8	(3) 11. 2	Indianapolis	1.9	1.6	8.	
White Colored	14.3	12.9	(3) (3) (3)	White Jacksonville, Fla White	6.5	2.3	10.	
Oregon	. 0.9	5.4 1.8	5.7	li Colored	1	1	2.	
Pennsylvania Rhode Island South Carolina	4, 1	1.8 3.8 4.8 5.3	19.8 21.2	Jersey City. Kansas City, Kans. White	3.8 2.4	5.7	23. 16.	
South Carolina White	1 6.2	i h.i	11.9 15.6	Colored	1		17. 13.	
Colored	1 3.9	1 4.4	8.4	Kansas City, Mo White	3.4	4.4	14.	
South Dakota Tennessee	9.2	2. 6 10. 5	16.5	Knoxville	17.4	11.0	27.	
White Colored	1 4.2	11. 5 5. 8	9.7	White Colored	18.6		31. 8.	
Utah Vermont	1.7	2. 9 1. 1	7.3	Long Beach	1.3	1.3	10.	
Virginia White Colored	6.0	9.3	14.4	Los Angeles	7.2			
Colored	6.6		17.3 7.7	Colored	13.5			

See footnotes at end of table.

Table AA—Contd.	DEATH RATE FROM DIPH- THERIA PER 100,000 ESTI- MATED FOPU- LATION [Rates of 20 or more in bold- faced type]			Table AA—Contd ; AREA	DEATH RATE FROM DIPH- THERIA PER 100,000 ESTI- MATED POPU- LATION [Rates of 20 or more in bold- faced type]					
	1932	1931	1920		1932	1931	1920			
CITIES OF 100,000 FOPU- LATION OR MORE IN 1930—continued Louisville	2.1 0.0 0.0 1.1 0.0 0.0 1.1 0.0 0.0 0.0 0	4.23 6.3.9 12.03 12.03 12.03 12.03 12.03 13.04 14.04 14.04 15.04 1	17. 2 18. 2 12. 2 11. 7 26. 8 11. 4 10. 1 13. 2 11. 3 26. 5 11. 4 6. 5 11. 5 18. 8 12. 9 18. 8 19. 6 19. 6 19. 6 19. 8 19. 8 10. 8 1	CITIES OF 100,000 FOPULATION OR MORE IN 1930—continued Providence Reading Richmond, Va. White Colored Rochester, N.Y St. Louis White Colored. St. Paul Sait Lake City San Antonio White Colored. San Piego. San Francisco Scranton Seattle Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Toledo.	1. 5 0. 9 3. 6 4. 14 0. 7 7. 1 (4) 3. 2 1. 7 2. 9 1. 7 2. 0. 5 4. 0. 5	94896H58H7F1 68H879965888 0 056H0548H0XQQACACAA4 5	16. 7 11. 65 7. 4 27. 9 13. 4 2. 85 2 9. 2 14. 6 117. 7 16. 7 17. 3 18. 5 2 19. 8 11. 3 11. 3 11			
Queens Borough Richmond Borough Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Colored Pittsburgh Portland, Oreg	2.8 4.3 2.3 1.2 4.5 2.4 10.7 6.0 5.8 13.9 0.9 1.3 4.4	1. 4 6. 1 10. 8 12. 9 6. 8 0. 3 5. 1 8. 3 6. 5 2. 8 1. 5 1. 7 4. 3	22.3 26.1 7.8 11.1 2.3 11.8 15.7 25.4 21.3 22.7 23.8 10.0 20.1	Trenton Tulsa White Colored Utica Washington, D.C White Colored Wichita Wimgton, Del Wichita Wimgton, Del Worker Volored Worcester Yonkers Youngstown	6.8 7.8 7.8 3.4 3.1 4.4 8.6 2.8 3.2	0.8 20.3 5.6 2.0 7.3 5.6 11.9 10.4 7.5 4.1 0.7	6. 7 (3) (4) 22. 2 14. 3 14. 9 12. 5 20. 2 14. 5 15. 1 9. 2 7. 8			

¹ In continental United States. ² Including District of Columbia.

INFLUENZA AND PNEUMONIA (ALL FORMS)

Deaths from influenza and pneumonia (all forms) in 1932 numbered 129,540. The rate of 107.8 per 100,000 population is slightly higher than that for the previous year.

Among the States the highest rates were shown for Nevada (179.6), Colorado (163.9), Arizona (158.3), and New Mexico (148.7); and the lowest for South Dakota (73.8), Oregon (76.3), and North Dakota (77.1). Among the cities Pittsburgh and El Paso had the highest rates (209.3 and 203.3, respectively); Long Beach had the lowest (61.6).

In every State for which figures are shown by color the differences in the rates for the white and those for the colored are pronounced. For example, the death rate among the white population of Maryland was 98.7 per 100,000 while that among the colored was 226.0. The difference was also marked in the rates for Kentucky: For the white, 118.6; for the colored, 238.7. Among the cities showing deaths by color, all had higher rates for the colored. In 22 out of 30 cities the rates for the colored were 200 or more per 100,000, with Chattanooga and Dallas leading, each having a rate of 338.3.

For figures for pneumonia (all forms) alone see table AT.

Not in registration area.
 Death rates by color not available.

FROM INFLU- FE		
AREA PREDMONIA (ALL FORMS) PEE 100,000 ESTIMATED POPULATION The registration area 1 107.8 107.7 208.3 West Virginia 193 193 193 193 193 193 193 193 193 193	EATH RA	FLU-
The registration area 107. 8 107. 7 208. 3 1931 1920 1931 1920 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932 1931 1932	ENZA AN NEUMON	
The registration area 107.8 107.7 208.3 Washington 80. West Virginia 121. Wisconsin 93. Wyoming 106. Cities of 10,000 or Over 109.6 115.4 229.7 Smaller cities and rural areas 105.3 100.0 186.3 Registration cities in nonregistration State 151.4 129.9 261.0 All registration cities 115.1 122.9 261.0 All registration cities 102.0 109.9 (3) Colored 138.9 146.5 (3) Arksansas 119.0 114.3 (3) White 102.0 112.4 113.1 (3) Colored 138.1 117.7 (3) Colored 138.1 117.7 (3) Colored 138.1 117.7 (3) Colored 138.1 117.7 (3) Colored 148.1 117.7 (3) Colored 149.0 149.	ALL FORM	MS)
The registration area 107.8 107.7 208.3 Washington 80. West Virginia 107.4 107.5 207.3 Wisconsin 93. Wisconsin 93. Wisconsin 93. Wisconsin 93. Wisconsin 94. Wisconsin 94. Wisconsin 95. Wiscons	ESTIMATE	ED
The registration area 1	OPULATIO	ION
109.6 115.4 229.7 CITIES OF 100,000 POPU- Smaller cities and rural areas 105.3 100.0 186.3 Registration cities in noure gistration 151.4 129.9 281.0 All registration cities 110.5 115.7 230.7 Alabama 115.1 112.2 9 4 White 102.0 109.9 6 Colored 138.9 146.5 6 Arkansas 119.0 114.3 6 White 112.4 113.1 6 Colored 138.1 117.7 6 Colored 138.1 117.7 6 Colored 138.1 117.7 7 Colifornia 88.4 83.4 161.9 White 79.0 73.8 6 Buffalo 99.	1931	1920
109.6 115.4 229.7 CITIES OF 100,000 POPU- Smaller cities and rural areas 105.3 100.0 186.3 Registration cities in nonregistration 151.4 129.9 281.0 All registration cities 110.5 115.7 220.7 Alabama	. 6 8L 5 1	175. 1
109.6 115.4 229.7 CITIES OF 100,000 POPU- Smaller cities and rural areas 105.3 100.0 186.3 Registration cities in nonregistration 151.4 129.9 281.0 All registration cities 110.5 115.7 220.7 Alabama	6 111.5	(3) 178.8
over 2 109. 6 115. 4 229. 7 LATION OR MORE IN 1930 Smaller cities and rural areas 105. 3 100. 0 186. 3 186. 3 1030 186. 3 1030 Akron 62. Akron 62. Albany 107. Albany 107. Albany 107. Albany 107. White 96. 9. Colored 319. 183. 91.46. 5 (3) White 196. 61.15. 4 129. 9 261. 0 9. White 9. Colored 319. 183. 91.46. 5 (3) White 196. 3 139. 1 (3) White 107. 4 109. 109. 109. 109. 109. 109. 109. 109.	1 93.5	(3)
Tural areas	,	
State	1 76.03	326.8
Arizona 168.3 139.1 (3) Birmingham 127. Arkansas 119.0 114.3 (3) White 98. White 112.4 113.1 (3) Colored 174. Colored 138.1 117.7 (3) Boston 148. California 88.4 83.4 4161.9 Bridgeport 99. White 79.0 73.8 (4) Buffalo 99.	7 99.21	181. 5
Arizona 168.3 139.1 (3) Birmingham 127. Arkansas 119.0 114.3 (3) White 98. White 112.4 113.1 (3) White 98. Colored 138.1 117.7 (3) Boston 148. California 88.4 83.4 161.9 Brimingham 127. White 79.0 78.8 (4) Boston 148. Buffalo 99. Buffalo 99.	5119.32	223. 2
Arizona 168.3 139.1 (3) Birmingham 127. Arkansas 119.0 114.3 (3) White 98. White 112.4 113.1 (3) Colored 174. Colored 138.1 117.7 (3) Boston 148. California 88.4 83.4 4161.9 Bridgeport 99. White 79.0 73.8 (4) Buffalo 99.	6 177. 2 2	229. 4
Arixona. 158. 3 39. 1 6/3 Birmingham 127 Arkansas. 119. 0 114. 3 6/3 White. 112. 4 113. 1 6/3 White. 112. 4 113. 1 6/3 White. 112. 4 113. 1 6/3 White. 120. 4 113. 1 6/3 White. 179. 0 73. 8 4 61. 9 White. 79. 0 73. 8 4 61. 9 White. 79. 0 73. 8 4 61. 9 Birdigeport. 99. Buffalo. 99. Cambridge 124. Colored. 163. 9 140. 1287. 8 Canton. 90. Cambridge 124. Camden. 139. Canton. 90. Cambridge 124. Camden. 139. Canton. 90. Cambridge 124. Camden. 139. Canton. 90. Can	4 138. 2 1	198. 4 405. 0
Arkansas	4 151. 53	302. 2
Colored 138 1117 7 69 White 78 97 38 4 61 9 White 79 97 38 69 Colored 160 7158 7 8 69 Cambridge 124 Colored 162 137 9207 4 White 126 2137 9207 4 White 160 07 69 9153 5 Colored 140 2145 2185 9 Canden 139 Canden 130 Cande	4 233 04	198, 2 463-3
California S8. 4 S5. 4 161. 9 White 79. 0 73. 8 (4) Colorad 160. 7 158. 7 (4) Cambridge 124. Colorado 163. 9 140. 1287. 8 (2) Cambridge 124. Camden 139. 2 Canden 139.	6 138. 5 2	247. 6
Colored	3 98.31	244. 2 184. 3
Connecticut	4 98.22	201. 1
Delaware	0 102. 0 2	205. 4 266. 4
White	4 167. 8 3	306. 0
Colored	3 285. 7 4	230. 3 463. 6
White	3 85.82	223.4
Colored 162 2 170. 0 3 Colored 217. Idaho	9 117. 2 1	162. 4
Illinois	1 286.84	499.7 204.9
Indiana	3 107. 6 2	244.0
Kansas	9 96.12 2 195.45	211. 5 552. 5
White 118, 6111, 6185, 1 Colored 238, 7248, 248, 248, 248, 248, 248, 248, 248,	3 136. 2 1	196. 6
Colored 288, 7248, 2813, 6 Dayton 96.	3 368. 13	170. 3 343. 9
White	0 87.61	177. 0
Colored	4 91.4	(3)
Maryland 120. 4 143. 4 200. 5 Elizabeth 112 White 98. 7 113. 8 176. 6 El Paso 203. Còlored 228. 0 288. 6 324. 6 White 133. Massachusetts 95. 5 93. 7 197. 2 Colored 250. Minnesots 104. 6 97. 0 149. 2 Erie 102. Mississippi 98. 3 105. 1 160. 3 Erie 102. White 87. 7100. 9 130. 8 Fall River 80. Missouri 138. 0 136. 9 250. 8 Fort Wayne 96. Montana 100. 0 99. 7 160. 5 Fort Wayne 96. New Janushire 115. 1 95. 7 198. 8 White 96. 8 74. 4143. 2 New Hampshire 115. 1 95. 7 198. 8 White 96. 97. 4 143. 2 New Hampshire 115. 1 95. 7 198. 8 White 97. 4 143. 2 North Carolina 103. 7 113. 5 217. 1 White 86. 9 North Dakota 77. 1 73. 8 (3) Houston 119. 5 195. 2 Oklahoma 109. 6 95. 0 (2) White 98. 7 3 (2) White 103.	7 75. 7 3 6 87 4 1	317. 8 132. 3
White	1 99. 2 2	248. 2
Massachusetts 95.5 93.7 197.2 Michigan Colored 250. 2	0116.4	139. 3 (4)
Minnesota	4 279. 9	(i)
Mississippi. 98. 3105. 160. 3 Fall River 80. White 87. 7 100. 9 130. 8 Fall River 91. Filit 92. Fall River 96. Fall	1 82.51	42.3 174.2
Missouri	7 88. 4 18	187. 1
Missouri. 138. 0136. 9126.8 Fort Worth. 1122. Mortana. Montana. 100. 0 99. 7180.5 Fort Worth. 122. Mortana. Nebraska. 96. 8 79. 4 143.2 Fort Worth. 270. Golored. New Hampshire. 115. 1 95. 7 198.8 Fort Worth. 86. Inv. New Mexico. 148. 7 156. 1 (*) Colored. 136. I 69. New York. 102. 2 111. 3 204. 5 Houston. 113. 6 217. 1 Houston. 119. 1 Houston. 119. 1 Houston. 119. 1 White. 76. 1 (*) North Carolina. 103. 7 113. 5 217. 1 Houston. 119. 1 White. 76. 1 (*) White. 119. 1 White. 120. 1 White. 120.	1 110. 4 2	206. Q
Nebraska	4 104. 0	(3)
New Age	7 245. 3	(3)
New Jersey	0 156. 7 45	(4)
New Mexico	8 277. 8	<u>(4)</u>
North Carolina	9 54, 7 14 6 107, 7 2	146. 9 273. 5
Wilte	2 90. 7 18	89. 2
North Dakota	4 63. 2118 6 166. 7 3	139. 3 344. 2
Oklahoma 110, 6 105, 3 201, 7 White 103, 9 87, 3 (2) Colored 152, 7 154, 5 (2) Oregon 76, 3 69, 4 168, 2 Pennsylvania 117, 3 131, 9 251, 7 Rhode Island 106, 5 112, 3 222, 7 South Carolina 137, 4 160, 7 248, 2 White 111, 4 130, 0 197, 4 Colored 169, 1 197, 8 294, 8 South Dakota 73, 8 81, 2 (3) White 124, 9 109, 0 194, 3 White 124, 9 109, 0 194, 3 White 124, 1919, 0 194, 3 White 124, 1919, 0 194, 3 White 125, 3 8 12, 2 (3) White 124, 9 109, 0 194, 3 White 125, 8 282, 1 Unite 156, 3 200, 7 3 252, 0 Colored 222, 1 195, 8 328, 1 Unite 169, 1 109,	0 127. 1 24	242. 1
White 103, 9 87, 3 (2) Jacksonville, Fla 105, 1 Colored 152, 7154, 5 (3) White 70, 2 Oregon 76, 3 69, 4 168, 2 Colored 159, 7 Pennsylvania 117, 3 131, 9 251, 7 Jersey City 125, 7 Rhode Island 106, 5 112, 3 222, 7 Kansas City, Kans 138, 4 South Carolina 137, 4 160, 7 248, 2 White 132, 4 Colored 169, 119, 8 294, 8 Kansas City, Mo 134, 8 South Dakota 73, 8 81, 2 (3) White 124, 9 109, 0 194, 3 White 120, 6 White 124, 9 109, 0 194, 3 Knoxville 175, 8 Colored 212, 1195, 8 232, 1 White 159, 7 Colored 22, 1195, 8 232, 1 White 159, 7	7 241, 2 45	25.7
Oregon 76.3 69.4 168.2 Validation Pennsylvania 117.3 131.9 251.7 Jersey City 125.7 Rhode Island 106.5 112.3 222.7 Kansas City, Kans 138.4 South Carolina 137.4 160.7 248.2 White 132.4 Colored 169.1 119.8 294.8 Kansas City, Kans 138.4 South Dakota 73.8 81.2 (3) White 120.6 Tennessee 140.7 124.8 219.5 Colored 255.3 White 124.9 109.0 104.3 Knoxville 175.8 Colored 212.2 1195.8 328.1 White 159.7 Colored 212.2 1195.8 232.1 White 159.7	3 127. 3 22	26.0
Pennsylvania 117, 3131, 91251, 7 Rhode Island 106, 5112, 3122, 7 South Carolina 137, 4160, 71248, 2 White 111, 4130, 0197, 4 Colored 169, 1197, 81294, 8 South Dakota 73, 8 R1, 7124, 8129, 5 White White 124, 9109, 0194, 3 White 124, 9109, 0194, 3 Colored 212, 21195, 8128, 1 White 125, 3 Colored 22, 21195, 8128, 1 White 125, 3 White 120, 6 Colored 22, 21195, 8128, 1 White 150, 6 Colored 22, 2195, 8128, 1 White 150, 6 Colored 22, 2195, 8128, 1 White 150, 6 Colored 22, 21, 195, 8128, 1 Colored 22, 2 Colored	0 212, 1 27	74.7
South Carolina 137, 4160, 7248, 2 White 132, 4 White 133, 4 White 134, 4 White 134, 4 White 134, 4 White 132, 5 White 132, 4 White 132, 4 White 132, 4 White 132, 4 White 132, 5 White 132, 4 White 132,	7 133. 5 23	34.4
White 111. 4130. 0197. 4 Colored 168. 167. 8 294. 8 Colored 169. 1197. 8 294. 8 Kansas City, Mo 134. 8 South Dakota 73. 8 81. 2 (3) White 120. 6 Fennessee 140. 7 124. 8 219. 5 Colored 255. 3 White 124. 9 109. 0 194. 3 Knoxville 175. 8 Colored 212. 1 195. 8 328. 1 White 159. 7 Iftsh 111. 9 (7.3) 252. 0 Colored 202. 12. 12. 12. 12. 12. 12. 12. 12. 12. 1	4114.427	78.4
South Dakota 73.8 81.2 3 White 120.6 Fennessee 140.7 124.8 219.5 Colored 225.3 White 124.9 190.0 194.3 Knoxville 175.8 Colored 212.1 1195.8 328.1 White 159.7 If tab 111.0 73.252.0 Colored 20.2	8 172, 4 36	60.8
Pennessee 140.7 24.8 219.5 Colored 255.5 White 124.9 109.0 194.3 Knoxville 175.8 Colored 212.1 195.8 328.1 White 159.7 Itah 111.0 77.3 25.0 Colored 202.1 25.8	6 120. 0 32	33.6
Colored 212. 1195. 8328. 1 White 159. 7	3 225. 0 54	46.5
1119 111 Q1 77 21959 0 H Colored 1050 4	7 121. 4 24	47.0
Vermont 122, 2 101, 9 238 8 Tong Beach 81 6	1247.235	53.8
Virginia 122. 8 139. 3 203. 6 Los Angeles 75. 4	68. 8 11	15. 2
W inte 99. 8 108. 9 169. 8 W inte 68. 0 Colored 186. 7 223. 1 281. 7 Colored 123. 8	J 59. 9 11 3 125. 6 10	10. 9 93. 5

				I.				
Table AB—Contd.	DEATH RATE FROM INFLU- ENZA AND PNEUMONIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION			Table AB—Contd.	DEATH RATE FROM INFLU- ENZA AND PNEUMOMIA (ALL FORMS) PER 100,000 ESTIMATED POPULATION			
	1932	1931	1920			1931	1920	
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				
Louisville	106. 61 255. 23 96. 8 65. 2 164. 91	120. 4 369. 0 74. 8 75. 9 190. 9	158. 6 367. 1 226. 5 188. 3 310. 1	Providence Reading Richmond, Va White Colored Rochester, N.Y St. Louis White Colored St. Paul	114. 6 103. 0 119. 4 73. 9 232. 1 77. 7	136. 6 91. 4 134. 6 86. 7 253. 3 77. 4	252. 2 212. 1 239. 8 143. 9 449. 6 126. 8	
Colored Miami White	241. 5 2 66. 1 45. 6	73.8 52.8	464.9 196.0 155.3					
Colored Milwaukee Minneapolis Nashville White Colored Newark, N.J New Bedford New Haven New Haven	80. 8 1 102. 1 1	14. 5 27. 2	247. 5 273. 2	Salt Lake City San Antonio White Colored San Diego San Francisco Scranton Seattle South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Toledo Trenton Tulsa White Colored Utica Washington, D.C White Colored Wichita Winington, Del White Colored Wichita Winte Colored Wichita Winte Colored Wichita Winte Colored Wichita Winte Colored Worcester Yonkers Yonkers Yonkers	99. 7 90. 2 144. 3 82. 1 78. 9 64. 8	86. 3 89. 7 133. 2 79. 4 93. 2	230. 2 173. 7 195. 0 312. 2 150. 3 175. 2	
White Colored New York Bronx Borough Brooklyn Borough	114. 2 1 271. 3 2 106. 3 1 75. 1 107. 2 1	18. 0 71. 9 29. 2 88. 9 27. 5	159. 0 396. 3 224. 2 175. 1 216. 3	Spokane Springfield, Mass Syracuse Tacoma Tampa White	98. 9 70. 9 93. 9 85. 4 75. 4 64. 0	128. 1 97. 1 63. 8 104. 8 91. 4 65. 2	251. 0 173. 8 246. 7 255. 8 178. 8 143. 0	
Colored	142.91	99.4	434.7	Colored Toledo Trenton Tulsa White Colored	117.6 104.1 134.0 113.0 100.6 202.3	189, 2 107, 4 115, 4 102, 2 81, 3 252, 8	303. 0 167. 8 232. 7 (3) (3)	
Queens Borough Richmond Borough Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Pittsburgh	214. 9 2 84. 9 129. 7 1 148. 6 1 103. 0 1 95. 1	53.4 81.4 42.8 18.1 00.9 94.1	405. 5 182. 2 163. 0 226. 8 189. 0 227. 7	Utica Washington, D.C White Colored Wichita Wilmington, Del	132. 0 148. 7 108. 6 253. 6 94. 2 139. 8	90. 9 155. 8 106. 2 286. 7 77. 7 149. 1	200. 2 235. 7 177. 9 405. 2 221. 4 238. 2	
Philadelphia White Colored Pittsburgh Portland, Oreg	95. 01 85. 7 1 172. 6 2 209. 3 2 76. 9	50. 0 16. 7 29. 5 78. 7 77. 2	240. 3 222. 0 462. 1 437. 3 162. 9	White Colored Worcester Yonkers Youngstown	119. 6 296. 6 103. 9 94. 4 117, 4	126, 0 329, 6 115, 1 85, 0 121, 5	209. 8 497. 6 243. 2 162. 0 332. 8	

¹ In continental United States. ² Including District of Columbia.

ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS

In 1932 there were 828 deaths due to acute poliomyelitis and acute polioencephalitis compared with 2,096 in 1931. The death rate dropped to 0.7 from 1.8 per 100,000 population in 1931. All States in the registration area but 7 had lower rates in 1932; the rates for 2 States did not change. The largest decreases (5.4 and 4.8) were for Connecticut and New York, respectively. The highest rate (2.1) was for New Mexico, while in Vermont and Wyoming no deaths were reported from these causes in 1932.

Among the larger cities rates were higher for only 18. The largest decrease (10.5) was for New Haven. There were no deaths from these causes in 38 of the cities listed.

No significant differences in the death rates for the white and colored populations are shown either for States or for large cities.

Not in registration area.
 Death rates by color not available.

Table AC	FROM ACUTE POLIOMYELTIS AND ACUTE FOLIOEN- CEPHALITIS PER 100,000 ESTI- MATED POPIL		UTE LITIS LITE LITE LITE LITE LITE LITE LITE LITE	Table AC—Contd.	DEATH RATE FROM ACUTE POLIOMYELITIS AND ACUTE POLIOEN- CEPHALITIS PER 100,000 ESTI- MATED POPULATION [Rates of 2 or more in bold faced type]			
	1932	1932 1931 1920			1932	1931	1920	
The registration area ¹ Registration States ²	0.7	1.8	0.9	CITIES OF 100,000 POPU- LATION OR MORE IN 1930				
Cities of 10,000 or over 2 Smaller cities and	0.7	2.2	0.9	Akron	0.8	0.4 2.3 2.9		
rural areas	0.7	1.3	0. 9	White Colored Baltimore	0.5	3.3 2.1 0.7	0.	
StateAll registration cities 2	0.8 0.7	0. 4 2, 2	0. 5 0. 9	White Colored Birmingham	0.3	0.8 0.7 0.4	0. 2. 0.	
Alabama White Colored	0.3 0.5 0.1	0.9 0.6 1.5	(3) (3)	ColoredBostonBridgeport	0. 5	1.0 6.9 6.1	1. 6. 0.	
ArizonaArkansas	0.9	1.4 1.4	(3) (3) (3) (3) (3)	Buffalo Cambridge Camden		0.5 0.9 4.2	<u>6</u> .	
White	0.6	1. 4 1. 5 0. 9	(3)	Chattanooga White	1.6	2, 5 2, 3		
White Colored Colorado	0.6	0.7 2.4 0.3	(4) (4) 0.6	Colored Chicago Cincinnati	0.3	3.0 0.9 0.7	0. 0.	
Connecticut Delaware Florida	0.6	6.0 0.8 0.5	1. 2 	White Cleveland Columbus	0.3	0.7 0.8 0.3	0.	
WhiteColored	0.5	0.4	0. 5 0. 9	White Dayton	1.5	0. 4 1. 0	0. 0.	
Georgia White Colored	1.1	1.0 1.1 0.8	(3)	Denver Des Moines Detroit	1.4	0. 7 1. 0	(3) 0.	
IdahoIllinoisIndianaIowa	0.5	0.7 1.3 0.6	(3) 0.9 0.5	Duluth Elizabeth El Paso		7.9 7.7 1.0		
IowaKansasKentucky	0.6	1.6 0.7 1.1	(3) 0.6 0.8	White Fall River	0.9	2.4 1.7	4.	
White Colored Louisiana	1.7	1.0 1.3 0.8	0.7 1.7 0.8	Fair Kiver Flint Fort Wayne Fort Worth White Colored		1.7	(3) (3)	
White Colored	0.5	1. 1 0. 4 1. 4	0.7 0.9 1.2	II CTRIV	1	I U. 9	(3)	
Maine Maryland White	0.4	0.7	0.9 0.6	White Grand Rapids Hartford		3. 5 10. 8	0. 2.	
White Colored Massachusetts Michigan	10.5	1. 4 2. 7 2. 4	2, 4 3, 9 0, 9	Hartford Houston White Colored	0. 8	0.6	2	
Minnesota	104	2.7 0.7 0.9	0.8 0.9 1.4	White	0.5	0.8	0.	
Missouri	. 0.3	0.6	0. 5 0. 9	Jacksonville, Fla		1.5	1.	
Montana Nebraska Nevada	0.7 0.7 1.1	2.8 0.9	0.9 0.8 (3)	Colored Jacksonville, Fla White Colored Jersey City Kansas City, Kans White Colored Kansas City, Mo White Knoxville White Colored Long Beach	0.9	2. 1 5. 3 2. 4	0.	
New Hampshire New Jersey New Mexico	0.4 1.1 2.1	2, 1 3, 5 1, 2	2.5 0.6 (3)	Colored	0.5	2.0 4.3 0.2		
New YorkNorth Carolina	0.5	5.3 1.2 1.3	0.6 0.8 1.1	White Knoxville	0.5	0. 3 0. 9	1 1 1	
Colored North Dakota	0.2	0.7 1.2 0.7	(3)	Colored Long Beach		5.6 0.7	<u>î</u>	
Oklahoma White	0.4 0.8 0.8	0.7 0.8 0.7	(3) (3) (3)	White	1.0	0.6	0.	
Montana Nebraska Nevada New Jersey New Hampshire New Jersey New Mexico North Carolina White Colored North Dakota Ohio Oklahoma White Colored Colored Oregon Pennsylvania Rhode Island South Carolina White Colored Colored Oregon Pennsylvania Rhode Island South Carolina White Colored Colored Colored Outh Dakota Tennessee White Colored Utah Vermont Vermont	0.7 0.3 1.5	1.1 0.8 1.0	0. 6 0. 6	Colored Long Beach Los Angeles White Colored Louisville White Colored Lowell Lynn Memphis White Colored		0.3	1 1 2	
Rhode Island South Carolina White	0.4	1.4 0.8 0.7	0.7	Lowell	0.4	3. 0 0. 4	6.0	
Colored South Dakota	0.6	0.9	0.7 0.7 (3) 0.8	White	0. 6		<u>i</u>	
White Colored	0.7	0.8 0.8 1.0	0.7	Miami White Milwaukee	1.2	0.8	ō	
Utah Vermont Virginia	0.8	1. 2 2. 8 0. 8	0. 2 0. 9 1. 1	Minneapolis	0.4	3.4	0	
Vermont. Virginia	0.9	0.7	1.2	White. Newark, N.J. New Bedford. New Haven. New Orleans. White. Colored.	0.2	0.7 2.7 11.1	1 <u>-</u> 0	
West Virginia Wisconsin	0.7 0.8 0.4	1.0 1.3 1.7	0.3 (3) 0.7 (3)	New Orleans	0. 6	0.6 0.6 0.7	0	

See footnotes at end of table.

Table AC—Contd.	DEATH RATE FROM ACUTE POLIOMYELITIS AND ACUTE POLIOEN- CEPHALITIS PER 100,000 ESTI- MATED POPU- LATION [Rates of 2 or more in bold- faced type]		UTE CLITIS JTE N- S PER STI- OPU- N	Table AC—Contd.	DEATE RATE FROM ACUTE FOLIOMYELITIS AND ACUTE FOLIOEN- CEPHALITIS PER 100,000 ESTI- MATED POPU- LATION [Rates of 2 or more in bold- faced type]			
	1932	1931	1920		1932	1931	1920	
CITIES OF 100,000 FOPULATION OR MORE IN 1930—continued New York Bronx Borough Brooklyn Borough. Manhattan Borough White Colored Queens Borough Richmond Borough Norfolk White Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Pittsburgh Portland, Oreg Providence Reading Rochester, N.Y St. Louis. White St. Paul Salt Lake City	0.2 0.3 1.0 1.1 0.4 0.8 1.2 0.7 1.5 1.4 1.8 4.3 4.2 5.2 0.3 0.8 1.8 1.8	3.6 1.8 0.8 0.4 1.0 1.0 3.1 0.3 0.2 0.3 7.2	0.7 0.8 0.8 0.4 0.5 1.2 0.8 1.3 0.3 0.4 1.9 1.9 1.0 1.1	CITIES OF 100,000 FOPU- LATION OR MORE IN 1930—continued San Antonio White San Diego San Francisco Scranton Seattle Somth Bend Spokane Springfield, Mass Syracuse Tacoma Tunpa White Toledo Trenton Tulsa White Utica Washington, D.C White Colored Wichita Wilmington, Del Colored Worcester Yonkers	0.9 0.7 0.8 1.0 0.5 0.5 1.6 1.0 1.2 1.4 0.9 0.9 8.2 0.5	0.7 1.6 0.7 0.8 2.9 0.6 0.6 0.7	1.3 0.2 1.4 1.0 0.8 0.6 1.9 2.4 1.2 (3) (3) 0.2 0.3	

In continental United States.
 Including District of Columbia.

LETHARGIC OR EPIDEMIC ENCEPHALITIS

The menace of this comparatively new cause has not justified the fears created by the sudden increase in rates in the early twenties. The numbers have varied little in the past few years until 1932, when there was a decrease in deaths compared with the deaths in 1931. The actual figures for the 2 years were 888 with a rate of 0.7 per 100,000 population in 1932, compared with 983 in 1931 with a rate of 0.8.

As in 1931, New York, Pennsylvania, Illinois, and Ohio had the largest number of deaths from this cause in 1932. Arizona had one death and Delaware had no deaths in 1932.

Table AD	DEATHS FROM LETHARGIC OR EPIDEMIC EN CEPHALITIS AS EITHER A PRIMARY OR CON TRIBUTORY CAUSE									
AREA	То	tal	Primar	y cause	Contribu- tory cause					
	1932	1931	1932	1931	1932	1931				
The registration area 1	888	983	874	972	14	11				
Registration States ²	883 483 400	977 595 382	869 475 394	966 588 378	14 8 6	11 7 4				
StateAll registration cities 2	5 488	6 601	5 480	6 594	8	7				
Alabama: Cities Rural	8	13 9	8 9	13 9						

Not in registration area.
 Death rates by color not available.

'able AD—Continued	CEPE		LETHAR AS EITHEI AUSE			
AREA	То	tal	Primar	z cause	Contr tory c	ibu- ause
-	1932	1931	1932	1931	1932	1931
Arizona:			,			
Cities Rural	1	2 5	1	2 5		
Arkansas: Cities Rural	1 6	1 3	1 6	1 3		
California:	20	26	20	26		
Rural Colorado:	25	19	25	19		
Cities	3 10	3 3	3 9	3 3	1	
Connecticut: Cities Rural	11 3	12	11 3	12 5		
Delaware: Cities Florida:	- -	ĭ		1		
Cities	$\cdot \frac{2}{2}$	6	2 2	6		
Georgia: Cities	8 /	7	7	7	1	
Rural(daho:	5	7	5	7		
Cities Rural	1	1 6	1 1	1 6		
[llinois: Cities Rural	21 33	22 24	19 33	21 24	2	
Indiana: Cities	14	18	14	18		
Rural	13	14	12	14	1	
Cities Rural	14 12	12 19	14 12	12 19		
Kansas: Cities	8	.3	7	_3	1	
Rural Kentucky:	6	11 3	6	11 3		
Cities Rural Louisiana:	9	11	9	11		
Cities	4	7	· 4	6		
Maine: Cities	2	2	2	2		
Rural Maryland:	3	6	3	6		
Cities	10 2	18 5	10 2	18 5		
Massachusetts: Cities Rural	15	27 4	15 3	26 4		
Michigan: Cities	12	27	11	27	1	
Rural Minnesota:	18	8	18	8		
Cities	9 20	13 15	8 20	13 15	1	
Mississippi: Cities	2	2	2	1		
Rural Missouri: Cities	20	16	20	16		
Rural Montana;	15	12	15	12		
Cities	4 5	3 4	4 5	3 4		
Nebraska: Cities	5	7	5	7		
Rural Nevada: Rural	2	3	2	3		
New Hampshire: Cities Rural	4	1	<u>-</u>	1		-
New Jersey: Cities	26	26	26	26		
Rural New Mexico: Rural New York:	13 2	13	13	13		
Cities	82	104	82	104		
Rural North Carolina:	22	27	22	25		
Cities Rural	13 9	9 7	13 9	9 7		
North Dakota: Cities Rural	1 5	1 6	1 5	1 6		
Obio: Cities	37	45	36	45	1	
RuralOklahoma:	19	23	19	22		
Cities Rural	6 9	4	6 9	4 4		
Oregon: Cities	4	3	4	3 9		
Rural Pennsylvania:	6	70	5 45		1	
Cities Rural	46 34	70 32	45 32	69 31	1 2	j

Table AD—Continued	CEPI		LETHAL AS EITHE CAUSE			
AREA	To	tal	Primar	y cause	Cont	
	1932	1931	1932	1931	1932	1931
Rhode Island: Cities	4 1 3 7 5 6 7 5 2 2 15 16 14 4	4 33 5 11 7 2 2 2 1 1 1 9 8 22 10 4 4 2	4 1 3 7 5 6 6 7 7 5 2 2 1 15 16 13 4 4 4	4 3 5 11 7 2 2 2 2 1 1 1 9 8 8 22 10		
Kural Wisconsin: Cities Rural Wyoming: Rural	18 7 2	20 12 2	18 7 2	19 12 2		1

¹ In continental United States.

District of Columbia

Note.—In this table the term "cities" includes places of 10,000 inhabitants or more; the remainder of the population is classed as "rural".

Deaths and death rates for encephalitis and lethargic or epidemic encephalitis in the registration area are shown in table AE.

DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES									TAL	
1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1920
	NUMBER									
2, 181	2, 398	2, 473	2,774	2, 863	2, 646	2, 845	2, 901	2, 603	3, 233	2, 602
888 874	983 972	1,077 1,062	1, 325 1, 313	1,385 1,373	1, 346 1, 326	1, 529	1,662	1, 472	1, 988 1, 966	1, 505 1, 070
	R.	ATE P	ER 10	0,000	ESTIA	IATED	POPT	JLATI	ON	
1.8	2.0	2. 1	2.4	2. 5	2.4	2.7	2.8	2.6	3.3	3. 0
1.1	1.2	1.2	1				1.2	1.1	1.3	
0.7 0.7 (2)	0.8 0.8 (2)	0. 9 0. 9 (2)	1.1 1.1 (2)	1. 2 1. 2 (2)	1, 2 1, 2 (2)	1. 5 1. 4 (2)		1.5 1.4 (3)	2. 0 2. 0 (2)	
	2, 181 1, 293 888 874 14 1. 8 1. 1 0. 7 0. 7	2, 181 2, 398 1, 293 1, 415 888 874 972 14 11 R. 1.8 2.0 1.1 1.2 0.7 0.8	2, 181 2, 398 2, 473 1, 293 1, 415 1, 396 888 983 1, 077 874 972 1, 062 14 11 15 RATE P 1.8 2.0 2.1 1.1 1.2 1.2 0.7 0.8 0.9 0.7 0.8 0.9 0.9 0.9	2, 181 2, 398 2, 473 2, 774 1, 293 1, 415 1, 396 1, 449 888 983 1, 077 1, 325 874 972 1, 062 1, 313 14 11 1, 12 1, 2 1, 2 0, 7 0, 8 0, 9 1, 1 0, 7 0, 8 0, 9 1, 1	UNIT 1932 1931 1930 1929 1928 2, 181 2, 398 2, 473 2, 774 2, 863 1, 293 1, 415 1, 396 1, 449 1, 478 888 983 1, 077 1, 325 1, 385 874 972 1, 062 1, 313 1, 373 14 11 15 12 12 RATE PER 100,000 1.8 2.0 2.1 2.4 2.5 1.1 1.2 1.2 1.2 1.3 0.7 0.8 0.9 1.1 1.2 0.8 0.9 0.9 1.1 1.2 0.8 0.9 0.9 1.1 1.2 0.9 0.8 0.9 1.1 1.2 0.9 0.8 0.9 0.9 1.1 1.2 0.9 0.8 0.9 0.9 1.1 1.2 0.9 0.8 0.9 0.9 0.9 0.9 0.9 0.9 0.8 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.9 0.8 0.9	NUMBE 2, 181 2, 398 2, 473 2, 774 2, 863 2, 646 1, 293 1, 415 1, 396 1, 449 1, 478 1, 300 888 983 1, 077 1, 325 1, 385 1, 346 874 972 1, 062 1, 313 1, 373 1, 326 14 11 15 12 2 RATE PER 100,000 ESTIR 1.8 2.0 2.1 2.4 2.5 2.4 1.1 1.2 1.2 1.2 1.3 1.2 0.7 0.8 0.9 1.1 1.2 1.2 0.7 0.8 0.9 1.1 1.2 1.2 1.2 1.2	NUMBER 2, 181 2, 398 2, 473 2, 774 2, 863 2, 646 2, 845 1, 293 1, 415 1, 396 1, 449 1, 478 1, 300 1, 316 888 983 1, 077 1, 325 1, 385 1, 346 1, 529 874 972 1, 062 1, 313 1, 373 1, 326 1, 499 14 11 15 12 12 20 30 RATE PER 100,000 ESTIMATED 1.8 2.0 2.1 2.4 2.5 2.4 2.7 1.1 1.2 1.2 1.3 0.7 0.8 0.9 1.1 1.2 1.2 1.3 1.2 1.5 0.7 0.8 0.9 1.1 1.2 1.2 1.5 1.7 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	UNITED STATES 1932 1931 1930 1929 1928 1927 1926 1925 NUMBER 2, 181 2, 398 2, 473 2, 774 2, 863 2, 646 2, 845 2, 901 1, 293 1, 415 1, 396 1, 449 1, 478 1, 300 1, 316 1, 239 888 983 1, 077 1, 325 1, 385 1, 346 1, 529 1, 662 874 972 1, 062 1, 313 1, 373 1, 326 1, 499 1, 630 14 11 15 12 12 20 30 32 RATE PER 100,000 ESTIMATED POPULATION OF STATES OF	NUMBER 2, 181 2, 398 2, 473 2, 774 2, 863 2, 646 2, 845 2, 901 2, 603 1, 298 1, 415 1, 396 1, 449 1, 478 1, 300 1, 316 1, 239 1, 131 888 983 1, 077 1, 325 1, 385 1, 346 1, 529 1, 662 1, 472 874 972 1, 062 1, 313 1, 373 1, 326 1, 499 1, 630 1, 441 11 15 12 12 20 30 32 31 RATE PER 100,000 ESTIMATED POPULATION 1, 1, 2, 1, 2, 1, 2, 1, 3, 1, 2, 2, 1, 3, 1, 2, 1, 1, 1, 2, 1, 2, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 1, 2, 1, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	NUMBER 1932 1931 1930 1929 1928 1927 1926 1925 1924 1923

 $^{^1}$ Includes all deaths when lethargic encephalitis was given as either a primary or contributory cause. 2 Less than one-tenth of 1 per 100,000 population.

RARE INFECTIOUS AND PARASITIC DISEASES

In the detailed International List of Causes of Death, titles 1 to 44 are assigned to infectious and parasitic diseases, of which 9 have been discussed. Returns for certain rare diseases included under this heading, and discussed in the following paragraphs, have not been accepted until every effort has been made to authenticate them. Each case has been made the subject of special inquiry, and either the existence of the disease has been verified or no reply has been received; in the

² Including District of Columbia.

latter case there is no alternative but to classify the death as reported.

In the tabulation of these rare diseases no deaths were reported in 1932 for relapsing fever, glanders,

cholera, plague, and yellow fever.

Typhus fever.—In 1932 in the registration area in continental United States typhus fever caused 36 deaths in the following States: Alabama, 11—1 each in Birmingham, Dothan, and Selma, and in Barbour, Covington, Henry, and Pike Counties, and 2 each in Coffee and Geneva Counties; Delaware, 1 in Wilmington; District of Columbia, 1; Florida, 5—4 in Tampa and 1 in Jackson County; Georgia, 7—1 each in Savannah and Thomasville, and in Brantley, Lowndes, and Sumter Counties, and 2 in Turner County; Illinois, 1 in St. Clair County; Maryland, 2—1 each in Baltimore City and in Somerset County; New York, 1 in Suffolk County; Pennsylvania, 1 in York County; South Carolina, 1 in Orangeburg County; Texas, 2—1 each in Dallas and Fort Worth; and Virginia, 3—1 each in Green, Princess Anne, and Richmond Counties.

Undulant fever.—Undulant fever caused 62 deaths in 1932: Arizona, 1 in Mohave County; California, 2—1 each in Los Angeles city and Stockton; Georgia, 2-1 each in Savannah and in Irwin County; Idaho, 2—1 each in Bingham and Kootenai Counties; Illinois, 3—1 each in Galesburg, and in Lake and McHenry Counties; Indiana, 2—1 each in Allen and Benton Counties; Iowa, 2—1 each in Buena Vista and Poweshiek Counties; Kansas, 3—1 each in Topeka, and in McPherson and Smith Counties; Kentucky, 1 in Scott County; Louisiana, 3—1 each in Shreveport, and in Rapides and Vermilion Parishes; Maine, 1 in Franklin County; Maryland, 3-1 each in Baltimore city, and in Frederick and Garrett Counties; Michigan, 3-1 in Saginaw city, and in Allegan and Oakland Counties; Minnesota, 2—1 each in Cass and Traverse Counties; Missouri, 5-1 each in St. Louis city and Sedalia, and in Jefferson, Pemiscot, and St. Louis Counties; Montana, 1 in Missoula city; New Jersey, 1 in Monmouth County; New Mexico, 1 in Otero County; New York, 4-1 each in Buffalo and Watertown, and in Monroe and Oswego Counties; North Carolina, 2 in Wilson city; Ohio, 10—1 each in Cleveland, Dayton, Mansfield, and Marion city, 2 in Massillon, and 1 each in Ross, Sandusky, Seneca, and Stark Counties; Oklahoma, 1 in Oklahoma City; Oregon, 1 in Clackamas County; Pennsylvania, 1 in Clarion County; Texas, 1 in El Paso city; Virginia, 2—1 each in Norfolk and Northampton Counties: Washington, 1 in Seattle; and West Virginia, 1 in Wheeling.

Anthrax (bacillus anthracis), malignant pustule.— Anthrax caused 12 deaths in 1932, reported from 4 cities and 8 rural districts: Connecticut, 1 in Hartford County; Delaware, 1 in Wilmington; Georgia, 1 in Henry County; Illinois, 1 in Marion County; Mississippi, 1 in Choctaw County; Montana, 1 in Great Falls; Nebraska, 1 in Buffalo County; New Jersey, 1 in Paterson; New York, 1 in Orange County; Oregon, 1 in Malheur County; South Dakota, 1 in Charles Mix County; and Texas, 1 in San Antonio.

Rabies.—Rabies was responsible for 55 deaths in 1932, the same number as in 1931; the distribution is shown in the following statement: Alabama, 2-1 each in Cullman and Perry Counties; Arkansas, 2—1 each

in Greene and Lee Counties; California, 2—1 each in Burbank city and in Merced County; Connecticut, 1 in Hartford city; Delaware, 1 in Sussex County; Florida, 4-1 each in Jacksonville and Lakeland, and in Marion and Polk Counties; Georgia, 3-1 each in Hall, Polk, and Putnam Counties; Illinois, 3—1 each in Galesburg and Rockford, and in Jefferson County; Indiana, 4—1 each in Indianapolis, and in Elkhart, Greene, and Jackson Counties; Kansas, 2-1 each in Kansas City and Crawford County; Kentucky, 1 in Middlesboro city; Michigan, 1 in Detroit; Mississippi, 2—1 each in Lowndes and Yalobusha Counties; New Jersey, 3—2 in Elizabeth and 1 in Cumberland County; North Carolina, 1 in Halifax County; Ohio, 1 in Lawrence County; Oklahoma, 4-1 each in Muskogee city, and in Bryan, Cherokee, and Wagoner Counties; Pennsylvania, 2—1 each in Uniontown and in Allegheny County; South Carolina, 3—1 each in Greenville city, and in Greenville and Kershaw Counties; Tennessee, 10—1 each in Knoxville and Memphis, and in Carroll, Greene, Haywood, Knox, Montgomery, Roane, Warren, and Washington Counties; Texas, 1 in San Antonio; West Virginia, 1 in Kanawha County; and Wisconsin, 1 in Madison.

Leprosy.—Leprosy caused 25 deaths in 1932, distributed among the following States: California, 2-1 each in Los Angeles city and in Tulare County; Louisiana, 21 in Iberville Parish (the Federal leprosarium is situated at Carville within this parish); Rhode Island, 1 in Washington County; and Texas, 1 in Galveston

Weil's disease.—Accounted for 34 deaths: One each in California, Connecticut, Georgia, and Idaho, 3 in Illinois, 1 in Indiana, 2 in Iowa, 1 in Kentucky, 3 in Louisiana, 1 in Massachusetts, 2 in Michigan, 1 each in Minnesota and Nebraska, 4 in New York, 1 in Ohio, 2 in Pennsylvania, 1 in South Carolina, 3 in Virginia,

2 in West Virginia, and 3 in Wisconsin.

Rat-bite fever.—This disease was responsible for 2 deaths: Ohio, 1 in Hamilton city; and Pennsylvania,

1 in Lycoming County.

Other diseases due to protozoal parasites.—Leishmaniasis caused 1 death, trypanosomiasis caused 3 deaths, and Vincent's infection caused 12 deaths.

Filariasis.—One death, occurring in Los Angeles

city, Calif., was caused by filariasis.

Other diseases caused by helminths.—Two deaths were charged to chyluria and lipuria, and 19 to trichinosis.

Mycoses.—The number of deaths from mycoses in 1932 was 249, of which 94, or 37.8 percent, were due to thrush. Of these 94 deaths, 79 were in rural districts. Colored children under 1 year of age were credited with 48 deaths from thrush.

Chicken-pox and German measles.—One hundred. and forty-eight deaths were caused by chicken-pox and.

9 deaths by German measles.

Acrodynia.—This disease was responsible for 6-deaths: Massachusetts, 1 in Boston; Michigan, 2—1 each in Detroit and in Saginaw County; Ohio, 1 in Cleveland; Oklahoma, 1 in Tulsa city; and Pennsylva-

nia, 1 in Montour County.

Dengue fever.—Two deaths were caused by denguefever, both occurring in Georgia—1 each in Atlanta and.

in Telfair County.

Glandular fever.—Responsible for 6 deaths: California, 1 in San Diego city; Georgia, 1 in Sumter County; Illinois, 1 in Lincoln city; Pennsylvania, 2—1 each in New Kensington and West Chester; and Virginia, 1 in Winchester.

Psittacosis.—Psittacosis caused 12 deaths in 1932. The distribution among the States was as follows: California, 4—1 in Los Angeles city, 2 in Pasadena, and 1 in Madera County; Illinois, 2 in Chicago; Kentucky, 3 in Louisville; Massachusetts, 1 in Malden; Michigan, 1 in Berrien County; and Minnesota, 1 in Renville County.

Roseola.—Caused 1 death in Coffee County, Ga.
Rocky Mountain spotted fever.—Caused 86 deaths in 1932 compared with 34 deaths in 1931, in the following States: California, 2—1 each in Lassen and Modoc Counties; Colorado, 5—1 each in Boulder city, and in Garfield, Mesa, Rio Blanco, and San Miguel Counties; District of Columbia, 3; Idaho, 19—4 in Boise, and 1 each in Bear Lake, Butte, Camas, Gooding, Minidoka, Payette, Shoshone, and Twin Falls Counties; 2 each in Bingham and Washington Counties, and 3 in Kootenai County; Maryland, 2—1 each in Baltimore city and in Worcester County; Montana, 18—1 in Billings, 3 in Missoula city, and 1 each in Beaverhead, Carbon, Dawson, Fallon, Lake, and McCone Counties, and 2 each in Custer, Fergus, Ravalli, and Rosebud Counties; New Mexico, 2 in Colfax County; Nevada, 3—1 each in Elko, Humboldt, and White Pine Counties; North Carolina, 2—1 each in Gates and Orange Counties; Oregon, 8—1 each in Klamath Falls and in Baker, Deschutes, and Wheeler Counties, and 2 each in Harney and Malheur Counties; Utah, 4—1 each in Cache and Duchesne Counties, and 2 in Juab County; Virginia, 2—1 each in Dinwiddie and Fairfax Counties; and Wyoming, 16—1 each in Casper and in Big Horn, Converse, Fremont, Niobrara, Park, Washakie, and Weston Counties, 2 each in Carbon and Natrona Counties, and 4 in Sheridan County.

Tularemia.—Accounted for 54 deaths: One in Alabama, 1 in Arkansas, 2 in Colorado, 6 in Illinois, 5 in Indiana, 1 in Kansas, 3 in Kentucky, 6 in Maryland, 3 in Michigan, 2 in Minnesota, 4 in Missouri, 1 in New York, 2 in North Carolina, 3 in Ohio, 2 in South Carolina, 2 in Tennessee, 1 in Texas, 1 in Utah, 3 in Virginia, 1 in West Virginia, and 4 in Wisconsin.

Vaccination—Was responsible for 4 deaths: One

Vaccination.—Was responsible for 4 deaths: One each in Indiana, Louisiana, Maryland, and Pennsyl-

Trench mouth.—This disease was credited with 45 deaths in the following States: 3 in Alabama, 2 each in California and Colorado, 1 in Idaho, 2 each in Illinois, Indiana, Kansas, Kentucky, and Louisiana, 1 in Maryland, 2 in Michigan, 3 in Mississippi, 4 in Missouri, 1 in New York, 2 in North Carolina, 4 in Oklahoma, 1 each in South Carolina, Tennessee, Texas, and Utah, 3 in Virginia, 2 in West Virginia, and 1 in Wisconsin.

TUBERCULOSIS (ALL FORMS)

The steady decrease in the death rate from tuberculosis (all forms) in recent years is one of the most satisfactory of all triumphs in public-health work. A new low rate was reached in 1932, when the number of deaths was 75,509, with a rate of 62.8 per 100,000 population compared with 81,395 deaths and a rate of 68.2 in 1931.

Extreme variations were shown in the rates for the different States, from 264.3 for Arizona to 20 for

Nebraska. It must be noted, however, that States and cities with high death rates from tuberculosis are not necessarily those which have conditions tending to develop the disease, but rather are localities, which, because of favorable climatic conditions or hospital facilities, attract persons afflicted with tuberculosis. As examples, Arizona and New Mexico are the 2 outstanding States, and El Paso and San Antonio the 2 cities of the 93 having 100,000 population and over in 1930. Only 4 of the 47 States included in the area had higher rates in 1932 than in 1931, namely, Colorado, Florida, North Dakota, and South Dakota, and only 21 of the 93 cities.

Higher rates for the colored than for the white population were found in every State and every city, except El Paso, for which the data were shown by color.

Table AF	FRO CUI FO: 100 MAT:	TION es of	(ALL PER ESTI- PULA- 175 or	Table AF—Contd.	FRO CUI FOI 100 MATI	TION es of	BER- (ALL PER STI- PULA-
	fac	re in ced ty	1920			re in led ty	
The registration	62, 8		114. 0	North Dakota	29. 2		
Registration States 2 Cities of 10,000 or	62. 5	67.8	113. 0	Oklahoma White Colored	47. 8 35. 6 142. 0	54. 2 38. 8 174. 4	(3) (3) (3) (4)
over 2	64.3	69.1	118.6	North Dakota Ohio Okiahoma White Colored Oregon Pennsylvania Rhode Island South Carolina White Colored South Dakota Tennessee White Colored Utah Vermont Virginia White Colored Utah White Colored Utah Wermont Wirginia White Colored Washington West Virginia Wisconsin Wyoming	37. 2 55. 5 53. 1 68. 5 29. 3	42.9 59.2 62.4 74.1 31.6	88.8 105.1 131.2 120.4 65.5
StateAll registration cities 2_	61.4	67.2	175.5	South Dakota Tennessee	48. 1 102. 5	44. 9 112. 3	(3) 164. 2
Alabama White Colored Arizona	79. 1 43. 5 143. 9 264 3	87. 2 47. 7 158. 7 291 2	888	White Colored Utah Verwont	78. 7 209. 7 21. 6 58. 3	85. 2 234. 0 22. 5 66. 4	129. 1 310. 9 39. 1
Arkansas	63. 2 45. 5 114. 5	73. 3 51. 8 135. 2	(S)	Virginia White Colored	89. 2 57. 8 175. 9	92. 9 57. 4 190. 6	143. 4 95. 1 257. 4
White Colored Colorado	85.0 66.5 228.6 104.8	70. 8 70. 6 247. 8 103. 3	157. 1 (4) (4) 226. 0	Washington West Virginia Wisconsin Wyoming	57. 4 46. 3 23. 5	60. 2 62. 1 49. 2 27. 2	98. 5 (3) 85. 6 (3)
Connecticut Delaware Florida	51.0 71.3 71.5	55. 5 90. 8 71. 3	119.7 146.1 102.8	CITIES OF 100,000 POPU-			
ColoredGeorgia	36. 9 155. 3 67. 1 36. 4	40. 2 146. 6 75. 1 37. 9	174.8 (3)	Akron Albany Atlanta	32. 2 67. 3 76. 8	33.1 72.0 100.1	59. 2 142. 1 108. 2
Colored Idaho Illinois	120. 8 32. 2 55. 5	139. 8 34. 3 62. 6	(3) (3) 100. 4	White Colored Baltimore	28. 2 173. 2 86. 5	39. 6 220. 0 96. 9	84.7 159.4 149.9
IndianaIowa	29.6 32.3	62. 5 30. 5 36. 8	108. 7 (3) 48. 2 152. 7	Colored Birmingham White	247.3 78.7	267. 5 96. 2	354.3 159.8 65.7
White Colored Louisiana	76. 2 196. 4 74. 7	83. 0 238. 1 82. 9	130, 1 362, 5 140, 6	Colored Boston Bridgeport	156. 8 65. 5 44. 2	198, 8 72, 2 53, 7	305. 6 129. 4 106. 5
White Colored Maine	44. 0 126. 8 48. 0	48.6 140.8 49.1	80.7 234.7 103.8	Buffalo Cambridge Camden	68.0 65.7 50.4	76.9 64.0 44.5	112.0 132.9 81.6
White Colored Massachusetts	60. 8 239. 5 53. 5	90. 2 65. 3 247. 7 59. 6	110. 3 325. 4 114. 0	Chattanooga	111. 1 59. 8 246. 3	109. 7 72. 2 208. 3	206. 9 124. 1 379. 3
Michigan Minnesota Mississippi	50. 1 40. 6 73. 1	55. 0 41. 4 83. 1	83. 2 89. 8 127. 0	Chicago Cincinnatí White	58. 5 91. 0 53. 6	66. 7 112. 2 67. 8	97, 2 161, 3 133, 9
White Colored Arkansas White Colored White Colored Golored Indiana Iowa Kansas Kentucky White Colored Louisiana White Colored Maryland White Colored Maryland White Colored Maryland White Colored Michigan White Colored Michigan White Colored Michigan White Colored Michigan White Colored White Colored White Colored	36. 2 109. 7 66. 6	36. 6 129. 1 72. 9 61 2	47.6 199.6 106.7 76.4	LATION OR MORE IN 1930 Akron Albany Atlants White Colored Baltimore White Colored Birmingham White Colored Boston Bridgeport Buffalo Cambridge Camden Conton Chattanoogs White Colored Chicago Cincinnati White Colored Colored Chicago Cincinnati White Colored Colored Chicago Cincinnati White Colored Dallas White Colored Dayton Dayton Denver Des Moines Detroit Duluth	78. 2 66. 3 52. 8	88.2 69.4 54.7	110. 2 116. 8 98. 0
Nebraska Nevada New Hampshire	20.0 101.2 44.9	25. 9 109. 8 52. 7	43.1 (3) 96.8	Colored Dallas White	169. 1 51. 6 30. 9	180.8 54.2 34.1	293.8 110.2 70.0
New Jersey New Mexico New York	61. 0 142. 7 62. 8	64. 5 150. 5 67. 6	113.6 (3) 120.4	Colored Dayton Denver	151. 1 59. 5 116. 3	151.1 71.0 109.7	335, 9 93, 7 319, 0
White	41, 4 133, 6	44. 9 140. 4	82. 6 193. 2	Detroit Duluth	65. 1 37. 4	68. 5 54. 0	100. 0 79. 8

Table AF—Contd.	FRO CUI FO 100	ATH R OM TU OSIS RMS) 0,000 E ED PO TION	BER- (ALL PER ESTI- PULA-	Table AF—Contd.	FRO CUI FO	ATH R M TU OSIS RMS) 0,000 E ED PO TION	BER- (ALL PER STI- PULA
	mo	es of re in l ced ty	bold-		mo	tes of re in l	bold-
	1932	1931	1920		1932	1931	1926
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued			
Blizabeth El Paso. White. Colored Erie. Evansville. Fall Raver Fort Wayne Fort Worth. White. Colored. Grand Rapids. Hartford. Houston. White. Colored. Indianapolis. White. Colored. Jacksonville, Fia. White. Colored. Jacksonville, Fia. White. Colored. Jacksonville, Fia. White. Colored. Jacksonville, Fia. White. Colored. Jersey City. Kansas City, Kans. White. Colored. Colored. Colored. Colored. Jersey City. Kansas City, Mo. White. Colored. Kansas City, Mo.	79. 5 45. 6	73.9 43.8	101. 2 107. 4 78. 8	New York Bronx Borough Brooklyn Borough Manhattan Borough White Colored Queens Borough Riehmond Borough's Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Pittsburgh Portland, Oreg Providence Reading Riehmond, Va. White Colored Rochester, N. Y. St. Louis White Colored	53. 9 34. 2 36. 1 22. 1 70. 9 50. 9 219. 4 55. 8 32. 3 48. 3 50. 2 93. 3	57. 4 54. 0 46. 1 37. 8 82. 3 60. 1 247. 1 65. 8 39. 1 52. 6 52. 9 106. 9	78. 4 85. 6 119. 1 77. 2 137. 9 119. 4 361. 8 120. 0 82. 2 113. 7 83. 4 157. 4
White. Colored Kansas City, Mo. White. Colored Knoxville. White. Colored Long Beach. Los Angeles White. Colored Louisville. White. Colored Louisville. White. Colored Lowell Llynn Memphis White. Colored Miami White. Colored Miami White. Colored Mimeapolis Nashville. White. Colored	51. 4 106. 7 24. 9 87. 4 68. 1 212. 1 36. 5 151. 4 47. 9 21. 5 123. 2 53. 8 235. 4 95. 8 95. 8 90. 0 10. 0 1	50.3 95.5 28.2 86.6 64.0 231.5 64.3 180.3 52.9 17.5 64.4 248.7 73.8 42.4 181.8 46.7 23.4 111.3 63.9 111.3 63.9 12.8 63.9 12.8 63.9 13.8	153. 9 207. 1 750. 7 178. 8 167. 7 139. 2 113. 9 263. 7 107. 0 108. 8 205. 9 366. 4 124. 4 62. 1 270. 5 86. 7 108. 0 208. 9 386. 5 389. 8	White Colored St. Paul Salt Lake City San Antonio White Colored San Diego San Francisco Scranton Scanton Scattle Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Colored Trenton Tulsa White Colored Utica Washington, D.C White Colored Utica Washington, D.C White Colored Utica Washington, D.C White Colored Utica Wolored Wilmington, D.C White Colored Wilmington, D.C Wichita Wilmington, Del	\$39. 2 1 \$46. 7 (*) \$8. 4 \$82. 0 3 \$67. 4 1 \$7. 1 1 \$4. 1 \$6. 1 1 \$6. 1 1 \$6. 1 1 \$6. 1 1 \$6. 1 1 \$6. 1 1 \$6. 20. 7 \$6. 3 \$6. 4 2 \$6. 3 \$6. 3	44.66 (4) 55.6 (4) 589.5 54 (6) 61.71.8 24.7 73 32.7 744.6 61.9 117.1 82.8 83.8 7.8 78.7 8.7 8.7 8.7 8.7 8.7 8.7 8.7	112.9 9 97.0 0 (3) (3) (3) (4) 134.5 9 154.6 9 154.6 9 155.6 9

1 In continental United States.
2 Including District of Columbia.
3 Not in registration area.
4 Death rates by color not available.
5 High rates in 1932 and 1931 due to presence of a large tuberculosis hospital.

TUBERCULOSIS OF THE RESPIRATORY **SYSTEM**

Among deaths from tuberculosis of the respiratory system, rates for the rural areas in recent years have tended to exceed those for the urban. In 1930, for the first time, this tendency is also seen, in a small degree, in the rates for tuberculosis of all forms. These rates probably reflect the operation of modern methods in the care and prevention of tuberculosis which have been developed in a more intensive way in the cities than in rural districts.

As in all forms of tuberculosis, Arizona is at the top of the list, with a rate of 251.1. This high rate, however, is explained by the fact that Arizona is a health resort. Nebraska, with a rate of 17.4 and Utah, 17.7, have the lowest rates among the States. Rates for some of the cities are very low: Grand Rapids (12.2), Somerville (15.2), Canton (15.9), Syracuse (16.0), and

As was to be expected, the figures show high mor-As was to be expected, the figures show high mortality for the colored population as compared with the white. This is true in every State and city for which figures for the colored are shown. Some especially striking examples are: Dallas, where rates for the colored are over 5 times as high as those for the white; St. Louis, over 6 times as high, and Jacksonville and Cincinnati over 7 times as high.

Table AG	FROM LOS RES PE ES PO [Rat mon	PULAT	THE TORY M ,000 TED TION 150 or bold-	Table AG—Contd.	DEATH RATE FROM TUBERCU LOSIS OF THE RESPIRATORY SYSTEM PER 100,000 ESTIMATED POPULATION [Rates of 150 of more in bold- faced type]			
	1932	1931	1920	,	1932	1931	1920	
The registration area!	56.4	60. 7	97. 0	OklahomaWhite.	43. 2 32. 1	48. 8 34. 4	(3)	
Registration States 2 Cities of 10,000 or over 2	56. 1 52. 7	60, 4	96. 0 97. 5	Oklahoma White Colored Oregon Pennsylvania Rhode Island South Carolina White Colored South Dakota Tennessee White Colored Utah Vermont Virginia White Colored Washington West Virginia Wisconsin Wyoming	128, 7 30, 9 49, 8	159.9 37.5 52.7	(3) 70.4 87.3	
Smaller cities and rural areas Registration cities in	59. 3	63, 2		South Carolina White	64, 6 27, 6 109, 7	69. 3 28. 8 118. 3	107. 9 57. 7 155. 8	
nonregistration StateAll registration cities 2	88. 4 53. 5	89. 9 58. 2	153.4 99.4	South Dakota Tennessee White Colored	41.1 91.9 70.8	40. 2 98. 1 74. 2	(3) 139. 1 110. 2 260. 4	
Alabama White Colored	72. 7 39. 6 133. 1	78. 3 42. 7 143. 0	(3) (3) (3)	UtahVermontVirginia	17. 7 50. 3 80. 3	19.9 57.2 83.3	29. 4 65. 2 124. 8	
Arizona	251, 1 59, 3 42, 1	278.3 68.2 48.0	(3) (3) (3)	White Colored Washington	52. 0 158. 7 47. 5	52. 2 168. 7 52. 6	82.0 225.6 78.9	
Arkansas	76. 4 60. 7 198. 5	81. 5 64. 5 214. 2	135.3 (4) (4)	Wisconsin Wyoming	41. 6 20. 5	43. 2 22. 8	71. 2	
Colorado Connecticut Delaware	98. 4 45. 2 62. 9	96.3 49.6 80.0	210. 2 100. 0 126. 5	ULATION OR MORE	1			
White Colored Georgia	33. 3 146. 1 61. 7	36. 3 135. 5 68. 5	56. 9 158. 4 (3)	Akron Albany Atlanta	27. 3 59. 6 63. 4	29. 6 62. 0 77. 8	48. 2 109. 6 85. 6	
White Colored Idaho	33.9 110.5 28.4	34, 1 128, 6 28, 5	(3) (3) (3) (4)	White Colored Baltimore	22. 2 145. 2 77. 0	29.3 173.8 83.7	67. 4 125. 0 126. 0	
White Colored Connecticut Delsware Florida White Colored Georgia Georgia Georgia White Colored Georgia	52. 2 25. 1 28. 7	52. 4 25. 8 32. 4	88. 6 (3) 39. 4	Colored Birmingham White	222.8 69.1 27.0	229.4 76.9 27.0	285. 4 130. 3 46. 8	
WhiteColored	76.6 67.6 173.3	83. 1 71. 6 205. 8	130. 7 111. 5 309. 9	Colored Boston Bridgeport	137. 4 59. 3 40. 1	157.9 65.1 45.5	25 9. 6 106. 4 81. 4	
White Colored Maine	40. 5 117. 8 38. 7	44. 9 131. 5 41. 6	72. 6 211. 9 80. 6	Cambridge Camden Canton	58. 7 37. 0 15. 9	61,3 37,8 26,2	115. 6 71. 3 64. 9	
Maryland White Colored	82. 9 55. 1 218. 9	86.3 59.2 218.6	126. 1 96. 5 271. 4	Chicago	93. 1 47. 4 213. 6	93.3 62.1 175.6	162.4 96.2 300.3	
Michigan Minnesota Mississippi	43. 1 34. 5 69. 0	47. 0 34. 9 77. 7	69. 3 74. 0 119. 6	Cincinnati White Colored	80. 5 47. 4 348. 6	92. 9 59. 4 364. 5	133. 3 112. 7 380. 3	
White Colored Missouri	33. 9 103. 7 60. 2	33. 8 121. 2 65. 4	43. 8 189. 0 95. 5	Cleveland Columbus White	73. 2 56. 5 45. 5	79.0 56.8 45.9	91. 3 90. 8 73. 1	
Montana Nebraska Nevada New Hampshire	47. 6 17. 4 92. 5	21.7 96.7 44.3	33.9 (3) 79.2	Dallas	42. 8 24. 3 131. 9	48. 0 31. 4 127. 7	90. 6 55. 6 287. 3	
Now Vork	58 A	80.7	1101 4	IN 1930 Akron Albany Atlanta. White. Colored. Baltimore. White. Colored. Birmingham. White. Colored. Boston. Bridgeport. Buffalo. Cambridge. Camden. Canton. Chattanooga. White. Colored. Cloiced. Cloicago. Cincinnati. White. Colored. Cloicago. Cincinnati. White. Colored. Cleveland. Columbus. White. Colored. Colored. Cleveland. Colored. Daylon. Dayton. Denver. Des Moines. Detroit. Duluth Elizabeth. El Paso. White. Colored.	54.6 107.7 36.7	53.4 99.4 34.6	73. 5 292. 2 (3)	
North Carolina White Colored North Dakota Ohio	62. 6 37. 8	66. 6 40. 9 128. 2	102. 7 73. 0 171. 4	Delication Duluth Elizabeth El Paso	27. 5 28. 3 224. 2	39. 3 35. 9 239. 0	63. 6 60. 0 611. 2	
North Dakota Ohio	24. 4 50. 5	24. 0 54. 7	(³) 85.4	WhiteColored	275.5 189.8	308.8 192.4	(3)	

Table AG—Contd.	FROM LOS RES	SIS OF SPIRA SYSTE ER 100 STIMA PULA	BERCU- THE TORY M,000 TED HON 150 or bold-	Table AG—Contd.	FROM LOS RES POST POST POST POST POST POST POST POS	ATH R M TUB SIS OF SYSTE ER 100, BTIMAT PULAT tes of 1 re in b	THE TORY M,000 FED FION 150 or
-	1932	1931	1920		1932	1931	1920
CITIES OF 100,000 FOP- ULATION OR MORE IN 1930—continued Erie. Evansville. Fall River. Filint. Fort Worth. White. Colored. Gary. White. Colored. Grand Rapids. Hartford. Houston. White. Colored. Josephane Colored. Josephane Colored. Jacksonville. Fla. White. Colored. Jersey City. Kansas City, Kans. White. Colored. Kansas City, Kans. White. Colored. Kansas City, Mo. White. Colored. Kansas City, Mo. White. Colored. Lous Beach. Los Angeles. White. Colored. Lous Beach. Los Angeles. White. Colored. Lous White. Colored. Lous White. Colored. Lous Mangeles. White. Colored. Lous Mite. Colored. Lous Mite. Colored. Lous Mite. Colored. Lowell. Lynn. Memphis. White. Colored. Lowell. Lynn. Memphis. White. Colored. Miwaukee. Minneapolis. Nashville. White. Colored. New Haven. New Orleans. White. Colored. Newark, N.J. New Bedford. New Haven. New Orleans. White. Colored. New York. Bronx Borough. Brooklyn Borough.	48. 5 36. 4 48. 6 26. 8	37. 4 52. 7 69. 4 32. 3	74. 0 105. 7 85. 7 38. 2	CITIES OF 100,000 FOP- ULATION OR MORE IN 1930—continued New York—Contd. Manhattan Borough White. Colored. Queens Borough Norfolk White. Colored. Oakland. Oklahoms City Omaha. Paterson Peoria Philadelphia. White. Colored. Pittsburgh Portland, Oreg. Providence. Reading. Richmond, Va. White. Colored. Solored. Rochester, N.Y St. Louis White. Colored. St. Paul. Salt Lake City San Antonio White. Colored. San Diego. San Francisco. Scranton Scattle. Somerville. South Bend. Spokane. Springfield, Mass. Syracuse Tacoma Tampa. White. Colored. Toledo. Trenton Tulsa. White. Colored. Toledo. Trenton Tulsa. White. Colored. Trenton Tulsa. White. Colored. Trenton Tulsa. White. Colored. Toledo. Trenton Tulsa.	83.34 87.14 194.1 19	91.4 074.0 0200.2 244.2 244.5 9 156.1 12 156.1 1	126.8 117.0 0 300.0 9.0 93.2 145.9 93.2 145.9 93.2 145.9 93.2 145.9 770.0 0 64.3 9 64.8 1102.9 22.8 8.6 8.6 8.6 9.1 12.9 92.5 8.3 38.6 68.8 1102.9 125.0 125
White. Colored. Newark, N.J. New Bedford. New Haven. New Orleans. White. Colored. New York. Bronx Borough. Brooklyn Borough.	46. 2 142. 2 1 51. 6 60. 4 30. 1 116. 8 1 72. 1 227. 5 2 57. 7 59. 0 28. 9	50. 61 84. 13 50. 5 64. 8 1 32. 6 32. 21 81. 41 57. 8 3 62. 5 1 75. 8 31. 4	05.7 308.5 76.7 04.3 65.2 89.7 44.4 16.4 106.8 91.0	Sylactise Tacoma Tampa Tampa White Colored Trenton Tulsa White Colored Washington, D.C White Colored Wichita Wilmington, Del White Colored Wichita Wilmington, Del White Colored Workes Yonkers Youngstown	31. 3 107. 3 107. 3 56. 3 241. 2 19. 0 46. 0 41. 3 82. 4 39. 0 43. 2 35. 9	45. 0 107. 1 1 50. 6 26. 8 48. 8 39. 2 123. 6 253. 2 53. 3 1 23. 1	68. 9 10. 2 74. 3 15. 6 58. 0 88. 2 74. 6 12. 0 89. 7 118. 8 58. 5

SYPHILIS

The number of deaths credited to syphilis in 1932 was 10,684 against 10,592 deaths in 1931, with a rate of 8.9 per 100,000 population for each year. Death rates from syphilis, tabes dorsalis, and general paralysis of the insane are given in table AH for the regis-

tration area and the registration States of 1900, 1910, and 1920.

and 1920.								
Table AH		DE.	ATHS	DE	ATH RAT	E PER I	.00,000 ATION	
YEAR	Total	Syphi- lis	Tabes dorsalis	General paralysis of the insane	Total	Syph- ilis	Tabes dor- salis	General paraly- sis of the insane
1	THE	REGISTR	ATION AI	REA IN C	ONTINE	TAL UN	ITED ST	ATES
1932	16, 445 16, 454 16, 676 16, 188 16, 826 15, 976 16, 466 16, 332	10, 684 10, 592 10, 554 9, 750 10, 013 9, 139 8, 965 8, 647	1, 188 1, 200 1, 306 1, 411 1, 500 1, 474 1, 601 1, 656	4, 573 4, 662 4, 816 5, 027 5, 313 5, 363 5, 900 6, 029	13.7 13.8 14.1 13.9 14.7 14.8 15.7 15.9	8.9 8.9 8.4 8.8 8.4 8.5 8.4	1.0 1.0 1.1 1.2 1.3 1.4 1.5	3.8 3.9 4.1 4.3 4.6 5.0 5.6 5.9
1924	16, 248 15, 811 15, 360 14, 252 14, 610	8, 195 7, 695 7, 462 6, 962 7, 969	1,674 1,695 1,708 1,694 1,611	6, 379 6, 421 6, 190 5, 596 5, 030	16. 2 16. 2 16. 4 16. 0 16. 7	7.9 7.9 7.8 9.1	1.7 1.7 1.8 1.9 1.8	6. 4 6. 6 6. 6 6. 3 5. 7
1919 1918 1917 1916	13, 861 15, 351 14, 834 13, 769 12, 590	7,347 7,604 7,811 6,902 5,819	1,691 1,857 1,772 1,717 1,757	4, 823 5, 890 5, 251 5, 150 5, 014	16.3 18.9 19.8 19.3 18.8	8.6 9.3 10.4 9.7 8.7	2. 0 2. 3 2. 4 2. 4 2. 6	5. 7 7. 2 7. 0 7. 2 7. 5
1914 1913 1912 1911 1910	11, 584 10, 634 9, 582 9, 433 7, 600	5, 195 4, 589 3, 941 3, 821 3, 221	1, 699 1, 674 1, 588 1, 624 1, 435	4, 690 4, 371 4, 053 3, 988 2, 944	17. 6 16. 8 15. 9 15. 9 14. 1	7. 9 7. 3 6. 5 6. 5 6. 0	2. 6 2. 6 2. 6 2. 7 2. 7	7. 1 6. 9 6. 7 6. 7 5. 5
1909 1908 1907 1906 1905	6, 828 6, 017 5, 478 6, 012 4, 867	2, 858 2, 432 2, 235 2, 006 1, 534	1, 386 1, 198 1, 127 1, 097 883	2, 584 2, 387 2, 116 2, 909 2, 450	13. 4 12. 9 12. 7 14. 3 14. 3	5. 6 5. 2 5. 2 4. 8 4. 5	2. 7 2. 6 2. 6 2. 6 2. 6	5. 1 5. 1 4. 9 6. 9 7. 2
1904 1903 1902 1901 1900	4, 590 4, 333 4, 060 3, 928 3, 577	1, 507 1, 368 1, 131 1, 137 1, 029	820 813 691 722 593	2, 263 2, 152 2, 238 2, 069 1, 955	13.8 13.3 12.7 12.5 11.6	4.5 4.2 3.5 3.6 3.3	2. 5 2. 5 2. 2 2. 3 1. 9	6. 8 6. 6 7. 0 6. 6 6. 3
		RE	GISTRATI	ON STAT	ES OF 1	900 1	<u>1</u>	
1932	4, 234 4, 272 4, 263 4, 159 4, 222 4, 223 4, 504 4, 630	2, 509 2, 435 2, 401 2, 203 2, 180 2, 034 2, 025 1, 978	357 402 426 449 455 489 547 565	1, 368 1, 435 1, 436 1, 507 1, 587 1, 700 1, 932 2, 087	12. 4 12. 6 12. 7 12. 6 13. 0 13. 2 14. 3 15. 0	7. 4 7. 2 7. 2 6. 7 6. 7 6. 4 6. 5 6. 4	1.0 1.2 1.3 1.4 1.4 1.5 1.7 1.8	4.0 4.3 4.6 4.9 5.3 6.8
1924 1923 1922 1921 1920	4, 618 4, 595 4, 627 4, 434 4, 788	1,848 1,846 1,824 1,845 2,345	633 565 620 580 623	2, 137 2, 184 2, 183 2, 009 1, 820	15. 2 15. 4 15. 8 15. 4 17. 0	6. 1 6. 2 6. 2 6. 4 8. 3	2.1 1.9 2.1 2.0 2.2	7.0 7.3 7.5 7.0 6.4
1919 1918 1917 1916 1915	4, 705 5, 406 5, 592 5, 580 5, 125	2, 165 2, 500 2, 596 2, 479 2, 130	664 691 699 728 741	1, 876 2, 215 2, 297 2, 373 2, 254	16.9 19.8 20.7 21.0 19.6	7.8 9.1 9.6 9.3 8.1	2. 4 2. 5 2. 6 2. 7 2. 8	6.8 8.1 8.5 8.9 8.6
1914	4,756 4,508 4,064 4,068 3,618	1,905 1,665 1,410 1,394 1,307	716 766 707 734 686	2, 135 2, 077 1, 947 1, 940 1, 625	18. 5 17. 8 16. 3 16. 6 15. 0	7. 4 6. 6 5. 7 5. 7 5. 4	2.8 3.0 2.8 3.0 2.8	8.3 8.2 7.8 7.9 6.7
1909 1908 1907 1906 1905	3, 241 3, 150 2, 976 3, 282 3, 012	1, 232 1, 121 1, 069 873 711	612 594 612 619 550	1,397 1,435 1,295 1,790 1,751	13.7 13.6 13.1 14.8 13.9	5. 2 4. 8 4. 7 3. 9 3. 3	2. 6 2. 6 2. 7 2. 8 2. 5	5. 9 6. 2 5. 7 8. 1 8. 1
1904	2, 962 2, 768 2, 652 2, 532 2, 403	747 715 611 599 534	545 511 432 456 393	1, 670 1, 542 1, 609 1, 477 1, 476	13. 9 13. 2 12. 8 12. 5 12. 0	3. 5 3. 4 3. 0 2. 9 2. 7	2.6 2.4 2.1 2.2 2.0	7.8 7.3 7.8 7.3 7.4

¹ In continental United States.
2 Including District of Columbia.
3 Not in registration area.
4 Death rates by color not available.
5 High rate in 1932 and 1931 due to presence of a large tuberculosis hospital.

TableAH—Con.		DEA	THS			TH RATE		
YEAR	Total	Syphi- lis	Tabes dorsalis	General paraly- sis of the insane	Total	Syph- ilis	Tabes dor- salis	General paraly- sis of the insane
			REGISTI	RATION S	TATES O	F 1910 ²		
1932	8, 811 8, 712 8, 719 8, 745 9, 093 9, 033 9, 523 9, 636	5, 209 5, 030 4, 991 4, 720 4, 787 4, 538 4, 442 4, 384	782 775 855 901 970 971 1,097 1,111	2, 820 2, 907 2, 873 3, 124 3, 336 3, 524 3, 984 4, 141	13. 1 13. 0 13. 1 13. 4 14. 1 14. 3 15. 3 15. 7	7. 7 7. 5 7. 5 7. 2 7. 4 7. 2 7. 1 7. 2	1. 2 1. 2 1. 3 1. 4 1. 5 1. 5 1. 8	4. 2 4. 3 4. 3 4. 8 5. 2 5. 6 6. 4 6. 8
1924 1923 1922 1921 1920	9, 779 9, 787 9, 554 9, 124 9, 551	4, 258 4, 148 3, 993 3, 914 4, 855	1, 176 1, 156 1, 224 1, 198 1, 156	4, 345 4, 483 4, 337 4, 012 3, 540	16. 2 16. 5 16. 4 16. 0 17. 0	7. 1 7. 0 6. 9 6. 8 8. 6	2. 0 2. 0 2. 1 2. 1 2. 1 2. 1	7. 2 7. 6 7. 5 7. 0 6. 3
1919 1918 1917 1916 1915	9, 195 10, 366 10, 726 10, 250 9, 455	4, 473 4, 736 4, 994 4, 645 3, 976	1,218 1,373 1,386 1,369 1,415	3, 504 4, 257 4, 346 4, 236 4, 064	16. 7 19. 1 20. 1 19. 5 18. 3	8. 1 8. 7 9. 3 8. 8 7. 7	2. 2 2. 5 2. 6 2. 6 2. 7	6. 3 7. 8 8. 1 8. 1 7. 9
1914 1913 1912 1911 1910		3, 584 3, 190 2, 787 2, 719 2, 498	1,348 1,347 1,278 1,322 1,263	3, 851 3, 680 3, 439 3, 385 2, 646	17. 3 16. 4 15. 3 15. 4 13. 5	7. 0 6. 4 5. 7 5. 6 5. 3	2. 6 2. 7 2. 6 2. 7 2. 7	7. 6 7. 4 7. 0 7. 0 5. 6
	<u></u>	<u> </u>	REGISTI	RATION S	TATES O	F 1920		
1932	14, 080 14, 154 14, 227 13, 858 14, 514 14, 222 14, 832	8, 925 8, 846 8, 727 8, 081 8, 295 7, 847 7, 812	1, 082 1, 085 1, 191 1, 273 1, 388 1, 368 1, 503	4, 073 4, 223 4, 309 4, 504 4, 831 5, 007 5, 517	13. 8 14. 0 14. 2 14. 1 14. 9 14. 8 15. 7	8. 8 8. 8 8. 7 8. 2 8. 5 8. 2 8. 3	1. 1 1. 1 1. 2 1. 3 1. 4 1. 4	4. 0 4. 2 4. 3 4. 6 5. 0 5. 2 5. 8
1925	14, 851 14, 633 14, 473	7, 594 7, 250 6, 891 6, 792 6, 631 7, 635	1,563 1,586 1,595 1,655 1,668 1,584	5, 702 6, 015 6, 147 6, 026 5, 569 5, 003	15. 9 16. 2 16. 2 16. 3 15. 9 16. 5	8. 1 7. 9 7. 6 7. 6 7. 6 8. 9	1.7 1.7 1.8 1.9 1.9	6. 1 6. 6 6. 8 6. 8 6. 4 5. 8

Note.—Prior to 1921, when syphilis was returned jointly with tabes dorsalis or with general paralysis of the insane, the assignment was to syphilis; in subsequent years the assignment is either to tabes dorsalis or to general paralysis of the insane.

For comparison, a few rates for England and Wales are given in table AI.

Table AI ¹	ESTIM	IN ENGL	POPULA-	Table AI— Continued	ESTIM	IATED IN ENGL	R 100,000 POPULA- AND AND
YEAR	Syph- ilis	Tabes dorsalis	General paraly- sis of the in- sane	YEAR	Syph- ilis	Tabes dorsalis	General paraly- sis of the in- sane
1932 1931 1930 1929 1928 1927 1926 1927 1926 1924 1923 1922 1921	3. 2 3. 6 3. 6 3. 5 3. 9 3. 2 3. 3 3. 6 3. 9 4. 7	1. 9 1. 7 1. 8 2. 2 2. 0 2. 0 1. 9 1. 9 1. 9 2. 1 1. 8	2.70923.6973.094.4444.1	1920 1919 1918 1917 1916 1915 1914 1913 1912 1911 1911	5. 4 5. 27 6. 0 5. 5 5. 5 5. 7 5. 1 4. 6	1. 6 1. 9 2. 0 2. 2 2. 3 2. 1 1. 9 2. 0 1. 8 1. 8	3. 8 4. 1 5. 5 5 6. 4 5. 8 6. 3 6. 1 5. 8 6. 1 6. 2

¹ From the Registrar-General's Statistical Review of England and Wales, 1930.

MALARIA

The fact that the term "malaria" is used somewhat loosely in some sections of the country undoubtedly has much to do with some of the higher rates recorded, especially in those sections where certification is not always made by physicians. But accepting the certification as reported, the number of deaths from malaria in 1932 was 2,568, corresponding to a rate of 2.1 per 100,000 population, the same rate as 1931. The mortality rate from malaria in the registration area has fluctuated with a downward tendency from 3.6 per 100,000 in 1920 to 2.1 in 1932.

Only 5 States had rates above 10, namely, Arkansas (24.4), Mississippi (19.4), Florida (16.1), South Carolina (13.4), and Georgia (10.8). All of these are Southern States, and the showing is in striking contrast to the ern States, and the showing is in striking contrast to the 13 States which had no deaths from this cause—Connecticut, Delaware, Idaho, Maine, Minnesota, Montana, North Dakota, Rhode Island, South Dakota, Vermont, West Virginia, Wisconsin, and Wyoming—all Northern or Western States. Memphis has the highest rate (13.9) among the cities of 100,000 population or more (higher than the rate 10.4 for Memphis in 1931); but it is to be noted that the history of the dis-1931); but it is to be noted that the history of the disease in this city, considering the high rates of the early years of the century, has been a continual triumph for the State and city health departments in their efforts to eradicate the disease.

Of the 93 cities of 100,000 population or more in 1930, 66 had no deaths from malaria.

Table AJ	FROM MALA PER 100,0 ESTIMATE POPULATIO [Rates of 18 more in bo		DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in bold- faced type]		FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in bold-			DEATH RATE FROM MALARIA PER 100,000 ESTIMATED POPULATION [Rates of 10 or more in bold- faced type]				
	1932	1931	1920		1932	1931	1920					
The registration area! Registration States 2. Cities of 10,000 or over 2. Smaller cities and rural areas. Registration cities in nonregistration State. All registration cities 2. Alabama	10, 1 0, 2 24, 4 19, 1	3. 7 2. 1 0. 6 8. 0 5. 3 12. 8 0. 2 25. 8 20. 3	5. 9 12. 1 1. 2 (3) (3) (3) (3) (3) (3) (3)	Iowa Kansas Kentucky White Colored White Colored Maine Maryland White Colored Maryland White Colored Misssachusetts Michigan Mississippi White Colored Mississippi White Colored Mississippi White Colored Mississippi White Colored Missouri Nisparaka	1. 3 1. 8 7. 3 6. 8 8. 1 0. 1 0. 1 (4) (4) 19. 4 12. 9 25. 8 3. 0. 1	1.8 1.66 4.00 7.00 5.8 9.1 0.1 0.4 0.1 12.4 9.2 15.6 4.1	2.2 5.3 32.3 38.5 38.5 0.3 1.2 1.2 22.1 52.4 0.1					
Colored California. White. Colored. Connecticut Delaware Florida White. Colored Georgia. White Lolored Georgia. Uhite Lolored Idaho. Illinois. Indiana	0. 2 0. 1 0. 3 0. 1 16. 1 12. 2 25. 6 10. 8 7. 1 17. 3	0. 2 0. 1 0. 5 0. 1 14. 8 11. 7 22. 3 10. 5 6. 6 17. 2	(5) (5) 0. 2 0. 4 0. 4 34. 6 29. 7 44. 4 (3) (3) (3) (3) (3) 1. 2	Nevada. New Hampshire. New Jersey. New Mexico. New York. North Carolina. White. Colored. North Dakota. Ohio Okiahoma. White. Colored. Oregon. Pennsylvania. Rhode Island.	0.6 0.1 1.4 (4) 1.6 0.7 4.0 1.4 4.5 8.6 0.1	0. 7 0. 1 1. 4 0. 7 3. 1 4. 2 3. 4 10. 5 0. 1	0.2 (3) 0.2; 8.1 4.7 16.1 (3) (3) (3) (3) (3) 0.2					

See table A.
 Excludes North Carolina; see table A.

Table AJ—Contd.	FRO: PE	ATH I M MAI R 100 TIMA PULAI	LARIA ,000 TED	Table AJ—Contd.	FRO: PE ES	ATH B M MAI R 100 TIMAT PULAT	ARIA ,000 EED	
AREA	mo	tes of re in l ced ty	bold-	AREA	[Rates of 10 or more in bold- faced type]			
	1932	1931	1920		1932	1931	1920	
South Carolina	13. 4 6. 4 22. 0 5. 0 3. 8	14. 5 5. 8 25. 0 5. 5 3. 9	11.8 45.3 (3) 7.8 5.5	CITIES OF 100,000 POP- ULATION OR MORE IN 1930—continued Knoxville			3. 8 4. 4	
Colored	0. 2 0. 2 0. 2 0. 9 0. 1	0.5 0.4 0.9 0.1	2.2	Los Angeles White Louisville White Colored Lowell Lynn Memphis	13.9	10.4	1.3 0.5 4.9 0.9 1.0 21.9	
CITIES OF 100,000 POPU- LATION OR MORE IN 1930				White Colored Miami	11.3 18.2 0.9 1.2	8. 1 14. 2	9.3	
Atlanta White Colored Baltimore	1. 1 1. 6 	1.1 1.1 1.1	3. 0 3. 6 1. 6 0. 1 0. 2	White Colored Nashville White Colored		0. 6 0. 9	31. 2 0. 8 2. 8	
White Birmingham White Colored	0.2 1.9 1.8 1.9	4. 5 2. 4 7. 8	0. 2 2. 7 7. 0	New Haven New Orleans White	1.1	1. 2 0. 6 0. 9	1. 0 1. 4 0. 2	
Boston Chattanooga White Colored	1. 6 1. 1 3. 0	0.3 2.5 1.1 6.0	13. 7 2. 5 36. 9	New York Bronx Borough Brooklyn Borough Manhattan Borough	(4) 0.2	(1) 2 0.1	0. 2	
Chicago	0.1	0. 2 0. 2	0. 2 0. 2	ough White Richmond Bor- ough Norfolk	0.8	0.1	0.2 0.2 0.8	
White Dallas. White Colored Dayton	2, 2 0, 4	3.3 1.8 10.6	0. 4 0. 5 13. 5 13. 7 12. 1	WhiteColored	2.3	2.3	3. 5 4. 2 2. 3 0. 9 4. 2	
Dayton Denver Detroit Elizabeth	10.6 0.5	0. î	0. 4 0. 2 1. 0	Oklahoma City Omaha	1.0 0.5 2.8 0.1	0.5 0.9 0.2 0.1	2. 6 0. 1	
El Paso		1. 0 2. 4	2.5 (5) (5) 2.3	Pittsburgh Oreg	0. 1 0. 4	0. 9	0.1 0.7 0.2 0.4	
Fort Wayne Fort Worth	0. 6 0. 7	0.8 1.2 0.7	1. 0 -(3)	Richmond, Va		1. 1 1. 5	0.4 1.7 1.7 1.9	
White Colored Cary White Colored Houston	0. 9	3, 8	(3) 1.7 (5) (5)	Rochester, N.Y St. Louis	0. 5 0. 3 2. 0	0. 1 0. 1	0.3 1.7 1.6 2.8	
Houston	4. 2 1. 3 12. 1 0. 5	2.3 0.9 6.1	22. 2 14. 7 45. 5 0. 3	San Antonio	1. 3 (5) (5)	1. 2 (5) (5)	12.1 12.0 13.5 0.8	
White	0. 6 1. 5	3.8	2.8 8.7 5.9	Seattle Syracuse Tampa White Colored	0. 3 3. 8 2. 4	0.3 1.0	0. 6 15. 1 12. 1	
Colored	4.1 0.8 1.0	2.1	12.0 0.7	Colored Tulsa White Colored	9. 0 1. 4 1. 6	4. 5 0. 7 5. 6	25. 2 (3) (3) (3)	
Kansas City, Mo White Colored		0. 2 0. 3	0.3 0.3	Washington, D.C Colored Yonkers		0. 2 0. 7	0. 2 0. 9 1. 0	

CANCERS AND OTHER MALIGNANT TUMORS

Cancer was second among diseases in number of deaths in 1932. There were 122,739 deaths from cancer in that year, representing a rate of 102.2 per 100,000 population, compared with 118,141 deaths with a rate of 98.9 in 1931.

In judging the increase in deaths from cancer, which since 1900 has been almost continuous, except for slight decreases in certain years, it is not easy to dis-

tinguish the actual from the apparent increase. Cancer being largely an old-age disease, no accurate measure of rates can be made without making allowance for the age constitution of the population, and there are other factors equally important in their effect on the rates. Improvement in diagnosis accounts for some of the apparent increase. But going outside the field of debatable conclusions, convincing figures are available showing a recorded increase in cancer of accessible sites, the argument being that here an actual increase can scarcely be questioned.

The five highest rates in 1932 were found in the New

England States: New Hampshire (160.5 per 100,000 population), Maine (147.3), Massachusetts (143), Rhode Island (142.3), and Vermont (140). Minnesota was next in order, with a rate of 127.7. Among the cities, the highest rates were shown for New Haven (182.5), San Francisco (173.8), Boston (173.3), San Diego (170.6), and Providence (162.9). South Carolina had the lowest rate among States (42.6), and Chattanooga among cities (58).

Table AK shows the rates for States and for large

Table AK	DEATH BATE FROM CANCERS AND OTHER MALIGNANT TUMORS PER 100,000 ESTI- MATED POPULA-			Table AK—Contd.	DEATH RATE FROM CANCERS AND OTHER MALIGNANT TUMORS PER 100,000 ESTI- MATED POPULA-		
AREA	mo	tion tes of re in l ced ty	100 or bold-	AREA	mon	TION es of l re in b ed ty	100 or
<u> </u>	1932	1931	1920		1932	1931	1920
The registration area 1	102, 2 102, 3	==	_	Mississippi White Colored Missouri Montana Nebraska	55. 7 64. 7 46. 9	55. 4 64. 7 46. 2 110. 5	38. 1 40. 4 35. 9 77. 0 51. 4
Cities of 10,000 or over 2		79.3		Nebraska Nevada New Hampshire New Jersey New Mexico New York	160 2	144 2	117 2
StateAll registration cities 2_	57 1	54 4	99. 2	New York North Carolina White Colored North Dakota Ohio	127.5 50.5 54.7 40.5	125. 9 48. 2 51. 9 39. 1	100.6 39.3 42.5 31.9
White Colored Arizona Arkansas White	64. 0 44. 5 60. 5 44. 4 48. 8	56.2 51.3 60.9 45.1	(S)	North Dakota Ohio Oklahoma White Colored	76. 4 113. 6 55. 9 59. 1	68. 5 106. 6 51. 6 54. 2	(3) 89.1 (3) (3)
Colored California White Colored	31.8 124.6 132.9 60.4	32. 9 126. 4 134. 8 61. 1	(3) 107. 4 (4) (4)	Oklahoma White Colored Oregon Pennsylvania Rhode Island South Carolina	117.5 108.8 142.3 42.6	121. 1 104. 7 132. 7 46. 1	92. 7 83. 5 99. 6 33. 0
Colorado Connecticut Delaware Florida White	105, 4 124, 4 121, 3 80, 8 95, 2	98. 1 117. 4 110. 8 71. 1 82. 9	73. 2 100. 8 88. 5 51. 4 58. 4	Khode Island South Carolina White Colored South Dakota Tennessee White Colored Utah Vermont Virginia	37. 2 37. 2 82. 0 60. 5 61. 2	50. 4 40. 8 80. 2 60. 5 61. 0	25. 4 (3) 46. 5 47. 7
Colored	45. 6 53. 0 57. 1 45. 8	42. 5 54. 9 60. 3 45. 4	37. 6 (3) (3)	Colored Utah Vermont Virginia	57. 2 77. 7 140. 0 74. 6	58. 5 68. 6 119. 4 69. 4	41. 7 55. 3 125. 9 56. 1
Illinois Indiana Iowa Kansas	116.8 113.6 121.1 104.3	112.7 108.4 118.7 96.8	91. 6 89. 8 (3) 72. 3	Virginia. White Colored Washington West Virginia. Wisconsin. Wyoming	62. 5 113. 4 63. 7 120. 2	56. 9 116. 1 58. 9 118. 4	88. 2
White Oolored Arizona Arkansas White Colored California White Colored Colored Connecticut Delaware Florida White Colored Georgia White Colored Georgia White Colored Georgia White Colored Georgia White Colored Colored Illinois Indiana Iowa Kansas Kentucky White Colored Louisiana White Colored Maine Maryland White Colored Maine Maryland White Colored Massachusetts Michigan Minnesota	76.6 75.3 91.6 73.6	71. 9 70. 5 87. 2 69. 8	56. 2 55. 8 60. 3 49. 0	CITIES OF 100,000 POP- ULATION OR MORE IN 1930		-	(3)
Colored Maine Maryland White	66. 8 147. 3 116. 9 122. 0	62. 9 139. 8 110. 9 117. 0	43. 9 122. 4 94. 1 99. 0	Akron Albany	79. 6 153. 4 80. 7 88. 9	68. 0 150. 3 93. 7 105. 2	42. 0 143. 8 85. 6 96. 1
Colored Massachusetts Michigan Minnesota	92, 2 143, 0 96, 6 127, 7	81. 4 136. 3 94. 5 123. 4	69. 8 115. 4 83. 2 95. 7	Colored Baltimore White Colored	64. 5 140. 2 147. 5 106. 9	70. 8 133. 7 142. 7 93. 3	62. 5: 111. 8: 115. 2 92. 4

¹ In continental United States.
² Including District of Columbia.
³ Not in registration area.
⁴ Less than one-tenth of 1 per 100,000 population.
⁵ Death rates by color not available.

NOTE.—37 of the 93 cities in the area in 1930 had no deaths from malaria in the years shown.

¹ Report of Registrar-General of England and Wales, 1917.

Table AK—Contd.	DEATH RATE FROM CANCERS AND OTHER MALIGNANT TUMORS PER 100,000 ESTI- MATED FOPULA- TION [Rates of 100 or more in bold- faced type]			Table AK—Contd.	DEATH RATE FROM CANCERS AND OTHER MALIGNANT TUMORS PER 100,000 ESTI- MATED POPULA- TION [Rates of 100 or more in bold- faced type]		
AREA				AREA			
	1932	1931	1920		1932	1931	1920
CITIES OF 100,000 POP- ULATION OR MORE IN 1930—continued				CITIES OF 100,000 POP- ULATION OR MORE IN 1930—continued			
IN 1930—Continued Birmingham White. Colored. Boston Bridgeport. Buffalo. Cambridge Camden. Canton Chattanooga. White. Colored. Chicago. Clincinnati White. Colored. Cleveland. Columbus. White. Colored. Colored. Dallas. White. Colored. Dayton Denyer.	69. 1 80. 4 50. 7 173. 3 133. 9	76. 5 84. 0 64. 3 165. 3 106. 7 132. 3	58. 6 64. 0 50. 2 130. 1 93. 9 97. 4	Miami White Colored. Milwaukee. Minneapolis Nashville. White Colored. Newark, N.J. New Bedford. New Haven New Grleans. White. Colored. New York. Bronx Borough.	105, 2 120, 0 53, 9 110, 1 153, 9 113, 2	96. 9 114. 7 35. 6 109. 3 150. 6 97. 1	49. 8 62. 1 20. 8 93. 6 115. 3 100. 1
Cambridge Camden Canton Chattanooga White Colored	137. 0 111. 5 58. 0 62. 0 47. 5	120. 2 92. 7 75. 3 90. 3 35. 7	89. 3 71. 7 88. 9 103. 8 57. 9	White Colored Newark, N.J New Bedford New Haven New Orleans	97. 9 118. 3 109. 2 182. 5 148. 3	95. 0 102. 6 116. 9 113. 7 166. 6 138. 2	78. 5 90. 7 78. 6 123. 0
Chicago Cincinnati White Colored Cleveland Columbus	113. 8 153. 1 153. 5 109. 6 112. 2 148. 8	112. & 151. 8 157. 0 109. 6 103. 3 126. 5	95. 1 132. 0 135. 5 90. 3 83. 4 103. 0	White	148. 7 147. 2 121. 6 113. 8 99. 7 187. 6	143. 0 126. 3 118. 6 102. 9 99. 5 187. 6	95. 4 93. 9 90. 2 84. 9
White	158. 1 78. 7 78. 7 80. 9 68. 1	135. 5 58. 3 80. 2 84. 0 61. 7	106.0 74.5 77.8 83.7 44.5	Queens Borough Richmond Borough_	77. 4 113. 8	91. 9 76. 0 86. 9	83. 8 97. 8
DetroitDuluth	74. 0 152, 3	70. 1 150. 3	63. 0 73. 7	Colored Oakland Oklahoma City Omaha Paterson Poorie	63. 4 118. 4 99. 7 134. 3 160. 7	54. 3 115. 3 74. 2 159. 7 155. 6	48. 7 99. 7 103. 4 126. 1 103. 7
Elizabeth El Paso White Colored Erie	82. 1 97. 4 71. 8 131. 0	97. 1 123. 5 79. 5 103. 6	54.8 (4) (4) 90.5	Notion White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Pitsburgh Portland, Oreg Providence Reading Richmond, Va. White Colored Rochester, N.Y St. Louis White Colored St. Paul Salt Lake City San Antonio White	141. 9 148. 2 95. 7 113. 0 152. 2	137. 4 143. 0 95. 7 118. 2 159. 6	99. 0 101. 6 67. 2 88. 5 122. 9
Evansville. Fall River Filint. Fort Wayne Fort Worth White. Colored. Gary. White. Colored. Grand Rapids. Hartford.	134. 5 65. 9 118. 9 84. 2 88. 7	126. 7 54. 2 105. 4 83. 6 83. 7	103. 1 33. 2 101. 3 (3) (3)	Reading Richmond, Va. White Colored Rochester, N.Y.	162. 9 135. 3 126. 4 132. 5 111. 3 150. 6	146. 7 126. 3 116. 7 129. 4 85. 1 153. 9	117. 5 101. 0 83. 0 80. 4 88. 8 115. 0
Colored	60. 2 66. 2 81. 3 12. 8 103. 8	83. 0 54. 8 63. 0 25. 6 122. 3	(3) 43. 4 (4) (4) 100. 1	St. Louis White Colored St. Paul Salt Lake City San Antonio	147. 9 150. 9 125. 5 153. 6 135. 6	139.6 146.0 91.8 139.4 111.2	109, 9 113, 5 74, 2 121, 4 85, 6 98, 3
Houston White Colored Indianapolis	92. 2 106. 7 52. 1 124. 2	86. 5 97. 5 56. 0	63. 8 70. 6 42. 7 98. 6	Colored San Diego San Francisco Scranton	170. 6 173. 8 115. 9	(4) 168. 8 191. 2 122. 1	60. 9 155. 6 150. 7 94. 2
White	86. 3 87. 8 99. 7 66. 0 119. 8	95. 1 89. 5 111. 0 52. 0 118. 8	73. 8 89. 7 111. 8 62. 6 92. 0 79. 7	Seattle Somerville South Bend Spokane Springfield, Mass Syracuse	143. 2 104. 6 87. 0 143. 6 145. 1	99. 8 93. 4 162. 5 126. 6 137. 5	99. 3 74. 5 120. 3 100. 3
Kansas City, Mo White	129. 9 131 5	131. 1 134. 2	102.4	Seattle Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Toledo Trenton Tulsa	141. 0 106. 8 123. 2 45. 2 117. 5	144. 7 81. 9 94. 2 36. 0 107. 7	119. 2 71. 5 72. 7 67. 3 91. 4
Colored. Knoxville. White. Colored. Long Beach. Los Angeles. White. Colored Louisville. White. Colored Lowell Lynn Memphis. White. Colored.	66. 7 78. 7 136. 3 134. 4 142. 7	89. 7 50. 6 132. 5 136. 6 146. 1	85. 8 43. 1 135. 1 131. 2 134. 2	White Colored Utica	72. 5 28. 1 140. 8	70. 3 28. 1 149. 6	(3) (3) 90.1
Colored	81.6 135.7 140.4 110.0 140.7	75. 5 118. 7 119. 7 113. 2 125. 7	76. 2 106. 2 109. 3 91. 2 89. 2	Washington, D.C. White. Colored. Wiehita. Wilmington, Del. White. Colored. Worcester. Vonkers	159, 7 120, 6 128, 8 125, 7 128, 1	145, 8 109, 6 107, 1 133, 2 142, 9	71. 6 118. 8 92. 7 92. 8
Memphis White Colored	113, 1 128, 1 88. 9	98. 1 111. 3 76. 8	80. 4 92. 0 61. 3	Worcester Yonkers Youngstown	128. 3 96. 5 98. 9	95. 8 87. 3	121, 9 86, 4 61, 5

¹ In continental United States. ² Including District of Columbia.

There are increasing differences in the rates for cities and those for rural districts. In 1932 rates for registration cities were higher than those for the rural districts by 47.8 percent. A partial explanation may lie in the fact that hospital and other facilities for diagnosis of the disease are greater in the cities than in the rural districts.¹

Among States showing deaths by color, all except Kentucky had markedly lower rates for the colored than for the white population.

Deaths and death rates from cancer, by seat of disease, are shown in table AL.

Table AL	DEA:	THS IN TO CONTINE				A IN	
SEAT OF DISEASE	Nu	nber	Rate 100,00 mated lati	0 esti-	Per	Percent	
	1932	1931	1932	1931	1932	1931	
Cancers and other malignant tumors	122, 739	118, 141	102, 2	98. 9	100. 0	100.0	
Cancer of the buccal cavity and pharynx. Lip. Tongue. Mouth Jaw Others of this class. Pharynx.	441 1,034 585	4, 567 630 919 462 1, 013 539 1, 004	3. 8 0. 6 0. 8 0. 4 0. 9 0. 5 0. 8	3. 8 0. 5 0. 8 0. 4 0. 8 0. 5 0. 8	3.7 0.5 0.8 0.4 0.8 0.5 0.7	3.9 0.5 0.8 0.4 0.9 0.5 0.8	
Cancer of the digestive tract and peritoneum. Esophagus. Stomach and duodenum. Intestines (except rectum and	60, 810 2, 063 25, 909	58, 783 2, 038 25, 397	50. 6 1. 7 21. 6	49. 2 1. 7 21. 3	49.5 1.7 21.1	49.8 1.7 21.5	
anus)	12, 137 5, 890 10, 452 3, 371 927 61	11, 495 5, 451 10, 290 3, 139 911 62	10. 1 4. 9 8. 7 2. 8 0. 8 0. 1	9. 6 4. 6 8. 6 2. 6 0. 8 0. 1	9.9 4.8 8.5 2.7 0.8 (1)	9.7 4.6 8.7 2.7 0.8 0.1	
Cancer of the respiratory system Larynx Lungs and pleura Other respiratory organs		4, 039 925 2, 846 268	3, 8 0, 9 2, 6 0, 3	3. 4 0. 8 2. 4 0. 2	3.7 0.9 2.6 0.3	3. 4 0. 8 2. 4 0. 2	
Cancer of the uterus. Cancer of other female genital organs. Ovary and Fallopian tube. Vagina and vulva. Other female genital organs	(478	14, 464 2, 565 2, 051 478 36	12. 4 2. 2 1. 8 0. 4 (2)	12. 1 2. 1 1. 7 0. 4 (2)	12.1 2.2 1.8 0.4 (¹)	12. 2 2. 2 1. 7 0. 4	
Cancer of the breast	11, 889	11, 444	9.9	9.6	9.7	9.7	
Cancer of the male genitourinary organs. Kidneys and suprarenals (male). Bladder (male). Prostate. Testes. Scrotum Other male genitourinary organs.	9, 594 945 2, 493 5, 466 352 44 294	9, 184 960 2, 661 4, 924 345 37 257	8. 0 0. 8 2. 1 4. 6 0. 3 (2) 0. 2	7. 7 0. 8 2. 2 4. 1 0. 3 (2) 0. 2	7. 8 0. 8 2. 0 4. 5 0. 3 (1) 0. 2	7.8 0.8 2.3 4.2 0.3 (1) 0.2	
Cancer of the skin	3, 137	2, 986	2, 6	2. 5	2.6	2. 5	
Cancer of other or unspecified organs. Kidneys and suprarenals (fe-	10, 572	10, 109	8.8	8. 5	8.6	8.6	
male). Bladder (female) Brain Bones (except jaw). Other or unspecified	762 1, 266 932 1, 639 5, 973	691 1, 213 844 1, 644 5, 717	0.6 1.1 0.8 1.4 5.0	0. 6 1. 0 0. 7 1. 4 4. 8	0. 6 1. 0 0. 8 1. 3 4. 9	0.6 1.0 0.7 1.4 4.8	

Less than one-tenth of 1 percent. 2 Less than one-tenth of 1 per 100,000 population.

Cancers and other malignant tumors include 9 titles of the detailed International List of Causes of Death. The group "Cancer of the digestive tract and peritoneum" was credited with 49.5 percent of the total deaths from cancer in 1932, and among these cancer of the stomach and duodenum had the greatest number of deaths of any type of cancer (25,909, or 21.1 percent of all deaths from cancer). Rates for cancer of the uterus (12.4 per 100,000 population) and for cancer of the breast (9.9) were high.

Table AM shows age and sex for deaths from carcinoma, sarcoma, and hypernephroma.

³ Not in registration area.
4 Death rates by color not available.

¹ Registrar-General's Statistical Review of England and Wales, 1929, p. 55.

Table AM	DEATHS IN THE REGISTRATION AREA IN CONTINE TAL UNITED STATES: 1932								
AGE	Carci	noma	Sar	coma	Hyperne- phroma				
	Male	Female	Male	Female	Male	Fe- male			
All ages	51, 869	64, 488	3, 152	2, 597	374	259			
Under 1 year	15 11 14 17 13	7 17 19 9	20 20 44 26 26	13 · 18 · 23 · 37 19	, 2 1 1 1	1 2 2 3			
Under 5 years	49	62 32 33 87 238	136 109 93 155 126	110 80 75 90 84	8 1 2 5	8 3 1 1 1			
25 to 29 years	263 446 946 1,719 2,984	540 1, 254 2, 528 4, 053 5, 799	128 134 163 233 263	72 98 155 165 211	5 6 12 28 40	3 9 5 14 28			
50 to 54 years 55 to 59 years 60 to 64 years 65 to 69 years	4, 445 6, 091 7, 675 8, 093	7, 069 7, 783 8, 271 8, 100	281 314 281 242	273 251 251 235	59 53 56 47	33 42 39 29			
70 to 74 years	8, 219 5, 909 3, 108 1, 223	7, 796 5, 656 3, 221 1, 414	226 140 89 32	179 144 75 36	25 18 8 1	24 13 ·4 2			
90 to 94 years 95 to 99 years 100 years and over Unknown	262 41 7 37	413 76 8 55	5 1 1	11 2					

PELLAGRA

There were 3,694 deaths from pellagra in the registration area in 1932, corresponding to a rate of 3.1 per 100,000 population, as compared with 5,091 in 1931 with a rate of 4.3. The decrease in 1932 is largely accounted for by fewer deaths in North Carolina, Mississippi, Arkansas, and South Carolina.

No deaths from pellagra were reported for Idaho,

No deaths from pellagra were reported for Idaho, Montana, Nebraska, Oregon, Utah, Vermont, Washington, and Wyoming. On the other hand, Delaware, which had no deaths in 1931, reported 1 death in 1932.

Nearly two-thirds of all deaths from pellagra in 1932 were reported from six States: North Carolina, South Carolina, Georgia, Alabama, Mississippi, and Arkansas. Of the 2,334 deaths in these States, 518 occurred in cities and 1,816 in rural districts.

Table AN shows the distribution of these deaths by States.

Table AN	NUMBER OF DEATHS FROM PELLAGRA			Table AN—Contd.	NUMBER OF DEATHS FROM PELLAGRA		
	1932	1931	1920		1932	1931	1920
The registration area I. Registration States ² . Cities of 10,000 or over ² . Smaller cities and rural areas. Registration cities in nonregistration States ³ . All registration citie ² . Alabama: Cities. Rural	3, 694 3, 589 946 2, 643 105 1, 051 79 275	4, 948 1, 315 3, 633 143 1, 458	2, 122 594 1, 528 200 794	Arizona: Cities	1 1 49 171 18 8 2 4 2 1	322	

Table AN—Contd. AREA	NUMBER OF DEATHS FROM PELLAGRA			Table AN—Contd.	NUMBER OF DEATHS FROM PELLAGRA		
	1932	1931	1920	,	1932	1931	1920
Florida:				New Jersey:			
Cities	59	85	30	Cities	4	4	1
-Rural	141	133	84	Rural	1	2	
Georgia:			400	New Mexico:			
Cities	129	170	(3) (4)	Cities	3	5	(4) (4)
Rural	366	396	(*)	Rural	16	36	(1)
Illinois:	اما		_	New York:	0.5	- 00	
Cities Rural	4 10	12 9	3 8	Cities Rural	25 3	22 12	8
Indiana:	10	9	٥	North Carolina:) 0	. 12	- 4
Cities	5	1	1	Cities	115	149	76
Rural	6	â	2	Rural	364	546	242
Towa.	1	- 1	-	North Dakota:	***		
Cities		1 1	(4) (4)	Rural	1		(4)
Rural	1	1	(4)	Ohio:			
Kansas:				Cities	17	21	2
Cities	1	7	2	Rural	4	3	1
_ Rural	5	9	6	Oklahoma:	ا م	1	/m
Kentucky: Cities	14	20	10	Cities	35 114	51 189	(3) (4)
Rural	55	20 90	55	Rural Oregon:	114	199	(*)
Louisiana:	99	90	90	Cities		3	
Cities	79	88	61	Rural		1	
Rural	99	154	142	Pennsylvania:			
Maine:	"			Cities	7	20	2
Cities	2	2		Rural	4	4	2
Rural	3	2	4	Rhode Island:			_
Maryland:				Cities	3	1	3
Čities	8	14	4	South Carolina:	700	7.01	100
Rural	3	3	4	Cities Rural	102 332	161 427	102 204
Massachusetts: Cities	8	15	9	South Dakota:	002	721	201
Rural		1	2	Cities		1	(4)
Michigan:		-1		Rural	i		(4) (4)
Cities	1	3	4	Tennessee:	1 1		
Rural	2		1	Cities	71	63	62
Minnesota:	_1			Rural	217	237	240
Cities	2	3		Utah:		آ ـ	
Rural		2	1	Cities		1	
Mississippi:	44	73	153	Vermont: Rural	1	3	1
Cities Rural	308	491	405	Virginia:		៕	
Missouri:	300	-191	200	Cities	26	41	39
Cities	18	14	11	Rural	102	161	95
Rural	12	21	14	Washington:			•••
Nehraska.]	Cities		1	-
Cities		2		West Virginia:			
Rural		1	ī	Cities	3	1 8	(3) (4)
Nevada:	۱ ا	-	- 1	Rural	10	8	(4)
Cities		1	(4)	Wisconsin:	ايا	ا.	
New Hampshire:	ا۔	_	1	· Cities	1 2	4	<u>-</u>
Cities	1	1	<u>i</u>	Rural	2	2	5
Rural	ᅦ		1	Washington, D.C	1 4	- 4	Đ

¹ In continental United States. ² Including District of Columbia.

Norg.—In this table the term "cities" includes places of 10,000 inhabitants or more; the remainder of the population is classed as "rural".

DIABETES MELLITUS

Deaths from diabetes mellitus increased in number in 1932, when there were 26,368 deaths, with a rate of 22 per 100,000 population, over 1931, with 24,331 deaths and a rate of 20.4. The rate was higher for cities than for the rural part of the registration States.

In making any detailed analysis of death rates for diabetes mellitus it should be remembered that it is mainly an old-age disease and that consideration should be given to the age composition in any specified area.

Thirty-eight of the States had increases from 1931 to 1932. Rhode Island with a rate of 32.5, New Hampshire (31.6), and New York (30.9) had the highest rates; Arizona with 7.4 and New Mexico with 9 had the lowest. Of the large cities, Reading had the highest rate (48.4) and Tulsa the lowest (8.2).

Of the 14 States showing rates for the colored populations, 3 (Kentucky, Tennessee, and Virginia) had higher rates for the colored than for the white population.

Gertain registration cities.
 Not in registration area.

Гable AO	DI M PE	TH R. FROM ABET ELLIT R 100,	es US 000	Table AO—Contd.	DI. MI PEI	TH RATE OF THE OF THE RATE OF THE OF TH	es Js DOO
		TIMAT				TIM AT ULATI	
AREA	()	Rates 20 or	of			ates of	of
		more old-fac type]	ed		bo.	nore in ld-fac type]	
	1932	1931	1920		1932	1931	192
The registration area 1	22, 0	20. 4	16. 0	CITIES OF 100,000 POPU- LATION OR MORE IN 1930			
Registration States 2 Cities of 10,000 or	22.0	20, 4	16. 1	Akron	17.4	13. 7	11.
over 2	27. 5	25, 7	19. 4	Albany	44.2	41.1	28.
Smaller cities and rural areas	16.8	15. 4	13.0	Atlanta White	25. 2 28. 7	22.3 22.2	12. 15.
Registration cities in nonregistration				Colored	18.3	22, 5 29, 5	20,
StateAll registration cities 2_	17.4 27.3	14.8 25.4	11, 3 19, 1	White	34.8 24.5	31.7 19.7	21. 15.
Alabama	11.0	11.0	(3)	Birmingham White	14.5 16 8	15 2 16.8	6.
White Colored	12. 1 8. 8	12.0	(3)	Colored Boston	1 LU. /I	12. 7 30. 2	24
Arizona	7.4	9. 1 9. 0	(3)	Bridgeport	24.5	19.0	20
Arkansas White	9. 6 11. 3	9. 2 9. 6	(3)	Buffalo Cambridge	36.8 20.2	36, 5 15, 8	23 25
Colored	5.0 21.4	7. 9 19. 3	(3) 16. 9	Camden Canton	41.2	31.9 17.8	14 11
White Colored	22.9 9.7	20. 5 9. 9	(4) (4)	ChattanoogaWhite	ിരജി	9.8	10
Colorado	15. 9	16.6	14.5	li Colored	: 5 UI	14.9	12 5
Connecticut Delaware	27. 7 22. 5	23. 5 22. 1	21. 1 10. 7	Chicago Cincinnati White	27. 7 31. 5	27. 1 26. 7	20 22
Florida White	16. 7 18. 2	14. 2 15. 8	8.7 11.3	White Colored	31.9 27.9	27.3 21.9	23 9
Colored	13.0	10. 5 11. 4	3.6	Colored Cleveland Columbus	25.6	22.8	17
Georgia White	11.8 13.9	12.6	(3)	i white	31.8	31.8 32.9	22 23
Coloreddaho	8. 0 17. 7	9.3 16.8	(3)	Colored Dallas	29, 2 17, 2	23.3 11.0	13
llinois ndiana	26. 5 22. 7	25. 6 21. 9	17. 9 16. 5	White Colored	17. 7	9.7 17.0	10 4
lowa	24. 1	23. 3	(3)	Dayton	22. 9	25. 5	16
Kansas Kentucky	23. 2 14. 6	21.8 12.9	16. 6 7. 5	Denver Des Moines	19. 2 26. 3	20.6 28.4	19
White Colored	14. 0 20. 4	12, 8	7. 2 10. 2	Detroit Duluth	17.8 27.5	15.3 17.7	13 20
Louisiana White	13.9	12. 6 14. 6	7.8 9.5	ElizabethEl Paso	34. 2 12. 4	22. 2 8. 6	15. 1
Colored	12.0	9. 2	5. 1	White Colored	23.8	11.9	(4)
Maine Maryland	25. 5	25. 0 22. 8	21, 8 17. 0	Erie	4.8 32.3	6. 4 25. 5	11
White Colored	26.7 19.9	23.9 17.6	18. 2 11. 4	Evansville Fall River	23. 0	20. 1 53. 0	9 15
Massachusetts Michigan	27.9	24.8 19.5	20.9 16.2	Flint Fort Wayne	15 9	9. 1 16. 9	10
Minnesota	23, 2	20, 3	17.3	Fort Worth	14.9	6 6	(3
Mississippi White	10.8 13.4	10. 4 12. 6	5. 7 7. 5	White Colored	13. 5 22. 6	6. 4 7. 5	(3
White Colored Missouri	8. 2 23. 9	8.3 20.8	4.0 12.1	Gary White	12.3 13.3	13. 2 10. 9	7
Montana	16. 2 23. 9	15. 4 21. 8	10. 9 20. 7	Colored Grand Rapids	8. 5 19. 8	21. 4 20. 4	(1
Vebraska Vevada	17. 2	9.8	(3)	Hartford	35.9	28. 1	18 23
Vew Hampshire Vew Jersey	31.6 27.0	22. 9 24. 6	23.4 18.6	Houston White	20.2	16. 8 18. 0	9 11
New Mexico New York	9.0	7. 9 29. 6	(3) 23. 2	Colored Indianapolis	13, 3	13. 4 23. 1	19
North Carolina	12. 2	10.6	7.6	White	24.7	26.8	20
White Colored	12.8 10.8	10.8 10.2	8. 5 5. 6	Colored Jacksonville, Fla	19. 9 18. 9	13.3 19.0	14
North Dakota Dhio	24.4	17. 7 21. 5	(3) 17. 7	W nite Colored	23.5 10.3	17. 9 20. 8	9
Oklahoma White	11. 7	9. 9 10. 2	(3) (3) (3)	Jersey City Kansas City, Kans	30. 1 26. 0	26.3 22.8	16 17
Colored	4.3	8. 3 20. 5	(3)	White	28.1	23.1	16
Oregon Pennsylvania		25, 4	17. 4 16. 3	White Colored Kansas City, Mo	17. 2 23. 7	21.6 21.3	13
Rhode Island	12, 1	29. 5 11. 8	20, 2 6. 2	Colored	13 9	20, 2 30, 2	14. 6.
White Colored	15. 5 7. 9	13. 4 9. 9	9. 0 3. 6	White	14. 7 13. 1	13. 7 13. 1	7 5
South Dakota	18.7	19. 7 11. 3	(3) 6. 2	White	22, 5 23, 6		17 22
White Colored	10. 7	11.3	6.1	Los Angeles	22.6	20. 1	16
Jtan	TO D	11. 2 18. 6	6. 4 13. 3	Colored Long Beach Los Angeles White Colored Louisville White Colored Lowell Lynn Memphis White Colored	12. 4	10.1	16 15
Vermont	25, 0	27. 2 15. 7	19. 6 9. 4	Louisville White	31.5 31.2	25. 9 25. 3	21 21
White	16.3	14.9 17.7	10. 5 6. 8	Colored	33.2 27 0	29.4	22 11
Colored	40.71	41.1	v. o		W4.0	OT. 3	11
White	22, 2	19.9	13. 9 (3)	Lynn	23.4	27.3	23. 12.

Table AO—Contd.	DI M: PE ES PO: [I	ATH R FROM ABET ELLITUR 100, TIMAT PULAT Rates 20 or ore ir ore ir ld-face	ES US ,0000 PED PION of	Table AO—Contd.	DI MI PE ES POI [R m	ATH R FROM ABET: R 100, TIMAT PULAT Lates (20 or ore in ld-fac type]	ES US 000 PED TON
	1932	1931	1920		1932	1931	1920
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued Miami	13.15.4.9.6.5.1.2.5.4.2.5.1.2.5.1.2.5.2.2.2.2.2.2.2.2.2.2.2.2	13.8 0 0 0 2 2 2 2 2 3 2 2 2 2 3 2 2 2 3 2 2 2 3 2 2 3 3 2 2 2 3 3 3 3 2 2 3	8.9 19.7 23.2 15.1 13.2 19.6 21.9 27.7 15.6 17.0 23.4 24.3 22.8 27.5 18.8 27.5 18.8	CITIES OF 100,000 POPULATION OR MORE IN 1930—continued Rochester, N.Y. St. Louis. White. Colored. St. Paul. Salt Lake City. San Antonio. White. Colored. San Diego. San Francisco. Scranton. Seattle. Somerville. Somerville. Somerville. Sonth Bend. Spokane. Springfield, Mass. Syracuse. Tacoma. Tampa. White. Colored. Trenton. Tulsa. White. Colored. Utiea. Washington, D.C. White. Colored. Utiea. Washington, D.C. White. Colored. Utiea. Washington, D.C. White. Colored. Wichita. Wilmington, Del. White. Colored. Wichita. Wilmington, Del. White. Colored. Wichita. Winders. Youngsjown.	31.6 1 4 20.8 3 26.6 1 20.4 20.8 3 26.6 1 20.4 20.8 3 26.6 1 20.4 20.8 20.6 1 20.4 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 1 20.8 20.6 20.6 20.6 20.6 20.6 20.6 20.6 20.6	33. 34. 32. 33. 35. 34. 37. 37. 37. 37. 37. 37. 37. 37. 37. 37	16.1943300 21.093321.093321.09332224.58226.884004 21.1514330055484004 24.4224.151443911.16.18.12.11.12.12.12.12.12.12.12.12.12.12.12.

PERNICIOUS ANEMIA

Although there was an increase in deaths from this disease in 1932 compared with deaths in 1931, the general tendency is in the direction of a reduced death rate and of confidence in the new methods of treatment.

Table AP	DEATHS FROM PERNICIOUS ANEMIA												
AREA			Nu	nber			Rat			000 e latio		ated	
	1932	1931	1930	1929	1928	1927	1932	1931	1930	1929	1928	1927	
Registration States 1	3, 865	3, 710	3, 875	3, 578	3, 576	4, 480	3. 3	3. 1	3. 3	3. 1	3. 2	4.2	
AlabamaArizonaArkansasCaliforniaColorado	37 6 18 204 34	178	11 31 182	13 20	33 14 19 155 34	$\begin{array}{c} 4 \\ 21 \end{array}$	1. 4 1. 3 1. 0 3. 4 3. 2	1. 2 3. 0	2. 5 1. 7 3. 2	3.0 1.1 2.9	3.3 1.0 2.9	1.0 1.1 4.4	
Connecticut	38 4 19 36 41		45 7 12 35		44 9 5 28 36	39 6 17 38 (2)	2, 3 1, 7 3, 9 2, 4 1, 4	2. 5 4. 2	2. 8 2. 9		2.8 .3.8 1.0	2. 5 2. 6 3. 6	

¹ In continental United States. ² Including District of Columbia.

³ Not in registration area. ⁴ Death rates by color not available.

Table AP-Contd.			DEA	THS I	ROM	PERN	CIOT	JS AN	EML	<u>. </u>		
AREA			Nur	nber			Rai	e per I	100, opu	000 e Iatio	stim n	ated
	1932	1931	1930	1929	1928	1927	1932	1931	1930	1929	1928	1927
IdahoIllinoisIndianaIowaKansas	8 295 146 157 104	10 277 147 160 117	9 294 145 159 88	14 283 122 143 94	14 268 130 117 81	11 360 179 185 113	1.8 3.8 4.8 6.8 5.8	3.6	3.8 4.5 6.4	3.7 3.8	3. 2 3. 6 4. 1 4. 8 4. 4	4.9 5.7 7.5
Kentucky Louisiana Maine Maryland Massachusetts	87 18 32 38 152	84 27 32 34 110	75 33 46 26 136	64 17 31 25 156	72 32 44 31 148	78 23 40 28 192	3. 3 0. 8 4. 0 2. 3 3. 5	1.3 4.0 2.1	1.6 5.8 1.6	0.8 3.9 1.5	1.6 5.6	1.1 5.1 1.8
Michigan Minnesota Mississippi Missouri Montana	206 144 29 149 15	198 144 31 130 15	257 130 20 150 24	251 127 18 112 14	219 116 23 140 18	300 195 12 138 17	4. 1 5. 6 1. 4 4. 1 2. 8	5. 6 1. 5 3. 6	5.1 1.0 4.1	0.9 3.1	1, 2 3, 9	7.7 0.6 3.9
Nebraska Nevada New Hampshire New Jersey New Mexico	53 1 25 119 9	54 5 24 97 6	61 2 17 89 8	73 4 33 1 93 6	55 (2) 26 101 (2)	65 (2) 36 126 (2)	3. 8 1. 1 5. 3 2. 9 2. 1	5.4 5.1 2.4	3.6 2.2	4.4 7 1	4. 0 (2) 5. 6 2. 6 (2)	4.8 (2) 7.8 3.3 (2)
New York North Carolina North Dakota Ohio Oklahoma	406 47 30 249 56	354 54 31 234 56	377 52 36 289 45	364 43 25 248 45	398 43 23 281 48	500 59 41 343 (²)	3. 2 1. 4 4. 4 3. 7 2. 3	1.7 4.5 3.5	3.0 1.6 5.3 4.3 1.9	3.7	3. 3 1. 4 3. 4 4. 3 2. 1	4.2 2.0 6.1 5.4 (2)
Oregon Pennsylvania Rhode Island South Carolina South Dakota	39 310 21 21 31	39 309 33 19 25	46 300 29 35 22	36 303 19 20 (²)	45 299 26 28 (²)	53 381 23 28 (²)	4. 0 3. 2 3. 0 1. 2 4. 4	3.2 4.8 1.1	4.8 3.1 4.2 2.0 3.2	3. 2 2. 8 1. 2	4. 9 3. 2 3. 9 1. 6 (2)	5.8 4.1 3.5 1.6 (2)
Tennessee Utah Vermont Virginia	55 12 23 45	58 16 22 45	59 23 17 39	40 11 9 44	45 8 23 51	60 16 15 57	2. 1 2. 3 6. 4 1. 8	6.1	4.7	2.5	1.8 1.6 6.4 2.1	2.4 3.3 4.2 2.4
Washington West Virginia Wisconsin Wyoming	71 76 143 6	67 76 157 4	55 68 144 5	49 69 151 1	51 47 145 3	85 59 224 2	4. 5 4. 3 4. 8 2. 6	4.3 5.3	4.9	4.0 5.2	5.0	5.6 3.6 7.8 0.9

¹ Including District of Columbia.

ALCOHOLISM AND CIRRHOSIS OF THE LIVER

Death rates from alcoholism and cirrhosis of the liver in recent years are of particular interest in view of war-time prohibition measures and, later, national prohibition.

In the registration States of 1910 there was a declining rate from alcoholism from 5.5 per 100,000 population in 1910 to 1.2 in 1920, with an increase to 3.1 in 1932; the corresponding rates for the States of 1900 were 5.6, 1.2, and 3.4; for the States of 1910 there was a declining rate from cirrhosis of the liver from 13.3 in 1910 to 7.6 in 1920, with an increase to 8.4 in 1932; the corresponding rates for the States of 1900 were 14.4, 7.7, and 8.0.

For the 47 States in the death registration area in

For the 47 States in the death registration area in 1932, the death rate from alcoholism was 2.5 per 100,000 population, but of these States only 18 had rates in excess of the total rate. Nevada decreased from 12.0 to 5.4 (1931 to 1932) per 100,000 population from this cause. Cirrhosis of the liver shows a rate of 7.2 per 100,000 population.

Deaths from wood- and denatured-alcohol poisoning.—Table AR shows deaths and death rates from wood- and denatured-alcohol poisoning in the registration area. Prior to 1927 these deaths were not separately tabulated. In 1927 there were 230 deaths from wood-alcohol poisoning and 59 from denatured-alcohol poisoning; in 1928 the corresponding numbers were 236 and 72; in 1929, 204 and 47; in 1930, 316 and 137; in 1931, 294 and 150; and in 1932, 237 and 81.

Table AQ	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM ALCOHOLISM											
AREA	[]	Rate	s in	italic	s are	bas	ed o	ı les	s tha	n 5	leatl	ns]
	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1920	1910
The registration area ¹ -	2. 5	3. 3	3. 5	3. 7	4.0	4. 0	3. 9	3.6	3. 2	3. 2	i. 0	5.4
Registration States of 1910 2_ Registration States of 1900 3_ Registration States 4 Cities of 10,000 or over 4_ Smaller cities and rural.	3. 1 3. 4 2. 5 3. 3	3.3 4.5	4. 9	5. 2 3. 7 5. 4	4. 1 5. 8	4.0 5.9	5, 3 3, 9 5, 6	3. 6 5. 3	4. 5 3. 1 4. 6	3. 2 4. 6	1.0 1.3	5. 6 5. 5 6. 7
areas Registration cities in non- registration State All registration cities 4	1.8 2.0 3.3	1.9	2.2 2.7 4.8	3.0	2.6 2.5 5.7	2.4 4.2 5.8	4.0	2. 1 3. 6 5. 2	3.6	2. 0 2. 6 4. 5	0.7 1.9 1.4	4.1 4.7 6.3
Alabama	1.6 1.4 1.9 2.7	1.0	1.9 2.2 1.3 3.2	1. 9	2. 1 1. 6 2. 9 5. 3	1.1 1.2 1.0 3.9	1.8 1.6 2.2 2.8	0.9 1.1 0.5	(5)	5 5 5 5 5 5 5	(5) (5) (5) (5) (5)	(5) (5) (5)
ArkansasWhiteColored	1.6 1.9 0.8	1.7 1.7 1.7	1.3 1.2 1.7	1.8 1.8 1.7	1.7 1.7 1.7	1.9 2.0 1.5	(5) (5) (5)	(5) (6) (5)	(5) (5) (5)	(5) (5) (5)	(5) (5) (5)	(5) (5) (5)
California White Colored Colorado Connecticut Delaware District of Columbia	2.3 2.4 1.6 2.7 3.4 3.8 3.0	4.1 5.1 7.1	3.3 (6) 3.6 5.9 4.6 4.3	3.3 (6) 2.8 5.5 7.6 2.9	3.3 (6) 2.6 5.8 12.3 2.1	3.3 (b) 2.6 2.5 4.7 3.0	2.9 (b) 2.4 4.4 5.2 3.0	2.6 (f) 1.8 3.9 5.6 5.0	3.00 3.4.7 5.5	2.6 (6) 3.8 3.9 5.3 4.0	1. 0 (6) 0. 7 1. 0 0. 9 1. 1	8. 7 (6) (6) 7. 4 7. 7 (5) 6. 6
Florida White Colored Georgia White Colored	3. 1 3. 0 3. 4 1. 7 2. 2 0. 9		4. 9 5. 2 4. 4 2. 2 2. 2	3.1 2.7 4.2 2.0 1.9 2.3	4.6 4.5 4.6 2.1 2.1 2.1		6. 9 6. 6 7. 6 (5)	5. 0 5. 3 4. 4 (5) (5) (5)	4. 0 3. 4 5. 1 1. 8 1. 9 1. 7	3.3 3.1 3.8 1.9 1.8 2.0	1. 9 2. 3 1. \$ (5) (5) (5)	(5) (5) (5) (5) (5) (6) (6)
Idaho. Illinois Indiana Iowa Kansas Kentucky White Colored	2.2 1.7 1.6 2.1 1.3 2.8 4.9	2.4 1.1	2.4	1.8 3.2 2.5 2.6 1.1 2.3 4.4	2.3 4.9 2.4 2.5 1.3 1.6	2.3 5.6 2.1 2.2 1.4 2.2 1.9 5.2	4. 5 4. 7 1. 8 2. 1 1. 7 1. 5 1. 3 3. 5	3. 4 4. 2 1. 6 1. 4 1. 3 1. 8 1. 5 4. 8	1.8 3.4 1.5 1.2 0.9 1.6 1.5 2.6	3. 0 4. 1 1. 6 1. 6 0. 9 1. 6 1. 5 3. 0	(5) 0.7 0.5 (3) 0.7 0.4 0.3 1.3	() () () () () () () () () () () () () (
Louisiana. White Colored. Maine. Maryland White Colored.	1. 2 1. 3 1. 0 2. 6 3. 7 2. 8 7. 8	1.0	3.5 6.8 6.0	1. 9 1. 8 1. 9 3. 0 6. 8 5. 6 12. 7	2. 5 2. 6 2. 2 3. 5 7. 9 7. 5 9. 6	2. 0 2. 4 1. 3 2. 2 11. 1 8. 4 24. 6	1. 7 1. 9 1. 5 2. 5 7. 7 5. 8 16. 6	4. 8	1. 2 1. 4 2. 3 5. 2 4. 6 8. 5	1. 2 1. 4 0. 8 1. 7 5. 7 5. 3 7. 8	0.5 0.6 0.3 1.3 0.7 0.7 0.8	(5) (5) (2. 8 4. 5 4. 7 3. 4
Massachusetts Michigan Minnesota Mississippi White Colored	5. 0 1. 5 2. 3 0. 9 0. 9 1. 0	5.8 2.0 3.9 1.2 1.4 1.1	5. 5 2. 0 2. 9 1. 5 1. 6 1. 5	7. 1 3. 1 3. 0 1. 5 1. 3 1. 6	6. 1 3. 4 3. 9 1. 4 0. 9 1. 8	6.3 4.4 3.3 1.3 1.4 1.2	6. 6 4. 8 4. 2 0. 9 1. 0 0. 8	7. 5 4. 2 3. 5 0. 8 1. 0 0. 7	6.7 3.7 2.5 0.4 0.4 0.4	6. 7 5. 2 3. 3 1. 0 1. 2 0. 7	1. 8 1. 5 0. 8 0. 3 0. 8	6. 4 3. 6 5. 1 (5) (5)
Missouri. Montana. Nebraska. Nevada. New Hampshire.	0.9	2. 5 6. 1 2. 3 12. 0 3. 9	3. 2 6. 7 2. 5 14. 3 1. 9	3. 0 6. 7 2. 1 26. 6 3. 2	3. 5	4.1	3. 1	4.2	3. 8	5. 5	0. 4 1. 8 0. 5 (5) 1. 8	(5) (5) 5.8
New Jersey	2.0 1.6 3.1	3. 2 3. 5 6. 4 2. 5 2. 3 3. 2	4.4 2.6 6.4 2.3 2.0 2.9	3.8 3.3 6.6 1.7 1.6 2.1	4.1 (5) 7.1 1.9 1.8 2.0	4. 3 (5) 7. 0 1. 2 1. 0 1. 8	4. 6 (5) 6. 7 1. 7 1. 5 2. 3	4. 5 (5) 6. 2 1. 6 1. 6 1. 5	3.8 (5) 5.0 1.5 1.5	3. 9 (5) 4. 2 0. 9 0. 8 1. 0	1. 0 1. 1 1. 0	6. 0 (5) 6. 6 2.8 3. 8 0. 8
North DakotaOhio	1. 2 2. 9 1. 8 1. 6 3. 9 2. 3	0. 9 3. 8 2. 4 2. 0 5. 4 2. 1	2. 2 3. 9 1. 9 1. 8 2. 9 3. 3	3. 2 4. 2 1. 6 1. 6 2. 3 4. 4	2. 1 4. 6 2. 4 2. 2 3. 9 2. 6	0. 9 3. 4 (5) (5) (5) 2. 3	1. 8 3. 6 (5) (5) (5) 2. 8	1. 1 2. 3 (5) (5) (5) (5) 2. 4	1. 1 2. 1 (5) (5) (6) 2. 4	(5) 2.3 (6) (5) (5) 1.8	(5) 1. 2 (5) (5) (5) 1. 6	(5) (5) (5) (5) (5) (5)
Pennsylvania Rhode Island South Carolina White Colored South Dakota Tennessee White Colored Utah Vermont	3.4 2.7 2.8 1.4 1.5 1.6 1.2	3.5 5.9 2.1 2.6 1.5 1.1 1.9 1.7 2.9 1.4 3.6	1.0 1.6 1.4 2.5	4.9 7.2 1.5 1.8 1.1 (5) 1.7 2.5 4.2 3.9	5. 6 6. 8 2. 2 2. 4 2. 0 (5) 1. 6 1. 6 1. 9 0. 8 3. 6	5.8 7.2 1.6 2.1 1.0 (5) 1.4 1.3 2.1 1.6 2.2		5. 4 6. 0 1. 5 1. 7 1. 2 (5) 1. 4 1. 3 1. 5 2. 3 2. 5	4.3 8.1 1.3 1.4 1.2 (⁵) 1.0 1.1 2.3 2.8	4. 3 6. 6 0. 9 0. 9 1. 0 (5) 1. 3 1. 1 2. 2 2. 1 3. 7	1. 2 1. 3 0. 5 0. 8 0. 1 (5) 0. 9 0. 8 1. 3 1. 1	4.1 5.9 (5) (5) (6) (5) (5) (5) 4.8 3.9
Virginia White Colored Washington West Virginia Wisconsin Wyoming	2.5 2.0 1.8 3.0	2.8 2.7 2.9 2.8 4.6 3.3 4.4	3. 5 3. 4 3. 7 3. 5 3. 6 4. 0	2.8 2.6 3.2 4.1 3.3 4.0 3.1	2.8 2.2 4.4 4.1 3.9 3.4	2. 0 1. 9 2. 4 3. 4 2. 9 3. 4	1. 6 1. 5 2. 0 4. 2 3. 1 3. 2	1. 9 1. 8 2. 1 4. 0 2. 1 2. 7 6. 2	1. 6 1. 1 2. 7 2. 9 (⁵) 2. 9 9. 6	2. 2 2. 2 2. 1 3. 2 (5) 2. 8 8. 3	0.8 1.0 0.1 2.6 (5) 0.8 (5)	(5) (5) 12.8 (5) 4.4 (5)

² Not in registration area.

Table AQ—Continued	DE	ATH					EST S OF				LATI	ИС
AREA	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1920	1910
The registration area 1	7. 2	7. 4	7. 2	7. 2	7. 6	7. 5	7. 2	7. 3	7. 3	7. 2	7. 1	13. 9
Registration States of 1910 ² . Registration States of 1900 ³ . Registration States ⁴ . Cities of 10,000 or over ⁴ . Smaller cities and rural	8. 4 8. 0 7. 2 9. 2	7. 4 9. 6	7.8 7.2 9.5		7. 5 10. 0	8. 0 7. 5 9. 5	7. 2 9. 0	7. 3 9. 0	7.9 7.3 9.1	7.8 7.6 7.2 8.7	7.7 7.1 8.2	13. 3 14. 4 13. 3 16. 1
areasRegistration cities in non- registration StateAll registration cities 4	5.3 8.9 9.2	8. 1	10. 2	8.5		8.2	5. 6 8. 0 8. 9	5.8 8.5 9.0	8. 1	5. 9 8. 1 8. 7	9. 6	10. 2 18. 8 16. 6
Alabama White Colored Arizona	4.2 4.1 4.4 2.9	4. 3 3. 8 5. 2 6. 5	4. 3 3. 5 5. 8 6. 2	4. 2 3. 7 5. 0 4. 4	3.9 4.1 4.1	4.2 3.9 4.9 5.4	3. 3 3. 0 3. 8 5. 5	3. 9 3. 4 4. 8 (⁵)	(5) (5)	(5) (5) (5) (6)	(5) (5) (5) (5)	(5) (5) (5) (5) (6)
Arkansas	8.1 8.8	8.4	8.0 5.9	8.7	3. 1 3. 4 2. 3 10. 9 (6) 4. 9 7. 1 5. 1 6. 9	7. 2 4. 3	(5) (5) (5) 10. 5 (6) (6) 5. 1 6. 4 6. 0 8. 5	(5) (5) (5) 9. 2 (6) 4. 9 6. 5 9. 1 9. 7	(5) (5) (6) (6) (6) (6) 5.9 11.3 6.3	(5) (6) (9, 1) (6) 5, 5 7, 5 7, 7	(6) (0) 4. 1 6. 8 5. 4	(5) (5) 18. 4 (6) (8) 9. 5 14. 4 (5) 10. 5
Florida	9. 0 8. 6 9. 3 3. 7 3. 3	8.5	10. 6 5. 1 5. 1	8.7	10. 8 10. 4 11. 8 4. 2 4. 2 4. 2	7. 4 13. 3	6. 5 6. 4 6. 8 (5) (5) (5)	8. 2 6. 7 11. 4 (5) (5) (5)	8. 2 6. 8 11. 2 4. 1 4. 8 3. 1	9. 5 8. 1 12. 3 3. 6 3. 5 3. 8	7. 1 6. 4 8. 4 (⁵) (⁵) (⁵)	(5) (6) (5) (5) (6) (5)
Idaho Illinois Indiana Iowa Kansas Kentucky White Colored	6.3 9.1 4.5 4.5 4.5 5.8	5.8	4, 5 10, 1 7, 3 4, 9 5, 1 5, 0 4, 7 7, 5	3. 2 9. 2 8. 1 5. 0 4. 4 5. 6 7. 5	10. 0 9. 3 5. 7 6. 6 4. 9	7. 4 5. 0	5. 0 9. 2 8. 6 6. 1 4. 8 4. 8 4. 8	3. 9 9. 9 8. 5 5. 5 6. 4 5. 2 5. 0 6. 9	9. 4 5. 1 6. 7 5. 4 4. 9	3. 9 10. 0 8. 3 4. 9 5. 9 4. 2 3. 8 7. 7	(5) 8. 6 9. 7 (5) 6. 3 4. 1 3. 7 8. 1	(5) (5) 11. 3 (5) (5) (5) (5) (5)
Louisiana. White Colored. Maine. Maryland. White. Colored.	7.7	10, 4 9, 6 11, 8 5, 4 6, 2 6, 7 3, 6	7.9 11.8 4.9 7.3 8.0	10. 1 9. 7 10. 6 5. 0 5. 4 3. 3	9. 4 11. 0 6. 6 6. 2	8.8 8.6 9.1 7.1 5.6 4.8	9, 5 9, 0 10, 4 5, 1 6, 1 6, 5 4, 1	9. 0 7. 6 11. 2 5. 5 6. 7 7. 2 4. 6	8. 6 7. 5 10. 3 4. 1 6. 8 7. 5 3. 5	8.6 7.9 9.6 6.0 6.7 7.1 5.1	8. 8 9. 1 8. 4 4. 4 6. 2 6. 3 6. 1	(5) (5) (5) 8. 3 9. 6 10. 0 7. 7
Massachusetts Michigan Minnesota Mississippi White Colored	6.3 7.7 6.9 3.5 3.8 3.2	7. 4 7. 2 7. 2 4. 7 4. 7	6.6 6.8 6.2 4.9 5.4 4.3	6. 2 7. 4 6. 8 4. 3 4. 3	6. 6 8. 3 6. 4 5. 0 4. 5	5. 5 7. 4 5. 8 6. 5 7. 7 5. 2	5. 8 7. 8 6. 6 5. 3 4. 5 6. 0	5. 6 8. 3 5. 0 3. 8 4. 2 3. 5	5. 5 6. 8 5. 6 5. 5 5. 8 5. 3	5. 2 7. 6 5. 8 4. 7 4. 2 5. 2	5. 4 8. 3 4. 8 4. 9 4. 1 5. 7	10. 1 12. 2 6. 6 (5) (5) (5)
Missouri	8. 2 5. 7	10. 3 8. 0 6. 6 12. 0 6. 0	6. 3 5. 5	9. 1 5. 6 6. 3 11. 1 6. 7	10. 0 7. 0 6. 8 (5) 4. 3	9. 6 8. 3 4. 9 (5) 6. 3	9. 6 7. 9 5. 2 (b) 9. 2	9. 4 7. 0 5. 7 (⁵) 6. 6	9. 3 7. 7 6. 5 (5) 6. 8	9. 0 5. 3 6. 4 (⁵) 5. 3	8. 0 6. 7 4. 5 (⁵) 7. 4	(5) 9. 7 (5) (5) 6. 7
New Jersey New Mexico New York North Carolina White Colored	8. 7 4. 4 8. 9 2. 8 2. 9 2. 5	9. 4 4. 7 9. 2 2. 2 1. 9 2. 8	8. 4 7. 5 8. 9 3. 1 2. 7 3. 9	8. 5 5. 0 9. 0 3. 1 3. 0 3. 4	9. 6 (5) 9. 2 3. 9 3. 5 4. 8	8. 4 (5) 9. 2 3. 6 3. 2 4. 5	8.8 (5) 8.8 3.2 3.1 3.3	8.8 (5) 9.3 3.5 2.9 4.8	10. 0 (5) 9. 1 3. 3 3. 2 3. 5	8. 8 (5) 8. 2 3. 6 3. 7 3. 5	7.8 (5) 8.3 3.7 3.3 4.7	17. 2 (⁵) 18. 2 79. 9 11. 5 7. 0
North DakotaOhioOklahomaWhite	3.9	3. 1 8. 8 4. 0 3. 9 4. 7 5. 9	3. 7 8. 5 4. 3 4. 3 4. 4 7. 6	3. 1 8. 5 3. 8 3. 7 4. 6 6. 4	3. 4 9. 0 2. 8 2. 8 2. 7 5. 2	3. 7 8. 6 (5) (5) (5) 5. 4	2. 7 7. 8 (5) (5) (5) 5. 5	2. 9 8. 2 (5) (5) (5) 4. 9	3. 0 8. 2 (5) (5) (5) 6. 5	(5) 8.0 (5) (5) (5) 6.1	(5) 9. 1 (5) (5) (6. 3	
Pennsylvania	9. 4 7. 4 2. 6 2. 6 2. 5	9. 0 8. 4 3. 2 3. 2 3. 2	9. 5 4. 8 3. 3 3. 2 3. 5	9. 4 7. 0 3. 7 4. 0 3. 4	10. 0 5. 5 2. 5 2. 2 2. 9	9. 4 5. 9 2. 8 2. 9 2. 5	9. 2 7. 2 2. 6 2. 2 3. 0	9. 2 5. 4 2. 5 2. 5 2. 5	9. 1 7. 3 3. 6 3. 5 3. 6	9. 5 8. 1 2. 3 2. 1 2. 5	8. 0 6. 2 2. 7 1. 9 3. 4	12 0
South Dakota: Tennessee. White. Colored. Utah. Vermont. See footnotes at end of table	3.9 3.9 4.0 3.7 3.5 7.5	4 0	3. 3 4. 3 3. 8 6. 3 3. 1 5. 0	(5) 3. 9 3. 4 6. 1	(5) 4. 2 3. 7 6. 8 3. 8 8. 9	(5) 3. 7 3. 5 5. 3	(5) 4. 0 2. 9 9. 0 3. 5 5. 6	(5) 3. 8 3. 0 7. 5 2. 5 7. 6	(5) 2. 7 2. 3 4. 5 3. 8 3. 1	(5) 2. 9 2. 8 3. 3 6. 0 5. 1	(5) 4. 0 3. 5 6. 0 3. 5 6. 2	(5) (5) (5) (5) 4.8 9.0

Table AQ—Continued	DEATH RATE PER 100,000 ESTIMATED POPULATION FROM CIRRHOSIS OF THE LIVER											
AREA	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1920	1910
Virginia. White Colored Washington West Virginia. Wisconsin. Wyoming	5. 8 4. 8 8. 5 5. 1 3. 4 9. 1 7. 4	3.9 8.2 5.3	5. 1 3. 7 7. 5	3.8 7.8 5.3 3.5 7.9	3. 4 6. 2 4. 6 4. 0 9. 2	4.5 7.4 4.6 2.9	2.7 7.7 4.5 3.4	4. 4 8. 7	5. 5 4. 8 7. 3 5. 8 (5) 7. 7 5. 8	4. 1 8. 4 4. 4 (5) 7. 4	3.6 6.4 4.2 (5) 7.1	(6)

¹ In continental United States. ² Excludes North Carolina; see table A.

Excludes Notific Caronia, see table A.
See table A.
Including District of Columbia.
Not in registration area.
Death rates by color not available.
Includes only municipalities having a population of 1,000 or more in 1900.

Table AR	AND D ALCOHO ING IN	ROM WOOD ENATURED DL POISON- THE REGIS- N AREA ¹	Table AR—Con.	DEATES FROM WOOD AND DENATURES ALCOHOL POISON ING IN THE REGIS TRATION AREA 1			
YEAR	Number	Rate per 100,000 estimated popula- tion	YEAR	Number	Rate per 100,000 estimated popula- tion		
1932 1931 1930 1929 1928 1927	318 444 453 251 308 289	0. 3 0. 4 0. 4 0. 2 0. 3 0. 3	1925 1924 1923 1922 1921 1920	182 180 143 201 194 359	0. 2 0. 2 0. 1 0. 2 0. 2 0. 2		

¹ In continental United States.

DISEASES OF THE HEART

The number of deaths from diseases of the heart in the registration area in 1932 was 268,696, representing a death rate of 223.7 per 100,000 population. In 1931 such deaths numbered 253,985, with a rate of

In making any comparisons among the death rates from diseases of the heart it should be noted that the disease mainly attacks people in "middle life" and old age. The rates, therefore, should be used with caution and considered only in connection with the age distribution of the population. Other factors for example, the unquestionably improved accuracy in certification—account in some measure for the increase shown in recent years. With all allowances, however, diseases of the heart lead all other diseases as a cause of death; they were, in fact, responsible in 1932 for 20.5 percent of the total deaths.

Twenty-four States had death rates from diseases of the heart of over 200 per 100,000 population in 1932, New Hampshire coming first with a rate of 323.1. The lowest rates were shown by Arkansas (99.6), Oklahoma (102.7), New Mexico (105.3), and Mississippi (110.1).

Of the cities of 100,000 population and over, not a single city had a rate lower than 100; 72 had rates of over 200, and of these, 19 had rates higher than 300. At the head of the list of cities having high rates were:

Lowell (371.1), Albany (358.6), New Orleans (353.5), Trenton (348.9), Boston (346.8), and Washington, D. C. (344.4). Flint had the lowest rate among the large cities (112.2).

The rate for the rural part of the registration States (194.5) was considerably lower than that for the total

of the cities (255.6).

In the 14 States for which figures for deaths among the colored population are presented, in 10 the colored had higher death rates for diseases of the heart than the white. This was also the case in all except 8 of the cities of 100,000 population and over. Baltimore, Fort Worth, Kansas City, Kans., El Paso, Los Angeles, Miami, Philadelphia, and Tulsa were the exceptions. Rates for the colored populations in Kansas City, Mo., Louisville, New Orleans, and St. Louis were over 400 per 100,000 population.

Table AS	DEATH RA FROM DISE OF THE HE PER 100,0 ESTIMATI POPULATI	ASES EART 000 ED	Table AS—Contd.	FROM OF T PE	ATH R M DISI HE H R 100, TIMAT PULAT	EASES EART .000 ED
AREA	[Rates of 26 more in be faced typ	old-	AREA	mor	tes of e in t ed ty	
•	1932 1931	1920		1932		1920
The registration area 1	223.7 212.7 1	159.3	OregonPennsylvania	240. 0 259. 4	228.3 247.6	168. 1 160. 8
Registration States 2 Cities of 10,000 or over2_ Smaller cities and	224. 2 213. 3 1 255. 6 244. 5 1		South Carolina White Colored	168. 0 153. 8 185. 4	164. 7 143. 9 189. 9	109. 0 104. 0 113. 0
rural areas Registration cities in	194. 5 183. 5 1		South Dakota Tennessee White	156. 9 133. 6 119. 2	132. 4 128. 1 110. 7	(3) 96.1 82.5
nonregistration State All registration cities 2 Alabama White. Colored. Arizona Arkansas. White. Colored. California. White. Colored. Mite. Colored. Louisiana White. Colored. Louisiana White. Colored. Louisiana White. Colored. Massachusetts Michigan. Maryland. White. Colored. Massachusetts Michigan. Minesota Mississippi White. Colored. Montana New Hampshire New Jersey New Mexico New York North Carolina White. Colored. North Dakota Ohio Oklahoma. White. Colored.	171. 9 150. 8 1 253. 8 242. 4 1	41.1	Oregon Pennsylvania Rhode Island South Carolina White Colored South Dakota Tennessee White Colored Utah Vermont Virginia White Colored Washington West Virginia Wisconsin Wyoming	198. 5 167. 0 310. 8	206.7 155.5 281.4	154. 4 118. 3 259. 1
White Colored	123. 8 122. 5 114. 0 108. 9 141. 5 147. 2	(3) (3) (3)	Virginia White Colored	200.7 183.5 248.3	202.6 175.4 277.3	138. 1 121. 1 176. 7
Arkansas White	99. 6 111. 2 101. 4 104. 3	8	Washington West Virginia Wisconsin	124. 6 223. 5	116.8 203.1	(3) 131. 6
California White Colored	275. 0 266. 6 1 294. 3 284. 6 124. 6 125. 6	99.5	OLLIED OF 100,000 LOI O			
Colorado Connecticut Delaware	201. 2 187. 0 1 264. 3 258. 7 1 279. 6 277. 5 1	22.3 71.5 74.7	1930 Akron	145. 2	139. 8	109. 3
Florida White Colored	196. 8 188. 5 1 194. 6 189. 1 1 202. 2 187. 0 1	13. 3 19. 6 05. 6	Albany Atlanta White	358.6 212.3 191.4	357. 9 194. 2 159. 4	256. 9 147. 5 125. 6
White Colored	146. 3 142. 6 128. 1 119. 6 178. 4 182. 6	300	BaltimoreWhite	253.8 276.0 277.7	262.9 281.4 274.1	195. 3 194. 0 177. 5
Illinois Indiana	247, 0 232, 1 1 247, 6 233, 8 1 200, 0 180, 6	61.9 66.6	Birmingham White	137. 4 126. 1	146. 7 138. 0	153.8 118.0
Kansas Kentucky White	190. 1 176. 0 1 165. 5 159. 3 150. 0 143. 4	28. 7 99. 6 87. 9	Boston Bridgeport Buffalo	346.8 277.4 294.5	332.1 279.4 283.9	249. 4 139. 9 195. 3
Colored Louisiana White	351, 1 328, 8 2 193, 0 185, 5 1 174, 0 160, 4 1	10.0 19.6 03.4	Cambridge Camden Canton	320.8 262.2 182.8	314.6 247.9 166.7	223. 0 187. 2 146. 9
Colored Maine Maryland	225. 2 227. 8 1 296. 5 268. 9 2 265. 8 259. 8 1	46.3 13.4 81.7	Chattanooga	153.6 130.8 213.6	130. 1 116. 3 166. 7	162. 4 131. 6 226. 5
Colored Massachusetts	275. 8 296. 1 2 307. 3 287. 4 2	32.5 15.9	Cincinnati White	288. 7 283. 5	284. 3 283. 2	210. 3 206. 4
Minnesota Mississippi White	198. 3 185. 9 1 110. 1 123. 5 116. 3 119. 2	24. 6 93. 2 75. 9	Cleveland	206. 0 263. 5 260. 2	195. 7 239. 5 235. 7	120.8 161.1
Colored Missouri Montana	104. 0 127. 7 1 235. 3 218. 7 1 198. 1 170. 2	10. 1 36. 0 94. 6	Colored Dallas White	288. 6 154. 9 153. 0	268. 2 160. 4 151. 3	228.0 110.2 101.8
Nevada New Hampshire	182. 0 171. 5 1 234. 4 252. 2 323. 1 295. 5 2	07.6 (3) 40.2	Akron OR MORE IN 1930 Akron Albany Atlanta White Colored Baltimore White Colored Boston Bridgeport Buffalo Cambridge Colored Chicago Cincinnati White Colored Colored Dallas White Colored Dallas White Colored Dayton Denver Des Moines Detroit Duluth Elizabeth El Paso White Colored Erie Evansville Fall River Filint	163.8 284.6 273.3	204. 3 240. 5 252. 0	157. 8 150. 3 161. 6
New Mexico	255. 2 253. 0 1 105. 3 95. 8 302. 1 287. 8 2	78.5 (3) 211.9	Des Moines Detroit Duluth	239.4 168.7 260.3	194. 5 162. 0 214. 1	(3) 126. 8 98. 9
White Colored North Dekote	137. 0 130. 3 152. 7 164. 9 1	94. 1	El Paso	152. 7 166. 3	126. 7 161. 5	(§) (§) (§)
OhioOklahomaWhite	235. 0 221. 5 1 102. 7 97. 8 104. 7 96. 2	60.6	ErieEvansvilleFall River	240. 6 200. 4 274. 1	220. 7 199. 4 255. 9	161. 5 156. 8 145. 6
Colored	87. 8 110. 1	(3)	Flint	112.2	114.0	119.6

See footnotes at end of table.

Table AS—Contd.	FROI OF T PE	ATH F M DIST THE H R 100 TIMAT	EASES EART ,000 FED	Table AS—Contd.	FROM OF T PE	HE H. R 100, TIMAT	EASES EART ,000 ED
AREA	[Rai		200 or bold-	AREA	[Rai	tes of e in t	200 or cold-
	1932	1931	1920		1932	1931	1920
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued			
Critis of 100,000 POPULATION OR MORE IN 1930—continued Fort Wayne—Fort Worth—White—Colored—Grand Rapids—Hartford—Houston—White—Colored—Indianapolis—White—Colored—Jacksonville, Fla—White—Colored—Jacksonville, Fla—White—Colored—Jacksonville, Fla—White—Colored—Jacksonville, Fla—White—Colored—Jacksonville—White—Colored—Jacksonville—White—Colored—Jacksonville—White—Colored—Long Beach—Los Angeles—White—Colored—Long Beach—Los Angeles—White—Colored—Louisville—White—Colored—Louisville—White—Colored—Lowell—Lynn—Memphis—White—Colored—Mineapolis—New Dies—Mineapolis—Nashville—White—Colored—Mineapolis—Nashville—White—Colored—Mineapolis—Nashville—White—Colored—Mineapolis—Nashville—White—Colored—Mineapolis—Nashville—White—Colored—New Porleans—White—Colored—New Porleans—White—Colored—New Porleans—White—Colored—New Porleans—White—Colored—New York—Bronx Borough—Manhattan Borough—Mineapolis—Parken	198. 1 156. 4 160. 4 135. 3 118. 1	188. 0 137. 4 139. 1 128. 3 124. 6	(3) (3) (3) (3) 71. 2	New York—Contd. Queens Borough Richmond Borough Norfolk White. Colored. Oakland Oklahoma City Omaha Paterson Peoria. Philadelphia. White. Colored Pittsburgh Portland, Oreg. Providence Reading. Richmond, Va. White. Colored St. Paul. San Lake City San Antonio White. Colored St. Paul. Sat Lake City San Antonio White. Colored San Piego San Francisco Scranton Seattle. Somerville South Bend Spokane. Springfield, Mass Syracuse. Tacoma. Tampa White. Colored Toledo. Trenton. Tulsa White. Colored Toledo. Trenton. Tulsa White. Colored Utica Washington, D.C. White. Colored Utica Washington, D.C. White. Colored Utica Washington, Del White. Colored	201. 4 336. 6 310. 7 266. 6	185.3 336.6 292.2 223.4 425.4	155. 0 241. 2 163. 5 135. 0
Colored Grand Rapids Hartford Houston White	170. 9 247. 8 284. 1 185. 0	111. 1 230. 1 266. 7 130. 3	(4) 175.0 199.6 110.2 104.5	Oakland Oklahoma City Omaha Paterson Peoria	299. 8 130. 7 250. 6 251. 4 236. 4	300. 7 126. 0 234. 0 250. 0 231. 5	213.6 (3) 152.6 176.5
Colored Indianapolis White Colored Iscreanville_Fis	207. 3 258. 9 248. 4 334. 1 253 3	144.8 282.6 272.0 358.4 238.8	128. 0 190. 5 181. 0 266. 8	Philadelphia	317.4 322.5 279.5 242.6 247.3	316. 6 322. 3 274. 6 230. 0	206. 0 205. 4 213. 1 146. 6
White Colored Jersey City Kansas City, Kans White	202. 7 346. 4 267. 2 219. 7	200.5 305.6 253.6 208.3	137. 3 144. 6 184. 9 134. 8	Providence	274.3 310.0 243.6 237.6 258.5	243. 2 254. 5 263. 7 243. 5 313. 8	203. 1 173. 2 177. 7 174. 3
Colored Kansas City, Mo White Colored Knoxyille	215. 5 255. 4 235. 7 422. 3 153. 8	198.3 236.2 216.0 408.4	217.9 199.3 178.6 396.3	Rochester, N.Y St. Louis White Colored St. Paul	322. 7 325. 1 306. 4 464. 3 234. 4	302.4 318.3 305.4 414.3	195. 1 177. 5 169. 9 251. 9
White Colored Long Beach Los Angeles White	131.3 269.7 292.9 258.8	145. 5 241. 6 260. 5 244. 7	113.9 302.0 255.0 200.1 200.8	Salt Lake City San Antonio White Colored San Diego	213.8 165.9 (4) 315.0	232. 9 145. 8 (4) 297. 3	140. 1 107. 4 102. 6 155. 7
Colored Louisville White Colored	105. 8 298. 8 280. 0 402. 5	123. 4 287. 1 265. 2 406. 7	187. 2 183. 1 158. 1 305. 5	San Francisco Scranton Seattle Somerville	325. 7 313. 7 257. 3 268. 1	319. 1 299. 1 226. 8 245. 2	231.4 138.3 141.3 226.4
Lynn Memphis White Colored	293. 1 213. 9 191. 9 249. 5	266.8 217.9 187.6 266.9	208.5 138.3 131.1 150.1	Spokane Springfield, Mass Syracuse Tacoma	217. 5 256. 1 326. 8 272. 7	217. 5 234. 9 284. 4 275. 5	159. 4 178. 4 248. 5 169. 5
White Colored Milwaukee Minneapolis	177. 8 190. 9 132. 8 199. 8 209. 6	175. 1 189. 2 126. 5 191. 0 203. 2	128.7 124.8 132.7 142.8	White Colored Toledo Trenton	204. 0 178. 7 298. 6 254. 9 348. 9	202.9 182.4 279.3 217.1 352.7	111. 1 106. 7 126. 2 160. 0 211. 7
Nashville White Colored Newark, N.J New Bedford	247.6 224.7 307.7 235.0	249. 5 206. 9 361. 3 250. 4 286. 9	201. 0 152. 5 314. 1 183. 0 162 3	Tulsa	126. 0 129. 5 101. 1 331. 4	109. 7 118. 8 44. 9 361. 7	(3) (3) 281, 8 210 0
New Haven New Orleans White. Colored	277.8 353.5 318.5 440.1	276. 6 324. 5 282. 4 428. 7	186. 4 226. 8 200. 0 301. 8	White Colored Wichita Wilmington, Del	332. 8 375. 0 145. 2 303. 0	314.9 373.3 142.5 261.7	202. 3 232. 6 139. 0 140. 9
New York	275. 5 222. 8 273. 5 358. 5 377. 0	264. 6 206. 2 260. 5 357. 3 375. 8	186. 4 149. 6 199. 1 191. 4 193. 3	Worcester Yonkers	263, 7 224, 8	265, 2 199, 6	248.7 139.4
Colored	242.9	241.8	156. 2	Youngstown	174.7	155.6	92. 2

In continental United States.
 Including District of Columbia.
 Not in registration area.

PNEUMONIA (ALL FORMS)

Deaths from pneumonia (all forms) combined with influenza are discussed in table AB. The following discussion and table refer to pneumonia (all forms) alone.

There were 92,474 deaths from pneumonia (all forms) in the registration area in 1932, representing a rate of 77 per 100,000 population. Of these deaths 49,524 were due to lobar pneumonia, 39,174 to bronchopneumonia, and 3,776 from pneumonia unspecified.

Rates per 100,000 population for the registration

Rates per 100,000 population for the registration area and for cities in the registration States, showed marked decreases in 1932 compared with 1931. This lowering of rates was found in many individual States; in fact, all except 13 States had decreases. The large cities showed similar decreases. In making the comparison with 1920 the decrease was still more marked.

⁴ Death rates by color not available.
5 Rates not available.

ing District of Columbia. Skates not available registration area.

The colored population suffers heavily from this disease. In all of the States for which white and colored rates are shown, the rates were higher for the colored, as high as 198.6 in Maryland. The same tendency appeared in the large cities, Wilmington, Del., showing the high rate of 271.9 for the colored.

The States having highest rates in 1932 were: Ne-

vada (122.6), and Delaware (107.9); the States with lowest rates were: South Dakota (44.4), Oregon (52.3), and Kansas (54.1).

Of the cities of 100,000 population and over Pittsburgh had a rate of 172.8, Boston of 143.4 Denver of 135.8, and Washington, D.C., of 134.1. Cities with low rates were: Long Beach (42.6), Tampa (43.9), and Akron (44.7).

	1				,		
Table AT	FOI 100 MA	TH R OM PI NIA (RMS) ,000 I TED F LATIO	NEU- (ALL PER ESTI- POPU-	Table AT—Contd.	FOI 100 MA	TH R OM PN NIA (RMS) ,000 F TED P	EU- (ALL PER ESTI- OPU-
AREA	mon	tes of e in ed ty		AREA	mor	es of 2 e in t ed ty	oold-
	1932	1931	1920		1932	1931	1920
The registration area 1	77.0	81. 2	137. 3	Oregon Pennsylvania	52. 3 86. 5	52. 9 102. 2	107. 5 181. 9
Registration States 2 Cities of 10,000 or over 2	76.8	ļ	136. 8	Oregon	86. 6 69. 7	98. 6 94. 9 75. 8	162. 9 110 5 87. 6
Smaller cities and rural areas Registration cities in	87. 1 67. 0	ł	168. 5	South Dakota Tennessee White Colored	44 4	54 7	/3\
non r e gistration StateAll registration cities 2	96. 8 87. 3	95. 9 94. 7	163. 7 168. 3	Colored			187. 5 126. 3 152. 2 103. 8
Alabama	66. 7 59. 3 80. 2	83. 4 73. 1 102. 1	(3)	White	131 1	143. 8	81.7 154.7 93.7
ArizonaArkansas White Colored	69.3 67.2	74.4	(3)	West Virginia Wisconsin Wyoming	76. 9 67. 9 62. 4	78. 5 65. 9 66. 7	112, 9
California White Colored	70. 1 61. 8 134. 3	69. 6 61. 0 137. 3	100.1 (4) (4)	CITIES OF 100,000 POPU- LATION OR MORE IN 1930			
Colorado	70. 3 107. 9	74. 8 108. 3	156. 0 178. 8	Akron Albany Atlanta	44. 7 98. 4	89. 1	239.5 143.8
White Colored Georgia	44. 0 80. 9 83. 2	46. 2 81. 1 83. 9	71. 6 96. 6	White Colored Baltimore	70. 5 247. 3 122. 2	83. 0 225. 3 159. 7	114. 1 359. 3 185. 4
White Colored Idaho	64, 6 115, 8 55, 9	67. 5 112. 4 54. 3	(3) (3) (3)	White Colored Birmingham	94. 7 247. 3 89. 5	122. 9 326. 8 116. 6	160. 8 325. 3 186. 1
IllinoisIndianaIowaKansas	75. 4 68. 5	76. 5 63. 0	133. 5 133. 6 (3) 97. 4	Colored Boston Bridgeport	64. 8 129. 6 143. 4 84. 3	71. 4 190. 1 131. 4	119.8 288.9 198.2
White	82.1 74.5	87.7 79.0	121.5 110.3 227 5	Atlanta White Colored Baltimore White Colored Birmingham White Colored Boston Bridgeport Buffalo Cambridge Camden Canton Chattanooga	91. 0 117. 4 117. 6	91. 4 89. 4 162. 2	147. 8 169. 3 218. 2
Louisiana White Colored Maine	76. 7 62. 4 100. 9 80. 3	81. 2 65. 8 107. 1 65. 4	92.8 132.3	Canton Chattanooga White Colored	779 9	70 7	1101 0
Maryland White Colored	101. 5 81. 6 198. 6	123. 2 96. 9 252. 0	153. 2 133. 2 252. 5	Chicago Cincinnati White	65. 1 117. 0 107. 6	75.0 114.8 99.0	160. 3 130. 6 111. 1
Massachusetts Michigan Minnesota Mississippi	65. 9 74. 0	59. 4 75. 7	156. 3 151. 8 79. 2 102. 2	Colored	193. 2 99. 2 79. 8	243.0 104.1 79.5	364.3 154.7 146.9
White Colored Missouri	46.8 62.1 96.4	62. 8 70. 7 98. 7	81. 5 122. 4 163. 9	Colored Dallas White Colored	134. 1	1145. 8	1350. S
Montana Nebraska Nevada New Hampshire	64. 7 57. 6 122. 6	71. 4 56. 3 144. 6	105. 1 85. 7 (3) 130. 6	Colored Dayton Denver Des Moines	71. 6 135. 8	69.0 112.4	123.0 264.7
New Jersey	69.9	81.6	153.7	Detroit	67. 9 50. 1 96. 7	65. 5 60. 9 80. 4	233, 2 73, 7 205, 8
New York North Carolina White Colored	78. 5 65. 7 109. 1	77. 8 64. 6 109. 5	101. 4 87. 4 135. 4	White Colored	115. 5 87. 9 134. 0	151. 4 87. 9 194. 0	271.2 (1)
OhioOklahoma	75.7 64 1	76. 5 68. 1	136.0	Erie Evansville Fall River Flint	93.0	68 1	147 5
WhiteColored	92.8	107. 9	(3)	Fort Wayne	63. 2	84. 3	152. 5

See footnotes at end of table.

Table AT—Contd.	FOI 100 MA	TH R OM PN NIA (RMS) ,000 F TED)	NEU- (ALL PER ESTI- POPU-	Table AT—Contd.	FRO MO FOI 100 MA	ATH R OM PN NIA (RMS) ,000 I TED P LATIO	EU- (ALL PER ESTI- OPU-
	mo	es of a re in sed ty	bold-		mor	es of 2 e in t ed ty	oold-
	1932	1931	1920		1932	1931	1920
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued			
Fort Worth White Colored Gray White Colored Grand Rapids Hartford Houston White Colored Indianapolis White Colored Jacksonville, Fla White Colored Jersey City Kansas City, Kans White Colored Kansas City, Kans White Colored Kansas City, Mo White Colored Lored Kansa City, Mo White Colored Long Beach Los Angeles White Colored Long Beach Los Angeles White Colored Louisville White Colored Lowell Lynn Memphis White Colored Miami White Colored Miami White Colored Mimie Colored Mimani White Colored Mimani White Colored Mimari White Colored Mimari White Colored Niswalkee Mineapolis Nashville White Colored Newark, N.J. New Bedford	71. 84 64 76. 6 82. 5 44 76. 6 82. 5 44 76. 6 82. 5 44 77. 4 6 82. 5 44 77. 8 77. 8 78. 8 77. 8 78. 8	115. 2 3 3 192. 3 3 192. 3 3 192. 3 3 192. 3 3 192. 3 3 192. 3 3 192. 3	220.4 4 114.4 8 190.6 5 155.7 6 166.7 78.4 6 120.1 147.9 6 16.1 78.5 16.1 185.0 6 16.1 77.4 185.0 6 16.1 78.4 185.0 16.1 78.4 185.0 16.1 78.4 185.0 16.1 78.4 185.0 185.	New York—Contd. Queens Borough. Richmond Borough. Norfolk. White Colored. Oakland. Oklahoma City. Omaha. Paterson. Philadelphia. White. Colored. Pittsburgh. Portland, Oreg. Providence. Reading. Richmond, Va. White. Colored. Rochester, N.Y. St. Louis. White. Colored. St. Paul. Salt Lake City. San Antonio. White. Colored. San Francisco. Seranton. Seattle. Somerville. South Bend. Spokane. Springfield, Mass. Syracuse. Tacoma. Tampa. White. Colored.	66. 583. 8 7 7 144. 3 8 1772. 8 8 1772. 8 8 1772. 8 8 1772. 8 190. 6 6 4 2 1773. 2 1133. 5 164. 9 174. 3 174. 3 1752. 8 1754. 3 1754.	70. 1 10. 9 7 194. 3 8 3 124. 8 8 124. 8 8 124. 8 8 124. 8 8 124. 5 9 8 124. 5 9 8 124. 5 9 12. 115. 4 1294. 8 8 2 115. 4 1294. 8 8 2 115. 4 1294. 8 8 2 115. 4 1294. 8 8 2 115. 4 1294. 8 8 2 115. 4 1294. 8	197. 9 192. 6 192. 6 192. 6 192. 6 193. 1 195. 4 195. 1 196. 1 196. 1 196. 1 198. 5 196. 1 198. 5 199. 5
New Haven White Colored New York Bronx Borough Brooklyn Borough Manhattan Borough White Colored	78.4	92. 5	127. 1	Trenton Tulsa. White Colored Utica Washington, D.C. White Colored Wichita Wilmington, Del White Colored Worcester Yonkers Youngstown	95. 2 236. 0 63. 1 117. 3 97. 4 271. 9 100. 4 84. 3 102. 4	94. 1 263. 0 62. 2 121. 0 99. 5 288. 4 107. 0 74. 2 101. 8	129. 5 351. 5 125. 5 215. 5 191. 6 433. 1 196. 1 134. 5 267. 6

¹ In continental United States. ² Including District of Columbia.

Note.—Capillary bronchitis is excluded for 1920.

DIARRHEA AND ENTERITIS (UNDER 2 YEARS)

In the registration area in 1932, diarrhea and enteritis was the cause of death of 14,375 children under 2 years of age, corresponding to a rate of 12.0 per 100,000 population of all ages, as compared with 15.7 in 1931. All States except 2 had lower rates in 1932 than in 1931, although the great differences in rates in the various States show that many rates are too high; for example among the States the rates ranged from 62.4 for New Mexico to 2.7 for Oregon, and among cities of 100,000 population or more in 1930, from 82.1 for El Paso to 1.3 for Portland, Oreg.

Beginning with 1925 the rates for the rural part of the registration area have been higher than those for

the cities.

Not in registration area.
 Death rates by color not available.

Among States and cities for which figures for the colored populations are available, 11 out of 14 States and 23 out of 30 cities had higher rates for the colored than for the white.

				TI WHEN			
Table AU AREA	FROM AND (1 YE 100 MA		RRHEA ERITIS R 2 PER ESTI- OPU- T ALL	Table AU—Contd.	FROM AND (U YE, 100	TH R I DIAR ENTE INDEF ARS) I ,000 E ED P ON AI AGES	RHEA RITIS 2 PER STI- DPU-
	mo	tes of re in 1 ced ty	50 or bold-		mor	es of e in b	50 or old-
	1932	1931	1920		1932	1931	1920
The registration area 1	12.0	15. 7	43. 9	Washington West Virginia Wisconsin	51.0	4. 9 55. 9 11. 1	12, 1 (3) 28, 2
Registration States 2 Cities of 10,000 or over 2	11.8 9.0	15. 5 12. 2		Wyoming CITIES OF 100,000 POPU- LATION OR MORE IN	7.4	13. 6	
Smaller cities and rural areas Registration cities in nonregistration	14. 4	18. 7	35.0	1930 Akron Albany	2.7 13.2	7. 2 5. 4	21.9 18.4
StateAll registration cities 2.	29.8 9.5	12. 6	53.2	Atlanta White Colored	11.9 14.6 6.5	22.3 13.0 40.8	44.3 40.2 53.1
Alabama White Colored Arizona	15. 5 15. 1 16. 4 49. 6	19.8 66.1	33333333333333333333333333333333333333	Baltimore	N. 21	14. 1 30. 0 14. 9	47.1
Arkansas White Colored California	17.7	22. 2 21. 5 24. 4	(3) (3) (3) 33.8	White Colored Boston Bridgeport	8.2	16.8 11.7	43. 2 53. 0 51. 5
WhiteColoredConnecticut	3.5	4.4 72.7 28.8	(1) (4) 44.7	Buffalo Cambridge Camden	14. 6 7. 0 11. 8	18. 4 4. 4 23. 5	91.8 60.1 72.1
		7. 7 26. 7 13. 5 10. 5	52.5 69.7 40.8 38.6	Canton Chattanooga White Colored	26. 1 25. 9 26. 7	10.3 36.0 31.6 47.6	47.4
Florida	19.3 13.7 14.3 12.7	20. 9 19. 7 16. 6 25. 2	45. 0 (3) (3)	Cincinnati	11.8 11.8	9. 1 25. 6 21. 4 59. 8	84.7 31.5 30.6 41.9
Illinois	7.3	11.4	(8) 54.0	Colored Cleveland Columbus White Colored Dallas White Colored Dayton Denver Des Moines Detroit	3. 7 14. 9 13. 0	6.1 11.8 11.9 11.7	53.3
Iowa. Kansas. Kansas. Kentucky. White. Colored. Louisiana. White. Colored. Maive. Maryland. White. Colored. Massachusetts Michigan. Minnesota. Mississippi White. Colored. Massachusetts Michigan. Minnesota. Mississippi White. Colored. Missouri. Montana. Nebraska	4.5 7.6 30.6 30.9	7. 6 8. 6 34. 9 34. 4	30. 6 36. 0 35. 7	Dallas White Colored	23. 8 18. 6 48. 9	15. 0 11. 1 34. 0	38. 6 35. 4 56. 7
Colored Louisiana White Colored	27.6 14.5 11.2 20.3	39.8 22.1 18.9 27.6	38. 2 34. 9	Dayton Denver Des Moines Detroit	15. 1 15. 8 4. 8 4. 8	14. 7 16. 1 6. 9 6. 7	(3)
Maine Maryland White	10.1 18.2 14.1	14. 3 29. 1 22. 7	52.6 81.2 73.3 120.1	Duluth Elizabeth El Paso	5.9 3.4 82.1	3.9 6.8 98.1	27. 3 58. 9 373. 1
Massachusetts Michigan Minnesota	5. 4 7. 0 5. 1	7. 0 9. 7 5. 6	47.5 47.2 21.0 32.1 31.7	Colored Erie Evansville	129. 2 13. 6 11. 5	5. 9 22. 1	(4) 53. 5 54. 6 153. 0
White Colored Missouri	14. 4 14. 1 14. 7	17. 3 13. 7 20. 9 15. 8	32.4	Fall River Flint Fort Wayne Fort Worth	13. 9 11. 0 2. 5 13. 7	11.3 13.4 4.2 5.4	153. 0 98. 3 20. 5 (3)
Montana Nebraska Nevada Nevada	7. 4 5. 5 16. 1 6. 0	11. 0 7. 9 9. 8 7. 1	22.4	White Colored Gary	14. 2 11. 3 10. 4	2.1 22.6 20.8	(3) (3) 83.4
Nevada	5.8 62.4 7.2	9.4 77.8 9.5	52.8 (3) 45.6	Duluth Elizabeth El Paso White Colored Erie Evansville Fall River Filnt Fort Wayne Fort Worth White Colored Gary White Colored Grand Rapids Hartford Houston White	8. 5 2. 3 . 9. 0	17. 1 4. 7 29. 9	(1) 64.1 64.6
White Colored North Dakota		25. 8 21. 7 35. 8 13. 8	(3)	Houston. White Colored. Indianapolis White Colored. Jacksonville, Fla.	8. 4 4. 8 18. 2 17. 0	15. 5 8. 8 34. 1 8. 9	33.3 33.9 31.3 53.1
OhioOklahoma WhiteColored	9. 7 10. 7 9. 7 18. 6	12.3 11.8 10.9 18.4	31. 9 (3) (3)	White Colored Jacksonville, Fla White	16. 9 17. 7 5. 1 4. 5	8.9 8.8 9.1 7.2	51.6 65.3 34.6 19.6
Pennsylvania Rhode Island	2.7 12.8 8.0	4.3 17.8 8.6	10.6 63.1 44.7	Colored Jersey City Kansas City, Kans White	6. 2 16. 3 9. 8	12. 5 20. 7 13. 8	53. 0 88. 0 63. 0
South Carolina	16, 8 23, 9 7, 6	33. 2 23. 3 45. 1 12. 3	67. 0 59. 3 74. 4 (3)	Kansas City, Mo White	7.0 21.6 5.4 4.6	13. 0 17. 2 8. 3 7. 7	95.3 68.6 71.1
Tennessee	21. 9 22. 8 17. 9	25, 7	30.6 29.8	Colored Knoxville White Colored	11. 6 17. 4 18. 6	13. 9 44. 0	44.7 49.3 56.2 8.6
Vermont Virginia White Colored	7. 2 17. 5	9.4 24.1	35. 4 41. 0	Long Beach Los Angeles	3.9 5.9	2. 6 7. 6	10.1 43.0
Colored			60.9	Colored	24, 2	33. 2	85.8

See footnotes at end of table.

	Ī				<u> </u>		
Table AU—Contd.	FROM ANE (YE 100 MA LAT		ERHEA ERITIS R 2 PER ESTI- OPU- T ALL S	Table AU—Contd.	FROM AND (U YE. 100 MAT LATI	ATH R I DIAR ENTE INDEF ARS) ,000 E FED PO ON AT AGES tes of re in b	RHEA RITISJ 2 2 PER STI- OPU- CALL 50 or
	1932	1931	1920	•	1932	1931	1920
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued			
Louisville. White. Colored. Lowell. Lynn. Memphis. White. Colored. Miami. White. Colored. Milwaukee. Mineapolis. Nashville. White. Colored. Newark, N.J. New Bedford. New Haven. New Orleans. White. Colored. New Haven. New Orleans. White. Colored. New Fork. Bronx Borough. Brooklyn Borough. Manhattan Borough. White. Colored. Queens Borough. Norfolk. White. Colored. Oakland. Oklahoma City. Omaha. Paterson. Peoria. Philadelphia. White. Colored. Colored. Oklahoma City. Omaha. Paterson. Peoria. Philadelphia. White. Colored. Colored. Othered. Colored. Oklahoma City. Omaha. Paterson. Peoria. Philadelphia. White. Colored. Colored. Oklaburgh. Portland, Oreg.	12.1099 112.0114.99 112.0115.0115.0116.02 12.0505.0544.077.147.55 12.041.143 12.0505 1	22.52.0.90.05.07.22.1.33.47.82.2.85.7.14.4.1.12.6.5.07.86.5.0	35.27 36.78 36.78 37.18 37	Providence Reading Richmond, Va White Colored Rochester, N. Y St. Louis White Colored St. Paul Salt Lake City San Antonio White Colored San Diego San Francisco Scranton Seattle Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Tampe White Colored Toledo Trenton Tulsa White Colored Utica Washington, D.C White Colored Wichita Winite Colored Worcester Yonkers Youngstown	09.3.5.0(1°)3.24.667.7666688626111211594463936211222464639362112	13.4.1.1.2.4.2.8	39. 5 8 62. 9 8 427. 6 1 32. 2 3 15. 2 2 10. 3 8. 7 6 16. 2 3 17. 2 2 10. 3 8. 7 6 16. 2 3 77. 2 17. 5 7 63. 0

In continental United States.
 Including District of Columbia.
 Not in registration area.
 Death rates by color not available.

NOTE.—Includes ulcer of duodenum for 1920.

NEPHRITIS

The death rate for nephritis in 1932 (87.2) was the same as that for 1931. From one 10-year period to another in the past 30 years there has been little variation in rates, except for the generally high rates in the decade 1910 to 1920. The peak was reached in 1917, when the rate was 107.9. The place of nephritis is generally about fourth among diseases as a cause of death.

The highest rates among States were for Delaware (152.9), Maryland (134.7), and South Carolina (111.9). Low rates were shown by South Dakota (38.4), Wyoming (41.5), and Oklahoma (47.7).

The mortality rate from nephritis is considerably lower in the rural part of the registration States (82.1) than in the cities (93.1).

In every State except California and in 24 out of 30 cities showing distinction of color, the rates for the colored were much higher than those for the white. Of the 14 States, 10 had rates of 100 and over for the colored; and 21 of the cities had such rates.

Table AV	FROM	TH R M NEI ER 10 TIMAT	PHRI- 0,000 ED	Table AV—Continued	FROM TIS F	TH R. I NEP ER 10 IIMAT ULAT	HRI 00,00 ED
AREA	[Rat		50 or	AREA	(Rate	es of 1 e in b ed ty	50 o old-
	1932	1931	1920		1932	1931	192
The registration area 1	87. 2	87. 2	89. 2	CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued	!		
Registration States 2	87.4	87. 4	88.6	Baltimore	134. 7	136.6	144.
Cities of 10,000 or over 2 Smaller cities and	93. 1	93. 2	100. 3	Baltimore White Colored Birmingham White Colored Boston Bridgeport Buffalo Cambridge Camden Canton	125. 4	125.4	134. 204
rural areas	82. 1	81.8	77.7	Birmingham	106. 2	88.0	96
Registration cities in nonregistration	25.0			Colored	146. 2	127. 7	127
StateAll registration cities 2	65. 6 92. 5	71.7 92.7	122. 7 101. 0	Boston Bridgeport	76. 8 63. 2	77. 4	78
Alabama		87.0	(3)	BuffaloCambridge	125. 1 67. 5	112. 9 56. 1	113 80
White Colored			35	Camden	161. 3	121. 0	136
Arizona	55. 1	55. 3	(3)	Chattanooga	81.7	90.0	138
Arkansas White	62.7	71.5 64.0	(3)	White	82.3	64. 3 157. 7	119 179
Colored	72.3	93.3	(3)	Chicago	102.6	110. 1	96
White Colored Arizona Arkansas White Colored	84.6	83.3	(1)	Camden Canton Canton Chattanooga White Colored Chicago Cineinnati White Colored Cleveland Columbus White Colored Dallas White Colored Dallas White Colored Dayton Denver Des Moines	114. 3	121. 6	121
Colored	44.0 80.8	45.9	76.8	Colored	63.7	95.6	$\frac{119}{73}$
Connecticut	84. 8	80.7	88.3	Columbus	95.4	91.0	79
Deiaware Florida	110. 0	112. 9	94.9	Colored	113.7	113.7	78
White	102.7	100. 9	93.9	Dallas	59.3	63.7	96
Jeorgia	102. 9	105. 6	(2)	Colored	93. 6	131. 9	202
Colored	128. 2	92. 5 128. 5	(3)	Dayton Denver	75. 0 107. 0	83. 7 101. 5	95
dabo	64.9	63, 2	(3) 90 6	Des Moines	61.6	59. 5 42. 0	(3 50
Indiana	112. 7	109. 1	105. 5	Duluth	48. 1	37. 3	45
lowa Kansas	93.8	87.3	82. 2	Elizabeth El Paso	47.7	59. 9 62. 9	86
Kentucky	82. 4 73. 6	85. 2	78.8	Denver Des Moines Detroit Dulnth Elizabeth El Paso White Colored	33.3	64. 1 62. 0	
Colored	176. 0	191. 2	149.8	ErieEvansville	75. 7	73. 9	74
White	90.8	88. 0	75. 2	Fall River	121. 4	112.8	99
Colored	126. 2	142. 7	104. 5	Flint	34.8	35.3	100
Maine Maryland White	134. 7	135. 1	139. 7	Fort Wayne Fort Worth	56. 1	68. 7	(2 (2
Colored	. 1180. 4	184. 9	189.1	White Colored	135. 3	128. 3	(
Massachusetts Michigan	85. 4 58. 5	80. 2 58. 6	75. 7 69. 2	GaryWhite	62. 4 53. 4	51.9 47.3	
Minnesota Mississippi	53.8		66. 2	WhiteColored	94.0	68. 4 50. 1	
White	. 78.1	81.6	69.3	Grand Rapids Hartford Houston	86. 7	92. 7	135
Colored Missouri	110, 6	127. 3 113. 4		Houston White Colored Indianapolis White Colored Jacksonville, Fla White Colored	66.3	78. 8 66. 3	103
Montana Nebraska	64.7	62. 5	49.8	Colored	115. 2 132. 5	113. 1	119
Nevada New Hampshire	98. 9	87.0	(3)	White	123.	108. 4	109
New Jersey	. i 92. c	94. 6	100.6 105.0	Jacksonville, Fla	124. 8	138. 7	134
		58.9	(3) 110. 0	WhiteColored	101. 9	114.6	119
New York North Carolina	92. 7	93. 4	74.4	Jersey City	62. 1	76. 2	10
White Colored	112. 6	85. 1 113. 2	87.6	Jersey City Kansas City, Kans White Colored	139. 4	120. 4	9.
North Dakota Ohio	51. 1	42.3 76.0					
Oklahoma	47.7	45. 2	(3)	White Colored	1 Q7 F	ยากร 1	บบก
White Colored	56.6	59.2	(3)	Knoxville	93. 4	77.8	8
Oregon Pennsylvania	91. 1			Knoxville White Colored	81. 0 157. 3	58. 0 179. 8	78 138
Pennsylvania Rhode Island South Carolina White Colored	117. 2	113. 8	96. 6 84. 1	Long Beach Los Angeles White Colored Louisville	83. 9	89.9	10
White	100.	98. 3	78.7	White	80.3	76. 2	iŏ
South Dakota	38. 4	39. 9	89. 2	Louisville	54. 6 113. 2	54. I 113. 9	12
South Dakota Pennessee White Colored	69.0	69. 9 61. 6	65.4	Colored	213	203 4	16
Colored	104. 8	107.	111.4	Lowell Lynn Memphis White	40. 9	50. 9	74
Utan Vermont	102.8	8 60. 9 8 111 9	110.8	Memphis	104. 2	94.7	16
Virginia White Colored	107. 1	110. 9	90.8	White	89. 4 128. 3	80. I	135
Colored	142.	165. 3	109. 5	Miami	77. 3	88.	13
wasnington West Virginia	79.8	76.3	61.8	Colored	78.8	94.9	72
Washington West Virginia Wisconsin Wyoming	66.	67. 7	61.8	Milwaukee	57. 2	53. 3	68
CITIES OF 100,000 POPU-		20.0		Memphis. White Colored Miami White Colored Mile Colored Milwaukee Minneapolis. Nashville White Colored Newark, N.J New Bedford New Haven New Orleans White Colored	101.	97. 1	13
LATION OR MORE IN				W nite	160.8	73. 7 158. 6	21
1930 A kron	57 6	50.0	25.9	Newark, N.J.	84.2	83. 2	10
Akron Albany	141. 0	134. 8	163.1	New Haven	73.	90. 4	9
Atlanta White Colored	. 135. 9 124. 7	144. 8 123. 6	158.8 147.8	New Orleans	181.7	179, 8 156, 6	177
			,		1		1~~1

See footnotes	at end	of	table.
---------------	--------	----	--------

Table AV—Continued	FRO TIS I ES PO [Rat mo	ATH E M NE PER 10 TIMAT PULAT TES of TES in it	PHRI- 00,000 FED FION 150 or	Table AV—Continued AREA	FROI TIS I ES POI [Rat mor	THE RESERVED TIMES OF 1 ce in bed ty	PHRI- 00,000 ED ION 50 or old-
	1932	1931	1920		1932	1931	1920
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued			
New York Bronx Borough Brooklyn Borough Manhattan Borough White Colored Queens Borough Richmond Borough Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Portland, Oreg Providence Reading Richmond, Va White Colored St. Louis Colored St. Paul	50. 0 72. 4 77. 6 6 79. 1 75. 2 6 6 79. 1 8 91. 8 91. 8 91. 8 91. 8 91. 8 91. 10 10 10 10 10 10 10 10 10 10 10 10 10	46. 0 71. 9 91. 0 171. 9 92. 1 83. 9 92. 1 83. 9 94. 1 170. 1 6 102. 4 3 104. 1 109. 4 84. 6 132. 2 137. 0 2 113. 3 161. 2 113. 3 161. 2 113. 3 164. 8 164. 8 164. 8 164. 8 165. 1 144.	78.5 142.0 141.8 145.2 80.4 72.6 104.1 139.4 144.7 127.7 122.1 136.1 131.1 184.7	San Antonio White Colored San Diego San Francisco Scranton Seattle South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Toledo Trenton Tulsa White Colored Utica Washington, D.C White Colored Wichita Colored Wichita Colored Wichita Colored Withington, Del White Colored Wichita Colored Wichita Vhite Colored Worcester Yonkers Youngstown	(4) 4 4 4 90.5 6 73.6 6 79.8 8 60.2 7 101.9 9 1131.7 110.7 46.6 7 4 7 115.7 11	133.0 98.9 863.8 9 665.6 67.04.9 97.1 1118.1 111.1 115.7 116.2 207.4 1752.5 9153.5 156.5 1	71. 3 182. 8 1 106. 6 76. 1 1 6 72. 0 2 8 85. 0 5 97. 4 4 107. 3 94. 6 110. 5 1


¹ In continental United States. ² Including District of Columbia.

PUERPERAL CAUSES

In 1932 the death rate from puerperal causes per 1,000 live births was 6.3, or three-tenths lower than

DIAGRAM 7.—ADJUSTED DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS, BY COUNTRY OF BIRTH OF MOTHER FOR WHITE, AND ALSO FOR TOTAL WHITE AND FOR TOTAL COLORED IN THE UNITED STATES IN THE BIRTH REGISTRATION AREA: 1932

[Rates are shown in table AY]



the rate (6.6) in 1931. This change is so slight that it has little weight in settling the question as to whether

Not in registration area.
 Death rates by color not available.

puerperal causes of death are an increasing or decreasing danger to the women of the United States.

In 1932 there were 7 States in the birth registration area with rates of 8 or more from all puerperal causes per 1,000 live births. Florida had a rate of 10.1; and the other States were Arizona, Delaware, Georgia, Louisiana, New Mexico, and South Carolina. The lowest rates appeared for South Dakota (3.7), and Utah (4.3).

Among the cities of 100,000 population or more in 1930 in the birth registration area, the following had the highest rates in 1932: Memphis (13.3), Oklahoma City (12.7), Columbus and Richmond, Va. (12.1 each). The lowest rates were for Bridgeport (1.5), Fall River (3.3), and Grand Rapids (3.4).

Table AW gives death rates from puerperal causes per 1,000 live births, for the States and large cities

in the birth registration area.

Table AW	DEA	TH RAT	re fro	м РОЕ	RPERA	CAUS	ES PEI	1,000	LIVE
	1	Rates	in itali	cs are b			than 5	deaths	1
AREA	All	puerp causes	eral	E Sé	uerper pticen	al nia		r puer causes	peral
	1932	1931	1920	1932	1931	1920	1932	1931	1920
The birth registration area 1	6, 3 5, 8 9, 8	6. 6 6. 0 10. 8	8. 0 7. 6 12. 8	2, 3 2, 2 3, 4	2.5 2.3 4.0	2.7 2.6 4.0	4.0 3.6 6.3	4.1 3.7 6.8	5. 3 5. 0 8. 8
Cities of 10,000 or over 2_ White Colored	7. 4 6. 9 12. 1	7. 6 7. 1 13. 1	8. 6 8. 2 15. 1	3.0 2.8 5.0	3. 2 3. 0 5. 9	3. 2 3. 0 6. 2	4.4 4.1 7.1	4.4 4.1 7.1	5. 4 5. 2 8. 9
Smaller cities and rural areas	5. 4 4. 8 8. 5	5. 7 5. 0 9. 6	7.4 6.9 11.7	1.8 1.6 2.6	1.9 1.7 2.9	2.2 2.1 2.9	3.6 3.2 5.9	3.8 3.3 6.7	5.2 4.8 8.8
AlabamaWhiteColoredArizona	7.6 6.3 9.8 8.1	8. 1 7. 0 10. 1 8. 2	(B) (B) (B)	2. 5 1. 8 3. 7 3. 1	2.7 2.5 3.1 3.6	මමම	5. 1 4. 5 6. 1 5. 0	5. 4 4. 5 7. 0 4. 6	(3) (3) (3)
Arkansas White Colored California White Colored Colored Colorado Connecticut Delaware	6.6 6.0 8.6 5.6 5.4 6.7 7.4 4.8 8.2	7.1 6.2 10.1 6.2 6.1 7.0 7.0 4.3 7.1	(3) (3) 7.7 (5) (4) 6.8 (4)	2.5 2.4 2.7 2.2 2.1 3.4 1.9 3.0	2.7 2.4 3.5 2.4 2.7 2.3 1.7	(3) (3) (2,6 (5) (5) (4) (2,2 (4)	4.1 3.6 5.8 3.2 4.5 4.0 2.9 5.1	4.5 3.8 6.7 3.8 3.6 4.3 4.2 3.0 5.4	3035 505 44
Florida White Colored Georgia. White Colored	10.1 8.3 14.3 9.2 7.5 11.8	10. 4 8. 1 15. 4 9. 9 8. 4 12. 2	333000	3.3 2.9 4.3 2.9 2.1 4.2	3. 4 2. 3 6. 0 3. 0 2. 6 3. 7	644888	6.8 5.4 10.0 6.3 5.4 7.7	7. 0 5. 8 9. 4 6. 9 5. 9 8. 5	999999
Idaho	5.3 5.6 5.7 5.4 6.2	5. 1 5. 5 6. 1 5. 0 6. 2	(3) (4) 8.7 (3) 8.4	1.6 2.1 2.5 2.0 2.8	1.8 2.1 2.6 2.3 2.6	(3) (4) 4.0 (3) 3.5	3.7 3.5 3.1 3.5 3.3	3.3 3.4 3.5 2.7 3.6	(3) (4) 4. 7 (3) 5. 0
Kentucky White Colored Louisiana White Colored	5.7 5.3 13.3 8.1 7.0 9.6	6. 4 6. 0 13. 5 8. 6 7. 3 10. 6	6. 4 6. 0 13. 0 (4) (4) (4)	2.0 1.9 4.5 3.3 2.6 4.2	2.5 2.3 5.5 3.3 2.4 4.6	2.8 2.5 7.0 (4) (4)	3.7 3.4 8.8 4.8 4.5 5.4	3. 9 3. 7 8. 0 5. 3 4. 9 6. 0	3. 7 3. 5 6. 0 (4)
Maine	6.4 5.1 4.7 6.5 6.0 6.0	7. 9 6. 1 5. 5 8. 3 6. 5 6. 0	8.5 7.6 6.6 11.8 7.5 9.3	2.5 2.3 2.1 3.2 1.9 2.1	2.3 2.3 2.1 3.2 2.4 2.4	1.6 2.4 1.8 5.0 2.4 3.4	3.9 2.8 2.6 3.3 4.1 3.9	5.6 3.8 3.5 5.1 4.1 3.6	6. 9 5. 2 4. 8 6. 8 5. 1 5. 9
Minnesota	4.8 6.0 7.7 6.6 5.3 5.7 9.1	4.9 8.5 9.4 7.3 5.8 6.7 7.2	7.9 9.0 9.0 9.1 9.1 9.1 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0	1.7 2.2 1.6 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 3.3 2.3 3.3 3	2.1 2.5 3.1 3.5 3.2 4.9 2.3 3.6	2.4 (4) (4) (4) (5) (5) (3) (1) (8)	3.4.5.5.5.2.9.2.7.5.2 3.4.3.4.2.2.2.7.5.2	2.5 5.6 3.9 3.5 4.5 4.3 4.3 4.3 7	5.400004.05.60 5.60

See footnotes at end of table.

									
Table AW—Continued				M PUEI I s are b	BIRTHS			-	
· AREA		puerp	eral	P	uerper	al	Othe	r puer	
	1932	1931	1920	1932	1931	1920	1932	1931	1920
New York North Carolina White Colored North Dakota	5.9 6.8 5.4 9.8 4.4 6.3	5.9 8.0 6.4 11.6 4.9 6.5	6.9 10.0 8.6 13.2 (3) 8.0	2.3 1.6 1.2 2.6 1.4 2.5	2.2 2.2 1.5 3.7 1.7 2.9	2.3 2.1 1.7 3.1 (3) 3.4	3.6 5.2 4.2 7.3 3.1 3.8	3.7 5.8 4.9 7.9 3.1 3.6	4.6 7.9 6.9 10.1 (3) 4.5
Oklahoma White Colored	7. 2 6. 7 13. 2	6. 2 5. 4 15. 4	(3) (3) (3)	3. 4 3. 1 6. 6	2.8 2.4 7.1	(3) (3) (3)	3. 8 3. 6 6. 6	3. 4 3. 0 8. 2	(3) (3) (3)
Oregon Pennsylvania Rhode Island	6.1 6.0	4. 5 6. 5 5. 5	9.4 7.8 (4)	2.4 2.5 2.1	1.4 2.7 2.0	3.3 2.7 (4)	2, 3 3, 6 3, 9	3.1 3.8 3.4	6.1 5.0
South Carolina White Colored South Dakota Temessee White Colored Colored	8.1 10.6	10.2 7.6 12.7 (4) 7.4 6.3 13.7	12.2 9.0 15.4 (4) (5) (6)	2.3 2.2 1.0 2.3 1.9 4.8	2.5 1.7 3.2 (4) 3.2 2.7 6.0	2.8 1.8 3.7 (4) (4) (4) (4)	7. I 5. 8 8. 4 2. 7 4. 9 4. 5 7. 3	7.8 5.9 9.6 (4) 4.3 3.7 7.7	9.4 7.1 11.7 (4) (4) (4)
Utah Vermont Virginia White Colored	7.1 7.1 5.5 10.9	4.2 7.6 7.5 5.9 11.5	7.9 7.0 8.6 7.5 11.1	1.5 2.2 2.4 1.8 3.6	1.4 2.8 2.4 1.9 3.8	2.0 1.9 2.3 1.9 3.1	2.8 5.0 4.7 3.6 7.3	2.8 4.8 5.1 4.0 7.7	5.9 5.1 6.4 5.6 8.0
Washington West Virginia Wisconsin Wyoming	6.0 5.7 4.4 6.6	6. 4 5. 8 4. 5 8. 4	9. 2 (3) 6. 7 (3)	2.5 2.4 1.5 2.4	2.2 2.5 1.7 2.9	2.3 (3) 2.1 (3)	3.6 3.3 2.9 4.2	4.1 3.4 2.7 5.6	6. 9 (3) 4. 6 (3)
CITIES OF 100,000 POPU- LATION OR MORE IN 1930									
Akron Albany Atlanta White Colored Baltimore White Colored Birmingham White Colored Boston Bridgeport Buffalo Cambridge Camden Canton Canton Chattanooga White Colored Chicago Cincinnati White Colored Cleveland Columbus White Colored Cleveland Columbus White Folored Cleveland Columbus White Colored Cleveland Colored Dayton Denver Des Moines Detroit Duluth Erie Evansville Fall River Filint Fort Wayne Gary White Colored Grand Rapids Hartford Indianapolis White Colored Jacksonville, Fla White Colored Jacksonville, Fla White Colored Jersey City Kansas City, Kans White Colored Kansas City, Mo	5.7 6.6 10.7 7.6 15.1 7.3 1.5 4.1 10.1	8159887255182883593334444217751212161494841589177973949444738876981779739494447388087659464473880876599878994944738830880	12.3 (*) (*) (*) 5.5 (*) (*) 6.6 (*) (*) 6.8 (*) (*) (*) 6.8 (*) (*) (*) (*) (*) (*) (*) (*) (*) (*)	37406875248681863587899758686833518233923881 44775288044476034415	02665025303547342806236432400047643720507533403339202280232279527042283232144455122444448335	04 04000000000000000000000000000000000	01488110152874726806746772238088849765427018104488629177 H07135	88003384020574266964010181088468290554107196890070281125608110 84546446742448632665511844845454784232884148558434584448366455671000	52(1)(1)(4)445(1)(4)(4)445(1)(5)(4)(4)(4)(4)(4)(5)(4)(4)(5)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)

Table AW—Continued	DEAT	H RAT	E FROM		PERAL IRTHS	CAUSE	S PER	1,000 I	IVE
	(1	Rates i	n italic	are b	ased or	ı less tl	nan 5 d	leaths]	
AREA	All	puerpe causes	eral	P	uerper pticem	al ia	Other	puerr auses	eral
	1932	1931	1920	1932	1931	1920	1932	1931	1920
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued									
Long Beach Los Angeles White Colored Louisville White Colored Lowell Lynn Memphis White Colored Miami White Colored Minami White Colored Mineapolis Nashville White Colored Mineapolis Nashville White Colored New Ark, N.J New Bedford New Bedford New Haven New:Orleans White Colored New York Bronk Brough Brooklyn Borough Brooklyn Borough Manhattan Borough White Colored Queens Borough Richmona Borough Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Pittsburgh Portland, Oreg Providence Reading Richmond, Va White Colored Providence Reading Richmond Rechester, N.Y St. Louis White Colored St. Paul Salt Lake City San Diego San Francisco Scranton Seattle	5.3 6.5 5.8 11.7 4.4 4.7 7.9 12.2 4.8 6.1 1.7 6.4 4.8 6.1 1.7 7.7 7.7 7.7 7.7 7.7 7.7 7	8.2.2.0.2.8.2.8.2.8.2.8.2.8.2.8.2.8.2.8.	5.8 1.1 7.1 8.1 1.1 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1	51052861586643267788876361852044407696848875182205139600244727226882940112151632122234139600244718153722224112616321222341220553813226222111.	4.30 2.63 4.35 5.46.9 3.39 2.11 2.39 3.39	2. 7 2. 4 2. 4 3. 0 3. 0	0.738466725501772249437799623460028933680015330441078981588530443577105463366822625563334435721546363440789815885304435771	2. 2 2. 5 4. 0 2. 5 1. 8 3. 3	3. 6 6. 3 9. 5

Table AW—Continued	DEAT	H RATI	E FROM		PERAL IRTHS	CAUSE	s per	1,000	LIVE
	[R	ates in	italics	are ba	sed on	less t	han 5 (leaths]
AREA		puerpe causes	eral		uerpera pticem			r puer causes	peral
•	1932	1931	1920	1932	1931	1920	1932	1931	1920
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued									,
Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Trenton Tulsa White Colored Utica Washington, D.C White Colored Wichita Wilmington, Del White Colored Worcester Yonkers Youngstown	7.9 10.39 4.01 11.19 19.57 10.9 41.4 9.01 11.00 8.18 10.03 11.00 10.00 1	5.6601102322156576517184188890 128.6647.5517184188890	6.3 7.2 11.4 9.3 9.4 10.5 (4) 10.5 6.8 6.4 10.7 (4) 10.6 3 9.4	3.5.1.2.2.4.2.9.7.2.7.1.0.5.5.4.9.1.0.7.8.7.6.6. 2.4.2.4.2.3.5.4.2.0.3.3.3.5.3.4.1.1.4.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6	2.2518805648031.544445 2.523.521.8803.3153.444.45 2.523.323.323.323.323.323.323.323.323.32	1.693.38 1.78 (4) (4) (2) (3) 2.89 1.5.5 (4) 2.66 1.2.9 2.66	3.4.5.3.4.1.6.6.5.3.5.5.4.8.8.4.7.9.97.7.7.4.0.1 2.4.5.3.4.1.6.6.5.3.5.5.4.8.3.5.4.6.7.3.3.8.4.2.7.	3.1.4.4.3.7.4.3.9.3.7.2.1.6.2.2.4.5.5.4.8.3.4.6.	4.3.8.2.7.8.(4)(4)(5.(4)(8)(8) 5.6.4.9.4.(4)(4)(7.5.3.

In continental United States; see table A, Birth Report.
 Including District of Columbia.
 Not in either birth or death registration area.
 Not in birth area.
 Death rates by color not available.

The rates for mothers under 20 years of age were considerably higher than the rates for mothers 20 to 29. A partial explanation, perhaps, is the comparatively large number of illegitimate children involved in the younger age group and the lack of care so common in such cases.

For each year from 1917 to 1932, the rates from puerperal causes were higher for mothers aged 30 to 39 than for mothers aged 20 to 29, and higher for mothers than for mothers aged 20 to 29, and higher for mothers aged 40 years and over than for mothers aged 30 to 39 years. These figures certainly point to the conclusion that childbearing becomes more and more dangerous as women grow older. As would be expected the higher rates for older mothers were more marked in the deaths from "Other puerperal causes" than from puerperal

Tables AX and AY throw considerable light on these questions and are well worth careful study.

Table AX	OF M	RATE FI IOTHER, H REGIST	PER 1,00	00.LIVE		BY AGE IN THE	Table AX—Continued.	OF M	RATE FI IOTHER, I REGIST	PER 1,0	OO LIVE		
CAUSE OF DEATH, AND YEAR	All	ages					CAUSE OF DEATH, AND YEAR	All	ages				40 years
	Ad- justed rate 2	Crude rate	10 to 19 years	20 to 29 years	30 to 39 years	40 years and over		Ad- justed rate ²	Crude rate	10 to 19 years	20 to 29 years	30 to 39 years	and over
All puerperal causes: 1932	6.9 6.5 6.5 6.6 6.6 6.8 7.3	3 6 7 0 9 5 6 5 6 7 6 8 0 4 2 6 6 6 6 6 6 6 8 7 9 6	6. 2 9 6. 2 9 6. 2 2 6. 4 4 6. 5 9 6. 6 8 6. 9 7. 0 9. 4 9	4.8111355300000555534992	8.5 8.8 9.1 8.7 8.1 8.3 8.3 8.3 8.3 9.9 9.9 10.7 8.3	13. 4 14. 1 14. 4 14. 7 13. 6 13. 1 13. 5 13. 9 13. 7 14. 8 14. 8 14. 1 12. 3	Puerperal septicemia—Contd. 1924. 1923. 1922. 1921. 1920. 1919. 1918. 1917. Other puerperal causes: 1932. 1930. 1930. 1930. 1920. 1922. 1922. 1925.	2.77467 2.222.2.2.2.4.4.4.4.4.4.4.4.4.4.4.4.4.4	2.54.7 2.55.7 2.7.55.7 4.1.3 4.3.4 4.0.4 4.0.4 4.0.4	2.77 2.44 2.88 2.98 2.80 3.54 4.06 3.78 4.06 3.78	2.0 2.2 2.1 2.3 2.1 2.2 2.4 2.9 3.0 3.1 2.9 0.2 9	2.87217702 2.3321702 5.56008 5.553	3.9 3.8 4.5 4.0 3.7 10.3 10.3 10.8 9.9 9.5
Puerperal septicemia: 1932	2.5 2.4 2.6	2.5 2.5 2.4 2.6 2.5 2.2 2.4 2.4	2.3 2.6 2.6 2.8 2.7 2.8 2.6 2.5	2.0 2.2 2.1 2.2 2.1 2.1 2.1 2.2	2.9 2.9 2.8 3.1 2.9 2.9 2.8 2.7	3. 4 3. 8 3. 8 4. 1 3. 9 4. 1 3. 6 3. 5	1924 1923 1922 1921 1920 1919 1918 1918	4.1 4.2 4.1 5.3	4.1 4.2 4.1 5.3 4.9 6.6 3.9	4.1 3.9 4.4 4.1 5.0 5.1 6.7 4.0	3.0 3.1 3.0 4.1 3.8 5.7 2.8	5. 4 5. 6 5. 4 6. 9 6. 2 7. 7 5. 1	9.6 9.9 9.5 9.2 10.6 9.7 10.3 8.3

¹ In continental United States; see table A, Birth Report.

² The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the mothers of the standard million live births of 1917. (See table AZ.) The rates for specified ages are based on deaths per 1,000 live births to mothers at corresponding ages.

Table AY	DEATH RATE FROM PUERPERAL CAUSES, BY AGE OF MOTHER, PER 1,000 LIVE BIRTHS [Rates in italics are based on less than 5 deaths]																			
•							[Rate	s in ite	ilics ar	based	l on les	s than	5 deat	hs]						
*CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH		All	ages		ball	er 1 5	15 t	0.19	20 t	0.24	25 t	0.90	30 t	0.34	25 +	o 39	40 t	o 44	45 ve	0075
OF BILLE		isted te 1		ade te		ars		ars	Уe		ye		Уe			ars	ye		ando	
	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931
The birth registration area 2— All puerperal causes Puerperal septicemia Other puerperal causes	6. 4 2. 4 4. 0	6. 7 2. 5 4. 2	6.3 2.3 4.0	6. 6 2. 5 4. 1	17.9 6.5 11.4	20. 5 7. 1 13. 4	5.9 2.3 3.6	6. 0 2. 6 3. 5	4.4 1.9 2.4	4.8 2.1 2.7	5.3 2.1 3.2	5. 4 2. 3 3. 1	7.4 2.7 4.7	7.6 2.6 5.0	10. 2 3. 1 7. 1	10. 6 3. 4 7. 2	13. 1 3. 3 9. 8	13.5 3.6 9.8	17.4 4.9 12.5	20. 5 5. 4 15. 0
Total whites: 3 All puerperal causes Puerperal septicemia Other puerperal causes	5.9 2.2 3.7	6.1 2.3 3.8	5.8 2.2 3.6	6.0 2.3 3.7	16.4 5.8 10.6	13.1 6.1 7.0	5.0 2.0 2.9	5.0 2.2 2.8	4.0 1.8 2.1	4.3 1.9 2.4	5. 0 2. 0 3. 0	4.9 2.1 2.8	6.8 2.5 4.3	7.0 2.4 4.6	9.5 2.9 6.6	9.7 3.2 6.6	12.3 3.1 9.1	12. 4 3. 4 9. 0	15. 2 4. 2 11. 0	18. 0 4. 8 13. 2
United States— All puerperal causes Puerperal septicemia Other puerperal causes	5.9 2.2 3.7	6. 2 2. 3 3. 8	5. 8 2. 2 3. 6	6.0 2.3 3.7	16.6 5.9 10.8	13.3 6.2 7.1	4.9 2.0 2.9	5.0 2.2 2.8	4.0 1.8 2.2	4. 4 1. 9 2. 5	5.1 2.1 3.0	5.0 2.1 2.9	6.9 2.5 4.4	7.1 2.5 4.7	9. 5 2. 9 6. 6	9.9 3.3 6.6	12.5 3.4 9.2	13.1 3.7 9.4	16.1 4.9 11.1	17.6 4.4 13.2
Total foreign— All puerperal causes Puerperal septicemia Other puerperal causes	5.1 · 1.7 3.4	5.4 2.1 3.3	6.0 1.9 4.1	6. 1 2. 2 3. 9		(4) (4) (4)	3. 5 0. 9 2. 6	4.7 2.4 2.3	3. 2 1. 3 2. 0	3.8 1.7 2.1	4.1 1.3 2.8	4. 4 2. 0 2. 4	6. 1 2. 5 3. 6	6.0 2.1 3.9	9.5 2.6 6.9	9.1 2.7 6.4	11.1 2.3 8.8	9.8 2.6 7.2	12.6 2.0 10.6	18. 1 5. 4 12. 7
Austria, Hungary— All puerperal causes Puerperal septicemia Other puerperal causes	5.7 1.9 3.7	4.9 2.1 2.8	7.9 2.4 5.4	5. 5 2. 1 3. 4			6.7 	3.4 3.4 (4)	2.1 1.6 0.5	5. 5 2. 5 3. 0	3.3 1.5 1.8	3.4 1.4 1.9	8.1 2.9 5.2	4.7 1.4 3.3	12.9 4.0 8.9	8.6 2.7 5.9	12.8 1.3 11.4	4.2 2.4 1.8	11.7	15.3 5.1 10.2
Canada— All puerperal causes Puerperal septicemia Other puerperal causes Denmark, Norway, and Sweden—	4.9 1.4 3.5	5. 2 1. 9 3. 3	5. 2 1. 5 3. 7	5.3 1.9 3.4		(4) (4)	3.4 0.7 2.7	5.9 2.4 3.5	1.9 0.7 1.2	4.6 2.0 2.5	4.4 1.5 2.9	3.4 1.5 1.8	6.7 2.6 4.0	5.0 1.6 3.4	8.9 1.4 7.5	9.5 3.0 6.4	12.6 1.9 10.7	10.·2 0.9 9.2	18.7	9.4 (4) 9.4
All puerperal causes All puerperal septicemie Other puerperal causes England, Scotland, and Wales—	4. 1 1. 6 2. 5	7.0 3.3 3.7	5. 0 1. 6 3. 4	7.0 2.2 4.8	 			20.8 20.8 (4)	3.3 2.2 1.1	2.8 0.9 1.9	4.2 2.1 2.1	4.9 1.8 3.1	4.8 0.5 4.3	7. 2 1. 4 5. 8	6.3 1.6 4.7	12.8 4.7 8.1	8.4 2.8 5.6	6.0 (4) 6.0		(4) (4) (4)
All puerperal causes Puerperal septicemia Other puerperal causes Ireland	5.5 1.5 3.9	4.5 1.9 2.6	6.1 1.8 4.4	5.6 2.2 3.4			3.6 3.6	(4) (4) (4)	3.7 1.2 2.5	1.4 1.1 0.3	3.7 1.2 2.5	4.6 2.3 2.3	7.1 2.5 4.6	8. 4 2. 8 5. 6	9.3 1.9 7.3	7.7 1.8 5.9	15.0 4.1 10.9	9.6 5.5 4.1	16.1	(4) (4) (4)
All puerperal causes Puerperal septicemia Other puerperal causes Germany—	6.2 1.9 4.3	6. 1 2. 5 3. 6	7.1 2.3 4.8	6.8 2.9 4.0				6.7 (4) ·6.7	5.7 1.3 4.4	2.8 1.6 1.2	4.9 1.2 3.6	6.0 3.3 2.7	8. 4 4. 7 3. 7	8. 4 3. 8 4. 6	7.5 1.9 5.6	9. 2 2. 7 6. 4	16. 7 2. 4 14. 3	6.6 1.1 5.5	20.4 20.4	29. 9 (1) 29. 8
All puerperal causes Puerperal septicemia Other puerperal causes	5. 4 2. 3 3. 1	5.2 2.3 2.9	5. 6 2. 4 3. 2	5.7 2.5 3.1			4.3	(9)	4.5 2.8 1.6	3.7 1.7 2.0	5.0 1.7 3.3	4.3 2.8 1.5	5. 5 3. 3 2. 3	5. 5 3. 3 2. 3	7.1 3.2 3.9	12. 5 3. 1 9. 4	11.1 1.6 9.5	10.1 1.3 8.8	13.5	(4) (4) (4)
Italy— All puerperal causes Puerperal septicemia Other puerperal causes	4.0 1.1 2.9	5. 1 1, 9 3. 3	5.1 1.4 3.7	6.1 2.0 4.1		(1)	4.1 1.0 3.1	4.6 1.5 3.0	2.3 0.6 1.7	3.8 1.7 2.2	3. 2 1. 0 2. 3	4.0 1.9 2.1	3.7 1.4 2.4	5. 2 1. 7 3. 5	8. 4 2. 4 6. 1		10.4 1.9 8.5	3.1		

Table AY—Continued				DEAT	гн ват	E FRO			L CAUS						000 LI	e bir	THS			
					11		LNAM	ъ ш и	mes at	e Daser	ı on ie	ss that	i o dea	ensj					,	<u></u>
CAUSE OF DEATH, COLOR, AND COUNTRY		All	ages			er 15		. 40			۰.								i 	
OF BIRTH		isted te 1	Cr rs	nde te	years		15 t ye:		20 t		25 t ye:			o 34 ars	35 t ye:			o 44 ers	and o	
	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	1931	1932	193 1
Total whites—Continued Total foreign—Continued																				
Poland— All puerperal causes Puerperal septicemia Other puerperal causes_	5.3 1.2 4.2	5. 2 2. 0 3. 2	6.9 1.6 5.3	7.1 2.3 4.8			4.7 4.7	5.4 2.7 2.7	3.0 0.9 2.1	2. 2 1. 5 0. 7	4.1 0.3 3.8	4.3 1.8 2.5	7. 4 2. 5 4. 9	6.8 2.1 4.7	10.8 2.6 8.2	9.8 2.6 7.1	5.3 1.0 4.3	9.5 3.2 6.4	18.9 4.7 14.2	27.0 9.0 18.0
Russia— All puerperal causes Puerperal septicemia Other puerperal causes Other foreign countries—	4.4 1.9 2.5	4.7 1.5 3.2	4.9 1.9 2.9	4.8 1.3 3.5				4. 2 4. 2 (1)	4.6 2.5 2.1	5. 0 1. 2 3. 8	2.0 1.0 1.0	3. 4 1. 0 2. 4	5. 4 2. 9 2. 5	4.0 1.6 2.4	8. 5 1. 8 6. 6	6. 2 0. 7 5. 6	12. 5 2. 3 10. 2	10.8 2.9 7.8		25.6 8.5 17.1
All puerperal causes Puerperal septicemia Other puerperal causes _	5.9 2.2 3.8	6.0 2.4 3.6	6.9 2.5 4.5	6.8 2.6 4.2		(4) (4) (4)	3.1 2.1 1.0	4.4 2.9 1.5	3.6 1.2 2.3	3.8 1.6 2.2	5. 5 1. 8 3. 7	5.6 2.4 3.2	6.8 2.8 4.0	6.9 2.2 4.7	11.1 3.5 7.6	9.7 4.0 5.7	12.8 4.7 8.1	11.6 3.1 8.5	11.4 3.8 7.6	29. 5. 11. 1 18. 5.
Total colored: All puerperal causes	10. 2 3. 5 6. 7	11.3 4.0 7.3	9.8 3.4 6.3	10.8 4.0 6.8	19. 0 7. 0 12. 0	26. 6 7. 9 18. 7	9. 1 3. 2 5. 9	9.8 4.0 5.8	7.1 2.7 4.3	7.8 3.1 4.7	8. 0 2. 8 5. 3	9. 4 3. 7 5. 6	12.8 4.7 8.1	13.0 4.4 8.6	15. 5 5. 1 10. 4	17.9 5.8 12.1	20. 2 4. 4 15. 8	23. 8 5. 6 18. 2	29. 5 8. 7 20. 9	34. 7 9. 1 25. 5

¹ The "adjusted" death rate is the rate at all ages which would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the mothers of the standard million live births of 1917. (See table AZ.) Unknown age is distributed in each nationality; for numbers, see Birth Report. The rates for specified ages are based on deaths per 1,000 live births to mothers at corresponding ages.

In continental United States, see table A, Birth Report.

Includes data for country not stated; see Birth Report.

Births reported, but no deaths.

Table AZ shows the distribution in the birth registration area of 1917 of live births, by age of mother according to the standard million on which the adjusted rates are based.

Table BB shows death rates from puerperal causes per 1,000 live births for several foreign countries and

for the United States (birth registration area of 1915).

The classification of deaths from puerperal causes differs greatly in different countries. Higher rates in one country than in another therefore do not necessarily mean higher mortality from these causes. However, as classification in a given country pre-sumably differs but little from year to year, the rates serve as useful measures of mortality from these causes within the country itself.

Comparing the rates for puerperal septicemia in 1932 with those in 1915 for the United States birth registration area of 1915, a decrease of 8.3 percent is apparent, and for foreign countries percentage decreases are shown for the following: Japan ¹ (53.3), Spain ¹ (25.8), Ireland (22.2), and Switzerland (30.4). Countries with high percentage increases are Chile (107.1), New Zealand (100), Uruguay ² (92.3), and Jamaica (75).

Analyzing other puerperal causes in the same way it is found that three countries, Australia, Netherlands, and Sweden 1 had rate increases, while all the other countries had decreases, except the United States, which had the same rate in 1932 that it had in 1915.

Table AZ	Distribution per 1,000,000	Table AZ—Continued	Distribution per 1,000,000
AGE OF MOTHER	live births in the birth registration area of 1917	AGE OF MOTHER	live births in the birth registration area of 1917 ¹
All ages	1, 000, 000	25 to 29 years 30 to 34 years	276, 767 186, 666
10 to 14 years	542	35 to 39 years	116, 152
15 to 19 years	83, 085	40 to 44 years	
20 to 24 years	293, 050	45 years and over	4, 054

¹ See table A, Birth Report.

Table BB	DEATH RATE FROM PUERFERAL CAUSES PER 1,000 LIVE BIRTHS			Table BB—Con.	DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS			
YEAR	All puer- peral causes	Puer- peral septi- cemia	Other puer- peral causes	YEAR	All puer- peral causes	Puer- peral septi- cemia	Other puer- peral causes	
United States (birth registration area of 1915): 1 1932	919112222425689321 2143411198893348912 65310936 5656666666666 444444433333443344 55556555	2423254444426633654 6798866643448733345 45971267 2222222222222222221111111111111111	777789888899091156777 6555655555545575677 204449879 33333333333435463333 2222222222222 44333333	Australia—Con. 1923. 1922. 1921. 1921. 1920. 1919. 1918. 1917. 1916. 1915. Chile: 1932. 1931. 1930. 1929. 1928. 1927. 1926. 1925. 1924. 1923. 1921. 1920. 1918. 1916. 1916. 1915. Ireland: 1932. 1933. 1930. 1930. 1929. 1921. 1920. 1919. 1918. 1917. 1916. 1932. 1932. 1922. 1923. 1922. 1923. 1924. 1922. 1921. 1920. 1919. 1918. 1917. 1916. 1916. 1917. 1928. 1929. 1928.	57077633 1 889888114095882236 638195978870578854 53 44544554 796755566787788776 444444444555444455 55	1.45845913 9 841006539924110164 424473976907356598 4211.1.21.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	412233714 2 0488367585472273 224722002973322476 113233333324 4)4433444555566555 333233333333333333 44	
1924	5. 5	2.0	3. 9 3. 5	1930	5.3	0.9	4.4	

¹ The comparison is between 1915 and 1931. ² The comparison is between 1915 and 1930.

Table BB—Con.	DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS		CAUSES	Table BB—Con	DEATH RATE FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS			
YEAR	All puer- peral causes	Puer- peral septi- cemia	Other puer- peral causes	YEAR	All puer- peral causes	Puer- peral septi- cemia	Other puer- peral causes	
Jamaica—Con. 1929 1928 1927 1926 1925 1924 1923 1922 1921 1920 1919 1918 1917 1916	4.9 5.6 4.4 4.8 5.4 5.4 5.4 5.4 5.7 0	0.8 0.9 0.9 1.0 1.2 1.3 0.9 1.1 1.3	4.1 4.3 3.7 3.4 3.5 4.1 4.2 3.9 4.85 4.0	Scotland: 1932 1931 1930 1929 1928 1927 1926 1925 1924 1922 1922	39999044 5.5667.66556.666	2.7 2.3 2.3 2.4 1.9 1.7 1.6 1.7	77656575156448820 3344444444445544	
Japan: 1931	2.7	1.2 1.0 0.9 0.8 0.7 0.8	3.7 4.3 4.3 2.0	1921 1920 1919 1918 1917 1916 1915	6.4 6.2 6.2 7.0 5.9 5.7 6.1	2.0 2.0 1.8 1.4 1.2 1.7 1.7	4.4 4.8 5.8 4.0 4.0 4.2	
1930 1929 1928 1927 1926 1925 1924 1922 1922 1921 1920 1919 1918 1917 1916 1915 Netherlands:	3.3 3.8 3.5 3.5	0.8 0.9 0.9 1.0 1.3 1.3 1.2 1.3 1.2 1.4 1.4 1.4	2.0 1.9 1.8 1.2.9 2.2.2 2.3 2.2.1 2.1.1	Spain: 1931. 1930. 1929. 1928. 1927. 1926. 1925. 1924. 1923. 1922. 1921. 1920. 1919. 1918.	4.4 4.6 5.1 5.3 6.4 5.0	231122322142232213331311	1.5 1.57 1.66 1.78 1.99 1.90 2.39 1.21	
1932 1931 1930 1929 1928 1927 1926 1925 1925 1923 1922 1921 1920 1919 1918 1917 1916 1915 New Zealand:	3.0 3.2 3.4 3.4 2.9 2.6 2.2 2.3 3.4 4 2.5 2.6 3.5 4 2.5 2.6 3.5 4 4 2.5 2.6 2.6 2.6 2.6 2.6 2.6 2.6 2.6 2.6 2.6	0.9 1.0 1.13 0.9 0.9 0.7 0.7 0.7 0.7 0.8 1.2 1.0 0.8	21 22 22 20 20 1.9 1.87 1.77 1.86 1.61 2.07 1.77 2.5	1916	55 33332222222222	3.1 1.8 1.9 2.18 1.3 1.6 1.2 1.3 1.3 1.13 1.13 1.13 1.13 1.13 1.	2.1 1.9 1.7 1.5 1.3 1.4 1.4 1.4 1.3 1.3 1.3 1.4	
1931 1930 1929 1928 1927 1926 1925 1924 1923 1922 1921 1920 1919 1918 1917 1916 1915 Norway: 1930	481849942701155115552097	1.81 2.81 2.54 1.99 1.87 2.21 2.19 1.19 2.19 1.19 1.19 1.19	2.509 3.099 3.229 3.3133 3.342 2.3339 3.398 3.99 1.61	1918 1917 1916 1915 Switzerland: 1932 1930 1930 1929 1928 1927 1926 1925 1924 1923 1922 1921 1920 1921 1920 1919 1918 1919 1918 1917 1916 1916 1916 1930 1930	4.4.4.4.4.4.4.4.5.5.5.5.5.5.5.5.5.5.5.5	1.199 1.87006 2.51997 2.251997 2.252		
1929 1928 1927 1926 1925 1924 1923 1922 1921 1920 1919 1918 1917 1916	3.6 3.5 2.5 2.2 2.8 2.5 2.2 2.6 4 4 3.8	1.9 1.6 1.0 0.8 0.6 0.8 0.7 0.8 0.8 1.3 1.0 0.9	1.6 1.6 1.4 1.4 2.1 2.3 2.0 1.8 1.5 2.1 1.6 1.7 1.7	1930	2.4 2.2 3.0 2.5 2.5 2.7	2.50 1.53 1.91 1.691 1.88 1.691 1.3	1.0	

Exclusive of Rhode Island; see table A, Birth Report.
 Rates are for the Irish Free State.
 Rates not available.

Table BC shows rates per 100,000 estimated population for States and large cities.

Table BC	DEATE			000 ESTIM N FROM-	ATED TO	TAL
AREA	Puerpe	ral septi			ierperal	causes
	1932	1931	1920	1932	1931	1920
Alabama	5. 9 4. 1 9. 1 5. 8	6. 4 5. 9 7. 5 7. 7	(1) (1) (1)	12. 0 10. 2 15. 1 9. 6	12.7 10.3 16.9 9.7	(1) (1) (1) (1)
Arkansas. White. Colored White Colored Colored Colored Colored Colored	5. 0 5. 0 5. 0 2. 9 2. 6 4. 7 5. 7	5.9 5.6 6.9 3.4 3.0 6.6 5.1	(1) (1) (1) 5. 0 (2) (2) (3) 8. 4	8.2 7.4 10.6 4.5 3.8 10.2 6.8	9.8 8.7 13.1 5.2 4.6 10.7 7.4	(1) (1) (1) (1) 9. 6 (2) (2) (2) 14. 1
Connecticut Delaware Florida White Colored Georgia White. Colored	2.8 5.4 6.0 5.0 8.3 6.4 4.3 .10.0	2.1 2.9 6.2 4.0 11.4 6.4 5.2 8.4	5.5 8.0 6.8 4.6 11.3 (1)	4. 2 9. 2 12. 2 9. 4 19. 1 13. 8 11. 2 18. 5	4.7 9.6 12.5 10.2 18.0 14.7 11.9 19.5	11. 2 12. 4 18. 1 16. 4 21. 4 (1)
Idaho Dlinois Indiana Iowa Kansas	3.1 3.0 4.1 3.2 4.7	3.6 3.3 4.5 3.9 4.6	(1) 6. 5 8. 8 (1) 7. 7	7. 2 5. 0 5. 1 5. 6 5. 6	6. 7 5. 3 5. 9 4. 5 6. 2	(1) 10. 9 10. 9 (1) 11. 1
Kentucky White Colored Louistana White Colored	4.6 4.4 6.7 6.6 4.9 9.5	5. 4 5. 2 8. 0 6. 7 4. 7 10. 0	7. 2 6. 7 12. 3 7. 4 5. 5 10. 5	8.3 7.9 12.9 9.8 8.5 12.0	8. 5 8. 2 11. 5 10. 8 9. 6 12. 9	9. 3 10. 6 17. 6 14. 6 21. 3
Maine	5.0 4.1 3.4 7.1 3.1	4.6 4.1 3.4 7.2 3.9	3. 5 6. 0 4. 4 13. 8 5. 7	7.9 4.8 4.3 7.5 6.5	11. 5 6. 7 5. 7 11. 5 6. 6	15. 12. 11. 18. 12.
Michigan Minnesota Mississippi White Colored	3.7 3.1 5.1 3.4 6.8	4.5 3.8 5.6 4.1 7.1	8. 4 6. 7 9. 2 4. 6 13. 3	6. 7 5. 5 9. 2 7. 5 10. 9	6. 6 5. 0 12. 2 9. 9 14. 5	14. 11. 17. 15. 19.
Missouri Montana Nebraska Nevada New Hampshire	4.1 4.2 4.3 1.9	5.8 5.8 3.7 6.5 3.4	7.1 7.7 5.8 (1) 2.9	5.7 7.1 5.3 4.3 7.9	6. 4 7. 3 6. 8 6. 5 7. 9	6. 11. 11. (¹) 13.
New Jersey New Mexico New York	3.3 11.1 3.5	3. 6 10. 3 3. 6	6.0 (1) 5.1	5. 2 15. 1 5. 6	5. 3 10. 5 5. 9	10. (¹) 10.
North Carolina	3.9 2.8 6.5 2.8	5.0 3.4 8.9 3.7	6. 6 5. 4 9. 6	12. 5 10. 0 18. 4 6. 3	13. 5 11. 1 19. 2 6. 6	24. 21. 31. (¹)
Ohio Oklahoma White Colored Oregon Pennsylvania Rhode Island	. 4.3	4.7 5.0 4.4 9.4 2.0 4.9 3.3	7.3 (1) (1) (1) 6.3 6.9 5.6	6.2	5.8 6.1 5.5 10.8 4.2 7.0 5.6	9, (1) (1) (1) 11. 12. 14.
South Carolina	5.4 4.9 6.0 1.9	5. 6 3. 5 8. 1 4. 0	7. 9 5. 3 10. 3	12.1	17.6 11.8 24.6 4.9	26. 20. 32. (¹)
Tennessee	4.6 3.9 8.1	6.3 5.5 9.8	7. 6 5. 9 14. 6	9.1	8. 5 7. 5 12. 7	12. 11. 18.
UtahVermont	1 2 6	5. 2 3. 9	5.8	8.3 10.6 7.8	6. 6 8. 9 11. 0 8. 5 17. 9	18. 10. 18. 15. 24
Washington West Virginia Wisconsin Wyoming	4.4	3.2	(1)	4.8 7.3 5.2 7.9	5. 8 7. 5 5. 0 11. 0	13 (1) 10 (1)
CITIES OF 100,000 FOPULATION OR MORE IN 1930 Akron	4.9 3.1 8.7 3.8	8.6 4.9	0. 9 15. 7 14. 4	3.9 7 9.4 1 10.8	8.1	21

Note.—The data are from annual reports on vital statistics of the various countries.

Fable BC—Continued	DEATH RATE PER 100,000 ESTIMATED TOTAL POPULATION FROM—								
AREA	Puerp	eral sept	icemia	Other p	uerperal	causes			
	1932	1931	1920	1932	1931	1920			
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued					-	-			
Baltimore	4.9	5. 2 4. 7	6.9	5.3	8.4	12.			
White Colored	4.4 745	7.5	5. 3 16. 3	5. 0 6. 8	7. 4 12. 9	11.3 13.			
Birmingham	7.8	10.0	9.9	11.9	13.7	26.			
WhiteColored	4. 2 13. 6	7.8 13.6	9. 9 9. 8	9.0 16.6	7.8 23.4	26. 26.			
Boston	5.7	7.6	9. 5	10.3	10.3	15.			
Bridgeport	2. 0 5. 5	2. 7 5. 8	7.0 5.9	0.7 8.4	6.8	13. 12.			
Buffalo Cambridge	1.8	6.1	5. 5	7.0	7.9	13.			
Damden	9 2	8.4	9.4	11.8	6.7	18.			
Canton	9. 4 9. 8	11. 2 6. 5	6. 8 13. 7	5.6 9.0	12. 2 11. 5	13. 23.			
White	9.0	5.6	10.1	6.8	10.2	22,			
Colored	11.9 2.6	8.9 2.8	21, 1 6. 5	14.8 4.9	14.9 4.7	26. 9.			
Dincinnati	4.8	6.1	8. 4	7.7	7.2	10.			
WhiteColored	4.9 4.0	5. 9 8. 0	7.8 16.1	7.9 6.0	7. 4 6. 0	8. 29.			
Cleveland	4.2	5. 5	8. 1	5.3	7.2	8.			
Columbus	6.1	8.1	7.1	5. 3 13. 2	8. 1	12.			
White Colored	5. 7 8. 7	8. 0 8. 7	6. 9 8. 8	12. 2 20. 4	7. 7 11. 7	13.			
Dallas	7.0	7.7	6. 1	4.4	9.5	14.			
White Colored	5. 7 12. 8	5. 7 17. 0	5. 8 8. 1	3.5 8.5	7.5 19.1	12. 28.			
Dayton	5.8	2.9	7.8	2.9	5.9	11.			
DenverDes Moines	7. 2 9. 7	7.9 2.8	9.7	9.6 9.7	7.9 5.5	12, (1)			
Detroit	4.0	5.1	(1) 9. 7	7.0	5. 6	16.			
Duluth Elizabeth	4.9 1.7	2.9 6.8	8. 1 9. 3	7.9 7.7	4.9 4.3	14. 3.			
El Paso	7.6	9.5	17. 8	11.5	7.6	7.			
White Colored	4.8	9. 5 9. 5	(2)	9.5	2.4	(2) (2)			
Erie	9, 6 6, 0	5.9	(2) (2) 7. 8 10. 5	12.8 8.5	11. 1 11. 0	14.			
Evansville	8, 6	6.7	10.5] 4.8]	6.7	5.			
Fall River	3, 5 10, 4	1. 7 3. 7	5. 0 9. 0	2.6 10.4	2. 6 9. 1	16. 15.			
Fort WayneFort Worth	5, 1	4.2	9. 1	2.5	3.4	14.			
White	5, 4 5, 0	7.8 9.2	(1) (1)	4.8 5.0	5. 4 3. 5	(1) (1)			
Colored	7.5		(1)	3.8	15.1	(1)			
Fary White	2, 8 3, 6	6.6 7.3	13. 9 (2)	4.7 3.6	11.3 10.9	17.			
Colored		4.3	(2) 5. 0	8.5	12.8	(2)			
Grand Rapids	2, 3 5, 4	4. 1 3. 0	5. 0 11. 5	3. 5 6. 6	8. 2 9. 0	13. 20.			
Houston	4.2	10.3	7.6	8.4	7.4	16.			
White Colored.	3. 1 7. 3	7. 0 19. 5	8. 2 5. 7	8.3 8.5	5. 3 13. 4	16. 17.			
Indianapolis	4.3	8.7	11. 4	7.0	8.7	9.			
White	4.3	8.6	10.0	7.1	8.9	8.			
Colored	4.4 9.4	8.8 9.9	22. 7 9. 7	6.6 12.3	6. 6 7. 6	14. 22.			
White	9.0	3.6	5.9	12.3	8.4	9.			
Colored	10.3 5.0	20.8 6.9	14.5 8.0	12. 4 8. 2	6. 2 5. 6	38. 14.			
Fersey City	8.1	8.1	8.9	5.7	11.4	10.			
Colored	12.9	8. 0 8. 6	8. 1 13. 6	7.0	8. 0 25. 9	9. 20.			
Kansas City, Mo	8.6	7.1	10.4	5.9	8.3	6.			
WhiteColored	9.0 4.6	7. 4 4. 6	8.8 25.6	5. 7 7. 0	9. 0 2. 3	6. 9.			
Knoxville	4.6	7.3	13.9	11.9	19.2	8.			
WhiteColored	4. 4 5. 6	7. 7 5. 6	11.8 25.9	13. 1 5. 6	20.8 11.2	7. 17.			
Long Beach	2.0	2.0	3.4	3.9	5.2	6.			
Los Angeles	3.9 3.3	5. 0 4. 3	6.3 5.4	4.7 3.8	7. 2 6. 5	9. 8.			
Colored	7.9	9.6	22. 2	10.7	11.8	25.			
Louisville White	7.0 6.4	6.8 6.5	8.8 6.5	7.3 7.9	7. 5 7. 3	9. 10.			
Colored	10. 4	8.4	19.7	4.1	8.4	7.			
Lowell Lynn	6. 0 6. 8	3. 0 5. 8	4. 5 5. 0	9.0 4.9	9. 0 6. 8	18. 6.			
Memphis	8.5	13.1	12.8	15.1	6.6	25.			
White Colored	6.3	15.0	4.9	13.1	2. 5	21. 30.			
Miami	12. 1 5. 6	10.1 7.1	25. 8 3. 1	18. 2 8. 4	13. 1 7. 1	30. 15.			
White	3.6	6.9	4. 4	7.2	6.9	8.			
Colored Milwaukee	12.4 0.8	7. 9 2. 4	7.8	12.4 5.0	7.9 6.2	31. 10.			
Minneapolis	4.4	5.1	8.8	5.7	4.4	10.			
Nashville White	10.3 10.7	14. 1 13. 3	12.6 10.8	14.8 14.2	8. 4 8. 0	16. 16.			
Colored	9.3	16.3	16.8	16.3	9.3	14.			
	3.1	3.1	8.9	5.4	6.3	10.			
Newark, N.J	9,1	0 0	0 9	107	71	a			
Colored Newark, N.J New Bedford New Haven	3. 6 3. 1	8. 9 5. 5	8.3 6.8	10. 7 5. 5	7. 1 5. 5	6. 6.			
Newark, N.J. New Bedford	3.6			10. 7 5. 5 10. 9 9. 0					

Table BC—Continued				,000 ESTIMATED TOTAL ON FROM—			
AREA	Puerp	eral sept	icemia	Other p	uerperal	causes	
	1932	1931	1920	1932	1931	1920	
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued							
New York Bronx Borough Brooklyn Borough Manhattan Borough White Colored Queens Borough Richmond Borough Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Pittsburgh Portland, Oreg Providence Reading Richmond, Va White Colored St. Louis White Colored St. Paul Salt Lake City San Antonio White Colored San Francsco Scranton Seattle Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Colored Colored Colored Syracuse Tacoma Tampa White Colored Colored Colored Colored Colored San Francsco Scranton Seattle Somerville South Bend Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Colored Utica Washington, D.C White Colored Worcester Vonkers	23.36.7.25.09.23.97.01.22.73.5 9.28.38.66.66.60.52.25 41.4.67.37.1.22.1.4.8.35.4.7.3.22.4.68.30.2.4.7.3.20.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	83819923693816025743331998 58529639779882 12 823643236938160257433334144333198 58529639729882 12 8676544473366154333244547336612766117223 12 422447336612766117223 12 4226546397979882 12 42366612766117223 12 4236612766117223 12 4236612761276123 12 423661276123 12 42366123 12 42366	5.0 2 2 3 6 5 6 6 6 7 4 7 0 2 2 3 6 6 7 4 4 9 7 7 6 6 6 7 4 7 0 2 2 3 6 6 6 7 4 4 9 7 8 6 6 7 4 7 0 9 8 3 6 5 6 6 9 2 7 6 6 6 0 1 1 2 9 7 7 6 6 6 1 1 2 9 7 7 6 6 1 1 2 9 7 7 6 6 1 1 2 9 7 7 6 6 1 1 2 9 7 7 6 6 1 1 1 2 9 7 7 8 1 1 4 8 1 2 2 2 0 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 7 7 8 1 1 1 2 9 8 1 1 1 2 9 8 1 1 1 1 2 9 8 1 1 1 1 2 9 8 1 1 1 1 2 9 8 1 1 1 1 2 9 8 1 1 1 1 2 9 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5.5.6.9.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3	6356000147281154507406105669231313 822888796160545469977945355565 5458827865929177699879274855449889932644277627762643163530905665	9.071994 10.119135 10.119135 10.119135 10.11913	
Youngstown	7. 5	6.4	16. 5	11.6	13. 3	11.2	

¹ Not in registration area.

The highest State death rate in 1932 from puerperal septicemia (11.1 per 100,000 population) was for New Mexico, and the lowest (1.9) each for New Hampshire and South Dakota; the highest rate from other puerperal causes (17.0) was for South Carolina and the lowest for Oregon (3.0).

Among the cities Oklahoma City had the highest rate (11.2) from puerperal septicemia, and Reading the lowest (0.9); Memphis had the highest rate from other puerperal causes (15.1) and Bridgeport the lowest (0.7).

The 14 States which show death rates by color had higher rates for the colored than for the white from puerperal septicemia and from other puerperal causes, except Arkansas, which was the same (5) for the white and the colored for puerperal septicemia. All the

² Death rates by color not available.

cities shown by color except Cincinnati, Kansas City, Mo., and Nashville had higher rates for the colored than for the white in deaths from puerperal septice-mia, while Gary had no colored deaths; in other puerperal causes seven cities had higher rates for the white, all the others being higher for the colored except Kansas City, Kans., which had no deaths from other puerperal causes among the colored.

It must be remembered that crude rates may be misleading, owing to the many nonresident women confined in some hospitals and to higher births rates in some places than in others. The rates per 1,000 live births (shown in preceding pages) are, therefore,

much better for comparison.

SENILITY

In table BD death rates from senility (old age) are given to enable one to estimate more easily the probable effect of these declining rates on rates from other causes of death. (See also on p. 59 death rates from unknown or ill-defined diseases.)

Table BD	FROM SENILITY PER 100,000 ES- TIMATED POPU- LATION IN-			Table BD—Con,	DEATH RATE FROM SENHITY PER 100,000 ES- TIMATED POPU- LATION IN—			
ADMITTED	1932	1931	Year ad- mit- ted ¹	ADMITTED	1932	1931	Year ad- mit- ted ¹	
Registration area ² Alabama, 1925 Arizona, 1926 Arkansas, 1927 California, 1906 Connecticut, 1890 Delaware, 1919 Florida, 1919 Georgia, 1922 Ildaho, 1922 Illinois, 1918 Indiana, 1900 Iowa, 1923 Kansas, 1914 Kentucky, 1911 Louisiana, 1918 Marie, 1900 Maryland, 1906 Maryland, 1906 Missiasipi, 1910 Missispipi, 1910 Missispipi, 1910 Missispipi, 1910 Missouri, 1911	18.57712.73 8.55 2.44 12.33 3.43 4.44 17.53 1.527 23.72 1.61 7.61 7.61 7.61 7.61 7.61 7.61 7.61	17.544.519.44.5118.5314.474.667.857.4	28. 8 16. 6 23. 2 29. 1 24. 4 17. 6 124. 5 19. 3 12. 2 45. 8 30. 7 37. 1 88. 6 35. 0 48. 8 41. 7	Montana, 1910. Nebraska, 1920. Nevada, 1929. New Hampshire, 1890. New Hersey, 1880. New Mexico, 1929. New Mexico, 1929. North Carolina, 3 1916. North Dakota, 1924. Ohio, 1909. Oklahoma, 1928. Oregon, 1918. Pennsylvania, 1906. Rhode Island, 1890. South Carolina, 1916. South Dakota, 4 1906. Tennessee, 1917. Utah, 1910. Vermont, 1890. Virginia, 1913. Washington, 1908. West Virginia, 1925. Wisconsin, 1908. Wyoming, 1922.	11. 0 21. 5 13. 7 12. 3 2. 2 10. 9 13. 1 7. 7 3. 4 16. 8 17. 4 14. 5 12. 0 2 16. 3 10. 5	11.8 12.0 10.1 19.4 13.6 12.7 7.5 3.3 5.9 21.7 12.6 11.7 16.9 14.6 20.5	33. 3 90. 6 27. 1 19. 6 21. 6 19. 0 21. 6 19. 0 34. 3 28. 7 20. 3 55. 1 24. 9 24. 9 24. 9 25. 4 20. 7 27. 6 47. 0	

For States admitted prior to 1900, and for the registration area, the rate is shown for 1900, the first year of the annual reports.
 In continental United States. The area was established in 1880.
 From 1910 to 1916 returns were received only from municipalities of 1,000 popu-

SUICIDE

The number of deaths from suicide in 1932 was 20,927, an increase of 839 or 4.2 percent over the 1931 figure. Nevada has the highest rate (46.2), with Washington next (28.3). Mississippi's rate (6.1) was lowest. There were increases in the cities and in the rural districts of the registration States and, as in earlier years, the rates for cities were higher than those for rural districts.

Fifty-three of the 93 cities of 100,000 population and over had more suicides in 1932 than in 1931. Highest rates were shown by cities in the Pacific States: Seattle (42.5), San Francisco (41.1), and San Diego (40.3). Contrasting rates were: 7.9 for Cambridge, 8 for Lowell, 8.4 for Canton, and 8.6 for Evansville.

Figures for deaths from suicide make a favorable showing for the colored population, not only for the registration States as a whole but for individual States. In every State having figures for the colored the rates were lower for the colored than for the white, and in no State were the rates high, California with a rate of only 15.9 showing the highest rate and Alabama, with only 1.9, the lowest.

The low rates for the colored were emphasized in the cities having figures for the colored; in fact, two cities, Gary and Wilmington, had no deaths from

suicide among the colored.

Table BE shows death rates per 100,000 population from suicide in the registration States and large cities.

Table BE	FRO PE ES	ATH R M SU R 100 TIMAT	CIDE ,000 TED	Table BE—Con.	FRO: PE) ES	TH R M SUI R 100, IMAT	CIDE 000 ED
AREA	are	es in base ss tha death	n 5	. AREA	[Rates in italic are based on less than 5 deaths]		
	1932	1931	1920		1932	1931	1920
The registration area ¹	17. 4	16.8	10. 2	Rhode Island South Carolina	13. 5 7. 1	13.3 7.2	9. 7 3. 5
Registration States 2 Cities of 10,000 or over 2	17. 4	16. 8 19. 6	10. 2	White Colored South Dakota	10. 5 2. 9 11. 9	1.1 12.3	[(§)
Smaller cities and rural areas Registration cities in	20.3 14.6		12.0 8.5	Tennessee White Colored	11. 4 13. 1 3. 7	13. 2 15. 3 3. 5	5. 4 6. 1 2. 4
nonregistration StateAll registration cities 2	22. 2 20. 4			Utah Vermont Virginia White	20.0 14.7	15.8 12.8	
AlabamaWhiteColored	8.1	8.1 11.3	(3)	Colored	4.2 28.3	2.9 26.0	2.3
ArizonaArkansas	1.9 19.2 8.0	2.2 15.1 8.7	(3) (3) (3)	Wisconsin Wyoming	18.9 24.0	19.5	10.0 (3)
White Colored California	29.0	11.3 1.2 27.1	(3) (3) 19.7	CITIES OF 100,000 POPU- LATION OR MORE IN 1930			
White Colored Colorado	24.5	28.9 13.3 19.3	(4) 15.8	Akron Albany Atlanta	15. 2 13. 9 20. 9	13. 2 15. 1	11.4 10.3
Connecticut Delaware Florida	25.0 18.5	18.3 14.3	11.1 7.6 5.3	White Colored Baltimore	29.3 4.8 21.4		1.6 12.1
White Colored Georgia	4.9 10.4	11.0	6.8 2.4 (3) (3)	White Colored Birmingham	18.6	5. 4 18. 2	13.9 1.8 7.1
White Colored Idaho Illinois	18. 1	15.4 3.3 19.3 18.3	© 3 11.6	White Colored Boston Bridgeport	4.9 16.9	2.9 14.0	2.8
Indiana Iowa Kansas	19.6 22.7 18.3	20.7 22.2 15.8	11.3 (3) 10.6	Buffalo Cambridge Camden	11.7 7.9	14. 3 14. 9 26. 9	9. 6 8. 2 12. 0
Kentucky White Colored	11.9 12.4 7.1	13.3	7.4 7.9 2.5	Canton Chattanooga White	8. 4 10. 6	17. 8 19. 6 26. 0	8. 0 8. 5 12. 7
Louisiana White Colored	10.6 15.4 2.4	8.8 12.1 3.3	4.7 7.1 0.9	Colored Chicago Cincinnati	3.0 17.4 27.3	3.0 17.9 23.4	13. 3 11. 6
Maine Maryland White Colored	17.9 18.8 21.2	15. 0 18. 9 21. 7	10.4 9.5 11.1	ColoredCleveland	29.5 10.0 21.5	25. 3 8. 0 21. 6	12.3 3.2 12.9
Massachusetts Michigan	18.7	5. 4 13. 9 18. 9	1.6 10.2 9.6	Columbus White Colored	21.0	17. 9 18. 0 17. 5	5. 4 6. 0
Minnesota Mississippi White Colored	17.8 6.1 9.7 2.5	17. 0 5. 5 9. 4 1. 6	11. 2 3. 2 5. 2 1. 3	Dallas	22, 3 25, 2 8, 5 21, 0	20. 1 22. 1 10. 6	12. 2 10. 8 20. 2 13. 0
Missouri Montana Nebraska	20.1	18. 7 23. 4	11.9 15.7 12.0	Denver Des Moines Detroit	36. 7 32. 5 18. 9	16.7 23.3 22.1 18.0	20.9
New Hampshire	46. 2 20. 5	43. 5 16. 9 17. 4	(3) 11.3 11.6	Elizabeth	27. 5 11. 1	23. 6 12. 8 21. 9	16. 2 8. 3 33. 1
New Jersey New Mexico New York North Carolina	21. 1 8. 8	17.3 19.6 9.9	(3) 11.4 3.9	White Colored Erie Evansville	49. 9 12. 8 22. 1	40. 4 9. 5 16. 1	(4) (4)
White Colored	11. 5 2. 3	12.8 3.0	4.8			18. 2	10.7 9.3 8.3 5.0 8.0
Ohio Oklahoma White Colored Oregon Pennsylvania	19. 5 11. 3 12. 4	19. 0 10. 9 11. 7	10. 4 (3) (3) (3)	Fort Wayne Fort Worth White	23. 6 18. 5 21. 3	36. 3 29. 3 33. 4	8.0 (3) (3) (3) 15.6
Oregon Pennsylvania	2. 5 25. 2 15. 6	5. 1 25. 1 15. 4	(3) 13. 8 9. 1	Fint. Fort Wayne Fort Worth White Colored. Gary White	3.8 13.2 17.0	7. 5 9. 4 12. 1	(3) 15. 6 (4)

lation or more.

Dropped from registration area in 1910; readmitted in 1930.

Table BE—Contd.	DEATH RATE FROM SUICIDE FER 100,000 ESTIMATED POPULATION [Rates in talics			Table BE—Contd.	DEATH RATE FROM SUICIDE PER 100,000 ESTIMATED POPULATION			
AREA	are based on less than 5 deaths]		on 15	AREA	[Rate are less d	on 5		
	1932	1931	1920		1932	1931	1920	
CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				CITIES OF 100,000 POPU- LATION OR MORE IN 1930—continued				
Grand Rapids Hartford Houston White Colored Indianapolis White Colored Jacksonville, Fla White Colored Jesey City Kansas City, Kans White Colored Kansas City, Kans White Colored Kansas City, Mo White Colored Kansas City, Mo White Colored Kansas City, Mo White Colored Loughea White Colored Loughea Long Beach Los Angeles White Colored Louisville White Colored Lowell Lynn Memphis White Colored Minmin White Colored Minmin White Colored Minmin White Colored Minmin White Colored Milwaukee Minneapolis Nashville White Colored Newark, N.J. New Bedford New Haven New Orleans White Colored Bronklyn Borough Brooklyn Borough Brooklyn Borough Manhatan Borough	17. 24. 9 22. 9 27. 2 24. 7 24. 7 25. 6 30. 5 26. 3 30. 5 31. 6 30. 5 31. 6 31. 6	29. 98. 53. 33. 324. 33. 115. 57. 67. 67. 67. 67. 67. 67. 67. 67. 67. 6	20. 4.0 18. 9 9. 6. 1 4. 4. 4 25. 3 19. 1 19. 3 15. 9 15. 9 22. 2 2. 2 4. 9 9. 1 11. 7 4. 4 13. 3 14. 1 10. 8 11. 8 11. 8 11. 8 11. 8 11. 8 11. 8 11. 9 11. 9	Norfolk White Colored Oakland Oklahoma City Omaha Paterson Peoria Philadelphia White Colored Pittsburgh Portland, Oreg Providence Reading Richmond, Va White Colored Rochester, N. Y St. Louis White Colored St. Faul Salt Lake City San Antonio White Colored San Francisco San Francisco San Francisco Scranton Seatile Somerville Somerville Son Bed Spokane Springfield, Mass Syracuse Tacoma Tampa White Colored Toledo Trenton Tulsa White Colored Utica Washington, D. C White Colored Utica Washington, Del White Colored Utica Winte Colored Utica Washington, Del White Colored Utica Winte Colored Utica Workester	49.1 24.3 34.1 29.5 34.1 29.5 517.9 919.7 7.7 919.7 7.7 92.5 25.9 820.2 2.2 25.9 820.2 12.7 820.2 12.7 820.2 12.7 820.2 12.7 820.2 12.7 820.2 12.7 820.2 12.8 820.2 1	24. 4 1 24. 9 1 16. 4 17. 9 7 13. 8 9 19. 7 1 20. 8 23. 7 3 1. 2 4 1 1 2 1 2 2 2 2 2 2 2 2 2 2 6 6 2 2 2 2	4.6 4.6 119.1 119.1 117.8 119.3 119.3 119.3 111.4 4.5.7 7.5 6.6 119.3 12.4 12.4 12.4 12.4 12.4 (2) (3) (4) 12.4 (2) (2) (9) 111.1	
ColoredQueens Borough Richmond Borough.	14.8	7 13.9	10.8	Worcester Yonkers Youngstown	-I TO- 4	11. 2 16. 6 16. 8	2.0	

¹ In continental United States. ² Including District of Columbia.

Table BF presents deaths and death rates from suicide for the registration area in continental United States and for certain foreign countries.

Table BF	DEATHS FROM SUICIDE								
COUNTRY		Number		Rate for 100,000 esti- mated population					
	1932	1931	1930	1932	1931	1930			
United States (registration area)	20, 927	20, 088	18, 551	17.4	16.8	15. 6			
Australia Austria Belgium British Guiana Canada ²	754 2, 972 1, 450 (1) 3 1, 021	827 2,775 1,446 12 1,004	943 2, 605 1, 356 6 1, 010	11. 5 44. 1 17. 7 (¹) 3 9. 7	12. 7 41. 2 17. 7 3. 8 9. 7	14. 6 38. 8 16. 8 1. 9 9. 9			
Caylon	355 360 (1) 4, 443 689	311 (¹) 80 4,399 609	275 254 189 4, 394 624	6. 6 8. 2 (1) 29. 8 19. 2	5. 8 (1) 0. 9 29. 8 17. 1	5. 2 5. 9 2. 3 29. 9 17. 6			

See footnotes at end of table.

Table BF—Continued	DEATHS FROM SUICIDE						
COUNTRY	Number			Rate for 100,000 esti- mated population			
1	1932	1931	1930	1932	1931	9930	
England and Wales Estonia Finland France 4 Germany	(1) (1)	5, 147 325 813 7, 947 18, 625	5, 051 321 795 7, 915 17, 880	14. 3 29. 1 (1) (1) 29. 2	12. 9 29. 1 22. 1 19. 0 28. 8	12. 7 28. 8 21. 8 19. 0 27. 8	
Hungary Irish Free State Northern Ireland. Italy Jamaica.	71	3,000 108 63 4,141 23	2, 680 83 61 3, 915 11	35. 2 3. 7 5. 6 9. 7 1. 9	34. 4 3. 7 5. 0 10. 0 2. 2	31. 0 2. 8 4. 9 9. 6 1. 1	
Japan Lithuania. New Zealand Netherlands. Norway.	246 240 728	14, 353 240 226 674 195	13, 942 214 193 640 203	(1) 10.3 16.5 9.0 (1)	22. 0 10. 1 15. 6 8. 4 6. 9	21. 6 9. 1 13. 5 8. 1 7. 2	
Scotland Spain Sweden Switzerland Union of South Africa (Euro-	(1)	493 1, 598 1, 015 1, 010	495 1, 598 970 1, 057	10. 2 (¹) 3 16. 4 29. 7	10. 2 6. 7 16. 5 24. 8	10. 3 6. 8 15. 8 26. 1	
peans)Uruguay		226 (1)	212 227	(1) (1)	12. 4 (¹)	11. 8 12. 1	

HOMICIDE

The term "homicide", as here used, includes murder, manslaughter, justifiable homicide, and incendiarism, but not legal execution.

Table BG shows rates for States and large cities.

Table BG	DEATH RATE FROM HOMICIDE PER 100,000 ESTIMATED POPULATION [Rates in italics are based on less than 5 deaths]		HCIDE ,000 TED HON italics 1 on n 5	Table BG—Contd.	DEATH RATE FROM HOMICIDE FER 100,000 ESTIMATED POPULATION [Rates in italics are based on less than 5 deaths]			
	1932	1931	1920		1932	1931	1920	
The registration area! White Colored	34. 3 7. 7 6. 0 20. 8 8. 1 2. 9 8. 3 27. 7 13. 8 61. 8 19. 3 6. 8 2. 7 9. 8 6. 8 2. 9 6. 8	5.8 .5 .5 .7 .7 .8 .23 .6 .6 .10 .9 .2 .2 .5 .11 .6 .6 .6 .10 .9 .5 .7 .16 .9 .5 .7 .16 .9 .6 .6 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10	26.8 9 (3) (3) (3) (4) (9) (2) (3) (8) (8) (9) (9) (1) (9) (1) (1) (1) (2) (3) (4) (5) (5) (6) (7) (7) (8) (9) (9) (9) (1) (1) (1) (1) (1) (1) (1) (2) (3) (4) (5) (5) (6) (7) (7) (7) (7) (8) (9) (9) (9) (9) (9) (9) (9) (9	Louisiana. White Colored. Maine. Maryland White Colored. Massachusetts. Michigan. Minnesota Mississippi White Colored. Missouri Montana Nebraska Nevada. New Hampshire New Jersey New Mexico New York Noth Carolina White Colored. North Dakota Ohio. Oklahoma White Colored North Dakota Ohio Oklahoma White Colored Oregon Pennsylvania Rhode Island South Carolina White Colored South Dakota Oregon Pennsylvania Rhode Island South Carolina White Colored South Dakota Oregon Pennsylvania Rhode Island South Carolina White Colored Colored South Dakota Tennessee White Colored Colored	10. 2 33. 3 3 . 3 2 . 0 9 . 4 . 5 2 . 2 . 1 4 . 5 2 . 9 . 9 . 9 . 9 . 9 . 9 . 12 . 1 . 6 . 5 . 5 . 1 . 2 . 5 . 5 . 1 . 2 . 5 . 1 . 2 . 5 . 5 . 1 . 2 . 6 . 6 . 9 . 10 . 7 . 7 . 35 . 1 . 6 . 6 . 1 . 1 . 6 . 6 . 1 . 1 . 6 . 6	9.4 37.5 5 5 6 6 8 1 1 2 5 7 5 6 0 6 2 9 8 2 6 0 9 2 2 8 8 12 5 5 1 1 1 7 7 3 6 6 1 1 4 7 4 9 2 2 0 0 1 1 1 8 8 8 8 2 2 3 1 2 1 5 5 8 8 8 6 2 1 1 5 5 8 8 8 6 2 1 1 5 5 8 8 8 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6.9 25.1 4.8 4 2.6 6 1.5 3.1 7.7 7.5 8.4 2 8.4 (1) 4.5 6 (2) 5.1 7.7 7.8 8.4 2 8.7 (2) 6.7 8.4 2 1.6 1.5 3.5 9.0 1.6 1.5 3.5 9.0 1.6 1.6 3.5 9.0 1.6 1.6 3.5 9.0 1.6 1.6 3.5 9.0 1.6 1.6 3.5 9.0 1.6 1.6 3.5 9.0 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6	

<sup>Not in registration area.
Death rates by color not available.</sup>

Not available.
 Exclusive of Yukon and Northwest Territories.
 Provisional figures.
 Figures relate to 90 departments.

Fable BG—Contd.	FROM PE	TH R HOM R 100, TIMAT	OOO ED	Table BG—Contd.	FROM PEI EST	TH R. HOM 100, MAT	ICIDE 000 ED
AREA .	[Rat are les	es in based s tha leaths	italics l on n 5	AREA	[Rate are les	es in <i>i</i> based s thai leaths	talics on 15
•	1932	1931	1920		1932	1931	1920
Virginia	14.5	13.4	11. 2	CITIES OF 100,000 POPU-	} `		
WhiteColored	7.6	7.9	7.5 20.0	LATION OR MORE IN			
Washington	33. 6 5. 2	28. 7 4. 5	5.1	1980			
West Virginia	12.5	13. 7	(3) 1.7	Lowell	1.0	3.0	1.8
Wisconsin Wyoming	2.8 9.6	3. 5 8. 3	(3)	Lynn Memphis White Colored	56.8	54. 5	62.8
CITIES OF 100,000 POPU-			,,	White	18.8	18.8	20.6
LATION OR MORE IN	l			Miami White	39.1	36. 4	31. 1
1930			١	WhiteColored	18.0	12.6	22. 2
Akron	9. 5 3. 9	9. 5 6. 2	20.0	Colored Milwaukee	112.0 3.5	118. 6 3. 5	52, 0 3, 0
Albany Atlanta		46.8	39.8	Minneapolis	4.4	5.9	6. 5
White	12.5	13.0	9.3	Nashville	32. 2 13. 3	36.7 16.0	13. 8
Colored Baltimore	10.0	113. 7 10. 9	6.4	White Colored	81.6	90.9	4. 8 33. 7
White Colored	4.7	5. 3	3.3	Newark, N.J New Bedford	8.5		4.1
Uolored Birmingham	34. 1 40. 5		23. 6 46. 5	New Bedford New Haven	1.8 4.3		0.8
Birmingham White Colored	12.6	22.8	17.1	New Orleans	23.3	26.1	16.
ColoredBoston	85.8 3.4	105. 3 3. 7	92.1 4.5	White	9.0		9.0
Bridgeport	2.7	2.7	7.0	Colored New York	58. 7 8. 3	61. 7 8. 8	36.0 6.2
Bridgeport BuffaloCambridge Cambridge	4.3	3.6	4.9	Bronx Borough	3.4		1.8
Cambridge Comden	1.8 16.0	1.8 20.2	2.7 6.0	Brooklyn Borough Manhattan Borough	5.7	5.4	
Conton	1712	0.4	12.5	White	18. 5 14. 5	19.7 15.1	8. 8 8. 0
Chattanooga White Colored	35. 1	55.6	56.4	WhiteColored	14. 5 43. 2	48.8	24. (
Colored	92.0	160. 7	121.2	Queens Borough Richmond Borough	3.5 9.2	3.7 0.6	5.0 3.
Chicago	13. 1	14.5	9.7	Norfolk			
Cincinnati White	7.4	16.4 8.4	5.9 4.0	White Colored		5.8	25.
WhiteColored	99.6	81.7	29.0				
Cleveland	13.8		13.1	OaklandOklahoma City	6. 2 14. 2	5.8 22.4	(5)
White	5.0	4.2	3. 2	Omaha	10.6	11.1	11.4
White	61. 2	49.6	39.5	Paterson	5.0	2.9 5.5	2.8
Danas White	13.3	24.5 11.9	20.8	Peoria Philadelphia	7.6	87	R
_ Colored	108. 5	85. 1	76.9	Philadelphia	4.6	`3.0	5.0
Dayton	10.7	8.8	5. 2 12. 0	Colored	30.5 9.2		
Des Moines	4.8 9.8	6. 2 8. 3	(3)	Pittsburgh Portland, Oreg Providence	6.2	4.6	4.2
Detroit Duluth	9.8	10.5	13.8 6.1	Providence	1.2	1.2	2.9
Detroit. Duluth. Elizabeth. El Paso. White. Colored. Erie. Evansville. Tall River	5.1	5.9 6.8	9.3	Reading Richmond, Va White Colored	19.0	4. 5 15. 7	2. 8 7. 8
El Paso	16.2	19.0	(5)	White	4.6	6.1	2. 8
Colored	121.4	14.3 22.3	(5) (5) (5)	Colored	54.7		
Erie	7.7	5.1	6.8	Rochester, N.Y	3.3 15.2	15.9	1.7 12.6
Erie Evansville Fall River	9.6	8.6 0.9	5.8	St. Louis White Colored	7.4	9.2	11.5
Flint Fort Wayne Fort Worth White	5.5	4.3	4.0	Colored	4.7	66.3	
Fort Wayne	8.4	7. 6 26. 3	2.3	St. Paul Salt Lake City San Antonio	4.9	11.2	4.
White	17.0	14. 9	(3)	San Antonio	23.3	23.7	9.
Uniorea	I XB 5	I XB X	(3)	WhiteColored	(1)	(4)	7.3 33.
Gary	13. 3	28.3 15.8	34.8	San Diego		6.4	11.
GaryWhiteGrand RapidsHartford	55.6	72.6	(4)	San Francisco	7.2	7.5	7.
Grand Rapids Hartford	3.0	1.7 3.0	2. 2 5. 0	Scranton		5.1	5. 5.
		1 20. 1	14.6	Comorrilla		2.9	1
White Colored	12.3	12.7 63.3	4.6 45.5	South Bend	1.9	6.5	8.3
Indianapolis	12.7		5.7	Springfield, Mass	0.7	1.3	6.
Indianapolis White Colored	8.0	7.7	2.8	Syracuse	. 1.9	4.2	4.0
Jacksonville, Fla	46. 5		28. 4 33. 5	Tacoma	. 23.8	21.9	18.
White	.1 15.7	15.5	13.7	White Colored	16.9		14.
Colored Jersey City	117. 5 3. 8	104. 0 2. 5	57.8			58.6 17.2	
Kansas City, Kans	26.9	21.2	10.8	Toledo	11.3		2.
White	14.0	14.0	3.5	Tulsa	. 13.0	17.1	(3)
Colored Kansas City, Mo	21.0	23.7	54.5 27.1	WhiteColored	5. 5 67. 4		(i)
WhiteColored	10.9	9.3	21.9	Utica	2.9	3.9	١
Colored Knoxville	106.7	146. 2 19. 2	76.7 21.5	Washington, D.C.	23. 1	15.9	10.
White	14.2	12.0	14.8	Utica	66.2	7.9 37.0	5. 24.
White Colored	84.3	56. 2	60.4	Wichita	8.6		
Long Beach Los Angeles	8. 5 9. 1		10.1	Wilmington, Del	10.3	15.0	4.
White	. 6.3	6.2	9 8.5	White Colored	4.2 57.7	9. 5 57. 7	
Colored	. 27.0	16.9		Worcester			
WhiteColored	5.6	7.7	6.5	Yonkers	5.8	5.8	2.
	97. 5	79.7	39.4	Youngstown	15.0	13.3	18.

In continental United States.
 Including District of Columbia.

In 1932 the number of deaths from homicide in the registration area was 11,035, representing a rate of 9.2 per 100,000 population against 9.3 in 1931. The higher rates in recent years were partly due to the addition to the registration area of States with large colored populations.

The rate for the white population was 5.8 in 1932 and 5.0 in 1920, but the rate for the colored was 37.3 against 29.5. Of the 47 States shown for 1931 and 1932, 18 had higher rates in 1932. The highest were for Nevada (38.7) and Florida (27.7); the lowest was for New Hampshire (0.2).

For cities of 100,000 population or more, in 1932 the highest rates were for Memphis (56.8), Jacksonville (51.5), and Birmingham (40.5). The extremely high rates for these cities were due to the large number of deaths among the colored population. Three cities—Grand Rapids, Reading, and Somerville—had no homicides in 1932.

Among these 93 cities 45 had higher rates in 1932 than in 1931.

From the standpoint of prevention, it is interesting to note that homicide by firearms caused 67.6 percent of all homicides in 1932, 67.5 percent in 1931, and 72.2 percent in 1920.

Rates for the colored far exceeded those for the white in every State for which figures for the colored were shown, with Kentucky showing the highest rate (75.1). Among the cities of 100,000 population or more the following had rates for the colored of over 100 per 100,000 population: Memphis (118.2), Jacksonville, Fla. (117.5), Miami (112.0), Dallas (108.5), and Kansas City, Mo. (106.7).

Table BH shows for the group of 36 registration cities of 100,000 population or more in 1900, deaths and rates from suicide and homicide for 1900 to 1932.

Table BH			POPULAT	STRATION ION OR I	CITIES OF MORE IN
CALENDAR YEAR	Estimated population.	Suic	ide	Homi	icide
,	_ July 1	Number	Rate per 100,000 popula- tion	Number	Rate per 100,000 popula- tion
1932	27, 789, 074 27, 282, 708 26, 815, 069	6, 059 5, 668 5, 587 4, 996 4, 799 4, 492 4, 264 4, 000	21. 4 20. 1 20. 1 18. 3 17. 9 17. 1 16. 5 15. 8	2, 868 2, 924 2, 866 2, 674 2, 748 2, 771 2, 715 2, 808	10. 2 10. 3 10. 3 9. 8 10. 2 10. 5 10. 5
1924 1923 1922 1921 1921	24, 410, 880 23, 935, 903	3, 855 3, 692 3, 626 3, 731 2, 910	15. 5 15. 1 15. 1 15. 9 12. 6	2, 682 2, 435 2, 211 2, 168 1, 930	10.8 10.0 9.2 9.2 8.4
1919	22, 038, 899 21, 616, 460 21, 021, 720	3, 229 3, 351 3, 816 3, 892 4, 455	14.3 15.2 17.7 18.5 21.5	2,006 1,865 2,061 1,786 1,698	8. 9 8. 5 9. 5 8. 5 8. 2
1914	20, 273, 425 19, 847, 428 19, 413, 308 18, 958, 147 18, 522, 956	4, 351 3, 957 3, 868 3, 880 3, 743	21. 5 19. 9 19. 9 20. 5 20. 2	1, 715 1, 702 1, 504 1, 505 1, 479	8. 5 8. 6 7. 7 7. 9 8. 0
1909	18, 018, 210 17, 541, 214 17, 072, 832 16, 594, 107 16, 104, 214	3, 772 3, 957 3, 319 2, 984 3, 126	20. 9 22. 6 19. 4 18. 0 19. 4	1, 252 1, 401 1, 455 1, 189 983	6.9 8.0 8.5 7.2 6.1
1904	15, 670, 701 15, 286, 581 14, 899, 699 14, 513, 283 14, 133, 877	2, 998 2, 758 2, 487 2, 247 2, 099	19. 1 18. 0 16. 7 15. 5 14. 9	723 636 567 520 481	4. 6 4. 2 3. 8 3. 6 3. 4

¹ Excludes Memphis, Tenn.; transcripts of death certificates not received.

Not in registration area.

⁴ Death rates by color not available. ⁵ Rates not available.

The rate for suicide (22.6) in 1908 was the highest for the series of years and climaxed a steady increase; from 1909 to 1923, the rates fluctuated between 20.9 and 15.1, since when they continuously increased.

Although the mortality from homicide fluctuated during the period 1900 to 1932, the increase was strik-

ing—from 3.4 in 1900 to 10.2 in 1932.
Table BI shows for the group of 66 registration cities of 100,000 population or more in 1920, deaths and rates from suicide and homicide for 1920 to 1932. These rates from suicide are practically the same, for corresponding years, as those for the group of 36 cities shown in table BH but the homicide rates are higher in each corresponding year.

Table BI	,		POPULAT	ISTRATION ION OR	CITIES OF MORE IN
ALENDAR YEAR	Estimated population, July 1	Suic	eide	Hom	icide
	vazy z	Number	Rate per 100,000 popula- tion	Number	Rate per 100,000 popula- tion
1932 1931 1930 1929 1928 1927 1927	33, 779, 212 33, 786, 912 33, 530, 512 32, 621, 286 32, 042, 630 31, 456, 154 30, 851, 406 30, 276, 143	7, 264 6, 873 6, 710 5, 950 5, 699 5, 296 5, 077 4, 802	21. 5 20. 3 20. 0 18. 2 17. 8 16. 8 16. 5 15. 9	3, 674 3, 773 3, 746 3, 380 3, 460 3, 448 3, 375 3, 447	10. 9 11. 2 11. 2 10. 4 10. 8 11. 0 10. 9 11. 4
1924 1923 1922 1922 1921	29, 695, 947 29, 155, 184 28, 562, 159 27, 994, 811 27, 460, 313	4, 617 4, 365 4, 299 4, 466 3, 465	15. 5 15. 0 15. 1 16. 0 12. 6	3, 355 3, 019 2, 833 2, 761 2, 424	11.3 10.4 9.9 9.9 8.8

LEGAL EXECUTIONS

For the third consecutive year a report of legal executions is shown. In the following table the figures are interesting when studied in connection with the figures for deaths by homicide.

Table BJ		Fotal		15	ange	od.	Elec	troci	ated		rocy- -acid
AREA	Total	White	Colored	Total	White	Colored	Total	White	Colored	Total	White
Registration area	131	59	72	38	17	21	92	41	51	1	_ 1
Alabama Arkansas California Colorado District of Columbia Florida Georgia Illinois Indiana Kentucky Louisiana Maryland Massachusetts Mississippi Missouri Nevada New Jersey New York North Carolina Ohio Oklaboma Pennsylvania South Carolina Vermont Virginia Washington West Virginia	426241252443218314420874561222	4 1 2 1 5 	422214188314882161 12773125	13 2 8 3	4 1 5 5 2 2 2 2 1	2 1 8 2 6 1	4 1 12 5 2 4 1 20 8 7 4 20 8 7	3 18 1 4 3 3 1 1	4 1 8 3 1 4 1 2 7 3 1 2 5 2	1	1

ACCIDENTAL, OTHER, OR UNDEFINED EXTERNAL CAUSES

In 1932 the number of deaths due to accidental, other, or undefined external causes were 85,868, representing a rate of 71.5 per 100,000 population.

SUPPLEMENTAL LIST OF ACCIDENTAL CAUSES OF DEATH

In order to conform to the requirements of the International Conference of 1929 for the Revision of the International Classification of Causes of Death, and at the same time to make possible a comparison between the statistics of this volume and those of previous years, a dual method of classifying accidental causes of death is employed. In explanation of this method reference may be made to the section marked "Supplemental" at the end of any table which shows detailed causes of death (for example, see table II, p. 70). This "supplemental list" presents a distribution of deaths according to the type of industry or machinery involved. Thus, in the main portion of the table, on page 70 the title, no. 178, "Absorption of Poisonous Gas" accounts for 1,988 deaths. Immediately under this title appears, "Supplemental", 64 deaths. These 64 deaths are distributed in the supplemental list, nos. 201 to 214, as follows: Accidents in mines and quarries, 42; agricultural machinery, 2; other machinery accidents, 2; other railroad accidents, 2; automobile accidents, 11; and water transportation accidents, 5. To obtain the total number of deaths due to any one of the accidental causes, the figure shown opposite the International List number in the main table should be added to the supplemental figure on the next line. In the example cited above, the total number of accidental deaths from absorption of poisonous gas (no. 178) is 1,988 plus 64, or 2,052.

Among deaths from causes shown in the supplemental list the greatest number are charged to automobile accidents (excluding collisions with railroad trains and street cars), 26,350. Second in number of deaths are those due to railroad accidents (other than railroad and automobile collisions), 3,502; accidents in mines and quarries caused 1,520 deaths; and collisions between railroad trains and automobiles accounted for

1,466 deaths.

ACCIDENTAL DEATHS, BY MONTHS

Of the 85,868 deaths from accidents in the registration area in 1932, the largest number reported for any month was 8,475 for July, and the smallest, 6,323 for April.

Four causes accounted for more than two-thirds of all the deaths in July: Automobile accidents, including collisions with railroad trains and street cars (2,355), falls (1,809), drowning (1,639), and excessive heat (403); for each of the last three, by far the greatest number was reported in July, but all automobile accidents caused the heaviest fatalities in October (2,838) and September (2.665).

Of the 5,919 deaths from burns (conflagration excepted), nearly one-third (1,953) occurred in March, December, and February; deaths from railroad accidents, excluding collisions with automobiles (3,502), reached their maximum numbers in July, August, and

June; of the 2,928 deaths from firearms, more than one-fourth (772) occurred in November and December; accidents in mines and quarries caused 1,520 deaths, the greatest number reported in any month being 239 in December, and the fewest (79) in June; absorption of poisonous gas caused 2,052 deaths, 586 of which occurred in garages as a result of carbon-monoxide gas. Of the total deaths from poisonous gas, the greatest

number occurred in December. Accidents due to machinery caused 1,395 deaths, with the largest number reported in August (141), and the smallest in February (97) and November (97); and of the 386 deaths from air transportation accidents the largest number was shown for May (45) and the lowest for December (14).

Table BK shows deaths from accidental causes, by months.

De- tailed	Table BK			DEATHS	in the i	REGISTRA	TIÓN AR	EA IN CO	NTINENT	AL UNITE	D STATES	3: 1932		
Int. List no.	CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	Accidental, other, or undefined causes	85, 868	6, 618	6, 361	6, 827	6, 323	6, 956	7, 453	8, 475	7, 826	7, 054	7, 180	7, 110	7, 685
176 177 178 179 180 181 182	Attack by venomous animals	638 1,988 64 1,605 1,555 5,358 561 904 40 6,199	2 46 235 5 136 149 507 41 84 2 190 56	2 40 233 5 125 143 508 49 82 4 233 69	3 41 228 3 116 215 671 38 99 5 237 83	6 35 192 1 100 167 467 42 79 6 323 85	12 42 142 4 145 116 408 41 73 5 620 154	13 68 111 1 151 77 313 50 63 4 1,146 141	23 69 79 2 164 73 292 60 55 1 1,452	29 81 83 2 138 103 317 74 61 2 936 93	21 66 78 3 175 88 289 33 53 53 2 449 129	11 63 144 9 115 131 397 49 80 4 244 92	5 39 189 7 115 107 554 32 77 3 178	48 274 22 125 186 635 52 98 2 191 66
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or piercing instruments (wounds of		288	189	185	162	181	174	201	245	218	313	409	363
1 6 b 1 6 b 1 8 7 1 8 8 1 8 9 1 9 0 1 9 1 1 1 9 2 1 9 3 1 9 4 1 9 6 1 9 6 1 9 7 1 9 8	war excepted) Supplemental	230 17, 834 2, 606 5, 735 404 571 27 287 689 362 5,89 362 4,468 27,390	55 1, 454 1, 454 169 398 19 355 2, 207 2, 207 2, 207 375 2, 207 375	39 1,504 174 56 361 3 24 40 	60 12 1,563 138 42 382 308 38 70 2 6 38 3 3 378 1,849 1	79 1,394 177 445 440 13 52 1 5 1 9 41 4 354 2,015	57 1,445 230 32 470 14 45 13 18 44 50 8 386 2,186	72 1,474 240 36 481 7 46 2 2 2 88 114 75 13 351 2,101 1	80 1, 504 305 38 570 13 72 5 403 106 72 11 357 2, 243	68 91,516 278 566 546 10 71 1 11 119 50 93 10 374 2,441	65 222 1, 376 294 366 541 9 59 2 2 511 23 39 9 9 367 2, 533	53 1, 462 259 38 568 5 5 5 2, 64 2 3, 645 2, 645	66 23 1,500 185 43 469 3 45 1 24	63 1,643 1,643 157 41 509 32 2 97 3 1 28 4 405 2,609
Punch symbol 201 202 203 204 205 206 207 208 209 210 211 212 213 214	Accidents in mines and quarries Accidents from agricultural mechinery Elevator accidents Accidents from machinery used for recreation Other machinery accidents Railroad and automobile collisions Other railroad accidents Street car and automobile collisions Other street car accidents Automobile accidents (primary) Motorcycle accidents Other land transportation accidents Water transportation accidents Air transportation accidents	1, 520 285 218 14 878 1, 466 3, 502 304 523 26, 350 241 1, 131	124 8 24 	178 6 23 68 102 25 24 48 1,829 9 80 71 24	137 14 21 72 116 250 33 39 1,679 18 55 57 22	96 32 23 67 124 269 24 45 1,897 12 74 80	81 45 13 1 77 126 292 21 53 2,071 36 106 147 45	79 33 19 66 95 335 27 44 2,049 29 114 124 36	113 39 19 5 69 112 375 26 39 2, 217 30 120 192 44	110 41 15 4 81 85 348 19 39 2, 425 22 143 98 35	104 21 14 71 125 330 17 33 2, 522 113 154 39	130 21 18 89 139 306 23 31 2, 676 25 95 71	129 18 12 1 66 152 269 35 41 2,425 19 88 55 24	239 7 17 78 154 265 28 56 2,458 10 77 37 14

¹ The 1,988 deaths in list no. 178 include the 586 deaths from carbon-monoxide gas from automobiles.

² This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

AIRPLANE AND BALLOON ACCIDENTS

Table BL gives the number of deaths from airplane, balloon, and parachute accidents in the registration area.

Table BL CAUSE OF DEATH	REGIS	TRATION	EATHS II AREA II ITED STA	ON-
	1932	1931	1930	1929
Airplane and balloon accidents	386	490	596	575
Airplane accidents (unqualified) Balloon accidents (unqualified) Parachute accidents From airplanes From balloons Unqualified	376 1 9 5	483 1 6 5	576 20 18 2	553 22 15 3 4

MOTOR-VEHICLE ACCIDENTS

"Motor-vehicle accidents" are all accidents in which automobiles, motor trucks, motor busses, and motorcycles are involved.

When one considers that automobile fatalities should be practically preventable, it is a deplorable fact that in 1932 these fatalities held ninth place among causes of death per 100,000 population as compared with eighteenth place in 1920, and that there were 72 deaths a day from these accidents in 1932 against 25 a day in 1920.

It is encouraging to note a decrease in the death rate from motor-vehicle accidents in the registration area, a rate of 23.6 per 100,000 population in 1932 compared with 27.2 in 1931. This decrease is also shown in the registration States of 1900, the rates ranging from 24.2

in 1932, to 27.4 in 1931; in the States of 1910, from 25.8 in 1932 to 29.4 in 1931; and in States of 1920, from 24.4 in 1932 to 28 in 1931. The District of Columbia is always included in the groups "States of 1900, 1910,

and 1920."

Of the 47 registration States in 1932, all except Arizona, Idaho, and Oklahoma showed decreases from the rates of 1931. In most States the decrease in rates was slight, the greatest being shown for Wyoming, 34.1 in 1932 against 44.3 in 1931; Utah, 23.5 in 1932 against 32.2 in 1931; and New Hampshire, 15.4 in 1932 against 23.8 in 1931. In 1932 only 7 States showed rates above 30 per 100,000 population, the most striking being for Nevada (64.5), California (39.6), and Arizona (37.1).

30 per 100,000 population, the most striking being for Nevada (64.5), California (39.6), and Arizona (37.1). In 1932, of the 93 major cities 64 had lower rates than those shown in 1931. The greatest decreases were shown for Gary, 30.2 in 1932 against 58.5 in

in 1931; Bridgeport, 19 in 1932 against 43.5 in 1931; and Chattanooga, 24.5 in 1932 against 48.3 in 1931. Only 8 cities had rates above 40, the outstanding rates being 70.6 for Camden and 48.6 for San Diego. The lowest rates were shown for Somerville (11.4), Lynn (11.7), and Yonkers (12.2).

In England and Wales for 1931 and 1932 the death rates from automobile accidents, excluding collisions with railroad trains and street cars, were only 11.8 and 11.5, respectively. These are in striking contrast to the respective rates of 25.2 and 21.9 for the registration area in continental United States. The rates, however, decreased in both countries with a higher percentage in the United States.

Table BM shows number of deaths from all motorvehicle accidents for cities and rural districts in the

registration area.

Table BM				· · · · · ·					NUM:	BER O	DEA	THS F	ком-	-											_
			1.1.1			Auto	mohile	accide	nts (ex	clud-	A	uton	obile	accid	ents i	n col	lisio	n wi	th—		Mat	OFOT	cle ac	o Siec	nte
AREA								l street	ith rai cars)	iroau		Railı	road tr	rains			Str	eet c	ars		10101	,010y	uie at	ciue	шьэ
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
The registration area in continental United States	28, 361	32, 429	31, 678	29, 873	26, 680	26, 350	30, 042	29, 080	27, 066	23, 765	1,466	1, 651	1,760	1, 958	2, 041	304	419	463	507	542	241	317	375	342	332
Smaller cities and rural areas	28, 029 15, 590 12, 439	32, 020 18, 010 14, 010	31, 256 17, 710 13, 546	29, 439 16, 003 13, 436	26, 311 14, 680 11, 631	26, 033 14, 729 11, 304	29, 658 16, 956 12, 702	28, 684 16, 491 12, 193	26, 662 14, 865 11, 797	23, 427 13, 430 9, 997	1, 460 460 1, 000	512		579	2, 030 694 1, 336	300 246 54	416 328 88	454 375 79	500 354 146	534 355 179	236 155 81	306 214 92	365 239 126	333 205 128	320 201 119
Registration cities in nonregis- tration State	332 15, 922	409 18, 419	422 18, 132	434 16, 437	369 15, 049	317 15, 046	384 17, 340	396 16, 887		338 13, 768	6 466	11 523	7 612	14 593	11 705	250	3 331	9 384	7 361	8 363	5 160	11 225	10 249	9 214	12 213
The registration States of— 1900 ² Cities Rural	8, 238 5, 450 2, 788	6, 268	9, 071 6, 179 2, 892	6, 115	5, 503	7, 661 5, 193 2, 468	8, 613 5, 977 2, 636	8, 388 5, 840 2, 548	5, 786	5, 119	436 155 281		163	521 166 355		75 59 16	97 72 25	119 92 27	134 91 43	164 103 61	66 43 23	69	115 84 31	107 72 35	109 69 40
1910 ² Cities Rural	17, 380 10, 649 6, 731	19, 667 12, 204 7, 463	19, 262 12, 155 7, 107	18, 786 11, 462 7, 324	16, 797 10, 261 6, 536	16, 152 10, 082 6, 070	11,521	11,333	10,690	14, 898 9, 409 5, 489	867 300 567	931 312 619	378	1, 184 352 832	457	205 162 43	296 225 71	339 273 66	388 269 119	255	156 105 51	204 146 58	260 171 89	236 151 85	226 140 86
Cities	14, 325	16, 575	16, 250	26, 183 14, 899 11, 284	13, 738	22, 996 13, 542 9, 454	26, 151 15, 587 10, 564	25, 180 15, 124 10, 056	23, 662 13, 858 9, 804	21, 080 12, 581 8, 499	1, 294 412 882	1, 445 471 974	545	219	1, 847 633 1, 214	283 231 52	408 322 86	438 364 74	477 336 141		140		327 217 110	296 186 110	293 184 109
Alabama (Cities Rural Cities Arizona Cities Rural Cities Rural Rural Arkansas Rural	216 208 68 98 85 197	274 65 94 118	62 128 99	293 45 112 61	240 38	96 74	63 86 115	58 123 95	43 110 56	224 35 88 54	8	1	18 2 2 2	1 1 3	13 3 3 2	2	2	5 1	6	 1 1	1 1	1 2	1 1 2 3 1 2	1 1 1 1	1 3 <u>1</u> <u>1</u>
California Cities Rural Cities Rural Cities Rural Cities Connecticut Cities Rural Rural	1, 295 1, 060 140 162 302 122	1, 181 140 2 200 2 343	1, 037 130 156 282	1, 158 117 172 375	90 149 361	134 150 292	1, 078 132 187 327	946 127 144 7 272	1, 052 107 151 353	879 87 134	8	30 79 4 12	66 1 1 2 8	86	68 14 14 15	8 2 2 3		9	7	13	11	7 2 1 6	16 1 4	1	19 12 2 1 9 3
Delaware Cities Rural Cities Florida Crities Georgia Rural Rural Rural Cuties Rural	36 46 241 270 285 304	3 41 264 290 5 268	1 39 1 272 3 319 3 265	31 169 345 254	27 123 317 216	228 257 269	248 248 270 252	34 258 308 2 247	161 327 228	26 110 7 294 3 197	5 5	15 16 16 11 12 12 12 12 12 12 12 12 12 12 12 12	9 1 12	18	il 18	332		3	3		3 5	5 4	7 2 4	3 3 10 3	4
Idaho	18 71 1,383 654 515 502	73 3 1,607 4 763 676	7 1,536 8 668 628	81 1,327 657	1,429 628 553	1, 297 534 456	73 1, 45 598	3 87 1 1,404 3 54 7 54	71 1, 191 1 494 2 513	1 1, 288 1 458 3 448	3 42 5 114 5 45	1 15	5 119 6 58	82 139 56	94 9 139 6 76	5 3 11	20	17	17	3:	11 :	7 11 1 2 3 3 4 3	8 8	9 7 2	14 3 11 5
Iowa Cities Rural Cities Rural Cities Cities Cities Cities Cities Cities Kentucky Rural Rural	199 283 161 282 191 282	353 1 147 2 313 1 225	343 7 170 8 326 5 195	260 144 5 295 2 174	214 1 118 5 251 1 168	245 147 239 188	31: 13: 27: 3 21:	1 32 2 15 0 28 0 18	1 126 3 24 2 15	1 18' 5 100 7 195 9 15	7 36 3 8 3 39 2 4	3 3 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	9 22 3 13 7 34 8 7	38 14 48 7	5 20	6 6 3 1 2	3	1		2 1 2 5	5 1 2 1 7	1 8 2 5 3 2 4 1 4	2 1	1	4
Louisiana (Cities. Rural. Maine (Cities. Rural. Maryland (Cities. Kural.	168 191 48 112 262 163	1 188 8 5 2 12 2 31	8 18' 7 76 3 10' 1 27	7 194 0 75 7 95 8 253	167 2 . 55 2 . 76 3 . 24	185 2 4: 3 108 1 255	2 183 1 53 3 10 2 28	3 17 2 6 7 9 4 26	2 18 7 6 2 8 0 23	7 15 8 4 3 6 9 22	9 6	4 5 4 1 4 9	2 1: 5 14 2 2 7 7	1	2 8 1 6	8 1 2 0			1	3		1 1 1	1 1 3 2 2 8 6 4 3 6		1

Table BM—Continued						5 		=	NUM	BER O	F DEA	THS :	FROM-					
	4.11										1	Lutor	obile	accid	lents :	in collision with—		
AREA	al. 153 151 137 138 128 144 135 124 120 115 5 14 10 14 8 9 9 9 14 38 388 688 877 864 864 754 38 229 28 229 48 6 8 21 14 3 3 3 6 18 3 3 3 4 5 3 3 5 2 5 3 3 5 2 5 3 5 2 5 5 3 5 2 5 5 5 5 5 5 5 5														Motorcycl	e accidents		
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932 1931 1930 1929 1928	1932 1931 19	30 1929 1928
Massachusetts Cities Rural Cities Michigan Cities Rural Rural Rural	153 734 511	151 925 596	925 580	138 913 626	128 838 593	1///	135 877 530	655 124 864 520	864 547	115 754 493	l qi	8 14 29 65	10 28 57	29 67	8 48 74	6 8 21 14 30 3 6 19	2 11	12 9 10 2 4 · 5 12 6 6 - 6 7
Mississippi / Cities_	268 88	358 115	316 122	291 79	276 88	86	111	119	263	235			19	25 2			4 1	1 2 1 2 2
Missouri Rural Cities Rural Cities Rural Cities Rural Cities Rural Cities Rural Rural Rural Rural Cities Cities	374 377 31	487 417 41	441 369 40	387 321	424 276 41	351 339 31	460 384	406 333 40	366	ออบ	37	9 31		3	25 13 30 1		4 6	6 3 5
Nebraska Cities Rural Cities Rural Vew Hampshire Cities Rural	82 142 15 45 41	189 18 45 58	110 219 13 24 59	101 204 . 17 30 53	75 167 (1) (1) 40	78 134 15 44 41	121 170 18 45	99	91 174	71 146 (4) (4)	3 7	18 18	5	5	2 21 (4)	(1)	1 1 1 	1 1 1 1 1 1 1 1 1 1 1 1 2 1 3
New Mexico	- 1	850 446 16	- 1	834 459 2	707 385 (3)	758 347	816 413 15	862 349 21	801 408 2	679 336 (3)	18	18 28	17 35	12 40	45 (3)	2 1	5 10 1 4 4	2 17 9 2 9 3 2 9 3
New York	2, 070 916	2, 375 862	2, 368 886	2, 333 888	2, 029 741	1,994 819	2, 294 783	2, 260 788	2, 222 755	1, 944 610	88	34 66	- i	54 108	43	2 5 8 15 12	16 23 2 7 8 1	1 1
North Carolina Cities Rural Cities Rural Rural Rural Cities Rural	369 21 38	428 27	434 33	440	435 14 75	348 .20 37	402	399 29 50	427	396 14	19	1	17 35 2 13	11).		4 5 5	1 3 2 1 2 4 1 1 1
Ohio Cities Rural Oklahoma Cities Rural Oregon Cities Rural Rural	188 276	747 200	232 280	838 187 328	694 139 222	178 259	604 188 216	606 222 261	610 173 314	513 130 200	92 6 14	83 116 7 23 1 5	76 118 8 12 3 15	164 9	145 5 20	2 4 1	8 17 1 4 7 2 5 1 3	7 16 7 7 11 4 2 1 3 2 3 2 1 1 4 2 2 3
Pennsylvania Cities Rural Cities Rural South Carolina Cities Rural	1,306 855 96 10 122 215	1,529 1,009 104 15 133 264	1, 608 1, 004 120 9 136 255	1,380 988 129 22 109 262	1, 192 924 142 22 83 176	1, 240 803 91 10 120 209	1,460 952 102 14 130 250	1, 494 928 114 9 130 240	1, 272 887 125 21 104 246	1, 085 797 133 21 83 168	18 38 1 5	19 40 1 1 2	34 52 52 5	45 76 5 16	41 99 2 7	24 28 48 42 42 8 4 10 9 16 2 1 5 1 6	24 22 3 6 13 1 3 1 1 1 1 2	2 21 24
South Dakota Cities Rural Tennessee Cities Rural Utah Rural Vermont Rural Vities Cities Rural	22 88 264 234 75 46 13 53	42 82 312 264 85 80 18	29 88 264 284 74 67 8	(3) (4) 255 257 84 60 13 57	(3) (4) 234 177 63 75 17 59	22 79 247 227 72 43 13	41 75 299 248 82 75 18	28 84 255 271 71 59 8	(3) (4) 237 243 75 58 12 52	(3) 213 169 57 66 15	9 10 6 1 3	1 6 3 13 1 5	1 3 6 12 2 5	(3) (4) 11 12 2 2 1	(3) 14 8 4 9	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5 7 1 3 2	(3) (4) (5) (7) (8) (7) (8) (8) (8) (8) (8) (8) (8) (8) (8) (8
Virginia (Cities Rural Cities Rural Cities Rural Cities Rural Cities Rural Cities Rural	231 378 231 210 116 225	274 419 288 198 159 278	233 332 237 206 153 265	186 313 241 234 100 237	194 255 243 239 116 194	218 343 223 190 110 222	260 396 273 188 155 272	214 304 223 190 146 249	176 281 226 215 96 222	185 227 221 203 103 180	5 32 7 17 2 3	6 19 3 8 2 2	7 24 9 14 1	27 3 16 1	-4 26 _ 3 _ 27 5	4 4 4 2 2 12 3 5 12 2 1 1 4 1 1 1 1 1 2 1	3 4 1 1 3 2	8 4 3 4 5 7 2 7 7 2 2 2 7 5 7 2 4 2
Wisconsin	317 375 10 68	356 436 14 87	390 417 10 69	331 390 16 59	342 367 10 51	299 325 10 68	335 396 14 84	350 362 10 62	285 327 16 57	303 317 9 50	13 44 	7 34 3	32 50 7	25 57 2	27 38 1	3 10 3 17 8 2 4 2 4 5	2 4 4 2	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
CHIES OF 100,000 POPULATION OR MORE IN 1930. 9 Aktron. Albany. Atlanta. Baltimore. Birmingham.	90 39 103 209 76	0, 420 1 84 47 105 248 89	0, 204 104 49 93 222 79	9, 973 96 35 100 208 88	9, 064 85 43 75 195 75	8, 660 80 35 99 201 75	9, 875 77 45 95 226 82	9, 599 100 48 87 206 70	9, 387 90 35 89 198 76	8, 444 83 39 71 185 63	161 9 2 2 2	187 6 	211 2 	224 2 4 4 9	258 1 3 2 7	174 232 266 248 257 1	1	8 114 105 1 1 2 7 2 3 5 1 1
Boston	153 28 139 22 84	150 64 164 28 110	123 42 185 31 94	146 40 196 32 97	139 47 161 27 81	151 27 132 22 78	148 59 153 28 104	120 40 175 30 92	145 39 184 31 94	138 44 151 26 77	2 	1 - 4 - 5	1 2 	1 - 3 - 	6.	1 1 2 5 1 1 2 2 6 8 8 4 1 1	1 3 1 1	3 1 1 1
Canton Chattanooga Chicago Cincinnati Cleveland	32 30 880 134 273	31 59 1, 023 165 303	26 46 900 190 326	53 31 831 163 330	36 48 926 148 291	32 26 846 124 262	28 59 953 149 286	23 46 841 167 303	43 30 768 150 312	28 - 45 884 132 273	2 5 4 2	23 6 3	15 12 3	8 1 26 3 4	7 - 3 - 10 8 6	24 41 36 30 21 6 8 9 9 8 6 11 17 11 11	1 2 5 6 2 2 3 3	1 7 11 2 1 3 3 1
Columbus. Dallas. Dayton Denver. Des Moines.	105 74 61 91 53	129 88 84 92 47	141 84 84 81 50	125 72 86 77 38	113 70 72 57 35	99 71 58 86 45	121 81 75 86 43	135 78 .71 80 46	117 67 75 69 33	100 66 64 55 25	4 1 2 5	3 2 7 2 -	1 10 	5 7 1 2	11 7 1 6	1 2 3 2 2 2 1 4 1 2 1 3 2 1 2 2 1 6 3 2 3 3	1 3 5 4 5 1 1 1 2 2	
Detroit	334 23 39 32 36	386 31 37 24 50	404 36 43 51 52	405 34 42 -33 47	379 14 36 37 34	321 22 39 30 36	372 29 37 23 45	384 29 42 48 46	392 34 42 29 38	360 13 33 36 31	9	4	7 1 	4 2 4	10 1 2 3	4 8 9 7 8 1 2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 4 1 1 1 1	

Table BM—Continued									NUMI	BER OF	DEA	THS F	ROM-	-											
						Autor	nobile	accide	nts (ex	clud-	I	Lutom	obile	acció	lents :	in col	lisio	n wi	th		7.0-4	OFOT	rele ac	oj đe	nte
AREA	All	motor-	vebicle	accide	ents	ing trai	collisions and	ns wi street	th rai cars)	lroad		Railr	oad t	rains			Str	eet c	ars		MION	огсу	CIE A	crae	1100
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	931	1930	1929	1928	1932	1931	1930	1929	1928
THES OF 100,000 POPULATION OR MORE IN 1930—continued																									
Evansville Fall River Fint Fort Wayne Fort Worth	30	17 56 36	36 17 54 34 60	21 53 38	21 24 43 28 47	25 20 38 30 56	30 17 53 35 55	35 17 50 30 56		42 27	3		1 2 2 2 1		1	i	i	 1 1 3	i i	2	1	2		1	
Gary Grand Rapids	33 51 67	38 55 110	54 39 111	46 52 123	49 39 60 83 134	28 29 50 64 99	45 36 55 101 156	38 47 37 101 134	115 129	33 51 71 120	4 1 2 5		5	1	3 4 7 10	3	1 8			3 4	1	2 2 3 1	2 2 1 5 1	1 1 3	1 3 3
Jacksonville, Fla	58 - 38 - 92	57 45 24 144 46	56 39 123	74 14 84	50 18 112	58 36 89 28	43 24 137 41	45 55 36 118 40	73 14 82 47	48 18 96 32	1 2				1 4 3	1	 5 2	2 2 2			. 2		1 2	1	3
Long Beach	521 91 24	518 119 23	451 88	463 92 18 18		486 85 22 12	i I	48 417 87 23 19	430 86 18 15	337 80 17 5 16	3 1	7		2	2	i	20			4	1	6 2 1		5 1	1 1
MemphisMiami Miami Milwaukee Minneapolis Nashville	102 9	59 2 114 7 119	54 113 12	47 129 112	39 143 104	40 97 91	59 108 114	87 54 110 110 64	112 108 108	34 2 123 3 89 4 45	1 1 7 2 9 2 3	l			3 8 2 1 5 9 1	3 1 1 1 9 2 5 4	1	3 4 1 1	1:	2	1 1 5 1	1		 1 1	2
Newark, N.J New Bedford New Haven New Orleans	- 26 - 56 - 98	0 16 4 52 3 128	18 2 48 3 12	13 67 7 125	53 120	20 53 91	16 51 126	45 120	11 62 124	1 20 2 49 4 11	9			7	4	1 5 3 12		9 8		2	1 3 1 7 10		1	<u>-</u> 2 1	
New York Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	16 39 46 14	9 167 6 418 2 528 2 17	7 17. 8 42. 8 52. 7 17.	5 196 9 445 9 506 0 198	176 374 423	166 389 454	1, 299 164 411 517 174 33	167 427 520 168	193 428 50 50 5 193 7 28	3 17: 3 36: 1 41: 1 12: 9 3:	2 9 8	i		2	 1 1	1 5 1 3 1 2		2 2 5 3 1 2 1 2 1 2 1		1	2 1 2 2 2 4 1 3	10	1 6 2 5 0 4 1 1	2 4 2 3 1	
Norfolk Oakland Oklahoma City Omaha Paterson	7 7	2 6 5 6	4 12 4 7 8 6	6 6	5 4	64 64 7 8 9 8 9 8	101 5 55 6 66 5 52	11 70 50 50	5 5 6 6 0 5	9 5	2 4 5 	2 - 2	1 2	8 2 3 -	4 1 3	8 3 2 1		26	5	8 1 4 1	1 3			1	i
Peoria	34 17 8	1 36 2 22	2 39 9 25 3 8	5 40 3 20 1 6	6 33: 7 17: 0 7: 0 8:	32: 0 159 0 74 3 5:	354 9 218 4 95 1 52	37 22 7 7	7 38 8 19 1 5 2 6	1 31 7 16 6 6 9 7	8 0 4 7		1	2 2 2 -	3	4 1 9 8 4 1 2	i	5 1 6 1 6 1	1 4 1 7	5 3	1 4 4 5 5	2	- 1	3	3
Reading	7 6 16	6 2 1 9 55 7 55 19 01 9	$egin{array}{cccccccccccccccccccccccccccccccccccc$	6 5 2 6 3 18 0 7	3 5 2 7 5 22 4 6	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 76 6 180 4 87	5 8 9 17 7	9 5 0 5 5 17 6 6	1 5 8 6 2 20 9 5	18 15 18	3 2 6	1 5	2 2 1 3	2 7 2	1 1 4 1 5 6 1	5	1 6 1	5	2	1 3	2	4 2		2
Salt Lake City	5 7 13	3 3	7 6 70 8 13 14	7 3 6 2 13 9 5	0 3	5 8 8 13 5	1	6 7 5 13 6 4	6 7 7 6 3 11 4 4	2 6 2 6 9 13 9 3	34 33 33 33	.]	ī 1 	2 2	2 1 1 1 1	1 2		1 3	ī 5 1	4 1 2 7	1 6 2	2 6 3 1	2 3 1		2 2 4 4 3
Seattle			34	7 4	8 1 6 3 6 2 1 2	8 1 9 3 9 2 6 2	1 3 2 3 5 4 8 3	7 4 3 2 2 3 4	9 1 5 3 3 3 6 4	84 3 34 3 10 3	90 18 34 26 26	1	3	2	1	2 1		ĭ	2	1 1 1	2	i			1
Syracuse	1	18] 13	39 47 33 157	14 2 36 3 18 11 30 6	9 4 8 2 8 10 61 5	9 10 3 4	5 3: 8 4: 9 12: 1 5:	2 4 3 3 0 10 6 5	12 5 30 5 37 10	26 36 58	59 38 22 35 50	2	1 2 1 9	1 2 5 5 9 2	1	2 4 1 15	1	5 1 4 1	1	6	2 9 1	1	2		2
Tulsa Utica Washington, D.C Wichita	1	29 93 25 25	38 1 35 1 24	28 2 43 12 46 4	27 2 22 13 13 2	25 2 33 18 20 2	2	5 2 1 13 2 4	26 38 10	25 17 1 39	31 24 24 19	2	2	5	3 2	1	6 2	3	2 2 1	1 1 1	1	i	3	3	1
Wilmington, Del Worcester Yonkers Youngstown	;	36 33 17 41	38 25	55 3 21 3	36 3 27 1	6 3 9 1	36 3 31 3 7 2 41 6	7 4	53 19	33 27	49 35 19 63		2	1	1	1	2	1	1 4	-ī 2	3	-	1	2	1

¹ Including District of Columbia.
² See table A. The States of 1910 exclude North Carolina.

Note.—"Cities" include municipalities of 10,000 population or more in 1930 and in some States certain towns and townships having populations of 10,000 or more with a population density of 1,000 or more per square mile.

Table BN	 _						DEAT	H RATE	PER 1	00,000	ESTIM	ATED	POPU	LATIO	N FRO)м—									=
													obile				 Uisio	n wi	th-						
AREA	All	motor-	vehicle	accid	ents	ing	collisi	accide ions wi l street	ith rai			Railı	oad t	rains			Str	eet c	ars		Mo	torey	7cle a	ccide	nts
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	 1928
The registration area in continental United States	23. 6	27. 2	26. 7	25. 7	23. 4	21. 9	25. 2	24. 5	23. 3	20.8	1.2	1.4	1. 5	1.7	1.8	0.3	0.4	0. 4	0.4	0.5	0.2	0.3	0.3	0.3	0.3
Registration States ¹ Cities of 10,000 or over ¹ Smaller cities and rural areas Registration cities in nonregistration State	23. 6 27. 0 20. 4 26. 3	27. 1 31. 1 23. 2	34. 5	25. 6 30. 4 21. 5	19. 0 30. 6	21. 9 25. 5 18. 5 25. 1	25. 1 29. 3 21. 1	24. 4 29. 0 20. 1 32. 4	23. 2 28. 2 18. 9	16.3 28.0	1. 2 0. 8 1. 6	1.4 0.9 1.9	1.9 0.6	1.7 1.1 2.2 1.1	1.8 1.3 2.2		0. 4 0. 6 0. 1	0.4 0.7 0.1	0.7 0.2 0.6	0.5 0.7 0.3	0.4	0. 4 0. 2 0. 9	0.4 0.2 0.8	0. 4 0. 2 0. 7	0.4 0.2 1.0
All registration cities 1	26. 9 24. 2 22. 8 27. 5	27. 4 26. 3 30. 1	27. 1 26. 3	27. 4 27. 6 27. 2	25. 0 25. 2	25. 5 22. 5 21. 8 -24. 3	29. 3 25. 5 25. 0 26. 6	25. 0 24. 9	28. 3 25. 1 26. 1 23. 2	26. 0 22. 4 23. 4 20. 3	1.3 0.6 2.8	1.3 0.6	1. 3 0. 7	1. 1 1. 6 0. 7 3. 3	1 7 1.0	0. 2 0. 2	0.6 0.3 0.3 0.3	0. 7 0. 4 0. 4 0. 3	0.4 0.4	0. 7 0. 5 0. 5 0. 6	0. 2 0. 2	0.3	0.3	0.3	0.3 0.3
1910 2 Cities Rural	25. 8 25. 5 26. 3	29. 4	29. 0 29. 6	28. 8 29. 9 27. 2	26. 1 27. 2	24.0 24.1	27. 3 27. 5 26. 8	26. 6 27. 6	26. 0 27. 8 23. 3	23. 2 24. 9 20. 7	1.3 0.7 2.2	1. 4 0. 7 2. 5	1. 5 0. 9 2. 5	1.8 0.9 3.1	2. 0 1. 2 3. 1	0.3	0. 4 0. 5 0. 3		0.6 0.7	0. 6 0. 7 0. 5	0. 2 0. 3	0.3 0.3	0. 4 0. 4	0. 4 0. 4	0. 4 0. 4
1920 ² Cities Rural	24. 4 26. 4 22. 1	28. 0 30. 5 25. 0	30.5	26. 5 30. 0 22. 9	28. 2	22. 6 25. 0 19. 9	25. 9 28. 7 22. 6	25. 1 28. 4 21. 4	23. 9 27. 9 19. 9	21. 6 25. 8 17. 4	1.3 0.8 1.9	1. 4 0. 9 2. 1	1. 5 1. 0 2. 1	1. 7 1. 0 2. 5	1.8 1.3 2.5	0.3 0.4 0.1	0. 4 0. 6 0. 2	0. 4 0. 7 0. 2	0.7	0. 5 0. 7 0. 4	0.3	0.4	0.4	0.4	0.4
Alabama Cities Rural Arizona Cities Cities Cities Arizona	15.8 36.1 10.0 37.1 81.3 26.9	18. 6 37. 1 13. 2 35. 9 77. 6 26. 2	43.4	18. 6 37. 4 13. 9 36. 7 57. 0 32. 1	32.9 11.5 31.1 49.6	15. 1 34. 4 9. 6 36. 2 78. 9 26. 3	17. 7 35. 6 12. 5 33. 6 75. 2 23. 9	12.7 41.3 71.4	17. 0 32. 8 13. 1 35. 7 54. 5 31. 5	45.7	0.6 1.3 0.4 0.7 1.2 0.5	2.0	2.5	1.3 3.3 0.8 0.5 1.3 0.3	0. 9 2. 2 0. 6 1. 4 3. 9		0.1	0. 2	0. 2 1. 2	0. 2	0. 1 0. 2 (4) 0. 2 1. 2	0. 2	.	0. 2 (4) 0. 5 1. 3	0. 2 0. 1 0. 2
Arkansas	15. 1 37. 4 12. 0 39. 6 34. 1 49. 4	13.8	44. 5 13. 5 41. 9 37. 3	14.4 41.8	35. 2 10. 1 36. 6 31. 9	13. 9 32. 6 11. 3 37. 0 31. 8 46. 0	16. 8 50. 6 12. 1 40. 5 33. 9 52. 6	12.9	15. 3 32. 6 13. 5 38. 1 33. 3 44. 5	9. 4 33. 2 28. 9	1.0 3.5 0.7 1.2 0.5 2.5	1.5 0.4 1.7 1.9 0.8	0. 5 0. 9 0. 5 1. 9 1. 1 3. 2	1.0 1.7 1.0 2.1 1.0 3.6	0.7 1.2 0.7 2.2 1.6 3.0	0.9 0.8 1.1	1.2	1.4	1.0 1.4	0.6 0.1 0.7 0.8	0. 4 0. 6 0. 6	0. 9 0. 5 0. 6	0.4 0.1 0.7 0.7	0.6 0.6 0.7	0. 1 0. 6 0. 6
Colorado	28. 8 32. 3 26. 4 25. 9 27. 5 22. 7	32. 6 32. 3 32. 8 29. 3 31. 3 25. 2	26. 1 26. 0	28. 1 29. 0 27. 5 29. 0 31. 9 20. 7	24. 0 24. 0 28. 4 31. 1	27. 1 30. 9 24. 4 25. 0 26. 6 21. 8	30. 6 30. 4 30. 7 28. 1 29. 8 24. 7	26. 1 29. 6 23. 7 25. 2 25. 1 25. 6	25. 1 26. 5 24. 1 27. 2 30. 0 19. 3	21.6 26.0 28.3	1.3 0.4 0.5	0.9 2.0 0.1	0.2 1.3 0.1	2. 1 0. 5 3. 2 0. 4 0. 3 0. 7	2.3 1.2 1.3	0.5 0.3 0.2 0.3	0.5	0.2	1.7 0.6 0.6	0. 5 0. 7		0. 5 0. 2 0. 6 0. 5	0.2 0.7 0.4 0.5	0.2 0.2 0.8 1.0	0.5 0.2 0.8 0.8
Delaware	34. 2 33. 8 34. 5 33. 4 41. 7 28. 4	34. 2 38. 5 30. 7 36. 8 45. 8 31. 2	38. 5 29. 5 39. 9	30. 9 23. 8 35. 9 39. 4	47.6 21.0 31.8 28.4	32. 9 33. 8 32. 2 31. 7 39. 5 27. 0	31. 7 35. 6 28. 5 34. 4 43. 0 29. 1	25. 7 38. 0	24. 0 30. 9 18. 4 34. 1 37. 5 32. 6	20. 2 29. 2 25. 4		2, 2 1, 9 2, 1	3.8 1.1 1.2	3. 0 5. 4 1. 3 0. 7 1. 5	1.6	0. 2 0. 5			0.1	0. 4 0. 9 0. 2 0. 7	0.7	2.8 0.5 0.5	0.6	0.7	0.7
Georgia. Cities. Rural. Idabo. Cities. Rural	20. 2 42. 1 13. 6 19. 9 46. 9 17. 4	22. 2 39. 5 17. 0 19. 7 39. 4 17. 9	15. 6 25. 2 57. 9	20. 0 40. 7 14. 3 20. 9 31. 6 19. 9	35. 1 12. 8 21. 9 37. 1	18. 6 39. 8 12. 2 19. 2 46. 9 16. 6	20. 9 37. 2 16. 0 19. 7 39. 4 17. 9	14. 1 24. 5 57. 9	18. 1 36. 5 13. 1 18. 2 26. 3 17. 5	32, 0 11, 8 20, 3 37, 1	0.4	1.6	1.8	1.3 2.1 1.1 2.5 5.3 2.2	1. 2 2. 1 0. 9 1. 6		(4) 0.1	0. 1	0.1	0. 1 0. 3 0. 1	0. 3 0. 9 0. 1 0. 2	0.6		1.6 0.1 0.2	0. 7
Illinois	26. 2 27. 1 24. 5 31. 1 33. 6 28. 8	31. 5 29. 1 37. 3 44. 1	30. 8 25. 1 35. 7 41. 5	28. 1 23. 2 34. 1 41. 3	30. 9 22. 4 32. 0 39. 3	20. 0 25. 8		28. 1 20. 3 29. 7 36. 0	17. 5 27. 9	27.8 16.2 24.6 31.6	4.3 4.3 2.9	5.9 4.6 3.7	1. 2 4. 5 4. 6 3. 9	1.7 4.9 4.9 3.9	4. 9 5. 3 5. 4	0.5 0.7 0.2 0.8 0.7 0.8	0.9 1.2 0.3 1.1 1.3 1.0	0. 8 1. 1 0. 2 0. 9 1. 1 0. 7	0.8 1.0 0.6 1.2 1.5	0.9 0.7 1.1 1.6 1.5	0.1	0.5	2 0. 2 2 0. 3 1 0. 2 2 0. 4 2 0. 5 2 0. 3	0. 2 0. 2 0. 2 0. 1 0. 1	0.3
IowaCities	10.4	37.3 20.2 24.4 26.7	41.9 19.6 26.3 31.3	18. 7 29. 5 14. 5 23. 4 28. 5 21. 6	25. 4 12. 0 19. 7 23. 1	14. 0 20. 4 26. 7	22. 8 34. 8 17. 8 21. 3 23. 9 20. 2	39. 1 18. 2 23. 3 27. 8	16. 4 27. 0 12. 4 19. 9 25. 0 18. 1	16.3 21.3	2. 1 2. 5	1.7 2.2 2.6 2.4	1. 2 2. 5 2. 4	3. 2 3. 0	1.5 3.1 1.2	0.3	0. 2 -0. 4 0. 1 0. 2 0. 4 0. 1	0. 1 0. 3 0. 7 0. 1	101	0. 3 0. 9 0. 1 0. 2 0. 4 0. 1	0. 1 0. 1 0. 3 0. 5 0. 1	0. 2 0. 4 0. 2 0. 2	0.2		0. 3 0. 1 0. 2
Kentucky. Cities. Rural Louisiana. Cities. Dural	17. 9 31. 2 13. 9 16. 7 24. 4	15.8 19.8	31. 9 15. 2 18. 9 32. 0		31. 1 10. 1 18. 0 32. 9	12.7 15.9 23.5	19. 5 34. 6 15. 0 19. 4 33. 9 12. 6	30. 2 14. 6 17. 6 30. 0	15. 0 29. 3 11. 2 17. 9 29. 9 12. 8	28. 2 9. 3 17. 0 31. 0	1.1 0.5	1.3 0.6 0.3 0.3	1. 2 0. 6 1. 2 1. 7	0.8 1.5 0.6 0.3 0.2 0.4	0.9 0.4 0.9	0. 1 0. 5 0. 1 0. 1 0. 1	0. 2 0. 5 0. 1 (4) 0. 1	(4) 0. 2	0. 2 0. 9 (4)	0.2	0. 1 0. 1 0. 1	(4) 0.1	0. 1 0. 2	0.2	0.1 0.1 0.3
Maine Cities Rural Maryland Cities Rural Maryland Cities Rural	20. 0 20. 8 19. 6 26. 0 28. 4 22. 9	21. 6 30. 6 33. 7	30. 6 18. 8 29. 2 30. 4	20. 6 32. 0 16. 1 26. 3 28. 3 23. 8	23. 2 13. 4 23. 8 27. 2	18. 6 17. 8 18. 9 24. 8 27. 3 21. 6	19. 9 22. 6 18. 8 28. 3 30. 8 25. 2	16. 2 27. 4 28. 5	19. 0 30. 2 14. 6 23. 6 26. 7 19. 8	11.6 21.4 25.7	1. 1 2. 2 0. 7 0. 8 0. 4 1. 2	0.9	1.6 0.5 0.5	1.3 0.9 1.4 1.9 0.7 3.5	0.9 1.8 1.5	0.3	0. 3 0. 4 0. 9 1. 5	0. 2	0. 2 0. 3	0. 4 0. 3 0. 3	0.9	0. 4 0. 5 0. 7	0.9 0.9 0.6 0.4	0.9	0. 6 0. 7
Massachusetts Cities Rural Michigan Cities Rural	19.9	19. 6 20. 6 30. 8 30. 2	19. 5 18. 4 30. 9 31. 3	19. 4 20. 0 16. 9 32. 4 34. 4 29. 8	18. 7 15. 9 30. 8 32. 7	19. 2 22. 9 22. 5	19. 0 19. 1 18. 4 28. 5 28. 6 28. 4	18. 6 16. 6 28. 4 29. 2	18. 5 19. 4 14. 7 29. 7 32. 5 26. 0	14.3 26.9 29.4	0.4 0.2 1.2 1.8 1.2 2.7	0. 2 1. 9 1. 9 0. 9	0.3 1.3 1.7 0.9	0. 4 0. 1 1. 7 2. 0 1. 1 3. 2	0.3 1.0 2.6 1.9	0.1 0.1 0.2	0.1 0.1 0.2 0.3	0. 2 0. 1 0. 5 0. 7	0.4		0. 2 0. 3 0. 1 0. 1 0. 2	1.0.3	0.3 0.2 0.4	0. 3 0. 5	0.3 0.6 0.3 0.2
Minnesota Cities Rural Mississippi Cities Rural See footnotes at end of table,	20. 5 25. 9	29. 5 22. 9 14. 6 47. 1	29.3 20.2 17.2 51.1	21. 4 26. 5 18. 3 16. 0 41. 4	24. 7 17. 4 14. 8 47. 2	35. 2	24. 1 28. 1 21. 6 14. 0 45. 4 9. 7	18. 7 16. 5 49. 9	39.9	21. 2 14. 8 12. 8 39. 7	1.2 0.3 0.8	0.7 1.3 0.5 1.2	1.4 1.2 0.7 1.3	1.0	2.3 2.3 1.8 5.9	0. 2 0. 6			0.1	0.2		0. 1 0. 1 0. 1 (4) 0. 4	(4)		0.1 0.1 1.1

Table BN—Continued							DEATE	A RATE	PER I	00,000	ESTIM	ATED	POPU	LATIO	N FR	ом									
ļ							mobile				A	utom	obile	accid	ents i	n colli	isio	n wit	h—		Mot	tores	cle a	ccid	ents
AREA	Alļī	notor-	vehicle	accide	ents		collisions and			iroau		Railı	road t	rains			Str	eet c	ars						
	1932	1931	1930	1929	1923	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932 1	931	1930	1929	1928	1932	1931	1930	1929	1928
Missouri Cities Rural Montana. Cities Rural	20. 5 23. 3 18. 4 18. 2 24. 8 16. 2	24. 8 30. 3 20. 5 23. 8 32. 9 21. 1	22. 3 27. 7 18. 0 19. 9 32. 3 16. 2	22.8 26.8	19. 5 28. 3 13. 2 26. 1 33. 4 24. 0	18. 9 21. 8 16. 6 17. 9 24. 8 15. 7	21.9	20. 3 25. 5 16. 3 18. 6 32. 3 14. 5	18. 0 24. 1 13. 6 21. 2 24. 3 20. 2	21.9	0. 5 1. 8 0. 4	0.6 1.5 1.5 0.8	1. 5	1.6 1.7 2.4	1.4 3.9 0.8	0. 7 (4)	0. 4 0. 7 0. 1 0. 2 0. 8	0. 5 0. 1	0.4	0.4	0.1	0.4	0.4 0.1 0.2		0.3
Nebraska	16. 1 21. 7 14. 1 64. 5 77. 7 61. 1	22. 8 33. 6 18. 8 68. 5 93. 3 61. 9	23. 8 29. 8 21. 7 40. 7 69. 5 33. 2		17. 7 23. 1 16. 1 (3) (3) (3)	15. 3 20. 7 13. 3 63. 4 77. 7 59. 7	21. 0 32. 0 16. 9 68. 5 93. 3 61. 9	20. 7 26. 8 18. 5 37. 4 58. 8 31. 8	16. 7 50. 0		0.8	1.1	1.4	2.9 1.1 5.5	0.6 2.0 (3)		0. 1	0. 4 1. 4		0.3	0.1	0.3 0.1	0.3	0. 1 0. 3 1. 1	0.3 (3)
New Hampshire Cities Rural New Jersey Cities Rural Rural	15, 4 17, 6 13, 2 28, 0 27, 4 29, 3	23. 8 24. 9 22. 6 31. 5 29. 7 35. 7	23. 2 25. 6 20. 8 31. 5 31. 8 30. 9	23. 0 32. 5 35. 6	18. 4 19. 5 17. 6 28. 1 30. 6 24. 4	15. 0 17. 6 12. 3 26. 6 26. 5 26. 9	21. 4 23. 6 19. 2 29. 9 28. 5 33. 1	22. 1 25. 1 19. 1 29. 8 30. 7 27. 9	21, 1 24, 2 18, 7 30, 4 34, 2 25, 0	14. 8 26. 1 29. 4	0. 8 1. 1 0. 6	0. 4 3. 4 1. 1 0. 6	1.7 1.3 0.6	1.0 3.9 1.3 0.5	1.6	0.1	0. 2 0. 2 0. 1	0. 1 0. 1	0. 2 0. 2 0. 1	0. 1 0. 1 0. 1	0. 2 0. 2 0. 3	0.3		0.4 0.5 0.4 0.7 0.7	1.0 1.2 0.3 0.4
New Mexico. Cities. Rural New York. Cities. Rural	22. 7 43. 7 20. 0 23. 2 20. 4 33. 9		25, 7	25. 9 24. 2	22. 7 21. 4	22. 5 43. 7 19 7 21 9 19. 6 30. 3	22.6	26. 1 42. 7 23. 9 24. 1 22. 7 29. 6	24.0	(3) 20. 9 20. 5	0.4	0. 8 0. 8 0. 3	12. 2 5. 1 1. 0 0. 5	1.3 1.3 0.6	1. 2 0. 5	0. 2 0. 2 0. 2 0. 1	0. 2 0. 2 0. 2	0. 3 0. 3 0. 3	0.4	ł	0.3	0.2	4.1 0.3 0.3 0.3	0. 2 0. 2	(3) (3) 0.2 0.2
North Carolina Cities Rural North Dakota Cities Rural	18. 4 37. 2 14. 0 8. 6 27. 9 6. 2	16. 4 16. 8 35. 9	16. 8 14. 2 45. 0	16. 8 14. 4 26. 4	39. 7 16. 8 13. 2 23. 6	17. 2 34. 1 13. 2 8. 3 26. 6 6. 1	40. 5 15. 4 16. 1 35. 9	39.5	16.3 13.0	15. 3 11. 7 23. 6	2.4 0.7 0.3 1.3	2. 1 7 0. 8 3 0. 7	2. 8 1. 4 2. 2 2. 7	2.8 0.4 1.3	1. 5 1. 4 1. 5			0.1			0. 1	0. 8 0. 2	0, 2 0, 3 1, 4 0, 2	0.1	0.4
Ohio Cities Rural Oklahoma Cities Rural	29. 8 32. 0 26. 6 19. 0 32. 6 14. 8	37. 6 27. 7 18. 2 34. 6	39. 8 27. 2 21. 3 41. 6	40. 4 29. 4 21. 7 38. 2	36. 6 24. 6 15. 5 30. 3	22. 9 17. 9 30. 8	34, 2 22, 2 16, 7 32, 6	22. 1 20. 1 39. 8	37. 0 21. 4 20. 6 35. 4	32. 5 18. 2 14. 1 28. 3	1. 8 2 3. 3 0. 8 1. 0	2. I 3 4. 3 3 1. 2 1. 2	1.9 4.3 0.8 2 1.4	1.7 5.8 0.8 1.8	2. 6 5. 1 1. 1	0. 5 0. 2 0. 2 0. 3	0. 7	1. 4 0. 5 0. 2	1. 8 1. 8 0. 2 0. 8	3 1. 4 9 1. 1 2 (4) 3 0. 2	1 0.2 1 0.1 0.1 2 0.3	0.3	0.4 0.3 0.2 0.4	0. 4 0. 4 0. 2 0. 2	0. 2 0. 1 0. 2 0. 7
Oregon	25. 4 27. 7 23. 9 22. 2 24. 5 19. 4	35. 1 29. 5 26. 2 28. 7	27. 1 30. 5	23. 8 26. 2 24. 8 28. 6	29. 1 29. 9 22. 3 24. 9	25. 4 21. 2 21. 0 23. 3	32. 8 28. 4 24. 9 27. 4	27. 7 25. 5 25. 1 28. 3	22. 1 24. 3 22. 6 26. 3	26. 2 27. 3 19. 9 22. 7	1.8 2.3 0.6 0.6	0.3 1 0.9 6 0.6 3 0.4	0.8 9 2.6 6 0.9 4 0.6	1. 4 5 1. 5 1. 3 6 0. 9	0. 6 2. 1 1. 6 0. 9	1. 0 0. 3 0. 5 0. 2	0. 2 0. 3 0. 5 0. 1	1.8 0.6 0.9 0.2	0. 8 0. 9 0. 9		0. 5 6 0. 3 9 0. 5	0. 6 0. 4 0. 4	0.3	0.3 0.3 0.4 0.4	1.2 0.5 0.4 0.5
Rhode Island. Cities Rural South Carolina Cities Rural	15. 2 15. 7 11. 4 19. 3 51. 1 14. 3	17. 0 18. 0 22. 8 55. 6	10. 4 22. 5 58. 0	22. 9 18. 8 21. 4 55. 0	25. 5 19. 0 15. 0 42. 4	14. 9 11. 4 18. 9 50. 3	16.7 16.8 21.8 54.3	18. 9 10. 4 21. 3 55. 4	22. 2 17. 9 20. 2 52. 6	2 23. 9 18. 1 2 14. 6 42. 4	0.1	1. 2 3 0. 8 4 0. 8	2 3 1. 3 2	1 2. 8	i		0. 1	0.72		2 1.	0. 5 0. 1 0. 4 0. 1	0, 2	0.1	0. 5	0.2
South Dakota Cities Rural Tennessee Cities Rural	15. 7 23. 2 14. 5 18. 8 36. 7 12. 1	44.3 13.6 21.8 43.3	31. 2 14. 6 20. 9 37. 4	(3) (3) 19.7	41.3	34.3	43. 2 12. 5 20. 7 41. 5	30. 2 14. 0 20. 1 36. 1	(3) (3) 18. 4 40. 4	₹ 37.6	1.4	1. 1 5 1. 0 6 0. 6 4 0. 4	1 1.3 0 0.4 3 0.7 4 0.8	(3) (3) (0.9 (1.9	2. 3	0.1	0.1	(4) 4 0. 1	(3) (3) (4) 0.	(3) (3) (3) 0. 2 0.	2 0. 2 7 0. 7	0. 1 0. 2 0. 4 1. 0 0. 5	0. 2 1 0. 1 0. 3	(3)	(3) (3) (3) 0. 1 0. 5
Utah. Cities. Rural Vermont. Cities. Rural	37. 6 14. 6 18. 3	42. 6 25. 6 20. 6 33. 3	37. 7 21. 4 20. 8 15. 0	43. 6 19. 3 19. 5 24. 5	33. 2 3 24. 3 5 21. 2 5 32. 4	36. 1 13. 6 17. 5 24. 0	41. 1 24. 0 19. 7 33. 3	36. 2 18. 9 19. 7 15. 0	38. 9 18. 7 17. 8 22. 6	30. 3 7 21. 4 8 19. 3 6 28.	1 0. 4 1 1. 6 3 0. 3	5 0. 8 0 1. 6 8 0. 8	5 1.0 6 1.0 8 0.3	0 1.0 6 0.6 8 1.1	2.4	1.0		0. 8	1. (2. (3. (3. (4. (4. (4. (4. (4. (4. (4. (4. (4. (4	0 0. :	5	1. (0. 3	1. (0. 5
Virginia. Cities. Rural Washington. Cities. Rural	35. 9 21. 1 27. 8 28. 7	42. 6 23. 8 30. 8 35. 8	36. 5 18. 6 28. 3 29. 8	31. 0 3 17. 2 3 30. 2 3 33. 0	32. 4 2 14. 1 7 31. 5 0 33. 6	33. 9 19. 1 26. 0 27. 7	40. 4 1 22. 2 2 29. 2 7 33. 9	33. 8 17. 0 2 26. 3 2 28.	29. 15. 3 28. 1 30.	4 30. 5 12. 5 27. 9 30.	9 0. 6 1. 7 1. 6 0.	8 0.1 8 1. 5 0. 9 0.	9 1. 1 1. 7 1. 4 1.	1 0. 3 3 1. 4 5 1. 3 1 0.	7 0. 5 1. 2 2. 4 0.	$ \begin{array}{c c} 7 & 0.6 \\ 4 & 0.1 \\ 0 & 0.1 \end{array} $	0. 6 0. 8 1. 8	6 0. 6 8 0. 5 5 0.	0. 2 0. 4 0.	1 0. 3 0. 4 1. 7 1. 1 0.	3 0.0 0 0. 0 0. 7 0.	2 0. 1 0. 1	6 1.3	0.7 2 0.3 3 0.6 3 1.6	
West Virginia Cities Rural Wisconsin Cities Rural	32. 9 16. 0 23. 3 24. 0	45. 1 19. 9 3 26. 7 0 27. 0	44.3 19.3 7 27.3 0 30.3	3 29.9 1 17.3 4 24.3 3 27.	9 35.8 2 14.3 7 24.6 9 29.4	31. 2 15. 8 21. 0 22. 0	2 44. 0 3 19. 8 0 24. 7 6 25. 4	42. 17. 7 24. 1 27.	2 28. 9 16. 2 21. 2 24.	7 31. 1 13. 0 21. 0 26.	7 0. 2 0. 5 1. 1 1.	6 0. 2 0. 9 1. 0 0.	6 0. 1 1. 4 2. 5 2.	3 0. 0 0. 8 2. 5 2.	3 1. 7 0. 8 2. 1 2.		0. 0. 0.	0. 1 5 0. 8 0.	3 0. 0. 2 0. 2 1.	3 0. 1 0. 7 0. 4 0.	3 0. 1 5 0. 7 0.	9 0. 2 0. 2 0. 2 0.	6 1. 2 0. 2 0. 3 0.	4 0. 1 0. 3 0. 4 0.	6 2.3 3 0.2 2 0.3 3 0.3
Wyoming Cities Rural	. 28.8	40.	29.	3 47.	8 30.4	34. 2 28. 8 2 35. 0	8 40.3	3 29.	3 47.	8 27.	8 4 				_ 3.	5			-						- 0. - 0.
CITIES OF 100,000 POPULATION OR MORE IN 1930	24. 4	5 28.	1 28.	0 27.	9 25.8	23.	3 26. (6 26.	3 26.	3 24.	1 0.	4 0.	5 0.	6 0.	6 0.	7 0. 5	0.	6 0.	7 0.	i	7 0.	1	3 0.	4 0.	3 0.
Akron	30. 2 37. 25.	2 36. 4 1 37. 3 7 30.	4 38. 8 34. 5 27.	3 27. 2 37. 5 26.	7 34.4 6 28.8 0 24.6	27. 3 35. 5 24.	1 34.9 7 34.5 7 27.8	9 37. 2 32. 8 25.	6 27. 0 33. 5 24.	7 31. 4 27. 8 23.	2 1. 2 0.	5 7 2. 2 0.	3 0. 5 1. 6 0. 9 1.	1 I. 6 0.	5 1. 5 0.	8 1.5 2 0.4 3 0.6 8 0.4	1.	8 0. - 0. 7 1.	1 - 0.	1. 0. 4 0.	4 0. 4 0.	0. 4 1. 1 0.	8 1 0. 4 0.	7 2. 2 0.	6 4 0. 4 0.

Table BN—Continued							DE	ATH RA	TE PE	R 100,00	00 EST	IMAT	ED PO	PULAT	ION F	ROM	-						****		
AREA	All :	motor-	vehicle	accid	ents	ing	collisi	e accid	ith ra	xclud- ilroad	A	utom	obile	accid	ents i	n col	llisio	n wi	th—		Mot	ores	rcle a	ceid	ente
						trai	ns and	i street	cars)			Rail	road t	rains	,		Sta	reet o	cars				-	-	
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	192 9	1928	1932	1931 ——	1930	1929	1928
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued																									
Boston Bridgeport Buffalo Cambridge Camden	19. 5 19. 0 23. 9 19. 3 70. 6	43. 5 28. 2 24. 5	27. 3	18. 7 27. 3 34. 5 28. 2 81. 8	23.9	19. 2 18. 4 22. 7 19. 3 65. 5	18. 8 40. 1 26. 3 24. 5 87. 4	27. 2 30. 5 26. 4	18. 6 26. 6 32. 4 27. 3 79. 3	26. 9 23. 0	0. 3 0. 3 5. 0	0. 1 0. 7 4. 2	0. 7 0. 3 0. 8	0. 1 0. 5 1. 7	1. 1 3. 4	0.3	0. 1 3. 4 1. 0	0.7 1.4 0.8		0.7	0.5	0. 2	0.9	0. 2	0. 1 0. 7
Canton Chattanooga Chicago Clicago Clicanotinati Cleveland	30. 0 24. 5 25. 5 29. 3 29. 9	48.3 29.6 36.1	42.0	51. 1 39. 3 25. 0 36. 4 36. 9	28. 4 33. 4	30. 0 21. 2 24. 5 27. 1 28. 7	26. 2 48. 3 27. 6 32. 6 31. 4	21. 8 38. 3 24. 8 36. 9 33. 6	41. 4 38. 0 23. 1 33. 5 34. 9	27. 1 29. 8	0.1 0.9	1.9 0.7 1.3 0.3	2.8 0.4 2.7 0.3	7.7 1.3 0.8 0.7 0.4	7. 0 3. 9 0. 3 1. 8 0. 7	0.7 1.3 0.7	1. 2 1. 7 1. 2	1. 1 2. 0 1. 9	2.0	0. 6 1. 8	1. 6 0. 1 0. 3	0.9 0.2 0.4 0.3	0. 2 0. 4	1. 0 0. 2 0. 2 0. 3	0.3
Columbus Dallas Dayton Denver Des Moines	35. 5 27. 1 29. 7 31. 2 36. 7	43. 6 32. 2 41. 1 31. 5 32. 5	41.7 28.1	43. 4 28. 3 49. 5 27. 0 26. 9	42. 0 20. 2	33. 5 26. 0 28. 3 29. 5 31. 1	40. 9 29. 7 36. 7 29. 5 29. 8	46. 3 29. 7 35. 2 27. 7 32. 2	40. 7 26. 4 43. 2 24. 2 23. 3	37. 3 19. 5	0.5	1. 0 0. 7 3. 4 0. 7 1. 4	0.3 5.0 1.4	1. 7 1. 2 4. 0 0. 4 1. 4	0.4	0.7 0.5 0.7	0.4	1.5 1.5 0.3	0.4 1.2	!		0. 5	0.8	0.3 0.4 1.2 0.4	
Detroit	20. 4 22. 6 33. 4 30. 5 30. 6	31. 7 22. 9	25. 5 35. 5 37. 4 49. 6 44. 7	26. 7 33. 6 37. 1 32. 7 40. 9	32. 3 37. 4	19. 6 21. 6 33. 4 28. 6 30. 6	22. 5 28. 5 31. 7 21. 9 38. 2	24. 2 28. 6 36. 5 46. 6 39. 6	25. 8 33. 6 37. 1 28. 7 33. 1	24.8 12.9 29.6 36.4 27.3		0. 2 1. 0 3. 4	0. 4 1. 0 0. 9	0. 3 2. 0 3. 5	1.0 1.8	0. 2				0. 6 0. 9 1. 0	i.		0.3 1.0 1.9 0.9	1.0	
Evansville	24. 9 17. 3 25. 6 25. 3 34. 0	34. 1 30. 4		31. 7 18. 2 34. 8 33. 6 35. 3	29. 4 25. 4	24. 0 17. 3 23. 2 25. 3 33. 4	28. 8 14. 7 32. 3 29. 5 32. 9	26.0	29. 7 18. 2 32. 2 33. 6 34. 1	19. 1 20. 7 28. 7 24. 5 27. 7	1.0 1.8	1. 0 0. 6	1. 0 1. 3 1. 7 0. 6	2. 0 1. 3	1. 0 0. 6	0.6	0.8	0.6 0.9 1.8		1.0 0.7 0.9 1.3			0. 6 0. 9	0. 7	
Gary	30. 2 19. 2 30. 5 21. 6 29. 2	22. 1 32. 9 35. 5	37.6	64. 8 27. 6 32. 1 43. 4 39. 4	37. 6 30. 6	26. 5 16. 9 29. 9 20. 6 26. 8	42. 5 21. 0 32. 9 32. 6 42. 2	22. 5 34. 2	48. 4 26. 4 30. 2 40. 6 35. 8	37. 7 20. 1 31. 9 26. 2 33. 8	2.8 2.3 0.6 0.6 1.4	13. 2 1. 9 0. 8	10.8 1.8 1.7 1.4	14. 4 0. 6 1. 4 2. 8	2. 5 2. 6	0.8	0.9	4. 9 1. 2 0. 6	1.2		0. 9	- 1	0.6 1.7	0.6 0.6 1.1	
Jacksonville, Fla	44. 3 18. 2 30. 9 22. 5 30. 2	19. 5 35. 2		42.9 23.5 11.6 • 21.3 50.1	31. 7 15. 9 15. 0 28. 9 35. 6	42. 1 18. 2 29. 3 21. 8 25. 6	42. 5 13. 5 19. 5 33. 5 37. 5	34. 6 17. 3 29. 5 29. 4 37. 6	41. 4 23. 1 11. 6 20. 8 45. 3	30. 1 15. 3 15. 0 24. 8 31. 7	0.7 0.2 1.8	0.8	0.8 0.2	4.8	1. 6 0. 3 1. 0 3. 0	0. 2	1. 2 1. 8	1. 5 0. 3 1. 6 0. 5		0.3	0.7 1.6 0.2 1.8	0.6	2.3 0.8 0.5	0.3	0. 8 1. 0
Long Beach Los Angeles Louisville Lowell Lynn	36. 7 39. 5 28. 9 23. 9 11. 7	42. 0 39. 3 38. 6 22. 9 13. 6	36. 2 36. 0 28. 6 22. 9 18. 6	43. 2 38. 8 29. 9 17. 8 15. 7	24.8 31.9 29.6 17.6 17.7	36. 0 36. 8 27. 0 21. 9 11. 7	39. 4 37. 0 35. 4 21. 9 13. 6	28. 3 22. 9	41.7 36.0 28.0 17.8 14.7		0.3 1.0 1.0	1.3 0.3 2.3	0. 7 0. 6 0. 3	0. 8 0. 7	3. 1 0. 8 0. 7	1.0	1. 5 0. 3	0. 7 1. 6	1.3	0.8 2.3	0.6	1.3 0.5 0.6	0.6	0. 4	0.8 0.5 0.7 1.0
Memphis Miami Milwaukee Minneapolis Nashville	41.3 40.0 17.2 20.5 46.9	39. 8 52. 4 19. 2 25. 1 48. 2	37. 0 48. 6 19. 5 25. 9 42. 8	44. 3 40. 8 22. 6 24. 4 43. 1	45. 6 32. 1 25. 8 23. 1 31. 5	39. 0 37. 2 16. 3 19. 2 46. 3	38. 6 52. 4 18. 2 24. 1 45. 7	34. 3 48. 6 19. 0 23. 6 41. 5	39. 9 38. 2 19. 6 23. 5 41. 8	39. 6 28. 0 22. 9 19. 7 30. 1	0.3	0.8 0.3 0.2 0.6	1.5	1.5 1.7 0.9 0.2 0.7	4.0 0.8 1.6 1.1	0.9	0. 5 0. 6 0. 6	0.9	0.9 2.1 0.4	0.9	0.9	0. 2 0. 2	0.8	2.4	
Newark, N.J	22. 2 17. 8 33. 2 19. 9	25. 1 14. 2 32. 0 27. 4	31. 6 16. 0 29. 5 27. 6	29. 3 11. 5 41. 2 27. 6	26. 7 17. 5 32. 6 26. 9	22. 0 17. 8 32. 6 19. 5	23. 8 14. 2 31. 3 27. 0		28. 6 9. 7 38. 1 27. 3	17.5	0.2		1. 5	0. 2 0. 9 0. 6			0.7	1.2	0.9 1.2	1.8	0.2	0.4	0. 2	0. 5 1. 2 0. 2	0. 6 0. 2
New York	16. 8 12. 7 15. 1 25. 4 12. 3 14. 1	18. 7 12. 6 15. 9 29. 1 15. 3 20. 2	19. 3 13. 7 16. 7 28. 5 15. 5 24. 5	20. 1 16. 0 17. 5 26. 8 19. 1 20. 0	17. 0 15. 0 15. 2 21. 8 13. 2 23. 1	16. 4 12. 5 14. 8 25. 0 11. 9 10. 4	18. 3 12. 3 15. 6 28. 5 15. 1 20. 2	18.8 13.1 16.4 28.0 15.1 23.2	19. 6 15. 7 17. 0 26. 4 18. 5 18. 7	16. 7 14. 6 15. 0 21. 6 13. 1 21. 8	0.1	0.1	0. 1 0. 1 0. 4	0. 1 (4) 0. 1 0. 1 0. 6	(4) (4) 0. 1 0. 1	0. 2 0. 2 0. 2 0. 2 0. 2	0.1 0.2 0.2 0.1 0.1	0. 1 0. 2 0. 1 0. 2	0. 2 0. 1 0. 4 0. 2 0. 3	0. 1 0. 2 0. 1 0. 1	0.1 0.1 0.1 0.2 0.3	0. 2 0. 1 0. 1 0. 6 0. 1	0.3 0.5 0.2 0.2 0.1	0. 2 0. 2 0. 2 0. 1 0. 3	0.1 0.2 0.1 0.1
Norfolk Oakland Oklahoma City Omaha Paterson	29. 3 24. 0 36. 6 20. 8 41. 8	37. 0 39. 0 32. 5 31. 4 39. 6	20. 8 42. 7 41. 6 30. 8 37. 5	22. 2 34. 4 36. 4 30. 6 46. 3	20. 4 30. 1 20. 8 22. 4 43. 5	27. 8 21. 9 33. 6 20. 3 40. 3	33. 9 34. 6 27. 9 30. 5 37. 5	18. 5 38. 9 40. 5 27. 0 36. 1	21. 4 30. 5 33. 0 28. 3 42. 7	18. 9 26. 4 20. 2 21. 4 41. 3	1.0	1. 0 2. 0 0. 5 1. 4	2.8 1.1 1.4	0.8 0.7 2.2 0.5 2.2		1.5 1.0	1.5 2.1	0. 8 0. 4 2. 3	2.9 0.6 1.9 0.7	0.8 0.4 0.5	1. 0 1. 0	1. 5 1. 4 2. 5	1.5 0.7	0. 4 0. 6 0. 7	0.8 0.4 0.6 0.5 2.2
Peoria Philadelphia Philadelphia Pittsburgh Portland, Oreg Providence	21. 2 17. 3 25. 4 26. 1 21. 6	31. 4 18. 4 33. 9 33. 6 20. 8	32. 2 20. 2 37. 7 26. 7 30. 8	31. 1 20. 9 31. 1 20. 1 27. 8	39. 1 17. 4 27. 1 23. 8 33. 2	19. 4 16. 3 23. 5 24. 1 20. 0	30. 4 18. 0 32. 2 30. 9 20. 4	28. 4 19. 3 34. 0 23. 4 28. 4	29. 2 19. 6 29. 6 18. 7 27. 4	34. 0 16. 5 24. 2 21. 8 30. 8	0. 9 0. 3 0. 1 0. 7	0.1 0.3 0.3	2.8 0.1 0.3 0.7	1. 0 0. 2 0. 3 1. 0	4. 0 0. 5 0. 4	0.9 0.5 1.2 1.3 0.8	0.3 0.9 2.0 0.4	0. 9 0. 7 2. 7 2. 3 2. 0	1. 0 0. 9 0. 8	1. 0 0. 9 1. 7 1. 4	0.3 0.6	0. 9 0. 1 0. 4 0. 3	0. 1 0. 7 0. 3 0. 4	0. 2 0. 5 0. 3 0. 4	0.8 0.7
Reading Richmond Rochester St. Louis St. Paul	32. 3 38. 5 19. 6 19. 9 33. 0	25. 1 49. 9 23. 2 23. 1 33. 7	27. 9 36. 0 24. 9 22. 2 29. 4	29. 8 29. 1 19. 0 22. 6 27. 5	29. 8 29. 8 22. 3 27. 3 24. 5	31. 4 36. 4 18. 7 18. 8 ,30. 4	25. 1 48. 8 22. 9 21. 7 31. 5	25. 2 32. 2 24. 3 21. 3 27. 9	28. 8 28. 0 17. 8 21. 0 25. 7	27. 1 28. 7 21. 1 25. 2 21. 9	0. 5 0. 9 0. 2 2. 2	1. 1 0. 1 1. 8	1. 1 0. 6 0. 1 1. 1	0. 9 0. 6 0. 9 0. 7	1.8	0.5				0. 9 0. 6	0. 9 1. 1 0. 2	0. 5	2.7 1.6	1. 1 0. 2	0. 2
Salt Lake CitySan AntonioSan DiegoSan FranciscoSeranton	41. 2 22. 5 48. 6 21. 2 22. 9	35. 7 27. 9 44. 8 20. 5 25. 7	33. 4 28. 7 55. 5 22. 3 34. 1	47. 6 33. 6 48. 2 21. 0 35. 0	34. 4 31. 4 49. 6 24. 2 24. 6	40. 5 20. 8 43. 5 20. 3 22. 2	35. 0 26. 2 42. 2 19. 4 25. 0	31. 3 28. 3 51. 5 20. 9 30. 6	41.8 31.8 43.3 19.0 34.3	33.0 29.1 46.0 22.5 23.2	0. 7 0. 4 0. 2	0. 4 0. 6 0. 2	1.4 0.3 1.4	1. 4 0. 4 0. 7 0. 2 0. 7	0.7			0.7	20	0.7 0.7 1.0 1.4	0. 8 3. 8 0. 5 0. 7	0.7 0.8 1.3 0.5 0.7	0. 4 3. 3 0. 3 1, 4	1. 4 0. 9 2. 8 0. 6	2.3 2.9 0.5
Seattle	22. 1 11. 4 34. 3 22. 4 19. 0	32. 8 7. 6 34. 2 37. 0 22. 3	24. 0 8. 6 38. 0 22. 5 31. 2	30. 1 17. 5 35. 3 31. 3 27. 6	28. 0 17. 6 39. 5 25. 4 17. 8	21. 5 10. 5 29. 6 21. 5 18. 4	31. 2 6. 7 31. 5 36. 1 21. 7	22. 6 8. 6 33. 3 19. 9 30. 6	28. 7 17. 5 33. 4 29. 6 27. 0	25. 2 17. 6 34. 4 22. 8 17. 8	3. 7 0. 9	2.8	1.91.		امما	- 1		0. 5 1. 9	ام ما	2, 2	ī. ō .		0.3	0. 8	0.3

Table BN—Continued							DEATE	I RATE	PER 1	.000,000	ESTI	4ATEI	POP.	ULATI	ON FI	вом-	-								
AREA	A 11 :	motor-	vobial	hioo e	onte			accide				uton	obile	accid	lents :	ın co	llisio	n wi	th—		Mo	tonov	olo o	aoi d	ante
AGEA	2,11	1110001-	VGIIICI	acciu	emes	tra	ins and	l street	cars)	noad		Railı	coad t	rains			Str	eet c	ars		Motorcycle accident			auts	
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	193 0	1929	1929
CITIES OF 100,000 POPULATION OR MORE IN 1930—continued																									
Syracuse	19. 2 44. 5 29. 6 39. 7 35. 5	36. 2 44. 8 44. 8	41. 1 35. 3 40. 5	27. 3 38. 4 41. 0	40. 8 29. 2 38. 3	41. 7 26. 7 36. 7	29.7 41.0 40.4	39. 3 29. 4 36. 7	36. 4 36. 8	28. 9 36. 0 23. 0 29. 9 40. 8	0. 5 1. 9 1. 0 2. 7 0. 8	1. 9 1. 0 3. 0	0. 5 1. 9 4. 9 3. 1 1. 6	2. 1		1.0		0. 5 1. 0 0. 3 0. 8	1, 9 2, 1	1.5 2.8 2.1 3.2 0.8	0.5 0.9 1.0 0.3 0.8	1.9	0.3	0. 9 2. 0	1.
Tulsa	23. 3 28. 3 39. 1 21. 6	37. 1 33. 6	27. 5 29. 3	29. 3 26. 6 25. 2 39. 7	28. 6 24. 8 27. 8 19. 1	23. 3 28. 3 37. 7 18. 2	34. 2 32. 8	25. 5 28. 3	24. 2	26. 1 23. 8 25. 9 18. 2	1. 7		4. 5	2. 2 1. 0 0. 6 1. 8	1.0	1. 2 1. 7	2. 9 0. 2	2. 0 0. 4 0. 9	1. 0 0. 2 0. 9	0.8 0.8 1.0	0. 2	0.6	0.7	0. 2 0. 9	
Wilmington, Del	33. 8 16. 7 12. 2 23. 7	19.3 18.0	28. 1 15. 5	18. 5	18.7 14.8	33. 8 15. 7 12. 2 23. 7	18.8 17.3	27, 1	17. 0 20. 4	18. 2 14. 8		1. 2		0. 5	0. 9	1.0	0.7	0. 9 0. 5 2. 3	0.5			2. 8 0. 5	1. 5	0. 5	0. 5 1. 3

Table BO shows for automobile accidents (excluding collisions with railroad trains and street cars) the number of deaths and the death rate per 100,000 population, and the same information for accidents which occurred within specified areas. It is interesting to note the influence on total deaths of deaths from accidents outside of the specified area. While the States are only slightly affected by such accidents occurring outside of State limits, the cities are much affected, due to the fact that so many cases are brought to city institutions for treatment. Camden is a good illustration. In 1932 there were 78 deaths from automobile accidents, of which 51 were the result of accidents outside of the city limits, which consequently increased the rate of 22.7 for accidents within the city to 65.5 for total automobile accidents. Likewise the rates for Nashville and Trenton were increased from 22.9 to 46.3 and 9.7 to 33.1, respectively.

Among 14 of the 93 major cities, the death rates for all automobile accidents in 1932 more than doubled the rates for automobile accidents within city limits, the cities being Albany, Camden, Chattanooga, Evansville, Grand Rapids, Norfolk, Peoria, Reading, Richmond, Tampa, Trenton, Utica, Wichita, and Wilmington, Del. For 16 other cities the rates were at least higher per 100,000 population, but on the other hand the rates for 7 cities were higher by less than 2.

Table BO	AUTOMOBILE ACCIDENTS (EXCLUDING COLLISIONS WITH RAILROAD TRAINS AND STREET CARS)																			
AREA	occurred in specified area estimated population oc						rate fr curred													
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Alabama	405	472	459	445	375	401	466	456	441	365	15. 1	17. 7	17. 3	17. 0	14. 4	15. 0	17. 5	17. 2	16. 8	14. 1
Arizona.	162	149	181	153	123	161	149	191	150	123	36. 2	33. 6	41. 3	35. 7	29. 4	35. 9	33. 6	41. 3	35. 0	29. 4
Arkansas	260	313	306	282	211	249	302	299	279	207	13. 9	16. 8	16. 5	15. 3	11. 5	13. 3	16. 2	16. 1	15. 1	11. 3
California.	2, 198	2, 367	2, 193	2, 100	1,755	2, 193	2, 364	2, 191	2, 098	1, 753	37. 0	40. 5	38. 3	38. 1	33. 2	36. 9	40. 4	38. 2	38. 1	33. 1
Colorado	284	319	271	258	221	283	317	270	256	217	27. 1	30. 6	26. 1	25. 1	21. 7	27. 0	30. 4	26. 0	24. 9	21. 3
Connecticut Delaware Florida Georgia Idaho	409	457	407	433	407	404	453	402	428	401	25. 0	28. 1	25. 2	27. 2	26. 0	24. 7	27. 9	24. 9	26. 9	25. 6-
	79	76	74	57	75	78	74	74	57	75	32. 9	31. 7	31. 0	24. 0	31. 8	32. 5	30. 8	31. 0	24. 0	31. 8
	485	518	563	488	404	483	514	559	485	404	31. 7	34. 4	38. 0	34. 1	29. 2	31. 6	34. 1	37. 8	33. 9	29. 2-
	541	608	562	527	468	531	594	551	518	466	18. 6	20. 9	19. 3	18. 1	16. 1	18. 2	20. 4	18. 9	17. 8	16. 0-
	86	88	109	81	90	81	86	107	79	89	19. 2	19. 7	24. 5	18. 2	20. 3	18. 1	19. 3	24. 0	17. 8	20. 1
Illinois. Indiana. Iowa Kansas Kentucky	845 422 386	2, 049 1, 023 564 402 514	1,945 965 601 439 477	1, 685 897 404 373 389	1, 743 784 329 304 342	1, 824 834 415 373 434	2, 033 1, 008 556 395 507	1, 926 953 582 436 471	1, 676 888 399 367 385	1, 730 776 320 298 335	23. 6 25. 8 17. 0 20. 4 16. 7	26. 5 31. 4 22. 8 21. 3 19. 5	25 4 29. 7 24. 3 23. 3 18. 2	22. 3 27. 9 16. 4 19. 9 15. 0	23. 4 24. 6 13. 4 16. 3 13. 3	23. 5 25. 5 16. 7 19. 7 16. 5	26. 3 30. 9 22. 5 20. 9 19. 3	25. 1 29. 4 23. 5 23. 1 18. 0	22. 2 27. 6 16. 2 19. 6 14. 8	23. 3- 24. 4 13. 0- 16. 0- 13. 0-
Louisiana	341	412	371	373	348	339	408	369	371	347	15. 9	19. 4	17. 6	17. 9	17. 0	15. 9	19. 2	17. 4	17. 8	16. 9·
Maine	149	159	159	151	115	148	159	158	151	115	18. 6	19. 9	19. 9	19. 0	14. 5	18. 5	19. 9	19. 8	19. 0	14. 5·
Maryland	410	466	449	382	343	403	459	444	379	340	24. 8	28. 3	27. 4	23. 6	21. 4	24. 4	27. 9	27. 1	23. 4	21. 2
Massachusetts	777	813	779	781	724	771	796	771	771	715	18. 1	19. 0	18. 3	18. 5	17. 3	17. 9	18. 6	18. 1	18. 3	17. 1
Michigan	1, 143	1, 407	1, 384	1,411	1, 247	1, 139	1, 399	1, 380	1, 406	1, 245	22. 9	28. 5	28. 4	29. 7	26. 9	22. 9	28. 4	28. 3	29. 6	36. 8·
Minnesota	486	622	561	505	435	482	617	548	502	434	18.8	24. 1	21. 8	19.8	17. 2	18. 6	23. 9	21. 3	19. 7	17. 1
Mississippi	234	284	332	284	253	233	278	328	281	247	11.5	14. 0	16. 5	14.2	12. 8	11. 4	13. 7	16. 3	14. 1	12. 5
Missouri	690	844	739	651	625	676	826	727	639	614	18.9	23. 1	20. 3	18.0	17. 4	18. 5	22. 7	20. 0	17. 7	17. 1
Montana	96	118	100	114	118	96	117	100	114	118	17.9	21. 9	18. 6	21.2	21. 9	17. 9	21. 8	18. 6	21. 2	21. 9
Nebraska	212	291	286	265	217	208	287	279	261	214	15.3	21. 0	20. 7	19.3	15. 9	15. 0	20. 7	20. 2	19. 0	15. 7

Including District of Columbia.
 See table A. The States of 1910 exclude North Carolina.
 Not in registration area.

⁴ Less than one-tenth of 1 per 100,000 estimated population.
⁵ Not available.

Note.—"Cities" include municipalities of 10,000 population or more in 1930 and in some States certain towns and townships having populations of 10,000 or more with a population density of 1,000 or more per square mile.

Table BO—Continued	AUTOMOBILE ACCIDENTS (EXCLUDING COLLISIONS WITH BAILEOAD TRAINS AND STREET CARS) Total deaths Deaths from accidents which Total death rate per 100,000 Death rate from accidents which																			
AREA		то	tal dea	ths	·				lents v ified a		Tot	al deati estimat	rate pop	er 100,0 ulation	00		n rate fr curred			
	1932	1931	1930	1929	1928	1932	1931	1920	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
Nevada	59 70 1, 105 97 2, 813	63 100 1, 229 95 3, 077	111	45 98 1, 209 97 2, 977	(1) 76 1, 015 (1) 2, 554	96	94	30 97 1, 200 108 3, 023	43 86 1, 195 96 2, 951	(1) 67 1, 012 (1) 2, 537	63. 4 15. 0 26. 6 22. 5 21. 9	68. 5 21. 4 29. 9 22. 2 24. 1	37. 4 22. 1 29. 8 26. 1 24. 1	50. 0 21. 1 30. 4 23. 2 24. 0	(1) 16. 5 26. 1 (1) 20. 9	59, 1 14, 5 26, 4 22, 3 21, 8	66. 3 19. 7 29. 7 22. 0 24. 0	33. 0 20. 8 29. 5 25. 4 23. 9	47. 7 18. 5 30. 1 22. 9 23. 7	(1) 14. 5 26. 0 (1) 20. 8
North Carolina North Dakota Ohio Oklahoma	558 57 1, 822 437	650 110 1,970 404	629 79 2, 019 483	611 88 1, 990 487	577 79 1, 708 330	553 53 1, 795 436	644 107 1, 949 401	623 77 1, 994 482	611 88 1, 980 486	575 78 1, 694 329	17. 2 8. 3 27. 0 17. 9	20. 2 16. 1 29. 3 16. 7	19. 7 11. 6 30. 3 20. 1	19. 5 13. 0 30. 2 20. 6	18. 8 11. 7 26. 3 14. 1	17. 0 7. 7 26. 6 17. 9	20. 0 15. 7 29. 0 16. 7	19. 6 11. 3 29. 9 20. 0	19. 5 13. 0 30. 1 20. 5	18.8 11.6 26.1 14.1
Oregon Pennsylvania Rhode Island South Carolina South Dakota	2, 043 101 329	292 2, 412 116 380 116	253 2, 422 123 370 112	221 2, 159 146 350 (¹)	1, 882 1, 882 154 251 (¹)	221 2, 022 93 328 99	285 2, 401 110 380 116	248 2, 407 114 365 110	220 2, 136 144 346 (¹)	246 1, 862 148 251 (¹)	22. 9 21. 0 14. 5 18. 9 14. 4	30. 2 24. 9 16. 7 21. 8 16. 6	26. 4 25. 1 17. 8 21. 3 16. 1	23. 5 22. 6 21. 4 20. 2	26. 9 19. 9 22. 9 14. 5 (1)	22. 7 20. 8 13. 3 18. 8 14. 1	29. 5 24.8 15. 9 21. 8 16. 6	25. 9 24. 9 16. 5 21. 0 15. 9	23. 4 22. 3 21. 1 19. 9	26. 6 19. 7 22. 0 14. 5 (¹)
Tennessee Utah Vermont Virginia	115	547 . 157 71 656	526 130 71 518	480 133 64 457	382 123 69 412	439 114 62 551	518 110 70 645	520 129 68 505	463 133 64 449	360 120 68 406	17. 9 22. 3 17. 5 23. 0	20. 7 30. 7 19. 7 27. 0	20. 1 25. 5 19. 7 21. 4	18. 5 26. 4 17. 8 18. 9	14.9 24.7 19.3 17.1	16. 6 22. 1 17. 2 22. 6	19. 6 21. 5 19. 4 26. 5	19.8 25.3 18.9 20.8	17.8 26.4 17.8 18.6	14. 0 24. 1 19. 0 16. 9
Washington West Virginia Wisconsin Wyoming	413 332 624 78	461 427 731 98	413 395 712 72	441 318 612 73	424 283 620 59	413 319 616 78	460 413 725 96	412 392 707 72	441 311 609 73	423 275 620 58	26. 0 18. 9 21. 0 34. 1	29. 2 24. 4 24. 7 43. 0	26. 3 22. 8 24. 2 31. 9	28. 5 18. 6 21. 0 32. 7	27. 7 16. 8 21. 5 26. 8	26. 0 18. 1 20. 7 34. 1	29. 1 23. 6 24. 5 42. 1	26. 3 22. 6 24. 0 31. 9	28. 5 18. 2 20. 9 32. 7	27. 7 16. 3 21. 5 26. 3
CITIES OF 100,000 POPULATION OR MORE IN 1930	. 80	77	100	90	83	56	55	80	85	20	30.3	29.3	39.1	35. 5	35. 7	21, 2	20.9	31. 3	25, 7	26.7
Akron Albany Atlanta Baltimore Birmingham	35 99 201	77 45 95 226 82	48 87 206 70	35 89 198 76	39 71 185 63	13 79 137 53	55 17 74 156 57	22 76 135 44	65 16 73 143 49	62 17 64 128 34	35. 7 24. 7 27. 9	34. 9 34. 2 27. 8 30. 4	37. 6 32. 0 25. 5 26. 8	27. 7 33. 4 24. 8 29. 9	31. 2 27. 2 23. 3 25. 6	10. 1 28. 5 16. 8 19. 7	20. 9 13. 2 26. 7 19. 2 21. 2	17. 2 28. 0 16. 7 16. 8	12. 7 27. 4 17. 9 19. 3	13. 6 24. 6 16. 1 13. 8
Boston Bridgeport Buffalo Cambridge Camden	132	148 59 153 28 104	120 40 175 30 92	145 39 184 31 94	138 44 151 26 77	131 21 99 15 27	119 42 107 23 37	109 26 135 20 27	133 26 136 20 44	127 32 129 21 30	19. 2 18. 4 22. 7 19. 3 65. 5	18. 8 40. 1 26. 3 24. 5 87. 4	15. 3 27. 2 30. 5 26. 4 77. 4	18.6 26.6 32.4 27.3 79.3	17, 8 30, 1 26, 9 23, 0 65, 1	16. 7 14. 3 17. 0 13. 1 22. 7	15. 2 28. 6 18. 4 20. 2 31. 1	13. 9 17. 7 23. 5 17. 6 22. 7	17. 1 17. 7 23. 9 17. 6 37. 1	16. 4 21. 9 23. 0 18. 6 25. 4
Canton Chattanooga Chicago Cincinnati Cleveland	846	28 59 953 149 286	23 46 841 167 303	43 30 768 150 312	28 45 884 132 273	23 11 800 87 244	16 30 920 114 266	12 30 802 128 266	34 20 729 121 294	(2) 30 846 111 259	30. 0 21. 2 24. 5 27. 1 28. 7	26. 2 48. 3 27. 6 32. 6 31. 4	21. 8 38. 3 24. 8. 36. 9 33. 6	41. 4 38. 0 23. 1 33. 5 34. 9	28. 1 57. 9 27. 1 29. 8 30. 9	21. 6 9. 0 23. 1 19. 0 26. 7	15. 0 24. 5 26. 6 24. 9 29. 2	11. 4 25. 0 23. 6 28. 3 29. 5	32.8 25.3 21.9 27.0 32.9	(2) 38. 6 25. 9 25. 1 29. 3
Columbus	58 86	121 81 75 86 43	135 78 71 80 46	117 67 75 69 33	100 66 64 55 25	69 49 39 67 33	83 65 49 63 29	109 64 46 58 35	87 51 54 51 27	69 47 46 39 22	33. 5 26. 0 28. 3 29. 5 31. 1	40. 9 29. 7 36. 7 . 29. 5 29. 8	46. 3 29. 7 35. 2 27. 7 32. 2	40. 7 26. 4 38. 0 24. 2 23. 3	35. 3 27. 0 33. 2 19. 5 17. 9	23.3 17.9 19.0 23.0 22.8	28. 1 23. 8 24. 0 21. 6 20. 1	37. 4 24. 4 22. 8 20. 1 24. 5	30. 2 20. 1 27. 3 17. 9 19. 1	24. 4 19. 2 23. 9 13. 8 15. 7
Detroit Duluth Elizabeth El Paso Erie	. 1 30	372 29 37 23 45	384 29 42 48 46	392 34 42 29 38	360 13 33 36 31	284 17 25 19 28	321 18 23 15 33	346 21 30 35 31	369 27 28 25 24	332 (2) (2) 24 (2)	19. 6 21. 6 33. 4 28. 6 30. 6	22. 5 28. 5 31. 7 21. 9 38. 2	24. 2 28. 6 36. 5 46. 6 39. 6	25. 8 33. 6 37. 1 28. 7 33. 1	24. 8 12. 9 29. 6 36. 4 27. 3	17. 3 16. 7 21. 4 18. 1 23. 8	19. 4 17. 7 19. 7 14. 3 28. 0	21. 8 20. 7 26. 1 34. 0 26. 7	24. 3 26. 7 24. 7 24. 8 20. 9	22, 9 (2) (2) 24, 2 (2)
Evansville	38 30	30 17 53 35 55	35 17 50 30 56	30 21 49 38 55	19 24 42 27 44	12 11 21 24 42	21 7 33 18 42	22 9 26 19 45	18 14 29 19 45	10 14 (2) 15 31	24. 0 17. 3 23. 2 25. 3 33. 4	28. 8 14. 7 32. 3 29. 5 32. 9	34. 1 14. 7 31. 6 26. 0 34. 1	29. 7 18. 2 32. 2 33. 6 34. 1	19.1 20.7 28.7 24.5 27.7	11. 5 9. 5 12. 8 20. 2 25. 1	20. 1 6. 1 20. 1 15. 2 25. 1	21. 4 7. 8 16. 5 16. 4 27. 4	17.8 12.1 19.1 16.3 27.9	10.1 12.1 (2) 13.6 19.5
Gary Grand Rapids Hartford Houston Indianapolis	50 64	45 36 55 101 156	38 47 37 101 134	47 44 49 115 129	35 33 51 71 120	18 14 25 46 68	36 17 25 60 118	25 28 15 74 98	39 17 21 67 107	27 22 26 42 92	26. 5 16. 9 29. 9 20. 6 26. 8	42. 5 21. 0 32. 9 32. 6 42. 2	37. 4 27. 8 22. 5 34. 2 36. 7	48. 4 26. 4 30. 2 40. 6 35. 8	37. 7 20. 1 31. 9 26. 2 33. 8	17. 0 8. 2 15. 0 14. 8 18. 4	34. 0 9. 9 15. 0 19. 4 31. 9	24. 6 16. 5 9. 1 25. 1 26. 8	40. 1 10. 2 12. 9 23. 6 29. 7	29. 1 13. 4 16. 3 15. 5 25. 9
Jacksonville, Fla Jersey City. Kansas City, Kans Kansas City, Mo Knoxville	58	56 43 24 137 41	45 55 36 118 40	53 73 14 82 47	38 48 18 96 32	37 51 22 74 15	39 39 16 105 25	32 49 24 87 19	36 65 11 67 24	(2) 45 13 71 20	42.1 18.2 29.3 21.8 25.6	42. 5 13. 5 19. 5 33. 5 37. 5	34. 6 17. 3 29. 5 29. 4 37. 6	41. 4 23. 1 11. 6 20. 8 45. 3	30. 1 15. 3 15. 0 24. 8 31. 7	26. 9 16. 0 17. 9 18. 1 13. 7	29. 6 12. 2 13. 0 25. 7 22. 9	24. 6 15. 4 19. 7 21. 7 17. 8	28. 1 20. 6 9. 1 17. 0 23. 1	(2) 14. 4 10. 8 18. 4 19. 8
Long Beach Los Angeles Louisville Lowell Lynn	486	60 488 109 22 14	48 417 87 23 19	57 430 86 18 15	27 337 80 17 16	41 423 55 13 9	50 464 83 17 10	40 401 60 16 14	50 390 62 15 9	(2) 299 59 13 12	36. 0 36. 8 27. 0 21. 9 11. 7	39. 4 37. 0 35. 4 21. 9 13. 6	33. 4 33. 3 28. 3 22. 9 18. 6	41.7 36.0 28.0 17.7 14.7	20. 9 29. 7 26. 1 16. 5 15. 7	26. 9 32. 0 17. 5 13. 0 8. 8	32.8 35.2 26.9 17.0 9.7	27. 8 32. 0 19. 5 16. 0 13. 7	36. 6 32. 7 20. 2 14. 8 8. 8	(2) 26. 4 19. 2 12. 6 11. 8
Memphis	97 91 72	100 59 108 114 71	87 54 110 110 64	82 44 112 108 64	80 34 127 89 43	54 32 79 70 36	49 49 88 89 44	43 45 92 88 41	47 41 98 98 98 35	43 (2) 110 82 23	39. 0 37. 2 16. 3 19. 2 46. 3	38. 6 52. 4 18. 2 24. 1 45. 7	34.3 48.6 19.0 23.6 41.5	39.9 38.2 19.6 23.5 41.8	39.6 28.0 22.9 19.7 30.1	20.8 29.8 13.3 14.8 23.2	18. 9 43. 6 14. 8 18. 8 28. 3	16. 9 40. 5 15. 9 18. 9 26. 6	22. 9 35. 6 17. 2 21. 4 22. 9	21. 3 (2) 19. 8 18. 2 16. 1
Newark, N.J. New Bedford. New Haven. New Orleans. New York.	98 20 53 91 1, 163	106 16 51 126 1, 299	139 18 45 120 1,310	126 11 62 124 1,342	117 20 49 114 1,120	88 14 31 63 1,145	93 8 26 89 1, 284	121 10 25 91 1, 291	121 9 40 103 1,328	112 11 23 94 1, 110	22. 0 17. 8 32. 6 19. 5 16. 4	23.8 14.2 31.3 27.0 18.3	31. 4 16. 0 27. 7 26. 1 18. 8	28. 6 9. 7 38. 1 27. 3 19. 6	26. 7 17. 5 30. 1 25. 5 16. 7	19.7 12.4 19.1 13.5 16.2	20. 9 7. 1 16. 0 19. 0 18. 1	27. 3 8. 9 15. 4 19. 8 18. 5	27. 5 7. 9 24. 6 22. 7 19. 4	25. 6 9. 6 14. 1 21. 1 16. 6

Table BO—Continued				AUT	омові	LE ACC	IDENTS	(EXC	UDING	COLLIS	W SKIOIS	ITH RA	LROAD	TRAINS	AND S	rreet (CARS)			
AREA		Tot	al dea	ths				a accid in spec			To		h rate p ed pop		10 0		rate fro curred			
	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928	1932	1931	1930	1929	1928
CITIES OF 100,000 POPULATION OR MORE IN 1930—contd.																				
NorfolkOaklandOklahoma CityOmahaPaterson	66	44 101 55 66 52	24 111 76 58 50	28 85 59 60 59	25 72 34 45 57	14 57 36 42 32	35 91 30 53 37	17 103 62 45 26	19 81 47 46 34	15 63 (2) 35 41	27. 8 21. 9 33. 6 20. 3 40. 3	33. 9 34. 6 27. 9 30. 5 37. 5	18. 5 38. 9 . 40. 5 27. 0 36. 1	21. 4 30. 5 33. 0 28. 3 42. 6	18. 9 26. 4 20. 2 21. 4 41. 3	10. 8 19. 5 18. 3 19. 4 23. 1	27. 0 31. 1 15. 2 24. 5 26. 7	13. 1 36. 1 33. 0 21. 0 18. 8	14. 5 29. 0 26. 3 21. 7 24. 6	11. 3 23. 1 (²) 16. 6 29. 7
PeoriaPhiladelphiaPittsburghPortland, OregProvidence	21 321 159 74 51	33 354 218 95 52	30 377 228 71 72	30 381 197 56 69	34 318 160 64 77	8 307 116 56 34	21 343 170 72 33	21 356 181 57 42	18 356 150 39 40	24 299 120 48 46	19. 4 16. 3 23. 5 24. 1 20. 0	30. 4 18. 0 32. 2 30. 9 20. 4	28. 4 19. 3 34. 0 23. 4 28. 4	29. 2 19. 6 29. 6 18. 7 27. 4	34. 0 16. 5 24. 2 21. 8 30. 8	7. 4 15. 6 17. 2 18. 2 13. 3	19. 4 17. 4 25. 1 23. 5 12. 9	19. 9 18. 2 27. 0 18. 8 16. 6	17. 5 18. 3 22. 5 13. 1 15. 9	24. 0 15. 5 18. 1 16. 4 18. 4
Reading	35 67 62 156 84	28 90 76 180 87	28 59 80 175 76	32 51 58 172 69	30 52 68 205 58	13 32 33 143 68	13 41 42 159 69	14 33 55 154 56	20 30 40 152 51	15 34 56 188 47	31. 4 36. 4 18. 7 18. 8 30. 4	25. 1 48. 8 22. 9 21. 7 31. 5	25. 2 32. 2 24. 3 21. 3 27. 9	28. 8 28. 0 17. 8 21. 0 25. 7	27. 0 28. 7 21. 1 25. 2 21. 9	11.6 17.4 9.9 17.3 24.6	11. 6 22. 2 12. 7 19. 2 25. 0	12. 6 18. 0 16. 7 18. 7 20. 6	18. 0 16. 5 12. 3 18. 6 19. 0	13. 6 18. 8 17. 3 23. 1 17. 7
Salt Lake City San Antonio San Diego San Francisco Scranton	50 68 132	50 63 66 126 36	44 66 77 133 44	58 72 62 119 49	45 64 63 138 33	32 38 57 114 27	34 40 60 123 30	31 43 72 133 29	36 53 60 107 30	33 46 (2) 129 21	40. 5 20. 8 43. 5 20. 3 22. 2	35. 0 26. 2 42. 2 19. 4 25. 0	31. 3 28. 3 51. 5 20. 9 30. 6	41. 8 31. 8 43. 3 19. 0 34. 3	33. 0 29. 1 46. 0 22. 5 23. 2	22. 4 15. 8 36. 4 17. 5 18. 7	23. 8 16. 7 38. 4 18. 9 20. 8	22. 0 18. 4 48. 2 20. 9 20. 2	26.0 23.4 41.9 17.1 21.0	24. 2 21. ((²) 21. 1 14. 7
SeattleSomervilleSouth BendSpokaneSpringfield, Mass	11 32	116 7 34 42 33	83 9 35 23 46	104 18 34 34 40	90 18 34 26 26	68 10 20 21 19	89 7 24 27 22	70 9 26 17 33	84 15 27 20 18	69 17 24 17 17	21. 5 10. 5 29. 6 21. 5 18. 4	31. 2 6. 7 31. 5 36. 1 21. 7	22. 6 8. 6 33. 3 19. 9 30. 6	28. 7 17. 5 33. 4 29. 6 27. 0	25. 2 17. 6 34. 4 22. 8 17. 8	18. 3 9. 5 18. 5 18. 1 12. 5	23. 9 6. 7 22. 2 23. 2 14. 4	19. 1 8. 6 24. 8 14. 7 21. 9	23. 2 .14. 5 26. 5 17. 4 12. 1	19. 8 16. 7 24. 8 14. 9
Syracuse Tacoma Tampa Toledo Trenton	28 109	70 32 43 120 56	61 42 30 107 57	59 26 36 106 58	59 38 22 85 50	20 37 14 60 12	41 21 22 77 12	31 27 24 68 15	40 20 28 65 18	38 31 (2) 55 21	18. 3 41. 7 26. 7 36. 7 33. 1	32.8 29.7 41.0 40.4 45.2	29. 0 39. 3 29. 4 36. 7 46. 2	28. 5 24. 5 36. 4 36. 8 47. 1	28. 9 36. 0 23. 0 29. 9 40. 8	9. 4 34. 3 13. 3 20. 2 9. 7	19. 2 19. 5 21. 0 25. 9 9. 7	14. 8 25. 2 23. 6 23. 3 12. 1	19. 3 18. 8 28. 3 22. 6 14. 6	18.6 29.4 (2) 19.8 17.1
Tulsa: Utica Washington, D.C Wichita	34 29 186 21	33 35 161 22	50 26 138 40	37 25 117 39	31 24 124 19	26 13 115 8	26 16 89 13	38 11 79 24	25 19 81 22	(2) 14 79 10	23. 3 28. 3 37. 7 18. 2	22. 6 34. 2 32. 8 19. 0	35. 2 25. 5 28. 3 35. 7	27. 1 24. 7 24. 2 36. 0	26. 1 23. 8 25. 9 18. 2	17.8 12.7 23.3 6.9	17. 8 15. 6 18. 1 11. 2	26. 8 10. 8 16. 2 21. 4	18. 3 18. 7 16. 8 20. 3	(2) 13. 9 16. 8 9. 6
Wilmington, Del Worcester Yonkers Youngstown	36 31 17 41	38 37 24 69	40 53 19 64	33 33 27 88	49 35 19 63	15 26 15 28	18 27 23 50	19 35 17 47	17 22 25 65	28 22 17 48	33. 8 15. 7 12. 2 23. 7	35. 6 18. 8 17. 3 39. 9	37. 5 27. 1 14. 0 37. 5	30. 9 17. 0 20. 4 57. 4	45.7 18.2 14.8 41.6	14. 1 13. 2 10. 8 16. 2	16. 9 13. 7 16. 6 28. 9	17. 8 17. 9 12. 5 27. 6	15. 9 11. 3 18. 9 42, 4	26. 1 11. 4 13. 2 31. 7

1 Not in registration area.

² Not available.

Although there has been a marked reduction between 1920 and 1932 in the percentage of deaths from automobile accidents among children, the increase in the mortality from this cause among aged persons has been notable.

Table BP gives the percent of deaths of children and of persons at old ages, to deaths at all ages from automobile accidents in the registration States of 1920.

Table BP	PERCEN DENTS AT AG	1 IN TH			JTOMOBII STATES C	
YEAR	Under 5 years	5 to 9 years	10 to 14 years	Under 15 years	65 to 74 years	75 years and over
1932 1931 1930 1929 1928 1928 1927 1926 1924 1924 1923 1922 1921 1921	4. 4 4. 7 5. 4 5. 6 6. 0 6. 5 7. 0 7. 3	6.3 7.2 7.5 8.5 9.5 11.1 12.3 13.4 13.8 15.5 16.8	3.89 4.99 4.99 5.62 6.95 7.85	14. 6 15. 6 16. 1 18. 3 20. 1 22. 2 23. 4 24. 5 26. 5 29. 7 31. 2	10. 5 10. 1 10. 5 10. 1 9. 9 9. 8 9. 4 9. 4 8. 8 8. 4 8. 2 7. 3	5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.

¹ Excludes deaths in collisions with railroad trains and street cars. ² See table A.

For the registration States of 1920 the percent of deaths of children under 5 years of age decreased from

7.9 in 1920 to 4.4 in 1932, for those from 10 to 14 years, from 8.5 to 3.9; and for children from 5 to 9 years of age the percent steadily decreased from 16.8 to 6.3. For all children under 15 the percent of deaths fell from 33.1 in 1920 to 14.6 in 1932. In contrast to this, the percent of deaths among persons 75 years of age and over increased from 3.9 in 1920 to 5.8 in 1932, and among those from 65 to 74 years of age the increase was almost continuous from 7.3 to 10.5.

ILL-DEFINED CAUSES OF DEATH

The marked improvement since 1900 in the certification of causes of death is shown in table BQ.

Although the percent of total deaths classified as due to unknown or ill-defined diseases by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification. The percent of transcripts of death certificates showing unknown or ill-defined diseases in the registration area fell from 4.2 in 1900 to 1.6 in 1932, and the death rate fell from 73.8 per 100,000 population in 1900 to 17.5 in 1932.

Death rates from these causes are given to enable one to estimate more easily the probable effects of these declining rates on rates for other causes. (See also on p. 45 death rates from old age.)

Table BQ STATE AND YEAR ADMITTED			OR ILL-	FINE 100,0	WN OR	
	Year admit- ted ¹	1932	1931	Year admit- ted 1	1932	1931
Registration area 2	4.2	1.6	1.7	73.8	17. 5	18.9
Alabama, 1925	9. 6	8.8	8. 5	111. 2	91. 2	90. 7
Arizona, 1926	3. 5	4.2	4. 6	48. 4	51. 1	63. 7
Arkansas, 1927	6. 1	7.6	5. 9	61. 0	66. 0	56. 9
California, 1906	2. 1	0.1	0. 2	29. 3	1. 7	1. 8
Colorado, 1906	1. 3	0.4	0. 5	17. 6	4. 7	6. 0
Connecticut, 1890	1. 5	0.3	0.3	27. 6	3. 2	3. 4
	0. 3	0.2	0.2	5. 0	2. 5	2. 9
	5. 5	3.0	3.3	68. 3	35. 5	39. 6
	5. 1	6.9	5.8	54. 5	76. 6	65. 6
	2. 2	1.0	1.5	18. 6	8. 5	13. 5
Illinois, 1918	0.5	0. 2	0.5	8. 0	2.1	5. 2
	6.1	0. 1	0.1	86. 5	0.8	0. 8
	0.6	0. 4	0.6	6. 3	4.3	5. 8
	1.8	0. 5	0.5	18. 7	5.2	5. 2
	3.8	1. 5	1.5	49. 7	16.8	16. 8
Louisiana, 1918	5.5	1.8	1.8	62. 4	19.3	19. 5
Maine, 1900		1.0	0.9	93. 4	14.0	12. 0
Maryland, 1906		0.3	0.3	68. 0	3.3	4. 5
Massachusetts, 1880		0.1	0.2	65. 6	1.3	1. 8
Michigan, 1900		0.3	0.3	66. 6	3.1	3. 0
Minnesota, 1910	2.1	0.3	0.3	22. 7	2.8	3. 4
	11.1	13.7	12.2	140. 1	136.6	132. 1
	1.7	0.6	0.7	23. 0	7.4	8. 0
	1.9	0.9	1.3	20. 3	8.6	12. 8
	1.3	0.6	0.7	13. 3	5.3	6. 3
Nevada, 1929	2. 7	1.8	2.4	35. 5	25. 8	34.8
New Hampshire, 1890	6. 0	0.3	0.3	111. 1	3. 8	3.4
New Jersey, 1880	4. 2	0.2	0.2	75. 1	1. 6	1.6
New Mexico, 1929	21. 0	25.5	24.2	322. 2	353. 4	348.6
New York, 1890	3. 1	0.1	0.1	56. 5	0. 6	0.7
North Carolina, 1916 3	8. 5	4.5	7.2	110. 0	43.3	74. 0
North Dakota, 1924	3. 1	1.7	1.9	23. 0	12.7	14. 1
Ohio, 1909	1. 1	0.3	0.3	14. 4	3.3	3. 9
Oklahoma, 1928	3. 4	1.5	2.4	30. 9	12.0	18. 2
Oregon, 1918	0. 5	0.3	0.2	6. 0	3.6	2. 3
Pennsylvania, 1906	2.8	0. 4	0. 4	44. 1	4. 4	4. 5
	2.0	0. 3	0. 2	40. 3	3. 4	2. 2
	4.8	6. 8	6. 4	66. 2	78. 1	78. 0
	10.1	2. 8	2. 4	85. 2	22. 9	19. 8
Tennessee, 1917	6. 6	7. 0	7. 1	88. 4	75. 6	76. 5
	3. 4	2. 1	2. 5	36. 8	17. 7	21. 5
	5. 4	0. 4	0. 5	89. 6	5. 0	6. 4
	8. 8	2. 4	2. 5	121. 2	28. 7	31. 3
Washington, 1908	2. 2	0.6	0.6	20.4	5.9	6. 1
West Virginia, 1925	0. 2	0.4	0.3	1.7	4.1	3. 4
Wisconsin, 1908	2. 9	0.2	0.3	34.0	2.4	2. 7
Wyoming, 1922	2. 1	1.3	1.2	19.8	11.4	10. 5
District of Columbia, 1880	2.0	(5)	(5)	44.8	0.6	0.4

tion or more.

⁴ Dropped from the registration area in 1910, readmitted in 1930.

⁵ Less than one-tenth of 1 per 100,000 population.

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 live births is commonly spoken of as the infant mortality rate.

Therefore, in the text and tables of the census report on Births, Stillbirths, and Infant Mortality Statistics, 1930, infant mortality tables are shown for the birth registration area, which is identical with the death registration area, except that it does not include the eight cities in Texas.

Table BR gives mortality rates per 1,000 estimated population under 1 year of age, for the registration States of 1900 and 1910, and shows the improvement which has taken place in the rates for the first year of life in the various States.

Table BR	FOR OF A	LUSIVE CHILDRE: GE, PER	OF STILI N UNDER 1,000 ES	CAUSES BIRTHS), 1 YEAR TIMATED YEAR OF
	1930	1920	1910	1900
Registration States of 1900 1	68. 1	105. 7	141.5	162. 2
Carolina)	68.6	100.8	132. 0	
REGISTRATION STATES OF 1910 (EXCLUSIVE OF NORTH CAROLINA)				
California	91. 5 63. 0	91. 5 101. 9 103. 1 95. 8	91.6 104.2 142.9	(2) (2) 177. 7
Indiana Maine	62. 8 85. 2	119.9	106. 9 140. 5	114.1 154.4
Maryland Massachusetts Michigan Minnesota Montana	68.3 69.5 56.7	125. 6 111. 0 108. 9 75. 4 66. 3	151. 9 160. 6 126. 8 92. 3 89. 2	(2) 189. 6 133. 1 (2) (2)
New Hampshire	63. 0 68. 4 65. 9	110. 8 102. 4 104. 7 91. 0 109. 2	165. 1 148. 3 143. 5 115. 5 149. 6	176. 0 180. 5 167. 4 (2) (2)
Rhode Island Utah Vermont Washington Wisconsin	64.1 69.1	108. 3 83. 4 109. 0 72. 5 84. 5	181. 2 82. 1 109. 6 84. 1 108. 0	215. (2) 126. 5 (2) (2)
District of Columbia	108.9	120.9	193.7	284. 6

See table A.

² Not in registration area.

¹ For States admitted prior to 1900, and for the registration area, the figure shown is for 1900, the first year of the annual reports.

² In continental United States. The area was established in 1880.

³ From 1910 to 1916 returns were received only from municipalities of 1,000 popula-

ACCURACY OF STATISTICS OF CAUSES OF DEATH

It is obvious that the cause of death cannot be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the cause of death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would result in an incorrect classification of the cause of death, not only with reference to the title of the International List of Causes of Death, but also with reference to the class or group of causes into which the list is divided.

Practically all systems of classification in present use are based on the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause of death, one of them must be selected as the cause under which the death shall be classified. One of the principal difficulties in classifying causes of death according to the International List is the fact that every year the names of two or more diseases appear on each of several hundred thousand transcripts of death certificates received by the Bureau of the Census. In many cases no dependence can be placed upon the order in which the terms are written, nor can the compiler rely on the statements "cause of death" or "contributory cause", since these terms are sometimes used with diametrically opposed meanings by physicians.

In its effort to improve the statement of cause of death, the Bureau of the Census, at the beginning of the annual collection of mortality statistics, sent to every physician in the country a copy of the pamphlet, "Relation of Physicians to Mortality Statistics", which, later, was superseded by the "Physicians' Pocket Reference to the International List of Causes of Death." The purposes of these pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death; and, second, to emphasize the fact that the value of statistics of causes of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List are included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

Tables BS, BT, and BU show the results obtained in 1932 by sending queries to physicians.

Table BS	DEAT	HS IN 19	32	Table BS—Con.	DEAT	HS IN 19	32
AREA	All	Cau quer		AREA	All	Cau quer	
	causes	Num- ber	Per- cent		causes	Num- ber	Per
The registration area 1 Alabama Arizona Arransas California Colorado Connecticut Delaware District of Columbia Florida Georgia Idaho Illinois Indiana Ilowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Mastion area Maryland Massachusetts Michigan	27, 680 5, 420 16, 315 67, 680 12, 599 16, 962 3, 178 7, 937 18, 288 32, 128 33, 180 25, 786 19, 512 29, 059	21, 871 417 141 869 487 312 107 126 167 529 1, 045 105 614 912 477 1, 163 709 105 338 378 1, 015	1. 7 1. 5 6 5 . 6 6 2 . 5 . 6 6 4 . 0 2 . 1 9 3 . 3 7 7 0 . 4 4 . 0 0 . 1 . 6 8 0 . 2 6 0 . 2	Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Oregon Pennsylvania Rhode Island South Carolina South Carolina South Dakota Tennessee Texas ² Utah Vermont Virginia Washington West Virginia West Virginia	5, 294 12, 922 1, 342 6, 329 42, 914 5, 968 147, 824 15, 968 147, 824 10, 285 10, 277 100, 204 8, 088 15, 725 28, 888 15, 260 4, 429 4, 753 28, 888	413 102 181 51 181 548 1,225 881 1,207 1,620 22 624 203 1,076 453 (3) 98 265 100 577 318	0.1.1.3.2.1.2.0.2.1.0.6.1.1.0.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3

 1 In continental United States. 2 Nonregistration State. Cities with satisfactory registration of deaths are listed on p. 3. 3 Deaths received too late to query.

ıl List	Table BT		ES REC PHYSIC 1932		
Detailed International no.	UNSATISFACTORY TERMS	Total number	Number of changes in classification	Percent changed	International titles and subtitles (detailed list) under which the num- ber of deaths increased most as a result of queries
	Total	14, 505	9, 743	67. 2	7, 9, 11a, b, 18, 24, 34, 79a, b, 82a, d, 92, 93, 94, 95, 97, 115a, 119, 120, 131, 145a, 146, 159.
10	Croup, membranous laryn-	30	22	73. 3	105, 107a.
23	gitis. Hemorrhage of lungs (1 mo.	125	58	46.4	106b, 108, 114b.
36	+). Septicemia, sepsis, blood poisoning.	231	159	68.8	115a, 140, 145a, 154, 185, 194b.
69 78	Autointoxication, toxemia Cerebral abscess	77 147	47 89	61. 0 60. 5	119, 120. 119, 120. 11b, 24, 55d, 89a, 104b,
79a	Meningitis, cerebral and un- defined.	224	157	70.1	11b, 18, 24, 34, 89a.
79b	Cerebrospinal meningitis (undefined).	238	199	83. 6	18, 24, 89a.
81 82a 82c 82d	Scierosis	63 21 42 1,888	61 12 18 1,583	96. 8 57. 1 42. 9 83. 8	82a, 93c, 94a, 97, 131. 119. 82a, 97. 59, 81, 82a, 83, 87b, 92a, 131, 132, 186a, och 97.
83 86 87b	Paresis	460 177 33	281 124 28	61. 1 70. 1 84. 8	82a, 82d, 93c, d, 95b, 97, 131, 132. 119, 120. 97, 146.

List	Table BT—Continued		ES REC PHYSIC 1932		
International no.	UNSATISFACTORY TERMS	mber	Number of changes in classification	changes	International titles and subtitles (detailed list) under which the num- ber of deaths increased most as a result of queries
Detailed		Total number	Number in clas	Percent changes	
91b	Endocarditis (under 45 years).	133	121	91.0	91a, 92a.
95b	Acute cardiac dilatation, cardiac insufficiency.	1,167	913	78. 2	34, 91a, 92a, b, 93a, b, c, d, 94a, b, 97, 118, 131.
103 105	Hemorrhage Edema of glottis	14 5 1,907	12 1 496	85. 7 20. 0 26. 0	82a. 115a. 7 0 110 109 110 110 1570
107a 109	Bronchopneumonia	2,663	2, 506	94.1	7, 9, 11a, 108, 110, 119, 157c 9, 11a, 23, 107a, 108, 110, 111b, 119.
110 111b	Pleurisy Pulmonary congestion, ede-	164 201	87 152	53. 0 75. 6	11a, 23, 108. 10, 92a, 93c, d, 107a, 108, 109, 131.
114b	ma of lungs. Pulmonary abscess	224	138	61.6	11a, 23; 106b, 107a, 108, 109, 115a.
116 118	Stricture of esophagus Gastritis, indigestion, acute indigestion.	29 710	18 429	62. 1 60. 4	46a, 181. 46b, 75, 92a, 93c, 94a, 95b, 117a, 119, 120.
123 125b	Intestinal hemorrhage Liver trouble	7 26	4 14	57. 1 53. 8	25. 46e, 126.
127	Jaundice Peritonitis, septic perito-	, 186	137	40.0 73.7	126. 117a, 121, 122b, 139b, 140,
129 130	nitis. Acute Bright's disease, acute	944	289	30.6	145a. 8, 11b, 34, 92a, 97, 115a,
132	nephritis. Bright's disease, nephritis,	508	404	79.5	131, 146. 93c, 130, 131, 137, 146.
	uremia.				
133	Renal congestion, disease of kidneys.	5	4	80.0	131.
136b 139b	Extravasation of urine Salpingitis, pyosalpinx, pus tubes.	15 418	306	86. 7 73. 2	34, 35. 34, 35, 121, 140, 145a.
152 157a	Abscess, cellulitis	9 168	6 49	66.7 29.2	186a, 194b. 24, 87b, 107a.
158	Inanition, debility, etc. (under 1 year).	683	367	53.7	23, 34, 119, 157d, 159, 160b.
162 200a	Senility, old age Dropsy, heart failure, nat- ural causes.	28 530	16 421	57.1 79.4	93c, 97. 59, 75, 82a, 91a, 92a, 93a, b, c, d, 95b, 124b, 131.

ional	Table BU		1932	
Detailed International List no.	TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS	Total deaths (including net changes by queries)	. Net changes by queries	Per- cent changed by queries
7	Measles	1, 941	+51	+2.7
9	Whooning cough	5, 364	+105	+2.7 +2.0
11a	Influenza (with respiratory complications speci- fied).	24, 120	+393	+1.7
11b	Influenza (without respiratory complications specified)	12, 946	-1-84	+0.7
18	Epidemic cerebrospinal meningitis	1,677	+199	+13.5
24	Tuberculosis of the meninges and central nervous system.	2,317	+90	+4.0
34 35	Syphilis Gonococcus infection and other venereal dis-	10, 684	+142	+1.3
55	eases	916	+236	+34.7
36 69	Purulent infection, septicemia (nonpuerperal) ¹ . Other general diseases ¹	869 422	-155 -43	15. 1 9. 2
78	Encephalitis (nonepidemic)1	1, 293	-84	-6.1
79	Meningitis and nonepidémic cerebrospinal meningitis 1	2,359	-339	-12.6
82a	Cerebral hemorrhage 1	94,694	+1,308	+1.4
82d	Hemiplegia and other paralysis, cause unspeci- fied ¹	4,118	-1,566	-27.6
83	General paralysis of the insane 1	4, 573	-1,300 -251	-5.2
86	Convulsions (under 5 years of age)1	841	-121	-12.6
87b	Other diseases of the nervous system 1	3, 176	+102	+3.3
91a	Endocarditis, acute	2, 953 606	+71 -109	+2.5 -15.2
91b 92a	Endocarditis unspecified (under 45 years of age) Endocarditis specified as chronic and other	000	-109	-13.2
	valvular diseases	57, 358	+371	+0.7

¹ Title under which 1 or more unsatisfactory terms were queried.

	· · · · · · · · · · · · · · · · · · ·			
ional	Table BU—Continued		1932	
Detailed International List no.	TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS	Total deaths (including net changes by queries)	Net changes by queries	Percent changed by queries
93c	Chronic myocarditis and myocardial degenera-			_
95b	other and unspecified diseases of the heart 1 Arteriosclerosis (diseases of the coronary arteries	91, 181 39, 307	+554 -832	+0.6 -2.1
97	Arterioscierosis (diseases of the corollary arteries	20, 534	+99	+0.5
107a	excepted) Bronchopneumonia ¹	38, 708	+702	+ĭ. 8
108	Lobar pneumonia. Pneumonia, unspecified ¹	49, 524	+1,162	+2.4
109	Pneumonia, unspecified 1	3,776	-2,472	-39.6
110		2,618	-43	-1.6
111b	Congestion and edema of lungs, others under this title ¹	1,356	-133	-8.9
114b	Other diseases of the respiratory system 1	904	-133 -120	-6.9 -11.7
115a	Diseases of the pharynx and tonsils	4,350	+85	+2.0
118	Other diseases of the stomach (cancer excepted).	3, 670	-411	-10.1
119)	Diarrhea, and enteritis 1		+486	+2.5
120∫				
121	Appendicitis	17, 111	+64	+0.4
129	Peritonitis, cause not specified ¹	1, 507	-129	−7. 9
130	10 years of age) 1	4,323	-268	-5.8
131	Chronic penhritis	92, 051	+493	+0.5
132	Nephritis unspecified (10 years and over)	8,377	-377	-4.3
139b	Chronic nephritis Nephritis unspecified (10 years and over) 1 Other diseases of ovaries, diseases of tubes and	1		
	narametriiim l	1,723	-297	—14. 7
145a	Puerperal septicemia and pyemia	2, 761	+59	+2.2
146	Puerperal albuminuria and eclampsia	2,692	+69	+2.6
158	Congenital debility 1 Premature birth	3,860 33,143	-358 +225	-8.5 +0.7
159 162	Conjity !	10, 207	+82	+0.7 +0.8
194b	Senility 1Other accidents	3,835	+45	+1. 2
200a	Cause of death ill-defined 1	4,804	-420	-8.0
		.,		

¹ Title under which 1 or more unsatisfactory terms were queried.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis", "paralysis", "convulsions", "pneumonia", and "peritonitis"—were selected, and in cases where they had been employed without qualification, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death", the paragraph therein referring to the unsatisfactory nature of the term being marked. In Mortality Statistics, 1911 (pp. 36-38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the Bureau to improve the classifications in 57 percent of the cases covered by replies. The percent of changes in classification, based on replies received from physicians, increased to 67.2 in 1932.

In 1932, besides approximately 22,000 queries sent out from the Bureau of the Census directly to physicians, there were some 14,500 queries sent to State registrars for additional information regarding causes of death, and thousands of other queries regarding causes of death were sent to physicians by 45 State special agents and the agents in Hawaii, Puerto Rico, and the Virgin Islands.

HAWAII, PUERTO RICO, AND THE VIRGIN ISLANDS

HAWAII

(See tables, pp. 458 to 469)

The number of deaths from all causes in Hawaii in 1932 was 3,670, and the estimated population was 393,000, giving a rate of 9.3 per 1,000 population against 9.8 in 1931.

The highest death rates per 100,000 population in 1932 were from pneumonia (all forms), 99.7; diseases of the heart, 98.2; tuberculosis (all forms), 91.6; congenital malformations and diseases of early infancy, 77.6; cancer, 68.7; nephritis, 59.3; cerebral hemorrhage and softening, 48.1; and diarrhea and enteritis, under 2 years, 44.5. These eight causes account for 58.8 percent of all deaths. The death rate from nephritis decreased from 68.8 in 1931 to 59.3 in 1932; tuberculosis (all forms) from 99.2 to 91.6; diseases of the heart from 105.0 to 98.2; and congenital malformations and diseases of early infancy from 83.2 to 77.6. In fact, there was a general trend of decrease except in cancer, which increased from 57.6 in 1931 to 68.7 in 1932.

The death rate for infants under 1 year of age was 81.5 per 1,000 population in 1932 against 82.1 in 1931. In 1932 the deaths of infants under 1 year of age numbered 799, and a little more than half of these were due to diarrhea and enteritis (148), premature birth (136),

and bronchopneumonia (130).

PUERTO RICO

(See tables, pp. 470 to 478)

The number of deaths from all causes in Puerto Rico in 1932 was 35,601, and the estimated population was 1,597,500, giving a rate of 22.3 per 1,000.

The white population was 1,190,200 with a rate of 22.2. The colored population numbered 407,300 with

a rate of 22.6.

The highest death rates per 100,000 population in 1932, when Puerto Rico was admitted to the registra-

tion area, were for tuberculosis, all forms (283.4); diarrhea and enteritis, under 2 years (256.3); pneumonia, all forms (230.3); malaria (170.4); nephritis (156.6); and congenital malformations and diseases of early infancy These six causes account for 56 percent of all (151.3).deaths. With the exception of diarrhea and enteritis under 2 years, the above causes show higher rates for the colored than for the white population.

VIRGIN ISLANDS

(See tables, pp. 479 to 482)

A special census of the population of the Virgin Islands, which was taken by the Bureau of the Census in 1930, numbered 22,012, and Negroes constituted 78.3 percent of the total. Because of the continuous decrease of the population from 1860 to 1930, rates have not been computed.

There were 454 deaths in 1932: 23 of whites, 423 of Negroes, 6 of mixed, and 2 of other colored. The largest number of deaths resulted from diseases of the heart, nephritis, tuberculosis (all forms), cerebral hemorrhage, cancer, syphilis, and malaria; and these ac-

counted for 56.4 percent of all deaths. Deaths from diseases of the heart declined from 137 in 1931 to 72 in 1932, syphilis from 41 to 21, cerebral hemorrhage. Cancer, malaria, and tuberculosis (all forms) showed increases. The deaths of infants under 1 year of age numbered 74, of which 59.5 percent were due to diarrhea and enteritis, premature birth, bronchitis, and pneumonia (all forms). Deaths of infants under 1 year of age from diarrhea and enteritis decreased from 19 in 1931 to 15 in 1932.

RATE TABLES

MORTALITY STATISTICS

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR IN CITIES AND RURAL DISTRICTS: 1932

		11011,	D 1 0	OLOK IN CITIES					I		
		DEATHS	3: 1932			DEATHS	: 1932			DEATHS	: 1982
AREA AND COLOR	Estimated popula- tion July 1, 1932	Number	Rate per 1,000 popu- lation	AREA AND COLOR	Estimated popula- tion July 1, 1932	Number	Rate per 1,000 popu- lation	AREA AND COLOR	Estimated popula- tion July 1, 1932	Number	Rate per 1,000 popu- lation
The registration area in				COLORADO				OHADI			
continental United States White Colored	120, 122, 200 107, 150, 600 12, 971, 600	1, 308, 529 1, 126, 226 182, 303	10. 9 10. 5 14. 1	Total White Colored	1, 047, 000 967, 000 80, 000	12, 599 11, 771 828	12. 0 12. 2 10. 4	Total White Colored	8,000	3, 942 3, 813 129	8. 7 16. 1
Registration States 1 White	118, 858, 000 106, 259, 000	1, 293, 269 1, 115, 555	10. 9 10. 5	Cities of 10,000 or more	433, 400	6, 171	14.2	Colored	38, 400 37, 500 900	590 573 17	15. 4 15. 3 18. 9
ColoredCities of 10,000 or more!_ WhiteColoredSmaller cities and rural	12, 599, 000 57, 824, 600 52, 951, 100 4, 873, 500	177, 714 673, 342 591, 022 82, 320	11.2	White Colored Cities of 2,500 to 10,000 White Colored	408, 600 24, 800 94, 500 88, 200 6, 300	1, 620 1, 480 140	17. 1 16. 8 22. 2	Cities of 2,500 to 10,000 White Colored Rural White	92, 700 92, 000 700	1, 551 1, 532 19	16. 7 16. 7 27. 1 5. 7
areas ¹ White Colored	61, 033, 400 53, 307, 900 7, 725, 500	619, 927 524, 533 95, 394	10. 2 9. 8 12. 3	Rural White Colored	519, 100 470, 200 48, 900	4, 434	9.4	Colored	6, 400		14.5
Registration cities in non- registration State 2 White	1, 264, 200 891, 600	10,671	12.0	CONNECTICUT				Total White	7, 768, 000 7, 383, 000	83, 180 77, 248 5, 932	10.7 10.5
Colored	372, 600 59, 088, 800 53, 842, 700 5, 246, 100	688, 602 601, 693	11.7 11.2	Total White Colored	1, 634, 000 1, 603, 000 31, 000	16, 494	10.3	Colored	385, 000 5, 096, 700	52, 912	10.4
ALABAMA				Cities of 10,000 or more White	1,071,000	11, 518		White Colored Cities of 2,500 to 10,000	4, 756, 800 339, 900 689, 000	48, 037 4, 875 7, 794	14.3 11.3
Total White Colored	2, 682, 000 1, 731, 000 951, 000	14,871	8.6	Colored Cities of 2,500 to 10,000 White Colored Rural.	50, 200 49, 800	394 388	7.8	White Colored Rural White	16, 200 1, 982, 300	7, 574 220 22, 474 21, 637	13. 6 11. 3
Cities of 10,000 or more White	598, 800 369, 200	4, 248	11.5	Rural	487, 100 482, 200 4, 900	4,588	9. 6 9. 5	Colored		837	29.0
Colored Cities of 2,500 to 10,000 White Colored	229, 600 172, 700 124, 100 48, 600	2,309 1,400	13.4 11.3	DELAWARE	,		20.0	Total White	3, 148, 000	38, 756 36, 839	11.7
Rural White Colored	1, 910, 500 1, 237, 700	17, 098 9, 223	8.9 7.5	Total White Colored	207,000		12.4	Colored Cities of 10,000 or more White Colored	1, 532, 500	17, 328 15, 735	11.3 11.1
ARIZONA		į		Cities of 10,000 or more White	³ 106, 597 ³ 94, 459	1, 490 1, 257		Uttles of 2.500 to 10.000	299,700	1, 593 4, 625 4, 540	15. 4 15. 3
Total White Colored	448, 000 272, 000 176, 000	3,016	11.1	Colored Cities of 2,500 to 10,000 White Colored	3 12, 138 17, 200 14, 100	233 255 202	19. 2 14. 8 14. 3	White	1, 442, 800	16, 803 15, 564 239	11.6 10.9
Cities of 10,000 or more White	83, 600 60, 600	1,426	23.5	Rural White	116, 200 98, 400	1, 433 1, 111	12.3 11.3	IOWA	5,000		
Colored	23, 000 69, 600 43, 500 26, 100	1,312 782	18. 9 18. 0	Colored DISTRICT OF COLUMBIA	17, 800	322	18. 1	Total White Colored	2, 479, 000 2, 456, 000 23, 000		10.4
Rural White Colored	294, 800 167, 900	1,976	6.7 4.8	Total	357,000	5, 001	14.0	Cities of 10,000 or more White	726, 800 710, 000 16, 800		13.3
ARKANSAS				FLORIDA	200,000	_,,,,,		Cities of 2,500 to 10,000 White Colored	200,000	4, 680 4, 636	17.6 17.6
Total White Colored	1, 386, 000 481, 000	11, 251 5, 064	8.1	Total	1, 528, 000 1, 083, 000 445, 000	11, 287	10.4	Colored Rural White Colored	2, 400 1, 486, 900 1, 483, 100 3, 800	11, 456 11, 399	7.7
Cities of 10,000 or more White Colored	227, 200 175, 300 51, 900	2,645	15.1	Cities of 10,000 or more	577, 300 417, 800	5, 021	12.0	Kansas			
Cities of 2,500 to 10,000 White Colored	165, 800 126, 100 39, 700	2, 083 1, 367	12.6 10.8 18.0	WhiteColoredCities of 2,500 to 10,000 White	219, 300 160, 500	3, 418 2, 234	15. 6 13. 9	Total White Colored	1,894,000 1,805,000 89,000	18, 328	10.2
Rural	1, 474, 000 1, 084, 600 389, 400	ll 7, 239	7. 1 6. 7 8. 3	Colored Rural White Colored	731, 400 504, 700 226, 700	6,896 4,032	9. 4 8. 0	Cities of 10,000 or more White Colored	551, 100 494, 200 56, 900	6, 094 763	13.4
CALIFORNIA Total	5, 947, 000	67, 680	11.4	GEORGIA				Cities of 2,500 to 10,000 White	192,000 184,300 7,700	2, 775 2, 665	14.5
White Colored	5, 268, 000 679, 000	60, 037 7, 643	11. 4 11. 3	Total White		16,818	9.1	Rural White Colored	1, 150, 900 1, 126, 500	9,880 9,569	8.6
Cities of 10,000 or more White Colored Cities of 2,500 to 10,000	3, 803, 000 3, 429, 600 373, 400 577, 600	38, 876 4, 070 6, 521	11. 3 10. 9	ColoredCities of 10,000 or more White	676, 600 427, 500	5, 289	12.4	KENTUCKY TotalWhite	2, 638, 000 2, 413, 000	24,829	10.3
White Colored Rural White	506, 500 71, 100 1, 566, 400 1, 331, 900	5, 708 813 18, 213 15, 453	11.3 11.4 11.6	White	2, 233, 400 1, 427, 500	21, 490 11, 529	9. 6 8. 1	Colored Cities of 10,000 or more White	612, 800 524, 800	4, 230 8, 712 6, 826	18.8 14.2 13.0
Colored See footnotes at end o	234, 500 f table.	2, 760	11.8	White Colored	1	l	I	Colored	.1 88,000	1,886	31 21.4

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR IN CITIES AND RURAL DISTRICTS: 1932—Continued

	1	,		L IN OTTES AND				11		1	
		DEÄTH	s; 1932			DEATHS: 1932				DEATHS: 1932	
AREA AND COLOR	Estimated popula- tion July 1, 1932	Number Rate per 1,000 population		AREA AND COLOR	Estimated popula- tion July 1, 1932	Number	Rate per 1,000 popu- lation	AREA AND COLOR	Estimated popula- tion July 1, 1932	Number	Rate per 1,000 popu- lation
KENTUCKY—continued				MINNESOTA—continued				NEW JERSEY			
Smaller cities and rural areas White Colored	2, 025, 200 1, 888, 200 137, 000	18,003	10.0 9.5 17.1	Rural White Colored	1, 305, 200 1, 291, 900 13, 300	10, 469 10, 239 230	8.0 \ 7.9 17.3	Total White Colored		42, 914 39, 463 3, 451	10. 1 15. 5
LOUISIANA				MISSISSIPPI Total	2, 036, 000	20, 311	10.0	Colored	2,859,000 2,689,700 169,300	28, 882 26, 454 2, 428	10.1 9.8 14.3
Total White Colored	2, 138, 000 1, 345, 000 793, 000	23, 311 12, 504 10, 807	10. 9 9. 3 13. 6	Total		8, 303 12, 008	11.7 -15.9	Colored Cities of 2,500 to 10,000 White Colored Rural White Colored	571, 900 553, 700 18, 200 717, 100	5, 615 5, 188 427 8, 417	9.8
Cities of 10,000 or more White Colored Cities of 2,500 to 10,000	676, 000 465, 800 210, 200 181, 700	11, 002 6, 418 4, 584	16. 3 13. 8 21. 8 13. 2	WhiteColoredCities of 2,500 to 10,000	244, 400 147, 200 97, 200 104, 500 64, 000	1, 868 2, 017 1, 456 728	12.7 20.8 13.9 11.4	WhiteColored	681, 600 35, 500	7, 821 596	11. 5 16. 8
White	124, 500 57, 200 1, 280, 300 754, 700	2, 404 1, 239 1, 165 9, 905 4, 847	10. 0 20. 4 7. 7 6. 4	Cities of 10,000 or more White Colored Cities of 2,500 to 10,000 White Colored Rural. White Colored	40, 500 1, 687, 100 802, 800 884, 300	728 728 14, 970 5, 707 9, 263	18.0	TotalCities of 10,000 or more	431,000	5, 968 997	13.8
Colored	525, 600	5, 058	9.6	MISSOURI	3, 656, 000		12.0	Cities of 2,500 to 10,000 Rural	60, 300 320, 300	1, 196 3, 775	19.8 11.8
Total White Colored	801, 000 799, 000 2, 000	10, 719 10, 690 29	13. 4 13. 4 14. 5	Total White Colored Colored	3, 420, 000 236, 000	43, 738 39, 117 4, 621	11. 4 19. 6	NEW YORK Total White Colored	12, 852, 000 12, 388, 000	147, 824 140, 648	11.5 11.4
Cities of 10,000 or more	230, 500 229, 700 800	3, 498 3, 486 12	15, 2	Cities of 10,000 or more — White — — — — — — — — — — — — — — — — — — —	1, 607, 700 1, 445, 800 161, 900 282, 800	21, 068 17, 809 3, 259 4, 363	13. 1 12. 3 20. 1 15. 4		10 147 700	7, 176 112, 303 105, 934	15. 5 11. 1 10. 9
Colored Cities of 2,500 to 10,000 White	93, 500 93, 000	1, 322 1, 314	14, 1 14, 1	White Colored	264, 100 18, 700 1, 765, 500	3, 887 476 18, 307	14. 7 25. 5 10. 4	Colored Cities of 2,500 to 10,000	425, 900 607, 500	6,369 7,810	15. 0 12. 9
White Colored Rural White Colored	477, 000 476, 300 700	5, 899 5, 890 9	16. 0 12. 4 12. 4 12. 9	MONTANA	1, 765, 500 1, 710, 100 55, 400	17, 421 886	10. 2 16. 0	Cities of 10,000 of more White Colored Cities of 2,500 to 10,000 White Colored Rural White Colored	597, 900 9, 600 2, 096, 800 2, 068, 300	7, 646 164 27, 711 27, 068	12.8 17.1 13.2 13.1
MARYLAND		22.22		Total White Colored	³ 537, 606 ³ 517, 327 ³ 20, 279	5, 294 4, 878 416	9.8 9.4 20.5	NORTH CAROLINA	li	643	22.6
Total White Colored	1, 653, 000 1, 372, 000 281, 000	21, 038 15, 955 5, 083	12. 7 11. 6 18. 1	Cities of 10.000 or more	124, 800 122, 800	1, 656 1, 621	13. 3	Total White Colored	3, 244, 000 2, 289, 000 955, 000	31, 051 19, 513 11, 538	9. 6 8. 5 12. 1
Cities of 10,000 or more	922, 200 765, 800	12, 367 9, 454	13. 4 12. 3	White Colored Cities of 2,500 to 10,000 White	2, 000 57, 400 56, 800	35 862 850	17. 5 15. 0 15. 0		615, 400 413, 700	8, 274 4, 752	13. 4 11. 5
Colored Cities of 2,500 to 10,000 White	156, 400 64, 800 56, 400	2, 913 1, 090 821	18.6 16.8 14.6	White	355, 400 337, 700	12 2,776 2,407	20. 0 7. 8 7. 1	Colored Cities of 2,500 to 10,000 White	201, 700 228, 400 173, 900	3, 522 2, 642 1, 745	17. 5 11. 6 10. 0
Colored Rural White Colored	8, 400 666, 000 549, 800 116, 200	269 7, 581 5, 680 1, 901	32. 0 11. 4 10. 3 16. 4	NEBRASKA	17, 700	369	20.8	Cities of 10,000 or more White Colored Cities of 2,500 to 10,000 White Colored Rural White Colored C	54, 500 2, 400, 200 1, 701, 400 698, 800	897 20, 135 13, 016 7, 119	16. 5 8. 4 7. 7 10. 2
Massachusetts		-,		Total White Colored	1, 388, 000 1, 363, 000 25, 000	12, 922 12, 558 364	9.3 9.2 14.6	NORTH DAKOTA	l)		
Total White Colored	4, 297, 000 4, 240, 000 57, 000	49, 446 48, 568 878	11. 5 11. 5 15. 4	Cities of 10,000 or more	377 700	4, 675 4, 455 220	12.4 12.3 14.7	Total White Colored	685, 000 675, 000 10, 000	5, 153 5, 004 149	7. 5 7. 4 14. 9
Cities of 10,000 or more	3, 547, 700 3, 498, 600	40, 383 39, 644	11.4 11.3	WhiteColored Cities of 2,500 to 10,000 WhiteColored	. 120, 700 119, 000 1, 700	1, 808 1, 780 28	15. 0 15. 0 16. 5	Cities of 10,000 or more White Colored	75, 300 74, 600 700	993 982 11	13. 2 13. 2 15. 7
Colored Cities of 2,500 to 10,000 White	49, 100 332, 800 330, 500	739 3, 253 3, 225	15.1 9.8 9.8	RuralWhite	889, 600 881, 300 8, 300	6, 439 6, 323	7. 2 7. 2 14. 0	Cities of 2,500 to 10,000 White	41, 400 41, 000 400	625 619 6	15. 1 15. 1 15. 0
Colored Rural White	2, 300 418, 500 410, 900	5, 810 5, 699	12. 2 13. 9 13. 9	NEVADA Total	[1		Rural White Colored	568, 300 559, 400 8, 900	3, 535 3, 403 132	6. 2 6. 1 14. 8
Colored MICHIGAN	5, 600	111	19.8	WhiteColored	93, 000 83, 000 10, 000	1, 342 1, 189 153	14. 4 14. 3 15. 3	ощо	6, 753, 000	76, 286	11.3
Total White Colored Colored	4, 983, 000 4, 776, 000 207, 000	49, 585 46, 952 2, 633	10. 0 9. 8 12. 7	Cities of 10,000 or more White Colored	19, 300 18, 800 500	. 350 333 17	18. 1 17. 7 34. 0	Total White Colored	6, 423, 000 330, 000	70, 861 5, 425	11. 0 16. 4
Cities of 10,000 or more White Colored	3, 051, 300 2, 867, 000	27, 205 25, 114	8. 9 8. 8	Colored Cities of 2,500 to 10,000 White	17,000 15,600 1,400	361 337	21. 2 21. 6 17. 1	Cities of 10,000 or more White	3, 996, 200 3, 720, 000 276, 200	44, 956 40, 575 4, 381	11. 2 10. 9 15. 9
Cities of 2,500 to 10,000 White	184, 300 380, 600 375, 900	2,091 4,425 4,364	11.3 11.6 11.6	White	56, 700 48, 600 8, 100	24 631 519 112	11. 1 10. 7	Cities of 2,500 to 10,000 White	607, 600 591, 300 16, 300	6, 914 6, 654 260	11. 4 11. 3 16. 0
Colored	4,700 1,551,100 1,533,100 18,000	17, 955 17, 474 481	13. 0 11. 6 11. 4 26. 7	NEW HAMFSHIRE	468, 000	6, 329	13.8	Rural White Colored	2, 149, 200 2, 111, 700 37, 500	24, 416 23, 632 784	11. 4 11. 2 20. 9
MINNESOTA Total White	2, 585, 000 2, 559, 000	25, 591 25, 189	9.9 9.8	WhiteCities of 10,000 or more	467, 000 1, 000 232, 700	6, 320 9 3, 013	13. 5 9. 0 12. 9	OKLAHOMA Total White Colored	2, 440, 000 2, 161, 000 279, 000	19, 285 16, 663 2, 622	7.9 7.7 9.4
Colored	26, 000 1, 014, 200	11, 634	15.5	White Colored Cities of 2,500 to 10,000	232, 100 600 42, 800	3, 007 6 516	13. 0 10. 0 12. 1	Cities of 10,000 or more	577, 400 513, 000	6, 461	11. 2
White Colored Cities of 2,500 to 10,000 White Colored Colored	1, 002, 700 11, 500 265, 600 264, 400 1, 200	11, 483 151 3, 488 3, 467 21	11. 5 13. 1 13. 1 13. 1 17. 5	White Colored Rural White Colored	42, 800 192, 500 192, 100 400	2, 800 2, 797 3	12.1 14.5 14.6 7.5	White	64, 400 278, 000 254, 300 23, 700	5, 476 985 4, 684 4, 124 560	10. 7 15. 3 16. 8 16. 2 23. 6
See footnotes at end of		211	17. 0 []	O0101601)	400	31	1. O	Onorgania.	_,,,,,,,,	2231	

Table I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR IN CITIES AND RURAL DISTRICTS: 1932—Continued

					1				[
AREA AND COLOR	Estimated popula- tion July 1, 1932	Rate per AREA AND COLOR		Estimated popula- tion July 1, 1932	Number	Rate per	AREA AND COLOR	Estimated popula- tion July 1, 1932	Number	Rate	
OKLAHOMA—continued				SOUTH DAKOTA				virginia—continued			
Rural White Colored	1, 584, 600 1, 393, 700 190, 900	8, 140 7, 063 1, 077	5. 1 5. 1 5. 6	Total White Colored	700, 000 675, 000 25, 000	5, 725 5, 216 509	7.7	Cities of 2,500 to 10,000 White Colored Rural	140, 200 113, 500 26, 700 1, 651, 400	2, 413 1, 780 633 17, 535	15. 7 23. 7
OREGON			1	Cities of 10,000 or more White	94, 800 94, 300	1, 185 1, 176	12. 5 12. 5	WhiteColored	1, 219, 200 432, 200	11, 176 6, 359	9.2
Total White Colored	974, 000 957, 000 17, 000	10, 277 10, 026 251	10.5	White	1 39, 3001	828 810	18. 0 21. 1 20. 8	Washington Total	1, 588, 000	16, 581	10.4
Cities of 10,000 or more White Colored	393, 600 387, 100 6, 500	4, 746 4, 627 119	12. 0 18. 3	Rural White Colored	565, 900 541, 700 24, 200	3, 712 3, 230	6. 6 6. 0	WhiteColored	1, 545, 000 43, 000	15, 959 622	10.3 14.5
Cities of 2,500 to 10,000 White	108, 100 107, 300 800	1,999	18. 8 18. 6 36. 3	TENNESSEE				Cities of 10,000 or more White Colored Cities of 2,500 to 10,000	804, 800 783, 600 21, 200	9, 318 9, 020 298	11.6 11.5 14.1
Rural White Colored	472, 300 462, 600 9, 700	3, 503 3, 400	7.4	Total White Colored	2, 650, 000 2, 169, 000 481, 000		10. 8 9. 6 16. 2	Cities of 2,500 to 10,000 White Colored	95, 500 94, 200 1, 300 687, 700	1, 686 1, 619 67 5, 577	17. 7 17. 2
PENNSYLVANIA				Cities of 10,000 or more White Colored	720, 300 515, 100	10, 423 6, 285	14. 5 12. 2	WhiteColored	667, 200 20, 500	5, 320 257	8. 0 12. 5
Total White Colored	9, 741, 000 9, 284, 000 457, 000	102, 194 7, 010	11. 0 15. 3	Cities of 2,500 to 10,000	200, 700	2, 907 2, 097 810	14. 5 13. 1 20. 0	WEST VIRGINIA Total	1, 761, 000 1, 642, 000	17, 912 16, 125	
Cities of 10,000 or more White Colored Cities of 2,500 to 10,000	5, 333, 100 4, 957, 200 375, 900 1, 303, 200	13, 347	11. 8 11. 5 15. 1 10. 2	Colored	1, 729, 000 1, 493, 700 235, 300	15, 298 12, 439 2, 859	8. 8 8. 3 12. 2	WhiteColoredCities of 10,000 or more	352, 100 328, 200	1, 787 4, 749 4, 300	15.0
White Colored Rural White	1, 282, 800 20, 400 3, 104, 700 3, 044, 000	237	11. 6 10. 6	UTAH TotalWhite	515, 000 503, 000	4, 420 4, 289	8. 6 8. 5	Colored Cities of 2,500 to 10,000 White Colored	23, 900 153, 500 145, 000 8, 500	2, 566 2, 280 286	18.8 16.7
Colored	60, 700	1, 104	18 2	Colored	12,000	131	10.9	Rural White Colored	1, 255, 400 1, 168, 800	10, 597 9, 545	8. 4 8. 2
RHODE ISLAND Total	698,000	8, 080	11.6	Cities of 10,000 or more White	199, 600 196, 100	2, 202 2, 144	11. 0 10. 9 16. 6	Coloredwisconsin	86, 600	1, 052	12. 1
White Colored	687, 000 11, 000	7, 869 211	11. 5 19. 2	Colored Cities of 2,500 to 10,000 White Colored Rural	3, 500 72, 300 71, 700 600	58 654 647 7	9.0 9.0 11.7	Total WhiteColored	2, 976, 000 2, 949, 000 27, 000	30, 321 29, 948 373	10. 2 10. 2 13. 8
Cities of 10,000 or more White Colored	610, 600 601, 300 9, 300 34, 400	7, 135 6, 945 190 352	11. 5 20. 4	Rural White Colored	243, 100 235, 200 7, 900	1, 564 1, 498 66	6.4	Cities of 10,000 or more White	1, 320, 300 1, 306, 500 13, 800	13, 269 13, 142 127	10.0
Cities of 2,500 to 10,000 White Colored Rural	34, 300 100 53, 000	344 8 593	10. 0 80. 0 11. 2	VERMONT Total White	360, 000 359, 000	4, 753 4, 749	13. 2 13. 2	Colored Cities of 2,500 to 10,000 White Colored	275, 900 275, 300 600	3, 691 3, 678 13	13, 4 13, 4 21, 7
WhiteColoredSOUTH CAROLINA	51, 400 1, 600	580 13		White Colored Cities of 10,000 or more White	1,000 54,100 53,800	897 896	16. 6 16. 7	Rural White Colored	1, 379, 800 1, 367, 200 12, 600	13, 361 13, 128 233	9. 7 9. 6 18. 5
Total White Colored	1, 745, 000 959, 000	8, 599	9.0	Colored	300 305, 900	3, 856	3. 3 12. 6	WYOMING TotalWhite	229, 000 217, 000	2, 057 1, 879	9. 0 8. 7
Colored Cities of 10,000 or more	786, 000 238, 800	11, 285 4, 387	14. 4	White Colored	305, 200 700	3, 853 3	12.6 4.3	Cities of 10 000 or more	12,000	178 395	14.8
WhiteColoredCities of 2,500 to 10,000White	148, 200 90, 600 140, 300 89, 700	2, 054 2, 333	13. 9 25. 8 12. 4	VIRGINIA Total White Colored.	2, 435, 000 1, 789, 000	28, 898 18, 270	11. 9 10. 2	White Colored Cities of 2.500 to 10.000	33, 000 1, 700 36, 900 35, 000	363 32 550 521	11.0
Colored Rural White Colored	50, 600 1, 365, 900 721, 100 644, 800	832 13, 755 5, 635 8, 120	16. 4 10. 1 7. 8	Colored Cities of 10,000 or more White Colored	643, 400	10, 628 8, 950 5, 314 3, 636	11.6	White	1, 900 157, 400 149, 000 8, 400	1, 112 995 117	15. 3 7. 1

¹ Including District of Columbia.

² Includes 8 cities in Texas.

³ Enumerated population Apr. 1, 1930, no estimate made.

RATE TABLES

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932

		DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			RATION		NIINENIAL UNIIED SIAIES	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
List no. 1929	CAUSE OF DEATH		Number		Rates per 100,- 000 estimated population		CAUSE OF DEATH	Nun	aber	Rates per 100, 000 estimated population	
List		1932	1931	1932	1931	List no.	-	1932	1931	1932	1931
	Total deaths (all causes)		1,322,587	1,089.0	1,107.5		11.—Cancers and other tumors—Contd. Cancer and other malignant tumors—Con.				
1 2 3 4 5	I.—Infectious and parasitic diseases Typhoid fever Paratyphoid fever Typhus fever Relapsing fever Undulant fever Smallpox Measles Acorlet fever		5, 298 84 27 1 66 95	3. 6 0. 1 (1) 0. 1 (1)	136. 6 4. 4 0. 1 (1) (1) (1) 0. 1 0. 1	48 49 50 51	Cancer and other malignant tumors—Con. Of the uterus Of other female genital organs Ovary and Fallopian tube Vagina and vulva Other female genital organs Of the breast Of the male genitourinary organs Kidneys and suprarenals (male) Bladder (male) Prostate Testes Scrotum	14, 908 2, 684 2, 167 478 39 11, 889 9, 594	14, 464 2, 565 2, 051 478 36 11, 444 9, 184	12. 4 2. 2 1. 8 0. 4 (1) 9. 9 8. 0	12.1 2.1 1.7 0.4 (1) 9.6 7.7
6 7 8 9 10 11	Measles Scarlet fever Whooping cough Diphtheria Influenza Respiratory complications specified Respiratory complications not specified	1, 941 2, 577 5, 364 5, 418 37, 066 24, 120 12, 946	3, 576 2, 650 4, 619 5, 738 31, 701 20, 187 11, 514	1. 6 2. 1 4. 5 4. 5 30. 8 20. 1 10. 8	3.0 2.2 3.9 4.8 26.5 16.9 9.6	52 53	Riddeys and suprarenals (mate) Bladder (male) Prostate Testes Scrotum Other male genitourinary organs Of the skin	945 2, 493 5, 466 352 44 294 3, 137 10, 572	960 2, 661 4, 924 345 37 257 2, 986 10, 109	0.8 2.4 0.3 (1) 0.2 6.8	0.8 2.2 4.1 0.3 (1) 0.2 2.5 8.5
15 16 17 18 19	Measles Scarlet fever Whooping cough Diphtheria Influenza Respiratory complications specified Respiratory complications not specified Dysentery Amebic Bacillary Unspecified or due to other causes Erysipelas Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis Gianders Anthrax (bacillus anthracis) malignant	2, 083 185 435 1, 463 1, 934 828 874 1, 677	2, 441 206 484 1, 751 2, 275 2, 096 972 2, 832	1.7 0.2 0.4 1.2 1.6 0.7 0.7	2.0 0.2 0.4 1.5 1.9 1.8 0.8 2.4	54	Scrotum Other male genitourinary organs Of the skin Of other or unspecified organs Kidneys and suprarenals (female) Bladder (female) Brain Bones (except jaw) Other or unspecified organs Nonmalignant tumors Ovary Uterus Brain Other female genital organs Brain Other organs Tumors of which the nature is not specified Ovary Uterus Uterus	1, 762 1, 266 932 1, 639 5, 973 3, 897 167 2, 432	691 1, 213 844 1, 644 5, 717 3, 839 142	0.6 1.1 0.8 1.4 5.0 3.2 0.1	0.6 1.0 0.7 1.4 4.8 3.2 0.1
21 22 23	pustule Rabies	12 55	12 55 1, 116 81, 395 72, 515 2, 709	(1) (1) 0.9 62.8 56.4 1.9	(1) (1) (1) (1) (1) (2) (3) (4) (4) (4) (5) (6) (7) (6) (7) (7) (7) (7) (7) (8) (7) (7) (8) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	55	Other female genital organs. Brain. Other organs. Tumors of which the nature is not specified. Ovary. Uterus. Other female genital organs. Brain. Other organs.	2, 432 12 743 543 1, 961 22 18 1, 463	2, 539 4 648 506 2, 046 40 21 3 1, 539	2.0 0.5 1.6 0.5 1.0 (1)	2. 1 (1) 0. 5 0. 4 1. 7 (1) (1) (1) 1. 3
24 25 26 27 27	Tetanus Tuberculosis (all forms)	1,942 809 426 169 257 59	2, 203 883 500 188 312 37	1.6 0.7 0.4 0.1 0.2 (1)	1.8 0.7 0.4 0.2 0.3	56 ±	Other organs III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases. 'Acute rheumatic fever	40, 983 2, 601 1, 501	40, 626 2, 620 1, 511	34.1 2.2 1.2	34.0
29 30	Bones. Joints Skin and subcutaneous cellular tissue. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). Genitourinary system Other organs. Disseminated tuberculosis. Acute. Chronic	164 520	187 612	0.1 0.4	0. 2 0. 5	58 59 60 61	Contine riemans, oseedamics Diabetes mellitus Scury Beriberi	26, 368 33 5	24, 331 38 38	(1) 21.9 (1) (1) 3.1	1. 3 (1) 20. 4 (1)
31 32	Other organs. Disseminated tuberculosis. Acute. Chronic. Unspecified. Leprosy.	119 1,364 1,193 14 157	142 1,602 1,364 45 193 22	0.1 1.1 1.0 (1) 0.1	0.1 1.3 1.1 (1) 0.2	62 63 64 65 66	Pellagra Rickets Osteomalacia Diseases of the pituitary body Diseases of thyroid and parathyroid glands	3, 694 354 13 60 4, 344	5, 091 455 22 42 4, 449	3.1 0.3 (1) (1) 3.6	(1) (1) 4.3 0.4 (1) (1) (1) 3.7
33 34 35 36	Syphilis. Gonococcus infection and other venereal diseases. Purulent infection, septicemia (nonpuerperal).	25 10, 684 916	10, 592 1, 127	(1) 8.9 0.8	(1) 8.9 0.9		Simple goiter Exophthalmic goiter Myxedema and cretinism	290 3,666 207 99 82	300 3,791 203 85 70	0.2 3.1 0.2 0.1 0.1	0.3 3.2 0.2 0.1 0.1
38 39 40 41	peral). Malaria Other diseases due to protozoal parasites Ankylostomiasis Hydatid cysts Liver	2, 568 52 24 36	913 2, 536 73 20 34 28 6		0.8 2.1 0.1 (¹) (¹)	67 68 69	Diseases of the thymus gland. Diseases of the adrenals (Addison's disease, not specified as tuberculous) Other general diseases.	1, 230 357 422	1, 239 343 480	1. 0 0. 3 0. 4	1. 0 0. 3 0. 4
42 43 44	Other organs. Other diseases caused by helminths. Mycoses Other infectious and parastic diseases Chicken-pox German measles. Others under this title	12 114 249 408 148	28 6 112 268 419 185 24 210	(1) (1) (1) (1) (1) (2) (3) (1) (1) (1) (2)	(1) (1) 0.1 0.2 0.4 0.2 (1) 0.2	70 71	IV.—Diseases of the blood and blood-making organs. Hemorrhagic conditions. Primary purpuras. Hemophilia. Anemias. Pernicious anemia.	503 288 4, 390 3, 890	9, 668 918 584 334 4, 195 3, 734 461	8. 2 0. 7 0. 4 0. 2 3. 7 3. 2	8.1 0.8 0.5 0.3 3.5 3.1
	II.—Cancers and other tumors	128, 597	124, 026	107. 0	103.9	72	Other anemias Leukemias and pseudoleukemias True leukemias	500 4, 142 2, 802	4, 002 2, 730	0. 4 3. 4 2. 3	0.4 3.4 .2.3
45	Cancer and other malignant tumors. Of the buccal cavity and pharynx. Lip Tongue Mouth. Jaw	4, 596 670 946 441 1, 034	118, 141 4, 567 630 919 462 1, 013	102.1 3.8 0.6 0.8 0.4 0.9	98. 9 3. 8 0. 5 0. 8 0. 4 0. 8	73 74	Pseudoleukemias (Hodgkin's disease) — Diseases of the spleen — Other diseases of blood and blood-making organs — — — — — — — — — — — — — — — — — — —	112	1, 272 436 117 4, 239	1.1 0.4 0.1 2.7	1. 1 0. 4 0. 1 3. 5
46	Other and unspecified parts of the buccal cavity Pharynx. Of the digestive tract and peritoneum Esophagus. Stomach and duodenum Intestines (except duodenum, rectum,	585 920 60, 810 2, 063 25, 909	539 1, 004 58, 783 2, 038 25, 397	0.5 0.8 50.6 1.7 21.6	0.5 0.8 49.2 1.7 21.3	75 76 77	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Occupational Others under this title Chronic poisoning by mineral substances	5 141 105	3,933 155 18 137 151	2.5 0.1 (1) 0.1 0.1	3.3 0.1 (1) 0.1 0.1
47	anus). Rectum and anus. Liver and biliary passages. Pancreas. Mesentery and peritoneum. Others under this title. Of the respiratory system. Larynx.	12, 137 5, 890 10, 452 3, 371 927 61 4, 549	3, 139 911 62 4, 039 925	10. 1 4. 9 8. 7 2. 8 0. 8 0. 1 3. 8 0. 9	0.8	78 79	Lead. Occupational (except lead) Others under this title. VI.—Diseases of the nervous system and of the organs of special sense. Encephalitis (nonepidemic). Meningitis.	129, 665 1, 293 2, 359	111 14 26 129, 934 1, 415 2, 782	1 2.0	0.1 (¹) (¹) 108.8 1.2 2.3
	Lungs and pleuraOther respiratory organs	3, 166 335	2,846 268	2.6 0.3	2. 4 0. 2		Simple meningitis	2,037	2, 355 427	1.7 0.3	0.4

Table II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932—Continued

			IN THE IN CONTIN S						IN THE IN CONTIN		
List no. 1929	CAUSE OF DEATH	Nur	nber	000 est	per 100,- timated dation	no. 1929	CAUSE OF DEATH	Nur	nber	Rates p 000 est popul	per 100,- imated lation
List		1932	1931	1932	1931	List		1932	1931	1932	1931
	VI.—Diseases of the nervous system and of the organs of special sense—Con.					115	IX.—Diseases of the digestive system Diseases of buccal cavity and annexa and of	87, 300	95, 283	72. 7	79. 8
80	Progressive locomotor ataxia (tabes dorsalis)	1, 188	1, 200	1.0	1.0		pharynx, tonsils Diseases of pharynx and tonsils	5, 191 4, 350	5, 713 4, 814	4. 3 3. 6	4.8
81 82	salis) Other diseases of the spinal cord Cerebral hemorrhage, cerebral embolism,	3, 026	3, 282	2.5	2. 7	116 117	Others under this title	841 140 7, 192	899 144 7, 259	0.7 0.1 6.0	0. 8 0. 3 6. 3
	and thrombosis Cerebral hemorrhage Cerebral embolism and thrombosis	104, 897 94, 694 5, 397	103, 411 93, 819 4, 956	87. 3 78. 8 4. 5	86. 6 78. 6 4. 2		Ulcer of stomach Ulcer of duodenum	4, 909 2, 283	4, 978 2, 281	4. 1 1. 9	4. 2 1. 9
	Softening of brain Hemiplegia and other paralysis, cause	688	601	0.6	0.5	118 119 120	Other diseases of stomach (cancer excepted). Diarrhea and enteritis (under 2 years of age). Diarrhea and enteritis (2 years and over).	3, 670 14, 375	3, 917 18, 704	3. 1 12. 0 4. 4	3. 3 15. 7
83 84	General paralysis of the insane	4, 118 4, 573	4, 035 4, 662	3.4	3. 4 3. 9	121 122	Diarrhea and enteritis (2 years and over) Appendicitis Hernia, intestinal obstruction	5, 244 17, 111 12, 269	6, 019 18, 113 12, 539	14. 2 10. 2	5. 0 15. 2 10. 5
85 86	Dementia praecox and other psychoses	1, 342 2, 842 841	1, 517 2, 962 931	1.1 2 4 0.7	1.3 2.5 0.8		Intestinal obstruction	1 4,863 7,406	4,794 7,745	4. 0 6. 2	4. 0 6. 5
87	Other diseases of the nervous system Neuralgia and neuritis	3, 367 191	3, 547 284	2. 8 0. 2	3. 0 0. 2	123 124	Other diseases of intestines Cirrhosis of liver	8 681	1, 242 8, 851	1.0 7.2	7.4
88 89	Others under this title Diseases of the organs of vision Diseases of the ear and mastoid process	3, 176 77 3, 860	3, 263 93 4, 132	2. 6 0. 1	2. 7 0. 1	125	Specified as alcoholic Not specified as alcoholic Other diseases of liver (including yellow	8, 199	8, 340	0. 4 6. 8	0. 4 7. 0
09	Diseases of the ear and masterd process	2, 322 1, 538	2, 414 1, 718	3. 2 1. 9 1. 3	3. 5 2. 0 1. 4		atrophy of liver). Yellow atrophy of liver. Others under this title.	1, 615 491	1, 665 519	1.3 0.4	1. 4 0. 4
	VII.—Diseases of the circulatory system	295, 509	281, 255	245. 9	235. 5	126 127	Others under this title Biliary calculi Other diseases of gall-bladder, biliary pas-	1, 124 4, 577	1, 146 4, 745	0. 9 3. 8	1.0
90 91	Pericarditis	907 3, 559	973 3, 686	0. 8 3. 0	0.8	128.	sages Diseases of pancreas Peritonitis, cause not specified	3, 866 677	4, 088 676	3. 2 0. 6	3. 4 0. 6
	Specified as acute Unspecified (under 45 years of age)	2, 953 606	3, 067 619	2. 5 0. 5	2. 6 0. 5	129		1	1,608	1.3	1.8
92	Endocarditis, valvular diseases Endocarditis, specified as chronic, and	61, 335	62, 473	51.0	52. 3	130	X.—Diseases of the genitourinary system. Acute nephritis (including unspecified un-		120, 009	100. 4	100. 5
	other valvular diseases Endocarditis, unspecified (45 years and over)	57, 358 3, 977	58, 568 3, 905	47. 7 3. 3	49. 0 3. 3	131 132	der 10 years of age) Chronic nephritis Nephritis, unspecified (10 years and over) Other diseases of kidneys and ureters (puer-	4, 323 92, 051 8, 377	4, 562 90, 985 8, 572	3. 6 76. 6 7. 0	3. 8 76. 2 7. 2
93	Diseases of the myocardium Acute myocarditis	125, 526 4, 375	117, 904 4, 195	104. 5 3. 6	98. 7 3 5	133		3, 382	3, 373	2.8	2.8
	Myocarditis, unspecified (under 45 years) Chronic myocarditis, myocardial de-	1, 457	1,611	1.2	1.3	134	Calculi of urinary passages Diseases of bladder (tumor excepted)	1, 183 751	1, 095 723	1.0 0.6	0. 9 0. 6
	generation	91, 181 28, 513	84, 989 27, 109	75. 9 23. 7	71. 2 22. 7	136	Diseases of urethra, urinary abscess, etc	410 268 142	437 303 134	0.3 0.2 0.1	0. 4 0. 3 0. 1
94	Diseases of coronary arteries, angina pectoris Angina pectoris Diseases of coronary arteries	37, 346 19, 893	32, 080 19, 218	31. 1 16. 6	26. 9 16. 1	137 138	Disease of prostate Diseases of male genital organs, not speci-	6, 730	6, 541	5.6	5. 5
95	Other diseases of the heart Functional diseases of heart	17, 453 40, 023 716	12, 862 36, 869 666	14.5 33.3	10. 8 30. 9 0. 6	139	fied as venereal. Diseases of female genital organs, not speci-	125	108	0.1	0. 1 3. 0
96	Other and unspecified	39, 307 2, 181	36, 203 2, 042	0.6 32.7 1.8	30. 3 1. 7		fied as venereal	3, 299 700	3, 613 725	2. 7 0. 6	0.6
97 98 99	Arteriosclerosis (coronary arteries excepted)	20, 534 924	21, 027 1, 008	17. 1 0. 8	17. 6 0. 8		tubes and parametrium Diseases of uterus	1, 723 787	1, 959 827	1. 4 0. 7	1. 6 0. 7
100	Other diseases of the arteries Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	1, 526 698	1, 429	1.3	1.2		Nonpuerperal diseases of breast (cancer excepted)	18	26 76	(1)	(1) 0.1
101	Diseases of lymphatic system (lymphan-	172	789 193	0. 6 0. 1	0.7		Others under this titleXI.—Diseases of pregnancy, childbirth,	71	10	0.1	0. 1
$\frac{102}{103}$	gitis, etc.) Idiopathic anomalies of the blood-pressure Other diseases of the circulatory system	529 249	547 235	0. 4 0. 2	0. 5	140	and the puerperal state	13, 293 2, 057	14, 239 2, 105	11.1	11.9
	VIII.—Diseases of the respiratory system	105, 935	110, 975	88. 2	92. 9	141	Abortion without mention of septic conditions (to include hemorrhages)	717	666	0.6	0.6
104	Diseases of the nasal fossae and annexae Diseases of nasal fossae	1, 089 381	1, 194 385	0. 9 0. 3	1.0	142	Ectopic gestation Septic conditions specified	571 108	598 110	0.5 0.1	0. 5 0. 1
105	Others under this title Diseases of the larynx	708 488	809 455	0. 6 0. 4	0.7 0.4	143	Septic conditions not mentioned Other accidents of pregnancy (not to include hemorrhages)	463 86	488 91	0.4	0. 4 0. 1
106	Bronehitis Acute Chronic	4, 338 1, 597	4, 586 1, 667	3. 6 1. 3	3. 8 1. 4	144	Puerperal hemorrhage Placenta praevia	1, 392 422	1, 464 482	1, 2	1. 2 0. 4
	Unspecified (under 5 years of age) Unspecified (5 years and over)	1,840 245 656	1, 881 323 715	1. 5 0. 2 0. 5	1.6 0 3 0.6	145	Other puerperal hemorrhages Puerperal septicemia (not specified as due	970	982	0.8	0.8
107	Bronchopneumonia (including capillary bronchitis)	39, 174	40, 108	32.6	33.6		to abortion)	2, 774 2, 761 13	3, 230 3, 218 12	2.3	2. 7 2. 7 (1)
108	Bronchopneumonia	38, 708 466 49, 524	39, 615 493 53, 093	32. 2 0. 4	33. 2 0. 4	146 147	Puerperal albuminuria and eclampsia Other toxemias of pregnancy	2, 692 499	3, 068 539	(1) 2. 2 0. 4	2. 6 0. 5
109 110	Pneumonia, unspecified	3, 776 2, 618	3, 773 2, 739	41. 2 3. 1 2. 2	44. 5 3. 2 2. 3	148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	628	640	0.5	0. 5
111	Congestion, edema, embolism, hemorrhagic infarct, thrombosis of lungs	1, 798	1, 789	1.5	1.5	149	Other accidents of childbirth Cesarean operation Others under this title	1,827 442 1,385	1, 782 436 1, 346	1.5 0.4 1.2	1. 5 0. 4 1. 1
112	Pulmonary embolism and thrombosis_Others under this title	1, 356	475 1, 314	0. 4 1. 1	0. 4 1. 1	150	Other and unspecified conditions of puer- peral state	50	1, 346 56	(1)	(1)
113 114	Other diseases of the respiratory system	1, 804 114	1, 880 114	1. 5 0. 1	1. 6 0. 1		XII.—Diseases of the skin and cellular				
	(tuberculosis excepted)	1, 212	1, 244	1.0	1.0	151	tissue Furuncle, carbuncle	1,895	2, 158	0.4	0.5
	ing occupational diseases of respira- tory system	308 904	294	0.3	0.2	152 153	Phlegmon, acute abscess	654	790	0.5	0.7
	See footnotes at end of table.	904	950	0.8	0.8	1	cellular tissue	703	755	0.6	0.6

Table II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932—Continued

		DEATHS AREA STATE:	IN THE IN CONTIN S	REGIST ENTAL	RATION UNITED				IN THE IN CONTIN		
List no. 1929	CAUSE OF DEATH	Nur	nber	Rates 1 000 est popu	per 100,- imated lation	no. 1929	CAUSE OF DEATH	Nur	nber	Rates r 000 esti popul	er 100,- imated lation
List n		1932	1931	1932	1931	List		1932	1931	1932	1931
	XIII.—Diseases of the bones and organs of locomotion	1, 606	1, 572	1.3	1.3		XVII.—Violent and accidental deaths— Continued				
154 155	Osteomyelitis	1,070	1,059	0.9	0.9	188	Accidental, other, or undefined—Contd. Injuries by animals	571	585	0.5	0. 5
156	excepted) Diseases of joints and other organs of loco- motion. Diseases of joints (tuberculosis and rheu-	179	177	0.1	. 0.1	189 190 191	Accidental, other, or undefined—Contd. Injuries by animals Hunger and thirst. Excessive cold. Excessive heat Lightning. Due to electric currents. Supplemental. Other accidents. Foreign bodies. Others under this title. Supplemental. Violent deaths of unknown nature. Wounds of war. Legal executions.	27 287	33 161	(1) 0.2 0.6	(1) 0.1 2.3
	motion Diseases of joints (tuberculosis and rheu-	357 256	336 263	0.3	0.3 0.2	192 193	Lightning Due to electric currents	689 362 589	2, 768 444 692	0.3 0.5	0. 4 0. 6
	matism excepted)	101	73	0.1	0.1	194	Supplemental Other accidents	86 31, 858 633	97 36, 732	0.1 26.5	0. 1 30. 8
	XIV.—Congenital malformations	12, 363	13, 103	10.3	11.0		Foreign bodies Others under this title	633 3, 835 27, 390	692 4, 393 31, 647	0.5 3.2 22.8	0. 6 3. 7 26. 5
157	Congenital malformations. Congenital hydrocephalus. Spina biflda and meningocele. Congenital malformations of the heart. Others under this title.	12, 363 1, 642 1, 400	13, 103 1, 639 1, 418	10.3 1.4 1.2	11.0 1.4	195 196	Violent deaths of unknown nature	27, 590	51, 047 6 7	(1)	(1)
	Congenital malformations of the heart Others under this title	6, 294 3, 027	6, 873 3, 173	5. 2 2. 5	1.4 1.2 5.8 2.7	198	Legal executions	131	142	0.1	0.1
	XV.—Diseases of early infancy	51, 571	54, 323	42.9	45. 5	199	XVIII.—Ill-defined causes of death	20, 999	22, 517	17. 5	18.9
158	Congenital debility Premature birth Injury at birth Cesarean operation Without Cesarean operation Other diseases peculiar to early infancy Atelectasis. Icterus of new-born Sclerema. Others under this title	3, 860 33, 143	4, 402 34, 477	3. 2 27. 6	3.7 28.9	200	Sudden death	1, 951 19, 048 . 4, 804	1, 968 20, 549 5, 352	15. 9 4. 0	1. 6 17. 2 4. 5
159 160	Injury at birth	9, 681 279	10, 217 238	8.1 0.2	8. 6 0. 2	nch bol	Not specified or unknown	14, 244	15, 197	11.9	12.7
161	Without Cesarean operation Other diseases peculiar to early infancy	9, 402 4, 887	9, 979 5, 227	7.8	8.4 4.4	Punch symbol	SUPPLEMENTAL 2				
	Atelectasis Icterus of new-born	1, 924 932	2, 068 972 15	1.6 \0.8	1.7 0.8	201	Accidents in mines and quarries(178) Absorption of poisonous gas (181) Burns (conflagration excepted)	1,520 42 26	. 28	8	(1.5
	Others under this title	2, 017	2, 172	1.7	(¹) 1.8		(182) Mechanical suffication	20	1,849 28 21 28 8 2	1.3	
162	XVI.—Senility	10, 207	10, 435	8.5	8.7		(185) Cutting or piercing instruments (186a) Fall	6 38	108.1	8	(1) 0.1
	XVII.—Violent and accidental deaths	117, 830	125, 059	98.1	104.7		(186) Cutting or piercing instruments. (186a) Fall. (186b) Crushing, landslide. (193) Due to electric currents. (194b) Other accidents.	237 43	294 57 1,343	0.2 (1) 0.9	0. 2 (1) 1. 1
163	Suicide	20, 927	20,088 3 260	17. 4 2. 8	16.8	202		1, 094 285	312	0.2	0.3
	Arsenic	3, 320 216 358	3, 260 229 241	0.2	0. 2 0. 2	202	Accidents from agricultural machinery	2 10	9	0.1 0.1	
	Opium, morphin, laudanum Strychnin Corrosive sublimate Carbolic acid	358 33 397	26 404	0.3	(1) 0.3		(185) Mechanical sundcation	1 12	1 28 60	8	(i) (i) (i) (i) 0.1
	Corrosive sublimate	433 673 411	463 787 376	0. 4 0. 6 0. 3	0.4 0.7 0.3		(186a) Fall (186b) Crushing, landslide (194b) Other accidents	48 74 138	79 135	0.1	0. 1 0. 1 0. 1
164	LysolOther poisons or kind not stated	799 3, 001	734 2,834	0. 7 0. 7 2. 5	0.6 2.4	203	· ·		286	0.2	0. 2
165 166	Other poisons or kind not stated By poisonous gas By hanging or strangulation By drowning	3, 632 996	3, 572 952	3.0 0.8	3.0 0.8		Elevator accidents (182) Mechanical suffocation (185) Cutting or piercing instruments.	1	1	(1)	(1)
167 168 169		8, 075 874	7, 543 973	6.7 0.7	6.3 0.8		(186a) Fall(186b) Crushing, landslide(193) Due to electric currents	122 61 1	156 68	0.1	0, 1 0, 1
169 170 171	By cutting or piercing instruments By jumping from high places By crushing By other means	702 156 171	622 163 169	0.6 0.1 0.1	0.5 0.1 0.1		(194b) Other accidents	33	60	(1)	0. 1
172	Homicide	11,000	11, 160	9. 2	9.3	204	Accidents from machinery used for recrea-	14	16	(1) (1)	(1) (1)
173 174	1 year) By firearms	(140) 7, 458	(132) 7, 532	6.2	(0.1) 6.3		tion	9	10 2	1	(1) (1)
174 175	By cutting or piercing instruments By other means	1, 650 1, 927 85, 868	1,735 1,893 93,811	1.4 1.6 71.5	1. 5 1. 6 78. 6		(193) Due to electric currents (194b) Other accidents	1 4	4	(1)	(1)
176 177	Attack by venomous animals Poisoning by food	127 638	116 774	0. 1 0. 5	0.1 0.6	205	Other machinery accidents(178) Absorption of poisonous gas	878 2	1, 016	0.7	0.9
178	By dreams By outling or piercing instruments By other means Accidental, other, or undefined Attack by venomous animals Poisoning by food Absorption of poisonous gas Supplemental Other acute accidental poisonings (gas	1, 988 64	2, 062 33	1.7 0.1	1.7 (¹)	İ	(181) Burns (conflagration excepted)	45	42	(1) (1) (1)	(1)
179	Other acute accidental poisonings (gas excepted) Wood alcohol	1, 605 237	1, 813 294	1.3 0.2	1.5 0.2		(182) Drowning (185) Cutting or piercing instruments (186) Fall (186b) Crushing, landslide (193) Due to electric currents	79	1 74 73	0.1	(1) 0.1
	Denatured alcohol Carbolic acid	81 43	150	1 01	0.1		(186a) Fall (186b) Crushing, landslide	60 184 14	248 15	(1) 0. 2 (1)	0. 1 0. 2 (1)
	(Inium morphin laudanum	19 132	54 25 156	(i) (i) (i)	(1) (1) (0, 1) (1, 9)		(194b) Other accidents	486	563	0.4	0.5
180	Strychnin Other poisons or kind not stated Configgration	1,093 1,555	1,134 1,497	1.3	1.3	206	Railroad and automobile collisions (178) Absorption of poisonous gas	1, 466	1,651 1	1. 2	1. 4 (1) (1)
181 182	Burns (conflagration excepted) Supplemental Mechanical suffocation	5, 358 561 904	5, 374 519 972	4.5 0.5 0.8	4.5 0.4 0.8		(181) Burns (conflagration excepted) (182) Mechanical suffocation	20 1	31	0000	
183	Supplemental	40 6, 199	56 6,635	(1) 5. 2	(1) 5. 6		(185) Cutting or piercing instruments. (186a) Fall(186b) Crushing, landslide(193) Due to electric currents	2 4 277	10 17 298	(1) (1) 0. 2	(1) (1) (0, 2
	Drowning Supplemental Traumatism:	1, 228	910	1.0	0.8	•	(193) Due to electric currents	1, 162	1 1, 293	1.0	(1) 1.1
184 185	By firearms (wounds of war ex- cepted)By cutting or piercing instruments	2, 928	3, 041	2.4	2. 5	207		3, 502	3, 592		3. 0
100	(wounds of war excepted)	757 230	842 334	0.6 0.2	0. 7 0. 3	20,	Other railroad accidents(178) Absorption of poisonous gas	21	29	2.9	
186	By fall, crushing, landslide By fall	26, 677	27, 105	0.2 22.2 14.8	22.7 14.6		(183) Drowning	10 3 365	5 17 374	(i)	(1) (1) (1) (1) 0.3
	Supplemental By crushing, landslide Supplemental	17, 834 2, 606 502 5, 735	17, 467 2, 889 572 6, 177	2.2 0.4 4.8	2. 4 0. 5 5. 2		(186a) Fall(186b) Crushing, landslide(193) Due to electric currents	1,443 12	1, 242 9	(1) 2	
187	Supplemental Cataclysm	5, 735 404	61		0.1		(194b) Other accidents	1,646	1,916		(¹) 1.6

Table II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1931 AND 1932—Continued

			IN THE IN CONTIN						IN THE IN CONTII S		
Punch symbol	CAUSE OF DEATH	Nur	nber	000 est	per 100,- timated tlation	h symbol	CAUSE OF DEATE	Nu	nber	000 est	per 100,- imated lation
Punc		1932	1931	1932	1931 .	Punch		1932	1931	1932	1931
	SUPPLEMENTAL 2—continued						SUPPLEMENTAL 2—continued				
209	Street car and automobile collisions. (178) Absorption of poisonous gas. (181) Burns (confiagration excepted). (185) Cutting or piercing instruments. (186a) Fall. (186b) Crushing, landslide. (194b) Other accidents. Other street car accidents. (181) Burns (confiagration excepted). (185) Cutting or piercing instruments. (186a) Fall. (186b) Crushing, landslide. (193) Due to electric currents. (194b) Other accidents.	4 1 3 61 235 523 2 60 92 7 362	419 1 2 3 7 61 345 675 1 53 146 7 468	(1) 0. 1 0. 2 0. 4 (1) (1) 0. 1 (1) 0. 3	0. 4 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	212	(178) Absorption of poisonous gas	31 5 664 107 324 1,122 5 54 940	1, 184 2 6 11 2 710 118 335 813 2 29 634 1 86 9	0.9 (1) 0.6 0.1 0.3 0.9 (1) (1) 0.8 (1) (1) (1) (1) (1) (1)	1.0 (1) (1) (1) (1) 0.6 0.1 0.3 0.7 (1) (1) 0.5 (1) 0.1
210	Automobile accidents (primary). (178) Absorption of poisonous gas. (181) Burns (confiagration excepted). (182) Mechanical suffocation. (183) Drowning. (185) Cutting or piercing instruments. (186a) Fall. (186b) Crushing, landslide. (194b) Other accidents. (181) Burns (confiagration excepted). (186a) Fall (186a) Fall (186b) Crushing, landslide.	214 116 1,028 3,130	30, 042 1 297 20 243 195 1, 089 3, 536 3 24, 658 317 3 39 18 257	21.9 (1) 0.3 (1) 0.2 0.1 0.9 2.6 (1) 17.9 0.2 (1) (1) (1) 0.1	25. 2 (1) 0. 2 (1) 0. 2 0. 2 0. 2 0. 3 (1) 20. 6 0. 3 (1) (1) (1) (1) (2) (3) (4) (5) (1) (1) (1) (1) (2) (3) (4) (4) (5) (6) (7) (7) (7) (7) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9	214	(186a) Fall. (186b) Crushing, landslide. (193) Due to electric currents. (194b) Other accidents. (181) Burns (conflagration excepted). (183) Drowning. (185) Cutting or piercing instruments. (186a) Fall. (186b) Crushing, landslide. (193) Due to electric currents. (194b) Other accidents.	386 43 15 3	3 49 490 53 8 1 147 58 2 221	0.1 0.3 (1) (1) (1) (1) (1) (1) (1) (1)	(1) (1) (1) (2) (3) (4) (4) (1) (1) (1) (1) (2)

¹ Less than one-tenth of 1 per 100,000 population.
² This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths due in 1932 to any of the accidental causes, the supplemental figures should be added to those reported opposite the international list numbers in the regular table.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1932

							MONTE O	F DEATH					
REGISTRATION AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTI- NENTAL UNITED STATES													
Total	1, 308, 529	112, 676	113, 100	132, 278	114, 351	108, 923	99, 657	101, 769	96, 009	91, 481	101, 601	104, 791	131, 893
Registration States ¹ Cities of 10,000 or more ¹ Smaller cities and rural areas Registration cities in nonregistration State ² All registration cities ¹	619, 927 15, 260	111, 330 59, 603 51, 727 1, 346 60, 949	111, 804 59, 354 52, 450 1, 296 60, 650	130, 855 68, 663 62, 192 1, 423 70, 086	113, 117 59, 042 54, 075 1, 234 60, 276	107, 722 56, 507 51, 215 1, 201 57, 708	98, 448 50, 572 47, 876 1, 209 51, 781	100, 501 50, 852 49, 649 1, 268 52, 120	94, 830 48, 310 46, 520 1, 179 49, 489	90, 424 46, 449 43, 975 1, 057 47, 506	100, 482 52, 351 48, 131 1, 119 53, 470	103, 519 53, 747 49, 772 1, 272 55, 019	130, 237 67, 892 62, 345 1, 656 69, 548
Alabama Cities of 10,000 or more Cities of 2,500 to 10,000 Rural.	8, 273 2, 309	2, 430 710 200 1, 520	2, 170 663 178 1, 329	2, 759 748 242 1, 769	2,309 691 197 1,421	2, 175 626 177 1, 372	2, 258 627 188 1, 443	2, 253 707 191 1, 355	2, 073 648 181 1, 244	1, 928 575 160 1, 193	2, 214 680 194 1, 340	2, 197 683 166 1, 348	2, 914 915 235 1, 764
Arizona. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	1,312	497 192 124 181	526 201 131 194	473 191 101 181	462 163 111 188	465 184 116 165	406 173 94 139	402 159 102 141	420 152 113 155	353 128 94 131	369 141 99 129	499 219 105 175	548 229 122 197
Arkansas. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	16, 315 3, 766 2, 083 10, 466	1, 240 291 160 789	1, 373 323 198 852	1, 720 403 217 1, 100	1, 361 294 153 9 14	1, 337 308 161 868	1, 295 289 150 856	1, 354 309 190 855	1, 304 286 174 844	1, 252 298 170 784	1, 169 289 133 747	1, 193 289 155 749	1, 717 387 222 1, 108
California. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	67, 680 42, 946 6, 521	6, 607 4, 323 637 1, 647	6, 081 3, 913 527 1, 641	5, 851 3, 808 567 1, 476	5, 349 3, 354 510 1, 485	5, 441 3, 468 549 1, 424	5, 093 3, 121 510 1, 462	5, 080 3, 128 512 1, 440	5, 036 3, 132 484 1, 420	4, 853 3, 037 481 1, 335	5, 405 3, 441 517 1, 447	5, 860 3, 684 569 1, 607	7, 024 4, 537 658 1, 829
Colorado. Cities of 10,000 or more. Cities of 2,500 to 10,000.	12, 599 6, 171 1, 620 4, 808	1, 223 615 156 452	1, 098 531 153 414	1, 146 579 126 441	976 493 128 355	1, 027 498 126 403	893 417 110 366	923 424 141 358	931 426 120 385	958 471 129 358	978 518 104 356	1, 027 511 137 379	1, 419 688 190 541
Connecticut. Cities of 10,000 or more. Cities of 2,500 to 10,000.	16, 962 11, 915 394	1, 492 1, 075 35 382	1, 539 1, 066 29 444	1, 908 1, 341 62 505	1, 459 1, 026 17 416	1, 438 995 40 403	1, 281 898 35 348	1, 221 875 30 316	1, 165 801 28 336	1, 142 797 20 325	1, 409 976 31 402	1,362 977 40 345	1, 546 1, 088 27 431
Delaware	3, 178 1, 490 255 1, 433	277 130 23 124	259 121 23 115	360 187 27 146	290 138 25 127	253 108 20 125	215 103 12 100	265 125 18 122	230 116 17 97	219 90 21 108	259 115 25 119	252 124 17 111	299 133 27 139
District of Columbia	• 7,937	659	658	820	727	701	642	603	619	527	613	608	760
Florida Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	7,974	1, 643 762 307 574	1, 495 666 293 536	1, 795 799 337 659	1, 576 715 276 585	1, 430 633 247 550	1, 376 581 281 514	1, 491 638 298 555	1, 360 584 253 523	1, 371 600 272 499	1, 448 581 272 595	1, 565 696 263 606	1, 738 719 319 700
Georgia Cities of 10,000 or more Cities of 2,500 to 10,000 and rural	10.638	2, 677 970 1, 707	2, 483 809 1, 674	3, 205 1, 022 2, 183	2, 794 884 1, 910	2, 685 884 1, 801	2, 654 821 1, 833	2, 797 952 1, 845	2, 443 786 1, 657	2, 225 718 1, 507	2, 544 859 1, 685	2, 583 848 1, 735	3, 038 1, 085 1, 953
Idaho	3, 942 590 1, 551 1, 801	339 62 136 141	329 54 126 149	353 53 146 154	348 56 127 165	318 53 128 137	306 45 103 158	292 44 119 129	300 44 110 146	279 37 125 117	322 53 114 155	335 38 143 154	421 51 174 196
Illinois Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	83, 180 52, 912 7, 794 22, 474	7, 168 4, 708 625 1, 835	7, 646 5, 025 707 1, 914	8, 191 5, 127 761 2, 303	7, 241 4, 493 732 2, 016	6, 885 4, 414 593 1, 878	6, 121 3, 947 550 1, 624	6, 572 4, 101 642 1, 829	5, 977 3, 762 601 1, 614	5, 647 3, 598 507 1, 542	6, 435 4, 068 606 1, 761	6, 747 4, 239 661 1, 847	8, 550 5, 430 809 2, 311
Indiana Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	38, 756 17, 328 4, 625	3, 380 1, 540 382 1, 458	3, 404 1, 543 388 1, 473	4, 001 1, 694 499 1, 808	3, 297 1, 427 410 1, 460	3, 172 1, 413 366 1, 393	2, 913 1, 326 342 1, 245	2, 990 1, 375 357 1, 258	2, 870 1, 280 330 1, 260	2, 720 1, 196 324 1, 200	2, 916 1, 297 368 1, 251	3, 075 1, 399 360 1, 316	4,018 1,838 499 1,681
Iowa	9, 650 4, 680	2, 212 823 412 977	2, 554 914 437 1, 203	2, 539 923 475 1, 141	2, 130 785 370 975	2, 084 742 378 964	1, 830 724 327 779	1, 897 689 363 845	1, 804 720 350 734	1, 764 668 343 753	2, 056 781 373 902	2, 135 807 369 959	2, 781 1, 074 483 1, 224
Kansas Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	. 2,775	1, 639 585 242 812	1, 744 593 241 910	1, 836 645 247 944	1, 638 542 220 876	1, 593 586 216 791	1, 439 505 180 754	1, 593 541 256 796	1, 422 484 206 732	1, 366 482 207 677	1, 539 553 227 759	1, 545 581 213 751	2, 158 760 320 1, 078
Kentucky Cities of 10,000 or more Cities of 2,500 to 10,000 and rural	. 8,712	2, 413 763 1, 650	2, 358 713 1, 645	2, 875 914 1, 961	2, 427 722 1, 705	2, 230 685 1, 545	2, 292 632 1, 660	2, 623 769 1, 854	2, 204 626 1, 578	1, 982 574 1, 408	2,308 689 1,619	2, 298 704 1, 594	3, 049 921 2, 128

¹ Including District of Columbia.

² Includes 8 cities in Texas.

DEATHS, BY MONTH OF OCCURRENCE

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1932—Continued

						<u></u>	MONTH C	F DEATH				· · · ·	***************************************
REGISTRATION AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued			1										
Louisiana. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	23, 311	1, 872	1, 743	2, 058	1,839	1, 749	1,849	1, 981	1, 742	1, 716	1, 787	2, 130	2,845
	11, 002	887	822	964	885	825	890	1, 002	825	779	840	993	1,290
	2, 404	193	187	208	185	194	192	189	173	172	184	204	323
	9, 905	792	734	886	769	730	767	790	744	765	763	933	1,232
Maine	10, 719	955	976	1,061	922	938	837	769	757	852	814	836	1,002
	3, 498	331	343	342	306	289	257	233	240	289	287	275	306
	1, 322	89	114	117	107	120	125	116	85	92	97	110	150
	5, 899	535	519	602	509	529	455	420	432	471	430	451	546
Maryland Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	21, 038	1, 852	1,800	2,178	1, 913	1,709	1, 626	1,538	1, 531	1, 495	1, 636	1,672	2, 088
	12, 367	1, 097	1,089	1,276	1, 077	1,013	966	898	866	881	961	1,007	1, 236
	1, 090	98	75	99	105	100	94	88	72	75	87	91	106
	7, 581	657	636	803	731	596	566	552	593	539	588	574	746
Massachusetts	49, 446	4,415	4, 539	5, 092	4, 613	4, 239	3, 812	3, 591	3, 415	3, 338	3, 916	3, 955	4, 521
Cities of 10,000 or more.	40, 383	3;621	3, 669	4, 179	3, 836	3, 474	3, 099	2, 898	2, 743	2, 685	3, 224	3, 223	3, 732
Cities or 2,500 to 10,000.	3, 253	306	330	379	281	274	238	209	225	215	239	272	285
Rural.	5, 810	488	540	534	496	491	475	484	447	438	453	460	504
Michigan	49, 585	4, 167	4, 413	5, 322	4, 254	4, 345	3, 810	3, 753	3, 665	3,376	3, 855	3, 805	4, 820
Cities of 10,000 or more.	27, 205	2, 405	2, 484	2, 892	2, 308	2, 398	2, 136	1, 979	2, 008	1,813	2, 110	2, 041	2, 631
Cities of 2,500 to 10,000	4, 425	356	381	473	389	382	352	343	328	283	346	335	457
Rural.	17, 955	1, 406	1, 548	1, 957	1, 557	1, 565	1, 322	1, 431	1, 329	1,280	1, 399	1, 429	1, 732
Minnesota	25, 591	1, 998	2, 275	2, 505	2, 130	2, 113	1, 903	1, 990	1, 809	1, 868	2, 156	2, 146	2, 698
Cities of 10,000 or more.	11, 634	864	1, 091	1, 134	990	933	853	873	811	825	989	971	1, 300
Cities of 2,500 to 10,000	3, 488	290	288	334	300	273	278	283	249	257	295	280	361
Rural	10, 469	844	896	1, 037	840	907	772	834	749	786	872	895	1, 037
Mississippi. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	20, 311	1,741	1, 564	1, 835	1, 637	1, 578	1,607	1,800	1, 583	1, 547	1,651	1,617	2, 151
	3, 885	363	336	371	289	264	319	347	248	265	323	340	420
	1, 456	128	103	128	140	123	90	116	124	101	126	158	119
	14, 970	1,250	1, 125	1, 336	1, 208	1, 191	1,198	1,337	1, 211	1, 181	1,202	1,119	1, 612
Missouri. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	43, 738	3, 668	3, 685	4, 285	3, 783	3, 432	3,334	3, 522	3, 171	3, 004	3,357	3, 613	4, 884
	21, 068	1, 793	1, 789	2, 077	1, 836	1, 707	1,569	1, 684	1, 493	1, 445	1,605	1, 758	2, 312
	4, 363	369	356	404	369	332	317	337	320	311	378	388	482
	18, 307	1, 506	1, 540	1, 804	1, 578	1, 393	1,448	1, 501	1, 358	1, 248	1,374	1, 467	2, 090
Montana. Cities of 10,000 or more. Cities of 2,500 to 10,000 Rural.	5, 294	414	500	543	437	452	380	380	456	414	399	412	507
	1, 656	150	174	166	124	149	127	120	122	127	131	112	154
	862	56	80	91	72	77	58	50	83	59	68	79	89
	2, 776	208	246	286	241	226	195	210	251	228	200	221	264
Nebraska	12, 922	1, 099	1, 231	1, 227	1, 093	1, 034	902	955	945	937	1, 094	989	1, 416
Cities of 10,000 or more.	4, 675	404	490	437	373	357	305	353	347	338	388	367	516
Cities of 2,500 to 10,000	1, 808	161	165	166	161	129	141	131	125	137	148	137	207
Rural	6, 439	534	576	624	559	548	456	471	473	462	558	485	693
Nevada	1, 342	130	130	112	120	122	85	108	107	80	107	102	139
	350	36	35	24	29	35	19	25	34	26	28	30	29
	361	36	42	30	35	29	26	26	21	21	26	31	38
	631	58	53	58	56	58	40	57	52	33	53	41	72
New Hampshire Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	6, 329	588	563	594	590	528	485	540	501	454	455	476	555
	3, 013	279	263	250	287	268	236	260	230	207	220	233	280
	516	66	50	45	47	40	43	41	38	39	40	38	29
	2, 800	243	250	299	256	220	206	239	233	208	195	205	246
New Jersey. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	42, 914	3, 643	3, 587	4, 813	3, 884	3, 605	3, 246	3, 116	3, 159	3, 072	3, 253	3, 420	4, 116
	28, 882	2, 485	2, 404	3, 236	2, 648	2, 413	2, 160	2, 048	2, 135	2, 031	2, 238	2, 303	2, 781
	5, 615	501	512	610	477	488	432	376	395	430	397	449	548
	8, 417	657	671	967	759	704	654	692	629	611	618	668	787
New Mexico Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	5, 968	499	492	515	503	494	419	486	595	460	446	515	544
	997	92	88	86	78	74	81	74	92	75	87	81	89
	1, 196	86	107	103	107	115	101	89	108	80	87	105	108
	3, 775	321	297	326	318	305	237	323	395	305	272	329	347
:New York	7,810	12, 919	12, 640	16, 045	13, 673	13, 062	11, 206	10, 774	10, 460	10,091	11, 346	11, 355	14, 253
Cities of 10,000 or more		9, 956	9, 799	12, 377	10, 386	9, 921	8, 428	8, 060	7, 749	7,631	8, 553	8, 572	10, 871
Cities of 2,500 to 10,000		691	636	791	726	643	599	591	603	548	604	611	767
Rural		2, 272	2, 205	2, 877	2, 561	2, 498	2, 179	2, 123	2, 108	1,912	2, 189	2, 172	2, 615
(North Carolina Cities of 10,000 or more. Oities of 2,500 to 10,000 Rural	8, 274 2, 642	2, 569 660 203 1, 706	2, 580 732 201 1, 647	3, 032 829 223 1, 980	2, 778 725 234 1, 819.	2, 690 656 253 1, 781	2, 656 659 219 1, 778	2, 566 709 225 1, 632	2, 296 653 201 1, 442	2, 209 588 180 1, 441	2,346 633 217 1,496	2, 555 695 225 1, 635	2, 774 735 261 1, 778
North Dakota. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	625	367 76 36 255	429 82 56 291	538 91 54 393	456 84 61 311	414 94 56 264	376 75 45 256	432 74 50 308	364 68 50 246	403 83 46 274	465 89 57 319	451 75 63 · 313	458 102 51 305
Ohio Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	44, 956 6, 914	6, 546 3, 964 586 1, 996	6, 637 3, 863 611 2, 163	8, 040 4, 697 701 2, 642	6, 699 3, 945 580 2, 174	6, 408 3, 838 585 1, 985	5, 627 3, 341 506 1, 780	5, 940 3, 473 523 1, 944	5, 564 3, 190 510 1, 864	5, 126 3, 021 470 1, 635	5, 855 3, 414 571 1, 870	6, 003 3, 494 555 1, 954	7, 841 4, 716 716 2, 409
Oklahoma	4,684	1, 555	1,704	1, 992	1, 636	1, 389	1, 283	1, 654	1, 448	1,388	1, 542	1,539	2, 155
Cities of 10,000 or more		532	559	617	525	475	457	543	499	470	522	495	767
Cities of 2,500 to 10,000		404	444	508	413	329	329	425	316	311	379	353	473
Rural		619	701	867	698	585	497	686	633	607	641	691	915

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1932—Continued

TOTAL TOTAL	All deaths						MONTH O	F DEATH					
REGISTRATION AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued													
Oregon	10, 277	933	913	921	885	903	802	788	688	782	732	781	1, 149
Cities of 10,000 or more.	4, 746	446	431	447	411	416	329	347	324	352	333	374	536
Cities of 2,500 to 10,000.	2, 028	163	185	199	171	163	183	157	121	152	159	156	219
Rural	3, 503	324	297	275	303	324	290	284	243	278	240	251	394
Pennsylvania Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	13, 347	9, 490 5, 551 1, 159 2, 780	9, 532 5, 582 1, 178 2, 772	11, 890 6, 770 1, 458 3, 662	10, 109 5, 829 1, 214 3, 066	9, 179 5, 356 1, 116 2, 707	8, 212 4, 775 976 2, 461	7, 842 4, 420 984 2, 438	7, 899 4, 510 943 2, 446	7, 518 4, 251 923 2, 344	8, 302 4, 768 992 2, 542	8, 515 4, 819 1, 058 2, 638	10, 716 6, 162 1, 346 3, 208
Rhode Island Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	352 593	714 640 31 43	764 673 29 62	907 802 . 36 69	827 725 39 63	637 560 20 57	537 474 24 39	567 501 26 40	584 521 28 35	581 512 31 38	654 568 27 59	591 521 27 43	717 638 34 45
South Carolina	19, 884	1, 631	1,542	1, 905	1,868	1,782	1,688	1,760	1, 479	1, 426	1, 538	1, 569	1, 696
Cities of 10,000 or more.	4, 387	378	327	420	422	376	330	403	332	320	331	354	394
Cities of 2,500 to 10,000.	1, 742	121	147	185	156	143	160	173	110	123	140	138	146
Rural	13, 755	1, 132	1,068	1, 300	1,290	1,263	1,198	1,184	1, 037	983	1, 067	1, 077	1, 156
South Dakota	5, 725	487	508	586	460	448	426	457	446	434	459	454	560
Cities of 10,000 or more.	1, 185	93	111	113	103	94	78	88	89	106	107	97	106
Cities of 2,500 to 10,000.	828	76	78	96	70	59	61	79	52	71	50	58	78
Rural	3, 712	318	319	377	287	295	287	290	305	257	302	299	376
Tennessee. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	28, 628	2, 274	2, 257	2, 816	2, 454	2, 372	2, 242	2, 441	2, 147	1,897	2,310	2, 362	3, 056
	10, 423	846	804	1, 019	858	829	793	928	781	720	882	863	1, 100
	2, 907	250	241	274	251	236	219	258	220	201	230	238	289
	15, 298	1, 178	1, 212	1, 523	1, 345	1, 307	1, 230	1, 255	1, 146	976	1,198	1, 261	1, 667
Utah Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	4, 420	406	411	363	370	340	324	326	299	297	356	415	513
	2, 202	202	201	182	181	164	159	165	172	153	162	224	237
	654	61	69	55	49	53	45	49	37	46	54	65	71
	1, 564	143	141	126	140	123	120	112	90	98	140	126	205
Vermont	4, 753	438	396	509	437	427	346	350	377	313	332	364	464
Cities of 10,000 or more	897	90	99	89	85	70	62	58	74	54	64	66	86
Cities of 2,500 to 10,000 and rural	3, 856	348	297	420	352	357	284	292	303	259	268	298	378
Virginia. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural	28, 898	2, 458	2, 383	2, 826	2, 665	2, 502	2, 322	2, 381	2, 125	1, 990	2, 139	2, 215	2, 892
	8, 950	791	702	855	803	751	685	745	662	632	690	707	927
	2, 413	204	205	246	220	198	200	186	170	165	183	183	253
	17, 535	1, 463	1, 476	1, 725	1, 642	1, 553	1, 437	1, 450	1, 293	1, 193	1, 266	1, 325	1, 712
Washington	16, 581	1, 489	1, 546	1, 492	1, 427	1, 485	1, 304	1, 231	1, 208	1, 176	1, 299	1,345	1, 579
Cities of 10,000 or more	9, 318	845	880	866	804	855	699	707	654	657	708	747	896
Cities of 2,500 to 10,000	1, 686	148	156	136	160	161	142	107	131	97	155	135	158
Rural	5, 577	496	510	490	463	469	463	417	423	422	436	463	525
West Virginia. Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	17, 912	1, 473	1, 494	1, 823	1, 458	1, 292	1, 353	1, 612	1, 452	1, 294	1, 398	1, 442	1, 821
	4, 749	377	395	492	378	330	331	382	388	333	413	412	518
	2, 566	211	239	258	204	182	186	217	218	191	193	212	255
	10, 597	885	860	1, 073	876	780	836	1, 013	846	770	792	818	1, 048
Wisconsin Ottles of 10,000 or more Cities of 2,500 to 10,000 Rural	30, 321	2, 479	2,673	3, 018	2, 641	2, 631	2, 273	2, 329	2, 247	2, 154	2, 343	2, 439	3,094
	13, 269	1, 110	1,216	1, 265	1, 166	1, 188	997	988	954	952	1, 008	1, 056	1,369
	3, 691	292	301	353	327	301	265	291	279	253	287	325	417
	13, 361	1, 077	1,156	1, 400	1, 148	1, 142	1, 011	1, 050	1, 014	949	1, 048	1, 058	1,308
Wyoming. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	2, 057	165	180	180	172	189	162	166	153	146	156	155	233
	395	31	28	44	36	37	32	28	30	32	21	35	41
	550	44	54	48	39	48	40	35	46	42	40	40	74
	1, 112	90	98	88	97	104	90	103	77	72	95	80	118

Note.—Data for individual cities held in manuscript.

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR OR RACE, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1932

				WHI	"E		·				OTHER R	ACES		 ;
•				Nat	ive]				<u> </u>
AREA	All deaths	Total	Total	Both parents native	One or both parents foreign born	Parent- age un- known	Foreign born	Nativ- ity un- known	Total	Negro	Indian	Chi- nese	Japa- nese	Other.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES														
Total	===	1, 126, 226	859, 931	518, 155	217, 784	123, 992	249, 695	16,600	182, 303	166, 664	1 4, 633	1, 250	1,019	8,737
Registration States 2 Cities of 10,000 or more 2 Smaller cities and rural areas	1, 293, 269 673, 342 619, 927	1, 115, 555 591, 022 524, 533	851, 130 411, 533 439, 597	513, 250 217, 034 296, 216	216, 231 141, 679 74, 552	121, 649 52, 820 68, 829	248, 185 171, 670 76, 515	16, 240 7, 819 8, 421	177, 714 82, 320 95, 394	163, 442 77, 155 86, 287	4, 632 424 4, 208	1, 236 .909 327	1, 017 594 423	7, 387 3, 238 4, 149
Registration cities in nonregistration State 3All registration cities 2	15, 260 688, 602	10, 671 601, 693	8,801 420,334	4, 905 221, 939	1, 553 143, 232	2, 343 55, 163	1, 510 173, 180	360 8, 179	4, 589 86, 909	3, 222 80, 377	425	14 923	596	1, 350; 4, 588
AlabamaCities of 10,000 or moreCities of 2,500 to 10,000Rural	27, 680 8, 273 2, 309 17, 098	14, 871 4, 248 1, 400 9, 223	14, 309 3, 982 1, 368 8, 959	11, 945 3, 301 1, 160 7, 484	462 276 27 159	1, 902 405 181 1, 316	362 231 21 110	200 35 11 154	12, S09 4, 025 909 7, 875	12, 802 4, 022 909 7 871	4			3,
Arizona	1,312	3, 016 1, 426 782 808	2, 422 1, 175 597 650	1,368 664 334 370	382 193 93 96	672 318 170 184	394 158 132 104	200 93 53 54	2, 404 706 530 1, 168	211 124 42 45	626 60 6 560	14 4 9 1	14 8 2 4	1, 539 1 510 1 471 558
Arkansas Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	16, 315 3, 766 2, 083 10, 466	11, 251 2, 645 1, 367 7, 239	10, 262 2, 270 1, 292 6, 700	6, 368 1, 212 868 4, 238	342 132 50 160	3, 552 926 374 2, 252	240 111 32 97	749 264 43 442	5, 064 1, 121 716 3, 227	5,057 1,120 716 3,221	1	4 1 3		2°
California Cities of 10.000 or more Cities of 2,500 to 10,000 Rural	6,521	60, 037 38, 876 5, 708 15, 453	43, 069 27, 566 4, 283 11, 220	20, 538 12, 961 2, 161 5, 416	12, 216 8, 439 1, 095 2, 682	10, 315 6, 166 1, 027 3, 122	15, ⁸ 21 10, 627 1, 341 3, 853	1, 147 683 84 380	7, 643 4, 070 813 2, 760	1, 317 973 48 296	344 38 29 277	639 405 45 189	690 403 69 218	4, 653 ; 2, 251 622 ; 1, 780 ;
Colorado Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	12, 599 6, 171 1, 620 4, 808	11, 771 5, 857 1, 480 4, 434	9, 238 4, 498 1, 182 3, 558	4, 872 2, 178 652 2, 042	1, 814 946 221 647	2, 552 1, 374 309 869	2, 144 1, 138 243 763	389 221 55 113	828 314 140 374	250 176 14 60	27 2 1 24	10 6 1 3	25 9 5 11	5161 121 1191 276;
Connecticut	16, 962 11, 915 394 4, 653	16, 494 11, 518 388 4, 588	10, 295 6, 915 247 3, 133	4, 826 3, 020 126 1, 680	4, 343 3, 219 95 1, 029	1, 126 676 26 424	6, 057 4, 517 137 1, 403	142 86 · 4 52	468 397 6 65	459 388 6 65	2 2	7 7		
Delaware Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	3, 178 1, 490 255 1, 433	2, 570 1, 257 202 1, 111	2, 189 977 189 1, 023	1, 628 650 151 827	342 247 20 75	219 80 18 121	355 275 12 68	26 5 1 20	608 233 53 322	607 233 52 322	1 1			,
District of Columbia	7,937	5, 001	4, 256	2, 615	800	841	619	126	2,936	2, 924		10	1	11
Florida. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	18, 288 7, 974 3, 418 6, 896	11, 287 5, 021 2, 234 4, 032	9, 707 4, 145 1, 921 3, 641	6, 124 2, 533 1, 127 2, 464	1, 029 622 187 220	2, 554 990 607 957	1, 235 767 196 272	345 109 117 119	7, 001 2, 953 1, 184 2, 864	6, 988 2, 944 1, 183 2, 861	7 5 2	3 2 1	1 	2 2
Georgia	32, 128 10, 638 21, 490	16, 818 5, 289 11, 529	16, 215 4, 976 11, 239	12, 929 3, 900 9, 029	383 264 119	2, 903 812 2, 091	303 237 66	300 76 224	15, 310 5, 349 9, 961	15, 307 5, 347 9, 960		1 i	, 1	11
Idaho	590 1,551	3, 813 573 1, 532 1, 708	3, 033 464 1, 214 1, 355	1, 705 265 667 773	641 100 284 257	687 99 263 325	647 89 263 295	133 20 55 58	129 17 19 93	19 10 7 2	90 3 3 3 94	2 1 1	12 2 7 3	6. 1 2. 3;
IllinoisCities of 10,000 or more Cities of 2,500 to 10,000 Rural	. 7,794	77, 248 48, 037 7, 574 21, 637	53, 028 29, 357 6, 104 17, 567	25, 707 12, 024 3, 557 10, 126	18, 666 12, 962 1, 522 4, 182	8, 655 4, 371 1, 025 3, 259	23, 169 17, 909 1, 426 3, 834	1, 051 771 44 236	5, 932 4, 875 220 837	· 5,785 4,761 210 814	1	72 65 7	8 6 2	66 42 10 14
Indiana Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	4,625	36, 839 15, 735 4, 540 16, 564	33, 391 13, 664 4, 217 15, 510	22, 846 8, 657 3, 030 11, 159	4, 930 2, 582 554 1, 794	5, 615 2, 425 633 2, 557	3, 059 1, 915 278 866	389 156 45 188	1, 917 1, 593 85 239	1, 859 1, 540 85 234	3 3	1		54 50
Iown Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	4, 680	25, 443 9, 408 4, 636 11, 399	20, 143 7, 590 3, 832 8, 721	10, 808 3, 906 2, 136 4, 766	5, 703 2, 216 1, 031 2, 456	3, 632 1, 468 665 1, 499	4, 867 1, 652 742 2, 473	433 166 62 205	343 242 44 57	300 223 40 37	18 3	1		
Kansas Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	. 2,775	18, 328 6, 094 2, 665 9, 569	15, 751 5, 352 2, 374 8, 025	8, 910 3, 027 1, 434 4, 449	2, 590 845 354 1, 391	4, 251 1, 480 586 2, 185	2, 249 659 255 1, 335	328 83 36 209	1, 184 763 110 311	1, 165 759 108 298	18 4 2 12	J		
Kentucky	.) 20, 347	24, 829 6, 826 18, 003				1,918 766 1,152 Includin	•	187	4, 230 1, 886 2, 344		1 1 cludes 8			

¹ Transcripts of death certificates for 52 Indians too late for inclusion.

² Including District of Columbia.

³ Includes 8 cities in Texas.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR OR RACE, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1932—Continued

	.			WHI	re						OTHER R	ACES		
				Nat	ive									
AREA	All deaths	Total	Total	Both parents native	One or both parents foreign born	Parent- age un- known	Foreign born	Nativ- ity un- known	Total	Negro	Indian	Chi- nese	Japa- nese	Other
THE REGISTRATION AREA IN CON- TINENTAL UNITED STATES—Con.										:				
Louisiana Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	23, 311 11, 002 2, 404 9, 905	12, 504 6, 418 1, 239 4, 847	11, 236 5, 567 1, 137 4, 532	7, 437 3, 348 793 3, 296	1,724 1,414 103 207	2, 075 805 241 1, 029	996 747 74 175	272 104 28 140	10, 807 4, 584 1, 165 5, 058	10, 764 4, 571 1, 165 5, 028	17 17	9 8 1	1	16 4 <u>1</u> 2
MaineCities of 10,000 or more Cities of 2,500 to 10.000 Rural	10, 719 3, 498 1, 322 5, 899	10, 690 3, 486 1, 314 5, 890	8, 809 2, 615 1, 061 5, 133	6, 631 1, 750 780 4, 101	1, 742 743 229 770	436 122 52 262	1,829 856 246 727	52 15 7 30	29 12 8 9	15 9 2 4	12 1 6 5	1 1		1
Maryland Cities of 10,000 or more Cities of 2,500 to 10,000	21,038 12,367 1,090 7,581	15, 955 9, 454 821 5, 680	13, 713 7, 704 750 5, 259	9, 450 4, 700 596 4, 154	2, 907 2, 162 97 648	1,356 842 57 457	2,098 1,665 63 370	144 85 8 51	5, 083 2, 913 269 1, 901	5, 072 2, 903 269 1, 900		8 8	1	2 2
Massachusetts Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	49, 446 40, 383 3, 253 5, 810	48, 568 39, 644 3, 225 5, 699	30, 172 23, 828 2, 289 4, 055	14, 571 10, 923 1, 284 2, 364	13, 264 11, 144 800 1, 320	2,337 1,761 205 371	18, 227 15, 676 927 1, 624	169 140 9 20	878 739 28 111	821 694 26 101	10 2 2 2 6	46 42 4	1 1	
Michigan Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	49, 585 27, 205 4, 425 17, 955	46, 952 25, 114 4, 364 17, 474	32, 210 16, 533 3, 227 12, 450	15,702 7,518 1,647 6,537	11, 119 6, 477 995 3, 647	5, 389 2, 538 585 2, 266	13, 945 8, 182 1, 094 4, 669	797 399 43 355	2, 633 2, 091 61 481	2, 469 2, 033 52 384	103 11 9 83	14 13 1		47 34 13
Minnesota	3,488	25, 189 , 11, 483 3, 467 10, 239	14, 781 7, 066 2, 053 5, 662	6,320 3,070 861 2,389	7, 171 3, 419 961 2, 791	1, 290 577 231 482	10, 233 4, 333 1, 372 4, 528	175 84 42 49	402 151 21 230	168 139 12 17	224 6 9 209	6 5		4 1 3
Mississippi. Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	1,456	8,303 1,868 728 5,707	7, 880 1, 731 704 5, 445	5, 915 1, 306 551 4, 058	291 135 31 125	1,674 290 122 1,262	170 81 14 75	253 56 10 187	12, 008 2, 017 728 9, 263	11, 972 2, 011 718 9, 243	22 3 9 10	6 3 3		8 1 7
Missouri. Cities of 10,000 or moreCities of 2,500 to 10,000	43, 738 21, 068 4, 363 18, 307	39, 117 17, 809 3, 887 17, 421	33, 979 14, 367 3, 550 16, 062	20, 125 7, 409 2, 181 10, 535	6, 255 3, 998 535 1, 722	7, 599 2, 960 834 3, 805	4, 187 3, 031 207 949	951 411 130 410	4, 621 3, 259 476 886	4, 567 3, 214 476 877	2 1	12 11 1	1	39 33 6
Montana Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	5, 294 1, 656 862 2, 776	4, 878 1, 621 850 2, 407	3,304 1,079 610 1,615	1, 460 450 278 732	1,078 397 192 489	766 232 140 394	1,409 495 215 699	165 47 25 93	416 35 12 369	22 10 3 9	336 13 7 316	16 5 1 10	2 1 1	40 7
Nebraska Cities of 10,000 or more Cities of 2,500 to 10,000 Rural		12, 558 4, 455 1, 780 6, 323	9, 272 3, 268 1, 421 4, 583	5, 219 1, 771 846 2, 602	2, 554 978 348 1, 228	1, 499 519 227 753	3, 109 1, 102 338 1, 669	177 85 21 71	364 220 28 116	221 205 6 10	68 1 1 66	2 1 1	3 1 2	70 12 20 38
Nevada Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	1,342 350 361 631	1, 189 333 337 519	834 248 224 362	343 85 106 152	185 49 45 91	306 114 73 119	261 68 65 128	94 17 48 29	153 17 24 112	8 5 2 1	118 7 13 98	10 4 4 2	7 1 6	10 1 4 5
New Hampshire	6,329 3,013 516 2,800	6, 320 3, 007 516 2, 797	4, 643 2, 036 383 2, 224	2, 673 1, 069 237 1, 367	1,017 612 76 329	953 355 70 528	1,530 929 122 479	147 42 11 94	9 6	9 6 3				
New Jersey Cities of 10,000 or moreCities of 2,500 to 10,000Rural.	42, 914 28, 882 5, 615 8, 417	39, 463 26, 454 5, 188 7, 821	25, 772 16, 215 3, 603 5, 954	14, 299 8, 150 2, 116 4, 033	10, 137 7, 335 1, 289 1, 513	1,336 730 198 408	13, 429 10, 066 1, 564 1, 799	262 173 21 68	3, 451 2, 428 427 596	3, 427 2, 413 422 592	1	17 12 2 3	4 1 2 1	2 1 1
New Mexico Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	. 1,196	5, 620 956 1, 171 3, 493	5, 090 877 985 3, 228	3, 798 648 658 2, 492	547 104 133 310	745 125 194 426	436 65 150 221	94 14 36 44	348 41 25 282	64 27 20 17	278 14 2 262		5 3 2	1 ī
New York Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	147, 824 112, 303 7, 810	140, 648 105, 934 7, 646 27, 068	88, 048 60, 542 5, 976 21, 530	42, 333 26, 108 3, 443 12, 782	39, 594 31, 528 1, 949 6, 117	6, 121 2, 906 584 2, 631	51, 385 44, 447 1, 615 5, 323	1, 215 945 55 215	7, 176 6, 369 164 643	6, 850 6, 133 153 564	110 27 10 73	151 147 4	34 31 1 2	31 31
North Carolina. Cities of 10,000 or more. Cities of 2,500 to 10,000. Rural.	2, 642	19, 513 4, 752 1, 745 13, 016	19, 189 4, 623 1, 716 12, 850	16, 728 3, 925 1, 532 11, 271	211 107 21 83	2, 250 591 163 1, 496	163 92 18 53	161 37 11 113	11, 538 3, 522 897 7, 119	11, 394 3, 517 892 6, 985	140 2 5 133	2 2	1	1
North Dakota Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	625	5, 004 982 619 3, 403	2, 902 635 383 1, 884	1, 424 314 190 920	1,347 289 174 884	131 32 19 80	2,064 331 232 1,501	38 16 4 18	149 11 6 132	8 2 3 3	139 7 3 129		2 2	

DEATHS, BY COLOR OR RACE, AND NATIVITY

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR OR RACE, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1932—Continued

				WHI	FE						OTHER B	ACES		
				Nat	ive			Masin						
AREA	All deaths	Total	Total	Both parents native	One or both parents foreign born	Parent- age un- known	Foreign born	Nativ- ity un- known	Total	Negro	Indian	Chi- nese	Japa- nese	Other
THE REGISTRATION AREA IN CON- TINENTAL UNITED STATES—Con.					-				,					
Ohio Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	76, 286 44, 956 6, 914 24, 416	70, 861 40, 575 6, 654 23, 632	57, 936 30, 891 5, 932 21, 113	35, 439 17, 256 3, 789 14, 394	14,362 9,766 1,290 3,306	8, 135 3, 869 853 3, 413	11,716 9,087 686 1,943	1, 209 597 36 576	5, 425 4, 381 260 784	5,395 4,359 257 779	5 2 1 2	14 14	3 2 1	8 4 1 3
Oklahoma Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	4,684	16, 663 5, 476 4, 124 7, 063	15,310 4,972 3,819 6,519	9,535 3,041 2,416 4,078	856 332 213 311	4, 919 1, 599 1, 190 2, 130	609 216 144 249	- 744 288 161 295	2,622 985 560 1,077	1,846 839 383 624	720 124 155 441	2 2		54 20 22 12
Oregon Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	2,028	10,026 4,627 1,999 3,400	7,647 3,338 1,633 2,676	4,071 1,713 904 1,454	1, 572 863 244 465	2,004 762 485 757	2, 140 1, 193 312 635	239 96 54 89	251 119 29 103	44 30 4 10	99 12 -16 71	42 35 1 6	46 33 4 9	20 9 4 7
Pennsylvania Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	13, 347	102, 194 57, 124 13, 110 31, 960	78, 416 40, 999 10, 651 26, 766	50, 396 23, 468 7, 310 19, 618	21, 114 13, 981 2, 541 4, 592	6, 906 3, 550 800 2, 556	22, 794 15, 574 2, 366 4, 854	984 551 93 340	7, 010 5, 669 237 1, 104	6, 962 5, 630 236 1, 096	1 1	32 28 4	3 3	12 7 1 4
Rhode Island	352	7, 869 6, 945 344 580	4, 775 4, 140 199 436	2, 346 1, 933 98 315	2, 175 1, 995 93 87	254 212 8 34	3, 064 2, 779 144 141	30 26 1 3	211 190 8 13	203 184 7 12	2 1 1	4 3 1		2 2
South Carolina Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	19, 884 4, 387 1, 742 13, 755	8, 599 2, 054 910 5, 635	8, 448 1, 960 894 5, 594	7, 697 1, 684 815 5, 198	188 112 23 53	563 164 56 343	94 60 15 19	57 34 1 22	11, 285 2, 333 832 8, 120	11, 283 2, 331 832 8, 120				
South Dakota Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	5, 725 1, 185 828 3, 712	5, 216 1, 176 810 3, 230	3, 593 870 586 2, 137	1, 700 429 264 1, 007	1, 262 297 182 783	631 144 140 347	1, 528 283 198 1, 047	95 23 26 46	509 9 18 482	11 4 6 1	498 5 12 481			l
Tennessee	28, 628 10, 423 2, 907 15, 298	20, 821 6, 285 2, 097 12, 439	20, 115 5, 873 2, 066 12, 176	16, 488 4, 422 1, 784 10, 282	538 376 32 130	3, 089 1, 075 250 1, 764	352 276 11 65	354 136 20 198	7, 807 4, 138 810 2, 859	7, 799 4, 132 810 2, 857		3 2 1		5 4 1
Utah	4, 420 2, 202 654 1, 564	4, 289 2, 144 647 1, 498	3, 095 1, 522 495 1, 078	1, 705 763 283 659	1, 136 598 188 350	254 161 24 69	1, 056 578 146 332	138 44 6 88	131 58 7 66	19 17 2	56 1 1 54	11 10 1	26 16 4 6	19 14 2 3
Vermont Cities of 10,000 or more Cities of 2,500 to 10,000 and rural	4, 753 897 3, 856	4, 749 896 3, 853	3, 859 690 3, 169	2, 494 417 2, 077	884 222 662	481 51 430	841 197 644	49 9 40	4 1 3	4 1 3				
Virginia Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	28, 898 8, 950 2, 413 17, 535	18, 270 5, 314 1, 780 11, 176	17, 635 5, 002 1, 734 10, 899	14, 810 4, 014 1, 473 9, 323	670 391 50 229	2, 155 597 211 1, 347	477 264 32 181	158 48 14 96	10, 628 3, 636 633 6, 359	10, 608 3, 631 632 6, 345	10 1 9	5 3 2		5 2 3
Washington Cities of 10,000 or more Cities of 2,500 to 10,000 Rural	16, 581 9, 318 1, 686 5, 577	15, 959 9, 020 1, 619 5, 320	11, 004 6, 157 1, 168 3, 679	5, 810 3, 251 612 1, 947	2, 957 1, 827 258 872	2, 237 1, 079 298 860	4, 626 2, 694 403 1, 529	329 169 48 112	622 298 67 257	150 121 8 21	271 40 36 195	46 39 3 4	118 71 18 29	37 27 2 8
West Virginia	17, 912 4, 749 2, 566 10, 597	16, 125 4, 300 2, 280 9, 545	15, 329 3, 972 2, 139 9, 218	14, 354 3, 488 2, 000 8, 866	975 484 139 352		777 316 138 323	19 12 3 4	1,787 449 286 1,052	1,784 447 286 1,051		3 2 1		
Wisconsin	30, 321 13, 269 3, 691 13, 361	29, 948 13, 142 3, 678 13, 128	19, 567 8, 518 2, 543 8, 506	7, 772 3, 243 1, 115 3, 414	9, 852 4, 491 1, 178 4, 183	1, 943 784 250 909	10, 025 4, 487 1, 091 4, 447	356 137 44 175	373 127 13 233	182 101 4 77	183 20 9 154	3 3		5 3 2
Wyoming	2, 057 395 550 1, 112	1,879 363 521 995	1, 446 281 359 806	748 147 169 432	277 57 93 127	421 77 97 247	332 64 124 144	101 18 38 45	178 32 29 117	22 7 9 6	64 1 63	1 1	7 2 2 3	84 23 16 45

Note.—Data for individual cities held in manuscript.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

							DEA:	THS AT AG	E OF-			············	
	AREA AND COLOR	All ages	Under 1 year	1 year	2 years	& years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	The registration area in continental United StatesWhite Colored	1, 126, 226 182, 303	97, 423 23, 844	14, 195 3, 669	7, 543 1, 731	5, 471 1, 136	4, 590 906	129, 222 31, 286	16, 777 3, 027	13, 474 3, 078	20, 143 6, 911	26, 251 10, 363	27, 411 10, 384
2	Registration States 1White Colored_	1, 115, 555 177, 714	96, 250 23, 181	13, 999 3, 569	7, 440 1, 669	5, 387 1, 095	4, 532 874	127, 608 30, 388	16, 573 2, 951	13, 317	19, 871 6, 747	25, 851 10, 106	26, 977 10, 051
3	Cities of 10,000 or more 1White	591, 022 82, 320	45, 894 8, 894	6, 250 1, 412	3, 555 682	2,772 436	2, 366 349	60, 837 11, 773	8, 987 1, 195	2, 997 7, 115 1, 162	10, 036 2, 759	13, 547 4, 684	15, 196 5, 329
4	Cities of 2,500 to 10,000 and rural areas White	524, 533 95, 394	50, 356 14, 287	7,749 2,157	3, 885 987	2, 615 659	2, 166 525	66, 771 18, 615	7, 586 1, 756	6, 202 1, 835	9, 835 3, 988	12, 304 5, 422	11, 781 4, 722
5	Registration cities in nonregistration State 2	10,671	1, 173 663	196	103 62	84	58	1,614	204	157	272	400	434
6	All registration cities 1	4, 589 601, 693 86, 909	47, 067 9, 557	100 6, 446 1, 512	3, 658 744	2, 856 477	2, 424 381	898 62, 451 12, 671	76 9, 191 1, 271	7, 272 1, 243	164 10, 308 2, 923	257 13, 947 4, 941	15, 630 5, 662
7	Alabama	14, 871 12, 809	2, 042 1, 793	375 215	160 110	135 65	83 52	2, 795 2, 235	344 207	228 208	378 519	497 822	428 726
8 1	Cities of 10,000 or more	4, 248 4, 025	397 471	87 67	31 39	29 18	19 12	563 607	92 66	69 58	124 143	166 303	158 285
9	Cities of 2,500 to 10,000	1,400 909 9,223	194 98	38 10	11 6 118	12 5	5 2	260 121	41 13	22 21	40 40	57 61	48 68
10	Colored.	7, 875	1, 451 1, 224	250 138	65	94 42	59 38	1, 972 1, 507	211 128	137 129	214 336	274 458	222 373
11	ArizonaWhite Colored	3, 016 2, 404	243 574	45 165	20 69	16 35	11 19	335 862	49 64	35 68	71 90	112 117	144 109
12	Cities of 10,000 or more White Colored	1, 426 706	93 169	17 45	6 20	6	3 5	125 243	18 14	15 14	42 26	58 32	93 41 23
13	Cities of 2,500 to 10,000	782 530	68 138	9 33	6 14	5 5	7 4	95 194	12 14	14 10	17 13	33 19	23 15 28
14	Rural	808 1, 168	82 267	19 87	8 35	5 26	10	115 425	19 36	6 44	12 51	21 66	28 53
15	ArkansasWhite Colored	11, 251 5, 064	1, 244 453	311 120	146 57	104 46	92 25	1,897 701	293 100	195 99	339 228	409 336	369 283
16	Cities of 10,000 or more	2, 645 1, 121	158 56	38 13	24 9	20	16 2	256 85	51 11	49 22 24	228 83 37	104 66	93 69
17	Cities of 2,500 to 10,000	1, 367 716	96 42	33 14	5	5 7 4	10 2	153 67	35 14	9	44 19	54 63	46 49
18	Rural White Colored Colored	7, 239 3, 227	990 355	240 93	115 43	77 37	66 21	1, 488 549	207 75	122 68	212 172	251 207	230 165
19	CaliforniaWhite Colored	60, 037 7, 643	2, 657 1, 459	318 283	184 126	153 81	110 58	3, 422 2, 007	573 232	513 152	824 287	1, 260 408	1, 502 431
20	Cities of 10,000 or more	38, 876 4, 070	1, 721 623	192 131	116 68	99 51	66 33	2, 194 906	359 120	318 72	495 147	758 206	959 235
21	Cities of 2,500 to 10,000	5, 708 813	327 231	38 42	21 18	21 5	11 4	418 300	54 30	45 16	83 37	135 46	143 50
22	Rural White Colored	15, 453 2, 760	609 605	88 110	47 40	33 25	33 21	810 801	160 82	150 64	246 103	367 156	400 146
23	ColoradoWhite Colored_	11, 771	1,050	140	85 10	64	40	1, 379	190	143	294	358	368
24	Cities of 10,000 or more	828 5, 857 314	209 445 49	30 51 9	34 2	26 3	4 29 1	262 585 64	17 103 6	18 62 8	30 130 4	43 158 16	31 181 14
25	Cities of 2,500 to 10,000 White	1, 480 140	131 37	26 6	16 2	8	5	186 46	24 2	17 3	36 12	48 8	44
26	Rural White Colored	4, 434 374	474 123	63 15	35 6	30 6	6 2	608 152	· 63 9	64 7	128 14	152 19	143 11
27	Connecticut	16, 494	1, 115	141	58	52	39	1, 405	195	160	267	319	345
28	Cities of 10 000 or more White	11, 518 397	58 868 52	111	4 41 4	$\begin{smallmatrix}2\\40\\2\end{smallmatrix}$	1 34	1,094	160	122 122	192	17 222 14	18 246 18
29	Colored Cities of 2,500 to 10,000White Colored	388	30	2	2			34	4	4	3	4	10
30	RuralWhite Colored	4, 588 65	217 5	28	15	12	5	277 5	31	34 1	72 1	93 3	89
31	Delaware	2, 570	224	24	9	10	11	278	35	28 7	32	45	50
32	Cities of 10,000 or more	608 1, 257 233	64 116 20	9 14	5 3 1	4	2 5	84 144	3 18	12	10 15 5	30 26 6	50 18 27 8 4
33	Cities of 2,500 to 10,000	202 53	11 4	3		1 1	1	26 11 7	2	3 4	2	6 3	8 4
34	Rural Colored Colored	1, 111 322	97 40	10 4	6 4	4 2	6	123 51	15 3	12 4	15 4	13 21	19
35	District of ColumbiaWhiteColored	5, 001 2, 936	380 360	34 49	22 23	21 12	20 11	477 455	68 25	57 43	73 95	96 163	142 187
36	FloridaWhite Colored -	11, 287	933	130	71	56	68	1, 258	173	134	223	321	321
37	Cities of 10,00 or more	7,001 5,021 2,953	741 318 258	80 43 26	43 26 16	30 25	25 21 9	919 433 320	84 65 37	121 51 47	243 95 108	426 123 189	484 161
38	Cities of 2,500 to 10,000	2, 953 2, 234 1, 184	161 110	26 22 13	14 7	11 7 3	19 2	223 135	37 36 10 72 37	47 23 19 60	40	68 62	239 58 87
39	Rural White Colored.	4, 032 2, 864	454 373	65 41	31 20	24 16	28 14	602 464	72 37	60 55	38 88 97	130 175	102 158
40	GeorgiaWhite	16, 818	2, 121	338	152	112	113	2, 836	300	234	416	563	509
41	Colored White Colored Whered Colored	15, 310 5, 289	1, 980 535	270 81	137 33	71 29	66 27	2, 524 705	210 80	246 69	665 135	1,064 177	898 192
42	Cities of 2,500 to 10,000 and ruralWhite	5, 349 11, 529 9, 961	546 1, 586 1, 434	85 257 185	34 119 103	29 22 83 49	16 86 50	703 2, 131 1, 821	62 220 148	78 165 168	229 281 436	400 - 386 664	427 317 471
,	Colored	9, 961	1, 434	185	103	49	50	1, 821	148	168	436	664	

¹ Including District of Columbia. ² Includes 8 cities in Texas.

BIRTHS), BY AGE AND COLOR: 1932

			·			DEAT	ES AT AGE	OF—	·	·			 -		Deaths
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	at un- known age
30, 059 10, 671	37, 994 12, 209	46, 169 12, 287	56, 589 13, 208	68, 138 14, 375	81, 090 11, 754	97, 513 11, 050	107, 420 8, 958	121, 819 7, 213	106, 850 5, 474	77, 812 4, 282	42, 406 2, 539	14, 621 1, 402	2, 985 600	473 659	1, 010 573
29, 617 10, 363 17, 200 5, 911 12, 417 4, 452	37, 464 11, 856 22, 385 6, 634 15, 079 5, 222	45, 593 11, 928 28, 008 6, 776 17, 585 5, 152	56, 003 12, 822 35, 097 7, 239 20, 906 5, 583	67, 453 14, 006 41, 451 7, 438 26, 002 6, 568	80, 278 11, 485 48, 138 5, 750 32, 140 5, 735	96, 663 10, 826 56, 281 5, 130 40, 382 5, 696	106, 617 8, 795 58, 983 3, 692 47, 634 5, 103	121, 052 7, 110 60, 811 2, 723 60, 241 4, 387	106, 187 5, 377 48, 735 1, 746 57, 452 3, 631	77, 323 4, 209 33, 374 1, 064 43, 949 3, 145	42, 149 2, 500 17, 232 612 24, 917 1, 888	14, 540 1, 388 5, 938 343 8, 602 1, 045	2, 961 593 1, 222 122 1, 739 471	466 646 169 113 297 533	992 570 280 125 712 445
442 308 17, 642 6, 219	530 353 22, 915 6, 987	576 359 28, 584 7, 135	586 386 35, 683 7, 625	685 369 42, 136 7, 807	812 269 48, 950 6, 019	850 224 57, 131 5, 354	803 163 59, 786 3, 855	767 103 61, 578 2, 826	663 97 49, 398 1, 843	489 73 33, 863 1, 137	257 39 17, 489 651	81 14 6, 019 357	24 7 1, 246 129	7 13 176 126	18 3 298 128
460 681 173 274 52 50 235 357	495 865 183 311 51 60 261 494	535 789 188 307 58 48 289 434	659 836 257 338 78 64 324 434	794 903 296 350 57 78 441 475	923 735 316 250 84 57 523 428	1, 034 748 344 253 95 50 595 445	1, 029 642 302 157 97 36 630 449	1, 387 522 380 93 121 44 886 385	1, 299 412 326 76 111 22 862 314	947 397 204 67 71 30 672 300	435 242 74 35 37 26 324 181	134 144 26 27 12 9 96 108	39 59 3 6 2 5 34 48	8 87 1 11 2 4 5 72	23 30 3 8 4 2 16 20
200 102 127 31 27 30 46 41	232 138 147 55 29 31 56 52	239 , 112 141 33 41 31 57 48	193 107 89 36 53 28 51 43	209 91 105 35 60 20 44 36	211 89 85 28 57 19 69 42	202 84 94 23 50 24 58 37	186 74 76 22 53 14 57 38	227 75 76 17 96 20 55 38	159 71 61 20 39 17 59	123 59 38 12 48 15 37 32	58 35 19 8 28 9 11	14 18 7 3 4 2 3 13	6 12 3 4 2 2 1 6	9 5 1	11 18 7 4 1 2 3 12
365 289 95 81 62 39 208 169	370 310 109 82 51 60 210 168	433 317 144 90 57 49 232 178	. 465 348 162 97 68 59 235 192	575 370 172 107 76 55 327 208	681 337 191 101 91 56 399 180	800 . 307 . 242 . 90 . 102 . 52 . 456 . 165 .	740 275 209 56 90 34 441 185	1,012 193 249 40 123 25 640 128	940 157 175 28 122 18 643 111	658 131 151 18 83 11 424 102	365 68 52 10 40 8 273	144 49 27 7 27 5 90 37	30 19 9 2 5 2 16 . 15	25 2 1 3 6 20	164 122 22 20 13 19 129 83
1, 711 427 1, 075 248 161 22 475 157	2, 184 459 1, 407 261 162 37 615 161	2, 885 440 1, 821 250 224 35 840 155	3, 521 474 2, 354 301 315 36 852 137	4, 219 451 2, 815 278 372 26 1, 032 147	4,830 399 3,167 252 435 41 1,228 106	5, 711 356 3, 781 220 505 27 1, 425 109	6, 188 325 4, 130 196 585 27 1, 473	7, 114 281 4, 601 147 684 26 1, 829 108	5,897 216 3,767 100 602 24 1,528 92	4,348 137 2,777 58 447 19 1,124	2, 269 68 1, 422 33 223 5 624 30	826 39 523 19 82 3 221	195 32 125 14 25 5 45	34 21 25 7 4 1 5	11 3 4 4 1
442 37 210 19 57 4 175	491 51 220 24 44 9 227	548 52 281 25 59 4 208 23	581 46 305 23 90 6 186	656 39 341 17 101 4 214 18	747 38 419 20 92 5 236 13	933 33 492 21 113 2 · 328 10	1, 065 40 568 15 151 8 346 17	1, 250 34 662 12 140 7 448 15	1, 019 18 485 8 130 5 404 5	741 18 368 11 80 1 293 6	367 9 185 2 47 3 135	152 4 79 3 18 	25 3 8 1 1 2 16	4 3 1 1 2 2 2	18 2 14 1 1 1 3
357 30 255 25	521 31 367 27	677 35 499 32	896 34 668 27	1,100 43 872 32	1, 333 37 964 32	1, 656 42 1, 199 40	1, 788 22 1, 265 16	1, 845 28 1, 262 24	1, 526 18 915 13	1, 097 9 664 8	682 9 376 5	252 4 139 2	50 1 27 1	10 1 7	. 13 . 1 3 1
9 93 5	14 140 4	18 1 160 2	15 213 7	16 2 212 9	41 1 328 4	44 413 2	44 479 6	36 547 4	38 573 5	30 1 403	15 291 4	5 108 2	21	1 2 1	<u>9</u>
64 25 35 11 7 3 22 11	87 41 45 23 8 4 34	81 23 47 9 7 4 27	107 41 59 23 12 4 36 14	143 44 84 26 9 3 50	189 63 105 21 19 5 65	220 71 112 27 17 8 91	256 35 131 13 14 4 111	319 48 150 17 26 1 143 30	291 30 111 8 25 1 155 21	195 23 82 5 18 3 95	103 6 34 8 1 61	38 2 15 1 3	5 2 4 	2 1 1 1	2 1
151 175	214 215	244 215	252 247	314 250	396 208	36 491 213	18 456 159	529 138	446 65	344 43	5 175 23	62 13	11 3	3 1	
394 519 192 264 82 97 120 158	416 564 216 296 93 95 107 173	459 584 224 285 102 113 133 186	549 594 270 272 120 98 159 224	679 607 327 265 144 126 208 216	812 465 386 197 178 87 248 181	988 407 464 158 184 76 340 173	1, 043 296 511 93 202 52 330 151	1, 201 216 512 72 241 29 448 115	973 163 424 39 195 27 354 97	735 115 316 30 149 14 270 71	399 76 176 20 68 7 155 49	139 32 55 4 20 1 64 27	32 21 15 4 6 2 11 15	6 22 1 6 3 5 13	32 43 4 8 2 6 26 29
568 823 210 393 358 430	628 963 241 465 387 498	755 1,053 279 486 476 567	768 1,058 303 443 465 615	930 1, 361 357 519 573 842	1, 101 1, 003 411 374 690 629	1, 220 860 448 269 772 591	1, 162 709 371 214 791 495	1, 682 586 493 130 1, 189 456	1, 403 402 391 61 1, 012 341	977 379 255 39 722 340	555 231 121 25 434 206	162 133 40 17 122 116	28 53 8 6 20 47	4 71 2 8 2	17 18 1 1 16 17

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

===								DEA	THS AT AG	E OF-				======
	AREA AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1 2 3 4	Cities of 2,500 to 10,000	Colored Colored White White	3, 813 129 573 17 1, 532 19 1, 708 93	354 25 41 3 129 3 184	41 3 7 13	25 2 2 10	24 4 1 13 1 10 3	16 2 11 3	460 34 53 3 176 4 231	91 6 14 36 41 6	72 4 11 31 30 4	87 12 13 1 40 1 34 10	89 3 13 47 1 29 2	98 14 41 43
5 6 7 8	Cities of 2,500 to 10,000 Rural	Colored White Colored White	77, 248 5, 932 48, 037 4, 875 7, 574 220 21, 637 837	5, 436 448 3, 407 377 564 27 1, 465	738 98 455 79 72 6 211	456 42 317 41 39 1	337 33 244 33 26	297 30 200 27 30 67 3	7. 264 651 4, 623 557 731 34 1, 910 60	1, 111 77 789 68 111 4 211	861 75 605 64 84 172 11	1, 271 165 812 140 139 7 320 18	1,711 292 1,130 239 171 18 410 35	1, 883 417 1, 272 369 178 7 433 41
9 10 11 12	Cities of 2,500 to 10,000 Rural	Colored Colored White Colored	36, 839 1, 917 15, 735 1, 593 4, 540 85 16, 564 239	2, 739 164 1, 275 147 303 2 1, 161 15	405 23 178 20 53 2 174	220 17 116 17 25	152 11 75 8 14 1 63 2	136 4 76 4 8	3, 652 219 1, 720 196 403 5 1, 529 18	479 29 241 25 64 2 174	409 18 216 13 33	590 41 250 36 75 3 265 2	763 81 333 65 103 3 327	785 111 405 93 98 5 282
13 14 15 16	Cities of 10,000 or more	Colored White Colored White	25, 443 343 9, 408 242 4, 636 44 11, 399 57	1, 905 33 756 26 290 1 859 6	209 5 80 5 32	123 2 62 2 16	86 2 40 2 12	85 1 36 12 37 1	2, 408 43 974 35 362 1 1, 072	302 4 141 2 47 114 2	289 3 126 3 60	347 9 143 4 78 126 5	489 19 204 10 102 3 183 6	495 11 222 6 105 4 168
17 18 19 20	Cities of 10,000 or more	Colored White Colored White Colored	18, 328 1, 184 6, 094 763 2, 665 110 9, 569 311	1, 420 105 433 78 248 12 739 15	202 15 85 13 25 1 92	114 8 33 5 26 1 55 2	80 2 27 2 12 12	63 7 26 6 8 1 29	1,879 137 604 104 319 15 956 18	277 13 116 10 42 2 119	236 13 84 5 50 4 102 4	322 34 120 20 49 3 153	415 41 160 26 64 3 191	404 52 178 31 68 4 158
21 22 23	Cities of 10,000 or more Cities of 2,500 to 10,000 and rural	Colored White Colored	24, 829 4, 230 6, 826 1, 886 18, 003 2, 344	3, 409 358 634 138 2, 775 220	685 66 81 24 604 42	362 23 44 9 318 14	202 12 39 6 163 6	187 18 32 7 155 11	4, 845 477 830 184 4, 015 293	519 50 130 21 389 29	372 58 80 19 292 39	598 134 137 50 461 84	816 180 199 82 617 98	718 177 210 80 508 97
24 25 26 27	Cities of 10,000 or more	Colored White Colored White Colored	12, 504 10, 807 6, 418 4, 584 1, 239 1, 165 4, 847 5, 058	1, 353 1, 451 516 488 149 168 688 795	188 145 84 59 15 15 89 71	109 102 44 36 8 8 57 58	91 64 41 19 6 6 44 39	81 46 39 14 3 4 39 28	1, 822 1, 808 724 616 181 201 917	238 183 124 55 28 19 86 109	191 158 98 69 16 13 77 76	298 397 140 177 23 38 135 182	382 618 198 276 32 66 152 276	394 572 225 288 41 61 128 223
28 29 30 31	Cities of 10,000 or more	Colored White Colored White Colored	10, 690 29 3, 486 12 1, 314 8 5, 890	1, 013 4 324 2 113 1 576	117 40 12 65	52 17 7 28	38 19 3	30 11 3	1, 250 4 411 2 138 1 701	125 51 18 56	38 10 63	154 1 57 26 1 71	188 2 61 31 1 96 1	176 65 22 89
32 33 34 35	Cities of 10,000 or more	Colored White Colored White	15, 955 5, 083 9, 454 2, 913 821 269 5, 680 1, 901	1, 289 700 727 321 61 46 501 333	180 87 96 52 12 7 72 28	87 32 50 19 5 1 32 12	53 25 31 13 3 3 19	46 15 26 7 1	1, 655 859 930 412 82 57 643 390	197 68 129 40 11 4 57 24	160 76 103 38 10	252 175 144 98 13 9 95 68	344 266 198 166 19 15 127 85	370 238 226 160 14 10 130 68
36 37 38 39	Cities of 10,000 or more	Colored White Colored White Colored	48, 568 878 39, 644 739 3, 225 28 5, 699	3, 542 82 3, 141 70 194 3 207	482 11 420 10 26	256 8 221 6 14	195 5 175 4 6	188 1 169 7 7 12 1	4, 663 107 4, 126 90 247 3 290 14	566 8 482 7 35 1 49	492 11 405 6 30	645 17 495 13 37	818 29 651 23 35 132 6	956 42 781 35 60 1 115 6
40 41 42 43	Cities of 10,000 or more	Colored White Colored White Colored	46, 952 2, 633 25, 114 2, 091 4, 364 61 17, 474 481	4, 401 227 2, 620 204 369 6 1, 412	588 45 364 41 47 177 4	310 25 193 22 22 22 35	193 18 135 16 12 46 2	194 14 129 13 14	5, 686 329 3, 441 296 464 6 1, 781	701 36 469 31 54 1 178	559 42 352 31 55 2 152	856 91 497 78 83 276 13	1,040 135 618 109 93 4 329 22	1, 140- 192 708 155 90 8 342 29

BIRTHS), BY AGE AND COLOR: 1932—Continued

,						DEAT	HS AT AGE	of—			<u>.</u>				Deaths	T
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	at un- known age	
87 6 11 2 32	121 3 26	138 3 32 1 60	173 7 30 2 76 3	232 8 47 76 3	294 11 52 4 111	289 7 47 115	353 9 45 1 163	410 7 54 2 156	344 3 47 1 131	265 1 30	141 3 25	46 1 6	9	5	9 1 1	$\left.\begin{array}{c} 1\\2\\3\end{array}\right.$
44 4	44 2	46 1	. 67	109 5	131 6	127 4	145 8	200 5	166 2	129 1	63 2	21 1	1	3	4 1	} 4
2,088 502 1,458 450 190 10 440 42	2, 920 522 1, 969 422 214 9 737 91	3, 588 506 2, 554 421 238 9 796 76	4, 499 581 3, 255 498 349 20 895 63	5, 043 553 3, 538 464 401 14 1, 104	5,811 414 4,023 340 509 11 1,279 63	6, 918 352 4, 534 270 649 22 1, 735 60	7, 709 303 4, 821 226 756 22 2, 132 55	8, 360 190 4, 740 138 864 8 2, 756 44	7, 072 156 3, 613 104 823 10 2, 636 42	5, 020 68 2, 431 36 637 8 1, 952 24	2, 702 52 1, 227 32 339 2 1, 136 18	1, 022 28 439 16 145 3 438	218 5 96 4 28 	33 7 10 4 5 18	144 16 98 13 13 2 33	} 5 6 7 8
871 119 466 111 109 1 296 7	993 140 552 125 110 4 331 11	1, 291 156 722 137 134 5 435	1,606 185 850 156 178 9 578 20	1, 943 182 1, 011 152 258 7 674 23	2,323 145 1,133 126 286 3 904 16	3, 009 140 1, 337 118 356 7 1, 316	3,719 98 1,578 82 464 3 1,677	4, 516 93 1, 657 60 562 9 2, 297 24	4, 223 61 1, 450 39 571 8 2, 202	3, 190 43 1, 043 22 398 5 1, 749 16	1,748 26 534 16 239 3 975	594 18 193 14 82 1 319	98 3 36 1 12 1 50	12 1 2 1 2	25 8 6 5 3 1 16 2	} 9 10 11 12
540 17 240 11 114 5 186	678 17 316 12 135 2 227 3	760 20 379 14 131 2 250 4	. 1,049 33 474 28 192 4 383	1, 226 17 552 14 225 2 449 1	1,577 22 664 19 292 1 621	2,013 25 769 14 377 8 867	2, 548 33 904 28 471 1 1, 173	3,096 22 1,080 13 558 2 1,458	3, 075 21 977 14 538 4 1, 560	2,458 19 664 10 482 4 1,312	1, 463 3 398 1 259 806 2	521 4 143 3 88 1 290	97 34 16 47	8 2 3	4 1 2 1 1	13 14 15 16
404 54 152 30 67 4 185	461 69 179 50 76 5 206	588 84 235 47 91 10 262 27	749 89 290 63 86 7 373 19	848 90 321 67 130 10 397	1, 145 75 412 49 162 8 571 18	1, 338 93 466 65 187 8 685 20	1,672 87 566 60 234 6 872 21	2, 154 87 688 50 279 5 1, 187	2, 112 55 620 34 287 3 1, 205	1, 717 45 474 21 229 7 1, 014	1, 147 42 319 17 168 3 660 22	375 12 89 9 68 1 218	71 4 18 1 9 1 44	8 8 3 4	6	17 18 19 20
721 219 210 113 511 106	814 244 245 133 569 111	819 256 284 133 535 123	896 326 321 185 575 141	1, 120 361 385 200 735 161	1,368 341 484 158 884 183	1, 640 328 582 159 1, 058 169	1, 991 277 673 122 1, 318 155	2, 397 249 709 101 1, 688 148	2, 234 204 620 60 1, 614 144	1,606 153 401 42 1,205 111	966 107 245 19 721 88	303 42 74 15 229 27	50 25 6 7 44 18	11 15 1 2 10 13	25 7 1 25 6	21 22 23
442 568 252 301 42 60 148 207	486 726 261 360 46 82 179 284	612 684 347 368 64 68 201 248	629 823 362 449 68 87 199 287	780 854 449 439 74 82 257	902 708 535 329 96 70 271 309	1, 045 669 610 273 102 76 333 320	993 543 534 198 100 67 359 278	1, 081 406 568 144 92 43 421 219	993 338 468 95 86 42 439 201	679 310 315 66 86 29 278 215	356 197 141 35 42 35 173 127	121 115 48 20 14 11 59 84	26 42 7 9 2 5 17 28	9 62 3 8 1 7 5	25 26 9 9 3 3 13	24 25 26 27
202	209 5 100	297 1 117	355 4 157	521 196	635	870 3 272	1, 136 3 394	1,324	1,306	956 1	587	230	53	4	1) } 28
33	20 1	41	3 39 1	65	64	130	141	399 164 1	378 1 151	260 117	153 65	52 34	13 5	1 - 		29 30
92 439	479	139	159	260	337	468	601	761	777	579 1	369	144	35	3	1	31
266 281 180 15 11 143 75	295 313 202 28 20 138	625 362 412 259 22 14 191 89	776 382 527 267 30 14 219 101	963 455 634 309 47 16 282 130	1, 205 365 784 201 52 21 369 143	1, 498 394 951 220 82 23 465 151	1, 672 283 1, 009 142 84 18 579 123	1, 865 238 1, 084 102 119 12 662 124	1,589 138 866 49 79 10 644 79	1, 060 119 504 40 62 6 494 73	545 54 239 19 37 6 269 29	206 23 96 7 12 1 98 15	33 10 16 2 2 1 15 7	10 6 4 1 	12 11 4 1 1 8	32 33 34 35
1,076 35 893 32 52 1	1, 477 .57 1, 232 47 70 1 175	1,776 64 1,505 55 104 3 167	2, 309 64 1, 973 55 116 3 220	3, 117 81 2, 613 72 181 1 323	3, 908 73 3, 316 60 207 2	4, 836 83 4, 063 71 264 2 509	5, 347 73 4, 348 66 356 2 643	5, 599 43 4, 443 37 466	4,777 38 3,678 33 400 2	3, 405 24 2, 581 21 318 1 506	1, 916 14 1, 418 8 177 3 321	682 8 493 3 58 2 131	, 178 5 129 3 8	19 1 16 1 2	6	36 37 38
1, 225 269 847 232 88 2 290 35	9 1, 692 303 1, 167 254 128 5 397 44	2, 003 247 1, 318 200 151 5 534 42	2, 430 207 1, 592 172 181 2 657 33	2, 676 208 1, 646 167 221 4 809 37	3, 109 125 1, 794 98 258 2, 057 25	10 3,739 122 1,933 84 366 5 1,440 33	5 4, 269 107 2, 164 64 430 7 1, 675 36	5, 159 71 2, 299 42 546 1 2, 314 28	699 3 4, 661 56 1, 937 32 514 1 2, 210 23	3, 376 43 1, 307 22 305 31, 704 18	3 1,863 23 737 10 197 2 929	3 603 12 232 7 59 1 312 4	122 2 45 1 16	14 5 8 4 1	29 8 3 2 4	39 40 41 42 43

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

-	•						DEA	THS AT AG	E OF-				
	AREA AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1 2 3	Minnesota White Colored White Cities of 10,000 or more White Colored. Cities of 2,600 to 10,000. White Colored. White Colored. White White	25, 189 402 11, 483 151 3, 467 21 10, 239	2, 130 59 885 7 287	193 7 79 33	119 7 54 1 19	81 1 42 9	79 3 29 	2, 602 77 1, 089 8 359	319 9 157 3 53	284 13 138 2 40	465 19 204 1 61	576 . 12 237 2 81 1 258	561 23 287 7 67 2 207
5	Colored Mississippi Colored White Colored	8, 303 12, 008	967 1, 513	7 195 234	102 121	30 1 80 95	3 42 79	1, 134 69 1, 386 2, 042	183 244	1100 111 142 232	18 206 529	250 745	226 678
'6 7	Cities of 10,000 or more	1, 868 2, 017 728 728	157 158 77 68	41 27 19 11	17 16 7 6	17 14 8 4	9 8 7 4	241 223 118 93	52 21 18 13	39 43 15 8	55 94 23 25	65 159 17 48	60 154 24 47
8	Rural White Colored White White White Colored	5, 707 9, 263 39, 117	733 1, 287 3, 015	135 196 512	78 99 306	55 77 219	26 67 162	1, 027 1, 726 4, 214	113 210 598	88 181 443	128 410 629	168 538 902	142 477 889
10 11 ·12	Colored	4, 621 17, 809 3, 259 3, 887 476 17, 421 886	415 1, 155 244 304 44 1, 556 127	107 168 64 47 10 297 33	32 100 22 36 2 170 8	22 79 16 19 3 121	19 68 11 11 3 83	595 1, 570 357 417 62 2, 227 176	46 233 32 92 5 273	61 194 33 58 8 191 20	143 255 83 89 20 285 40	185 451 129 103 20 348 36	233 444 182 105 16 340 35
13 14 15	Montana	4, 878 416 1, 621 35 850	382 85 112 7	47 17 9	19 12 7	27 6 9	16 5 7 1	491 125 144 8 106	75 19 31 1	74 11 23 1 12	120 18 42 3 20	138 22 44 2 30	110 14 34
16	Colored. White Colored.	12 2, 407 369	193 78	25 17	9 12	9 6	5 4	241 117	32 17	39 10	58 15	64 20	2 18 2 58 10
17 18 19	Nebraska	12, 558 364 4, 455 220 1, 780	1, 038 53 303 20 159	141 15 44 5 31 2	83 6 34 1 16 2	40 2 14 1 8	46 3 14 5	1, 348 79 409 27 219	171 68 1 28	148 10 53 2 28	225 12 89 5 38 2 98	256 11 96 7 52	221 14 99 10 39
20	Rural	6, 323 116 1, 189	576 28 70	66 8 9	33 3 8	18 1 6	27 3 6	720 43 99	75 13	67 8 16	98 5 20	1 108 3	83 3 56
22 23	Colored Cities of 10,000 or moreWhite Colored Cities of 2.500 to 10.000White	153 333 17 337 24	18 10 2 24 1	3 3 2 2 2	3	2 2 1	1 1 2	26 16 2 32 32	9 5 3 1	8 3 4	8 5 6 1	12 13 2 15	9 12 1 21 21
24	Colored White Colored White Colored Colored New Hampshire White White Colored Colore	519 112 6, 320	36 15 460	4 1 49	5 2 27	3 2 11	3 1 13	51 21 560	5 8 60	9 8 56	9 7 80	11 10 95	23 6 104
26 27	Colored	3, 007 6 516	266 50	29	10	5	7	317 60	33	31	36 6	53	55
28	Rural	2, 797 3 39, 463	144 2, 651	17 341	13	4	5	183	23 536	19 488	38 672	36 852	37 868
30 31 32	Colored	3, 451 26, 454 2, 428 5, 188 427 7, 821 596	2, 001 424 2, 064 344 224 32 363 48	70 259 56 37 2 45	204 19 162 15 14 2 28 2	152 18 114 16 15 2 23	129 15 98 10 15 2 16	3, 477 546 2, 697 441 305 40 475 65	47 405 29 53 8 78	51 366 35 37 4 85	99 466 57 80 23 126	165 548 101 135 30 169	203 573 127 134 34 161 42
33 34 35	New Mexico White Colored Colored Cities of 10,000 or more White Colored White Colored White Colored Colored	5, 620 348 956 41 1, 171 25	1, 390 89 141 3 223	212 24 21 1 40 2	81 5 11	49 3 6	45 6 4 2 10	1, 777 127 183 6 289 4	139 11 22 2 2 26	118 13 16 3 33 1	170 15 33 1 37 1	195 21 48 3 34 2	216 17 54 3 50
36 37 38	Rural	3, 493 282 140, 648 7, 176 105, 934	1, 026 84 9, 628 841 7, 795	151 21 1, 194 105 990	60 5 689 61 583	37 3 547 34 451	31 4 480 37 401	1, 305 117 12, 538 1, 078 10, 220	91 9 1, 904 132 1, 570	69 9 1,496 93 1,204	2, 041 211 1, 589	2, 860 386 2, 245	112 13 3, 356 494 2, 688
39 40	Colored	6, 369 7, 646 164 27, 068 643	753 518 33 1,315 55	90 55 3 149 12	55 27 1 79 5	31 29 67 3	31 34 1 45 5	960 663 38 1,655 80	121 96 5 238 6	83 73 3 219 7	188 118 4 334 19	345 142 8 473 33	452 164 5 504 37
41 42 43 44	North Carolina	19, 513 11, 538 4, 752 3, 522 1, 745 897 13, 016 7, 119	3, 073 2, 110 616 525 262 125 2, 195 1, 460	443 275 82 72 36 18 325 185	235 124 ,55 35 19 1 161 88	119 81 30 24 8 4 81 53	84 56 23 14 7 1 54 41	3, 954 2, 646 806 670 332 149 2, 816 1, 827	360 205 108 61 44 16 208 128	264 217 92 58 30 21 142 138	443 516 130 150 57 42 256 324	580 765 185 279 77 61 318 425	532 628 175 253 58 51 299 324

BIRTHS), BY AGE AND COLOR: 1932—Continued

		, .,,,,				DEAT	HS AT AG	s of—		,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					Deaths	-
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	at un- known age	
626 20 326 7 86 2 214	775 24 376 11 120 1 279	938 23 495 16 126 1 317 6	1, 193 14 685 7 151 1 357 6	1, 408 31 772 19 176 2 460 10	1, 633 24 869 16 233 2 531 6	2,044 25 1,025 15 273 2 746 8	2, 490 27 1, 160 15 359 4 971 8	3, 042 20 1, 331 11 429 1, 282 9	2, 632 16 1, 077 6 346 1, 209	1, 977 11 728 2 287 2 962 7	1,093 8 361 2 147 1 585 5	427 1 132 1 64	84 2 28 8 8	15 3 4 1	5 2	1 2 3 4
232 583 75 142 21 32 136 409	258 633 77 139 26 53 155 441	322 612 100 163 32 46 190 403	361 711 119 175 34 55 208 481	424 825 112 186 38 60 274 579	546 680 154 129 54 45 338	579 700 148 109 52 51 379 540	583 666 146 94 53 35 384 537	791 585 148 70 71 38 572 477	773 500 127 49 68 27 578 424	572 402 76 18 36 22 460 362	321 273 48 18 24 7 249	103 149 23 10 4 6 76	21 69 2 5 7	3 6 86 10	18 64 1 6	5 6 7 8
956 273 486 217 95 21 375	1, 100 344 590 260 113 36 397 48	1, 432 349 800 280 156 25 476 44	1, 733 397 1, 040 315 145 32 548 50	2, 134 456 1, 211 366 190 41 733 49	2,739 343 , 1,485 255 255 41 999 47	3, 356 325 1, 826 248 297 33 1, 233	3, 828 232 1, 907 149 370 29 1, 551	4, 434 233 1, 854 139 426 32 2, 154 62	4, 010 183 1, 544 113 376 16 2, 090 54	3, 141 95 1, 088 41 306 19 1, 747	248 1,740 49 574 27 195 5 971	133 625 26 195 12 64 5 366	57 125 16 47 9 20 2 58 5	71 20 5 7 2 1 12 12 2	53 69 32 8 10 14 7 47 15	10 11 12
128 19 57 3 23 2 48	169 12 55 1 29	231 6 68 1 45	315 9 126 2 53	345/ 19 114 3 63	393 23 165 2 59	427 17 148 1 78	490 19 169 2 83	493 20 157 2 76	449 24 129 69	244 21 67 50	118 8 32	56 4 11	10 3 4	2 1	2 1 1	13 14 15
14	85 11 341	118 5 438	136 7 525	168 16 687	169 18 764	201 16	238 17	260 18	251 21	127 21	74 8	1 36 3	3 3	1	1 I) 16
308 14 127 9 50 2	15 145 11 61	30 200 22 - 49 3	27, 257 16 71 4	34 305 26 87 2	21 297 17 94	968 19 375 17 113	1, 208 23 440 17 170 2	1, 507 18 505 14 198	1,355 13 415 9 188	1, 129 9 329 3 146	648 5 167 3 . 101	245 3 58 2 34	48 2 12 1 10	5 3 4	15 1 5 1 3	17 18 19
129 3 53	135 4 74	189 5 59	197 7 80	295 6 104	373 4 102	480 2 125	598 4 78	804 4 100	752 4	654 5 62	380 1 28	153 1 6	26 1	3	7	20
17 15	11 21 22	4 16 1 15	9 27 3 32 2	10 31 2 36 1	7 36 1 33 2	9 37 28	6 17 2 18	32 25	73 8 21 1 14	6 14 1 15	2 8 2	1 1 1		1	1	21 22 23
21 4	31 7	28 	21 4	3 ¹ 7	33 4	. 60 8	43 2	43 4	2 38 5	33 5	18 2	5				24
104 1 58 1	90	184 2 107	234 2 124 2	340 178	415 1 208	540 264	681 1 312 1	831 2 371 1	784 322	562 238	336 119	154 73	26 8	2	30 10	25 26
38	8 44	8 69 1	26 84	20 142	28 179	51 225	313	61 399	68 394	42 282	33 184	12 69	18	2	1 19	27 28
1, 039 236 713 173 126 28 200 35	1, 485 232 1, 035 178 190 25 260 29	1, 793 256 1, 271 188 245 33 277 35	2, 288 264 1, 639 187 274 32 375 45	2, 793 318 2, 029 240 321 33 443 45	3, 385 260 2, 407 179 383 37 595 44	3, 936 247 2, 728 175 493 25 715 47	4, 148 182 2, 763 121 537 18 848 43	4, 154 123 2, 535 76 657 17 962	3, 508 100 2, 052 58 534 14 922 28	2,384 64 1,330 32 415 16 639	1, 160 29 628 15 190 5 342	411 18 229 8 61 3 121	73 2 33 2 16	12 8 7 5 2 2 3	1 1	29 30 31 32
202 17 63 3 50	259 15 73 1 48	253 13 72 2 55	207 7 44 2 53	202 19 •44 4 51	273 10 41 3 72	310 18 56 2 84	292 11 57 2 62	30 277 9 54	288 6 38	206 9 27 4 50	126 3 17	51 3 9	17	19 3 2	23 1 2	33 34
1 89 13	3 138 11	126 8	110	107 13	160	170 14	173	163	186	1 129 4	80	30	16	15	11 1	35
3, 857 612 3, 076 553 173 10 608 49	5, 220 674 4, 214 604 257 9 749 61	6, 520 672 5, 373 592 283 21 864 59	8, 320 648 6, 880 590 332 9 1, 108 49	10, 190 577 8, 329 518 432 11 1, 429 48	11, 995 408 9, 626 367 549 7 1, 820	14, 309 370 11, 222 318 716 9 2, 371 43	14, 926 270 11, 224 234 786 11 2, 916 25	15, 105 231 10, 644 199 922 3 3, 539 29	11, 819 147 7, 567 109 845 4 3, 407	8, 165 86 4, 883 64 607 3 2, 675	4, 168 55 2, 355 47 336 1 1, 477	1,483 22 816 17 119 2 548	311 4 170 4 30	36 3 20 2 1	29 3 19 ·2 2	37 38 39 40
596 605 198 238 68 59 330	711 633 215 255 . 59 51 437 327	791 616 263 222 69 56 459	817 635 287 215 77 61 453 359	1, 052 741 328 278 111 77 613 386	1, 141 653 296 224 125 49 720 380	1, 369 620 338 202 126 38 905 380	1, 383 504 311 134 124 52 948 318	1,827 473 361 106 138 42 1,328	1, 648 348 327 73 126 24 1, 195 251	1, 177 298 178 48 69 19 930 231	620 173 114 27 40 13 466 133	175 108 31 11 9 4 135	35 54 2 5 2 2 2 2 31 47	11 45 2 3 1 2 8	10	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

Table 3.—DEATHS (EXCLUSIVE OF STILL

=						 ,		DEA	THS AT AG	E OF-				
	AREA AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1 2	Cities of 10,000 or more	Vhite	5, 004 149 982 11	751 28 111 2	74 13 19 3 8	37 5 10	28 3 5	24 2 7	914 51 152 5	85 8 17 1	81 4 16	109 6 22	116 10 31	117 4 32
3 4	Cities of 2,500 to 10,000W	Vhite	619 6 3, 403 132	560 26	47 10	23 5	5 18 3	13 2	101 661 46	23 2 45 5	48 4	17 1 70 5	14 71 10	76 3
5 6 7 8	Cities of 10,000 or more	Vhite Vhite Vhite	70, 861 5, 425 40, 575 4, 381 6, 654 260 23, 632	5, 485 466 3, 161 391 434 24 1, 890	774 73 434 63 73 5 267	377 39 228 35 30 1 119	313 28 202 25 22 89 3	258 19 168 17 16	7, 207 625 4, 193 531 575 30 2, 439 64	998 85 644 73 85 4 269	717 73 438 58 77 5 202	1, 157 150 693 107 85 10 379	1, 468 301 932 250 142 8 394 43	1, 542 340 1, 027 293 126 8 389 39
9 10 11 12	Oklahoma	Vhite Vhite Vhite Vhite	16, 663 2, 622 5, 476 985 4, 124 560 7, 063 1, 077	1, 770 282 525 98 364 64 881	308 76 90 24 78 20 140 32	242 23 70 6 58 5 114 12	155 17 50 4 27 4 78 9	130 13 39 7 34 2 57 4	2,605 411 774 139 561 95 1,270	430 57 151 22 97 13 182 22	321 58 112 14 55 15 154 29	499 135 183 47 116 24 200 64	527 189 199 80 129 38 199 71	570 170 227 68 160 37 183 65
13 14 15 16	Cities of 10,000 or more	Vhite Volored Vhite	10, 026 251 4, 627 119 1, 999 29 3, 400 103	504 27 198 5 129 177 22	70 4 26 	34 6 15 1 6 2 13	30 3 15 1 5 1 10 1	18 7 5 6	656 40 261 7 161 4 234 29	108 7 57 3 21 1 30 3	126 4 46 1 27	183 11 63 3 40 	214 4 90 3 51 73 1	217 7 93 2 54 2 70 3
17 18 19 20	Cities of 10,000 or more	Vhite Colored Vhite	102, 194 7, 010 57, 124 5, 669 13, 110 237 31, 960 1, 104	9, 312 801 4, 809 686 1, 228 36 3, 275 79	1, 350 119 716 93 176 5 458 21	674 48 381 42 86 1 207	516 37 305 29 68 2 143 6	430 33 248 29 55 2 127 2	12, 282 1, 038 6, 459 879 1, 613 46 4, 210	1, 570 100 885 87 263 2 422 11	1, 266 99 743 86 176 2 347	1,804 177 997 141 230 4 577 32	2, 269 313 1, 376 257 266 8 627 48	2, 319 406 1, 409 323 286 4 624 79
21 22 23 24	Cities of 10,000 or more	White Vhite White	7, 869 211 6, 945 190 344 8 580	621 18 577 17 15	96 3 91 3 2	51 2 46 2 2	41 3 38 3 2	45 2 40 2 5	854 28 792 27 21 41 1	116 3 107 2 4 1 5	73 2 65 2 1	103 3 80 3 12	123 1 105 1 11	134 4 118 3 6 1 10
25 26 27 28	South Carolina	White Colored White Colored White	8, 599 11, 285 2, 054 2, 333 910 832 5, 635 8, 120	1, 234 1, 970 230 299 105 111 899 1, 560	165 253 30 35 11 12 124 206	81 113 27 18 3 6 51 89	C5 71 14 6 9 4 42 61	41 68 15 9 8 5 18	1, 586 2, 475 316 367 136 138 1, 134 1, 970	147 202 46 28 14 3 87 171	137 220 44 29 13 17 80 174	198 515 57 109 24 38 117 368	257 689 87 173 31 54 139 462	23 8 628 60 158 36 46 142 424
29 30 31 32	Cities of 10,000 or more	White Colored White Colored	5, 216 509 1, 176 9 810 18 3, 230 482	588 80 122 3 66 1 400 76	45 40 14 3 28 40		17 10 3 2 12 10	22 9 7 2 13 9	716 148 157 3 81 2 478 143	94 24 21 27 46 24	69 23 15 1 9 45 22	100 40 24 1 10 66 39	116 26 26 26 22 22 68 24	116 26 29 1 25 2 62 23
33 34 35 36	Cities of 10,000 or more	White	20, 821 7, 807 6, 285 4, 138 2, 097 810 12, 439 2, 859	2, 783 767 752 393 240 70 1, 791	589 122 150 46 51 18 388 58	265 57 73 28 28 5 164 24	190 41 63 13 19 5 108 23	138 41 47 19 13 6 78 16	3, 965 1, 028 1, 085 499 351 104 2, 529 425	359 106 101 49 41 9 217 48	278 111 95 42 39 16 144 53	491 350 163 175 53 37 275 138	713 460 217 250 85 33 411 177	699 504 225 296 87 49 387 159
37 38 39 40	Cities of 10,000 or more	Colored White Colored White Colored	4, 289 131 2, 144 58 647 7 1, 498 66	507 22 193 9 93 1 221 12	76 6 29 3 12 1 35 2	5 21 8	36 1 11 1 1 9	9	706 37 268 14 131 2 307 21	95 2 37 1 22 36 1	6	4 72 2 19 3 37 2	15 40 2	4
41 42 43	Cities of 10,000 or more	White Colored White Colored White Colored	4, 749 4 896 1 3, 853	381 89 292		3	19 6	2	.	70 16 54	_	13		_

BIRTHS), BY AGE AND COLOR: 1932—Continued

						DEAT	HS AT AGE	of—							Deaths at un-	
30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	known age	
119	125	174	228	282	289 5	343 10	457 9	524 6	452 11	324 4	185	63	13	2	2	} :
36	28 1	46	68 1	73	64 1	82 1	83	85 1	68	41	27	8	2		1	}:
21	19	30	25	36 1	44	41	59	49	51	36	20	7				}:
62 5	78 1	98 3	135 3	173 2	181 4	220 9	315 9	390 5	333 11	247 4	138 3	48	11	2	1	} •
1,679 394 1,127 350 146 11 408	2, 227 468 1, 540 384 183 13 504 71	2,878 489 1,997 428 208 6 673	3, 433 490 2, 402 424 269 15 762 51	4,066 462 2,734 391 325 15 1,007	4, 973 375 3, 195 297 436 21 1, 342 57	6, 043 338 3, 685 254 595 27 1, 763	6, 752 244 3, 889 178 603 23 2, 260 43	8, 213 208 4, 288 148 808 18 3, 117 42	7, 479 149 3, 501 86 845 17 3, 133 46	5, 656 96 2, 543 53 633 11 2, 480 32	3, 173 87 1, 238 45 377 11 1, 558	972 30 415 20 106 3 451	175 10 83 4 21 2 71	25 8 9 5 4 1 12 2	28 3 2 2 5 1 21	}
559 162 240 78 154 33 165 51	648 169 265 77 180 36 203 56	640 143 270 68 154 31 216 44	737 180 286 87 185 40 266 53	930 165 383 58 225 38 322 69	1, 006 150 372 57 233 38 401 55	1, 163 128 401 49 · 281 27 481 52	1, 242 120 377 35 338 22 527 63	1,542 110 424 44 411 21 707 45	1, 401 92 341 25 363 21 697 46	1, 045 66 282 15 269 9 494 42	583 45 137 10 154 8 292 27	161 32 40 5 39 7 82 20	41 11 10 2 17 1 14 8	2 18 3 1 1 1 1	11 11 2 2 2 5 7	} ! }ii }i: }i:
248 14 109 6 60 3 79 5	270 12 157 8 49	373 12 204 8 71 98	499 19 269 13 78 2 152 4	610 14 327 10 108 1 175 3	744 24 387 14 146 3 211	858 16 415 11 164 2 279 3	1, 068 21 505 12 209 2 354 7	1, 280 13 575 9 254 1 451	1, 122 8 482 3 218 2 422 3	838 14 346 4 153 5 ,339	420 3 175 1 81	140 4 55 1 38 	34 2 11 9 14 2	1 1 3 1	14 6 8	}13 }14 }14 }16
2, 496 481 1, 567 386 269 18 660 77	3, 404 577 2, 143 481 415 21 846 75	4, 289 583 2, 685 469 484 13 1, 120	5, 431 630 3, 440 522 655 19 1, 336 89	6, 513 625 4, 085 516 808 16 1, 620 93	7, 899 582 4, 789 475 1, 001 20 2, 109 87	9, 540 454 5, 803 362 1, 155 18 2, 582 74	9, 987 335 5, 658 251 1, 244 13 3, 085	10, 355 224 5, 378 173 1, 408 3, 569 46	9, 279 193 4, 533 129 1, 245 12 3, 501	6, 642 94 3, 012 62 911 8 2, 719 24	3, 503 51 1, 562 36 478 2 1, 463	1, 066 30 478 20 161 5 427	226 10 100 8 37 1 89	26 4 9 2 3	28 4 13 4 2	}13 }18 }19 }20
181 12 162 10 12 2	210 10 186 7 12 2	295 18 267 17 11	406 12 375 11 15	520 12 464 12 25	670 18 600 17 26	849 17 749 16 35	906 14 820 12 28	918 21 796 18 40	702 12 581 12 41	455 16 383 14 26	257 4 214 2 14 1	86 3 71 3 4	6	1 1 1	3	}2: }2: }2:
7	12 1	17 1	16 1	31	44 1	65 1	58 1	82 3	80	46 2	29 1	11	1			24
274 558 78 165 34 44 162 349	345 695 107 212 38 56 200 427	342 704 99 226 37 52 206 426	434 754 128 213 48 62 258 479	520 889 141 210 55 83 324 596	618 668 169 134 65 69 384 465	637 633 162 112 73 51 402 470	588 489 132 85 67 36 389 368	777 374 160 44 84 30 533 300	705 305 128 25 71 21 506 259	473 219 84 16 52 19 337 184	242 121 49 13 24 7 169 101	65 71 5 7 7 3 53 61	11 34 1 2 3 10 29	32 32 33 	3 10 1 2 1	25 26 27 28
128 16	141 26	166 13	206 10	262 19	300 19	385 16	504 19	653 22	569 20	388 20	201 13	73 4	17 1	3 1	11 3	}29
 27	49 1 24	42	25 1	56 54	86	98	121	124	104 1 75	63 58	46 33		<u>-</u>		3 1	30
3 62 13	68 25	84 13	59 1 35 3 112 6	1 152 18	48 1 166 18	64 1 223 15	78 2 305 17	91 1 438 21	390 19	267 20	122 13	51 4	15 1	3 1	7 3	31
666 486 227 304 84 37 355 145	757 514 284 335 71 42	770 528 294 346 75 40	924 547 359 345 85 50 480 152	1, 103 639 412 361 131 83 560 195	1, 224 532 443 312 153 56 628 164	1, 452 552 483 283 141 78 828 191	1, 535 428 446 195 157	1,829 311 493 135 169 47 1,167	1, 732 217 416 83 173 24 1, 143	1, 301 216 294 67 109 24 898 125	729 115 185 24 60 14 484 77	212 75 47 21 27 6	45 27 11 6 4	9 31 1 6	28 30 4 4 2 8 22 18	}33 }34 }35
355 145	402 137	401 142	480 152	560 195	628 164	828 191	932 189	1, 167 129	1, 143 110	898 125	1	138 48	30 16	8 21	22 18	36
124 6	142 1 73	187 4 108	212 9 121	208 11 119	271 10 166 5 29	324 8 180	323 8 161	384 6 187	373 4 184	252	151 2 74 2 22	53 21	10 4	1	7 3	}37
2 25	26	28	121 5 36 1	6 29	5 90	150 4 39	6 50	4 50	45	123 2 31	2	8	2		<u>-</u>	38
124 6 71 2 25 1 28 3	1 43	51	55	60	76	105	112 2	147 2	144	98 1	55	24	<u>2</u>	1	3	}39 }40
77 . 1	94	2 132	3 168	5 242	4 302	4 421		565 1	4 587	1 454	279	102	26	6	13	}41
21	20	40	49	71	72	91 1	484 1 84	97	78	42	29	10	3	1		42
56 1	74	92	119	171	230	330	400	468 1	509	412	250	92	23	5	13	\ }4:

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

							DEA	THS AT AG	E OF				
	AREA AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
1	Virginia White Colored	18, 270 10, 628	2, 222 1, 448	364 202	177 90	101 57	82 42	2, 946 1, 839	263 142	226 184	389 419	533 538	501 469
2	Cities of 10,000 or more	5, 314 3, 636	480 393	65 67	30 25	25 13	22 11	622 509	68 34	51 57	103 148	145 198	161 189
3	Cities of 2,500 to 10,000 White	1, 780 633	200 69	41 11	17	111	4	273 93	27 13	27 16	35 24	66	64 29
4	Rural White Colored	11, 176 6, 359	1, 542 986	258 124	130 61	65 41	56 25	2, 051 1, 237	168 95	148 111	251 247	322 307	276 251
5	WashingtonWhite Colored	15, 959 622	903 64	102 13	74 5	59 10	35 5	1, 173 97	191 29	215 35	282 34	356 36	355 32
6	Cities of 10,000 or more White Colored	9, 020 298	532 13	51 5	38	36 5	21 2	678 27	119 10	114	137 10	200 19	229 20
7	Cities of 2,500 to 10,000 Colored Colored	1, 619 67	111 14	20	4	6	4	145 19	17 3	20	43 6	35	20 21 2
8	Rural White Colored.	5, 320 257	260 37	31 5	$\begin{bmatrix} & 1\\ 32\\ 2 \end{bmatrix}$	17 5	1 10 2	350 51	55 16	81 26	102 18	121 16	105 10
9	West Virginia White Colored	16, 125 1, 787	2, 683 228	617 46	254 23	172 12	136	3, 862	413 29	279 23	425 62	513 93	511
10	Cities of 10,000 or more	4, 300 449	532 42	105 12	50 3	37 2	9 28	318 752	88 4	77	105	145 27	110 137 32
11	Colored Colored White Colored	2, 280 286	284 21	75	27	17 2	13	63 416	75 7	49	59	114	102
12	Rural White Colored	9, 545 1, 052	1, 867 165	4 437 30	177 17	118 8	95 2	2, 694 222	250 18	153 13	261 39	17 254 49	21 272 57
13	WisconsinWhite	29, 948 373	2, 629 46	282 6	155	132	106	3,304	423 8	332 13	495 13	623 22	643 23
14	Cities of 10,000 or more	13, 142 127	1, 139 14	134	81	65	52	1, 471	242 4	134	217	260	314
15	Cities of 2,500 to 10,000	3, 678	314	36	26	18	1 15	20 409	46	56	54	79	8 64
16	Rural	13, 128 233	1, 176 31	112	48	49 3	39 1	1, 424 42	135 4	142	224 9	284 17	265 15
17	WyomingWhite	1,879	203	20	11	8	6	248	27	45	47	51	77
18	Colored	178 363	39 35	13 5	3	3	3 2	62 45	5 4	5 7	11	10	12 16
19	Colored Cities of 2,500 to 10,000 White Cities of 2,500 to 10,000	32 521	8 45	5 4	2	2	1	14 53	1 7	8		15	3 25
20	Rural Colored White Colored Co	29 995 117	123 22	11 8	6 4	6 3	1 4 1	10 150 38	16 4	30 4	25 7	26 4	3 36 6

NOTE.—Data for individual cities held in manuscript.

DEATHS, BY AGE AND COLOR

BIRTHS), BY AGE AND COLOR: 1932—Continued

						DEATE	AT AGE	OF							Deaths	
30 to s4 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	5j to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	at un- known age	
506 518 173 227 50 24 283 267	590 573 182 243 67 38 341 292	624 . 621 229 281 71 39 324 301	790 737 290 331 82 49 418 357	936 952 337 400 97 67 502 485	1, 119 840 406 307 136 53 577 480	1, 451 820 506 296 143 48 802 476	1, 434 628 488 176 134 40 812 412	1, 899 464 538 115 186 31 1, 175	• 1,759 295 465 55 148 12 1,146 228	1, 297 272 332 35 88 11 877 226	677 136 143 18 57 4 477 114	254 77 59 7 21 2 174 68	50 34 13 4 4 3 33 27	17 40 2 3 3 12 34	9 30 1 3 1 1 7 26	} 1 2 3 4
389 20 229 16 37	513 25 298 13 49 2 166 10	676 37 407 25 66 2 203 10	864 39 550 27 73 5 241 7	998 39 609 31 86 3 303 5	1, 144 43 710 27 116 2 318 14	1,360 37 790 29 150 3 420	1,701 23 942 9 178 6 581	1,950 21 1,091 9 175 3 684 9	1, 689 35 881 8 163 2 645 25	1, 206 12 617 4 137	625 9 288 2 73 1 264 6	205 8 107 4 19 2 79 2	37 5 14 5 1 18 4	7 2 2 1 3 	23 4 8 2 8 7 2	5 6 7 8
490 104 155 25 99 24 236	515 142 180 30 80 28 255 84	536 161 188 40 85 32 263 89	673 154 225 48 110 25 338 81	756 143 252 30 111 21 393 92	835 108 268 33 137 18 430 57	969 85 291 29 157 11 521 45	1, 104 98 348 28 147 11 609 59	1, 258 57 387 19 178 6 693 32	1, 245 48 316 18 147 6 782 24	958 24 216 5 115 2 627 17	555 12 129 2 75 1 351 9	183 11 30 1 17 3 136 7	38 3 10 1 5 23 2	7 2 1 1 2 4 1		} 9 }10 }11 }12
697 31 349 13 76	914 23 460 13 99	1,084 21 565 11 102 2	1, 351 19 675 9 130	1,609 31 832 8 173	1,868 16 928 9 222	2, 331 17 1, 120 5 293	2, 951 14 1, 341 4 364	3, 652 19 1, 537 6 454	3, 263 13 1, 255 1 471 1	2, 428 11 810 3 315	1, 325 5 433 181	530 5 161 1 75	100 2 31 13 13	16 1 5	9 2 2 1 1	}13 14 15
272 16	355 10	417 8	546 10	604 22	718 6	918 12	1, 246 10	1,661 13	1, 537 11	1,303	711 5	294 4	56 1	10 1	6	16
80 8 13	13	113 5 29	112 9 23 3	131 4 28	130 12 28 2	124 7 27	152 10 27	165 6 24 1	152 5 28 2	90 4 19	44 1 10	13 2 1 1	5 1		6	}17 }18
19 1 48 7	2 32	44	41 2 48 4	63 4	37 4 65 6	31 1 66 5	45 2 80 8	54 2 87 3	42 1 82 2	22 49 4	28 1	3 9 1	5 1		6	19 20

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932

[Native white includes native born of both parents native, of 1 or both foreign, and of both unknown or 1 unknown and 1 native.

			<u> </u>															===
					w	HITE				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		OT	HER R	ACES				
AREA AND AGE	ALL I	DEATHS	Na	tive	Fo	eign	Unkı	nown	N	egro	In	dian	Ch	inese	Јара	anese	Oti	ıer
	Males	Females	M.	F.	М.	F.	M.	F.	M.	F.	м.	F.	м.	F.	М.	F.	м.	F.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
All ages	712, 931	595, 598	464, 370	395, 561	139, 515	110, 180	12, 501	4,099	87, 363	79, 301	2, 386	2, 247	1, 116	134	743	276	4, 937	3, 800
Under 1 year	68, 871 20, 992 10, 831 9, 327 14, 385 18, 568 19, 094 21, 212 27, 319 33, 158 40, 396 48, 034 54, 251 61, 889 64, 845 69, 849 20, 781 6, 670 1, 398 955	52, 396 18, 249 8, 249 8, 249 7, 225 12, 672 18, 046 18, 701 19, 518 22, 884 25, 298 29, 401 34, 479 51, 533 59, 183 59, 183 59, 183 59, 183 59, 183 51, 183 52, 187 729 628	55, 628 17, 029 9, 126 7, 541 10, 799 12, 630 12, 230 13, 104 15, 780 18, 646 22, 229 26, 927 32, 892 38, 228 40, 000 46, 513 40, 135 26, 743 13, 255 3, 897 707 82 249	41, 695 14, 575 7, 4575 7, 596 8, 590 11, 798 11, 964 12, 341 13, 887 15, 097 17, 356 20, 169 23, 959 22, 959 22, 970 32, 417 40, 587 37, 532 27, 874 16, 064 1, 206 1, 20	14 31 79 156 347 769 2, 269 4, 423 7, 364 10, 135 12, 026 13, 622 16, 164 18, 551 11, 0962 5, 903 1, 993 385 70	12 29 51 122 228 744 1, 373 1, 880 3, 136 4, 151 5, 757 7, 540 9, 207 12, 278 14, 723 14, 874 12, 908 11, 059 6, 688 6, 614 638 109 59	49 76 39 37 111 223 288 362 623 734 935 1, 261 1, 138 1, 338 1, 338 1, 373 1, 370 20 20 7	25 59 32 22 68 87 7 121 103 145 276 359 393 481 493 493 193 99 29 7 94	11, 314 3, 134 1, 389 2, 797 4, 490 4, 628 4, 989 6, 005 5, 946 6, 592 7, 321 6, 163 4, 566 3, 652 2, 767 2, 077 1, 212 213 308	9, 148 2, 889 1, 208 1, 208 3, 481 5, 495 4, 957 4, 911 5, 601 4, 751 4, 751 3, 788 3, 041 2, 244 1, 844 1, 844 1, 134 675 237	473 236 87 86 133 137 107 94 76 69 96 91 115 115 84 97 105 112 115 84 85 112	390 235 81 111 156 143 94 74 93 73 66 86 80 90 91 45 27 21	43 19 7 11 31 39 53 81 72 81 88 88 103 102 106 91 58 26 7	35 18 9 5 6 3 10 5 5 6 6 3 10 2 2 3 4 3 1	60 39 28 14 24 17 23 33 34 51 10 92 66 39 10 4 1	47 36 22 15 19 7 13 21 25 18 21 6 9 9 2 5	1, 290 428 142 97 160 271 344 308 297 274 257 205 183 183 116 88 69 29 23 13 86 66	1, 044 428 120 87 174 224 169 183 193 162 166 149 138 121 85 72 5 40 20 24 16 5
REGISTRATION STATES OF 1920 1	611 290	513, 167	397, 929	342, 313	120 070	104, 386	9, 970	3, 070	66, 405	59, 598	1,078	998	1 065	130	703	266	2 020	2, 406
All ages Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 20 to 14 years 20 to 24 years 30 to 34 years 30 to 34 years 30 to 34 years 35 to 39 years 40 to 44 years 55 to 49 years 55 to 50 years 60 to 64 years 65 to 69 years 70 to 74 years 80 to 84 years 80 to 84 years 80 to 84 years 80 to 94 years 95 to 99 years 90 to 94 years 95 to 99 years 100 years and over Unknown		42, 469 42, 469 14, 342 7, 311 5, 905 10, 059 14, 429 15, 214 16, 161 19, 232 20, 939 34, 044 41, 658 46, 277 52, 971 52, 971 52, 971 52, 971 52, 973 47, 404 36, 543 21, 388 8, 243 1, 886 547 403	46, 206 13, 875 7, 634 6, 329 9, 093 10, 636 10, 325 11, 073 13, 389 16, 045 19, 198 23, 186 23, 186 23, 186 24, 505 33, 366 35, 008 40, 442 23, 162 11, 371 3, 373 604	34, 598 11, 751 6, 192 4, 706 4, 706 4, 706 9, 993 10, 398 11, 831 11, 950 15, 065 21, 057 25, 733 28, 942 36, 021 33, 138 24, 533 14, 182 5, 252 1, 057 25, 252 1, 149	12 30 76 148 316 720 1, 355 2, 143 4, 222 4, 222 11, 519 13, 003 11, 519 16, 76 16, 76 16, 79 18, 537 9, 986 5, 295 5, 1798 342 5, 295 5, 295	111 27 46 1111 210 700 1, 310 1, 803 3, 035 4, 002 5, 540 7, 246 8, 849 11, 807 14, 007 14, 007 14, 007 12, 072 10, 237 6, 163 2, 402 5, 599 57	38 500 27 24 24 29 209 278 536 622 77 1, 062 929 1, 140 1, 063 1, 053 1, 053 1, 054 812 560 248 76 14 550 14 550 20 20 20 20 20 20 20 20 20 20 20 20 20	21 31 31 18 17 42 58 79 73 98 136 131 1713 284 298 378 366 344 151 68 24 6 53	8, 586 2, 352 1, 000 1, 037 2, 064 3, 260 3, 475 3, 894 4, 566 4, 617 5, 662 4, 733 4, 733 4, 733 4, 733 2, 739 1, 527 908 1, 527 1,	6, 912 2, 144 901 2, 469 3, 595 3, 660 3, 716 4, 077 4, 170 4, 143 4, 742 3, 788 3, 715 2, 910 1, 738 1, 738 1, 381 1, 38	220 82 33 42 59 46 62 29 28 40 30 30 53 39 41 55 65 66 44 42 22 11 12 8	169 73 34 47 67 58 40 36 43 39 36 37 41 52 48 48 48 28 15	1, 065 40 19 7 9 30 38 52 75 72 74 85 82 99 101 104 83 55 26 6	33 16 9 5 6 3 10 5 6 6 3 10 2 3 4 3 1	55 39 27 14 22 17 22 33 50 98 89 61 10 4 1	44 33 222 15 19 7 13 220 23 18 20 6 9 9 9 2 5	3, 260 819 268 95 64 120 209 263 234 218 177 165 139 109 107 85 68 44 34 15 12 9 4 2	681 261 89 55 123 150 100 100 110 112 96 82 71 74 49 132 17 11 14 7
REGISTRATION STATES 2 All ages	704, 506	588, 763	459, 404	391, 726	138, 658	109, 527	12, 222	4, 018	85, 752	77, 690	2, 385	2, 247	1, 103	133	741	276	4, 241	3, 146
Under 1 year	9, 197 14, 167 14, 167 18, 268 18, 722 20, 831 20, 822 32, 658 38, 847, 418 53, 592 64, 280 69, 343 40, 434 20, 640 1, 383 394	51, 592 17, 924 8, 848 7, 117 12, 451 17, 689 18, 306 19, 149 22, 498 24, 898 34, 041 38, 171 46, 255 51, 132 58, 817 53, 028 44, 009 24, 009 24, 009 24, 010 24, 010 25, 010 26, 010 27, 010 28, 010	54, 972 16, 782 9, 017 7, 456 10, 665 12, 466 112, 043 112, 917 115, 517 115, 517 21, 951 22, 959 32, 492 37, 832 39, 662 46, 184 880 26, 550 13, 180 3, 880 3, 702 243	41, 178 14, 382 7, 357 5, 535 8, 476 11, 618 11, 773 12, 159 13, 698 17, 169 23, 736 28, 820 28, 820 16, 731 27, 689 15, 976 5, 881 1, 197 187	14 31 78 153 334 1, 415 2, 237 4, 391 11, 952 13, 532 16, 067 18, 446 17, 929 14, 645 10, 920 5, 857 1, 982 7, 70	12 29 51 116 219 7, 354 1, 854 3, 111 4, 107 5, 788 9, 144 12, 214 14, 658 14, 823 12, 11, 013 6, 650 106 58	49 75 38 35 110 218 277 350 609 721 1,234 1,106 1,375 1,297 1,316 1,375 1,297 1,316 1,375	25 59 32 22 22 67 85 115 100 138 174 168 213 355 387 471 489 438 190 97 28	11, 150 3, 088 1, 308 1, 302 1, 754 4, 410 4, 508 4, 871 5, 848 5, 811 6, 427 4, 508 3, 590 6, 040 5, 548 4, 508 3, 590 6, 040 1, 204 1, 204 6, 273 1, 204 6, 273 1, 204 819 819 819 819 819 819 819 819 819 819	9, 021 2, 809 1, 189 1, 242 3, 357 4, 923 4, 806 5, 701 6, 158 4, 679 3, 737 3, 737 2, 211 1, 11, 11, 11, 11, 11, 11, 11, 11, 11	473 236 87 86 133 137 107 94 76 99 96 91 105 115 83 53 25 14	390 235 81 111 156 143 94 74 93 73 86 87 73 81 86 90 91 45 27 13	41 19 7 7 11 30 39 53 80 72 80 87 84 101 102 105 91 58 7	35 17 9 5 6 3 10 5 5 6 6 8 10 2 3 10 2 3 10	60 39 28 14 24 17 23 33 34 51 96 61 10 4 1	47 36 22 15 19 7 13 21 18 21 6 9 9 9	1, 080 371 119 85 136 246 310 276 267 234 182 152 147 123 99 73 58 24 19 12 6 6	884 367 107 71 151 190 141 145 158 139 118 109 95 92 67 59 44 31 17 22 22 5

¹ These States are shown in table A. ² Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

				·	_wı	IITE			`			oı	HER R	ACES				
AREA AND AGE	ALL	DEATHS	Na	tive	For	eign	Unk	nown	Ne	gro	Ind	lian	Chi	nese	Japa	anese	Ot	her
	Males	Females	М.	F.	M.	F.	М.	F.	M.	F.	М.	F.	M.	F.	м.	F.	M.	F.
Cities in Registration States ¹																		
All ages	360, 293	313, 049	217, 387	194, 146	93, 277	78, 393	6, 065	1,754	40, 261	36, 894	235	189	801	108	429	165	1,838	1,400
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 20 to 24 years 20 to 24 years 30 to 34 years 30 to 34 years 40 to 44 years 55 to 59 years 50 to 54 years 50 to 54 years 50 to 54 years 50 to 56 years 66 to 69 years 76 to 79 years 80 to 84 years 55 to 89 years 10 to 94 years 10 years 10 years 10 to 94 years 10 years 10 to 94 years	95	23, 697 8, 174 4, 174 3, 596 6, 077 9, 338 10, 347 11, 185 13, 404 11, 17, 552 20, 402 22, 755 27, 187 28, 869 25, 627 3, 988 187 157	26, 073 8, 084 4, 907 3, 941 5, 193 6, 017 6, 317 7, 026 8, 429 10, 339 11, 694 117, 290 19, 036 18, 543 19, 339 14, 965 8, 1, 221 26 54	19, 774 6, 772 3, 955 2, 961 4, 379 6, 852 7, 8461 11, 010 12, 915 15, 156 16, 198 16, 198 46 47	11 27 64 110 214 534 1, 648 3, 234 5, 441 17, 603 8, 921 11, 643 11, 643 11, 643 12, 660 11, 441 8, 87 2, 958 909 174	7 200 37 86 155 549 1, 484 2, 497 3, 313 5, 921 10, 745 10, 361 8, 413 6, 783 3, 863 1, 465 377 60 43	21 22 12 12 95 137 175 335 433 608 780 606 797 659 560 359 228 27 80	8 18 12 5 23 39 59 59 44 74 92 2 125 1213 181 163 61 16	4, 470 1, 297 1, 546 1, 164 1, 164 1, 2, 088 2, 2, 860 3, 393 3, 740 3, 852 2, 559 1, 249 263 181 181 181 181 181 181 181 181 181 18	3, 507 1, 153 493 498 1, 425 2, 321 2, 551 3, 051 3, 051 3, 263 2, 482 2, 307 1, 693 1, 307 813 532 320 190 71 72 50	38 16 12 12 15 15 15 18 8 13 10 9 9 3 13 6 8 13	27 13 9 9 15 20 13 11 112 10 11 11 5 5 5 4 2 3 2 1	35 18 6 6 8 17 33 40 64 67 77 67 77 87 25 13 3	27 157 4 4 2 10 5 4 5 3 10 2 2 2 	30 218 8 13 11 12 220 34 56 65 47 43 15 8 3	22 21 11 7 9 4 12 16 14 12 5 7 7 7 1 2	413 163 49 28 63 116 152 101 132 101 108 83 74 50 38 24 23 9 5	325 162 49 26 67 70 65 77 64 49 61 48 33 22 13 14 10 9
All ages	344, 213	275, 714	242, 017	197, 580	45, 381	31, 134	6, 157	2, 264	45, 491	40, 796	2, 150	2, 058	302	25	312	111	2, 403	1,746
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 16 to 19 years 20 to 24 years 30 to 24 years 30 to 24 years 30 to 34 years 35 to 39 years 45 to 49 years 55 to 59 years 50 to 54 years 55 to 59 years 70 to 74 years 80 to 34 years 80 to 34 years 90 to 94 years 100 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 44 years 100 to 94 years 100 years and over Unknown Registration Cities in Non- Registration State 3	10, 993 5, 067 4, 516 7, 447 8, 594 8, 594 8, 594 11, 207 11, 207 12, 459 22, 459 22, 459 24, 848 13, 175 38, 389 324, 848 4, 338 49, 338 696	27, 895 9, 755 3, 521 6, 374 6, 351 7, 956 9, 084 9, 084 11, 426 119, 083 22, 263 27, 988 22, 263 27, 988 22, 263 27, 988 22, 263 27, 988 22, 263 27, 988 22, 266 13, 630 1, 258 461	28, 899 8, 698 8, 698 8, 698 15, 729 6, 449 5, 729 16, 709 11, 202 18, 79 26, 487 117, 881 9, 065 17, 881 17, 881 17, 881 17, 881 17, 881 17, 881 18, 189 18, 189 18, 189 18, 189 189 189 189	21, 404 7, 6102 2, 5747 4, 5303 5, 217 5, 237 5, 287 10, 821 13, 664 11, 432 16, 332 9, 287 147 147 147	3 4 4 43 930 2100 2100 367 157 157 157 157 157 157 157 157 157 15	5 9 14 300 64 173 3275 370 6144 794 1, 1558 2, 0011 2, 743 4, 483 4, 230 2, 817 4, 118 6 15	28 536 68 68 123 140 175 274 288 316 453 500 578 485 220 78 14 5 227	17 41 20 17 44 46 56 64 82 86 88 124 175 209 258 308 308 307 67 22 67 74	6, 680 1, 7916 7956 1, 611 2, 322 2, 046 2, 011 2, 4358 2, 687 3, 045 2, 907 2, 341 1, 592 951 177 237	5,514 656 666 7,444 1,2,622 2,2,553 2,2,354 3,550 2,2,354 3,550 3,72 2,1,704 1,398 1,797 484 204 313 180	435 220 74 121 122 90 68 58 57 80 84 88 102 99 109 109 109 13 8	363 222 102 102 141 123 81 63 85 76 68 76 81 102 88 88 84 26 13 20 11	6 1 1 3 13 6 13 16 12 13 11 13 225 38 55 53 33 13 4	8 2 2 1 2 1 1 1 1 2 2 1 1	30 18 10 6 11 16 6 11 8 14 17 40 45 45 23 24 2 1	25 15 11 8 10 3 1 5 11 4 9 1 2 2 1 3	667 208 70 57 73 130 158 135 133 109 99 78 88 73 61 14 85 15 14 85 15 15 15 15 15 15 15 15 15 15 15 15 15	559 195 584 845 100 74 75 787 787 782 544 344 34 31 17 718 54
All ages	8, 425 1, 032	6, 835	4, 966 656	3, 835	857	653	279	81	1,611	1, 611	1		13	1			696 210	654
Under 1 year 1 to 4 years. 5 to 9 years. 10 to 14 years. 15 to 19 years. 20 to 24 years. 20 to 24 years. 30 to 34 years. 40 to 34 years. 5 to 39 years. 5 to 39 years. 5 to 49 years. 5 to 59 years. 65 to 69 years. 70 to 74 years. 75 to 79 years. 80 to 84 years. 90 to 94 years. 90 to 94 years. 100 years and over. Unknown.	351 155 130 215 300 372 381 497 500 549 616 655 655 565 504 439 290 141 39 15	325 125 126 108 221 357 395 386 423 423 423 423 421 401 366 321 155 56 16	247 109 85 134 164 187 187 263 270 278 328 400 396 396 398 329 193 75 17 5	93 93 61 114 182 191 182 189 204 187 202 223 250 250 258 215 185 88 37 9 2	1 3 13 25 20 32 32 32 42 52 74 90 97 105 67 46 11 6	6 9 22 19 26 25 44 49 51 63 64 65 51 56 46 88 13 2 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 8 39 39 39 39 22 22 22 17 7 1 1 1 1	1 2 6 3 7 3 9 2 8 4 6 10 4 6 3 2 1	146 21 28 43 80 120 1187 135 162 106 85 60 38 36 26 8 8 6 25	160 19 25 74 117 151 120 160 151 152 93 72 29 33 17 1 1 2 2 2			1 1 1 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2		210 57 23 12 24 25 34 32 30 40 23 31 31 5 17 11 5 4	160 71 13 16 23 24 28 33 35 24 27 31 35 29 18 12 9 3 4

¹ Including District of Columbia and municipalities of 10,000 inhabitants or more in 1930.
2 "Rural" embraces the area outside of cities of 10,000 inhabitants or more in 1930.
3 Includes 8 cities in Texas.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					[, to Bo Ho												
					wei	TE						01	THER R	ACES				
AREA AND AGE	ALL D	EATHS	Na	tive	For	eign	Unkn	iown	Ne	gro	lnd	ian	Chi	nese	Japa	nese	Oth	er
	Males	Females	M.	F.	М.	F.	М.	F.	M.	F.	м.	F.	М.	F.	М.	F.	М.	F.
ALL REGISTRATION CITIES 1																		
All ages	368, 718	319, 884		197, 981	94, 134	79, 046	6, 344	1,835		38, 505	236	189	814	109	431	165	2, 534	2,054
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 10 to 14 years 10 to 19 years 20 to 24 years 30 to 24 years 35 to 39 years 40 to 44 years 55 to 39 years 55 to 49 years 55 to 59 years 60 to 54 years 55 to 69 years 70 to 74 years 80 to 84 years 80 to 84 years 90 to 94 years 90 to 94 years 90 to 99 years 90 to 99 years 90 to 99 years 91 to 99 years 92 to 99 years 93 to 99 years 95 to 99 years 95 to 99 years 96 to 99 years 97 to 99 years 97 to 99 years 98 to 99 years 99 to 99 years 99 to 99 years	9, 999 5, 764 4, 811 6, 933 9, 193 10, 550 12, 307 16, 112 20, 313 25, 333 29, 103 32, 1792 34, 879 34, 371 33, 219 25, 293 15, 876 7, 606 2, 332 446	24, 501 8, 499 4, 698 3, 704 6, 298 9, 695 11, 554 13, 795 20, 840 23, 177 27, 606 29, 270 31, 185 948 19, 124 10, 534 4, 044 929 129 128	26, 729 8, 331 5, 016 4, 026 6, 327 7, 213 8, 692 10, 588 15, 022 17, 690 19, 432 18, 881 19, 668 15, 264 9, 162 4, 230 1, 238 216 60	20, 291 6, 968 4, 048 3, 022 4, 493 6, 495 6, 747 7, 709 8, 625 9, 848 11, 212 13, 138 15, 406 16, 448 19, 155 16, 409 11, 549 459 489 50	11 277 655 113 257 559 1, 068 1, 676 3, 266 5, 483 7, 655 8, 995 10, 130 11, 740 12, 765 11, 538 8, 690 5, 913 3, 004 40	7 20 307 92 164 571 1,080 2,522 3,357 4,602 5,972 7,972 7,973 10,412 8,469 6,829 3,871 1,478 379 63 44	21 23 13 14 43 100 148 619 446 619 836 638 638 582 381 245 582 22 6 6 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8	8 18 12 5 24 41 65 47 81 95 91 127 152 184 223 185 64 32 27 1	4, 634 1, 343 567 597 1, 186 2, 168 2, 582 2, 5978 3, 550 3, 550 3, 905 4, 014 1, 859 1, 287 487 487 487 487 487 487 487 487 487 4	3, 634 1, 213 512 523 1, 499 2, 438 2, 702 2, 848 3, 241 3, 302 2, 341 52, 575 2, 575 2, 379 1, 744 1, 336 846 555 337 191 73 74 52	38 16 7 12 12 15 15 15 15 8 13 12 16 9 9 3 13 6 9 1 1	27 13 9 9 15 20 13 11 12 10 11 11 5 5 5 4 4 2 2 3 2	37 18 6 6 8 18 33 40 65 60 68 77 75 80 77 68 36 25 13 3	27 18 7 4 4 2 10 5 5 5 3 10 2 1 2 2	30 21 18 8 13 11 12 25 20 34 58 65 47 43 15 8 3	22 21 11 7 9 4 12 16 14 12 5 7 7 7 1 2	623 220 72 40 87 141 186 173 162 141 105 95 55 39 34 14 14 9 9 9 9 3 3 3	485 233 62 42 90 124 95 108 108 104 95 25 25 25 21 31 11 11
ALABAMA							*01	70	0.400	200	1	3					2	1
All ages		13, 245	7, 641	6, 668	234 =====	128	124	76	6, 433	6, 369	1		====			===		
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 20 to 24 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 55 to 59 years 50 to 54 years 50 to 54 years 50 to 64 years 50 to 67 years 70 to 74 years 70 to 74 years 80 to 84 years 75 to 79 years 80 to 89 years 90 to 94 years 95 to 89 years 90 to 94 years 95 to 99 years 100 years and over Unknown	637 290 240 435 621 547 538 693 693 790 921 922 972 917 1, 056 653 306 122 333	1, 693 558 261 196 462 698 607 603 667 768 776 776 810 754 853 806 691 371 156 68 62 27	1, 166 389 188 127 203 251 198 206 231 254 356 453 539 547 712 646 419 185 48 8 8	872 358 155 100 170 239 217 245 244 255 281 307 378 436 423 598 576 475 220 76 30 4	1 4 4 4 11 11 11 15 13 30 30 32 27 27 25 12 2	2 3 2 4 5 7 12 14 15 16 20 9 9 12 5	1 1 2 4 7 2 5 8 5 10 0 7 19 12 2 8 1 1	2 3 3 1 2 5 6 5 7 18 11 5 2	244 101 1112 229 366 338 325 446 443 394 393 331 289 201 108 71 22 30 30 14	198 106 96 289 455 388 354 419 422 418 460 341 355 311 232 192 192 193 134 73 37 16		1 1					1	1
All ages	3, 351	2, 069	1, 529	893	272	122	175	25	133	78	352	274	13	1	12	2	865	674
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 50 to 54 years 50 to 54 years 60 to 64 years 60 to 64 years 60 to 64 years 75 to 79 years 76 to 79 years 85 to 89 years 85 to 89 years 85 to 89 years 85 to 89 years 90 to 94 years 90 to 94 years 90 to 99 years 100 years and over Unknown	215 50 84 144 175 236 216 217 217 2187 2187 2187 2187 2187 2187 2	77 110 109 127 122 115 108 84 83 99 71 199 82 65 40 12	138 56 26 26 14 34 52 67 100 130 94 113 111 86 60 25 6 3	105 35 22 20 32 45 56 73 63 61 51 51 42 57 41 54 41 32 19 4	3 2 5 11 22 27 27 27 27 23 31 25 26 24 20 15 7	1 1 3 4 7 8 8 12 18 9 9 6 13 13 7 4 4 2	2 6 6 8 10 8 10 9 18 127 224 29 7 7 2 1 1	2 5 2 2 3 3 1 1 1 1 3 2 1	13 3 3 1 4 9 10 6 34 8 8 10 9 4 4 4 3 4 4 1	12 5 1 5 3 3 5 11 5 9 5 4 4 2 2	67 63 12 18 27 19 15 13 8 8 8 10 10 11 11 10 12 12 11 10 5	58 38 14 17 18 20 11 11 12 6 6 8 8 9 6 7 7 1	1 2 1 1 1 1 4 2 2	1	1 1 4 1 1 2 2	1	234 92 21 117 13 31 31 35 45 45 37 37 37 32 26 21 21 22 2	25 21 21 22 18 18 19 16 14 5 8

¹ Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

	 				WE	OTE .)			or	HER R	ACES		<u>, , , , , , , , , , , , , , , , , , , </u>		-
AREA AND AGE	ALL	DEATHS	- Na	tive	For	reign	Unkı	ıown	Ne	gro	Inc	lian	Chi	inese	Japa	nese	Oth	er
	Males	Females	м.	F.	M.	F.	M.	F.	м.	F.	M.	F.	м.	F.	M.	F.	M.	F.
ARKANSAS																		
All ages	9, 101	7, 214	5, 796	4, 466	146	94	480	269	2, 674	2, 383		1	4				1	1
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 35 to 39 years 45 to 39 years 45 to 49 years 50 to 54 years 50 to 54 years 50 to 54 years 60 to 64 years 70 to 74 years 70 to 74 years 85 to 89 years 85 to 89 years 95 to 89 years 95 to 99 years 95 to 99 years	993 472 212 164 292 376 329 331 361 409 476 660 600 730 620 417 236 98 98	704 429 431 130 275 369 323 331 337 408 426 445 477 372 197 20 20 215	733 335 1155 1100 175 198 1770 183 225 275 317 361 430 380 555 457 293 178 56 14 3 43	505 294 127 80 159 169 176 168 163 223 263 263 349 349 370 287 139 100 297 297 297 297 297 297 297 297 297 297	1 7 7 3 4 11 19 13 24 24 .15 13 5	1 3 1 2 1 4 5 5 7 8 8 20 0 17 8 8 10 5 5	4 14 4 4 3 7 7 13 19 12 23 17 31 6 55 58 48 33 10 9 2 2 1 1	2 10 7 2 7 8 8 7 6 9 10 10 10 22 21 22 24 22 22 15 10 2	256 123 53 51 109 165 139 166 153 199 185 152 113 91 75 35 26 13	196 124 47 48 118 171 144 140 144 161 173 171 148 142 123 80 66 55 33 23 23		1	2				1	1
Unknown	152	134	43	48	3		42	28	63	58			1					
All ages	39, 651	28,029	24, 386	18, 683	9, 696	6, 125	972	175	727	590	177	167	553	86	486	204	2, 654	1, 999
Under I year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 20 to 24 years 30 to 34 years 30 to 34 years 40 to 44 years 50 to 54 years 50 to 54 years 50 to 54 years 50 to 56 years 60 to 69 years 70 to 74 years 75 to 79 years 80 to 84 years 80 to 84 years 80 to 84 years 80 to 84 years 90 to 94 years 90 to 94 years 100 years and over Unknown COLORADO	2, 307 696 426 400 617, 106 1, 2618 2, 1142 2, 994 3, 3771 3, 928 3, 355 2, 142 3, 365 2, 142 3, 142 3, 152 1, 142 3, 142	1, 809 617 379 225 494 494 327 1, 025 1, 212 1, 676 1, 212 2, 501 2, 509 2, 782 2, 783 2, 185 479 137	1, 493 418 303 441 626 684 758 973 1, 2762 1, 750 2, 366 2, 055 1, 417 696 233 45 7	1, 164 343 262 189 322 189 322 631 712 834 1, 148 1, 588 1, 681 2, 113 2, 113 1, 386 1, 375 753 287	3 13 34 56 119 167 311 495 805 805 805 1,052 1,231 1,090 819 396 134 1	2 1 1 8 21 44 91 121 139 205 379 498 564 780 866 783 407 168 50 9	1 3 14 25 30 45 64 84 124 1130 1161 63 30 12 1	1 1 2 8 4 4 112 13 13 117 20 14 5 3 3	36 10 7 12 9 35 39 42 65 58 66 80 71 71 52 50 31 34 4 4 4 3	37 111 10 2 111 21 32 46 46 52 53 42 41 40 25 9 6 4 4 5 2	32 9 7 6 12 15 4 6 4 7 7 4 9 9 2 5 10 10 10 3 3 1	17 13 4 14 12 5 5 7 8 5 4 7 10 7 7 11 6 2 5	31 11 4 5 5 12 18 20 27 31 33 34 41 55 64 36 41	18 11 5 4 4 3 7 2 3 3 5 2 8 2 3 3 2 1	42 30 19 7 14 12 19 20 16 36 66 73 35 27 9 2	36 23 16 12 15 5 11 15 18 10 5 7 7 8 2 4	673 217 80 54 99 168 198 182 177 146 134 119 91 90 68 67 30 13 13 10 8	587 213 80 80 104 125 89 96 89 92 83 68 69 65 44 35 23 11 12 5
All ages	7,286	5,313	5, 203	4,035	1,315	829	301	88	143	107	16	. 11	9	1	19		280	236
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 20 to 24 years 30 to 34 years 30 to 34 years 35 to 39 years 45 to 49 years 55 to 59 years 65 to 59 years 65 to 69 years 70 to 74 years 80 to 84 years 80 to 84 years 80 to 99 years 90 to 94 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years	229 114 87 196 209 213 278 322 357 357 356 470 591 673 775 596 417 191 78	173 93 74 128 198 199 220 221 220 223 270 243 270 315 375 432 509 441 342 185 78	178 102 77 169 175 168 215 225 235 248 232 257 338 396 423 521 408 260 126 53 6 1	149 88 83 114 160 167 168 188 201 225 233 283 307 366 309 229 127 51 8	1 3 5 40 67 77 86 93 134 194 161 121 55 22 5	1 2 8 12 14 22 24 4 47 51 55 99 117 114 103 48 25 5 2 1	4 8 10 9 19 16 229 20 30 36 30 317 25 7	1 2 2 2 7 5 2 8 8 5 10 14 10 3 4 1	1 2 1 1 5 2 10 15 14 13 15 8 11 12 12 5 3	811427756118767774331111	2 1 2 3 1 1 1 1 2 2 3 1	3 2	1 1 1 3 2	1	1 2 2 1 2 2 1 3 2 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 26 9 5 14 17 9 11 7 7 11 18 4 4 3 1	84 22 4 5 8 12 5 10 16 14 12 8 12 17 4 3 4 3 3

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					•		act Of Dillis										.,	
					WH	TE						от	HER R	ACES				
AREA AND AGE	ALLI	46 8, 116 5 57 516	Nati	ive	Fo	reign	Unkn	own	Neg	ro	Ind	ian	Chi	nese	Japa	nese	Oth	er
	Males	Females	M.	F.	М.	F.	M.	F.	М.	F.	М.	F.	м.	F.	М.	F.	M.	F.
CONNECTICUT																		
All ages	8, 846	8, 116	5, 291	5, 004	3, 207	2, 850	91	51	249	210	2		6	1				
Under 1 year 1 to 4 years	657 165	516 136	617 159	498 129	<u>1</u>			<u>i</u> -	40 5	18 6								
5 to 9 years	108 89	92 77	159 107 83	87 73	<u>2</u>	1 2			1 4	4 2								
15 to 19 years 20 to 24 years	162 163	113 173	149 140	103 143	9 15	5 19	2	1	4 4 7	4 11			2					
25 to 29 years	169 212	194 175	129 138	145 116	15 32 55	37 46	1	1 1	7 18	11 12								
35 to 39 years	296 417	256 295	160 192	144 153	121 203	94 123	1 6	ī	14 16	17 18				₁ -				
45 to 49 years	547 652	383 491	238 308	188 247	279 310	180 223	8 9	3	22 24	12 18	i							
50 to 54 years 55 to 59 years	772	598	378	305	365	274	8	3	21	16								
60 to 64 years	904 927	794 883	460 448	385 433	414 454	383 439	5 13	9	23 10	17 10			2 2					
70 to 74 years	961 756	912 788	558 482	565 493	372 255	326 278	14 9	10 9	16 10	11 8	1							
80 to 84 years	490 283	616 408	297 179	388 268	181 100	220 132	8 2	3	4 2	5 7								
90 to 94 years 95 to 99 years	93 15	163 36	56 10	110 25	33	51 10	1	1	3	1								
100 years and over Unknown	1 7	10	3	5 1	<u>i</u> -	5 2	3	3	1	<u>-</u>								
	'	1 1	ľ	1	1		•	J		1								
DELAWARE	1, 682	1 400	1, 144	1, 045	200	155	22	4	315	292	1	,		İ				
All ages	<u> </u>	1,496			200	155				32								
Under 1 year	156 38	132 36	124 28	100 26					32 10	10								
5 to 9 years 10 to 14 years	19	14 16	16	12 12					1 3 5	2 4								
15 to 19 years 20 to 24 years	38 24 19 23 39 29	19 36	28 22 16 16 22 22 27 38 42 42 63 84	14 22	2	ī			17	5 13								
25 to 29 years	29 41	39 48	22 27	27 32	3	1 2			7 11	11 14								
35 to 39 years 40 to 44 years	75	53 42	38	32 20	12 10	4 8	1		24 8	17 14								
45 to 49 years	81	67 72	42	36	16 20	11 14	2 3		21 29	20 15								
50 to 54 years	138	114	84	43 71	21	10	1 2	2	32 41	31 30								
60 to 64 years	158	129 133	95 108	81 95	24 30	18 19	4		16	19								
70 to 74 years	170	167 151	146 137	119 119	24 18	27 16	3		27 14	21 16								
80 to 84 years 85 to 89 years		127 64	71 35	96 57	9 6	17 5		2	11 4	12								
90 to 94 years 95 to 99 years		30	6	27 4	3	1 1	1		<u>i</u> -	2								
100 years and over	2 3	ĭ			2		2		1	î								
Unknown On GOV Harry							-		•									•
All ages	4, 294	3, 643	2,316	1,940	366	253	82	44	1, 522	1, 402			7	3		1	1	
Under 1 year	434	306	219	161					215	145								
1 to 4 years	121 56	71 37	59 38	32 26	1		3	3 2	59 16	36 9								
10 to 14 years	68 79	42	33	24 30]			25 37 75	18 58								
15 to 19 years 20 to 24 years	121	89 138	41	47	1 2	1	2	1 2	75	88								
25 to 29 years	189	144 137	41 42 78 87	47 52 54 61 72 80	4 8 17 23 28 24	1 1	7	<u>ī</u>	96 93	88 80			1	1		1		
35 to 39 years 40 to 44 years	269 278	160 181	118 130	61 72	17 23	6 13	11 4	1 2	121 121	92 94			. 1				1	
45 to 49 years 50 to 54 years	295	204 224	124 171	80 99	28 24	12 11	4 7 8	1 1	134 137	111 113			2					.
55 to 59 years	329	275 319	194 229	140 171	23 46	13 12 11 23 37 28 34 32 26	10	1 1 2 1 1 6 2 3	101	106 109			1					
65 to 69 years	314	301 337	184 203	184 224	49 59	28	8 6	3	72 62	86 76			. 1				.	
70 to 74 years	246	265	178	193	35 31	32	4	4 7	29	36							.	
80 to 84 years 85 to 89 years	76	234 122	107 58 20	172 81	9	21	3	3	14 6	29 17								
90 to 94 years 95 to 99 years	31	44 10	2	29 7	5	6	1	1	5	8 2					.}			
100 years and overUnknown		3	1	1		1				1]			-	<u> </u>		,	<u> </u>
O TETO AM T			··					,		,								

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

AREA AND AGE Males Females M. F. M.	F. M. F	F.
PLORIDA	1	
All ages	1	
Under 1 year	1	
1 to 4 years 259 244 169 153 — 2 1 88 89 1 — 1 2 — 40 43 1 1 — 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 99 144 1 — 1 1 2 99 144 1 — 1 1 2 99 144 1 — — 1 1 2 99 144 1 — — 1 2 99 144 1 — — — 2 1 1 1 1 1 1 1 1 2 99 144 1 — 1 2 99 144 1 — 1 2 99 144 1 1 2 1 1 1 1 1 2 1 1 1 2 1 2 1 1	1	
10 to 14 years		
35 to 39 years.		
35 to 39 years 532 448 207 167 15 17 8 2 301 262 1 40 to 44 years 587 456 233 164 30 17 9 6 315 269 1 45 to 49 years 683 460 291 181 38 21 14 4 340 254 1 50 to 54 years 798 4888 357 203 55 37 19 8 365 240 1 55 to 59 years 778 499 412 273 65 35 18 9 281 182 1 65 to 69 years 882 513 526 277 94 54 22 15 239 167 1 65 to 69 years 820 519 487 321 116 82 30 7 187 109 70 to 74 years 878 539 606 396 112 50 28 9 132 84 75 to 79 years 655 471 441 348 94 59 23 8 107 56 80 to 84 years 470 380 325 </td <td></td> <td></td>		
40 to 44 years. 587		
55 to 59 years. 778		
55 to 59 years. 778		
75 to 79 years		
75 to 79 years		
80 to 84 years		
95 to 99 years		
Unknown 53 22 9 7 1 13 2 30 13		
CRORGIA		
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	
		==
1 to 4 years 662 597 374 330 1 1 1 287 257		
10 to 14 years 259 221 138 96 121 125 125		
15 to 19 years 501 580 229 185 1 1 271 394 20 to 24 years 770 857 279 275 1 4 4 487 577		
15 to 19 years. 501 580 229 185 1 1 271 394 280 20 to 24 years. 770 857 279 275 1 4 4 487 577 25 to 29 years. 663 744 238 261 72 12 3 364 459 30 to 34 years. 665 726 288 262 1 2 12 3 364 459 35 to 39 years. 812 779 332 272 8 4 10 2 462 501		
	1	
45 to 49 years 999 827 436 294 17 3 11 7 534 523 1 1 55 to 59 years 1,276 652 395 23 6 14 11 7 548 455 55 to 59 years 1,227 867 652 395 23 6 14 11 548 455 55 to 69 years 1,225 855 716 449 21 11 14 9 474 386 55 to 69 years 1,286 7 85 631 457 32 9 14 19 409 300 50 70 to 74 years 1,282 1,006 871 731 31 14 21 14 339 247 55 to 75 to 79 years 974 831 710 628 14 14 17 20 233 169 50 50 50 50 50 50 50 50 50 50 50 50 50		
55 to 59 years 1,237 867 652 395 23 6 14 11 548 455 60 60 to 64 years 1,225 855 716 449 21 11 14 9 474 386 65 65 65 69 years 1,086 785 631 457 32 9 14 19 409 300 60 60 60 60 9 years 1,086 785 631 457 32 9 14 19 409 300 60 60 60 9 years 1,086 785 631 457 32 9 14 19 409 300 60 60 60 9 years 1,086 785 631 457 32 9 14 19 409 300 60 60 60 9 years 1,086 785 631 457 32 9 14 19 409 300 60 60 9 years 1,086 785 631 457 32 9 14 19 409 300 60 60 60 9 years 1,086 785 631 457 32 9 14 19 409 300 60 60 60 9 9 years 1,086 785 631 457 32 9 14 19 409 300 60 60 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		
70 to 70 years		
80 to 84 years 690 666 475 458 8 18 9 9 198 181		
90 to 94 years 117 178 48 102 2 4 1 5 66 67		
95 to 99 years 38 43 9 18 1 29 24		
100 years and over 27		
IDAHO		
		<u>3</u>
1 to 4 years 72 43 66 40 1 5 3	I	
5 to 9 years 54 43 52 37 2 4 2 4 2 10 to 14 years 45 31 45 27 2 4 2		
15 to 19 years 56 43 46 35 2 1 1 2	1	
20 to 24 years 52 40 47 38 2 1 1		
30 to 34 years 47 46 34 40 7 2 2 2 1 1 2 1 1 35 to 39 years 64 60 58 52 2 5 3 1 1 2 1 1 40 to 44 years 76 65 53 56 19 5 4 1 2 1 1 2 1 1	1	ī
40 to 44 years 76 65 53 56 19 5 4 1 2 1 1 45 to 49 years 111 69 82 59 16 5 11 1 1 1		<u>-</u>
10 to 14 years		
55 to 59 years 200 105 147 79 34 21 11 2 1 2 4 1	i	
65 to 69 years 229 133 151 103 50 23 15 2 4 5		
75 to 79 years 218 129 150 98 50 29 16 1		
85 to 89 years 79 65 55 42 23 20 1 3 3 90 to 94 years 28 19 12 13 14 6 1 1		
10 to 14 years		
95 to 99 years		

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

						ie at nec												
					war	re						O	THER I	RACES				
AREA AND AGE	ALL I	EATHS	Nat	ive	Fore	oign	Unkn	own	Neg	ro	Ind	ian	Chi	nese	Japa	nese	Oth	er
	Males	Females	M.	F.	м.	F.	м.	F.	м.	F.	м.	F.	M.	F.	М.	F.	M.	F
ILLINOIS																		
All ages			28, 654	24, 374	13, 012	10, 157	837	214	3, 140	2, 645	1		70	2	8	===	32	-
nder 1 yearto 4 years	1,108	2, 570 923	3, 067 993	2, 366 830		$\begin{array}{c c} 1 \\ 2 \end{array}$	2	3	239 115	191 85				1			6	
to 9 years	538	507 398	627 485	471 354	8 15	2 6	3		42 37	31 38	1							:
to 19 years	805	631 972	692 788	523 773	28 78	22 55	13	1 4	78 144	83 135			2				6	
to 29 years to 34 years	1, 217	1, 083 1, 251	830 853	763 821	142 212	121 180	20 19	4 7 3	213 251	192 246			4		<u>-</u>		8	
to 39 years	1,921	1, 521 1, 693	1, 125 1, 270	983	448 778	297 417	56 56	11 11	282 284	227 208			7 8	1	1		2 4	
to 44 yearsto 49 years	3, 067	2,013	1,589	1, 214	1,046	554	91	5	338	237			. 2		1			-
to 54 yearsto 59 years	3,674	2, 293 2, 551	1, 732 2, 030	1, 310 1, 525	1, 182 1, 320	710 834	96 81	13 21	281 237	259 171			11 6					
to 64 yearsto 69 years	4, 217	3,053 3,522	2, 421 2, 556	1, 829 2, 027	1, 483 1, 674	1,040 1,341	116 88	29 23 31	186 161	155 131			9		2 1		ī	
to 74 years	4,512	4, 038 3, 394	2, 738 2, 392	2, 514 2, 145	1, 602 1, 305	1,402 1,146	88 73 60	31 24	1 00	90 79			7 2					
to 79 years to 84 years	2, 433	2,655	1, 444	1, 555	923	1,054	30 17	14	75 34 29 12	32 22			2					
to 89 years to 94 years	456	1,529 594	699 222	864 336	479 218	634 239	4	9	12	16								-
to 99 years years and over	94 15	129 25	49	64	42	62	1	1	2 2	5				.				
iknown	79		45	40	23	30	5	1	6	10				-				-
INDIANA													.				34	
All ages		17, 875	17, 782	15, 609	1,772	1, 287	279	110	1, 010	849	3		1					- -
nder 1 year	1,714 562	1, 189 406	1,616 530	1, 122	ī		1 1		92 26	58 23				:		-	5 4	
o 9 yearsto 14 years	293	215	275 248	201 151	1 4	1 3	i	1 2	16 8	11 8				-			1 1	
to 19 years	349	282	325 375	252 370	3 10	5 3	4 4	1	17 41	23 38				-			2	-
to 24 years	456	440	375	370	17 18	12	8	3	49	53							7 3	
to 34 yearsto 39 years	482 578	508 555	395 448	429 455	45	23 35	7	2 3	62 74	52 62			i				3	
to 44 yearsto 49 years	731	716	543 747	589 682	106 109	38 55	11 12	1 1 2	71 102	85 78							5	- -:
to 54 years	1, 177	948	907 1, 136	802 932	139 136	70 85	23 25	9	107 70	74 72	1			-	-		2	- -
to 59 yearsto 64 years	1,781	1,368	1,540	1, 191	144	108	21	5	76	63						-	-	-
to 69 yearsto 74 years	2, 107 2, 483	1,710 2,126	1,836 2,151	1, 474 1, 930	192 227	171 152	30 41	16 15	49 62	49 29	2		-	-	.			- -
to 79 yearsto 84 years	2, 260	2.024	1, 952 1, 424	1, 825 1, 354	231 190	152 185	42 23	21 14	35 20	26 23			-					- -:
to 89 years	870	904	702	765 274	143 46	126 50	8	4 3	16 10	9			-	-		-	. 1	1-
to 94 years to 99 years) years and over		58	34	44	8	12			10	2			-			-		- -
) years and over aknown	19		3 2	7 9	1	1	10	3	6	2			_					- -
IOWA																		
All ages	<u> </u>		10, 792		2, 693	2, 174	303	130	170	130		10	=	1			17	= =
ider 1 year o 4 years	271	242	1, 075 266	230			3	4	16 2	4		. 1		i	-			-
o 9 years to 14 years	174		173 164			2	$-\begin{vmatrix} 1\\3 \end{vmatrix}$	1	2	- 2		2	_		-	-		- -
to 19 yearsto 24 years	214	142	203 263	137	3 4	$\frac{2}{2}$	2 6		3 8	8		1		-	-		<u>-</u>	- -
to 29 years	24	l 265	225	247	6 13	9 13	8	4 3	4	1 4			-		-	-	2	
to 34 years	334	1 361	226 290	333	1 30	18	5	2	10 6 7	8			i		-	-	2	
to 44 yearsto 49 years		3 499	361 465	435	39 79	18 22 49	16	5	20	10	1		_ 1		-	-	1	- -
to 54 yearsto 59 years	68	5 557	567	482	86 130	66	21	4 3 2 3 5 4 5 5	12	5 8			-	-	-		ī	- -
to 64 years	1, 20	3 832	936	676	226 348	140	30	5 16	13 13 14	11 16		1	- i	-			1	-
to 69 yearsto 74 years	1, 74	1,369	1, 272	1,032	419	309	45	19	13	8		_ 1	.	-	-			- -
to 79 years	1,67	9 1,417 0 1,217	1, 144 758	1,018	475 458	367 380	34		9	8		. ī	-		-	-	1	: <u>-</u>
to 89 years	70	7 759	426	483	268	268 115	11	7	2 3	1 1					-	-	-	- -
to 94 years	4	2 55	24	: 31	17	24	1		-	-	-	-					-	-
0 years and over nknown		$\begin{array}{c c}4 & 4\\3 & 2\end{array}$	1	1 2	3	2	\i	- 1	- _i	-	-	-			-	-	-1	-

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					WH	ITE						0:	THER I	RACES	, , , ,	·	·	
AREA AND AGE	ALL I	DEATHS	Na	tive	Fo	reign	Unk	nown	Ne	gro	In	dian	Chi	inese	Japa	nese	Oth	er
	Males	Females	/ M .	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.
Kansas		,																
All ages	10, 977	8, 535	8,830	6, 921	1, 298	951	234	94	605	560	9	9	1	<u></u>				
Under 1 year 1 to 4 years	873 273	652 218	819 256	596 202	1	1	3		49 15	54 16	1	1				 		
5 to 9 years 10 to 14 years	160 133	130 116	256 151 125	125 109	<u>1</u>	<u>1</u>	1		49 15 8 7 15 14	5 5		1						
15 to 19 years 20 to 24 years	214 233	142 223 230	194 200	124 190	3 11	6	1 7	<u>ī</u> -	15 14	17 24	1	1 2						
25 to 29 years 30 to 34 years	226 253	205	177 196	201 175	13 15	7 9	8	<u>-</u>	30 34	22 20								
35 to 39 years 40 to 44 years	279 355	251 317	224 284 349	199 257 326	17 17 43 39	12 16	5 11	1 4 3 3	32 41	35 41 50	2	1 	1					
45 to 49 years 50 to 54 years	437 537	401 401 486	434 592	326 327 386	39	21 23 60	15	10	38 49 42	40 33		1						
55 to 59 years 60 to 64 years	734 876 1,028	555 731	713 809	441	83 94 146	65 94	20	10 7 5 8	48 47	44 40	1							
65 to 69 years 70 to 74 years 75 to 79 years	1, 275 1, 283	966 884	1, 012 995	589 744 713	179 225 218	167 142	7 15 17 20 26 38 25 28	14 12	44	41 16	2	1						
80 to 84 years 85 to 89 years	980 596	782 593	713 430	591 447	218 133	151 124	28	16	38 21 25	24 17								
90 to 94 years 95 to 99 years	184 40	203	133 22	149 26	42 16	44 7	. 5	ž	4 2	8 2								
100 years and over Unknown	5 3	11 3	1	3 1	2	i	2	$\frac{1}{2}$	2	6								
KENTUCKY	_			_														
All ages	15, 746	13, 313	12, 900	10, 913	407	355	179	75	2, 260	1,969		1						
Under 1 year	2, 161	1,606	1, 955	1,452 671	1		1 2	1	205	153 59								
1 to 4 years 5 to 9 years 10 to 14 years	825 290 234	730 279 196	1, 955 762 267 202 330 431 386 370 440	251 167			2	1	205 60 23 29 59 97	27 29								
15 to 19 years	394 531	338 465	330 431	262	1	1	4 3		59 97	75 83								
25 to 29 years 30 to 34 years	487 494	338 465 408 446	386 370	381 325 343	4	2	4 3	1 1	97 117	80 102								
35 to 39 years 40 to 44 years	586 579	472 496	431	343 354 364 415 494	4 6 9	3 5	11 9 3		129 130	115 126								
45 to 49 years 50 to 54 years	652 814	570 667	459 577 760	415 494	13 27	3 8	ì g	3 5	177 201	149 160								
55 to 59 years	994 1, 089	715 879	l 870	542 691	28 29	22 31	15 14	1 3 5 1 5 5	191 176	150 151								
65 to 69 years 70 to 74 years	1, 263 1, 467 1, 277	715 879 1,005 1,179 1,161 902	1, 047 1, 239	816 1,006	13 27 28 29 59 66 61	5 3 8 22 31 48 44 500 54 18 5	15 14 16 28 16	14	141 134	136 115								
75 to 79 years	857	1, 161 902	1,084 716	1, 016 750 429	46	50 60	16 21	7 13 8 3 3	116 74 64	88 79								
85 to 89 years 90 to 94 years	539 156	534 189 45	423 120 19	429 147 21	41 14	54 18	21 11 1 1	8	64 21 9	43 21								
95 to 99 years 100 years and over	30 10	45 16 15	1	7	1	5	2	3	7	16 8								
Unknown	17	15	11	9			3	2	3	4								
LOUISIANA All ages	12, 580	10, 731	6, 216	5, 020	554	442	192	80	5, 584	5, 180	11	6	9		1		13	, 3
Under 1 year	1, 589	1, 215	784	568			1		799	643	5	4						
1 to 4 years	451 230	375 191	264 133	200 104		1	2	2 1	185 97	172 86								
10 to 14 years	204 344	145 351 504	118 165 185	128 176	11	1	1 5 3	2	177	74 218 323	<u>1</u>							2
20 to 24 years 25 to 29 years	496 488 521	478 489	212	167 176	1 11 2 12 15 32 26 39 54 82 65	2 2 2 6	3	2 3 7 5	293 269 260	301 306							1 2	ī
30 to 34 years 35 to 39 years 40 to 44 years	634 732	578 564	239 241 341 363 424	205 215	15	6 11	8 19 9		355 I	367 333		1	2		1		ĩ	
45 to 49 years 50 to 54 years	828 948	624 686	363 424	208 281 306	26 39	20 17	7	5	350 431 466	391 385			1 2					
55 to 59 years 60 to 64 years	971 1,025	639 689	504	306 342	54 82	25 47	12 31	1 5	398 370	307 295	1		2				1 3 1	
65 to 69 years 70 to 74 years	837 766	699 721	538 445 471	406 453	65 69	57 59	16 17	4 12	308 207	232 197	1		1				1	
75 to 79 years 80 to 84 years	650 462	681 527	393 234 120	451 310	69 60 54	11 20 17 25 47 57 64 66 33 25	16 12 31 16 17 18 7 4 3	4531542785	178 166	159 143	1						1	
85 to 89 years 90 to 94 years	230 83 30	323 153	26	172	91	33 25	3	5 4 1	85 45	111 69		1					1	
95 to 99 years 100 years and over	22	38 49	7	55 13 7	21 8 1	3 1	1		308 207 178 166 85 45 21 21 20	21 41								
Unknown	39	12	8	. 5	1		10	1	20]	6				1	i			

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					WHI	TE						Of	THER I	RACES				
AREA AND AGE	ALL D	EATHS	Nat	ive	Fore	eign	Unkn	awo.	Neg	gro	Ind	ian	Chi	nese	Japa	nese	Oth	er
	Males	Females	м.	F.	М.	F.	М.	F.	м.	F.	м.	F.	м.		м.	F.	м.	F.
MAINE																		
All ages	5, 664	5, 055	4, 676	4, 133	936	893	37	15	6	9	7	5	1				1	====
Under 1 year 1 to 4 years. 5 to 9 years. 10 to 14 years. 15 to 19 years.	583 135 68 67 89	434 102 57 44 66	582 135 66 64 82	430 101 57 40 63	1 2 3 5	1 4 2	2		2	3		1						
20 to 24 years	103 71 95 95 181	87 105 107 119 117	96 62 81 77 136	82 94 90 93 98	4 8 13 16 43	5 11 17 22 19	1 1 1			2	1	2					1	
45 to 49 years 50 to 54 years 55 to 59 years 60 to 64 years 65 to 69 years	173 275 366 493 628	186 246 269 380 511	129 205 270 376 471	135 180 195 284 376	41 67 94 112 151	48 66 71 95 133	1 3 2 3 4	1 3 1 3	2	1 1	2 1	i						
70 to 74 years	720 718 444 250 94 12	606 591 513 337 136	586 589 371 211 77 10	454 500 422 292 112 34	129 120 66 39 17	148 89 88 43 24 7	6 6 	3 2	2		1							
95 to 99 years 100 years and over Unknown		1		î	3		1											
MARYLAND																		
All ages	11, 218	9,820	7, 221	6, 492	1, 150	948	112	32	2,724	2, 348			8		1		2	
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 20 to 24 years 30 to 34 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 55 to 59 years 60 to 64 years 70 to 74 years 70 to 74 years 85 to 89 years 85 to 89 years 85 to 89 years 95 to 99 years 100 years and over Unknown	202 315 327 406 433 578 643 822 904 1,041 1,023 1,096 828 542 255 86	869 2552 1111 1020 2205 2811 299 3411 4009 515 506 8511 932 1,007 8999 637 3444 143 29 111 6	732 196 119 92 137 176 178 249 215 298 379 446 556 671 701 800 644 388 176 55 55	554 168 78 65 112 158 163 161 196 237 237 2375 339 418 541 671 775 726 487 240 109 13 4	1 1 6 16 14 37 56 76 92 136 137 143 144 106 92 54 22 2	1 1 3 12 22 27 42 68 80 123 130 101 101 89 70 20 8 8 2	1 1 1 1 1 1 1 1 4 6 7 4 4 17 12 13 13 7 13 3	1 3 4 3 3 5 3 2 2	385 74 35 40 63 131 132 138 174 216 200 216 157 139 71 60 22 9 4 4	313 83 33 36 112 124 127 120 145 198 188 165 178 128 99 67 58 3			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1		1	
All ages	25, 270	24, 176	15, 646	14, 526	9, 047	9, 180	118	51	413	408	6	4	39	7	1			
All ages. Under 1 year 1 to 4 years. 5 to 9 years. 10 to 14 years. 20 to 24 years. 20 to 24 years. 25 to 29 years. 30 to 34 years. 35 to 39 years. 45 to 49 years. 45 to 49 years. 55 to 59 years. 60 to 54 years. 60 to 64 years. 70 to 74 years. 85 to 79 years. 80 to 84 years. 85 to 89 years. 85 to 89 years. 95 to 89 years. 95 to 99 years. 95 to 99 years. 95 to 99 years. 90 to 94 years. 95 to 99 years. 90 to 94 years. 95 to 99 years. 100 years and over. Unknown.	2, 053 627 312 294 415 466 563 811 1, 010 1, 350 2, 244 2, 651 2, 760 2, 816 2, 227 1, 505 242 49	1, 571 262 209 291 432 532 548 723 830 1, 023 1, 425 1, 737 2, 268 2, 660 2, 856 2, 856 1, 924 1, 210 448 134	2, 013 610 305 283 343 359 353 422 521 545 627 913 1, 163 1, 163 1, 382 1, 399 1, 370 1, 344 413 1146 31	1, 524 507 252 1, 89 263 348 382 376 465 465 539 703 819 1, 091 1, 238 1, 492 1, 170 280 87 87	3 3 2 3 8 8 21 139 88 1200 2555 428 664 8100 1,027 1,274 1,329 1,1829 91 1,74	2 12 17 72 129 155 234 3407 678 885 1, 134 1, 376 1, 071 731 407 162 463	11 1 1 2 2 3 1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1	1 1 2 3 2 4 8 10 6 7 4 2	37 13 2 2 6 14 29 26 43 36 38 40 30 23 30 16 8 9 4	422 111 8 8 9 122 211 177 23 331 161 41 31 399 18 199 16 3 3 4 4 3 3 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 3 4 3 3 4 4 4 4 4 4 1 2	3	1			

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					WHO	TE			 	,		0:	THER I	RACES				
· AREA AND AGE	ALLI	EATHS	Nati	ve	For	eign	Unkn	own.	Neg	gro	Ind	ian	Chi	nese	Japa	nese	Oth	er
,	Males	Females	м.	F.	М.	F.	м.	F.	м.	F.	м.	F.	M.	F.	м.	F.	м.	F.
MICHIGAN																		
All ages	27, 230	22, 355	17, 440	14, 770	7, 713	6, 232	614	183	1,368	1, 101	56	47	14		<u></u>		25	22
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 35 to 39 years 45 to 49 years 50 to 54 years 50 to 54 years 50 to 54 years 50 to 64 years 60 to 64 years 70 to 74 years 80 to 84 years 80 to 84 years 80 to 84 years 80 to 89 years 80 to 89 years 80 to 89 years 80 to 89 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years	729 398 393 593 593 696 780 1,786 1,352 1,568 1,726 2,209 2,376 2,838 2,536 1,751 862 271 1,557	2, 047 658 339 268 416 582 636 714 917 1, 069 1, 1362 2, 392 2, 392 2, 392 2, 1, 668 1, 044 67 11	2, 468 368 368 299 458 475 476 607 714 8, 976 1, 1317 1, 346 1, 682 1, 624 1, 462 134 29 8	1, 980 318 318 2255 344 456 456 456 557 557 552 1, 022 1, 111 1, 242 1, 242 1, 124 1, 242 1, 180 40 40 40 40 40 40 40 40 40 40 40 40 40	1 1 1 7 111 233 448 93 1355 262 439 582 550 630 764 907 1,044 987 689 372 25 33 33	2 3 6 10 18 60 990 126 236 347 4171 5824 882 255 5 5	8125912635147255565544138218	11 12 33 44 8 11 10 9 13 10 19 22 22 24 9 3 1	104470 21 885 988 1472 1112 666 556 87 12 5	99 403 177 447 86 1120 933 890 546 404 22 24 21 5 1 3 3	72121423 5434461	10 11 14 11 11 15 44 33 13 35 53 33 22	1 1 2 1 2 1 5 5				3 6 2 1 5 5 2 2 1 1 1	6 5
MINNESOTA																		
All ages		11, 151	8, 188	6, 593	5, 897	4, 336	142	33	90	78	118	106	4	2			1	3
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 30 to 34 years 35 to 39 years 40 to 44 years 55 to 59 years 60 to 64 years 65 to 69 years 70 to 74 years 80 to 84 years 80 to 84 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years	285 170 269 290 364 438 561 714 846 946 1,231 1,492 1,753 1,061 1,061	966 205 148 127 215 298 282 361 400 493 593 671 871 871 927 555 240 592 593 1,309 1,144 592 593 871 871 871 871 871 871 871 871 871 871	1, 190 274 176 162 268 275 255 309 358 415 460 479 544 289 151 48 771 48 71 2	989 1988 140 118 201 275 262 262 262 303 346 361 406 489 469 289 137 60 16	1 3 5 11 24 36 63 128 239 340 409 575 77 1,013 389 138 27 6 2	22 11 19 45 69 139 215 256 350 541 730 672 412 179 34 412 8	1 2 1 9 5 6 9 12 119 200 17 12 7 2 1	1 1 1 3 2 7 5 6 6 2 2 1	1 1 1 1 1 8 8 11 10 12 9 5 2 2 2 2	4 1323 16667 6703 336663 1	3013346182415536655752 13	2053699745516333444433 1	1 1 2				1	1
MISSISSIPPI									0.100			_				İ		
All ages Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 35 to 39 years 40 to 44 years 40 to 44 years 50 to 54 years 60 to 64 years 60 to 64 years 70 to 74 years 75 to 79 years 85 to 89 years 85 to 89 years 90 to 94 years 90 to 94 years 95 to 99 years 90 to 94 years 95 to 99 years 90 to 94 years 95 to 99 years 90 to 99 years 90 to 99 years 100 years and over Unknown	1, 391 489 213 219 376 494 434 387 427 450 530 680 680 682 724 787 676 528 323 313	9,538 1,089 459 214 155 359 501 428 448 448 542 569 527 446 271 447 632	545 211 90 96 114 124 102 142 176 193 255 312 298 438 381 146 8 1 1 1 6	3,533 417 200 888 44 44 114 119 102 135 146 154 219 220 247 309 334 257 144 48 8	120 	1 1 1 2 4 4 7 7 13 3 3	153 4 4 2 2 3 8 8 3 7 6 6 5 11 17 117 13 10 7	100 1 4 1 2 3 4 4 4 5 5 2 2 4 8 8 4 9 19 13 6 4	6, 128 838 273 1199 121 259 361 278 278 266 318 411 267 231 155 7 34 266 41	5,844 668 254 111 270 381 351 305 343 393 317 270 264 230 169 118 73 35 36 37 37 37 37 37 37 37 37 37 37	13 3 3 1 2 1 1 2 1 1 1 2	2 1 2	1 2 1 1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					WH	ITE			}			0	THER I	RACES				
AREA AND AGE	ALL I	EATHS	Nati	ive	Fo	reign	Unkr	nown	Ne	egro	In	dian	Chi	nese	Japa	nese	Oth	er
	Males	Females	м.	F.	м.	F.	м.	F.	м.	F.	М.	F.	м.	F.	М.	F.	M.	F.
MISSOURI																		
All ages		19, 590	18, 450	15, 529	2, 487	1,700	714	237	2,460	2, 107	2		10	2	1		24	15
Under 1 year 1 to 4 years	1, 925 727	1, 505 652	1, 700 632	1, 314 555			- 6	1 6	220 85 22 29	184 90				1			5 3	5
5 to 9 years	323 271	321 233	297 239	297 198	2		3	1 3	22 29	23 32							1	
15 to 19 years 20 to 24 years	425 540	347 547	351 430	269 438	9	10	4 11	4 4 1	69 87	72 94			2				1	1
25 to 29 years 30 to 34 years	557 663	565 566	413 462	445 425	14 35	6 14	10 17	3	120 147	112 123	<u>i</u>						i	1
35 to 39 years 40 to 44 years	785 1, 021	659 760	543 718	476 573	33 69	20 32	19 30	9 10	185 200	151 145	11		<u>1</u> -		1		4 2	3
45 to 49 years	1, 212 1, 527	918 1,063	855 1,062	655 784	110 161	61 75	40 43	12 9	207 258	188 195			₁ -				2	2
55 to 59 years	1,838 2,117	1, 244 1, 564	1, 402 1, 585	957 1, 234	194 277	119 159	48 82	19 19	193 168	149 152			2				1 3	
65 to 69 years	2, 117 2, 363 2, 603	1, 697 2, 064	1, 771 2, 036	1, 368 1, 706	383 332	206 221	76 110	24 29	132 123	99			1 1					
75 to 79 years 80 to 84 years	2, 245 1, 685	1, 948 1, 551	1, 747 1, 267	1, 593 1, 215	325 304	246 258	72 64	27 33	101	81 45								ī
85 to 89 years	887 300	902	656 226	690 264	172 51	176 72	35 10	11 2	24 13	25 13								
95 to 99 years 100 years and over	59 8	351 82 17	39	49 10	13 2	20	1	3	6 2	10								
Unknown	67	34	4 15	14	í	4	32	7	19	3 13								
MONTANA																		
All ages	3, 398	1, 896	2, 085	1, 219	943	466	136	29	16	6	175	161	16		2		25	15
Under 1 year 1 to 4 years	292 82	175 67	244 60	138	1	1	1		1	1	41 18	30 15	1				5	6
5 to 9 years 10 to 14 years	49 46	67 45 39	39	46 35 29 43 46 63 53 67 69 67 82 77 79	1 2						7	9 8			<u>1</u>		2 1	5 1
15 to 19 years	82 102	56	39 40 72 79 52 47 79	43	1 7	3	1	1		1	3 7	9					1 3	
25 to 29 years 30 to 34 years	67 69	58 57	52 47	46	5	3	3	1 1		1	10	7 6					1	2
35 to 39 years	112	78 69 87	79	53	7 21	8 10	3 5	<u>î</u>		2	6 6 3	7 3					6	
40 to 44 years 45 to 49 years	150 221	103	125	69	21 47 76 84	17 28 31	4 15	1 2 2	1		2	2	2					<u>ī</u>
50 to 54 years	255 276	109 140	148 156	67 82	89	31 47	13 15	2 4	1	1	6 11	8 7	<u>1</u> -				3 1	
60 to 64 years	302 359	142 150	164 191	77 79	105 145	47 57 60	15 20 11 13	4 4 2	4 1		8 7	4 7	3		1		_i -	
70 to 74 years	342 314	171 159	179 175	98	141 106	66 49	13 17	4	2		6 11	11 8 11	1 4					
80 to 84 years 85 to 89 years	156 73	109 53	77 36	51 24	60 30	45 27	9 1	2	1		6 5	11 2	3					
90 to 94 years 95 to 99 years	38 8	22 5	21 4	11 3	12	11	1				4	2						
100 years and over Unknown	1 2	1	2								ī	1						
NEBRASKA			-									1						
All ages	7, 219	5, 703	5, 139	4, 133	1, 749	1, 360	132	45	126	95	34	34	2		1	2	36	34
Under 1 year	646	445	616	422					9	8	6	2				1	15	12
1 to 4 years 5 to 9 years	192 96	144 76	179 94	131 76			i		1	4	5	3					7	6
10 to 14 years	93 131	65 106	87 122	61 97	2	1	2	1 1	2 4	2 1	1	3					3 1	1 3
20 to 24 years 25 to 29 years	139 127	128 108	131 116	116 94	2 3 1 5	4 7	1 2	1	6	3 5	2 1	2 1					1	2
30 to 34 years	157 187	163 169	144 166	146 143	13	8 14	3	1 2	2 4 3 6 4 14	5 7	1 1	1 2					1	2 1
40 to 44 years 45 to 49 years	245 317	223 235	184 232 306	185 208	35 53	23 15	8 14	3	14 11 19	5 7 8 5 7	1 1 2	3 2	i			1	2 5	2
50 to 54 years	415 / 464	306 321	350	243 241	76 94	50 72	9	3	19 11	7	4 1	ī ī	<u>î</u> -		1		ĭ	2
60 to 64 years	570 694	417 537	399 418	294	148 251	111 196	15 13	1 1 2 3 3 3 1 1 5	8	10	2	î						-
70 to 74 years	920 768	605	584 454	325 378 375	307 288	212 216	19 17	7 5	8 7	6 3	2 2	2						
80 to 84 years	595 315	600 543 338 137	325 166	322 189	259 147	213 141	7 2	3	2	2 3	. 2	2						<u>i</u>
90 to 94 years 95 to 93 years	111	137	51 11 3	322 189 73 13	58 8	60 16	í	2	1	2	1							1
100 years and overUnknown	3 13	29 5 3	3 1	ĭ	₁	10	10	3				2						î
	10 ;	0 1	4).	i	ΤÌ		10	3 '	1					[¹		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					. whi	TE						0:	THER I	ACES.				·
AREA AND AGE	ALLI	DEATHS	Nat	ive	For	eign ·	Unkn	own	Neg	gro	Ind	ian	Chi	nese	Japa	nese	Oth	er
	Males	Females	м.	F.,	м.	F.	м.	F.	м.	F.	М.	F.	м.	F.	м.	F.	м.	F.
NEVADA								,										
All ages	950	392	567	267	209	52	87	7	4	4	63	55	9	1	5	2	6	4
Under 1 year 1 to 4 years	47 19	41 18	38 14	32 15							7 4	8 2	1	1			1	<u>ī</u>
Eto 9 years	12 9 18 31 50 38 59	10 15 10 20 15 19	7 6	6 9	1						4 2 2	4 6			1			
15 to 19 years	18	10 20	13 23 30 23 36	13	1 2 1	<u>1</u>	1	1			7	5	 g		 			1
25 to 29 years 30 to 34 years	38	15	30 23	13 11 17	10 6	2	3 6				. 5	2	1				1	<u>ī</u>
35 to 39 years	59 52 64	26 11	31	19 10	12 14	3	4		ī		5	3	2			1	1	
45 to 49 years	.l 99	25 15 23	35 60	18	18 22	2 5	6	1	1	2	3 2 4	$\frac{1}{2}$	ī		<u>-</u> -	1	1	
55 to 59 years	86 104	1 30 1	60 54 62 33 46	19 16	16 23 20	1 8	12 15	1			4	3 4	 					<u>ī</u>
65 to 69 years 70 to 74 years	65 75 52	19 29	33 46	10 20	16	5 7	8 11	2	1	1	2 2	1 2					1	
75 to 79 years	. 41	29 29 27	26 19	18 16	20 - 14	6 9	2 4	1		<u>-</u>	2 3	1	$\frac{2}{1}$					
85 to 89 years 90 to 94 years	. 5	8 2	9	5 2	11 3	2	1				1	1	1					
95 to 99 years 100 years and over	.] 1.		1															
Unknown	1						1									- -		
NEW HAMPSHIRE									_						ĺ	İ		
All ages		3, 038	2,419	2, 224	772	758	95	52	5	4	====	<u> </u>	=====	<u> </u>		====	<u> </u>	===
Under 1 year	276 54	184 46	275 54	183 44		1 1 1	1	1										
5 to 9 years 10 to 14 years	- 28	28	37 26	27	1	1	1											
15 to 19 years 20 to 24 years	. 149	22 28 34 46 58 58 78	54 37 26 44 44 40 39 41 53 77 119	44 21 27 32 40 48 48 57	1 3	2 6	1 2											
25 to 29 years 30 to 34 years	. 47	58 58	40 39	48 48	67	9 8	1	1		<u>-</u>		<u></u>			[
35 to 39 years 40 to 44 years	. 87	78 99	53	71	19 31 41 61 70	21 24 35 52 57 75 112	4 2 4	3	i	1								
45 to 49 years 50 to 54 years	. 186	112 154	77 119	77 100	41 61	35 52	6	2	2									
55 to 59 years 60 to 64 years	. 302	158 238 307	178 197	101 155	70 100	57 75	9 5 8	8	1									
65 to 69 years 70 to 74 years	. 375	397	242 320	192 281 293	124 105	104	8 11	3 10	1	2								
75 to 79 years 80 to 84 years	371 294	413 268	277 217	201	85 65 30	112 64	9 12	8										
85 to 89 years 90 to 94 years	124	268 212 97	87 40	159 77	30 15	48 18	7 2 1	5 2										
95 to 99 years 100 years and over	- 9	17	5	14 1 2	3	2 1	1	1										
Unknown	20	10	7	2	5	4	8	4										
NEW JERSEY		'																
All ages		20, 529	13, 259	12, 513	7, 109	6,320	222	40	1,775	1,652		1	14	3	4		2	====
Under 1 year	511	1,345 437 276	1, 503 439	1, 142 382 252	2	2	5 1	1 	222 69	200 53				2				
5 to 9 years 10 to 14 years	318	221	275 280	193	8	7			22 30	24 21								
15 to 19 years 20 to 24 years	_ 501	349 516	368 371	280 372	51	11 53	1 3 2 7	$\begin{bmatrix} & 1 \\ 2 \\ 1 \end{bmatrix}$	42 74	57 89		1	1		1			
25 to 29 years 30 to 34 years	- 662	541 613	356 388	367 375	8 11 51 75 134	67 133	7	1 2	96 130	105 103		1	. 3					
35 to 39 years 40 to 44 years	1,190	794 859	471 590	459 427	312 447	228 313 383	14 15 26 36	1 1 1 2 6 3 4 1	124 136	106 118			1 2 1				. 1 	
45 to 49 years	1.832	1,077 1,279	679 881	562 632	637 749	493	26 36	1 2	130 164	131 151			. 2	ī	. 1		1	
55 to 59 years 60 to 64 years	_ 2.264	1,599 1,919	1,053 1,167	859 1,002	824 933	611 805	32	6 3	136 135	123 109			1 2				.	
65 to 69 years 70 to 74 years	_ 2,069	2, 096 2, 208	1, 148 1, 216	1, 139 1, 308	972 778 550	864 838	21 13 12	4	93 62	89 61								
75 to 79 years	1,676 1,064	1,932 1,384	1,064 635	1,217	396	661 483	6	4 6	50 27 16 13	50 37								
85 to 89 years 90 to 94 years	471	718	287 73	463 190	. 166 48	241 97	2	1 3	16 13	13								
95 to 99 years	_ 22	! 18	15	29 . 5	6	23			1 2	1 6			-					
Unknown 69301-35	_ 2	l		.	. 1			l	.] 1	l	.	·l	-	.	.	.1	.1	-}

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					w	HITE			•				ОТНЕВ	RACES	3			
AREA AND AGE	ALL I	EATHS	Nai	tive	For	eign	Unkr	awo	Neg	gro	Ind	ian	Chi	nese	Japa	nese	Oth	er
	Males	Females	М.	F.	м.	F.	м.	F.	М.	F.	М.	F.	М.	F.	м.	F.	М.	F.
NEW MEXICO											1							
All ages	3, 317	2, 651	2, 781	2, 309	278	158	73	21	39	25	142	136			3	2	1	
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 20 to 14 years 20 to 24 years 30 to 34 years 30 to 34 years 40 to 44 years 55 to 39 years 55 to 49 years 55 to 59 years 65 to 69 years 70 to 74 years 70 to 74 years 70 to 84 years 80 to 84 years 85 to 89 years 70 to 74 years 80 to 84 years 85 to 89 years 80 to 84 years 85 to 89 years 80 to 84 years 85 to 89 years 80 to 84 years 85 to 89 years 80 to 84 years 85 to 89 years	77 97 113 118 158 152 122 122 138 169 204 186 171 163 163	619 234 73 64 108 119 120 101 116 114 92 83 114 117 115 131 90 53	806 1777 722 599 666 788 98 93 1227 118 94 1136 158 145 141 127 899 62	584 210 66 58 101 103 88 104 73 65 92 101 97 94 115 76	1 1 1 8 14 19 27 22 17 19 30 23 23 29 25 21 9	1 2 1 1 6 4 4 6 12 14 17 12 18 18 9 14 5	1 1 3 1 4 3 8 8 10 5 8 8 10 0 3	1 1 2 1 2 4 2 2 1	3 1 3 2 7 4 1 1 3 4	1 2 2 2 2 1 3 3 3 3	50 13 57 88 510 22 1 4 2 6 3 6 3 2 2 2	331656885542847333221			1	1	1	
90 to 94 years 95 to 99 years 100 years and over Unknown	20 9 11 13	34 8 11 11	12 7 2 4	26 4 10 7	6 2 5 3	5 3 1 1	1 6	2 1 2	1		2	1 1						
NEW YORK										Ì	1							
All ages	79, 016	68, 808	46, 427	41, 621	27, 702	23, 683	987	228	3, 635	3, 215	63	47	143	8	31	3	28	3
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 25 to 29 years 30 to 24 years 35 to 30 years 45 to 49 years 55 to 49 years 55 to 59 years 60 to 64 years 65 to 69 years 60 to 64 years 75 to 79 years 80 to 84 years 95 to 99 years 10 to 74 years 80 to 84 years 95 to 99 years 100 to 94 years 95 to 99 years 100 years and over 100 years and over 100 years and over	1,648 1,960 2,386 3,298 4,236 5,318 6,344 7,919 8,083 7,753 5,753	4, 450 1, 424 866 700 1, 598 1, 890 1, 598 2, 596 3, 650 4, 423 4, 423 4, 423 4, 426 4, 426 4, 426 4, 426 6, 760 6, 760 2, 956 4, 496 2, 956 4, 496 2, 956 4, 496 2, 956 4, 100 2, 956 4	5, 527 1, 584 1, 069 1, 794 1, 264 1, 278 1, 371 1, 735 2, 511 2, 511 2, 511 3, 629 3, 972 4, 138 4, 404 3, 404 3, 128 4, 128 57 3, 188 57 3, 188 57 2, 266 1, 318 57 2, 266	4,090 1,309 796 630 878 1,1205 1,295 1,457 1,587 1,587 1,886 2,245 2,720 3,693 4,444 3,903 2,703 1,462 577 112 4	2 111 23 38 92 194 430 624 1, 762 2, 337 2, 871 2, 871 1, 435 705 213 43 10 2	3 4 4 116 30 511 204 416 532 867 1, 977 1, 463 1, 905 2, 312 2, 960 2, 723 947 369 988 18 5	5 2 2 3 8 9 9 21 1 27 65 86 105 170 110 145 81 71 38 8 14 9 9 2 1 16	1 1 2 5 6 7 7 11 13 18 22 22 16 6 27 21 24 24 24 24 24 24 24 24 24 24 24 24 24	470 123 76 53 93 174 207 334 381 367 342 299 200 187 115 98 55 36 14 4 8	338 104 37 109 201 263 244 257 278 280 249 187 166 142 123 80 45 38 14	9 1 2 1 2 3 4 4 3 6 6 4 2 3 6 8 2 1	13 3 2 4 4 4 2 1 4 1 2 1 1 1	4 2 3 3 9 15 5 22 18 14 15 11 11 19 2 2 2 1 1	1	5 7 3 4 5 1 3 1 1	1	1 11 11 8 3 1 2 1	1
All ages		14, 547	10, 488	8,701	107	56	76	85	5,756	5, 638	73	67	2		1		1	
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 45 to 49 years 55 to 59 years 55 to 59 years 60 to 64 years 70 to 74 years 80 to 84 years 80 to 89 years 90 to 99 years 91 to 99 years 91 to 99 years 92 to 99 years 93 to 99 years 95 to 99 years 96 to 99 years 96 to 99 years 96 to 99 years 97 to 99 years 98 to 99 years 99 to 99 years 99 to 99 years 90 to 99 years	659 534 562 685 691 747 986 1, 025 1, 124 1, 027 1, 257 1, 083 749 365	2, 207 660 254 220 479 686 626 639 659 716 705 865 860 1, 043 913 726 428 156 57 34	1,803 495 196 151 251 308 255 289 359 412 435 607 776 779 971 863 574 273 655 7	1, 267 381 160 110 188 264 268 301 338 361 367 427 467 561 621 815 751 5751 5751 5751 5751 5751 5751	1 2 2 1 1 4 5 7 12 100 155 166 12 7 8 8 3 2 2	4 1 1 4 2 2 3 5 5 6 8 8 6 1	2 1 2 1 6 1 2 6 6 3 2 3 3 9 3 1 4 7 7 1 1	1 4 2 3 2 2 2 3 3 3 1 1 2 3 9 9 15 10 5 4	1, 152 257 110 109 109 227 338 270 268 361 361 361 352 361 377 257 257 157 87 86 25 19 33	920 268 91 105 288 419 339 330 315 345 296 219 208 138 138 49 208 218 228 222	19 4 3 1 6 2 2 4 3 3 2 5 2 5 2 3 1 3	19 7 1 2 1 3 3 5 2 2 2 1 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1		1		i	

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

					WH	ITE						. 0	THER]	RACES				
AREA AND AGE	ALL :	DEATHS	Na	tive	For	eign	Unkı	lown	Ne	gro	Inc	lian	Chi	nese	Japa	nese	Otl	ier
	Males	Females	М.	F.	м.	F.	м.	F.	М.	F.	м.	F.	М.	F.	м.	F.	M.	F.
NORTH DAKOTA						1	ĺ				1	Ì '	j]			İ	
All ages	2, 961	2, 192	1, 643	1, 259	1, 201	863	35	3	5	3	76	63		<u></u>	1	1		
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 12 to 19 years 20 to 24 years 20 to 24 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 55 to 59 years 55 to 59 years 60 to 64 years 66 to 69 years	101 51 52 49 65 56 60 68 105 127 175 185 221	337 85 42 33 66 61 65 64 60 72 105 110 109 132 181	424 90 45 48 47 57 50 51 52 57 81 97 88 85	324 73 39 31 59 53 60 52 47 54 69 69 56 53	2 1 2 5 8 14 40 42 69 91 121 173	1 2 3 2 8 10 18 34 41 51 77 127	1 5 2 6 3 6 3		1 1 1 1 1 1	1	16 11 62 1 5 1 1 2 2 8 4	12 11 2 2 5 5 2 4 2 2			1	1		
70 to 74 years 75 to 79 years 80 to 84 years 85 to 89 years 90 to 94 years 95 to 99 years 100 years and over Unknown	325 271 173 108 32 7	205 192 155 80 31 6	105 87 47 20 8	58 55 30 18 8 1	214 178 120 86 24 7 1	143 131 124 61 23 5 1	3	1			26322	3 4 5 1 1						
All ages	40, 939	35, 347	30, 371	27, 565	6, 501	5, 215	996	213	3, 045	2, 350	3	2	14		3		6	2
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 36 to 39 years 40 to 44 years 45 to 49 years 45 to 49 years 55 to 59 years 60 to 64 years 60 to 64 years 70 to 74 years 75 to 79 years 85 to 89 years 85 to 89 years 95 to 99 years 95 to 99 years 95 to 99 years 100 years and over Unknown	1,039 615 437 736 911 955 1,106 1,477	2, 592 468 468 353 571 1, 218 1, 407 1, 908 2, 808 3, 162 4, 014 3, 698 1, 809 653 115 19 9	3, 107 945 945 588 397 648 7713 701 863 1, 1302 1, 688 1, 362 2, 425 3, 1058 2	2, 376 472 310 483 677 689 76 99 1, 386 1, 386 1, 1719 2, 124 2, 3171 3, 0310 1, 366 487 77 9 5	2 7 7 15 5 5 97 223 412 7 575 60 803 807 7503 808 699 23 3 1	1 3 2 4 32 72 72 162 2284 321 413 531 632 718 556 384 141 33 52 22 22 22 22 22 22 22 22 22 22 22 22	22 22 21 59 21 37 99 86 97 101 93 84 97 101 44 13	2 1 1 2 7 4 4 8 15 10 20 21 25 33 27 13 7 1	251 91 43 32 68 159 176 219 289 279 287 272 230 203 131 197 84 50 12 6 4 4	214 67 42 40 81 142 161 173 176 210 198 141 131 111 100 65 37 18 4 4 4 2	1	1	3 2 1		3		111111111111111111111111111111111111111	1
All ages	10, 954	8, 331	8, 676	6, 634	394	215	501	243	976	870	374	346	2				31	23
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 40 to 44 years 40 to 44 years 55 to 39 years 40 to 44 years 55 to 59 years 60 to 64 years 60 to 64 years 70 to 74 years 75 to 79 years 80 to 84 years 80 to 84 years 90 to 84 years 90 to 94 years 90 to 94 years 90 to 94 years 95 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years 90 to 99 years	1, 170 501 204 224 322 320 339 379 477 439 519 656 719 769 864 996 873 615 360 24 8 8	882 463 223 165 316 306 401 344 348 398 439 437 522 498 656 620 496 288 93 28 28 16	1, 008 439 234 191 253 230 241 286 353 339 551 603 674 806 692 511 291 67 17	762 390 188 123 217 276 249 264 249 264 295 333 356 433 404 553 409 220 67 18 2	1 1 4 2 5 10 14- 29 31 53 65 65 47 28 11	1 2 2 2 2 3 6 11 12 22 26 34 27 31 23 38 8	2 3 4 4 12 111 114 19 18 28 48 48 48 52 65 60 61 26 15 1	4 5 3 15 7 15 9 20 6 10 10 10 12 22 20 22 23 21 6 3 1	93 30 18 20 39 53 59 52 78 60 61 78 60 48 83 83 18 11 4	73 30 23 16 53 78 71 69 53 53 55 64 40 40 34 31 16 15 16 16 16 16 16 16 16 16 16 16 16 16 16	62 26 9 7 16 22 23 24 20 12 16 20 20 18 16 20 4 4 4	43 37 6 13 24 32 16 12 13 17 11 20 12 10 14 11 19 4 7 2 5	1				7 4 2 1 3 1 1 2 2 1 2 3 3 1 1 1 2 1 2 1 2 1	4 2 1 2 1 1 1 1 1

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

	l	<u> </u>				Te at he										-		
	ALL I	DEATHS			WHI	TE						OTE	ER RA	CES				
AREA AND AGE			Nati	νe	Fo	reign	Unkn	own	Neg	ro	Ind	lian	Chi	nese	Japa	mese	Oth	er
	Males	Females	M.	F.	M.	F.	м.	F.	м.	F.	M.	F.	м.	F.	м.	F.	м.	F.
OREGON																į		
All ages	6, 164	4, 113	4, 403	3, 244	1, 403	737	196	43	22	22	49	50	39	3	33	13	19	1
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 10 to 14 years 20 to 24 years 20 to 24 years 30 to 34 years 40 to 34 years 40 to 44 years 40 to 44 years 50 to 64 years 50 to 64 years 60 to 64 years 60 to 64 years 70 to 74 years	301 89 66 73 120 116 119 158 164 251 345 386 460 555 692 785	230 76 49 57 74 102 105 104 118 134 173 238 308 319 397 508	287 81 64 66 114 98 102 127 128 174 238 258 328 380 443 530	217 70 44 56 59 96 101 89 105 114 140 190 246 237 237 2372	3 4 10 11 19 26 61 76 95 95 134 202 227	5 3 12 7 13 26 45 53 72 99	2 8 17 22 20 29 30 19	1 2 3 2 6 6	1 	1 	11 6 	9 3 1 1 6 2 1 1 3 2 3 3	1 1 1 1 1 1 1 7 4 6 6	1	1 1 1 1 2 2 6 5 3 4 4	2 2 3 	1 3 8 2 2 2 2 1	
75 to 79 years	677 482 235 67 11 3 9	453 370 188 77 25 3 5	449 315 165 45 5 1	341 259 137 58 17 1	199 151 62 20 4 2	103 98 48 16 7	24 10 5 1	6 5 3 1	2	1 1	2 1 1 1 1	2 7 2 1 2	2 5	2			10	2
All ages	58, 326 5, 780	4, 333	40, 720	37, 696	13,054	9,740	723	261 6	3,785	3, 177	1	====	30	$\frac{2}{1}$	3	====	10	
Under 1 year. 1 to 4 years. 5 to 9 years. 10 to 14 years. 10 to 14 years. 10 to 12 years. 20 to 24 years. 30 to 34 years. 30 to 34 years. 40 to 44 years. 45 to 49 years. 55 to 59 years. 60 to 64 years. 65 to 69 years. 76 to 79 years. 80 to 84 years. 75 to 79 years. 80 to 84 years. 90 to 94 years. 90 to 94 years. 90 to 94 years. 90 to 94 years. 90 to 94 years. 90 to 94 years. 90 to 94 years. 100 years and over. Unknown.	1, 680 914 719 1, 055 1, 276 1, 362 1, 557 2, 129 3, 556 4, 134 4, 501 1, 501 1, 501 1, 77 1, 77 1, 77 1, 71 1, 71	1, 5327 7566 9266 1, 363 1, 420 1, 450 2, 081 2, 081 2, 51 4, 491 4, 780 5, 116 4, 694 4, 569 159 17 14	5, 333 1, 547 868 942 1, 052 1, 037 1, 209 1, 520 1, 520 2, 896 3, 494 3, 694 3, 694 1, 131 2, 586 2, 420 1, 131 2, 566 6	3, 969 1, 407 703 546 805 1, 079 1, 042 1, 202 1, 202 1, 303 2, 368 2, 368 2, 364 2, 368 2, 664 2, 603 5, 6	2 6 5 10 26 69 106 69 106 69 106 106 107 1, 467 1, 563 1, 676 1, 320 106 65 336 106 6 4	1 3 6 8 8 23 3 57 108 173 393 508 703 860 21, 318 1, 246 413 152 45 6 3	1 1 1 1 4 7 7 155 200 34 447 566 983 666 866 945 122 8	3 4 5 7 7 12 20 24 30 38 29 24 8 4 1 1 3	444 122 52 50 83 147 199 257 313 382 363 345 244 173 3112 97 47 22 8 5 2	114 47 49 94 165 203 226 256 263 245 256 230 207 159 111 94 47 29 29 20 3	1		1 1 3 2 4 3 5 3 3 2 1 1 2	1	1 2		2 1 1 3 3	1
RHODE ISLAND All ages	4, 137	3,943	2, 438	2,337	1, 563	1, 501	22	8	109	94		2	4		! 		1 1	1
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 9 years 26 to 29 years 36 to 39 years 36 to 39 years 45 to 49 years 55 to 59 years 50 to 54 years 50 to 54 years 60 to 64 years 70 to 74 years 75 to 79 years 85 to 89 years 85 to 89 years 85 to 89 years 96 to 99 years 97 to 74 years 97 to 79 years 98 to 89 years 98 to 99 years 99 to 99 years 99 to 99 years 100 years and over Unknown	353 122 65 35 52 54 61 95 122 181 239 279 380 480 491 456 335 195 196 29	286 121 54 40 770 777 98 98 132 179 253 308 429 483 379 276 155 60 3 1	343 1117 63 33 500 47 519 78 98 128 128 128 128 128 128 128 128 128 12	278 115 52 38 50 62 62 65 56 76 102 122 165 173 190 230 209 163 97 31 1	1, 363 1 1 1 6 9 9 27 37 72 105 142 2167 232 254 45 76 49 7 3	1 1 2 7 7 12 2 30 37 48 8 71 1 125 137 201 231 243 164 107 53 28 2 1 1	2 1 1 5 3 5	2 3	10 5 5 1 1 1 1 7 5 10 6 6 6 6 12 7 7 9 10 8	8 5 5 2 1 2 2 3 3 5 7 7 6 6 6 10 5 9 5 6 8 3 1 1 1		1	1 1 1 1				i	1

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

			<u> </u>		• • • • • • • • • • • • • • • • • • • •	019 80 110			I							·		
		DEATHS			W	HITE						TO	HER R	ACES				
AREA AND AGE	ALL	DEATHS	Nat	tive	For	eign	Unkı	own	Neg	то	Ind	lian	Chi	inese	Japa	anese	Ot	ner
	Males	Females	м.	F.	м.	F.	M.	F.	м.	F.	м.	F.	м.	F.	м.	F.	M.	F.
SOUTH CAROLINA						,											1	
All ages	10, 462	9, 422	4, 662	3, 786	61	33	34	23	5, 703	5, 580			2					
Under 1 year 1 to 4 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 35 to 39 years 40 to 44 years 40 to 44 years 50 to 54 years 50 to 54 years 60 to 64 years 65 to 69 years 76 to 79 years 76 to 79 years 85 to 89 years 85 to 89 years 85 to 89 years	457 207 190 338 434 365 497 542 634 747 755 732 581 622 555 350 183	1, 380 400 142 167 375 512 504 467 543 504 554 662 531 538 496 529 455 342 180	721 186 91 75 106 142 112 112 119 209 300 390 376 305 305 305 305 305	513 166 56 60 89 114 122 157 173 207 215 245 363 324 243	1 1 1 1 7 7 10 9 9 5 7 5	1 1 1 1 2 4 6 4 7	2 1 4 5 4 3 3 2 5 2 1	1 1 2 1 2 1 2 1 2 1 2 1	1, 103 271 116 114 2292 248 250 308 344 436 355 345 2265 214 128 73 73	867 234 86 106 285 397 380 380 453 313 290 125 159 125 48			1					
90 to 94 years 95 to 99 years 100 years and over	53	83 25 24	18	44 7	1		2		32 16	39 18								
100 years and over Unknown	10	24 9	1 1	1				<u>1</u>	9 3	23 7								
SOUTH DAKOTA																}		
All ages	3, 229	2, 496	2, 042	1, 551	883	645	78	17	6	5	220	278						
Under 1 year 1 to 4 years 2 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years 50 to 54 years 60 to 64 years 60 to 64 years 75 to 69 years 75 to 79 years 75 to 79 years 85 to 89 years 85 to 89 years 85 to 89 years 90 to 94 years 90 to 94 years 90 to 94 years 90 to 94 years 100 years and over Unknown	94 98 46 78 79 72 81 90 112 153 205 227 322 405 341 233 120 39 6 6 2 2 12	299 102 50 60 46 63 70 86 89 104 128 114 220 248 175 127 22 2 2 2	338 67 51 39 53 62 60 74 82 108 133 137 177 129 169 104 42 14	250 58 42 30 46 50 53 53 64 73 76 91 102 127 4	5 6 6 11 25 32 56 56 56 51 155 1155 115 68 23 1 1	1 3 4 4 8 7 7 20 26 26 33 62 89 102 108 101 107 108	11 13 33 11 55 58 88 14 93 32 1	1 1 1 2 2 2 2 2 1 1 3	2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31 26 16 77 19 14 11 11 12 4 2 8 11 4 8 7 7 10 8 1	49 42 8 16 21 13 5 13 8 5 11 7 9 15 12 10 5 3						
All ages	2,028	13, 207	1, 593	9, 218	214	138	230	124	4,072	3, 727					===		<u>5</u>	===
Under 1 year 1 to 4 years 1 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 20 to 29 years 30 to 34 years 35 to 30 years 40 to 44 years 55 to 49 years 55 to 59 years 60 to 64 years 70 to 74 years 85 to 89 years 85 to 89 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 95 to 99 years 9100 years 95 to 99 years	2, 7775 2399 218 408 600 616 5657 707 830 953 1, 012 1, 149 1, 149 1, 149 1, 149 1, 169 116 35 133 33	7, 622 171 433 573 587 561 641 789 641 869 991 916 917 917 171 37 227	1, 636 188 162 243 376 340 312 376 398 505 696 796 791 938 856 441 341 79	540 166 116 240 326 343 340 356 345 375 451 483 589 653 821 795 584 347 120 25 7	1 5 8 4 12 13 16 22 33 22 26 21 16 3 3	1 1 3 4 4 12 9 9 14 18 19 15 19 15 2	6 9 11 5 11 1 5 19 16 17 29 21 20 28 6 2	1 2 4 2 2 3 3 3 3 10 10 5 4 14 11 8 10 18 7 3	134 135 49 56 159 214 263 242 261 295 294 318 284 275 111 118 69 32 17 111	126 56 55 191 245 245 243 252 232 252 321 248 277 187 143 96 98 46 43 10			1				1 1 1	

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

					WH	ITE						OT	HER R	ACES		<u> </u>		
AREA AND AGE	ALL I	EATHS	Na	tive	For	eign	Unkn	own	Ne	gro	Ind	lian	Chi	nese	Japa	nese	Oth	er
	Males	Females	м.	F.	м.	F.	М.	F.	м.	F.	м.	F.	м.	F.	м.	F.	M.	F.
UTAH																		
All ages	2, 527	1, 893	1,757	1, 338	586	470	100	38	12	7	30	26	9	2	20	6	13	6
Under 1 year	302 103	227 111	282 94	215 101		-1	7	3 3	1 1		6	3	1	1	3 2	2 1	2	3 2
5 to 9 years	56 69	41 45	51 62	· 41 40	1	2	3 1				1 4	3			1 1			
15 to 19 years 20 to 24 years	72 73	60 44	69 68	55 43	1		2 3	2		1	1	2						
25 to 29 years	53	50 77	65 45	43 67	4 5	3 5	1	1 2			2	2 2			1	1	2	
35 to 39 years 40 to 44 years	80 108	63 83	62 64	57 74	11 33	5 8	6 8	1			1				ī		1	1
45 to 49 years	141 135	80 84	103 95	64 64	24 29	12 16	8 4	1	2	1	2	2			2	<u>î</u>	2	
55 to 59 years	182	99	125	70	45	23	7	1		2	1	2		1	2 3		2	
60 to 64 years	208 200	124 131	131 132	80 81	62 51	37 48	9	5 2	$\frac{1}{2}$	2	2 1		2		1		2	
70 to 74 years	218 209	172 168	126 96	99 71	73 102	66 89	13 10	7 5	1		1	3	3 1				1	
80 to 84 years	141 72	114 81	54	44 15	78 48	67 64	6 2	3	1	i	1		1					
90 to 94 years	22	31	21 8	9	14	22												
95 to 99 years	5 1	5	2 1	3	3	2												
Unknown	4	3	1	2	2		1	1										
to 4 years																		l
	2,492	2, 261	1,998	1,861	459	382	33	16	2	2								
Under 1 year	219 60	162 31	217 59	162 30	$\frac{2}{1}$													
5 to 9 years	44 18	26	41	25 19	3 2	į												
10 to 14 years	32	26 20 21 42 41	16 29	18	3	3												
20 to 24 years	37 44	42 41	33 38 28	41 34	4 6	1 7												
30 to 34 years	34 41	44 53	28 32	40 46	5 8	4 7	_i -		1	- 								
40 to 44 years 45 to 49 years	66 91	66 77	46 57	56 61		9 16	<u>-</u> -	1										
50 to 54 years	128	114	97	84	20 33 29 38	29		1										
55 to 59 years	171 243	131 179	131 194	106 140	46	22 38	2 3	3		1								
65 to 69 years	274 296	211 270	217 224	157 216	53 64	52 52	4 7	1 2		1								
75 to 79 years	306 202	281	248	231 202	55	49	3	ĩ					~====					
-80 to 84 years	126	252 153	156 94	123	41 31	47 28	5	2										
90 to 94 years95 to 99 years	39 8	63 18	28 7	54 12	11 1	8 6		1										
100 years and overUnknown	4 9	2 4	3 3	$\frac{2}{2}$	$\frac{1}{2}$		4	1										
VIRGINIA	ľ	-		_		_ ^		_										
All ages	15, 578	13, 320	9, 672	7, 963	299	178	110	48	5, 480	5, 128	7	3	5				5	
Under 1 year	2, 014 585	1, 656 530	1, 249 371	971 351			1 2	1	762 209	682 179	1 2	2					1	
1 to 4 years 5 to 9 years	210	195	134	129			Z		76	66								
10 to 14 years 15 to 19 years	222 446	188 362	130 229	96 156			4		91 213	92 206			1					
20 to 24 years 25 to 29 years	606 510	465 460	335 263	191 226	1 4	3	6 4	1	264 239	274 230								
30 to 34 years	527 646	497 517	266	226 233	4 2	3	8	î	249	267	2		1				1 2	
35 to 39 years	670	575	335 348	252	12 12 20 29 26	5 4	5 6	2	290 304	278 317		1						
45 to 49 years	837 1,050	690 838	420 499	330 385	20 29	11 12	9 6	5	387 516	349 436			1					
55 to 59 years	1, 111 1, 274	848 997	616 795	450 581	26 36	16 24	10 10	1 5	459 432	381 387			<u>i</u> -					
65 to 69 years	1,159	903	803	561	36	21	10	3	309	318	Į.							
70 to 74 years	1,076	1, 116 978	960 889	866 805	47 28 23 18	10 26	12 5	4 6	226 154	236 141	1		1					
80 to 84 years	823 369	746 444	640 283	603 358	23 18	18 15	5 2	8 1	155 66	117 70								
90 to 94 years 95 to 99 years	134 31	197	88	151 26	5	5 4	2 2	3 4	39 15	38 19								
100 years and over	15	53 42	14 3 2	12		i		1	12	28								
Unknown	16	23	. 2	4		I	1 1	2	13	17	l	II		اــــا				

DEATHS, BY AGE, SEX, COLOR OR RACE, AND NATIVITY

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR OR RACE, AND NATIVITY OF WHITE: 1932—Continued

[See note at head of this table]

			Ī			HITE			1			OT	HER R	ACES				
AREA AND AGE	ALL I	DEATHS	Na	tivo	1	reign	Unkı			egro	Tne	dian		inese	Ton	anese	Oti	 b.s
AREA AND AVE	25.]	,		,	.			,	ļ		<u> </u>			,		
WASHINGTON	Males	Females	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	м.	F.	M.	F.
All ages	9, 965	6,616	6,309	4,695 379	2,994	1,632	286	43	84	66	135	136	38	8	87	31	32	5
Under 1 year.	168 119	135	524 152	117		. <u>i</u>			1	2 1	30 7	22 9	3	1	6 5	6		2
5 to 9 years 10 to 14 years	143	101 107	105 118	82 83	3 7	1 6	1		1	1 2	6 12	11 12		3	4	3	1	
15 to 19 years 20 to 24 years	179 222	137 170	146 179	118 146	11 18	10	2 3	1	3 1	1 4	10 8 9	8 7	1 2		6 2	2	10 10	1
25 to 29 years 30 to 34 years	209 223	178 186	163 168	153 155	18 22 38 58	15 21	1 4	1 3	1	3 2	3	6	1	1	1 5	1	7 3	
35 to 39 years 40 to 44 years	294 414	244 299	211 282	155 206 227 257 255 303	102	26 48	11 12	1 5	6 8	2 10	3 2	6 4 6	1		2	3 5	3	
45 to 49 years 50 to 54 years	568 649	335 388	344 377	257 255	174 213	66 119	21 30	2 4	8 13	2 8	5 2	2	5 3		11 10	2	<u>1</u>	
55 to 59 years 60 to 64 years	734 892	453 505	434 527	326	240 306	136 166 225	28 32	2 4 3 3 7	10	6 8	4 2 5	4 1 3 5 12	3 7	1	15 10	1	ī	
65 to 69 years 70 to 74 years	1,096 1,216	628 755	601 687	394 524	445 480	215	33 37		10 3	3	5	3 5	1 4	<u>i</u>	1			
75 to 79 years 80 to 84 years	1,058 712	666 506	631 397	412 309	377 291	235 186	30 19	4 4 2	4 1	3 1	11 3 2	12 6 3	3		1		1	
85 to 89 years 90 to 94 years	350 111	284 102	183 69	172 59	161 39	105 38 8	2	2	1	2 2	1	3	1					
95 to 99 years 100 years and over	18 4	24 5	8 1	15 2	5 3	8	1				4	1 2						
Unknown WEST VIRGINIA	26	1	2	1	1		19		1		1		1				1	
All ages Under 1 year	9,991	7, 921 1, 284	8,362	6,967 1,178	527	250	18	1	1,081	703	====		3			====	<u></u>	
1 to 4 years 5 to 9 years	657 220	612	612 201	566 211	<u>-</u>	1	1		122 45	106 45								
10 to 14 years	173 264	129 223	156 226	123 196	3				18 17 34 59	11 6								
15 to 19 years 20 to 24 years	329	277	264	241	5 7	2	1		59	27 34			1 					
25 to 29 years 30 to 34 years	331 356	290 238	264 266	232 198	19	8 6	1	ī	60 70	50 34								
35 to 39 years 40 to 44 years	358 395	299 302	247 246	229 219	19 27 54	8 15	3 2		80 93	61 68			1 					
45 to 49 years 50 to 54 years	491 548	336 351	317 388	270 277	69 64	14 25	3 2		102 94	52 49				 				
55 to 59 years 60 to 64 years	577 634	366 420	451 526	316 368	50 50	12 23	1 2		. 56	38 29			1					
65 to 69 years 70 to 74 years	693 731	509 584	576 654	438 544	64 55 50 58 33 30 29	31 26	1		58 43	40 14								
75 to 79 years 80 to 84 years	700 520	593 462	635 477	555 426	30 29	25 26			35 14	13 10								
85 to 89 years 90 to 94 years	282 92	285 102	255 86	261 87	21 2	18 8			6 4 1 1	6 7								
95 to 99 years 100 years and over	11 2	30 7	10 1	27 5		1			1	2 1								
Unknown Wisconsin																		
All ages Under 1 year	16,578	13, 743	10, 559	9,008	5, 539	4, 486	278		= 114	68	83	9	3				2	3
1 to 4 years 5 to 9 years	346 232	347 199	338 226	335 194	1 3	1			8	2 2	6	9						
10 to 14 years 15 to 19 years	201 287	144 221	192 274	137 210	1 7	1 3	1		2 1 4	2	6	4 8						
20 to 24 years 25 to 29 years	344 323	301 343	319 291	275 300	12 18 37	15 24	6	2 4	3 4	3 8	10	6						-
30 to 34 years	380 520	348 417	316 388	308 349	37 108	25 55 79	11		14 14	10 6	2	4 3						1
40 to 44 years 45 to 49 years	639 831	466 539	452 558	378 433	153 238	79 97	20 21	4 2 4	11	4 3	3	3 2						
50 to 54 years 55 to 59 years	952 1, 075	688 809	600 682	494 557	305	178 240	31 26	1	117	6	4 2	9	$\frac{1}{2}$					
60 to 64 years 65 to 69 years	1, 344 1, 633	1, 004 1, 332	853 906	633 752 910	459 693	347 564		14 10 7	5 5 5	-	2 3	8						
70 to 74 years	2, 045 1, 746	1, 626 1, 530	1, 106 848	910 774	899 856	701 742	29	7	5 2	2 2 3 2	6	4 5						
80 to 84 years 85 to 89 years	1, 214 637	1, 22 5	455 193	493 222	737 433	717 466	25 26 29 35 18 8	8 8	1 2	2	5	4 5						
90 to 94 years 95 to 99 years	261 38	274 64	62 10	90 20	193 26	179 42	5	1 2	1		1	2 4						
100 years and over Unknown	7 9	10	2 2	1	4	9			1		1							
WYOMING All ages	1, 256	801	842	604	221	1111	5 87	1	1	7.0	1	07						
Under 1 year	136	106	112	91			87	14	$\frac{12}{1}$	10	33	31	1	====	$\frac{6}{1}$	1	13	==30
1 to 4 years	34 11	34 21	22 6	23 19	<u>1</u>		1				6	6					6 3	9 5 1 3 4 2 3
10 to 14 years 15 to 19 years	34 27	16 27	30 24	14 21	1	1	1				1	1 2					2	ĩ 3
20 to 24 years 25 to 29 years	31 60	26 29	26 45	21 22 34	2	2	4 6		1	ī	1	1 2			1		2 1 1 4 4	4
30 to 34 years	50 43	38 31	39	34 25	3	1 3	3		<u>i</u> -		î 1	<u>-</u>				1	4	3 1
40 to 44 years	71 84	47	29 48 52 52 52 48 76	25 33 30	12	6	9 8	5 1		1 2	1	ī					1 3	î
50 to 54 years 55 to 59 years	87 89	48 53	52 52	35 36	18 27 21	13 11	4 9		<u>-</u>	2	2	3			1		3 4	
60 to 64 years	84 [47 57	48 76	36 39	24 17	l 8	7 5	i	2		1 3	2 3			1		1 2	
70 to 74 years	105 112 95	59 62	64	39 45	35 25	15 18 14	9 7	3	2	1	$\begin{bmatrix} 1\\2 \end{bmatrix}$	ĭ	i				1 2	
80 to 84 years 85 to 89 years	56 26	38 19	58 32 19	24 13	17 5	10	4 2	3			2	1					í	
90 to 94 years 95 to 99 years	9	6	4 4	4	3 1	1	ĩ		1	1								
100 years and overUnknown							6										:	
							. 01											

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, $25{,}000$ OR MORE

[Data for individual cities from 10,000 to 25,000 inhabitants are held in manuscript. Minor areas designated by asterisks (*) contain State

_																	
	AREA AND COLOR	All causes	Ty- phoid and para- ty- phoid fever	Small- pox	Mea- sles	Scar- let fever	Whooping cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	Tuber- culosis of the respir- atory system	Tuber- culosis of the menin- ges, etc.	Other forms of tuberculosis	Syph- ilis	Ma- laria	Cancer and other malignant tumors
			1, %				-				10			20-04			10-00
1	The registration area in continental United States	1, 126, 226 182, 303	3, 030 1, 411	21 17	1, 783 158	2, 496 81	4, 054 1, 310	4, 902 516	30, 960 6, 106	1,836 98	1, 443 234	47, 708 20, 081	1, 728 589	3, 771 1, 632	5, 710 4, 974	1, 308 1, 260	115, 165 7, 574
2	Registration States 2White	1, 115, 555	2, 991	21 17	1, 775	2, 482	4, 034	4, 795	30, 511		1, 427	47, 031	1,708	3, 721	5, 625	1,300	114, 219
3	Colored Cities of 10,000 or more ² _White	177, 714 591, 022	861	5	151 855	78 1,396	1,512	483 1,784	10,932	966	966	19,640 21,450	1, 144	1, 593 2, 014	4,857 3,621	1, 240 168	7, 386 66, 913 4, 050
4	Colored Smaller cities and rural areasWhite	82, 320 524, 533	334 2, 130	3 16	[1, 086	Ì	167 3, 011	[1	9, 033 25, 581	404 564	985	2,773 2,004	139 1, 132	47, 306
5	Colored	95, 394	1, 044		90	28	834	316			63	10, 607	170	608	2,084	1, 101	3, 336
	registration States 3White Colored	10, 671 4, 589	39 33		8 7	14 3		107 33				677 441		50 39	85 117	8 20	946 188
6	Alabama	14, 871	64		1	34						685			65	83	1, 108
7	Cities of 10,000 or moreWhite Colored	12, 809 4, 248 4, 025	11			5		26 24 8	558 189 172	9	3 7	132	5	15	328 29	96 8 15	423 345 140
8	Cities of 2,500 to 10,000. White Colored	1, 400 909	3			3	16	12	76	3	2	60	2		97 8 19	3	97 29
9	Rural	9, 223 7, 875	50		1	26		148 16 14	474 344	26	d ·	493	7	31	1 28	72 73	666 254
10	Arizona White Colored Colored	3, 016 2, 404	6			3	23	14	116	3 6		852 726 399	13 20	8	8 32		183 88 80
11	Cities of 10,000 or moreWhite Colored	1, 426 706	2			. 1	غا!	6	41 33	3	3	498	9		6 12		27
12	Cities of 2,500 to 10,000White Colored RuralWhite	782 530	3 2			2	.l ē	2	38 28	3 3	3	81 82	3	3	2 5		63 . 30 .
13		808 1,168	8		i	1 2	12	8	78	5 1		181	. 11		15	1	40 31
14	Arkansas	11, 251 5, 064	88	3	3	21	34	19	30	1 2	18	526	2	35 24	51 95	191	676 153
15	Cities of 10,000 or more_White Colored	2, 645 1, 121	8	1				1	5	2 1		120)	24 5 5	26 47	20 21 25 230	153 203 36 104
16 17	Cities of 2,500 to 10,000White Colored RuralWhite	1, 367 716 7, 239] 17			19	.] 78	1 2	2 54	4	,	58 83 408		3 8 27	8	25	29 369
18	Colored_ CaliforniaChored_	3, 227 60, 037	63	2	46	.[].	l 26	16	198	5 3	4	322	2	11	40	146	88
19	Colored Cities of 10,000 or more_White	7, 643 38, 876	1 26	1	14) (3 82	51	179	9 6	3 4	1, 348	3 76	128	174		410
20	Colored Cities of 2,500 to 10,000 White	4, 070 5, 708	<u> </u> 12				5 38	37	7 62	7	3	677	'\ 51	78	104		4, 962 271 617
21	Colored	813 15, 453	18		26	3	18	31	1 3: 1 25	1	1	1, 21	16	12 44	10 131		32 1, 422
22	Colored ColoradoWhite	2, 760 11, 771	11 34		. 10	5 3 5 35	1 29 3 35	10	8:	i) 3 2 18	3 1	549 937	19	38 41	60	2	107
23	Colored Cities of 10,000 or moreWhite	. 828 5,857	4		1	5 20	3 8	1 16	6 3 26	1	[93	3 7	8 23	9 44		30 590
24	Colored	314 1,480	13				3 3	3 7	1 14	5	3	33		5	8		138
25	Rural	4, 434	14				8 26	14		9 8	8) 7	13 13 3	16		346
26	Colored White Colored	374 16, 494	10		19	2	3 4	17		2 2			31	. 55	91		1, 997
27	Colored Cities of 10,000 or moreWhite Colored	11, 518 397 388	}	3			3	16	15	5 1 3 1		414	25 1 25	39	73		35 1, 426
28	Cities of 2,500 to 10,000. White	388				-	-		1		-	414 30 18	í				34
29	Rural	4, 588	4		1		2 1		4	9		258 10	5	16			1, 426 29 34 2 537 4 261 30 121 13 22 2 118
30	Delaware	2 570	น					10		6	3	97	3	11	. 8		261 30
31	Oities of 10,000 or moreWhite Colored	1, 257	- -					3	3 2	1 :	2	97 5- 31 10		7			121 13
32	Cities of 2,500 to 10,000_White Colored_	202	3					2	i	2	-		7) 3		2		22
33	Rural	1, 111	i]						7 1	3	1	. 5 4		1 1	4		118 15

Excluding collision with railroad trains and street cars.
 Including District of Columbia.
 Includes 8 cities in Texas.

BY GROUPS OF CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING INHABITANTS: 1932

or other large institutions. Numbers under cause of death correspond to those in the 1929 revision of the detailed International List]

		*	,																		_
TO 2	Cere- bral							Her-	, Cir-		Puer-		Con- genital						Un-		-
Dia- betes melli- tus	hemor- rhage and soft-	Dis- eases of the heart		monia	Under 2	2 years	Ap- pen- dicitis	intes- tinal ob-	rhosis of the	Ne- phri- tis	peral septi- cemia	Other puer- peral	forma- tions and dis-	Sui- cide	Homi- cide	•	In collision with	Other ex- ternal	or ill-de- fined	All	
					years	over		tion			140, 142a.	causes	of early infancy		;		road trains and	causes	eases	causes	
59	82a, 82c	90-95	106	107–109	119	120	121	122	124	130-132 	145		157–161	163-171	172–175 ———	·	cars		199, 200	<u></u> j.	
24, 705 1, 663	84, 598 10, 784	243, 608 25, 088	3, 901 437	76, 685 15, 789	11,366 3,009	4, 270 974	15, 544 1, 567	10,719 1,550	7, 976 705	90, 451 14, 300	3, 999 940	6, 616 1, 738	55, 294 8, 640	20, 213 714	6, 202 4, 833	23, 919 2, 431	1, 688 82	50, 747 7, 001	10, 469 10, 530	143, 746 22, 979	} 1
24, 523 1, 625 14, 959	84, 017 10, 544 38, 279	241, 962 24, 561 134, 706	3,856 422 1,836	15, 291 42, 148	11, 122 2, 876 4, 222	938 1,526		1,491 7,022	7, 893 675 4, 918	89, 918 14, 004 47, 087	917 2, 458	1,707 3,568	8,419 28,306	19, 957 689 11, 330	6,060 4,662 3,178	23, 660 2, 373 13, 410	1, 678 82 669	50, 258 6, 852	10, 205 10, 390 1, 454	142, 189 22, 352 77, 189	2
9, 564	45, 738	107, 256	2,020	33, 811	6, 900	2,663	4, 542						, ,	8, 627	1 1	1, 319 10, 250	37 1,009	2,805 24,667	1,389 8,751	65, 000	} 3 } 4
182 38	581 240	-		726 498	244 133	81	261 84	145	83 30	533 296	53 23	66 31	567 221	256 256 25	1,898 142 171	259 58	10	4, 047 489 149	9,001 264 140	1 557	, - } 5
210 84 73	1, 007 675 232	617	9	1, 027 763 253	261 156 51	122 51 28	194 104 110	150 110 73	71 42 17	1, 233 1, 057 359	71 87 30	177 144 43	1, 026 631 258	198 18 82	190 391 68	291 114 153	16 1 8	804 582 234	702 1, 743	1,860 1,688	6
28 12	101 71	177 102	1 2	98 47	1 8	6 2	46 12	15 7	5	125 89	- 5	18 8	90 37	9 13 1	189 24 28	53 32 10	1	127 86 50	362 29 72	449 } 186 } 123 }	8
41 20 13	362 147 42	754 417 146	10	403 172 285	30 192	31	36	39 24	21 8 5	561 156	55 14	91 12	135	8 68	98 174 31 32	51 120	2	405 163	1,309 29	1, 116) 309	9
5 10	. 18 . 44	55 117	5 4 1	80 46	62 13	11	9 5 19	8	1 1 4	58 26 62	4 2 6	4 11 3	54 45 39	31 7 19	13 5	47 19 41	1 2	44 16 54	22 2	130) 59 } 85)	11 12
4 3 156	49 12 656	102 58 1, 405	4 42	49 128 931	ା ହା	2 13	4 6 218	7 8 89	3 2	36 43 823	4 3 69	5 18 103	42 72 525	18 9 139	11 9 121	32 16	17	65 63	23 170 612	94 \ 96 }	13
56 5	250 153 79 100	. 409 154	11 7 3 3	77	7	15 8	95 10	33 9		253 119	18 2	51 21 7	101 87 16	11 42 4	165 29 48	48 63 11	4 7 3	228 142 46	620 27 33	689 { 412 } 177 }	14 15
5 70 14	36 403 135	64 821 237	32	44 643 242	i ei	9 91	9 69 27	5 41 20	0	58 479 171	4 37 18	9 67 35	9 397 76	82 3	70 100	10 105 27	9 1	28 313 154	65 551 522	100 / 895 \ 412 /	16 17
1, 207 66 843 44	209 2,622	846 10, 167	186 30 121 20	912 2, 132	327 89 116	49 68 15	60	60	623 51 462 35	299 2, 918	32 100	69 131	524 1, 198	108 1,071	141	250 1,085	12 53	284 1, 431	24 35	774	18 19
113 6 251	436 14 1, 163	1,430 73 3,909	49	288 109 838	28 58 65	17 11 43	140	61 3 100	117	494 30 1, 045	17 1 22	29 11 40	221 73 367	134 15 412	26 12 100	244 31 619	19 1 38	284 33 856	10 3 31	637	20
163 3 83	748 27	2, 019 88	24 1	924 119	147 53	3	256 14	162 7	59 3	811 35	55 5	71	564 58	251 6	55 70 15	267 17	13 1 1	608 45	43 6	1, 520	22
22 22	103 103 7	45 225 12	1 2	30 127 15	9 24	1 7 1	4 47 7	3 22 2	7	19 124 6	2 10	6 2	19 69 7	23 23	8 6 4	9 . 25 2 .	2	12 86 9.	4 1	40 { 163 }	23 24
443 443	1, 238	4, 229 90	61	74 1, 104	26 75 3	31	194 4	143 3	132	10 1, 348	16 3 44 2	66 2	32 757	328 7	27 3 42 6	117 6 400	7 1 9	24 661	51 51	37 / 1,883 \	25 26
338 9 8	821 14 32		33 1 1	806 40 20	52 3 3	24	169 4 6	117 2 3	93 5	867 29 38	37 2 , 2	51 2 4	606 22 23	212 7 8	28 6 1	284 8 13	8	470 17 14	32 1 1	1,381 36 39	27 28
97 44	385	1,300 12 552	27 1 6	278 4 185	20 29	7	19 22	23 1 20	34 20	443 7	5	11	128 1 126	108 59	13	103 1 69	1	177 3 105	18	463	29
10 25 2	60 94 23	119 275 48	3 2 2	74 92 33	12 11 1	2 8 	8 13 7	8 15 4		52 154 13	5 7 4	1	19 76 5	30	11 4 7	31 .		20 52 4	3 2	7971	30 31
1 15 7	111 34	10 245 61	4	7 81 34	18 11	5 2	1 4	3 3	7	5 134 34	î	2 7 1	2 43 12	26	5 4	29 5	1	40 12	1 3	122 25	32 33
•	mellitus 59 24,7053 1,663 24,5232 1,6259 14,6959 210,683 81,222 81,6259 1586 182,238 1109 11131 655 100 5570 1720 1720 1720 183 383 222 222 588 411 443 383 222 222 588 839 838	Diabetes mellitus lemor-mellitus and sort-ening and	Diabetes and mellitus of the morbetes and soft eart ening and soft	Diabetes and mellimellimellimellimellimellimellimell	Dishermorbetes Automorphise Dishermorbetes Automorphise Chitis	Diabetes Dishemoring Dis	Disbetter Disbetter Disbetter Call	Dishetes breing	Cerebral beta can be continued to the cases of the case	Cerebral Disbettes Cerebral Disbettes Cerebral Call	Diabetes Diabetes	Disbets Disbets Corner Disbets Corner	Disbetted Disb	Disbetts Disbetts	Discompton Dis	Discompton Property Propert	Discription Discription	Discription Discription	Discription Discription	Delta Delt	Debte Part

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

_																	
	AREA AND COLOR .	All causes	Ty- phoid and para- ty- phoid fever	Small- pox	Mea- sles	Scar- let fever	Whoop- ing cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	Tuber- eulosis of the respir- atory system	Tuber- culosis of the menin- ges, etc.	Other forms of tu- bercu- losis	Syph- ılis	Ma- laria	Cancer and other malig- nant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53
1	FloridaWhite	11, 287	35		7	5	17	69	271		6	361		29	89 292	132	1, 031 203 536
2	Colored Cities of 10,000 or moreWhite Colored	7, 001 5, 021 2, 953	17		1	1 2	14 3	11 31 5	264 96 110	9	2 2 2 3	650 152 307	9	17	44 132	16	536 98
3	Cities of 2,500 to 10,000White Colored	2, 234 1, 184	7		1 3	i	5 3	14 2	52 37	2	3	63 114		6	132 30 88	30 16	
4	RuralWhite Colored.	4, 032 2, 864	11		5	2	9 7	24 4	123 117		ī	146 229	1 3	4 6 7	88 15 72 69	16 86 80	303 75
5	GeorgiaWhite Colored	16, 818 15, 310	133 230		5 8	17 2	61	146 37	696 490	i 6	15	629 1, 166	15	34 94 12 53 22 41	69 346	183	1, 060 483
6	Cities of 10,000 or moreWhite Colored	5, 289 5, 349	18 55		1 6	3	13	37 23 8	153 166	2	10	157 431	11	12 53	43 200	16 14	376 186
7	Rest of State 2White Colored	11, 529 9, 961	175		2	14	40 48	123 29 14	543 324	4	5	735	4	22 41	26 146	169	186 684 297 341
8	IdahoWhiteColored.	3, 813 129			1	12			142 14 10		12	97 30 21		14	16		61
9	Cities of 10,000 or more White Colored	573 17 1, 532							60		11	33		1 7	5		151
10	Cities of 2,500 to 10,000_White Colored RuralWhite	19 1,708	ll				3		1 72			1 43		3	1 7		129
11	Colored IllinoisWhite	77, 248		<u>î</u>	1 51			228	13 1,755			27 2, 983	107	258	343	32	2
13	Colored Cities of 10,000 or more. White	5, 932 48, 037	11 47	1	5 37	10 179	29 99	10 130	94 764	4	. 9	820	29 83	104 155	160 229	5 11	5, 678
14	Colored Cities of 2,500 to 10,000_White	4, 875 7, 574	6 21	1	5 2	10 22	24	9 30	66 229		8	663 241	28	27	25		277 838
15	Colored RuralWhite	220 21, 637	50	<u>ī</u>	<u>1</u> 2	53	78	68	762	38	17	25 1, 164	13	76	89	15	2, 221
16	ColoredWhite	837 36, 839	83		19		182	173	20 1,437	61	101	1 508	64	11 182	191	9	3, 632
17	Colored Cities of 10,000 or more . White	1, 917 15, 735	1 26		6	33	57	5 65	500 500	22	73	203 531	39		31 105	. 2	1, 634 73 419
18	Colored Cities of 2,500 to 10,000White	1, 593 4, 540	5		2	13 13	23	3 15	49 197			154 188	7	20	28 20		419 8
19	Colored RuralWhite Colored	85 16, 564 239	52		11			93	740	29	23	789 43		78	66	7	1, 579
20	IowaWhite Colored	25, 443 343	39		9	35	72	62	1,035 23		24	588	30	78 3 77 2	114	1	2, 985 16
21	Cities of 10,000 or more. White Colored	9, 408 242	14	1	3	11	26	30	318 19	10	1 12 1		16	30	78		1, 151 11
22	Cities of 2,500 to 10,000. White Colored	4, 636 44	10			6	9	7	174						13		502
23	Rural White Colored	11, 399 57	15	3	6	18	37	25	543 1	19	6	259 13		24 1	23	1	1,332
24	Kansas	18, 328 1, 184	29		26	32	44		42			93		8	40		1,905 70 671
25	Cities of 10,000 or more_White Colored	6, 094 763	9		14		.1 4		23	S		55	3	17	19		671 47 287
26	Cities of 2,500 to 10,000_White Colored	2,665 110			2				5	ó		5			3		4
27	RuralWhite Colored	9, 569 311			10				14		.	33		4	18		947
28	KentuckyWhite Colored	24, 829 4, 230	38		39	9 2	254 36	7	1, 063 168	3 4	10	390	11	41	91	4	
29	Cities of 10,000 or more. White Colored	6,826 1,886	il š		2		11] ີ້ຄ	55	5 8	ા ક	144	7	21	54		96
30	Rest of State 2White Colored_	18, 003 2, 344	ll 30		37	s.	1 05	332 5 97		3 1	լ 2	1,353 246 545	i 4	20	37 97) 4	110
31	LouisianaWhite Colored Cities of 10,000 or more. White	12, 504 10, 807	137		33 11		50	47	528	3 :	9 15	934 292	. 7	64	480 65	64	530
32	Colored Cities of 2,500 to 10,000White	6, 418 4, 584 1, 239	41		1		3 10)I 6	176	3 3	15	405	i 5	37	250 10	8	263 72
33	Colored White	1, 168 4, 847	i (27		. 4	5		3		101	.	3 8 16	8 60	7	45 334
34 35	Colored - White-	5, 058 10, 690	84		10	1	. 36	il 36	274 205	1 3	2	428 308	3 2		170	49	222 1,179
36	Colored Cities of 10,000 or more. White	3, 486)]		21		. 1		1		3	2	!	21	. 21		1 375
37	Colored Cities of 2,500 to 10,000_ White	1, 314					1	1	28	; ;		59		1 1	. 1		150
38	Colored White	5, 890	3]		27		4	8	1	l	7	1 151		20	11		654
39	Colored White	15, 955	36		17		. 1 59	35		24	1 11 7 6	1	31	46	71		1,674
40	Colored Cities of 10,000 or more White	5, 083 9, 454	17		10	19	32	15 13	113	3 14	10	1 336	15 20) 32	184	1	
41	Colored Cities of 2,500 to 10,000White	2, 913 821	. 4		2	.] 	18	8 2			{	335 22 17	20 5 12 2 1	25	144		170 79
42	Colored RuralWhite	5, 680	22			12		20	101	l 9	1	398 398	3 10	25 1 1 13 13	14		79 11 487 78
	Colored I Evoluting collision with reilroad trail	1,901		·	'	1	.1 10	r 7	34	ti i	, i	263	. 1	.1 16	o 32	·	. 15

¹ Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

			-			DIAR											AUTOM	10BILE				_
Rheu- ma-	Dia- betes	Cere- bral hemor-	Dis- eases	Bron-	Pneu- monia	ENTE	RITIS	Ap-	Her- nia, intes-	Cir- rhosis	Ne-	~	017	Con- genital mal- forma-	~ .		ACCII	In col-		Un- known or		
tism and gout	melli- tus	rhage and soft-	of the heart	chitis	(all forms)	Under 2	2 years and	pen- dicitis	tinal ob- struc-	of the liver	phri- tis	Puer- peral septi- cemia	Other puer- peral causes	tions and dis- eases	Sui- cide	Homi- cide	Pri-	lision with rail-	Other ex- ternal causes	ill-de- fined dis-	All other causes	
		ening				years	over		tion			140, 142a,		of early infancy			mary 1	road trains and street	Causos	eases		
56-58	<u> </u>	82a, 82e	90-95		107-109	119	120	121	122	124	130 -13 2	145		157-161	163-171	172–175 ––––		cars		199, 200		
34 17 13	58 109	889 558 377	2, 107 900 957 423	11	197	109 86 27	66 38 28 10	153 60 93	117 71 70	44	1, 112 569 498	54 37 25 19	102 85 46	326 223	261 22 151	149 275 61	364 121 177	11 5 6 2 4	533 279 219	209 334 32	1,582 1,094 719	1
14 2 7	34 35 8 53	90	453 453 152 697	5 3 2 12	80 68	27 22 15 20 67	8 9 30	43 5	34 28 15 19	18 6	237 216 118 398	19 9 10 20	32 16 10 40	128 105 41 237	12 45 5	150 17 36 71	51 89 22	1	102 112 40	48 13 34	447 339 186	
11 40 51 6			325 2, 376 1, 882	8 46	129 1, 199 1, 222	44 266 134	19 102	17 18 254 100	22 142 125	15 68 35	214 1, 643 1, 352	80 106	13	157 1,087 674	65 5 278	89 177	98 48 389 152	1 2 36	202 137 769 575	164 252 707	524 461 2, 351	} 4
6 14 34 37	36 147	365 433 928	847 763 1, 529	35 12 16 34	363 521 836	74 45 192	91 25 32 77 59	150 57 104	72 52 70 73	33 11 35	544 549 1,099	27 47 53	207 195 58 42 149	332 248 755	25 122 6 156	386 59 185 118	186 83 203	4 9 1 27	254 182 515	1,522 53 184 654	2, 287 753 687 1, 598	6
37 17 2	48 78 1 12	703 330 5 51	1, 119 731 6 94	19 9	701 230 20 40	89 19 1	59 9 1	43 89 1 20	73 50 1 13	28 15 68 35 33 11 35 24 27 1 3 1	803 286 4	59 14	153 30 2	426 210 10	19 80 1 16	201 10 2 1	69 85 1	3 2	393 223 6	1, 338 36 2	1,600 571 10	} 7 } 8
9	32	121	1 285 1	2	1 93 1	 11 1	<u>4</u>	44		1 4	36 1 128	<u>2</u>	<u>1</u> 7	28 1 73	16 1 23	<u>1</u>	18 37		21 2 83	9	97 3 236	} 9 }10
232	34 1, 982 76	158 4 5, 036	352 4 18, 058	5 305	97 18 4, 633	525	2 1 278	25 1 1, 138 57	16 1 775	716 32	122 7,662	213	9 2 371	109 8 3,368	41 1,387	8 1 529	30 1,725	198	119 1 3, 190	24 2 155	238 2 9, 428	{**
232 23 152 21 24	1, 352 63 160	274 2,586 218 626	1, 127 11, 398 933 1, 574	305 10 190 6	587 2, 929 520 408	45 271 28 64	15 131 12 36	57 895 52 146	66 569 60	32 491 27 70	505 4, 813 420	22 141 19	19 259 17 43	202 2, 180 177	37 894 30	230 384 219 42	106 1, 203 94	79	202 2, 020 165	155 11 52 5	5, 864 465	12
56 1	3 470	13 1, 824 43	5, 086 162	33 1 82 3	18 1, 296 49	190 14	111 1	97	88 1 118 5	1 155 4	773 26 2, 076 59	37 2 35	43 69	338 11 850 14	135 5 358	42 4 103	180 3 342 9	45 74	286 9 884 28	21 5 82	942 27 2,622 170	}14 }15
118 7 55	725 18 333 16	3, 322 105 1, 225	7, 725 385 3, 071	82 3 93 9 32	2, 287 182 1, 011	398 22 181	168 15 63	430 24 319	346 20 206	223 10 112	3, 499 191 1, 438	132 3 82	158 9 85	1,517 69 734	629 12 276	169 54 100	811 34 425	161 4 56	1, 473 59 626	82 1 21 4 6	4,701 200 2,122	16
12 1 51	303	87 440 5 1,657	311 941 16 3, 713	6 11 3 50	160 238 3 1,038	20 50 167	12 21	24 65	20 49	9 29 1	166 456 13	3 21	85 8 27	63 178 1	10 64 1	47 22 2	31 92 1	19 4	49 209	2 4	154 579 13	} 17 } 18
83	590 7	2, 399 22	5, 121 60	85	19 1,659 40	108 108	84 3 · 84	46 394 2	91 300 3	120 2	1,605 12 1,595 24	29 79	139	605 5 1, 175 13	289 1 559	47 5 65 7	294 2 418	86 57	638 10 1, 247 15	11 2 104 2	2,000 33 3,951 42	} 19 } 20
28 1 11	233 6 106	733 13 433	1,784 41 907	24 15	675 30 262	37 3 20	30 17	218 2 109	154 3 75	50 1 19	567 20 268	42 19	57 1 31	461 9 191	188 2 91	24 7 10	175 2 77	21	478 10 242	20 2 22 22	1, 489 28 833	21
44	251 423	1, 233 6 1, 801	2, 430 9 3, 411	46	722 5 937	51 123	37 1 71	67 a 324	71	51 1	760 1	18	51	523 3	280 1	31	166 1	27	527 2	62	1, 629 1 6 J	22 23
8 3	16 137 10	76 523 46	190 1, 090 123	82 1 26 1	87 343 62	20 29 15	15 21 12	10 143 4	173 13 76 6	83 3 30 1	1, 624 153 556 114	83 6 40 5	103 49	907 44 279 30	339 8 117 7	39 39 29	370 16 140 7	50 2 10 1	952 37 349 23	91 8 13	2, 760) 171) 906)	24 25
3 40	52 4 234	253 13 1, 025	433 12 1,888	15 41	119 4 475	36 4 58	11 1 39	84 3 97	30 4 67	14 39 2	244 13 824	22 1 21	19 35	149 4 479	38	15 4 33	57 173	10	140 3 463	3 8 2 70	103 / 403 \ 20 / 1, 451 \	26 27
95 19 25	339 46 144	17 1, 642 254 489	3, 620 745 1, 334	93 25 29 15	21 1,797 369 453	746 62 106	211 23 30	341 31 153	3174 32 64	109 13 43	26 1,777 396	106 15	1 190 29	10 1, 521 137	299 16	363 169	9 403 38	29	1,303 181	398 44	48 / 3,314 \ 576 /	28
7	23		370		174	19	9	20	13 110	10 66 3	534 186 1, 243	30 12 76 3	52 12 138 17	359 67 1, 162	101 9 198 7	54 88 309	164 19 239 19	7	343 65 960	11 6 387	942 246 2,372	29 30
70 12 23 14 13 2	195 23 203 95 129 52 16	105 1, 153 149 709 578 334 208 85 68	2,340 1,786 1,333	38 20 16	839 800 373	150 161 31	181 14 59 62 17 11	204 82 152	152 93 96	104 60 60 30 5	1, 221 1, 001 664	66 75 39	114 95 47 39 17	717 573 340	207 19 120	137 264 52	229 112 110	11 2 4	614 410 307	387 38 133 279 14 19	1,473 \ 1,367 \ 803 \	31
4	16 7	208 85 68	225 214	64 10 38 20 16 5 6 2 16 13 66	1, 344 195 839 800 373 366 97 81 369 353 640	640 43 150 161 31 47 18 15 101 99 81	6	188 11 204 82 152 60 25 4 27 18 128	13 110 19 152 93 96 55 11 6 45 32 108	30 5	447 118 88	66 75 39 37 6 20 32 40	39 17 6	1, 162 70 717 573 340 247 68 53	8 24	81 137 264 52 139 9 26 76 99	229 112 110 49 32 13 87 50	11 2 4 1 4 1 3	65 960 116 614 410 307 153 57 42 250 215 418	19 16 37	587 } 146 } 169 }	33
8 8 27	58 36 238 1 -	302 1,087	2, 286 375 2, 340 1, 786 1, 333 810 225 214 762 2, 369 6		353 640		35 45 34		32 108	39 27 30	186 1, 243 210 1, 221 1, 001 1, 001 447 118 88 439 466 826 3 241	- 1	50 50 62 1 23 1	309 273 637	63 11 143	76 99 16	87 50 148	<u>-</u> 9	250 215 418	103 223 111	942 246 2, 372 330 1, 473 1, 367 1, 367 146 169 524 611 1, 525 4 552	34 35
6	90 32	299 112	770 1 271	7	216 2 70	27	<u>10</u>	79	52	11	241 2 131	24	23 1 7	198 1 70	35	<u>3</u>	41 28	 5 	136	30 <u>13</u>	3 (36
20	116	676	1, 328	52	354	51	22	36	44	15	454 1_	12	32	369	90	ii	79 1	4	226	68 68	786	37
60 18 38 11 3	366 56 262 38 15	1, 277 379 696 229	3, 618 775 2, 131 421 169	71 18 29	1, 119 558 710 375	193 108 104 39	37 23 16 6	149 34 128 24	179 40 136	92 13 58 10 6	1,720 507 982	47 20 36	59 21 45 10 4	723 309 431	291 19 179	62 68 36 53 2	329 81 202 50	14 4 9	714 184 391	29 26 1	1, 779 551 1, 061	· 39 · 40
19 7	15 7 89 11	696 229 78 9 503 141	169 49 1, 318 305	9 3 39 9	558 710 375 39 23 370 160	104 39 6 5	3 1 18	149 34 128 24 12 3 9	179 40 136 28 20 5 - 23	28 3	507 982 295 100 25 638 187	20 36 14 3 2 8	4 1 10	431 155 40 18 252 136	19 179 14 12 1	5 2 5 24	29 7		714 184 391 89 42 13 281 82	1 2 2 2 26 23	96 } 36 }	41
		141 500 to 10.0				64	16	7	7	31	187	4	10 10	136	100 4	24 10	98 24	5 4	82	23	235	42

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

_																	
	AREA AND COLOR	All causes	Ty- phoid and para- ty- phoid fever	Small- pox	Mea- sles	Scar- let fever	Whoop- ing cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	Tuber- culosis of the respir- atory system	Tuber- culosis of the menin- ges, etc.	Other forms of tu- bercu- losis	Syph- ilis	Ma- laria	Cancer and other malig- nant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53
1	MassachusettsWhite Colored_	48, 568 878	25		66	149	110	107	369	65	42	1, 948 106	84	144	138 29	2	6, 072
2	Cities of 10,000 or more. White Colored	39, 644 739	23		53	129	94	98	291	52	40 1		79	111 7 9	113 25		74 4,842 67
3	Cities of 2,500 to 10,000_White Colored	3, 225	2		7	9	5	5	37	1		69		9	7		388
4	RuralWhite Colored	5, 699 111			6	11	11	4	41	12	2	474 23	2	24 2	18	1	842
5	MichiganWhite Colored	46, 952 2, 633	53	i	187	116	184	105	1, 101 29	77	7 <u>1</u>	1,716 430	114	153	i 297	1	4, 686 128
6	Cities of 10,000 or more_White Colored	25, 114 2, 091	28		113		20 109 20	88	485 22	50	57	910 340	87	58 93 51	189 64		2, 561 82
7	Cities of 2,500 to 10,000. White Colored	4, 364 61	4	1	8 20	6	12	$_{1}^{2}$	136	5	1 2	84	8	11 1	13		464 6
8	RuralWhite Colored	17, 474 481	21		54	45	63	16	480	22	12	722	19	49 6	95	1	1,661 40
9	MinnesotaWhite Colored	25, 189 402	17		13	40 1	35	26	782	40	26	89 829	37	109	141		3, 280 22
10	Cities of 10,000 or moreWhite Colored	11, 483 151	9		1	20		9	262	28		62 265 11	17	6 48 1	15 100 5		1, 700 16
11	Cities of 2,500 to 10,000White Colored	3, 467 21	5		5	5	4	6	129	4	1 5	103		25	13 2		386
12	RuralWhite Colored	10, 239 230	3		7	15 1	18	ii	391	8	4	461 48		36 5	28 8		1, 194
13	MississippiWhite Colored	8, 303 12, 008	46 115		2	10 2	50 68	94 59 15	415	23	6 16	344 1, 060	5	18	22	131	656
14	Cities of 10,000 or moreWhite Colored	1, 868 2, 017	6		2	í	8 11	15	436 77 88	5	3	1,000 46 135	2	18 58 8 12	9	264 18	. 154 154 88 64
15	Cities of 2,500 to 10,000White Colored	728 728	4			ī	2	10	26 38	2		16 71		1	334 9 52 3 19 10 263 217	19 6	64
16	RuralWhite Colored	5, 707 9, 263	36 105		2	8	40 56	69 52	312 310	16	3	282 854	3	9	10	107	38 438
17	MissouriWhite Colored	39, 117 4, 621	187		30 3	113	199	261 9	1, 414 107	52	11 37 7	1, 689 513	41 17	125	217 95	238 96 20	438 353 3, 939 256 1, 997
18	Cities of 10,000 or more. White Colored	17, 809 3, 259	35		10	30	41 64	6 5	297 46	24	29	595 370	17 22 14	55 42	141	7 2	1, 997
19	Cities of 2,500 to 10,000White Colored	3, 887 476	23		ã	18	19 11	22	167 18	4	4	158 43	9	43 125 51 55 42 12	66 20 18 56 11	11	1, 597 198 386 23 1, 556 495 18 190
20	RuralWhite Colored	17, 421 886	129 10		14	65	124 19	174	950 43	24	4	936 100	10 2 12	58 7	56	11 2 78 16	1, 556
21	MontanaWhite Colored	4, 878 416	11 3		9 3	$\hat{7}$	15	2 2	166 24	8	5	181	12	20 13	27 16		495
22	Cities of 10,000 or moreWhite Colored	1, 621 35	4		6	1			$\frac{54}{2}$	3	3	75 43 3	š	5	13		190
23	Cities of 2,500 to 10,000White	850 12	4		1	2	3		30			13	3	5 1	5		81
24	RuralWhite	2, 407 369	3 2		2	4	12 7	2	82 22	5	2	125 72	1	10 10	9 15		224
25	NebraskaWhite Colored	12, 558 364	18 1	1	8	26	23	45	523 21	17	15	208 34	4	28 3	43	i	1, 400
26	Cities of 10,000 or more_ White Colored	4, 455 220	8	1	1	10	5	15	151 11	6	10	83 15	2	9	26	1	515 18 174
27	Cities of 2,500 to 10,000 White White	1, 780 28	2		4 1	2	5	6	98 1	1	1	32 3		ő	4		
28	RuralWhite Colored	6, 323 116	8 1		3	14	13 4	24	274 9	10	4	93 16	2	14 2	13		711
29	NevadaWhite Colored	1, 189	4		2	2	4	6	44 9	1	7	54 32	2	6	8 .		791:
30	Cities of 10,000 or moreWhite Colored	153 333 17	1					2	11	1		9			i . 2		6 31 1 14
31	Cities of 2,500 to 10,000White Colored	337 24	1		1		2	2	7		6	17 4		4	4 1		
32	RuralWhite Colored	519 112	2 4		1	2	2 1	2	26 7		1	28 27	2	2	3	i	34
33	New HampshireWhite Colored	6, 320 9	8		6	11	13	4	149	8	3	176 1	11	22	16	3	750
34	Cities of 10,000 or more_White Colored	3, 007	4		2 	6	8	3	61		2	73	8	12	6	3	359 1
35	Cities of 2,500 to 10,000White Colored	516	2		2	1	1		16	1	1	10	1	2	4		60
36	RuralWhite Colored	2, 797 3	2		2	4	4	1	72	. 4 .		93 1	2	8	6		331
37	New JerseyWhite Colored	39, 463 3, 451	23 7		44 2 36	72 1 42	102 27 61	95 3	541 46	53 1	33 5 29	1,797 486	62 18	121 49 88 38 10	156 120	2 2	4, 427 178
38	Cities of 10,000 or moreWhite Colored	26, 454 2, 428 5, 188	18		36 2	11	61 17	95 3 68 1 20	333 31	37 1 5	5	784 236	54 14	88 38	112 93	2 1	3, 008 1 126
39	Cities of 2,500 to 10,000White Colored	427(2 	11	18 2	20 1 7	59 4 _	[.	3	461 120	6	10 6	15 5 -		625 15
40	RuralWhite Colored	7,821 596	5 1		6	19	17 18 2 23 8 29	7 1 83	149 11	11	1	552 130	2 1	6 23 5 28 7	29 22 _	1	794 37
41	New Mexico	5, 620 348	26 1		10	16	29 1	83 1 10	229 12	9	6 1	511 51	14 4 7	28 7	44 10 -	6	208 13
42	Cities of 10,000 or more_White Colored	956 41	1 .		1 -	4		[-	39	1	2 1	198 3			10 1	1	46 4
43	Cities of 2,500 to 10,000White Colored	1, 171 25	5		4	3	14	9	62	5	2	87 2	4	7 1 11 6	16 2	3	208 13 46 4 65 2
44	RuralWhite Colored	3, 493 282	20 1		5	9	14	64	128	3	2	226 46	3	11	18 7	2	97
	Excluding collision with railroad train		et cars.							•		•					• 7

¹ Excluding collision with railroad trains and street cars.

CITIES AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES HAVING 25,000 OR MORE INHABITANTS: Continued

		Cere-				A)	RHEA ND CRITIS		Hom					Con- genital				MOBILE DENTS		Un-		
Rheu- ma- tism and gout	Dia- betes melli- tus	bral hemor- rhage and soft- ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Under 2 years	2 years and over	Ap- pen- dicitis	Her- nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	mal- forma- tions and dis- eases of early infancy	Sui- cide	Homí- cide	Pri- mary 1	In collision with rail-road trains and	Other ex- ternal causes	known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82c	90-95	106	107–109	119	120	121	122	124	130–132	142a, 145		157–161	163–171	172–175 –––		street		199, 200		
130 109 	1, 178 19 989 15 86 2 103	3,804 45 2,962 38 332	13, 009 196 10, 478 165 965	162 4 120 2 21	3, 145 82 198 2	225 7 191 5 13	89 1 69 5	. 27	370 7 14	223 5 17	3, 610 60 2, 985 51 260	2 3	9 17	2, 064 36 122 3	500 3 59	9 5	626 7 67	12 1	1,914 26 1,578 24 116	54 2 43 2 . 4	5, 925 92 4, 836 75 342	$\left.\begin{array}{c} 1\\2\\3\end{array}\right.$
176 7 101 5 19	1, 094 28 598 23	510 5 3, 982 140 1, 759 102 404	1, 566 23 10, 881 495 5, 440 390 1, 024	21 2 229 6 131 4 17	3, 021 261 1, 799 227	21 . 2 338 13 184 11 25	15 1 180 14 69 12 18	669 34 517 31	1 470 26 315	370 13 203 9	365 6 2,774 140 1,403 118 270	3 174 8 140 7 17	313 21 223 21 29	129 6 2,654 98 1,600 87 242	919 12 532 11	7 2 193 78 141 73 9 4	73 3 1, 097 46 651 37 118	95 . 1 43	1,944 1,944 88 949 60 206	152 3 24 1 21	747 14 6, 365 297 3, 457 223 610	} 4 } 5 } 6 } 7
56 2 107 1 45 1 13	380 5 592 9 271 5 81	1, 819 35 1, 952 19 734 9 287	4, 417 94 5, 078 48 2, 264 31 641	81 116 44 12	995 29 1,847 66 922 30	129 127 127 52	93 2 63 3 26 2 6	79 1 396 1 224	109 3 247 4 143 4	176 2 92 1	1, 101 18 1, 377 13 515 5 244	· 17 76 46 1 12	139 3 63 2 28	812 7 1, 478 24 647 5 201	1	43 1 69 7 36 2 10	328 7 481 5	45	789 26 1,287 11 540 1	107 2 68 4 7	2, 298 69 3, 635 46 1, 857 14 522	10
20 22 7 22	240 4 136 84 36 13	931 8 547 633 112 124	2, 173 15 1, 179 1, 063 292 230	60 25	687 32 475 635 91 136	62 4 143 150 23 17	31 57 74	88 121 91 66	56 87 120 36	61 39 33 4 9	2 618 6 792 974 156 154	18 3 34 69 9	48 1 76 111 17 22	630 19 442 302 86 51	203 1 98 26 26 8	23 5 100 367 28 109	181 3 138 96 50 36	11 7 2	576 10 416 502 117 106	53 4 471 2, 311 55 225 17	1, 256 27 1, 077 1, 428 286 249	} 12 } 13 } 14
9 20 113 14 43 10 12	10 8 90 63 836 36 442 27	39 41 396 468 2,839 246 982 162	110 88 777 745 7, 673 931 3, 894	17 11 158 12 56	35 345 464	109 125 455 81 107	10 2 5 44 59 216 21 58 8	42 23 7 32 42 560 57 359 46	39 62	32 32 20 328 25 199	84 71 552 749 3, 639 404 1, 695 283	6 8 19 51 178 18 94 15	54 54 54 85 186 22 72 11	42 16 314 235 1,664 148 690 95	13 3 59 15 724 11 372 10	11 23 61 235 250 160 122 127	13 6 75 54 638 52 318 33	55 2	41 36 258 360 1,776 177 841 113	17 73 399 2,013 242 27 18	103 91 688 1,088 4,807 499 2,342 367	} 16 } 17
12 1 58 3 • 21 1 6	71 3 323 6 87	277 33 1,580 51 333 7 87	659 82 3, 120 139 1, 030 35 359	9 93 5 12 2 4	304 52 1, 216 67 301	28 51 8 297 45 29 11	26 4 132 9 15	108 9 93 2 105 3 45	92 3 63 1 23	20 109 43 114	308 33	27 27 57 1 20 2 8	34 2 80 9 37 1 8	172 16 802 37 251 25 72	287 119 640	30 20 98 13 39 6	102 5 218 14 92 4 30	1 2	207 19 728 45 327 17 86	13 5 211 20 33 13 8	480 61 1, 985 71 624 55 228	} 20 } 21
13 1 53	13 40 327 5	185 7 1,130 24	6 151 4 520 25 2,479 47	3 5 2 36 4 7	2 54 1 140 44 762 37	1 5 13 10 72 5		28 32 1 243 3	21 19 1 151 4	13 1 16 78 1	168 168 10 898 22	8 4 2 56 2	12 17 17 70 4	4 60 119 21 698 19	18 18 61 5 276 1	26 3 41 10 22 7	19 2 43 1 209 3	2 10 1	50 191 17 669 17	23 13 72 2 5	113 1 283 51 1,814 43	} 22 } 23 } 24 } 25
21 	107 4 42 1 178	316 18 157 2 657 4 64	864 40 333 1 1, 282 6 208	7 3 7 22 1	304 19 110 5 348 13 98	13 1 13 46 4 9	14 18 22 2 6	121 2 53 69 1 26	72 3 29 50 1	34 7 1 37	292 16 122 2 484 4 89	30 1 12 14 1 3	27 2 11 32 1 2	213 10 104 2 381 7 34	106 1 35 135 	22 7 4 1 15 2 29	76 2 43 1 90	2 4 1	245 5 91 4 333 8 96	58 18	719 30 237 1 858 12 155 12	} 26 } 27 } 28 } 29
1 1 1 1 1 26	6 4 6 148	15 15 16 4 646	10 62 1 69 4 77 5 1, 512	1	16 30 . 37 1 31 15 390	3 1 5 5 28	2 4	7 7	9 3 1 1	<u>2</u> <u>2</u>	30 1 23 36 2	1 1 1 1 1 9	1 2 2 2	11 18 2	15	7 6 2 12 2 11 3	12 3 15 29 70	1	10 21 2 20 3 55	6 2 16 6 18	56 3 36 4 63	}30 }31 }32
3 12	66 10 72	2 286 1 59	715	9 3 19	180 48 162	18 4 6	5 1	71 47 6 18	47 35 2 10	35 1 19 3 3	521 1 227 1 28 266	5	37 26 4 7	316 185 25 106	41 8 47	1	41 11 18	2	246 120 17 109	10 4 2 12	400	}34 }35 }36
145 10 113 8 13	1, 075 47 818 33 106 5 151	2, 949 203 1, 832 142 439 28 678 33 141	10, 019 608 6, 487 428 1, 368 75 2, 164	129 11 83 8 17 29 3	2, 545 354 1, 878 287 229 27 438 40	204 36 154 26 15 3 35 7 249 20 31	93 15 56 13 14 1 23	498 32 441 29 28 2 29 1 75 4 24	349 28 302 27 21	347 15 260 11 42 1 45 3 18 1	3, 578 272 2, 217 188 565 40 796 44 230 8 47	128 7 112 6 7 1	194 23 151 20 22 21 3	1, 579 204 1, 261 163 144 20 174	726 13 507 8 83 1 136	171 47 126 37 16 5 29	1, 035 70 712 46 131 9 192	45 3 19 2 3 1 23	1, 645 114 1, 128 88 172 8 345	57 8 38 6 7 1 12 1	4, 424 386 3, 089 279 510 43 825 64	37 38 39
19 2 16 2 3 4	38 1 4 1 17	33 141 6 24 48 2 69 4	105 438 16 100 4 121 2 217	3 14 2 3 1 3	367 33 57 2 60	7 249 20 31 2 57 2 161 16	1 22 1 3 4 15	1 75 4 24 2 34 17	26 1 38 2 10 14 14 2	3 18 1 6 5	230 8 47 3 54 2 129	45 3 13 11 21 3	3 59 6 10 1 17 32	204 1, 261 163 144 20 174 21 303 16 41 1 76 1	57 2 15 2 14	5 60 3 9 1 14 2 37	15 96 1 22 29 45	1	345 18 217 15 32 2 60 1 125	1 1, 443 80 71 3 .104 1 1, 268 76	64 474 25 100 7 139 235 18	} 41 } 42 } 43

Table 5.—Deaths (exclusive of still births) from selected causes for states, by groups of 1932-

AREA AND COLOR 1,7 6 7 8 9 10 11 15 18 23 24 25-32 34 35 44-33																		
New York		AREA AND COLOR		phoid and para- ty- phoid			let	ing	Diph- theria		Ery- sipelas	demic cere- bro- spinal menin-	culosis of the respi- ratory	of the menin- ges, etc.	forms of tu- bercu-	Syph- ilis		Cancer and other malig- nant tumors
Cities of 10,000 or more. White. 10,000 or more. 10,000				1, 2	6	7	8	9	10	11	15	18	23	24	25–32	34	38	45-53
Cities of 10,000 or more. White. Colored. Color		New York White	140. 648	120		212	359	281	259	1, 528		148	6, 130	219	443	765		15, 999
Cities of 2,500 to 10,000, White, 17, 646, 6 9 13 14 3 16 3 16 2 240 17 18 31 2 7 18 31 3 3 16 3 3 16 3 3 16 3 3 10 2 2 2 7 18 3 3 3 3 3 3 3 3 3	-	Colored	7, 176	11		7	7	31	7 242	41	12	18 141	1, 124 4, 248	53 190	104 348	348 632	2	385 12, 512
## Rural	-	Colored	6, 369 7, 646	9		4 9	6	27 14	7 3		11 10	18 2	340	51 7	19	31	- 	351 797
North Carolina	-	Colored RuralWhite	27,068	17		50		62	14		39	5	1, 542	22 22	76	102		2, 690
Teles of 2,500 to 10,000 White 7,46 7 3 1 7 12 47 1 1 48 1 2 5 3 1 1 1 1 1 1 1 1 1	5	North CarolinaWhite	19, 513			40			139	519			866	20	62	45	15	30 1, 252
Cities of 2,500 to 10,000 . White	6	Cities of 10,000 or moreWhite	4,752	12		21 13	9	106	27 20	108		11	159	8	19	23 70	38 1	362 116
North Dakotos White Colored Co	7	Cities of 2,500 to 10,000 White	1,745			3	1	7	12	47	1	í	49	1 2	2 7	5	1 3	114 42
Cities of 2,500 to 10,000. White. Colored. Colore	8	RuralWhite	13, 016	ıı ∨~			24		107	364			658	11 8	41 42	17	13 30	776 229
Cities of 2,500 to 10,000. White. Colored. Colore	9	North Dakota White	5,004			8	5	20	12	139		13 2	142	1 <u>2</u>	13			522 1
Cities of 2,500 to 10,000 White Colored	10	Cities of 10,000 or more. White	982	i		5		4	3	25		4	19	4 2	6	3		128
12 Rural White. 3. 403 6 3 3 13 8 100 2 5 110 6 7 8 3 8 8 13 13 8 100 2 5 110 6 7 8 7 8 8 8 13 13 10 8 100 500 10 200 10 200 10 10 10 10 10 10 10 10 10 10 10 10 1	11	Cities of 2,500 to 10,000White	619	7			2	1	1	13		4	2	3	1	1		61
Colies of 10,000 or more. White. 6,400 6,400 7,000 7	12	RuralWhite	132	6 1				3	1	2	1	1	23	5 3	7 2	4		333
15 Olities of 2,500 to 10,000	13	Colored	5, 425	9	2	9	6	43	8	133	2	10	822	24	204 54	152	1	2791
Colored Colo	14	Colored	4,381	6		9	4	38	6	107	59	46 10	616		44	123	1	4, 498 228
17 Oklahoma	15	Colored	260	1			1	1		7	1		22			3		10 2, 198
Cities of 2,500 to 10,000. White. 4,124 48	i	Colored	784	2	;		1 1	4	2	19			184		10	26	_	2, 190 41 1 977
Cities of 2,500 to 10,000. White. 4,124 48		Colored	2,622	51	1		45 3	14	13	167	- 	5	359	8	29 29	55 53	24	88
Colored. 560 15 15 16 2 2 3 4 28 3 73 1 7 15 63 65 74 1 1 10 10 10 10 10 10		Colored	985	12				5	4	65			112	7,	16	23 14	5	34 288
21		Colored	560	15			2	j 3	4	28			78	1	7	15	6	25 527
Cities of 10,000 or more White 4,000 7 1 1 1 2 7 4 101 2 2 100 1 12 17 3 3 3 3 3 3 3 3 3		Colored	1,077	24		1	1	6	5	74		1	169		6	17	13	1, 128
Colored 1.99		Colored	251	2			1	1 1		12			25 97	3	6	11		16
Rural		Colored	119	1				i i		2			10	1 5	3	7		12 229
Colored 103		Colored	29						4	4	2	2	1	1	1 12	<u>1</u> 7		319
Cities of 10,000 or more White S7, 124 S8 S8 S8 134 165 167 1,157 79 108 1,922 119 158 252 3 6,1		Colored	103	1 165			1 256	394	390	6	164	136	14	2 169	2 279	405	8	10, 212
Cities of 2,500 to 10,000 White 13,110 28 27 36 59 70 423 21 13 355 22 34 51 2 1,3		Colored	7, 010	16		3 85	6 134	55 165	8 167	161	4	13 108	928 1, 922	44 119	64 156	235 252	23	383 6, 116
Rural White 1, 1960 54 106 86 170 153 1, 257 64 15 1, 650 28 89 102 3 2, 77 10 1 1 250 1 11 30 1 2 1 1 30 1 30 1 1 1 30 1 1 1 1 30 1 1 1 1		Colored	5, 669	9 28		2 27	6 36	38	5	133		12	653 355	40 22	51 34	198 51	2	330 1, 351
29 Rhode Island White 7,869 2 42 25 11 29 79 11 3 286 25 37 39 99 20 Colored. 211	į	Colored	237 31, 960	4 54		1 106	86				64	15	1,650	28 28	89 89	7 102		2, 745
Colored Colo		Colored Rhode IslandWhite	1, 104 7, 869	$\begin{vmatrix} 3\\2 \end{vmatrix}$		42	25	10 11	1 29	79	11	1 3			37	39		39 975
32 Rural White Colored. 580 13 13 13 13 13 13 14 15 15 13 14 15 14 15 15 13 14 15 14 15 15 15 14 15 15	-	Colored Cities of 10,000 or moreWhite	211 6, 945	2		39	23	9	26	57 57	10	3	203 203	24 24	33 33			18 882 17 33
32 Rural White 580 2 1 2 17 1 15 2 1 6 33 South Carolina White 8,599 56 25 7 40 59 400 25 6 285 7 10 38 61 44 34 Cities of 10,000 or more. White 2 054 7 2 1 5 862 11 40 208 173 32 2 24 7 12 1 5 862 11 40 208 173 32 2 24 7 12 1 5 862 11 40 208 173 32 2 24 7 12 1 5 862 11 40 208 173 32 1 18 1 4 4 1 4 2 87 3 178 2 16 82 6 5 26 6	31	Cities of 2,500 to 10,000 White	344			1	ī	2	<u>i</u>	3 5			68	1	2	2		33
South Carolina White 8,599 56 25 7 40 59 400 25 6 265 7 10 38 61 44	32	RuralWhite	580			2	1		2	17	1		15			1		60
South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota	33	South Carolina	8, 599			25	7	40	59	400		6	265 869	7	10 40	38 208		
South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota White South Dakota	34	Cities of 10,000 or moreWhite	2 054	7		2	1	5	15	74 27		2	58 179		2 16	24 82	7	125 87
38 Cities of 10,000 or more. White. 1, 176 4 13 2 8 3 3 27 3 5 1 1 1 8 19 11 140 3 2 8 3 2 8 2 12 3 3 43 43 1 7 7 5 3 5 4 3 3 2 7 3 5 1 1 3 4 3 1 7 7 5 5 3 5 4 3 5 1 1 3 4 3 1 7 7 5 5 3 5 4 3 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	35	Cities of 2,500 to 10,000White	910	6		2	ļi	7	4	37		1	18 69	ĩ	4 7	6	7	49 26
38 Cities of 10,000 or more. White. 3,230 5 1 1 8 19 11 140 3 2 8 7 2 12 3	36	RuralWhite	5, 635	43 164		21 12	5	28 93	40 28	289 349	15 1		189	9	4	8 114	53 160	277 179
38 Cities of 10,000 or more. White 1,176 4	37	South DakotaWhite	5, 216		1	ī	9	22 31	20	198		8	157 131		24 9	9		1 51
39 Cities of 2,500 to 10,000. White 810 1 4 15 1 3 43 1 7 5 1 1 4 15 1 3 43 1 7 5 1 1 1 1 1 1	38	Cities of 10,000 or moreWhite		4			1	3 2	5		l .	3	27	3	5 1	1		146
40 Rural 3, 230 5 1 1 8 19 11 140 3 2 87 2 12 3 34	39	Cities of 2,500 to 10,000White		1					4		1	3	3	1	7	i		81
41 Tennessee White 20,821 213 7 28 173 223 1,128 37 40 1,535 60 111 106 83 1,32 42 Cities of 10,000 or more White 6,825 37 11 36 55 243 6 21 232 27 37 55 20 48 43 Cities of 2,500 to 10,000 White 2,097 21 1 1 16 112 5 4 160 4 4 5 8 11 43 Colored 810 18 1 16 3 52 1 96 1 5 8 1 2	40	RuralWhite	3, 230 482		1	ī		19 29	1 2	8		2	128	2 10	12 7	1		342
42 Cities of 10,000 or more. White 6,285 37	41	Tennessee	20, 821 7, 807	95	1	7	28 2	173 64	223 20	1, 128 352	4	40 9	1, 535 900	60 17	111 92	197	83 49	1, 327 275
43 Cities of 2,500 to 10,000 White 2,097 21 1 1 12 16 112 5 4 160 4 4 5 8 1 Colored 810 18 1 5 7 4		Cities of 10,000 or moreWhite Colored	6, 285 4, 138	37 33				36 15	55 9	243 158	6 2	21 9	232 353	27 12	37 61	152	20 19	167
		Cities of 2,500 to 10,000White Colored	2, 097 810	21 18		1	1	12 16	16 3	112 _52	1		96	1	5	7	8	24
44 Rural White 12,439 155 6 16 125 152 773 26 15 1,143 29 70 46 55 66 Colored 2,859 44 1 1 33 8 142 1 451 4 26 38 26 5	44	RuralWhite Colored	12, 439 2, 859	155 44	1	6	16 1	125 33	152 8	773 142	26 1				26	38	26	84

 $^{^{\}mbox{\tiny 1}}$ Excluding collision with railroad trains and street cars.

DEATHS FROM IMPORTANT CAUSES, BY COLOR

		,		1																,		=
Rheu- ma- tism and gout	Dia- betes melli- tus	Cerebral hemor-rhage and soft- ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Under 2 years	EA AND RITIS 2 Years and over	Ap- pen- dicitis	Her- nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puerperal septicemia	Other puer- peral causes	Congenital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Pri-mary t	In collision with railroad trains and	Other ex- ternal causes	Un- known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82c	90-95	106	107-109	119	120	121	122	124	130-132	142a, 145		157–161	163–171	172–175		street cars		199,200		
476 19 372 18 22	3, 855 122 3, 200 109 183 3	6	37, 573 1, 254 27, 834 1, 121 1, 911	12 292 10 20	469 14	844 87 702 72 37 5	239 9 173 6 12	64 108 3	1, 221 63 1, 015 55 68 4	22 64 2	11, 297 427 8, 134 389 707	· 412 43 351 39 33 2	667 52 553 45 51		51 121 1	173 526 163 8		58 2 18	360 10	2 39 2 7	16, 727 782 12, 743 642 915 14	} 1 } 2 } 3
72 41	472 10 293 103 90 31	258	7, 828 99 3, 135 1, 458 717 510	62 36 13 12	1,503 1,042 282 340	105 10 368 282 67 56	54 3 113 59 13 17	93 4 227 75 145 36	138 4 138 84 65 34	3 66 24 19 7	2, 456 30 1, 931 1, 075 404 343	28 2 63 62 27 20	228 176 72 54	24 1, 598 758 384 233	7 264 22 106 8	244 40 130	14 430 128 160	27 7 12 3	1, 181 28 743 424 208 122	661 745 54 107	3, 069 126 2, 528 1, 469 789 407	} 4 } 5 } 6
15 12 4 3 53 26 19	34 14 169 58 116	3	292 100 2, 126 848 844 13	45 22 22 30	119 73 1, 102 629 364 23	25 21 276 205 96	9 6 91 36 21	36 33 18 49 21 106	20 10 53 40 65 1 20	14 26	161 93 1,366 639 340	9 8 27 34 19	26 9 130 113 41 2	45 1, 055 480 405	2 125 12 79	23 90 91 8	61 57	10 4 2	86 41 449 261 215 3 47	38 580 600	211 124 1, 528 938 726 17	} 7 } 8 } 9
3	13	60 45	150 2 80	2		5	2	36 28	13		49	1 	12 2	· 56	12 11	2 1 5	9		28 1 140	3	168 2 104 454	}10 }11
240 17 135 15 21	79 2 1, 583 65 975 54 151		614 11 14, 983 88, 204 699 1, 435	248 6 132 3	551	84 1 611 43 316 34 54	14 1 203 19 98 16 14	42 933 38 762 36 104	32 1 721 49 544 47 67	564 33 367	244 10 5, 120 330 2, 689 262 569	234 24 179 22 25	27 2 351 31 244 27 29	284 7 3, 211 231 1, 941 197 262	1, 286 30 760 24 97	352 191 253 178 19	1. 724	175 3 78 3	3, 351 194 1, 954 154 334	10 199 22 78 16	15 9, 406 622 5, 733 506 848	14
17 135 15 21 1 84 1 67 6 15	3 457 8 273 12 86		5, 344 127 2, 262 245 764	95 1 21 8 9	25 1,499 53 1,304 259 402	241 5 210 52 90	1 91 2 104 16 32	67 2 356 40	1 110 1 186 27 96	159	18 1,862 50	1 30 1 115 23 54	78 4 135	12 1,008 22 922 80 269	3 429 3 269 7 110	6 80 7 163	435 18 399	23 1 7	11, 063 29 818 131 302	3 234 58 68	35 2, 825 81 2, 597 375 854	} } }
6 15 3 21 2 31 1 29	4 61 4 128 4 208	48 346 37 581 52 917	99 599 56 899 90 2, 303	3 1 9 3 27	340 43 562 109	14 34 12 86 26 24	7 30 2 42 7 28	61 9 157	12 43 2 47 13 85 2	18 2 31 3 52	59 217 26 455 73 875	9 30 3 31 11 31	34 3 53 13 28	183 18	64 64 1 95 3 243	22 71 27	15 119 7 117 16 214	5 11	44 180 36 336 51 547 19	46 7 120 35 31	140 724 80 1,019 155 1,495	} 19 } 20 } 21
10	92 2 44	14 363 4 173	1, 005 23 447	17 1	488 21 244 12 94		1 9 1 7	3 76 3 61	49 1 13	37	12 401 10 160		13 13	1	121 2 39	19 5 12	99 1 34	9	216 4 102 5	8 1 5	828 11 284	22
12 1 354 23 189 19	72 2, 445 100 1, 493 92	381 8 7, 661 357 3, 543 285	851 10 23, 989 1, 276 13, 529 984	409 18 182	150 5 7, 626 800 4, 557 695	11 2 1, 171 74 537 57	386 37 159 21	20 1, 109 54 841 51	23 1 1,001 70 698 61	11 878 38 529 32 140	314 2 8, 843 555 5, 095 453	390 28 262 26	5 1 562 45 365 42	106 8 5, 074 365 2, 679 323	1, 486 34 855 28	18 1 337 132 217 118	81 5	2 87 1 41	229 10 4, 653 219 2, 560 180	18 2 376 50 177	383 11 11,845 721 6,899 595	24 25 26
41 3 124 1 22	314 1 638 7 225	1, 055 12 3, 063 60 659	2, 990 43 7, 470 249 1 828	58 1 169 5	902 24 2, 167 81 650	157 3 477 14	43 2 184 14 24	163 3 105	145 3 158 6	209 5 51	1, 144 21 2, 604 81	64 1 64 1	77 1 120 2	674 11 1, 721 31 393	163 4 468 2 93	37 3 83 11 10	257 4 524 18	9 37	649 6 1, 444 33 262 9	1 158 7 19	1, 495 28 3, 451 98 844 17	28 28 29
21	199 2 13		1, 602 44 56	l	577 577 10 29	48 48 3	1 20 1	103 2 1	69 1	46 1 3	19 700 19 44	18 4	42	7 368 7 8	87 1 4		2 1	2	231 9 7	5 17 5	764 16 24	31
20 22 1 5 2	13 149 62 43 18	66 2 701 780 134 209	170 5 1, 475 1, 457 334 359		44 2 668 843 145 183	1 161 188 24 57	42 45 10 14	1 69 68 38	55 51 38 18	25 20 5 6	964 988 190 220	47 47 24 19	116 180 21 29	600 560 143 152	101 23 28 6	84 174 32 62	Ī	4 2 1	334 344 99 72	241 1, 121 12 15 7	56 1 1,069 1,754 315 323	} 32 } 33 } 34
17 17 17 15 1 1 2	4	701 780 134 209 70 76 497 495 420 9	1, 475 1, 457 334 359 160 129 981 969 1, 068 30 193	10 10 4 20 2	55 50	161 188 24 57 20 12 117 119 40 13	42 45 10 14 3 6 29 25 28 7	12 9 19 35 125	55 51 38 18 6 7 11 26 51	25 20 5 6 3 1 17 13 27	964 988 190 220 108 102 666 666 255 14	47 47 24 19 8 5 15 23 12 1	116 180 21 29 18 20 77 131 33 3	600 560 143 152 55 48 402 360 384 18	101 23 28 6 18 55 55 12 82 1	84 174 32 62 6 12 46 100 9 2	32 8 96 73 96 5	2 2 2 9	334 344 99 72 43 24 192 248 262 55	7 29 222 1,077 63 97	123 93 631 1,338 779 50	35 36 37
2 4 9 1	31 16 1 82 1	52 1 271	178 3	2	41 1	4	4	55 1 32 2 38	16 12 23 4	10 6	45 1		3	44 1	11		21 1 17 1 58 3		55 49 158	3	200 1 126 1 453	38 39 340
1 65 29 17 16 8 3 40 10	233 64 90 38 28	1, 264 518 518 343 290 157 55 764 173	697 25 2, 586 955 877 511 249 127 1, 459	11 2 56 19 12 8 1	171 42 1, 582 668 446 387 154 61 982 220	31 12 494 86 108 39 53	21 7 178 49 28 21 18 4	68 38 12 9 19 35 125 55 125 261 261 159 68 44 45 55 55	163 78 89 57 25 10 49	86 18 48 11 6 3 32 4	164 13 1, 324 504 422 271 137 53 765	1 84 39 34 25 13 4 37	17 3 198 59 65 33 28 10 105	17 1, 139 252 415 182 102	1 284 18 116 13 33 1	2 235 289 79 201 19 25 137 63	3 377 97 183 64 61 17 133	16 2 11 1 1	-912 276 338 146 107	51 97 1,387 616/ 167 193 86 65 1,134 358	56 1, 069 1, 754 3123 123 123 93 93 93 11, 338 779 200 11 126 126 1453 481 2, 827 1, 010 96 96 11 17 18 18 18 18 18 18 18 18 18 18	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
3 40 10	9 115 17	55 764 173	127 1, 459 317	43 7	61 982 220	333 38	132 24	.5 58 11	10 49 11	32 4	53 765 180	37 10	10 105 16	14 622 56	1 135 4	25 137 63	17 133 16	1 4	24 467 106	65 1, 134 358	78 1, 585 359	} } }

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Ty- phoid and para- ty- phoid fever	Small- pox	Mea- sles	Scar- let fever	Whoop- ing cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	of the	Tuber- culosis of the menin- ges, etc.	Other forms of tu- bercu- losis	Syph- ilis	Ma- laria	Cancer and other malig- nant tumors
_ .			1, 2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53
1	UtahWhiteColored	4, 289 131	5		1	17	5	9	245	17	22	78 13	2	16 2		1	395 5
2	Cities of 10,000 or more. White Colored	2, 144 58	2			7	1	1	98 1	8	14	45	ī	15 2	12 1		237 4
3	Cities of 2,500 to 10,000White Colored	647				4	2	2	39 1	2	4	$\frac{14}{2}$			3		41
4	Rural	1, 498 66	3		i	(2	6	108 1	7	4	19 7	1	1	3	1	117
5	VermontWhite Colored	4, 749	2	2	29	1	14	6	106	10	1	181	12	17	10		504
6	Cities of 10,000 or moreWhite Colored	896			• 4		3	2	9	4	1	48	3	3	5		103
7	Rest of State 2White Colored	3,853		2	25	4	13	4	97	6		133	9	14	5		401
8	VirginiaWhite Colored	18, 270 10, 628	88		18	2	198 2 142	118 29	647 359		24 13		32	79	77 238	6	1, 412 404
9	Cities of 10,000 or more_White Colored	5, 314 3, 636	15		8 2 2		24	21	125	5	3	172	10	18 29	22	2	494 143
10	Cities of 2,500 to 10,000White Colored	1, 780 633	13		3		2 14	14	74	8			5	5	14		120 29
11	Rural White Colored Co	11, 176 6, 359	60		13		160		448 233	23 3	1 15 10 22 1 17	693 690	23	43 45	41 123		798 232
12	Washington White Colored Colored	15, 959 622	27	1	34	1	7 13	18	400	14	22	637 118	' 12	63	149) 1	1,768
13	Cities of 10,000 or moreWhite Colored	9, 020 298	13				9 3	ē	210	11	17	262 44	11	40			1,086
14	Cities of 2,500 to 10,000. White	1,619	7		3		1 3	1	42		2	75] - 8	12		162
15	Colored	67 5, 320	7		9		7	11	148 13		3) 1	18	tl 5	3	520 11
16	West Virginia	257 16, 125	ll 200		182	4	3 175		709	39	26	716 183	29	66 13 14	110		1,048 74
17	Colored Cities of 10,000 or moreWhite	1, 787 4, 300	38		27		1 16 1 29	24	162	13	7	128	10	14)	348 19
18	Colored Cities of 2,500 to 10,000_ White	2, 280 2, 286	37		18		8 27	18) 8) 2	83	3 8	Č	2		132
19	Colored RuralWhite	9,545	128		140	2		186	457	7 17	10	508	14		3 43	3	568 49
20	WisconsinWhite	1, 052 29, 948	21	(i	42	5		50	891	57	31	1, 169	36	9	131		3, 564 12
21	Colored Cities of 10,000 or moreWhite	373 13, 142			33	2					21	444	1 2	4	ι 76		1,716
22	Colored Cities of 2,500 to 10,000 White	3, 678	3 4	i	i	2	4	1	14	1	(83		10	10		457
23	Colored White	13, 128 233	8			7 2	0 29				4	64	2 12	4	2 4	5	1, 391
24	Wyoming	1,879) (1			9	2 5	8	20	5 2		2		155
25	Colored Cities of 10,000 or moreWhite	178 363	3			2	2		15						-	4	33
26	Colored Cities of 2,500 to 10,000White	32 521	di i	i			2		40	Q			7		i	3	57
27	Colored	995	5	5	-	-	8	2	3 4	Ď	2	1 1		2	1	2	65
	Colored	117	-	2			-			=			<u></u>		-		1
_	ALABAMA	1 550	, ,						5 5	a .		ι <u>4</u> .	5		5 1	в :	3 134
28	Birmingham	1, 558 1, 658	3 (B			2 1		5 50 3 40 3 20			14	1 :	1	5 10 8 42 3 1	3 7	3 134 2 52 1 61
29	Mobile White Colored	592 525	5 :	3		i	-		1 1:	2			7	i	1	5	3 134 2 52 1 61 3 18 - 49 3 25
30	MontgomeryWhite Colored	441 577		3		-		5	2 4	5		i 2	7	<u>i</u>		8	1
31	Phoenix *White	888 346	<u>.</u>	2	-	-	4	1	6 3: 1 1	2	1 ;	23 1 7	3	1	4 5	4	- 58 10
32	Colored White	. 543	3			-			_} ;	9	i	26	5	3	1 .	2	- 55 - 10 - 25 - 17
	Colored	360	H		-	-	· -	*	1 1			2	1		1	2	36
33	Fort Smith	433	4	±		-	·-	2		8			5		- 3 1	1	3 7
34	Little Rock *White Colored	1, 098	5	4	1	-	1	i	3 3	9		- 6			3 1 3	ř	3 1
35	CALIFORNIA Alameda	. 310			_			-	-	2	-	_	5	1	1	2	- 38
36 37	AlhambraWhite	240 157	7		-	-	1	-	-	4			6	i		-	- 1
38	Berkeley	59				-			-	4		1	3	į	2	2	- 38 - 13 - 8
39	Colored	349 5- 709	4		-	-				3		1	5	1			- 10
40 41	Glendale * Huntington Park	. 18	5H		-	-		-	1 1	8	4	- 2	R	1	1	1	100 1 200 1,633 14 33
42 43	Long Beach	1, 53 12, 81	4 1	0	_	1	17 2	3 7	2 1 13	1 1	02	3 7 7 2 3 3 9	5 2	5 4 5 3	6 8 13 7 6 5 1		1,63
	Colored	1,89	RII	2	_1	11	3 2	1 2	4 2 6 5	41	_1	2 32 3 9	ioi 1	ા ટ	n t	3 8	- 14

¹ Excluding collision with railroad trains and street cars.

The black Discours		nueu																					
7 28 100 460 5 140 10 5 80 45 6 139 10 18 129 13 6 170 3 86 248 11 2 14 133 2 16 1 5 2 2 14 7 7 6 5 5 7 6 15 10 6 5 5 11 5 6 14 7 7 7 7 7 7 7 7 7	ma- tism and gout	betes melli- tus	bral hemor- rhage and soft- ening	eases of the heart	chitis	monia (all forms)	Under 2 years	2 years and over	Ap- pen- dicitis	nia, intes- tinal ob- struc- tion	rhosis of the liver	phri- tis	peral septi- cemia 140, 142a,	puer- peral	genital mal- forma- tions and dis- eases of early infancy	cide	cide	Accir Pri-	In collision with rail-road trains and street	ex- ternal	known or ill-de- fined dis- eases	other	
	7 7 4 4 10 16 16 16 16 16 16 17 17 17 17 17 17 17 17 17 17 17 17 17	28 12 30 90 62 292 122 1100 56 28 7 154 56 21 21 100 87 62 21 100 88 7 243 102 110 88 7 243 102 110 110 88 7 243 1 36 1 1 1 1 28 11 1 1 1 1 28 11 1 1 1 1 1 1	22 102 11 41 41 441 50 391 1,435 967 362 143 362 143 708 1,384 244 708 1,384 16 116 1551 116 128 139 299 2,480 117 197 197 197 197 197 197 197 197 197	400 8 132 131 1311 1311 1312 179 18 2179 19 13 3, 283 11, 052 287 904 1, 954 3, 460 1, 954 3, 460 1, 954 48 313 48 313 48 313 48 314 1, 224 1, 986 568 508 508 508 508 508 508 508 50	5 5 2 2 2 3 3 1 1 5 5 2 2 2 3 3 1 1 5 5 5 2 2 2 3 3 1 1	210 1400 511 116 1111 334	3 3 9 9 26 5 5 21 271 156 322 33 14 4 208 109 47 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	72 10 22 10 91 72 23 33 73 358 31 14 14 13 181 110 3181 110 3181 110 3181 110 3181 111 22 38 38 31 111 111 111 111 111 111 111 11	38 86 86 22 33 36 86 86 87 87 84 88 1155 87 11 20 88 11 11 12 12 12 12 12 12 12 12 12 12 12	145 144 133 311 124 800 611 17 9 46 26 155 5 100 3 188 11 109 12 54 36 30 301 163 301 164 44 44	9 9 2 2 7 7 7 7 200 866 555 311 11 11 12 2 4 4 2 2 4 4 2 2 4 4 2 2 4 4 2 2 1 1 1 1	5 139 2 28 370 370 300 1,689 150 1689 150 170 171 312 271 171 312 271 171 171 171 171 171 171 171 171 1	10 10 12 5 	18 7 9 9 30 113 117 38 43 18 9 84 5 63 3 47 16 5 63 4 4 150 14 6 6 6 2 6 6 2 5 5 8 3 3 1 1 1 1 5 5	100 1200 44 600 1200 44 600 1210 45 60 1211 1211 1211 121 121 121 121 121 121	1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 9 9 1 1 2 1 1 3 6 6 1 1 3 6 6 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1	22 700 700 700 700 700 700 700 700 700 7	3 3 3 3 3 2 9 9 8 1 1 2 1 7 2 6 1 1 1 6 6 6 3 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	98 117 120 160 160 1831 438 1300 355 444 177 291 185 185 196 348 130 106 117 217 218 130 130 130 143 143 154 154 154 154 155 165 165 175 185 185 185 185 185 185 185 18	100 294 112 406 18 17 3855 3133 222 377 211 100 3422 2266 688 266 88 15 77 318 100 2 2 2 44 49 72	201 341 10 101 106 11 127 156 11 127 1514 152 1, 384 741 452 257 1, 294 457 255 2, 324 4 767 1, 294 303 1, 228 1, 299 1,	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\

² Cities of 2,500 to 10,000 not available.

Table 5.—Deaths (exclusive of stillbirths) from selected causes for states, by groups of 1932—

	AREA AND COLOR	All	Ty- phoid and para- ty- phoid fever	Small-pox	Mea- sles	Scar- let fever	Whoop- ing cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	Tuber- culosis of the respir- atory system	Tuber- culosis of the menin- ges, etc.	Other forms of tuberculosis	Syph- ilis	Ma- laria	Cancer and other malignant tumors
_			1, 2			-	-			1.0							
	california—continued							_									150
1 2	PasadenaWhite	986 436				1	2	1	. 15		ī	25 24	1	3	3		152 44
3	Colored SacramentoWhite	100 1. 446					1	1 3	1 8	l 3	2	21 66	5	6	19		3 144
4	Colored San Bernardino *White	244 444	2					1 3	. 2	1	3	54 34	3	6 2			6 41
	Colored - San Diego	141 2, 047	2				6		19			33 109	3	4 9	2		3 252
5		205	1] ä	Ĩ	78	1 2	15	26	3	7 45	3		15 1,091
6	San Francisco	7, 763 461			 	1			1 4	1		93	9		13		38
7 8	San JoseWhite	563 267					3	1	7	9	1	18		2	1		66 35 1
9	Colored Santa BarbaraWhite	24 304								3		4	1				41
- 1	Colored 1	31 524					2	3	8	3		3 12		1			3 59 47
10 11	Santa Monica	400	1		1		1			4 1			 	1 2	i i		47
12	Colored Belvedere townshipWhite	82 99					ļ <u>'</u>	ii				1 11		ļ <u>,</u>			14
	COLORADO Colored	111							1 3	2		20	/	ı °	,		
13	Colorado Springs *	619					 		29			98	3 2 5 5	2			50
14	Colorado Springs *	4, 125 201	2			10		15		2 3 9 3	3 4	298) 1	17	2 2	2	431
15	Pueblo	467							12			19		2	2 8	3	54
	CONNECTICUT										1						
16	Bridgeport	1, 530				3 2					. 2	59			1 24		197 15
17 18 19	Bristol Hartford	239 2, 034				2	1		2 10		2	4	7 4	1	î 30	5	. 265
19	Meriden	400 498				- :	4	: <u>-</u>		6 1	1	32	2		3	2	50 72
20 21 22 23 24 25	New Britain New Haven	2, 039	2					á s	1		7	2:			4 2	3	297 59
22	New London Norwalk	431 372			1	: ا	3			5 7		1		1	1	l	46 73
24	Stamford	546	3 1				ų :	נו ו	2	3	. 1	29	3	3	2	3	73
25 26	Torrington Waterbury	217 1,040	 -						1		i i	3	7 4		3 1	2	. 94
27 28	West Hartford town West Haven town	165 211								3		2	5 1		-	1	. 26 30
20		2															
29	DELAWARE WilmingtonWhite	1, 257	,				2 .	1 3	3 2		2 :	2 39	9 :	2	7	6	121
29	Colored.	233	3	i			1 :	2	-	3	-	. 10	0 :		3	5	13
	DISTRICT OF COLUMBIA				١.			,	. ,		8 1:	2 20	, :	3 1	5 3	1	570
30	WashingtonWhite Colored	5, 001 2, 936		2		1 1	1 1		1 4 2		8 1:	32	8 1	3		6	164
	FLORIDA		<u>,</u>]	,				2 4	, ,	В		,	8	2	2	6	. 89
31	Jacksonville	937 1,041	tll :	2		i	-	2	2			14	ŏ	3 1 2	3 6	3	2 32
32	MiamiWhite Colored	866 376	3	L				- !	$\stackrel{6}{2}$ 1	3	2	14 3 5	3	2	3 1	9 8	1 100 13 49 2 6
33	OrlandoWhite	376 331 138	∭	j	-			-	-1	6	2	1	5	-	1	7	. 49 2 6
34	ColoredWhite	314	1 :	2			1	-		26	ī	-	6	-	2	i	1 29
35	St. Petersburg	191 568	3ll	2					1	6 .	i	i 1	1	ī	2	<u></u>	62
36	ColoredWhite	109 878	9 3	3				_	5 1		2	_i 2	7 8	2	2 1 - 1	3	4 3 62 2 4 2 102 2 10 1 28
	West Palm Beach White	304 213	1 :	1				- :	1 1	4	1	2	6 5	-	-	8 4	2 10 1 28
37	Colored	181	î i	2			-		-				8		-	7	_ 2
00	GEORGIA White	2,049		5	1		,	4 1	م ا	18	3	3 4	1	4	7 2	0	3 164
38	Colored	1,830	0 2	2	-	ī	-	4 1 6	3 6	37	ĭ	7 13	5	2 2	4 5 1	9 6	3 164 60 4 37 19 1 25 3 16 1 31 3 26 2 47 1 25
39	Augusta*White Colored	555 561	2	6	_	1 2		ī	_ 1	19 17	-	1 4	7	4	5 4	3	19
40	Columbus White Colored	39 30	5 :	2	_	i	-		1	18] 5	1	1 1 1 2	8	2	ī ı	4 1 2	1 25 3 16
41	MaconWhite	41:	2	2	-		-	-	1 1	15	1	_ 1	1	í	8 1	2	1 31 3 26
42	Savannah* ColoredWhite	62	8	3	-	_	ī	3	4 1	1	3	1 1	2	1	1 6	5	2 47 1 25
	Colored_	96	9	7	-	-	-	1	1 2	20	-	- 8	٧	1 ا	ا ا	'	20
19	Alton	. 36:	2	1		_	2	_	5 1	10	_		.0		2	3	. 37
43 44	Aurora	. 57	4		-	-	-	2	2 i	17	1	_ 1	0	1	1	4	- 95 30
45 46 7	Belleville Berwyn	33	2			-	5	2	-	4	1		9	-	 آ	5	37 95 30 31 50
7	Bloomington	49:	20	1		_}	_1	1'	_'	6 l	21	T	U'		T,	U	00

¹ Excluding collision with railroad trains and street cars.

Rheu- ma- tism and gout	Dia- betes melli- tus	Cerebral hemor-rhage and soft-ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)		2 years and over	Ap- pen- dicitis	Her- nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	Con- genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide		In collision with rail-road trains	Other ex- ternal causes	Un- known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82c	90-95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		157–161	163–171 –	172–175		and street cars		199,200		
2 1 1 1 1 1 2 3 	18 111 	67 411 77 78 2 22 21 1 145 23 36 27 1 1 29 2 24 1 25 4 4 5	299 108 8 351 97 97 478 15 2,037 153 65 5 11 84 84 159 105	1 2 2 6	25 466 38 20 20 2 25 24 24	15645 5223333132 	3 2 1 3 3 2 6 1 1 1	7 4 2 8 2 8 2 2 7 4 8 5 2 4 4 1 3 1 9 5 1 1	13 14 14 2 19 19 3 7 7 3 3	1 21 3 8 1 30	85 29 7 73 742 1. 213: 559 29 65 20 11 166 246 19	11 5 22 22 21 13 12 11 	22 31 33 15 22 20 1 1 3	17 173 23 18 8 4 12 	19 10 3 3 1 61 2 262 262 10 7 5 1 16 16 16 16 16 16 16 16 16 16 16 16 1	7 4	18 9 33 6 6 4 4 128 25 5 5 11 11 11 11 11	1 1 1 1 1 2 2 1 1	36 188 5 63 25 1 5 304 14 15 6 14 1 11 16 21	1 1 1 1 5 1 1 1 1 2 2	127 61 61 193 24 56 23 265 25 1,001 47 73 33 11 42 52 52 49 76	\\ 3 \\ 4 \\ 5 \\ 6 7 \\ 8 \\ 9 \\ 11 \\\
1 10 1 1 2	6 54 2 9	37 225 11 44	17 111 771 26 75	1 9	37 374 22 33	3 41 5 7	2 6 1	12 101 2 , 6	4 73 2 5	1 4 21 2 2	36 301 11 44	1 20 1 3	1 25 3	12 33 162 12 16	10 103 4 4	8 23 6 8	15 80 6 13	4 	27 155 6 16	24 3	80 541 25 81	13 } 14
5 3 3 3 3 1 1 1	36 13 60 10 13 75 15 11 23 6 32 3 8	98 13 110 28 41 144 38 34 18 60 11 17	408 48 475 94 110 452 101 67 123 43 267 59	3 2 4 3 1 6 1 1 3 1 1	124 13 128 23 39 147 21 23 13 97 9	15 11 4 6 3 3	1 7 8 1 1 1	17 6 35 7 8 31 9 3 5 4 19	16 7 27 27 1 9 18 1 4 2 9	10 2 10 4 3 19 3 1 6 5 13 12 2	93 18 145 26 40 119 33 346 51 22 91 15	3 1 9 3 3 5 1 4	1 2 11 2 3 9 2 1 3 8	78 18 133 15 32 102 24 20 31 17 59 3	42 8 29 7 27 6 16 12 2 9 3 3	4 2 5 7 7	27, 80, 500 18, 9, 53, 11, 10, 7, 31, 3,	3 1 1 1 1	666 133 711 1679 271 200 222 111 477 4	16 2 2 2 6 	154 309 44 45 304 44 37 44 20 110 13	16 17 18 19 20 21 22 23 24 25 26 27 28
2	·25 2	94 23	275 48	2 2	92 33	11	8	13	15 4	11	154 13	7 4	7	76 5	30	4 7	_ 31 5		52 4	2	137 34	29
20 7	96 41	317 151	1, 188 510	18 15	340 321	52 29	8 9	70 27	62 30	34 13	412 243	23 13	32 23	234 180	129 22	· 24 90	127 59	5 1	177 78	1 2	704 411	30.
3 3 1 1 1 2 2	21 5 11 10 6 2 6 12 4 27 4 5	61 91 56 26 20 3 28 25 66 4 59 21 18 16	181 168 159 - 32 - 59 16 - 50 31 - 148 66 - 28 -	1 2 3 1 1 5	47 57 35 22 16 13 9 18 29 4 34 12	4 3 2 5 1 1 1 1 2 6 3 3 1	3 6 2 1 3 4 5	17 11 26 6 10 5 2 8 4 14 5 3 3	10 14 9 4 7 2 5 2 6 2 16 3 7	15 9 4 3 3 1 2 4 1 11 12 3	91 81 64 19 26 13 28 18 66 10 91 25 19	8 5 3 3 2 2 2 1 3 5 2 2 2	11 6 6 3 7 4 3 1 2 2 9 2 1 6	36 32 48 21 14 8 23 4 12 24 24 11	33 2 37 1 6 3 6 3 9 	14 57 15 27 2 7 4 1 6 14 11 7	39 19 35 5 12 1 1 16 3 24 4	2	34 36 29 15 14 5 19 5 21 9 41 7 8	4 9 1 6 2 2 3 9 5 2	145 146 148 62 566 23 36 22 76 110 43 35 37	31 32 33 34 35 36 37
3 6 2 2 1 4	53 17 8 2 4 2 6 3 16 6	125 150 366 49 28 17 31 43 56 82	353 236 74 - 90 56 31 71 - 87 130 181	6 1 2 2 4 2 1 5	130 230 61 52 30 22 28 50 36 83	27 6 12 5 6 3 3 2 8 10	11 9 2 2 4 1 3 4 2 4	48 18 12 5 11 2 10 8 18 11	32 21 7 10 3 7 12 8	13 3 1 1 1 2 2 2 8 5	230 147 65 60 43 46 38 51 52 102	7 17 2 5 4 5 2 3 3 7	20 6 6 2 2 8 1 4 7 10	119 102 28 22 35 9- 28 20 25 41	54 4 6 10 9	23 83 12 12 3 12 2 16 5 27	64 35 21 8 - 13 - 5 - 12 5 - 17 14 -	1	96 78 19 13 15 5 29 17 30 29	26 40 3 3 20 7 45	74 77 44 37 62 51	38 39 40 41 42
1 2 2 2 2	7 16 13 6 12	37 44 35 16 45	70 120 62 78 138	1 1 5 3	15 32 9 14 37	5 2 6	2 5 1 1	4 18 8 2 9	6 8 7 1 5	2 6 7 1 3	37 42 35 41 36	2	2 1 2 3	19 28 14 11 18	15 8 7 9	4 2 3 2 2	9 16 10 8 13	1 3 1 2	14 17 14 8 	1	37 68 46 21 68	43 44 45 46 47

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

																	
	AREA AND COLOR	All causes	Ty- phoid and para- ty- phoid fever	Small- pox	Mea- sles	Scar- let fever	Whoop- ing cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	Tuber- culosis of the respi- ratory system	Tuber- culosis of the menin- ges, etc.	Other forms of tuberculosis	Syph- ilis	Ma- laria	Cancer and other malignant tumors
			1, 2	6	7	8	9			19			# # # # # # # # # # # # # # # # # # #				
	ILLINOIS—continued			ĺ							!						
1	ChicagoWhite Colored	30, 383 3, 977	13 3		31 4	127			38	3	92 8	1, 153 592				4	3, 707 227
2 3	Cieero Danville	305 621	2			1	1 5		3 21			12 30 23	2	7	4		51 61 94
4 5	DecaturWhite East St. LouisWhite Colored	727 655 159	1 1				1	12 2 2	13 18 6	6	3 2	22 9		2	3	3	42 4
6 7 8	Elgin*Evanston	798 642			1		â		6	 		39 12	3	3	7 2		73
8	Galesburg Granite City	410 244	4 2			3	1	5 2 3	16 9			8 4 18		1 1 2	2		99 46 22 57 21 48 102
10 11	Joliet Maywood	576 146 406	1 			. 1	i	1	30 2 9		1	7 7 5	1	2	1		21 48
11 12 13 14	Moline Oak Park Peoria	759 1,199				3	3	15	9		3 2	9 22		1 2		3	102 129
15 16 17	Quincy Rockford	635 757			1	[<u>a</u>	2	9	13 31	1	ī	10	1				129 84 88 24
17 18 19	Rock Island Springfield	386 1,085	2			. 3	4	3	10 38		2	8 21	1	3			119 30
19	Waukegan	209						1	3			14			1		
20 21	Anderson	454 319	3		2	2	3	1 3	27 13		2 1 1	22 18		2	2		42 22 2 40
22	Colored	113 349					3		5 10			10	2	1	7		40 106
23 24	EvansvilleFort Wayne	1, 114 1, 199	3			.	4	8	21 39	1	2 3 5 2	38 42 19	5	ģ	11		141
25	GaryWhite Colored	589 256						3	5	1	2	40 14	4	32 32 32 31 33	2	1	67 3 53
26 27	HammondWhite IndianapolisWhose Colored	489 4, 011 749					1	. 7	96 20	6	45 22	126	8	32 11	38 11	2	420 39 41
28 29	KokomoLafayette	382 515] 1				Ì	3	16 9	1	1	24 9	3				54
30 31	Michigan City	299 271				2			14			12					36 37 46
32 33	Muncie New Albany	559 341				- 		11	13		3	8		. 1			26 40
34 35	Richmond	351 836	<u>:</u>					2	22 15 32	1	3	15 41 30	.∖ a		9		94 102
36	Terre Haute	964	1] .	Ι `	0.					`	1		
37 38	BurlingtonCedar Rapids	380 632				- !	3	: 	12 23	3		15	5 1		. 2		43 86 36
39 30	Council Bluffs	393 589		2		1	2	[12 18 18	3		8	3 2				68 85
41 42	Davenport	1,798	:	L			i	1	. 54	1 2	7	37 53 30			16		l 203F
43 44 45	DubuqueOttumwaSioux City	612 348 998				-			. 18	3 1	2				1 16		84 37 107
46	Waterloo.	438		1				3	. 10		. 2	7	7 1	1 3	[50
47	Hutchinson	307		2				2	18	5 1	. 1	34	3		3 10		36 145
48 49	Kansas City	1, 264 323 763				-	-	i 5	36 5 20	31		38	5 2		1 7		13 94
50	Colored Wichita	103 1,146	3	2		2	i 	1	. 8	3		22	3				9 149
-	KENTUCKY												, ,	.		,	20
51 52	Ashland Covington	. 31: 96:	7 .	4	-	-		5	24	5 1		18 45 55 55 55 55 65 65 65 65 65 65 65 65 65		1 3			28 103 41
53	Lexington*White Colored White	316	3	2	-			3	.} 3	7		25		1 1	4 8	3	18 374
54 55	LouisvilleWhite Colored Newport	3, 31' 978 299		1		-]	ĭ 1	-		3 2		6	1	3	6 40		41 18 374 53 20 27
56	NewportWhite PaducahWhored.	35	5	3	-	1		2		2	: i	2	3	2	3 1		27
	LOUISIANA												.[.		10
57	Baton RougeWhite Colored	150	311	1	-	-	-	2		<u> </u>			7	-	2	2	13 6 8 7
58	Monroe White Colored New Orleans White White	22 21 4 68	રા	2	-			5 2	. 14	5 1	1	1 24	ol 14	2	i 6	2	7 495
59 60	New Orleans White Colored Shreveport * White White	4, 68 3, 06 87	5 1	4	-		2 1	5 1	113	8 4		30 2 3 1 5	6	2 2	Ď 19 <i>i</i>		495 198 84 32
w	Colored	80	9 2		-	1	-	1	2 1		1			ł	1	3	i i
61 62	Bangor *	56 59	5[]	1		1	ī	3	3 1		-	1 2'	9		5 2 8 1	3	59 73 135
63	Portland	_ 1, 16	AII	2	_! I	11	O1	31	_ 1	ا ا	al .	2	יט .	ī	81 14	I'	., 190 ¹

^{*} Excluding collision with railroad trains and street cars.

·		Cere-				DIARRH ENTE	ea and Ritis		Her-					Con- genital			AUTON	OBILE ENTS		Un-		
Rheu- ma- tism and gout	Dia- betes melli- tus	bral hemor- rhage and soft- ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Under 2 years	2 years and over	Ap- pen- dicitis	nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	, Pri- mary ¹	In collision with rail-road trains and	Other ex- ternal causes	known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82e	90-95	106	107–109	119	120	121	122	124	130–132	142a.		157–161	163–171	172–175	,	street		199,200		
106 16 1 1 4	15		7, 638 788 102 117 134 155 28		1, 828 421 22 32 39 45 23 102 39 21 22	157 15 4 4 3	658 534 131	41	366 50 1 12 , 9 10	9 5 12	3, 214 331 41 52 60 37 17 51 52 29 22 65	72 17 1 2 3		25	27	4 5 9	766 80 3 16 11 27	28 1 1 3 3 4	1, 239 126 7 33 28	28 2 1 3	26 92	} 1 2 3 4 } 5
3 1 2 2	12 14 12 5 26 3 18	40 26 29 17 24 7 21 30	133 158 90 27 111 45 78 162 256	2 2 2 2 2 2	44 9 16 39	3 4	3 1	18 5 14	8 4 5 22 3 8 6	68 2 2 3 7	17 31 108	1	5 1 7	17 25 27 46	2 7 7 5	4 7 2 6 2 1	6 19	1 1	26 27 12 16 21 5 26 21	1 7	215 89 60 32 70 14 70 91 210 73 90	6 7 8 9 10 11 12 13 14 15 16 17 18 19
5 4 1	18 31 28 14 20 9 36 1		144 181 93 194 44	7 5 6 5	37 61 25	6	1 2 5 1 3 1	1 13 28 19 15 19 3 23 2	4 8 6 7 2	5 5 3	64 49 34	3	5 7 2 1 7 2	53 31 34 15 61 6	20 7 19 12 17 8	12 1 4 2 10 2	11 15 7 25 8		31 31 10 56 13	5	73 90 51 146 13	15 16 17 18 19
31 18422511212	6 2 13 24 16 11 2 11	17 1	80 45 14 75 209 235 85 40 87	2 2 1 4 1 1 2 1 7	24 27 17 17 97 75 49 27 35	7763 1239 2010	33 1 8 4 3 5 2	12 7 25 29 20 6 11 53 5 13 6	6 5 3 8 22 10 6 4	7 1 6 13 8 2	21 20 9 31 109 120 44 22	5 1 9 6 3	54 11 15 33 22 523	33 29 5 16 40 52 41 17 28	6 9 28 14	2 2 10 10 11 13 5 26 21 21 2	1 12 25 30 24 4 41	1 1 3	11 23 6 17 42 42 27 7 24	1	59 31 12 44 161 151 76 21 52	22 23 24
11 2 1 2 2 3 3 6	11 80 9 12 9 8 9 6 5 24 30	30 38 26 25 39 29	806 151 95 100 51 73 82 153 198	2 1 	24 27 17 97 75 49 27 251 73 20 20 19 19 19 13 19 64	1058374573540 10	12 5 2 2 1 4 2 1 1 2	6 7	45 8 4 14 3 3 6 3 12 15	3 2 3 4 1	28 34 35 13 50 37	14 2 1 2 1 9 6 5 4	23 3 2 3 2 1 1 7 2	176 23 19 16 5 18 27 13 10 56 35	6 7 10	5 3 2 2	4	l	129 18 8 31 15 13 17 27 8 38 53	1	76 21 52 627 72 44 87 43 24 70 46 91 110	28 29 30 31 32 33 34 35 36
1 1 2 6 1	12 12 11 12 17 38 20 9 25	42 54 31 49 68 118 55 19 49 44	76 128 102 114 162 346 105 69 91	2 1 3 2 3	19 31 40 59 69 156 30 19 75 25	1221573272	32 32 32 32 33 44	10 14 4 14 10 40 12 7 34	7 11 4 17 8 18 14 9 17	4 7 7 2 12	57 89 41 36 55	2 4 4 14 1 4 5	1 5 2 1 14 2 1 12 2	12 36 23 31 31 87 34 14 61 19	15	1 3 7	3 13 7 10 14 45 9 3 18 5		16 31 19 35 36 85 39 21 56 28	1 1 1 11 11 2	68 85 53 81 90 297 84 52, 143 57	37 38 39 40 41 42 43 44 45
1 2 3 	10 28 4 16 3 20	.30 95 17 .65 6 116	43 220 50 150 24 168	1 5 3 3	14 - 97 32 42 7 73	3 7 5 1 1 8	7 4 3 1 2	10 30 1 11 22	2 14 4 6 1 15	6	28 139 48 65 15 107	1 7 3 4 1	2 7 2 15	16 59 11 30 7 58	5 18 3 16 22			2 4	19 57 9 50 5 46	1 1 1 2 2	40 162 39 120 13 172	47 } 48 } 49 50
5 1 12 4 3 1	1 28 9 2 83 16 5 8	26 78 38 28 215 46 32 26 6	41 169 106 69 746 194 81 62 22	17 12 3 2	21 71 49 25 225 100 23 25 7	11 7 9 3 48 6	6 4 1 7 3 1 2 2	5 26 16 2 78 14 2 5	1 11 6 3 32 5	10 3 1 22 7 4	21 84 56 24 253 103 28 21 5	2 1 2 2 17 5 1 2	1 9 4 3 21 2 2 2 4	32 62 30 4 153 48 11 21 3	2 8 13 1 50 3 9 9	10 9 16 15 47 2 3 8	4 21 19 1 73 12 4 8	6	17 50 40 14 148 29 5 24	3 1 5 1	30 111 118 51 494 125 20 44 20	51 52 } 53 } 54 55 } 56
1 8 2 3	5 3 4 104 36 9 8	251 136 49 25	38 36 36 29 1,060 592 114 109		57	1 3 28 33 2 4	1 13 7 2 2		1 1 5 2 69 28 15 20		12 14 15 22 543 306 52 62	22 21 22 25 9 8		8 8 14 5 225 165 58 46	4 84 7 18 1	2 3 5 8 30 79 7 36	61 9 157 34 23 13	1 4	9 3 17 9 202 90 53 35	1 4 4 1 1 2 5	17 4 31 33 544 333 143 161	
i	14 15 31	52 37 87	114 103 292	1	39 35 70	1 7 11	1 3 3	13 18 27	10 6 18	3	31 57 60	5 4 5	5	21 46 64	5 12	1	7 11 7	3	22 29 40	15 8 3	97 90 2 05	61 62 63

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

AREA AND COLORS AUSTRALIAND A																		
Baltimore		AREA AND COLOR .		phoid and para- ty- phoid			let	ing	Torpu			demic cere- bro- spinal menin-	culosis of the respi- ratory	culosis of the menin- ges,	forms of tu- bercu-	Syph- ilis	Ma- laria	other malig-
1				1, 2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53
Beston	2	Baltimore	2, 712 560	2		1 4 5		16	7	34 11	4	4	327	12 1	24	141 6		983 157 56 32
Control Cont	4	MASSACHUSETTS Beverly					- -	1	 	2			1	1				52
The content of the	- 1	Colored	396			10	41	30	34		17		45	4	26	14		1, 324
11	7	Cambridge	1, 384	2		3	2	4	3	8	1	1	67	1	7	4 7		l 177ľ
11	9	Chicopee	267			2		î		7	1		23		1 4			64 36 59
15	11	Fall River	1,312			8	10	3	3			1	56 30	5	3 1	3		155 54
10 1 1 1 2 3 2 1 8 7 1 3 1 38 5 2 4 6 19 19 19 19 19 19 19	13	Haverhill	562				1		2	7	1		10 25	1 1	3	5		65 65
18 Madden	15	Lawrence Lowell	1, 298	2		ī	8	7				3	18 38	3 8	1 2			92 141
2 New Bedford	17	Malden	556			1	. 4 5	6	3 4	3		ī	22	2	4			103 70
Second	19	New Bedford	1, 244			2	3	<u>2</u>	3	8	1		68	3	6	9		123
Servers	22	Pittsfield	598	2			1 -	i		6	1		16	2	1	6		63
Springfeld	24	Revere	200				1 1						3		1			30 64
25 Tunion	25 26	Somerville	930			2	ľ	2	3	8 12			16	2		2		110
200 201	28	Taunton	582			4	3	1	1 3	4			25 77	4	4			45 48
23 Brookine town	30	Worcester	2, 379	3		1	11	5	12	7 1	1	1	77	9	11	11		253 49
Ann Arbor* 967	32	Brookline town	499			1				4	1		7 2		1			95 36
State Creek	50	MICHIGAN																
Second S		Battle Creek	558	<u>i</u>		1	1	ī	Ï			3	6		1	2		165 51
Second S	36 37	Dearborn	222	1					1	2	1	1	4			5		61 17
40 Grand Rapids	38	Detroit White Colored	1,676	1		5		17	1	9		33	305	23	47	48		59
Highland Park	40	Grand Rapids	1,545	3		10	2			40	2	1	21	2	5	13		178
MINNESOTA 1,149 1 1 1 1 1 1 1 1 1	42	Highland Park	482					1	2	9	2	1	7	1		1		45 66
## Port Huron	44	Kalamazoo*	988	1			3			12	5		33	2	Ž	4		80 78
## Port Huron	46	Muskegon	555	í		2		3		19		1			4	6		58 40
Saginaw S72 2 3 2 1 20 1 21 3 1 11 25 25	48	Port Huron	377										6		ĩ	1		28
MINNESOTA 1, 149 1	50	Saginaw	872	2		3	2	2	1	20 7	1	<u>4</u>	21 3	3 2	1 1			92 23
54 St. Paul 2,983 2 5 5 1 55 7 103 4 14 29 42 55 Jackson MISSISSIPPI 333 2 1 1 3 13 1 1 5 2 3 1 3 1 3 1 3 1 1 2 3 1 3 1 3 1 3 1 3 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1 1 2 1 1 1 1 1	-			-									_					
54 St. Paul.	53	Minneapolis	1, 149 5, 187	1 4			15	5	1 4	30 102	3 12	1 6	28 85	2 6	16	48		155 729
56 Jackson White Colored 361 1	54		2, 983	2			5	5	1	55	7		103	4	14	29		424
56 Meridian* White Colored 349 1 1 1 1 1 1 1 1 1	55	Jackson White	333	2			1	1		13	1	1	5		2	3	1	31 18
Missouri State Missouri Missouri Missouri State Missouri Mi	56	Meridian*White	349	i							2		12		2	1	1	19 13
Colored S54 Joseph* 1,279 3	57	MISSOURI				3	1	2	, ,			1 1	-				2	1 1
60 St. Louis White 9,940 9 1 17 29 26 82 4 12 258 9 24 84 2 1,10 61 Springfield 1,995 3 2 2 17 4 21 1 4 231 6 27 42 2 12 12 12 1 1 4 231 6 27 42 2 12 12 12 12 12 12 12 12 12 12 12 12		Kansas CityWhite	4, 277	6		4	8	17	14	22		10/2	179		15 12	27		481 50
61 Springfield		St. Joseph*White	1, 279	3			17	3 29		33	6	3	48 258	9	2 24	9 84	2	1.3038
63 Butte*		Colored	1, 995 817	3		2				21 49	ī	4	231	6	27 3	42		123 72
63 Butte*		University City		<u>-</u>						3			4		<i></i>	1		14
65 Lincoln White 2,530 4 1 1 5 3 13 82 3 7 53 1 5 19 1 27 Colored 190		Butte*		3		1							30	4	3	3		51
65 Lincoln. White 2,530 4 1 1 1 5 3 13 82 3 7 53 11 5 19 1 28 1 6 Colored 190 1 1 5 3 13 82 3 7 53 14 1 1 5 19 1 28 1 6 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1			333			4				15			4		1	4		43
		Lincoln		1] 1			28		<u>-</u>	14	1				122
! Final unity and light and the state of the	06	Colored	190		11		1	'l	13	10	J3	·		J				277 14

¹ Excluding collision with railroad trains and street cars.

			i i			DIARRH ENTE	EA AND							Con-			AUTOM	10BILE				_
Rheu- ma- tism and gout	Dia- betes melli- tus	Cere bral hemor- rhage and soft- ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Under 2 years	2 years and over	Ap- pen- dicitis	Her- nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Pri- mary 1	In collision with railroad trains and	Other ex- ternal causes	Un- known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82c	90-95	106	107-109	119	120	121	122	124	130–132	142a, 145		157–161	163-171	172–175		street cars		199, 209		
35 11 2	232 36 11 7	601 213 23 37	1, 851 394 99 92	4	631 363 33 21	62 36 19 15	10 6 1 1	103 21 14 6	115 25 9 3	49 9 5 1	260 64	29 11 4 1	33 10 3	146	160 14 5 9	31 50 2	159 42 17 7	7	325 75 31 15	2	. 885 255 69 65	2
27 1 7	14 247 7 29 23 10	21 575 14 65 120 21 22 20 91 32 41	100 2, 632 91 215 366 128 65	17 1 4 2		1 61 3 2 8 2 5	21 1 2 1	8 151 8 16 24 3	100 5 10 9 5 2	3	33 580 23 58 77 34 33	44 1 2 2 1	3 75 6 4 8 7	11 621 18 31 83 28	5 132 1 7 9	20 7	2 148 3 33 22 8	2	15 459 9 34 46 20	9 1 1	33 1, 416 47 113 158 68 19	} 5 6
5 2 2 4 4	3 6 40 14 14 25 29	20 91 32 41 50 80 105 102	107 316 107 166 137 213 372 301	3 6 13	46 19 39 81 31 38 44 73 94 63	2 16 1 2 3 4 11	1 5 1	3 23 10 10	13 2 8	11 3 7 5	30 140 42 40 90 70	2 4 3 1	2 3 7 14	18 31 83 28 20 69 20 24 37 51 87 46	6 13 4 12 3	1 1 1 2 2 2 1	20 20 7 10 6 20 22	i	12 48 19 27 28 30	1	25 147 33 72 66 115	10 11 12 13 14 15
3 2 1 5 3	28 24 15 14 40 14 15	46	301 164 138 349 175 128 194	1 1 2 1	30 84 35 34	5 2	2	9 21 24 23 13 3 13 8 14	19 9 2 7 5 9 13 6		41 81 45 40 76 30 71 66	7 2 4 3 2 2	95 24 12 6	46 17 26 53 23 40 42	8 19 6 13 21 6	1 1 2 2 2 2 3	22 12 6 2 20 7 18	1	45 50 18 24 54 24 29	3 1 16 2	174 125 65 65 146 82 66 62 9	18
1 4 2	16 29 52 9 8	48 97 49 43 18 51 73 73 126 42 158 25 40	70 171 282 390 183 104 520	1 6 2 5 5	18 40 75 96	2 7 10 6	5 1	2 17 26 3 2	8 6 15 3	6 4	21 22 84 161 26	1 5 5 1	5 4 4 8 5 2	6	9 4 7 14 22 5 4	1 1 1 2 5	8 3 4 11 28 7 17		33 5 9 30 89 25	1	62 9 86 97 213 69 60 337 25 56 24	23 24 25 26 27 28 29
2	8 18 4	25 40 22	91 160 76	1 2 2	20	1	1 1	45 6	26 1 3	1	284 24 48 15	1 1	15 1 2	122 14 5 6	33 3 7 1	1	31 5 3	2 	99 14 12 5		337 25 56 24	30 31 32 33
5 2 61 4	19 7 16 7 273 18	32 55 58 16 647 67	135 113 131 63 2,435 327	2 5 2 1 84 4	37 14 934 178	6 1 11 2 70 8	5 2 3 9	15 10 27 1 221 25		5 4 105 8	39 52 33 10 617 97	7 5 3 61 5 17	6 7 9 3 97 17 17	47 45 32 21 717 62	9 7 6 4 301	1 2 2 95 65	18 8 14 3 292 29	3 1 1 1 13	28 23 15 17 392 39 32 53	1 2 1	247 83 88 23 1,381 174	34 35 36 37 38
2 2	18 25 34 4 14 24 22 8	76 155 14 34 71 76 75 40 36 43 18	184 425 64 95 155 224 152	2 1 5 2 5 3	80 17	18 4 6 2 6 3	36 9 4 2 1 1 3 2 1	221 25 22 24 6 18 17 16 19 10 9	119 12 19 21 8 3 12 17	85882444 441	617 97 57 94 15 27 52 46 44 34 29 23 16	17 4 1 3 4 2	17 6 3 11 5	109 92 15 35 33 41 42	29 18 8 9 10 15 27	5 5 1	38 29 9 30 14 9	4 4 2 2 2 4	21 29 63	1 2 2 2 1 2 7	* 173 206 23 66 102 206 91 90 64 68 29	
3 2 1 1	14 9 8 2 25 2	40 36 43 18 77 11	118 99 68 27 176 40	1 2 4 2 1	30 33 71 41 35 36 22 7 51 20	3 4 5 1 14 3	1 3 3	10 9 9 1 16 3	5 8 3 5 2 15	1 5 11 2	34 29 23 16 56 13	4 2 3 2 7 8 3 3	10 2 1 5 2	46 47 17 10 62 25	10 16 3 1 17 3	3 5 5	7 33 6 9 20 7	1 1	29 22 25 21 8 32 12	1	90 64 68 29 125 26	46 47 48 49 50
11 17 11	28 113 78	68 327 229	265 993 647	6 20 12	51 566 205	6 20 10	3 8 8	24 111 42	11 64 37	7 37 28	49 23 5 137	5 21 13	8 27 17	55 307 148	28 111 35	3 21 13	22 91 84	1 6 7	44 274 129	4 1	209 782 443	52 53 54
3 2 2	6 2 5 1	21 11 18 17	51 28 52 28 82	1 1	11 23 11 15	3 8 2	1 1 4	6 13 16 5	9 16 3 2	2 3 2 2 5	21 34 27 22 50	1 2 4 1	5 3 3 1	19 12 17 5	6 3 7	3 18 5 10	10 1 8 2		18 20 22 10	21 53 5 22	75 38	5 6
2 6 1 2 26 8 2	11 91 6 28 241 16 25 5	39 218 35 101 462 100 41 9	862 182 240 2, 236 455 123 44	18 3 30 4 1	37 419 107 121 723 218 64 7	3 17 5 12 59 19	14 3 5 16 4 3	15 93 11 37 131 30 27	5 38 8 27 108 18 12	5 48 6 7 122 10 6	50 357 64 95 963 181 61 21	33 2 11 30 11 7	4 21 3 6 25 7 3	20 161 21 38 339 68 46	6 91 2 11 219 5 15	3 40 46 8 54 72 9	79 10 28 136 20 22	2 4 7	22 205 34 60 413 63	4	66 662 112 204 1,038 203 129 10	57 58 59 60 61 62
2	4 9	27 14	133 59	3	43 22	1 2	1	<u>4</u> 7	5 5	5 3	42 22	2 3	2	20 23	6 15	1 4	15		26 - 14	1	52 53	63 64
6 10	22 60 4	61 155 15	184 505 38	2 4 3	33 214 16	6	3 6 1	26 55 2	18 34 2	7 21	88 137 11	6 15	3 13 2	38 116 10	17 73 1	3 16 7	14 42 2	3 1	39 150	5	123 417 26)	

Table 5.—Deaths (exclusive of stillbirths) from selected causes for states, by groups of 1932—

Although Although																		
MacDonster:		AREA AND COLOR		phoid and para- ty- phoid fever	pox	sles	let fever	ing cough	theria	enza	sipelas	demic cere- bro- spinal menin- gitis	culosis of the respir- atory system	culosis of the menin- ges, etc.	forms of tu- bercu- losis	ilis	laria	and other malig- nant tumors
## Allantic City** Colored. St.	1 2	Concord*Manchester	911	1			3 2			4 21 7	2	<u>î</u>	27	4	3 7		. 1	58 121 30
4 Allantio City* Octobrd. 5 Raymes. Condent.	3		507					_	_	,								
Property Property	4	Atlantic City* White		2			3	3					13	1	3			87
Property Property	5	Bayonne	604			2	I	1	2	18	2		30	5	3		ī	58 22
Difference 100	7	BloomfieldWhite	213				3			5		1	5		11	10		30 152
13 Gardold 13 14 15 15 15 15 15 15 15	- 1	Colored	224					3	3	1		ī	18 8	1	2	6 1		11 32
The property of the property	10	East Orange	526 1, 217	ĩ		3	4	4	2	5 18	. 1	3	33	4	6	<u>-</u> 9		130
Methode	12	Garfield	443	ī				1	1	ī	i		6	1	3	5 1		39
New New New North		Hoboken	659			1		1	6	4	2		34	2	1	5		60
17 Kenry		Jersey CityWhite	3,328	2		19	6	8 2	12	44	7	5	167 24	10 2	14 4	16 6		10
New New New New North New Member New New North New North	17 18	KearnyWhite	271 296					1	2	7 2	- 			2		ī		55
Orungs	19	NewarkWhite	4,016				ī	3	2							16 28		502
Passaic		New Brunswick White White	503 514					î				1	7 9	1 1	1 2	2		51
Petch Amboy	22	Passaic	677			1	2	3	 8			1 3	13	2	2	4		77 223
Trubon Colored 1,732 1		Perth Amboy	399	1				2	1	2	1	ĭ	10	3	3	3		26 55
North Bergen township		Colored	73]	4	Î	19	2	4	68	1	1 4	12		141
North Bergen township	27 28	Union City West New York	324 163					1		3					1	ī		22 22
New Mexico Section S	30	North Bergen township	237						1	2			8		2			38 12
Albuquerque* 568	31	- "	152			. 2				'			۰		*			
NEW YORK	82		558	,		. 1	2		5	8	1	1	159	5	4	4	1	25
Buffalo White Colored Colore		NEW YORK				-					,	,	777					108
Buffalo White Colored Colore	34	Amsterdam	402	2			2	1			i	i	13	1	1	1		52 58
Second Colored Color	36	Auburn Binghamton	1, 103	1	1	į	54	21		12	2 3	12	24 303	14	19			7011
Jamestown		Colored	244	2			1				Ī		51 5	5	3	8		16 75
Bronx Borough White 10, 233 7	39	Jamestown]					2	13 34	2				61 74
Bronx Borough White 10, 233 7	41 42	Mount Vernon*	410						2						<u>-</u>	7		36
Bronx Borough White 10, 233 7	43 44	New Rochelle	68, 973	56			130	131	198		207	105	3, 186	130	235	401 273	2	8,312
46 Brooklyn Borough White. 24, 212 28 6 54 58 99 265 73 50 646 37 66 142 2, 573 47 Manhattan Borough White. 24, 683 17 35 38 31 57 142 103 32 1, 119 49 119 200 3, 192 218 21 20 4 16 8 13 485 35 66 178 219 211 210 362 13 11 18 218 218 218 218 218 218	45	Bronx BoroughWhite	10, 233	7		. 11	. 11	27	5	108	3 17	13	670 114	24	33	33	2	25
48 Queens Borough White 7,755 2 1 25 15 31 92 12 10 362 13 11 18 879 49 Richmond Borough White 2,090 2 7 2 6 12 2 389 7 6 8 180 50 Niagara Falls 659 2 2 1 1 2 155 3 2 2 6 51 Poughkeepsie 553 553 3 888 1 28 4 - 11 1 2 11 1 2 - 16 5 75 75 75 75 75 75 8 8 1 2 2 1 1 1 2 1 1 1 1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1	46	Brooklyn BoroughWhite	24, 212 1, 216	28			54	58	99	9) 1	50	646	37	66	142		2, 573
Colored Colo	47	Manhattan BoroughWhite Colored	24, 683 3, 499	17		.] 2	: :	2 10	57	1 149	103	32 13	1, 119 485	49 35	119	178		3, 192
Richmond Borougn White 2,090 2		Queens BoroughWhite Colored	7, 755 209	2				15		1 2	31	10	362	13	1	.1 8		13 180
None None		Colored	218						i				155	8	3 2			60
53 Rome* 530 1 15 4 1 1 29 3 9 45 54 Schenectady 981 1 3 4 1 11 1 1 1 21 55 Syracuse 2,521 1 11 10 11 1 25 5 2 34 4 6 37 289 56 Troy 1,228 1 2 1 1 5 1 1 27 3 3 7 1 13 57 Utica 1,526 2 3 3 1 1 20 2 19 1 3 3 65 58 Watertown 558 2 1 1 20 2 19 1 3 3 65 59 White Plains 324 1 3 4 14 3 60 7 8 134	51	Poughkeepsie	553			.]		1.	5l (2	96	3) 8	3 1	32		75 500
55 Syracuse 2, 521 1 11 10 11 1 25 5 2 34 4 6 37	53	Rome*	530 981	1		. 16			1 1	1	4 i	1	29 21					103
57 Utica	55 56	Troy	2, 521 1, 228			. 11	10			.[4	5 :		1 27	7 8	3	37	- -	289 163
59 White Flams	57	Utica Watertown	558	ill :		-		: 	. i	. 2	0 :	2	. 19) 1	[]	3		. 65
1 Evaluation with relined treins and street are.	59 60	Yonkers	1, 194	. 1		:	j	3				3			i :	71 8	3	134

¹ Excluding collision with railroad trains and street cars.

		Cere-					EA AND							Con- genital			AUTO	MOBILE DENTS		Un-		_
Rheu- ma- tism and gout	Dia- betes melli- tus	bral hemor- rhage and soft- ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Under 2 years	2 years and over	Ap- pen- dicitis	Her- nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Pri- mary	In collision with railroad trains and	Other ex- ternal causes	known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82c	90-95	106	107-109	119	120	121	122	124	130–132	142a.		157–161	163-171	172-175		street		199, 200	,	
2 5 1	10 21 9	51 66 26	152 207 86		39 43 21	11 2	1	6 20 7	.13 4	2 9 1	35 63 38	2 1	1 10 5	21 66 23	7 17 4	1	- 10 - 10 3		18 25 . 15	<u>-</u>	74 132 39	1 2 3
2 1 5	33 6 10 7	62 16 41 9	258 69 150 37	3	43 24 44 13	2 2 4 1	3 2	18 3 4	12 3 7	4 1 2	55 19 45	3 2 2	3 1 2	47 21 34	23 10	3 2 9	32 5 13	2 1	. 39 9 35		93 39 58	} 4 5
3 3 1	9 43 6 9	21 65 6 22	69 280 32 48	5 1	109 109 31 20 22	12 2	2 4	31 2	15 1 2 4	1 11 2 2 1	20 27 162 30 26 56	10 1	1 13 1	1 5 104 11 10 20 69	4 6 18 2 11 15	11 8 1 1 1 6	1 71 7 4	6	72 14 10		33 19 194 23 24 49	8 9
10	7 40 1 17	45 112 4 29	165 243 20 77	5 2	22 113 12 40 7	2 4 2 3	1 3 1	6 11 	4 14 1 8	1 11 4 5	56 74 8 33	2 5	3 9 7	20 69 10 28 6	15 13 2 4	1 6 2 5	6 39 15		14 55 4 20	17	150	9 10 11 12 13
3 17	22 13 96	34 13 206 13 14 24	214 118 812 40 63	3	47 16 314 43	11 1 49 3	2 7	15 11 63 1	12 5 48 1	5 8 22	32 44 191 7	, 2 16	4 1 24 2 3	23 12 177	11 7 39 1	6 11 1	8 18 56 2		31 13 147 10	2	344 }	14 15 16
2 2 16		11	91 7 948		14 11 4 276	2 13 7	7	100	2 2 37	1 2 57	37 25 4 331 44	2 2 13	18 6	11 8 10 1 190 44	5 11 87 4	1 1 2 20 18	8 3 90	1	20 10 1 176 19	2	344 } 23 } 22 27 } 515 }	17 18 19
1	14 17 2 18	256 35 39 43 5 44 130 35 30	104 101 12 127	15 1 3 1 5 7	78 37 36 6 64	2 2	4	13 12 18 1 17	8 4 18	10 12 1 7	28 35 5 49	5 4 1 4	5 2 11 12	23 40 9 38 89	11 15 21	2	32 16 2 20		27 25 1 30	2 1 2	68	20 21
1 1 1 6	63 7 11 1 52	130 35 30 7 101	349 90 91 18 432 102	7 1 4	117 35 22 5 147	3 4 1	5 1 1	23 8 6 1 25	10 5 5	12 3 4	139 26 36 5 137	6 1 1 8	12 3 2 14	89 28 23 6 84	41 3 7	3 7 1 1	56 20 16 1	2	64 25 12 1 81	3	65	22 23 24 25 26
2 3 1	52 11 6 2 12	101 30 9 10 19 8	102 61 52 72 46	1	28 14 6 11	1 2 2	1	1	1	9 1 1	36 20 18 35		2	8 2 3 6 9	19 4 4 5	1 1 2	2		6 - 3 - 4 - 3 -		253 16 8 11 16 18	26 27 28 29 30
	5	12	58	1	33	15	. 3	11	7	3	25	11	4	19	11	5	12		19	24		32
3	57 16 9 16	103 34 53 72	463 100 127 271	4	127 22 26 84	17	5 3 5 2	33 6 11 24 127	24 6 8	18 2 5 11	182 45 35	4 3 2	5 3 5	71 17 21	18 7 13	5	35 7 9 23	4	49 20 21 53		205 3 31 3 57 3 178 3	33 34 35 36
27 1 2	212 2 13 14	353 2 44	1, 665 46 172 135	33 1 3	511 18 56	85 3	11 1 4	13 12	15 60 13 3	66 10 3	709 17 95 34	28 4 4 5	49 1 2	17 21 38 404 14 49	14 67 1 13 16	17 8	125 7 14 11	3 1	260 9 29	ī	864 \23 \3 75 3 94 3	37 38 39
1 2 1	18 18 10 14 2 130	43 36 32 23 2,912 186 453	132 157 106 113	2 4 2	29 45 17 35	3	1 2 1 1	15 8 3 6	10 6 5 6	3 7 6 4 578 21 72 1 192 3 227 17 78	48 56 53 34	1	5 4 3 3	25 26 15 20	3 - 5 - 7 - 13 -	7	16 10 10 12	10	28 26 21 20 2,816 209 366 7	19	72 4 66 4 36 4 48 4	10 11 12 13
278 17 40	94 374 5 825	186 453 9 916	113 18, 572 957 2, 903 59 6, 942	4 2 159 8 15 2 70 6 17	595 852 35 2, 351	471 66 23	84 5 4 31 31	55 132 7 427	51 64 4 218	21 72 1 192	312 647 17 1,821	211 33 30 3 95 10 62 20	334 40 57 3 124 7 114 30 34	334 408 23 1,064	224 3 386	149 43 2 117	66 164 2 376	18 1 2	209 366 7 855	1 1 1 7	566 910 29 3, 001	14 15
135 5 71 10 27 2 5	18 18 10 14 2, 130 94 374 5 825 23 656 62 231 4	928 123 520	6,942 239 5,909 607 2,287 33 531 19 123 1,071 110		35 - 6, 288 595 852 35 - 2, 351 189 2, 278 341 657 24 150	171 22 243 43 43	43 2 6	15 8 3 6 1,058 155 132 7 427 9 369 37 99 2	633 51 64 4 218 10 291 31 44 6		48 56 53 34 4,544 312 647 17 1,821 81 1,240 188 690 22 146	10 62 20 19	7 114 30 34	25 26 15 20 2,841 334 408 23 1,064 81 959 218 318 8 92	13 1,551 44 224 3 386 2 721 37 180 40	436 149 43 2 117 32 228 108 35 5 13	12 - 1,097 - 66 - 164 - 2 - 376 - 13 - 408 - 46 - 132 - 5 - 17	3 1 2	855 43 1, 287 149 226	<u>2</u>	3, 440 \\ 3, 440 \\ 380 \\ 654 \\ 14	16 17
4 2		95 4 31 60	531 19 137 123	1 3 2	150 6 48 49	10 - 1 - 4 -				9	59 42	5 1 2	13 2	4!	40 1 12 14 67	1	17 24 15 62	6 6 1	82 2 41 29	5	166 }4 7 4 71 5 52 5	18 19 50 51
8 1 5 4	18 12 124 18 28 69 35 45 16 6	916 37 928 123 520 13 95 4 31 60 217 14 83 185 98 81 35 17	1, 071 110 245 696 359	3 2 10 1 2 5 2 7 2	48 49 243 47 34 175 66 125 34 21	15 3 2 14 5 5	27 23 3	14 13 53 6 30 30 28 24 14 10	7 11 38 6 5 21 7 13 6	4 2 34 2 13 24 17 11 4 17	352 79 - 84 217 113 234 37 35 75	9 5 11	13 2 15 4 8 18 18 7 1 2 4	46 22 167 22 64 120 37 72 27 23 58	67 4 - 16 - 41	11	62 9 22 39 24	3 1 3	41 - 29 - 146 - 22 - 43 85 59 - 56 - 23 15 - 41	2	Se4 23 3 3 5 5 5 5 5 5 5	52 53 54 55
3 2 1 4	45 16 6 31	81 35 17 80	245 696 359 339 135 70 312	7 2	125 34 21 117	5 3	5 2 1 2	24 14 10 16	. 13 6 1 8	11 4 1 17	234 37 35 75	4 1 4 1 3	7 1 2 4	72 27 23 58	22 4 11 18	3 2 1 8	29 11 18 17	0	56 23 15 41	1	227 5 78 5 38 5 136 6	57 58 59 60

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

	AREA AND COLOR	All causes	Ty- phoid and para- ty- phoid fever	Small- pox	Mea- sles	Scar- let fever	Whooping cough	Diph- theria	Influ- enza	Ery- sipelas	menin- gitis	Tuber- culosis of the respi- ratory system	culosis of the menin- ges, etc.	Other forms of tu- bercu- losis	Syph- ilis	Ma- laria	Cancer and other malig- nant tumors
ĺ			1, 2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53
_	NORTH CAROLINA																
1	Asheville *White	462							13		2	60		1	4		35 10
2	ColoredWhite	223 534			3	3		1	11 8		1	23	1 3	1	5		47
3	Colored DurhamWhite	405 453	1		1 1		1	2	12 11	2	1	29 10 41	4 3	5	8	1	7 44
4	GreensboroWhite	392 406	3		2	i	2	2	14	1	i	9	$\begin{vmatrix} 2\\1 \end{vmatrix}$	10 3			22 32 13 25
5	High Point White White	230 270			1 6	<u>-</u>	2		10	1	1	13	<u>-</u>	5	9		13 25
6	Raleigh *White	85 43 5			1 1			2	11			13	2	1	4		. 29
7	Wilmington White	265 263	1				3	1 1	8		1	24		1 2	1		9 24
8	Winston-Salem	269 370	1			2	4		4		3	9			9 2		6 26
	Colored NORTH DAKOTA	502	lt .				9	1 1	12	1		58		6	7] 1	7
9	Fargo	337	1		2		1	1	6			7	2	3	2		43
10	OHIO AkronWhite	1,846	1			. 8	4	. 5	46	3	1	52	3	7	19		204
11	CantonWhite	139 1, 0 04			2	3						20 17	2	1 6			119
12	CincinnatiWhite Colored	5, 780 1, 001	13			30	. 8	3	12		5	193 175	10	15 13	1 22		645 55
13	ClevelandWhite Colored	8, 546 1, 275	2		39		. 30	13	18			450 219	14 4	15 12	45 51		963 62 52
14 15	Cleveland HeightsWhite	309 3, 547			1	3 5	1		5		2	119		1 13	21		52 413
16	Colored DaytonWhite	549 2, 150			i	2	4	15	23		1 2	48 82	5	5 4	13		413 27 241
17	Colored East Cleveland	278 278 227	sil 1				á	ĩ			l î	30		1 1		1	19 34
18 19	Elyria Hamilton	289 595	1		į		1	11	5			26	1		i i		33
20 21	Lakewood	527 565			á	3	i		13	1		11	1	2	2		70
22	Lima Lorain	347			4	1 2]	í	. 12			12		2	į		35
23 24	Mansfield Marion	414 351	. 2			i	. 2	1	23	1		17		1	ļ		27
25 26	Massillon Middletown	274 286	3	3		. i	7	1	14		1	15		4	2		13
27 28	Newark Norwood	403 205	ill					1	22			10		;	3		29
29 30	Portsmouth	562 695	5 2	2		3	. 4	1	25	. 2	1	23 15	1	i	4		76
31	SteubenvilleWhite	120 448	3				8		17	4		10				-	199 344 622 666 355 277 266 133 278 284 488 763 377 284 481 481 481 481 481 481 481 481 481 4
32	Colored	3, 216 228	2		. 2	2 6	12	5	77		5	148		15	17		337
33 34	WarrenWhite	467 1, 449	1 2	2	12			8	11		1 4	35		3	3 2		45 168
35	Colored Zanesville	210 551						3	16			27 18	' 1	3	4		3
	OKLAHOMA		1				1]									-
36 37	EnidWhite	376 398	3	 				. 5	20				1 2	2	2 2	3	32 36
38	Colored Oklahoma CityWhite	398 162 1,831	1					1 20	F	SI		14	i	2	2 27	L :	2 6 1 179
39	Colored White	260 1,023	} :	į				. 1	26			14 5 58 26 36	3	8 7 4	2 8) :	17
00	Colored OREGON	188	≨ §	í					. 56			11		}	5 8		5
40	Portland	3, 422	g 2	2	. 11	1 1	1 4	3			2 8	77			3 48 2 11		467 51
41	Salem *	628	` - -			-	1 '	1	11			. 14	,	'	1	` <u>-</u>	01
40	PENNSYLVANIA		1							_					,	.] .	1 10
42 43 44	Alliquippa Allentown	142 1, 254	1	įi		1 4	1					60) 4		12	2	116
44 45 46	Altoona BethlehemWhite	964 383	3	1	.	2			.]	3		17	3	.] ;	11	.	. 43 - 43
	Colored	528 164	1			:		5			i	14	3]]			5	116 92 43 52 9 32 154 109
47 48	Easton Erie Harrisburg *	320 1,311	(:	2		<u>i</u>	1	3 8	3 3		i i	5	7 8		2 2 6 1		154
48 49 50	Harrisburg * Hazelton	1, 229 524	4		:	3 : 1		14	1 4	1	1 3	1	L)]		5	3	. 109 . 44
51 52	Hazelton Johnstown * Lancaster * Lebanon *	946 929	ili :	3		7	3	3 10	II 2	ıl '	i	33 33 13	l) 2		1 1	1	87 125
53 54	Lebanon * McKeesport	1 1004	7 :	1				2 1	l :	3	1		i	,	1	3	- 38 - 56
51 52 53 54 55 56 57	Nanticoke New Castle	332 589	2	2		1	-	1 3	3 !	9 :	2	1:	2	. :	1	-	. 19 - 43
57 58	Norristown *White	20, 318	3 :	2		1 4		2			.	3	al 2	3	11	_	44 87 125 38 56 19 43 48 1 2, 568 1 223
J J	Colored	3, 428	il "i	5			5 1	6l 1	6	3 1	il i	45		3	1 73 3 13	31	1 223

¹ Excluding collision with railroad trains and street cars.

7	1	1	<u> </u>	<u> </u>	i !			 -	<u> </u>					1	<u> </u>	1	1		Ī			F
	İ	Cere-				DIARRH	ea and Bitis	 !	Her-				. 	Con- genital				OBILE DENTS	 	Un-		
Rheu- ma- tism	Dia- betes melli-	bral hemor- rhage	Dis- eases of the	Bron- chitis	Pneu- monia (all		2	Ap- pen-	nia, intes- tinal	Cir- rhosis of	Ne- phri-	Puer- peral septi-	Other	mal- forma- tions	Sui-	Homi- cide		In col- lision	Other ex-	known or ill-de-	ΑΠ	
and gout	tus	and soft- ening	heart		forms)	Under 2 years	years and over	dicitis	ob- struc- tion	the liver	tis	cemia	puer- peral causes	and dis- eases of early		0.00	Pri- mary 1	with rail- road	ternal causes	fined dis- eases	other causes	
56-58	59	82a, 82e	90–95	106	107–109	119	120	121	122	124	130–132	140, 142a, 145		infancy 157–161	163–171	172–175		trains and street cars		199, 200		
				<u> </u>																		_
2	9 2	38 22 43 40	73 40	1	31 22	3	2	11 1 11	10 2	2	20 26	2 1	4	35 9 49	9 3 15	6 7	14 2 21	2	19 4 31 13 11	2 2 2 3	. 58 16 102	1
1 1 2 2 2	11 4 9 4	40 23 10	88 71 54 46	2	31 22 26 60 25 22 21 17	8	3 2 1	5 9 5	3 4 7	1 3	20 26 38 16 34 33 38 18 12	.1 8 2 5	6 11 5	32 37	5	18 5 20	4		13 11 19	3 9 16	46	} 2 } 3
2	12 2 10	23 24	51 33 35	1	21 17 19	4 4 3	î	5 9 5 17 2 10	6 1 2	1	38 18 12	5 2	863	34 20 38	14	5 20 3 7	13 6 10	1	19 20 5 8	1.	103 60 64 29 29	}.4 }.5
3	 8 1	9	13		9 19 14	4	1 1 1			<u>i</u>	55 24	2 3	4 5 4	9 24 11	9	1 3 11 1	7 7		14	1 1	7	J- "
$\begin{bmatrix} 1\\ -\cdots \\ 2\\ 2 \end{bmatrix}$	4 2 9	20	33 35 59		24 27 26 69	15 3 6 10	1 1 3 2	12 2 6 2 10	3 1 4	<u>2</u>	55 24 27 45 27 35	2 3 1 2 5 3	4 7 6	20 24 42 35	6 15	11 11 2 18	12 3 10		16 13 6 12 12	2 10 3 33	93 32 38 42 57 45	} 7 } 8
2	5			1	27	3	· 1	12	6	2	6	1	3	28	8		6		14	1	67	.9-
9	$\begin{vmatrix} \cdot & & \\ & 44 \\ & 2 \end{vmatrix}$	162 11 104	357 26	31	11	l	2 2 3	26 1	28 2	8	136 15 51	11 2	11 1	110		19 6	79	10	76 6	1	243 16	7.00
15 3 40 4	21 130 14 220 14 16 83 10 43	104 466 70	195 1, 154 166 1, 706	1 27	438 97	48 6	18 18 4 15	129 5	12 84 5 92	IΩ	465 32 473	11 2 10 20 2 30	6 32 3 41	197	9 120 5 188	6 12 30 50 81 45 2 13 21	32 108 16 239	9	35 262 26 370	3 1 30	136 822 135 1, 170	}12
4	14 16 83	466 70 613 85 27 283 30	1, 200 176 95 680		169 18	7	. 1	10	15	3	85 23 243 39	8 1 15	7	55	10 55	45 2 13	23 1 91	<u>-</u>	30 8 172	8 2	138 33 642	14
7	I 4	30 155 10	99 536 48	1 4	128 129	1 10	3 7 3		55 7 32 3	14	138 16	3 11 1	7 5 1	20 73 12	- 4	21 6 16	.8 54 4	2	25 96 11	1	83	} 15 } 16
<u>1</u>	7 7 15	155 10 36 22 52 53 37	63 64 92		17 14 26	9	1 2 2	7 5 9	3 2 3 7	. 6	14 36 44	<u>4</u>	1 3 3	15 42		1 5	11 14	3	11 36 20	3 7	25 35 78	17 18 19
4 1	15 20 11 8 10	16	66	3	39 21 26 21	2 2	<u>1</u>	24 7	5 14 2 3	4 4 7	29 34 27 33	6	7 3	42 22 22	6 14 11	2 8	13 14 12 13	1 2	31 16 19	- 7	114 33 40	21 22 23
5	8 6	22 22 21	76 56 40	1	16 13 19 18	4 2 9	î 1	24 7 7 2 7 3	3 2 10	1 2 3	27 33 26 19 18 38 15 41 65	1 2 1	4 1 4	15 42 13 42 22 22 18 16 21 13	10 3 4	. 2 2 2 2 2	6	. 3	22 15 17	4	298 333 255 357 64 114 333 349 49 377 322 23 59 66 77	17 18 19 20 21 22 23 24 25 26 27 28 29
1	8 9 12	42 26 41	77 57 71	3	18 5 42 39	1	1 2	13	9 1 6	3 1 4	38 15 41	1 1 5	6 7	5 31	5 11	6	1 18		31 11 38 29	1	50 23 59	27 28 29
1 3 5	16 1 16 70	10	18	<u>1</u>	13 28 197	8 1 8 19	13	13 15 2 11	11 2 11 43	5 44	14 18 173	3 11	5 13	29 3 29 165	10 3 50	1 3 7 18	20 2 11 105	<u>2</u>	29 6 34 136	3 2	70	27
1 2 9	1 6 31	212 11 46 96	47 92 273	1 1	28 28 137	2	 1 6	60 - 2 19 34 3 15	2 11 43 4 2 19 2	1 3 10	175 15 80 17 40	1 4 11 2 5		165 10 32 91	59 2 3 24 1	6 7 16 10	4 21	1	5 28 81	2 2 2	511 26 65 189 14	}32 33
1	15	14 47	29 103		40 32		2	3 15	2 6	2 1	17 40	2 5	4 7	10 26	1 7	10 2	7 16	2	10 39		14 81	} 34 35
3 1	11 2	30 29	51 51		25 29	2 5	3 2	13 11	7	3	27 25 14	5 2	1 1	19 16		7 6	5 10 2 60	1	22 23 4	3 10	74 85	36 }37
3	11 2 1 27 1 1 12	30 29 5 90 17 78 11	51 51 27 236 21 166	3	25 29 12 131 26 74 27	2 5 2 37 3 27 4	3 2 2 2 6 2 8 3	13 11 2 63 4 36 10	31 2 19 5	17 4	27 25 14 112 11 56 12	20 2 8 4	19 1 8 3	- 10 48 5	38 29 2	6 14 14 7 12	60 6 30	3 1	22 23 4 101 9 37	3 10 5 29 5 7	74 85 32 293 34 142 26	}38- }39-
7	 68 9	,11	18 759 141	ì	i	_	, 3 6		31 7		12 311 44	4 9	. 7	5 83 15	104 10	12 19 3	74 13	6 2	7 159 12	3 4	538 185	30° 40° 41
	9	49	141	1	20		1	٩	'		41	1	3		10	3	10		12	1	Ì	
2 3	58 32	5 87 70	24 262 217	3 2 4 1	19 88 86	8 12 5 7	1 2 4	28 10	16 7	14 9	6 96 81	6 5	11 9 2 2	11 57 64	4 17 9	1 4 1	36 30	i	2 49 42	9	18 178 108	42 43 44
1	13 9 2	60 39 6	106 13	1	38 21 10	7 1 3	3 	15 1	7	6 1	29 47 24	1		15 41 10	12	2 6	14 4 3		30 6		60 22	46 46
2 6	38 43 25	84 77 18	283 278 114	4 6 4 3 4 1 2 1 1 2	85 101 36	16 5 8 25 4	3 3 2	27 32 26	19 13 8	12 9 6	89 155 44	. 7 - 9	10 6	· 66 41 32	26 14 2 9	2 6 1 9 3 4 2	36 35 22	2	56 57 33	1	147 136 55	48 49 50
6 3 3	28 24 12	32 59 38	132 212 83	1 1 2	73 69 29	25 4 4	10 <u>4</u>	23 13 8	19 16 8	7 10 2	82 62 - 60	- 9 6 6 7	11 13 5	69 48 17	6		35 22 25 26 9		60 36		118 123 43	51 52 53
33 4 1 3 1 73 13	158 588 313 9 22 166 388 433 225 244 12 144 8 8 12 541 640	87 70 60 39 6 33 84 47 18 32 19 16 46 46 1,086 1,086	242 262 217 87 106 13 84 283 278 114 132 212 212 212 5,5 5,5 651	$\begin{bmatrix} 1\\1\\2 \end{bmatrix}$	1 40	10 . 3 . 6	2 1	15 14 27 32 26 23 13 8 18 4 7 6 203 203 203	16 77 22 74 22 19 16 85 6 7 9 20 20 38	14 9 4 6 1 12 9 6 7 10 2 2 203 26	96 81 29 47 24 31 89 155 44 42 60 52 24 38 2, 160 269	6 3 5	3 10 6 6 11 13 5 2 7 7 114 27	111 577 644 15 411 100 111 666 411 32 699 48 8 23 34 23 26 - 26 - 26 - 28 - 28 - 28 - 28 - 28 - 28 - 28 - 28	11 2 7	7 2 5 1 79 71	14 9 20	1	14 38 37 27 27 724 95	. <u>1</u>	18 178 108 411 600 222 38 147 136 55 118 123 43 49 47 77 1661 2,435 383	54 55 56
\ 73 13	541 60	1, 088 156	5, 590 651	65 5	1,312 336	141 39	.55 15	203 26	202 38	. 203 26	2, 160 269	. 6 55 16	114 27	739 182	11 333 18	79 71	20 14 292 29	· 2 14 · 1	724 95	, 1 1 6	2, 435 383	58.

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES FOR STATES, BY GROUPS OF 1932—

=		.															1932
	AREA AND COLOR	All causes	Ty- phoid and para- ty- phoid fever	Small- pox	Mea- sles	Scar- let fever	Whoop- ing cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	Tuber- culosis of the respi- ratory system	Tuber- culosis of the menin- ges, etc.	Other forms of tu- bercu- losis	Syph- ilis	Ma- laria	Cancer and other malig- nant tumors
			1, 2	6	7	8	9	10	11	15	18	23	24	25-32	34 	38	45-53
	PENNSYLVANIA—continued				j	,]					i		i			
,1	Pittsburgh White Colored Reading	7, 735 912			16	34	19 5	28 2 3	217 30	1	22 5	263 58	22 9	20 5	30 17		734 30
.2 3 4 5	Scranton	1, 325 1, 855	2		1 1	8	4 11	3	22 31	4	1 5	58 50 84 12 27 12	1 10	5	10		151 167
	Sharon Wilkes-Barre Wilkinghara	327 1, 244	3			5	10	25	17 29		1	12 27	3	1 5			151 167 29 97 30 67 87 52
,6 7 8 '9'	Wilkinsburg Williamsport	332 653	1			<u>2</u>	1	1	8 12			12 9		1 1 2 3	1 4		30 67
′9; 10	York Lower Marion township	751 375						1	14 2 5	2	1	17 4	1	3	6		87 52
10	Upper Darby township	395				~	2	3	5			8			1		48
11	Central Falls	189		ļ						ŀ							
11 12 13 14	Cranston Newport	795 382			1 5	3		1 1	1 5			7 27	<u>î</u>	3			26 102
14	Pawtucket Providence	805 3, 312			8		1	1 4	6 9	1	1	13 10	7	3 6	1		102 44 95
15 16 17	Woonsocket East Providence town	486			2			16 2	21 4		2	98 13	11 4	14 4			415 61
17	SOUTH CAROLINA	2 50				2			2			9	1		1		42
18	Charleston	443	1	!						ĺ							Ì
19	Colored	845 525	7					1			<u>î</u>	12 85		1 9	3 51	4 2	32 34
20	Colored White	477 289	1		4	<u>î</u>		3	23		2	16 26		1 1	6 6	2 4	34 29 17 20
₹1° 21	ColoredWhite	244 264	2				3 2	1	11 10		1	5 15		2	4 13		61
ţ	Colored	227	5				2	1	16 12			11 24		<u>2</u>	5 2		17 12
`	SOUTH DAKOTA																1
22	Sioux Falls	395	2						. 9			12	1	1	1		59
. ,	TENNESSEE	ĺ														[
23	ChattanoogaWhite	903 651	5 11			3	3	8	37		1	42	2	.9	7	1	55
24 25	Johnson City	235 1, 046	1 8			1	2 10	17	36 16 65			72 20	<u>5</u>	10	1	1	55 16 16 61 14
26	MemphisWhite	297	3 13			2	11	18 18	11 46		5 6	36 18 64		2 1	8 5		61 14
27	Nashville	2, 169 2, 175 1, 564	15 10			3	9 10	29	55 67		4	187 52	8 9 8	14 37 7	118 12	18 18	205 88 134
!	Colored	848	2				î	2	39			61	2	10	20		42
28	Beaumont	328	1			,[1	5	12		[7					2-
29	DallasWhite	289 2, 204	9		1	3	3 2	3 32 15	35 113			16 55	3	4 12	7	3	35 12
30	El PasoWhite	840 540	12			<u>1</u>	6	15	41 19	1	i	62 116	3	6	16	5	183 32
31	Fort WorthWhite	922 1,361	6 2			2 7	6	5 20	73 61	2	2 2 1	119 59 32	6	12 2	11		45
32	GalvestonWhite	404 478	3 2				1	3	17 5		ĩ	32 34	1		12		16
33	HoustonWhite	255 2, 149			2		ĩ .	19	3 66		5	23 101		1 3 7 27 6	14 19	1	16
34	San Antonio	1, 330 3, 123	6 8		2 5 4	Ĩ	51 61	4 15	48 152		5	124	13	7	19 38 37 17	10	43
35	WacoWhite	331 488	17		2	i	6 2 4	15 2 15	14 21	- ;	7	277 28 28 28 27	1	6	17		45 125 16 47 16 243 43 229 15 43
- 1	Colored	218	5		1		$\tilde{2}$	1	10			27	2	1	2	1	9
36 37	OgdenSalt Lake City	435 1, 594	<u>i</u>			1 5	<u>i</u>		18 59	2	3 10	6	· ₁	3 14	1		35 194
38	VERMONT Burlington	462			4	2	1	1	4	4	1	4	1	3	3		54
7	VIRGINIA VILLE	22.	ļ			ļ			1	1	7	1	7	9	ή.		0.2
39	Lynchburg White Colored White	390 240	1 2			1	7		22 10			7 11		1	2 13		25 6
40	Newport News White Colored	211 261 874	2 2				$\frac{3}{2}$	2	3.			8	2		11		16
41	Norfolk White Colored Visite	795	i		·i	1	7	1 2	9 13	<u>1</u>		24 27 67	1 3	4	2 17		96
42	Petersburg *	200 288	1 2				····-2	1	4 18			9 21 .	ĭ	1 .			18
	Colored	258 349	2			1	4	1 3	4 11			111		i	11	1	19 10
44	Colored	1, 544 1, 072	3		i	<u>i</u>	2 6 -	2	24 29 -	1	2	36 52 93	5 7	5 10	7 25		25 6 16 7 96 28 18 19 10 174 59 56
1	Colored	587 203	2		1	5	7	3	23 6 -	1	i	16 9	3	2	3 -		56
. :	Excluding collision with railroad trains	and street	t cars									•	-	٠.	W .		•1

^{· 1} Excluding collision with railroad trains and street cars.

		Cere-				DIARRH ENTE	EA AND		Her-					Con- genital		•		MOBILE DENTS		Un-		
Rheu- ma- tism and gout	Dia- betes melli- tus	bral hemor- rhage and soft- ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Under 2 years	2 years and over	Ap- pen- dicitis	nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Pri- mary ¹	In col- lision with rail- road trains and	Other ex- ternal causes	known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82c	90-95	106	107–109	119	120	121	122	124	130–132	142a, 145		157–161	163–171 	172-175		street		199, 200		
24 1 9 1 4 1 1 4 2	156 15 54 48 41 33 5 28 17	500 56 777 103 25 53 30 48 68 \ 30 23	1, 508 132 346 452 55 224 78 176 173 99	21 22 3 12 14 4 2	974 194 93 177 21 138 27 48 56 20 19	85 7 12 21 1 6 2 3 11	16 22 4 5 1 3 1 2 2 2	118 12 27 31 11 39 4 7, 6 8,	96 7 15 21 4 21 4 11 16 6 4	12 12 12 12 1 1 1 2	532 77 110 106 17 106 34 55 49 21 57	48 5 1 4 2 10 2 2 8 2 1	53 8 6 16 4 10 1 1 3 5	414 56 58 100 17 65 12 35 55 11 12	98 3 23 20 4 22 6 9 15 5 13	42 20 7 1 5	148 111 35 32 9 34 12 18 10 22 24	9	347 30 53 127 20 67 14 33 27 20 14	87 27 1 7	945 85 142 217 58 154 41 71 93 45 39	} 1 234 567 8910
2 4 11 2	6 13 10 29 104 7 5	12 85 33 65 221 32 39	42- 250 111 163 699 89 62	2 2 1 1 8 3	16 77 24 62 271 46 18	1 2 2 10 23 7 2	3 1 1 8 1	4 3 5 13 71 7	2 3 2 9 43 5	2 3 2 11 17 5	17 69 32 91 341 62 23	3 15 1	10 15 7	18 4 14 63 196 26 11	1 6 8 7 44 6	3 2 3	5 2 4 11 51 8	2	6 22 10 33 122 18 6	1 1 17 1 1	16 77 52 74 395 57 23	11 12 13 14 15 16 17
1 3 2 2	12 6 10 6 3 3 2 -1	26 55 45 58 10 23 14 -19	107 138 78 54 34 41 34 36	2 1 1 2	36 70 46 39 15 16 16	6 26 3 12 4 5 2	1 6 5 2 2 1 1	4 1 2 10 8 3 7 3	8 4 7 1 7 2 5 5	2 4 2 1	39 68 54 50 28 28 14 28	3 2 6 2 5 5 4 5	4 8 3 7 6 1 1 2	29 91 38 20 29 12 19 6	5 2 11 1 4 2 3 1	8 17 4 10 8 7 7 8	10 12 19 8 14 3 9 6	, 1	19 23 21 20 12 4 17	2 1 1 . 3 2	54 92 97 89 51 31 50 26	** 3
1	12	29	. 64	1	21	3	2	20	7	3	16		4	27	4	1	7		22	3	63	22
1 6 3 3 1 5 5 3 4	10 2 2 12 4 40 23 20 9	57 46 22 52 15 106 136 95 78	116 72 32 120 48 307 247 253 132	3 2 2 2 2 3 4 3	65 78 11 81 35 142 184 113 80	23 . 9 7 17 2 24 12 31	4 2 3 4 4 8 11 7	17 7 4 21 4 61 43 46 13	15 10 1 21 3 28 31 17 11	7 2 5 20 7 14 2	73 27 15 74 28 143 127 88 69	8 4 1 4 10 12 12 4	6 5 3 12 1 21 18 16 7	72 13 17 76 10 131 131 107 26	12 1 2 15 1 49 10 26 1	12 31 13 15 30 117 15 35	19 7 . 6 . 25 . 3 67 . 34 . 52 . 20 .	· 2	51 27 12 65 14 114 69 75 27	43 70 3 48 10 34 66 13	33 145 35	23 24 26 27
2 2 5 1 5 4 1 4 1 6 2 2	7 2 40 7 10 3 19 6 10 3 46 11 45 4 5	15 9 147 81 18 21 102 35 17 118 53 128 14 18	45 40 346 777 70 90 226 366 123 44 403 171 362 36 71	2 8 3 6 6 4 1 8 2 14 2 2 2 2	21 29 133 118 37 84 72 55 36 20 108 148 287 26 32 18	1 2 42 23 5 81 20 3 3 	4 22 7 6 4 18 6 1 2 1 8 7 48 1 2	12 2 66 13 19 18 31 8 7 3 5 25 5 4 10 20	3 3 3 9 7 10 14 5 9 3 3 20 42 5 6	19 3 2 7 8 4 6 2 23 12 118 2 3	25 - 20 118 44 14 36 58 36 27 25 151 27 - 29 13 -	2 13 6 2 6 7 1 1 1, 6 18	44 84 44 87 11 22 44 19 71 17 15 2	29) 211 164 46 22 64 91 20 13 7 83 .42 144 21 10	9 17 4 21 8 30 1 8 1 62 9 57 1 12	2 50 51 9 8 24 23 4 7 28 57 43 13 2	8 63 8 12 18 47 9 14 15 53 11 46 4 16	1 3 3 1 2 2 2 2 1 1	16 - 15 - 104 - 27 - 19 26 91 111 21 9 102 46 109 6 27 - 9	2 2 2 2 2 1 1 48 116 212 10	2001	28 29 30 31 32 33 34 35
5	5 23	23 64	81 306	2 3	33 113	18	<u>2</u>	20 65	12 31	6	19 104	. 9	3 14	34 85	5 24	2 7	13 58	2	23 67	12 19	69 238	36 37
	13 5 3	28 22 18	94 66 -	2	28 19	1	2	17	9	. 3	36 27	5	5	33 43	5_	3	12		23 -	1	ľ	38
2 5 1 1 5 1	5 3 15 13 8 3 11 33 20 14	22 18 13 20 71 104 8 27 23 45 108 101 53 8	66 30 44 44 228 175 44 29 50 36 312 137 90 27	1 1 1 1 5 2	19 15 10 42 35 82 3 37 15 41 73 94 31	1148824 64837	14447 5136913	4 3 1 18 11 3 1 5 1 30 16 22	2 3 11 15 2 2 1 20 11 11 3	3 1 2 6 1 2 6 1 5 1 1 6 3 2	26 21 25 57 35 43 45 27 182 90 42 25	1 4 2 4 1 7 10 4 2	6514475 323301425	43 8 20 6 37 35 14 19 18 15 77 58 40	2 4 4 4 6 2 9 1 34 2 11 1	3 5 27 5 25 25 6 6 29 6 5	8 7 1 26 10 5 3 4 55 12 14 3	2 2 2	18 8 11 50 23 6 19 12 60 28 24 16	3 10 21 5 6	84 44 31 25 107 83 25 29 43 218 168 88 19	39 40 41 42 43 44 45

Table 5.—Deaths (exclusive of still births) from selected causes for states, by groups of 1932-

	AREA AND COLOR	All causes	Ty- phoid and para- ty- phoid fever	Small-pox	Measles	Scar- let fever	Whooping cough	Diph- theria	Influ- enza	Ery- sipelas	Epi- demic cere- bro- spinal menin- gitis	of the	Tuber- culosis of the menin- ges, etc.	Other forms of tuberculosis	Syph- ilis	Ma- laria	Cancer and other malignant tumors
1 2 3 4 5	WASHINGTON Bellingham Everett. Seattle	347 366 3,943 210 1,342 1,380 749 138 339 905 440	1 2 1 2 4 4 5 4 10	1	15 15 1 1 2 2 8 1 1 1 3	3		1 1 2 1 1 7	16 8 63 1 40 20 32 8 17 29	5 1 2 1	5 2 5 1 1 2	8 9 148 36 20 31 27 11 9	4 4 2 2 2	2 2 18 3 6 5			41 40 517 15 167 152 48 5 26 63 37 89
10 11 12 13 14 15 16 17 18 20 21 22 23	Wheeling * Wisconsin Appleton Eau Claire * Fond du Lac Green Bay * Kenosha La Crosse * Madison * Milwaukee Oshkosh Racine Sheboygan Superior West Allis	910 338 421 400 564 371 617 958 5, 210 475 55, 210	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		1 22	10	33 3 14	1 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 5 4 31 6 9	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	225 8 8 8 8 12 27 203 10 10 10 11 11	1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1	4 1 1 2 1 2 1 2 3	34 11 11 13 36 36 36		40 48 70 60 43 76 186 654 57 86 44 63 12

¹ Excluding collision with railroad trains and street cars.

Rheu-		Çere-				DIARRH ENTE			Her-					Con- genital		5		IOBILE ENTS		Un-		
ma- tism and gout	Dia- betes melli- tus	bral hemor- rhage and soft- ening	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Under 2 years	years and over	Ap- pen- dicitis	nia, intes- tinal ob- struc- tion	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Pri- mary ¹	In collision with rail-road trains and	Other ex- ternal causes	known or ill-de- fined dis- eases	All other causes	
56-58	59	82a, 82c	90-95	106	107–109	119	120	121	122	124	130–132	142a, 145		157-161	163–171	172–175		street		199,200		
1 1 8 7 6	6 14 94 2 29 33	44 29 315 11 113 89	74 81 926 30 253 294	11 11 4	10 26 229 12 75 72	1 6 3 3	2 4 5	1 3 45 3 40 28	6 3 36 2 20 13	3 24 2 4 6	34 40 253 11 127 142	2 2 5 10 5	2 3 18 2 10 2	7 14 150 2 56 67	6 9 148 10 32 37	1 16 8 8 8	10 12 74 6 25 45	2 1 2	17 22 155 14 55 89	1 3 2 2	45 34 597 24 207 195	1 2 3 4 5
1 2 2 2 1 5	19 2 6 18 6 22	25 10 27 83 36 50	· 80 15 62 114 48 147	2 1 2 2 1	34 18 23 76 20 101	46 4 2 25 7 18	9 1 8 1 7	9 6 18 14 22	, 10 2 5 8 6 12	1 4 1 3 9	50 19 21 54 34 75	11 2 7 4 6	92 532 3	65 4 21 71 32 49	15 1 8 20 10 15	13 1 4 14 3 3	26 6 12 14 20	1 1	55 5 19 41 27 53	3 1 2 	102 16 53 148 78 124	} 6 7 8 9 10
1 1 2 1 1 12 12 1 2 1 12	6 14 7 122 7 26 27 157 8 12 21 9	27 32 40 24 24 33 56 371 49 37 28 19	50 83 75 88 82 142 157 1,187 103 114 93 77 43	1 1 1 2 3 16 2 2 2 2	23 34 17 29 25 41 62 373 19 37 23 19	41 33 22 41 40 22 63 22 1	3 2 5 11 11 2 2 2	13 12 6 28 6 22 21 80 12 10 12 6	4 8 8 12 5 9 58 11 3 1 5	1226279 6226512	35 26 36 28 32 35 38 340 19 55 17	212331551243	4 3 5 2 6 6 30 3 4 11	27 22 11, 40 30 39 49 245 33 23 13 28	3 5 6 11 4 7 17 115 4 14 5 12	21 1 3 3 3	13 6 8 19 13 15 22 97 13 11 3 7	1 2 4 1 1	5 25 27 26 21 29 35 178 21 15 18	1 1 2 2 1	47 57 61 99 41 82 181 660 83 67 53 62 13	11 12 13 14 15 16 17 18 19 20 21 22 23

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	Total deaths (all causes)White_	1, 293, 269 1, 115, 555	119, 431 96, 250	17, 568 13, 999	9, 109 7, 440	6, 482 5, 387	5, 406 4, 532	157, 996 127, 608	19, 524 16, 573	16, 314 13, 317	26, 618 19, 871	35, 957 25, 851
ļ	Colored Males	810 284	23, 181 55, 035	3, 569 7, 597	3, 981	1, 095 2, 848	2,462	30, 388 71, 923	2, 951 9, 133	2, 997 7, 644	6,747	10, 106
	Colored FemalesWhite	94, 222	12, 804 41, 215	1,880 6,402	868 3, 459	563 2, 539	2, 402 442 2, 070	16, 557 55, 685	1,543 7,440	1,553 5,673	3, 058 8, 762	4,840 12,423
	Colored	83, 492	10, 377	1, 689	801	532	432	13, 831	1,408	1,444	3, 689	5, 266
	I.—Infectious and parasitic diseases: Males	62, 766 20, 424	4, 885 1, 684	2, 180 630	1, 277 274	941 227	811 168	10, 094 2, 983	2, 530 579	1, 323 525	2, 025 1, 273	2, 947 2, 022
	FemalesWhite.	52, 486	4, 179 1, 509	2,004 581	1, 250 310	940 217	766 175	2, 983 9, 139 2, 792	2, 345 590	1,393 704	2, 634 1, 896	4, 120 2, 654
· 1	Typhoid fever: Males	1, 790	12	21	16	15	22	86	87	125	250	284
	Females White	745	10 6	3 13	8 9	15 9 18 8	11 17	41 63	69 95	74 143	125 167	134 150
2	Paratyphoid fever:	618	8	6	7	8	6	35	64	80	123	93
	Males	1 5	11	1			1	2	3 1	$\begin{array}{c} 1\\1\\2\\2\end{array}$	1 1 5	4
3	Typhus fever:	10	2		į			3	2	1		
	Males	. 2							4		2	
5	Females	1 4		-					ī			
Ü	MalesWhite. Colore	L							i	2		4
	FemalesWhite. Colore Smallbox:	21	1					1	2	4		1
6	Smanpox: MalesWhite Colore		1	i			- -	1 2		. 1	<u>i</u>	2
	FemalesWhite Colore	7	5					5 2	1		1	1
7	Measles: MalesWhite	948	215	260	102	59	45	681	161	39	21	10
	Colore Females	827	27 174 14	19 183 14	7 79 6	6 48 5	4 44 3	63 528 42	140 11	50 1	19 3	1 6 1
8	Scarlet fever: Males		+	121	141	114	95	516	354	92	69	27
	Colore FemalesWhite	1 27 1, 296	45 2 36		98	110	108	10 448	6 394 15	121	68 8	73
9	Whooping cough: Colore Males		1, 177	365	3 118	3 45	33	15 1,738	62	6	3	3
	Colore FemalesWhite	1 573 2, 215	335 1, 281	147 484	34 199	25 81	9 54	550 2,099	20 78	10	1 1	1 1
10	Diphtheria: Colore MalesWhite	- 1	412	173	61	23	18	1,438	17 689	138	36	, 14
	Colore FemalesWhite	1 248	197 40 138	316 43 260	329 32 331	295 40 303	301 22 250 26	1, 436 177 1, 282	45 674	10 161	3 56	14 4 25
11a	Colore Influenza, respiratory complications specified:	235	26	37	30	30	1	149	53	11	6	5
	Males	1,927	995 277 808	365 106 305	166 49 139	34	60 14 54	1,707 480 1,401	222 53 186	165 35 193	339 94 268	281 100 285
11b	Colore Influenza, respiratory complications not specified:	1,850	207	92			18	373	53	37	268 98	285 113
	MalesWhite Colore	976	639 184		103 20	12	50 9	1, 021 264	151 19	122 24 126	131 43	97 43
13	Females	5,374 1,112	478 154	155 26			60	848 221	144 32	36	133 41	126 47
10	MalesWhite Colore	1 233	76	120 38	52 5	1 8	19	433 129	- 35 4	11 2	13 3 7	7 2 8
15	Females White Colore Erysipelas:				40 12	26 4	10	321 103	21 9	7 2	5	8
15	Males		270 13			1	2	298 14	8 1	12		13 1
	FemalesWhite	864	231	32	7		3	280 17	13 2	15	16	17
16	Acute poliomyelitis, acute polioencephalitis: Males			39		24 7	25 3	166 22	96 10	65	31 1	21 2
	Females Colore	319	32	35	28	25		141	68	41 2		22 1
17	Lethargic or epidemic encephalitis: MalesWhite	433	6	12	4	7	4	33	17	17	21	19
	FemalesWhite	365	3		.6		- 1 4 1	28	13 2		28 1	22 3
18	Epidemic cerebrospinal meningitis: Males	i	-				31	279	111	85	79	50
	Colore FemalesWhite	d 138 560	18 105	7 42	27	3 19	3 18	38 211	13 87	10 63	18 44	11 29
20	Colore Anthrax (bacillus anthracis) malignant pustule:	d 86	15	8	3	6	3	35	12	6	2	4
20	Males White	9									-	3
21	Rabies:											
	Males	d 6		_ 1		- 2 1 2		$\begin{array}{c c} 6 \\ 1 \\ 2 \end{array}$	7 1 1		1	1
	Colore			-	1]2	-	:	.	. 1		

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
37, 028 26, 977 10, 051	39, 980 29, 617 10, 363	49, 320 37, 464 11, 856	57, 521 45, 593 11, 928	68, 825 56, 003 12, 822	81, 459 67, 453 14, 006	91, 763 80, 278 11, 485	107, 489 96, 663 10, 826	115, 412 106, 617 8, 795	128, 162 121, 052 7, 110	111, 564 106, 187 5, 377	81, 532 77, 323 4, 209	44, 649 42, 149 2, 500	15, 928 14, 540 1, 388	3, 554 2, 961 593	1, 112 466 646	1, 562 992 570	,
13, 735 4, 987 13, 242 5, 064	15, 504 5, 327 14, 113 5, 036	20, 517 6, 305 16, 947 5, 551	26, 419 6, 239 19, 174 5, 689	32, 958 6, 889 23, 045 5, 933	39, 784 7, 634 27, 669 6, 372	47, 130 6, 462 33, 148 5, 023	55, 274 5, 960 41, 389 4, 866	59, 405 4, 875 47, 212 3, 920	65, 429 3, 916 55, 623 3, 194	55, 529 3, 014 50, 658 2, 363	38, 183 2, 251 39, 140 1, 958	19, 333 1, 307 22, 816 1, 193	5, 961 670 8, 579 718	1, 100 283 1, 861 310	166 228 300 418	620 324 372 246	
3, 261 1, 964 4, 045 2, 130	3, 638 1, 889 3, 420 1, 652	4,316 1,969 3,191 1,407	4,746 1,563 2,788 1,160	4, 809 1, 498 2, 416 895	4, 454 1, 314 2, 254 798	4, 192 850 2, 175 541	3, 475 656 2, 126 403	2, 925 491 2, 201 306	2, 866 325 2, 484 214	2, 274 220 2, 274 162	1,617 125 1,770 122	853 75 1, 160 84	299 28 394 46	69 9 98 18	6 13 15 22	47 53 44 48	
210 87 99 . 59	162 55	95 34 73	102 33 49 26	98 26 49	90 21 48 18	72 18 46	50 12 35	32 11 20	29	11 3 9	2 1	2				. 3 1 2]
. 59	64 49 2	26 1	26 2	15 3	18	12 3	11	20 2 5	1		5 1	2 1				2	J h
1 2	1	3	1	1	1 4	1 2		i			1						2
2 1	2 1	1	1	1	3	1	3	2	2	2] 3
1 3	•1	8	3	4	1	1 2	 3	2		1	1						j 5
<u>i</u>	Î	8 1 5	2	1		2		2	1		<u>1</u>						5
1	'1 1 1		1	<u>1</u>	2 1		1			3	1				· 1		} 8
· 1		9	2	1 3	i	3	5	4	1 3	2)
1 8 3	8 1	1 13 1	13	13	5	3 1	1 4	5	4	5 1	1	2					7
24 3 68	36 1	25 1	14	12	8 1 8	2	2	1	2	1						1	
1	45	32 1 2	15	10	1	2 1	4	4	3							1	
1	1	1 1		2 1		1	5	3	<u>2</u> 5	1	2	2				<u>1</u> 1 1	9
13 2 28 2	6 2 28	12 1 22	14 32	6 2 21	8	9 1 13	7 1 18	2 8	1 2	1	4					3	10
. 225 103 363 114	320 116 400	436 108 504	503 116 484	573 141 400	554 143 432	625 96 472	595 93 547	628 72 617	739 49 868	790 53 920	680 31 845	377 21 521	123 7 164	25 4 46	1 3 4 8	6 9 5 4)] 11a
104	96 102	123 138	115 167	120 188	112 203	109 226	98 251	78 294	70 . 466	49 545	43 540	22 357	10 152	, 5 35	5	3	j 1
27 116 49	41 147 57	34 151 63	56 165 64	52 136 64	51 189 78	47 221 50	50 250 60	54 321 50	55 474 41	35 567 42	30 538 41	27 476 31	11 195 22	3 40 9	7 8 9	3 3 5	11b
6 2 8 12	10 9 6 13	·21 7 10 3	20 6 10 8	19 9 11 5	19 13 15 18	30 . 7 . 13 . 11	21 7 31 8	40 6 40 5	39 12 39 10	57 3 52 7	45 8 53 8	25 3 31 6	4 1 9 2	5 2 2	1 1	2] 13
10 6 12 2	22 2 24	33 1 22	32 3 36	39 6 40	50 2 44 2	63 5 42	67 2 59	69 4 62 2	82 1 65	67 1 52	50 2 33	17 22	7	1 2	1	1 3	15
7 3	3	6	3 4	1 2 2	2	5 2		2	1	1	, 2	2)
. 5 2	1 1	7	2 1	2		1			2								} 16
30 4 28	35 3 28	29 3 20	34 2 40	36 5 20	42 32	32 1 28	37 14	20 19	18	4 8	7 3	2 1	1			i	17
45	39	2 37	4 27	35	26	2 23	1 14	1 7	6	3	<u>'</u>					1)] .
7 21 4	9 20 7	17 1	5 15 4	8 14 1	6 13 5	4 8	1 4 1	9 2	4 2			1					18
	1	2			2		1	<u>1</u>	1								} 20
	1		. 2	3	2	3	1		2								j
1 1	2			2		2	1						 				21

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued											
22	Tetanus: White Colored.	583 189	43 40	7 3	8	9	20 3	87	107	110	42	17
	Females Colored Colored	. 228	19 25	2	8	5 1 2	16 2	51 46 30	28 66 10	34 24 13	15 12 3	9 13
	Tuberculosis (all forms): Males	29, 587	311	225	123	90	69	818	292	244		1,982
	Colored White White		131 257	161 205	73 135	48 92	62 73	475 762	216 243	265	871 871 1 850	1.499
23	Respiratory system:	10, 548	117	117	80	66	59	439	224	338 456	1, 650 1, 435	3, 128 2, 073
20	Males	26, 715 10, 111	97 71	57 75	29 27	26 24	15 27	224 224	109 124	128 190	727 772	1,813 1,401
	FemalesWhite Colored.	20, 316	80 62	55 46	35 33	24 36	27 13 32	207 209	95 142	228 395	1, 472 1, 326	1, 401 2, 939 1, 949
24	Meninges and central nervous system: MalesWhite	892	142	130	69	45	33 21	419	119	54 24	37	1
	Colored. FemalesWhite	- 816	24 128	112	32 80	14 54	37	135 411	51 94	45	17 67	37 17 52 19
25	Intestines and peritoneum:	265	24	34	29	15	17	119	47	13	16	\
	Males	- 282	19	8 4	6	5 2	5	43 17	17 14	16 24	29 36	42 22 50
04	Vertebral column:	710 334	13 6	6 9	1	3 4	8 4	34 24	15 15	27 18	34 37	50 57
26	Males White	376 114	2	1 2	4	1 1	4	12	19	18	22 10	33 16
	FemalesWhiteColored.	255	3 2	3 2	1 2	2 1	4	12	9 2	9 12 5	16	15 9
27a	Bones (vertebral column excepted): Males	79		_			_	1	2	3	7	6
	Colored. FemalesWhite		1	1				1 1	4	3 2 3	3	5 2
27b	Colored_ Joints:	- 16		1	-			1		_	ĩ	 -
	MalesWhite Colored.	129 42	2	1			3 1	6	2	7	13 7	7 9
	Females	- 64 - 19	1 2				1	3 2	3	3	7 8 2	3 3
28	Skin and subcutaneous cellular tissue: MalesWhite	- 25	1					1			3	1
	Colored. FemalesWhite	_ 21								1	1	1
29	Colored_ Lymphatic system (bronchial, mesenteric, retro-	- 9			1			1		1		2
	peritoneal glands excepted): Males	- 60	3	2	1	4	1	11	4	2 1	3	4
	Colored_ White Colored_	- 56	1 6	2	1 1	2	1 1	4 8 5	1 i	2 3	1 2 6	3 2 1
30	Genitourinary system: Males	265	1	i -		1		2	1	2	12	10
	Colored_ FemalesWhite	25 - 25 - 196	1					ı	<u>î</u> -	1	2 12	1 1 17
31	Other organs: Colored_	28						i			4	3
	MalesWhite Colored_	- 61 - 12	1		1			2		2	1	2 2
	FemalesWhite Colored_	- 33							1	1	2	1 1
32a	Acute disseminated tuberculosis: Males	348	40	26	13	8	7	94	19	11	13	22
	Colored. Females	- 314	22 24	34 28	13 14	6 8	6 9	81 83	19 19 18	9 17	13 19 36	22 21 45 23
32b,e	Other disseminated tuberculosis:		22	21	12	8	5	68	16	16	32	
	Males		3 3			1		3 4 3	3	2	4 3 1	5 2 1
33	Leprosy:	45 26	1	2				3	ı	ī	5	6
00	Males	12		 						1		2
	FemalesWhite Colored.	. 4										
34	Syphilis: MalesWhite	3,969	446	30	7	8	5	496	14	12	29	29
	Colored. FemalesWhite	3,008 1,656	440 337	25 19	10 4	5 7	2	482 370	16 8	21 18	32 41	142 52
35	Colored. Gonococcus infection and other venereal diseases:	1	381	27	15	4	5	432	15	9	79	169
	Males		7 4	1				8 4			2 3	5 7
	Females	456 262	7 6		1		1	9 6	2 1	1	40 29	86 54
36	Purulent infection, septicemia (nonpuerperal): Males	404	42	9	6	3	5	65	17	23	31	23
	Females Colored White Colored	. 318	6 28	1 11	4	1 4	5	8 52	3 17 3	2 21	$12 \\ 7$	2 26 12
38	Malaria: Colored White	73 696	3	2	1 22	18	1 15	7	64	38	27	
	Males White Colored White White	613 604	43 48 48	17 14 27	17 21	19	15 16 18	115 114 137	53 59	26 33	27 40 31	38 53 37
39	Other diseases due to protozoal parasites:	627	25	23	21	. 23 23	15	107	47	34	46	58
~	Males White Colored	28	.1		=			2 1	3		1	<u>-</u>
	Females	15	2					2	1 1		2	

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
22 7 7 6	21 5 8 4	20 5 2	28 8 13 3	19 6 7 3	39 5 10 2	20 6 8 1	16 4 5	15 3 4	7 1 1	11 1 2	2					1 1	22
2, 378 1, 496 3, 026 1, 607	2, 670 1, 384 2, 415 1, 168	3, 091 1, 363 2, 064 923	3,308 980 1,655 696	3, 169 822 1, 422 501	2,780 689 1,247 357	. 2,483 415 1,103 238	1, 906 299 1, 002 143	1, 432 216 968 114	1, 206 131 877 .68	639 74 591 44	228 28 254 16	54 10 87 11	11 3 16 4	2 1 5 2	i 1	23 22 19 28	
2, 201 1, 377 2, 857 1, 505	2, 501 1, 285 2, 260 1, 088	2, 923 1, 270 1, 894 855	3, 106 914 1, 510 641	2, 997 773 1, 310 476	2, 615 647 1, 137 333	2,332 393 994 213	1, 758 277 891 129	1,315 206 873 110	1, 099 122 780 64	579 73 526 39	207 27 233 14	48 10 79 10	10 3 13	1 1 3 1	 1	22 22 15 26	23
37 15 31 20	31 16 24 6	34 15 23 11	33 7 13 4	. 27 . 4 15 2	16 2 13 6	- 17 - 2 8 1	10 1 5	9	6 3 4	6 4	i		(1		1 1	24
38 35 58 46	37 33 61 37	42 27 71 30	45 18 61 30	37 16 48 11	47 22 41 10	41 4 44 10	- 36 - 8 49 3	44 3 41 3	35 3 37	17 24 2	8 7 · 1	3	3			2	25
33 22 22 22 9	29 7 14 4	23 11 18 5	37 8 14 6	27 7 20 1	22 8 23 1	32 3 16 2	23 17 2	18 1 13 1	15 1 17	10 11	3 5	1				i	6
4 3 1 1	3 3 6 2	5 2 4 1	7 2 2	3 1 2 2	8 2 1	3 1 4	6 1 4 2	6 1	13 7 1	1 4 1	1	1					27a
6 6 5 3	6 1 2 2	7 3 4 1	11 3 4 1	8 5 2	11 4 1	9 2 4 1	12 2 2 1	12 1 7	. 7 5 1	5 2	1 3						27b
1 1 3	2	1 1 1	 1 1 1	2	1 1	3 1	1	3	3 1 1	5 2	3	1		1	1		28
4 2	4 1 2	1 1	3 2 3 1	3 1 3 1	4 1	3 4 3	7 1 5 1	5 4	3 1 11	2 8	1	1					29
28 1 16 4	22 3 25 5	27 7 23 3	35 2 23 3	27 1 11 2	24 1 9	16 3 17 1	25 1 17 1	11	13 1 7 1	8	1 3	1					30
6 1 2 1	3 2 3 1	5 1 1	5 2 5	8 2 2 1	8 1 3 1	5 1 1	6 1 4	2 1 4	·2	2 4 1	1	1 1 1					31
21 26 24 15	26 28 15 20	. 18 22 . 19 13	23 21 15 7	30 9 4 4	20 6 8 2	19 7 8 5	17 6 8 1	5 3 7	6 4	2 1 1	1	1	1	1		1	32a
3 5 5 5 3	6 5 5 1	5 6 6 1	3 4 2	2 3 3 1	5 1 6	6	5 1 2	3 1	4	2 1 2	2	1					32 b, c
1	2	1 2	2	1	1	2	1	1									33
103 185 89 170	143 222 82 175	267 358 124 180	397 310 162 178	502 359 169 130	507 318 136 134	489 207 141 62	406 147 107 45	273 89 79 34	183 56 54 9	83 29 19 13	28 13 3 5	5 7 1 1	1 2 1 3		1	12 12 5	34
6 5 104 49	7 7 65 43	4 69 44	3 9 37 12	8 9 30 15	14 10 9 3	12 5 1 3	8 5 3 1	8 3 1	1 1	2 2	1 1	2	1				35
15 1 22 4	11 2 31 5	21 2 19 6	22 5 10 4	23 7 24 3	24 7 12 4	29 4 16 4	19 2 12 4	32 2 11 6	22 1 8	13 1 12 2	7	6 1 5 1	1 2	2		2	36
37 19 19 41	25 19 29 29	33 30 24 28	· 28 28 28 40	41 37 26 32	50 45 26 54	34 31 28 36	32 31 15 28	31 29 21 8	39 17 30 12	29 17 25 4	19 11 21 6	5 6 9 9	1 3 2 4	1	1 2	2 2 3 2	38
1 1	2	3 2 1 1	1	i	1	<u>2</u>	2	2 1 1	1	1							39

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Continued											
40	Ankylostomiasis: Males	12 9			1	1		2 1	2 4	2	3	<u>-</u>
41a	Hydatid cysts of liver: White	3 16	1					1	î	i	1	
41b	Females White Colored Colored Fundatid cysts of other organs:	7	1					1				
	Males White Females Colored	2 9 1								 		2
42	Other diseases caused by helminths: Males Colored	32 23	3 2	4 5	5	5	3 2	15 15	4 7	2	1	4
43	Females	41 17		7 3	7 2	6 5	1	21 11	6 4	1	· i	2 1
	MalesWhite Colored	100 47	13 23 10	5	1			14 28		1	4	5 2
44	Females	60 41	25	3				10 28	1 1	1	2 2	3 4
,	Males	202 29 159	31 4 36	17 2	7	7 1 6	4 2 6	· 66 9 69	20 2 21	4 5	5	4
	Colored 'II.—Cancers and other tumors:	17	5	13 2		2	1	10	1	5 1	. 1	2 1
	Males	53, 786 2, 786 65, 360	56 1 35	38 4 46	66 6 48	55 2 53	57 5 39	272 18 221	206 13 170	180 11 144	274 31 211	306 37 301
	Colored Cancer and other malignant tumors:	5, 447	2	5	9	5	9	30	10	19	23	88
	Males	52, 213 2, 680	33 1	27 3	52 5	42 2	38 5	192 16	146 9	125 7	207 25	251 28 247
45	Females	62, 006 4, 706	18 2	33 3	34 7	40 5	26 6	151 23	106 8	99	161 16	247 66
	MalesWhite Colored	3, 536 170 780		<u>ĩ</u> -	2	<u>-</u>		2 2	5 3	4 1	8	7 1
27	Colored	71	1			1		4	1	5	5	5 2
	Lip: White	604 7 51								i		
	Tongue:	3								1		
	Males	729 46 150	<u>-</u>					1				2
	Mouth:	12 342										
	Colored FemalesWhite	15 75							1			
	Jaw: Colored MalesWhite	5 756			2			2	4	2		<u>2</u>
	Colored FemalesWhite	50 200		1	<u>1</u>	1		2 1	i	1 1	$ \frac{4}{2}$	3
	Colored Other and unspecified parts of the buccal cavity: Males	23 427								1	2	1
	FemalesWhite	20 119 11			1	1		2	1 1	<u>i</u> -	<u>1</u>	1
•	Pharynx: Colored White White	678								1	2	2
	Colored Females	32 185 17							1	<u>2</u> -	<u>2</u>	<u>2</u>
.46	Of the digestive tract and peritoneum: MalesWhite	30, 174	8	4	5	8	10	35	35	18	41	66
	Colored Females White Colored	1, 571 27, 230 1, 373	1 5	6	1 4 1	6	1 5 1	3 26 2	1 15 1	$\begin{smallmatrix}2\\13\\1\end{smallmatrix}$	13 4	12 42 22
. '	Esophagus: White MalesColored	1, 525		1				1			1	1
	Females White Colored	64 437 24										
	Stomach and duodenum: MalesWhite Colored	14, 214 856							1	1	5	15
	FemalesWhite Colored	9, 965 666			1	2		2 1	1		1 1 3	4 11 9
	Intestines (except duodenum, rectum, anus): Males	5, 159 194	2	2		3	1	8 1	12	6	13 1	18 4
	FemalesWhite Colored	6, 512 183			3	3	2	8	4	6	5	13
:	Rectum and anus: Males	3, 056 126							2	1	3	7
,1;*	Females White Colored	2, 495 169							1		3	10 6
•••	Liver and biliary passages: Males Colored	4, 113 230	5	1	3	1	1 1	11 2	8	6	5	10
	FemalesWhite	5,778	3	4	î	1		9	4	â	5 1 1 1	4 6 3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 19 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to.84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
0																- ,,	
2					1			1								i	} . 4
	2	1	1	3		2 2	1 2	. 1	1	1	1						} 412
2	1	1	2	2		1											411
1	. 1	1			1	1 3											1
1	3	1	<u>1</u>			2			1		1						4:
7 2 5	4 5 3	8 4 3	9 1 6	8 3 5	10 1 1	8	10	7	1 1 6	4 1	3					i	} 4
1 2	9	10	7	ĭ 11	10	1 12	1 12	14	11	4		 1					J ,
2 6	1 4	3 1	. <u>1</u> 7	.1 7 1	5 1	1 8	8	1 3	1	1 5	i					1	44
415 58 600 170	605 65 1, 333 352	1, 093 136 2, 648 610	1, 913 204 4, 164 701	3, 119 291 5, 846 785	4, 519 402 6, 974 759	6, 158 412 7, 705 561	7, 698 367 8, 167 463	8, 094 314 8, 083 338	8, 300 191 7, 851 223	5, 960 105 5, 731 132	3, 131 65 3, 261 87	1, 214 41 1, 421 46	255 14 411 21	36 4 71 6	7 5 3	31 7 42 20	
342 45 485 119	515 59 1, 095 248	976 124 2, 218 437	1,756 194 3,589 569	2, 966 287 5, 287 684	4, 345 388 6, 599 710	6, 006 398 7, 467 525	7, 587 365 8, 026 450	8, 008 313 7, 964 333	8, 223 188 7, 742 213	5, 921 104 5, 650 128	3, 112 65 3, 201 82	1, 207 41 1, 402 43	254 13 402 19	36 4 70 5	7 5 3	31 7 40 16	* &
16 5 4	21 2 12 3	47 4 21 7	89 10 24 6	186 18 44 8	299 32 48 2	407 21 65 10	520 24 103 9	513 25 91 9	585 7 94 9	422 7 110 3	252 3 71 1	115 4 52 1	30 1 17 1	4	2	2	63
	7	8	12	30	40	37	75 . 3	81 1	113	93	62	35	. 7 1	. 3		1	
2	1	1 9		3	2	3	1	8	5		4	5	6				
. i	i	1 4 2	15 2 6	52 7 9	94 9 11	109 10 16 3	130 - 5 18 1	100 7 21 1	96 1 19 1	71 2 20 1	30 · , 11	14 2 9	3			1 !	26.
	1 1 1	4	12	17 2 9	20 2 6	30 2 4	43 1 8	56 3 6	69 2 18	39 1 6	32 8	14 - 1 5	4				45
8 5	7	9	24 2	26	67 8	90 5	97 9	115	127	87	 55	17	10	1	2		ta
2	3 2	9	7 2	6	16 2	21 4	27 2	5 21 2	2 23 3	2 24 1	17	1 14	3				
3	2	8	14 3 4	29 3 6	32 3 4	53 4 2 1	61 17 1	61 2 18 1	61 13 2	44 2 20	35 1 13	17	3	4			
3	3 1	9 2	3 12 3	32	46	88	1 114 6	1 100 7 17	119	88	38	18	3				
	5	5 1	1	11 2	9	19	31	4	16a 1	29 1	18	13 1	2				I
134 22 116 23	229 31 274 55	521 71 568 82	999 117 967 128	1, 782 165 1, 530 178	2, 685° 244 2, 285 192	3, 761 262 3, 100 188	4, 684 225 3, 658 161	4, 890 185 4, 191 126	4, 765 117 4, 311 80	3, 310 55 3, 318 57	1, 576 32 1, 851 40	535 11 733 16	78 6 172 8	11 2 21 3	3	18 4 23 6	
2	2 1	7 1 6	33 6	103 11 28	. 153 13 44	221 10 68	271 13 60	269 6	226	141	69	20	4	1			*.0
40	i 71	225	19 2 441	5	3	3	3	69	58	40 2	31	10	3 -				
9 32 10	13 88 25	33 168 35	51 317 51	827 90 507 81	1, 265 117 699 93	1, 723 167 1, 015 95	2, 187 140 1, 287 86	2,360 112 1,649 65	2, 337 62 1, 709 51	1, 637 30 1, 348 29	779 16 744 17	249 5 309 8	38 4 62 4	7	1	11 1 8 2	. 40
39 4 32 1	64 6 83 11	118 12 161 8	199 20 278 23	308 17 378 30	423 35 595 19	623 23 729 27	761 26 841 17	764 17 912 16	793 12 935 13	599 11 792 3	279 3 499 9	111 175 1	13	5	2	3 1 4 1	46
20 6 21	41 4 36	. 57 8 93	98 10 125 18	176 6 146 24	290 22 230 26	387 14 322 19	508 14 344 20	494 17 343	454 13 363	301 4 242	155 5 136	52 3 65 1	7	11		2 3 1	
6 11 1	9 24 4	17 53 12	114			7		681	686	5 464 10	I .	74	1 -	2		11	
11 1 15 4	24 4 49 8	12 100 13	158 24	208 29 311 27	342 40 507 38	531 33 663 38	641 24 813 29	681 21 912 28	686 16 967 8	464 10 724 18	230 7 343 10	145 5	36 3	1		. 2 2 8 2	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

ist 10.	CAUSE OF DEATH, SEX, AND COLOR		All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
_	II.—Cancers and other tumors—Continued	L											
.	Cancer and other malignant tumors—Contin	ued											
6	Of the digestive tract and peritoneum—Co Pancreas:	Į.				i	ļ						١.
	Males	_White Colored	1, 693					1	1	1	1	2	1
	Females	White Colored	1, 527 43							1			l i
	Mesentery and peritoneum: Males	-White	395	1		2	4	7	14	11	3	11	14
	Females	Colored White	22 479	2	2			2	6	4 1	1 4	3	1
	Others under this title:	Colored	27					1	1	1	1		
	Males	_White Colored	19 2									1	
	Females	-White Colored	37 1					1	1				
7	Of the respiratory system: Males	_White	3, 108					2	2	10	10	19	28
	Females	Colored White	135 1, 213	i	<u>-</u>	3		2	8	3-	1	19 2 4	16
	Larynx:	Colored	53									2	3
	Males	-White Colored	875 32	- 									
	Females	-White Colored	128										
	Lungs and pleura:	_White	-					2	2	10	10	14	2
	Males	Colored	1, 992 93								. 1	14	1 :
	Females	-White Colored	1,009 43	1	2	3		1		3	9	4 2	1
	Other respiratory organs: Males	-White	241									5	
	Females	Colored White	10 76					1	1			1	- -
3	Of the uterus:	Colored	7										
	Females	_White Colored	12, 704 1, 984		1	<u>-</u>			1 1		3	5 3	5 2
)	Of other female genital organs: Females	White			. 1	3	1		5	5	6	20	a
	Ovary and Fallopian tube:	Colored	2, 533 131			. 1			1			2	
	Females	White Colored	2, 050 98			1			1	4	5	19	3
	Vagina and vulva: Females	White	449		1	2			3	1	1	1	
	Other female genital organs:	Colored	28										
	Females	White Colored	34 5			. 1	1		2				
0	Of the breast: Males	White	171									2	
		Colored White	17									5	· <u>-</u>
	Females	Colored	10, 905 710									. ĭ	1
1	Of the male genitourinary organs: Males	White	9, 033	9	11	19	15	10	64	18	7	19	4
	Kidneys and suprarenals:	Colored	472				. 1	1	4	1		2	
	Males	White Colored	893 38	5	9	17	11	. 9	51 3	14 1	4	3	.
	Bladder: Males	White	2,372	3	1	1	2		7		. 1	1	
	Prostate:	Colored	99					-				. 1	
	Males	White Colored	5, 142 277				1	1	2			. 2	
	Testes: Males	White	342	1	1		. 1		3	4	2	12	a
	Scrotum:	Colored	6				. 1		1				-
	Males	White Colored	36 8			. 1			1				
	Other male genital organs: Males	White	248									1	
2	Of the skin:	Colored	44				-						-
_	Males	White Colored	1, 944 39	1	1	1		-	3 1	1		9	
	Females	White Colored	1, 079 38	i	ī	î		i	4	4	$\tilde{2}$	1	
3	Of other or unspecified organs:	White		15	11	95	19	16	86	77	86	109	
	Males	Colored	4, 247 276	15	_ 2	25		16	6 103	4 78	2	17	
•	Females	White Colored	5, 562 346	10		21 4	32 5		103	78	8		
	Kidneys and suprarenals: Females	White	722	7		8	13		46	18	4		
	Bladder:	Colored	33		_ 2	1	3	1	7	3		1	1
	Females	White Colored	1, 186 71	<u>1</u>	1			-	1			1	
	Brain: Males	White	515	3	2	5	4	5	19	25	.29		
		Colored	19			1		2	11	17		. 2	

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
7 1 5	14 2 8	40 2 26 1	79 9 42 5	118 11 104	168 12 155 12	238 11 224	266 6 261	282 12 227	242 10 230	146	55 81	26 20	5	1 1			
1 14 10	13 2 9 1	1 21 3 13 6	5 34 3 28 4	6 41 1 50 5	12 43 4 52 1	36 4 76	5 46 2 44	39 76	27 1 46 2	17	3 8 1 16	2	1	1			46
1 1 1		6	1	5 1 6	1 1 1 3	2 2 3	1 4 8	1	2	5	1 1	1					
32 2 11	46 6 25	99 9 54	206 18 78 9	323 27 98 7	426 21 144	474 16 163 7	493 13 180	378 7 172	307 7 141	166 3 62	58 	22 1 14	. 5		1	3)
1 2 1	3 1 1	4 9 2 7	9 37 3 6	69 8 9	12 106 5 13	138 4 20	. 135 . 19	130 2 17	134 5 15	66 2 9	30	11 3	3		1	1	
30 2 8 1	. 41 5 21	76 6 44	140 11 63 8	228 16 81	283 16 123 12	297 12 132	320 13 150	222 4 149	162 2 117	89 1 51	27	11 1 1	1 2			2	47
1 2	1 2 3	3 14 1 3	29 4 9	5 26 3 8	37 8	5 39 11 1	38 11 1	1 26 1 6	11 9	11	1		1				
172 64 33	382 135	753 231 129	1, 198 277	1, 559 307	1,752 311 308	1,589 194 373	1, 600 166	1,318 109	1, 127 72 220	1 697 41 127	334 21 59	, 126 11 20	23 6	4 1	2	8	} 48 }
6 30 4	62 11 54 6	13 116 9	225 23 198 17	329 21 302 18	308 19 276 15	12 317 7	322 13 262 11	250 3 178 3	147 2	71	29	8	4				49
1 2 2	7 4 1	12 4 1	24 4 3 2	25 3 2	28 4 4	54 4 2 1	58 2 2	67 5	70 3	53 1 3 1	28	11	3	·			
1 57 15	3 195 29	3 489 74	814 87	13 3 1, 292 118	13 3 1, 493 131	26 4 1,529 70	21 1 1,399 60	25 3 1,162 50	23 1,059 31	18 1 696 15	403 9	8 1 203 8	1 71 3	17 1	· 1	4 1	50
58 4 9	84 7 13	107 17 33	183 17 58	276 37 79	473 58 118	750 59 113	1, 216 77 133	1,534 76 104	1,777 38 82	1, 355 26 49	730 21 16	277 17 3	48 4 2	7 2	2	3 3	
1	9 3 .	17	55 5	108 7	162 11	265 11	3 328 16	393 15	458 10	319 9	168 6	58 3	18	3	1	, 1	
2 1 46 1	6 1 49	9 4 38 1	31 5 32	51 21 26	146 36 30 1	332 34 12 2	700 52 14	994 55 9	1, 183 26 12	929 · 15 10	521 11 6	199 10 5	27 3	1		3	51
1	3 4 3	10 8	5	11	12	8 1 20	5 2 36	4 30	41	3 1 45 1	18	12	1		1		
6	15 2 10 1	25 1 19 3	38 5 23 6	60 2 40 5	6 83 4 51	3 149 9 46 4	161 2 73 3	198 3 96 6	323 2 156 4	333 3 154	298 1 175	158 2 126 2	65 1 66	12	1	3	52
95 11 87 10	117 11 135 13	174 22 185 23	237 27 260 33	326 35 395 40	366 26 518 40	439 27 602 40	492 23 691 32	470 14 684 28	443 17 634 15	317 9 486 8	190 8 281 10	92 5 128 5	27 1 42 1	2	1	2 3 1	· ·
7 2	18 2	12 3	33 4	55 1	75 1	99	104	93	74 I	46	18	8	1 _				
3 1	6 2	14	37 4	59 9	77 14	120 13	175 7	184 11	210 4	159 1	. 87	43	8			···- ₁	53
21 4 21	34 26 2	39	55 4 40 2	71 1 37	68 48 1	38 2 33	33 1 25	17 14	9	4 5 -	3	1 4	1 -			11.	ı

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Continued											
	Cancer and other malignant tumors—Continued											
53	Of other or unspecified organs—Continued Bones (except jaw):								Į			
1	Males	829	1	4	6	2	3	16 2	14	34	42 8	30 4
	Females	- 685	2		2	2		6 2	14	23 2	36 1	21 2
	Other or unspecified organs:			_	_			_	1			1
	Males	2, 903 190	11	5	14	13	8	51 2	38 4	23 2	51 7	42
	Females	2,600	1	10	8	12 2	8	39	29 1	24 3	48 2	34 5
548	Nonmalignant tumors, ovary: Females	146	_		_				_	2	1	8
54b	Colored.	18										1
940	Nonmalignant tumors, uterus: FemalesWhite	1,805									1	5
54c	Nonmalignant tumors, other female genital organs:	- 589										11
	Females	10 2										
54d,e	Nonmalignant tumors, other organs:									0.5	40	
	Males		9	1 1	1	2	8	28 2 39	25 22	25	40 3	20
	FemalesWhiteColored.	- 564 - 42	10	6	8	6	9	39	22	19 4	3 23 2	21
55a	Tumors, ovary (nature unspecified): FemalesWhite	20									2	
55b	· Colored_	20										
นธอ	Tumors, uterus (nature unspecified): Females	_ 13										
55e	Tumors, other female genital organs (nature unspecified) FemalesWhite	5										
5 d ,e	Tumors, other organs (nature unspecified): MalesWhite	040	14			,,	,,	50	9.5	20	07	0.5
	Colored_	- 943 - 70	14	7	9	11	11	52	35 4	30	27	35
	FemalesWhiteColored.	- 795 - 83	7	7 2	6 2	7	3	31 7	42	24 6	23 5	20 4
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases;											
	MalesWhite	13,941	737	111	60	47	53	1,008	262	329	292	242
	Colored_ FemalesWhite	21, 939	125 509	24 70	16 57	8 39	57	179 732	32 266 32	39 338	35 333 86	63 356
	Colored	3,035	79	24	11	4	6	124	32	47	86	159
6	Acute rheumatic fever: White-	1,080	5	2	11	13	22	53	149	164	104	60
	Colored_ FemalesWhite_	170 1,092	2 2	2 2	1 10	17	1 25	10 56	13 138	16 156	7 75	16 87
_	Colored_	233		2			20	4	18	21	17	13
57	Chronic rheumatism, osteoarthritis: MalesWhite	558							3	4	6	8
	Colored_ FemalesWhite	- 37 841						<u>-</u> -	3	2 5	6	8 1 6 2
i8	Gout:										2	ž
,	FemalesWhite.	_ 1										
59	Diabetes mellitus:											
	Males	9,740 - 628	7 2	19 1	5	9	19	59 4	76 7	142	148 14	136 20
	FemalesWhite_	14, 783	5	10	8	3	16	42	88	148	170	139
30	Scurvy:	1	٥				*	*	*		"	18
	Males	- 11 - 5	8 3	2				10 3	1			
	Females White	_ 11	5			1	1	7 4				
1	Beriberi:	1	-	_	•			*				
	Males	2					ī	i				
	FemalesWhite_	_ 2										
32	Pellagra: MalesWhite-	647		1	1	1		3		2	1	7
	Colored	_ 549	1	3 2		ļ	1	4 7	5 2	8 2	11	19
	Colored.			. 1	3		. 1	4	5	13	15 55	35 112
3	Rickets: MalesWhite	_ 133	85	20	11	4	2	122	2	1	3	1
	Colored. FemalesWhite	_ 60	85 42 62	5 22	8	3 3	1 2	59 99	4	-	1	
4	Osteomalacia: Colored.	- 50	62 31	11	4	2		48	2			
**	MalesWhite_					.				.		. 1
	FemalesWhite Colored	8						1 1				
5	Diseases of the pituitary body: Males		1		1			2	1	1		
	FemalesWhite	_ 33	1			-		1	1		7	
66a	Simple goiter:						1	1				-
	MalesWhite Colored	_ 45 6	1		. 1			2		-	2	1
	FemalesWhite Colored	_ 205						1	 	. 1	2	3

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List. no.
29 2 11 2	26 3 26 2	28 6 29 1	45 4 40 1	64 10 51 7	66 * 8 69 4	80 6 68 5	99 4 79 2	98 4 71 1	89 3 48	41 45	21 2 27	5 1 13	2 6	1		 	
45 5 45 5	57 8 59 5	102 16 91 18	137 19 110 22	191 24 193 23	232 18 249 20	321 19 282 21	360 18 308 18	355 10 322 15	345 14 294 10	272 9 231 7	166 6 149 8	86 4 60 5	25 1 26 1	2	1	1 2	53:
9	13 4	1,8 15 5	22 13 1	23 15 1	20 24 1	21 13 4	18	15 4	8	7 6	3	5 2	1				54a.
33 38	129 97	286 152	440 118	421 86	214 35	94 24	45 9	42 3	35 5	24 2	22 3	10 2	2 1			2 3	54b-
30	35 3 27	1 1 39	54	3 1 61	1 6 <u>5</u>	3 63	2 38	42	45	12	6	2					} 54c-
30 5 30 4	27 3	39 4 58 3	39 8 3	45 2	65 7 53 5	63 4 55 3	38 2 37 3	31 1	45 1 21 2	23	14 	3	4 1	1			54d,e-
i	1	1 2 3 1		1	3 1 1	2	2	3		1 1	1	1					558x 55b
			1														550-
43 8 41 8	55 3 65 3	78 8 66 9	103 6 79 5	92 4 74 10	109 7 79 7	89 10 71 5	73 42 4	44 1 39 1	32 2 45 3	27 1 27 1	13 - 20 2	5 	1 1 3	<u>-</u> <u>1</u>			55d,e:
														-+			J
264 35 372 202	296 73 436 225	351 93 567 273	506 105 835 256	664 135 1, 169 331	969 174 1, 721 310	1, 286 165 2, 455 262	1, 741 135 3, 163 260	1,831 130 3,269 161	1,806 99 2,883 118	1, 201 63 1, 824 72	620 31 800 51	212 19 319 29	43 10 69 20	7 4 16 4	<u>2</u>	11 11 16 11	-
51 2 64 21	40 10 58 16	52 8 45 11	36 13 49 12	48 17 44 25	44 15 50 14	. 51 9 43 10	48 7 54 16	41 8 48 13	53 6 42 4	40 5 38 7	31 2 30 5	11 2 10	3	1		1 3 2 1	5,6%
21 17 1 5	13 1 12 1	11 17 3 16 2	19 2 12 12	25 26 1 25 3	30 1 42 3	10 36 4 56 9	16 56 5 85 7	73		7 83 3 140	48	. 3	3 2 5	1 1		1	} } } 57
5	12	16 2 1	12 1	25 3	42 3	56 9	85 7	108 9	80 5 131 5	140 3	98 4	32 3 66 1	17 3	6		, Î	} 58-
141 17 131 22	164 24 141 38	169 36 211	295 43 379 79	458 70 627 144	691 86 1,083 149	1,035 77 1,826 138	1, 447 61 2, 496 131	1, 564 64 2, 657	1, 537 44 2, 345 56	990 26 1, 440 26	487 14 599 15	158 3 204 11	33 5 45 4	5 1 7 2	i	5 2 5	59-
. 22	38	61	79	144	1,053	138	2, 490	2, 657 76	2, 345 56	1, 14 0 26	15	11	45 4	2	1	5 1	
1	1	1					1		1								} 60·
		1										1					611
11 12 47 142	27 36 75 140	39 37 79 169	49 40 99 126	42 36 119 126	74 63 93 114	61 65 105 87	85 59 106 89	74 48 74 53	71 44 72 37	58 26 62 32	31 14 31 22	6 11 8 11	5 9	1 1 2	1	3 · 4 4 8	62≈
2		1	ī		1		1		1	1							63.
		1	i	1		i	1 1	1 1		<u>1</u>							64-
1 1	2	3 2 1	4 4 1	1 2	3 2	2 4	1 2	2 1	1	1 1	1						65.
1	2	3	3	8	2	5	3 1 29 2		4	2	1						66a.
5 1	5 3	. 1	16 2	21 4	25 4	1 29 4	29 2	6 2 29 2	20 4	7 1	3 1	1	1	1		, 1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued											
66b	Exophthalmic goiter: Wales White	565	1					1	2	2	8	12
	Colored_ Females Colored_ Colored_	40 2, 828 205							1	1 13	42 3	3 63 11
66c,d,e	Other diseases of thyroid and parathyroid glands: Males		41	13	8	11	1	74	5	3	2	4
	Colored FemalesWhite	135 12 217	8 42	1 9	1 5	5	3	10 64		5	3	5
67	Diseases of thymus gland: Males	21 655	11 541	39	15	1 6	6	607	19	6	10	4
	Colored FemalesWhite	80 427	54 355	9 22	5 9	1 5	6	69 397	7 12	2 4	<u>4</u>	6 2
68	Colored Diseases of adrenals (Addison's disease, not specified as tuberculous):	40 146	28	5	2	1		36	1		3	5
	Males	7 194								<u>î</u>	3	1 7
69	Other general diseases: Males	8 197	47	15	7	3	3	75	4	1 4	1 2	2
	Colored Females White	37 152	14 35	3 3	1 12	4	1 3	19 57	6	$\frac{1}{2}$	1 5	3 3
	Colored IV.—Diseases of the blood and blood-making organs:	26	3	4	1		2	10	2	1		
	MalesWhite Colored	4, 988 255 4, 309	269 36 197	77 3	62 1	58 1	47 5	513 46	186 11	133 10	164	156 12 131
	FemalesWhite Colored	4, 309 215	197 29	58 5	43	42 1	28 1	368 36	108 6	89 11	106 13	131
70	Hemorrhagic conditions: MalesWhite Colored	378 39	188 23	13	10	12	6	229 24	18 2	21	12 2	9
	Females	332 30	120 14	12	6	12	1 7	157 14	16 1	15 2	15 2	1 13 2
71a	Pernicious anemia: White Colored	1, 811 67	12 1	9	6	6	6	39 2	20 2	9	15	20 1
	Females	1, 901 86	12	11 1	5	1	2	31 1	6	1 <u>1</u>	19 6	$\frac{1}{21}$
71b	Other anemias: White Males	220 21	40 6	17 1	7	1		65 8	7	3 1	1 1	3 1
	FemalesWhite Colored	217 33	42 11	10 3	4	î	1	57 15	9 2	3 2	5 1	3 2
72a	True leukemias: Males White Colored	1, 509 63	20	29	35	36	25 2	145 5	96 4	51 3	96 3	58 2 51
	FemalesWhite Colored	1, 160 38	19 3	18	22	24	16	99 3	56 2	40 2	· 43	51 3
72b	Pseudoleukemias (Hodgkin's disease): Males	812 48	2	1	$\frac{2}{1}$	1	7	13 3 8	33 3	35 2 9	30 2 13	51 5
	FemalesWhite Colored	445 22	1 1	2	2	1	2	8 1	9	9 2	13 3	32
73	Diseases of spleen: Males	222 15	7 3	8	1	2	3	21 4	11	13	9 1	. 14 . 2
	Females	184 4	2	1	3	3 1		12 2	12	8	9	. 7
74	Other diseases of blood and blood-making organs: Males	36 2			1			1	1	1	1	1
	Females	$70 \\ 2$	1	1	1		1	4		3	2 1	4
	V.—Chronic poisonings and intoxications: MalesWhite	2, 518	 	4	3	 -		7	 	1	15	35 12
	Colored_ FemalesColored Colored	2, 518 328 329 89		2 1	1	1 1		4 2	1 1 2	1 1	6 4 3	12 7 10
75	Alcoholism (acute or chronic):											
·	MalesWhiteColored FemalesWhite	2, 374 315								1	15 6 2	32 12 5
76	Colored Chronic poisoning by other organic substances:	263 72									3	7
	MalesWhite Colored	75 8 53										2 2
77a	Chronic lead poisoning:	4										í
	MalesWhite Colored	58 3		4	3			7				
775	Females	10 4		2 1	1 	1		4 2	1	1	1	
77b,c	MalesWhite Colored	11 2							<u>î</u>			1
	Females White Colored	3 9	1						2			2

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
25	34	44	77	53	87	70	63	45	32	. 9	1		-				1
25 2 97 14	1 110 23	44 3 163 27	77 7 237 29	53 7 297 26	377 23	6 354 14	63 1 348 13	45 2 309 7	248 8	114 2	31 3	19 2	2			1 3	66b
3 6	6 9 1	1 1 13	3 5 3	9 14	8 1 10 2	11	6 21 2	20 1	1 12	7		1 i					66c,d
3 2 1	2	2 1 1		i		1 1	1										67
8 9	19 2	. 17 . 1 24	16 26 1	14 16 1	18 1 30	10 1 18	20 1 15	14 1 14	9.	4	3 1 1					1 1	68
2 1 2 1	, 3 1 4 1	3 2 2 2	4 6 2	5 2 3 2	1 11 1 9	11 2 7	9	7	18 10 3	12 3 6	17 1 7	5 7 1	2 2 1	1			69
148 15 148 29	165 13 155 10	193 24 194 16	229 20 221 19	286 22 254 18	356 16 330 15	442 22 392 9	586 12 470 9	497 11 471 4	491 3 413	282 4 263	126 4 134	18	. 11 1 9	5 1	1	6	<i>.</i>
8 3 16 6	8 1 1 15	6	5 1 11	11 1 1 10	10 10 1 11	4 8	10 1 1 6	8 9	8 12	6	5		1				70
16 16 1 26 13	28 5 21	26 7 61 10	43 7 81 8	83 9 97 7	127 6 147	204 8 211	297 4 268	290 8 306	318 1 281	171 2 188	85 2 86	11 29	5	1	1	4	71a
2 1 3	3 1 5	10 1 6	8 4 1 5	7 12 4 .1	5 1 1	3 4 2 5	6 22 1 19 3	16 14	34 1 22	20 1 14	10 1 23	4	4 1 4 2	3 1) } 71b
54 5 48 4	58 2 69	79 9 71	92 5 69 7	99 7 86	112 3 113	129 8 109	156 4 110	1 117 1 80	93 1 68	57 32	11	3	1 1 2			2	72a
61 4 36 3	52 3 31	60 8 36 2	68 4 34 3	5 66 4 37 2	80 3 30	78 2 33	77 1 49	55 2 37 2	24 . 22	18 · 1 21	10 1 5	2	1				72b
7 1 16	15	19 10	12 2 14	14 1 15 2	1 17 2 10	19 1 17	17 1 13	9	12	8 5	5 4						73
3	1 1 3 1	2	5	1 5	5	4 1 9	7	2 8	2	2							74
97 31 19	206 42 26 14	312 42 58 8	371 44 60 15	420 43 42 8	329 39 38 7	261 25 28	242 17 18 1	118 10 10 3	57 5 7	31 4 3	. 11 . 1	2	1			4 3 1	
91 30 14	191 40 23 12	293 42 47	358 42 51 13	404 41 37	311 37 35	248 24 23	226 17 12 1	107 10 8 3	54 4 2	27 4 1	11	2	1			4 3 · 1	75
14 13 3 1 4	12 12 2 2	16 11	13 9 2 8	8 7 5	5 10 2 3	5, 3	1 4 4	3 4·	. î	3]
î	1 2	1	3	8 2	6	7 1 1	12	7	3	1							} } 77a
2	1 - 1 1	. 2	1	1	2	1	1		<u></u>								77b,c

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense:											
	MalesWhite Colored	59, 677 7, 758	1, 061 222	321 37	177 32	128 10	108 22	1, 795 323	589 55	528 61	549 95	546 145
	FemalesWhte	53, 669	734	249	160	97	102	1,342	529	384	95 375	428 108
	Colored	7, 414	204	37	13	15	13	282	51	56	71	108
78	Encephalitis (nonepidemic): MalesWhite	642	41	35	22	14	9	121	45	41	28 3	25
	ColoredWhite	75 484	6 34	1 28	3 16	9	4	10 91	45 8 42	7 24	3 27	6 28
	Colored	66	8	1	1	ı	3	14	7	5	5	9
79a	Simple meningitis: MalesWhite	995	217	62	. 54	22	26	381	86	82	60	44
	ColoredWhite	179 711	36 155	12 62	10 35	22 2 24	3 19	63 295	14 83	9 44	14 29	9 43
79b	Colored Nonepidemic cerebrospinal meningitis:	118	37	10	3	5	2	57	5	6	11	5
	MalesWhite Colored	146 31	32 5	21	8 1	5 1	1	67 7	14 3	10	9 3	6 2
	FemalesWhite	117	25	5	10	5	4 2	49 8	17 3	11 2	8	4 1
80	Colored Progressive locomotor ataxia (tabes dorsalis):	24	4	1		1	2	°	0	-		-
	Males White Colored Colored	843 77								1	1	
	FemalesWhite Colored	224 29								1	1	1
81	Other diseases of spinal cord: MalesWhite	1, 547	9	11	5	4	4	33	21	38	56	36
	Colored White White	119					2	2 26	21 3 12	13	1 22	6 26
	Colored	1, 214 118	5	7 1	4	4	6	1	3	4	4	6
82a	Cerebral hemorrhage: MalesWhite	42, 362	53	10	6	6	3	78	17	26 7	35	67
	Colored. FemalesWhite	5, 047 41, 014	4 43	1 13	1 6	6	1 6	9 74	19	7 21	11 38	36 68
001-	Colored	5, 455	7	3	ĭ	2		13	8	8	13	68 32
82b	Cerebral embolism and thrombosis: MalesWhite	2, 542	5	7	4	2	2	20	13	16	16	26
	Colored FemalesWhite	161 2, 504	1 3	3	3	2		11	12 1	21	1 21	$\begin{array}{c} 4 \\ 29 \end{array}$
82c	Softening of brain:	149					1	1	1	2	1	2
020	Males	339 27										
	FemalesWhite	302										
82đ	Colored Hemiplegia and other paralysis, cause unspecified:	15										
	Males	1, 492 510	7 2	5	$\begin{bmatrix} 2\\2 \end{bmatrix}$		2 3	16 7	6	6 2	8 4 3	6
	Females White Colored.	1, 488 576	3		3 2	1	1 1	8	8	2 2	3 2	5 2
83	General paralysis of insane: Males	2,809	1		_			-	_ ~	3	4	17
	Colored	744							i		8	11
	Females	755 237	1					1		i	4 2	5 7
84	Dementia præcox and other psychoses: MalesWhite	478							 	1	10	37
	Colored	102 637									5 17	9 25
85	Colored	112								1	5	16
80	Epilepsy: MalesWhite	1,346	21	11	8	13	8	61	43	94	144	149
	Colored	295 1, 027	5 19	9	9	1 4	5 7	14 48	12 42	16 68 15	31 93 18	42 100
86	Colored Convulsions (under 5 years):	166	7	1	2	3	1	14	5	15	18	16
	Males	372 124	305 102	41 12	12 6	9	5 3	372 124				
	Females	225	171	26 13	23 3	3	2	225 117				
87	Other diseases of nervous system:		100							0.4	0.0	05
	Males		60	29 1	20	20 1	10 2	139 10	37	34 6 35	36 3	25 7 25 2
	FemalesWhite	1, 422 104	43 4	24	14	10	8 2	99	30	35	26 4	25 2
88	Diseases of organs of vision: Males	34	2	_		1	1	4	2	1	3	3
	Colored	9			ī			1	2	1	3 2	i
	FemalesWhite Colored.	32 2	6			1	1	8	2	1	2	
89a	Diseases of ear: MalesWhite	1, 200	236	62	21	21	24	364	168	87	74	61
	Colored	112 892	47 177	6 54	5 21	1 17	3 21	62 290	7 137	74	5 40	7 31
89b	Diseases of mastoid process:	84	28	2	ű	3		34	6	Ž	ĭ	6
องม	MalesWhite	812	73	27	15	11	13	139	137	89	66 2	42
	Colored	621	11 49 8	18 4	16	11	23	13 117 12	125 3	66	45 1	37 3
	VII.—Diseases of the circulatory system: MalesWhite	149, 063	191	80	56	55	63	445	427	617 93	829 99	873 193
	Colored	14, 150 117, 192 12, 732	23 181 30	11 72 9	12 46 3	58 7	13 53 13	63 410 62	48 429 63	663 93	771 148	946 281
90	Pericarditis: MalesWhite	431	I	1	2	4	1	16	3	9	12	14
	Colored	115	8 1 7	Î	<u>1</u>	3	<u>i</u>	13	1 9		1 8 3	11 7
	FemalesWhite Colored	267	l i				<u> </u>	10	2	1 2	3	1 7

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44' years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
517 148 439 155	764 278 586 205	1, 230 434 890 . 397	1,810 566 1,349 566	2, 493 739 2, 143 755	3, 568 1, 044 2, 982 999	5, 003 851 3, 915 811	6, 689 855 5, 370 804	7, 799 681 6, 724 675	9, 165 505 8, 406 514	8, 052 414 7, 791 350	5, 361 273 5, 752 301	2,397 148 3,010 148	654 72 1,008 75	106 30 187 30	10 14 25 32	52 27 34 29	•
32, 4 24 4	· 36 6 39 3	44 3 16 6	33 11 33 4	48 4 32 3	40 5 26 2	36 4 22 2	33 · 1 26	29 1 16	26 2 19	15 12	5 2	5 4 1				1	78
30 10 28 9	32 10 16 4	39 10 25 3	40 10 25 7	55 8 27 3	44 14 18 1	27 3 20 2	30. 1 23 3	18 ·3 16 2	9 1 13	9	6	1 3				2	79a
10 7	4 2 4 2	3	4 3 1 1	3 1 2 1	5 2	8 1 3	2 1 2 1	1	1	1 1	1					1	, } 79b
4 3 2 3	5 2 4 2	23 7 9	32 9 12 5	61 7 20 2	103 13 34 4	158 8 26 2	155 13 37	135 5 22 2	92 3 27	51 5 17 2	15 8	7 4 . 1	1			· 1	80
28 3 18 3	32 6 26 4	62 11 38 7	75 9 53	86 10 69 2	126 17 97 25	159 10 133 20	187 7 149 11	195 15 157 7	182 6 163 8	131 8 109 5	69 2 72 6	24 1 22	4	1	1	2 2 2	81
107 48 83 56	177 107 179 113	374 224 385 272	746 313 769 425	1,340 504 1,497 622	2, 323 767 2, 276 815	3, 635 629 3, 102 665	5, 179 676 4, 410 659	6, 303 541 5, 613 540	7, 691 412 7, 139 426	6, 857 312 6, 676 292	4, 634 210 4, 978 246	2, 066 118 2, 596 118	573 64 , 891 61	90 25 160 23	9 10 19 25	35 24 21 23	82a
22 7 26 7	33 12 41 7	47 8 58 11	83 12 77 14	99 15 83 17	150 15 131 25	203 20 170 17	361 18 240 16	361 21 352 12	396 7 403	345 11 378 1	225 3 242 6	85 3 153	31 1 42 1	6 2 10	1 2 1	3	82b
	. 2	1 2	2 1 1	6 4 1 1	17 5 6	9 3 11	28 3 19 3	47 2 43 2	73 4 65 3	57 2 55 3	58 53	33 1 37	5	1	1		820
7 5 9 14	10 6 10 13	11 10 15 20	19 25 22 25	30 35 35 39	60 70 54 73	99 55 82 49	154 63 122 69	194 52 190 87	269 43 239 56	263 59 275 40	186 37 246 32	111 18 117 25	28 6 36 11	4 3 6 6	3 2 4	3 2 1	82d
34 25 23 10	170 73 47 14	332 113 83 33	472 129 83 45	471 117 116 30	373 92 95 28	349 84 101 29	240 46 65 20	175 20 50 13	96 12 36 3	44 6 29	19 5 11 2	5 1 3	1	1		3 1 2	83
32 9 34 17	38 10 37 18	30 15 69 16	44 9 62 14	48 10 80 5	57 7 63 4	34 6 57 6	41 7 41 5	35 4 40	30 2 43 2	25 5 25	8 3 24	7 11 1	1 1 5 2	1		1	84
110 26 98 23	112 27 91 12	118 18 78 16	98 21 82 13	76 16 57 7	78 21 52 7	62 10 44 4	49 11 43 4	50 12 34 4	39 6 34 4	38 2 38 2	16 6 11 2	6 4 9	1 .	1		2	85
																	86
32 2 29 5	36 7 35 4	57 5 46 3	70 4 63 4	73 6 65 9	102 11 73 7	144 14 87 10	165 5 150 8	© 207 4 156 6	216 5 198 4	191 2 149 4	103 5 91	41 1 45 1	8	2 . 5 .	1	1	87
3 .	2	2 1 1 1		1	2 '1	2 2 1	3	2	3	3	5	2			1		- 88
36 4 28 1	50 4 32 5	45 4 35 6	38 4 33 4	63 1 32 10	45 2 37 2	44 4 38 2	41 2 25 2	26 22	26 1 15	13 12 1	13 6 1	3 1 2	1 . 1	1	-	1 I	89a
30 2 29 3	27 4 25 4	42 3 30 2	54 6 34 4	33 1 27 4	44 4 15 3	34 17 2	21 1 17	21 1 12	17 1 9	10 1 12	3 1 1	3 2	1			·	89b
1, 002 308 1, 151 417	1, 436 507 1, 334 564	2,601 880 1,913 736	4, 492 1, 108 2, 645 1, 040	7, 016 1, 383 3, 928 1, 273	10, 140 1, 767 5, 441 1, 517	13, 393 1, 629 7, 508 1, 219	17, 254 1, 603 11, 111 1, 399	19, 926 1, 297 14, 207 1, 095	23, 110 1, 094 18, 484 953	20, 494 873 18, 194 680	14, 542 592 14, 854 508	7, 596 317 8, 908 338	2,303 169 3,409 170	398 53 714 75	59 41 107 67	110 33 65 34	
10 5 8 5	16 10 9 12	20 12 13 10	24 16 4 4	32 14 9 5	39 19 16 7	38 6 15 5	40 7 14 6	38 4 17 3	45 3 29 2	39 4 42 3	21 28 1	9 1 9	6 1 5	1 1	1	3 1	90

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system—Continued										-	
91a	Acute endocarditis, specified:	1 000	10	8	10	9	-11	10	58	69	93	93
	Males	1, 298 156	10	8 4 11	10 7		11 2 10	48 7 56	8 65	6 97	12 125	9 126
012	Females White Colored Colored	1, 287 183	14 3	1		14	3	8	ı	8	120	16
91b	Endocarditis, unspecified (under 45 years): Males	237 51	7 1	4 1	1	1	4	17 2	25 2	14 4	36 3	27 5
	Females	234 77	8	$\frac{1}{1}$	1	2	$\frac{2}{1}$	17 3	30	17 2	21 6	29 12
92a	Endocarditis, specified as chronic, and other valvular diseases:		_	_			_					
	Males	25, 781 3, 549	24 3	19 2	11 1	19 1	20 5	93 12	189 20	338 36	408 33	397 57
	FemalesWhite Colored	24, 266 3, 430	33	16	13 1	21 2	17 6	100 12	185 25	346 40	379 59	461 99
92b	Endocarditis, unspecified (45 years and over): Males	1, 823										
	FemalesWhite	237 1,650										
93a	Acute myocarditis:	229		6	3	2	5	31	17	11	20	22
	Males	2, 145 267	15 2	5	2 4			5 32	10	12	20 5 19	13 35
003-	Females White Colored	1, 612 325	18	1				1	10	2	3	13
93b	Myocarditis, unspecified (under 45 years): Males	554 202	16 1	4	5	3 2	3	31 3	15 2	14 3	26 7	24 10
	Females	434 254	20	4	3	$\frac{2}{1}$	1	30 5	$\tilde{7}$	14 4	14 6	29 16
93c	Chronic myocarditis and myocardial degeneration: Males	45, 756	5	7	3	1 1	5	21	30	39	58	82
	Colored	2, 909 39, 607	3	4	1	2	<u>ī</u> -	10	3 24	7 39	6 62	16 92
93đ	Colored	2, 491	1			. 1	1	3	2	4	11	21
	Other diseases of myocardium: Males	13, 542 1, 166	4	3			. 1	5	1	5 1	3	9 5
	Females	12, 327 1, 225	2	3		2	1	8	5 1		6	11 6
9 4 a	Angina pectoris: MalesWhite	13, 007							<u>i</u>	1 1		17
	Females Colored White	506 5, 718 431	ī					ī		2	4 2	4 8 5
94b	Diseases of coronary arteries: Males	11, 754						3		1	7	16
	White	364 4, 889			1			1 1			2 5	8
95a	Females Colored Colored Functional diseases of heart:	213				1		î				3
800	MalesWhite Colored_	371 22	1 1					1	1	1	2	4
	FemalesWhite Colored.	292 18	2					2			2	3
95b	Other and unspecified diseases of heart: Males	18, 657	57	15	15	10	10	107	76	102	135	134
	Colored FemalesWhite	3, 261 14, 023	10 41	13	7	. 9	11	23 85	10 81	27 116	19	51 102
96	Aneurysm (except of heart):	2,799	9	3	1	1	2	16	15	27	43	71
	Males	1, 296 309	1				_ 1	3		3	10 1 2	5 4 5
0.11	Females White Colored	419 108	i					1				3
97	Arteriosclerosis (coronary arteries excepted): Males	10, 477 734										
	Colored	8,620										2
98	Gangrene: White White	429	9	0 1	1		1	12	3	4	1	5
	Colored		1 8		1		i	14	3	<u>ī</u>	2	1 1
99	Colored Other diseases of arteries:				. 1		-	1	1	1		
	Males	833 58	6	1		2		9 1	5	2	12	13
	Females	578 47	4	1			1	6	2	4	6	8 2
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.): MalesWhite	299	5	1		. 1		7			. 5	8
	Colored	20 345		ī	1		1	3	i	2	3	5 2
101	Colored Diseases of lymphatic system (lymphangitis, etc.):			13	4	3	1	9#	3	3	1	1
	Males White Colored	72 17	14 2 16		3	_l i		35 3 26	1 5	1 1	2	. 4
100	Females	65 15	3	1		-	-	4	ı	1		1
102	Idiopathic anomalies of blood-pressure: Males	193 93		-		-	-					
	Females	146										1
103	Other diseases of circulatory system: Males	108	6					6	1	1		2
	Females					1		5	2	1 1		5 2
	Colored.			ī		J		1 5	J	l î	l î	1 2

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years	Age un- known	List no.
										-,			•			Known	
98 10 140 22	89 20 95 19	87 15 82 11	103 10 78 16	90 17 65 17	88 8 56 10	100 16 53 12	91 7	68 3 62 5	49 3 48 3	36 3 40 2	19 2 22 1	11 15	8				918
	l .		52	17	10	12	57 . 9	5	3	2	1		4	1 1			J . N
16 7 30 11	19 4 25 9	31 10 41 13	14 24 21														91b
419 80 541 131	476 129 566 153	732 248 705 235	931 319 843 291	1, 213 332 1, 046 343	1,534 450 1,204 395	2,020 422 1,489 313	2, 615 386 2, 156 379	3, 111 321 2, 687 271	3, 926 242 3, 544 243	3,499 203 3,325 168	2,350 131 2,652 113	1, 177 62 1, 458 79	291 33 475 30	36 15 81 23	4 7 10 15	22 · 11 13 13	928
				120 42 103 33	141 35 109 41	167 45 142 43	224 38 170 38	261 18 217 19	312 19 302 20	302 18 253 11	186 11 205 10	85 3 110 6	21 5 28 1	2 1 8 3	2 1 2 3	1 1 1	921
15 9 24 12	49 16 32 19	71 19 63 33	112 24 57 39	155 33 100 35	207 38 113 48	222 37 139 28	271 29 145 32	278 11 207 23	259 10 203 11	· 189 7 199 7	114 2 124 6	72 2 62 7	22 1 26 3	4 7 1	1 1 1	3 2	933
39 18 39 39	64 32 64 48	124 52 98 51	217 75 139														93b
39 123 41 141	1		81	1,755 269	2, 818 367	3, 911 312	5, 352 371	6, 506 286	7, 734 262	6, 836 207	5, 018 139	2, 675 87	841 43	158 11	16 12 37	27 4	1
40	239 85 217 87	521 136 387 119	996 244 696 188 67	1, 132 236 632	1, 738 273	2, 503 250	3, 839 308	6, 506 286 5, 033 247 1, 875	6, 682 228	6, 664 . 176	5, 474 137 1, 569	3, 273 74 853	841 43 1, 280 48	260 14 59	12	27 4 24 5.	} 93c
11 3 13 3	10 8 18 6	34 14 24 9	11 36 16	135 381 175	883 204 568 202	1, 199 173 776 167	1, 592 175 1, 278 174	1,875 118 1,586 138	2, 326 126 2, 006 114	2, 123 77 2, 143 72	52 1,836 62	32 1,096 38	266 17 411 22	103 9	. 17	8 3 5 3	93d
28 16 14 14	86 28 30 28	262 41 63 32	532 60 110 51	868 57 187 70	1, 265 71 287 62	1,747 62 501 44	1, 971 50 771 .43	2,007 53 952 32	1, 908 20 1, 076 17	1, 361 26 876 12	620 3 539 9	261 8 213 5	60 2 69 4	10	. 2	7 3 1	94a
48 15 18 11	90 16 29 11	252 38 52 19	601 49 129 18	937 41 185 27	1, 349 36 292 36	1, 510 53 473 28	1,806 37 654 23	1,706 29 789 13	1, 449 15 909 11	1,065 13 666 5	594 3 406 2	258 2 191 1	47 2 65 3	8 2 7	1	7 2 2 1	94b
7 1 2 2	2 1 5 1	7 5 13 1	17 2 11 1	16 2 12 3	31 2 14 1	30 1 23 1	44 2 24 3	44 27 1	60 1 53	44 1 40 2	42 35 2	12 3 15	5 7	1			95a
157 71 152 107	233 122 202 147	350 210 307 178	618 207 412 266	897 312 561 257	1, 279 428 783 355	1, 699 365 1, 004 254	2, 231 352 1, 386 271	2, 573 311 1, 667 243	2, 857 266 2, 154 197	2, 489 206 2, 066 133	1,669 156 1,567 94	798 66 882 70	194 33 313 30	31 9 48 10	4 9 12 7	24 8 12 8	95b
12 15 3 8	19 22 8 3	42 48 8 9	92 46 19 12	123 58 32 22	181 33 39 11	218 38 42 6	162 17 46 15	178 13 51 6	108 7 63 8	82 3 49 1	43 3 25 2	9 15 1	6 1 9				96
1 5 1 2	8 2 5 5	14 8 6 5	· 36 12 28 18	69 38 38 27	192 48 127 50	369 69 229 43	-681 100 427 71	1, 081 101 757 74	1, 858 102 1, 238 74	2, 200 89 1, 658 70	2, 104 78 1, 782 56	1, 263 39 1, 463 47	495 29 658 25	81 8 175 13	16 6 24 10	9 2	97
5 3 2	5 1 4 . 1	5 4 8	4 4 5	5 5 5 4	8 2 7 7	20 9 13 7	27 7 14 7	32 9 28 9	47. 5 28 11	73 9 35 13	78 8 63 6	56 8 53 3	32 2 29 2	6 7	1 4	2 1 1 1	98
7 1 9 4	19 3 11 6	25 8 21 4	45 6 23 5	56 10 29 6	70 11 36 3	81 5 39 5	84 5 59 1	81 3 52 2	103 2 81 3	100 70 2	73 1 60 1	37 2 40 2	5 22	5		1	99
7 6 2	8 1 10 3	14 1 17	26 2 19 3	28 7 27	34 1 33	31 2 44 2	26 2 50 5	38 2 46 2	32 1 32 1	17 1 27	11 10	6	1 3	1			100
1 3 5	2 1	3 2 1	2	1 1 3	2 3	1 2 3	4 1 3	2 1 4	4	3	4	1	1	1) } 101
1 2 1 1 1	1 3 1	8 8 3	11 6 7	1 13 8 7 10	11 10 11 15	20 10 17 9	21 13 15 10	33 13 19 7	22 10 24 9	27 5 20 2	15 2 16 6	7 2 3	1 2	1 2			102
1 2 1	1 3 3 2	4 3 1	6 1 3	10 6 2 6	15 8 4 5	9 10 2 3 1	10 12 .5 5	1	9 11 11 1	9 1 17 1	6 12 1 9	6	1 2 2				103

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

		-					,		,			
List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of the respiratory system:											
	Males	48, 131 9, 614	7, 806 2, 207	1, 842 487	767 219	444 125	306 69	11, 165 3, 107	948 183 782	621 130	1, 031 299	1, 038 450
	remaies White	39, 422 7, 348	5, 856 1, 755	1, 530 437	699 209	373 90	255 48	8, 713 2, 539	782 167	657 141	725 280	807 359
104a	Diseases of nasal fossae: Males	117	ro		. 8							
	Colored White	87 95	52 61 30	2 6 4	2 2	1 2 3	$egin{array}{c} 2 \\ 1 \\ 2 \end{array}$	65 72 41	2	5 1 3	1 1 2	2 2
104b	Diseases of pasal fossae and appears:	80	54	5	2		í	62	2 2	1		1 2
	Males	405 30	17 1	3 1		1	1 1	22 3	20 3	$^{32}_2$	50 6	· 42
	Females	240 23	8	2	3	3	1	17	17	36 6	▶ 16 2	20 2
105	Diseases of larynx: MalesWhite	246	42	41	19	24	12	138	38	5	5	2
	Colored	37 174	12 37	5 16	1 15	4 11	1 15	138 23 94	$\frac{2}{21}$	2 2	2	3 /
106a	Acute bronchitis: MalesWhite	28 672	190	4	1 16	3 10	3	17	1		1	
	Colored White White	89 703	190 44 136	36 5 30	5 14	3 2	<u>1</u>	255 57 183	9 1 9	6 2 2		8 2
106b	Chronic bronchistic	108	49	9	3			61	3		3 1	2 2
	Males	892 38	8 1	3	2	2		15 1	1	3	6	11.
	Females	837 45	7 2	2	1			10	5 1	1 2	9	7 21
106c,d	Males	370	81	11	3	4	3	102	5	4	1	2
	Females Colored White Ward	64 382	25 65	2 4	2 5	1	i	30 76	5	3	2	2 2 3
107a	Bronchopneumonia: Colored White	78 17, 295	29	5	3	000		37	1		100	,
	Colored FemalesWhite	3, 015 15, 413	5, 292 1, 329 3, 951	1, 018 283 890	376 114 364	200 58 176	125 31 115	7, 011 1, 815 5, 496	315 66 276	155 29 175	168 39 158	172 63 154
107b	Capillary branchitie:	2, 499	1, 032	263	113	43	20	1, 471	63	32	57	58
	Males White	201 45	97 24	16 6	6	4 1	1	124 31	2	1		1
	Females Colored Colore	172 40	73 20	12 4	2 1	ĩ	2	90 26	6 1	1	1	
108	Lobar pneumonia: Males	22, 844	1, 586	550	255	164	131	2, 686	459	351	691	687 320
	Colored White Colored	4, 851 17, 747	384 1, 199	122 436	62 229	36 133	25 100	629 2, 097	80 368 75	76 372	217 448	506
109	Pneumonia, unspecified: MalesWhite	3, 424 1, 206	304 274	99	62 27	31	19	515		72	175	229
	Colored	775 1,081	290 237	64 51 66	24 26	8 17 20	12 7	385 389	35 18	21 16	30 17 29 35	31 25
110	Pleurier Colored.	642	236	38	19	11	4	353 308	27 18	24 16	35	29 32
	Males White Colored.	1,372 214	85 17	69 5	41 5	18	13	226 32	38 4	28	53 10	51 17
	Females White Colored.	858 134	64 8	58 4	27	17	10	176 13	32 1	28	31 6	17 41 14
111a	Pulmonary embolism and thrombosis: Males	219	6					7		1	3	4
	Females. Colored. White. Colored.	22 183	4					4-			6	2
111b	Pulmonary congestion, edema, hemorrhagic infarct: Males	12 558	23	8	2	2						2
	Colored_ FemalesWhite	46 671	8 22	2	2		1	36 8 29	2 1 2		4 3 4	2 2
112	Asthma:	42	4		ĩ	i		6		3 1	*	2 2 1
	MalesWhite Colored	844 161	13 3	12	3 2	5	1	34 6	6	3	2 2	5
110	Females	639 140	8 2	1 5 2	6 2	4 1	2 2	25 9	9 1	3 4	5	22 4
113	Pulmonary emphysema: Males	73	7		1 .			8	1	1	. 1	
	Females Colored Colored Colored	6 30 3	2 1			·		2		1	1	
114	Other diseases of respiratory system (tuberculosis excepted):	9						1				1
[Males	817 134	33 8	. 9	7 2	1	1	51 11	15	5 1	15	18 13
	Females White Colored	197 50	13 5	3 2	3 1	1	1	20 9	3	4	4 8 1	16
	IX.—Diseases of the digestive system:			_ [Ĭ		*		
j	Males White Colored Colored	42, 046 5, 921	5, 849 1, 426	1, 721 389	697 124	439 55	343 39	9, 049 2, 033	1, 214 140	1, 017 157	1, 244 156	1, 192 234
	FemalesWhite Colored	32, 526 5, 165	4, 312 1, 216	1, 428 315	554 95	374 63	280 43	6, 948 1, 732	1, 063 137	832 106	851 173	964 252
115a	Diseases of pharynx and tonsils: MalesWhite	1,888	100	0.5								
]	Females Colored White	216 1,927	102 16 71	95 9 57	77 7 55	83 6 71	73 3 50	430 41 304	255 21	126 22 109	111 13 121	136 16
1	Colored	251	9	1	8	18	7	33	217 26	109	25	129 23

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

25 to 29 years	30 to 34 years	35 to 39 years	·40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
1, 033 483 952 382	1, 305 539 1, 127 394	1,779 614 1,266 405	2, 334 607 1, 403 400	2, 583 658 1, 378 369	2,839 614 1,516 421	2, 879 492 1, 829 306	3, 052 384 2, 383 306	3, 335 318 2, 606 229	3, 618 248 3, 406 207	3, 419 177 3, 492 168	2, 703 132 3, 167 104	1, 653 84 2, 077 71	607 46 867 44	133 12 215 14	20 13 29 24	36 24 25 18	
5 3 1	3 2 1	5 2 2	3 1 3	3 1	1 2	1 2 4	2 1	· 1	3 3 4	5 1 4 2	2 1 8 1	5 1 7	2 9	1	. 1		104a
33 3 . 14	33 14 2	25 1 9 3	27 1 16	27 1 14 1	22 4 18 2	23 2 13 1	17 2 8 2	8 1 10 1	13	4 7	5 5	2					104b
1 2 2 1	6 1 4 1	5 6 2	7 2 2 2	11 1 4 1	. 8 2 5	2 2 4	7 1 3	2 1 5	3 2	1	7	3	2	1		 1	105
4 3 6 1	6 2 3 3	7 4 4 1	10 3 7 5	9 1 9 5	14 3 9 3	25 2 16 7	23 3 32 3	26 2 28 4	. 45 1 51	57 1 · 76 4	69 1 111 4	62 101 1	24 1 39	11 12	1		106a
8 2 13 2	12 1 16 1	14 2 8 1	36 3 17 5	45 2 21 3	41 1 20 3	59 4 32 3	77 2 49 4	81 7 75 3	120 2 136 5	125 1 145 3	123 5 141	79 1 92	30	3 1 10 1	2 1 2 1	1 1	106ъ
1 1 1 3	2 5 4 2	1 4	6 5 3 2	7 2 3 7	9 3 4 2	6 3 5 3	15 5 12 4	16 2 18 4	28 1 35 4	41 43 1	51 1 57	45 1 64 2	19 34 2	2 2 7	1		106c,d
185 66 197 60	245 79 218 65	89 284	465 90 283 74	110	620 110 407 76	703 94 474 75	761 93 719 79	996 70 866 68	1, 166 69 1, 196 61	1, 279 48 1, 383 39	1, 108 34 1, 372 27	728 26 925 25	254 11 402 13	64 3 91 4	10 5 14 5	5 6 4 4] 107a
2	<u>-</u>	1 2 1			5 2 1	4 1 3 1	9 2 3	8 5 1	11 1 5 2	12 15 1	7 15	7 15	5 5	3 1		1 	} 107b
666 328 600 259	863 392 752 264	1, 162 446 826 269	1, 493 426 928 246	456	1, 711 401 902 277	1,666 308 1,117 181	1,764 221 1,355 172	1,829 180 1,378 116	1,825 128 1,690 100	1,557 100 1,531 97	1, 044 58 1, 130 56	538 37 619 31	190 21 210 20	33 6 41 6	2 6 4 10	24 15 10 10	108
25 28 33 30	21 23 37 25	1	,	42 34 26 12	56 38 23 24	63 27 28 14	51 27 46 18	60 25 51 11	89 21 63 13	85 9 59 14	71 17 78 8	. 40 8 59 4	22 6 30 4	13	1 2 3	1 2 7 3	109
56 27 46 10	52 16 40 15	86 13 27 9	120 20 39 15	111 14 38 13	105 14 39 6	15 52	84 6 54 8	89 7 55 7	72 8 51 1	57 3 50 1	29 4 31 2	11 1 17 1	3 7 2	2 4		1 1	110
7 3 3	ž	12	12 1 12 2	11 1 14 1	20	1 2	4	19 3 22 1	25 2 25	14 1 9	10 7	5 5	2	3] 111a
3 1 4 1	2 2	3 4	6 2	8 2	5 6 3	13 1	23 2	34 3 25 2	52 5 58 6	78 2 91 3	109 4 136 2	94 1 135 2	45 3 86 2	13 29 1	3 5 2	1	111b
6 6 17 9	14 8 23	33	26 12 41 11	59 18 38 9	90 17 50 18	87 14 43 10	106 13 52 8	101 14 53 11	103 8 67 11	75 9 61 3	64 7 58 2	28 6 29 4	6 3 9 , 1	i	2	1 1 1	112
1	-	- 2	2	4 3 - 1	: 1	6 ī			7	7 5	3	4	1				113
32 10 14	. 34	43 17 3 14	80 14 12	2 19	10	14	5	55 3 11	56 2 17	19 2 12	5 8	7 2 2 2 1	3 1 4		1	1	114
1, 234 235 985 261	1, 438 298 1, 154 270	1, 946 363 1, 474 1, 474	2, 450 2 377 1, 586 355	2, 990 406 1, 933	3, 111 387 2, 191 305	3, 221 333 2, 257 247	3, 069 264 2, 311 210	2, 792 192 2, 183 157	2, 514 133 2, 146 100	1,780 91 1,643 70	1, 061 58 1, 150 55	493 29 558 25	136 17 215 14	32 · 2 46 5	7 4 11 7	55 12 25 14	
118 16 108 29	98 18 113 8	68 3 13 140 21				83	47	50	41	25 1 25	18 25	9	8	1	_ 1	1]]]]]]]]]]

Table 6.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
-	IX.—Diseases of the digestive system—Continued											
115b	Diseases of buccal cavity and annexa: Males		24 3 18	6 3 7	4 1 4	3	2	39 7 32	20 1 12	7 1 10	17 1 14	26 5 23
116	Diseases of esophagus: Males	1 83	8 3	i	1	3	1	13	2		2	10
	Colore FemalesWhite.	1 7 51	5	1			1	1 6	1	<u>1</u>		1
117a	Ulcer of stomach: Males	3,384	3	1	1			5	4 1	10 2	20	72 21 15 12
	Females	918	2	2				2 2	4	6 3	15 4	15 12
117b	Ulcer of duodenum: MalesWhite. Colore	1 118	4		1	1 1		6	2	2	13	23 4
***	Females		4				2	2			1	7 2
. 118	Other diseases of stomach (cancer excepted): Males	1 583	175 96 154	32 25 28	26 10 15	11 4 11	5 1 7	249 136 215	18 11 16	9 6 10	19 14	22 16 11
119	Diarrhea and enteritis (under 2 years): Males	622	75 4, 876	1,386	5	3	5	108 6, 262	15	7	16	35
	Colore FemalesWhite.	4,860	1, 209 3, 643	330 1, 217				1,539 4,860				
120	Diarrhea and enteritis (2 years and over): Males	2, 052	1, 063	274	407 87	168	100 25	1, 337 675 142	130 25	38 10	30	36 8
Ì	FemalesWhite.	2, 137			328 70	166 45	96 15	590 130	121 35	39 13	13 31 10	51 15
121	Appendicitis: MalesWhite.		28	79	89	120	115	431	632	699	875	691
	Colore FemalesWhite.	1 888 5, 904	4 12	3 42	76	6 86	5 93	23 309	49 559	96 556	84 524	95 430
122a	Hernia: Colore Males	2, 546	50 17	11 3	1 1	1	5 4	10 67 21	39 5 1	53 6	53 15 8	60 22 10
	Females	1,848	8 2	1 1	î		1	11 3		1	i	5 1
122b	Intestinal obstruction: Males	2, 990 517	451 59	72 12	55 8	27 4	24 1	629 84	86 18 54	73 13 45	85 13	63 30
	Females	3, 190	295 42	43	34	23 1	16 5	411 62	54 4	45 5	51 19	113 37
123	Other diseases of intestines: Males	1 78	26 2	6	4 2	1 2	1	37 5	11	5	7 2	8 4
124	Females White Colore	i 417 102	13 2	3	3	2	1	23 6	10 2	2 1	14 2	10 9
124	Cirrhosis of liver: Males Colore	5, 174 1 403	5 1		1 1	<u>1</u>	1 1 1	7 4	3	8 2	11 5	16 3
	FemalesWhite.	2,719	9				1 1	10 3	7	15 1	6 10	12 7
125a	Yellow atrophy of liver: MalesWhite	162	4	1	1	 	2	8	1	3	2	7
	Colore FemalesWhite	262	2	1			1	4	1	4	8 8	7 27 6
125b	Other diseases of liver: Males	508	22	3	3	2	2	32	9	5	9	20
	Colore FemalesWhite	379	6 11	3 7	3	2	1 1	12 25	3 6	10	8 1	6 6
126	Colore Biliary calculi: MalesWhite	1, 261	5	1		1		7	2		1 2	7 3 2 38
	Colore Females	3, 117									7 3	38 1
127	Other diseases of gall-bladder, biliary passages: MalesWhite		13	2	4	6	2	27	8	3	8	i (
	Colore FemalesWhite	1 85 2, 217	9	1 2	5	<u>1</u>	1	1 18	3 6		8	13 2 25
128	Diseases of pancreas Colore		1	1	1			3	3	3	3	5 7
	Males	i 26			2	1 1		3		1	4	1 8 2
129	Colore Peritonitis, cause not specified:	d 17									. 1	! 1
	MalesWhite	d 93	63 13	27	21	13	. 11	135 15	29 6	23	19 4 25	26 4 54
	FemalesWhite	650		18 3	29	8	11 1	122 13	49 8	20 1	25 15	54 19
	X.—Diseases of the genitourinary system: Males		227 46	69	53 11	32 9	51 12	432 87	181 43	188 36	304 57	387 96
	FemalesWhite	[46, 994	153 31	59 18	48 12	33 10	37 7	330 78	165 25	264 32	397 122	625 215
130	Acute nephritis (including unspecified, under 10 year Males	1,824 1_ 521	89 24	37	33 7	15 9	31 6	205 52	90 25	57 7 54	65 19 53 22	68 27 50
	FemalesWhite Colore	1,372 535	62 15	30 15		18 6	18	150 50	65 14	54 15	22	50 28

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
1				,													
26 5 16 9	16 4 19 9	31 10 18 8	27 8 21 4	36 8 16 7	28 4 19 1	28 4 14 7	26 4 12 6	25 4 11 2	23 2 9 2	12 7 1	9 7	3 5	3			2 1	115b
1 1 1	2 2	2 5	3 1	7 2 1	5 1 1	7 1 2	4 5	3 4 1	10	11 5	8 6	3	1	1			116
110 31 24 13	161 31 36	252 34 45 21	321 31 47 26	389 57 73 25	440 50 91 13	387 40 101	361 33 89 12	293 18 105	264 10	162 6	94 5	29	5 1	2		3] } } 117a
	36 . 10	ı	1			101 15 205 14	165	135	. 91 5 127	89 3 56	51 2 25	25 1 4	9 1 4) ***** 1
58 10 15 1	99 12 23 4	130 16 21 5	198 17 38 3	213 18 37 3	221 15 50 5	50 3	37 1	37 	3 35 2	32	16	4 1	4	1		1	117b
18 23 17 28	29 34 12 28	36 50 19 40	53 48 28 65	101 44 33 50	• 113 71 22 59	103 35 51 41	113 28 54 43	114 30 63 35	117 11 93 18	97 17 107 11	77 6 97 7	49 8 57 2	21 4 33 5	$\frac{2}{11}$	1 1 1 3	29 4 5 4	118
																	119
39 11 40 13	40 12 51 20	46 19 58 22	60 19 52 28	88 26 69 25	79 27 70 31	82 22 69 32	87 26 108 33	. 98 19 106 14	135 20 155 20	130 19 182 21	144 7 180 17	75 6 107 9	29 5 42 6	9 10 3	1 1 5 2	1 1 2	120
624 67 347 70	614 91 346	723 88 338 47	771 75 360	777 76 401	661 48 406 41	626 40 356 23	462 19 347 28	362 17 239	235 · 12 197	117 5 109	49 2 51	19 1 18	4 7		1	7)] ₁₂₁
70 29 11 16 4	54 42 9 27 4	47 76 17 50 15	124 32 88 13	186 26 145	41 192 29 196	23 249 37 225 18	28 271 31 252 4	328 18 261 10	332 24 248	2 287 11 158	1 193 10 95	1 89 7	20	8	4	1 3 1 1)] 122a
		107		179 45 199	190 10 192 38 196	225 18 215 31 210		201 10 225 28 244	5	 175	3 118	45 2 64	18 18	5 4) }
70 28 137 42	71 32 149 55	37 204 69	122 43 196 52 43	65	39	37	251 33 215 15	22	241 13 247 16	13 193 9	7 185 8	64 3 86 3	39 	4 2 8	2	2 2 6 5	122b
12 5 22 7	21 4 16 12	24 12 28 11	6 24 12	58 13 34 11	39 5 33 10	56 7 36 7	58 3 32 3	52 4 27 4	50 3 37	36 1 27 2	22 3 21 1	12 11 1		i		1 1 1	123
39 8 29 6	80 20 65 17	204 30 119 21	329 46 176 35	492 51 243 35	631 59 284 30	703 51 294 24	750 48 329 25	676 32 311 27	594 19 340 10	391 11 241 12	165 9 152 6	55 3 63 2	10 1 17	2 4	1 1 1	7	124
6 2 27 6	11 1 18	12 3 27	14 23	13 2 28 2	16 3 17	13 2 15	13 16	15 15	11 1 13	9	4 4	4					125a
6 26 7 9	15 6 12	40 6	4 42 13 27	42 8	1 52 10 37	46 16 40	1 45 11	1 28 7	36 3	34 4	19 · 4	6	2 1				, torn
5 9	12 29	15 8 54	27 4 95	15 5 119	9 154	40 4 170	36 4 167	24 7 159	36 3 32 1	34 4 33 1 92	30 3 48	10 32	2 1 1	2		1	} 125b
3 64 7	116 11	187 11	214 15	292 20	376 15	391 8	5 406 15	370 3	316 3	185	1 105 3	41 1	9 1				126
23 2 43 9	53 9 94 11	78 10 131 14	78 8 141 11	125 6 178 17	128 8 214 13	172 12 236 14	151 6 240 14	180 3 261 3	120 2 224 3	116 2 203 4	50 3 107 3	35 1 63 2	6 1 17	1 4		1 2 1 1	127
15 3 13	25 4 16 1	31 4 18 3.	36 4 25 1	36 2 31 5	34 3 38 2	45 4 33 1	45 1 34	25 22	21 17 1	14 12	3 4	2 				1	128
14 2 57 12	33 9 39	32 9 51	37 8 30 11	40 6 37	46 5 31	31 5 22	53 6 18	24 4 24	31 6 22	16 23 1	15 1 14	3	1			2	129
464 163 788 318	638 240 1,061 393	9 1,027 370 1,462 538	11 1, 533 559 1, 941 639	2, 285 746 2, 394 753	3, 283 1, 022 2, 765 833	4,322 961 3,347 737	6,049 1,079 4,524 642	7, 441 898 5, 480 599	9, 226 814 6, 817 496	8, 545 591 6, 380 340	6,056 478 4,752 274	3,067 246 2,499 151	821 103 803	124 55 , 131 , 36	24 31 21 34	42 27 48 30	
77 32 50 37	84 32 79 32	113 36 84 66	135 43 87 65	136 46 107 47	115 53 85 45	99 42 81 40	139 40 96 23	115 16 79 17	105 20 93 13	92 14 55 6	63 7 47 3	· 42 3 37 4	90 21 4 15 4	2 1 3	1	1 1 2 2	130

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	X.—Diseases of the genitourinary system—Con.											
131	Chronic nephritis: MalesWhite	42, 173	4	8	7	11	7	37	62	89	172	244
	FemalesWhite	5, 878 38, 211	1 4	5	4 6	7	2 5	9 27	13 70	14 141	17 191	38 287
132	Nephritis, unspecified (10 years and over):	5, 164					2	2	7	9	36	64
	Males White Colored White White	3, 566 1, 074 2, 772								26 14 25	34 12 32	36 11 35
133	Colored_ Other diseases of kidneys, ureters (puerperal diseases	832								4	13	18
1	excepted): MalesWhite	1, 394	99	21	11	5	11	147	27	15	25	26
L-	Colored White Colored	275 1, 432 210	12 85 14	1 23 3	20 3	8 4	13	17 149 24	28 4	31 1	6 28 5	7 38 5
134	Calculi of urinary passages: Males	723	1	J		1		1 1			5	6
	FemalesWhite	35 370					<u>1</u>			2	4	2 9
135	Diseases of bladder (tumors excepted): Males	32 423	5					1 5	1		1 2	4
	Colored Females White	112 176	2					2 2	1 1		1	2 2
136	Diseases of urethra, urinary abscess, etc.:	27	Î					1			1	
	MalesWhite Colored	211 170	1					1 1 1			1	3 6
137	Females	14 3	1									
101	MalesWhite Colored	6, 041 596									1	<u>1</u>
138	Diseases of male genital organs, not specified as venereal: Males	84	29	3	2		2	36	1	. 1	<u>-</u>	
139a	Cysts of ovary: Females	41 621	6					6		3	10	2 . 27
139b	Colored Other diseases of ovaries, diseases of tubes and para-	69									3	8
	metrium: FemalesWhite	1, 298							1	3	60	151
139e	Diseases of uterus:	376								1 4	34 16	72 26
139d	Females	679 88								1	6	ĩi
	FemalesWhite Colored	15 3										
139e	Other diseases of female genital organs: Females	34								1	3	
	XI.—Diseases of pregnancy, childbirth, and the	36								1		,
	puerperal state: FemalesWhite	10, 496	 							17	. 962	2, 122
140	Colored	2, 624								27	515	594
140	Abortion with septic conditions: Females	1, 742 284								2 3	141 40	453 66
141	Abortion without mention of septic conditions (includes hemorrhages):] `	
	Females	590 116									32 16	93 26
142a	Females	83 20									1	9
142b	Ectopic gestation, septic conditions not mentioned: Females	391						1				54
143	Other accidents of pregnancy (hemorrhages not in-	68				 -					4	17
	cluded): Females	65									5 3	10
144a	Placenta praevia: Colored FemalesWhite	19 349	II	l		ì	į.			1	10	25
144b	Other nuerperal hemorrhages:	68	il	i			į				3	10
	Females	793 167									51 16	126 33
145a	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded):	,										
	FemalesWhite Colored_	2, 110 611								4 7	251 141	508 156
145b	Puerperal tetanus (abortion and ectopic gestation excluded):		J								_	
140	Females	11 2									2	3 1
146	Females	1, 936 723								7 12	285 195	426 158
147	Other toxemias of pregnancy: Females	416					ŀ				44	99 17

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
,					•							•					
292 74 329 136	422 140 512 211	703 223 814 312	1,098 382 1,241 426	1, 778 533 1, 690 543	2, 652 727 2, 208 625	3, 467 693 2, 768 567	4, 731 772 3, 854 535	5, 606 613 4, 829 483	7,019 ,582 6,084 419	6, 339 399 5, 754 283	4, 489 332 4, 276 228	2, 275 165 2, 249 123	552 74 715 73	92 38 117 31	19 23 19 30	35 17 36 21	131
39 21 42 28	42 28 55 36	68 51 63 54	113 69 127 71	130 82 141 87	204 119 158 112	291 106 200 91	353 131 243 65	429 119 322 75	532 102 410 48	559 80 401 46	409 58 295 34	220 43 154 24	61 13 50 13	16 8 10 4	4 2 2	4 3 7 7] 135
24 8 48 8	49 15 65 20	77 17 76 21	81 19 96 16	81 19 81 22	98 31 105	100 30 105	108 29 128 8	128 26 113	129 13 117	129 15 99	88 7 77	46 4 32	12 2 14	. 3 1 1	1	1 3 1	135
24 20	24 1 19	42 1 29	50 41 5	74 3 40	. 22 67 8 42 3	21 68 6 34	89 4 53	15 92 3 24 3	80 3 21	3 59 2 19	· 6	9 1 5	5 1	1	1	1	134
3 1 2	3 2 3 3	3 4 4 5	10 8 10	12 6 8	12 9 9	19 17 13 3	25 7 11	51 11 22 2	54 7 22 2	72 13 18 2	79 10 26 1	46 4 17	21 3 7	2 2	1		135
2 21	9 12 1 1	8 23 3	1 17 23 1	27 27 21 3	24 20	22 12 1	5 24 13	29 7 1	18 7 2	15 1	6 2	4 1	1 1				136
3 2	6 7	8 14	24 13	42 27	108 49	253 53	574 82	985 102	1, 283 77	1, 276 67	896 61	423 24	148 6	8 5	4 2	3) } 137
2 3	<u>2</u>	· 1	5 2	5 9	3 6	3 2	6 1	6 1	6	4		2 1					} 138
49 8	54 13	96 12	71 7	71 5	` 41 9	48 1	54 1	32 1	32 1	17	13	3					} 139a
189 77	205 55	222 63	169 34	155 24	54 6	31 5	26 2	14 1	5 1	8	3 1	1				1	} 139b
58 14 2	65 17	64 3	96 10	92 14 3	56 3	62 4	52 2 1	41 1	29 1 1	8	7	1	1			1	} 139e
1 6	1 3 3	2 3	1 2 3	3 5	1 5 2	3 1	6	3	1 2		1						} 139đ } 139e
2, 369 455	2, 170 462	1,899 377	847 152	91	3	_										16	,
455	380		152 87	29	5 1				-							16 8	
55	69	244 41	6	10 2	ī											2	} 140
133 16 17	135 32 29	133 17 18	58 8	5 1												1	} 141
17 8 87 15	122 20	18 2 82 10	8 1 36 2	1													} 142a } 142b
15	10	7	14	4													, 1
5 79 14	76 15	93 15	55 10	9												2	} 143 } 144a
172 37	177 32	162 30	92 15	1 13 3	<u>1</u>							 					} 144b
502 94	397 96	312 81	121 26	13 7	1											1 3	} 145s
4		1	≟1									,				3	, 1
381 119	318 104	333 89	162 37	. 17 8	1											6 1	} 145b } 146
93 11	75 12	75 11	27 4	2												1	, -20

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—Continued]	
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic):											
149	Females	575 51								1	31 4	82 12
	Females	1, 401 406		-						3 3	98 75	227 87
150	Other and unspecified conditions of puerperal state: FemalesWhite Colored	34 16									2 3	7 2
	XII.—Diseases of the skin and cellular tissue: Males	932	169	13	7	3	4	196	21	23	49	32
	Colored_ FemalesWhite Colored_	118 703 100	20 115 11	18	3 5 1	7 1	· 4 1	25 149 14	1 19 1	23 3 33 2	49 2 38 3	7 37 3
151	Furuncle, carbuncle: MalesWhite	313	7	. 2	1		3	13	6	7	25	17
	Colored FemalesWhite	21 173	4 5	1			1	4 7	4	9	1 13	1 15
152	Phlegmon, acute abscess: MalesWhite	20 316	1 50	6	1 4	1	1	2		1	1	
	Colored FemalesWhite	54 226	53 7 33	12	1 1	5		65 10 51	11	14 3 13	16 1 17	12 3 7
153	Colored Other diseases of skin and annexa, and of cellular tissue: MalesWhite	35	5			1		6	1	1	1	2
	Colored FemalesWhite	303 43 304	109 9 77	5	2 2 4	2	3	118 11 91	4 1 7	2 11	8	3 3 15
	Colored XIII.—Diseases of the bones and organs of locomotion:	45	5				ĭ	ê			î	1
	Males	921 90	35 5	11 2	22 1	21	22 2	111 10	85 8	137 14	67 9	41 9
	FemalesWhite Colored	521 53	25 4	17	16 1	14 2	14	86 7	83 6	63	26 3	20 1
154	Osteomyelitis: White White	637	22	8	20	15	19	84	75	115	46	26
	FemalesWhite	63 327	4 21	2 15	1 12	_{ii} -[2 11	9 70	63	11 56	5 17	9 11
155	Colored Other diseases of bones (tuberculosis excepted); MalesWhite	26 96	3 5	1	1	2 2	3	6 12	3 7	3	6	1
	FemalesWhite	6 67	<u>î</u>	2	1	1		8		5 1 1	1 3	- 3
156	Diseases of joints, other organs of locomotion: Males	10 188	1 8	2	1	4		1	1			
	Colored	21 127	1 3		3	2		15 1 8	3 2 13	17 2 6	15 3 6	11
}	XIV.—Congenital malformations:	17							2		ĭ	
	MalesWhite	6, 309 428	5, 651 364	188 16	79 7	51 3	44 5	6, 013 395	98 11	72 11	56 4	19
	Females	5, 166 328	4, 597 280	174 18	62 10	40	27 4	4, 900 313	101	69	27 2	2 27 1
.57a	Congenital hydrocephalus: MalesWhite	773	587	65	23	16	15	706	30	10	9	
ŀ	FemalesWhite	73 736	44 595	7 48	2 19	1 15	3 6	57 683	8 27	16 6 9	1 6	4
.57b	Spina bifida meningocele: MalesWhite	47 591	29 562	9	4	1 4		43	1	3		
	Colored	19 751	19 720	15		2	4	583 19 739	2	1 .		2
.57e	Congenital malformations of heart: Males	27	24	2				26		•	1	
	Females White White White	3, 327 205 2, 550	3, 008 181 2, 257	85 5 82	29 4 29	18 2 16	17 2 16	3, 157 194 2, 400	49 3 52	44 3 44	40 3 19	10 1 14
57d	Colored	151	131	6	4		2	143	1	3	ĩ	î
.57 u	Other congenital malformations: Males	1, 618 131	1, 494 120	29 4	23	13	8	1, 567 125	17	11 2	-7	3
	Females	1, 129 103	1, 025 96	29 1	13 2	7	4 2	1, 078 101	15 2	13	2	1 8
ł	XV.—Diseases of early infancy: Males	25, 172	95 179			ľ		05 170	Ì	ĺ		
	Colored Females White White	4, 308 18, 080	25, 172 4, 308 18, 080					25, 172 4, 308 18, 080				
58	Colored Congenital debility:	3, 355	3, 355					3, 355				
	MalesWhite Colored	1, 623 557	1, 623 557					1, 623 557				
, l	FemalesWhiteColored	1, 171 463	1, 171 463					1, 171 463				
59	Premature birth: Males	15, 770 2, 754	15, 770 2 754					15, 770				
(Females Colored Colore	2, 754 11, 912 2, 276	2, 754 11, 912 2, 276					2, 754 11, 912 2, 276				

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	7ā to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years	Age un- known	List no.
126 11	134 9	155 . 10	42 4	3 1												1	} 148
329 68	308 64	279 63	142 37	13 5	2											2 2	149
9 2 35	9 1	5 5	2 2	59	53	61	60		64	25	30	28	6	4		<u>i</u>	150
35 5 31 7	30 7 29 5	43 7 40 8	51 9 36 12	58 14 35 9	53 13 31 9	61 5 27 8	60 2 46 6	55 7 34 2	64 4 36 2	35 3 25 3	30 2 30 2	26 1 14 2	6	5 1	2	1	
12 1 14	12 4 11 1	19 2 9	18 4 12 5	26 2 15 2	27 1 12 3	23 8 2	28	28 1 9	22 7 1	14 8	5 5	9 <u>3</u>	1 1	1	2		151
20 3 10 5	12 3 10 2	14 4 19 3	19 4 12 3	23 6 8 4	17 9 9	26 3 7	23 1 16	11 1 9	15 1 11 11	8 1 6	· 6	3		1		1	152
3 1 7 2	6 8 2	10 1 12 4	14 1 12 4	9 6 12 3	. 3 . 10 2	12 2 12 12 6	1 4 9 1 21 4	16 5 16 2	27 3 18	13 2 11 3	1 19 2 17 1	14 1 9 2	5	2			153
,			İ		!						13	7	2			1	J
32 5 12 2	46 4 18 5	41 8 18 2	45 4 27 3	47 4 14 8	42 2 24 3	49 2 19 1	42 4 16 3	45 3 24 1	48 2 20 1	21 2 23 1	11 3	13	2			1	
26 5 5 1	30 2 10 2	32 6 9 1	30 2 17	30 2 7 3	28 6 2	28 1 8	18 2 9 1	24 1 15	25 1 10	12 1 6	3 3 1	5					154
2 1	6 1 2	4 1 1	4 1	3 2 2	10 	7 1 1	6 4 1	9 1 4	7 4 1	6 6 1	3 4 1	1 3	<u>2</u>	1		1	155
7	10 1 6 3	5 1 8 1	11 2 10 2	14 2 5 3	10 2 8 1	14 10 1	18 2 3 1	12 1 5 1	16 1 8	3 1 11	7 4 1	1 5	2			 	156
13 1 14	13 2 12	8 2 8 2	8	6	1 1	1 2	1										}
4	3 1 4	2	1											-	·) }
3	2	1		1													} 157a.
8	6	4	6	2		1											} 157b
. 8 1 8	6	5 2		1		1											157e-
1 3	2 1 2	·2 2	1 1	3	1 1	1	1] 157d.
																	158:
																	159

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

ist no.	CAUSE OF DEATH, SEX, AND COLOR	.	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 2 years
	XV.—Diseases of early infancy—Continue	ed											
0	Injury at birth:								[ĺ		1	
	Males	White Colored	5, 404 509	5, 404 509					5, 404 509				
	Females	White	3, 335	3, 335					3, 335 306				
1	Other diseases peculiar to early infancy:	Colored	306	306									
	Males	White Colored	2, 375 488	2, 375 488					2, 375 488				
	Females	White Colored	1, 662 310	1, 662 310					1, 662 310				
2	XVI.—Senility:			310					010				
	Males	White Colored	3, 524 1, 079										
	Females	White Colored	4, 332 1, 149										
	XVII.—Violent and accidental deaths:					********		700	0.010	0.007	0.441	4, 161	E EA
	Males	White Colored	74, 031 11, 177	853 227	786 124	600 98	547 86	530 68	3, 316 603	2, 307 319	2, 441 406	897	5, 54 1, 42
	Females	White Colored	27, 582 3, 481	662 202	539 96	414 77	440 88	68 383 86	603 2, 438 549	1,317 242	689 120	1, 250 231	1, 460 36
		COMMU											
	Suicide: Males	White	15, 922		 	 				1	32 3	265	63
	Females	Colored White	531 4, 035								3 12	15 206	51 361
		Colored	158								2	17	3
3	By solid or liquid poisons or by absorption sive substances:												
	Males	White Colored	1, 816 67								1 1	33	8
	Females	White	1, 293								$\begin{bmatrix} \bar{3} \\ 1 \end{bmatrix}$	104	18 1
	By poisonous gas:	Colored	64										
	Males	White Colored	2, 143 32								1	8	8
	Females	White	800								2	22 2	{
	By hanging or strangulation:	Colored	10									İ	
	Males	White Colored	3, 019 71								15	43 1	6
	Females	White	511									6	1
	By drowning:	Colored	14									l	
	Males	White Colored	616 29								1	4	1
	Females	White	333								1	8	2
	By firearms:	Colored	14										
	Males	White Colored	6, 968 254							1	13 2	163 10	38
	Females	White	683								6	57	8
	By cutting or piercing instruments:	Colored	35								1	4	
	Males	White _Colored	706 45				·					2]
	Females	White	106									1	
)	By jumping from high places:	Colored	5									1	
	Males	White Colored	428 22								1	5] 1
	Females	White	229									6	2
1	By crushing:	Colored	10									1	
	Males	White Colored	130									3	
	Females	White	21										ļ
,	By other means:					1				ŀ			
	Males	White Colored	96 6		·							4	
	Females	White	59									2	
	Homicide:	Colored	6									1	
	Males	White _Colored	4, 885 3, 761	64 13	9	7 2	3	. 3	94 18	35 4	36 26	250 260	57 68
	Females	White	1,175	55	4	6	5	9 2	18 79 12	34 5	22 12	95 91	10 20
	By firearms:	Colored	901	1					{				
	Males	Colored	3, 555 2, 576	3	4	2		2	11	17 2	21 19	199 183	4
	Females	White Colored	. 620	1	2	2	2	3	10	9 3	10 10	46 51	ı
	By cutting or piercing instruments:		1	-			1 1			2	3	21	-
	Males	Colored	445	2 2	1			1 2	4	2	4 2	57	1
	Females	White Colored	. 96	3		. 1		1 1	5 1	6	2	8	
	By other means:					_				16	12	30	
	Males	Colored		59 11	4	5 2	3	8	79 13		12 3 10	20	
	Females	White Colored	. 459	51	2	3	3	5 1	64 10	19 2	10	41 15	1
	Accidental, other, or undefined:			11					1	li	_	3, 646	
	Males	Colored	53, 224 6, 885	214	777 124	593 96	544 86	519 65	3, 222 585	2, 271 315	2, 373 377	622	4,3
	Females	White	22, 372	607	535	408 77	435	374 84	585 2, 359 537	1, 283 237	655 106	949 123	9
;	Attack by venomous animals:	Colored				1	}	1			Į.	ì	·
	Males	Colored	55 17	6	1	2			13	4	. 5		
	Females	White	44		1	-i	. 2	3	13	7	š		1

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	Lis no.
																	16
																	16
				1	2 2 4 3	14 8 4 8	29 24 37 19	73 36 89 28	311 109 332 111	616 166 644	983 246 1, 135 240	861 187 1,117 194	478 135 689 158	129 81 225 76	22 81 52 165	6 4 3 3)]]
5, 163 1, 419 1, 249 355	4, 848 1, 230 1, 177 326	5, 471 1, 202 1, 237 248	5,766 910 1,183 178	5, 977 773 1, 283 147	5, 833 555 1, 261 149	5, 497 455 1, 337 114	4, 859 300 1, 461 98	4, 014 206 1, 607 94	3, 411 149 2, 074 72	2, 412 105 2, 084 70	1,666 64 2,124 50	810 50 1,538 27	303 13 639 18	76 49 6 130	7 4 16 11	171 83 28 10	, -
900 53 416 21	987 59 405 24	1, 274 73 423 19	1, 580 53 405 19	1, 851 56 432 7	1, 971 46 363	1, 889 47 308 5	1, 620 33 271	1, 247 14 202	895 10 132	468 8 51	214 4 23	52 1 10	10	1		30 3 6	
128 8 180 12	149 9 178	169 10 133	209 8 120	214 9 98	220 3 79	206 4 67	5 153 1 56	106 42	84 1 23	35 2 11	16	2	2			2 1 2	} 10
12 113 4 68 1	10 158 6 71 1	176 6 85 1	265 2 84 3	253 6 91	306 84 1	3 275 2 76	232 1 68	145 2 54	91	47 1 11	12	5				1	} } }
118 4 25 1	128 5 32 1	199 11 37 2	245 5 54 3	358 5 78 2	422 8 62	396 12 65	330 4 53 1	289 3 41 1	198 5 28	116 3 10	78 1 2	14	3			5 1 2)]]
15 2 13 1	27 2 22 22 2	56 4 34 2	56 6 32 3	68 3 39 1	65 5 36 1	74 3 33 1	75 2 30 2	61 30 1	51 1 21	29 9	12	5	1			3	} 1
456 28 93 4	442 29 69 4	556 33 85 3	677 22 59 6	784 18 80 2	769 23 54 2	813 19 37 1	686 21 25	546 6 23	380 3 10	189 2 4	73 2	20 1	2			14 1 1	} 10
18 2 6	34 6 4 1	58 4 - 9	63 4 14 1	73 - 12 - 21 - 1	100 4 14 1	65 5 7	92 2 13	60 1 5	62 8	42	17 1 1	4	2	1		3	10
31 5 26 1	39 1 23 2	38 3 27 3	42 3 32	68 2 20 1	52 2 23	39 1 17	31 1 15	31 1 5	19	9	5	2	2				1
11	7	12 1 2	16 2 3	17 3	19 3	11 1	15 1 3	7	5	1						1	1
10 3 1	3 1 4 3	10 1 11	7 1 7	16 1 2	18 1 8	10	6 8 1	$\begin{bmatrix} 2 \\ 1 \\ 2 \end{bmatrix}$	5 .	2	1					1	1
673 725 157 200	650 570 128 164	655 540 129 101	476 337 102 37	427 260 72 26	310 126 49 18	267 80 46 17	170 69 43 4	116 30 23 4	75 10 16	36 11 5	15 5 10 2	7 3 4		1		16 29 1 4	•
532 507 81 111	510 392 79 96	510 367 83 55	357 225 66 18	302 170 49 13	208 85 35 11	175 51 25 11	115 39 23 2	66 22 9	42 3 4 1	18 6 2	4 2 4	1 2 2		1		6 22 1 2	17
65 161 10 63	65 132 5 43	64 111 11 27	. 37 72 10 13	42 49 7 5	27 20 5 4	19 9 3 6	11 7 6	10 2 5	2 3 2	2	1	1				53	- 17
76 57 66 26	75 46 44 25	81 62 35 19	82 40 26 6	83 41 16 8	75 21 9	73 20 18	44 23 14	40 6 9	31 4 10	14 5 1	10 3 6 2	5 1 2				5 4	17
3, 590 641 676 134	3, 211 601 644 138	3, 542 589 685 128	3, 710 520 676 122	3, 699 457 779 114	3, 552 383 849 124	3,341 328 983 92	3, 069 198 1, 147 89	2, 651 162 1, 382 88	2, 441 129 1, 926 71	1, 908 86 2, 028 70	1, 437 55 2, 091 48	751 46 1, 524 27	293 13 636 18	48 5 130 11	7 4 16 11	125 51 21 6	
3 3 2 1	1 -	3 2	6	5 3 1	2	3 2 3	2 1	3 1	1	1 1 2 1						}	17

TABLE 6.—DEATHS, (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Continued											
177	Accidental, other, or undefined—Continued Poisoning by food:					_						
	Males	280 80 185	24 7 10	19 4 10	12 3 11	10 2 7	7	72 16 38	16 5 17	10 2 5	7 5 8	5 6
178	Absorption of poisonous gas:	73 i	7	4	4	1	1	17	7	4	2	2
	Males	1, 494 50 422	5 1 6	9 1 3	3 2	2 1	1	20 2 13	6	15 2 4	24 1 15	62
	Colored Supplemental:	13	ĺ	ĭ				2		1		1
	Males	58 4 2		1	1			1				6
179	Other acute accidental poisonings (gas excepted):	_	00		90	00	10		00		10	07
	Males	892 152 446	22 6 16	81 18 55	39 14 22	20 9 12	12 4 12	174 51 117	20 4 15	7 4 5	16 4 19	27 8 42
180	Configuration:	84	5	13	10	5	1	34	6	2	6	3
	Males White Colored White White White White White White White	786 170 442	18 6 24	27 7 14	22 2 20	25 10 25	22 3 19	114 28 102	52 20 56	23 5 25	24 5 18	38 10 25 7
181	Colored Rurns (conflagration excepted):	128	6	7	6	5	6	30	16	5	7	
	Males	1, 899 426 2, 357	78 24 61	203 46 164	170 35 164	95 26 174	72 18 143	618 149 706	90 27 285	69 13 71	51 10 80	95 17 92 23
	Colored Supplemental:	561	16	27	39	45	47	174	91	17	16	[
	Males	439 36 77		1 1	2	1	2	4	3 3 6	8 2	39 3 9	71 5 17
182	Colored Mechanical suffocation:	8				1		1			2	
Ì	Males	459 90	295 78 240	7	2 2	2 1	2	308 78 252	21 2 3	7	16 2 3	6 4
	Colored	276 73	70	2				72				
	MalesWhite FemalesWhite	34 6		1				1	1		4 1	3
183	Drowning: MalesWhite	4, 536	17	140	80 12	64	46	347	437	550	641	473
:	Colored FemalesWhite	874 679	1 8 2	17 72	12 38 5	$\begin{array}{c} 4 \\ 23 \\ 2 \end{array}$	4 10 3	38 151 20	56 74 6	119 92 11	181 113 8	149 50 10
	Supplemental: Colored Males	74 906	1	8	3	3	6	14	27	60	100	143
1	Golored. Females. White Colored.	167 113	1	2 2	3	2	3	3 11	4 7 3	10 7 4	17 18 6	29 14 6
184	Traumatism: By firegrms (wounds of war excepted):	36										.
	MalesWhite Colored	2, 132 418	3	7	5 1 5	6	22 4 4	43 11	85 25 32	249 47 29	352 77 30	248 80 32
	FemalesWhite Colored	232 95	1	1	1	3	2	15 7	10	12	18	14
185	By cutting or piercing instruments (wounds of war excepted):			.,	_					9.4	10	10
	Males	442 81 178	8 2 3	11 2	5 1 1	3 8	3	30 3 17	24 3 13	34 4 12	18 3 2	19 14 7
	Supplemental:	44	1		Ī			2	2	1	3	2
•	MalesWhite Colored FemalesWhite	172 13 39	1	1	i	1		3	2 5	4 1 8	10 1 3	17 2 3
186a	Colored	3								1		
	Males White Colored White Whit	7, 910 504 8, 972	54 18 43	63 13	43 6 33	28 3 33	23 5	211 45 170	150 23 87	164 14 41	224 21 33	202 26 35
	Colored Supplemental:	285	14	38 8	1	5	23 3	31	14	6	4	8
	Males	1, 922 306	1	7 2	13	19	9 1 7	52 4	56 5 19	93 11 19	176 34	213 29 45
186b	Females	325 28	4	3	4	5		23	2	2	33 3	2
1000	MalesWhite Colored	427 46			1	2		3	13 1	17 4	30 9	42
	Females	22 6	3 2	1	1	3 1		8 3	4			1
	Supplemental: Males	4, 211 553	5 1	16	26 3	22 5	30 3	99 12	129 11	141 14	264 60	415 69
107	Females	831 84	6	20 2	11 1	13 1	12 	62 4	63 11	29 5	66 i	67 10
187	Cataclysm: White Wholes	129 60	5 4	2	2	3	3 1	15 5	15 6	7 7	9 4	6 4
	FemalesWhite Colored_	130 83	5 4	3	3	4	3 1	18	13 11	13 8	5 6	11 6

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
5 3 12 4 74 3 21	82 77 2 97 4 25 2	7 5 13 8 132 6 30 1	24 6 3 6 154 6 27	19 7 7 4 200 2 30 2	21 8 12 5 178 9 28	15 5 12 3 153 4 29 1	19 2 7 3 137 3 38	17 2 4 2 95 2 41	14 2 16 1 67 3 23	11 9 2 39 1 40 2	5 3 7 1 26	12 13	1			2	177
8	7 1	7 1 1	11 1	7	8	1 1		1	1								178
30 11 35 9	52 14 28 6	67 14 38 4	102 7 33 5	104 12 35 2	101 9 25 1	77 5 16	40 2 9 3	30 1 13 1	22 3 11 1	9 1 4	6 1 1	4	i		1	3 1	179
38 11 21 3	37 6 19 3	55 10 21 8	61 11 23 7	44 10 24 5	46 10 20 5	56 6 16 3	41 5 13 5	42 6 14 7	. 53 9 18 6	32 5 15 3	17 6 7 4	8 4 2 2	2	1 2	 1 1	3 2	180
84 17 71 25	104 21 69 17	95 18 · 92 13	105 15 82 22	89 22 81 22	70 21 81 23	76 17 97 24	81 21 97 21	64 14 87 15	72 13 120 8	62 13 89 23	51 6 88 9	14 6 50 5	6 2 14 7	1 1 3 1	4	2 3 2 1	181
71 8 5 1	58 3 12 2	55 5 6 1	47 4 5	25 3 5	15	18	5 2 1	8 1	9	1						2	
11 2 1	14 2	17 5	15 1	12	5 2 2 1	8 2	10	3 2	4	1	1 .						182
4	5	4		7	4	1	1	ī									
309 79 31 3	230 61 28 5	236 59 22 4	247 40 13 1	246 27 20 2	244 19 20 1	180 18 17	146 5 16	94 4 13 3	79 1 9	-36 3 5	9 4 3	5 3 2				27 8	100
106 18 17 8	98 21 6 3	75 21 9	85 8 10 2	48 12 5 1	52 8 4	39 5	27 3 2	16 2 2 1	7 2	7 -						2 4 1	183
168 56 19 7	151 30 16 12	147 28 11 6	142 26 15 1	142 15 7 1	117 10 10 3	109 4 5	74 5 3 1	50 3 6 2	35	9	3 -						184
20 6 4 1	25 1 7 1	32 9 10 3	30 10 13 4	34 8 18 4	35 5 11 6	32 2 19 6	32 4 15 5	21 1 10	29 2 7 3	11 2 9	9 2 3	7 1 1 1	. 1				
19 4 7	15 1	11 2 1	12 3	21 1 1	11 	20 2	7	6	8	1	4	1					185
188 32 37 7	247 47 44 9	329 54 59 13	411 42 80 11	459 45 138 8	481 34 166 24	524 36 266 10	585 23 471 20	603 16 717 25	709 10 1, 219 20	765 10 1, 543 21	834 9 1,774 17	532 10 1, 355 13	242 1 594 10	44 2 123 9	6 2 15	2 5	
152 33 30 3	129 38 29 4	156 26 14 2	122 25 11 1	134 24 11 1	146 22 18 4	122 22 14 1	116 7 11	90 11 9	82 6 19 3	51 5 12	23 1 5	- 4 1 1	21			3 2 1	186a
42 5	32 3 2	38 6 1	45 3	43 2	30 2 1	28 5	27 1 1	17	11 1	4	5		ī			2	
377 77 46 7	338 62 51 10	359 58 43 5	384 54 44 5	361 40 58 9	337 34 55 3	280 19 57 2	228 12 59	210 11 36 2	138 6 51 2	82 5 29 3	38	8 1 4 1	2			21 8 3	186b
8 5 9 8	6 3 7 8	5 2 8 5	10 4 7 5	8 3 6 3	12 3 5 3	4 1 6 2	4 1 6 3	6 4 5 2	5 1 2 1	5 2 2 2 2	4 1 4 4	2 2 2 1	1	1			187

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List no.	CAUSE OF DEATH, SEX, AND COLOR	_	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	ō to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths—Co	ontinued											
188	Accidental, other, or undefined—Continued Injuries by animals: Males	White	451		5	11	4	7	27	34	26	21	10
	Females	ColoredWhite	55 51	1	2	2	1 1	1	2 7	34 3 5	10 4	2 2	3
189	Hunger and thirst:	Colored	8								1		1
	MalesFemales	Colored White	18 3 6	2	1				2	1			
190	Expessive cold:			_	1								
	Males	Colored	180 71	3		1 1		1	5 1		1	6 4	5 6
101	Females	White Colored	23 13	1 2					1 2	2 1		1 1	
191	Excessive heat: Males	White Colored	395 132	11 8	2	1 1	<u>-</u> -	1	14 12	1 1	2	3 4	13 7
	Females		109	9 10	1	î	î		12 11	1 1	1	<u>î</u> -	4 2
192	Lightning: Males	White	243		1				1	7	23	35	34 10
	Females		56							3	3 11	9 5	10 2 1
193	Due to electric currents: Males	White	23 510		2	2	1	1	6	3 14	37	39	58
	Females	Colored White	40							1 4	5 3	6 2	5 2
	Supplemental:	Colored	3										1
	Males	Colored	70 11			1			1	2	2	4	13 2
104-	Females	White	. 5							1		1	1
19 4 a	Foreign bodies: Males	White Colored	356	86 12	76	36 7	12 1	7	217 26	11 4	10 1	4	3
	Females	White Colored	191	53 17	6 53 14	15 1	5 2	6	132 35	11	1	3	1 1
194b	Other accidents: Males	White	2, 670	101	32	11	21 3	27	192	106	152	184	159
	Females	Colored White	387 625	36 76	3 25	10	14	17	44 142	10 56	17 32	34 22	20 21
	Supplemental:	Colored	116	34	3 63	1	2	3	43	1	3	1	3
	Males Females	White Colored White	19,086 1,974 5,518	39 7 26	4 51	99 9 58	197 14 96	217 18 105	615 52 336	944 100 483	657 79 239	1,341 117 454	1, 934 195 431
195	Violent deaths of unknown nature:	Colored.	488	l ži	4	7	14	14	40	51	18	28	25
	Males	White Colored	3	1					1			1	-
	Females	White	. 1	 	 -								
198	Legal executions: Males	White Colored	59 72									1 7	13 17
•	XVIII.—Ill-defined causes of death:	Colored										'	17
	Males	White Colored	6, 040 5, 452	2, 074 2, 110	156 142	55 64	27 33 28	23 28 25 26	2, 335 2, 377	79 99	34 56 38 76	49 86 52	65 130 72
	Females	White Colored	4, 165	1, 580 1, 670	136 143	56 50	28 27	25 26	1, 825 1, 916	99 62 72	38 76	52 120	72 164
199	Sudden death:	7771-74 -	204				2		104		-		
	MalesFemales	White Colored White	804 401 405	90 58 59	8 3 2	4 3 3		1 1	104 65 65	4 2 4	1 2	6 5 5	6 16
200a	Cause of death ill-defined:	Colored	338	45	3	2		i	51		4	11	7 11
2004	Males	Colored		238 216	53 44	15 22 10	1 3	8 5	315 290	24 27	5 8	19 16	18 21 19
	Females	Colored	905 908	204 179	52 44	10 13	7 4	3	275 243	27 11 16	10 13	13 23	19 32
200b	Cause of death not specified or unknown: Males	White Colored	3, 641 3, 944	1,746	95 95	36 39	24 30	15	1, 916 2, 022	51 70	28 46	24 65	41 93
	Females	White Colored	2,855	1, 836 1, 317 1, 446	82 96	43 35	21 23	15 22 22 22 22	1, 485 1, 622	47 56	28 59	34 86	46 121
Punch	SUPPLEMENTAL 1	Colorca	0,002	1, 110			-0		1,022			"	
sy mbol 201	Accidents in mines and quarries:												
	Males	White Colored White					1		1	4	5	49 7 2	154 16
202	Accidents from agricultural machinery:	W III t	ů										
202	Males	White Colored	258 18			1	4	2	7	7	8	15 2	24 1
	Females	White	8			2		2	4				
203	Elevator accidents: Males	White	. 190		. 1	1		. 2	4	3	6	11	19
	Females	Colored White Colored	. 7								. 1	. !	1 2
		Liniarad	. 3	H	1	1			11	11		. 1	
204	Accidents from machinery used for recreation Males	l:	8							1	3	1	1

¹ See footnote at end of table.

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 . years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years	Age un- known	List no.
14 4 1	14 1 1	19 1	31 2 3	40 6	39 4 2 2	36 3 4	30 4 3 1	44 2 6	33 4 6	20 2 3 2	8 1 2	4 1	1		. 1	 1 1	188
	1	1		1	· 1	1	4 	2	2 1	1	<u>-</u>	1				1	189
6 4 1	5 8 2	7 7 1	11 10 2	24 4 1 1	13 2 2	19 7 2 2	21 3 1 1	15 3 2 2	19 2 2	13 5 . 1	5 3 1	. 2 1 2	i			3	190
14 8	14 10 1	27 6 1 3	28 12 5 5	39 16 4 2	40 12 7 4	28 18 7	38 6 6 2	47 7 11 4	31 5 15 2	25 4 9	20 2 11	1 6 1 7	5		1	1	191
2 23 8	. 1 21 5 3 2	3 19 3 2 2	5 22 4 3 1	2 10 4 1	10 3 3	9 4 1	13 1	9	2 4 1 1	1	1	 1				1	192
90 3	81 6 2	42 5	1 44 4	`26	29 2	19 2 1	10 2	6	2	6	1	<u>1</u>					
11	. 10 . 3 1	4 1 6	4 1	1 4 2	7	2	2 1	i 	1							1	193
8	4 1 3	7	13 1 3 2	17	12 1	7	13	10	7	7 1	4·	1	1)] 194a
136		4 2 192		206	210	186	181	145	110	3	42 4 39	30 2	8 2			 6	1948
136 38 11 2	150 32 21 12 1, 248	192 27 19 7	189 31 17 4 1, 348	206 30 18 5	210 31 20 5 1, 270	186 20 18 6	181 14 26 6	145 13 38 ,2 997	110 10 45 8	86 43 1 622	6	27	22 4	2 1 3	1	2 1 40) 194b
1, 563 185 290 41	1, 248 205 255 39	1, 384 204 271 39	1, 348 184 276 40	1, 320 161 295 40	1, 270 134 345 31	1, 286 119 379 30	1, 177 74 353 16	997 57 358 17	886 47 356 16	20 205 9	321 11 122 5	108 11 53 3	10		 	40 14 7	1
ī																	195
.8 18	10 13	8 9	6 5	4 2	6	3 1											} 198
57 - 117 68 167	75 139 75 159	106 - 162 - 82 199	165 163 88 192	205 177 114 208	285 283 133 239	351 252 148 199	428 258 186 243	460 281 224 228	442 235 264 180	407 196 287 172	263 180 197 161	126 108 138 78	42 62 58 61	13 27 17 33	4 25 16 51	49 39 21 20	
8 11 11 10	9 14 6	19 . 25 . 9 21	23 27 14 23	34 24 18 23	63 31 28 29	63 35 22 21	102 35 27 28	104 38 48 29	94 24 51 12	83 13 41 18	55 17 28 12	13 6 . 15	10 4 3 2	3 1 3	1 3	3 4 1 2	199
10 15 25 18 37	19 21 32 18 32	21 34 52 23 46	23 59 53 14	23 81 48 31 55	29 102 92 38 67	21 143 88 52	28 157 80 70	29 167 78 61	12 175 58 84	18 122 49 69	12 77 38 51	6 34 25 28 28	2 16 9 15 7	3 1 2 2	1 7 2 7	9 9 1 2	} 200a.
37 34 81 39 120	32 45 93 51	53 85 50 132	54 83 83 60	55 90 105 65 130	67 120 160 67	46 145 129 74 132	59 169 143 89 156	52 189 165 115 147	28 173 153 129	32 202 134 177 122	36 131 125 118	. 15 79 77 95 57	7 16 49 40 52	12 22 14 24	7 3 18 13 41	37 26 19 16	200b
120	108	132	115	130	143	132	156	147	140 140	122	113	57	52 52	24	41		Punch
152 15	178 31	173 30 1	176 18	160 12	115 13 1	89 9	53 3	24 2 1	13 1	_ 5	2					'5	symbol 201
23 1	11 3 1	22 3	27	18	22 1	23 4	24	9 1	• 12	6							202
13 3 2 2	8 4	9	17 .2	20 1	19	18 1	10	12 1	12	8	1						203
2 2	1		1						· 1] }
			1												<u></u>		204

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

Punch symbol	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2_years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	SUPPLEMENTAL 1—continued		-			[']			 			
205	Other machinery accidents:											
	Males	ed 766		2	6	2	5	15	13 4	$\begin{bmatrix} & 7 \\ 2 \end{bmatrix}$	34 6	77
	Females	e 30		2	1	1	1	5	1	1	2	
206	Railroad and automobile collisions: MalesWhit	3 1, 014	1	3	3	6	2	15	15	18	79	111
	Color FemalesWhit Color	e 376	3	3	2	4	3	15	1 16 2	19	39 39	57 57
207	Other railroad accidents: MalesWhit	e 2, 630	,	7	4	5	4	20	54	66	231	235
	Color FemalesWhit Color	ed 579 e 202	2	2 2	1 6 2	2	3	13	7 21 3	13 6	57 16	77 5 3
208	Street car and automobile collisions: MalesWhit	e 226	3	. 2				4	3	2	15	29
	Color Females	e 65	2		1			ī	1 5	1	4	1 10
209	Other street car accidents: MalesWhit	e 358	3	. 1	4	1	4	10	8	6	8	15
	Colo Females	e 128	3	3	5	ī	2	11	3	4	2	2 1
210	Automobile accidents (primary): MalesWhi	e 17, 81	43	70	115	207	232	667	976	686	1, 256	1,839
	Colo Females	e 5,840	8 30	66 66	10 57	19 102	19 108	60 363	104 521	77 248	126 487	182 472
211	Motor-cycle accidents: Males Whit			4	6	15	14	40	57	21	32 43	31 66
	Colo FemalesWhi	e 20) 1			2	1	4			2	3
212	Other land transportation accidents: MalesWhi	•	6	4	9	16	6	41	51	94	72	45
	Colo FemalesWhit	ed 114	1 3	2 2	i	4	3 7	7 17	2 14	12 16	7 9	7 10
213	Water transportation accidents: MalesWhit	·			2	• 1	4	6	2 24	57	101	3 125
	Color FemalesWhit	ed 158	1	. 2	` <u> </u>	i	2	3 5	3 2	11 5	18 15	25 9
214	Air transportation accidents: MalesWhit						1	1	2	4	23	3 75
	Females	ed			1			1		<u>4</u>	23 8	75
					1					†		

¹ This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supple obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

25 to 29 years	30 to 34 years	35 to 39 years	49 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 tó 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	.Age un- known	Punch symbol
77 13	84 11 1	89 9 2	71 8	71 6 1	83 5 3	55 3	32 2	29	15	7	6					1	205
105 7 31 1	1 89 6 23 3	95 7 29 3	89 9 22 1	79 6 37 2	81 3 26	72 2 22 1	71 1 12	37 8	30 10	15 4.	6	4	1			2	206
189 79 7 3	189 72 11 3	228 60 9 1	239 63 12 3	· 239 41 13 4	217 29 8 2	207 21 14 2	165 17 17	158 11 14	72 9 17 5	61 6 8 2	27 8 1	6 1 2 1	4 1			23 15	207
31 2 8	30 6	24 1 1	25 4 8	23 1 6	12 2	11 1 5 1	11 i	4 4	4 	2							208
21 3 3	18 2 2	17 2 3	23 2 3 1	35 3 6	27 1 7 1	32 3 15	31 4 23	31 3 10	26 23	28 2 11	15 2	5 1 1	2				209
1, 447 179 317 51	1,097 168 295 48	1, 235 182 284 43	1, 198 153 291 42	1, 163 150 304 44	1, 165 132 367 33	1, 156 110 392 29	1,071 60 372 17	946 54 361 19	869 45 360 14	579 18 220 10	311 9 118 4	102 11 55 3	18 4 10	2	1	31 10 9	210
26 1 2	16 2	9	6 1 1	6 2	4 1	1 1	1 1	3	5 1	4 1	1 1						211
40 7 7	28 · 7 6 3	36 4 8	36 10 5 1	48 8 4 1	53 8 6 3	55 11 4	69 6 4	59 7 1 1	65 4 10 2	42 4 4	17 3 2	4	1	1		3	212
101 · 14 8 3	109 25 3	71 17 5	75 9 3	57 11 4	45 6 1	49 4	25 3 1	· 16 3 1	8 2	6						3 4 1	213
86 1 10	50 2 7	49 1 1	30 1	8	· 7	1			1	1						1	214

mental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To numbers in the regular table.

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932

								,			I				
List no.	CAUSE OF DEATH AND SEX	Negro	In- dian	Chi- nese	Japa- nese	Mexi- can	Other races	List no.	CAUSE OF DEATH AND SEX	Negro	In- dian	Chi- nese	Japa- nese	Mexi- can	Other races
	Total deaths (all/Male causes)\Female_	85, 752 77, 690	2, 385 2, 247	1, 103 133	741 276	3, 809 3, 106	432 40		II.—Cancers and other tumors— Continued						
	I.—Infectious and para-{Male sitic diseases{Female	17, 923 16, 827	760 758	243 34	189 83	1, 122 924	187 18		Cancer and other malignant tu- mors—Continued (M.	741	14	24	35	41	. 1
1	Typhoid fever $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	702 589	22 17		1	16 11	4	(46)	Stomach and duodenum\F	608 201	18 2	6	5 7	35 13	
2	Paratyphoid fever $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	3 7				2 2		(46)	Enver and binary passages.	228 68	11	1 3	1	19 4	
3	Typhus fever $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	2 2						(46) (46)	Pancreas $\{F_{-}, K_{-}\}$ Other digestive tract and $\{M_{-}, K_{-}\}$	40 301	6	12	13	12	
5	Undulant fever $K_{\mathbf{F}}$	3 2	1						peritoneum\F\	357 111	8 2	1 6	5	14 11	
6	$\begin{array}{c} \mathbf{F} \\ \mathbf{M} \\ \mathbf{F} \end{array}$	9						47 48	Respiratory system $ {M \choose F}$ Uterus F	48 1, 877	26		1 4	4 76	
7	$M_{easles} = \begin{cases} F_{} \\ M_{} \\ F_{} \end{cases}$	6 70	8		1	7 6		49	Other female genital organs. F	124	2	ī		4	
8	Scarlet fever $\left\{ egin{array}{ll} F_{} \\ F_{} \end{array} \right\}$	51 23 43	1	1	3	2 4		50 51	$egin{array}{lll} Breast & & & & & \\ F_{} & & & & \\ Male genitourinary organs & & & & \\ & & & & & & \\ \end{array}$	688 442	1 7 11	2	1	12 12	
9	Whooping cough $\left\{ egin{array}{ll} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array} \right\}$		31 43		3 3	38 64		52	Skin Skin Skin	35 36	î	3		₁ -	
10	$\left\{ \begin{array}{ll} \textbf{Diphtheria}$	207 208	9	3	2	29	1 1	53	Other or unspecified organs. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	241 326	7	12	3	9 11	4
lla	Influenza, respiratory compli-	1,717	60 69	1 13 2	14 4	119 111	4	54a 54b	Nonmalignant tumors, ovaryF Nonmalignant tumors, uterusF	17 583	<u>i</u> -			1 4	
11b	cations specified FI	1,664	34	1	5	34	2	54c	Nonmalignant tumors, other female genital organsF.	2			^	_ *	
13	cations not specified	1,028	9		1	38 30	1	54d,e	Nonmalignant tumors, other M.	32 40	1		1	2	
15	Freeingles M.	220 47	12	1	2 1	9		55a.	organs\F. Tumors, ovary (nature unspeci-	2	1			*	
16	Acute poliomyelitis, acute M.	32	3			2		55b	fied) F Tumors, uterus (nature unspeci-	5					
17	policencephalitis	35	3	<u>-</u> -	2	1		55d,e		67				3	
18	litis F Epidemic cerebrospinal menin-/M	29 123	8			6	<u>ī</u>		unspecified)(F	79	2	1		1	
21	gitis F Rabies	81	3		2				III.—Rheumatic dis- eases, nutrition-				1		
	M.	179				8			al diseases, dis- eases of the endo- Female	1, 514 2, 929	36 43	27	10 4	42 55	3
22	Tetanus (All farms)	9, 517	5 506	203	147	729	157		other general dis-	2, 620	10	*	*		
00	Tuberculosis (all forms)	9, 370 8, 561	490 442	25 191	61 130	587 643	15 144		eases						
23 24	Respiratory system $\{F_{}^{N}\}$ Meninges and central nerv- $\{M_{}^{N}\}$	8, 538 230	425 35	17	46 6	490	13	56	Acute rheumatic fever $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{aligned}\right.$	158 223	6 4		1	4 5	1
	ous system F	191 241	28 10	6 2	6 7 6	32 18	1 5	57	Chronic rheumatism, osteo-{M	37 51	5				
25	Intestines and peritoneum \(\begin{align*} M \\ F \\ \ M \\ \end{align*}	290 107	16		3	26		59	Diabetes mellitus $\left\{ egin{array}{ll} \mathbf{M}_{\mathbf{F}} \\ \mathbf{F}_{\mathbf{F}} \end{array} \right.$	571 952	13 17	23	5 2	14 25	2
26 27a	Vertebral column $\{F_{-}, F_{-}\}$ Bones (vertebral column $\{M_{-}, F_{-}\}$	50 23	3 2		1	4	<u>î</u>	60	Scurvy	5 4	1			<u>ī</u> -	
	excepted)	13 37	2 2			1 3		61	$egin{array}{cccccccccccccccccccccccccccccccccccc$	542	3	<u>-</u>	1	2	
27b 28	Joints{F Skin and subcutaneous cel-/M	18			1			62	Rickets	1, 354	3			3	
29	lular tissue F Lymphatic system (bron-)	8	1					63 64	OsteomalaciaF	42	2			6	
20	chial, mesenteric, and re-M troperitoneal glands ex-(F	. 16 23	1 1	1		3 2		65	Diseases of pituitary bodyF	3 5				1	
	cepted)	21	2	1		1		66a	Simple goiter {M.F	30 34	2 3	1		2	
30	Genitourinary system	22 12	2	i		3		66b (66)	Exophthalmic goiter	. 193	6		1	5	
31 32a	Other organs Acute disseminated tuber-M.	11 237	1 9	4	1	24	2		nerathuroid glands) F	. 15	1	2	3	5 15	
32b,c	culosis\F	183 29	9 2	1 1	4	28	I 1	67 68	Diseases of adrenals (Addison's) M	91	Ĭ	ī	l i	6	
-	culosis\F	23 2	2			. ī	2	"	disease not specified as tuber- culous) $F_{}$. 6 6		1		1 1	
33	Leprosy(F	2, 837	44	.	11	. 1 86	14	69	Other general diseases $\{M_{F}\}$. 37 24					
34 35	Syphilis $\{M_{F}, G_{O}\}$ Gonococcus infection, other ve- $\{M_{F}, G_{O}\}$	1,773		16 1	2		14		,	1			1	}	
36	nereal diseases	251 48	4 4	1	1	. 6			IV.—Diseases of the Male blood and blood- making organs Female	225 194	9 5	7	3 2	11 13	
	(nonpuerperal)	_ 69	2 6			. 2		70	Hemorrhagic conditions	29	5	1		4	
38 39	Malaria M	622	3	3				70 71a	M.		1	2		3	
	parasitesF	3 4		1					Other anemias	. 76 20	2	1	1	6	
40 41a	Ankylostomiasis F. Hydatid cysts of liver F. Hydatid cysts of other organs F.	-			1			71b	True loukamies 3M-	32 58		1	3	1 1	
41b 42	Other diseases caused by hel-\M.		2					72a 72b	Pseudoleukemias (Hodgkin's)M.	34			. 1	2 2	
43	minths F. M. Mycoses. M.		1	i			2		disease) F.	20	1			1	
44	Other infectious and parasitic M.		1 4			- 1		73 74	Diseases of spleen $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$. Other diseases of blood and M .	. 4		i			
	diseases	1	3		1	2			blood-making organs\F	. 1		·		1	
	II.—Cancers and other Male Female Female	2, 475 5, 154	47 82		18	185			V.—Chronic poisonings (Male and intoxications_) Female_		3	3	1	13 2	3
	Cancer and other malignant M tumors F	2, 376 4, 426	46 78				8	75	Alcoholism (acute or chronic) $-\left\{\begin{matrix} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{matrix}\right\}$	286 68	3			12	3
(45)	Buccal cavity $\left\{ \begin{array}{ll} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array} \right\}$	132				_ 2	1	76	Chronic poisoning by other or- M_ganic substances	_ 4				1	
(45)	Pharynx $\left\{ egin{array}{ll} M_{-} \\ F_{-} \end{array} \right.$			-	. 1			77a	Chronic lead poisoning $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	3 3		-	_	1	
(46)	Esophagus	- 57 23		. 1	6	. <u>-</u> -		77b,0	Other chronic poisoning by M. mineral substances						

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

List no.	CAUSE OF DEATH AND SEX	Negro	In- dian	Chi- nese	Japa- nese	Mexi-	Other races	List no.	CAUSE OF DEATH AND SEX	Negro	In- dian	Chi- nese	Japa- nese	Mexi- can	Other
	VI.—Diseases of the								VIII.—Diseases of the respira- tory system—Contd.				•		
ļ	nervous system Male and of the or- gans of special Female_	7, 373 7, 190	121 92	73 6	48 11	133 111	10 4	•	7m er	30	5	1		2	
	gans of special	,,	, ,					106b 106c, d	Chronic bronchitis M Bronchitis, unspecified M	30 41 61	2	<u>i</u> -		2	
78	Encephalitis (nonepidemic) {H	65 59	2	1 1	3	4 4		100c, u	Bronchopneumonia M.	74 2, 541	1 128	31	18	3 286	11
79a	Simple meningitis $\mathbf{F}_{}$	163	3.		3	9	i	107b	Capillary bronchitis $F_{}$	2, 121	91	15	18 13 2	256 5	3
79b	Nonepidemic cerebrospinal M_{-} meningitis	103 25 22 72	4		1	1		108	Lobar pneumonia	32 4, 402	108			8 224	40
80	Progressive locomotor ataxia M (tabes dorsalis)	72 28		1	1	3		109	Pneumonia, unspecified M.	3, 121 713	120 43	49 8 2	28 12 1	163 15	1
81	Other diseases of spinal cord $F_{}$	116 115	Î	2		<u>-</u>		110	Pleurisy M.	580 184	49	6	1 1 5	12 13	3
82a	Cerebral hemorrhage $\{M_{-1}, K_{$	4, 845 5, 325	68 57 2	45 5	30 9	56 58	3	1118	Pulmonary embolism and M	127 18	4	1	1	1 2	1
82b	Cerebral embolism and throm-\M bosisF	145	2 3	7	3	4		111b	thrombosis	11 42	2	<u>-</u> -		1	
82c	Softening of brain $\left\{egin{array}{c} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array}\right\}$	26 13				ĭ		112	hemorrhagic infarct F Asthma M	42 38 149	2 2	2	ī	2 6	ī
82đ	Hemiplegia and other paraly-\M sis, cause unspecified\F	497 565	1 7 8	2		3		113	Pulmonary emphysema M	134 6	1			5	
83	General paralysis of insane $\left\{ \begin{array}{l} M_{-} \\ F_{-} \end{array} \right\}$	709	2	10	5	14 8	4	114	Other diseases of respiratory M system (tuberculosis except-	3 119		2	3	9	
84	Dementia praecox and other M psychosesF	229 92 109		4	1	3	2		ea)	48				2	
85	Epilepsy $\{F_{}\}$	279 158	8 4		1 1	7 - 3			IX.—Diseases of the di-\Male gestive system}Female	5, 138 4, 524	187 188	64 9	74 33	436 406	22 5
86	Convulsions (under 5 years of Mage)	117 114	5	 		2 2	₁	115a	Diseases of pharynx, tonsils $\left\{ \begin{array}{l} \mathbf{M}_{} \\ \mathbf{F} \end{array} \right\}$	200	5	i	4	5	1
87	Other diseases of nervous sys-{M temF	92 103	5 1	1		3 		115b	Diseases of buccal cavity and M	239 65	4	1	3 1	1	
8 8	Diseases of organs of vision $\{F_{-}\}$	8 2	1					116	annexa F Diseases of esophagus F	79 7 3	1			3	
89a	Diseases of ear $\{F_{-}^{M}\}$	82 65	12 7		ī	18 11		117a	Ulcer of stomach $\left\{ egin{matrix} \mathbf{M}_{} \\ \mathbf{F}_{} \\ \end{array} \right.$	350 173	3	9	11	4 5	
89b	Diseases of mastoid process $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	40 40	1			1		117b	Ulcer of duodenum	105 31	3	4	ī	3	4
	VII.—Diseases of the circulatory sys- temFemale_	13, 264	191	256	72	331	36	118	Other diseases of stomach (can-)M	553 597	2 9 10	2	1 2	17 11	1 2
	45.00		164	15	20	260		119	cer excepted) F Diarrhea, enteritis (under 2 M	1, 170 1, 012	80 79	3 5 3	9 10	272 231	5
90	Pericarditis $\{F_{-}, F_{-}\}$	105 76	3		2	7 2		120	years of age) [F	385 440	19 14	3	3 7	26 40	<u>ī</u>
91a	Acute endocarditis M	144 167	1	2 2	2 4	. 8		121	Appendicitis $K_{F_{}}$	792 557	26 14	7	12 2	45 20	6
91b 92a	Endocarditis, unspecified (un-M-der 45 years) F	51 75	2					122a	Hernia $\{F_{}\}$	292 89	1 6	7		5 9	
928	Endocarditis, specified as M chronic, and other valvular F diseases	3, 352 3, 334	52 31	47 1	17 4	72 60	9	122b	Intestinal obstruction $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	467 525	18 14	3 1	14 2	15 22	1
92b	Endocarditis, unspecified (45/Myears and over)F	228 226	` 2	2	1	4 3		123	Other diseases of intestines $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	70 95	2 2	1		5 5	
93a	Acute myocarditis	248 314	2	2	2 2	12 8	ī	124	Cirrhosis of liver $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	351 253	5 6	16	$\frac{12}{2}$	19 11	
93b	Myocarditis, unspecified (un-{M der 45 years){F	191 243	$\frac{2}{1}$	1		7 8	1	125a	Yellow atrophy of liver M	20 33	1	1			
93c	Chronic myocarditis and myo-{M cardial degeneration{F	2, 608 2, 352	50 42	119 5	27 3	93 89	12	125b	Other diseases of inver(F	109 78	3	3	1	- 3	3
93đ	Other diseases of myocardium. $\{M_{}\}$	1, 106 1, 189	12 11	17 1	7 2	22 22	2	126	Biliary calculi $\left\{ egin{array}{ll} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array} \right\}$	28 83	2 14 7	1	<u>-</u> -	7 22	1
94a	Angina pectoris $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	472 418	14 7	4	3	12 6	1	127	Other diseases of gall bladder, M biliary passages	72 110	14	2		4 12	
94b	Diseases of coronary arteries $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	317 205	7 2	11	4	21 4	4	128	Diseases of pancreas M_{F}	20 16	2		1	3	
95a	Functional diseases of heart $F_{}$	21 15	1 2			1		129	Peritonitis, cause not specified $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	82 111	4	1	4 2	8	
95b ·	Other and unspecified diseases M of heartF	2,736	27 33 1	30 4	5 2	43 23	4 1		X.—Diseases of the geni- tourinary sys- temFemale_	8, 369	93	83 8	15	129	13
96	Aneurysm (except of heart) $\left\{\begin{matrix} \mathbf{M}_{} \\ \mathbf{F}_{} \end{matrix}\right\}$	299 101	1	5	1	3 6		700	temFemale Acute nephritis (including un-/M	7, 179	75	5	12	101	2
97	Arteriosclerosis (coronary arter-{M ies excepted)	683 557	15 19	15		19 15	2	130	specified under 10 years) \ F	495 517 5,645	· 4 7 59	1 71	13	84	<u>-</u>
98	$\begin{array}{c} \text{Gangrene} & \begin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array} \end{array}$	80 75	3	1		2 2		131	Chronic nephritis	5, 026 1, 055	49 13	5 2	9	75 2	<u>-</u> 2
99 100	Other diseases of the arteries $-\begin{cases} M_{} \\ F_{} \end{cases}$	51 46 19	2			1		132	and over)\F	821	9			2	
100 101	Diseases of veins (varices, hem-{M orrhoids, phlebitis, etc.){F Diseases of lymphatic system{M	26 16	<u>1</u>		1		<u>-</u>	199	ters (puerperal diseases ex- cepted)	263 202	4 1	1	<u>1</u> -	6 5	1
	(lymphangitis, etc.)\F	11	3		1			134	Calculi of urinary passages $=$ ${M \over F}$	33 29	$\frac{1}{2}$	<u>i</u>	1		
102	Idiopathic anomalies of blood-{M	93 90 28						135	Diseases of bladder (tumors/M	106 26	4			2	
103	system\F	16	1			1		136	excepted) F	168	ī			1	
	VIII.—Diseases of the Male respiratory sys- tem	8, 514 6, 550	302 274	100 23	59 29	579 468	60 4	137 138	Diseases of prostateM Diseases of male genital organs, not	565	6	4		20	ī
1040	Director of warel forms	85	1	1				139a	specified as venereal	39 67	1			2	1
104a 104b	Diseases of nasal fossae and M .	79 30	1					139b	Other diseases of ovaries, diseases of tubes and parametriumF	365	4			7	
1040	annexae\F Diseases of larynx	22 31	1			1 4		139c 139d	Diseases of uterus - F Nonpuerperal diseases of breast	85	2			1	
106a	Acute bronchitis	26 67	7	2		11 11	2	139e	(cancer excepted)F Other diseases of female genital	3 35				1	
	69301—35——12	93	3	l	1 2	10		Į,	organsF_	. 30	'			., 1	!

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, MEXICANS, AND OTHER RACES, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

XI.—Diseases of pregnancy	184 72 2 2 2 6 1 1 1 1 2 2 8 9 2 2 1 1 2 2 2 2 2 2 2 2 2 2 1 2 2 3 1 1 1 2 2 0 1 2 2 2 3 1 2 2 2 3 1 1 1 2 2 1 1 2 1 2	67 2 1 3 9 3 9	97 17 2 2 4 2 2 1 1	369 120 1 2 3 1 5 	41 31 121
Dirth, and the purperal state. Female. 2,409 82 5 9 116 3	72 2 2 2 6 1 1 1 7 4 2 8 9 2 1 1 20 4 2 2 2 2 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1	9 3	17	120 1 2 3 1 5 15 8 12 10 13 21 3	1 2
Abortion with septic conditions F 265 4 1 2 12 12 176 Abortion without mention of septic conditions (includes hemorrhages) 101 6 1 6 2 177 Abortion without mention of septic conditions (includes hemorrhages) 101 6 1 6 2 177 Poisoning by food M 75 55 55 177 Absorption of poisonous M 39 32 34 1 11 31 35 35 35 35 35	72 2 2 2 6 1 1 1 7 4 2 8 9 2 1 1 20 4 2 2 2 2 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1	9 3	17	120 1 2 3 1 5 15 8 12 10 13 21 3	1 2
Abortion without mention of septic conditions (includes hemorrhages) F 101 6	2 2 2 6 1 1 2 7 4 2 8 9 2 2 1 1 20 4 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	99	2 	1 2 3 1 5 5 8 12 10 13 21 3 6	1 2
hemorrhages F 101 6	12 7 4 2 8 9 2 1 1 20 4 2 2 1 2 2	1 3 9 3 3 9	4 2	15 8 12 10 13 21 3	1 1
Absorption of poisonous M 39 39 30 4 1 1 1 1 1 1 1 1 1	1 12 7 4 2 8 9 2 1 1 20 4 2 2 2 2 2	9 9 9 9	4 2	15 8 12 10 13 21 3	1 2
144	12 7 4 2 8 9 2 1 1 20 4 2 2 2 12 2	9 3	4 2	8 12 10 13 21 3	1 2
144b Placenta praevia. F 62 2 4 1 1 12 180 Conflagration F 143 145 Puerperal septicemia and pyenia (abortion excluded) F 563 21 1 26 Supplemental F 529 Supplemental F 64 Supplemental F 64 Supplemental F 64 Supplemental F 64 Supplemental F 64 Supplemental F 65	7 4 2 8 9 2 1 1 20 4 2 2 2	9	4 2	8 12 10 13 21 3	1
145b Other puerperal hemorrhages. F 143 10 1 1 12 180 Connagration F 116 181 Burns (conflagration ex- M 398 629 629 620	2 8 9 2 	3	4 2	10 13 21 3 6	1
Puerperal tetanus (abortion excluded)	9 2 1 1 20 4 2 2 2 2 12 2	9	2	21 3 6	1
147 Cher toxemias of pregnancy F 688 14 1 20 182 Methanical Substation F 649 M 769 Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) F 36 6 9 183 Drowning F 62 145 145 150 Cher accidents of childbirth F 366 15 1 4 21 Traumatism: 150 Other and unspecified conditions of puerperal state F 15 1 4 21 Traumatism: 151 XII.—Diseases of the Male 99 3 4 1 11 1 1 1 1 1 1	1 1 20 4 2 2 2 12 2	9			
147 Cher toxemias of pregnancy F 688 14 1 20 182 Methanical Substation F 649 M 769 Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic) F 36 6 9 183 Drowning F 62 145 145 150 Cher accidents of childbirth F 366 15 1 4 21 Traumatism: 150 Other and unspecified conditions of puerperal state F 15 1 4 21 Traumatism: 151 XII.—Diseases of the Male 99 3 4 1 11 1 1 1 1 1 1	1 20 4 2 2 2 12 2	9			
148 Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	12 2 2 2 2		1 13		1 17
149	12 2 2		_ 1	31 7 9	
150 Other and unspecified conditions of puerperal state	2 2	1	1	9	. 2
XII.—Diseases of the Male	2		_ 3	7	1
151 Furuncle, carbuncle. M	ı î		-	3 4	
151 Furuncle, carbuncle. M					
152 Phlegmon, acute abscess		-	_ 1	1	
Other diseases of skin and an-/M	14		4	22 8 11	
XIII.—Diseases of the bones and or-[Male 82 4 1 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	14 3	5		11 3	î
bones and or- $Male_{}$ 82 4 1 1 1 1 1 Supplemental Supplemental Supplemental	1 1		-	2	
motion	16	3	20 1	43	11
			-		
Osteonyettus F_{-} 26	1 1		-	2	
Other diseases of bones (tuber- M			-		
culosis excepted). $\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1			3	
XIV.—Congenital mal-{Male 351 14 4 4 55 191 Excessive heat M 117 F 30 formations Female 258 22 4 6 38 90 F 191 Excessive heat 191 Excessive heat 191 F 191 Excessive heat 191 F.	2 2		1	10 10	1
157a Congenited hydrogenhelus /M. 65 3				1	
Fr. $\frac{35}{5}$ $\frac{5}{5}$ $\frac{1}{6}$ $\frac{6}{5}$ Due to electric currents. $\frac{M}{F}$ $\frac{32}{5}$	1	1		4	
157c Congenital malformations of M. 167 5 4 1 28 Supplemental M. 9				1 7	
heart			-1	13	2
tions	5 50			138	14
infancy - (Female 3, 500 10 10 18 224 2 10 18 Violent deaths of unknown 430	15	i	10	30	2
150 Congenital debility 191-1 487 18 1 2 49 neture M		-	-	1	3
159 Premature birth \(\begin{array}{c c c c c c c c c c c c c c c c c c c	210	9	3	39	3
	230			36	
161 Other diseases peculiar to early M_{-} 433 16 3 4 32 M_{-} 199 Sudden death 335	2			1	<u>î</u>
162 XVI Sepility Male 1,004 46 9 19 1 2008 Cause of death ill-defined 869	21 20	6	.	24 19	
	181 208	3	11	15 16	2
cidental deaths[Fernale 3, 205 24 6 30 143 3 Punch Supplemental		.			
Suicide $\{ egin{array}{c c c c c c c c c c c c c c c c c c c $					
By solid or liquid poisons M. 49 6 7 3 2 202 Accidents in mines and quar- ries M. 149 -		-	. 1	6	1
The substances		₁	4	2	
Dy poisonous gas					
tion		, 			
F 13 1 20 Other machinery accidents F			1	. 2 <u>-</u> -	1
107 By great ms F 27 4 2 2 Sions F 15 15 15 15 15 15 15 15 15 15 15 15 15		1	3 2	2	6
struments F 5 Other railroad accidents 35	21 2	2	4	24 7	
169 By jumping from high M 18 1 2 1 2 Street car and automobile col-M 9 places F 9 Street car and automobile col-M 9 Isions F F F F F F F F F				2 1	
170 Bŷ crushing M 2 2 1 2 1 209 Other street car accidents M 29 F 3 F 3	1				
F. 6 210 Automobile accidents (pri-)M. 1,550 M. 3,562 47 29 16 82 25 mary F. 484	49 12	17 1	44 9	158 30	17 2
F- 866 16 3 5 11 211 Motorcycle accidents M- 11 -				. 00	
173 By firearms	12	1		2	
struments 25 2 1 1 4 213 Water transportation accidents 1 134	1	9	4	6	4
By other means $\begin{bmatrix} M_1 & 3/2 & 12 & 7 & 2 & 12 & 3 \\ F_{-} & 131 & 5 & 1 & 1 & 2 & 214 \end{bmatrix}$ Air transportation accidents $\begin{bmatrix} F_{-} & 18 \\ 1 & 1 & 2 \end{bmatrix}$		2	i		

¹ See explanatory footnote (2) p. 171.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932

			<u> </u>					~									
List no.	CAUSE OF DEATH	deaths •	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	Under 1 1 year ye	l 2 ar years	3 years		5 to 9	14	15 to 19	1	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over

THE REGISTRATION AREA IN CONTINENTAL UNITED STATES

	TEL	KEGIS.	IRAL	LON AL	nea I	N CC	MIL	N.E.IN.T	(ALL	ONLL	ED 8	TAT	 					
	Total deaths (all causes)	1, 308, 529	688, 602	619, 927	121, 267	17, 864	9, 274	6,607	5 , 4 96	19, 804	16, 552	27, 054	36, 614	78, 525	108, 659	152, 310	201, 407	505, 513
	I,—Infectious and parasitic diseases		70, 499	86, 480	12, 470			2, 368	1, 956	6, 160	4, 018	7, 960	11, 978	22, 447	21, 545	18, 749	14, 670	23,826
1 2 3	Typhoid fever Paratyphoid fever Typhus fever Undulant fever Smallpox Measles Sosplet force	4, 363 78	1, 230 37	3, 133 41	37 4	44 1	40 2	50	56 1	324 6	432 5	675 7	670 7	800 7	447 7 2	369 13	259 10	152 8 7 7
5	Typhus fever Undulant fever	36 62 38	25	22 37 30	<u>1</u>					5 3	1 6	3	 6 3	7 6	19	5 6	6 7	7 7
.6 7 8	Measles Scarlet fever	1, 941 2, 577	931 1 463	1,010	436	479	196 248	118 231	96 211	323 775 180	97 220	48 146 8	18	26 180	39 89	21 40	17 11	6 27
9 10	Scarlet fever	5, 364 5, 418	2, 008 2, 091	3, 356 3, 327	. 3, 232 410	1, 176 671	416 742	174 694	119 618	180 1, 492	19 332	104	18 105 3 52	3	4 84	5	7 49	15
112	Influenza, respiratory complications	04 190	9, 689	14, 431	2, 340	883	398	274	150	524	437	820			1		2, 696	7, 975
11b 13	nniuenza, respiratory complications not specified	12, 946	4, 018 567	8, 928 1, 516	1, 473 493	401 305	247 110	134 69	126 32	355 69	311 24	353	317 23	658 67	854 88	986 118		
15 16	Influenza, respiratory complications not specified. Dysentery Erysipelas Acute poliomyelitis, acute—polioen-	2, 083 1, 934	1,041	893	537	47	17	12	5	24	28	28 32		81	133		247	523 550
17	eephalitis Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis Anthrex (bacillus anthracis) malignant	828 874	389 480	439 394	93 13 266	88 22	67 13 70	56 19 59	55 10	188 36	112 34	62 52	48	131	134	8 139	3 117	
18 20	Anthrax (bacillus anthracis) malignant	1,677 12	1, 153	524	266	121	70	59	55	226	165	145		154	117	110	56	
21 22	pustule Rabies Tetanus Tuberculosis (all forms)	55 1, 119	19 656	36 463	133	· 13	ī 16	5 18 305	2 43	224	7 185	72	3 1 46	8 81	2 82	2 8 93	7 62	2 3 50
23 24	Tuberculosis (all forms) Respiratory system Meninges and central nervous	75, 509 67, 789	36, 272 31, 601	39, 237 36, 188	133 834 317	· 13 727 239	16 421 129	305 115	265 88	989 475	1, 332 963	4, 912 4, 375	8, 853 8, 256	16, 453 15, 363	14.312		7,699	7, 158
24 25	system	2, 317 1, 942	1, 583 1, 020	734 922	325	330	213	131	109	316	137	137	126 178	181	141	87	44	38
26 27a	Intestines and peritoneum Vertebral column Bones (vertebral column excepted)_	809 169	459 58	350 111	46 7 1	27 8 2	14 7	이	22 10	62 34 6	88 44 11	139 52	73	355 141 23	124	234 111 19	197 96 22	235 96
27b 28	JointsSkin and subcutaneous cellular	257	116	141	5	ī		2	5	6	13	12 30	13 22	31	23 34	31	33.	36 44
29	tissne	59	25	34	1		1				2	. 5	4	7	6	4	6	23
30	Lymphatic system (bronchial, mes- enteric, and retroperitoneal glands excepted)	164 520	73 317	91 203	10	6	3	6	3	6	8	13 30	10 33	13 105	11 125	14	24 81	37 60
31 32a	Genitourinary system Other organs. Acute disseminated tuberculosis Other disseminated tuberculosis.	119 1, 193	70	49 325	1 109	112	1 52	30	27	6 2 1 73	3 55	3 103	6 117	20 181	19 142	14 76 26 85	18 71	21 34
32b,c 33	Ledrosy	25	868 82 2	89 23	10	2		1		8	4 1	13	15 3	33 3	28 8	21	14	22 1
34 35	Syphilis Gonococcus infection and other venereal	10, 684	6, 596 653	4, 088	1,647	102	36	24	15	53	62	181	398	1, 199				1,010
36	diseases	916 869	434	263 435	25 80	1 25	11		11	3 44	1 48	77 54	160 64	294 93	190 92	98 104	42 91	23 142
38 39	Malaria Other diseases due to protozoal parasites	2, 568 52 24 24 12	335 31	2, 233 21	165 5	25 81	82	83	64	227	132	145 3	187	222 6	251 13	313 6	240 6	367 6
40 41a	Ankylostomiasis	24 24	8 19	16 5	2		i	2		5 7	4	3 1	1	2 3 6	3	1	7	2 5
41b 42 43	Hydatid cysts of other organsOther diseases caused by helminths	. 12 114 249	6 30 120	6 84 129 238	5 72 76	19	14	17	7	21 2 44	<u>4</u> 2	2 8	2 7 14	3 6 27	3	2 2 29 36	2 5 28	2 24
44	Mycoses Other infectious and parasitic diseases	408	170	li li		34	15	16	13	44	15	15	7	24	33 29	36	41	42
•	II.—Cancers and other tumors		76, 268	52, 329	96	97	132	118	110	406	361	551	755	3,666			31,816	
(45) (45) (46)	Cancer and other malignant tumors Buccal cavity Pharynx	122, 739 3, 676 920	72, 097 2, 017 474	50, 642 1, 659 446	56 1	70 1	101 4	92 2	75	274 8 1	245 7 3	418 9	610 11	2, 958 50	174	21, 485 532 110	31, 107 903 267	
(46) l	EsophagusStomach and duodenum Liver and biliary passages	2, 063 25, 909	1, 556 14, 031	507		ī		2			2	9 4 1 10 8 2	4 1 41	13 8 292	37 78 1, 334	362 3, 713	653	481 959 13, 735
(46) (46) (46)	Liver and biliary passages Pancreas Other digestive tract and perito-	10, 452 3, 371	5, 236 2, 320	11,878 5,216 1,051	8	5	5	2 2	2 1	$\begin{array}{c} 3 \\ 12 \\ 2 \end{array}$	11	8 2	41 23 3	117 39	499 208	1, 517 593	2, 793	5, 436 1, 498
	neum	19, 015	12, 064	6, 951	6	4	6	10	14	36	23 20	43 27 8	1 80	440	1, 381	2, 962 1, 068	ĺĺĺ	9,065
47 48 49	Respiratory system Uterus Other female genital organs	4, 549 14, 908 2, 684	8, 745	1, 249 6, 163 748		2 1 1	1 4			14	20) 3	27 8 23	49 80	126 771 113	483 2, 502 395	1, 068 3, 987 684	1, 363 3, 612 722	1, 386 3, 927 694
49 50 51 52	Male genitourinary organs	11, 889 9, 594	1, 936 7, 131 5, 742	4, 758 3, 852 1, 908	9		20	16	13	<u>2</u> 0	i 7	23 8 22 10 243	35 25 47	304 155	1.494	3, 084 854	3, 132 2, 124	3, 836 5, 956
53	SkinOther or unspecified organs	3, 137 10, 572	1, 229 6, 316	4, 256	9 2 29	2 40	3 54	1 58	1 40	5 168	3 157	10 243	200	401	332 123 981	256 1, 763	455 2, 376	2, 220 3, 967
54a 54b	Nonmalignant tumors, ovary Nonmalignant tumors, uterus	167 2, 432	124 1,866	43 566							2	1	9 18	490 27 306	34 1, 014	41 765	29 172	23 151
54c 54d,e	Nonmalignant tumors, other female genital organsNonmalignant tumors, other organs	12 1, 286	9 978	308	<u>19</u>	11	14		17	47	48	70	48	136	2 214	5 242	5 202	210
55a 55b	Tumors, ovary (nature unspecified) Tumors, uterus (nature unspecified)	22 18	10	12								2		5 2	6	3 4	3	3 4
55c	Tumors, other female genital organs l	1		1											1			
aaα,e	(nature unspecified) Tumors, other organs (nature unspecified)	1, 920	1, 175	745	21	. 16	17	18	18	85	66	59	70	232	357	391	294	276

¹ In this table, deaths at "age unknown" (numbering in all 1,583 for the registration area) are not shown separately but are, of course, included in the total number of deaths.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Cities	Cities of 2,500						-	DEATH	SBYA	GE.					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year		2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REG	ISTRAI	NOI.	AREA	IN CC	NTI	NENT	CAL 1	UNIT	ED S	TAT)	ESC	ontinu	1ed				
	III.—Rheumatic diseases, nutritional diseases, diseases of the endo- crine glands, and other gen- eral diseases.	40, 983	23, 377	17, 606	1,475	234	146	101	124	599	757	751	836	1, 943	3, 038	<i>5</i> , 548	9, 559	15, 822
56 57	Acute rheumatic fever		1, 482 617	1, 119 884	9	8	22	34 1		321 6	359 11	204 14	176 17	263 51	229 74	261 132	245 260	412 932
58 59 60 61 62	Diabetes mellitus Scurvy Beriberi Pellagra	26, 368 33 5 3, 694	16, 136 14 1, 051	10, 232 19 4 2, 643	17 18 1 1 221	30 3	1 7	12 1	1 1 2	177 1	311 25	340 1 87	180	2 2 511	1 1 655	683	672	2 1 830
63 64 65 66a 66b	Rickets. Osteomalacia Diseases of pituitary body Simple gotter Exophthalmic goiter	13	138 8 34 167 2, 358	216 5 26 123 1, 308	3 2 1 1	59	33 1 1	12	1	8 <u>2</u> <u>3</u>	1 1 1 16	5 7 6 53	1 3 5	17	2 15 34	1 8 64	9 74	86
(66) 67	Other diseases of thyroid and parathy- roid glands	388 1, 230	209 757	179 4 73	103 998	23 77	14 32		4 12	16 40	8 13	5 14	11 12		26 4	44 1		48
68 69	Diseases of adrenals (Addison's disease not specified as tuberculous)Other general diseases	357 422	210 194	147 228	101	 <u>2</u> 7	22	<u>-</u> 7	10	12	2 8	7 8	13 8			82 34		58 115
	IV.—Diseases of the blood and blood- making organs	9, 866	5, 726	4, 140	544	146	108	105	81	317	243	296	317	689	931	1, 305	1, 957	2, 818
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Pernicious anamia. Other anamias. True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen Other diseases of blood and blood-making organs.	791 3, 890 500 2, 802 1, 340 431	430 1, 846 252 1, 938 883 279 98	361 2, 044 248 864 457 152	351 26 103 46 4 13	32	11 11 59 5 4	8 3 61 2 6	<u>9</u>	32 18 160	40 25 9 96 48 21	31 41 9 143 48 20	51 9 115 88 24	117 18 246 192 50	18 341 218 58	433 225 62	1,006 59 521 246 69	1, 804 176 488 205 64
	V.—Chronic poisonings and intoxications	3, 300	2, 105	1, 195	1	7	4	2		4	3	28	67	457	919	930	598	272
75 76 77a 77b,c	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning Other chronic poisoning by mineral	3,049 146 78 27	1, 922 104 60	1, 127 42 18		7	4	2		i	2	26 1 1	56 7 1	30 4	47 8	882 27 16	16 22	18 11
•	vI.—Diseases of the nervous system and of the organs of special sense			68, 756	2, 258	661	392	251	248	1, 231	1, 042	1, 099	1, 244	3, 128		5 14, 921	24, 521	
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis	1, 293 2, 037 322	713 1, 353 143	580 684 179	90 455 67		106		17 51 7		78 142 29	64 116 23	103 14		14	18	111 18	84 5
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain	1, 188 3, 026 94, 694 5, 397 688	645 1, 486 43, 658 3, 365 335	543 1, 540 51, 036 2, 032 353	14 110 9	19 28 10	9 15 7	8 16 4	12 10 3	39 46 26	2 56 65 41	2 84 99 39	207	124 886	100 261 3, 573 313 7	434 10, 293	682 19, 129 1, 057	1, 204 60, 112 3, 121
83	Hemiplegia and other paralysis, cause unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age).	4, 118 4, 573 1, 342 2, 842 841	1.858	2, 912 2, 715 920 1, 947 639	13 1 52 678 111			 21	7 21 11	19 1 <u>1</u> 02	12 5 4 195	17 18 37 286	40 87 308		147 1, 294 261 445	277	937 202	541 276
85 86 87 88 89a 89b	Other diseases of nervous system. Diseases of organs of vision Diseases of ear Diseases of mastoid process.	3, 367	1, 620 55 1, 693	1, 747 22 629 278	111 8 504 146	125	37 1	43	22 2 49 36	319	84 2 168 159	69 8 122 115	106	160	5 172		9 159	22 148
	VII.—Diseases of the circulatory system	295, 509	163, 073	132, 436	431	173	118	125	143	974	1, 475	1,867	2, 311	6, 816	15, 628	32, 890	55, 649	176, 664
90 91a 91b	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45	907 2, 953	'	399 986	17 28		17	7 24			22 181	24 244	248	76 495	411	144 355		315 407
92a 92b	years) Endocarditis, specified as chronic, and other valvular diseases	606 57, 358	328 27, 561	278 29, 797	17 64	10 38		3 43	7 48	57 422	38 762	67 887	73 1, 020	124 2, 516		6, 587	9,842	30, 696
93a 93b	Endocarditis, unspecified (45 years and over). Acute myocarditis. Myocarditis, unspecified (under 45	3, 977 4, 375	1, 919 2, 535	2, 058 1, 840	36	12	9	<u>-</u> 2	<u>-</u>	29	27	48	84	178	422	633 735	878 907	2, 463 1, 867
93c 93d	Chronic myocarditis and myocardial degeneration Other diseases of myocardium	1, 457 91, 181 28, 513	15, 936	604 34, 739 12, 577	40 10 7 1	9 11 3	8 4	8 5 2	4 7 2	28 59 8 1	35 92 6	53 137 13	211 31	351 980 72	212	8, 638 3, 226	16, 948 5, 588	60, 704 19, 324 10, 246 8, 361
94a 94b 95a 95b 96 97	Angina pectoris Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart Aneurysm (except of heart) Arteriosclerosis (coronary arteries ex-	19, 893 17, 453 716 39, 307 2, 181	10, 191 11, 781 297 19, 659 1, 498	9, 702 5, 672 419 19, 648 683	11 3 4 119 2	33	2 34 1		28 2	1 183	5 3 1 273 5	9 14 4 315 13	41 7 362	247	1, 169 1, 179 58 2, 616 283	3, 226 2, 912 2, 950 82 4, 985 513	5, 251 4, 640 130 7, 688 556	10, 246 8, 361 408 21, 383 691
98 99	cepted)	20, 534 924 1, 526	9, 568 334 911	10, 966 590 615	19 10		4	<u>-</u>	3 1	7 7	6 6	4 19	3 7 23	21		597 43 223	2, 010 105 282	17, 756 665 751

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		İ	Cities	Cities of 2,500				7.00			DEAT	as by	AGE	-				
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to	Under 1 year		2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REG	ISTRA'	TION .		IN CO	ONTL	NENT	ral 1	UNII	ED S	STAT	ES-C	l Contin	ued	1	<u> </u>	1	,
	VII.—Diseases of the circulatory system—Continued																	
100 101 102 103	Diseases of veins (varices, hemorrhoids, phlebitis, etc.). Diseases of lymphatic system (lymphangitis, etc.). Idiopathic anomalies of blood-pressure. Other diseases of circulatory system.	698 172 529 249	434 86 166 99	264 86 363 150	5 35 14	2 19	7	61	1	1 10 3	3. 6	9 3	15 6 1	39 16 12 13	85 7 56 18	132 12 89 34	165 16 118 39	239 28 253 107
	VIII.—Diseases of the respiratory system	105, 935	58, 851	47, 084	17, 898	4, 367	1, 927	1, 056	686	2, 106	1, 585	2, 386	2, 708	6, 354	8, 967	10, 515	11, 754	33, 522
104a 104b 105 106a 106c,d 107a 107b 108 109 110 111a 111b	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified Bronchopneumonia Capillary bronchitis Lobar pneumonia Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemory	488 1, 597 1, 840 901 38, 708 466 49, 524 3, 776 2, 618 442	123 505 222 808 915 22, 152 206 28, 356 893 1, 802 262	258 203 266 789 925 523 16, 556 260 21, 168 2, 883 816 180	198 26 100 425 19 201 11, 764 216 3, 549 1, 061 175	18 7 66 81 6 22 2, 486 39 1, 236 223 139	14 3 37 41 3 13 984 10 616 98 75	6 4 42 16 2 6 488 6 374 58 38	6 3 28 4 5 295 4 276 28 26	7 40 63 23 7 11 730 10 995 99 75	10 77 9 11 6 7 404 2 890 78 61 2	4 76 8 5 16 3 435 1 1,562 114 101 9	7 66 5 14 22 9 457 5 1, 776 119 125 8	15 101 18 29 58 19 1,140 4,212 228 269 28	16 83 27 42 88 29 1,725 5,902 240 338 52	7 91 32 53 140 38 2, 280 13 6, 540 262 345 79	10 68 19 114 234 53 3,039 23 6,844 274 328 96	63 63 739 1, 237 485 12, 462 123 14, 692 881 521 157
112 113	rhagic infarct Asthma Pulmonary emphysema	1,356 1,804 114	639 832 66	717 972 48	59 26 10	10 20	5 13 1	10 10	3 5	5 19 1	11 2	11 10 3	7 31 1	22 90 3	31 183 10	52 301 16	82 337 19	1,060 745 48
114	(tuberculosis excepted)	1, 212	692	520	59	14	13	2	3	21	11	28	56	117	193	266	214	213
115a	IX.—Diseases of the digestive system. Diseases of pharynx and tonsils	4, 350 841	2,702	1,648	13, 155 201	3, 925 167	1,500	947	724 138	2, 601 527	2, 150	2, 469 273	2, 713 310	516	9,093	11, 870 428	12, 092 350	17, 911 355
115b 116 117a 117b 118	Diseases of buccal cavity and annexa Diseases of esophagus Ulcer of stomach Ulcer of duodenum Other diseases of stomach (cancer excepted) Diarrhea, enteritis (under 2 years of	841 140 4, 909 2, 283 3, 670	470 96 3,048 1,711 1,218	371 44 1,861 572 2,452	55 9 5 9 510	17 1 3 105	10 2 1 56	7 3 2 30	- 5 2 2 19	36 1 9 2 60	19 1 21 2 33	34 44 14 51	64 3 120 37 87	107 7 423 228 199	133 12 784 437 360	120 17 1, 153 569 516	103 20 1, 050 485 489	355 128 64 1, 292 494 1, 113
120 121 122a 122b 123 124 125a 125b 126 127	age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia. Intestinal obstruction Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary	8, 681 491 1, 124 4, 577	5, 592 1, 994 12, 048 3, 483 4, 644 771 5, 430 332 638 3, 327	8, 783 3, 250 5, 063 1, 380 2, 762 414 3, 251 159 486 1, 250	46 78 861 45 15 6 45	126 16 136 13 13 15	914 174 3 106 10 3 1 6	417 215 3 55 4 2	244 220 5 46 3 4	318 1, 301 6 167 23 10 3 20 1	102 1, 426 7 138 8 27 7 17	86 1, 568 24 170 26 32 20 20 13	115 1, 316 38 251 31 38 47 40 45	232 2, 270 146 608 104 272 78 97 246	311 2, 516 423 856 172 984 85 164 586	431 2, 496 806 972 206 1, 851 83 187 989	474 1, 935 1, 102 1, 024 205 2, 253 64 206 1, 177	1, 596 1, 491 -2, 200 2, 001 332 3, 182 92 294 1, 520
127 129	passages Diseases of pancreas Peritonitis, cause not specified	3, 866 677 1, 507	2, 484 525 982	1,382 152 525	24 141	6 48	10 3 52	7 2 22	- 25	21 1 95	9 1 48	23 7 64	48 19 104	247 78 185	477 122 191	704 154 188	850 164 141	1,431 125 201
	X.—Diseases of the genitourinary system	120, 631	65, 017	55, 614	465	160	124	89	112	418	524	887	1, 348	4, 154	8, 189	14, 259	21,894	67, 859
130 131 132	Acute nephritis (including unspecified under 10 years) Chronic nephritis Nephritis, unspecified (10 years and	4, 323 92, 051	[2, 126 42, 655	193 9	88 16	71 17	50 19	62 16	197 153	134 256	161 417	179 638	433 2, 144	640 5, 255	646 10, 873	572 17, 542	891 54, 586
133 134 135 136 137 138	Over) Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages Diseases of bladder (tumors excepted). Diseases of urethra, urinary abscess, etc. Diseases of prostate Diseases of male genital organs. not	8, 377 3, 382 1, 183 751 410 6, 730	3, 063 2, 080 910 324 312 4, 213	5, 314 1, 302 273 427 98 2, 517	215 1 9 3	52	34	19 1	31 1	63	69 48 2	92 65 10 4 1	78 18 8 9	294 247 99 13 46 18	637 413 172 43 77 59	1,057 464 244 65 99 228	1,509 537 267 104 73 976	4, 598 1, 111 367 501 102 5, 444
139a 139b	specified as venereal	125 700	80 529	45 171	35 	3	2		2	1	1 3	1 13	36	7 126	12 187	23 127	12 106	24 102
139c 139d	tubes and parametrium Diseases of uterus Nonpuerperal diseases of breast (cancer excepted) Other diseases of female genital organs	1, 723 787 18	1, 336 531 11 35	387 256 7 36						1	5 <u>-</u>	95 23 4	232 238	550 160 3 14	500 179 5 10	241 171 6 15	64 120 2 10	34 90 2 7
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	13, 293	7,328	5, 965									2,750	5, 529	3,309	128	10	
142b	Abortion with septic conditions	2, 057 717 108	1,383 376 81	674 341 27							5	189 49 1	523 121 16	938 322 60	384 218 30	14 6 1		
143	mentioned Other accidents of pregnancy (hemorrhage not included) Placenta praevia Other puerperal hemorrhages	463 86 422 970	340 51 217 539	123 35 205 431							1	13 8 13 68	73 15 36 160	245 34 187 422	131 24 174 303	1 4 10 17		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

				City:	·						·							
			Cities of	Cities of 2,500 to							DEATE	IS BY A	.GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	10,000 and rural areas	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	965 years and over
	THE REG	ISTRAT	ION .	AREA	IN CO	NTL	NJEN'I	rail 1	UNIT	ED S	TAT	ES-C	Contin	ued				-
	XI.—Diseases of pregnancy, child- birth, and the puerperal state—Continued																	
145a 145b 146 147 148	Puerperal septicemia and pyemia (abortion excluded) Puerperal tetanus (abortion excluded). Puerperal albuminuria and eclampsia. Other toxemias of pregnancy. Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as	2, 761 13 2, 692 499	1, 524 10 1, 171 317	1, 237 3 1, 521 182								489 61	591 117	932 196	628 628 118	26 4		
149 150	septic) Other accidents of childbirth Other and unspecified conditions of puerperal state	628 1, 827 50	333 965 21	295 862 29							6	35 174 5		783	524	20		
	XII.—Diseases of the skin and cel- lular tissue	1, 895	1,078	817	320		<u> </u>	11	10		61	94	80			226	220	404
151 152 153	Furuncle, carbuncle. Phlegmon, acute abscess. Other diseases of skin and annexa, and of cellular tissue.	538 654 703	309 426 343	229 228 360	18 101 201	3 20 12	7	7 4	4 1 5		17 31 13	41 36 17	33 25 22	70	82	89 83 54	74 78 68	
	XIII.—Diseases of the bones and organs of locomotion	1,606	1, 128	478	70	31	41	37	39	184	222	105	71	126	150	148	138	243
154 155 156	OsteomyelitisOther diseases of bones (tuberculosis excepted)	1, 070 179 357	782 103 243	288 76 114	50 7 13	26 3 2	2	28 3 6	33 6	149 15 20	189 7 26	70 10 25	47 7 17	83 12 31	98 11 41	81 21 46	69 20 49	112 54 77
	XIV.—Congenital malformations	12, 363	6, 531	5, 832	11,012	399	161	96	80	215	161	89	50	55	. 29	12	4	
157a 157b 157c 157d	Congenital hydrocephalus	1, 642 1, 400 6, 294 3, 027	1, 000 727 3, 026 1, 778	642 673 3, 268 1, 249	1, 267 1, 337 5, 632 2, 776	129 26 180 64	67	33 6 36 21	24 5 37 14	105	34 4 97 26	16 63 9	8 4 26 12	15 2 29 9	2 17 10	1 3 8	2 2	
	XV.—Diseases of early infancy	51, 571	26, 621	24, 950	51, 571													
158 159 160 161	Congenital debility Premature birth Injury at birth Other diseases peculiar to early infancy	3, 860 33, 143 9, 681 4, 887	1, 160 16, 901 5, 937 2, 623	2, 700 16, 242 3, 744 2, 264	3, 860 33, 143 9, 681 4, 887													
162	XVI.—Senility	10, 207	2, 266	7, 941											1	12	147	10, 031
	XVII.—Violent and accidental deaths	117, 830	63, 083	54, 747	1, 963	1, 568	1, 210	1, 182	1, 080	4, 228	3, 693	6, 640	8, 939	16, 082	16, 455	16, 177	14, 268	24, 048
163	Suicide	20, 927	12, 032	8, 895						1	49	517	1, 109	2, 937	3, 900	4, 783	4, 219	3, 371
164 165 166 167 168 169 170	stances. By poisonous gas By hanging or strangulation. By drowning By firearms By cutting or piercing instruments. By grumping from high places By crushing By other means.	3, 320 3, 001 3, 632 996 8, 075 874 702 156 171	2, 241 2, 506 1, 746 505 3, 733 509 639 79 74	491							6 3 15 2 22 1	154 32 51 12 238 4 15 3	304 102 83 34 512 16 44 8	1, 159 74 129 22	559 193 1, 469 155 151	228 169 42	187 106	207
173 174 175 176 177 178	Homicide By firearms By cutting or piercing instruments. By other means. Accidental, other, or undefined. Attack by venomous animals. Poisoning by food. Absorption of poisonous gas.	11, 035 7, 458 1, 650 1, 927 85, 868 127 638 1, 988	6, 255 3, 923 1, 121 1, 211 44, 796 37 221 1, 508	4, 780 3, 535 529 716 41, 072 90 417 480	140 4 7 129 1,823 14 48 13	14 6 1 7 1,554 3 37	15 4 1 10 1, 195 3 32 5	3 3 6 1, 173 6 20	25 6 5 14 1,055 7 8	78 31 10 37 4, 149 12 45	98 60 10 28 3, 546 11 23 22	716 495 115	1, 646 1, 161 296 189 6, 184 7 20 82	3, 382 2, 385 571 426 9, 763 10	2, 457 1, 729 366 362 10, 098 12 75 357	42 46 1, 322 900 164 258 10, 072 14	31 704 447 63 194 9, 345 11 68 366 2	87 13 15 379 196 32 151 20, 298 10 107 383 2
179	Other acute accidental poisonings	64	7	57		1	1						6	10	21	10		
180 181	(gas excepted)	1, 605 1, 555 5, 358 561	953 667 3, 059 223	652 888 2, 299 338	51 54 184	173 56 447 2	87 52 416 2	46 65 350 3	29 50 286 2	45 144 500 12	19 58 174 10	45 54 159 53 21	82 83 229 93 10	192 139 423 161 30	275 204 454 123	291 169 419 48	155 151 447 28 . 20	111 271 862 21
182 183	Mechanical suffocation Supplemental Drowning Supplemental	904 40 6, 199 1, 228	330 2 2, 134 361	574 38 4, 065 867	687 28	18 1 238	2 4 136	3 95 6	63 9	26 1 578 41	777 81	21 5 950 142	10 3 684 193	30 10 750 278	38 4	419 48 25 13 582 130	. 20 / 2 383 77	271 862 21 12 1 276 38
184	Traumatism: By firearms (wounds of war	,				ا	Ĭ											
185	excepted) By cutting or piercing instru- ments (wounds of war ex- cepted)	2, 928 757	1, 038 444	1,890 313	5 14	13	12 8	19 12	32 7	155 42	341 51	483 27	382 42	466 68	386 113	314 122	204	111
186a 186b	cepted) Supplemental. By fall Supplemental. By crushing, landslide. Supplemental.	230 17, 834 2, 606 502 5, 735 404	78 10, 860 1, 289 181 2, 773	152 6, 974 1, 317 321 2, 962 346 397	129 9 5 12 18 2	123 123 12 139 5	8 1 84 17 2 41 5 13	1 70 24 6	54 17	7 279 83 18 215	14	27 14 288 251 39 403 24 25	23 275 291 45 566 27	68 46 617 424 84 984 56 35	30	35 1, 369 362 78 901 43 96	0.0	0.4
187 188	Cataclŷsm Injuries by animals	404 571	58 174	346 397	18 2	5 8	5 13	41 7 6	8 8	45 42	35 41	24 25	27 14	56 35	46 56	43 96	27 83	57 140

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Cities	Cities of 2,500							DEAT	es by a	.GE					
List no.	CAUSE OF DEATH	All death	of	to	Under 1 year		2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	THE REC	GISTR.	ATION	AREA	IN CO	NTIN	ŒNT	AL U	INIT	ed s	TAT	ES-C	ntinue	ed ·	**********			<u> </u>
	XVII.—Violent and accidental deaths—Continued																	
189 190 191 192 193 194a 194b 195 198	Accidental, other, or undefined—Con. Hunger and thirst. Excessive old. Excessive heat. Lightning. Due to electric currents. Supplemental. Foreign bodies. Other accidents. Supplemental Violent deaths of unknown nature. Legal executions.	2 6 3 5 5 4 3,83 27,30	.5 2	397 2 330 311 61 288 1,831 12,133	170 253 73 1	1 5 1 3 151 63 124	3 1 62 22 175	20 40 327	1 1 14 49 359	1 3 4 14 19 3 26 174 1,598	1 3 41 46 3 12 206 1,001	244	11 27 47 66 16 6 204 2,619 1 30	26 51 64 188 25 17 408 3,869 1	2 38 89 56 103 11 33 493 3,790 - 1	4 47 127 33 59 13 43 529 3,640	30 460	223 21 18 1 42 681
100	XVIII.—Ill-defined causes of death_		_			586	229	119	103	315	212	326	447	881	1, 201	1, 684	2, 120	
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or un-	1, 95 4, 80 14, 24	1,394	3,410	253 906 6, 379	16 200 370	12 63 154	2 18 99	3 19 81	10 81 224	7 42 163	27 87 212	40 103 304	88 212 581	161 365 675	250 543 891	335 738 1,047	737 1, 405 2, 964
Punch	known SUPPLEMENTAL ²																	ŕ
symbol 201 202 203 204	Accidents in mines and quarries	28	5 62 8 197	1, 167 223 21		1	<u>3</u>	1 4	4 2	4 8 3	5 9 7	58 17 14	170 25 22	376 39 33	398 53 29	301 43 41	154 51 29	48 29 36
205 206 207 208 209 210 211 212 213 214	reation Other machinery accidents Railroad and automobile collisions Other railroad accidents Street car and automobile collisions Other street car accidents Automobile accidents (primary) Motorcycle accidents Other land transportation accidents Water transportation accidents Air transportation accidents	87 1,46 3,50 26,35 26,35 1,13	6 466 1,651 4 250 3 469 0 15,046 1 160 1 391 2 413	1, 000 1, 851 54 54 11, 304 81 740 709 260	82 1 10 1	14 6 11 147 147 1 8 3	7 5 13 1 9 189 12 3 1	3 10 7 2 348 3 22 2	6 379 1 16 6	2 18 34 85 9 12 1,679 5 70 31	10 37 88 4 10 1,044 3 124 77	1 42 125 320 20 1,924 51 88 140 31	179 326 41 19 2, 553 72 66 163 84	2 188 265 565 77 49 3, 646 48 100 264 161	2 181 256 621 63 52 3,475 19 102 181 83	169 236 556 44 81 3,400 14 131 125 16	92' 181 447 31 108 3, 243 4 149	68 119 418 14 161 4, 190 19 230 36 2
			IN CITI	es—							DEAT	HS BY	AGE	'				
List no.	CAUSE OF DEATH	All deaths	or	_{2 500} ru	eas de	n- r 1 yes		rs yea	rs yea		120 1	to 15 4 19 ars year	24	84	44	45 to 54 years	64	65 years and over
					AL	ABAN	1A										-	
-	Total deaths (all{White causes){Colored	14, 871 12, 809	4, 248 4, 025	1,400 9, 909 7,	223 2, 0 875 1, 7	42 37 93 21	75 16 15 11	0 18	35 8 35 8	33 3 52 2	44 2 07 2	228 37 208 51					1, 957 1, 483	5, 278 2, 505
	I.—Infectious and para-{White sitic diseases{Colored	2, 227 2, 664	500 747	211 1, 201 1,		42 13 14 6					07 53	57 60 · 23	76 11 .4 36				199 176	445 194
1 2 · 3	Typhoid fever {W Paratyphoid fever W Typhus fever W Smallpox {C	63 70 1 11	11 17 3	3 4 3	49 49 1 5 1	1		1	1	4	9 6	8 1	8 2 1	8 2		4	4 4 1	5 4 1
7	Measles	1 1 5	1		1 4	1		<u> </u>			1							ī
8	Scarlet fever Whoming cough	34 1 119	5 25	3	26 1 78					1	6	1	1	2	1			
9	Diphtheria (W	85 184	32 24 8	6 12 2	47 148	19 2 19 3	3 2	8 2	82	3 4	3 16	8		1			1	
11a	Influenza, respiratory complica-{W	26 512 363 227	134 118	54	221	7 30 3 32 2 30 1	3 2 4 3 1 2 1	2	8 5	7]	4 10 10	2 6 1 9 2 5 7	$\begin{bmatrix} 8 & 1 \\ 1 & 2 \end{bmatrix}$	1 9 48 8 44	46 43	53 53 15 22	47 36	145 48 106
11b	tions not specifiedC	195 li	55 54 4	22 18 10	150 123 15	30 1 33 5	5	1 5		3	5 2		$\begin{bmatrix} 4 & 1 \\ 2 & 1 \end{bmatrix}$	0 7 1 14	10	15 22 4	18 18 2	106 51 8
13 15	$ \begin{array}{c} \textbf{Dysentery} & & \begin{cases} \textbf{W} - \textbf{I} \\ \textbf{C} - \textbf{I} \\ \textbf{W} - \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} - \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf{W} \\ \textbf{W} + \textbf{W} \\ \textbf$	29 28 35	7 9	5	16 26	4	2	-			ī	i		2 i		4	5 3	5 13
16	Acute poliomyelitis, acute polio-WencephalitisC	3 8 1	i		3		2	i			1	1						2 1
	Lethargic or epidemic encephalitis $\{ egin{array}{c} W_{} \\ C_{} \end{array} \}$	13 4	1 6 2	1	7		1	-	-		i		2	2	. 1			5
2 T mental	his supplemental list is made in accordar to those reported opposite titles 178 to 1	ce with	the requir	rements	of the In	ternati	onal Co	onfere	ace at	Paris,	1929.	The de	eaths s	hown i	n this t	abulatio	on are s	ipple-

² This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—					•		D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
•					ALAF	BAMA	Cor	tinued	i										
	I.—Infectious and parasitic dis- eases—Continued																		
18	Epidemic cerebrospinal menin-{Wgitis	15 7 1	3 7	2	10	2	2	2	1 1	1	5 2	1 1			1 2	1			
21 22	Rabies	1 34 27 753	16 12 152	3 2 70	1 15 13 531	5 11 6	1 6		2	1	6	5 3 6	5	3 5 66	3 1 143	1 3 115	1 1 140	3 2	126
23	Respiratory system \{\begin{align*} \C_{} \\ \C_{}	1, 368 685 1, 266	354 132 310	109 60 104	905 493 852	6 1 3	6 3 2	2 4 1 1	5 1 3	2	13 4 9	25 4 22	142 18 131	256 61 239	354 136 331	291 107 271	136 - 129 131	- 106 77 100 72	51 119 49
24 25	Meninges and central nervous W system	14 12 19 33	5 7 5 11	2 1 3	7 5 13 19	1	3	1	1 1	1	1 1 1 2	i	$\begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$	3	1 4 7	2 1 3 6	4 4	$\begin{bmatrix} 1 \\ \cdots \\ 2 \\ 2 \end{bmatrix}$] <u>2</u>
26 27a	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	13 3 4 6	6 1	3	4 2 4 5	1					1	2	1 1	2 1 1	2	1	2	1 1 1	
27b 28	Joints $-$ Skin and subcutaneous cellu-	8	2		6								1	1	3	2		2	
29	lar tissue	1 1 4	2	1	2								1	1	2	1			1
30 31	Genito urinary system $\left\{ egin{array}{ll} W & C & C \\ C & C \\ \end{array} \right.$	3 1	1 1	1	1 2	1									1	1 1 1			
32a 32b,c	Acute disseminated tubercu-{W losisC Other disseminated tubercu-{W losis(C	11 28 2 4	3 15 1 3	1 2	7 11 1 1		1	2			1	2	1 5	2 4	1 6 1	6	1 1	1	
34 35	Syphilis	65 328 8 28	29 97 3 14	8 19 2 1	28 212 3 13	13 62	1	3		1	2	2 2	3 10 3	1 29 2 4	59 2 9	59 1 6	12 54 2 4	6 24 1	1.
36 38	Purulent infection, septicemia W (nonpuerperal)	19 15 83	10 4 8	1 3	9 10 72	3	1 1 1	2 2	3 5		7 7	9	7	1 2 5	4 3 6	4 3 3	2 2 11	1 2 6	1.
39 40	Other diseases due to protozoal parasites C Ankylostomiasis W	1	15 1 1	8	73	4	1	2	5	4	7	3	10	12	7	11	13	7	10
42 43	Other diseases caused by hel-{W.minths	1 3 4 8	1 2		1 2 4 6	3	1 2		1				ii	1	1		1 2	1	
44	Other infectious and parasitic diseases	1, 153	1 372	101	680	1	3	4	2 3	2	9	. 1	6	7	. 1 50	110	192	275	48'
	tumors(Colored	1, 108	172 345	97	271 666	1		3	3	1	8	3	5	10 5	41	97	129 184	271	48' 9: 48:
(45) (45)	Mors	423 39 10	140 5 5 4	29 4	. 5					1	1	3 1 1	2	7	31 2 1	76 2 1	122 5 1	86 4	89
(46)	Esophagus C	- 4 7	1 4	<u>î</u>	3 2						-						1 1	1	1
(46) (46)	Stomach and duodenum $\{W\}$. C. Liver and biliary passages $\{W\}$.	199 73 88	54 26 25	14 4 10	43 53	1		2			-			3	4	11 7 . 1	37 20 9	63 22 24 5	84 17 56
(46) (46)	Pancreas	24 26 3 113	5 11 2 41	1 1 14	14 1 58		1				4		2		1 6	5 3 1 7	5 3 1 17	9	1:
47 48	toneum C W W C W C W C W C W	35 27 4 185	13 17 1 66	1 1 21	18							1		i i	3 1 1 12	8 2 1 41	13 5 1 49	6 7 1 39	1 4 2
49	Other female genital organs. W.	155 23 7	48 10 3	10 2	97 11 4							1		4	14	34 3 2	49 6 2	29 5 2	1 '
50 51	Breast	117 43 70 26	34 20 23 6	9 3	78 23 38 17			1	i	ī			1	i	1 3 3 2 1	15 11 2	27 18 5 7	35 5 14 6	3'
52 53	Skin	3 123 35	12 1 39 9	5 1 8 5	76		1		2	i	3	1 1	3	1	8 1	1 3 10 3	. 5 15 4	10 28 9	5.1
54b 54d,e		16 40 13	15 26 6 2	4						1	1		1	1 1	4 9 3	8 21 2	1 5 2	2 2	. :
55d,e	gans\C Tumors, other organs (nature un-\W_ specified)\C	. 16	6	1 4	6 7		1	1			1		.	1 2	2	2	5 2	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TIES—				-			D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		, 1	•		ALAE	BAMA	.—Cor	itinue	1	1	<u> </u>		1		<u> </u>				
:	III.—Rheumatic diseases, nutritional dis- eases, diseases of the endocrine (Colored glands, and other general diseases)	467 349	132 97	48 32	287 220	16 7	. 2	- 4 1	2 1	1 1	7 6	11 5	12 10	12 15	32 35	32 57	57 60	95 71	182 73
56 57 59 61 62	Acute rheumatic fever C. C. Chronic rheumatism, osteoarthri-W. fis. C. Diabetes mellitus W. C. C. Beriberi W. Pellagra. W.	22 26 25 6 210 84 2 150	4 8 4 1 73 31 34 45	1 28 12 11 11 15 2	18 16 21 4 109 41 2 105 144	1	1	1		1	2 2 5 2	2 1 3 4 2	3 2 7 1	1 7 4	3 1 14 1 1 1 14	2 3 1 1 8 12	2 5 1 22 18	1 3 4 2 50 25	8 5 14 2 90 20 1 57
63 65 66a	Rickets W	204 6 2 1 1 2	1 1	1 1	3 1 1 1 1	5 2		1		1	2	2 	8	10 	28 1 1	39	35 1	37	40 1
66b (66) 67	Exophthalmic goiter C. W. C. Other diseases of thyroid and parathyroid glands. W. Diseases of thymus gland W.	5 23 8 4 4	12 3	1 2 1	4 9 5 3	1 3	1					1	1	ī	1 1 1	5 1	5 1	1 6 3	3 5 2
68 69	Diseases of adrenals (Addison's disease not specified as tuberculous) W Other general diseases. W	1 17	1 5	1 	· 1 12	5	1	<u>1</u>	1			i							1 5
	IV.—Diseases of the blood and blood-making organsColored	76 33	33 18	<u>4</u> · 4	· 39 11	4 4	1 2 1	2 1	2	2	5 1	3 2	3 1	3 2	1 6 4	1 10 7	11 5	6 2	1 16 3
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions	10 6 24 13 4 26 3 7	4 57 6 11 2 5 4 4	1 4 2 	13 7 1 15 1 2 2	3 2 	1 1	1	2	2	1 1 2 1	1 2 1	1 1 1	1	1 1 2 1 1 1 2	1 4 3 3 3 2	1 3 4 5 1 2	2 2	9 1 1 4 1 2
75 76 77a 77b,c	making organs W. V.—Chronic poisonings { White	2 27 23 25 18 1 1 1 1 1 3	14 7 12 4 1 1 1 2	3 6 3 6	10 10 10 8 1								2	1 2	.5 4 4 3 1	1 4 6 3 4 1	10 7 10 6	6 1	2
	ous system and of White the organs of special Colored_ sense	1,365 975 23	350 -298	124 95	891 582	47 46	10 8	7 3 ——	4	2 4	14 9	11 10 	13 14	17 27	28 43	63 124	146 213	277 179	723 294
78 79a 79b 80 81 82a 82b 82c 82d 83 84 85 86 87 88 89a 89b	Encephalitis (nonepidemic)	24 28 19 8 5 6 2 2 3 8 8 6 7 9 1 8 2 9 4 2 4 3 6 2 2 4 4 1 5 1 6 2 2 4 1 4 1 5 1 6 1 6 2 2 4 1 4 1 6 1 6 2 2 4 1 4 1 4 1 6 1 2 2 2 4 1 4 1 4 1 2 1 2 1 2 1 2 1 2 1	14 11 1 2 2 225 242 2 2 2 2 2 2 2 2 2 3 10 8 8 8 8 8 3 2	1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17 3 10 7 7 7 7 3 6 1 1 16 3 8 672 361 5 3 3 2 1 67 77 5 5 31 1 29 1 29 1 29 2 23 1 1 1 5 2 2 1 1 2 2 2 1	1 2 2 9 4 1 1 1 2 2 2 1 3 2 2 3 3 3 3 7 7 4 1 1 1	1 2 3 1 2 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 2 3 3 1 1 1 3 1 1 1 1	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2 1 1 2 2 2 1 1 3 3 2 2 2 2	2 2 1 1 1 2 2 1 1 3 1 1 2 2 1 1 1 1 1 1	1 1 2 1 1 2 5 5 1 1 1 3 4 4 1 1	1 1 1 1 1 1 2 2 1 1 2 2 2 3 6 6 7	5 1 1 6 1 1 9 18 2 2 2 1 1 1 4 4 1 1 3 3 3 3 7 7 2 2 1 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1	1 1 3 37 82 1 1 4 5 19 6 6 9 7 7 5	3 2 1 1 1 1 4 2 2 109 9 176 2 2 2 2 7 11 7 9 5 5 3 1 6	3 1 1 4 8 8 232 156 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 16 1 597 225 5 2 8 59 58 6 3 3 2 4 1 17 1 2 2 1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	_						DI	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					ALAI	BAMA	L—Coi	ntinue	ì										
	VII.—Diseases of the cir- {White culatory system{Colored	2, 148 1, 473	684 523	187 119	1, 277 831	2 3	4	2	2	2	12 9	17 3	20 12	18 27	45 106	82 211	230 304	419 315	1, 293 473
90	Pericarditis $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	6 5	1 3		5 2									1	1	<u>1</u> 1	1	3	3
91a 91b	Acute endocarditis $ -$	14 17 5	4 7 3	2 1	10 8 1				1		$\begin{array}{c c} & 1 \\ & 2 \\ & 1 \end{array}$	2	3 1 1	2 2 1	1 3 2	1 2	<u>î</u> -	3	3 2
92a	45 years)	603	1 112	37	2 454	1						8	6	1 8	21	24	58	96	373
92b	and other valvular diseases(C Endocarditis, unspecified (45 W years and over)(C	434 40 25	126 10 9	25 5 1	283 25 15				1	2	4	1	9	9	32	71	77 9 5	82 6 8	145 25 11
93a 93b	Acute myocarditis	29 27 7	9 12	3 3 1	17 12 6								1	1 3 2	1 3 2	4 8 3	4 6	4 4	14 3
93c	45 years)	40 307	19 141	6 29	15 137							1 2	1	1	13 5	24 15	24	67	194
93đ	cardial degeneration $\begin{array}{c} C \\ W \\ C \\ \end{array}$	160 286 182	72 104 88	14 31 13	74 151 81			1			2			1	11 <u>1</u>	17 3 2	46 32 55	38 58 51	43 193 71
94a	Angina pectoris $\left\{ egin{matrix} W_{} \\ C_{} \end{array} \right\}$	196 49	68 16	26 5	102 28								1	î	9	6 10	28 9	57 14	71 102 7
94b 95a	Diseases of coronary arteries $$ $\left\{\begin{matrix} W \\ C \end{matrix}\right\}$ Functional diseases of heart $$ W	98 29 8	65 18 1	6 2	27 9 7								1		6	6	19 5	31 11	$\frac{42}{7}$
95b	Other and unspecified diseases of \(\text{W} \)	374 375	99 119	38 31	237 225	$\frac{1}{2}$	4	2			4 1	4 1	7	8	8 20 2	17 52	37 77 7	69 84	219 130
96 97	Aneurysm (except of heart) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	18 22 115	5 9 47	1 2 5 5	12 11 63											8	6 7	3 4 17	6 1 91
98	excepted) C C W C W C	52 10 17	12 2 4	5 1 4	35 7 9									<u>ī</u>	1 1	1	8 1 1	14 2	28 5
99	Other diseases of the arteries $\left\{ egin{matrix} \mathbf{W}_{} \\ \mathbf{C}_{} \end{aligned} \right.$	11 8	5 4	Ĭ 1	5 3				1				1			2	4 3	2 1	16 4 1
100	Diseases of veins (varices, hemor- (W rhoids, phlebitis, etc.)(C Diseases of lymphatic system	5 4	4 1	1	$\frac{1}{2}$											2 2	ī	1	2 1
102	(lymphangitis, etc.) C C	5 13	1 3	<u>2</u>	4 8	1								1	1	2		1 2	9
103	pressure C Other diseases of circulatory sys- W tem C	16 3 3	$\frac{2}{1}$	4	10 2 3							1				4 1	3 	1	9 1 2
	VIII.—Diseases of the re- \{Whitespiratory system\{Colored	1, 145 853	295 343	108 52	742 458	217 181	59 36	16 23	15 10	4 5	40 23	21 22	36 43	35 54	69 92	87 98	82 95	105 71	357 98
104a	Diseases of nasal fossae $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	2 12	1 2		1 10	1 7	1					<u>1</u>		1			<u>1</u>		
104b	Diseases of nasal fossae and an- W C W W	5 3 4	3 2 1	<u>-</u>	$\begin{array}{c} 2\\1\\2\end{array}$				i		1 <u>-</u> -	1		2	1	1	2 1		 1
105 106a	Acute bronchitis W	2 8	1 3		1 5	1 1			î							1	<u>1</u> -	1	<u>-</u>
106b	$\begin{array}{c} & \begin{array}{c} C_{} \\ W_{} \\ C_{} \end{array}$	3 18 4	2 3 1	1	14 2	2									<u>-</u>	1 1	2 1	4	11
106c,d	Bronchitis, unspecified $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	14 12	3	1	11 8	2 4								1		 1 9	1 15	3	12
107a 107b	Bronchopneumonia $\left\{ egin{array}{ll} W & \cdots & C \\ C & \cdots & W \\ \end{array} \right.$ Capillary bronchitis $W & \cdots & W \\ \vdots & \vdots & \vdots & \vdots \\ W & \cdots & \vdots \\ W & \cdots $	382 214 9	86	40 14 1	241 114 8	92 7	15 1	9	4	1 2	6	5 4	8	3 8	11	9	13	15	130 18 1
108	word photimonation (587 469 49	148 224 4	51 30 6	388 215 39	59 42 21	21 15 4	5 11 2	5 2	3 1	23 13 1	14 12	29 31	24 38	53 71	64 76 2 3	53 61 3	68 42 5	1 164 54 10
109	Pneumonia, unspecified $\begin{array}{c} W \\ C \\ \end{array}$	80 19	3 10	3 1	74 8	31	3 3	2	2	2	3 1	5	2 2	1 2 2	1	3 2 2	5 1	6 2	11 5
111a	Pulmonary embolism and throm- bosisC	12 3 2	9 2 1	1	1 i		 		1		1		2	2	2	2 <u>:</u> -	2 1	1	
111b	hemorrhagic infarct(C	13 5	6 2	3	4 3	1										1	<u>1</u>	1	11 3
112	Asthma	22 24 1	5 5 1	3 1	14 18	1 1 1		<u>ī</u>				1		1	3	6 3	3 8	3 1	3 7 7
113 114	Other diseases of respiratory W	1 9	4	 	1 5			<u>I</u>					<u>ī</u>	i	1	1	2	2 2	1
	system (tuberculosis excepted).(C IX.—Diseases of the di-{White	1, 121	410	129	582	186	117	40	20	6	38	33	31	48 33	63	1 83 97	125 105	110	1 219 73
115a	gestive system\Colored Diseases of pharynx, tonsils\{\bar{W}_{}\}	720 61	294 24 7	43 8 3	383	3 3	· 6 2	3	4	5 1	11	20 4 4	26 3 3	33 5 2	62 6 3	97 4 5	105 4 3	64 4 1	73 4 3 1
115b	Diseases of buccal cavity and an-	31 14 17	7 4 8	3	21 7 9	3 1 1					<u>i</u> -		$_{2}^{2}$	3 1 2	. 3	1 3 9	3 2 17	2 2	1 2 18
117a	Ulcer of stomach	63 39 17	21 14 12	3 1	33 22 4							1	1	1 1	5 5 3	8 5	7	9 12 1	18 6 4
117b 118	Ulcer of duodenum C Other diseases of stomach (cancer W excepted) C	9 45 107	6 9 30	3 1 1 5 3	2 31	3	1 3	3 5		<u>-</u> I	1 3	1		1 2	2 	4 4 15	2 8 27	7	· 16
119	Diarrhea, enteritis (under 2 years W of age)C	261 156	51	20 8	74 190 100	155 118	106 38	5					1	z	<u>*</u>		<i>Δ1</i>	13	 19

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

TX_Disease of the digresses system="Continued TX_Disease of the digresses of the digres				IN CIT	eies—						<u> </u>	Di	EATHS	BY AG	E		<u>.</u>		<u> </u>	3
IX. — Diseases of the dipestive system — Continued		CAUSE OF DEATH		or	to	rural	der 1						14	19	24	34	44	54		65 years and over
Discress and First (2 years and f) W			Į.	!!		ALAI	SAMA	Con	tinue	i	·	<u> </u>					·	<u>, </u>	<u>'</u>	
Distribute at the content of the c		IX.—Diseases of the digestive sys-																		
Appendiction	120	Diarrhea, enteritis (2 years and {W over)(C	51	28 17	6	88 32				5	3 2	2			3 1	1 3	2	10 5	7 9	48 11
Intestinal obstruction		Appendicus	104 42	56 27	3	36 12					i	12	13	13 1	 	14	16	18 10	3 7	48 11 17 3 18 6 27 11
Other diseases of intestines W		Tutostinal abstruction W	108	12 46 52	12	50	16	2					<u>2</u> 2	3	5 7	8	11 21	13	3 9 7	27 11
	123	Other diseases of intestines $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	14 12	5 6	1	8 6	3				ī							3	1	1
Fallow strophy of liver	124	Cirrnosis of liver{C	42	21	5 								1	<u>i</u>	<u>2</u> -		11	9	7	34 7
1250 Other diseases of lare C 8 4 4 4 1 1 2 1 3 2		1 enow attorny of inver{C	2		<u>ī</u>	1 6								i			2		1 3	<u>1</u>
Diseases of pancress		W W	8 35	4	4	4									2		3	2 7	13	2 12
Diseases of pancress		Other diseases of gall-bladder, W_	10 40	3 23	5	12			<u>-</u>			.				6	2	9	9	2 12
Peritonitis, eause not specified	128	Discours of mamorous	3	3	1	6 		1 				·			2					
X.—Diseases of the genito- (White. urinary system. Colored. 1,217 406 15 508 40 2 1 2 8 6 15 22 80 176 225 20 176 20 20 20 20 176 20 20 20 20 20 20 20 2		Buitanitia source not specified Was	19	7	1 2		4				1		2		3		1	2	ĺí	2
133 Other diseases of kidneys, unrears W			l -	446	151	808	7	2	1 2	1 1	1 2		6 6	16 15	24 22	37 90		125 255	236 250	877 382
133 Other diseases of kidneys, unrears W	130	Acute nephritis (including unspecified under 10 years)	68	li 26	6		2 3					6	1 2	4	3	3 11	11 14	13	4 4	12 6 665
131 Other diseases of kidners, unrears W			830	346	69	415			1		1		3	_ 4	8	53	127	178	190	259 114
The present diseases excepted C 51 16 3 32 1 1		and over) C. Other diseases of kidneys, ureters (W.	159	35 27	14	110	5	2	1			3	1				15 4	37	28 11	68 13 17
Diseases of bladder (thmors ex. W. S 1 2 5		(puerperal diseases excepted)\C	· 51	16 9		32	1		1							5	7 2		10	17 3
Diseases of urethra, urinary ab W 3 3 3 1 7 7 1 2 3 3 3 3 3 3 3 3 3		Diseases of bladder (tumors ex- W	. 3. 8]] 1	2		-			. -									1	7
137 Diseases of prostate W 69 26 13 30 2 1 3 25	136	I Diseases of Herrita, Herriary au- : w		3								- -			1	2	1	_ 1		1 4
Diseases of male genital organs, not specified as veneral C 3 3 3 3 3 3 3 3 3	137	I Discourse of superfects	69	26	13	30										L		[10	62 23
139b Other diseases of ovaries, diseases W	138	Diseases of male genital organs, not specified as vencreal			J	1]			.		.	.]	. 1		_ 2	2	
139c Diseases of uterus		Cysts of ovary	3	2		1			. -			-								
139e Other diseases of female genital C	139b	of tubes and parametrium	21	16		3								2		7	4	2 2		
XI_Diseases of pregnancy White_childbirth, and the puerperal stateColored. 248 73 28 147		Diseases of uterus{C	11			7								. 2		4	3	2		
140 Abortion with septic conditions W 28 14 5 9	1030	organs	. 2	. 1		. 1			·	-	-	-	- 	.	1		-	-	-	1
Abortion with septic conditions. C		childbirdi, and the Colored	248 231									-	6			86 73				
Abortion without mention of sep- W	140	Abortion with septic conditions $\left\{ \begin{matrix} W_{-} \\ C_{-} \end{matrix} \right\}$	28 21		5 1							-		5						
142a Ectopic gestation, septic condi- W	141	Abortion without mention of sep- tic conditions (includes hemor-	1 .		1		 					-	-		1 2					
142b Ectopic gestation, septic condi- W	142a	Ectopic gestation, septic condi-\W	. 2		2							-		.		1		-		
143	142b	Ectopic gestation, septic condi-\W	4	2	1							-			2	1				
144a Piacenta praevia C 7 4 1 2	143	Other accidents of pregnancy W. (hemorrhage not included)	. 1	2	1	1						-		1		. 1				
144b Other puerperal hemorrhages C 17 6 11 145a Puerperal septicemia and pyemia (abortion excluded) C 68 17 4 42 2 16 14 16 14 1 145b Puerperal tetanus (abortion excluded) C 1	144a	Placenta pṛaevia \dots $\left\{ \begin{array}{ll} \mathbf{W}_{\dots} \\ \mathbf{C}_{\dots} \end{array} \right\}$	8 7	3 4	1	2						-			1 1	4	2		-	
1450 General and State		Other puerperal nemorrhages C	17	6		. 11								3	11	14	5	1		
146 Cluded Clud		(abortion excluded)	63			42						-	2		14	16				
147 Other toxemias of pregnancy —— (C 2 1 1 1 2 1 1 2 1 1 2 1 1 7 3 1 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 7 3 1 1 1 1		cluded)(C Puerperal albuminuria and W		17		62						-				25				
148 Puerperal phlegmasia alba dolens. 1 7 3	147	Other toxemias of pregnancy W	- 6	3	4	. 4											1		-	
embolus, sudden death (not C 4		Puerperal phlegmasia alba dolens.	11	3	1	7						-		1	2	- 7 2				
specified as septic 3 6 11 7 1 3 6 12 7 3 6 13 7 1 3 6 14 7 1 3 6 15 7 1 3 6 15 7 7 1 7 7 7 7 7 7 7 7	140	Other equidents of childhirth	. 28	9	2	17			-			-		. 3	1	11	\ 7			
149 Other accidents of childbirth		Other and unspecified conditions	1	1	1	1 .						-	1	'	1	1	, ,			

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—						· · · · · · ·	DI	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		<u>' </u>	3		ALAE	SAMA	.—Cor	tinued	l										
	XII.—Diseases of the skin Whiteand cellular tissue. Colored.	35 13	15 6	5 1	15 6	7 1		<u>1</u>	2			1	2	1	7 3	1 5	2 2	3	9
151 152 153	Furuncle, carbuncle	13 3 11 6 11	7 2 6 3 2	1 1 2 2	5 3 3 7	2 1 5		1	2			1	1	1	1 1 2 2	1 2 2	2	3	3
	and of cellular tissue(C XIII.—D is eases of the White bones and organs of locomotion	26 5	1 14 4	4	8 1			1	2	2	6 2	4 1	2		1	1 4 1	2	1 1 1	3
154 155 156	Osteomyelitis. W-C Other diseases of bones (tuberculosis excepted). C Diseases of joints, other organs of W-locomotion. C	18 3 5 1 3	10 3 3 1 1	3	5 1 2 1			1	2	1	4 1 1 1 1	3 1 1	1		1	3 1		1	1
	XIV.—Congenital malfor-{White mations(Colored.	155 36	40 11	9	106 24	142 25	2	2 2	1	1	2 2	2 4				1			
157a 157b 157c 157d	Congenital hydrocephalus $\begin{pmatrix} W \\ -C \\ -C \end{pmatrix}$ Spina bifida and meningocele $\begin{pmatrix} W \\ -C \\ -C \end{pmatrix}$ Congenital malformations of heart. $\begin{pmatrix} W \\ -C \\ -C \end{pmatrix}$ Other congenital malformations. $\begin{pmatrix} C \\ -C \\ -C \end{pmatrix}$	19 12 7 3 86 9 43 12	3 1 2 1 23 5 12 4	1 1 1 4 3	15 10 4 2 59 4 28 8	15 5 7 3 79 7 41 10	2 1 1	1	1	1	1 1 1	3 2 1				1			
	XV.—Diseases of early (White infancy(Colored	871 595	218 205	81 36	572 354	871 595													
158 159 160 161	Congenital debility	55 92 625 417 145 44 46 42	2 21 143 144 63 28 10 12	9 10 55 20 10 3 7	44 61 427 253 72 13 29 27	55 92 625 417 145 44 46 42													
162	$XVI.$ —Senility{Colored	201 296	15 17	23 13	163 266									- 	 -		1	1 5	199 290
	XVII.—Violent and acci-{White dental deaths{Colored	1, 499 1, 106	545 379	155 89	799 638	40 37	23 16	15 8	21 16	12 14	85 44	56 52	110 111	152 160	214 227	184 160	175 95	148 65	261 96
163 164 165 166	Suicide	198 18 32 2 3 11 1	82 9 15 2 2 3 1	13 1 3 2	103 8 14							1	13 1 3	15 4 6 1 1	40 5 6 	32 5 9 1 1	38 1 4 2	36 2 2 1	23
167 168 169	By drowning W	137 14 5 1	58 .5 2 1	7 1	72 8 3							1	7 1 1	8 3	27 5 1	19 4	30 2 1	30 1	15 2
171 173 174	By other means W Homicide C By firearms W By cutting or piercing instru-W ments C	1 190 391 141 282 21	68 189 50 139 8 41	24 28 17 18 1	1 98 174 74 125 12 32	1	1			1	2	10	14 34 10 19 3 14	24 82 20 54 4 22	44 128 33 96 5 26	1 44 78 34 59 5	26 32 21 27 1 3	21 15 14 12 2	12 10 7 5 1
175	By other means	80 28 29 1, 111 697	10 9 395 181	6 3 118 60	12 17 598 456	39 37	22 16	15 8	21 16	1 12 13	83 44	1 55 42	1 1 83 76	6 113 74	6 6 130 94	5 7 108 77	111 62	5 2 91 48	2 4 3 226 86
176	Attack by venomous animals - { W	2	1 7	2	2 1 9	4	2	<u>1</u>	2		2	1	1		1	1 1 1		4	<u>2</u>
177 178 179	Absorption of poisonous gasW Other acute accidental poison-(W ings (gas excepted)	18 8 2 20 15	4 1 8 10	1 4 1	3 1 8 4	2	2 4 4	1 2		1	ĩ 1				3 1	1 1	2 1 4	î 3 1	$\frac{1}{2}$
180 181	Conflagration	15 10 15 80 65 7	4 1 27 18 5	11 2	4 14 42 45 2	6 4	2 6 5	4 5	3 11 5	2 3 4	1 3 16 8	4 2	1 3 2	5 2 2	1 6 5 1	2 2 4 2	2 1 3 2 1	5 7	2 2 6 10
182 183	Supplemental	4 14 14 53 51 24	1 3 1 3 5 5	1 4 2	3 10 13 46 46 17	10 11	1	1	1 2	1	2 5 1 2	5 8 2	12 10 2	11 12 6 8	5 8 7	1 5 5 1	2	3 1 1	4 2 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CITIES—																
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					ALAI	BAMA	.—Con	tinue	l					·			'	•	
184 185	XVII.—Violent and accidental deaths—Continued Accidental, other, or undefined—Con. Traumatism: By firearms (wounds of W. war excepted)	56 36 14 15	18 8 6 3	9 3 3 2 2	29 25 5 10			1		1	6 1 3	8 3 2	9 12 1 1	6 11 2	6 4 3 2	8 2 1 4	5 1 1 2	4 2 1	3 1 1 2
186a 186b	By fall	171 44 38 38 8 6	66 11 19 11 1 2	19 6 5 1	86 27 14 26 7 4	1 2 1	1	1	1		2 3 2	1 2 5 1	4 5 4 8	4 1 2 4 5	5 2 4 8	2 3 5 5 1	11 8 6 6	15 2 2 3 2 1	125 15 5 3
187 188	Supplemental	82 42 140 124 5 4 3 7 6 15 9 11 6 4 15 6	31 18 16 20 1	7 3 9 18 1	44 21 115 86 3 4 3 6 3 10 9	7 6	1	1 2	1 2	2 · 2	3 2 8 16 2	2 3 1 13 14	11 7 10 9 1	8 6 13 6	15 9 10 18	20 10 16 16 1	10 1 19 11	3 13 6 1	1 5 1 24 20
190 191 192	Excessive cold		1 3 3	2		1		1		1	1	2 1	1 1 1	1 1 2 1 1	1 1 2 2 1 2	1 1 2 2 2 3 1	2 3 2	3	3 1 3 1
193 194a	Due to electric currents\{\bar{W}_{}\} \ C_{} \ \ \ \ \ C_{} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		1 1 7 2	1	4 2 1 4 7 4		6												
194b 198	Other accidents	49 34 276 110 4	19 9 144 51	3 5 32 15	27 20 100 44 4	2 3 2	1	2	1 2 3	2 2 2	2 1 21 6	3 5 3	3 3 21 9	4 1 43 16 1	6 5 52 18 2	3 33 11 1	4 5 38 18	6 2 25 12	13 7 30 10
	XVIII.—Ill-defined causes/White of death(Colored	702 1, 743	92 362	29 72	581 1,309	260 535	18 35	5 11	5 6	3 7	11 24	3 11	9 24	7 54	10 110	33 127	52 170	76 193	207 434
199 200a 200b	$\begin{array}{llllllllllllllllllllllllllllllllllll$	76 91 181 538 445 1,114	3 8 62 289 27 65	4 5 7 15 18 52	69 78 112 234 400 997	7 11 34 86 219 438	1 5 9 13 25	1 4 4 7	1 1 1 3 5	1 3 6	1 1 6 9 18	2 2 2 1 9	3 2 2 9 4 13	1 2 2 21 4 31	1 5 3 39 6 66	2 6 10 68 21 53	10 16 25 85 17 69	13 15 34 69 29 109	36 33 62 138 109 263
Punch symbol 201 202 203 205 206	Accidents in mines and quarries. Accidents from agricultural machinery	15 13 1 5 1 5 15	3 7 1 437 1	, 1 1	10 5 1 2 5 8				1		1 1 1		1 1 2 2	5 3	5 5 1 2 2 7	1	<u>2</u> <u>3</u> 1	1	
207 208 209 210	$ \begin{array}{llllllllllllllllllllllllllllllllllll$	57 55 1 1 291 114	21 18 1 1 153 53	9 6 32 10	27 31 106 51	3	 1	4	 2 5	2 2	24 7	1 2 9 1	8 8 22 14	7 8 1 40 17	11 9 1 45 20	10 12 42 13	8 7 42 12	3 5 28 10	7 2 28 12
211 212 213 214		2 14 15 23 12 1	1 4 1 5	3 1 2	1 7 13 16 12		1				1 2	1 3 2 2 1	2	1 3 5 4	2 2 7 2	1 1 1 1 1 1	1 4 2	2 1 1	3 1 1 2
						ARIZ	ONA												
1 2 . 5	Total deaths (all causes) I.—Infectious and parasitic diseases Typhoid fever Paratyphoid fever Undulant fever	5, 420 1, 635 18 3 1	2, 132 810 4 3	1, 312 281 5	1, 976 544 9	817 105 1	210 62	89 27 2 1	51 19	30	113 41 2.	103 37 1 1	63	229 115 2	319 3	721 379 1	600 197 2	586 129 1	1, 126
8 9 10	Measles Scarlet fever Whooping cough Diphtheria ee explanatory footnote (2) p. 169.	1 10 31 20	5 9 8	2 7 3	1 3 15 9	1 18 1	1 5 2	4 3	1 1 3	2 3	5	2	1		1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—	-						ומ	EATES	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					ARIZ	ZONA	.—Con	tinued									-	·	1**1**
	I.—Infectious and parasitic diseases— Continued																		
11a 11b 13 15 16	Influenza, respiratory complications specified Influenza, respiratory complications not specified Dysentery Erysipelas Acute poliomyelitis, acute polioencephalitis.	187 65 26 10	57 17 9 2	55 8 6 6	75 40 11 2	28 15 10 1	23 6 5	7 2	6 2	3	3 1 2	2	5 2	3	11 3 1 1	17 5 1 1	19 5 2 1	15 4 4 3	45 16 1 . 8
17 18 22 23 24 25	Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Tetanus. Tuberculosis (all forms) Respiratory system. Meninges and central nervous system. Intestines and peritoneum.	1 14 8 1, 184 1, 125	1 4 4 661 634 15	3 3 174 163 7	7 1 349 328 11 6	1 1 13 5 8	1 12 5 6	1 5 5	4 1 3	1 1 4 3	3 2 15 8 4	4 1 23 14 4 3	52 50	102 98	296 288 2 4	346 343 1	2 2 159 154 1 2	96 94	1 49 49
26 29 30 31 32a 34 35 36	Vertebral column. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). Genitourinary system. Other organs. Acute disseminated tuberculosis. Syphilis. Gonococcus infection and other venereal diseases Purulent infection, septicemia (non-puerperal).	3 2 3 1 6 40 1	2 1 1 2 18 1 1 4	1 2 7	1 1 2 15	14	1 2	1	1	1	1	1	1	4	2	1 7	3	1 1 3	3
38 43 44	Malaria. Mycoses	1 1 286	115	98	73		ī	2				3		4	9	34	56	77	99
(45) (46) (46) (46) (46) (46) (46) 47 48 49 50 51 52 53 54a, 54d, 65d,e	Cancer and other malignant tumorsBuccal cavity	271 9 1 2 74 28 4 30 14 39 4 18 20	1107 3 3 9 3 100 8 20 3 7 7 4 10 1 1 2 2 4	93 3 2 28 7 7 1 12 4 15 1 1 7 6 6 1 6	71 31 23 12 88 24 4 7 4 7 4 3		-	1			1	1		1	6	32 12 4 33 4 11 13 3	53 9 7 1 2 12 3 6 	75 6 1 222 7 1 8 4 12 6 4 2 2	99 97 3 30 8 8 2 10 8 6 6 1 14 6 6
56	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases.—————————————————————————————————	63	23	23	17 3	8						1	2	2	7	8	11 2	8	3
57 59 62 66a 66b (66) 67 68	Chronic rheumatism, osteoarthritis Diabetes mellitus Pellagra Simple goiter Exophthalmic goiter. Other diseases of thyroid and parathyroid glands Diseases of thymus gland Diseases of adrenals (Addison's disease not specified as tuberculous)	2 33 2 1 7 6	1 11 1 5 3 1	1 15 1 1 2 1	7 1 1 4			1			1	1	1	2	2	3	7	7	9
	IV.—Diseases of the blood and blood- making organs.	21	5	9	7	2			1		1	2		1	3		5	4	2
70 71a 71b 72a 72b	Hemorrhagic conditions Pernicious anemia Other anemias True leukemias Pseudoleukemias (Hodgkin's disease)	4 6 2 4 5	1 1 1	2 2 1 2 2 2	3 1 1 2				1		1			1			1 3 1	1 1	2
72	V.—Chronic poisonings and intoxications.	12	6	2	4										2	3	5	2	
75	Alcoholism (acute or chronic) VI.—Diseases of the nervous system and of the organs of special sense	262	101	73	88	6	4	2			3	2	2	4	4	19	40	48	127
78 79a 79b	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis.	4 3 4	1 2 2	2	1 1 1	2 1	1 2				1 1								1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TES			<u>,, ,</u>		,		D	CATHS	BY AG	E	· <u></u> -	-			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 Years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					ARIZ	ONA	—Cont	tinued											
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																!		
80 81 82a 82b 82d 83 84 85 86	Progressive locomotor ataxia (tabes dorsalis) Other diseases of spinal cord	189 9	3 72 5 3 3 3	1 · 56 3 3 1	1 61 1 3 6 4								1	1 1	1 1 1 1	8 2 2 2 1	30 2 2 4	1 40 2 1 2 2	1 109 2 6 1 2
86 87 89a 89b	Convulsions (under 5 years of age) Other diseases of nervous system Diseases of ear Diseases of mastoid process	1	1 1 2	2 1 1	2 4 2	2	1	1 1				i		<u>-</u>		1 1 1	1 		3 1 1
	VII.—Diseases of the circulatory system	603	263	164	176	7	1			1	2	11	7	3	22	60	88	113	284
90 91a 91b	Pericarditis. Acute endocarditis. Endocarditis, unspecified (under 45 years).	1 9 3	1 6 3		3	1						<u>-</u>			2 1	2	1 2	1	2
92a 92b 93a 93b	Endocarditis, specified as chronic, and other valvular diseases	108 11 15	45· 6 11 14	24 1 3	39 4 1	3	1			<u>1</u>	. 2	5	4	1 1	1 4 5	15 · 2 11	13 3 3	23	41 8 3
93c 93d 94a 94b 95a 95b 96 97	Ohronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart). Arteriosclerosis (coronary arteries excepted).	135 81 44 26 5 107 4	58 44 19 15 2 29 2	41 24 10 6 39 1	36 13 15 5 3 39 1							3	1 1	i	1 3	10 2 2 3 1 11	10 17 13 5 1 16 1	34 13 10 3 20 2	73 48 19 13 1 51 1
98 99 100 101 103	Cangrene. Other diseases of arteries Diseases of veins (varices, hemorrhoids, phlebitis, etc.). Diseases of lymphatic system (lymphangitis, etc.). Other diseases of circulatory system	1 1 2 1	1		1 1 1 1		1								1	1			-2 1
	VIII.—Diseases of the respiratory system	539	191	141	207	142	47	17	11	7	14	9	10	11	32	42	47	45	101
104b 106a 106b 106c,d 107a 107b 108 109 110 111a 111b	Diseases of nasal fossae and annexae	2 8 5 6 194 5 209 49 11	1 2 4 3 59 4 79 15 4 1	1 2 54 1 63 5 2	1 81 67 29 5	6 3 81 2 30 17 1	22 3 15 7	1 11 5	7	3	5	1 3 5	1 9	1 2 5	1 3 3 22 4 1	1 7 20 2 3	1 2 1 6 	1 11 15 3 1	1 2 33 43 7 2 6
112 113 114	Asthma Pulmonary emphysema Other diseases of respiratory system (tuberculosis excepted)	19 1 20	9 1 3	4 7	6 10	1								1	1	5	<u>1</u> 5	9 4	3
	IX.—Diseases of the digestive system.	463	153	140	170	183	55	13	9	2	13	11	16	8	19	29	34	32	39
115a 115b 117a 117b 118	Diseases of pharynx and tonsils	18 2 9 7 25	. 2 6 3. 8	7 2 3 2 61	1 1 15 90	8	2 51	2	1		4	4	1	1	2 4 2 1	1 2 1	1 2 1	1 1 1 1 2	1 1 1 4
120 121 122a 122b 123 124 125b 126 127 128 129	Diarrhea, enteritis (2 years and over) Appendicitis Hernia Intestinal obstruction. Other diseases of intestines. Cirrhosis of liver. Other diseases of liver. Billary calculi Other diseases of gall-bladder, billary passages Diseases of pancreas. Diseases of pancreas. Peritonitis, cause not specified.	42 49 6 39 9 13 3 9	18 14 15 12 22 2	9 25 14 3 6 3 2	15 10 5 10 5 5 1 4 2	4	1	9		1					1 4 2 2 1	9 5 1 3	3 5 7 2 3 2 2 1	1 1 3 11 1 3 1	9 5 3 2 4 1 3 2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

ì			IN CIT	ies—							DI	EATHS I	BY AGI	3					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					ARIZ	ZONA	.—Con	tinued	l										
	X.—Diseases of the genitourinary system	296	105	98	93	4	1	2		1	4	2	4	4	14	26	30	40	168
130	Acute nephritis (including unspecified under 10 years)	26	9	7	10	3		1		1	2	2	1	1 2	3	1	4	4	
131 132	Chronic nephritis Nephritis, unspecified (10 years and	205	70	73	62			1					2	2	6	20	21	31	121
133	over)	16 10	5 7	1	7		1				2		-		2	1 2			10
134 135	(puerperal diseases excepted) Calculi of urinary passages Diseases of bladder (tumors excepted).	2 3	i	i	3												1		1 1
136 137	Diseases of prostate	$\begin{array}{c}2\\24\end{array}$	2 5	12	7										1		2	2	20
138 139a	Diseases of male genital organs, not specified as venereal	$\frac{2}{1}$	<u>-</u>		2	1									1				
139b	other diseases of ovaries, diseases of tubes and parametrium	4	4										1	1	 - -	2	 		
139e	Diseases of uterus	1	1												1				
140	birth, and the puerperal state. Abortion with septic conditions	69	21	18	30								13	18	22	15	1		
141	Abortion without mention of septic conditions (includes hemorrhages)	3			3						.		 	2	1 2				
144a 144b	Placenta praevia Other puerperal hemorrhages	6	2	1	2 5								1	1	2	1 2			
145a 146	Puerperal septicemia and pyemia (abortion excluded)	14 16	2 8	6 2	6 6								5 5	4 3	5 3	5			
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens,	2	1		1	-		-							2				
	embolus, sudden death (not speci- fied as septic)	6 6	3 1	2	1 5									1 2	3	2 4			
149	Other accidents of childbirth XII.—Diseases of the skin and cellu-	6		2		,							1		1	2		1	
151	lar tissue Furuncle, carbuncle	1	1													1		1	
152 153	Phlegmon, acute abscess	1 4	1 2	2		1							1		1	1			
	XIII.—Diseases of the bones and	4	2	1	1											2		1	١,
154	organs of locomotion	3	2	1												1		1	
156	Diseases of joints, other organs of locomotion	Ι.			1						2					1			
157a	XIV.—Congenital malformations Congenital hydrocephalus	4	1	15	11	3	1				1								
157b 157c	Spina bifida and meningocele	25	13 3	6 7	6 4	24 13	1				1								
157d	XV.—Diseases of early infancy	251	78	70	103	251													
158 159	Congenital debility Premature birth	153	12 46	5 44		36 153													
160 161	Injury at birthOther diseases peculiar to early infancy_		14 6	11 10	7 14	32 30													
162	XVI.—Senility XVII.—Violent and accidental	57	15	6	36													2	5
	deathsSuicide	577 86	193	161	223	21	20	13	4	5	21	17	29	50	12	86	70	18	8:
163	By solid or liquid poisons or by absorption of corrosive sub-													. 2	3		1	1	
164 165	stances By poisonous gas By hanging or strangulation		8 6 2	3 1 1							-	- -	1		. 1	$\begin{bmatrix} 6\\1\\2 \end{bmatrix}$	İ		
167 168	By firearms By cutting or piercing instruments	. 55	22		20								1	2	6	. 9 1	12	17	
169	By jumping from high places Homicide	63	28	15	20		i						2	8	15	17	11 8	6 5	
173 174 175	By firearms By cutting or piercing instruments By other means	45 5 13	21	8 3 4	2						1		1		11 1 3	11 2 4	1 2	i	
176	Accidental, other, or undefined	428	127	125		21	19	13			20 1	17	25		62	50	45	41	6
177 178	Attack by venomous animals Poisoning by food Absorption of poisonous gas	.1 3	3	1	1		2					- 			1 1	1	1 1 1	1	
179	Supplemental Other acute accidental poisonings (gas excepted)	1	2	4	5	3	-	1			1				1		2		
180 181	Conflagration Burns (conflagration excepted)	11 28	2 2 9	12	5 7	1 2		I I	1	. 1 I	2	<u>i</u>	<u>i</u>	1	i	3	2	2	
182 183	Supplemental Mechanical suffocation Drowning	5 3	1	_	. 3	2	7	7			1	4	2		1 5	3	3	1	
100	Supplemental Traumatism:	. 3	8						-				ļ <u>-</u>		2				
184	By firearms (wounds of war excepted)	. 15	4	3	8	1					_ 2	1	2		. 3	3		. 2	
185	By cutting or piercing instru- ments (wounds of war ex-		2	,												. 1	1		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			1		i i				·		-								
List	CAUSE OF DEATH	AII	IN CIT		In rural						; D1		BY AG	1	J		l	1	65
no.	VACOUS OF SHATE	deaths	10,000 over	2,500 to 10,000	areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	24	25 to 34 years	35 to 44 years	54	55 to 64 years	years and over
					ARIZ	ZONA	—Cont	inued							-				
	XVII.—Violent and accidental deaths—Continued																		
186a 186b 187 188 191 192 193 194a 194b 195 199 200a 200b Punch symbol 201 202 205 206 221 212 213 214	deaths—Continued Accidental, other or undefined—Con. Traumatism—Continued By fall Supplemental By crushing, landslide Supplemental Cataclysm Liquies by animals Excessive heat Lightning Due to electric currents Foreign bodies. Other accidents. Supplemental Violent deaths of unknown nature XVIII.—III-defined causes of death Sudden death Cause of death III-defined. Cause of death III-defined. Cause of death ill-defined.	27 15 42 15 26 6 4 5 20 134 2 229 8 66 155 8 15 162 17 24	8 3 3 6 6 1 2 5 6 0 1 2 5 6 6 1 1 1 1 1 1 1	66 62 13 19 2 1 33 37,1 10 7 3 1 2 2 48	13 62 23 11 4 9 6 12 12 37 193 7 34 152 7 11 48		10 11 11 11 11	1 1 2 3 3 9	7	2	1 2 1 1 5 5 10 2 8 8	2 1 1 1 8 8 2 6	1 1 3 14 12 12 12	1 1 1 2 2 1 3 3 11 1 1 9 9 1 8 8 1 1 1 1 1 1 1 1 1 1 1	4 6 6	1 1 2 2 6 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 6 6 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 	9 2 2 1 1 9 9 1 3 3 1 4 2 6 1 1 1 5 1 1 5 1 1 5
1	٠ .		<u> </u>	1	<u> </u>	RKA	NSAS	<u> </u> 				•			1				
	Total deaths (all/White causes):(Colored	11, 251 5, 064	2, 645 1, 121	1,367 716	7, 239 3, 227	1, 244 453	311 120	146 57	104 46	92 25	293 100	195 99	339 228	409 336	734 572	803 627	1, 040 718	1, 481 644	3, 896 917
	I.—Infectious and parasi-{White tic diseases(Colored	2, 134 1, 349	358 272	231 218	1, 545 859	166 82	104 41	49 21	54 22	46 8	125 53	61 47	84 104	114 168 19	261 222	196 183	214 161	214 102	421 109
1 2 6 7 8 9 10 11a 11b 13 15 16 17 18 21 22 23 24 25 26 27a 27b 28 29	Typhoid fever CParatyphoid fever CParatyphoid fever W Smallpox CParatyphoid fever W Smallpox CParatyphoid fever W Smallpox CParatyphoid fever W Smallpox CParatyphoid fever CPARATYPHONE CP	143 88 1 2 3 3 3 1 64 169 367 185 200 169 367 185 200 169 170 185 185 185 185 185 185 185 185	18 8 2 1 1 1 1 2 1 3 3 2 2 4 5 2 0 1 1 7 3 3 3 2 4 5 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 17 1 1 1 11 3 19 2 38 38 32 28 10 6 4 1 1 3 3 1 1 1 3 3 1 1 1 1 1 1 1 1 1 1	111 2 19 10 26 127 16 256 125 183 742 141 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 13 32 21 33 19 13 3 19 13 3 1 1 1 2 2 2 1 3 3 1 3 1 3 1 3 1 3	1 1 1 3 3 14 10 37 3 8 8 8 5 1 10 4 4 2	1 1 1 4 20 2 4 4 1 1 2 1 1	1 	21 3 3 3 1 1 2 2 2	111 114 114 436 6122 1577 44	13 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22 14 3 3 1 1 1 1 1 1 1 1 1 24 62 62 17 60 3 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 11 16 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32 17 1 1 37 24 12 2 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 1	12 12 12 12 12 12 13 14 11 11 11 11 12 12 13 14 14 11 11 11 11 11 11 11 11 11 11 11	13 3 3	10 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	102 122 124 27 13 5 5 5 102 21 95 20,
30 31	chial, mesenteric, and retro- peritoneal glands excepted) Genitourinary system Other organs explanatory footnote (2), p. 169.	5 1 2	1	1 1 1	3 2		1	1				1		- 1	3		1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
-					ARK	NSA	S —Co	ntinue	đ										
	I.—Infectious and parasitic diseases —Continued Tuberculosis (all forms)—Continued	_																	
32a 32b,c	Acute disseminated tubercu- $\{W_{-}\}$ losis C	2 7 1 2	2 1 1	2	4 1 1						1	i	1	1	3		1 <u>1</u>	1 1	
34 35	Syphilis - W - C - C - C - C - C - C - C - C - C	51 95 6 9 20	26 47 3 2	4 8 2 5 2	21 40 1 2 12	9 7	2 1 2	2 	<u>2</u>		1 2 2		2 2	10 2 2	7 16 2 4 1	7 15 2 2	5 18 2 4	11 6 1	7 11
36 38 41a 41b	Purulent infection, septicemia W (nonpuerperal) C Malaria C Hydatid cysts of liver W Hydatid cysts of other organs	20 8 265 191 1	6 2 14 20	1 21 25	230 146 1	15 13	9 8	12 6	8 7	12 3	30 13	14 12	1 12 9	16 11	1 19 19	3 1 22 21	30 30 30	2 23 17	5 2 40 18 1
43 44	Hydatid cysts of other organs C Other diseases caused by hel- minths W. Mycoses (C Other infectious and parasitic W	1 2 1 2	1		1 1 1 2		1							1	1	1	1 <u>1</u>		
	diseases\C II.—Cancers and other{White tumors\Colored	699 178	213 49	109 34	377 95	1		1 1	1		1	1 4 1	2	11 3	19 20	53 34	120 44	192 39	287 33
(45)	Cancer and other malignant tu-{W mors	676 153 26 4	203 36 7 2	104 29 5	369 88 14 2 4	1		1 1			1	3	2	11 2	15 13	51 25 1 1	107 40 3 1	192 36 10 2 2	285 33 12
(45) (46) (46) (46)	Pharynx	7 4 119 30 76 11	1 2 28 4 20 3	13 7 10 1	78 19 46 7							1		1	1 2 2 1	5 4 4 1	20 6 10 3,	33 8 27 2	57 257 10 31 4 8
(46) (46) 47	Pancreas W. Other digestive tract and W. peritoneum C.	16 2 73 10 14	10 1 29 5 5	1 13 1 2	31 4 7							1	1 1	1 1 2		1 6 2 2	1 10 1 2	28 3 3	
48 49	Respiratory system C	1 99 63 12 1	30 11 4	16 14 3	53 38 5 1							1		1 1 1	6 1	15 12 2	32 21 1	29 14 4	25 3 4 1 16 6 7 3 1 13 2 2 26 1 39
50 51 52	Breast	53 16 41 6 55	21 7 13 2 11	9 1 9 3 9	23 8 19 1 35									1 1 1	1 1 1	9 · 4 · 2 · 1 · 1	13 4 2 1 4	16 4 10 2 9	13 2 26 1 39
53 54a	Other or unspecified organs $-\begin{pmatrix} C & - \\ C & - \\ C & - \end{pmatrix}$ Nonmalignant tumors, ovary $ \begin{pmatrix} C & - \\ C & - \\ C & - \end{pmatrix}$	1 81 8 1 1	22 1 1	9 1	50 6	1		1 1 			1			2	6 1	3 1	7 2 1	15 1	44 4
54b 54d,e 55b	Nonmalignant tumors, uterus \\ \begin{array}{c} ar	10 16 3	5 11 1	2 4 1	3 1 1 1				i						6 	$\begin{bmatrix} 2\\7\\ 1\end{bmatrix}$	6 2 2	1	
55d,e	fied)	1 9 6	3 2	2 1	1 4 3							1		1	2 1		1 4 1	2	<u>2</u>
	nutritional diseases, diseases of Whitethe endocrine Coloredglands, and other general diseases	312 170	97 41	48 24	167 105	10	2 3			1	1 1	4 7	5 4	14 7	21 21	29 26	41 33	70 32	111 28
56 57	Acute rheumatic fever \\\ \begin{align*} ali	. 3	1 4 6	2 1 2	12 5 9 3						1	4 1 4		1	1 1 9	2 2 2 1 7	1 2 1	5	7 1 8 1
59 62 63 66a	Diabetes mellitus	156 24 95 125 2	56 5 20 29 1 1	30 5 11 18	70 14 64 78 1		1 2			1	1	1 	4	1 4 6	2 8 17	3 14 19	19 5 19 24	38 10 20 22	62 3 29 23
66b (66)	Exophthalmic goiter \\ \begin{align*} align*	6 5 3	1 2	2	3 3 2	2									2 1	2 1	2	2	
67 68 69	Diseases of thymus gland	9 3 6 1	2 1	1	1 5 1	7	2						1		, 1	<u>-</u>	1		4

Table 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas and by age for the registration area and each registration state: 1932—Continued

			IN CIT	ries—					·	·	Di	EATHS	BY AG	 E					
List no.	CAUSE OF DEATH	All deaths	10,000 or	2,500 to	In rural areas	Un- der 1	1	2	3	4	5 to 9	10 to		20 to	25 to 34	35 to	45 to 54	55,to 64	65 years
			over	10,000		year	year	years	years	years	years				years		years		and over
		-			ARK	ANSA	s-Co	ntinue	đ										
	IV.—Diseases of the blood White Colored Colored	58 9	26 3	9	23 5	1		2	1	2	2	2	1	6	7	6 5	7 2	11	10
70 71a 71b 72a 72b 73 75 77a	Hemorrhagic conditions	2 13 5 3 24 1 11 2 5 1 27 4 26 4 1 1 27 4 7 7	4 1 15 15 6 1 	1 1 2 2 3 3	1 9 3 1 7 2 1 1 15 3 1 15 3 3	21 6	5 2	2	1	1 1	11	1	13 7	1 1 1 2 2 4 	1 3 1 1 1 3 3 3 3	1 4 2 2 2 1 1 6 3 6 3 3	2 1 2 1 1 5 4 79 80	7 1 6 1 6 1	2 1 3 3 2 2 2 2 2 103
78 79a 79b 80 81 82a 82b 82c 82d 83 84 85 86 87 88 89a 89b	Encephalitis (nonepidemic) C. Simple meningitis C. Nonepidemic cerebrospinal men- W. ingitis C. Progressive locomotor ataxia (tabes dorsalis) C. Cerebral hemorrhage C. Cerebral hemorrhage C. Cerebral embolism and throm W. bosis C. Hemiplegia and other paralysis, W. cause unspecified C. General paralysis of insane C. Dementia praecox and other W. psychoses C. Convulsions (under 5 years of age) C. Other diseases of nervous system C. Diseases of organs of vision W. Diseases of mastoid process W. VII.—Diseases of the cir- White culatory system.— (Colored.	23 4 16 4 2 2 3 30 20 650 249 15 35 39 24 4 37 7 7 9 16 6 7 7 7 9 11 12 12 13 15 16 16 16 16 16 16 16 16 16 16	7 7 2 7 7 2 7 7 2 1 1 7 7 6 20 21 1 2 2 3 2 5 1 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 1 2 2 1 2 1 100 36 2 2 2 1 1 5 1 2 1 2 1 2 1 3 2 2 1 1 3 3 2 1 1 1 1 6 7 6 7	15 2 5 1 21 21 21 21 21 21 21 21 21 21 21 21 2	1 1 5 5 1 1 5 5	2 2 1 	1		1 2	2 2 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2	1 2 1	1 3 3 1 1 1 2 4 4 1 1 1 1 2 2 7 7	3 3 1 1 2 1 1 2 3 3 3	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 18 29 9 2 1 1 2 2 2 2 2 73 55 55	3 3 2 1 1 1 1 53 62 62 6 6 6 6 6 6	11	3 3
90 91a 91b 92a 92b 93a 93b 93c 93d 94a 94b 95a 95b 96 97 98	Pericarditis	6 5 6 9 9 8 111 133 24 220 7 7 7 7 7 8 5 190 326 126 123 33 3 2 2 457 176 5 9 7 200 13 6 6 7 7 1	11 15 34 23 44 44 45 22 104 22 42 115 115 52 4 4 115 51 115 52 4 4 115 115 115 115 115 115 115 115 115	1 1 1 3 2 1 43 18 4 3 3 1 1 13 4 19 5 2 6 2 7 7 1	4 3 3 1 1 2 2 2 3 3 5 5 7 1 1 1 6 6 4 4 2 2 3 3 5 3 5 3 6 8 8 1 2 8 2 2 1 0 0 1 1 1 1 1 6 6 5	2	1			i	1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 3 3 3	2 1 1 5 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 3 4 4 3 6 7 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 26 21 7 7 7 7 2 5 5 2 3 3 7 7 7	1 1 2 1 38 39 1 7 3 2 2 3 1 5 6 6 1 1 1 4 4 2 9	11 11 11 11 11 11 11 11 11 11 11 11 11	260 300 200 200 30 30 200 200 6 3 3 124 167 199 53 2 15 6 6 281 583 3 81 111 64 4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	_						D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to . 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					ARKA	NSA	S—Co	atinue	d										
	VII.—Diseases of the circulatory system—Continued																		
100	Diseases of veins (varices, hemor-{W rhoids, phlebitis, etc.){C}	3	2		1 1											1	1		1
101	Diseases of lymphatic system W(lymphangitis, etc.)C	$\frac{2}{1}$	i		2	2									<u>i</u> -				
102	Idiopathic anomalies of blood-{W pressure(C	9	2		6									<u>-</u>		1	1	2	$\begin{array}{c c} & 4\\ 2\\ 1\\ 1 \end{array}$
103	Other diseases of circulatory sys-\W tem\C	7 4		1	7 3						1		1	1	1		1	1	1 1
	VIII.—Diseases of the re-{White spiratory system\Colored.	1, 040 412	206 89	119 52	715 271	149 44	36 14	24 11	7 4	2 4	32 7	19 7	42 18	38 18	48 43	76 50	94 56	105 49	349 75
104a	Diseases of nasal fossae $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	2 6		<u>î</u>	2 5	1 4	<u>1</u> -										<u>ī</u> -		1
104b	Diseases of nasal fossae and W.	6 1	1	1	1	1						1	2				1	I 	
105	Diseases of larynx $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	2 2	2		2	1	1		<u>I</u>										
106a	Acute bronchitis $\left\{egin{array}{c} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array}\right\}$	10 4	2 1		8	4	1					₁ -		1 		1		2 2	2
106b	Chronic bronchitis	16 1	5	2	9											1		1	14 1 9
106c,d	Bronchitis, unspecified $\left\{ \begin{matrix} \mathbf{W} \\ \mathbf{C} \end{matrix} \right\}$	16 6	2	1	15	1		2 			1	 			1	2		 	2
107a	Bronchopneumonia $\left\{ egin{array}{c} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array} \right.$	335 97	86 26	39 9	210 62	88 21	17 3	13 6	2	2	9	2 2	6 3	6 2	7 4	12 7	21 12	23 11	12 <u>4</u> 18
107b	Capillary bronchitis $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	4 2	1		1	1	1				1							1	
108	Lobar pneumonia $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	467 196	92 43	57 30	318 123	21 3	10 4	4	2	4	19	13	26 10	21 13	31 28	50 30 9	60 34	57 25 12	142 35
109	Pneumonia, unspecified $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right.$	125 68	8 7	6 5	111 56	26 14	5	4	1		2	1	5 3	8 2	8 9	3	8 7	7 3	35 31 9 3
110	Pleurisy{C	11 7	1 3	2	10 2		1 	<u>ī</u> -				1	1	1		1 2			1
111a	Pulmonary embolism and throm- bosis W- Pulmonary congestion, edema,	1	1					 										1 2	
111b	hemorrhagic infarct\ C	.) I	4	6	1											1			11 1 7 7 2 3
112	Asthma{W C	15 17	2 4	5	11 8		1				ī				1	3	3	3	7
113 114	Pulmonary emphysema	3 13 4	3	1 4	1 6 4	I I		1					2	1	1	2	1	2	3 1
	IX.—Diseases of the diges-{White tive system{Colored	1,003	264 66	145 47	594 217	163 59	109 36	38 8	21 6	15 3	42 2	33 10	46 12	53 11	65 27	72 48	75 38	87 32	178 33
115a	Diseases of pharynx, tonsils\\W	51	20	2	29	1		1	6	4	7	5	2	5	8	5	2	3	2
115b	Diseases of buccal cavity and w.	13 13	5 5	2	6 7	5		1			<u>ī</u>	2	3	2	1	2 2	1	1 2	1
116	annexa \C \C \ Diseases of esophagus \ W \	2			2											1			1 1
117a	Ulcer of stomach $\left\{ egin{array}{c} \mathbf{W}_{-} \\ \mathbf{C}_{-} \end{array} \right\}$	31	$\frac{7}{2}$	4	20							1 1	2	1	2	2 2	7 1 3	6 2	10
117b	Ulcer of duodenum W_{C}	14	9		5										1	3		1	5
118	Other diseases of stomach (cancer W excepted)	76 54	16	9	63 32	16	3	2	1		. 1	1		ī	6	12 12	5 9	7	33
119	Diarrhea, enteritis (under 2 years) W. of age) C. Diarrhea, enteritis (2 years and) W.	233	23 7	22 8 13	188 70	129 52	104 33											3	
120	over)\C	119 39	15 8 95	9	91 22 69			35 7	11 4 1	8 2 2	10	1 1 18	1	1 1 36	3 31	3 4	18 18	5 20	8
121	Appendicitis	. 46	10	54 9	27	2					. 20	4	34	4	11	25 10 1	6	4 4	1
122a	Hernia W	11 6 78	27	1 14	4 2 37	9			2	1	1	2	<u>-</u>	1 5	8	2 7	1 7	1 10	1 1
122b	Threstinal obstraction	. 28	5 2	5 2	18	1 1	4		í	i		í	2	1 1	2	í	10 11 1	2 2	35 8 10 1 5 1 16 4 3 3 20
123	Other diseases of intestines	9 44		2 4	7							1		<u>i</u> -	1	3 7	1 8		3 20
124	Valley street was by a filter	13	3 1	2	8										i	6	2	3	2
125a	Tenow amophy of hver\C	. 1	4	3	1 1		1								<u>i</u> -	1	4	1 4	4
125b 126	Other diseases of liver \\ \begin{align*} \W \\ \C \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	. 32	12	1 4	6 16	1	<u>-</u>						1			6	7	3 7	12 12 16 16
127	Other diseases of gall-bladder, W.	. 5	1 10	6	4 14								1	<u>î</u>	1 2	1	4 2	6	16
128	biliary passages (C. Diseases of pancreas W.	7 3	1 . 5	1 1	2										1	1	2 1	1 1	
129	Peritonitis, cause not specified $\dots = \{ \begin{array}{l} W \\ C \\ \dots \end{array} \}$		5	4 2	13 5						. 2	1	4	1	1	2 2	2	3	5 1
	X.—Diseases of the gen-{Whiteitourinary system {Colored	944 409	297 136	112 64	535 209	4 2	2	2 2	<u>2</u>	. 2	10 5	4 1	10 8	7 8	27 22	42 43	100 83	161 92	561 125
130	Acute nephritis (including un-{W_	37	8 7	5	24	1				1	7	1		1 1	3	3 9	6 5	5 9	11
	specified under 10 years)	. 577	205	8 68 32	304 101		1	2 1	1	1	3 1 1		2 5 4	4 3	10 6	24 28 3	59 46	103 53	361 74 127 28
131	Chronic nephritis	226	93																

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

						1													
List	CAUSE OF DEATH	All	IN CI		In rural		1	<u></u>	ĺ	1	D	EATHS	1	1	1	ī	<u>-</u>	[65
no.		deaths	10,000 or over	2,500 to 10,000	areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					ARKA	NSA	S—Co	atinue	đ										
	X.—Diseases of the genitourinary system—Continued											1							
133	Other diseases of kidneys, ureters(W (puerperal diseases excepted)_(C	36 15	13 3	3	20 · 12	3	1	1	<u>-</u> -		2	1			1 1	3	3 3	2 1	19 5
134 135 136	Calculi of urinary passages CC. Diseases of bladder (tumors ex-W-cepted) C. Diseases of urethra, urinary ab-	6 1 8 5	5 2	1	1 1 5 4	1									3 1	1	i 	1 1	<u>1</u> - 7 3
137	scess, etc	6 43 25	12 8	1 9 4	3 22 13										2	 1	3 2 4	1 6 6	35 13
138 139a	Diseases of male genital organs, not specified as venereal W.	1 4	1 1	3												1 2	1		-
139b	Cysts of ovary	13 3	7 2	3	3								2	2 2	2 4	1	<u>2</u> 1	1	
139c 139e	Diseases of uterus \\ \begin{align*}	8 3 2 1	2 1	2	4 3 1 1								1		2 1	3 1	· 1 2 1	1	ļ
	XI.—Diseases of pregnan- cy, childbirth, and the puerperal state Colored	172 75	39 9	29 13	104 53								26 13	36 15	59 29	43 12	3 1		
140 141	Abortion with septic conditions \\ \begin{align*} \text{W} \\ \text{C} \\ \text{Abortion without mention of sep-} \\ \text{W} \\ \text{V} \\ V	27 7 10	5 1 1	7 1 3	15 5 6								1 2	7 2 2	11 1 5	7 2 2			
142b	rhages)C Ectopic gestation, septic condi-	. 4			4								1		3				
143	other accidents of pregnancy (hemorrhage not included)	1	1	2											1	1			
144a 144b	Placenta praevia	2 2 9	3	1 1	2 1 5									1 1	1 1 5	3	1		
145a 146	Puerperal septicemia and pyemia W- (abortion excluded)	3 42 17	13 1	7 3	2 22 13								8 3	.1 10 4	1 12 4	12 4			
147	Other toyomics of programs \C.	41 28 5	5	4 7 2	30 16 3								12 6 1	8 4	12 13 2	7 4 1	1 		
148	Puerperal phlegmasia alba dollens, embolus, sudden death C	2 5 1		2	2 3 1										1 4 1	1			
149 150	Other accidents of childbirth\{\text{W}_{-}\}\{\text{C}_{-}\}\} Other and unspecified conditions of puerperal state\{\text{C}_{-}\}\}	28 9 2	9 1	1 1	18 7 2								4	8	5 3	9 2	1		
	XII.—Diseases of the skin White and cellular tissue_{Colored	23 3	7	4	12 2	4		<u>-</u> 1				2	1		1	1	2	4	8 1
151 152 153	Furuncle, carbuncleWPhlegmon, acute abscessWOther diseases of skin and an-JWnexa, and of cellular tissue	8 7 8 3	1 3 3	2 1 1	5 3 4 2	4						2	1		1	1	2 1	3 1	3 1 4 1
	XIII.—Diseases of the bones and organs of loco-	15			_		_	-			_								,
154 155	motionWhite_ OsteomyelitisW_ Other diseases of bones (tubercu	17	7 5	2	- 7 3	1	1	1			5 4		1			1		1	3 1
156	Diseases of joints, other organs of	1			1		- -			<u>-</u>									1
	locomotionW XIV.—Congenital malfor-{White mations{Colored	6 83 8	26 3	8	3 49 5	74 8	4	1 	1	1	2	1	3						1
157a	Congenital hydrocephalus $\{W_{}\}$	12	2	1	9	8 1	2		1		1								
157b 157e	Spina bifida and meningoceleW Congenital malformations of heart (W	12 40 1	5 9	2 5	5 26	12 37 1	1			1		1							
157d	Other congenital malformations. $\{C_{}, C_{}\}$	19 6	10 1		9 5	17 6	1				1								
	XV.—Diseases of early in-{Whitefancy(Colored	442 93	61 13	33 9	348 71	442 93													
158	Congenital debility W_{-} Premature birth W_{-} W_{-}	55 20 295	4 3 37	4 1 20	47 16 238	55 20 295													
159 160	Premature birth	61 60 5	4 3 37 7 16 2 4	8	16 238 46 38 3	295 61 60 5													
161	Other diseases peculiar to early WinfancyC	32 7	4 1	3	25 6	32 7		 											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

-			IN CIT	ries—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
<u></u> '	·	,	1		ARKA	NSA	S—Co	ntinue	đ										······································
162	XVI.—Senility White Colored	155 82	19	21 11	115 68													2 3	151 78
	XVII.—Violent and acci- {White dental deaths{Colored	1, 008 456	283 112	146 59	579 285	19 15	30	14 5	12 5	14 3	37 17	42 9	81 37	88 64	136 101	130 79	112 51	105 30	169 26
	Suicide{C	139	42	15	82								8	8	15	33	20	28 2	25
163 .	By solid or liquid poisons or W by absorption of corrosive C	11 41 2	17 1	5 1	3 19								1 5	2	5 5	7 1	6	12 1	4
164 165	By poisonous gas	3 5	2	1	4										2	2	1		$\begin{array}{c} 1 \\ 2 \\ 2 \end{array}$
166	By drowning	6 72	21	7	6 44								<u>2</u> -	5	1 7	2 20	10	1 14	2 13
167 168	By firearms $\{C_{}\}$ By cutting or piercing instru-	9	3	3	3								1		5	2		1	
171	mentsW By other means	8 4 121	2	1 <u>22</u>	5 4 70			i			1		1 6	1 13	30	1 1 33	2 1 10	1 14	3 <u>11</u>
	Homicide	165 84	48	17 12	100 51							1	12 4	32 9	45 23	41 27	24 7	5 8 5	11 3 5
173 174	By firearms{C	128 11 22	21 33 3 9	12 1 1	83 7 12								9 2 2	21 2 6	33 1 9	35 1 4	20 	5 2	1
175	By other meansC_	26 15	5 6	9	12 5			1					ī	2 5	6	1 4 5 2	3	4	5
	Accidental, other, or undefined $\left\{\begin{array}{c} W_{} \\ C_{} \end{array}\right\}$	748 280	212 60	109	427 182	19 15	30 5	13 5	12 5	14 3	36 17	42 8	67 24	67 32	91 51	64 35	82 27	63 23	133 23
176	Attack by venomous animals $\left\{ $	5	2		3				ĭ		2			1		1		ī-	
177	Poisoning by food $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	9 5	2 3	1	6			1		2	1		1		1 1	2	1 1		3
178 179	Absorption of poisonous gasC Other acute accidental poison-\(\)W	2 22	6	1 3	1 13		1	<u>-</u> -			1		2	3	2	<u>4</u> -	1 3	<u>2</u> 1	1 2
	ings (gas excepted) $\begin{bmatrix} C \\ W \end{bmatrix}$	6	3 5	1 1	2 6		ĩ	1	1		1	ī		2		3		1 2	<u>5</u>
180 181	Conflagration $\{C_{}\}$ Burns (conflagration except- $\{W_{}\}$	7 54	1 18	8	6 28	<u>4</u>	1 7	4	3	4	1 2	8	4	2	2 3	<u>1</u> 1	2 5		1 6
202	ed)\C\W	29 13	2 5	4	23 4	2	2	3	3	1	6		2	2 4	2	1 2	$\begin{vmatrix} 1\\2 \end{vmatrix}$	3 2	3
	Supplemental W	2 8	i		1 8	7					1					1	1		
182	Mechanical suffocation $\begin{bmatrix} V & -1 \\ C & -1 \end{bmatrix}$ Supplemental $\begin{bmatrix} V & -1 \\ C & -1 \end{bmatrix}$	1 1			1 1	1							<u>î</u> -						·
183	$\begin{array}{c} \text{Drowning} \\ \text{C}_{} \end{array}$	65 38	5	6 4	54 34		7	1	2	1	4 2	8 2	17 10	3 8 1	10 6	4 5	3	4	
	Supplemental $\left\{ \begin{matrix} \dot{W} \\ C \end{matrix} \right\}$	13 12			13 12				1		1	2	3	1	2 3	1 3	4 3	1	-
184	Traumatism: By firearms (wounds of W	43	10	8	25						2	6	8	7	7	3	5	3	1
185	war excepted){C By cutting or piercing W_	33 7	10 4	7 2	16 1			1			1 1	3	3	8	9	5 2	3 2		
	war excepted)C	2	i		1 1									1		1			
	Supplemental $\left\{ \begin{array}{ll} W_{} \\ C \end{array} \right\}$	3 1		1	2 1							1 1				1		1	
186a	By fall $\left\{ egin{array}{c} \egin{array}{c} egin{array}{c} egin{array}{c} \egin{array}{c}	108 13	39 4	13 1	56 8	2	1	1		1	1	1	<u>-</u> -	1	2	$\begin{smallmatrix}1\\2\\2\\2\end{smallmatrix}$	7	9	76 5
	Supplemental $\left\{ egin{array}{c} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array} \right.$	29 12	9	4 2	16 10	<u>i</u> -			1	1 	1		4	9	3 1	4	1	2 2	2 1
186b	By crushing, landslide W Supplemental	62 62	27	13	22 22		<u>i</u> -				1	1	7	2 7	17	8	1 11 1	5	3 1
187	CataclysmW	22 2	7	7	8 2		<u>i</u> -				1	1	2	5 - -	9	8 1 1	2		
188	Injuries by animals $\left\{ \begin{matrix} W_{} \\ C_{} \end{matrix} \right\}$	9	1	2	6 4			1 		1	1	1		1	1		í	2	2
190	Excessive cold $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right.$	1 4			1 4	1							1		1		2	1 2	
191	Excessive heat $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	13	6		7		<u></u>							1 1	2 3	1	3 2	4	3
192	Lightning $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	8			8								<u>-</u>	2	2			<u>1</u>	
193 194a	Due to electric currentsW Foreign bodies	6 8	1 2 13 12	1	6		5	3					1 ;-						
194b	Other accidents $\left\{\begin{matrix} W_{} \\ C_{} \end{matrix}\right\}$	54 22	13	6	35 9	10	3	1	;-	1	3 1	2 1 11	1 2 13	5 1 18	6 3 33	4 24	6 2 24	8 1 18	8 1 27 5
198	Supplemental $- \{ \{ W_{} \} \}$ Legal executions $- \{ \{ C_{} \} \}$	198 48 2	63 10	36 10	99 28 - 2	2	4		4	3 2	13 2		13 2	3	9 1	10 1	5	8	5
	XVIII.—Ill-defined causes {White of death	612 620	27 33	34 65	551 522	184 144	18 18	10 6	6 7	5 3	16 11	9 7	12 18	8 24	19 41	21 48	34 66	54 60	191 153
199	Sudden death $\{V_{}, V_{}\}$	46 30	3	4 2	39 26	4		1			1				<u>2</u> -	1 7	6 6	7 6	23 6
200a	Cause of death ill-defined $\begin{cases} W_{} \\ C_{} \end{cases}$	95 101	13	4 3 6 8 24	76 70	14 12	4 3	1	1		4 2		2 2	ļ	2 7	1 7 3 7 17	7 14	18 17	39 28
200b	Cause of death not specified or W	471 489	13 23 11 9	24 54	436 426	166 132	14 15	9 5	6 6	1 5 2	11 9	9 7	10 16	2 8 21	17 32	17 34	21 46	29 37	23 6 39 28 129 119
	unknown\C	1 409	ıl 9	. 94	1 120	. 102	. 10	, ,	, 0	. 2	, ,	•				, 01		٠.	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			11			11			•					-					
			IN CIT	ries—	In						D	EATES	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 Years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					ARK/	NSA	S—Co	ntinue	1										
Punch symbol	Supplemental ¹								, i										
201	Accidents in mines and quarries $\{ {f W}^{} \}$	10 1	4	4	2 1						1			1		4	2	1	
202	Accidents from agricultural ma-{W	2	2		1							1			<u>i</u>			î	
203	Elevator accidents $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	2 1	2										1 			1 	<u>-</u> -		ī
205 206	Other machinery accidents $\{V\}$ Railroad and automobile colli- $\{V\}$	10 1 15	2		8 1 9		<u>-</u> -		i		<u>-</u>	ī	1	2 <u>1</u>	2	3 <u>1</u>	1 4	<u>-</u> -	
	sions C	4 47	5 3 18 3	1. 1 7	1 22 12		<u>1</u>					1	8 3	5	2 11	6	7 3	2	4
207 208	Street car and automobile collisions	21 2	2	6									 	1	9	3			
210	Automobile accidents (primary) $-\left\{ \begin{array}{l} W - C \\ C \end{array} \right\}$	212 48	63 11	44 10	105 27	2	3 		-	4 2	13 4	12 1	16 1	25 6	33 7	20 11	26 5	22 6	27 4
211 212	Motorcycle accidents W. Other land transportation acci-{W. dents	1 13 . 10	1 5	2 3	6 7	 1					2 1	ī	1	2 1	2	1 3	2	1 3	1 1
213	Water transportation accidents $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	2 10			2 10								3		3	1 1	1 3		
214	Air transportation accidentsW.	3			3									2		1			
			0	,	C.	ALIF	ORN	[A			,				1				
·	Total deaths (all/White causes)(Colored	60, 037 7, 643	38, 876 4, 070	5, 708 813	15, 453 2, 760	2, 657 1, 459	318 283	184 126	153 81	110 58	573 232	513 152	824 287	1, 260 408	3, 213 858	5, 069 899	7, 740 925	10, 541 755	26, 871 1, 119
	I.—Infectious and parasitic (White diseases(Colored_	5, 709 2, 169	3, 345 1, 123	493 218	1, 871 828	196 176	107 111	57 55	43 36	38 31	195 105	106 81	185 175	334 228	865 383	1, 027 314	914 226	733 125	908 123
1	Typhoid fever $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	56 23	35 10	. 5	16 11		1		1	2	3 6	5 4	5	7 5	10	6	11	5	· 2
2	Paratyphoid fever	3	2		2						<u>ī</u> -						1	1	1
5 6	Smallpox	1	2	1 7			<u>ī</u>					1	2			1	<u>i</u>		
7	Measles	46 9 45	14 1 31	3 3	25 5 11	8 2	9 3 1	3 2 1	2 3	3 1 3	10 1 16	6 5		1 3	8	2		1	<u>2</u>
8 9	Scarlet lever	6 98	5 58 38	1	1 31	63	2	7		2	1 9		2				1		<u>-</u> 2
10	W-	82 160	116	9 15 13 4 87	29 31	63 46 6 7	26 20 11	6 12	1 2 14 9	1 16	51	14	2	2	7	5	2	8	i
11a	Influenza, respiratory complica-	51 658	37 390 50	87 87	10 181 61	21	11 9 7	6 12 6 5 7	9 4 1	3 2 1	10 18 9	2 3	18	25 1	60 12	86 16	82 17	85 11	240
11b	ions specified	136 249 43	125 17	25 48 6 9	76 20	34 14 9	4 6 7	4 3 3	1 1 3		10	9	5 7 3	6 2 2	12 13 3 2	30 6	17 17 4 2	30 1	15 104 4 10
13	Dysentery	47 27 47	24 13 37	6 4	14 8	12 10	6		2	1 	1 1	2	$\frac{1}{2}$		2 3	3 4	3 2	6 5	17
15 16	Erysipelas $C_{C_{}}$ Acute poliomyelitis, acute polio- $W_{}$ encephalitis $C_{}$	6 31 4	3 23	1	8 6 3 7 4	3 2 1	1 1	1	<u>i</u>		9	1 4 1	4	3	2	1	1 2	ĭ	<u>-</u> i
17	Lethargic or epidemic encephalitis ${W_{} \atop C_{}}$	40 5	18 2	5 1	17 2		1 2		2	1	1		2		8	10 1	5	6	5
18	Epidemic cerebrospinal menin-\W gitis\C	78 4	53 3	9	16 1	9	9	2	1	4 1	11	7 	9		4	9	5	1 1	1
21 22	Rabies W. Tetanus C.	2 44 12	33 7	1 5 1	6 4	2	<u>î</u> î	3	1 2	2	13 5	8 2	3	1	1 4	2	4	I	1
	Tuberculosis (all forms) $\left\{\begin{array}{l} C_{} \\ W_{} \\ C_{} \end{array}\right\}$	3, 503 1, 552	1, 990 806	241 140	1, 272 606	36 33	26	16 28	8 19	4 21	35 64	38 70	127 158	267 210	689 335	763 244	646 164	432 76	415 88
23	Respiratory system $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	3, 197 1, 348	1, 766 677	219 122	1, 212 549	15 18	42 7 13	28 7 9	3 10	9	12 38 19	23 56	116 146	251 202	651 310	723 227	609 157	399 69	88 380 84 2
24	Meninges and central nervous W systemC	89 76	69 51	4 6	16 19	9 6	11 13	5 12	3 4	1 8	14	5 6	5 3	5	7 4	8 5	5	4	
25	Intestines and peritoneum $\left\{ \begin{array}{l} W_{} \\ C_{} \\ W \end{array} \right\}$	50 40 26	31 25 15	4 6 3	15 9 8	1 2	<u>-</u> 2	1			1 5	2 3 2	3 1	3 4	13 8 2	8 7 6	6 3 6	7 2 3	8 1 6
26 27a	Vertebral column	5	3 2	1	1 3				1	2					2	1			<u>2</u>
27b	cepted)	3 8	1 5	2	2 1									1	1	4	<u>1</u>	1 2	<u>1</u>
28	Skin and subcutaneous cellu-\W	3	3		1				i			1	1		1			 - 	3
29	lar tissue	1 7 5	7 3	1 1	i	1	<u>1</u>			i		1			1	1	1	1 2	2
30	toneal glands excepted) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	39	29 2	4	6							2	1	2 1	6	7	8	9	4
31 32a	Other organsW Acute disseminated tubercu-/W	4 7 66	4 56	2 3	17	9	8	3	2	<u>-</u>	3	4	3	6	8	5	3 6	1 4	3 2
32b,c	losis(C	61 6 5	39 3	2	20 3 3	6	13	3 7	4	1	7	3	5 1	ž	5	4	Ž	1 2	3 2 1 2 1
1 8	see explanatory footnote 2, p. 169.	. •			- 1	- '									_	_		,	

¹ See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes-	Į.						D	EATES	BY AG	}E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				(CALIF	ORN	IA-C	ontinu	.ed										
	I.—Infectious and parasitic diseases—Continued																		
33 34	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 1 497 174	334 104	32 10	1 131 60	20 22	1 1	<u>2</u>			1 2	1	3 1 1	1 6 7	33 20 16	87 40 5	116 35 6	1 137 31 2	97 14 2
35 36	Gonococcus infection, other vene- W. real diseases. C. Purulent infection, septicemia W. (nonpuerperal). C. W.	39 11 22 6 7	26 10 10 5	3 1 4 1 5	10 8 2	2 1	2 1			1	1 3 1	3	2	3	1	4 3	3	1	3
38 39	Other diseases due to protozoal parasites	2 2 1	2 1		2										1		1		1
41a 42 43	Hydatid cysts of liver	6 1 12 8	5 12	1	1	1	1							2	1 1 3	3 2	3	1 5 1	
44	Other infectious and parasitic dis-W eases	14 2	8 4 2	2	8	1			1		1 1	10			181	5	3 1, 352	3 1, 808	3, 169
	II.—Cancers and other White tumors	7, 274 430 7, 001 410	5, 175 287 4, 962 271	638 33 617 32	1, 461 110 1, 422 107	1 1 1 1	4	3 2 3	$\frac{\frac{7}{2}}{\frac{4}{2}}$	5 2 4 2	14 1 11 1	19 1 14 1	23 1 14 1	32 6 29 5	30 161 28	76 577 68	114 1, 277 111	96 1, 779 93	3, 123 97
(45) (45)	Buccal cavity	206 4 51	127 2 37	21 5	58 2 9									1	5 	92	37 6	52 20 1	102 3 23
(46) (46)	Esóphagus	124 7 1,393	100 6 894	5 155	19 1 344										18	80 14	21 2 211	38 3 355 29	60 729 26 237
(46)	Liver and biliary passages $\left\{\begin{array}{c} W_{} \\ C_{} \\ W_{} \end{array}\right\}$	30 242	68 297 17 182	53 4 18	28 92 9 42							1		2 1	1 5 2 1	26 3 14	34 73 9 47	99 9 71	108
(46) (46)	Pancreas. (C) Other digestive tract and W peritoneum. (C) W	1, 113 55 300	823 38 220	1 84 5 19	206 12 61				1		1	1	4	2	32 7 5 2	88 8 20	1 173 16 61	288 9 104	524 18 105
47 48	Uterus	785 86	18 565 59 168	79 9 15	141 18 25						1		1	3 1 2	32 12 4	110 21 31	10 200 22 55	211 15 53	229 13 61
49 50	Breast	761 26	568 16 393	69 2 39	124 8 137			1	2	1	1			2	17 17 8	103 6 16	201 7 40	200 5 120	23
51 52	Skin	23 168 2	18 105	1 17	4 46 2		1		1	1		1		11	1	3 9	16	8 28	375 11 21
53 54a	Other or unspecified organs. $\begin{bmatrix} W \\ C \end{bmatrix}$ Nonmalignant tumors, ovary $\begin{bmatrix} W \\ C \end{bmatrix}$	639 37 14 1	483 21 12 1	38 2 2	118 14	1	3	2	2	3	8	11 1 1	1	2	32 2 3	3	5 3	7 2	
54b 54c	Nonmalignant tumors, uterus\bigg(\text{W}\tau\) Nonmalignant tumors, other female genital organs\text{W}\tau\) Nonmalignant tumors, other or-\bigg(\text{W}\tau\)	116 13 1 75	92 10 1 64	9	15 2				1	1	1	<u>i</u>	6	3	6 1	54 6	37 2 	5 3 1 16	14
54d,e 55b 55d,e	gans\C Tumors, uterus (nature unspecified). W	3	2 1 43 3	6	1 17		1	1	2		2	3	3	i	3	15	18 1	5	16
	III.—Rheumatic diseases, nutritional diseases, diseases White of the endocrine Colored glands, and other general diseases	1,629 134	1, 140 82	153 14	336 38	45 26	8 4	4	3	. 1	17 5	19 4	18 3	20 5	49 7	99 16	200 24	379 22	768 1
56 57	Acute rheumatic fever	48 12 75 2	25 5 53 2	5 2 5		1				1	3 2	10 1 1	2	2 3 1	6	3	7 2 7 1	5 9	15 59
59 62	Diabetes mellitus	1, 207 66 24	843 44 17	113 6	251 16 7		1	1			6		10	12 2	23 3 1	53 9 8	130 15 6	308 21 3	65
63 64 65	Rickets W C W Osteomalacia W Diseases of pituitary body W	5 1 4	1 2 1 1 3	2 1	1 1 3	1 3	2	1			1		1		1	1 3	1	1 1	
66a 66b (66)	Simple goiter	142 10 18	10 2 107 8 12	13	2 22 2 1		1		1		1	1	2		13 1 1 3	20 6 1	2 2 40 1 2	38	2
67 68	parathyroid glands C Diseases of thymus gland C Diseases of adrenals (Addison's) disease of arguifad as them W	2 64 28	1 44 16 11	1 7 2 2	13 10 1	1 41 22	6 2	2	2		6 2	1 2	4	1		1 4 1	3	5 1	2
69	culous)W		12	1	1	2						1	ļ <u>.</u>	. 1	3	2	3	1	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	TIES—		1					D	EATHS	BY AG	}E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	J	1	11	•	CALIF	ORN	IAC	ontinu	ied	1	1	ı		<u>.</u>	1		<u> </u>	1	****
	IV.—Diseases of the blood white	506 31	349 24	38	119 6	11 2	6	4	5	3	11 3	10 1	14 1	13	34 4	51 5	60 4	121 8	163
70 71a 71b 72a	Hemorrhagic conditions	25 2 191 13 18 1 183 11	16 2 112 11 13 148	1 18 	8 	6 1 5 1	1 3	12	14	1	1 7 3	2 1 1 	1 1	2 8	2 5 2 	6 3 2 23	1 27 1 16 3	60 4 2 40 3 13	50 50
72b · 73 74	Pseudoleukemias (Hodgkin's dis-W-ease) C. Diseases of spleen C. Other diseases of blood and blood-W-making organs C.	59 2 24 1 6	8 36 1 18 1 6	5 1 · 2	18					1	3	2	1	1	3	12 2 4	14 2	3 1 2	8 6 2
	V.—Chronic poisonings White and intoxications Colored	137 14	79	24 1 22	34 3 32		1							2 1	20 4 20	38 5 36	34 1 31	28 26	15 3 ———————————————————————————————————
75 76 77a 77b,c	Alcoholism (acute or chronic) \mathbb{Q}^{N} . Chronic poisoning by other or- \mathbb{Q}^{N} . Expansion substances \mathbb{Q}^{N} . Chronic lead poisoning \mathbb{Q}^{N} . Other chronic poisoning by mineral substances \mathbb{Q}^{N} .	127 11 6 2 3 1	73 7 4 2 2 1	1	3 1 		1							1	3	5 2	3	1	1 2
	VI.—Diseases of the nerv- ous system and of White the organs of spe-[Colored cial sense	5, 847 378	3, 554 210	543 30	1,750 138	64 25	18 3	14 3	5 3	9	44 10	33 4	44 6	40 7	129 32	272 37	608 67	1, 122 74	3, 444 107
83 84 85 86 87 88 89a	Encephalitis (nonepidemic)	40 9 78 16 1 1 77 7 168 4, 178 23 43 43 23 43 43 23 43 43 9 263 37 61 10 83 9 11 10 10 10 10 10 10 10 10 10	21 6 51 7 1 1 50 5 1111 2,587 33 15 35 2 77 3 3 107 3 5 107 3 5 107 3 5 111,182 111,182 111,182	5 2 6 3 3 3 14 435 14 24 24 21 17 2 5 5 4 8 3 3 12 2 2 1 1,575 86	14 21 26 1 24 24 33 1,156 60 50 67 7 6 7 4 227 35 48 7 7 6 2 3 1 1,156 2 4 3 7 4 4 2 2 7 4 3 7 4 7 6 7 7 6 7 7 6 7 7 6 7 7 6 7 7 7 8 7 8	4 1 13 3 1 1 1 2 5 5 1 1 1 2 2 5 1 1 1 2 2 2 1 1 1 1	2 2 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 3 2 2 3 3 3 2 3	1 1 1	1 1 1 1 2 3 3 3	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 2 2 7 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 1 1 4 4 3 3 3 3 3 3 3 5 5 5 8 5 5 332 11	3 7 7 7 2 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 4 2 2 2 1 1 3 3 4 4 7 7 5 5 5 5 79 16	7 2 6 2 2 5 5 5 28 6 7 1	4 1 1 1 3 3 6 2 10 95 11 16 14 13 1 8 2 1 10 1 1 12 1 16 693 1, 93 1 99 1	13 2 35 380 45 22 4 3 7 7 7 7 7 9 13 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24 2 42 42 1 821 54 69 7 3 3 57 5 10 2 12 29 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	4
- 1	Pericarditis	40 9 131	27 5 105	3.	10 4 16			i	1 -		5	1	1 12	8	6 24 3	2 2 23	8 3 10	10	12 3 16
91b 3 92a 3 92b 3 93a 3 93b 3	Endocarditis, unspecified (under W 45 years). C. Endocarditis, specified as chronic, W and other valvular diseases. C. Endocarditis, unspecified (45 W years and over). C. Myocarditis. W. dute myocarditis. C. Myocarditis, unspecified (under W 45 years). C. Chronic myocarditis and myocarditis dial degeneration. C.	21 15 1 2,603 192 130 8 168 25 29 9 7,130 353	16 9 1 1,638 112 96 8 95 14 19 - 4,447	2 1 276 20 15 21 3 631 34	689 60 19 52 8 10 4 2,052 148	1 _	1	1		21	2 8 2		29 2 2 1 1 1 1 1	2 1 48 7 1 3 1 11 2	99 19 2 2 7 2 43 9	5 7 1 184 25 9 6 19 7 220 24	329 40 17 2 25 4 647 1	465 35 29 4 37 5	1,423 57 84 2 93 3 4,889
94a	Other diseases of myocardium { W	1, 390 78 1, 050 18 1, 429 43 22	975 42 670 9 1, 119 32 11	124 7 132 3 100 3 5	291 - 29 248 - 6 - 210 - 8 -	1					1		1	1	3 4 1 12 2	39 4 78 4 1	120 16 123 2 256 7 4	279 15 269 6 367 16 2	981 46 614 5 715 14 15

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

CALIFORNIA-Continued Continued			IN CIT	TES—	1						D	EATHS	BY AG	E						
VII.—Diseases of the circulatory system. 1,89 855 112 301 3 1 1 5 3 14 5 50 72 180 276 276 276		CAUSE OF DEATH		or	to	rural	der 1						14	19	24	34	44	54	64	65 years and over
System-Continued System-Cont	· · · · · ·		,		C	ALIF	ORN.	IA-C	ontinu	ed		·								
Debte and unspecified diseases of W. 1.88 8000 112 500 3 1 1 2 5 2 3 2 5 50 75 300 274		VII.—Diseases of the circulatory																		
Company Comp	95b	Other and unspecified diseases of W_heart	89	956 59	1	29				ı			3 2	14 3	5 2	8	6	16	15	830 33
See Cangreen. Y		Aneurysm (except of neart){C Arteriosclerosis (coronary arteries}W	21 1,324	17 749	110	2 465											5 2	36	6 143	93 5 1, 142 54
Description of value (variety) memory (W)	98	Gangrene $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	4	14 1		8												1		20 2 27
		Diseases of veins (varices, hemor-(W	5	3	1 1	1										1	1	3		
Table Tabl		rhoids, phlebitis, etc.)	8	2 3			<u>-</u> -	<u>i</u> -		1							1		2	2
tem. Chee diseases of circulatory sys. [W] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of seases [W] VIII.—Diseases of the res [White. 5.618] VIII.—Diseases of seases [W] VIII.—Diseases [W] VIII.—Diseases [W] VIII.—Diseases [W] VIII.—Diseases [W] VIII.—Diseases [W]	102	Idiopathic anomalies of blood-\W	8		3							1							1	
VIII_Diseases of the re (White 100 1	103	Other diseases of circulatory sys-(W	10		ī									1		1			4	4
Diseases of Insail Gesse and an W				2, 584 537	332 117	1, 002 353		72 83		16 18	8 7			59		230 72				1, 601 108
Diseases of larynxx		Diseases of nasal fossae and an-\W	40	31			4					1	7	3	5	5	8	5	4	3 2
1066	105	Disasses of larvny	19	11			4 2	7	1			1						2		2
106bc Chronic bronechtitis W	106a	A cute bronchitis	63	42 14	4 3	17		1	1			.						2		45 1
1078 Bronebopesmonia V. 1,593 973 132 403 239 38 20 7 7 19 23 14 20 20 25 34	106b	Chronic bronchitis	101	4	_							1		1					1	63 2
107b Capillary bronchitis Cy 1 2 3 3 3 1 1 1 1 1 2 2 2 2 1 1	106c,d	Bronchitis, unspecified $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	3	2		1														14 679
Lobar paeumonia	107a	Bronchopneumonia $\left\{ \begin{matrix} W \\ C - \end{matrix} \right\}$	507	241	64	202		58		8	2		6					24	24	43
Pneumonia, unspecified.		Capillary bronchitis	1 699	3	3	3				7			10			132		.]	1	7 593
		Lobar pneumonia	383	224	41	118	71	22	6	7		12	6	10		37	63	50	27	47 16
Pulmonary embolism and throm C		(W	152	120	1 1	9	4	3	. 2	1					5	1 5	1			3
hemorrhagic infarct. C. 3 9 62 7 30 1 1 2 1 3 6 8 13 15		Pulmonary embolism and throm-{W	.1 26	20 13	2	4		2						1			3	6	2	49 2 10
112	111b	Pulmonary congestion, edema, (W.,	68	3 47			<u>î</u>		<u>i</u> -						1	1		4		55
Pulmonary emphysema	112	(W	. 99	62	7	30	1	1		2		<u>ī</u> -			3			13	15	2 49
tem (tuberculosis excepted). \{C. \ 12 \ 6 \ 1 \ 5 \ 1 \ \ \ \ \ \ \ \ \ \ \ \ \ \	113	Pulmonary emphysemaW_	. 4	2	1	1						1							1	2 12
tive system	114	tem (tuberculosis excepted)(C					1				1									2
Diseases of plarynx, tonsis C		tive system\Colored	691	328	98	265	313	46	15	7	6	28	11	11	6	43	59	59	46	1,002
Nexa		Diseases of pharynx, tonsis(C	. 17	11		5		3	. 2	2	. 6		2	2		. 1	1	2		18 1 7
117a Ulcer of stomach W 269 183 20 66 1 5 9 25 66 57 117b Ulcer of duodenum W 183 148 13 22 1 1 1 1 4 7 118 Other diseases of stomach (cancer W 74 44 10 20 3 1 1 1 2 48 47 119 Other diseases of stomach (cancer W 74 44 10 20 3 1 1 1 1 1		nexa)C	. 4	3 3	I						-		- 			1				1 6
117b		(337	269	1 1								-			5	.[25			106
118 Other diseases of stomach (cancer W 74 44 10 20 3 3 3 3 3 4 3 2 2 3 3 3 3 3 3 3		Offer of Stomach	.] 18	7	3	8	1	ī		i			<u></u>			1 10	4 22	1 7		4 54
19		Other diseases of stomach (cancer (W	13	6 44	10 10	20	3						2	1	2	3 5	6	3 9	2	1 30
121 Appendicitis		excepted) C	19	9 89	1 1	6 65	160	22		1						1	1	1		2
121 Appendicitis	120	Diarrhea, enteritis (2 years and)W	128	116		153 43	287	40		6	2	2			4				19	36 8
122a Hernia	121	Appendicitis	693	483 39	70	140	1	6	6			45	37	35		91	115	107	4	89.
124 Cirrhosis of liver {W 623 462 44 117 1 1 1 2 1 17 65 162 170 125a Yellow atrophy of liver {W 18 16 2 1 1 1 1 1 1 2 1 1	122a	Hernia \dots	232	173 15	19	40 8	2				. 1			1	Ĩ	5	16	26 4	49	128 6 118 2 13
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	122b	Intestinal obstruction $\left\{ \begin{array}{l} W_{-} \\ C_{-} \end{array} \right\}$	367	265 22	42 3	60 12	25	2 4		1	1	8 3	7		. 1	38	49	51	47	118
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	123	Other diseases of intestines $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	47	39 4	2	5 3			<u>i</u>					.		. 1	2	2		13
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	124	Cirriosis of Hver{C	. 51	35		12					<u>î</u>			2	1		6	15	18	205 6 5
126 Biliary calculi (W. 192 155 21 16 1 1 1 2 42 46 19 5 1 1 1 1 3 7 5 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Tenow atrophy of hver(C.	. 1	1										. 1						1 18
$\begin{bmatrix} \text{iary passages} & 1 & 1 & 10 & 2 & 5 & 1 & 1 & 10 & 2 & 5 & 1 & 1 & 10 & 10 & 10 & 10 & 10 & $		Other diseases of fiver	. 6	4		2				1	ī					. 1	9	1 42		1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		Other diseases of gall-bladder, bil-fW_	24 142	19 108	15	5 19								1			16	5 28	5 25	
128 Diseases of pancreas 24 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	128	iary passages\C	17 37	10 29	2 3		,1					. 1			<u>-</u> -		9.	2 7	5 9	1 9
Diseases of pancreas C C C C C C C C C C		W	. 55	44	3		2	1		1		1	2	2	3,	7				10

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	-						D	EATHS	BY AC	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				•	CALIF	ORNI	C	ontinu	eđ		-								
	X.—Diseases of the geni-\White tourinary system\Colored	5, 245 354	3, 511 234	560 32	1, 174 88	10 6	3 1	7	2	1	8 3	16 2	27 4	37 6	141 29	303 38	586 73	972 67	3, 132 123
130 131 132 133	Acute nephritis (including un-\{W_\text{specified under 10 years}\)	88 22 4, 201 270 168 7 172 14 75	56 14 2,751 175 111 3 123 10 62	8 3 464 26 22 1 17 17	24 5 986 69 35 3 32 3 9	2 3 7 3	1	4 1 2	1	1	3 1 5 2	2 1 9 1 2	5 2 15 2 3 1	5 19 2 2 2	8 4 80 19 5 2 11	9 2 212 29 13 1 23 2 8	13 3 467 59 19 2 18 3 13	15 3 796 54 38 1 39 3 19	20 2,597 104 87 60 30
135 136 137 138	Diseases of bladder (tumors ex Wcepted)	26 2 8 2 364 22 4	19 2 7 1 273 16 1	30 1 1	5 1 1 61 5 2	1	 1									1 2 1	1 16 2 1	41 5	18 1 5 1 305 15
139a 139b 139c 139e	Cysts of ovary	39 3 66 8 33 2 1	30 3 55 6 23 2	35	5 8 2 5							1	2 1	1 5	10 16 2 7 1	9 19 3 6	22 1 8 1	8 7	5 1 5
	XI.—Diseases of pregnancy. White childbirth, and the purerperal state	339 101	231 52	46 12	62 37							1	31 13	78 23	154 34	74 30	1		
140 141 142a 142b 143 144a 144b 145a	Abortion with septic conditions.—{C Abortion without mention of septic conditions (includes hemor-C Petopic gestation, septic conditions specified Ectopic gestation, septic conditions of mentioned C Other accidents of pregnancy w (hemorrhage not included) Placenta praevia C Other puerperal hemorrhages C Puerperal septicemia and pyemia w (abortion excluded) C Puerperal albumiuria and/w	75 12 32 9 7 2 21 4 2 2 11 57 18	55 10 19 4 3 1 15 3 1 20 3 42 125	2 2 3 1 1 1 2 8 1	13 2 11 5 2 1 3 3 1 4 6 7 6 8								5 2 1 1 1 7 5 8	22 3 12 1 2 2 1 1 4 3 15 8	36 7 17 3 3 3 10 1 1 1 2 3 24 5 14	12 3 4 3 1 8 1 6 4 4 11 4 9	1		
147 148 149 150	eclampsia C. Other toxemias of pregnancy W. C. Puerperal phlegmasia alba dolens, w. embolus, sudden death (not specified as septio) C. Other accidents of childbirth C. Other and unspecified conditions W. of puerperal state C.	14 9 3 13 5 51 19 3	6 7 2 7 1 32 9 2	3 1 3 10 4 1	5 1 3 4 9 6							1	2 2 1 3 2	4 1 4 1 6 3	4 3 1 6 2 22 7 3	4 1 2 2 2 19 7			
151 152 153	XII.—Diseases of the skin [Whiteand cellular tissue. {Colored.} Furuncle, carbuncle	75 20 28 9 21 4 26 7	14 7 13 1 21 6	10 1 6 2 1 2	17 5 8 2 6 2 3	10 6 3- 5 1 5					1	3	2 2 1	1 	12 1 7 	12 4 3 6	6 2 1 1	3 1 1	19 3 5 3
	XIII.—Diseases of the White bones and organs Colored of locomotion	66 3	43 2	7	16 1	1	2	1	5	1	· 6	12	2 2	4	8	4	5	4	11
154 155 156	Osteomyelitis{C	49 1 5 1 12 1	30 5 1 8	3	15 1	1	1	1	1	1	6	12	2 1	2	3	3 1 1	3	3	7 3
	XIV.—Congenital malfor-{White mations{Colored	390 95	250 56	49 5	91 34	333 85	4 4	4	5	1	15 1	14 4	7	1	2	3	1		
157a 157b 157c 157d	$ \begin{array}{c} \text{Congenital hydrocephalus} & \left\{ \begin{matrix} W \\ C \end{matrix} \right. \\ \text{Spina bifida and meningocele} & \left\{ \begin{matrix} W \\ C \end{matrix} \right. \\ \text{Congenital malformations of } \\ W \\ \text{Other congenital malformations} & \left\{ \begin{matrix} W \\ C \end{matrix} \right. \\ \end{array} $	45 10 18 12 235 47 92 26	33 8 10 7 145 29 62 12	34 3 7 1	7 1 5 5 56 15 23 13	31 7 17 11 200 42 85 25	1 2 1 3 1	2	3	1 1	3 1 9 1 2	11 2 1 1 1	5	1	1	2	1		

Table 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas and by age for the registration area and each registration state: 1932—Continued

			IN CIT	TES-							Di	CATHS	BY AG	E		*		**	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				C	ALIF	ORNI	A-C	ntinu	ed										
	XV.—Diseases of early in-{White fancy(Colored	1, 396 429	948 191	172 68	276 170	1, 396 429													
158 159 160 161	Congenital debility (C. C. C. C. C. C. C. C. C. C. C. C. C. C	45 57 966 262 260 60 125 50	20 14 655 117 187 30 86 30	7 14 119 40 33 9 13 5	18 29 192 105 40 21 26 15	45 57 966 262 260 60 125 50												2	175
162	XVI.—Seniity{Colored XVII—Violent and acci-fWhite	178 16 6, 561	3, 829	18 2 707	76 9 2, 025	57	53	28	39	27	126	122	291	452 77	908	1, 002	1 1, 078	904	175 16 1,471
163 164 165 166 167 168 169 170 171 173 174 175 176 177 178 179 180 181	dental deaths \Colored. Suicide	795 1, 617 108 386 25 172 167 25 71 6 682 33 83 11 72 23 14 22 315 141 221 27 73 4, 629 99 7 7 5 90 20 45 57 34 4 27 7 34 4 67 7 37 34 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7	373 1, 071 60 264 18 120 97 12 49 4 409 117 66 67 2 11 189 74 134 440 22, 569 5 6 77 6 12 5 126 17 11 9 1	92 134 15 18 1 18 12 6 6 71 77 2 1 1 26 188 7 7 1 3 7 2 2 13 1 5 2 13 1 5 2	330 412 33 54 46 34 58 7 16 2 202 11 30 3 5 1 8 8 3 5 10 1,513 242 2 15 2 4 19 11 28 14 10 21 11 28 14 10 10 11 4 3	7 1 1 7 50 30 1 1 2 2 1 1 1 4 7 7	23 	28 16	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 	7 6 11 119 40 11 1 10 12 11 1 1 1 1 1 1 1 1 1 1 1 1	19 3 2 1 1 	27 7 7 10 5 5 1 1 2 2 1 1 2 1 1 6 6 2 2 1 1 1 1 1 6 6 2 1 1 1 1	31 31 31 31 31 31 31 31 31 31 31 31 31 3	167 226 23 722 8 18 15 5 87 7 7 5 3 31 17 2 4 4 30 8 6 18 7 7 5 5 5 101 1 1 1 1 1 1 1 2 1 4 2 2 1 4 1 1 1 1 1	328 19 722 4 4 36 322 4 4 14 1 1 140 4 4 1 1 1 1 6 6 2 3 3 5 5 6 6 0 5 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	108 398 18 75 57 42 5 17 3 1566 7 8 3 14 50 630 67 1 1 23 32 28 1 3 1 1 1 1	59 317 166 57 2 34 42 2 7 7 12 2 1 140 5 1 1 1 1 1 1 1 1 1 1 1 1 1	59 251 12 31 12 25 25 27 6 20 112 31 112 2 2 1, 195 44 2 2 1, 195 44 2 2 1, 22 2 2 4 6 6 8 4 44 1 1 2 2
183	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	301 37 75 17	98 9 29 2	26 2 2	177 26 44 15	1	13 7 	6 4	6 1	6	16 2 3	23 1 3 1	28 4 8 1	30 6 9 2	40 2 21 2	28 5 12 4	52 4 10 5	29 2 2	21 1 7
184 185	By firearms (wounds of W-war excepted) By cutting or piercing instruments (wounds of C-war excepted) W	89 13 29 5	33 4 22 3 2	14 1 5	42 8 2 2				1		6 2 1	10 1 1 2 1	11 1 1	3 4 1	13 2 2 3	18 7 1	13 1 7 2	9 1 5	5
186a 186b	Supplemental	876 31 168 21 36 2	617 19 80 11 15	86 5 24 2 4	1 173 7 64 8 17	7 2	3	I I	1 1	1 1	11 1 1 1 1	14 1 7	13 2 15 3	21 3 26 1 2	32 3 31 6 3	54 3 26 5 12	58 2 23 2 10	100 2 19	561 11 17 3 3
187 188 189 190	Supplemental	543 66 9 14	1 255 32 1 3	67 7 5	221 27 8 6 2 6 1 8	2 1	3 1	1 1	4 2	2 1	9 3	1	24 2	49 3 	1 95 18 3 4	101 9 3 1	87 15 2 2 1 1	69 6 1 1 1 1 3	92 4 3 3 2
191 192 193	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	18 12 1 34 4	15 1	5 4	5 1 15 3	7	1				1	2 2	2	2	1 2 14 1	4	5	1 2	3

Table 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas and by age for the registration area and each registration state: 1932—Continued

	-					1) I II .		1932-		ıtınu	eu	
			IN CI	ties—	,						D	EATHS	BY AG	ŧΕ					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 Years	65 years and over
				•	CALIF	ORNI	(A—C	ontinu	ied	·		<u> </u>		<u> </u>		•	-		
-	XVII.—Violent and accidental deaths—Continued			1															
	Accidental, other, or undefined—Con. Supplemental	1			1												1		
194a	Foreign bodies{C	1 15 7	9	1 1 21 4 221 221	5 4	5	1	2		1	<u>1</u> 1				2	<u>i</u> -	1	1	3
194b	Other accidents $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	179 20	101 8 971	2Î 4	57 8	2 7 5	2 1 8		2		6	7	15 3	7	19 2	23	29	30 1	31
	Supplemental	1,708	971 110	221 24	516 78	1 4	8 1	7 2	17 3	9 1	50 13	35 3	122 15	175 21	251 49	23 3 225 36	232 29	226 19	350 16
198	Legal executions $\left\{ \begin{array}{c} W_{} \\ C_{} \end{array} \right\}$	2			2										2 1		1		
	XVIII.—Ill-defined causes White of death Colored	76 24	35 13	10 3	31 8	5 3	2 5				<u>i</u>			1	4 2	11 1	13 2	16 6	19 4
200a 200b	Cause of death ill-defined{C Cause of death not specified or un-{W_known	27 12 49 12	8 5 27 8	2 1 8 2	17 6 14 2	5 3	2 4 1				1			1	1 3 2	1 11	3 1 10 1	9 2 7 4	12 3 7 1
Punch symbol	SUPPLEMENTAL 1			,	1														
201	Accidents in mines and quarries $\{^{W}_{C}$	39 2		7	32 2							 		2	14 1	7 1 5	10	5	1
202	Accidents from agricultural ma-\W chineryC	23 4 8	5	6 1	12 3			1			1		2	3	2	5 1 1	4	4 1 1	1
203 204	Elevator accidents $\begin{array}{cccccccccccccccccccccccccccccccccccc$	2	8 2 1	1								1		1 1	2 2 1	1	1	1	1
205 206	Other machinery accidents $\begin{array}{c} W_{} \\ C_{} \end{array}$ Railroad and automobile colli- $W_{}$	33 4 65	15 16	4 1 17	14 3 32					1	1 1	2	1 1 2	2 1 2	6 1 15	10 15	6	3	5
207	sions C. Other railroad accidents	9 115	4 46	1 20	4 49		1			<u>ī</u> -	1	2	8	4	4 14	1 1	2 21	14	14
208	Street car and automobile colli-\ Wsions\ C	22 45 3	10 37 3	1 2	11 6		1	ī			2	1	3	1 6	5 10	36 2 7	7 5	6	1 4
209 210	Other street car accidents	59 1.948	51 1,085	3 244	5 619	3	10	7	20	10	1 54	1 36	139	203	1 5 290	4.1	8 277	1 9 257	29 384
211	Motoravala aggidenta	250 33 2	126 22	31 4	93 7	5	1	3	5 2	2	14	3	14	25 16	58 5	258 41 2	38	21	29 384 20 22
212	Other land transportation acci-	2 42 2	2 15	6	21						i	5	2	2	1 5	4	1 6	6	11
213	$\frac{\text{dents}}{\text{Water transportation accidents}} = \frac{V_{}}{V_{}}$	56 . 19	23 8	3	30 11						2	3 1	7 2	8 1	14 2	<u>10</u>	5	3 2	$^{2}_{4}$
214	Air transportation accidents $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	75 1	25 1	11	39								4	13	32 1	18 	6		2
					C	OLOI	RADO)		·····			······································		<u>`</u>		'	<u> </u>	
		12, 599		1, 620		1, 259	170	95	73	44	207	161	324	401	878	1, 142		1,751	4, 752
1	I.—Infectious and parasitic diseases Typhoid fever	2, 119	939	279	901	157	- 51	36	22	16	44	48	76	136	367	378	222	203	362
7 8 9	MeaslesScarlet fever	15 36	6	5	9 8	5	1 3 2	1 3 5	1 .	5	10	3	- 8 - 4	6	5 5	1 1	1.	1	3
10	Whooping cough Diphtheria	40 41	23 10 20	6 7	24 14	25 5	6	5	3 7	1 2	9	2	2	1	3	<u>i</u> -	1		
11a 11b	Influenza, respiratory complications specified.	444	206	73	165	55	22	7	5	3	6	8	19	16	27	33	47	58	138
13	Influenza, respiratory complications not specified	229 10	75	41 3	113	34 5	7	4	1	2	5	8	6	9	16	11	16	13	97
15 16	Erysipelas Acute poliomyelitis, acute polioen-	15	1 4	3	8	ĭ	i-								2		3	1	3 7
17	cephalitisLethargic or epidemic encephalitis	11 12	5 3	1	5 9	1	1	1		1	3	2		1 2	1 2	3-		<u>-</u> -	<u>-</u>
18 22	Epidemic cerebrospinal meningitis Tetanus Tuberculosis (all forms)	18 3 1,097	6 2 505	4	8 1 484	1	 <u>-</u>	1		·	3 1	4 I	3	1	2 .	<u>-</u>	1	1	1
23 24	Respiratory system Meninges and central nervous sys-	1, 030	470	108 100	460	8 3 .	⁷	2	1		6	1I 6	30 24	94 88	291 285	308 295	141 134	99 95	98 92
25 26	temIntestines and peritoneum	18 12	8 7	2	8	2	6	2 .				2		. 1	1	4 2	2	_i - -	<u>4</u>
27a l	Vertebral column Bones (vertebral column excepted)	14	8	2	4		1 .	:				2	3	1	3	1	1	2 .	
27b 28	JointsSkin and subcutaneous cellular tissue	2	1 .		2								1	1		1			
30 31	Genitourinary system Other organs	6 3	2 2	1	3								1	1		1	1 1	1	2
32a 32b,e 34	Acute disseminated tuberculosis Other disseminated tuberculosis Syphilis	8 1 77	6	1	1 1	3 .							1		1	2	Ī		
	e explanatory footnote 2, p. 169.	11	49	9	19	11 .	-	.	-	}	1 .		4	IJ	8	9 (11 }	20	1.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	i i		!	ļ	In	l					ь	EATHS	BY A	GE					
	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	<u>'</u>		<u>'</u>	- '	COLO	RADO) —Co	ntinue	đ	·				!	1	1,	l.,		
	I.—Infectious and parasitic diseases—																		
35	Continued Gonococcus infection and other vene- real diseases	13	11	1	1	1								1	5	6			
36	Purulent infection, septicemia (non- puerperal)	9	3	2	4	3						1		2		1	 - -		2
38 43 44	Mycoses Other infectious and parasitic diseases	1 2 8	$\frac{1}{2}$	1	1 1 5	1										1 2		1 5	
	II.—Cancers and other tumors	1, 165	643	151	371		2	1			6	2	8	9	35	98	206	268	528
(45)	Cancer and other malignant tumors Buccal cavity	1, 104 32	601 13	144 6	359 13		2	1			1	1	6	7	26 2	88	193 1	258 8	519 21 3
(45) (45) (46) (46) (46) (46) (46)	Pharynx Esophagus	6 15	2 8	<u>1</u>	6										1		1	3	. 13
(46) (46)	Stomach and duodenum Liver and biliary passages	260 91	120 51	31 13	109										1	6 5 1	36 12	65 23	149 49
(46)	Pancreas Other digestive tract and perito-	34 163	16 94	6 18	12 51								9	1 2	4	14	27	11 30	13
47 48	neum Respiratory system Uterus	51	32 66	3 16	16 33								í		3 3	7	10 35	33	19
49 50	Other female genital organs Breast	21	17 73 50	16	31										<u>i</u> -	23	8 38	5 27	31
51 52	Male genitourinary organs Skin	91 29	13	20 5	21 11								1		1 2	4	4	21	60 20
53 54a	Other or unspecified organs Nonmalignant tumors, ovary	3	46	9	21		2	1			1	1	1	2	. 2	7	15	17	27
54b 54d,e	Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, ovary (nature unspecified)	15 8 1	11 4	2 1	3								1		3	. 1	2	2 2	2
55a 55c	Tumors, other female genital organs (nature unspecified)	1		1	1					- 						1			
55d,e	Tumors, other organs (nature unspecified)		25	2	6						5	1	1	2	5	3	7	4	5
	III.—Rheumatic diseases, nutritional diseases, diseases of the endo-																		
	crine glands, and other gen- eral diseases	283	141	38	104	15	4		1	1	10	5	5	4	17	21	33	74	93
56	Acute rheumatic fever	26	16	1 2	9						5	3	1	2	1	5	1 2	3 3	5
56 57 59 60	Chronic rheumatism, osteoarthritis Diabetes mellitus Scurvy	15 166 1	85	$\begin{bmatrix} 22\\1 \end{bmatrix}$	9 59		2				4	1	2	1	9	1 5	20	55	67
62 63	Pellagra Rickets	6	2	i	3 2	6									3		ī	2	
66a 66b	Simple gotter Exophthalmic gotter	6 37	3 19	2 7	1 11								î		3	9	8	3 7	2 10
(66)	Other diseases of thyroid and parathy-	6	2	2	2	2						1	 			1	1	1	
67 68	Diseases of thymus gland Diseases of adrenals (Addison's disease	12	4		8	7	2	-	1	1	1								
69	not specified as tuberculous) Other general diseases	1 1	1 1																i
	IV.—Diseases of the blood and blood- making organs	95	46	5	44	7	2			1	4	2	3	3	8	7	11	16	31
70 71a	Hemorrhagic conditions	10 34	4 16	2	6 16	5	1			<u>i</u>			1		1		1 4	1 5	23
71b 72a	l Other anemias	3 1	10		1 8	i					1		2		1	2	3	4	23 1 3
72b 73	True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen	20 6	9	2	9						î 1	1		3	3 2	3	2	1	3
74	Other diseases of blood and blood- making organs	4	2	1	1				-							1	1	1	1
	V.—Chronic poisonings and intoxica-	29	15		14								1		4	4	6	9	5
75 76	Alcoholism (acute or chronic)	28	14		14								1		4	4	6	9	4
	substances	1	1						-									- -	1
	VI.—Diseases of the nervous system and of the organs of special	1,062	504	141	417	10	7	1	3		7	9	8	17	17	46	102	179	655
78	sense Encephalitis (nonepidemic)		504	3	2	10						2			1	2	2	2	
79a 80	Simple meningitis Progressive locomotor ataxia (tabes	13	8	1	4	Ī					1		ī	2		1	6	1	
81	dorsalis)	14 34	9 16	2 6	3 12								2	6	<u>-</u>	3	6 5	8	3 9
82a 82b	Cerebral hemorrhage Cerebral embolism and thrombosis	774 54	372 21	110 3	292 30							2	1	1	2	14 4	57 3	135 13	564 30 1
82c 82d	Softening of brain Hemiplegia and other paralysis, cause	1 24	1	2	11			' -				 1					1	3	19
83 84	unspecified	31	9	1	21 2								1		1	9 2	9	4	7 2 8
83 84 85 86	Convulsions (under 5 years of age)	32 3 28 26	2 7	3 1	22	2	1				1	1	i	4	6	2	5	,3	
87 89a	Other diseases of nervous system Diseases of ear Diseases of mastoid process	28 26 14	14 19 10	6 3	2 8 4	3	1 4	1	1		3 2	2 1	2	1 2	3	5	2 5	6	10 1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	-		IN CI	TES-	_			····	-		ים	EATHS	BY AG	E				=	
List no.	CAUSE OF DEATH	AII deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		,			COLO	RAD	0 —Co	ntinue	d	•					·~				
	VII.—Diseases of the circulatory system	2, 355	1, 230	256	869	5	2	2	2	3	12	19	22	21	55	110	229	426	1, 443
90 91a 91b	Pericarditis	7 42	2 25	1 4	4 13	<u>1</u>	i				4	1 2	1 6	2 1	5	. 4	2 6	5	1 7
92a	years) Endocarditis, specified as chronic, and other valvular diseases	3 456	1 222	1 62	1 172	 		1	2	2	4	11	1 11	12	1 22	1 47	 52	74	218
92b 93a	Endocarditis, unspecified (45 years and over)Acute myocarditis	· 1	10 12	6 7	26 16					<u>î</u> -					3	2	8 4	5 6	29 19
93b 93c	Myocarditis, unspecified (under 45 years)	10	2	3	5	1		. 1				1			1	6			
93d 94a 94b	degeneration Other diseases of myocardium Angina pectoris Diseases of coronary arteries	675 269 198 130	377 167 100 78 3	61 21 31 12	237 81 67 40						1 	1 	1	3 	11 2 1	19 1 9 5	49 30 29 15	132 57 47 31	456 181 111 78
95a 95b 96	Functional diseases of heart Other and unspecified diseases of heart Aneurysm (except of heart)	236 25	107 13	28 2	101 101 10	3					3	3	2	3	6 2	1 9 3	24 4	41	140 140
97 98	Arteriosclerosis (coronary arteries excepted) Gangrene	182	93 3	12 1	77 4										· ī	1	4	. 18 . 1	159 6
99 100 101	Other diseases of arteries Diseases of veins (varices, hemorrhoids, phlebitis, etc.) Diseases of lymphatic system (lym-	16 6	8	2 1	6 2											1	2	2	12 5
102 103	phangitis, etc.)	1 5 5	2	1	1 3 2		1									<u>1</u>		1	5 3
·	VIII.—Diseases of the respiratory system	1, 187	593	156	438	200	31	17	14	4	28	14	30	33	50	106	90	118	451
104a 104b 105	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx	1 19 5	12	3	1 4 4	<u>1</u> 1	i	I I			I I	1	. 2	2	5	2	3	1	2
106a 106b 106c,d	Acute bronchitis	14 5 6	9 3 4	1 1	1 2	4	1				î					1 1		1	7 4 5
107a 107b 108	Bronchopneumonia Capillary bronchitis Lobar pneumonia Pneumonia, unspecified	409 6 610	184 331	64 76	161 6 203	132 3 57	21 8	10	6	1 -, 2	8 1 13	7 6	3 24	5 23	$\frac{7}{32}$	12 78	15 61	30 71	5 152 2 226
109 110 111a 111b	Pulmonary embolism and thrombosis.	18 24 1	6 17 1	2 2	10 5	2		<u>2</u>	1 1	1	<u>2</u>		ī	<u>2</u> 	3 1 	1 4	$egin{array}{c} 1 \\ 2 \\ \end{array}$	5	226 10 3 1
112 114	Pulmonary congestion, edema, hemor- rhagic infarct Asthma Other diseases of respiratory system	18 25	10 12	2 3	6 10						1			<u>î</u> -	<u>i</u> -	3	2	4	17 13
7	(tuberculosis excepted)IX.—Diseases of the digestive system_	26 1, 102	537	2 185	21 380	198	35	-	11	10	 44	21	37	34	73	118	6 146	· 6	. 9 217
115a 115b 116	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa Diseases of esophagus	52 12 3	30 6 3	6	16 5	2	2	1 1	1	2	11	2	4	2	10 2	6 4	1 1	5 2	3 2 1
117a 117b 118	Ulcer of stomach Ulcer of duodenum Other diseases of stomach (cancer	62 28	31 18	9 6	22 4				1		ī			2	3	9 7	11 4	13	22 5
119 120 121	excepted) Diarrhea, enteritis (under 2 years of age)_ Diarrhea, enteritis (2 years and over)	28 200 39	8 67 12	42 8	20 91 19	173	1 27	10	4 3	2		1		i	2	1	3 <u>5</u>	3 <u>I</u>	14 - 13
122a 122b	Appendicitis Hernia Intestinal obstruction Other diseases of intestines	270 62 107 13	138 36 60 7	54 11 13 1	78 15 34 5	3 1 11 1	3	1 2	2	4	28 3	17	23 5	20 6 1	29 2 7 1	39 9 15	47 11 15 2	30 10 23	13 23 29 17 7
123 124 125a 125b	Cirrbosis of liver Yellow atrophy of liver Other diseases of liver	62	31 3 3	7 1 2	24 1 3								1		1 2	3 3 1	11 	17	30 1 3
126	Biliary calculi Other diseases of gall-bladder, biliary passages	61 67	34 35	8 11	19 21								1	2	3 5	5 13	20 10	10 14	22 22 2
128 129	Diseases of pancreas Peritonitis, cause not specified.	6 17	11	3	3	2	<u>i</u>			2			2			3	2 2	3	1
130	X.—Diseases of the genitourinary system————————————————————————————————————	978	522	143	313	1	3				4	6	16	18	32	48	100	154	591
131 132	under 10 years) Chronic nephritis Nephritis, unspecified (10 years and	43 741	20 390	9 109	14 242		1				2 2	4 2		12	3 15		5 77		17 464
133	over) Other diseases of kindeys, ureters (pu- erperal diseases excepted)	62 29	28 18	12 2	9	1	2						1	$\begin{bmatrix} 2 \\ \cdot \end{bmatrix}$	3	3	7 2		38
134 135 136 137	Calculi of urinary passages Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess, etc Diseases of prostate.	5 4 2 67	3 1 43	1	2 2 2 14									1		1	, 3 . 1 . 1		3 1 52
138 139a	Diseases of prostate Diseases of male genital organs, not specified as venereal Cysts of ovary		1 4 4	10	14								1		<u>i</u>		. 1		1 1
139b 139c	Other diseases of ovaries, diseases of tubes and parametrium Diseases of uterus	. 11	9 5		2 3								1					1	3

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

,			IN CI	ries—				·			D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 Years	54	55 to 64 years	65 years and over
	<u> </u>				coro	RAD	O-Co	ntinu	ed				•		!		1	<u> </u>	
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	131	66	18	47								15	28	49	38	1		
140 141	Abortion with septic conditions	30 11	19 5	6	5								3	8	13	6			
142a 142b	Ectopic gestation, septic conditions specified Ectopic gestation, septic conditions not	1	1												1	6			
143	other accidents of pregnancy (hem-	4	3		1			- -						1	2	1			
144a 144b	orrhage not included) Placenta praevia Other puerperal hemorrhages	2 2 9	6		2 3								1	3	1 3	2 2			
145a 146 148	Puerperal septicemia and pyemia (abortion excluded)	29 21	11 5	4 5	14 11								2 5	8 5	12 5	7 6			
149	as septic) Other accidents of childbirth	4 18	2 12		2 6								1 2	1	2 6	8	<u>-</u>		
	XII.—Diseases of the skin and cellu- lar tissue	20	14	4	2	3	2					1			2	3	1	5	3
151 152 · 153	Furuncle, carbuncle	12	9	3		1 2	2					ī			<u>2</u> -	2		1 2	<u>ī</u>
	of cellular tissue XIII.—Diseases of the bones and or-	6	3	1	2											1	1	2	2
154 155	gans of locomotion Osteomyelitis	16	8	5	3	2		1		1		2		1	3		1	$\frac{2}{2}$	<u>3</u>
156	excepted) Diseases of joints, other organs of locomotion	2 2	1		2									1			1 2		
	XIV.—Congenital malformations	108	49	12	47	100	5	1	1					1					
157a 157b 157c 157d	Congenital hydrocephalus Spina bifida and meningocele. Congenital malformations of heart Other congenital malformations	13 7 61 27	5 6 23 15	7	4 1 31 11	9 7 60 24	4 1	1	1					1					
	XV.—Diseases of early infancy	514	217	64	233	514													
158 159 160 161	Congenital debility Premature birth Injury at birth Other diseases peculiar to early infancy.	29 334 80 71	12 132 39 34	4 48 7 5	13 154 34 32	29 334 80 71													
162	XVI.—SenilityXVII.—Violent and accidental deaths.	89 1, 293	39 576	5 157	45 560	32	25	19	19	8	46	32	103	94	164	150	104	151	89
100	Suicide	257	136	23	98			19	19	8	40	1	5	22	35	159 49	53	151 53	271 38
163 164 165 166	By solid or liquid posions or by absorption of corrosive substances By poisonous gas By banging or strangulation By drowning	54 23 34 1	36 14 16	4 1 4	14 8 14								1	9	9 2 3	14 7 5	6 6 8	11 4 10	4 3 8
167 168 169	By firearms By cutting or piercing instruments_ By jumping from high places	129 8 4	60 5 4	14	55 3							1	4	12	17 3 1	19	28 3 1	27	20 2 1
170 171 173 174 175	By crushing By other means Homicide By firearms By cutting or piercing instruments By other means Accidental, other, or undefined Attack by venomous animals	1 3 85 56 12 17 951	1 45 33 5 7 395	10 5 2 3 124	18	32	25	19	19	8	1 1 45	30	4 4	12 4 3 5 60	23 17 2 4 106	1 17 13 3 1 93	1 12 7 3 2 99	1 11 8 1 2 87	4 2 2 229
177 178 179	Poisoning by food	3 8 21 3	2 1 10	1 6 1	6 5 2					1	1	1	1	1 1	ī	4	1 3 1	3 4	1 5
180 181 182 183	(gas excepted) Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation Supplemental Drowning Supplemental	17 26 55 1 21 1 62	9 5 29 8	5 10 5	8 16 16 1 8 1 46	1 1 1 17	2 4 3	2 2 4	2 6 3	1 4	3 3	2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 3	1 2 7	1 2 7	2 3 5 1 - 1 - 1 - 4 1	2	7
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or piercing instruments (wounds of war ex-	34	10	5	19						3	4	6	2	7	7	4	1 -	
186a 186b	cepted). By fall. Supplemental. By crushing landslide Supplemental.	12 183 - 37 - 6 64	5 117 12 2 23	3 14 5 1 9	4 52 20 3 32	1 1 .	1 1	1			2 4 3	5 1	1 7 3 2 9	1 2 7	6 2 1 12	1 4 1 1 9	4 9 5 2 7	1 16 7 6	131 8

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	fies—				***************************************			D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 ylears	54	55 to 64 years	65 years and over
					COLO	RAD	O—Co:	ntinue	đ			,							
	XVII.—Violent and accidental deaths—Continued							_											
188 190 192 193 194a 194b	Accidental, other, or undefined—Con. Injuries by animals Excessive cold Lightning Due to electric currents Supplemental Foreign bodies Other accidents Supplemental Legal executions	7 10 9 3 8 34 314	1 2 4 4 9 135	3 2 1 9 32 2	5 5 10 3 3 3 16 147	1 5 2	3	1 2	1 5	1		1 1 2 6	1 3 3 4 36	2 1 2 31	1 2 1 3 55	1 1 1 4 42	1 2 1 2 1 3 34 1	2 2 40	2 4 1 1 7 46
100	XVIII.—Ill-defined causes of death		31	1	17	15	1	2			2			1	2	6	. 7	3	10
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or unknown	1 5 43	30	<u>1</u>	1 4 12	1 1 13	1	2			2			1	1 1	6	7	3	3 7
Punch symbol 201 202 205 206 207 208 209 210 211 212 214	Accidents in mines and quarries. Accidents from agricultural machinery Other machinery accidents. Railroad and automobile collisions. Other railroad accidents. Street car and automobile collisions. Other street car accidents. Automobile accidents (primary). Motorcycle accidents. Other land transportation accidents. Air transportation accidents.	41 3 7 10 36 4 6 284 4 26 3	4 1329255 134262	5 1 2 5 	32 2 3 6 22 2 1 123 2 14	2 1	2	2	4	1	11 3	1 7	1 2 7 31 2 4	1 1 4 30 2 2	14 2 3 4 1 46	10 1 2 1 4 2 31 1 1	11 1 5 1 29	3 2 3 5 2 36 2	1 5 5 5 50
					co	NNE	CTIC	OT.				٠.						_ ,	
	Total deaths (all causes)	<u> </u>	11, 915	394	4, 653	1, 173	145	62	54	40	200	166	275	336				3, 068	7, 342
1 2 7 8 9 10 11a 11lb 13 15 16 17 18 220 22 23 24 25 26 27b 28 29 30 31 32a 32b, c 36 39	I.—Infectious and parasitic diseases. Typhoid fever	1, 385 9 11 20 23 44 17 150 67 22 22 9 14 14 11 68 834 739 34 20 5 7 1 155 8 11 129	946 6 9 21 1 16 109 47 1 16 7 11 14 55 525 453 28 17 3 3 1 1 1 5 1 1 1 5 1 1 1 5 1 1 1 5 1 1 1 5 1 1 1 5 1 1 1 1	29 	10 3 11 11 22 13 36 15 16 6 2 3 3 1 290 268 5 3 2 4 22 1	89 1 7 31 1 14 7 1 1 1 1 1 7 1 1 1 1 1 1	37 1 7 8 1 6 2 3 1 1	14	13 1 2 1 1 1 1 1 1 1 2 4 1 1 1	7	41 7 2 5 1 5 3 2 	36	73 1 2 3 3 61 54 2 1 1 1	115 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	188 2 1 7 3 1 1 1 1 1 1 1 1 1 1 1 1 1	213 4 1 13 4 1 1 2 1 1 148 149 149 149 149 149 149 149 149	193 1 1 14 3 4 1 137 128 3 1 1 137 128 27 2	172 	194

¹ See explanatory footnote 2, p. 169. 69301—35——14

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

[IN CI	ries—							D	EATHS	BY AG	·E			<u> </u>		
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	24	25 to 34 years	44	54	55 to 64 years	65 years and over
				C	ONNE	CTIC	UT-	Contin	ued		·	·			,	<u> </u>			
	II.—Cancers and other tumors	2, 118	1, 524	40	554		1	1			4	4	15	9	40	152	374	561	954
(45)	Cancer and other malignant tumors Buccal cavity	63	1, 455 46	36 3	541 14						2	1	11	7	33	138	346 5	549 17	942
(45) (45) (46) (46) (46) (46) (46)	Pharynx. Esophagus Stomach and duodenum. Liver and biliary passages. Pancreas Other digestive tract and perito-	41 380 120 66	16 31 283 75 49	4 8	3 10 93 37 17								1 		5 1	2 22 4 4	7 60 18 11	6 12 98 36 21	39 13 20 193 61 30
47 48 49 50 51 52 53 54a 54d,e 55d,e	neum. Respiratory system. Uterus. Other female genital organs. Breast. Male genitourinary organs. Skin. Other or unspecified organs. Nonmalignant tumors, ovary. Nonmalignant tumors, other organs. Tumors, uterus. Tumors, uterus (nature unspecified)	361 92 219 54 231 144 47 195 5 22 22 32	259 70 159 45 159 97 26 140 4 19 25	4 1 7 2 5 	98 21 53 7 72 42 21 53 1 1 6		1	1			2	1	1 6	1 1 1 3	4 3 4 6 2 8 1 1 2	19 11 30 6 22 5 1 10	43 15 63 13 61 13 4 33 3 11	98 32 55 23 66 29 5 51	195 33 66 6 76 94 35 81
550,6	fied) III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other gen-	26	20	1	5						1		1	1	3	3	10	1	6
56 57 59 62	eral diseases Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus	24 10 452	17 7 347	11 1 8	119 6 3 97	16	1	1	1		5	5	2	11	14 1 1	34	62	3	254 2 8
62 63 65 66a 66b	Pellagra Rickets Diseases of pituitary body Simple goiter Exophthalmic goiter	3 1 1	2 1 3		1 1	1					4	2	3	5 1 1	4 1 	15 1	52	129	238
(66) 67 68	Other diseases of thyroid and para- thyroid glands. Diseases of thymus gland. Diseases of adrenals (Addison's disease not specified as tuberculous).	5 18	29 3 15	1	2 2 3	1 13	 1	1				 1	1 2	1	7	10	5 2	5 1	3
69	Other general diseases IV.—Diseases of the blood and blood- making organs	9 2 143	104	5	4 34	1 5	1		1	3	6	4	4	2 9	7	3 14	20	39	2
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Pernicious anemia. Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease). Diseases of the spleen. Other diseases of blood and bloodmaking organs.	10 38 6 49 30 5	10 22 4 37 21 5	3 1 1	13 1 11 9	3	1		1	1 2	5 1	2	1 3	2 5 2	1 4	2 8 4	1 5 6 6 1	3 14 2 7 10 1	30
	V.—Chronic poisonings and intoxications————————————————————————————————————	60	44	2	14										5	14	22	11	7
75 77a	Alcoholism (acute or chronic) Chronic lead poisoning VI.—Diseases of the nervous system	56 4	41 3	2	13 1										4 1	14	20 2	11	6 1
78 79a 79b	and of the organs of special sense	1, 625 8 22 2	1,086 8 19 1	41	498	17 4	14 1 5	1 1	6	1	14 1 1	10 1 1	13 1 1	10	33	78	174 1 1	329 1	922
80 81 82a 82b 82c 82d	Progressive locomotor ataxia (tabes dorsalis). Other diseases of spinal cord. Cerebral hemorrhage. Cerebral embolism and thrombosis	16 32 1, 255 86 3	11 19 835 51	33 4	5 13 387 31 3	1	1 1 1				1		2	1 2 1	10	1 1 4 34 3	4 3 128 7	6 9 267 18	5 11 812 56 3
83 84 85 86 87 88 89a 89b	Hemiplegia and other paralysis, cause unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age) Other diseases of nervous system	12 45 8 31 9 44 2 28	8 28 5 16 6 30 2 25 22	1 1 1	3 17 3 15 2 13	2 5	3 1	1	1 2	1	1 1 1 4 4	1 2 4	5	4	4 2 7 2 4 2	1 15 3 4 5	1 15 4 6 2 2	3 6 3 1 8	7 5 2 2 1
	VII.—Diseases of the circulatory system	4, 676	3, 124	107	1, 445	2	1			3	11	19	30	32	67	207	480	911	2,909
90 91a 91b	Pericarditis	5 40 8	5 32 5	1	7 2					1	11	2	5	6	5	1 5	4	1 3	3 8

Table 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas and by age for the registration area and each registration state: 1932—Continued

=			IN CI	ties—							r	EATHS	BYA	GE					1
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
	•			C	ONNE	CTIC	or—	Conti	nued	<u> </u>	I	<u> </u>	<u>I</u>	·	<u> </u>	1	Į.	1	
	VII.—Diseases of the circulatory system—Continued																		
92a 92b	Endocarditis, specified as chronic, and other valvular diseases.	683	431	8	244						3	11	15	14	28	56	65	114	376
93a 93b	Endocarditis, unspecified (45 years and over) Acute myocarditis Myocarditis unspecified (under 45	71 112	50 61	4 10	17 41	1							1			6	8 14	14 26	49 64
93c	Myocarditis, unspecified (under 45 years). Chronic myocarditis and myocardial degeneration.	20 1, 410	12 925	1 31	7 454	1				1	2	 1	1	1 5	4 12	12 49	126	242	971
93d 94a 94b	Other diseases of myocardiumAngina pectoris	683 262 387	460 151 286	22 13 4	201 98 97										2 2	2 15	69 35 66 1	116 75 113	496 135 184
95a 95b 96 97	Functional diseases of heart Other and unspecified diseases of heart_ Aneurysm (except of heart) Arteriosclerosis (coronary arteries ex-	9 629 25	5 480 18	9	140 7						5	4	7	5	9	22 2 31 1	73 4	150 9	345 10
98 99	cepted) Gangrene Other diseases of arteries	281 9 23	160 6 19	3	118 3 4										1 2	1	5 6	29 3 7	246 5 7
100 101	Diseases of veins (varices, hemor- rhoids, phlebitis, etc.)	13	12		1												4	6	3
102 103	phangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	2 3 1	2 3 1				1									1 		<u>i</u>	1 1 1
	VIII.—Diseases of the respiratory system	1, 321	963	22	336	173	44	17	8	10	20	20	20	21	68	113	149	214	443
104a 104b 105	Diseases of nasal fossae and annexae Diseases of larynx	3 7 4 26 22 15 421	2 7 4	1		2 1 2	<u>i</u>				<u>1</u>	1			1	1	<u>2</u>		1
106a 106b 106c,d 107a	Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified. Bronchopneumonia.	26 22 15	15 14 5	1 5	11 7 10	7 4 109	1	1				1	1		1		1	3 3	13 16 10
107b 108 109	Capillary bronchitis	709 14	312 3 524 7	15	104 1 170	38	25 15	6 8	3 4	5 3 1	7 12	<u>4</u> 12	2 17	<u>4</u> 17	10 45	24 71 2	33 99	41 1 153	147 1 215
110 111a 111b	Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis Pulmonary congestion, edema, hemornhagic infarct	42 10	32 7		7 10 3	2 4	1 1	2		1					8	5 3	3	5 1	8 13 3
112 114	Other diseases of respiratory system	17 15	13 7		8	2						1			<u>2</u>	· 4	3	3 3	11 2
	(tuberculosis excepted) IX.—Diseases of the digestive system	986	11 780	28	1 178		21		11			1	28	107	1	2	3	1	3
115a 115b 116	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa_	40 17	36 16	1	4	3	1	7	3	1	29 4	15	3	17	59 3 5	106 6 4	164- 10 1	197 4 2	248 4 1
117a 117b	Ulcer of duodenum	1 63 27	1 47 19	1 2	15 6						1			1 1	<u>2</u>	8 6	1 17 2	19	<u></u> 15 8
118 119	Other diseases of stomach (cancer excepted) Diarrhea, enteritis (under 2 years of	20	12	2	6	2									1	5	2	4	6
120 121 1220	age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia	78 31 198	55 24 173 61 58 24 93 5 8	<u>6</u>	20 7 19 15	64	14	2 4	4 1	1 1	21	13	4 16	<u>1</u> 6	4 18	2 2 <u>4</u>	4 29	30 21 15	<u>-</u> 5 35
122b 123 124	Intestinal obstruction Other diseases of intestines	70 26	58 24	3	9 2 34	1 5	1 1		1 	 	<u>2</u>	i	1 2	4	3 1 4	5 7 2 17	10	15 4 34 3	5 35 34 22 10 51
121 122a 122b 123 124 125a 125b 126 127	Other diseases of liver Biliary calculi	198 76 70 26 132 11 10	5 8 73	5 1	5 2 16	1	1							1	1 1 6	3 5	29 11 10 5 25 1 2	3 3 27	. 30
	Other diseases of gall-bladder, biliary passages. Diseases of pancreas. Peritonitis, cause not specified.	53 20 21	41 16 18	1	11									1	4 2	5 5	9	15	19
129	X.—Diseases of the genitourinary system		j	41	4 3 470	7	3 2	1 2	2	1 2	1		1			2	5	2	3 2
130	Acute nephritis (including unspecified under 10 years)	1, 561 34	1, 050 24	2	8	3			1	Z	2	1	6 2 4	16	36	89 5	188	262	943
131 132	Nephritis, unspecified (10 years and	1,306 45	840 32	35 2	431 11			1			3	1	4	11	24	63 5	153 6	228 5	13 818 28
133 134 135	Other diseases of kidneys, ureters (puerperal diseases excepted)	37 18 12	30 17 11		7 1 1	2	2	1		2	1				1 2	7 2 1	6 4 1	3 8	12 2 10
137	Diseases of prostate	12 2 72	2 61	1	10											1	1 2	1 14	10 56
138 139a	Diseases of male genital organs, not specified as venereal	2 10	2 10			2									2	2	2	3	<u>1</u>
139b	Other diseases of ovaries, diseases of tubes and parametrium	13	12	1										2	3	3	5		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—							p	EATHS	BY A	3E		•			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	965 years and over
				CC	ONNE	CTIC	UT	Contin	ued										
	X.—Diseases of the genitourinary system—Continued.																		
139c 139d 139e	Diseases of uterus Nonpuerperal diseases of breast (cancer excepted) Other diseases of female genital organs	8 1 1	7		1									1		1	4 1		2
1090	XI.—Diseases of pregnancy, child- birth, and the puerperal state	114	92	6	16								4	14	56	39	1		
140 141	Abortion with septic conditionsAbortion without mention of septic	23	22	1									2	3	13	5			
142b	conditions (includes hemorrhages) Ectopic gestation, septic conditions not mentioned	7 4	4		3									2	3	4 2			
143 144a 144b	Other accidents of pregnancy (nemor- rhage not included) Placenta praevia Other puerperal hemorrhages	1 5 8	1 5 8												1 2 4	<u>-</u> - 3 4			
145a 146 147 148	Puerperal septicemia and pyemia (abortion excluded) Puerperal albuminuria and eclampsia. Other toxemias of pregnancy Puerperal phleemasia alba dolens, em-	23 16 5	17 11 3	1	5 4 2								<u>1</u>	3 2 1	11 8 3	8 5 1	1 		
149 150	bolus, sudden death (not specified as septic) Other accidents of childbirth Other and unspecified conditions of	1	3 13	2	1 1								<u>-</u> -	3	3 7	3 4			
	puerperal state XII.—Diseases of the skin and cellu- lar tissue	25	20		5	1		1			1	1		2	2	7	2	2	6
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and	10 10	8 8		2 2	<u>i</u> -						<u>-</u>		1 1	2	1 4	1	1	4
	of cellular tissue XIII.—Diseases of the bones and or-		4		1			1	-							2	1		1
154 155	gans of locomotion Osteomyelitis	27	19	1	1	3	3 2	$-\frac{2}{2}$		1	1	3 2	1		3	$\frac{3}{3}$	1	1	2
156	excepted) Diseases of joints, other organs of loco- motion	2 4	1 4		1		1				1	1			1				1
	XIV.—Congenital malformations		137	4	43	166	2	2	3	1	2		1	1	2	2	2		
157a 157b 157c 157d	Congenital hydrocephalus. Spina bifida and meningocele Congenital malformations of heart Other congenital malformations.	29 25 85 45	25 14 59 39	3	10 23 6	26 23 76 41	1	2 	1 1 1	1	2		1 	1	2	1 1	2		
158	XV.—Diseases of early infancy	597 30	491	20	86	597 30													
159 160 161	Premature birth Injury at birth Other diseases peculiar to early infancy	341 156 70	283 128 58	11 5 3	7 47 23 9	341 156 70													
162	XVI.—Senility XVII.—Violent and accidental deaths	46 1,482	27 1,040	36	19 406	10	16	11	10	6	56	 45	72	78	169	187	233	1 220	45 367
163	Suicide By solid or liquid poisons or by absorption of corrosive sub-	335	219	8	108	10						2	10	12	46	58	83	69	54
164 165 166 167 188 169 170 171 173 174 175 177 178 179 180 181	stances By poisonous gas. By hanging or strangulation By drowning By firearms By cutting or piercing instruments By jumping from high places. By crushing By other means. Homicide. By firearms By cutting or piercing instruments By firearms By cutting or piercing instruments By other means. Accidental, other, or undefined Poisoning by food Absorption of poisonous gas. Other acute accidental poisonings (gas excepted) Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation. Drowning Supplemental	51. 829 63 17 6 7 2 2 48 9 15 1,099 6 47 23 24 37 5 2 80 21	38 61 50 12 31 13 6 6 2 2 34 15 7 7 7 7 7 8 7 8 16 29 5 16 29 17 18 18 18 18 18 18 18 18 18 18 18 18 18	1 27	10 17 28 16 32 4 1 1 13 9 2 2 285 1 10 5 7 8	3 7	16			6	56	1 1 1 1 1 2 2 1	1 2 2 5 1 60	3 2 1 4 4 	10 13 11 2 7 	11 12 14 6 10 1 1 13 5 3 5 116 1 12 4 4 4 4 4	9 23 19 6 15 7 1 3 10 8 2 140 13 4 3 3 2	9 22 15 6 11 5 1 2 147 1 7 6 5 5	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	TIES—							I	EATHS	BYA	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				C	ONNE	CTIC	UT—	Contin	ued										
	XVII.—Violent and accidental deaths—Continued.																		
184 185 185 186a 186b 188 190 191 192	Accidental, other, or undefined—Con. Traumatism: By firearms (wounds of war excepted) By cutting or piercing instruments (wounds of war excepted) By fall Supplemental By crushing, landslide. Supplemental Injuries by animals. Excessive cold.	3 283 40 - 7 84 1 3	8 226 31 4 63 1	9	2 48 9 2 20 2	1 	2	1		1	1 3 2: 7 1	1 1 1	1 8 2 6	3 9 1 4	2 11 8 2 8	6 6 1 17	2 1 24 6 1 17	26 5 16	.197 197 1 1 5
191 192 193 194a 194b	Excessive heat. Lightning. Due to electric currents. Foreign bodies. Other accidents. Supplemental	2 11 5 48	5 3 30 251	1 1 13	2 5 2 18 92	4	2 3	1	4	3	1 2 2 25	1 3 2 15	2 23	2 3 28	4 2 48	1 9 37	1 7 45	1 3 65	14 59
199 200a 200b	XVIII.—Ill-defined causes of death Sudden death Cause of death ill-defined Cause of death not specified or un-	52 12 21	33 7 16	1	18 5 5	9 3 3	2			1				1		6 1 2	8 4 3	7 1 4	3 .6
Punch symbol 2002 2003 2005 2006 2007 2008 2009 210 211 212 213 214	Supplemental Accidents from agricultural machinery Elevator accidents Other machinery accidents Railroad and automobile collisions Other railroad accidents Street car and automobile collisions Other street car accidents Automobile accidents (primary) Motorcycle accidents Other street car accidents Automobile accidents Automobile accidents Other land transportation accidents Water transportation accidents Air transportation accidents	19 1 5 9 6 28 3 6 409 6 7 21 5	1	1 13	104 4 11 12 4	3	5 	1	1 3	3	5 1 27	1 15	1 27 1 27 1 5	1 2 1 34 2 1 2 1	1 2 4 1 51 1 1 6 4	1 1 4 1 1 54 1	3 1 6 1 3 53 1 1 5	2 	. 7 1 1 2 2 2 : 58
	Total deaths (all causes)	3, 178	1, 490	255	1, 433	288	33	14	14	13	38	35	42	75	157	232	335	543	1,356
ļ	I.—Infectious and parasitic diseases	293	122	20	151	22	10	6	7	6	6	6	12	28	36	33	44	32	45
18 20	Typhoid fever Typhus fever Scarlet fever. Whooping cough Diphtheria Influenza, respiratory complications specified Influenza, respiratory complications not specified Dysentery. Erysipelas Acute poliomyelitis, acute polioen- cephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malig- nant pustule.	3 1 6 16 12 27 17 2 3 2 2	1 1 3 6 3 14 10 1 2 1 2	1 2 1 3	1 3 8 8 10 7 1 1	2 1		2 1 2	1 3 1	2	1 2 2 2	2	4	2 1	1	4 1 1	2	1 3 1	8 8
21 22 23 24	Rabies. Tetanus. Tuberculosis (all forms)	1 4 171 151	3 62 49 3	10	1 99 92 2	6 2 3		1	1	1 1		1 2 2	7 7	20 19	1 30 26	22 22	1 33 32	24 21	24 20
25 26 32a 32b,c 34 35 36 43 44	Intestines and peritoneum Vertebral column Acute disseminated tuberculosis Other disseminated tuberculosis Syphilis Gonococcus infection and other vene- real diseases Purulent infection, septicemia (non- puerperal) Mycoses Other infectious and parasitic diseases	11 1 1 2 19 1 1	7 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	4 1 6 1 2 1	3 -		i	1 -				1		1 .	2	1 - 1 - 1 - 1	3	2
	II.—Cancers and other tumors	303	144	24	135		<u></u>		1						13	23	40	85	141
(45) (45) (46)	Cancer and other malignant tumors Buccal cavity Pharynx Esophagus e explanatory footnote 2, p. 169.	291 13 3 7	134 7 1 4	24	133 6 2 2					[-		-			10	20	36 1	85 5 1 2	139 7 2 4

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			in ci	ries—							D	EATHS	BY AG	}E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
					DELA	WAR	E—Co	ntinue	ed.		,		·	•		,		,	
(46) (46) (46)	II.—Cancers and other tumors—Con. Cancer and other malignant tumors— Continued Stomach and duodenum Liver and biliary passages. Pancreas.	58 30 7	24 12 3	3 6 1	31 12 3										1	1 1	6 4	21 8 1	30 16 6
46) 47 48 49 50 51 52 53 54b 54d,e 55d,e	Other digestive tract and peritoneum. Respiratory system. Uterus. Other female genital organs. Breast. Male genitourinary organs. Skin. Other or unspecified organs. Nonmalignant tumors, uterus. Nonmalignant tumors; other organs. Tumors, other organs (nature unspecified).	37 22 9 13 7	20 10 17 2 16 12 6 6 1	7 1 1 1 3	13 4 22 3 14 9 8 4 1										2 6 1	3 1 6 1 3 3 1	2 3 6 3 4 3	7 4 12 3 14 2 2 3	19 6 10
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases.	79	40	8	31	8	1			1	2	1		1	4	4	8	24	25
56 57 59 60 62 63 66b 67	Acute rheumatic fever Chronic rheumatism, osteoarthritis. Diabetes mellitus. Scurvy Pellagra. Rickets. Exophthalmic goiter Diseases of thymus gland.	54 1 1 1 6	27 1 1 1 2 5	5 1 2	4 2 22 3	1									2 1 1	3	5 2	22	1 2 22
01	IV.—Diseases of the blood and blood- making organs		12		2	2					2					1	1	1	7
70 71a 72a 72b 73	Hemorrhagic conditions Pernicious anemia True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen V.—Chronic poisonings and intoxica-	4 5 1	3 2 5 1 1		2	2					1					1	1	1	3 4
75	tions	9	4		5											1	6	2 2	
10	VI.—Diseases of the nervous system and of the organs of special sense	348	140	25	183	4	1	1			3	1	2	1	5	18	31	59	222
78 79a 80 81 82a 82b 82d	Encephalitis (nonepidemic) Simple meningits Progressive locomotor ataxia (tabes dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Hemiplegia and other paralysis, cause	1 2 1 2 284 13	1 1 1 117 6	22 1	1 145 6	1					i		1	1		11 1	24 1	1 51 4	1 1 1 197 7
83 85 86 87 89a 89b	unspecified	10 9 8 1 8 8	2 1 1 4 5	1 I	9 7 7 4 2	3	1	1			1	1	1		1 1 2	2 4	3 2	3	9 , 1 5 1
	VII.—Diseases of the circulatory system.	732	347	47	338	5				1	3	7	4	2	17	41	68	137	447
90 91a 91b 92a	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45 years) Endocarditis, specified as chronic, and	4 10 4	4 6 3	10	1	2					1	1			1 3	1	1	2	1
92b 93a 93b	other valvula, diseases. Endocarditis, unspecified (45 years and over). Acute myocarditis. Myocarditis, unspecified (under 45 years).	174 10 9	83 2 4	10 <u>1</u>	81 8 4					1	1	4	1	1	6	15 1 1	15 2 1	35 2 1	95 6 5
93d 94a 94b 95a 95b 96	Chronic myocarditis and myocardial degeneration. Other diseases of myocardium Angina pectoris. Diseases of coronary arteries. Functional diseases of heart Other and unspecified diseases of heart Aneurysm (except of heart).	236 75 30 29 1 88 4	120 32 4 20 45 4	16 4 2 2	100 39 24 7 1 36	1						1		1	2	8 1 1 2	19 7 3 3 3	43 15 12 2 1 19	162 52 14 22 45
97 98 99 101	Arteriosclerosis (coronary arteries excepted) Gangrene Other diseases of arteries Diseases of lymphatic system (lymphangitis, etc.)	48 7 1	16 3 1	5	27 4	 1 1										ī	3	7	38 5 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

=-	,	-	IN CI	ries—				*			I	EATHS	BYA	GE	 5	 "!		<u> </u>	= ===
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	34	35 to 44 years	54	64	65 years and over
			<u>!</u>	:	DELA	WAR	E-Co	ntinue	d.	<u>!</u>	i	l	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		0.00
	VIII.—Diseases of the respiratory system	289	144	20	125	60	12	5	2	3	5	2	3	4	11	23	20	37	- 102
106a 106b 106c,d	Acute bronchitis	2 4 3	1 1 2		1 3 1	1 2													1 4
107a 107b	Bronchopneumonia Capillary bronchitis	129	55	6	68 1 44	45 <u>12</u> -	9	4	1 	2	1	2		2	2	4	12	10	35 1 49 1
108 109 110	Lobar pneumonia Pneumonia, unspecified Pleurisy	4 3	69 1 3	1	2		3 	1	1 	1	2 2		3	1 1	9	16	5 <u>1</u>	23	1
111a 111b	Pulmonary embolism and thrombosis Pulmonary congestion, edema, hem- orrhagic infarct	5 7	5		1 2											1	1 1	2 1	2 4
112 114	AsthmaOther diseases of respiratory system (tuberculosis excepted)	2	1	1	1											1	1	1	. 2 1
	IX.—Diseases of the digestive system	211	107	25	79	36	6_		1		5	7	1	5	8	25	36	34	47
115a 115b 117a	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa Ulcer of stomach	5 2 11	3 1 6	1 2	1 1 3						1			1	1	 5	1 1 3	<u>1</u>	2 1
117b 118	Ulcer of duodenum Other diseases of stomach (cancer excepted)	6 11	3 5	1	2 6	 				 						2	3	3	1
119 120	Diarihea, enteritis (under 2 years of age) Diarrhea, enteritis (2 years and over) Appendicitis	41 15	12 8		29 7	35	6		<u>-</u>			<u>2</u> -			<u>-</u> -	<u>-</u> -	<u>-</u> -	1	7
121 122a 122b	HerniaIntestinal obstruction	30 14 14	20 10 9	6 1 2	3 3						3	4	1	1 1	4	4 1 2	5 1 3	7 5 4	1 7 · 4
123 124 125a	Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver Other diseases of liver	2 21 1 3	11	1 2 1	1 8									ī		3	8	3	7
125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary	3 11	7	3	1						1			<u>î</u>	1	2	· 4	1	$\begin{pmatrix} 1\\2 \end{pmatrix}$
128 129	passages Diseases of pancreas Peritonitis, cause not specified	18 1 5	10	4 1	4 1 4	1						1			 1	3	4 1	8	3 1 1
120	X.—Diseases of the genitourinary system	393	180	36	177	1					1	1	3	5	7	6	38	82	249
130 131	Acute nephritis (including unspecified under 10 years)	7 334	6 145	31	1 158	1							<u>i</u>	<u>I</u>	1 2	1 5	2 29	1 72	1 224
132 133	Chronic nephritis Nephritis, unspecified (10 years and over) Other diseases of kidneys, ureters	26	16	1	9										·ı		5	6	_ 14
134 135 136	Other diseases of kidneys, ureters (puerperal diseases excepted)	6 2 1	1 1	2	3 ·1 1						1	1		1	1		1	2	1 1
137 139a	etc Diseases of prostate Cysts of ovary	1 8 2	1 5 1	<u>1</u> 1	2										<u>-</u>		 1	<u>1</u>	1 7
139b	Other diseases of ovaries, diseases of tubes and parametrium	6	4		2	- -					=-		2	3	1				
140	Abortion with septic conditions	35 7	19	8 1	8								3	5 1	<u>17</u>	9	1		
141 142a	Abortion without mention of septic conditions (includes hemorrhages) Ectopic gestation, septic conditions	2	2												. 1	1			
144a 144b	specified	2 2 2	2 <u>1</u>	1	<u>1</u>								1	i	1 1 1	1			
145a 146	Puerperal septicemia and pyemia (abortion excluded)	4	3 4	1 3	3								 	2	3 3	1 3	1		
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens, embolus, sudden death (not speci-	ĩ			ĭ									ĩ					
149	fied as septic) Other accidents of childbirth	1	1	1	2										3 1	1			
151	XII.—Diseases of the skin and cellu- lar tissue	6 2	2	1	3											1	2	2	1
152 153	Phlegmon, acute abscess. Other diseases of skin and annexa, and of cellular tissue.	2	2	1	1											1		1	ī
	XIII.—Diseases of the bones and organs of locomotion	4	- 3		1												2	- 1	1
154 155	Osteomyelitis Other diseases of bones (tuberculosis excepted)	3	2		1												2	1	ī
157a	XIV.—Congenital malformations——Congenital hydrocephalus	25	17 2	1	7	24						1							
157c 157d	Congenital malformations of heart Other congenital malformations	19 4	13 2	1	6 1	18						1							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—							D	EATHS	BY A	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	64	years
•					DELA	WAR	EC	ntınu	ed			٠				-			
	XV.—Diseases of early infancy	120	64	8	48	120													
158 159	Congenital debility	11 83	5 44	7	6 32	11 83													
160 161	Injury at birthOther diseases peculiar to early infancy_	. 83 13 13	8 7	i	4 6	13								.[
162	XVI.—Senility	25	10	1	14	 									-				2
	XVII.—Violent and accidental deaths	286	133	31	122	3	3	2	3	2	11	9	14	23	39	47	36	47	4
163	Suicide	60	30	4	26								1	2	9	10	11	19	
164 165	stances By poisonous gas By hanging or strangulation	8 16 7	6 12 1	1 1	1 4 5								1	1	2 4 1	2 4	$\begin{bmatrix} 1\\ 3\\ 1 \end{bmatrix}$	2 4 3	
165 166 167	By drowning By firearms	1 22 2	7	1	1 14										2	3	5	1 6	
168 169	By cutting or piercing instruments By jumping from high places Homicide	2 4 20	1 3 11	1	1 9							1	2		3	1	1 2	$\frac{1}{2}$	
$\frac{173}{174}$	By firearms. By cutting or piercing instruments.	12 4	3		8							i	í	2 1	3	5 4	2	1	
175	By other means Accidental, other, or undefined	206	92 92	27	87	3	3	2	3	<u>2</u>	11	8	1 11	17	27	$\frac{1}{32}$	23	1 26	3
177 178 179	Poisoning by foodAbsorption of poisonous gas Other acute accidental poisonings	7	4		3						1					7			
180	(gas excepted) Conflagration	3	2	2	1										1	1	<u>-</u>	1	
181 182	Burns (conflagration excepted) Supplemental Mechanical suffocation	11 5 3	7	2 	2 5 2	1	<u>1</u>	1	2		1	1	1		3 2		1 		
183	Drowning Supplemental	26 1	6	4	16 1					1	5		2	4	1	6	4	2	
184	Traumatism: By firearms (wounds of war excepted)	8	4	2	2						1	1	1	3	2				
186a	By fall	28 6	16 1	2 2	10 3							1			2 2	1	4	2	19
186b 188	By crushing, landslide Supplemental Injuries by animals	9	4 2		5								1	<u>î</u>	<u>i</u> -	<u>2</u>	· <u>î</u> -	$\begin{vmatrix} 1\\2\\1 \end{vmatrix}$	
190 191	Excessive cold Excessive heat	1 4	3	1	î		1											1 2	
193 194a 194b	Due to electric currents Foreign bodies Other accidents	1 1 8 i	1	<u>2</u>	1 3			;-					 	1			2		
1940	Supplemental	78	38	10	30	1	1	1	1	1	2	1 4	6	7	12	11	10	14	
199	XVIII —Ill-defined causes of death	6	2		$\frac{4}{1}$	3 1								1			2		
200a 200b	Cause of death ill-defined Cause of death not specified or un- known	3 2	2		1 2	2								1			2		
Punch symbol																			
206 207 210	Railroad and automobile collisions Other railroad accidents Automobile accidents (primary)	2 12 79	7 36	1 1 9	1 4 34								<u>i</u>	2	4	1	 <u>:</u> :-	3	
211 212	Motorcycle accidents Other land transportation accidents	1 2		<u>-</u> -	1 1		1		1	1	2	<u>4</u> I	6 1	6	11	12 	11 	13	
213 214	Water transportation accidentsAir transportation accidents	$\begin{bmatrix} 1\\2 \end{bmatrix}$			1 2										2	1			
											1	DEATH:	BYA	GE			<u> </u>	1	
List no.	CAUSE OF DEATH			(All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					STRIC	/T. ^~	T. 00	r r:> **	DY A		ļ							<u> </u>	<u> </u>
	Total deaths (all causes)		(Whi		5, 001	380	34		21	20	68	57	73	96	293	458	566	887	2, 026
			(Whi	ored ite=	2, 936 390	360	49 8	22 23 11	12	11 4	25	43	95	163 15	362 51	430 63	497	421 50	445 52
	I.—Infectious and parasitic diseases		···(Cold	ored	509	37	16		5	4	6	19	44	57	129	84	55	30	14
1 2	Typhoid feverParatyphoid fever			{W C	4 2 2			 1						2	2	1	1		
3 7	Typhus fever Measles			-W	1				<u>1</u>									1	
	Scarlet fever			(W	12	i	1	1		1	5	1	1	1.	2			1	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	`						=======================================		I	EATHS	BY AG	E			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
List no.	CAUSE OF DEATH		· All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
	, ,	OISTR:	CT O	F CO	LUM	BIA-	-Conti	nued						,			
	I.—Infectious and parasitic diseases—Continued																
9	Whooping cough	{\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	10 10	5 6 1	2 1	1 2											
10	Diphtheria	{W	11 6	1	1 2	3	2	1	3	1		 	1				
11a	Influenza, respiratory complications specified		37 15	1	ī					1		1	3		7	5	1
11b	Influenza, respiratory complications not specified		11 9	1 2 3	1	1 1							1		2	1	
13	Dysentery	{W C W	5 1	1									- -		1		
15	Erysipelas	\C	8 3 5	2	1		1		2							í	
16	Acute poliomyelitis, acute polioencephalitis	टेफर-	1 7								1		1		2	7	
17	Lethargic or epidemic encephalitis	1 C	2 12	1 3		3	1	1		2			1				
18	Epidemic cerebrospinal meningitis		2 5				ī		2					2	1		
22	Tetanus		7 219	2	1					3	2 9	12	1 35	1 48	56	31	2
	Tuberculosis (all forms)	{W C	383	2 9 2	10	5	2	4	6	15	40 6	49 11	110 34	69 44	40 54	14	2: 10 2:
23	Respiratory system		328	3	2		1	3	2	10	37 2	46	99	64	37	28 14	10
24	Meninges and central nervous system	737	18	2	3	3		1	2	2	ī	1	3				
25	Intestines and peritoneum	\C	11						2	1	2	1	3		2	2	
26	Vertebral column	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	3 3 2							1			2				
27b 28	Joints Skin and subcutaneous cellular tissue	\C	1 1	1													
30	Genitourinary system	/YX7	1											1			
32a	Acute disseminated tuberculosis	7337	5 19	3	5	2	1			1	1	1 7	1 3	2	1		
32b,c	Other disseminated tuberculosis				.		<u>-</u> -										
34	Syphilis	CTTT.		4 13						1	2	5	2 12	1 9 14	6 11	6	
35	Gonococcus infection, other venereal diseases	W	1						1				1				
36 44	Purulent infection, septicemia (nonpuerperal) Other infectious and parasitic diseases		1 1						3	1						Ĩ	
	II.—Cancers and other tumors		-				2		. 1		3	1	18	72	99	165	23
			178 570				2	1	1		2	1	11	62	94	162	23
	Cancer and other malignant tumors	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	164						į i			i	18	35	42	46	3
(45)	Buccal cavity	·{ <u>C</u>	5													3 3	
(45)	Pharynx	·{ċ w	1						ī					1		1	
(46)	Esophagus	·{ċ' w	. 3										1		1 16		3
(46)	Stomach and duodenum	·}C	32										2	5 7 2	16 7 1	21 12 13	3
(46)	Liver and biliary passages	·{ċ W	۱ ۶											3 2	1	4 8	2
(46)	Pancreas	}₩	107										3	. 1	3	2 35	4
(46)	Other digestive tract and peritoneum	·{Ö W	17										1	5 2	1 7	5 5	
47.	Respiratory system	} w	ไ ครั										3	10	18	17	1
48	Uterus	·\C	34						.				3	8	13	7	
49	Other female genital organs	\w	55										3	1	19	11	1
50	Breast	···-{C	13 62				1							3	5	3 18	3
51	Male genitourinary organs	}&	11												4	4	1
52	SkinOther or unspecified organs	·}&	5		.		1		<u>i</u> -		2	ī	1	17	3	17	1 3 1
53 54h	Nonmalignant tumors, uterus	·}&	20									1	4	3	7	2	3
54b 54d,e		·\G	5								 	 	1	3	1	<u>i</u> -	
55d,e			1 <u>6</u>								<u>i</u> -		2 2	6 2	2 4	2	
000,6	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases.	•	f	1 4	 I		2	1 	4	3 3	3	4 3	6 9	11 12	11 14	43 11	4
					ļ <u>.</u>		2			3	1		2	2		1	
56 57	Acute rheumatic fever	·{₩ C W	16 7 4						1	3			2			1 1	
57 59	Diabetes mellitus	/337	96								2	4 2	. 3	6 5	6 12	34 10	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

66a 66b (66)	CAUSE OF DEATH	All deaths	Un-	I	Ī		1									
66a 66b (66) 67 68	And the second s		der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
66a 66b (66) 67 68	DISTR	ict o	F CC	LUM	BIA-	-Conti	nued					<u>'</u>	/ -	<u>'</u>	,	
66a 66b (66) 67 68	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases— Continued															
66b (66) 67 68	Pellagra{C	1 6		-								2	4		-]
(66) 67 68	Simple goiter W Exophthalmic goiter $\{V_{C-1}\}$	- 1 - 13		-								1	3	2	1 5	
67 68	Other diseases of thyroid and parathyroid glands $\left\{ \begin{array}{l} W_{-} \\ C_{-} \end{array} \right\}$			-							1	1	2	2]
69	Diseases of thymus gland	2 2	1	1									1	1		
į.	Other general diseases $\begin{array}{c} W \\ C \end{array}$	- 3	1 2											î	1	
	IV.—Diseases of the blood and blood-making (Whiteorgans	47 16	3		. 1	1	1	1	1 2	1 2		4	9 3	7	8 2	10
70	Hemorrhagic conditions $\left\{ egin{array}{ll} W \\ C \\ \ldots \end{array} \right\}$	2 3	2							2						
71a	Pernicious anemia	- 17		_			1		1	- -		1	1	2	6	· · ·
71b	Other anemias	$\frac{1}{3}$	1				1									
72a	True leukemias $\left\{ egin{array}{c} W \\ C \end{array} \right.$	19			1	1		1	1	1		1	6	2	$\begin{array}{c c} 1 \\ 2 \end{array}$	4
72b	Pseudoleukemias (Hodgkin's disease) $$	6 2						-	1			1	$\frac{2}{1}$	3		
73	Diseases of spleen $$	2 3	2	-								1	<u>î</u> -		1 	
	$VChronic\ poisonings\ and\ intoxications \left\{\begin{matrix} White\\ Colored-\end{matrix}\right.$	10 7		-						1	1	1	4 3	2	1	2
75	Alcoholism (acute or chronic) $\{W_{C_{}}\}$	8 7									₁ -	1	3 3	$\frac{2}{1}$	1]
76	Chronic poisoning by other organic substancesW VI.— Diseases of the nervous system and of the White organs of special sense		9	4	1	1	1	9 2	12	4 2	6	10 14	23 31	54 60	94 71	253 56
78	To a superior of the superior	. 5		2					1			1		1		
	Encephalitis (nonepidemic) C	19	3					3	6	1 1	2 	1 2		2	1 1	
79b	Nonepidemic cerebrospinal meningitisW.	. 1	2						i			1 		2		
,	Progressive locomotor ataxia (tabes dorsalis) $\left\{\begin{array}{c} W \\ C \\ W \end{array}\right\}$	6 3												1 ;-	2	
	Other diseases of spinal cord W	. 10							;- ;-		2		1 10	1 1 29	1 1 69	901
82a	Cerebral hemorrhage	311 151						1	1			4	13	37	52 10	201 45 22
82b	Cerebral embolism and thrombosis $\left\{ egin{array}{ll} W - & & & \\ C - & & \\ \end{array} \right\}$ Softening of brain W	39									ī	1	3	5 5	2	22
	Hemiplegia and other paralysis, cause unspecified $\begin{bmatrix} W \\ C \end{bmatrix}$	6 12 5											1	2	2 1	9
83	General paralysis of insane	16										2 5	3	7	1	,
85	Epilepsy	9 5								î	i	1 2	11 2	8 3 1	1	í
86	Convulsions (under 5 years of age)	. 1	1	1			1	1						2	4	
	Other diseases of nervous system $\begin{bmatrix} W \\ C \end{bmatrix}$.	5						î					1	$\frac{2}{1}$	î	
	Diseases of ear	. 14	4 2		1			2	3				2	î		
89b	Diseases of mastoid process	3 15 5	1	_ 1		1		2		2		3	2	2	1	2
	VII.—Diseases of the circulatory system	1, 331 587	3	1		1	2 3	6	8	4 2	9	38 44	71 83	130 141	263 130	796 170
90	Pericarditis $\left\{ egin{array}{ll} W & C & C & C \\ \end{array} \right.$	4 7					,	1	1			2	3	2		1
91a	Acute endocarditis $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \end{array} \right\}$	17 12					2	1	$\frac{1}{2}$	1	1	3	5 2	1 2	2]]
91b	Endocarditis, unspecified (under 45 years)	2 4						1				2 1 3				<i>.</i>
92a	Endocarditis, specified as chronic, and other valvular dis-{W_eases	211 82	1					2	4 1	3	1	20 13	11 15	20 20	43 11	106 21
92b	Endocarditis, unspecified (45 years and over) $W = \{ W : \{ C : \} \}$. 19												2 3	5	21 12 2 5
	Acute myocarditis	5 12 14	1			1						3	3 2	1 3	2 4	
93b	Myocarditis, unspecified (under 45 years) $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \end{array} \right.$	30								1	4 2	6 11	20 25			
93c	Chronic myocarditis and myocardial degeneration $\left\{ egin{matrix} W \\ C_{} \end{array} \right\}$	307					1		1		1 3	3	9 20	28 35 35	51 37	216 33
93đ	Other diseases of myocardium $W_{C_{-}}$. 286 . 95												35 31	81 31	170 170 33
	Angina pectoris	66										1	4 2	7	22	33 32 2
94b	Diseases of coronary arteries	99										1	4 2 1	19 4	21 1	54 2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

									DEATHS	BY AC	⊋E					
List no.	CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 Jyears	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	DISTR	ICT O	F CO	LUM	BIA-	-Cont	inued		I					·	·	
	VII.—Diseases of the circulatory system—Continued															<u> </u>
95b	Other and unspecified diseases of heart $\left\{ egin{array}{c} W \\ C \end{array} \right.$	131 106	1				1	1	<u>-</u> -		2 3	4 6	10 7	11 30	23 23	78 34
96	Aneurysm (except of heart)	6										1	3	1 6	1	78 34 5 3
97	Arteriosclerosis (coronary arteries excepted) $ \begin{bmatrix} W_{} \\ C_{} \end{bmatrix}$	114 62	 										1	3 4	11 21	99
98 99	W		1											<u>-</u> -	1	9
100 101 102 103	Other diseases of the arteries	1 2 2 3 2							1				1 2	1	1	1 1 2
	VIII.—Diseases of the respiratory system $\{$ White $\{$ Colored.	412 369	52 90	10 23	5 9	5 3	3	5 4	5 2	9 7	8 24	32 51	47 42	40 46	50 33	141 34
104b	Diseases of nasal fossae and annexae	9 2	1						<u>î</u>		1	3		2	1	1
105	Diseases of larynx	1 10	2									1				8
106a	Acute bronchitis	. 9	2		1							1	2		4	1 6
106b 106c,d	Bronchitis, unspecifiedC	2 4	2		 							<u>-</u>	1	1	1	1
107a	Bronchitis, unspecified	162 177	37 73	6 20	4 7	3 2	2	1	1	3 2	11	9 14	12 10	12 13	17 8	50 14
107b 108	Capillary bronchitis	172	10	3	<u>-</u> -	<u>į</u>	1		3	5	4	15	25 25	21	27	56
109	Pneumonia, unspecified C.	. 6	7	2	1 	1		3	1	4	8	31	25 1 2	21	17	14
110	Pleurisy	8 12	1 1 3	1 1		1				1	1 1 3		4 2	4 3	2	1
111a	Pulmonary embolism and thrombosis	13										1		<u>i</u>	1	. į
111b	Pulmonary congestion, edema, hemorrhagic infarct	. 3 9 1														9
112	Asthma											1	3	1	2	7
114	Other diseases of respiratory system (tuberculosis ex-\W	. 6	1							1	1	4 3	2	1 2 2		
	$IX.$ —Diseases of the digestive system.——{White{Colored}}	338 173	52 34	7 4	2 2	2 2	2	8	10	6 7	11 12	25 13	32 25	43 38	58 17	80 15
115a	Diseases of pharynx, tonsils $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	20	1	1				1		1	2	4	i	3	4	4
115b	Diseases of buccal cavity and annexa	6 3	-					1			2	1		1 1	2	
117a	Ulcer of stomachC	11 17										1 2	1 4	8	3	2
117b	Ulcer of duodenum	14										2 3	4 2	2 2	4 3	2
118	Other diseases of stomach (cancer excepted)	6 8	1							1		2	1 2	2	2	1
119	Diarrhea, enteritis (under 2 years of age)	. 52	48 27	4 2												
120	Diarrhea, enteritis (2 years and over) $\left\{egin{array}{c} W \\ C \end{array}\right.$. 8								1		1	<u>i</u> -	3 8	1	5
121	Diarrhea, enteritis (2 years and over)	70 27		<u> </u>	1	2	2	5	8	3	3	9	9	1 5	8 4	10
122a	Hernia $\{ \overset{W}{\mathbf{C}}_{-}.$	10		1								1	1 1	3	12 12 2	10 3 11 3 12 12
122b	Intestinal obstruction $\{\overline{W}_{-}\}$	20	3 5	. 1	1				2 2	1	1 2	3 2	2	3	12	12
123	Other diseases of intestines	2 4									ī		2	1 1 8		
124	Cirrhosis of liver	34 13 3								2	1	ī	4	3	8	. 14
125a	\ <u>C</u> -	2 5										1	1	3		2
125b	<u> </u>	. 3						1			1		4	1 2	6	
126	Txr.	7 16						1				1	1 2	3 2	1 4	2
127	Other diseases of gall-bladder, biliary passages	2 3											1	1 2	Î Î	
128 129	Diseases of pancreas	. 3 5	1				-	ļ			1 1 1	1		2	1	·i
125	X.—Diseases of the genitourinary system{Colored_	-	1	 s-			- -	- <u>1</u>	1 1	2	4	16	36	39 57	91	291
			2	1		1		1		4	13	22	-		63	i
130	Acute nephritis (including unspecified under 10 years) $-\begin{cases} W - C_{C_{-}} \\ W - C_{C_{-}} \end{cases}$	18 29 365		1		1				1	4	4 9 7	12 21 20 3 6	2 6 26 37 7 6	4 3 77 48 3 7	227
131	Chronic nephritis	187 29 27	11		Į		.	1	1	Ī	2	l Ž	20 3 6	37	48	70

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

								r	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	64	years
	DISTR	ICT O	F CO	LUM	BIA-	-Cont	inued	·		<u></u>	'	, <u>.</u>			<u> </u>	
	X.—Diseases of the genitourinary system—Continued.												1			
133	Other diseases of kidneys, ureters (puerperal diseases/Wexcepted)	21 10 3	1 2					1	1	1	1	1 1	5 2 1	1 2	1	1
134	Calcul of utiliary passages	1 3														
135	Diseases of bladder (tumors excepted)	3 3											ï	1	1	-
136	Diseases of drethra, drinary abscess, etc	1										1		1	6	2
137	Diseases of prostate	7											2	1	3	[7
138	Diseases of male genital organs, not specified as venereal \C	6		}								1	2	3		
139a 139b	Cysts of ovaryC	4										2	ĩ		1	
	trium\C	23 2								2	10	4	6	1 2		
139c	Diseases of uterus	Ĩ											1	<u>-</u> -		
	XI.—Diseases of pregnancy, childbirth, and White——the puerperal state———————————————————————————————————	55 36								5 8	12 13	26 12	12 3			
140	Abortion with septic conditions $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right.$	10 6					 -			1 2	3 2	5	1			
141	Abortion without mention of septic conditions (includes hemorrhages)	3								_	-	2	1			
142b	Ectopic gestation, septic conditions not mentioned $\begin{bmatrix} W \\ C \end{bmatrix}$	2									$\frac{1}{2}$		î			
144a	Placenta praevia	$\tilde{1}$											1			
144b	Other puerperal hemorrhages W_{-}	8								1	1 2	4 1	1 2			
145a	Puerperal septicemia and pyemia (abortion excluded) $\left\{ \begin{array}{c} W \\ C \\ \end{array} \right\}$	13								2 2	2 1	5 3	4 1			
146	Puerperal albuminuria and eclampsia $\left\{egin{array}{c} W \\ C_{} \end{array}\right\}$	6										5	ī			
147	Other toxemias of pregnancy	4								2	5 2 1	2 1				
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	3								1		2				
149	Other accidents of childbirth $\left\{ \begin{array}{ll} W_{-} \\ C_{} \end{array} \right\}$	5 2								1	2 1	1	2			
	XII.—Diseases of the skin and cellular tissue{White	12 5	2							2	1	1	3	2 1	2	1
151	Furnnele, carbuncleW.	3									1		1 2			1
152	Phlegmon, acute abscess $\left\{ egin{array}{c} W \\ C_{} \end{array} \right.$	3	1							2		1	2 1	2 1	<u>i</u> -	
153	Other diseases of skin and annexa, and of cellular tissue $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	$\frac{1}{2}$	1									<u>-</u> -			1	
	XIII.—Diseases of the bones and organs of loco-{Whitemotion	7 3	1					1	1		1		1 1		3	
154	Osteomyelitis	3	1						1				1			
155	Other diseases of bones (tuberculosis excepted)	1 1									1		1			
156	Diseases of joints, other organs of locomotion $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$						1							3]
	$\textbf{XIV} \textbf{Congenital malformations} \begin{cases} \textbf{White} \\ \textbf{Colored} \end{cases}$	42 8	39 8	1					1	1						
157a	Congenital hydrocephalus $\left\{egin{array}{c} W \\ C \end{array}\right.$	8	7						1							
157b	Spina bifida and meningocele	1 7 16	7 14							<u>î</u> -						
157c	Congenital mattermations of neart{C	5 11	5													
157đ	Other congenital malformations $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	2	2													
	XV.—Diseases of early infancy	192 172	192 172													
158	Congenital debility $\{ egin{array}{c} W_{-} \\ C_{-} \end{array} \}$	6 11	6													
159	Premature birth	130 124	130 124													
160	Injury at birth	45 22	45 22													
161	Other diseases peculiar to early infancy	11 15	11 15													
162	XVI.—Senility White	14														14 7

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

					·		<u>: </u>	I	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	Un-						10 to	15 to	20 to	25 to	35 to	45 to	55 to	65
			der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19 years	24	34	44 years	54	64	years and over
	DISTR	ICT O	F CC	LUM	BIA-	-Conti	nued								l	
	XVII.—Violent and accidental deaths	462 250	3 4	4 3	2 3	4 1	7	16	8	20 18	30 24	65 55	74 51	65 37	61 16	103 21
	Swiaida (W	129						<u> </u>		2	13	25	24	28	24	13
163	By solid or liquid poisons or by absorption of corro- sive substances.	22 22 8 42								1 1	4 2	1 6 1	6 6 2	4 3 1	3 1 1	3 1 1
164 165	By poisonous gas	3 13								1	3	5	9 1 3	11 	9	5 1
166	By drowning	8								1		2	2	1	2 1	1
167	By firearms $\left\{ egin{array}{c} \egin{array}{c} arr$	28 9									4 2	4	2 2	$\begin{array}{c} \frac{1}{7} \\ \cdot \end{array}$	8 2	3
168	By cutting or piercing instrumentsW.	6 9											2	$\bar{2}$	1	į
169	By Jumping from high placesC	i									1	4	ī	2	1	1
170	By crushing W Homicide	1 24					 			1	2	9	8	3 8	1 1	<u>-</u> ,
173	D 6	90 13	1		1			1		10	13	37 4	16 6	2	2 1	1
174	W	50 2								7	6	22 1	10 1	4	1	
175	. (W	17 9	1							2 1	6 2	3	4	1		
110	(O	23 309	3	4	. 1	4	₇	1 16	8	1 17	1 15	12 31	2 42	3 34	1 36	1 90
178	Accidental, other, or undernead	138 15	3	3	2	1	ì	6	9	7	7	17	29 7	25 1	11 2	17 2
179	Absorption of poisonous gas \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	3 6							1				3	Ĩ	2	ī
	Other acute accidental poisonings (gas excepted) $\left\{\begin{array}{l} W \\ C \end{array}\right\}$	1 2		1									<u>1</u>	1		
180	Comagration	3	-,		2		<u>-</u>	3		2		1	ĵ	ī	3	1
181	Burns (conflagration excepted) C	21 13 2		1	ĩ			ĭ	î		1	1 2	3	1	1	2
182	Mechanical suffocation [W	3 1	2 1	1												
183	$\begin{array}{c} \{ \begin{matrix} C_{} \\ W_{} \end{matrix} \\ C_{} \end{array}$	10					1	ī			1	3	2	1		1
	Supplemental	15 3							1	3	2 1	2 1	5	1	1	
	Traumatism:	3										2	1			
184 185	By firearms (wounds of war excepted) C By cutting or piercing instruments (wounds of W	1 1 2 1							1 					1 2		
186a	By fall C	84					1	2	2	2	1	3	8	5	12	48
	C1	16 3		1							1	2	1	4		, 1
186b	By existing landslide	2 1							1					1		
	Cumplemental (W	32				2		4			4	7	1 3	3-	4	<u>5</u>
188	Injuries by animals	13 2						1	1	1		2	3	1	2	2
190 191	Excessive cold	1											1			
191	Excessive neat	î												 1	1	
193	Lightning	3		1					1			1	1			
194a	Totelgii boules(C	13						1	2	3		2		1 2		2
194b	O MOL WOOLDENS	5 105	2 1									1	1	1		23
100	$egin{array}{lll} & & & & & & & & & & & & & & & & & &$	47			1	2 1	3 1	4 4	3	10 3	7 2	11 3	13 10	19	10	9
198	XVIII.—Ill-defined causes of death{Colored	4 1 2					-				. 1	2	1			1
200a	Cause of death ill-defined $\mathbb{C}^{\mathbb{C}}$	$\frac{2}{1}$		1												<u>1</u>
Punch symbol	SUPPLEMENTAL 1	_		*								1		•		1
205	Other machinery accidents \\ \{\mathbb{W}_{-1}\} \\ \\ \mathbb{W}_{-1}\} \\ \\ \mathbb{W}_{-1}\} \\ \mathbb{W}_{-1	. 1										1				
207	C	1 2											1	1	-	
208	Street car and automobile collisions $\{V_{-}\}$	5									1	1	2	1		
209	Other street car accidents. \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2													1	1
210	(O	127 59	1			4	3	8 5	2 5	9	10 2	15 6	15 11	20 10	12 3	28 10
211 212	Motorcycle accidents W Other land transportation accidents W	1 4				-					<u>-</u> -	ĭ.	i-		·i	
213	Water transportation accidents. $\{ egin{array}{c} W \\ C \end{bmatrix}$	3									i	1 2	·i		Î -	
		9	-:-									· *	1			
1 Se	e explanatory footnote 2, p. 169.									•						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	TIES-				-			r	EATHS	BY A	GE	<u> </u>				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
						FLOI	RIDA					,		,	•	,			`
	Total deaths (all/WhiteCauses)(Colored	11, 287 7, 001	5, 021 2, 953	2, 234 1, 184	4, 032 2, 864	933 741	130 80	71 43	56 30	68 25	173 84	134 121	223 243	321 426	715 1, 003	875 1, 148	1, 228 1, 201	1, 800 872	4, 528 941
ĺ	I.—Infectious and parasi-{White tic diseases(Colored	1, 140 1, 528	439 669	236 290	465 569	66 107	36 24	21 18	23 7	26 6	51 31	28 48	29 96	61 184	127 349	165 257	139 202	152 113	215 81
1 3	Typhoid fever $\{egin{array}{c} W \\ C \\ \end{array}$	35 48 5	17 18 4	7 7	11 23 1			i			2 5 1	1 5	4 6	5 9	12 12	4 4	5 6 1	1	
7 8	Measles	7 4 5	1 1 2	1 3 1	5 <u>2</u>	1 1	2 1	1 		1 	1	1 2 1			1 1 1				
9	Whooping cough $\{C_{}\}$	1 17 14	1 3 4	5 3	9 7	15 10	1 2	1 1	i										
10	$\mathbf{Diphtheria}_{\mathbf{C}_{}}$	69 11	31 5	14	24 4	5 1	1 <u>1</u>	14 1	8 2	10 1	16 2	1		1	2	1	1		
11a 11b	Influenza, respiratory complica-\ C tions specified\ C Influenza, respiratory complica-\ W	173 157 98	60 62 36	2 36 20 16 17	77 75 46	11 11 5	5 6 2	1 5 1	2 1 2	2 2 1	3	10 1	13 3	6 14 3	13 30 6	26 22 10	16 17 7	30 11 9 17	52 12 48 18
13	tions not specified C	107 20 22	48 5 9	6 7	42 9 6	13 2 5	2 1 1	2	2		2	3	5	5 2 1	12 1 3	18 1 1	10 3 3 3	2 1	18 9 5
15 16	Erysipelas	15	9 3	2 2	4	3	1	 1	1 			12	1		1			2	
17	Acute poliomyelitis, acute polio-\\ C encephalitis\C Lethargic or epidemic encepha-	5 1			Ī	1													
18	litisW_ Epidemic cerebrospinal meningi-\s\f{W}	4 6 2	2 2 2	1 3	1	1		 -	1		3	1			1			1	
21	tisC	18	10	1 3	1 5	3	1	<u>-</u>		1	2	1 5	1		1	1	1		1
22	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 400 691	19 178 334	7 69 118	153 239	9 2 5	1 4 3	<u>-</u>	1	<u>4</u> 1	2 2 5	8 4 10	1 10 57	31 122	57 225	1 83 132	67 83	76 29	60 15 53
23	Respiratory system $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	361 650	152 307	63 114	146 229	4	2			1	1 2	9	9 51	28 118	53 220	79 124	63 78	70 25	53 14
24	Meninges and central nervous W- system	10 8 13	9 5 9	2	1 3 2	2 1	3	2		3	3		1	ī	3	1	2	1 3	3
25	intestines and peritoneumC	14	8 2	3	3		1						2	1	3	4		2	1
26 27a	Bones (vertebral column ex-\W_	1 2	1 	2									1	<u>i</u> -			1		i
27b 28	cepted)(C Joints Skin and subcutaneous cellu	1 2	$\frac{1}{2}$													1	Ĩ		
29	Lymphatic system (bronchial, mesenteric, and retroperito-	2	1		1								1				. 1		1
30	neal glands excepted)W Genitourinary system{C	1 5 1	3 1	1	1									1	<u>1</u>	1		. 2	1
31	Other organs	1		1	<u>1</u>											1			ī
32a 32b,c	Acute disseminated tubercu-\\W losis\C_ Other disseminated tubercu- losisC	5 10	3 7 1	1	2 2							1	1	2	ī	3	1	1	
34	losis	89 292	44 132	30 88	15 72	8 39	2	<u>1</u>	i		1	2	6	4 19	10 48	20 62	61	16 34	9 15
35 36	Gonococcus infection, other vene-\\ W real diseasesC Purulent infection, septicemia\\ W	6 11 15	5 8 5	1 5	1 2 5	1	<u>-</u>				<u>î</u> -		2	3	1 2 5	3 2 2		i	1 3
	(nonpuerperal)CC	132	16	1 30	3 86	1 8	3		5	5	13	1 4	1 3	10	1 13	15	13	14	26
38 40	Ankylostomiasis W.	114 3	18	16 2	80	6	1	2	1	1	7 1 2	7 1 1	4	10	9	14	21	17	14
42	Other diseases caused by hel-\W	9 7 4	1 2 4	Z	6 5		2	2	1	1	. 2	i -						1	<u>ī</u>
43 44	MycosesC	5 1 2			5 1 1	5	1						1		1				
	II.—Cancers and other White	1, 077 236	565 121	201 37	311 78		2	1	2	1	2	2 2	4 2	4 8	35 24	87 54	167 69	275 44	495 32
	Cancer and other malignant/W	1, 031	536	192	303		2	1	2	1	1	2 2	4 2	4 4	27 18	73 40	152 64	271 40	491 32
(45)	Buccal cavity	203 33 6	98 16 2	30 4 2	75 13 2			ī								2 2	6 2	8	16
(45)	Pharynx	13 4	7 3	5	. 1							1			1	.		2	9
(46)	Esophagus{C	8	4	3	1												1 20	1	4 95
(46)	Stomach and duodenum $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	178 47	86 25	34	58 20									1 2	3 2	8 6 2	12	18 22	6
(46)	Liver and biliary passages	. 8	36 17	17 2 3	31 6 5				1							1	. 3	2 9	45 3 11
(46) (46)	Other digestive tract and W	142	91	18	33										4	7	. 1	32	84 2
/	peritoneum\C		14	2		1	.	,	l		.				1	1 6	1 9	. 3	. 2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—								EATHS	BY A	3E					=====
List no.	CAUSE-OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 Years	65 years and over
					FLO	RIDA	-Cont	tinued					-						
	II.—Cancers and other tumors— Continued Cancer and other malignant tumors— Continued										-					-			-
47 48 49	Respiratory system	37 2 167 49 17	25 90 24 10	6 1 29 10 4	6 1 48 15 3		1						1	i	11 7	3 25 15 6	4 1 43 16 3	15 42 5 4	15 46 5 3
50 . 51 52	W	1 83 16 96 15 56 3 92 28	1 45 11 54 4 15	22 2 17 3 12	16 . 3 . 25 . 8 . 29 . 2		1					1			3 3	11 2 2 2 2 2 1	1 19 6 7 3 6	23 4 26 2 10	27 1 59 8 38 1 39
53 542 54b 54d,e	Other or unspecified organs $-\begin{pmatrix} W \\ - \\ - \end{pmatrix}$ Nonmalignant tumors, ovary $- W - W$ Nonmalignant tumors, uterus $- W - W - W$	22 28	40 12 1 16 19	5 5 6	34 11 1 3				1	1	1	2	1 	3 1 4	4 3 5 6	10 12	12 9 6 4	23 2 1 2	3 1
55d,e	organs	5	3 9 4	1 3 1	3		 .				1				3	1 3 2	3 6 1	2 1 2	2 1
	eases, diseases of White-i- the endocrine Colored- glands, and other general diseases	359 231	159 96	81 52	119 83	12 9	ī		_~	. 1 1	2	6 1	13 5	11 14	15 37	24 46 .·	48 41	67 43	150 30
56 57 59 60 62	Acute rheumatic fever	197 58 1 68 132	8 3 5 1 109 34 	35 8 22 40	1 8 6 3 53 16 1 32 47	1			i		1	4	7 2 2 3	2 2 1 1 	1 4 5 8 27	2 1 2 8 11 6 31	23 16 16 21	1 2 2 2 43 15	2 3 13 2 104 9
63 64 66a	Rickets	6 1 4	2 1 14	1 3	1 4 3 2 4 1 2	5	i					1		1	3	1 2 1 2	5	1 1 4	6
66b (66) 67 68	Other diseases of thyroid and W_parathyroid glands(W	21 11 3 1 5	9 1 3 1	1 1 1	1 2 1	2 1 4 1					1				4	2 	5 2	1 	2 1
69	disease not specified as tuber-culous) $$	5 20 2	1 3 1	1 4	3 13 1	<u>4</u> 1			ī	1 1	1		2			1	2	2	3 7
	IV.—Diseases of the blood White and blood-making Colored	79 11	40 5	17 1	22 5	5	1 1	1		2		1	1	3 1	. 2	5 2	10 2	15 1	31 1
70 71a 71b 72a	Hemorrhagic conditions	3 8 3 18	5 14 2 2 1 12	8 1 1 4	1 11 11 6 1 2	1	1 1			i		1	1	1 1	1 1	3 1 2 1	3 1 5	8 1	3 15 4
72b 73 74	Pseudoleukemias (Hodgkin's dis-W-ease) C. Diseases of spleen. W. Other diseases of blood and bloodmaking organs. W.	1 9 3 2	1 5 1 1	1	1 2 1			1		i	1						1 1	1	1
75 76	V.—Chronic poisonings/Whiteand intoxications(Colored Alcoholism (acute or chronic)(Colored) Chronic poisoning by other organic	36 18 33 15	15 11 12 9	12 3 12 2	9 4 9 4						i			1 1	5 5 4 5	13 6 12 6	7 3 7 2	8 1 8 -1	2 1 1 1
77b,c	substances	3	2	1	410						1		10	1	1	1	. 1		632
	the organs of special Colored		483 325	240 121	446 310	17 22	8 2	6	1	2	- 5	6 7	12 5	14 9	37	56 125	139 204	248 176	632 161
78 79a	Encephalitis (nonepidemic) $ -$. 14	10 3 4 6	<u>5</u>	5 3	2 2 6 2	1 1	1		1	1	1	1 1	2	2	1 1 3	3 1 1	4	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—						-	Œ	EATHS	BY AC	3E	-				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					FLO	RIDA	—Con	tinued									·		
	VI.—Diseases of the nervous sys- tem and of the organs of special sense—Continued																		
79b	Nonepidemic cerebrospinal men-\(\text{W} \).	. 7	3	ī	3	2	1	-				1					1	2	
80	ingitisC_ Progressive locomotor ataxia W_	. 8	1 4	1 2	<u>2</u> -			- -				1	<u>-</u>			i	4	1 2 2	2 1
81	(tabes dorsalis) C. Other diseases of spinal cord	. 26	8 8 8	1 8	1 10 5							1		1 1		3	5 3	4 4	13 3
82a	Cerebral hemorrhage C.	. 883	376 243	162 89	345 224	ī					2		1	5 4	13 26	34 93	106 166	209 142	514 · 120
82b	Cerebral embolism and throm-W-bosis	49	34 8	8 2	7 3	1					2			1	2	4	3	12 2	27 1
82e	Softening of brain $\left\{ egin{array}{c} ar{W}_{-} \\ C_{-} \end{array} \right.$	6	1 1	4 1	1											<u>ī</u>	1	2	3 1
82d	Hemiplegia and other paralysis, Wacause unspecified	55 85	11 27	7 9	37 49						1		1	<u>i</u> -	4	2 11	3 24	7 18	42 26 2
83	General paralysis of insane $\left\{ \begin{array}{l} W \\ C \end{array} \right\}$	18 13	1 2	15 9	2 2								<u>i</u> -	2 3	1 1 1	4	7	4	3
84	Dementia praecox and other psy-W-choses	. 5	2 2	8 - -	3							2				3 2 2	2		3 2
85	Epilepsy	16	5	3 4	5			1				2	2 2	ī	2	3	1	i	2
86	Convulsions (under 5 years of age). $\left\{ \begin{array}{l} W_{-} \\ C_{-} \end{array} \right\}$	_ 17	8	2	3 7	16	1 1 3					<u>-</u>		<u>-</u>	2		2		21
87	Other diseases of nervous system {W_C	_ 13	11 6 1	11 2	11 5	1					1	2				1	2	2	3
88 89a	Diseases of organs of vision W . Diseases of ear W .	$1 \frac{1}{12}$	5	1	6	1	2	2		1			3	1		î	2		1
89b	Diseases of mastoid process $\left\{ egin{array}{c} C_{-} \\ C_{-} \end{array} \right.$	7 2	3 1	3 1	1 			2			1		3		1	1	<u>î</u> -		
	VII.—Diseases of the cir-{White culatory system{Colored_	2, 287 977	1, 044 452	481 162	762 363	2 3		2 1	1	1	5 4	10 9	9 7	12 28	60 119	110 180	232 252	456 185	1, 385 179
90	Pericarditis $\left\{ egin{array}{c} W_{-} \\ C_{-} \end{array} \right.$. 5 9	1 3	1	3 5	₁ -			-			1			1 2		3	<u>-</u>	3
91a	Acute endocarditis	33	10 14	13	10 7						<u>-</u> 2	2 2	1 1	2	5 3	4 2	2 4	7 6	12
91b	Endocarditis, unspecified (under W. 45 years)	22 3 9	1 4	1 1 3	i							1 2	1	1	1 3	3			
92a	Endocarditis, specified as chronic, \ W and other valvular diseases\ C.	433	186 129	71 40	176 94	1				1	2	3 4	3	5 10	14 34	22 62	40 58	91 44 7	250 41
92b	Endocarditis, unspecified (45) Wyears and over) C	43	21 13	6	16 9												8 10	7 6 7	28 7
93a	Acute myocarditis $\left\{ \begin{array}{ll} W - \\ C - \end{array} \right\}$	50 32	23 9	13 11	14 12			2						2	3 5	4	6 7	11	27 3
93b	Myocarditis, unspecified (under W_45 years)	15	8 25	3	6						1		1	2	10	5 21			
93c	Chronic myocarditis and myocar-\ W_ dial degeneration\ C	- 443 109	220 43	121 24	102 42							2		1	6 11	21 21 17	44 33	87 23	281 23 174
93đ	Other diseases of myocardium $\left\{egin{array}{c} W \\ C_{} \end{array}\right.$	_ 89	132 49	42 15	78 25									$\frac{1}{2}$	1 1	1	33 28 35	23 45 30 75	20 143
94a	Angina pectoris $\left\{ egin{array}{c} \mathbf{W}_{-} \\ \mathbf{C}_{-} \end{array} \right.$	_ 42	127 23 70	63	88								i		6	19 9	37 16	6 29	4.
94b	Diseases of coronary arteries $\left\{egin{array}{c} W \\ C \end{array}\right\}$	_ 14	9	30	28 5									2	2 2	10 4	17 4	2	72 2 3
95a 95b	Functional diseases of heart $\left\{ \begin{array}{ll} W - \\ C - \end{array} \right\}$	417	1 156	87	3 174						1	1	2	2 8	16 30	1 16 44	36 66	80 39 8	263 61
96	heart	23	101 9 4	47 4 4	107 10 5			1			. 1	1	1		5	1 4	66 3 4		11
97	Arteriosclerosis (coronary arteries W excepted)	_ 110	59 13	19 6	32 7										2	2	3 5	10 8	95 10
98	Gangrene W -	_ 7	3 7		4 3	1									2	1	1	1 4	5 2
99	Other diseases of the arteries	17	9	3	5 3										1	2	4	1 3	9
100	Diseases of veins (varices, hemor-W-rhoids, phlebitis, etc.)	_ 6	4	1	1 2								1		1	1	3		2
101	Diseases of lymphatic system W (lymphangitis, etc.)	_ 1							1				1					1	
102	Idiopathic anomalies of blood-W- pressure	13	1	1	11 15											3	1 4	6 3	6
103	Other diseases of circulatory sys-\W_temC	_ 3	2 2		1 1	1					1				<u>ī</u>	1			1
	VIII.—Diseases of the re-{Whitespiratory system{Colored.	573	236 190	103 76	234 167	95 72	22 16	8 9	8 4	5 3	18 12	7 6	12 17	18 24	37 69	34 61	51 59	71 41	184 40
104a	Diseases of nasal fossae $\left\{egin{array}{c} W \\ C \end{array}\right.$			1	5	4													2
104b	Diseases of nasal fossae and annexae.W.	_ 4	2	1	9	8								ī			2	ī	
105	Diseases of larynx $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \\ \end{array} \right\}$	_ 1	1	1	1	1 1			1		. 1							1	<u>-</u>
106a	Acute bronchitis $\left\{ \begin{array}{l} W \\ C \end{array} \right\}$	- 4	1 1	1 1	4	1		1							i	1		3 2	10
106b	Chronic bronchitis	- 15 - 5	7 2 3	2	6 3									1	. 1	2		2	3
106c,d	Bronchitis, unspecified $\begin{bmatrix} W \\ C \end{bmatrix}$	7 4		1	1	1 2			1		1	/	!]			1	l	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	1]	IN CI	TIPS	Ī			 ;			n.	E A MITTO	BY AG	iro					
List	CAUSE OF DEATH	All	ļ	1	In		1		Γ	r	<u>.</u>	LATHS	BY AG) 		ı	1	ı	
no.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					FLO	RIDA	Con	tinued			•								
	VIII.—Diseases of the respiratory system—Continued																		
107a	Bronchopneumonia $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	192 113	94	36	62	48 34	14	5	1	4	6	3	. 2		.8	5	9	'22	64
107b	Capillary bronchitis $\{V_{-}, V_{-}\}$	113	56 3	24 1	62 33 1 1	1 1	11	1	1		7	3	2	3	13	9	10	11	8
108	Lobar pneumonia	237	99	40 40	98 53	23 15	2 3	1 2 5	4	1 2	5 3	3 2	6 11	10	21	1 24 39 3	1 27	34	74
109	Pneumonia, unspecified $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	46 54	8 8 12	3	98 53 39 42	14 10	5	<u>-</u> -	2		4	1	1 3	16 2 3 3	38 3 7 2	3 4	27 27 3 8	15 3 5	12 6 8
110	Pleurisy	16 17	8 12	4 4 1	4	ī	1				î		ĭ	3	2	1 2	2	3	4 3
111a	Pulmonary embolism and throm-\\ \W\\ bosis\	3 1	1	1 1	1	1												2	
111b	Pulmonary congestion, edema, W	10	2 1	5 1	3 2	1								<u>1</u> -		1	<u>i</u> -		10
112	Asthma	20 22	8 8 1	5 3	7 11				1		1			1 1 1	2 2	3 -	- 5	4 2	6
113 114	Pulmonary emphysemaW_Other diseases of respiratory sys-{W_tem (tuberculosis excepted){C	1 7 3	5 1	2	2					1			1				3 2		1 3
	IX.—Diseases of the diges-{White tive system	869 539	440 242	174 98	255 199	102 86	36 21	-15 6	6 5	13 5	22 3	16 7	20 15	37 24	64 76	73 109	119 85	117 53	222 36
115a	Diseases of pharynx, tonsils $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	49 22	25 11	8	16 5	2	3	3	2 2	4	8	1	3	6 2	5 8	4 3	4	3	1
115b	Diseases of buccal cavity and an-\ W nexa C	6	3 2	1 2	5 2 5	1		_i -			1				2	2	2 2	ī	2
116	Diseases of esophagus $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	1		<u>-</u> -	1			 											i
117a	Ulcer of stomach $\left\{ egin{array}{c} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array} \right\}$	55 30	30 17	16 5	9 8								1	2	12 5	8	6 5	15 6	15 5
117b	Ulcer of duodenum { W	26 6	2	6	2	 							2		1 2 5	5	5 1	7	6
118 119	Other diseases of stomach (cancer W excepted) C Diarrhea, enteritis (under 2 years W	73 117 109	53 27	6 15 15	43 49 67	7 7 79	2 1 30				·i-	<u>i</u>	2	3 7	11	33	13 31	8.	25 12
120	of age)	86 66	18 2 24 53 27 22 28 10	20 8	44 30	67	19	11		8		3		:		2			
	over)C	38 153	10 93	9 43	. 19	2	1	4	î	2	2 1 7	1 8	2 1 8	14	6 2 18 12 2 1	23	7 9 30	5 7 22	. 19 5
121 122a	Table 1	60 li	37 26 14	5	18	2		1			i	4	5	8	12	15	7 4	2 6	18 3 21
122a 122b	W.	35 22 82	44	2	5	9					3	2	3	1 2	1 6	7 7	11	5 9	2 29
123	(W	49 12	20	22 12 2 3	16 17 1	7		·	1	2 _			1	3	6 13 1	9	6	4 3	3 4
124	Other diseases of intestines $\{ \overset{\circ}{C}_{} \}$ Cirrhosis of liver $\{ \overset{\circ}{C}_{} \}$	93	47	18	28 15		:							1	1 2 2	12	114	2 23 11	<u>42</u> 3
125a	Yellow atrophy of liver $\begin{bmatrix} W_{-} \\ C_{} \end{bmatrix}$	44 4 2	23 2 2	6	15 1		· -		1	-	-	-		3-	7	12	10	11	3
125b	Other diseases of liver $\{V_{-}, V_{-}\}$	10 11	4 5	2	4	ī						-			1 -		1 2 3	3-	3
126	Biliary calculi $\{W_{}^{W_{}}\}$	26 4	16 2	5 2	5				-	-		-	-		1 2 2 1	2	6	6	2 11
127	Other diseases of gall-bladder, bil-Wiary passagesC	44 12	25 8 -	12	7 4						-		1 2	4	1 2	1 6 5	6 2	5	2 <u>1</u>
128	Diseases of pancreas $ -$	8	6	1	î						-		<u></u> -			<u>i</u> -	6 -		$\frac{1}{2}$
129	Peritonitis, cause not specified $$ $\left\{\begin{matrix} W_{} \\ C_{} \end{matrix}\right\}$	17 15	3 13 7	2 5	3		<u>i</u> -	1	2 -		1	1 -	2	1 2	1 4	3 2	3	2 2	2
	X.—Diseases of the genito-{White urinary system{Colored	1, 298 673	606 283	255 133	437 257	5 3	3	1 2	1	2	9	2 4	5	7 20	45 54	70 110	150 142	233 141	764 182
130	Acute nephritis (including un-\{W\} specified under 10 years)\{C\} Chapting purposition	67 64 921 402	27 32 436	16 16.	24 16 302	2 2	2 -	1	- i	2	4	1 -	1	5	7 10	3 13	14 13	11 9	21 6
131	Chronic nephritis{C	402 124	173 35	87	302 142 72		1	ī			3	2	2 2 2	5 5 5	10 26	45 59	107 86	175 95 23 16	575 122
133	other diseases of kidneys, ureters W	103 40	32 21	183 87 17 15 7 4 4	56 12	3		1	1		1		3	1	1 8 6	5 19 5	15 23 1	16 8	76 34 13 9
134	(puerperal diseases excepted)\{C\}W	27 19	4 14	4	19							1			3	5 3	4 2	5 7 2	9 4
1	Diseases of bladder (tumors ex-[W]	5	3 1 2 4	1	3 -		1							: -:			2		1 3
136	cepted)	8 4 17	4	<u>1</u>	⁵											1	2	1	1 3 4 2 1
137	scess, etc	77	12 46 5	15	2 16 4									3	1	2	2 2 2 2 4	8 8 4	66
138	Diseases of male genital organs, not specified as venereal	11	- 1	*	1	1										1	#	4	4
	Cysts of ovary $\left\{ \begin{array}{c} W_{} \\ C_{} \end{array} \right\}$	2 4 4	1	1	i -			1					1		1 2 13	2			ĭ
139b	Other diseases of ovaries, diseases W of tubes and parametrium C	25 17	16 15	8	î -								I 1	2 4	13	4 6		1	 1
	Diseases of uterus	¹⁰	4	1	4 5									- <u>-</u> -	4	2 2	4 1 3 	 1	i
- 1	Nonpuerperal diseases of breast (can- cer excepted)	1		1	_														į
139e	Other diseases of female genital \{\mathbb{W}\}\ \creak \C\]	5	<u>i</u> -		1 -									2		1	2-		1

MORTALITY STATISTICS

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TES-	_						D	EATHS	BY AG	E		•			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		·			FLOI	RIDA	-Cont	inued											
	XI.—Diseases of pregnan- cy, childbirth, and the puerperal state. Colored	156 122	71 51	25 20	60 51							2	29 35	29 25	63 35	31 22	1 4		
140 141	Abortion with septic conditions.— $\left\{ \begin{matrix} W \\ C \end{matrix} \right\}$ Abortion without mention of septic conditions (includes hemor- $\left\{ \begin{matrix} W \end{matrix} \right\}$	20 12 11 2	11 8 7	3 3	6 1 4							1	5 2	6 5 2	6 2 7	2 2 2 2	1		
142a 142b	rhages) C	3 3 2	1 3 1	1	1									1 2	2 1 1				
143 144a	Other accidents of pregnancy (hemorrhage not included)	1 3 3		1 1	1 2 1									3	1 1 1 6	2 2 3			
144b 145a 145b	Other puerperal hemorrhages $\left\{ \begin{array}{ll} W \\ C \end{array} \right.$ Puerperal septicemia and pyemia $\left\{ \begin{array}{ll} W \\ C \end{array} \right.$ (abortion excluded) $\left\{ \begin{array}{ll} C \\ C \end{array} \right.$ Puerperal tetanus (abortion ex- $\left\{ \begin{array}{ll} W \\ C \end{array} \right.$	13 5 33 21 1	1 7 2 13 9 1	6 1 6 6	2 14 6								1 6 11	1 3 3	3 16 7	1 8			
146 147	cluded) C. Puerperal albuminuria and W. edampsia C. Other toxemias of pregnancy	1 39 48 13	1 15 19 9	5 6 1	19 23 3							1 1	10 15 3 1	1 9 7 1	10 13 6	9 9 2	· 3 1		
148 149 150	Puerperal phlegmasia alba dollens, embolus, sudden death Control of the septic control of the septic control of the septic conditions of the septic conditions of	4 1 15 22	1 1 4 7	1 2	9 15								1 3 5	2 7	2 1 7 5	3 5			
	puerperal stateC XII.—Diseases of the skin{White and cellular tissue.{Colored	31 7	13 4	4 1	1 14 2	2 1	1				1	1	2	3	4	2	6 2	3	5 1
151 152 153	Furuncle, carbuncle	10 2 13 2 8 3	5 2 8 1	1 1 2 1	4 1 6 1	1 1 1	1				1	1 1	2	2	4	1 1 1	4 1 1 1	2	1 4 1
	XIII.—Diseases of the bones and organs of locomotion_White	12	9	2	1				1	1	3	1				1	3	1	1
154 155 156	Osteomyelitis W Other diseases of bones (tuberculosis excepted) W Diseases of joints, other organs of locomotion W	8 2 2	7	2	1				1	1	3	1				1	1 1 1	1	.1
	XIV.—Congenital malfor-{White mations{Colored	100 18	37 10	19 3	44 5	88 15	5 2	2	1			3					1		
157a 157b 157e 157d	Congenital hydrocephalus $- \begin{cases} W - \\ C - \end{cases}$ Spina bifida and meningocele $- W - \end{bmatrix}$ Congenital malformations of heart $\begin{cases} W - \\ C - \end{bmatrix}$ Other congenital malformations $- \begin{cases} W - \\ C - \end{bmatrix}$	8 5 9 56 4 27 9	3 4 1 20 3 13 3	1 4 12 2 3	4 1 4 24 1 12 3	7 4 9 47 3 25 8	3 1 1	1 2	1			3					1		
	XV.—Diseases of early in-{White fancy(Colored.	465 308	186 118	86 38	193 152	465 308													
158 159 160 161	Congenital debility	38 63 316 197 88 23 23 25	11 17 126 78 38 9 11	8 7 58 24 19 3 , 1	19 39 132 95 31 11 11 7	38 63 316 197 88 23 23 25													
162	XVI.—Senility{Colored	109 108	32 11	18 11	59 86									 				5	109 103
	XVII.—Violent and acci-{White dental deaths{Colored	1,318 702	614 317	267 104	437 281	19 12	13 4	12 6	10 11	13 6	46 18	45 34	84 48	118 80	225 178	193 143	144 88	131 39	256 26
163 164	Suicide \ \{\begin{align*} \{W_{} \\ \C_{} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	261 22 58 6 32	151 12 38 4 25	45 5 9 2 3 2	65 5 11 4							1	10 2 4 1	26 3 10 1 1	54 6 12 3 6	58 6 15 1 8 3	38 3 5 1 6	50 2 8 6 5	23 3 4 3
165 166 167	By hanging or strangulation. $\left\{egin{array}{c} W & \cdots & W & \cdots \\ C & \cdots & \ddots & \ddots \\ By drowning & \cdots & \ddots & \ddots \\ By firearms & \cdots & \ddots & \ddots \\ C & \cdots & \ddots & \ddots & \ddots \\ \end{array}\right.$	14 1 5 1 138 11	72	3 27 27	5 1 2 1 39 3								5	123	31 2	1 1 28 4	24 1	2 1 27 1	11

Table 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas and by age for the registration area and each registration state: 1932—Continued

			IN CIT	700					-		70.	D 4 MT/C						•,	
List no.	CAUSE OF DEATH	All deaths	10,000	2,500	In rural	Un-					1	EATHS			07.4	0.5			65
110.	1	deadis	or over	to 10,000	areas	der 1 year	J year	2 years	3 years	4 Years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					FLO	RIDA	Con	tinued						·	<u>, , , , , , , , , , , , , , , , , , , </u>			·	
168 169 170 171 173 174 175 176 177 178 179 180 181 182 183 184 185 186a 186b 187 188 191 192 193 194a	XVII.—Violent and accidental deaths—Continued Suicide—Continued By cutting or piercing instru-{W_ments C_By jumping from high places. W_By crushing By other means C_By firearms C_By eutting or piercing instru-{W_ments C_By cutting or piercing instru-{W_ments C_By cutting or piercing instru-{W_ments C_By other means C_By other means Accidental, other, or undefined C_Attack by venomous animals Poisoning by food Poisoning by food C_Absorption of poisonous gas C_Absorption of poisonous gas C_Conflagration C_Conflagration C_Conflagration except-{W_ed} C_C Burns (conflagration except-{W_ed} C_C C_C Supplemental C_C Drowning C_C Supplemental C_C By firearms (wounds of {W_war excepted} Supplemental C_C By cutting or piercing in-{W_c Supplemental C_C Supplemental C_C Supplemental C_C Supplemental C_C C_Cataclysm Injuries by animals C_C C_C C_Due to electric currents C_C C_C C_Due to electric currents C_C C_	5 1 1 5 1 1 3 2 2 1 1 4 4 2 6 6 2 6 3 3 2 2 5 7 1 7 1 1 1 2 1 7 5 6 6 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 1 5 1 150 42 83 12 55 7 10 10 14 3 5 5 10 10 11 11 11 11 11 12 12 12 13 12 13 13 14 14 15 11 11 11 11 11 11 11 11 11 11 11 11	1 176 144 24 10 2 205 63 3 3 1 4 1 20 5 5 1 6 4 1 1 1 2 2 2 2 5 6 3 3 1 1 1 1 2 2 2 2 1 1 1 1 1 1 1 1 1 1	3 	2 2 19 10 10 2 2 2 2 2 2 1 1 2 2 1 1 2 2 1 1 1 1		12 6 6	100 111 1 2 2 5 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	13 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 2 2 4 4 2 1 1 1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1	144 300 111 111 111 112 133 2 114 4 112 11 112 113 114 112 113 114 114 115 117 117 117 117 117 117 117 117 117	1 8 8 18 15 5 6 6 1 1 12 2 2 2 1 1 1 1 1 5 5 1 1 1 1 1 1	1 188 445 144 233 3 211 174 322 2 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 1 57,7 40,0 66,6 11,2 22,7 7,5 4 11,4 7,5 1 1 2,6 6,4 2,2 1 1 1,5 1,7 1,7 1,7 1,7 1,7 1,7 1,7 1,7 1,7 1,7	2 2 3 3 4 4 2 4 5 5 6 102 70 11 1 3 3 5 5 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1	2 227 23 1 1 2 2 8 4 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1
194b 198	Supplemental $\{C_{}\}$	33 27 320 119	14 9 167 53	7· 4 72 20	12 14 81 - 46	5 1 3	4 1	1 1	1 3 2	1 3 1	2 1 15 4	1 2 10 5	3 28 7	2 27 11	6 5 51 23	3 4 46 30	2 5 40 17	3 4 28 10	5 4 · 57 6
TAO	XVIII.—Ill-defined causes White of death	209 334	32 48	13 34	1 164 252	55 103	3 6	2	1	1 2	3 7	4 1	3 5	. 1 3 8	10 18	11 32	11 48	23 30	77 68
199 200a 200b Punch symbol	Sudden death	28 33 51 111 130 190	6 3 13 15 13 30	2 5 8 8 3 21	20 25 30 88 114 139	3 4 2 23 50 76	1 2 4	1	1 1	1 1	1	2 1 2	1 1 2 1 3	1 2 1 2 1 4	1 2 7 8 10	6 3 13 8 13	4 8 2 15 5 25	4 7 8 11 11 12	13 5 25 27 39 36
201 202 205 206 207	Accidents in mines and quarries. W Accidents from agricultural ma-{W Chinery. C C Chinery. C C C C C C C C C C C C C C C C C C	1 2 10 7 8 5 24 22	2 4 3 2 10 7	3 4 1 1 3	1 2 5 3 1 2 13 12					1			1 2	1 . 1 . 2	2 5 7	4 3 2 4 5	1	1 3 2	3

MORTALITY STATISTICS

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CITI	ES-	т_						DE	ATHS	BY AG	E					
Punch symbol	CAUSE OF DEATH	All deaths	10,000 or over		In rural areas	Un- der 1 year	1 year y	2 rears y	3 ears ye		0070	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	64	65 years and over
				· ·	FLO	RIDA-	-Conti	nued	•				,	·			•		
208 209 210 211 212 213 214	SUPPLEMENTAL 1—continued Street car and automobile collisions	3 1 1 364 121 10 3 3 7 6 10	3 . 1 . 177 . 51 . 5 . 1 . 1 . 1 . 1 . 1 . 1 . 1 .	89 22 2 1	98 48 3 1 2 6 2 4	3	6 1	2 1	4 2	3 1	20 5 1	111 7 1 2 2	31 5 3	31 11 3	3 58 28 1 1 1 2 7	1 55 26	18	38 7	5
List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	Cities of 2,500 to 10,000 and rural areas	`∥		2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to	34	.) 4	14	45 to 54 years	55 to 64 years	65 years and over
		l	I		- 1	GEOR	GIA					'	.1	1				<u></u> . J	
	Total deaths (all/White	16, 818 15, 310 2, 177 2, 820	5, 289 5, 349 503 1, 021	11, 529 9, 961 1, 674 1, 799	1, 98	30 270 33 105	152 137 43 36	112 71 46 34	113 66 50 22	300 210 96 64	234 246 44 82	96	1,06	$\begin{array}{c c} 4 & 1,7 \\ \hline 1 & 2 \end{array}$	77 1, 21 2, 73 60	383 016 261 422	1, 698 2, 419 235 322	2, 321 1, 863 212 164	5, 97 2, 56 42 15
1 2 3 5 6 7 8 9 10 11a 11b 13 15 16 17 18 20 21 22 23 24 25 26 27a	Typhoid fever	59 51 6 20 7 10 2 16 15	18 55	1144 174 11 11 12 23 33 11 14 22 40 48 123 29 377 164 166 160 76 50 41 17 4 4 2 10 5 5 5 6 6 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		1	1 1 50 2 2 2 3 3 3 - 1 1 1 2 2 - 1 1	5 8 3	2 2 2 3 3 3 2 2 2 4 4 3 3 2 2 1 1 1 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 1 1 2 2 1 1 1 1 1 1 1 2 2 1	7 18 2 2 3 3 3 2 1 13 3 7 4 4 3 2 2 5 5 4 4 11 3 7 1 2 2 5 5 4 4 11 3 7 1 2 2 5 5 4 4 11 3 7 1 2 2 5 5 4 4 11 3 7 1 2 2 5 5 4 4 11 3 7 1 2 2 5 5 5 4 6 1 1 1 3 7 1 2 2 5 5 5 6 1 1 1 1 2 2 5 5 5 6 1 1 1 1 2 2 5 5 5 6 1 1 1 1 2 2 5 5 6 1 1 1 1 2 2 5 5 6 1 1 1 1 2 2 5 5 6 1 1 1 1 2 2 5 5 6 1 1 1 1 2 2 5 5 6 1 1 1 1 2 2 5 5 6 1 1 1 1 1 2 2 5 5 6 1 1 1 1 1 2 2 5 5 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 27	4C 4C 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11: 22: 11: 12: 12: 12: 13: 13: 13: 13: 13: 13: 13: 13: 13: 13	9	55 49 28 1 3 11 1 1	13 17 1 1 56 25 11 29 6 4 1 1 2 2 2 2 2 6 1 1 6 9 9 4 4	10 11 1 1 1 1 1 1 39 14 39 14 37 3 6 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 1 38 38 19 23 2 6 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	183 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
27b 28 29 30 31 32a 32b,c	cepted) C. Joints W. Skin and subcutaneous cellular tissue. C. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). C. Genitourinary system. W. C. Acute disseminated tuberculo-W. sis. C. Other disseminated tuberculo-W. sis. C.	2 4 4 5 1 1 1 1 3 3 3 5 28 1 5 5	1 2 3 1 1 3 16 12	1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 2 1	1		1	2	1	1 22		1	1	1 - 1 - 5	2 1 1 2	1 1 1 1 1	

See footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

-			G:F:	Cities		-					DEAT	HS BY .	AGE				- ;	
List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	of 2,500 to 10,000 and rural areas	Under 1 year		2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				G	EORO		Contin	ued										
	I.—Infectious and parasitic diseases— Continued.	-							7									
34 35 36 38 39	Syphilis	69 346 11 35 23 18 132 183	43 200 3 21 8 5 16 14	26 146 8 14 15 13 116 169	11 64 1 1 2 9 13	2 5 	4 4	1 1 1 6 7	7 6	1 1 10 8	1 1 	1 13 6 4 1 5 12	39 1 6 3 2 6 24	7 74 5 9 6 3 13	17 66 4 5 4 3 13	13 55 6 2 19 25	1 2 1 8 23	8 13 1 1 2 2 24 21
40 41b 42 43 44	Ankylostomiasis	12 1 1 4 5 8 7 5	2 2 2	1 1 4 3 8 5 5	1 6 1	1	1	1		1 1 2	1	1	1 1 2	2		1	1 1	2
	.II.—Cancers and other{White tumors{Colored_	1, 113 540	404 219	709 321	2	5 1	2	3		11 3	2 5	8 5	11 14	52 42	118 130	171 162	270 109	458 68
(45) (45) (46)	Cancer and other malignant tumors $\begin{pmatrix} W \\ C \end{pmatrix}$ Buccal cavity $\begin{pmatrix} W \\ C \end{pmatrix}$ Pharynx $\begin{pmatrix} C \\ C \end{pmatrix}$ Esophagus $\begin{pmatrix} W \\ C \end{pmatrix}$	1, 060 483 29 10 20 3 9	376 186 6 2 5 2 6 2	684 297 23 8 15		4	2	3		8 2	2 1	7 5 1 1	7 12	43 28 1 1	108 105 6 1 2	159 157 2 2 3 1	264 107 7 5 3 1.	453 66 13 1 11 13 3
(46) (46) (46) (46)	Stomach and duodenum\\ \begin{align*} a	183 101 73 25 37 11	47 32 27 5 27 9 42 21	136 69 46 20 10 2 71			1			i		1 1 1 1 1	1 1	6 7 1	12 16 7 6 1 3 9	20 36 10 5 2 6 19	49 31 21 5 17 1 29 9	95 9 32 8 16 1 50 6
47 48 49 50	Respiratory system\\ \text{W}\\ \text{C}\\ \text{U}\\ \text{Other female genital organs}\text{C}\\ \text{W}\\ \text{V}	38 24 9 171 150 19 8 110 55 74 20	10 4 61 51 12 26 25 8	14 5 110 99 7 5 68								1	1 1 5	8 18 3	5 4 34 36 7 3 16	4 38 45 5 3 25 25 7	6 46 29 2 1 28	1 44 17 2
51 52 53 54a	Male genitourinary organs Skin	55 74 20 61 9 137 42 2	26 25 8 18 3 48 18	29 49 12 43 6 89 24 1		1	1	3		1 5 2	1 2	1 4 1	1 1 3 2 1	$\frac{1}{2}$ $\frac{7}{1}$ $\frac{1}{1}$	14 1 9 7	25 7 6 7 1 21 16	6 15 6 8 4 27 9	35 8 47 8 43 2 52 4
54b 54d,e 55a 55b	Nonmalignant tumors, uterus\{\bar{W}\\C_{\cdots}\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2 15 39 14 7	10 25 10 4	5 14 4 3		1				1	2		1 1 1 1	13 2 2	1 6 19 2 3	4 4 6	1	1 2
55d,e	Tumors, uterus (nature unspecified)————————————————————————————————————	1 21 8	6 2	1 15 6	2	ĭ				<u>2</u> 1	2	<u>-</u> 1	<u>2</u>	3	1 2 1	<u>2</u> 1	3 2	3 1
,	III.—Rheumatic diseases, nutritional dis- eases, diseases of White the endocrine Colored glands, and other general diseases	559 457	185 147	374 310	10 9	2	3 2	i	2	4 3	6	18 15	11 25	27 72	57 76	91 103	116 71	211 73
56 57 59 60	Acute rheumatic fever	25 39 15 12 258 84 1	13 2 1 111 36	21 26 13 11 147 48					1	2 1 1	2 2 4 1	4 4 2 10 2	2 1 1 1	1 5 1 7 9	1 8 2 1 22 3	4 8 2 4 33 22	3 1 3 68 17	8 · 7 8 2 110 23
62 63 64 65	Pellagra	206 289 4 6 1	45 84 1	1 161 205 4 5	2 2	1	1 2	1		1	3	1 7	7 22	13 56	29 56	42 63	39 45	75 37
66a 66b (66) 67 68	Simple goiter & C & C & C & C & C & C & C & C & C &	- 16 - 9 4 2 8	13 4 2 2 5	6 3 5 2	1 2 6	1 1	1			1		. 1 1 1	1	3	2 3	1 7 4	1 3 2 1	1
69	not specified as tuberculous W _Other general diseases C	17 9	1 6	. 3	1 4		ī			1				1 2 1	1	2 1	1	9 3

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

			Cities	Cities of 2,500		·					DEATI	HS BY .	AGE			-·		
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				G	EORO	≯IA —	Contin	nued					•					
	IV.—Diseases of the blood White and blood-making Colored Colored	97 28	36 15	61 13	3 4	3	4	1	 	3 2	6	2 6	6	11 2	7 5	17 3	16 5	18
70	Hemorrhagic conditions \\ \begin{align*} ali	6 4 35	3	3 4 24	1 3 1	2	1 1	<u>-</u>			 ₁	1	3	1 1 1	3	1	10	
71a	Pernicious anemia	6 11	2 4	4 7	i		1				1	i			1 1	1	3 2	4
71b	Other anemiasC	6 27	12	2 15	ī		<u>î</u> -			I	2	1 1	2	1 7		1 5	2	<u>-</u>
72a 72b	True leukemias	6 13	5 5	1 8						1 2	<u>-</u> -	î	ī	2	1 2 1 1	ĭ 5	1 2	
73 74	ease) C. Diseases of spleen W.	5 4	3	2 3							1	2	1		2	1	1	ī
74	Other diseases of blood and blood-{W	1 1	1	1								<u>î</u> -				1		
	V.—Chronic poisonings White and intoxications Colored	43 12	15 4	28 8							1	2	1 2	8 4	14 2	8 2	5 1	4 1
75	Alcoholism (acute or chronic) $$ $\left\{\begin{matrix} W_{} \\ C_{} \end{matrix}\right\}$	40 10	12 3	28							1	2	$\frac{1}{2}$	8 3	13 1	8 2	5	2 1
76	Chronic poisoning by other organic sub- stancesW	3	3	(1	,	1	-	-	2
77b,c	Other chronic poisoning by mineral substances	2	1	1		 	 -						 	1	1			
	VI.—Diseases of the nerv- ous system and of the organs of special sense	1, 819 1, 609	518 547	1,301 1,062	39 42	16 6	3 5	3 2	6 4	3 9	15 14	12 15	24 28	44 90	132 214	202 439	379 308	937 430
78	Encephalitis (nonepidemic) $\left\{ egin{matrix} W_{} \\ C_{} \end{array} \right.$	22 11	7 6	15 5	5 1	2 1	1 1			₁ -		3 1	1	$\frac{2}{2}$	4 2	2	1	1 1
79a	Simple meningitis $\{W_{-}, C_{-}\}$	29 30	14 25	15 5	8 7	3 3	2	2	2 1	2 1	3 2	1 3	2 3	2	1	2 2	1	1 1
79b	Nonepidemic cerebrospinal men-\{\vec{W}_{}\} ingitis\{C_{}}	6	1 3	5	i	1		1		1		1 1	1	1	ī	1		
80	Progressive locomotor ataxia W.	14 4	6 3	8										1	2	2	6	6
81	Other diseases of spinal cord $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	41 23	18 6	23 17		1					- -		3	2	4 3	5 8	7 4	21 6
82a	Cerebral hemorrhage $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	1,284 1,134	362 431	922 703	1 3	2	1	<u>-</u> -		2	2 3	2 4	8 13	21 49	69 164	153 344	303 238	720 310
82b	Cerebral embolism and throm-{W	38 10	26 4	12 6				-,			1	1		3	$\begin{bmatrix} 7\\2 \end{bmatrix}$	7 3	7	15 2
82c	Softening of brain $\left\{ \begin{array}{ll} W & \\ C & \end{array} \right\}$	9	3 2	6												<u>-</u> i	1	2 8 1
82d	Hemiplegia and other paralysis. W	184 220	26 30	158 190		1			<u>î</u> -		1 3	1 	2	<u>8</u> -	8 15	11 59 5	24 44	136 88
83	General paralysis of insane $\left\{ \begin{array}{l} W \\ C \end{array} \right\}$	38 50	15 13	23 37	1									4 7	14 16	15	10 7	88 4 5
84	Dementia praecox and other psy-{WCohoses	14 17	4 7	10 10									1	4	4 2 9	5	4	4 2
85	Epilepsy $ \left\{egin{array}{c} W_{-} \\ C_{-} \end{array}\right\}$	42 52	5	37 47	$\frac{1}{2}$	2 1 2	1		1	1	5	1 5	5 7	8 7	8	4 3	3	8
86	Convulsions (under 5 years of age) $\left\{ \begin{array}{l} W_{-} \\ C_{-} \end{array} \right\}$	17 29	5	16 24	14 27	1	ī		1									
87	Other diseases of nervous system. $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	48 18	13 4	35 14	1	1			1	3	1	1 1	2	2 1	6	1	4	4
88 89a	Diseases of organs of vision $-$ W $-$ Diseases of ear $-$	2 20	9	2 11	5	1	1	1			1	î	3	3	1 2		2	
89b	Diseases of mastoid process C	$\begin{smallmatrix}2\\11\\3\end{smallmatrix}$	2 8 1	3 2	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$				2		1			2	2	1		ī
	VII.—Diseases of the circu-{White latory system{Colored	2, 596 2, 079	918 850	1,678	11 9	2	2 2	1	2 1	12 6	10 13	15 20	27 55	62 162	145 328	301 529	513 450	1,493 500
90	Pericarditis{C}	20	4	16									1		2 3	3	1 5	13
91a	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	18 17	6	11 11	1					1 1 1		$\frac{1}{2}$	$\begin{bmatrix} 2\\ 3\\ 1 \end{bmatrix}$	3 7	2 5	5 1 2	2	13 2 3 3
91b	Endocarditis, unspecified (under W.	23 8	11 4	12 4	2					i	1		2 3	<u>-</u> 5	2 5 5 7			
92a	45 years) C Endocarditis, specified as chronic, W	16 498	10 126	372	1 3				1	2 2	4	2 6	9	16 34	22 88	55 115	71 99	315 100
92b	and other valvular diseases\ C Endocarditis, unspecified (45 years\ W	467 61 67	159 16	308 45 42		1		1		- -						5 23	13 26	43
93a	and over) C	67 24 60	25 11 34	13 26								1	1 3	4	1 12	5 13	8 19	43 18 8 9
93b	Myocarditis, unspecified (under W.	15 54	7 35	8 19	1		2			ī	1	1 1	1 4	5 17	31			
93c	45 years) C	295 130	150 48	145 82		1					1	2		1 5	10 15	29 42	64 25	187 41
93d	Other diseases of myocardium $\{V_{C_{}}\}$	354 265	154 114	200 151									1 3	1	3 6	37 98 50 14	71 82 61 23	241 72
94a	Angina pectoris	237 82	84 42	153 40							1	1	1 3	5 8 3	16 21	50 14	61 23	104 11
94b	Diseases of coronary arteries $\left\{ \begin{array}{l} C_{} \\ C_{} \end{array} \right\}$	108	60 17	48								i	<u>-</u> -	2	2 8	$\frac{22}{7}$	34 5	46 1
95a	Functional diseases of heart $\left\{ egin{matrix} W_{} \\ C_{} \end{array} \right\}$	23 13 5	3 2	10										1 1	$\begin{array}{c c} 2 \\ 1 \end{array}$	1 1	$\frac{2}{1}$	7
95b	Other and unspecified diseases of W	726 672	222 259	504 413	7 2	1	2		1	6 2	5 5	6 8	6 18	25 58	62 100	74 169	150 119	383 187

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Cities	Cities of 2,500							DEAT	ES BY .	AGE			•		
List no.	. CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		` ` ` `		G	EORG	HA-	Contin	ned				<u> </u>	·	·	·		-	·
	VII.—Diseases of the circulatory system—Continued										-							
96 97 98 99 100 101	Aneurysm (except of heart)	145 90 11 15 12 8 8 9 4 1	7 17 48 35 3 6 6 7 3 2 1 1 16	11 8 97 55 8 9 6 1 16 2	1					1		1	1 1 1 1 1	1 5 3 2 1 1 1	2 10 3 11 2 1 1 2 4	5 4 9 20 1 2 1 2 2 1	5 3 21 18 2 7 2 2 1 1 1 1 3	111 38
103	pressure C Other diseases of circulatory sys-{W. tem	6 7	2 3 413	933	1 246	48	27	16	13	40	1 17	42	39	96	104	1 3 123	116	41:
104a 104b	VIII.—Diseases of the re-{Whitespiratory system. {Colored.} Diseases of nasal fossae	. 2	560	778	268	70	36	9	8	30	31	75	105	171	171	151	106	10
105 106a	annexae\C_ W. Diseases of larynx\C_ W. \{ W. \}	1 6 4 16	1 	1 5 4 10	1 2 7 4	1	i	1 	1	2	î 1					 1 1	2	
106b 106c,d	Acute bronchis	17 7	9 2 3 4	6 15 4 9 9	<u>î</u>	1	1	<u>1</u>		1	i	1	1 1 1	1 2	2	2 2 1 1	1 2 1	1
107a 107b	Bronchopneumonia	453 315	134 158 2 1	319 157 3	155 129 2	25 30	1 2 8 16	8 5	5 4	11 5	3	5 10	3 10	8 20	14 24	25 23	33 16 . 1	15 1
108 109 110	Lobar pneumonia	586 644 155 262	197 321 30. 41 7	389 323 125 221 11 12	46 42 31 77 1	16 13 6 23	11 9 5 8	2 2 2 2	3 1 3	24 17 2 5	10 19 2 6	29 50 3 10 2	27 75 6 10	68 112 12 20 4 6	68 97 12 35 2	63 97 13 18 2	60 54 12 21 1	15 5 4 2
111a 111b 112 113	Pulmonary embolism and throm- W. bosis C. Pulmonary congestion, edema, W. hemorrhagic infarct C. Asthma W. C. Pulmonary emphysema C. Pulmonary emphys	2 1 20 12 	2 1 6 7 9 4 1	14 5 18 12 2	1 1 1		1			1	i	2	2 1	4 3 2 1	1 1 4 4 4	1 2 5 1 1 5	1 1	1
114	Other diseases of respiratory sys-{W. tem (tuberculosis excepted){C. IX.—Diseases of the diges-{White	1, 225	5 1 511 335	9 8 714 541	211 129	96 51	29 19	17	11 9	31 24	43 22	41 43	3 48 55	1 1 80 94	113 115	114 125	159 95	23
115a 115b	Diseases of pharynx, tonsils	40 43 21 18	15 16 5 7	25 27 16 11 2	1 4 2	1	2 1	3 1	1	4 5 1	4 2 1	5 2	3 6 1 2 1	2 2 2 2 3	6 7 3 2	3 5 2 1	5 3 4 5	
116 117a 117b	Diseases of esophagus $\begin{bmatrix} C \\ C \end{bmatrix}$ Ulcer of stomach $\begin{bmatrix} W \\ C \end{bmatrix}$ Ulcer of duodenum $\begin{bmatrix} W \\ C \end{bmatrix}$	- 2 - 65 - 56 29	2 25 31 19 5	40 25 10 4		1					i	3 1	1 5 1	6 10 2	15 8 9 4	2 9 19 7 3 7	14 6 7	i
118 119	Other diseases of stomach (cancer W excepted) CDiarrhea, enteritis (under 2 years W of age) CC	168 266 134	15 32 74 45	69 136 192 89 77	9 17 180 93	5 5 86 41	2 4	1	1 4	2 2	2 4	1 5	13	2 20	7	28	14 21	2 1
120	Diarrhea, enteritis (2 years and W over) C. Appendicitis	91 254 100	25 32 150 57 20	59 104 43 13	1		18 14 3	8 4 1	5 3 1	5 6 14 4	2 3 28 10	2 26 11	1 3 25 13	1 7 43 17 2	11 34 17 2	8 13 30 12 4 7	10	1 2 1
122a 122b 123	Intestinal obstruction $\begin{array}{c} C_{\rm c} \\ C_{\rm c} \\ C_{\rm c} \end{array}$ Other diseases of intestines $\begin{array}{c} C_{\rm c} \\ C_{\rm c} \\ C_{\rm c} \\ C_{\rm c} \\ \end{array}$	36 109 89 17	14 52 38 10	57 51 7 4 35	3 18 8	1 1	4	2	1	1 3 2 1	5	2 3 6 2 1	6 6	2 6 11 3 3	5 10 17 1 2 5	7 11 9 6 14	9 13 15 5 2	
124 125a 125b	Yellow atrophy of liver	35 3 6 15 29	3 11	24 1 2 12 12	2	2		1		1 1		1 1	1	3 4 2	$\frac{4}{2}$	8 1 2 5	7 4 4	2
126 127 128	Biliary calculi. C. Other diseases of gall-bladder, W. biliary passages. C. Diseases of pancreas. C.	52 11 13	18 4 25 4 9 2	7 5 27 7 4		1		2	1	1		1	1 1	3 1 3 4 1 3	2 2 1 1	6 4 6 	8 1 15 4 . 3	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Cities	Cities of 2,500		-					DEATH	IS BY A	GE					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year		2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				G	EORO	SIA-	Contir	ued										
	X.—Diseases of the genito-{White urinary system{Colored	1, 857 1, 544	638 634	1, 219 910	9 3	5 5	4 2	1 2	7	9	15 7	8 18	29 39	55 109	123 211	190 344	294 315	1, 112 475
130 131 132 133	Acute nephritis (including un-{W_specified under 10 years)	805 401 335 62 44	28 70 431 334 85 145 19 16 17	80 82 703 471 316 250 43 28	2 2	4 3	4 2	2 1	3	4 6 1 1 1	7 2 3 2 5 2	1 6 2 3 2 5 3 1	5 13 8 11 7 5 6 2	5 13 21 43 11 26 2 2 2 3	11 26 63 105 31 47 9 6 3	15 34 110 185 37 90 10 10	16 23 199 177 56 88 5 9 4	30 19 724 277 251 130 20 10
135 136 137 138	Diseases of bladder (tumors ex-\{W\cepted\}\) Diseases of urethra, urinary ab-\{W\cepted\}\) Diseases of prostate\{C\cup U\cepted \cepted \cup U\cepted \cepted \cup U\cepted \cepted \cup U\cepted \cepted \cup U\cepted \cepted \cup U\cepted \cepted \cup U\cepted \cepted \cup U\cepted U\cepted \cup U\cepted \cup U\cepted \cup U\cepted U\cepted \	10 13 8 20 75 59	3 3 6 11 27 19	7 10 2 9 48 40	1					1			1	2 5 2	6 2 6 1	4 5 2 10	2 2 6 13	65 7 28
139a 139b 139c 139e	specified as venereal C. Cysts of ovary C. Other diseases of ovaries, diseases W. of tubes and parametrium C. Diseases of uterus C. Other diseases of female genital W.	6 4 4 19 21 11 13	12 15 6 6	2 2 1 7 6 5 7								3	2 4 1	2 1 1 8 7 1 6	2 2 4 1 3	1 2 3 5 3	1 3 2 1	2
	organs	287 301	3 ₂ 85 89	202 212							1 8	42 67	70 84	110 74	62 65	2 3		
140 141 142a 142b 143 144a 144b 145a 146	Abortion with septic conditions. C. Abortion without mention of septic conditions (includes hemorrhages). Ectopic gestation, septic conditions specified	1 4 3 2 2 2 10 4 18 10 57 82 104	12 10 4 2 1 3 3 3 2 2 3 3 3 3 3 2 2 2 3 3 2 2 2 3 3 3 3 3 2 2 3	11 13 11 13 11 13 2 7 15 7 42 46 81 80 6							3	1 1 1 1 1 1 18 16 30 5 1	4 5 2 6 1 2 1 2 1 5 27 26 31 3	15 7 4 2 2 2 6 1 3 28 38 26 38 26 31	2 6 5 4 1 2 2 7 3 6 17 24 14 3 1	1		
148 149 150	Puerperal phlegmasia alba dolens, wembolus, sudden death (not C. specified as septic)	6 3 33 49 1 2	10 5 1	5 3 23 44 2							1 1	5 11	12 8	2 1 8 13 1	7 15	i		
151 152 153	XII.—Diseases of the skin White and cellular tissue. Colored Furuncle, carbuncle	14 29 14 2 15 14 11 13	15 11 4 	25 18 10 2 7 7 7 8	2 2 3 2	2		1	I		2 2 1	1	2 3 2 2 2 1	1 1 3 2	3 2 3 1 1 2	5 6 3 1 2 2	1 2 1 1 1 1	4
\$	XIII.—Diseases of the White bones and organs Colored of locomotion	16 9	8 7	8 2	I 1	1	1			3	1	2	1	3	1	1	2	3
154 155 156		12 4 2 3 2 2	7 4 1 2	5 1 1 2 1	1	1	1			1	1	2	1	1	1	1	1	1 1 · 1
157a 157b 157c 157d	XIV.—Congenital mal-{White	66	37 13 3 2 4 18 8 12 3	9 8 15 1 48 6 33	121 26 10 5 16 1 57 8 38 12	8 6 1 3 1	2 2 1 		1 1 1 1 1	1	1 3	1 1 1			1			

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

-				Cities			V				DEAT	is by 1	GE					
List no.	CAUSE OF DEATH	All deaths	Cities of 10,000 or over	of 2,500 to 10,000 and rural areas	Under 1 year		2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				G	EORG	HA.	Contin	ued									•	ı
-	XV.—Diseases of early/White infancyColored	945 636	295 235	650 401	945 636													
158	Concenited debility (W	73	11 12	62	73 100													
159	Premature birth	100 669	215 173	454	669 425													
160	Injury at birth	425 139 48	56 31	252 83 17	139													7
161	Other diseases peculiar to early W	64 63	13 19	51 44	64 63						 -							
162	XVI.—Senility{Colored	200 330	25 21	175 309												1 2	2	196
	XVIIViolent and acci- (White	1,649	630	1,019	34	32	24	17	16 13	70	57	119	180	241	211	198	8 160	319 287
	dental deaths(Colored	1,142	457 122	685 156	40	25		8			40	124	187	244 56	150 50	100 65	83 46	75 32
163	By solid or liquid poisons or)	25 62	6	19								3 4	4	8	6	1	3	
′	substances	5	34 2	28 3									1	25 3	8 1	11	7	3
164 165	By poisonous gasW By hanging or strangulationW	10 11	9	1 7										2 1	3 2	4 3 2	1 2	3
166	By drowning	9	3	6										3	2		1	1
167 168	By firearms $\left\{ egin{array}{ll} W_{} \\ C_{} \\ \end{array} \right.$ By cutting or piercing instru-	170 16	65 4	105 12							1	9	10 3	24 4	32 5	39 1	34	21
	mentsW	11 3	5	6										1	2	4	1	3
169 170	By jumping from high places $\begin{bmatrix} W \\ C \end{bmatrix}$	2 2		2 2								2	i		1	<u>i</u> -		1
171	By other meansC	1 177	59	. 118	6	<u>1</u>				1	2	6		1 37	27		13	
	Homicide	386 136	185 42	201 94	ĭ					<u>-</u> -	1	42	40 94 31 73	124	37 58 33 43	25 38 18	20	7
173 174	By firearms $C_{}$ By cutting or piercing instru- $W_{}$	261 9	114	147							ī	42 4 25	73 4	30 76 1	43	26	11 12	5
	mentsC	82 32	3 52 14	30 18	6						1	10	17 5	36 6	10 2	7 7 5	1	3 ·
175	By other means $\{ \begin{array}{c} C_{} \\ C_{} \end{array} \}$	43 1, 194	19 449	24 745	1 28 39	31	23	17	15	69	<u></u> 54	100	4 125	12 148	5 124	108	1 7 101	2
176	Attack by wanamaya animala W	731 5	266 1	465 4	39	25	12	8	13	39 1	39	79	89	112	86	61	60 1	248 68
177	Poisoning by food	3 14	<u>1</u> 3	3 13		3			1	2					1	<u>-</u>	3	1 2
178	Absorption of noiseness ass	14 4	3	11 1	1					3	2 1		1		4	2 2 2	1.	1
179	Other acute accidental poison-	1 15	5 7	1 10	2	3	1	1				1	2			<u>i</u> -	1 2	ī
180	ings (gas excepted) C Conflagration C	13	5 4	10 8 24		5		-		1		1 2	1	3	2	1 3	2	<u>i</u>
181	Burns (conflagration excepted) $\left\{ \begin{array}{l} W \\ C \end{array} \right\}$	15 17 13 28 87 86 17	26 31	61 55	2 4 2	1 10 7	11 5	1 5 4	1 2 4	6 9 6	3 5 2	<u>4</u> <u>4</u>	1 4 3	1 6 3	1 9 5	3 4 10	2 6 12	1 12 18
}	SupplementalV.	17	8	9							í	<u>*</u>	4	5	5 1		1	18
182	Mechanical suffocation $\begin{bmatrix} \widetilde{W} - \\ C \end{bmatrix}$	20 19	4 1 12	16 18	10 18		i		2	5	1		i			i		'
183	Drowning $\begin{cases} \widetilde{W}_{} \\ C_{} \end{cases}$	52 59	12 12	40 47		2 2	2		1	3	4 10	10 14	9 12	7 12	6 2	2 3	3	3
l	Supplemental \mathbb{C}	7 7	4 3	3 4							1	2	2 3	ĩ	2 1	. ĭ.		
184	Traumatism: By firearms (wounds of \{W	62 70	20	42						4	6	10	6	10	7	9	7	2
185	war excepted)C By cutting or piercing in- struments (wounds of war excepted)	70 10 26	30 4 15	40 6 11	i		1		1	3	8	12 1 3	14 1 7	19	8 3 4	1 3	2 2 4	·2
100-	SupplementalW	7 215	3 88	4 127	4	<u>i</u> -		· <u>i</u> -	-	4	1 3	- -	2 9	3 8	7	8	12	1 150
186a	S1	47	88 17 15	30 26	3	1	2	2 -		3 .	2	7 2 4 3	2 3	4 8	- 6 9	6 5	4 3	12 3
186b	7	41 25 11	11 1 3	14 10					1	1 2		3	3 2	9 4	3 1	2	2	1
1000	Supplemental $C = \{C = \{C = \{C = \{C = \{C = \{C = \{C =$	7 71 40 34 9	30	4 41	2		1		· <u>i</u> -	5	3	6	8	1 15	2 12	11	6	.3
187	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40 34	16 4	24 30	1	3	2	<u>2</u> -	₁	5	·i-	8	8 2	9	5 2	8 .	1	2 2
188	Injuries by animals $\left\{ egin{array}{c} \mathbb{W}_{} \\ \mathbb{C}_{} \end{array} \right\}$	10	4 2	. 8	1 .						1	2	3	3		1	1	1 4
190	Excessive coldC	8 6	2	6			. 1				1	1	2 1	2	1 2 .	·	1	1
191	Excessive heat W_{-}	19 24	4	15 20 20								2	2	3	4	2	5	5 6
192	Lightning \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	20 13		13						2	1	5 3 2	3	3	3 2 1	· - -	1 2	1
193	Due to electric currents	11 5	6 2 3 3 24 18 175	5	2					1	1 1	z	Z	1	2		1 .	1
194a	Foreign bodies	5 8 10 57 46 378 150	3	5 7 33	1	7 2	1	2		1.	1					-	-	<u>1</u>
194b	Other accidents \\ \begin{align*} \b	46	18	33 28 203	2 8 3	1 3	3	5	1 7	1 3 22	16	5 44 13	8 3 53	6 10 52 25	7 4 45	39	5 4 40	5
195	Supplemental C Violent deaths of unknown	150	80	70			1		3.	7	9	13	16	25	26	19	17	45 14
	nature	2 4	1	1 4					-			1		1 1	2		i	
198	Degai executions(C	8		8								1	4	3			1	
	69301 3515			: .	,		•					,						

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

ļ			Cities	Cities of 2,500						1	DEATHS	BY A	GE					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas			2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 year	54	64	65 years and over
				•	BEOR	GIA-	-Conti	ued										
	XVIII.—Ill-defined causes {Whiteof death{Colored.	707 1, 522	53 184	654 1,338				7 6	2 8	22 20	7 15	8 31	3 57			9 3: 1 12:	73 146	179 271
199 200a 200b	Sudden death	100 129 124 323 483 1,070	5 6 11 33 37 145		1 3 6 25	$\begin{array}{c c} 6 & 3 \\ 7 & 12 \end{array}$	3 7 4	1 6 6	1 2 7	5 7 16	1 2 7 12	3 1 5 7 23	1 5 9 2 43	- 11 17 17	2	9 41 6 2	17 3 23 55 3 24	39 37 35 73 105 161
Punch symbol	SUPPLEMENTAL ¹																	
201 202 203 205 206 207	Accidents in mines and quarries	2 1 1 5 2 18 3 35 35 42	2 7 8 18	11 3 27 3 24					2	3	2 3	5	3 1 2 6 4		i	1 3 1 7 3 3	1 2 3 1 4 2 6 6 6 1	
208 209	Street car and automobile colli-\{\bar{W}_{\text{sions}}\} \C_{\text{C}} \\ Other street car accidents\{\bar{C}_{\text{C}}\} \\	1 1	1 1 3		-		1		-	i				-				<u>î</u>
210 211	Automobile accidents (primary) { W { C} { C { C { C { C} { C { C { C { C} { C { C { C { C} { C} { C { C { C} { C { C { C { C { C { C { C { C { C { C { C} {	152	186 83 5 1	69		2 2	3	5	6 2	8	16 9	37 18 1	_ <u>ī</u>	20	2	1 4 1 1 1	1 36 9 17 1 1	14
212 213 214	Other land transportation accidents Water transportation accidents Air transportation accidents	. 8	1 3 6	1		1		_ 1	2	_ 1	1 1	3	- 1 1 4		3		1 1 1 1 1 1	1
			IN CIT	ies—							DE	THS I	BY AGI	E			**************************************	
List no.	CAUSE OF DEATH	All deaths	10,000 or over		In rural areas	Un- der 1 year	year 3	2 rears	3	4 5 years y	COPE	14	19	24	34	5 to 45 44 5 ears yes	L 64	years
):				IDAF	10	· · · ·				!_	!			!	<u>1</u>	
	Total deaths (all causes)	3, 942	590		1, 801	379	44	27	28	16	97	76	99	92			20 601	= ====
1	I.—Infectious and parasitic diseases Typhoid fever	438 15		172	205	45	9	9	12	5	35	20	29	19	36	48	1 52	
5 7 8 9 10	Undulant fever Measles. Scarlet fever. Whooping cough Diphtheria	2 2 12 5 14	1 1 2	2 3 2 10	1 8 3 2	1 4 2		2 1 1	1 - 1	 1	1 6	2	3 -		1	1		
11a 11b	Influenza, respiratory complications specified	92	7	33	52	14	3	1	2	1	4	5	3	1	6	9	6 9	į
13 15 16	not specified Dysentery Erysipelas Acute poliomyelitis, acute policence- phalitis	64 6 7	3 2 1	28 3 2	33 3 3	8 4 1	3	1	1 2	1	2	3	3	2	1	4	4 8	19 2 1
17 18 22	Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis Tetanus Tuberculosis (all forms)	2 12 1 144	1 1 28	1 11 1 41	75	6			1	1	7	1 3 3	1 -	1	21		1 1	14
23 24 25	Respiratory system Meninges and central nervous system Intestines and peritoneum	127 1 9	23	34	70 1 3	5			1 _	1	4	3	14	7	18	25 :	22 16 1 2	2
27a 27b 28 31	Bones (ver*ebrāl column excepted). Joints. Skin and subcutaneous cellular tissue. Other organs.	2 1		1 -	1 					 						1	1	
32a 34 35	Acute disseminated tuberculosis Syphilis Gonococcus infection and other vener- eal diseases	1 2 17 3	1 2 4	6 2 -	7	2	1						3 -		1	2	3 4 1	2
36 39 40	Purulent infection, septicemia (non- puerperal)	12 1 1	2	7	3	2 - 1					 1	2		1	1	1	1	4
40 43	Ankylostomiasis Mycoses Other infectious and parasitic diseases_	1	1	. 7	10			1			_		-		 1	1	3 6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ties—							r	EATHS	BY A	GE	•		=*		
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				!	1100.4	HO-	-Conti	nued	<u> </u>	1			l	l		1		<u> </u>	
	II.—Cancers and other tumors	361	67	156	138			1			2		1	1	4	14	55	113	168
(45)	Cancer and other malignant tumors Buccal cavity	7	63 1	151 3	131 3								1	1	3	11	52	109	166 4
(45) (45) (46) (46) (46)	Pharynx Esophagus Stomach and duodenum Liver and biliary passages		1 17	1 1 37	1 43												1	1	i
(46) (46) (46)	Liver and biliary passages PancreasOther digestive tract and perito-	33 4	7	15	11 3											2 1 2	14 5	31 6 2	21
	neum	44 8	7 3	22 1	15 4								1		1	. 1	5 1	13 3	24
48 49	Other female genital organs	37	3 7 1 6	18 2 14	12 1 8									1 	2	3	5	14 1 13	12 2
47 48 49 50 51 52 53 54b	Breast Male genitourinary organs Skin Other or unspecified organs	28 31 11	7	13 5	11 5 14												9 1 3	10	24 3 12 2 6 19 5
54d.e	Nonmalignant tumors, uterus Nonmalignant tumors, other organs	37 5 1	5 3	18 1	14 1 1			-			 					1 2	8	3 8	20 <u>1</u>
55đ,e	Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, other organs (nature unspeci- fied)	10	1	_4 -	5			1			· 2				1	1		4	1
	III.—Rheumatic diseases, nutrition- al diseases, diseases of the en-						-												
	al diseases, diseases of the en- docrine glands, and other general diseases.	133	20	55	58	8					5	6	2	2	4	9	12	36	49
56 57 59 65	Acute rheumatic fever Chronic rheumatism, osteoarthritis	11 8		6 3	5							2	2	1	1		1 2	3 2	1 4
66a	Disbetes mellitus. Diseases of pituitary body. Simple goiter.	79 2 4	13 1	32 2 1	34				:		3	3		1	2	5	4	25 1	36
66b (66)	Simple goiter Exophthalmic goiter Other diseases of thyroid and parathyrid glands	18 2	1 4 2	6	2 8						1	1			1	3	4	3	5
67 69	roid glands. Diseases of thymus gland Other general diseases.	6 3		5	- 1 3	6 2											1	1	
	IV.—Diseases of the blood and blood- making organs	22	8	6	8			•		1	2				1	2	2	7	8-
70 71a	Hemorrhagic conditions Pernicious anemia	1 8	1 4	3	1						1								
71b 72a	Other anemias True leukemias	. 2	1	1	2 2						1						2	3	5 <u>1</u>
72b 73	Pseudoleukemias (Hodgkin's disease) Diseases of the spleen	6 1	2	2	· 1										1	1		3	I I
	V.—Chronic poisonings and intoxi- cations	10		5	5								1				3	3	3
75	Alcoholism (acute or chronic)	10		5	5								1				3	3	3
	VI.—Diseases of the nervous system and of the organs of special sense	428	64	167	197	9	1	2	1	1	6	4	. 2	7	11	24	39	65	254
78 79a	Encephalitis (nonepidemic)	6 4	<u>i</u>	3	3 3			1			1	1		1	1	1	1	1	
79.5 80	Progressive locomotor ataxia (tabes	3			2						1								
81 82a	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis	333	1 1 51 2	121	161			1				1	1		4	13	2 26	1 58	$\begin{array}{c} 3 \\ 1 \\ 227 \end{array}$
82a 82b 82c 82d	Heminlegia and other paralysis cause	. 2		3	3 1										1	1 .			5 2
83	unspecified General paralysis of insane Dementia praecox and other psychoses	9 8 5		5 7	4 1 3					1					<u>2</u>	<u>i</u>	1 2	2	5 3
84 85 86 87	Convulsions (under 5 years of are)	17 5		2 14 2	3	5			1		1	2	1	3	2	3	3		1 1
87 89a 89b	Other diseases of nervous system Diseases of ear Diseases of mastoid process	11 5 5	3 4	5	3 1 2	2 1					<u>2</u>			1	1	<u>-</u> -	1	2	5
	VII.—Diseases of the circulatory system	821	102	321	398	2	2			1	7	8	13	7	19	41	76	740	1
91a 91b	Acute endocarditis Endocarditis, unspecified (under 45	6		3	3					1		3	1		19	41	1	149	496
91b 92a	years) Endocarditis, specified as chronic, and	2		2									2						
92b	other válvular diseases	200	22	75 6	103 7		1				4	3	. 6	2	14	19	26	37	88
93a 93b	and over) Acute myocarditis Myrocarditis, unspecified (under 45	13	1	7	5								ī			1	4	3	5 8
93c	years) Chronic myocarditis and myocardial degeneration	7 162	18	77	3 67						- 1	1 1	1	2 2	1	3 6	10	91	100
93d 94a 94b	Other diseases of myocordium	122 79	18 17 · 18 6 1	50 21- 19	55 - 40 19								1			3	10 10 11	21 23 20 13	89 44
95a 95b	Angina pectoris Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart	122 79 44 2 87	6 1 12 2	22	53	i	1				2		i	1	2	4	5	13	120 89 44 22 2 51 5
96	Aneurysm (except heart)	9	2	4	3										ــــــــــــــــــــــــــــــــــــــ	*		4	5

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			1			i i											···		
List		All	IN CIT	ries	In					ı	ı	EATHS	BY AC) E	1	<u> </u>		1	· · · · · ·
no.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der i year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	years and over
					IDA	но-	-Conti	nued											
	VII.—Diseases of the circulatory system—Continued																		
97	Arteriosclerosis (coronary arteries ex-	.,																_	
98 99	cepted) Gangrene Other diseases of arteries	51 6 5	3 1	22	26 5 2	<u>-</u>										<u>-</u>		5 1	46
100 102	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)————————————————————————————————————	4	1	2	1								1		1			1	1
103	Other diseases of circulatory system	5 4		3	1												1		3
	VIII.—Diseases of the respiratory system	290	50	109	131	47	10	4	2	2	8	8	6	6	11	16	26	33	111
104b 105	Diseases of nasal fossae and annexae Diseases of larynx	33.5	2	2	1		<u>1</u>			<u>i</u>	1			1				2	
106b 106c,d 107a	Chronic bronchitis Bronchitis, unspecified Bronchopneumonia	7 2 96	2 17	30	3 2 49	31	4	<u>4</u>				3	1			1 5	<u>-</u> -	1 7	36 36
107b 108	Capillary bronchitis Lobar pneumonia	1 134	21	1 58	55	1 10	5		2		6		5	4	6	10	14	16	
109 110	Pneumonia, unspecified Pleurisy	19 5	3	5 3	11 2	5					i			ī	2		2 2	5	50 5
111a 111b	Pulmonary embolism and thrombosis_ Pulmonary congestion, edema, hem-	3	2	1													1	1	1
112 113	orrhagic infarct Asthma Pulmonary emphysema	5 5 1	1	3 2	$\frac{2}{2}$												1		4
114	Other diseases of respiratory system (tuberculosis excepted)	6	2	2	2										1		1	1	3
	IX.—Diseases of the digestive system.	315	66	125	124	23	8	5	4	2	10	8	10	11	29	24	55	42	83
115a 115b	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa	14 6	3 1	4 2	7 3	1	2	₁ -	1		2	2			3	2	1 2	1	2
117a 117b	Ulcer of stomach	30 2	1 3 1	14	13						1				2	3	9 2	6	9
118 119	Other diseases of stomach (cancer ex- cepted)	12	1	4	7	3		1	1									3	4
120	Diarrhea, enteritis (under 2 years of age)	20 10	3	12 4	8 3	15	5			1			<u>-</u>				2		
121	Appendicitis	90 17	20 4	44 8	26 5	1	1	î		Î	5	5	9	9	18	10	16 4	8	5 6 10
122a 122b 123	Intestinal obstruction Other diseases of intestines	34 4	9	13	12	3		1	î					2	1	2 1	3	1Ŏ	11 2
124 125a 125b	Cirrhosis of liverYellow atrophy of liver	28 1	4	4	20 1						1				<u>i</u> -	2	3	5	17
125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary	3 21	8	9	1 4						1				i	<u>-</u> -	8	3	2 8
128	passages Diseases of pancreas	15 3	. 4	5	6 3				1	- 						3	2 2	. 3	ē
129	Peritonitis, cause not specified	5	1	1	3							i			1		í		2
	X.—Diseases of the genitourinary system	341	46	153	142	4			1	1			5	3	10	20	35	56	205
130	Acute nephritis (including unspecified under 10 years)	14	2	8	4	2				1			1	1	1	2	2	1	3
131 132	Chronic nephritis Nephritis, unspecified (10 years and	253	32	113	108				1.				3	1	5	12	29	43	158
133	over)Other diseases of kidneys, ureters (puerperal diseases excepted)	23	3	8	12			ŀ			i	ì				1	4	5	
134 135	Calculi of urinary passages	9 3 3	3 1	1	1 3										1	1		2 1	4 1 3
137 138	Diseases of prostate	22	4	9	9													1	21
139a	specified as venereal	1 3		2	1											<u>i</u> -		₁ -	1
139b	Other diseases of ovaries, diseases of tubes and parametrium	4		4						<u>.</u>			1	 	2			1	
139c	Diseases of uterus	6		4	2										1	3		1	1
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	46	6	21	19					I——			4	8	17	17			
140 141	Abortion with septic conditions. Abortion without mention of septic	4	1	1	2)	1				4				
142b	conditions (includes hemorrhages) Ectopic gestation, septic conditions not	4	1	1	1					i	i					4 1	-		
144a 144b	mentioned	3 3		3 2											1 1	2 2			
145a	Puerperal septicemia and pyemia (abortion excluded)	10	1	3	6	1			ŀ	į .			[1	6	2			
146 147	Puerperal albuminuria and eclampsia Other toxemias of pregnancy	12 3	2	5 2	5 1								1	6	3	1			
148	Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified			.										_					
149	as septic) Other accidents of childbirth	1 5		$\begin{vmatrix} 1\\1 \end{vmatrix}$	4						l			1	1	4	<u> </u>		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	AGE FOR THE REG		IN CI		LA A	1						EATHS	********						
List	CAUSE OF DEATH	All deaths	10,000	2,500	In rural	Un-		<u> </u>	1 .	.			15 to		25 to	35 to	45 to	55 to	65
			or	to 10,000	areas	der 1 year	1 year	years	3 years	4 years	5 to 9 years	14	19	24	34 years	44	54	64	years and over
					IDA	-OE	Conti	nued						,		`			
	XII.—Diseases of the skin and cellu- lar tissue	8	1	6	1	3					1					1	1		2.
151 152	Furuncle, carbuncle Phlegmon, acute abscess	1 2	1	1 1							1					1			i
153	Other diseases of skin and annexa, and of cellular tissue	5		4	1	3											1		1
	XIII.—Diseases of the bones and organs of locomotion		1	4	1					1	1			<u></u>			1		3
154 155	Osteomyelitis	3		3	1					1	. 1						1		1
156	Diseases of joints, other organs of loco- motion	1	1																1
157a		41 4 5	10	10 1 2	21	38 4 5	1					2							
157b 157c 157d	Congenital malformations of heart	26 6	6 2	2 6 1	3 14 3	23 6	1					2							
	XV.—Diseases of early infancy	179	19	64	96	179													
158 159 160	Congenital debility	12 109 38 20	1 10 6	4 40 14	59 18 12	12 109 38 20													
161 162	XVI.—Senility	20 55	7	· 6 19	12 29	20													- 55
	XVII.—Violent and accidental deaths	410	59	149	202	8	13	6	8	3	20	20	26	28	47	48	67	42	71
163	Suicide By solid or liquid poisons or by ab-	81	17	23	41								4	3	12	14	20	15	12
164 165	sorption of corrosive substances By poisonous gas	14 5 6	3	6 2 2	5 3 3									1	4 1 1	5 2 1	1 2 2	1	2 <u>î</u>
166 167 168	Rv fireerme	5 47 2	10 10	12	25 1								4	2	5 1	1 4	12	12 1	, 7
169 171	By cutting or piercing instruments. By jumping from high places By other means. Homicide	1 1 12	1 1	1 2	9										<u>2</u>	1	1 4	1	4
173 174 175	By firearms By cutting or piercing instruments By other means Accidental, other, or undefined	7 1 4	1	2	4 1 4										2		4	1	1 1 2
176 177	Attack by venomous animals Poisoning by food	317 2 4	41	124 1 2	152 1 2	8	13	6 1		3	20	20	22	25 	33	34	43 	26 1 1	55 1
178 179	Absorption of poisonous.gas Other acute accidental poisonings (gas excepted)	4 5	1	1	2 1								1	7 1	1	2	2 1	1	
180 181 182	Conflagration Burns (conflagration excepted) Supplemental	7 13 2	3	3 3 2	4 7		2	2	2		1 1	1		<u>-</u> 1 1	1 1	1	$\frac{1}{2}$		1 1
183	Mechanical suffocation Drowning Supplemental	8 43 5	2	6 12 1	1 29 4	5 2	8	2 	2 	<u>1</u>	1 2	3	4 1	<u>7</u>	1 3 1	1 3 2	1 1		5
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or pioneing instru	22		9	13				1		4	4	2	1	3	3	2	2	
100	By cutting or piercing instru- ments (wounds of war ex- cepted) Supplemental	2 2		2 2											1			1	
186a 186b	Supplemental	29 17	6 2	12 4 2	11 11		1		<u>î</u>	 		<u>2</u>	1 1	1	<u>-</u>	<u>-</u>	1 3 5	1	23 3
187	By crushing, landslide Supplemental Cataclysm Injuries by animals	6 44 1	5	14	25 1	1	2				4	1	3	5	6	6	4 7	7	1 2
188 189 192 193	Hunger and thirst	8 1 3	1	3 1.	4 3						1 1	<u>1</u>	1	1	1	1	2 		1
194a 194b	Due to electric currents—supplemental Foreign bodies.	1 2	1 5		1			<u>-</u> -	<u>-</u>				1						
T940	Other accidents Supplemental XVIII.—Ill-defined causes of death	16 70	14	, 34	5 22				1		5	2 3	6	7	10 10	1 10	8	<u>i</u> 1	6 10
199 200a	Sudden death	38	3	9	26	13									2	1	1	3	14
200b	Cause of death in-defined Cause of death not specified or un-known	18 17	3	4	11 13	6 7									2	1	2 1	3	6 .6
Punch symbol	SUPPLEMENTAL1	_		_														-	
201 202 205	Accidents in mines and quarries	9 3 4		4 2 2	5 1 2								<u>1</u>	1	2	4	1 3		.1 1
1 S	ee explanatory footnote 2, p. 169.																		

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	HOL FOR THE REGI	O L LUII	11011		AI	., 1		. 1012	U10 .	LIVA	1101	, DI		. 196	,,,	JOH 611	ucu		
			IN CIT	res—	In						ľ	EATHS	BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural area	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	965 years and over
					IDA	тно-	Conti	nued											
Punch symbol 206 207 210 211 212 213 214	SUPPLEMENTAL 1—continued Railroad and automobile collisions Other railroad accidents. Automobile accidents (primary) Motorcycle accidents. Other land transportation accidents. Water transportation accidents. Air transportation accidents.	86 1 22 2	18	5 38 1 4 1	2 6 30 16 1	1	1 1		1		1 1 6	3	1 8 1 1	2 7 3	2 12 3	1 10 2	2 13 1 1 1	13	1 11 2
		i	ī			ILLII	NOTS				1	-	1	T	Ţ	1	1	ī	
	Total deaths (all causes)	83, 180	52, 912	7, 794	22, 474	5, 884	836	498	370	327	1, 188	936	1, 436	2, 003	4, 890	7, 536		13, 495	32, 945
	I.—Infectious and parasitic diseases		4, 760	760	2, 740	467	251	167	122	122	355	204	356	607	1, 301	1, 259	1, 122	780	7, 136
1 2 3 5 6 7 8 9	Typhoid fever Paratyphoid fever Typhus fever Undulant fever Smallpox Measles Scarlet fever	5 1 3 2 56 264	1 1 1 42 189	21 2 22	54 1 2 1 12 53 82	7 5	2 9 26	1 9 25	1 10 24	1 7 25	1 13 90	12 1	16	19 1 9	24 1 1 1 1 114	14	12 1 1 1	12	2
10	Whooping cough	230 238	123 139	25 30	82 69	125 5	26 57 17	25 27	12 25	5 30	86	1 29	5		6	3	2	<u>-</u> -	1 2
11a 11b	Influenza, respiratory complications specified Influenza, respiratory complications	1, 246	610	148	488	82	38	19	14	7	27	22	32	35	110	156	152	148	401
13 15 16	not specified Dysentery Erysipelas Acute poliomyelitis, acute polioen-	603 87 132	220 43 76	89 11 17	294 33 39	53 15 38	20 12 1	14 5 3	5 4 1	8 2	20 6	17 1	14 1 2	15 2 2	36 3 9	42 1 8	59 5 12	58 3 19	241 28 36
17 18 20	cephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malignant	39 52	22 19 129	8 14 10	9 19 18	4 2 10	2 1 8	4 9	3 2	3 4	5 1 24	10 1 13	3 4 15	13	1 9 15	1 8 18	7 13	7 8	1 12 5
21	pustule Rabies	1 3	2		1											1		2	1
22 23 24	Tetanus Tuberculosis (all forms) Respiratory system Meninges and central nervous	3, 803	30 2, 598 2, 241	10 306 266	9 1, 397 1, 296	43 17	50 8	1 21 6	18 7	5 22 2	58 22	6 62 46	233 203	483 451	999 913	871 801	691 633	6 411 379	3 332 308
25 26 . 27a 27b 28	system Intestines and peritoneum Vertebral column Bones (vertebral column excepted) Joints Skin and subcutaneous cellular	136 115 72 15 10	111 72 44 10 4	11 11 6 1 3	14 32 22 4 3	10	19 1 1 1 1	10 1 1	7 2 1	11 6 1	17 4 3 2	6 1 4	8 5 4 1	7 8 6 2	14 26 17 1 2	13 25 11 2 1	10 19 13 4 2	3 12 5 1 1	1 4 6 3 1
29 30 31	tissue Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). Genitourinary system Other organs	6	4 18 3	1 2 2 2	2 4 12 1	1					1	 1 1	2 2	1	<u>8</u>	10	5	3 2	1 2 2 1
32a 32b,c 34 35	Acute disseminated tuberculosis Other disseminated tuberculosis Syphilis	503	83 8 362	30	5 2 111	67	20	3	1	2	94	2 1 5	7 8	10 10	12 3 38	94	3 2 145	84 84	1 2 46
36. 38 39	real diseases Purulent infection, septicemia (non- puerperal) Malaria Other diseases due to protozoal para-	53 37 37	24 11	5 3 8	10 18	3	1 2	1 2		2 1	3	1	5 2 1	11 1 1	19 4 4	10 4 7	5 3	2 8 5	3 9
41a 41b 42	sites. Hydatid cysts of liver. Hydatid cysts of other organs Other diseases caused by helminths	2 2 1 8	2 1 1 1 2		2 1 1										1 1 1	1	2	1 1	1
43 44	Mycoses	20	16	1 	5 4	4	3	<u>1</u>	2				1 	1	1	2	2 1	1	4
(45) (45) (46) (46) (46) (46) (46)	II.—Cancers and other tumors Cancer and other malignant tumors Buccal cavity Pharynx Esophagus Stomach and duodenum Liver and biliary passages Pancreas. Other digestive tract and peri-	9, 070 282 81 222 1, 909 794	5, 955 154 39 180 1, 241 480 180	848 25 8 12 174 79 28	2, 323 2, 267 103 34 30 494 235 53	3	5	3	6	5	25	17 10	21 1 1 2	35 1 	263 215 2 16 3 7	935 800 19 9 10 107 38 21	1, 797 1, 697 32 13 36 317 128 47	2, 328 2, 286 62 20 68 465 202 64	3, 990 3, 950 164 38 108 995 411 122
47 48 49 50 51 52 53 54a 54b	tone um. Respiratory system. Uterus. Other female genital organs. Breast. Male genitourinary organs. Skin. Other or unspecified organs. Nonmalignant tumors, ovary. Nonmalignant tumors, uterus.	416 1,031 188 833 778 177 697 6	928 318 697 137 570 503 71 457 6 158	148 17 108 15 84 73 25 52	325 81 226 36 179 202 81 188	1	1	3	1 3	3	1 1 11	3	1 1 2 13	5 4 4 3 1 2 10 1 1	35 17 66 10 20 11 2 26 4 16	104 51 183 38 104 33 6 77	256 99 280 40 207 98 19 125 1 62	389 122 236 47 244 183 21 163	608 120 261 46 254 445 126 252

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		1	IN CIT	TES-		1				·	n	EATHS	BY AC	æ.					
List	CAUSE OF DEATH	All deaths	10,000	2,500	In rural					<u> </u>		10 to	15 to	20 to	25 to	35 to	45 to	55 to	65
20.			over	to 10,000	areas	der 1 year	year	2 years	3 years	years	5 to 9 years	14	19 years	24	34	44	54	64	years and over
			· · · · ·		ILLE	NOIS-	-Cont	inued					-						
	II.—Cancers and other tumors—																		-
54d,e 55a	Nonmalignant tumors, other organs Tumors, ovary (nature unspecified)	80 2	59 2	5	16	3.					6	1	5	1	9	16	13	12	14
55b 55d,e	Tumors, uterus (nature unspecified) Tumors, other organs (nature unspecified)	1 145	107	6	32		2	1	1	2	5	6 _.	5	4	19	38	24	19	19
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases	2, 934	2, 046	247	641	85	. 7	9	6	11	48	42.	45	33	145	224	410	679	1, 183
56 57	Acute rheumatic feverChronic rheumatism, osteoarthritis	190 64	143 29	16 9	31 26	1		4.	4	5	26 1	23	17	8	24 6	12 2	25 5	19 7	21 43
56 57 58 59 60 62 63 65	Gout Diabetes mellitus Scurvy	2,058	1, 415	163	480	2 1		1		5	14	15	20	17	65 2	109	265	550	992
63 65 66a	Pellagra Rickets Diseases of pituitary body Simple goiter	14 20 3 13	15 2 8	1 1 1 1	9 4	12 1	1 4			1	1		1		2	6 1 1	1 i	2 2	1 1 6
66b (66)	Exophthalmic goiterOther diseases of thyroid and para- thyroid glands	439 18	336 11	37 4	66 3	9	1		1		2	1	6	1 5	39	80 1	107 1	93 1	105
67 68	Diseases of thymus gland	64 33	43	.12	9 5	54	ĩ	2	1		4	1	1	1	7	11		4	 5
.69	Other general diseases IV.—Diseases of the blood and blood-	. 16	28 10	. 2	. 4	5		2				1					1	1	6
70	making organs Hemorrhagic conditions	734	29	93	181	19	2	11	7	9	20 -	22 4	23-	22	39 3 7	76	98	146	221
71a 71b 72a 72b	Pernicious anemia Other anemias True leukemias Providentamias (Hadalinia disease)	42 295 33 221	152 18 164	6 48 20 6	95 9 37 27	19 2 7 1	2 2 2 1	1 3 6	1 6	7 1	10	4 2 1 9 3	11 3	3 8 8	1 13 13	19 1 32 24	34 1 32 23	69 3 46 19	148 13 39 13 3
73 74	Pseudoleukemias (Hodgkin's disease) Diseases of the spleen Other diseases of blood and blood-making organs	110 22 11	77 11 9	5	6	1	1				3	3	2	2	1		3- 2	4	3 2
	V.—Chronic poisonings and intoxications————————————————————————————————————	145	90	14	41									2	22	35	42	28	16
75 76	Alcoholism (acute or chronic) Chronic poisoning by other organic	130	78	13	39									2	21	32	39	21	15
77a	substances Chronic lead poisoning	7 8	5 7	1	1			 							1	$\begin{array}{c c} 2\\1 \end{array}$.1	2 5	<u>ī</u>
	VI.—Diseases of the nervous system and of the organs of special sense	7, 605	4, 091	833	2, 681	80	31	22	20	17	83	59	58	- 71	221	499	869	1, 428	4, 133
78 79a 79b	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis	59 82 17	46 63 10	5 8 1	8 11 6	20	3	3 5 1	3 2	1 5	11 5	3 5 2	5 3 1	$\frac{1}{2}$	1 9 3	5 3 1	11 9 2	7 7	6 4 1
80 81	Progressive locomotor ataxia (tabes dorsalis)	91	47 119	7 31	37 87				2		2	<u>-</u>	<u>-</u> -	<u>-</u> -	1 7	5 26	19 30	34 47	32 111
82a 82b 82c	Cerebral hemorrhage	237 5, 258 454 52	2,774 290 30	633 47 6	1,851 117 16	9	- 2 - 2	1 1			1	2 3 	4 3	13 4	52 16	199 20	550 49 2	1,060 84 9	3,354 271 41
82d 83	Hemiplegia and other paralysis, cause unspecified General paralysis of insane	154 424	78 174	19 12	57 238	2							1 3 5	3	2 45	5 135	-8 108 22	19 82 7	115 48 14
83 84 85 86 87 88 89	Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age) Other diseases of nervous system	94 163 17 217	19 74 8	12 5 12 1 26	70 77 . 8 76	3 9 6	2 3 3	3 2	5 2 1	1	8	11	10	7 12 5	18 28 	21 28 21	23	13 35	19
88 89a 89b	Diseases of organs of vision Diseases of ear Diseases of mastoid process	199	115 3 169 72	15 5	· 15	1 22 2	9	4 2	3 2	5 1	39	13 6	10 5	1 13 7	1 18 7	15 15	11 8	20 3	15
000	VII.—Diseases of the circulatory system		13, 042	1,743	5,869	31	15	9	13	10		109	119	148	496			3, 825	
90 91a	Pericarditis. Acute endocarditis. Endocarditis, unspecified (under 45	1	29 158	4 25	22 29	1 1	3	2	1 3	1	9	1 15	3 17	4 15	5 32	7 42	7 21	4 23	20 30
91b 92a	Endocarditis, specified as chronic, and	38	30	2	6	1			1		9		2	4	8	13		EE1	1 770
92b	Endocarditis, unspecified (45 years	3, 429	1,888	354 31	1, 187	4		2	5	1	30	55	60	70	170	301	397 52 55	554 58 75	1,772 170 155
93a 93b 93c	Acute myocarditis. Myocarditis, unspecified (under 45 years) Chronic myocarditis and myocardial	359 . 92	237	19 9	103	6	1			. 1	1	4	5	6	16	1			
93d 94a	Other diseases of myocardium	8,056	5,366 1,262 693	- 530 265 141	2, 160 596 315	2	1		. 2		9	7	12	20 1	4 7	47	787 236 147	408 316	5, 259 1, 467 632
94b 95a 95b	Angina pectoris Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart	. 26	716 7 1,726	81 9	180 10	1		3	1	3	16	21	1 11	.	10	66	172	257 1	462 17

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—			====					EATHS	BY AC	e E			···		
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					ILLI	NOIS	-Con	tinued											
_	VII.—Diseases of the circulatory system—Continued																		
96 97	Aneurysm (except of heart) Arteriosclerosis (coronary arteries ex-	173	123	13	37					2		1			9	25	40	44	52
98 99	cepted) Gangrene Other diseases of arteries	1,057 47 102	441 24 63	98 4 11	518 19 28	$\frac{1}{2}$					i		2	1	1 4	1 7	40 3 18	104 8 20	908 31 49
100 101	Diseases of veins (varices, hemor- rhoids, phlebitis, etc.)	51	37	5	9					. 1			1	1	1	9	6	13	19
102 103	phangitis, etc.) Idiopathic anomalies of blood-pressure Other diseases of circulatory system	13 16 10	12 8 3	3	1 5 4	3		2		1	1				. 1	3	1 1 2	1 2 1	10 6
	VIII.—Diseases of the respiratory system		4, 039	519	1, 594	964	244	120	73	43	129	68	116	150	384	571	675	725	1, 882
104a 104b	Diseases of nasal fossae Diseases of nasal fossae and annexae	. 51	11 40	2 4 7	2 7 7	4		1	1 2		1 7	8	1 5	3	1 6 2	4 9	5	1 6	2
105 106a 106b	Diseases of larynx Acute bronchitis Chronic bronchitis	136 119	25 93 69	14 15	29 35 21 551	6 35 2	6 11	3 7	1		5		1	2	3 8	3 4	. 3 8 5	1 12 21	3 49 76 28 604 12
106c,d 107a 107b	Bronchitis, unspecified Bronchopneumonia Capillary bronchitis	2, 221	1, 508 19	162 5	551 17	708 19	139 5	76 1	43	16		16	3 27	26	73 1	126	1 144	179	28 604
108 109	Lobar pneumonia Pneumonia, unspecified	2, 920	1, 902 20	254 5	764 13	139 11	63	26	22	-	48	40	70	96 2	255 2	370 6	435 3 23 7	421	912
110 111a 111b	Pleurisy Pulmonary embolism and thrombosis Pulmonary congestion, edema, hem-	. 32	142 16	11 2	33 14	18						3	6	11	21 1	22 4	t		28 12
112 113	orrhagic infarct Asthma Pulmonary emphysema	93	34 72 3	13 12 1	46 33 3	1 2	1 2	1 2		<u>1</u>	1 1		1	3	3	2 7 1	19 1	3 22	77 55 3
114	Other diseases of respiratory system (tuberculosis excepted)	_ 77	51	7	19	2	2	1			_ 2		. 1	5	8	10	19	18	9
	IX.—Diseases of the digestive system		3,974	582	1, 059	566	161	-	57	-			154	197	433	681	877	844	1, 193
115a 115b 116	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa. Diseases of esophagus	_ 57	218 37 4	25 7	57 13 1	15 1	13 1		13		42	_ 22	14 2	20 6	40 7	33 13	27 11 1	27 8 3	19 7 1
117a 117b	Ulcer of stomach Ulcer of duodenum	400 131	303 104	27 10	70 17					-	i	1	5	- 4 1	35 16	73 32	106 29	82	94 24
118 119	Other diseases of stomach (cancer excepted)	110	49	13	48	20	8	2		-	- 2			3	4	4	9	11	41
120 121	Diarrhea, enteritis (under 2 years of age) Diarrhea, enteritis (2 years and over)	_1 293	299 143 947	67 38	204 112 102	453	117 <u>1</u> 1	_ 38	20 20			12 105		10 107	14 167	18 176	20 172		107 92
122a 122b	Appendicitis Hernia Intestinal obstruction	. 348	271 358	146 32 57	45 78	5 44	1 6		3	_ 1		. 1	1	5 20	9 37	36 83	66 65	74 63	148 130
123 124 125a	Other diseases of intestines Cirrhosis of the liver	- 69 748	47 518 33	6 71 3	16 159	2 1		2			-1 -	- 1 3 - 1	1	1	23	88 8	16 159 14	9 195	23 275 7
125b 126	Yellow atrophy of liver Other diseases of liver Biliary calculi	67	46 292	5 37	16 42	4				-			1	1 2 5	4 5 31	13 45	11 86	5 15 95	16 108
127 128	Biliary calculi Other diseases of gall-bladder, biliary passages	_} 277	193 48	30	54 3	4	1				<u>î</u>	3	1 2	3	18	34 8	63 13	64 15	85
129	Diseases of pancreas Peritonitis, cause not specified		64	5	18	15	3	3	ī		5		i	6	9	11	9	îĭ	9
130	X.—Diseases of the genitourinary system		5, 987	898	2, 294	30	10	8	6	6	31	35	60	77	277	618	1,077	1, 611	5, 312
131	Acute nephritis (including unspecified under 10 years) Chronic nephritis Nephritis, unspecified (10 years and	266 7, 448	167 4, 848	29 708	70 1,892	8	5	4	2				10 35	6 45	20 167	41 432	42 886	37 1, 331	73 4, 493
132 133) DV87)	1 453	218	62	173	 				-	-	_ 4		8	14	35	41	71	268
134	Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages	_ 79	154 64	19 7 3	39 8	18	5						_ 1	5		21 10 3	27 20 2	31 17	71 22 24
135 136 137	Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess, etc Diseases of prostate	_ 29	19 26 305	3 2 45	13 1 85	1					_		-	1	3	6 2	6	9	5 339
138	Diseases of male genital organs, not specified as venereal	10	4	2	4	2			.		_ 1			<u>i</u>		2 18	1	2	2 4.
139a 139b	Cysts of ovary Other diseases of ovaries, diseases of tubes and parametrium	101	54 84		6								1	8	26	35	20	9	2
139c 139d	Diseases of uterus Nonpuerperal diseases of breast (cancer excepted)	- 48	41	4	3					-		-		2	11	10		1	9
	XI.—Diseases of pregnancy, child- birth, and the puerperal state	}	436	82	107								. 53	126	276	166			
140 141	Abortion with septic conditionsAbortion without mention of septic	107	76	16	15						-		9	28	47	21	2		
141 142a	conditions (includes hemorrhages) Ectopic gestation, septic conditions	- 36	24	-	9				-	-		-	- 5	7		9			
142b	specified	; 11	10		. 1			-	-	-	-	-	1	11	- 8 23	12	ł		
	mentioned	_ 47	36	5	6	И	.1	-1	-1	-'	-1	-'	_1 1	11	; 23	1 12	'		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	·		IN CIT	ries—	т-						. D	EATHS	BY AC	Æ					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					nlo	NOIS	-Cont	inued											
	XI.—Diseases of pregnancy, child- birth, and the puerperal state—Continued																	-	
143 144a 144b 145a 145b 146 147	Other accidents of pregnancy (hemorrhage not included) Placenta praevia Other puerperal hemorrhages Puerperal septicemia, and pyemia (abortion excluded) Puerperal tetanus (abortion excluded) Puerperal albuminuria and eclampsia Other toxemias of pregnancy	1 18 54 116 1 99 21	12 37 73 1 63 18	4 9 23 12 1	1 2 8. 20 24 2								3 17 1 13	3 9 29 18 8	1 3 25 46 	12 16 24 	i		
148 149 150	Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified as septic). Other accidents of childbirth. Other and unspecified conditions of puerperal state.	30 81 3	23 60 3	1 8	6 13								3 1	4 9	13 45	13 23 2			
	XII.—Diseases of the skin and cellu- lar tissue.	85	57	5	23	17	1				2	í	4	5	7	10	10	10	1
151 152 153	Furuncle, carbuncle	29 24 32	21 18 18	1 1 3	7 5 11	2 4 11	1				1	1	4	2 1 2	3 2 2	4 3 3	3 4 3	3 3 4	,
	XIII.—Diseases of the bones and organs of locomotion	116	91	10	15	2		. 4	3	6	8	14	13	5	14	11	11	9	1
154 155 156	Osteomyelitis	87 10 19	73 3 15	8 2	6 5 4	2	1 	4	3	6	6 2	12 2	7 2 4	4 1	9 1 4	9 1 1	10 1	5 2 2	•
	XIV.—Congenital malformations	797 90	513 70	73	211	725 75	26 5	9	5 1	4	10	4	4 1	4 1	6	<u></u>			
157a 157b 157e 157d	Congenital hydrocephalus Spina bifida and meningocele Congenital malformations of heart Other congenital malformations	97 400 210	54 238 151	9 43 17	34 119 42	95 362 193	1 13 7	6	3 1	2 2	1 2 3	3 1	2 1	3	4 2				
150	XV.—Diseases of early infancy	2,773	1, 844 63	276 25	653 40	2,773 128													
158 159 160 161	Congenital debility	1,660 686 299	1, 074 494 213	163 68 20	423 124 66	1,660 686 299												5	24
162	XVI.—SenilityXVII.—Violent and accidental deaths	254 7, 604	5, 088	709	152 1,807	78	72	64	51	57	216	201	400	509	1,001	1, 208	1, 224	1, 037	1,47
163 164 165 166 167	Suicide	1,424 236 138 307 69 559	924 172 112 198 29	140 27 12 24 6 65	360 37 14 85 34 164								20 8 1 4	79 21. 6 8 4 33	180 49 14 29 4 72	248 37 25 50 12 102	337 56 39 71 10 126 13 10	293 32 31 75 18 118	26 3 2 6 2 9
168 169 170 171 173 174	By firearms By cutting or piercing instruments By jumping from high places By crushing By other means Homicide By firearms By cutting or piercing instruments	55 36 12 12 759 543 92	39 33 4 7 603 431 80	65 2 1 2 1 46 28	14 2 6 4 110 84 10	8 1 7	1 1	1	2	1	2	6 4	49 41 2 6	4 2 78 61 8 9 352	8 2 2 235 185 33 17 586	11 9 187 139 25 23 773	13 10 8 4 112 77 13 22	14 2 1 2 54 29 7 18	2 1, 19
175 176 177 178	By other means. Accidental, other, or undefined. Attack by venomous animals. Poisoning by food. Absorption of poisonous gas.	124 5, 421 4 20 •146	3, 561 3, 11 119	16 523 3 10	1,337 1 6 17	70 2 1	71	63	49 	56 	214 1 1	2. 195 1 1 1	331 1 1	352 1 5	2 19	1 34	775 2 3 34	690 	1, 19
179	SupplementalOther acute accidental poisonings	3 105	76	 12	3 17	2	<u>4</u>	3	1	2	<u>1</u>		3	<u>9</u>	14	1 17	29	10	1
180 181 182 183	Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation Drowning Conflagration	99 253 33 36 357	76 78 183 9 21 176	6 32 11 1 23	15 38 13 14 158	2 1 4 28 3	18 18 10	20 20 1 6	3 11 5	15 2 1	.6 20 1 28 1	1 6 1 36 2	3 8 5 5 6	9 7 7 5 1 39 5	14 16 21 11 37 7	17 13 40 7 1 43 10	29 12 24 4 2 46 9	22 1 	10 2: 3'
184 185	Supplemental. Traumatism: By firearms (wounds of war excepted) By cutting or piercing instru-	43 164	8 89	. 17	31 58				1	1	5	18	23	15	21	31	23	14	1
186a 186b	ments (wounds of war excepted) Supplemental By fall Supplemental By crushing, landslide Supplemental 69801—35——16	40 8 1,030 206 22 371	31 3 738 132 14 218	6 3 85 20 2 38	3 2 207 54 6 115	1 6 1	8 1	6 1	1 5 3	3 3 3	2 16 3 1 18	4 	1 12 25 	3 19 26 1 30	4 1 44 36 54	3 1 85 28 4 82	10 91 25 4 56	5 1 144 20 7 46	576 27 3 . 37

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—	т_						r	EATHS	вч ло	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	64	65 years and over
					ILLI	nois	-Con	inued											
	XVII.—Violent and accidental deaths—Continued																		
88 89 90 91 92 93 94a 94b	Accidental, other, or undefined— Continued Injuries by animals Hunger and thirst Excessive cold Excessive heat Lightning Due to electric currents. Supplemental Foreign bodies Other accidents. Supplemental Violent deaths of unknown nature. Legal executions.	38 1 11 11 18 44 3 38 231 2,055	16 1 9 20 5 26 1 25 172 1,374	7 5 1 3 1 6 18 209	15 2 11 12 15 1 7 41 472 1 2	8 6 5 1	10 7 5	1 3	1 2 16	2 17	1 2 	3 1 3 10 67	5 5 5 1 9 139	2 3 5 5 164	2 2 2 11 2 1 21 254	5 3 7 4 14 	7 6 7 1 5 	6 1 5 1 2 42 299	2 36
99	XVIII.—Ill-defined causes of death Sudden death	166	57 3	26	83	30	2	2			3	2		5	5 1	7	19	40	5
00a 00b	Cause of death ill-defined. Cause of death not specified or un-known.	67 93	16 38	12 14	39 41	6 24	2	2			1 2	2		2 3	2 2	3 4	6 12	17 21	2
Punch ymbol 101 102 103 104	Accidents in mines and quarries	133 23 14	30 6 14	12 2	91 15					2		1	9 1 1	10 6 3	24 6 1	32 2 4	29 2 1	22 1 2	
205 206 207 208 209 210 211 212 213	recreation Other machinery accidents Railroad and automobile collisions Other railroad accidents Street car and automobile collisions Other street car accidents Automobile accidents (primary) Motorcycle accidents Other land transportation accidents Water transportation accidents Air transportation accidents	8 54	3 32 42 178 37 59 1, 297 7 29 7 4	5 42 23 3 1 183 1 5 4	13 72 83 2 3 351 20 25 16	4	6	1 2 18	14	3 18 2 1	1 3 3 11 1 3 97 1 2 1	1 4 11 70 4 2	3 7 23 2 133 1 6 7 5	2 18 16 7 152 3 2 5 6	13 27 34 10 4 236 1	1 10 30 60 11 7 237 2 9 9	12 24 50 4 10 276	4 28 39 5 18 239	1 3 1 33 1
		1	····	T	1	INDI	ANA	· · · · · · · · · · · · · · · · · · ·	1	1	1	i			1	1	T		<u> </u>
ļ	Total deaths (all causes)		17, 328	4, 625	16, 803	2,903	428	237	163	140	508	427	631	844	1,886	2, 580	3, 916	5, 617	18, 44
1 2 5	I.—Infectious and parasitic diseases Typhoid fever	82 4 2	1, 953 27 1	544	2, 191 50 3 2	381	1	82	65	64	7	92 8 1	188 12 1	265 11 1	16	10	510 8 2	454	1, 1
6 7 8 9 10	Measies Scarlet fever Whooping cough Diphtheria Influenza, respiratory complications	2 20 92 200 178	6 34 73 68	2 14 23 17	12 44 104 93	1 2 7 133 5	6 9 29 14	4 5 16 16	8 5 23	10 6 20	3 28 8 64	2 8 6	1 3 6	5	8	6	1 1 5	1 2	
11b 13	specified. Influenza, respiratory complications not specified. Dysentery Erysipelas.	913 584 42 63	353 196 12 24	112 88 8 10	300 22 29	50 5 16	36 12 4 1	13 8 2 2	12 4 1	9 2	19 11 1	7 7 1 1	18 12 1 3	18 11 2	52 22 2	74 27	55 2 4	102 49 4 7	3
16 17 18 21 22 23 24	Acuté poliomyelitis, acute polioen- cephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Rabies. Tetanus. Tuberculosis (all forms). Respiratory system. Meninges and central nervous sys-	6 26 128 4 32 1,995 1,711	4 14 98 1 20 843 685	1 1 5 1 5 221 194	1 11 25 2 7 931 832	1 19 	10 1 15 5	3 12 2	2 1 6 2	1 5 2 5	2 11 7 21 10	2 1 10 7 26 19	1 6 3 112 94	1 6 200 178	5 15 2 2 2 387 345	1 5 13 2 324 289	3 10 1 276 247	5 10 2 219 191	 3 3
25 26 27a 27b 28	tem. Intestines and peritoneum. Vertebral column. Bones (vertebral column excepted). Joints. Skin and subcutaneous cellular tissue. Lymphatic system (bronchial,	71 98 34 4 4 3	46 51 12 1 1	7 12 4 1	18 35 18 3 3 3	10 2	7	7	2 1	1	8	1	4 9 2	7 7 6	20 5 1	6 10 4 1 2	6 13 1 1	10 7 	
30 31 32a 32b,c 34 35	mesenteric, and retroperitoneal glands excepted) Genitourinary system Other organs. Acute disseminated tuberculosis.	3 16 5 34 12 222 25	1 9 3 29 5 133 19	20 4 5	2 5 1 5 7 69 2	47	3	2	1	2	3	2	2 1 2 4 2	1 1 2 1	3 2 4 2 20 11	3 7 2 44 7	1 2 5 43	1 4 1 3 37	:

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		.	IN CIT	TIES	*	!						EATHS	BY A	3E					<u></u>
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 Years	5 to 9	10 to	15 to -19	20 to	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	т	!	<u> </u>		INDI	ANA	-Cont	inued			<u> </u>				<u> </u>			I	
	I.—Infectious and parasitic dis- eases—Continued					-	1												_
38 39	MalariaOther diseases due to protozoal para-	10	3		7					 				1	1		4	1	3
40	sitesAnkylostomiasis	- 1 1	<u>-</u>	1												- · 1·			<u>î</u>
41a 42 43 44	Other diseases caused by helminths Mycoses Other infectious and parasitic diseases.	1 10 10	5 5	1	1 4	2			1 		i		<u>ī</u>		1		3		 4 6
44	II.—Cancers and other tumors	3,895	1,810	443	5 1,642	2	3	4	2	3	-7	6	12	22	85	275	628	891	1,954
(45)	Cancer and other malignant tumors Buccal cavity	3, 721 111	1, 707 53	427 13	1,587 45		3	3	1	3	6	4	9	17	68	227 3	587 13	864 21 7	1, 928 73
(45) (45) (46) (46) (46) (46) (46)	Pharynx Esophagus Stomach and duodenum	28 27 788	14 21 330	. 4 1 93 62 11	10 5 365									2	6	1 2 23 6	4 3 114	8 176	16 14 467
(46) (46) (46)	Liver and biliary passages Pancreas Other digestive tract and perito-	442 90	156 48		224 31			1			/			1	. 9	5	64 20	113 24	248 41
47 48	neum Respiratory system Uterus	557 87 469	273 50 248	61 8 64 7 32 27 15 29	223 29 157					1	1 		1	2 3 3	9· 22	25 5 76	80 18 121	131 27 116	307 33 131 25 140
48 49 50 51 52 53	Other female genital organs Breast	61 359 302	37 168 152 33 124	7 32 27	17 159 123			i		<u>1</u>			1 1	1	22 2 7 . 3	6 39 - 13 2	10 76 26	16 96 55	203
54a	SkinOther or unspecified organs Nonmalignant tumors, ovary	134 266 5	. 3	1	86 113 1 9		3	1	1	1	4	· 4	5	5	9 1	21 2	8 30 1	13 61	109 121 1
54b 54c	Nonmalignant tumors, uterus Nonmalignant tumors, other female	61 2	1	8	1										8	26	17 2	6	4
54d,e 55a 55b	Nonmalignant tumors, other organs Tumors, ovary (nature unspecified) Tumors, uterus (nature unspecified)	24 1 2	19	i	5 1 1	2						1		1	3	2 1.	5	8 1	2
55d,e	Tumors, other organs (nature unspeci- fied)	79	.36	6	37	·		1	1		1	1	3	4	4	17	16	12	19
	III.—Rheumatic diseases, nutritional diseases, diseases of the en- docrine glands, and other														-				,
56	general diseases	1, 124 68	542 43	126	456 22	24	8	1	3	2	11 8	22 8	22 5	20	39	72 5		236	522 14
56 57 59 60	Acute rheumatic feverChronic rheumatism, osteoarthritis Diabetes mellitus	68 57 743 1	18 349 1	10 89	29 305	<u>i</u>	3		2		2	- 13	12	14	23	3 34	3 76	5 171	44 393
62 63 65 66a	Pellagra Rickets Diseases of pituitary body	11 4 1	5 4 1	1	5	3	1								2		4	2	3
66a 66b (66)	Simple goiter Exophthalmic goiter Other diseases of thyroid and parathy	12 179	8. 90	20	4 69							1	. 1	. 3	7	1 27	3 41	- 2 44	. 55
67	roid glands Diseases of thymus gland	12 21	7 10	$egin{smallmatrix} 1 \ 2 \end{smallmatrix}$	4 9	3 17	1 2						. 1		1 		3	1	4
68 69	Diseases of adrenals (Addison's disease not specified as tuberculous)Other general diseases	10 5	4 2		6 3.						<u>ï</u> -				. 2.	. 2	- 1	3 1·	2 2
	IV.—Diseases of the blood and blood- making organs	303	138	31	. 134	25	7	2	6	2	10	5	8	10	21.	18	. 34	47	108
70 71a 71b	Hemorrhagic conditions Pernicious anemia Other anemias	30 146 18	14 57 9	2 18	14 71	15 2 6	2	1	3 i	1	1 2	1	1	1 2	1 4	2 5 2 5	3 19 1	33	2 75
72a 72b	True leukemias Pseudoleukemias (Hodgkin's disease)	66 27	39 12	1 7 3	8 20 12 9	2	4	1 	1	<u>-</u>	4 1 2	2 2	6	4 2 1	1 10 3 2	5 2 2	1 5 3 2	- 6 6	2 75 5 16 8 2
73 74	Diseases of the spleenOther diseases of blood and blood- making organs	14 2	5 2				1		1								1	1	
	V.—Chronic poisonings and intoxica-	56	34	5	 17	 	 <u></u>		 <u></u>		 <u></u>		 <u></u> -		6	22	15	9	4
75 76	Alcoholism (acute or chronic) Chronic poisoning by other organic substances	54 1	32 1	.5	17.										6	21	14	9	4
77a	Chronic lead poisoning VI.—Diseases of the nervous system	1	i														1		
	and of the organs of special sense	4, 466	1, 726	571	2, 169	32	10	13	6	5	36	27	36	21	90	198	404	746	2,838
78 79a 79b	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis	61 68 7	35 43 3	6 8	20 17 4	11 2	2 5 	1 3	1 2	3 1	3 5 3	1 6 1	2 2	5 2	5 8	10 10	10 3	6 6	13 2
80 81	Progressive locomotor ataxia (tabes dotsalis) Other diseases of spinal cord	56 113	24 34	9	23 62			 	<u>-</u> -		2 3	<u>-</u> -	3	<u>-</u>	1 4	5 8	14 18	13 26	23 49
82a 82b 82c	Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain	3,399 117 28	1,309 51 3	438 15 7	1,652 51 18		1	1		 	3 2	3	2	.5 1	31 1	80 3	253 9	580 18 5	2, 436 80 23
82d 83	Hemiplegia and other paralysis, cause unspecifiedGeneral paralysis of insane	128 176	39 47	19 20	70 109	 						1	1 1	2	2 17	1 47	3 57	24 32	94 21

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—						<u>-</u>	Di	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9	10 to	15 to 19	20 to	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					IND	LANA	-Con	tinued							'				
•	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
84 85 86 87 88 89a 89b	Dementia praecox and other psychoses. Epilepsy Convulsions (under 5 years of age) Other diseases of nervous system Diseases of organs of vision Diseases of ear Diseases of mastoid process	109	23 3 38 1 35 34	6 6 	19 45 3 58 1 12 5	1 5 7 4	1 1	2 1 1 4 1	2	1	1 10 7	1 1 7	2 5 3 7 4	1	1 8 4 3 5	13 13 	7 12 10 3 5	5 9 15 1 4 2	12 14 58 1 9
,	VII.—Diseases of the circulatory system	9, 185	3, 777	1, 107	4, 301	11	4	5	2	3	14	36	38	55	141	350	817	1,475	6, 225
90 91a 91b	PericarditisAcute endocarditis Endocarditis, unspecified (under 45	35 75	16 38	4 9	15 28			1	1		2	3	5	1 8	1 14	9	5 8	3 11	23 14
92a 92b	years) Endocarditis, specified as chronic, and other valvular diseases	26 1,767	16 680	1 183	9 904	2	1		1		2 6	2 15	4 11	5 21	4 48	7 109	196	304	1,052
93a 93b	Endocarditis, unspecified (45 years and over)————————————————————————————————————	104 240	45 135	15 30	44 75	1				<u>-</u> 1	1	1	i	3	6	23	20 40	20 50	64 113
93c 93d 94a 94b 95a	years) Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries. Functional diseases of heart.	2,741 730 694 397 23	1, 259 321 264 211 9	297 71 109 50 2	16 1, 185 338 321 136 12	1 1 1	1 1	1		1	2	4	3 7	5 1 1 1	12 25 1 4 5	29 76 2 13 20	212 69 86 56	400 143 176 94 5	2,007 511 414 220 12
95b 96 97	Other and unspecified diseases of heart. Aneurysm (except of heart) Arteriosclerosis (coronary arteries ex-	1, 225 43	354 25	183 8	688 10	3				1	1	4 1		β	14 2	47 5	90 10	188 11	862 14
98 99 100 101 102	cepted). Gangrene Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.). Diseases of lymphatic system (lymphangitis, etc.). Idiopathic anomalies of blood-pressure.	909 27 56 22	323 7 24 10	120 2 14 1	466 18 18 11		1					1	1	1	3	2	7 1 7 6	55 9 4 1	841 24 34 8
103	Other diseases of circulatory system VIII.—Diseases of the respiratory	8 7	4 2	$\frac{1}{2}$	3											2	1	<u>i</u>	5 6
104a 104b 105 106a 106c,d 107a 107b 108 109 110 111a 111b	system Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis Chronic bronchitis Bronchitis, unspecified Bronchopneumonia Capillary bronchitis Lobar pneumonia pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorrhagic infarct Asthma	7 1, 388 57 67 19 41 39	1,338 5 13 6 9 20 9 512 1 639 19 52 13	275 3 1 4 5 95 1 139 6 5 2	1, 187 1 96 6 11 30 9 410 5 610 32 10 4 15 24	409 2 4 8 8 1 283 2 97 5 3	104 1 1 56 1 36 1 6	21 1 5 21 15 2 5	21 1 	17 7 7 2	1 21 1 333 1 4 1 1 1	39 4 	3 	3 	123 3 1 	5 2 1 33 1 105 4 8 4	215 1 2 1 1 2 38 150 1 9 4 1 3	269 1 3 4 3 63 173 8 5 3	1, 223 3 2 10 48 14 432 1 593 27 18 5
113 114	Pulmonary emphysema Other diseases of respiratory system (tuberculosis excepted)	3 16	1 6	1	2 9	1							1	2		3	2	1	1 7
	IX.—Diseases of the digestive system	2, 540	1, 458	319	763	387	102	46	26	18	74	69	68	65	152	228	340	340	625
115a 115b 116 117a 117b 118	Diseases of pharynx and tonsils. Diseases of buccal cavity and annexa Diseases of esophagus. Ulcer of stomach. Ulcer of duodenum Other diseases of stomach (cancer excepted) Diarrhea, enteritis (under 2 years of	153 29 6 135 56	72 16 3 86 36 36	23 2 15 6	58 11 3 34 14 50	4 3 11	7	6 1 2	7	5	17	10 1	13	7 4 2	17 4 8 5	16 1 22 9	11 4 1 28 9	16 5 1 33 12	17 5 4 38 19 45
120 121 122a 122b 123 124 125a 125b 126 127	age) Diarrhea, enteritis (2 years and over) Appendicitis. Hernia Intestinal obstruction. Other diseases of intestines Cirrhosis of liver. Yellow atrophy of liver. Other diseases of liver. Biliary calculi Other diseases of gall-bladder, biliary	420 183 454 130 236 25 233 16 42 135	201 75 343 81 145 17 121 9 28 82	50 21 65 25 24 2 30 2 5 13	169 87 46 24 67 6 82 5 9 40	333 5 28	87	30 1 3	12 6	7 5	8 42 4	3 44 5	3 42 1 3	2 32 4 1 1 2	7 60 1 17 4 3 1 3 6	9 59 12 36 4 15 1 6 15	11 73 22 31 7 47 4 5 33	17 50 25 31 2 52 2 6 35	74 39 64 70 8 114 6 15 46
128 129	Diseases of pancreas Peritonitis, cause not specified.	18 18 49	69 11 32	16 4 5	43 3 12		2	2	1	1	2	2	3	2 2 2	3 8	13 5 2	27 3 12	31 2 6	50 3 8

Table 8.—Deaths (exclusive of stillbirths) from each cause in cities and rural areas and by age for the registration area and each registration state: 1932—Continued

******			IN CI	ries—	1]				-		EATHS	BY A	GE				,	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	54	64	65 years and over
			_+		IND	EANA:		inued	!	<u> </u>	<u> </u>	!	<u>'</u>	?	<u> </u>				''
	X.—Diseases of the genitourinary system	4, 161	1, 868	528	1, 765	13	4	. 2	3	3	9	5	21	41	103	212	363	667	2, 711
130	Acute nephritis (including unspecified under 10 years)	143	70	13	60	9	1	1	3	2	2	1	3	9	18	19	14	22	39
131 132	Chronic nephritis Nephritis, unspecified (10 years and over)	3, 303 244	1, 436 98	426 30	1,441		1				4	. 4	9 2	13	50 7	138 13	281 22	551 38	2, 249 162
133 134 135 136	Other diseases of kidneys, ureters (puerperal diseases excepted). Calculi of urinary passages. Diseases of bladder (tumors excepted). Diseases of urethra, urinary abscess,	96 20 22	60 10 6	7 6 1	29 4 15	4	2	'1		1	3		1 1	1	5	12 1	13 2	13 7 4	40 8 17
137 138	etc	220 2	110 1	30 30	80										<u>i</u> -	<u>î</u>	9	2 22	187
139a 139b 139c	specified as venereal Cysts of ovary. Other diseases of ovaries, diseases of tubes and parametrium Diseases of uterus.	14 64 29	11 48 17	6 6	1 2 10 6								5	1 12 4	3 15 4	5 16 7	1 3 13 4	2 1 5	1 2 5
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	302	178	49	75								16	67	128	85	5		
140 141 142b	Abortion with septic conditions	66 13	42 7	10 . 1	14 5				- 1				, 1	18	29 6	16 5	1		
143	mentioned	10 1 12	6	1	3									1	5	4			,
144a 144b 145a	Placenta praevia. Other puerperal hemorrhages. Puerperal septicemia and pyemia (abortion excluded).	17 69	8 10 43	3	4 4 15								1 5	2 2 16	6	5 6 18	2		
146 147 148	Puerperal albuminuria and eclampsia. Other toxemias of pregnancy. Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic).	60 9	30 5	13 3	17								6	16 3	29 18 5	19			
149	Other accidents of childbirthXII.—Diseases of the skin and cel-	34	16	7	11								1	6	18	8	i		
151	Iular tissue	15	24 8	9	16 5	8	<u></u>						1		4	4	6	13	2
152 153	Phlegmon, acute abscess. Other diseases of skin and annexa, and of cellular tissue	14 20	9 7	2 5	8	3 5				·					3	2 2	4 1 1	3 2	2 8
	XIII.—Diseases of the bones and organs of locomotion	30	23	1	6	1	1		2	1	2	4	1		2	. 3	1	3	9
154 155 156	Osteomyelitis. Other diseases of bones (tuberculosis excepted). Diseases of joints, other organs of loco-	6	7 4	1	3		1		1	1	1	1	1			1 .		1	3 1
	motionXIV.—Congenital malformations	14 367	12 160	40	2 167	339	12	3	3	3	1	3	3	1	2	1	1	2	5
157a 157b 157c 157d	Congenital hydrocephalus	37 42 218 70	23 22 78 37	5 4 21 10	9 16 119 23	30 40 203 66	3 1 7 1	2 1	1 1 1	1 1 1		1 1 1	1 2	1	-				
150	XV.—Diseases of early infancy	1, 219	637	139	443 28	1, 219													
158 159 160 161	Congenital debility Premature birth Injury at birth Other diseases peculiar to early infancy.	767 254 131	397 139 69	93 28 11	277 87 51	767 254 131													
162	XVI.—SenilityXVII.—Violent and accidental	140	34	20	86	45								•				3	137
163	deaths	3,406 641	1, 620 286	65	290	45	31	30	24	19	95	118	175	15	84	95	149	144	140
164 165 166 167 168 169 170	stances By poisonous gas By hanging or strangulation By drowning By firearms By cutting or piercing instruments By jumping from high places By crushing By other means	136 53 113 29 262 29 7 6	78 40 33 17 90 18 4 2	11 4 12 2 29 4 1 2	47 9 68 10 143 7 2 2 2								4	5 1 3 1 5	26 6 14 3 26 7 1	14 11 14 6 44 3 1	32 17 32 6 53 7	27 12 25 5 63 6 3 1 2 23	22 6 25 8 67 6 2 3
173 174 75	Homicide	223 145 31 47	147 93 24 30	24 16 3 5	52 36 4 12	3	1	1			1	2	8 62	23 18 1 4	69 48 9 12	46 33 9 - 4	30 16 9 5	23 15 3 5	14 7 7

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—		1					ת	EATHS	BY AC	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
			ll		INDI	IANA	—Con	inued										i	
	XVII.—Violent and accidental deaths—Continued												ļ						
176 177 178	Accidental, other, or undefined Attack by venomous animals Poisoning by food Absorption of poisonous gas Supplemental	2, 542 1 19 39 1	1, 187 5 34	325 4 2 1	1,030 1 10 3	41 1	30	29 2	24 1	19	94 	116 	154	182 1 4	282	281	253 1 3 1	296 1 3 15	733 4 2
179 180 181	Other acute accidental poisonings (gas excepted) Conflagration Burns (conflagration excepted)	25 20 124	14 6 46	1 3 36	10 11 42	4	2	3	1 1 2	2 7	2 6	<u>i</u>	2	3 1 8	1	4 5 14	3 3 12	3 2 16	3 4 24
182 183	Supplemental. Mechanical suffocation Drowning Supplemental	22	13 9 37 1	4 1 9	9 12 108 8	19	5		4	3	14	1 39	1 1 21	5 9 3	10 1 24 2	14 1	7 1	1 8	6 2
184 185	By firearms (wounds of war excepted) By cutting or piercing instru-	76	34	7	35					1	4	7	10	12	11	7	11	9	4
186a	ments (wounds of war ex- cepted) Supplemental By fall Supplemental	10 7 591 57	6 1 272 28	1 2 88 8	3 4 231 21	1 2	3 2	3	 1 1		 5 2	3 7 1	6	1 8 3	3 8 8	22 11	2 23 6	1 1 45 8	1 1 458
186b 188 189	Supplemental Supplemental Injuries by animals Hunger and thirst	264 15	96 3	37 1	6 131 11 1		2	2	3 1		3	10 2	21	31	42	45 3	1 41 2	3 27 3	458 11 2 33 2 1
190 191 192 193	Excessive cold Excessive heat Lightning Due to electric currents	18 8 24	10 2 9	1 4	4 8 6 11						i	1 2	<u>2</u>	1	2 1 5	3 3 6	1 3 1 3	3 4 1 3	3 6 1 1
194a 194b 198	Supplemental Foreign bodies Other accidents Supplemental Legal executions	19 85	12 43 501 2	13 100	3 5 29 307	6 5 3	4 2 2	<u>4</u> <u>6</u>	9	6	1 2 50	10 30	6 71	6 86	1 11 132 2	126	6 119	1 15 121	2 18 144
	XVIII.—Ill-defined causes of death	25	8	4	13	7	2	2				1				1	4	1	6
200a 200b	Cause of death ill-defined Cause of death not specified or un- known	13 12	5 3	3	6	2 5	2	2				1				1	1 3	1	5 1
Punch symbol 201 202 203 205 206 207 208 209 210 211 212 213 214	Accidents in mines and quarries Accidents from agricultural machinery Elevator accidents Other machinery accidents Railroad and automobile collisions Other railroad accidents Street car and automobile collisions Other street car accidents Automobile accidents (primary) Motorcycle accidents Other land transportation accidents Water transportation accidents Air transportation accidents	7 28 140 135 25 12 845 7	9 1 4 15 45 71 11 10 456 3 9	12 2 4 21 15 2 93	15 2 1 9 74 49 12 2 296 4 7 4 8	1 2	1 1 1 3	2	13	6	333	2 4 2 1 31	1 6 15 1 67 3 2	3 	11 	6 1 1 6 24 21 5 1 117	9 2 1 3 30 19 4 3 99	3 4 20 14 3 3 108	3 1 5 15 18 1 3 136 1 7 1
						701	VA.												
	Total deaths (all causes)	25, 786	9, 650	4, 680	11, 456	1, 938	214	125	88 26	86 30	306 80	292 59	356 74	508	1, 063 220	1, 475 257	2, 325	3, 637	13, 368
1 5	Typhoid feverUndulant fever	40	15	10 1	15				20	1	2	3	6	4	5	2	13	3 2	1
5 6 7 8 9 10 11a	Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria. Influenza, respiratory complications	4 9 35 75 62	1 3 11 26 30	6 9 7	3 6 18 40 25	2 2 3 59 4	2 3 10 2	1 3 2 8	1	5 2 5	2 8 2 17	4	1 3	1 1 1	3	1 3 4		i	1 ī
11b 13 15 16	specified Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioen-	558 500 18 36	206 131 5 10	85 92 2 7	267 277 11 19	43 59 6 6	14 14 1 1	9 9 2 1	4	3 2 1	18 5 1	9 13	10	17 11	34 14 1	47 27 2	33 29 5	48 31 1 3	264 272 6 16
17 18 22 23	cephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Tetanus. Tuberculosis (all forms) Respiratory system.	17 26 25 39 734 623	6 14 13 23 288 239	3 6 6 138 112	8 6 6 10 308 272	5 1 13 2	3 1 2 6	1 2 3	1 1	1 2 3 3 2	1 2 10 8 3	4 2 3 6 6	1 1 2 28 26	2 2 83 77	2 2 1 2 141 126	2 2 2 1 140 122	2 1 6 105	3 2 2 87	8 1 2 111 94
24 . 25 . 26	Meninges and central nervous system Intestines and peritoneum Vertebral column ee explanatory footnote 2, p. 169.	32 33 13	18 12 5	3 13 4	11 8 4	11	5 1	2 	1	1	3	1	20 1	1 3	126 2 7 2	2 7 2	94 3 2 1	74 3 4	. 1 9 2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		<u> </u>	IN CI	TIES—					· ·		_ D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	44	54	55 to 64 years	65 years and over
-					10	WA-	Conti	nued	,	•					•				
	I.—Infectious and parasitic disease— Continued																		
27a 27b 29	Tuberculosis (all forms)—Continued Bones (vertebral column excepted) Joints Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) Genitourinary system Acute disseminated tuberculosis.	7 4	1 1	2	4 2					<u>1</u>	 1	1		1	1	1	ī	2	1 1
30 32a 34 35	Genitourinary system Acute disseminated tuberculosis Syphilis Gonococcus infection and other vene- real diseases Purulent infection, septicemia (non-	1 14 7 121	7 5 85 15	3 13 4	1 4 2 23	21					1	1	1 3 3	3	1 1 6	5 1 13 6	2 2 26 1	3 1 32	2 1 19
38 39 42 43 ~	puerperal)	28 1 2 1	13 1 1 2	6	9 1 1 2	4	1		1		1	1	3	1	3 1 1	1	4	1	6
44	Mycoses Other infectious and parasitic diseases II.—Cancers and other tumors	4 7 3, 108	1, 211	1 516	1,381	2	3	2 1		6	1	5	6	1 14	63	. Î	413	681	1,699
(45) (45) (46) (46) (46) (46) (46)	Cancer and other malignant tumors	3,001 • 90 25 33 656 289 78	1, 162 35 8 17 210 86 35	504 15 6 1 105 55 6	1, 335 40 11 15 341 148 37	1	2	1		6	5 1	2	5	11	60 2 3 1	179 2 1 1 17 7	390 11 7 57 32 11	650 17 6 4 139 69 23	1, 677 57 17 21 439 179 38
47 48 49 50 51 52 53	Pancreas Other digestive tract and peritoneum Respiratory system Uterus Other female genital organs Breast Male genitourinary organs Skin Other or unspecified organs	502 80 284 55 266 272 84 287	221 40 150 29 100 97 26 108	82 12 48 6 57 49 16 46	199 28 86 20 109 126 42 133		1	1		1 1 3	2	1	1 .	4 1 2 2 2	7 4 17 2 7 4	26 5 44 6 29 5 2 30	66 10 70 14 60 19 3	106 24 56 19 67 49 11 70	288 35 94 12 103 193 67 134
54a 54b 54d,e 55b 55d,e	Nonmalignant tumors, ovary	33 15 1 57	19 10 20	1 6 1 4	. 33	1	1				3	3	1	1 2	2	14 3 9	1 11 3 1 7	3 1 17	12
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases	837	337	141	359	21	4	3	3		13	19	10	14	23	33	89	188	417
56 57 59 62 64 65	Acute rheumatic fever	41 43 597 1 2	13 16 239	7 4 107 1	21 23 251 1	1	1	1	1		7	6 12	3 5	3	3 1 13	1 3 20	4 1 51 1	7 8 144	10 30 334
66a 66b (66)	Simple goiter Exophthalmic goiter Other diseases of thyroid and parathyroid glands Diseases of thymus gland Diseases of adrenals (Addison's disease	8 94 6 22	4 43 3 11	14	37 37 9	1 1 17	2	1	2		2	1	1	2	. 3	1 6 1	26	27 	28 1
69	not specified as tuberculous) Other general diseases IV.—Diseases of the blood and blood-	9 13	2 5	4 2	3 6	1	1				i		1		1	1	3	1	-3 7
70 71a	making organs Hemorrhagic conditions Pernicious anemia Other anemias	311 18 157	127 5 46	40 3 23	144 10 88	9 5 2	2	2	1	1	7	10 3	6 1 1	2	1 2	23	26 1 12	68 2 43	127 - 3 - 90
70 71a 71b 72a 72b 73 74	Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease) Diseases of the spleen. Other diseases of blood and blood- making organs.	10 73 38 11	5 46 1 44 20 7	3 23 4 6 2 2	5 23 16 2	ĩ	1	2	1	1	3 1 1	5 1 1	2 2	3 3 1	2 5 8	9 6 2	10 2 1	2 11 8 2	5 19 7 3
	V.—Chronic poisonings and intoxications	53	22	12	19									1	8	15	13	13	3
75	Alcoholism (acute or chronic)	53	22	12	19									1	8	15	13	13	3
78.	and of the organs of special sense	3, 226	1,000 13 18	667	1, 559 23	. 38	12	11	5	5	24	15 2 1	21	22	57 9	117	251	524 4	2, 124
- 1	Simple meningitis Nonepidemic cerebrospinal meningitis. Progressive locomotor ataxia (tabes dorsalis)	39 5 24	18 3 · 14	10 1 2	11 8	6	2	2	2	1	5	1	1	. 3-	1	6	6	1 10	7

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—							r	EATHS	BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	44	54	55 to 64 years	65 years and over
					10	WA -(Contin	ued		,	·	•			·	!	ļ		
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
81 82a 82b 82c 82d	Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	82 2,412 121 9	26 744 32 2	16 434 16 2	40 1, 234 73 5	1	2 	1	1			1 1	5 2	1 3	1 8 2 1	9 39 8	11 149 12	20 394 19	34 1,813 78 8
83 84 85 86 87	unspecified General paralysis of insane Dementia praecox and other psychoses_	69 92 48 67	17 13 4 9	15 69 32 27	37 10 12 31			 1	<u>-</u>	<u>1</u>	3		6	1 1 6	7 2 14	20 9 7	2 26 12 7	10 23 5 7	54 16 19 14
86 87 88 89a 89b	Epilepsy Convulsions (under 5 years of age) Other diseases of nervous system Diseases of organs of vision Diseases of ear Diseases of mastoid process	13 108 1 58 31	4 34 1 41 25	2 19 9 2	7 55 8 4	10 4 	6	1 2	1	1 	1 7 6	1 7 2	2 3 2	1 3 2	3 4 1	6 4 3	9 1 4 4	21 2 2 4	57 3
	VII.—Diseases of the circulatory system	5, 886	2, 012	1, 099	2, 775	12	5	1	1	2	11	23	27	36	89	180	470	881	4, 146
90 91a 91b	Pericarditis	17 59	6 30	4 13	7 16		ī				1 2	4	1 5	1 5	11	1 8	2 6	2 3	9 14
92a 92b	years). Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years	11 1, 035	315	2 166	7 554	1					4	3 7	1 12	2 13	1 32	2 43	87	154	682
93a 93b	and over) Acute myocarditis Myocarditis, unspecified (under 45 years)	112 44 18	41 16	18 4 7	53 24 2	1 1						1	1	1 3	2	3 10	14 10	22 11	76 18
93c 93d 94a	Chronic myocarditis and myocardial degeneration Other diseases of myocardium Angina pectoris Diseases of coronary arteries	1, 157 760 490	418 313 161	212 120 89	527 327 240		1					, 3	2	2 1	9 4	27 2 16	72 65 44	158 98 100	883 594 326
94b 95a 95b 96 97	Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart). Arteriosclerosis (coronary arteries ex-	546 33 899 33	210 11 293 15	110 5 167 8	226 17 439 10	1 5	1	1	1 	2 	3	1 3	3	5	6 22	24 3 31 3	51 2 82 4	118 10 146 10	344 18 594 16
98 99 100	cepted)	547 34 51	134 6 15	143 7 18	270 21 18	i	1					1	1	2	1	1 1 5	11 3 11	38 · 1 5	496 29 23
101 102	phlebitis, etc.)	18 4 14	6 3 6	5 1	7 1 8	2.	1 							1	ī		3 3	2	12 1 7
103	Other diseases of circulatory system VIII.—Diseases of the respiratory system	1,968	801	308	859	269	48	12	10	9	25	17	20	31	79	88	143	158	1,059
104a 104b 105	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx	9	2 5 5	1 2	4 4 4	6	2	1		2	3		1	<u>1</u>	3	1	3		 2 1
106a 106b 106c,d 107a	Bronchopneumonia	28 38 19 766	7 13 4 332	4 8 3 121	17 17 12 313	5 2 197	2 1 29	4	 5	7	1 8	1 3	3	2	1 2 15	<u>2</u> <u>19</u>	1 2 20	3 5 32	16 27 14 422
107b 108 109 110	Capillary bronchitis Lobar pneumonia Pneumonia, unspecified Pleurisy	8 897 28 29	3 361 9 14	1 139 6 2 1	397 13 13	4 47 7	12 2	4 1	4 1		9 2 1	13	15 1	25 2	47 3 2	54 4 1	93 2 4 3	109	4 465 10 13 3
111a 111b 112	Pulmonary embolism and thrombosis_ Pulmonary congestion, edema, hemor- rhagic infarct	9 59 37	15 16	7 9	37 12	1		<u>i</u> -						<u>1</u>	1 2	1 2 2	2 9	3 2	53 19
113 114	Pulmonary emphysemaOther diseases of respiratory system (tuberculosis excepted)	8 15	4 7	3	3 5						1				3	3	3	2 	5 5
	IX.—Diseases of the digestive system	1, 677	840	349	488	131	30	18	24	15	57	53	52	52	123	141	218	227	535
115a 115b 116 117a 117b	Diseases of pharynx and tonsils	93 15 1 93	51 5	12 4 17	30 6 1 25	3	1	2	1	4	14 1	8	4 1 	3 1 1 2	12 2 10	7 1 	11 2 28	4 3 14	19 4 1 27 15
118	Other diseases of stomach (cancer excepted)	56 45	36 8	9 8	11 29	6					1	2		1	5 2	3	15 	13 4	15. 26.
120 121 122a 122b 123 124 125a	age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia Intestinal obstruction Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver	111 85 396 108 195 23 122	40 30 220 58 99 15 51	20 17 109 27 48 4 19	51 38 67 23 48 4 52	87 	24 3 3	9 4	7 14	7 4	5 30 4 1	35	2 31 5 1	2 29 2 6	54 3 10	3 49 1 13 5 6	7 51 13 18 5 16	8 36 22 21 4 33	34 57 64 84 7 62 3
1258 125b 126	Yellow attrophy of fiver Other diseases of liver Biliary calculi	10 23 119	8 75	4 6 14	3 9 30	1						1	1	1 1	2 2 7	1 1 12	4 24	2 2 26	3 11 48

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	tes—					_ ′		D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	•				10	WA—(Contin	ued											•
	IX.—Diseases of the digestive sys- tem—Continued																		
127	Other diseases of gall-bladder, biliary passages	132	73	17	42	1			1				1		7	11	18	27	. 66 3
128 129	Diseases of pancreas Peritonitis, cause not specified	12 38	73 5 12	3 11	4 15	3	2	<u>i</u>			i	<u>2</u> -	5	3	3	4 5	3	6	3 4
	X.—Diseases of the genitourinary system	1, 995	791	329	875	6	3	4	3	2	5	7	8	17	44	81	143	342	1, 330
130 131	Acute nephritis (including unspecified under 10 years) Chronic nephritis	62 1, 340	24 493	8 219	30 628	Ż	3	3	1	2	1 2	4	1 3	3 9	10 22	3 50	3 95	11 237	19 917
132 133	Chronic nephritis. Nephritis, unspecified (10 years and over) Other diseases of kidneys, ureters (puerperal diseases excepted)	217	70	44	103							3	2		4	6	18	43	141
134	Calculi of urinary passages	65 19 19	34 10 7	10 2 5	21 7 7	3			1		1		, 2	3	3	3 2	9 3 2	16 5 2	24 · 8 14
135 136	Diseases of bladder (tumors excepted). Diseases of urethra, urinary abscess, etc	2	2													1	3	21	1 196
137 138	Diseases of prostate Diseases of male genital organs, not specified as venereal	221	117 2	35	69			1											190
139a 139b	Cysts of ovary Other diseases of ovaries, diseases of tubes and parametrium	12 14	9 10	· · · · · · · · · · · · · · · · · · ·	3						. 1			2	1 1 3	2 2 10	3 6	3	2 3
139c	Diseases of uterus	22	13	5	4	 		 				 	10	43	96	61			*
140	birth, and the puerperal state- Abortion with septic conditions	219 42	100	50 11	69								18	10	19	9	.1		
141 142a	Abortion without mention of septic conditions (includes hemorrhages) Ectopic gestation, septic conditions	15	5	· 3	7								2	1	8	4		-	
142b	specified	10	6	2	2								1	1	6	2			
144a 144b 145a	Placenta praeviaOther puerperal hemorrhagesPuerperal septicemia and pyemia	8 14	7	3	5 4								1	2	3 7	4	<u>1</u>		
146	(abortion excluded)	36 31 10	19 17 5	8 5	9 9 4								3 3	13 7 2	14 11 5	6 10 3		- - -	
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified			1	_										9	6			
149	as septic)Other accidents of childbirth	21 31	6 11	6 9	9 11								3	2	13	13			
	XII.—Diseases of the skin and cel- lular tissue	42	12	12	18	5		1			1		2		2	2		6	17
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and	12 13	4 7	2 4	6 2	1		. 1					2		1	1		1 4	4
	of cellular tissue	17	1	6	10	4					1	1		-	. 1		- 1	1	9
	XIII.—Diseases of the bones and organs of locomotion		15	5	5	<u> </u>			·		3	2	2 2	2	3	1	1	2	-}
154 155	Osteomyelitis	14 5	10	3							-			ļ <u>.</u>		1		2	1
156	Diseases of joints, other organs of locomotion	6	4		2							1		·			- 1		4
157a	XIV.—Congenital malformations Congenital hydrocephalus	278 35	106	32	140	250 30	2	1	∖ ——	1	1	6	2		1		1	1	
157a 157b 157c 157d	Spina bifida and meningocele	21 151 71	3 56 35	16 12	18 79 24	20 135 65	2	1 2		ī	5	4 2	2		1			. 1	
20.4	XV.—Diseases of early infancy	910	364	160	386	910						ļ							
158 159	Congenital debility Premature birth Injury at birth	49 548 207	15 211 80	10 98 42	24 239 76	49 548 207											-	-	
160 161	Other diseases peculiar to early infancy.	207	89 49	10	. 47	106					-								200
162	XVI.—SenilityXVII.—Violent and accidental	406	82	102	222								700	700	007	925		3	403
•	deathsSuicide	2,376	907	92	1,035 281	43	,41	25	15	14	64	76	106	137 24	231 55	265 87	311 108	305 129	· 743
163	By solid or liquid poisons or by absorption of corrosive sub- stances	68	22	18	28								. 3	4 3	16	10	8	16	11
164 165 166	By poisonous gas By hanging or strangulation By drowning	. 58	22 43 28 17 66	23	98							ī	.]	. 2	5	8 14 5	14 33 7	18 32 9	59 8
167	By firearms	230	66	5 35	129			1 1	6		26	46	41	1 46	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—	,							EATHS	BY A	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	64	year and ove
			_		10	WA-	Contin	ued							•				
	XVII.—Violent and accidental deaths—Continued																		
68 69 70	Suicide—Continued By cutting or piercing instruments. By jumping from high places. By crushing. By other means. Homicide.	4 4 2	9 2 2 1 31	3 1 1 10	6 1 1 1 31	2					 1	1		1 10	1 8	3 1 1 12	3 2 15	4 3 1 7	
73 74 75	By firearms	49 6 17 1,741	19 2 10 686	5 2 3 3 332	25 2 4 723	2 41	41	25	15	14	1 63	1 73	5 1 88	6 4 103	5 1 2 168	10 2 	11 4 188	6 1 169	
76 77 78 79	Attack by venomous animals——— Poisoning by food———————————————————————————————————	13 49	1 4 28	8 8	5 13		1 	2	2		3 1		1	5	5	1 8	2 10	1 5 2	
80 81 82	(gas excepted) Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation	29 21 91 5	15 9 43 2 6	6 3 20	8 9 28 3 11	1 5 	7 2 8	2 2 5	1 2 3 1	1 2	1 9	2	2	2 1 4 1	3 1 9 2 1	3 4 12 1	5 4 8	1 6	
83	Supplemental	1 112 12	37 7	15 1	1 60 4		9	2			9	19 3	20 1	1 11 1	15 4	5 1	9	5 1	
84 85	By firearms (wounds of war excepted) By cutting or piercing instruments (wounds of war excepted)	71	17	18	36 7				1		1	3	10 2	12	11	12 4	11	7	
86a 86b	cepted) Supplemental By fall Supplemental By crushing, landslide Supplemental	13 5 449 76 13 159	3 176 34 5 58	96 16 2 34	177 26 6 67	1 1 1	1 1	2		2	2 3	2 2 1 7	3 8 1 9	1 5 6 2 12	9 8 27	7 6 3 26	16 19 3 20	39 9 1 23	
37 38 90 91	Cataclysm	2 24 7 12	10 1 4 1	3 3 1 1	2 11 3 7 9			1		1 	2 4 	2 1	1 1	 1	2 1 5	<u>2</u>	5 2 2	1	
93 94a 94b	Due to electric currents. Foreign bodies Other accidents Supplemental	22 17	7 12 29 172	3 10 81	11 2 38 177	7 6 1	4 3 3	1 2 3	1 3	1 7	1 2 19	1 7 21	1 26	3 33	7 9 49	4 2 6 56	12 52	2 1 9 55	
99	XVIII.—Ill-defined causes of death	106	22 6	22	62	12	1		-		2		$\frac{2}{1}$		4	6	13	21	
10a 10b	Cause of death ill-defined	57 30	13	13	31 21	8	1				1		1		1	3	11	12 7	
unch mbol 1 2	SUPPLEMENTAL 1 Accidents in mines and quarries	20 20	10 7	4 6	6 7			<u>-</u> -	<u>-</u> -			2		1 1	2 4	5 2 1	5 2 1	. 5 5	
3 5 6 7	Elevator accidentsOther machinery accidents Railroad and automobile collisionsOther railroad accidents	5 13 50	7 2 4 14 31	1 2 9 17	2 7 27 27 27		1 1	1 					1 3 5	3 8 3 1	1 5 9	11 15	1 5 5 10	1 2 7 13	
8 19 0 1 2	Street car and automobile collisions Other street car accidents Automobile accidents (primary) Motorcycle accidents. Other land transportation accidents.	422 3 52	7 2 177 1 11	78 1 12	167 1 29	2	4	5	2	8	25 3	23 5	25 1	36	1 57 2 2 2	45 4	59 7	46	
3 4	Water transportation accidentsAir transportation accidents	11 8	7 3	1 1	3 4							3	4 2 2	1	3 4	1		1	
		1 1	1	1		KAN	SAS				I			I	I		•	<u> </u>	
	Total deaths (all causes) I.—Infectious and parasitic diseases	19, 512	6, 857 652	2, 775 258	9,880	1, 525	217 53	122 28	82 28	70 24	290 96	249 45	356 78	456 108	914	1, 202 201	1,776	2, 651	9,
.	Typhoid feverParatyphoid fever	26 5	8 2	7	11 2		1				3	4	2	5	4	3	2	2	
3	Undulant fever	32	1 14 11 21 32	2 9 9 12	2 10 12 18 32	7 1 33 1	6 1 9 7	5 4 2 5	2 3	3 1 8	3 9 2 28	1 4 8	5	1 i	1 5 1	1 1 1		1 1	
a b	Influenza, respiratory complications not specified	426 332 22	141 93 5	67 40 4	218 199 13	42 29 4	12 12 2	4 4 1	6 2	3 3	10 16	6 8	11 15 1	16 8	20 11 2	32 20	37 15	33 29 1	
5	Erysipelas Acute poliomyelitis, acute polioen- cephalitis	26	6 7	3	18	5		2			3	2 2	3	i	i	2	i	1	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries				=			D	EATES	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 Years	55 to 64 years	65. years and over
					KAN	ISAS-	-Cont	inued											
	I.—Infectious ond parasitic diseases— Continued																		
17 18 21 22	Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis	13 23 2	7 9 1	1 3	5 11	<u>i</u> -	2	<u>-</u> 1	1 3	2	6	<u>-</u>	1	<u>i</u> -	2 2	1 1 1	3 1 1	3 1	2
21 22 23	Rabies Tetanus Tuberculosis (all forms) Respiratory system	18 612 544	5 216 189	7 74 63	1 6 322 292	1 6 1			1	3 2	8 5 2	2 6 3	1 33 29	66	1 127 115	1 103 93	96 87	2 78 71	88 80
24 25	Respiratory system Meninges and central nervous system Intestines and paritonaum	13	6 10	1 7	6 8 5	4				1	2	1 2	2	3	2 5	1 3	6	2	3
26 27a 27b 30	Vertebral column Bones (vertebral column excepted) Joints	2	2 1 2	1	5 1 2 2								 1	1 1 	1 1 1	1 1	1	1 1 2	3 <u>1</u>
31 32a 32b.e	Genitourinary system Other organs. Acute disseminated tuberculosis Other disseminated tuberculosis	1 6	1 2 3		4 2	1							1	ī	2	. 3	1 1	<u>-</u>	 1
34 35	Syphilis Gonococcus infection and other vene- real diseases	130 16	51 9	11 3	68 4	13	ī		1		1		3	4 1	12 6	26 3	32 3	17 1	19 1
36 38	Purulent infection, septicemia (non- puerperal)	10 8 1	5 4	1	4 4						2	1		1	1	1 2		2	2 5
41a 43 44	Hydatid cysts of liver	3 5	1 1 2	2	2 1	1				1			<u>i</u>	<u>î</u>	1		1 1		1 1
	II.—Cancers and other tumors Cancer and other malignant tumors	1,975	754 718	306 291	1, 002 966		1 -	2	1	1	3	7	11 10	11	50 42	156	312 296	418	1,088
(45) (45) (46) (46)	Buccal cavity Pharynx Esophagus	11 20	20 3 9	11 3 2	51 5 9								1	1		1	6 2	15 2	55 9 16
(46) (46) (46)	Stomach and duodenum Liver and biliary passages Pancreas Other digestive tract and perito-	416 211 38	139 54 12	72 34 7	205 123 19								1		1 3 	16 6 2	48 25 9	96 50 4	254 127 23
47 48 49	neum Respiratory system Uterus	39 232	96 15 107	46 7 29	125 17 96						1	2	1	1 1 2	9 1 5	10 43	37 8 57	63 15 52	147 10 73
50 51	Other female genital organs Breast Male genitourinary organs	177 179	16 71 78 19	29 3 21 18 8 30	13 85 83 37		1	<u>i</u>	1				1	1	3 2 5	5 24 3 1	6 54 9 4	9 30 33 4	9 66 125 55
52 53 54a 54b	SkinOther or unspecified organs Nonmalignant tumors, ovary Nonmalignant tumors, uterus	207	79	30 1 8	98 2 13			1			2	2	6	4	13 4	12 1 23	30 1 7	38 2	99
54d,e 55a 55d,e	Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, ovary (nature unspecified) Tumors; other organs (nature unspeci-		7	2	11						1	3			3	.3	4 	3	3
	fied)	20	7	4	9					. 1			1		1	2	4	2	9
	endocrine glands, and other general diseases	639	203	79	357	22	3	3	2	1	10	18	13	12	27	34	76	133	285
56 57 59	Acute rheumatic fever	29 26 439	9 2 147	2 1 56	18 23 236	2	1	<u>1</u>		1	6	10 6	7	1 8	1 4 15	17	2 3 45	3 4 96	7 15 234
60 _ 62 63 65	Scurvy Pellagra Rickets Diseases of pituitary body	6 5	<u>i</u>	1 1	4	3	1		1				1		i	2		2	i
66a 66b (66)	Simple goiter Exophthalmic goiter Other diseases of thyroid and parathy-	. 2	1 28	9	2 48								3	1	4	13	2 22	20	22
-67 68	roid glands	18	10	. 5	6 8	3 14	1	2	1			2		2	1		1	1	1
69	Other general diseases	. 4	4	. 2	5 3										1	1	1	5 2	3 2
70	IV.—Diseases of the blood and blood-making organs Hemorrhagic conditions	 	82	40	108	14	3	3	2	-	5	5	3	5	9	8	28	54	89
71a 71b 72a	Pernicious anemia Other anemias True leukemias	104 9 61	30 1 26 10	3 12	59 5 23	<u>-</u>		12		.	_ 1	2	2	1 2	1 1 3	3 2	8 <u>11</u>	26 1 16	60 5 14
72b 73 74	Diseases of the spleen	. 26 8	4	2	2		1				-	2	1	2	. 1	3	3 2	3	6 1 2
	making organs		8		12						-				. 8	9	3	1	2
75 76	Alcoholism (acute or chronic)	24	7	5	12	-									8	7	3	4	2
77a	substances Chronic lead poisoning	. 1	<u>i</u>	. 1					-		-					1 1	ļ		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							נמ	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					KAN	isas:	-Cont	inued									···········	•	
	VI.—Diseases of the nervous system and of the organs of special	2, 400		001		00													
78 79a 79b	sense	28 24	724 10 11	331 7 2	1, 345 11 11 3	23 1 2 1	11 2 1	1 3	1	2	15	20 1 4	15 1 3 1	15	37 1 2	90	195 8	401 3 2	1, 569 6
81 82a 82b 82c 82d	Progressive locomotor ataxia (tabes dorsalis). Other diseases of spinal cord. Cerebral hemorrhage. Cerebral embolism and thrombosis. Softening of brain. Hemiplegia and other paralysis, cause	31 64 1,853 83 24	11 17 563 30 6	4 14 260 8 6	16 33 1,030 45 12	1 2 1	1					3	1 2	1 1	1 1 8 6	4 4 35 5	2 5 133 7	11 16 320 9 1	13- 32 1, 352 53- 23-
83 84 85 86 87 89a 89b	unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age). Other diseases of nervous system. Diseases of ear	40 59 37 36 9 60 34 15	13 6 3 11 1 16 17 9	1 1 2 4 14 5 2	26 52 33 23 4 30 12 4	6 1 7 1	2 2 2		1	1	3 5 3	5 2 3 2	3 1 1	2 6 4	1 5 4 6 1 1 1	2 17 3 5 4 3	14 9 3 4 1	5 8 9 4 9 2 2	28 15 10 4
	VII.—Diseases of the circulatory system	4, 080	1, 353	503	2, 224	5		1	2		7	15	21	18	62	130	322	648	2,847
90 91a 91b	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45	19 29	6 14	2 3	11 12						1	2	1	2	4	1 4	5	1 4	14. 7
92a 92b	years) Endocarditis, specified as chronic, and other valvular diseases Endocarditis, unspecified (45 years and	999	306	123	570	1		1	1		2	8	7	8	28	3 42	78	153	670
93a 93b	over)	86 40 15	29 14	12 5	45 21	ī					1	1	1			4	9	15 5	63. 18.
93c 93d 94a 94b 95a 95b 96	years). Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Anterioselerosis (coronary arteries exatteries exatteries).	852 480 310 240 36 490 29	295 170 105 95 13 158 16	1 102 76 42 25 5 47	9 455 234 163 120 18 285	2						3	1 1 6 1	1 3	3 1 9 2	7 17 14 10 3 16 1	58 34 31 30 4 41 5	135 70 70 61 7 83 6	631 375- 194 136- 21 325- 14
98 99 100 101 102	cepted) Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.) Diseases of lymphatic system (lymphangitis, etc.) Lidopathic anomalies of blood-pressure.	365 17 36 20	94 6 14 5	47 2 4 3	224 9 18 12	1			1		1	1	1	1	1	3 2	8 4 2 1	26 2 6 1	329 ⁵ 14 20 ⁵ 13
103	Other diseases of circulatory system VIII.—Diseases of the respiratory	6	2		4											1	1	2	2:
104a	system Diseases of nasal fossae	1, 255	487	162	606	180	46	21	6	10	24	19	23	24	57	74	87	107	576- 5
104b 105 106a 106b 106c,d 107a 107b 108 109 110 111a 111b	Diseases of nasal fossae and annexae. Diseases of larynx. Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified. Bronchopneumonia. Capillary bronchitis. Lobar pneumonia. Pneumonia, unspecified Pleurisy. Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorrhagic infarct. Asthma. Pulmonary emphysema.	7 7 7 19 48 16 463 6 534 21 31 9	4 1 7 15 5 186 1 209 9 12 2 17 12	5 7 3 55 63 5 10 3	3 6 7 266 8 222 5 262 7 9 4 18 25 1	1 2 1 1 126 	32 10 1 1 1	1 8 1 7 1 1	1 1 4	3 4 1	1 1 1 6 12 1 3	4 13 1	19	5 15 2	1 1 1 37 1 37 1	2 2 1 21 37 1 4	3 1 3 28 41 3 1 1 5	1 3 25 1 61 4 2 3	13 39 14 193- 22 231 5 10- 5
114	Other diseases of respiratory system (tuberculosis excepted)	9 1, 350	4 549	5 276	525	1 138	47	33	19	7	52	42	- 53	1 44	2 87	2 113	1 134	170	2: 411
115a 115b 116 117a 117b 118	Diseases of pharynx and tonsils	75 16 1 99 31 61	34 9 1 37 18	15 2 24 3 7	26 5 38 10 37	5	3	33	3	1	11	5 1	1	6 1	11 2 5 2	113 6 4 12 4 5	3 10 6 5	3 3 1 25 6	11 4 45 12 .
120 121 122a 122b 123 124 125a	age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia Intestinal obstruction Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver	143 86 334 75 111 23 86	44 33 147 38 44 4 31	40 12 87 13 21 3 14	59 41 100 24 46 16 41 3	108 17 2 1	35 4 1 3	16 5	3 7 2	1 3	6 33	31 1	2 40 3	23 5	4 41 2 7 1	2 41 5 8	5 36 15 7 3 15	5 31 14 9 5 17	41 39, 38 42; 12; 46,

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries-			-		 -	_	D	EATHS	BY AG	E			 _	=	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year-	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	, , , , , , , , , , , , , , , , , , , ,				KAN	SAS-	-Conti	inued						·					
	IX.—Diseases of the digestive system—Continued		- ,			,				,									
125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall bladder, biliary	21 88	11 40	2 19	8 29	1				 	1	1	1	1	4	2 14	4 9	5 20	6 40
128 129	passages	67 9 21	25 5 11	12	- 30 4 8				<u>1</u>	1.		<u>-</u> -		1 5	2 1 2	3 1 1	12 1 3	14	35 4 6
	X.—Diseases of the genitourinary system	2, 061	800	298	963	8	1	1	1	5	6	7	11	19	54	104	188	306	1, 350
130 131 132	Acute nephritis (including unspecified under 10 years)Chronic nephritis	61 1, 513	27 575	10 215	24 723	4	ī	<u>-</u>	1	2	2 3	6	3 5	3 10	10 19	9 56	7 133	9 244	11 1,035
132 133	Nephritis, unspecified (10 years and	203	68	32	103								1	1	3	17	20	25	136
134	over) Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages Diseases of bladder (tumors excepted)	60 11	23 3	11	26 8	4				2	1			1	1	9 2	13 1	5	2 <u>4</u> 7
135 136 137	Diseases of urethra, urinary abscess, etc.	15 3	4 1 62	<u>2</u> 1	11 2												1 1	 <u>17</u>	14 2
138	Diseases of prostate Diseases of male genital organs, not specified as venereal	135	2]	52				Ì	1		1					1		117
139a 139b	Other diseases of ovaries, diseases of	12	7 23	2	3								2		3	3 5	2 6	2	2
139c 139e	tubes and parametrium Diseases of uterus Other diseases of female genital organs	34 9 2	5	1	5 3 2									3	16 2	2. 1	3	1	
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	195	96	42	57	 -						1	15	. 47	86	46		, 	,
140 141	Abortion with septic conditions Abortion without mention of septic	48	27	11	10								3	20	20	5			
142a	conditions (includes hemorrhages) Ectopic gestation, septic conditions	6	3		3								1	1	3	1			
142b	specified Ectopic gestation, septic conditions not mentioned	1 10	8		2									1	. 6	1			
144a 144b	Other puerperal hemorrhages	9 12	3	3 4	3. 5								<u>ī</u>	1 2 1	3 6	4			
145a 145b	Puerperal septicemia and pyemia (abortion excluded)	39 1	16	12	11								5	7	18 1	9			
146 147 148	Puerperal albuminuria and eclampsia Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em-	21 5	1 9 3	1	8							1	1	2	9 1	6 2			
149	bolus, sudden death (not specified as septic)	16 27	7 15	2 5	7 7								3 1	2 7	6 13	5 6			
	XII.—Diseases of the skin and cel- lular tissue	36	16	5	15	3	3	1			1			5	1	2	2	5	13
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess	11 7	5 3	2 2	4 2		<u>2</u>							1	1	1	2 	2 1	5 2
195	Other diseases of skin and annexa and of cellular tissue	18	8	1	9	3	1	1	-					4		1		2	6
	XIII.—Diseases of the bones and organs of locomotion	23	9	2	12	2				1	2	4	- 1		3	3	1		6
154 155	OsteomyelitisOther diseases of bones (tuberculosis	14	7	2	5 3	2				. 1	2	3	1		2	2	1		3
156	excepted) Diseases of joints, other organs of loco- motion	3 6	2		3 4							1			1	1			3
	XIV.—Congenital malformations	188	55	31	102	166	10		4	2	3	2			. 1				
157a 157b	Congenital hydrocephalus Spina bifida and meningocele	15 19	5 6	1 4	9	11 18	1		2		1	1							
157e 157d	Congenital malformation of the heart- Other congenital malformations	106 48	26 18	18	62 22	96 41	3		2	1	1				1 				
150	XV.—Diseases of early infancy	\ 	254	122	387	763						-						<u></u>	
158 159 160 161	Congenital debility Premature birth Injury at birth Other diseases peculiar to early infancy	158	13 173 51 17	10 73 33 6	25 253 74 35	499 158 58													
162	XVI.—Senility	331	77	37	217													5	326
	XVII.—Violent and accidental deaths	1,900	722	267	911	28	38	22	16	16	64	64	111	146	233	229	224	215	493
163	Suicide By solid or liquid poisons or by ab-	347	124	38	185							1	9	24	48	48	86	58	72
164 165	By solid or liquid poisons or by absorption of corrosive substances. By poisonous gas	. 11	34 6	11	26 5 40								5	7	16 6	12 4 5	7 2 20	11 3 12	12 2 17
166	By drowning	65	17 2	8	9									3	ľ	3	1 1		. 5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies								EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 year	s year	s years	5 to 9 years	1.4	15 to 19 years	20 to 24 years	34	44	54	55 to 64 years	years and over
<u></u>					KA	nsas	—Con	tinue	đ										
	XVII.—Violent and accidental deaths—Continued																		
167 168 169 171 173 174 175 176 177 178 179 180 181 182 183	Suicide—Continued By firearms By extiting or piercing instruments. By jumping from high places. By other means. Homicide. By firearms By extiting or piercing instruments. By other means. Accidental, other, or undefined. Attack by venomous animals. Poisoning by food. Absorption of poisonous gas. Supplemental. Other acute accidental poisonings (gas excepted). Conflagration. Burns (conflagration excepted). Supplemental. Mechanical suffocation. Drowning. Supplemental. Traumatism:		57 53 68 52 51 11 530 12 12 23 49 4 4 18	19 19 14 2 3 210 1 4 4 2 3 13 13 13 12 3 1	10		37	2	2 1	1 2 6 3	1 63 1 1 1 1 1 6 6 1 1	63 2 1	2 1 7	13 20 12 2 6 102 3 1 8 1	23 1 1 1 40 33 3 4 145 5 2 2 11 1 4	300 233 34 4551 144 417 766	3 8	29 2 1 11 17 13 146 1 2 2 2 2 14 1	33 3 8 4 413 3 3 3 2 2 21
184 185 186a	By firearms (wounds of war excepted)	49 7 8 319 56	20 3 1 135 18	5 2 51 6	24 2 7 133 32	1	- 5		1	1 1 3	- 1 2 6	1 1 1 1 6	1 5	7 1 3 2	10 10	- 1 14	16	15 8	2 1 1 239 7
186b 187 188 190 191 192 193 194a 194b	By crushing, landslide Supplemental Cataclysm. Injuries by animals. Excessive cold. Excessive heat. Lightning Due to electric currents. Supplemental. Foreign bodies. Other accidents. Supplemental	11 119 3 27 9 16 10 13 1 10 56 409	2 28 1 12 1 3 7 	3 24 2 7 1 3 3 9 63	6 67 	2 2 1		3	1 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 13	2	10 1 1 1 1 1 1 2 43	1 1 1 1 40	2 16 1 1 1 1 2 1 3 43	2 16 5 4 2 1 1 59	17 - 1 2 - 2 1 1 1 - 8 45	1 14 3 2 4 3 8 62	1 11 7 6 8 8 1 1 9 87
199 200a 200b	XVIII.—Ill-defined causes of death Sudden death Cause of death ill-defined Cause of death not specified or unknown	99 13 42 44	16 3 8 5	10 5 5	. 10 29	4			1			-	_ 1	2	_	2 1	- 2	1 6	6 21 17
Punch symbol 201 202 203 204 205 206 207	SUPPLEMENTAL 1 Accidents in mines and quarries. Accidents from agricultural machinery Elevator accidents. Accidents from machinery used for recreation. Other machinery accidents. Railroad and automobile collisions. Other railroad accidents.	21 24 2 2 15 47 69	5 7 1 5 8 22	3 3 3 10 10	14 1 1 7 29					1		. 2	'_ ī	3		4 4 	2	1 1 9	1 4 1 1 7 10
208 209 210 211 212 213 214	Street-car and automobile collisions. Other street-car accidents. Automobile accidents (primary) Motorcycle accidents. Other land-transportation accidents. Water-transportation accidents. Air-transportation accidents	5 1 386 5 31 2	147 3 5	57 2 5	182			5	2		3 20	10	1 1	37 1 2	4	3 59 1 4	4	48	74 1 6
List no.	. CAUSE OF DEATH	All deaths	Citie of 10,00 or ov	10,0	500 — 600 U al 13		1 rear y	2 ears	3 years 3		to 9	to 15	to 20	to 2	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		1				KEN	ruci	XX		1		1				- 1		1	1
	Total deaths (all causes)-{White Colored.		0 1, 88	6 2,	344	409 358	685 66	362 23	202	187 18	519 50	58	134	180	, 439 396	1, 633 500	2, 016 687	3, 008 669	1,072
1 2 5	I.—Infectious and parasitic White Colored.	30	3 3	25	747 500 267 30 3	473 59 2	250 22 4	154 6	3	98 11 5 1	235 30 26 8 2 -	115 24 27 2	185 72 46 8	286 79 45 5 1	483 119 57 4	431 109 24 3	365 126 29 3	18 3	87

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

				Cities							DEATE	is by A	LGE					
List no.	CAUSE OF DEATH .	All deaths	Cities of 10,000 or over	of 2,500 to 10,000 and rural areas	Under 1 year	1 year	2° years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				KI	ENTUC	CKY-	-Cont	inued										,
	I.—Infectious and parasitic dis- eases—Continued]	
7	Measles $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	39 2	2	37 2	2 1	10	5	4	2	2	3	2	1	2	3	2	1	
8	Scarlet fever $\{ egin{array}{c} W \\ C \\ X' \end{array} \}$	75 2	25 2 25	50 229	4 145	<u></u>	6 24	6	<u>5</u>	25 1 7	<u>4</u>	4	2	10	1	1 		
9	$egin{array}{lll} W & & W & & W & & & \\ W & & & & & \\ C & & & & & \\ Diphtheria & & & & & \\ W & & & & & \\ W & & & & & \\ \end{array}$	254 36 357	11 25	25 332	26 45	57 4 36	2 2 64	48	1 53	3 90	14	2	<u>1</u>	1	1			
10 . 11a	Influenza, respiratory complica-CW	7 693	135	1 5	.85	1 37	<u>14</u> -	11	3 6	3 13	13	12	21	43	50	52	78	257
11b	tions specified	109 370	36 62	558 73 308	6	5 10	1 7	î	3 •5	1 8	1 5	8	4 8	6 16	11 21	19 21	12 48	31 171
_	Influenza, respiratory complica-\W tions not specified\C \W	59 219	. 19 . 14	40 205	6 45	1 49	15	6	6	6	1 4	3 3	ĭ	7	4 5	8 5	10	18 63
13	Dysentery(C	6 29	1 11	5 18	10	3				4			1	. 2		2	3	1 5
15 16	Erysipelas	4	3	ĩ	1											2	1	
17	alitisW	42 15	1 6	41 9	12 2_	9	5		3	6	1 2	1	1	1	3	3	1 3	ľ
18,	Epidemic cerebrospinal meningitis ${f W}_{C}$	47	9	38	10	4		2	2	12 1	6 2	6	1 1	1 1	1 2	1 1		
21	·RabiesW	10 1 23	·1 7	2	2	1 	<u>-</u> -		1	5	1 5			-	2	2		4
22	Tetanus[C	1, 837	322	1, 515	1 31	21	6	1 7		19	1 26	99	193	1 1	1 1	226	225	362
00	Tuberculosis (an forms){C	1,630	172 277	270 1, 353	2 10	4 7	3	3	3 2 2	10 11	16 19	51 86	180	326 88 305 79 9	292 65 278	69 204	39 208	26 316
23 24	Meninges and central nervous W.	390 65	144 17	246 48	17	4 10	4	3	1	7 2 2	7	47	59 2	79	58	65 5	37	23° 5
25	$\frac{C}{C}$ Intestines and peritoneum	11 60	7 8	52 52	3		3		1 	1 1	1 1 3	2 2	3 3 2	7 3	1 3 2	10	6	24 2
26	Vertebral column	16 14 5	5 2 4	11 12 1		1				2	1 1		2	2	2	3 2		í
≏ 27a	Bones (vertebral column ex-{W cepted)(C	14 2	2 1	12 1						1	2 1	3	i		2		2	4
27b	Joints	10 1	$\frac{2}{1}$	8							2	3		1 1			1	3
28	Skin and subcutaneous cellular W tissueCC	1]		1							_i -	1						
29	Lymphatic system (bronchial, mes- enteric, and retroperitoneal							}	1								1	-
30	glands excepted)W Genitourinary system{C	3 7 2	2 1	3 5 1								1			2	1	2	Ž
31	Other organs W	4 3	Î 3	3									1	1	₁ -			4
32a	Acute disseminated tuberculo-\\ \W sis\C	25 9	10 6	15 3	1	3	1	1		2	2	· <u>2</u> -	6	1 2	2	3 1	1	1
32b,c	Other disseminated tuberculo-{W sisC	2	1	3 2		<i></i> -								1	. 1	 ; <u>:</u> -	1	2
34	Syphilis{C	105 91	44 54 3	61 37	29 12	2	1	1	2	1		1	3 2 2	14 10 4	19 23	17 22	14 10	5 7
.35 36	Gonococcus infection, other vene-{W real diseasesC Purulent infection, septicemia{W	6 2 12	2	3 10	3								2	1 2			1 2	1
	(nonpuerperal)CC	1 31	1 3	28		1	2	1		6	2			2	2	4	2	1 8 2
38 39	Other diseases due to protozoal para-	4		4			·							. 1	1			1
40	sitesW AnkylostomiasisC	1	1	1							<u>ī</u> -							I
42 43	Other diseases caused by helminths. W Mycoses $\{V_{}, V_{}\}$	9 4 2	2 2	1 9 2	1 2	3	1	1 		2			1		. 1	2	1	
44	Other infectious and parasitic dis-{W	11 2	4	7	~ 1	1	1	1		2					Î		2	3
	II.—Cancers and other {White tumors{Colored	1, 890 226	703 110	1, 187 116	, 1	 	2	2	4	9	9	11 2	10	53 16	153 31	291 55	476 56	867 62:
	Cancer and other malignant [W	1,816	660	1, 156 110	1		2	1	4	4	5	9	8 2	41 12	139 27	275 48	465 55	860°
(45)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	206 52 9	96 19 6	33								i			4	16	13	60° 28° 3° 10° 2′ 9°
(45)	Pharynx $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	21 2	5 1	16 1								1		•2		3 2	6	10° 2
(46)	Esophagus $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	20	12	.8									<u>-</u>			5 1	6	1 1
(46)	Stomach and duodenum $ \left\{egin{array}{c} W_{} \\ C_{} \\ W_{} \\ \end{array}\right.$	370 57	108 26	262 31							2	2	1	1 3	18 4 12 3	56 8 25	100 21 56	189 23 110
(46)	Liver and biliary passages $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	209 26 36	64 7 16	145 19 20							<u>-</u>			ļ	3 1	8 25 5 8	11 9	110 7 18
(46) (46)	Pancreas{C	274	114	1 160					1	i	1			10	21	1 29 7	73 4	137
	toneumCC	24 40	17 22 1	7 18								1	1	3	5 5	7 6	14	5 12
47 48	Respiratory system	2 260	101	1 159									1 2	8	43 11	64	74 74	69 ²
49	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	47 29 4	20 17	27 12			 					1	1	8 4 3 1	11 4	17 6	8 1	7 7 1
10	Other lemale genital organs{C	. 4	2	2	I	l]			'	'			1 1	1 1	l=	1 1	1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Cities	Cities					-		DEATI	is by	AGE					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Unđer 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				KI	ENTU	CKY-	-Cont	inued					·, - · · ·		-			
	II.—Cancers and other t mors— Continued																	
50	Cancer and other malignant tumors— Continued Breast	173	64	109							 	1	1	5 3	18	33	44	71
-51	Mala genitaminana - Was	9 103	3 42	61			1			<u>ī</u> -				3	5	6	23	66
52	Skin W	90	5 19	71										<u>î</u> -	2	5	3 8	6 74
-53	Other or unespecified arrests W	139	57	82 82	<u>ī</u> -		1	<u>i</u> -	3	2	2	2	3	3	1 6	24	1 31	60 60
-54a	Normalianant tumana	11 1	5	6	~		1					1		1	1	2	3	3
54b	Nonmalignant tumore utorus (W	1 27	1 16	11	~~~~~			 						3 3	9 4	10	1	4 1
-54c	Nonmalignant tumors, other female genital organs W	14	10	4	*									°	*	6		1
-54d,e	Nonmalignant tumors, other (W	$\begin{array}{c} 1\\ 9\\ 2 \end{array}$	1 5 1	4							2			ī		1	3	2 1
-55a	organs (C.Tumors, ovary (nature unspeci-	1	1	1								1						1
.55d,e	fied) W- Tumors, other organs (nature un-{W- specified) C-	35 3	20	1 15 1				1		5 1	2	2	2	7	4	5 1	6 1	1
}	III.—Rheumatic diseases, nutritional dis- ases, diseases of the endocrine glands, and other general	589 83	219 37	370 46	17	2 1	7	1	2	13	10 1	10 6	18 3	27 6	36 10	62 11	134 15	250 29
	diseases				ļ													
56	Acute rheumatic fever \\ \text{C}\\ \text	54 15	15 6	39 9					1	7	4	3	5	5 1	2	5 1 4	· 8	16 7
-57	Chronic rheumatism, osteoar-\W thritisC	41	10	31						1	1					1	5	29 2
.59	Diabetes mellitus	339 46	144 23	195 23		1	1		1	5	3	8	11 1 1	8 4	16 7	26 7	87 9	172 16
-62	$\begin{array}{c} \mathbf{Pellagra} & & \left\{ \begin{matrix} \mathbf{W} \\ \mathbf{C} \end{matrix} \right\} \\ \mathbf{C} & & \\ \mathbf{C} & $	65 4	12	53 2 8		- -					1	1	1 	9	8	16	16 2	13
63	Rickets	$\begin{bmatrix} 12\\2\\7 \end{bmatrix}$	4	8 2 5	7	<u>î</u> -	1	1										
66a	Simple goiter $\begin{array}{c} W_{} \\ C_{} \end{array}$	3	2 1	2										<u>ī</u>	1	1	2	3
66b	Exophthalmic goiter	42 8	24 3	18 5							1		1	2	5 2	9 2	13	12 3
(66)	Other diseases of thyroid and parathyroid glands	2	1	1	2	 								 				~~~~
67 68	Diseases of thymus gland W Diseases of adrenals (Addison's disease	8	1	7	7		1											
-69	not specified as tuberculous W . Other general diseases W .	8 11	3	5 8	1	ī	ì						1	2 1	3	1	$\frac{1}{2}$	5
	TIT There are a state of	1	1									1						
	IV.—Diseases of the blood White and blood-making Colored	173 14	59 7	114 7	13 1	2		1	1	3	6	5 1	6 1	8 2	17 4	18 2	33 2	59 1
70	Hemorrhagic conditions	15 2	2 2	13	9							<u>1</u>			1		1	4
71a	Pernicione anamia	80 7	22 3	58	1							1	2 1	1	7 3	10	21 2	35
71b	Other anemias W C	9 3	5	4 4 2	2					ī	<u>1</u> -			1 1	1			3 1
72a 72b	True leukemias W Pseudoleukemias (Hodgkin's dis- W	$\frac{3}{42}$ 12	16 3	26 9	1 1	1		i	1	2	3 1	2	1 3	4	7	4 3	5 2	$10 \\ 2$
i	ease)	1 12	8	1 4							<u>i</u> -	2		<u>1</u>	1		3	<u>-</u>
73 74	Diseases of spleen	11	1													1		
	making organsW	3	3													1	1	1
	V.—Chronic poisonings White and intoxications(Colored	47 11	20 7	27 4								1		8 1	15 6	10 2	8	5 1
75	Alcoholism (acute or chronic) $$ $\left\{\begin{matrix} W \\ C \end{matrix}\right\}$	43	19	24								1		7	15	10	8	2
76	Unronic poisoning by other organic	11	7	4)	j				1	6	2	1	2
77a	substances W Chronic lead poisoning W	3 1	1	2 1										1				1
	VI.—Diseases of the nerv- ous system and of the organs of special Colored- sense.——————————————————————————————————	2, 322 396	653 155	1, 669 241	61 9	13	12 1	4 2	8	21	23 3	15 3	32 5	52 19	113 44	215 89	391 87	1, 360 134
78	Encephalitis (nonepidemic)	32	8	24	5	3	3		1	1	2		2	3	3 1	3 2	4	2
79a	Simple meningitis $\{C_{}\}$	3 50	14	3 36	15	5	3		2	6	6	1	3	2 2	3		1	3
79b	Nonepidemic cerebrospinal men-(W	17	1 1	7 17	7	1	1 2	1				1	1		1	1 2		1
80	ingitis C- Progressive locomotor ataxia (tabes W- dorsalis) C-	3 13 3	4	2 9									I		1	2	8	2 1
i	uorsans)(C	ಕ	2	T 1					['	!			1 !			Ι,	* -

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

					1									2. 19 .	32—C	onani	leu	
			Cities	Cities of 2,500							DEAT	es by	AGE					_
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
			-	ĸ	ENTO	CKY-	-Cont	inued							•	'	·	
I	VI.—Diseases of the nervous system and of the organs of special sense—Continued								-									-
81	Other diseases of spinal cord	53 8 1 825	15 2 484	38 6 1,141	1 5						3	3		1	5 1	6 2	11	23. 5
82a 82b	Cerebral memorrhage C	1, 625 254 34	105 17	149 17	1	2	1	1	1	4	1	2	6 1 2	20 7 2	51 22 4	127 61 4	298 59 5	1, 106 101 17
82e 82d	sis\C Softening of brainW_ Hemiplegia and other paralysis,{W	2 17 171	2 5 17	12 154	i										1 1		1	15
83	cause unspecified(C	32 78	13	19				1		-				2 2 4	3 2 21	13 7 29	22 7	128- 14 12:
84	Dementia praecox and other psy W.	43 32	13 13	58 30 19								1	3	4 5	13 7	10 6	12 10 7	5 4
85	choses C W	59 18	1 15 8	· 3 44 10	5			<u>i</u>	1		7	2 1	8	7	6	3	2 8	
86	Convulsions (under 5 years of age) $\left\{ \begin{array}{l} W - C \\ C \end{array} \right\}$	1 <u>4</u> 6		14	11 6	1	2			-	2		2	2		3	3	5
87	Other diseases of nervous system.	63 8	12 2	51 6		1	1			1		1	1	4	5 1	9 2	9 2	31 3.
88 89a	Diseases of organs of vision W . Diseases of ear C .	1 46	24	1 22	9		 		3	5	4	4	5	1		8	2	4
89b	Diseases of mastoid processW	17	4 5	12	2 1			1		3		1	2	I I	1 1	2	4	<u>î</u>
	VII.—Diseases of the circu-{White latory system{Colored	4, 072 855	1,473 410	2, 599 445	24	5 1	3 2	2	1	16 1	15 2	30 6	34 9	89 33	168 88	339 . 156	690 229	2, 651 327
90	Pericarditis $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	14 5	3 3 7	11 2						1	1	2		1	1	1	1	7 3
91a 91b	Acute endocarditis $\{W - C \}$ Endocarditis, unspecified (under $\{W - C \}$	25 6 9	3 4	18 3 5	2	i			1	2 1 1	2	1	1	2	2	4 2	1	6 2:
92a	45 years)	925 187	258 100	667 67	6	1 3				4	6	15	18	39	49	84 26	156	543
92b	Endocarditis, unspecified (45 years W and over)	78 25	31 11	87 47 14							1	3	3	11	28	9	61 13	54 56
938	Acute myocarditis	925 187 78 25 71 42 28	23 24	48 18		 	1	†			1		2	3	6 9	9 7 9	6 20 7	10: 31 12:
93b 93c	Myocarditis, unspecified (under W _ 45 years) C Chronic myocarditis and myocar- W	28 15 626	11 7 311	17 8 315	1			1			1	2	1 2 2	3 5 3 8	17 9			
93d	dial degeneration C	103	62 243	41 289						2		2 <u>1</u>	1	8 8 3	20 9	59 21 50	103 26	429- 38- 389- 34- 154-
94a	Angine posterie	532 87 282 40	32 117	55 165	1	 					2		2	<u>3</u>	14	18 34	89 35 71	34· 154.
94b	Diseases of coronary arteries C	136	19 65	21 71								1 1	1	ĭ	9	15 19	8 35	5. 73.
95a	Functional diseases of heart	7 11 1	3	5 8 1									1		1	1	- 3 1	3 7
95b	Other and unspecified diseases of W heart	883 225 18	258 106	625 119	11		2	1		6	2 1	4 1	6 1	24 6	38 16	64 43	153 62	570·
96 97	Aneurysm (except of heart){C	12	6 8	12								2			4	2 6	4 2	9 <u>4</u> 6
.	Arteriosclerosis (coronary arteries W - excepted) C - W -	384 92	121 30 3 1	263 62											1 2	3	30 16 1	350 68 12 1 8
98 99	Gangrene W Other diseases of the arteries W	15 3 13	3 1 6	12 2 7	2 .		1										1 !	12 ⁻
100	Diseases of veins (varices, hemor-W-rhoids, phlebitis, etc.) C-Diseases of lymphatic system	5	1	5	1 .										2 2	1 	3	8 2:
1	(lymphangitis, etc.)W	3	2	1		1										1		<u>-</u> 1
102	Idiopathic anomalies of blood-pres-{W sureC Other diseases of circulatory sys-	9		9										1		î	3	4 1
100	temW	5	1	4													2	3
	VIII.—Diseases of the re-{White spiratory system_{Colored	2, 089 418	544 203	1, 545 215	443 72	105 17	59 6	26 3	14 3	46 6	26 11	51 10	42 9	89 34	110 41	103 62	147 45	826 99:
104a 104b	Diseases of nasal fossae and annexae W.	7 8	2 2 2	5	2	1						1	3	2			1	2' 1
105	Diseases of larynx	29 2	2 2	27	11	3 2	2	4	ĩ	1				í			ī	4
106a	Acute bronchitis	29 2 19 11 43	2 5 7	14 -4	6	. 1	ī				1			i	1 2	2	2	9· 3 36·
	Chronic bronchitis W	43 -5 31 9	11 4 13	32 1									1	1		ī	4	36. 4
106c,d	Bronchitis, unspecified	51 9 745	13 4 223	18 5	6	2								3		2 20	I	23 3 240
107a 107b		745 130 12	60	522 70 9	276 49 5	50 10	34 3 1	11	1	19 3	6 4	10	6 2	12 2	26 7	20 10	31 10	240 28 5
	Capillary bronchitis	834	210	624	80	1 24	15	6	6	14	14	32	28	56	56	66	81	
	Pneumonia, unspecified $\begin{array}{c} C_{} \\ W_{} \\ C_{} \end{array}$. 216 . 206 22	108 17 6	108 189 16	17 48 3	18	6	2 4	1 3 1	14 2 6 1	6 3 1	32 8 5 1	28 6 4	.26 6	56 30 10	41 5 3	81 22 13 7	355 49 75 4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		ĺ		Cities	· · · · · · · · · · · · · · · · · · ·	****	<u>.</u>	-	·		DEATH	BY A	GE					
List	CAUSE OF DEATH	All deaths	of 10,000	of 2,500 to 10,000	TY	1	2	3	4	5 to 9	10 to	15 to	20 to	25 to	35 to	45 to	55 to	65 years
201			over	and rural areas	Under 1 year		years				14 years	19 years	24 years	34 years	44 years	54 years	64 years	and
				K	ENTU	CKY-	-Cont	inued							,			
	VIII.—Diseases of the respiratory system—Continued																	
110	Pleurisy	50 5	21 3	29 2	5	3	1			3	1	2	1	5	11	4 1	3	12 2
111a	Pulmonary embolism and throm-\W bosis	4 1 47	1 16	4	2	<u>2</u>								1 1	<u>2</u>	1	4	1
111b	Pulmonary congestion, edema, W hemorrhagic infarct	3 39	13	31 2 26	ī					2	1			<u>i</u> -		5	6	36 2 23
112 114	AsthmaOther diseases of respiratory sys-\W.	10 15	6	4 9	1	1								3	2	3	3	4 4
***	tem (tuberculosis excepted)(C IX.—Diseases of the diges-/White	3 2, 114	1 594	2 1,520	577	235	70	23	23	63	57	68	59	1 116	119	168	158	375
	tive system(Colored	74	129	141	53	16	1	$\frac{2}{4}$	- 1 5	12	8	5	$\frac{16}{7}$	20	33	37	36	46 9
115a 115b	Diseases of pharynx, tonsils	9 17	5 7	4 10	1					<u>ī</u> -	1		3 2	1 6	2	<u>-</u>	1 3	1 2
116	nexa\C Diseases of esophagus\W	3 1	1	2 1											1	1		1 1
117a	Ulcer of stomach $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	57 13	20 7	37									1	5	8 2 8	7 3 7	15 3 5	20 3 7
117b	Ulcer of duodenum $\{W_{-}, C_{-}\}$	33 9	20 5	13 4			1		3			1 ; -	 <u>1</u>	5 2 3	4 2	13	1 12	50
118 119	Other diseases of stomach (cancer W excepted) C Diarrhea, enteritis (under 2 years W	124 41 746	21 24 106*	103 17 640	27 3 521	225				1	4	1		3	5	9	12	9
120	of age) C Diarrhea, enteritis (2 years and W	62 211	19 30	43 181	47	15	62	12	8	17	1	4	1	1	8	5	15	76
	over)	23 341	9 153	14 188	<u>i</u> -		1 3	<u>ī</u> -	1 3	27	1 41	52	1 29	50	1 44	- 1 48	5 15	12 26
121 122a	W	31 59 7	20 32 3	11 27	i	1		1		1	2		6	6 1	5 8	9	12	28
122a		115	32 10	83 15	16	3	3	5	1	4	1 1	2	6	12	1 16 6	3 5 3	6 2	28 1 35 7 5
123	Other diseases of intestines $\begin{array}{c} C \\ W \\ C \end{array}$	25 19 4	8 1	15 11 3	1	1					1		1 2	4	2	2 2	2	5 2
124	Cirrhosis of liver $\{V_{-}, V_{-}\}$	109 13	43 10	66	1			1			1			3	10	20 4	24 1	50 4 2
125a	Yellow atrophy of liver $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	9 2	5 2	4	1								1	2		2		
125b	Other diseases of liver $\left\{\begin{array}{c} W_{} \\ C_{} \end{array}\right\}$	32 5	11 4	21	2				1			3	$\begin{array}{c c} 2\\ 1\\ 2 \end{array}$	3	$\frac{2}{1}$	1 1 23	7	11 1 26 2
126	Biliary calculi	74 6 62	36 1 23	38 5 39				1						6	. 1	1 11	16 2 15	23
127 128	Other diseases of gall-bladder, bili-W_ary passagesC	6 7	3 5	3						. 1				2		5	- 2	
129	Peritonitis, cause not specified ${W \choose C}$	24 11	11 5	13	2 2				2	$\frac{1}{1}$			3 2	5 1	1	3 2	6	. 2
	X.—Diseases of the geni-\White tourinary system\Colored	2, 033 456	630 219	1, 403 237	7 5	8	8	1	3	9 2	11	23	27 4	55 19	79 49	159 84	293 91	1, 348 197
130	Acute nephritis (including un-\{W specified under 10 years)\C	109 35	28 14	81 21	6 2	7	7		3	4	1	2	7	9 3	6 8	14 5	12 7	30
131	Chronic nephritis	1, 369 279	444 139	925 140	1 1	1	1			. 4	6	11	10 2	27	45 21	107 59	62	951 124
132	Nephritis, unspecified (10 years) W and over)C	299 82	62 33	237 49			-				. 3	. 2	2	3 3	8	18 13	46 16	217 40
133	Other diseases of kidneys, ureters W (puerperal diseases excepted) C	. 9	25 6 13	38 3 6	1			1		1	1	1		1 1	8 3 1	10 1 1	2	25 1 13
134 135	Calculi of urinary passages	1 26	3	1 23									1		. î		2	.1
136	cepted) (C Ciseases of urethra, urinary ab-	9 2	3 2	6			_		-					1	1	3	<u>i</u>	22
137	scess, etc	95 95	6 35	60 60		-	-		-			-	1	_ 1	4	. 1	8	88 18
138	Diseases of male genital organs, not W	95 22 2 2	9 1 2	13			-		-					-	2	-	2	- 18
139a	specified as venereal CV	9 2	5 1	4						-			1	2		3]
139b	Other diseases of ovaries, diseases W	28 7	10 5	18			-	-		-		5	5			2 2	2	
139c	Diseases of uterus $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$. 11	1	9		-	-	-	-	-		2			_ 3	2	1	-
139d	Nonpuerperal diseases of breast (cancer excepted)W	1		. 1		-			-					-	-	_ 1		
	XI,—Diseases of pregnancy, child birth, and the puerperal state	296 44		214 20		-					2	37		101 17				
140	Abortion with santia conditions JW-	. 29				-	-	-	-	_	-		_ 10					
140 141	A bandon midbant mantism of any VIII.	- 4	3	1		-		-	-				1 2	1	1	-	-	-
1/00	tic conditions (includes hemor- rhages) C-	2	ĭ			-		-	-	-	-	-	- 1			- 1		-
142a 142b	tions specified	_ 2				-		-	-		-	-	- 1				-	-
143	tions not mentioned C- Other accidents of pregnancy W	- 1		_ 1		-			-			-	-		2			-
	(hemorrhage not included)(C.	_ 1				-1		_				-	_			-		-

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

				i					-		·						-	
	•		Cities	Cities of 2,500							DEATHS	BYA	GE.					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year	i year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	<u> </u>		<u> </u>	K	ENTU	CKY	—Солі	inued	<u> </u>		,		*		<u> </u>			
	XI.—Diseases of pregnancy, child- birth, and the puerperal state—Continued																	
144a 144b 145a 146 147 148 149 150	Placenta praevia	9 1 15 3 75 11 10 10 10 5 5 9 9 2 42 1 11 18 11 12	2 1 3 2 18 9 23 3 3 3 1 1 1 1 1 2 4 4 4 4 4	7 12 11 57 7 7 4 1 37 5 1 30 1 1 8 8	6	3	1			3	1	3 11 4 17 3 1	23 1 25 5 1 - 3 2 - 7 2	4 1 2 2 20 5 5 14 1 5 2 1 24 4 1 3	4 8 1 19 14 5 1 1 15 2 1 1 1	2	3	17
	XIII.—Diseases of the bones and organs of locomotion—	26 2	12	14 2	1	2	1		1	3	3	3	1	2	2	1 1	2	4
154 155 156	Osteomyelitis \\ \begin{array}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	18 2 5 3	9 2 1	9 2 3 2		2	.1		1	1	3 	1 1 1 1	1	1 1	1	1	2 	1 1
-	XIV.—Congenital malfor-{White mations{Colored	223 11	56 8	167 3	207 10	8	1	1	2		3							
157a 157b 157e 157d	Congenital hydrocephalus	20 1 17 122 4 64 6	8 1 30 3 15 4	12 14 92 1 49 2	18 15 115 115 4 59 5	1 2 4	1 1 1	1	1		1 2							
	XV.—Diseases of early in-{White fancy{Colored	1, 298 126	303 59	995 67	1, 298 126													
158 159 160 161	Congenital debility	162 19 873 84 173 16 90 7	23 5 210 42 51 9 19	139 14 663 42 122 7 71 4	162 19 873 84 173 16 90 7													
162	XVI.—Senility————{White————————————————————————————————————	333 44 2, 397	46 6 669	287 38 1,728 223	84	40	36	36	27	94	90	152	220	345	302	1 260	230	329 41 478
163 164 165 166 167 168 169 171	Suicide By solid or liquid poisons or W by absorption of corrosive C substances By poisonous gas By hanging or strangulation C By drowning By cutting or piercing instru-W ments By jumping from high places W By other means Homicide By firearms By greatms C By cutting or piercing instru-W C By jumping from pight places C By other means C By other means By cutting or piercing instru-W C By greatms By other means C By firearms By cutting or piercing instru-W By firearms By cutting or piercing instru-W	299 16 44 1 1 4 1 1 22 2 162 8 8 14 1 1 1 363 315 129 21 29 27	101 9 15 1 10 8 2 2 52 7 1 6 1 54 88 39 60	198 7 29 1 34 1 14 110 6 7 1 2 309 81 276 69 14	2					ī	1 1 1 1 -1 1 -1 1 2 1 1 2 2 1	9 2 2 1 1 	17 1 3 11 11 1 1 62 34 57 29 2 5 3	39 4 9 	49 3 3 3 2 2 4 1 35 1 1 1 1 81 33 71 1 22 4 9	73 3 14 1 - 9 7 7 32 1 7 1 3 1 1 50 24 43 1 5 3	62 2 9 	47 1 4 1 1 2 23 1 4

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Cities	Cities of 2,500		- :					DEATH	S BY A	GE			,		
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				K	ENTU	CKY-	-Cont	inued										
	XVII.—Violent and accidental deaths—Continued						 											
176 177 178 179 180 181 182 183 184 185 186a 186b 187 188 190 191 192 193 194a 194b 198	Accidental, other, or undefined (W- Attack by venomous animals W. Poisoning by food (C. Absorption of poisonous gas W. Supplemental W. Other acute accidental poison- (W. ings (gas excepted) (C. Burns (conflagration excepted) {C. Supplemental W. Mechanical suffocation (C. Drowning	1,735 2199 11	514 84	1, 221 135 2 13 3 5 1 131 31 4 433 78 111 4 18 91 14 18	82 7 7 4 2 2 34 3 2 2 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 2 1 1 2 3 3 3 1 1 1 2 2 3 3 3 3	36 3 3 2 2 2 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1	2 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	983 77 11	83 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	112 12 12 12 12 12 12 12 12 12 12 12 12	56 2 1 4	208 46	2 56 14 9 3	187 29 1 8 3 11 2 2 1 1 5 1 1 2 2 8 8 2 1 1 1 4 5 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 2 1 1 1 1	148 18 1 1	1 3 4 1 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1
200a 200b	Cause of death ill-defined $\left\{ egin{array}{c} W \\ C \end{array} \right.$ Cause of death not specified or $\left\{ W \\ unknown \right\}$	197 20 172 21	5 4 6 2	166	126 15		5	_ 1	1	4	1	2	.	1	2	10 4 5	23 2 6	63 9 15 2
Punch symbol 201 202 203 205 206 207 208 209 210 211 212 213 214		38 34 24 2 8	1 1 2 4 24 24 164 19 1 3 2 2 3 3 2	22 77 14 239 19 2 21	33	1	5	1 1 8	4	21 4	1 3 3 3 18 2 4	33 1 4 8 33 1 2 2 3 3 1 1 2 1	1 7 15 2 46	26 10 3 1 4 16 6 1 1 72 10	10 1 - 1 - 5 21 3 1	i	5 	177 1 1 1 1 1 599 3 1 1 6

¹ See explanatory footnotes 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	U			ies	- 1						I	DEATHS	BYA	ÆΕ					
	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	,	<u> </u>	', -	· · · · · ·	1	LOUIS	SIAN.	A .		,	· · · · · · ·								
	Total deaths (all causes) {White Colored	12, 504 10, 807	6, 418 4, 584	1, 239 1, 165	4, 847 5, 058	1,353 1,451	· 188 145	109 102	91 64	81 46	238 183	191 158	298 397	382 618	836 1,140	1, 098 1, 410	1, 409 1, 677	1, 947 1, 377	4, 258 2, 013
	I.—Infectious and para-{White sitic diseases(Colored	1, 854 2, 465	782 1,004	180 287	892 1,174	172 277	54 51	37 32	40 31	34 18	73 80	60 59	79 168	111 278	238 427	238 403	208 291	200 180	307 163
1	Typhoid fever $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	104 130	47 40	5 6	52 84	2 2	1 2	1 2	1 1	1	7 13	7 12	15 26	20 23	24 25	9 12	5 8	7 4	. 4
2	Paratyphoid fever	1 1 2	1 1 1									ī			ī	i	1		
5	Undulant fever \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1 1		1	1 1 27	8	7	2	2	1	4	3	1	1		3			
7	ivieasiesC.	33 11 6	5 1 3	- i-	27 10 2	4	2		2		1 2		3		Ī			-=	
8	Scarlet lever	6 2 42	12	4	26	25	6	4	<u>i</u> -	2	2	2	2						
9	W nooping cough	50 97	10 43	4 8	36 46	25 35 11	7 13	4 3 14	1 3 18	14	23	<u>4</u> 1							
10 11a	Diphtheria	47 465	6 161	5 53	36 251 159	56 65 17 22 8 7	6	6	8 5	6 3 2	17 8 15	12	16 13	27	47	46	53	55	120
11b	tions specified\C Influenza, respiratory complica-(W	362	153 36	50 24 28	98	65 17	14 5	4 3	8	3 1	1 2	12 7 2 6	13 4 2	27 20 3 6	47 41 7 10	46 49 14	53 41 9 17	55 36 20 18 3	120 46 69 47 16 8
	tions not specifiedC	166 39	36 23 9	28 4 7	115 26	22	2	7	4	1	6		. 1		1	18 3	17 5 3	18 3	47 16
13	Dysentery C W	37	11 2	7	19 6	7						1	2	2	7	5	.]	, 2	8 4
15 16	Acute poliomyelitis, acute polio-(W.	158 166 39 37 9 2 7 4 4 4	1	<u>1</u>	. 5		i			1 1	2		1		2	ī	. I		. 1
17	encephalitis\ $^{\text{C}}_{\text{C}}$ \Lethargic or epidemic encephalitis $^{\text{W}}_{\text{C}}$	4	1 2 2	1 	2 2				 			1		1 1			2	1	
18	Epidemic cerebrospinal menin- W	21 9 37	15	2	2 4	3	. 2		2	ī	2 2	5	1 2		1	3 2	1		
22	gitis\C Tetanus	37 46	7 24 21	2 7	2 11	1 111 111		1	2	1	7 5	9	3	1 2 47	2 2		2	3	2
	Tuberculosis (all forms) $C_{}$	592 1,005	318 447	56 109	18 218 449	22 5 11	4 7	$\frac{1}{2}$	2	2 3	10	9 7 5 17	31	47	134 266	127 194	98 119	76 64	60
23	Respiratory system $\{W_{}\}$		292 405	53 101	200 428	7 3	4		1	3	_	16	31 97 28 91	188 42 178	126 251	121	95 110	70	58
24	Meninges and central nervous W.	16	14 5		2 2	3 1	3			2	li	1	i	1	2	î		. 1	
25	$System_{} C_{}$ Intestines and peritoneum $C_{}$	12 25	6 14	6	6 5						- - -	i	2	1 4	2 2 6	1 7	2 3	3	2
26	Vertebral column $\left\{ \begin{array}{ll} C_{} \\ C_{} \end{array} \right\}$	4 3	2 2		2	i	i				ī					2	<u>i</u> -	.	
27a	Bones (vertebral column ex-)W.	1	í												1		·		
27b	Cepted)	2	2	ī	1 1 1								1	2		1		i	
28	Skin and subcutaneous cellu-	1	1		1						-			1		1			
29	Lymphaticsystem (bronchial,	1			1									1					-
	mesenteric, and retroperi- toneal glands excepted) C Genitourinary system W	5 1	1	1	3			10		.	1			1		1	1		
30 31	Other organs $\{W_{-}, \{W_{-},$	1 1			1 1									1					
32a	Acute disseminated tubercu-\W	9	3 12	2	4 6	2	1	1			-		1 2	2 2	1 2 4	1 3	1 2	1 2	
32b,c	Other disseminated tubercu- W	1	6		ľ							<u>ī</u>	2		1 2		<u>î</u>		
33	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	14 7			14 7						-	Î		2 1		5 2	2	1 3	
34	Syphilis	97 480	65 250	10 60	22 170	12 100	2 8	4		1	3	1	1 9	2 21	5 56	17 108	18	22 46	15
35	Gonococcus infection, other ve-{W nereal diseases{C	9	7	3	2 2	1					-	ļ - -	li	2 3	4 5	1 6			
36	Purulent infection, septicemia W(nonpuerperal)		7 2]	1 4	2					i	1		2	1 1		2		2 2
38	Malaria W		18	7 7	67 49	7 5	3 2	3	4 3	3	8. 6	$\frac{7}{3}$	6 7	4	6 9	$\frac{7}{2}$	10 6	10 6	14 7
39	Other diseases due to protozoal W		ı		1												Ĭ	.]	
40	Ankylostomiasis W Other diseases caused by hel-fW	2		1	2 3			1	3		2		1						
42	minths(C	8	1 2		7 2		1	2		2		1	1		1	1	i		<u>i</u>
43 44	Mycoses $ -$	3 2	3 1			1					1			1		2	<u> </u>		
44	eases{C	3	2		î				1		-	. 1			1		.[3	·	·
	II.—Cancers and other White tumors(Colored	1, 091 575	672 302	74 48	345 225	1	1	1	1	1 2	7	8 2	7 4	12	41 43	107 107	214 160	274 127	-
	Cancer and other malignant W		638 263	72 45	334 222	1	1		1			4		9	32 31	99 90	207 153	264 123	418 115
(45)	Buccal cavity $\{C_{}\}$	45 17	34	3	8 8			·					ī		1	2	6	12 3	25
(45)	Pharynx	17	6	2	9											1	2	8	6 3
(46)	Esophagus	5 5	4 5		ĭ											1	$\frac{1}{2}$	1 2	2
(46)	Stomach and duodenum $\left\{\begin{array}{c} O \\ W \\ O \end{array}\right.$	188	111 70	11	66 36					ļ	-			3	5 3	11 14	35 29	45	91

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—							D	eaths	BY A	Gje					•
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
					LOUIS	SIANA	.—Con	tinued									<u> </u>		
(46) (46) (46) 47 48 49 50 51 52 53 54a 54b 54d,e	II.—Cancers and other tumors—Con. Cancer and other malignant tumors— Continued Liver and biliary passages	87 25 31 7 116 40 58 12 144 152 28 10 54 88 83 43 48 6 111 7 30 9 4 20 10	45 723 66 78 822 466 10 82 62 62 23 8 8 43 20 4 22 21 1 2 5 19 2 1 4 2 4 2 4 9 2 1 1 1 1 1 2 1 1 1 1 2 1 1 1 1 1 1 1	7 5 10 5 4 1 9 13 1 1 1 1 5 2 7 2 9	35 13 8 1 28 13 6 1 53 77 4 2 2 23 33 27 20 20 20 25 3 3 8 18 11 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 16 15	1 1 1 2	1	1	1 2	3 3 2 2 4 4 4	1 1 2 4 1 1 4 5 5	1 1 1 5 6	1 1 1 1 4 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 3 4 4 14 14 2 2 2 2 2 1 8 8 9 1 1 1 1 1 3 5 6 6 7 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 2 1 7 5 5 3 3 32 2 20 6 6 6 3 1 1 1 1 1 1 1 3 1 1 1 5 5 3	111 4 6 6 1 1 27 166 13 4 4 38 8 58 8 7 7 2 2 10 4 4 1 1 12 7 7 5 1 2 3 3 60 60	22 7 7 13 3 3 30 10 18 8 2 25 5 2 16 9 9 26 8 8 11 2 25 12 2 2 16 12 2 5 6 12 12 2 5 6 12 2 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	44 111 100 3 466 99 199 8 38 166 228 440 4 4 111 1118 42
56 57 59 60 61 62 63 66a 66b (66) 67 68	Acute rheumatic fever	13 11 10 3 203 95 1 1 1 42 136 7 7 2 24 17 3 4 13 8 1 1 1 1 1 2 1 3 1 1 1 1 1 1 1 1 1 1 1 1	5 1 8 1 129 52 	2 3 1 16 7 16 7 16 1	6 7 2 1 58 36 1 1 16 60 4 1 6 3 2 2 5 5 5 5	1 3 3 12 7	2	1	1	ī	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 1 1 1 2 2	3 2 2 4	1 1 2 2 2 2 12	1 1 1 2 6 1 3 22 1 2 5	2 1 1 6 11 3 35 9 3 1	33 28 33 26 1 3 5	1 1 4 2 63 28 12 12 12 12	1 2 4 4 92 16 16 12 22 16 1 1 1 1 1
70 71a 71b 72a 72b 73 74 75 76 77a	IV.—Diseases of the blood and blood-making organs.————————————————————————————————————	73 25 8 4 13 5 1 1 25 9 12 2 2 2 2 20 10	45 17 4 4 4 4 4 4 8 2 2 11 4 8 2	5 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23 7 3 7 1 1 5 3 1 4	7 3 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1	1 1 1	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	7 2 1 1 3 2 1 1 2 2 2 2 2 2 2 1 2 2 2 2 2	2 2 1 1 1 1 2 2	10 1 1 2 1 4 3 6 1 5 1	9 6 2 1 4 4 1 1 1 1 1 1 1 3 1 1	6 6 6 1 1 1 2 2 2 2 1 1 1 4 4 4 3	11 3 4 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1	8 1 4 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	`		IN CI	ries—	T				7		D	EATHS	BY AC	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
-	-				LOUI	SIAN	A —Co	ntinue	đ										
	VI.—Diseases of the nervous system and of the organs of special Colored	966 799	468 288	130 118	368 393	14 22	9 7	6 4	4	4 1	9 6	11 6	11 6	10 19	33 43	80 93	104 193	196 166	475 231
78 79a 79b 80 81 82a 82b	Encephalitis (nonepidemic){C	29 11 19 19 4 3 8 - 5 16 10 703 574 30 23	16 7 13 15 1 - 7 - 7 - 9 5 328 205 21 15 6	3 1 1 1 1 2 4 1 85 68 3	10 3 5 3 3 3 3 3 4 290 301 6 8	2 3 6 1 1	1 3 2 1	1 1 3 3 3	1 2	1	1 1 1	1 1 2 1 1 4	1 1 1 3 1	2 5 1	1 3 1 1 3 8 19 2 1	7 4 2 2 2 50 62 6 2	2 1 2 2 1 2 75 147 4 5	3 1 2 2 157 133 5 8	3 1 2 3 1 8 407 202 10 7 4
82c 82d 83 84 85 86 87	Softening of brain C Hemiplegia and other paralysis V cause unspecified C General paralysis of insane C Dementia praecox and other psy- V choses C Epilepsy C Convulsions (under 5 years of age) C Other diseases of nervous system C	4 30 36 30 54 7 7 31 22 1 12 16 9	3 12 14 10 11 12 9 4 1	2 4 15 29 1 2 9 6	1 16 18 5 14 4 5 13 12	10	2		1	1	1 2 1	1 1 1 1 1 1	1 4 2	1 5 1 4 3	2 2 3 5 2 2 8 4	1 4 5 15 2 1 4 4	1 9 7 19 1 2 5 3 3	1 4 8 9 9 1 2 2 2	1 22 12 6 1 1 2
88 89a 89b	Diseases of organs of vision W . Diseases of ear C . Diseases of mastoid process W .	1 23 9 12 1	1 19 5 8 1	2 1 1	2 3 3	8 4	3 2	2		1	2 1 1	1 1		1 4	2	1	1	1	1 2 1 2 1
	VII.—Diseases of the cir-{White culatory system{Colored	2, 485 1, 932	1, 408 870	247 235	830 827	7	3	4	1	1	6	11 9	9 12	29 29	43 141	131 226	297 432	546 4 0 1	1, 416 670
90 91a 91b 92a 92b 93a 93b 93c	Pericarditis	6 5 36 26 3 15 512 620 63 52 28 44 18 22 547	3 3 26 16 8 246 196 27 20 12 33 10 12 360 166	2 1 3 52 72 7 7 3 4 5 5 5 8 42 22	3 2 10 8 8 2 4 4 214 352 29 25 13 7 7 3 5 129 103	1 1 1	2		i	1	2 2 1 1	1 4 4	1 2 1 4 3 32 21 11	2 1 2 3 13 2 2 2	3 5 1 5 4 32 32 	1 6 6 7 21 72 72 5 12 9 18 32	1 2 7 5 5	7 5 90 131 21 17 9 7	2 2 6 338 231 37 19 12 8
93d 94a 94b 95a	Other diseases of myocardium $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \\ \end{array} \right.$ Angina pectoris $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \\ \end{array} \right.$ Diseases of coronary arteries $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \\ \end{array} \right.$ Functional diseases of heart $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \\ \end{array} \right.$	296 153 260 108 99 22 8	165 68 151 60 66 12 6	24 22 26 14 10 6 1	107 63 83 34 23 4									1 	1 2 13 4	1 3 23 16 13 4	41 38 56 27 18 7	68 41 72 29 24 5	186 70 105 23 44 2 6
95b 96 97 98 99	Other and unspecified diseases of Wheart Conservation (Conservation of Conservation r>464 405 20 31 90 66 7 15 10 8	1 261 215 14 23 40 18 3 5 9 7 6	1 38 36 2 2 16 16 16	1 165 154 4 6 34 32 4 9	1	1	1			1	1 1	3 4	1 1 1 1 1 1	10 44 1 5 1 1	1 31 60 4 8	64 91 3 11 1 4 1 1 2 2 2	95 76 4 16 12 1 3 3 2	1 250 120 5 2 72 48 3 10 5 2	
101 102 103	rhoids, phlebitis, etc.) C Diseases of lymphatic system [W (lymphangitis, etc.) C Idiopathic anomalies of blood-[W pressure C Other diseases of circulatory sys-[W VIII.—Diseases of the respiratory sys-Colored	4 2 4 8 16 2 2	3 1 2 1 1 1 1 1 455	2 2 1	1 5 15 1 413	1 215	40	18	11	9	33	12	13	1	76	1 88	1 7 1	1 3 2 2	1
104a 104b 105	respiratory sys-Colored. Diseases of nasal fossae	886 4 4 6 3 2	408 4 3 1	1	390 . 4 . 3 1 2	222 4 	39	32	13	ī	14	13	34 	1 1	84 	114	104	76	.85

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—	Υ						σ	EATHS	BY AC	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 Years	20 to 24 Years	25 to 34 Years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					LOUI	SIAN.	A—Co	ntinue	d										
	VIII.—Diseases of the respiratory system—Continued											·							
106a 106b	Acute bronchitis $\begin{array}{c} W \\ C \\ W \\ \end{array}$ Chronic bronchitis $\begin{array}{c} W \\ C \\ \end{array}$	9 12 20 2	4 3 7	1 1 3	4 8 10 2	3 8 2	ī								<u>1</u>	1 1	1	2 2 1	1 15
106c,d 107a	$egin{array}{lll} { m Bronchitis, unspecified} & & & & & \\ { m C}_{} & & & & \\ { m W}_{} & & & \\ { m C}_{} & & & \\ { m C}_{} & & & \\ { m C}_{} & & & \\ \end{array}$	9 6 382 333	5 2 198 175	2 1 46 29	2 3 138 129	3 136 140	1 26 25	11 . 17	 5 6	7 4	8	5	4 7	8 12	1 24 20	1 24 29	1 24 20	19 15	86 27
107b	Capillary bronchitis	11 403	1 1 165	4 45	3 6 193	1 8 52	1 1 10	5	4	1 <u>1</u>	16	<u>1</u>	6	23	40	44	1 52	1 46	96
108 109 110 111a	Lobar pneumonia	393 50 63 36 27	181 9 9 25 14	41 6 7 1 4	171 35 47 10 9	28 8 25 5 3	8 1 2 1	11 1 2 	3 1 4 1	î	6 2 2 4	5 4 1 1 1	23	33 1 1 3	52 3 1 5 4	72 7 5 5 3	64 5 9 2 1	45 7 3 8 6	42 9 6 3 6
111b 112 113	bosis. W. Pulmonary congestion, edema, W. hemorrhagic infarct. C. Asthma C. Pulmonary emphysema C. Pulmonary emphysema W. Other diseases of respiratory sys-f W.	4 21 4 19 15 3	3 12 3 13 10 1 7	3 1	1 6 1 6 4 2 2	1 1 2 2	1 1	1			2		1		1 3	1 	1 2 5 1	1 1 5 2 1 2	18 1 7 2 1
114	tem (tuberculosis excepted){C} IX.—Diseases of the diges-fWhite	907 640	498 282	79 59	330 299	1 156 158	35 29	13 13	5 6	7 6	39 21	27 12	37 21	33 27	67 64	74 90	1 140 78	1 124 67	149 48
115a 117a 117b 117a 117b 118 119 120 121 122a 122b 123 124 125a 125a 126 127 128 129	tive system	35 222 8 9 47 37 19 5 37 150 161 59 62 204 48 25 104 68 6 6 13 104 60 60 12 23 12 23 12 23 12 23 24 24 25 25 26 26 26 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	282 211 111 6 4 299 188 177 17 15 31 477 17 11 1522 600 35 61 40 35 60 40 40 40 40 40 40 40 40 40 40 40 40 40	2 3 3 1 4 4 4 1 1 18 5 7 6 6 25 5 4 2 2 2 1 1 2 2 1 1 2 2 1 1 1 2 9	12 8 2 4 14 15 1 28 31 101 199 35 45 27 18 11 10 34 22 2 7 7 34 46 45 27 11 11 11 11 11 11 11 11 11 11 11 11 11	9 8 8 121 137	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1 1	7 2 1 1 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 1 2 2 2 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 4 4 2 2 2 1 1 2 2 5 5 5 7 8 8 8 8 8 7 7 8 1 1 3 3 5 5 2 5 5 5 5 6 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7	1 4 4 8 8 8 8 1 1 2 2 3 3 10	3 2 2 199 111 9 4 5 5	8 8 6 6 5 2 2 6 6 100 23 4 4 17 7 6 17 9 1 1 5 5 200 9 1 1 1 1 3 3 4 3 3 8 8 2 2 1 1 1 1 1 1 1 1 1 1 2 2 6 9	24 33 17 72 21 94 48 11 18 21 22 28 21 22 23 24 24 21 25 27 76 39 40 40 40 40 40 40 40 40 40 40
130 131 132 133	tourinary system\Colored Acute nephritis (including un-\{W\}\Colored\Colored\\Colored\Colored\\Colored\\Colored.	49 70 1,053 806 119 125	19 35 604 372 41 40 33	97 6 4 96 76 16 8 4	24 31 353 358 62 77 11	5	2		1 3	1	. 3	2 1 1 2		9 4	5 7 19 44 3 9	7 9 60 89 11 14 8	5 12 127 175 18 23 5	215 185 23 26 7	12 610 298 59 49
134 135 136 137	(puerperal diseases excepted)\(\)C. Calculi of urinary passages\(\)\(\)C. Diseases of bladder (tumors ex-\){C. Diseases of urethra, urinary ab-\}\(\)\(\)C. Scess; etc\(\)\(\)C. Diseases of prostate\(\)\(\)C.	6 9 12 3 22 60 48	16 13 4 7 5 2 19 36 27	1	10 3 2 2 6 1 2	1			1				-		3 2 3	6 1 1 1 1 8	3 1 2 1 4 1 6	5 1 4 1 9	50
138 139a 139b 139c	Diseases of male genital organs, not specified as venereal	3 6 4 22 21	3 5 3 16 12 7 3	1 2 1		1							2 2 1	1		8	2 2 1 3 1 2	1 1	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN Cr	ries—							I	EATHS	ву а	GE ·					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	64	65 years and over
•			<u>-</u>	·	LOUI	SIAN	A. —Co	ntinue	ed.	·	,			·			•	1	
	XI.—Diseases of pregnancy, White childbirth, and the puerperal state	180 170	86 76	24 12	70 82							1	28 42	35 42	69 50	46 32	1 3		
140 141 142a	Abortion with septic conditions\{\begin{align*}W \ C \ \ C \ \ \ \ \ \ \ \ \ \	22 21 11 5	13 8 3 1	1 2 4 1	8 11 '4 3								1 3	5 4 2 1	9 12 6 3	7 2 3			
142b 143	Ectopic gestation, septic condi-\(\text{W}\) tions not mentioned\(\text{C}\) Other accidents of pregnancy (hemorrhage not included)\(\text{C}\)	3 4 2 2	1 3 2 1 3	1 1 1	1 1 3									1 1	3	2 2 4			
144a 144b 145a 146	Placenta praevia	20 12 43 51 41 45	2 9 7 26 28 18 18	3 1 6 3 2 3	2 8 4 11 20 21 24 2							1	2 1 9 12 10 17 3	1 2 2 10 15 7 13	10 4 . 12 14 17 10 2	3 6 4 11 9 6 5 3	1 1 1		
148	Puerperal phlegmasia alba dolens, Wembolus, sudden death (not Cospecified as septic).	8 4 1 16	7 4 1	1 2 3	2 1 9 14							1	2 3 5	3 2 5 2	1 5 4	1 2 3 4	1		
150	Other and unspecified conditions W of puerperal state	15 , 2 , 1 , 29 , 15	20	3 1	1 1 6 5	4		1			1	2	1 2	5	1 1 3	1 1 4	3	6 2	3
151 152 153	Furuncle, carbuncle	14 5 7 4 8 6	9 3 6 4 5	1 1 1	4 2 2 2 3	1 2		1			1	1	1	3 2	2 1 1	1 3	3 2	4 1 1 1	1 2 3
	XIII.—Diseases of the White bones and organs of locomotion	18 12	13 8	1	4	<u>i</u> -	2	1	2	1	2 2	2 2	1 2	2 2	1	1	1 2	1	1
154 155 156	Osteomyelitis \ \{ \bar{W} - \\ C - \\ \\ \\ \\ \\ \\ \\ \\ \ \\	13 8 1 2 4 2	10 5 1 3 2	1	2 3 1 1 1	1	2	1	2	1	1 1 1	1 2 1	1 1	1 1	1	1	1 1	1	1
	XIV.—Congenital malfor-{White mations{Colored	129 55	59 15	11 6	59 34	105 48	10	1 2	· 2	2	5 1	4	2	1					
157a 157b 157c 157d	Congenital hydrocephalus ${{C} \atop {C}$	14 9 17 3 59 25 39 18	7 4 11 2 20 6 21 3	1 3 6 4 2 1	7 4 3 1 33 15 16 14	8 6 16 3 45 21 36 18	3 1 5	1 2	2	2	3	3	2 1	1					
-	XV.—Diseases of early in-{White fancy	588 518	281 232	57 47	250 239	588 518													
- 1	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	32 67 367 322 137 70 52 59	9 20 164 151 79 33 29 28	4 6 39 27 11 9 3	19 41 164 144 47 28 20 26	32 67 367 322 137 70 52 59													
162	XVI.—Senility{Colored	143 183	38 25	18 15	87 143								·					1 2	142 179
ĺ	XVII.—Violent and acci (Whitedental deaths(Colored	1, 198 807 207	593 350 120	126 82 24	479 375 63	17 31	26 11	22 12	19 8	21 6	49 37	44 42	84 78	106 119	187 149 43	197 124 48	126 89	119 41 28	170 54 20
163 164 165	Suicide C.— C.— C.— By solid or liquid poisons or W.— W.— Substances C.— W.— By poisonous gas.— W.— By hanging or strangulation.— W.—	19 50 4 2 8	36 4 1	3 1 1	11								3	9	13 2	9	38 8 5 1	2 8 1	20 3 3 1 2
166	By drowning	10 3 127 10	5 1 67 1	18	42 42 9								9	7	2 1 1 25 1	1 34 2	1 29 5	12	11

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	nes—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					LOUI	SIAN	A —Co	ntinue	d	·				1	!	<u>.</u>	•	<u>'</u>	
	XVII.—Violent and accidental deaths—Continued																		
168	Suicide—Continued By cutting or piercing instru-\forall W	6	5		1									1	1	1	2	1	
169 171	ments(C By jumping from high places_W By other meansW	2 2 2	5 2 2 1													1	1 1	1	
171	Homicide	137 264 106	52 139 38	9 26	76 99	1					1	2 2	5 24	18 61	27	1 42 56	23 23 23 17	13 8 9	
173 174	By cutting or piercing instru-\W	184 10	93	20 3	64 71 1							1	17 1	14 42 1 16	83 19 57 2	33 41 4		4 1	
175	mentsC	53 21 27	28 8 18	4 2 2	21 11 7						1	2	<u>3</u>	3	15 6 11	10 5 5	6	1 3 3	
176	Accidental, other, or undefined $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$ Attack by venomous animals.	854 524 2	421 203	93 56 1	340 265 1	17 30	26 11	22 12	19 8 1	21 6	48 37 1	42 40	67 54	70 57	117 62	107 64	65 58	78 31	14 5
177	Poisoning by food	1 14	<u>4</u> 2		10	4	2	1	<u>i</u> -		<u>ī</u> -	1	;-		1	2			
178	Absorption of poisonous gas.	15 5 2	2	3 2	10	3		1					1	1		2 1 1	2	2	
179	Supplemental W. Other acute accidental poison-{W. ings (gas excepted)	1 15 8	1 8 4	4	3 4		3 3	3 2	2	1					I 4 1	2			٥
180 181	Conflagration	20 15 74	6 50	3 1 5	13 8 19	1	1 1 9	2 1 6	2 4	1	1 1 7	2	$\frac{1}{2}$	2	1 12	4 2 7 2	<u>4</u> 3	1 4	
101	ed)	62 20	36 9	3	22	Ž	6		2 	3	10	4 	5 2	5	5 5	3	5 3	5 1	
182	\mathbf{M} echanical suffocation $\{\mathbf{C}_{-}\}$	2 2 10	1	<u>1</u>	2 2 8	1 10									1	1	1		
183	Drowning\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	68 82	28 31	4 6	36 45		3	1	2	1	7 5	8 16	7 19 5	7 15 8	8 9	10 10	5 2	3 5	
	Traumatism:	57 34	6 3	8 5	43 26	1		2		1	3	2 4	2	9	12 7	11 3	3	8 2	
184	By firearms (wounds of W war excepted)C	43 29	21 10	3 4	19 15				1	2	1 3	7 2	6 7	6 6	4 5	7 5	3	4	
185	By cutting or piercing W-instruments (wounds of war excepted)	4 6 1	2 2		2 4 1						1	1		1 1		4	1	1	
186a	Supplemental	120	1 79	13	28	1					4	3	5		3	8 3	1 6	14	76
1004	Supplemental Supplemental	29 22 13	13 11 2	6 2 4	10 9 7	7					3 1 1	1	3 1	2 2 2	2 4 3	3 4 3	3 2	1 3 1	1
186b	By crushing, landslide $\left\{ \begin{matrix} W_{} \\ C_{} \end{matrix} \right\}$	7	6	1	i						1	1	2 1		1	1			
105	Supplemental	99 51	54 21	13 5	32 25			2	1	1 1	2	2 5	11 6	8 6	22 7	14 11	13 9	10 1	1:
187 188	Catacylsm $C.$ Injuries by animals $C.$ $C.$	1 6 8	1 2 1	1	4 6		1	ī		ī	1		<u>1</u>	1	1		<u>2</u>	1 2	
189	Hunger and thirst $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	2	2				1												
190	Excessive cold $\left\{ \begin{array}{ll} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array} \right.$	3 5		1	2 5										1	1		1	
191	Excessive heat $\left\{\begin{array}{c} W_{} \\ C_{} \end{array}\right\}$	20 11	14 4	2	7	<u>î</u> -		1	<u>1</u>					1	3	3	1 3	2 2	9
192	Lightning	7 6	1	1 1	6 5							1	2 2	1	3			1	
193	Due to electric currents\C	12 3 12	6 1 8	î 1	5 1 3	3	4		 1	2	1			1	6	3 2	1	1	
194a 194b	C	29 29 184	8 3 12	3 2	1 14	1 4	î	1 1	î	1	2	₁	3	<u>2</u>	<u>1</u>	6	4	2	
2016	Other accidents	29 184 87	11 88 43	24 8	16 72 36	3	2	2	6 2	-2 7	14 10	1 9 7	1 17 7	1 18 9	6 26 6	3 19 8	4 5 15 14	1 21 8	2 14
198	Legal executions $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	5 8	88 43 5 4	3										2 3	3	1 2		1	
	XVIII.—Ill-defined causes White of death(Colored	133 279	14 19	16 37	103 223	50 146	3 5	<u>3</u> °	1	1	2 7	2	6	3 6	1 16	6 17	10 22	18 18	38 27
199	Sudden death $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	35 44	4 9	7 4	24 31	5 13	2	<u>i</u> -							5	3 5	5 8	10	
200a 200b	Cause of death ill-defined $\begin{array}{c} W_{} \\ C_{} \end{array}$ Cause of death not specified or $W_{}$	33 54 65	7 8 3 2	4 4 5	22 42 57	6 19 39	1 2 2	1	1		1 2 e	1	2	2	7	2 3 1	5 8 5 3	6 7 2	15 { 11 18 18
Punch	unknown\C\C	181	2	29	150	114	1	1		1	6	1	4	4	4	9	11	8	1.0
symbol 202	Accidents from agricultural machin-												4		,				
203 204	eryW Elevator accidentsW Accidents from machinery used for recreationW	2 2 1	2 1		2							1	1	1	1				
1 S	ee explanatory footnote 2, p. 169.	1 1				,)					!	τ							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

																			
			IN CIT	ries—	T							EATHS	BY AC	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 Years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
)	LOUIS	SIANA	A —Cor	ntinue	đ										
Punch symbol 205 206 207 208 09 210 211	Other machinery accidents (C. Railroad and automobile colli-W. Sions. (C. Other railroad accidents. (C. Street car and automobile collisions. (C. W. Other street car accidents. W. Automobile accidents (primary). (W. Automobile accidents. (C. Motorcycle	16 22 9 240 28 229 112 1	9 11 3 19 14 14 110 49 1	2 1 4 1 6 3 3	5 2 15 11 1 87 50	1	2	1 3	7 2	8 1	2 13 11	1 1 7 9	1 8 4 	1 1 3 24 13 1	7 1 1 7 2 1 38 13	3 1 1 7 6 1 27 16	1 2 2 5 5 5 2 23 18	2 3 4 2 1 22 6	6 5
212 213 214	Other land transportation acci- W_{-} dents C_{-} Water transportation accidents C_{-} Air transportation accidents W_{-}	12 13 62 30 4	5 2 13 3 1	2 6 2	7 9 43 25 3	 i		2		1	2 1 4 2	2 2 2 4	6 2	1 11 9 1	1 11 7 3	2 12 1	2 2 3 2	2 1 9 2	3
			,	,		MA	INJE	 -	 -										
	Total deaths (all causes)		3, 498	1, 322		1, 017	117	52	38	30	125	111	155	190	378	512		1, 508	5, 605
15 77 89 10 11a 11b 13 15 16 17 18 22 23 24 25 26 27a 27b 28 29 30 31 32a 32b, c	I.—Infectious and parasitic diseases. Typhoid fever. Measles. Scarlet fever. Whooping cough. Diphtheria. Influenza, respiratory complications specified. Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis. Epidemic cerebrospinal meningitis. Tetanus. Tuberculosis (all forms). Respiratory system. Meninges and central nervous system. Meninges and central nervous system. Vertebral column. Bones (vertebral column excepted). Joints. Skin and subcutaneous cellular tissue. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). Genitourinary system. Other organs. Acute disseminated tuberculosis. Syphilis. Gonococcus infection and other veneral diseases. Purulent infection, septicemia (non-puerperal).	812 20 17 16 17 124 82 6 12 7 5 10 1 385 310 21 19 9 3 4 1 1 6	272 5 21 10 10 8 29 22 2 4 98 4 98 4 9 3 11 1	128 4 5 1 17 12 1 1 1 2 1 1 1 2 1 1 1 3	412 11 127 75 88 48 33 7 7 184 152 12 6 6 4 4 11 2 1 1 2 2	160 122 88 22	33 	21 1 1 1 4 1 4 1 1 4 1 1 3 3 4 1	10	5	33 1 8 10 2 1 1 1 	28 2 1 1 4 3 2 1 2 1 2 1 1 1	49 2 2 1 3 4 4 1 1 34 24 1 4 2 2 1 1	1 2 49 39 1 3 1 2 2 1 1 1 1 1 2 1 1	101 3 11 14 2 76 70 2 1 1 1 4 2 1	95 3 2 8 8 4 1 1 63 53 1 1 1 1 2 2 1	88 3 5 1 9 1 1 7 7 1 1 1 1	75 3 19 7 7 39 35 1 1 1	155 1 1 3 3 40 40 40 40 40 40 40 40 40 40 40 40 40
(45) (45) (46) (46) (46) (46) 47 48 49 50 51 52 54a 54d, e	II.—Cancers and other tumors Cancer and other malignant tumors Buccal cavity Pharynx Esophagus	1, 180 35 6 17 240 112 17 249 31 139 20 116	397 375 9 2 4 42 25 9 92 12 48 9 28 34 9 32 14 2	153 151 6 1 4 30 15 1 1 32 6 6 16 16 12 10	668 654 20 3 9 148 72 7 125 13 75 5 76 40 18 43 1 5 3									1 2 1	21 18 3 1 5 1 4 2 1 1 1 1	58 1 4 3 1 16 5 14 22 3 3	168 4 125 13 1 28 5 40 3 27 7 1 13 1 9 3	261 255 5 1 4 46; 29 5 55 51 6 31 6 36 11 5 16	679 673 25 51 162 67 9 145 49 98 61 20 47

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TIES							D	EATHS	ву до	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					MA	INE-	Conti	nued			,								
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases.	317	116	38	163	17	3		1		2	5	6	1	13	16	21	75	157
56 57 59 60 62 63 65 66a 66b (66)	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Scurry Pellagra Rickets Diseases of pituitary body Simple goiter Exophthalmic goiter Other diseases of thyroid and parathyroid glands	7 20 239 1 5 2 1 1 8	2 4 90 2 1 5 3	32	5 15 117 1 3 2 1 3	1	i						4	1	1 1 8	1 9 2	1 15 15	6 63 2	11 136 1 1 2
67 68 69	Diseases of thymus gland Diseases of adrenals (Addison's disease not specified as tuberculous) Other general diseases IV.—Diseases of the blood and blood-	17 7 4	5 2 2	5	7 5 2	15	1		1				1		2	1 		1 1	2 2
70 71a 71b 72a 72b 73	making organs Hemorrhagic conditions Pernicious anemia Other anemias True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen	97 15 32 8 20 16 6	8 12 1 9 7 4	2 4 1 1 1	5 16 7 11 8	10			1	1	1 2 1 1 1	3	1	1 1 1	3 1 1 1	1 2 2 1	11 3 1 3 3 3	22 11 3 4 3	27 2 14 1 6 2 2
10	V.—Chronic poisonings and intoxica-	25	10	1	14										1	10	8	4	2
75 76 77a	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning	21 3 1	8 1 1	1	12										1	9	7	3	1
	VI.—Diseases of the nervous system and of the organs of special sense.	1, 347	415	143	789	27	5	1	1	1	8	4	8	4	16	31	94	232	915
78 79a 79b 80	Encephalitis (nonepidemic)	6 10 3	4 4 2	2	2 4 1	1 4				1 				1	1	1	3	1 1 1	1 1 1
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord. Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain. Hemiplegia and other paralysis, cause	18 24 1, 080 47 7	9 6 298 12 1	2 3 111 9 1	7 15 671 26 5								2		1 1 1	2 1 14	3 2 66 2 1	8 6 189 7	5 12 810 37 6
83 84 85 86 87 88 89a	unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age). Other diseases of nervous system. Diseases of organs of vision. Diseases of ear.	23 31 6 23 22 21 1	8 27 3 8 2 10	4 1 2 5 1	11 3 2 13 15 10	18	1 2	1	i		1	1	4	3	4 1 3	9 1 2	2 7 2 3 2	4 7 2 4	17 4 2- 3 13
89b	Diseases of mastoid process VII.—Diseases of the circulatory	14	12		2	ī	î				3	1	Ī		2			2	3
90 91a 92a 92b	system	2,755 7 19 634	10	326 1 82	7 8 393	1					1	1 5	2 1	13 2 1	26 1 5 5	62 	167 3 44	90	2,042 6 4 464
93a 93b	over)	30 37 7	9 18	2	17 17	1						i	2	ī	1	1 2	1 2	4 11	25 19
93c 93d 94a 94b 95a 95b 96 97	years). Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angma pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart). Arteriosclerosis (coronary arteries ex-	568 164 352 149 12 396 9	197 59 109 70 5 133	74 14 40 16 2 37	203				1		1			2 1 2 2 2	1 1 3 3 7	13 6 2	26 13 36 9 2 22 3	69 22 85 44 1 70 2	462 127 213 88 9 285 2
98 99 100	cepted) Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.). Diseases of lymphatic system (lym-	329 14 14 7	97 1 6 4	46 1 2	186 12 6 2										1	1	4 2	18 1 1	305 14 12 2
102 103	phangitis, etc.)	1 4 2	3 1	1	1				l									<u>1</u>	4 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—					7-1-17-1		D	EATHS	BY AG	E '		*			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 Years	45 to 54 years	55 to 64 Years	65 years and over
					MA	INE-	-Conti	nued											
	VIII.—Diseases of the respiratory system	773	244	85	444	121	37	9	7	4	6	9	7	12	23	33	64	92	349
104b 105 106a	Diseases of nasal fossae and annexae Diseases of larynx	3	2 2 1	1 2	2 1 23	10	4				1	2	1	<u>î</u>	1 1 1	1			9
106b 106c,d 107a	Chronic bronchitis Bronchitis, unspecified Bronchopneumonia	29 11 287	1 5 1 98 1	4 1 39	20 9 150	<u>2</u> 70	16	5	3	1	2	2		<u>4</u>	1 6	7	$\frac{\tilde{2}}{16}$	4 1 26	22 8 129
107b 108 109 110	Capillary bronchitis	323 26 19	112 7 9	2 29 4	182 19 6	25 10	13 1	3	3 1	2	1 1	3 1	5	6	11	22	33 2 4	54 1 4	1 142 10 3
111a 111b	Pulmonary embolism and thrombosis Pulmonary congestion, edema, hem- orrhagic infarct	4 16	2 2	1	2 13	1											1	1	4 13
112 113 114	Asthma Pulmonary emphysema Other diseases of respiratory system (tuberculosis excepted)	9 1 7	2	2	7 1 5						1				1	1	2 1 2	1	6 2
	IX.—Diseases of the digestive system.	601	266	67	268	94	17	11	6	4	25	13	25	15	23	50	59	85	174
115a 116 117a 117b	Diseases of pharynx and tonsils Diseases of esophagus Ulcer of stomach Ulcer of duodenum	21 1 38 13	9 18 4	4 . 4 . 3	8 1 16 6	1	1 		1		5			2	2 1 2	2 6 1	2 11 4	4 8 1	1 1 9 5
118	Other diseases of stomach (cancer excepted). Diarrhea, enteritis (under 2 years of age).	37	7	6	24	7		2		1						2	. 1	2	22
120 121 122a	age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia	81 34 128 41	27 10 79 21	3 2 13 4	51 22 36 16	72	9 3 1	5 1	2 3	1	3 16 1	1 11	1 19	1 8	2 9	3 16 2	3 11 6	1 16 6	11 14 24
122b 123 124	Intestinal obstruction	34 128 41 67 8 30 3 8	31 3 11	4 8 3 4	28 2 15	9 2	2	2		1		1	4	1 	3	5 1 . 1	6 5 4	13 3 4	24 24 2 18
125a 125b 126 127	Cirrhosis of liver		1 4 24	1 8	2 3 17										1	1 1 7	1 8	2 13	₹ 3 € 21
128 129	passages	30 4 8	9 4 4	3 1	18 3	1	 1	i					1 	ī	2 <u>1</u>	2 	3 	7 3 2	15 2
	X.—Diseases of the genitourinary system	966	304	148	514	3	1	1		1	4		4	10	30	42	84	141	645
130 131 132	Acute nephritis (including unspecified under 10 years). Chronic nephritis. Nephritis, unspecified (10 years and	28 740	16 207	8 116	4 417	2	1				2 2		2	5	3 19	5 28	3 57	3 117	7 512
133	Other, diseases of kidneys, ureters (puerperal diseases excepted)	61 23 5	20 8	7	34 12	1		 1		1			1	1	1 4	3 2	6 3	10 3	39 8
134 135 136 137	Calculi of urinary passages. Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess, etc. Diseases of prostate.	5 4 4 68	1 2 3 28	1 10	3 2 1 30											1	1 2 1	3	4 3 1 64
139a 139b -	Other diseases of ovaries; diseases of tubes and parametrium	10 15	7 9	2	1 6								1	2 2	3	2	4 5	1 2	3
139c 139e	Other diseases of female genital organs	7	3	1	3											1	1	1 1	
140	XI.—Diseases of pregnancy, child- birth, and the puerperal state. Abortion with septic conditions	103	48	11	- 44 6								5	19 2	50 11	26 3	3		
141 142b	Abortion with septic conditions	6 1	1		5									1	4	1			
143 144a	not mentioned	1 2 7	1		1										2	1			
144b 145a 146	Placenta praevia. Other puerperal hemorrhages Puerperal septicemia and pyemia (abortion excluded) Puerperal albuminuria and edampsia.	7 22 22	2 13 6	2 3 2 2	3 6 14								3 2	1 5 4 2	3 7 11	3 7 4	 I		
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified	6	2	2	2									1	3	1			
149	as septic) Other accidents of childbirth XII.—Diseases of the skin and cellu-	14 14	9	1	2 4									3	7	1 4			
151	lar tissue Furuncle, carbuncle	15 5	8		7	3							2	2	1 .		2	1	4 1
152 153	Phlegmon, acute abscess Other diseases of skin and annexa, and of cellular tissue	6 4	1		2 3	1 2								2			2		1 2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—				·			D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					MA	INE-	-Conti	nued									_		
	XIII.—Diseases of the bones and organs of locomotion	15	6		9		1					1	1		1	2		4	5
154 155	Osteomyelitis Other diseases of bones (tuberculosis excepted)	5 4	2		3		1						1			1		1 1	2 2
156	Diseases of joints, other organs of loco- motion	6	3	19	3		<u>-</u>	1		2	3	1		1	1	1		2	1
157a	XIV.—Congenital malformations Congenital hydrocephalus	102	38	13	51	10	$\frac{3}{2}$			1	1			1					
157b 157c 157d	Spina bifida and meningocele	13 55 20	18 8	1 1 6 5	8 31 7	13 47 19	2 1	1		1		i		1					
	XV.—Diseases of early infancy	536	161	57	318	536													
158 159 160 161	Congenital debility	84 306 97 49	16 82 49 14	9 38 6 4	59 186 42 31	84 306 97 49													
162	XVI.—Senility	190	36	26	128	 												1	189
	XVII.—Violent and accidental deaths	735	220	104	411	9	11	6	11	10	36	36	40	45	67	72	84	85	223
163	Suicide By solid or liquid posions or by	143	35	18	90								. 5	9	13	14	27	31	44
164 165 166	absorption of corrosive substances. By poisonous gas. By hanging or strangulation. By drowning.	12 39 13 68	5 6 7 3	8 2	1 4 24 8								1	1	1 1 5	1 4 2	4 9 3	3 7	2 4 14 8
167 168 169	By firearms By cutting or piercing instruments By jumping from high places Homicide	68 4 1 16	12 1 1 3	5 1 2	51 2	i	i						4	8	5 1 3	5 1 1 2	10	20 1 4	16 3
173 174 175	By firearms By cutting or piercing instruments By other means	11 1 4	12	2	8 1 2	i	1								2	1 <u>1</u>	1	4	2 i
177 178 179	Accidental, other, or undefined Poisoning by food Absorption of poisonous gas Other acute accidental poisonings	576 4 5	182	84	310 4 1	8 1	10	6		10	36	36	35	36	51	56	55	50	176 2 2
180 181	(gas excepted) Conflagration Burns (conflagration excepted)	9 20 18 5 7	2 5 5 2	3 3 7	12 6 3		3	1	$\begin{array}{c c} 1\\1\\2\end{array}$	3 2	2	2		1	1 2 1 3	3	1 2 2 1	2 1	6
182 183	Supplemental Mechanical suffication Drowning Supplemental	80 17	3 12 1	12 1	56 15	5	1	2		2	12 2	13	14 4	5 1	8 2	7	8 2	4 3	1 4
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or piercing instru-	29	5	3	21		 		1			. 1	6	4	4	7	4	2	
400	ments (wounds of war ex- cepted)	2 3	_ī -	<u>i</u>	2								1	<u>i</u>		1		1	
186a 186b	By fall Supplemental By crushing, landslide	1 2	70 2 1	14 3	55 11 1					1	1	1	2	$\begin{array}{c c} 2 \\ 1 \\ 1 \end{array}$	3	4 4	9 2	8 2	109
188 189 191	Supplemental Injuries by animals Hunger and thirst Excessive heat	12 3 1	4	2	6 2			1						2	4	1	1	1	3 2 1
192 193	Due to electric currents	1 5	i		1 4							<u>i</u>	_i	1		2	. 1	1	
194a 194b	Foreign bodies Other accidents Supplemental	7 32 158	3 12 50	6 27	14 81	1	3 2	1	5	2	1 17	3	.	3	1 19	1 4 20	2 18	5 19	28 28
	XVIII.—Ill-defined causes of death	112	30	14	68	36	3	2	<u></u>	1				2	2	3	13	11	39
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or un-	37 29	13 4	3 4	21 21	5 8	1 2							1	1	1	8 3	3 3	18 11
Punch	Known	46	13	7	26	23		2		1				1		2	2	5	10
symbol 205 206 207	Other machinery accidents Railroad and automobile collisions	11 9	3 5	1	7									2	2.	1 4	1	1	4 2
210 211 212	Other railroad accidents Automobile accidents (primary) Motorcycle accidents Other land transportation accidents	11 149 2 7	$\begin{array}{c} 5\\41\\2\end{array}$	28	80 7			2	5	2	16	<u>i</u>	5	13 2	17	1 17	19 2	3 18	3 24 2
213 214	Water transportation accidents	15 7	1 3	2 2	12 2						2	3	4	1 1	3 5	1		2	

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—							D	EATHS	BY AG	E				PPIN VIN	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		-			·	1ARY	LAN	D											
	Total deaths (all Whitecauses)(Colored	15, 955 5, 083	9, 454 2, 913	821 269	5, 680 1, 901	1, 289 700	180 87	87 32	53 25	46 15	197 68	160 76	252 175	344 266	809 504	1, 104 657	1, 739 837	2, 703 759	6, 980 871
	I.—Infectious and para-{White sitic diseases(Colored	1,428 1,061	715 625	61 50	652 386	100 73	43 35	24 10	17 9	15 4	41 29	25 39	60 108	112 151	209 201	192 169	203 142	171 54	215 36
· 1	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	34 16 2 1	10 4	4 3	20 9 2 1			 			2 4 	2 2	4 2	6 3 	4 2 1	8 1 	4 2 1	1	4
3 5 7	Typhus fever W Undulant fever W Measles W	2 3 17	1 1 10	<u>2</u>	1 2 5	5	6			 1	3	2		1		1 2		1	
8 9	Scarlet fever	31 1 59	19 1 32	2	12 25	35	<u>10</u>	3 6	3	3 1 3	9 <u>1</u>	2 1	3	1	2 		1 		
10	Diphtheria $\{V_{\tau}, V_{\tau}\}$	32 35 15	18 13 8 80	2	10 20 7	20 3 1	8 5 4	2 5 1	1 4 4	1 1 1	7 4 2	2	2			3		3	
11a 11b	Influenza, respiratory complica-W	175 48 60	23 33	14 3 7	81 22 20	12 5 5	4 3 3	2 1 1	$\frac{1}{2}$	1 2	3	3	3	6 2 3	14 6 4	13 6 3	20 9 4	25 7 4	68 6 24
13	tions not specified	29 15 12	13 10 6	4	12 5 6	9 2	1 1 4	1 <u>1</u>	1	1	1 2	1		1 		$\begin{bmatrix} 2 \\ \\ 1 \end{bmatrix}$	3 1	3	9 2 2
15 16	Erysipelas{C	24 7 5	. 14 4 2	1	9 3 1	2 1	1	1			1 3		i	2 	1	1 1	2 	5	11 3
17	encephalitisC_ Lethargic or epidemic encephali-W tisC Epidemic cerebrospinal menin-W	11 1	10		1		1		1		1	<u>1</u>	1	1	1 	2	3	1	1
18 22	gitis	11 6 9 7	10 5 6		1 1 3	3	1	1 	1	1	1 3	1 1 1	1 1	3	1	i	2		<u>1</u>
	Tuberculosis (all forms)	833 673 756	388 372 336	1 24 24 22 17	421 277	1 12 6	8 13	5 4	1 4	2 1	1 4 15 2 8	7 32	39 95	85 125 80	179 145 166	142 123 134	140 71 130	116 27 107	92 11 85 9
23 24	Respiratory system \ \begin{align*}	615 31 15	335 20 12	17 1 2	398 263 10	4 3 6 1	1 8 7 3	4 2 1	4	2 1	8 2 5	$\begin{array}{c} 4 \\ 27 \\ 2 \\ 1 \end{array}$	38 87 1	123 3	133 4 1	116 3 2	68	26	9
25	Intestines and peritoneum{C	10 15 9	7 5 7	<u>-</u> -	3 9 2	1	1					<u>I</u> I		1	7	<u>-</u> -	2 1 3	3 1 1	<u>4</u>
26 27a	Vertebral column $C_{C_{-}}$ Bones (vertebral column ex- C_{-} cepted) C_{-}	6 3 1	5 2 1	1	1							2	1	1	1	2 		1	<u>-</u> 1 1
27b 28	$egin{array}{c} egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}$	3	1	2	1									1		1	1 1.	1	<u>1</u>
29	tissue	1 1 2	1 2		1								1 1		 ₁		1		
30	Genitourinary system	7	5		2										3		2	2	
31 32a	Acute disseminated tubercu-\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2 10 13	1 1 7 8	1	3 4	2 1		<u>2</u>			1	 1	3	1	3 3	2 2 1	<u>-</u> - 1 1	1	
32b,e 34	Other disseminated tubercu- losisC Syphilis	2 71	2 55	2 8	· 14	9	1				1		2 4	2	4	14	19	11	10
35	Gonococcus infection, other vene-W	184 9 14	144 7 14	8 1	32 1	29 1	1						1 2	16 4 1	37 1 4	32 2 1	48 5	13 1	4
36 38	Purulent infection, septicemia W (nonpuerperal) C Malarie. W_ Other diseases due to protozoal para-	10 3 1	8 1 1	2	2	2						1	1				$\begin{array}{c} 2 \\ 2 \\ 1 \end{array}$	2	2 1
39 42	other diseases caused by hel-	1	 	 	1	 		! - -		i	1	 		 				[
43 44	Mycoses	1 1 5 9	1 2 4		1 3 5	3 2					2	1		1		2	 3	1	
	diseases\C\C\	1, 732	3 1, 154	1 82	496	3	2	3	1		7	9	8	16	38	133	1 292	1 448	771 70
	tumors(Colored Cancer and other malignant(W	1, 674	1, 108	79	80 487	2	2	2	1		7	6	6	13	32	119	80 280	439	70 764 70
(45)	tumorsC	259 47 11	170 31 9	11 1	78 15 2		1	1			2 1		2		13 1 1	31 2 1	73 7 2	66 18 4	19 2
(45) (46)	Pharynx {C Esophagus {W	9 2 37	31 31	I	<u>4</u> 5											1	1 7	2 1 11	5 19
(46)	Stomach and duodenum $C_{C_{}}$	3 323 63	3 184 31 78	11 3	128 29									2	2	11 5	2 41 15 13	76 25	191 17
(46) (46)	Liver and biliary passages $- \begin{cases} W \\ C \end{cases}$ Pancreas $\begin{cases} W \\ W \end{cases}$	132 16 76	10 57	5 7	49 6 12										1	3 7	5 9	31 3 26	17 87 5 34 2
(46)	Other digestive tract and W peritoneum	6 224 30	5 156 22	16 2	52 6						1			3	3	11	3 41 12	49 6	$117 \\ 9$

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries							D	EATHS	BY AG	E	•				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,530 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		· · · · · · · · · · · · · · · · · · ·		:	MARY	LAN	D —Co	ontinu	ed	<u> </u>				, , ,	'				
	II.—Cancers and other tumors—Con. Cancer and other malignant tumors— Continued																		
47 48 49 50 51 52 53 54a 54b 54d,e	specified)	80 9 184 45 48 7 176 20 20 113 20 4 183 23 2 2 15 16 33 4 8 8	61 7 123 37 7 120 15 5 5 75 111 20 3 131 18 	3 1 6 6 1 2 8 8 2 2 2 2 1	16 1 55 17 9 48 55 30 7 20 1 44 3 2 2 1 1 1 1	2	1 1 1 1 2 2 1	1 1 1 3	1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1		7	5	6 1	16	3 2 9 7 2 	5 2 2 27 6 11 2 20 5 4 4	25 	27 28 58 9 13 13 22 29 7 6 	18 2 49 910 111 60 5 5 64 10 32 2 58 6 1 3 3
**	glands, and other general diseases	34	26	1	7			1	1		10	5	1		12	4		4	3
56 57 59 60 62 63 65 66a 66b (66) 67 68	Chronic rheumatism, osteo-Warthritis	13 26 366 56 56 63 82 29 12 48 12 4 29 1	262 38 1 1 262 38 1 1 2 5 34 11 12 2 2 4	15 7 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12 12 89 11 2 	2 6	1	1	1		1	2	1	3 3 3 	1 2 5 5 5	3 1 10 5 	2 2 2 2 3 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 2 1 1 1 2 1	2 119 9	11 19 2 179 .111
	IV.—Diseases of the blood White and blood-making Colored	99 18	66 11	2 2	31 5	8 4	1 1	2		1	2	1	3 2	2	12 3	13 1	13 3	18 3	23
70 71a 71b 72a 72b 73 75 77a	Hemorrhagic conditions \begin{array}{c} \text{W} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	8 1 34 4 4 3 3 7 38 5 5 12 1 4 41 23 39 22 2 1 1 1,709	3 1 18 2 1 3 3 3 3 4 9 9 1 2 29 11 	2 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5 14 1 2 3 5 1 1 3 2 10 10 10	3 1 1	1 1	1	5	1	1 2	1 11	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 13	1 2 5 4 1 2 5 4 1 1 35 18	3 7 1 2 1 8 5	1 6 1 1 12 4 12 4 179 117	1 7 2 3 12 5 12 5 12 5 12 5 12 5 12 5 12 5	1 16 2 2 4 4
	the organs of special Colored sense	14 2 25 12 1 1	7 1 19 10 1	3 2	221 4 1 6	17 1 5 5	1	1	1	2	2 1 4 1 1	1 2	1	2	18 2 3	76 2 	4 1 1 1	1 4	138

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

- 1	,		IN CIT	eies—							D	EATHS	BY AG	Е					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		-,			MARY	ZLAN.	D —Co	ntinue	đ							•		•	,
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
80	Progressive locomotor ataxia \\ \(\text{W} \)	· 15 3 26	10 1 16	1	4 2 10			 1							1	1	4	5 1	4
81	Other diseases of spinar cord\C	10 1, 266	690	1 75	6 501	2					$\begin{array}{c c} 1\\ 1\\ 2\end{array}$			1 1 1	2 1 4	2 24	3 2	7 2	9 1 862
82a 82b	Cerebral embolism and throm-{WbosisC	377 112 12	227 57 9	9 8 3	141 47 3			1			<u>1</u>	1		2 3	6 2	34 47 8 4	126 92 12 4	235 106 17	123 67 4
82c 82d	Softening of brain	11 2 73	6 2 27															1	9
	cause unspecifiedC	11 45	21 2 10	5 1 2	41 8 33										1	1 1 11	2	10	57 6
83 84	General paralysis of insane{C Dementia praecox and other psy-/W	40 7	9 4		31 3									ï	4 ·3	16	16 12 1	8 7 1	6
	chosesCC	6 27	8	1	l 6				i	i	2	3	4	2 3	3 6	2	2	1 3	
85 86	Ephepsy	12 11 12	3 2	ī	18 8 9	1 9	<u>1</u>	1		ĩ		ĭ	î	2		รั	2	ĭ	
87	Convulsions (under 5 years of age) ${}_{C}^{W}$ Other diseases of nervous system ${}_{C}^{W}$	12 27	10	3	10 14	10	ï		1	1		₁ -	2		1	2	<u>-</u>	6	10
88	Diseases of organs of visionW	4 1	2		2 1 4										1		1	2	i
89a	Diseases of ear $\{C_{}\}$	26	22 3	1	4 1 1	6	2		1		3	2	1	2	4 2	2		1	2 1
89ъ	Diseases of mastoid process $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	22	20	1	2	3	1				3	3	3	2	2	1	2	1	1 1
	VII.—Diseases of the cir-{White culatory system{Colored	3, 947 852	2, 279 444	186 53	1,482 355	8	4 2	1		2 1	15 3	17 3	20 4	24 14	90 36	149 98	392 195	763 211	2, 458 281
90 91a	Pericarditis	9 38 11	2 27	I I	7 10	1					1	3	4	1 5	 5 2	1 6	1 3	3 7	3 3
91b	Endocarditis, unspecified (under 45	11	6	1	4		1							Ĭ	ž	3	ĭ	i	2
92a 92b	years)	6 921 274 26	513 115 12	1 40 22 1	368 137 13	1		<u>1</u>		1 1	4 1	1 8 2	10 1	2 7 7	39 14	3 45 42	94 56	148 70	562 78 13
Ì	years and over)	6 118	3 82	<u>-</u> -	3 31						1				6	12	5 2 20	8 2 26	13 2 51
93a 93b	Acute myocarditis{C	36 14	21 8 2	7	8 5	2					1		1	1	1	5	22 13	12	3
93c	45 years)\C Chronic myocarditis and myo-\W cardial degeneration\C	6 1, 170 212	717 143	1 48 8	405 61		i 				1		4 1	1 2	5 3 13 1 2	5 1 24 21	94 45 47	214 59 92	818 84
93d	Other diseases of myocardium $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	448 81	281 52	22 10	. 145						2	1		2 2	4	6 9	30	12	$\frac{296}{24}$
94a	Angina pectoris $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	282 21	169 12	2	103										3	15 4	45 6	98 5	120 3
94b	Diseases of coronary arteries{W	172 13	110 2	10 4 1	52 7			<u>1</u>						1	3	7 3	27 1	47 4 2	87 4
95a 95b	Functional diseases of heartW Other and unspecified diseases of [W heart(C	7 407 115 11	203 65 4	29 4 1	2 175 46 6	4	1 			1	6 1	4 1	2 1	2 1	13 6	21 7	45 28	2 84 31	223 28 8
96	Arteriosclerosis (coronary arteries W	3 273	1 119	î 14	1 140											1	1 4	25	1 244
98	excepted)	64 12 4	17	2	45 8										1	1	4 7	25 15 2	244 40 10 2
99	(W	15 l	4 1 11	1 1	2 3									1		1 2	2	5	2 5
		3 7	6	<u>1</u>	2 							 			1	<u>-</u> -	2 2		3
101	Diseases of veins (varices, hem-W orrhoids, phlebitis, etc.)(C Diseases of lymphatic system (lym- phancitis etc.)	3	3														3		
102	phangitis, etc.) W Idiopathic anomalies of blood-pres-	. 3	2		1		2							1					
103	Other diseases of circulatory system W	4	2		2 4	 										1			3 4
	VIII.—Diseases of the re-{White spiratory system. {Colored	1, 299 619	802 401	44 26	453 192	200 153	55 26	28 12	13 6	6 3	20 10	12 7	29 19	22 23	58 58	96 83	108 87	155 72	497 60
104a	Diseases of nasal fossae $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	3 10	2		1 9	1 9				1									1
104b	Diseases of nasal fossae and W annexaeC	$\begin{array}{c c} 12 \\ 3 \end{array}$.10		2	ž				î		- 1	1	2	2	1	2	1	
105	Diseases of larynx \\ \text{V}	4 3	2		2 3	1 2			1		1		ī	1					
106a	Acute bronchitis $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	28 13 33	6	2	20 5	7 7 1	1	1			1				1	1 1	1 2	- 2 1 4	14 1
106b	Chronic bronchitis	5	18	ī	14 4											<u>-</u> -		$\begin{bmatrix} \tilde{4} \\ 1 \end{bmatrix}$, 28 3 8
106c,d 107a	Bronchamerica (W-	10 550	- 5 365	15	5 170	1 137	37	17	9	1	8	5	8	3	7	22	28	<u>-</u> 56	212
107b	Capillary bronchitis	228 5	139	16	73 5	88	20	, 7	2	1	6	1	3	4	16	17.	18	23	22 3
·~	Loher preumonia	4 549	2 340	$\frac{1}{22}$	1 187	4 36	14	6 3	3	3 1			17 15	13	41			78 48	195

69301---35-----18

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							Di	EATHS	BY AG	E	· · · · · · · · · · · · · · · · · · ·			···········	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	95 years and over
					MARY	LAN	D —Co	ntinue	ed					•					
	VIII.—Diseases of the respiratory system—Continued																		_
109	Pneumonia, unspecified $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	15 13 36	5 1 21	2	8 12 13	8 8 2	2	3	 		-	<u>-</u> <u>1</u>	2	<u>-</u>	1 5	1 3	1 4	1	2 1 11
110 111a	Pulmonary embolism and throm- bosis	11 10	6 5		5	1		î						ĩ		1	3	3 2 3	1 2
111b	Pulmonary congestion, edema, W hemorrhagic infarct		<u>4</u> 9		8 1 8	1						1			1	1 1	<u>1</u>	1 4	8 1 10
112 113 114	Pulmonary emphysema	14	1 1 9	1	5	1			1					<u>1</u>	2	3	1 3	2	1 3 1
	tem (tuberculosis excepted)\C IX.—Diseases of the diges-{White tive system	953 302	651 163	65 18	2 237 121	181 110	46 10	10 4	7 4	7 2	28	20 8	22 10	19 11	61 25	*3 81 31	125 31	132 28	214 · 25
115a	Diseases of pharynx, tonsils $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	60	35 7	8 1	17 4	4	5	5 1	1	5	2	4	6 3	4	7 2	3 2	.4	6	4
115b 116	Diseases of buccal cavity and W annexa	7 3 2	4 1		3 3	1 2	1				2				1 i		Ī		<u>2</u>
117a 117b	Ulcer of stomach $\{V_{C_{}}\}$	47 14 22 5	35 12 18	1 1	12 1 3									1	5 6 1	8 2 5	8 2 7 2	11 2 2	15 1 7
118	Other diseases of stomach (cancer W excepted)	27 24 193	6 13 104	2	19 19 11	3 4 156			<u>i</u>		1	<u>i</u>	<u>i</u>	2 1	1 2 1	<u>5</u> -	2 1 5	1 6 2	12 3
119 120	of age)	108 37 23	39 16 6	6 5 3 1	83 64 18 16	100	37 8	4 2	3 3	1 1	2	<u>2</u>		1 1	3 2	4	5 4	3 3	11 5
121 122a	Appendicitis	149 34 72	128 24	12 3 8	9 7 6		2	1	1	1 1	16 1	14 5	13 1	5 5	18 3 2	21 6 6	23 5 15	22 5 12	12 1 37
122b	Intestinal obstruction C	11 107 29	58 7 78 21	12 3	17 5	15 2	2		1		3	2	1 1	1 5 1	1 10 2	1 8 7	1 16 4	19 6	4 25 4
123 124	Other diseases of intestines $ -$	11 5 92	7 2 58	1 1 6	3 2 28	1					1		1		1 1 2	1 1 10	23 3	2 1 20	4 2 37
125a	Yellow atrophy of liver	13 2 4	10 1 4	i	3								1 2	i	3	3 1	3	2	2
125b 126	Other diseases of liver	3 3 58	1 3 53	1	1 5	1								 1	4	1 1 6	12	1 1 10	1 25
127	Other diseases of gall-bladder, Wbiliary passagesC	48	37 3	2	9									i	2 1	2	6 1	16 1	1 21
128 129	Diseases of pancreas $\left\{ \begin{array}{l} W - \\ C - \end{array} \right\}$ Peritonitis, cause not specified	10 3 6	7 3 4 5	1	1				1 		1				1 2	4 1	3 2 1	1	1 ;
120	X.—Diseases of the geni- /White	1,890	1, 122	109	659	5			1		3	6	9	13	47	105	172	343	1, 183
130	tourinary system\Colored Acute nephritis (including un-\{W specified under 10 years)\C	37 34	323 23 14	34	193 14 17	$\frac{4}{2}$	2 2	1	$\frac{1}{1}$		1 1 1	2	3	7	28 5 3	61 7 7	$\frac{102}{7}$	141 1 7	193 10 4
131 132	Chronic nephritis	1, 649 460 34	946 277 13	99 22 1	604 161 20							5	7 2	9 3	27 23	84 46 2	146 89 4	310 119 8	1, 059 174 20
133	and over)	13 36 8	29 6	1	9 6 2	1 1					2	1		2	4 1	2 3 1	2 6 3	5 6 1	4 11 1
134 135	Calculi of urinary passages $\left\{ egin{array}{ll} W \\ C \end{array} \right.$ Diseases of bladder (tumors ex- $\left\{ W \right.$ cepted) $\left\{ \begin{array}{ll} C \\ C \end{array} \right.$	13 3 4	10	1	1			 								3 	1	1	5 1 4 2
136	Diseases of urethra, urinary W abscess, etcC	3 1 1 87	1 74	1 1	1											1		1 	72 72
137 138	Diseases of prostate $\begin{array}{c} W \\ C \\ \end{array}$ Diseases of male genital organs, not specified as venereal W	20	15	2	3											2	1	14 7	17
139a 139b	Cysts of ovary	5 2 17	4 1 15	1	1 1								1	1 1	1	1 1 4	1	1	i
139c 139e	of tubes and parametriumC Diseases of uterus W Other diseases of female genital	6 4	3	3	<u>1</u>								î	3	1	1	2		
	XI.—Diseases of preg- nancy, childbirth, and the puerperal state	1 106 41	81 24	7 3	18 14								11 7	18 4	39 20	37 8	1 2	1	
140	Abortion with septic conditions (W	23 5	20 3	1 1	2									5	10 5	8			
141 142a	Abortion without mention of w-septic conditions (includes hem-corrhages). Ectopic gestation, septic conditions	5 2	5	<u>-</u> 1	1										3	2 1			
. 2443	specified	2	2		J		l <u></u>				l			1	1				

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued ...

			IN CIT	res—				1 161		ILA			BY AG		`		nuea	44 B	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and
		l	1	:	MARY	LAN.	D—Co	ntinu	eđ	<u> </u>	<u> </u>	<u> </u>]	!	<u> </u>			1	over
	XI.—Diseases of pregnancy, child- birth, and the puerperal											1		<u> </u>		Ī			
142b	state—Continued Ectopic gestation, septic condi-/W	3	3												1	2			
143	other accidents of pregnancy (hemor-	2	1		· 1								1		î				
144a	rhage not included) W W Placenta praevia	2 3 2	1 1	1	1									1		3			
144b	Other puerperal hemorrhages $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	7 2	5	ī	Î								ī	1	2	3	1		
145a	Puerperal septicemia and py-\W emia (abortion excluded)\C	22 15	14 11	2 1	6 3								4 5	6	2 1 7 5	5 3	<u>-</u>		
146	Puerperal albuminuria and ec-W lampsiaC	19 7	18 3		1 4								4	1 2 2	3 2	9	ī		
147 148	Other toxemias of pregnancy\{\begin{aligned} W \ C_{} \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 1	1										-		1				
140	embolus, sudden death (not) specified as septic)	6 1	1		5								1		2	4			
149	Other accidents of childbirth $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	13 4	10 2	1	2 2								2	2	9	1			
	XII.—Diseases of the skin (White and cellular tissue. (Colored	19 6	13 4	2 1	4	4						-1	1	2		3 2	1	1 2	6 1
151	Furuncle, carbuncle $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	6	3	1	2									1		1	1		3
152	Phlegmon, acute abscess \cdots	5 2	3 2	1 	2	î						1		1				1 	<u>-</u> 2
153	Other diseases of skin and annexa, W_{-} and of cellular tissue $C_{}$	8 3	2 7 2	<u>1</u>	1	3							1	1		1 2 1		1 1 	i I
-	XIII.—Diseases of the bones and organs of locomotion	20 7	14 6	3	3	2 1				1	1	2 2	1	<u>.</u> 1	1	2	4	5 2	2
154	Osteomyelitis $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	10 6	7 5	1	2	1				<u>-</u> -	1	2 2	1	<u>1</u>	1		2	2	1
155	Other diseases of bones (tubercu-{Wlosis excepted}(C	1	1	1													1	1	
156	Diseases of joints, other organs of locomotion W.	9	7	1	1	2				, 						2	1	3	1
	XIV.—Congenital malfor-{White mations(Colored	177 42	108 19	· 6	63 22	163 38	6 1	1 2	1	2	2	1		1					
157a	Congenital hydrocephalus $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	25 4	15 3	. 1	9	20 2	2 1	1	1	1		<u>1</u>							
157b	Spina bifida and meningocele $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	11 2	8 1		1 3 1	10 2								1					
157c	Congenital malformations of heart $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	114 26	62	4	48 16	106 24	<u>4</u>	2		1	2	1							
157đ	Other congenital malformations $- \left\{ egin{aligned} W_{} \\ C_{} \end{aligned} \right.$	27 10	23 6	1	3 4	27 10													
	XV.—Diseases of early in-{White fancy(Colored_	546 267	323 136	34 17	189 114	546 267													
158	Congenital debility $\left\{ egin{array}{c} W \\ C \end{array} \right]$	28 30	7 4	1 2	20 24	28 30													
159	Premature birth $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	355 172	212 101	23 9	120 62 30	355 172													
160 161	Injury at birth	98 28 65	60 13	8 5 2	10	98 28													
101	infancy(C	37	44 18	1	19 18	65 37									 				
162	XVI.—Senility{White{Colored	37 16	18 1	5	14 15													<u>-</u>	37 15
	XVII.—Violent and acci-/White dental deaths\Colored	1, 410 356	817 206	85 26	508 124	22 11	14 6	11	`6 4	12 2	47 11	48 10	73 17	96 34	198 82	189 68	171 44	209	311 35
	Suicide SW	291	179	12	100								10	16	50	56	52	67	40
163	By solid or liquid poisons or)	19 52	14 46	1	4 5							1	 5	2 7	3 13	10	4 5	3 9	- <u>2</u> 3
	by absorption of corrosive C	52 1 67	1 55	1	11									1					
164 165	by poisonous gas	4 30	13	<u>i</u>	<u></u> - 16								1	4	11 1 2	13 1 8	12 2 5	21	5 <u>-</u> 9
166	By drawning W	3 9	1	i	2 7									1	2	<u>-</u> -	<u>1</u>	3	 3
167	By firearms	4 112	52 52	1 6	1 54								<u>4</u>	. 2	1 19	20	2 24	25	18
168	By cutting or piercing instru-	5 5 1	4 3 1		1 2	 -				 	<u>:</u> -	1		1	1 1	2	2	2	
169 170	By jumping from high placesW By crushingW	14	9	1	· 4									2	2	1 3 1	2	3	<u>-</u> 2
171	By other means $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	1	<u>1</u>	i													1		-
	Homicide	62 68 38	36 53 21	2 5 2	24 10	4 1						1	3 3	8 14	18 30	13 15	10 1	3	2 1
173	By firearms $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	38 36	21 30	$_{2}^{2}$	15 4								3	6 10	11 16	9	1 7 1	3	1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							D	EATES	BY A	GE					
List no.	CAUSE OF DEATH	All - deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				1	MARY	LAN	D—Co	ntınue	ed							•			
174 175 176 177 178 179 180 181 182 183 184 185 186a 1 86b (87 1 88 190 191 193 194a 194b 198 199 200a 200b Punch symbol 201	XVII.—Violent and a cci d en tal deaths—Continued Homicide—Continued By cutting or piercing instru- By other means	6 200 188 121 1,057 269 91 33 43 44 1 1 122 5 111 6 167 267 269 233 7 7 33 11 1 246 227 22 10 0 1 1 1 1 2 2 5 5 12 2 5 5 12 2 11 1 6 10 11 1 1 34 4 7 79 2 26 6 1	or over 5 17 10 0 6 602 139 1 3 5 4 4 6 16 6 3 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10,000 T T T T T T T T T	### Areas MARY	1 1 3 1 18 10 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	D—Co 144 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	years ntinue	years	112 2 2	### ### #### #########################	14	19 years 2 2 3 3 3 2 2 2 4 4 3 3 3 2 2 2 4 4 3 3 3 3	24 years 1 3 1 1 72 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 11 6 6 3 130 49 2 1 1 1 1 3 3 1 1 1 1 1 1 3 1 1 1 1 1 1	44	54	2 2 1 1 2 2 3 7 3 3 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	years and
202 203 295 206 207 208 209 210 211	Accidents from agricultural machinery. W. Elevator accidents. W. Other machinery accidents. W. Other machinery accidents. C. Railroad and automobile collisions (C. Other railroad accidents. (C. Street car and automobile collisions. W. Other street car accidents. W. Other street car accidents (C. Automobile accidents (primary). (C. Motorcycle accidents. W. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. C. Other land transportation acci-{W. dents. V. C. C. Other land transportation acci-{W. dents. V. C. C. Other land transportation acci-{W. dents. V. C. C. Other land transportation acci-{W. dents. V. C. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. C. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{W. dents. V. Other land transportation acci-{	3 2 4 4 9 4 36 6 5 329 81 1 5	2 4 2 4 2 21 2 2 5 9 3 202 50 1 2	1 2 29 7	2 2 5 4 13 4 13 2 98 24		4	I	1	6	13 5	15 4	1 2 3 1 1 19 4	1 1 1 3 1 37 5	1 1 1 3 1 4 4 4 1 1 1 48 14	1 1 1 7 2 1 2 36 15	1 2 10 1 2 1 38 17	1 1 1 1 5 2 2 39 9	1 2 2 6 1 70 6 1
	Water transportation accidents \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	26 10 5	10 4	1 1	15 5 5							3	2	6 1	6 3 4	5 2 1	i	3 1	1 2

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN C	· TIES—	<u> </u>						I	DEATHS	BY A	GE		· · · · · · · · · · · · · · · · · · ·	·		
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				•	MAS	SSAC	HUS	ETTS		•	•	<u>,</u>	•	•	•	<u> </u>		•	
	Total deaths (all causes)	49, 446	40, 383	3, 253	5, 810	3, 624	493	264	200	189	574	503	662	847	2, 109	3, 374	5, 571	8, 900	22, 129
	I.—Infectious and parasitic diseases.	3, 509	2, 702	158	649	207	126	79	55	43	140	80	160	254	580	506	514	• 376	389
1 7	Typhoid fever Measles	66	23 53	2 7	6	21	13	6	4 13	- 7	11-	1 3	7	2	5	3	3	2	1
. 8 9 10	Scarlet fever Whooping cough	110	130 94	9 5	11	63 63	14 32	17	13 2 16	11 2	51 4	13	3	6	11	5	1	1	I 1
11a	Diphtheria Influenza, respiratory complications specified	273	99	5 29	31	4 19	7 15	18	2	10 1	35 4	7 6	4 7	3	1 16	2 21	33	1 44	2 98
11b	not specified	- gg	78	8	12	7	7	2	4	1	2	3	4	4	7	9	4	13	31
13 15 16	Dysentery Erysipelas Acute poliomyelitis, acute polioenceph-	10 65	9 52	ī	12	3 21	2	1 1	1 		2	3	2	1		1 4	2 4	6	2 19
17	alitis Lethargic or epidemic encephalitis	13 18	12 15	<u>i</u> -	1 2	1		2	1	2	2 1	3 1	2	1	3	1 3	3	<u>4</u>	
18 22	Epidemic cerebrospinal meningitis	1 19	41 15	1	2 3	7	2 1	1	1	1	$\frac{1}{2}$	3 4	4	1 1 1	3 9 2	3	6 6	2	2 1
23 24	Tuberculosis (all forms) Respiratory system Meninges and central nervous	2, 299 2, 054	1, 691 1, 487	82 70	526 497	35 10	27 8	19 6	10 1	8 2	22 12	29 19	121 109	227 213	508 474	423 391	400 377	261 239	209 193
25	Intestines and peritoneum	92 67	86 57	3 2	3 8	18	15 2	12 1	8	3 1	6 2	4 3 2	3 4 5	5 4	8 13	6 10	1 13	3 4	-
26 27a	Vertebral column Bones (vertebral column ex- cepted)	30	19		11					1		2	5	2	5	6	2	5	7 2
27b 28	JointsSkin and subcutaneous cellular	1 7	1 2	4	1									1	2		ī		1 3
29	tissue	1		1		- 												1	
30	mesenteric, and retroperitoneal glands excepted	4 24	4 19	1												1		1	2
31 32a	Genitourinary system Other organs Acute disseminated tuberculosis	1 1 17	1 1 14	<u>1</u> -	<u>4</u>	3	2		1	ī	2	1		1	5 1	72	4 1 1	7	 1
32b,c 34 35	Other disseminated tuberculosis Syphilis	1 167	1 138	8	21	1 18	2		1		1	2	3	2	10	26	<u>4</u> 8	38	16
35 36	Gonococcus infection and other vene- real diseases—————————————————————————————————	10	10										1	2	6	1			
38	puerperal)	13 2	11 1		2	1					1		1	1	1	1		3	4 1
39	Other diseases due to protozoal para- sites	1 2	2		1						1								
41a 42 43	Hydatid cysts of liverOther diseases caused by helminths	2 3	1 2		1 1		1							<u>1</u>	1		2 1	1	
44	MycosesOther infectious and parasitic diseases.	12	12			4	2	ī				2				2			ī
	II.—Cancers and other tumors Cancer and other malignant tumors	6, 396	5, 127 4, 909	406 389	863 848			$-\frac{7}{4}$	- 7 6	- 4 2	$\frac{20}{12}$	17	20	33	- 89 - 76	492	1,057	1, 690	2, 955
(45) (45)	Buccal cavity	220 42	134 33	16 2 2	70 7							1 -	13	1		435 8 2	988 31 2	1, 645 52 13	2, 925 128 24
(45) (45) (46) (46) (46)	Esophagus Stomach and duodenum	126 1, 104	100 879	2 78 31	24 147								. 1	3-	2 10	59 17	18 147	54 316	51 568
(46) (46) (46)	Liver and biliary passages Pancreas Other digestive tract and perito-	389 193	298 162	31 11	60 20						2	1 -	1	1	2	17 8	53 32	97 59	216 93
47	neumRespiratory system	1, 246 224	1,010 185	93 10	143 29							2	1	4	13 4	75 17 100	176 52	330 67	644 83 216
48 49	UterusOther female genital organs	640 155	508 126	41 10	91 19			1	· -				<u>-</u> -	1 1 2 4	13 4 10 4	100 13	176 52 162 28 159 30	150 55	216 52
50 51 52	Breast Male genitourinary organs Skin	686 477 85	547 393 60	48 22 3	91 62 22	1		2	2			1		4	10 3 3	13 73 11 2 49	159 30 5	185 121 10	52 257 303
53 54a	Other or unspecified organs Nonmalignant tumors, ovary	559 10	474 7	$\begin{array}{c c} 22 \\ 2 \end{array}$	63			1	4	2	10	6	9	8	15	49	93	136	64 226 1
	Nonmalignant tumors, uterus	94 63	86 55 2	5 3	3 5			1	i-		4	2	4	4	5 4	32 11	36 11	12 14	9 7
55b 55d,e	Tumors, uterus (nature unspecified)— Tumors, other organs (nature unspecified)————————————————————————————————————	2 81	68	7	6	2		2		2	4	4	3	3	4	11	20	2 -	13
1	III.—Rheumatic diseases, nutrition-	31	00	<u> </u>	•	_		-		-	#	*	•	3	*	11	20	19	13
	al diseases, diseases of the endocrine glands, and other	1 500	1 000												20				
56	general diseases	1, 526 74	1, 282	113	131	70	10	7	3	-4 3	19	12	9	14	29	76	158	398	
56 57 59 60 62 63 64	Acute rheumatic feverChronic rheumatism, osteoarthritisDiabetes mellitus	56 1, 197	41 1,004	4 88	11 105						1 2		4-	6	10	1 42	6 126	7 363	39 638
60 62	ScurvyPellagra	1 8 7 1 3 6	1 8 5	1		5	 <u>i</u> -	1		-		-		-		5	1	1	1
65	RicketsOsteomalaciaDiseases of pituitary body	' 1	1 2	1	1		<u>-</u>	1 -								1		i	· 2
66a 66b	Simple goiter Exophthalmic goiter Other diseases of thyroid and para-	6 51	2 6 47	1	3								2	1	4	1 -	16	3 13	2 2 6
(66) 67	Other diseases of thyroid and parathyroid glands. Diseases of thymus gland. Diseases of adrenals (Addison's dis-	14 81	11 66	. 2	1,	2 62	1 5				4	1 -	;-	1 1	2 2	1	2	3	. 1
68	Diseases of thymns gland: Diseases of adrenals (Addison's disease not specified as tuberculous)	17	14	2	1	02	9			1		1	1		4	8	2	4	-
69	Other general diseases	10	8	2 .			3	2	-			2	ī	1			ĩ _		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—							Г	EATHS	BY A	GE				·····	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	44	45 to 54 years	55 to 64 years	65 years and over
		_	•	MA	SSAC	HUSE	TTS-	-Cont	inued	····									
	IV.—Diseases of the blood and blood- making organs	447	378	29	40	18	5	6	5	5	11	7	15	10	31	35	77	95	127
70 71a 71b 72a 72b 73	Hemorrhagic conditions. Pernicious anemia Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease). Diseases of the spleen.	28 152 17 131 99 17	23 118 14 113 91 16	3 16 2 7	2 18 1 11 8	11 6 1	1 2 1	1 4 1	3 2	1 3 1	1 1 8 1	1 3 3	10 2 1	1 5 4	1 5 10 12 3	2 9 12 9 2	1 21 3 22 23 6	1 37 29 25 3	4 77 5 21 18
74	Other diseases of blood and blood-making organs V.—Chronic poisonings and intoxica-	3	3							•						1.	1		1
75 76	Alcoholism (acute or chronic) Chronic poisoning by other organic substances.	235 215 10	199 10	7	9		2	2					1	1	28	61	56 2	48 1	22
77a 77b,c	Chronic lead poisoning Other chronic poisoning by mineral substances	8 2	2		1		2	2							1	1	2 2	2	
	VI.—Diseases of the nervous system and of the organs of special sense.	4, 986	3,874	400	712	57	23	21	10	15	56	41	33	30	82	201	508	1,002	2, 907
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes	28 53 10	24 48 9	1 1 1	3 4	$\begin{array}{c}2\\14\\2\end{array}$	1 5 1	3 3	3 1	1 1	2 6 1	3 2	3 2 	1	3 1 3	2 4 1	4 9	1 2 1	<u>2</u>
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemplegia and other paralysis, cause	30	29 100 2, 973 171 27	1 10 334 21	13 512 13 3	2	i	i	1 1	i	3 1	3	2 1	1 4 	9 20 2	3 10 79 13 1	5 18 353 17 3	15 25 813 40 5	9 47 2, 545 126 21
83 84 85 86	unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age).	75 154 13 107 17	52 107 12 36 13	4 1	19 45 1 67	2 11 3	2 2 2 3	1	i	3	6	7	13	8	5 4 22	35 35 37 17	50 1 12	12 42 2 6	54 21 3 8
87 88 89a 89b	Other diseases of nervous system Diseases of organs of vision Diseases of ear Diseases of mastoid process	141 3 107 69	107 3 100 63	14 5 1	20 2 5	15 3	3 4	- 2 3	1 1 1	3 5	16 13	10 10	2 3 6	3 6 5	5 7 1	13 1 12 4	12 11 9	26 10 2	60 8 8
90	VII.—Diseases of the circulatory sys- tem Pericarditis	14, 761	11, 742	1,086	1,933	12	3	5	6	5	36	59	82	75	223	552	1, 355 2	2, 838	9, 509
91a 91b 92a	Acute endocarditis Endocarditis, unspecified (under 45 years) Endocarditis, specified as chronic, and	148 18	139	3 2	6 3	1	1	2	2	1	8	9	10	2 8 1	33 1	20 9	17	19	17
92b 93a	other valvular diseases. Endocarditis, unspecified (45 years and over). Acute myocarditis.	2, 349 120 117	1, 793 97 94	221 9 9	335 14 14	2		1		3	16	26 2	46	33	100 4	147	234 16 16	408 19 19	1, 333 85 59
93b 93c	Myocarditis, unspecified (under 45 years)	23 4, 231	20	3		1	 					1	1	1	3	16			
93d 94a 94b 95a 95b 96	degeneration. Other diseases of myocardium Angina pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart).	1, 313 1, 058 1, 292 13 2, 502 57	3, 409 1, 091 803 1, 076 6 2, 085 48	289 97 120 82 3 133	533 125 135 134 4 284 2	2	1	2	4		6	1 14	15	6 1 2 1 15 1	12 2 8 11 41 2	88 5 42 64 1 117 8	277 107 147 202 2 290 8	752 237 281 381 2 561 15	3, 086 960 579 632 7 1, 434 23
97 98 99 100	Arteriosclerosis (coronary arteries excepted). Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.).	1,367 18 67	947 12 50 32	93 1 10	327 5 7	<u>2</u>					2		3	1	<u>-</u> - 1 1	6 6 4	20 1 7	110 2 13 14	1, 231 12 34 7
101 102 103	Diseases of lymphatic system (lym- phangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system.	1 9 2	1 7 2	<u>i</u>	i		1									3	i	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u>4</u> 1
	VIII.—Diseases of the respiratory system	4, 160	3, 576	236	348	629	206	59	34	31	73	51	68	72	210	309	442	539	1, 436
104a 104b 105 106a 106b 106c,d 107a 107b 108 109	Diseases of nasal fossae and annexae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis Chronic bronchitis. Bronchitis, unspecified Bronchopneumonia Capillary bronchitis. Lobar pneumonia. Lobar pneumonia, unspecified. Pleurisy	5 23 13 70 63 33 1, 975 14 1, 719 28 116	5 22 11 52 48 22 1,730 10 1,468 19 102	1 10 6 5 100 97 3 8	1 8 9 6 145 4 154 6 6	1 11 11 2 2 498 8 81 5	1 2 1 142 49	36 1 1 36 19 1	1 	13 14 1 1	2 1 1 1 37 	2 1 1 15 26 1 4	1 2 19 42	3 	1 1 1 2 	3 1 2 83 1 196	1 2 3 1 118 1272 4 15	3 1 6 10 190 289 7 16	1 3 3 44 38 26 743 4 512 6 24

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	TIES—					•		r	EATHS	BY A	GE	•				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		-	1	MA	SSAC	HUSI	TTS	-Cont	inued	!		<u> </u>		J			·		ı
	VIII.—Diseases of the respiratory system—Continued	<u> </u>									1								
111a 111b	Pulmonary embolism and thrombosis_ Pulmonary congestion, edema, hemor- rhagic infarct	13 24	10 21		3 2	2	ļ				1		1		1	,1 2	4	. I	7
112 113 114	Asthma	32 2	28 1	1 3 1	î	ī 			2		1	1			3	2 	10	7	13 5 2
	(tuberculosis excepted)	30 2, 693	27 2, 416	1 123	2 154	5 248	52	35	30	33	71	 55	60	1 70	2 181	4 301	5 415	8 535	5 607
115a 115b 116	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa Diseases of esophagus	151 16 9	129 15 7	10 1	12	8 1 1	8	4 1	8	8	12	6 1 1	6	8 2	14 2 ·1	29 3 1	13 2	9	18 4 4
117a 117b 118	Ulcer of stomach	174 135	156 127	1 7 3	11 5							î	1	3	18 11	24 18	28 44	47 28	52 31
119	Diarrhea, enteritis (under 2 years of	24 232	19 196	3 13 5	2 23	201	31	1		1	1				2	.1	6	4	7
120 121 122a	Diarrhea, enteritis (2 years and over)	217	69 587 205	5 27 5 9	16 12 7	1 2	4	6 14	12 	1 19 	3 47 1	38 	1 45 1	39 	9 69 4	3 82 13 19	13 91 28 20	18 102 62	24 63 106
122b 123 124	Intestinal obstruction Other diseases of intestines Cirrhosis of liver. Yellow atrophy of liver	191 42 271	172 41 228	1 17	10 26	20 4	8	4	2	<u>2</u>	6 	3	1 2	1	10 4 9	5 24	10 61	32 5 105	63 13 69 3
125a 125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary	23 32 227	228 18 28 209	1 1 10	4 3 8	1		1				1	<u>1</u>	2 <u>1</u>	3 6	4 4 36	6 8 46	6 6 65	3 8 72
128 129	passages	157 23 53	141 20 49	7 1 1	9 2 3	16	i	4	1	 1	 1	2		3 1 3	7 4 8	22 3 10	27 6 6	40 4 2	57 5 8
	X.—Diseases of the genitourinary system	4, 263	3, 570	287	406	15	2	2		2	8	18	22	49	126	309	509	830	2, 371
130 131	Acute nephritis (including unspecified under 10 years) Chronic nephritis	92 3, 467	79 2,864	3 249	10 354	1	1	1		<u>-</u>	3 4	4 11	3 14	7 31	6 76	24 219	19 426	9 696	14 1, 988
132 133	over)Other diseases of kidneys, ureters (pu-	111	93	11	7								1	2	6	10	13	23	56
134 135 136 .	erperal diseases excepted) Calculi of urinary passages Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess,	115 59 12	103 56 7	7	5 3 4	11	1			1	1	3	1	2	8	13 10 2	13 6 2	21 14 1	40 18 7
137 138	etc	16 292 5	14 265 5	11	2 16										1 2	6	5 10	47 47	3 233
139a 139b	Other diseases of ovaries, diseases of tubes and parametrium	20 37	16 34	1 2	3								2	1	1 12	7	3	3	1 3
139c 139d	Diseases of uterus Nonpuerperal diseases of breast (can- cer excepted)	36	33	2	1									.3	1	4	5 7	12	1 7
	XI.—Diseases of pregnancy, child- birth, and the puerperal state	412	379	20	13							1	12	62	205	127	5 _		
140 141	Abortion with septic conditions	49 19	46 17	1	3								1	15 2	25 5	8 _	1 .		,
142a 142b	Ectopic gestation, septic conditions specified	2	2												1	1			
143	mentioned	13	13 -											1	10	2 -		-	
144a 144b 145a	Other puerperal hemorrhages	16 33	14 32	1 -	1								1	1	19	10	î		
145b 146	(abortion excluded) Puerperal tetanus (abortion excluded) Puerperal albuminuria and eclamosia	80 1 55 23	77 1 49	34	2							 	3	13 1 12	42 	22			
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified as		18	2	3								1	7	7	8			
149	septic) Other accidents of childbirth XII.—Disease of the skin and cellu-	37 78	32 72	4	1 2								2 2	6	21 41	28	i-		
151	lar tissue Furuncle, carbuncle	54 17	14	1 1	5	11	1	1		1 _		1	2	2	5	9	5	7 3	7
152 153	Phlegmon, acute abscessOther diseases of skin and annexa, and of cellular tissue	17 20	14	·	1	9 -	1	1		1			1	2	2 2	1	2 2	2	3 1
	XIII.—Diseases of the bones and organs of locomotion	65	60	3	2	3 -		1	1		6	10	4	5	4	7	8	6	10
154 155	Osteomyelitis Other diseases of bones (tuberculosis excepted)	38 8	37	1	1	,		1	1		5	9	3	4	3	2	2 3	2	4 2
156	Diseases of joints, other organs of loco- motion	19	16	2	1 .						1	1		1	1	5	3	3	4

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List no.	CAUSE OF DEATH		IN CIT																
no.	CAUSE OF DEATH	All		IES	In				1		ı.	EATHS	BY A	GE	1		· · · · · · · · · · · · · · · · · · ·		
		deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
				MA	SSAC	HUSE	TTS-	-Cont	inued										
	XIV.—Congenital malformations	571	500	33	38	507	17	10	5	7	10	10		2	2		1		
157a 157b 157c 157d	Congenital hydrocephalus Spina bifida and meningocele Congenital malformations of heart Other congenital malformations	102 74 256 139	92 63 217 128	2 4 21 6	8 7 18 5	81 70 228 128	5 2 5 5	3 1 4 2	4 1	1 4 2	4 5 1	4 6		1 1	2		1		
	XV.—Diseases of early infancy	1, 789	1,600	92	97	1, 789													
158 159 160 161	Congenital debility	1, 107 432 209	32 990 395 183	3 57 22 10	6 60 15 16	41 1, 107 432 209													
162	XVI.—Senility	54	39	4	11									- -	 - 			1	53
	XVII.—Violent and accidental deaths	3, 469	2,828	250	391	44	44	28	44	39	124	131	165	165	312	380	452	524	1,014
163	Suicide By solid or liquid poisons or by absorption of corrosive sub-	639	503	60	76							3	12	26	72	118	146	141	121
164 165 166 167 168	stances. By poisonous gas. By hanging or strangulation. By drowning. By firearms. By cutting or pierong instruments.	67 171 143 65 122 38	60 146 112 48 82 28	3 12 14 7 16	13 17 10 24							1 1	2 1 2 1 5	7 3 2 6	9 22 16 4 12	14 30 26 14 20	11 37 39 19 26	12 41 36 9 32	11 37 20 16 21 12
169 170	By jumping from high places By crushing	24 4	21 2	5 2	5 3							1	ī	3	2 4 1	9 3 1	7 6 1	7. 4	12 2 1
171 173 174	By other means	5 92 37 10	78 29 • 9	1 5 3	9 5 1	8			1	1	1	1 1	5 2	1 14 7 1	20 8 3	1 14 9	7 5 2	13 4 2	1 7 1
175 176	Accidental, other, or undefined Attack by venomous animals	2, 738 3	2, 247 3	185	306	8 36 1	44	28	1 43	1 38	1 123 1	127	3 148	6 125	9 220	3 248	299	2 7 370 1	6 886
177 178 179	Poisoning by food. Absorption of poisonous gas. Other acute accidental poisonings (gas excepted).	7 98 43	86 35	1 8	2 4 4		1 3				2	1	3	3	9	12	1 29	14	3 26
180 181 182	Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation	51 161 21 44	37 146 15 42	. 4 3 2	10 12 4 2	3	13	2 10	2 13	2 1 8	3 16	2 5	1 1 6	2 2 1 1	7 2 7 5	11 3 8 4	6 7 10 2	8 12 26 1	12 40 2
183	Supplemental Drowning Supplemental Traumatism:	215 45	134 28	22 2	1 59 15	15 1	3	4	6	3 1	22 I	39 1	37 9	1 19 9	3 27 6	6 16 8	6 1 13 4	6 11 3	3 15 3
184 185	By firearms (wounds of war excepted). By cutting or piercing instruments (wounds of war ex-	39	22	6	11		1			1		7	15	3	3	6	2	1	
186a 186b	eepted)	19 8 882 60 8	17 6 768 49 5	1 1 43 7 1	1 1 71 4 2	5	3	 4 1	1 5	<u>2</u>	4 3	1 1 9 6 3	1 12 9	2 3 3	1 2 20 11	6 1 57 6	3 60 7	119 9	3 1 579 5
188 189 190	Supplemental Injuries by animals Hunger and thirst Excessive cold	117 5 1 3 3	100 5 1 3	5 	12		3	1 1	2		6	7	2	11 	1 18	16 	18 3 1	18 1	1 15
191 192 193	Excessive heatLightningDue to electric currents	3 5 16	2 2 11	3	1 3 2							1	I 1	i	9	1 1 3	1 2 2	î	
194a 194b	Supplemental Foreign bodies Other accidents	30 119	1 26 104	1 6	3 9	5 4	2 5	1	2		1 4	8	1 5	<u>1</u> -		1 3 13	10 21	4 18	2 26
198	Supplemental Legal executions	732	594 1	65	73	2	6	4	11	18	60	36	44	62	76 1	64	89	111	148
199 200a	XVIII.—Ill-defined causes of death Sudden death	56 11 39	45 8 32	3	7	11 1 6	2	1						1		3 1 2	5 2 3	8	.23 7 15
200b Punch	Cause of death not specified or un- known	6	5	1		4		1								2	ئ 		15
symbol 201 203 205 206 207 208 209 210 211 212 213 214	Accidents in mines and quarries	1 11 21 17 50 4 16 777 9 27 42	1 10 17 8 39 4 15 633 9 24 27	3 1 5 68	1 1 8 6 	2	9	6	14	19	5 62	1 1 39	4 3 48 4 2 8	1 2 3 3 3 65 2 7 3	3 4 2 7 3 86	1 3 2 9 1 71 71 2	1 4 3 3 7 2 92	7 1 11 3 111 5 4	1 1 1 5 5 152 1 1 1

 $^{^{\}mbox{\tiny 1}}$ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—							r	EATHS	BY A	GE	····				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,530 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	·				ı	MICH	IGAN	ī											
	Total deaths (all causes)	49, 585	27, 205	4, 425	17, 955	4, 628	633	335	211	208	737	601	947	1, 175	2, 826	4, 245	5, 521	7, 095	20, 386
	I.—Infectious and parasitic diseases	<u> </u>	2,939	333	1, 796	413	209	108	61	65	214	128	262	353	716	778	586	396	774
1 5	Typhoid fever Undulant fever Smallpox	. 3	29 1	4 1 1	22			1			4	2	7	7	6	7 2	10	9	2
6 7 8	MeaslesScarlet fever	195 116	121 65	20 6	54 45	47 4	67 8	18 11	9	10 6	28 39 5	7 18	1 7	1 4	1 2 3	2 5 1	$\frac{1}{2}$	1	1
9 10 11a	Whooping cough Diphtheria Influenza, respiratory complications	204 107	129 90	12	63 16	129 8	41 5	16 9	6 8	12	38	1 13	2	4	2	1	2		1 3
11a	specified Influenza, respiratory complications		339	77	272	59	19	10	6	4	13	11	25	17	48	79	72	68	257
13	not specified	32	168 17	60 2	214 13	45 12	15 3	10	5	3	11	8	12	7	27	32 2 6	21 4	27 1	219 8
15 16	Erysipelas Acute policen- cephalitis acute policen-	80 26	53 13	5 5	22 8	19 2	1	2 1	3	4	2 4	3	3 4	7	2 2	6	8	12	24
17 18 21	cephalitis Lethargic or epidmic encephalitis Epidemic cerebrospinal meningitis Rabies	72	11 58 1	2 2	16 12	15	5	1 7	1	3 1	4 3 8	4	2 5	1 5 4	3 9	3	3 5	5 2	3 1
22 23	Tetanus Tuberculosis (all forms) Respiratory system	2,498 2,146	25 1, 506 1, 250	105 85	8 887 811	32 7	34 9	19 3	13 1	17 4	11 44 15	6 48 32	184 155	288 262	553 509	5 513 462	3 349 314	208 193	1 192 176
24 25	Meninges and central nervous sys- tem	141 54	112 40	8 2	21 12	13 2	18	15	9	8	23	8	12 4	8 5	12 8	7 16	6 10	1 3	1
26 27a	Vertebral column Bones (vertebral column excepted)	40	27 2	2	11 1 5					2	2	2	3	3	10	7	7	1	1 2 3 1
27b 28	JointsSkin and subcutaneous cellular tis- sue	10	5 1		5									1		1 2	1	3	4
29	Lamphatic exetem (branchial															2		'	
30 31	mesenteric, and retroperitoneal glands excepted) Genitourinary system Other organs	6 23 4	11 3	5	3 7 1								3	3	1 3 1	9	2	3	4
32a 32b,c	Other disseminated tuberculosis	57 12	3 45 8	1 1	11 3	7	6	1	2 1	3	4	2	6 1	3	8	1 6 2	7 1	1 2	1
34 35	Syphilis Gonococcus infection and other vener- eal diseases	393 22	253 17	16 3	124	34	4	1	1		1	2	3	7 4	39 9	104 3	94 3	52	52
36	Purulent infection, septicemia (non- puerperal)	37	22	7	8		2	1		ı.		3	2	3	3	3	6	5	8
38 39	MalaríaOther diseases due to protozoal para- sites	1 4	4		1	1			-							1		1	
41a 42	Hydatid cysts of liverOther diseases caused by helminths	1 2 6	1 2 4				<u>[1</u>								1	<u>1</u>	1		
43 44	Mycoses	6 17	10	1	2 6	1 4	3				3	1			2 3	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	1		<u>ī</u>
`	II.—Cancers and other tumors		2, 803	499	1, 754	7	2	8	6	4	14	19	23	37	141	470	900	1, 212	2, 210
(45) (45) (46)	Cancer and other malignant tumors Buccal cavity	4, 814 144 37	2, 643 76 18	470 12 6	1,701 56 13	2	1	6	5	4	8	15 2	15 	29 2	119 2	403 8	841 21	1, 181	2, 182 77 20
(46)	EsophagusStomach and duodenum	85 1, 114	55 543	5 107	25 464						1				13	1 4 55	3 12 154	12 28 284	41 605
(46) (46) (46)	Liver and biliary passages Pancreas Other digestive tract and perito-	381 127	187 87	39 9	155 31	1					1				3 2	14 6	55 22	112 38	195 59
47	neum Respiratory system	665 186	409 126	65 15	191 45					1 1	4	1	1	2	13 5	40 29	113 56	182 44	312 45
48 49 50	Uterus Other female genital organs Breast	603 123 457	348 71 269	67 15 40	188 37 148			1					1	1 3 4	5 30 5	124 17	136 33	135 29	45 173 34
50 51 52	Male genitourinary organsSkin	374 112	206 44	37 8 45	131 60			1	2			′ 1		4 1 7	5 12 12 2	54 15 3	125 34 6	120 68 20	145 234 81
53 54a	Other or unspecified organs Nonmalignant tumors, ovary	406 4	204		157	1	1	4	3	2	2	10	12	9	20	33	71	77	161 2
54b 54d,c 55d,e	Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, other organs (nature unspeci-	86 35	59 27	17 4	10	2		i				1	2	1 2	8	33 9	-35 6	3 5	6 6
,	fied)	117	~ 73	8	36	3	1	1	1		6	3	6	5	13	23	18	23	14
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other																		•
, l	general diseases	1,678	967	166	545	95	12	2	3	8	17	33	31	26	54	117	215	388	676.
56 57 59 62 63	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus	92 91 1, 122	55 51 621	11 8 116	26 32 385	1	1 .		1	2	9 <u>6</u>	17	8 1 17	9	8 4 24	6 3 70	6 6 137	10 13 304	14 63 533
62 63	Pellagra Rickets	3	1 4		. 2	5	4						11		1		1 1	304	
65 66a 66b	Diseases of pituitary body Simple goiter Exophthalmic goiter	22 200	16 129	1 23	2 5 48	1							1 1 1	1	1 12	1 1 31	6	6	6
(66)	Other diseases of thryoid and parathy- roid glands	12	9	2	1	4	1			1 .			1	4	2	91	53 1	49	50 1
67 68	Diseases of thymus gland	88 15	56 7	1	28 7	76	5	2	1	1	1		1		1	-			
69	Other general diseases	20	16 .		4	7			-	1	I .		1	2	1	4 1	1	3	4 5

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		1	IN CI	TIES—		<u> </u>			·			TI A MITTO	BY AC	272					
List no.	CAUSE OF DEATH	All deaths	10,000	<u> </u>	In rural	Un-	_	1 _		Ι.	[10 to	15 to	1	25 to	35 to	45 to	55 to	65
			or over	to 10,000	areas	der 1 year	year	years	years	years	5 to 9 years	14 years	19 years	24	34 years	44	54	64	years and over
			·		місн	IGAN	T—Coi	ntinue	d										
	IV.—Diseases of the blood and blood- making organs	444	239	38	167	16	8	8	5	3	8	7	14	7	30	40	49	88	160
70 71a 71b	Hemorrhagic conditions Pernicious anemia Other anemias	21 206 31	9 94 12	3 19	9 93 19	12	1 2 1	1 1 2			1	1	$\frac{1}{2}$		2 6 1	11 1	22 4	1 54 4	1 108 13
72a 72b 73 74	True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen Other diseases of blood and blood-	105 58 16	73 34 12	7 5 2	25 19 2	i	3	4	5	3	5 2	2 2 2	7 1 1	2 4	1 5 15 1	14 10 2	14 7 1	17 6 4	108 13 22 11 4
	making organs	7	5 46	8	25								1	1	9	24	23	15	7
75 76 77a	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning	73 5 1	40 5 1	8	25								1		8	21 2 1	21	15	7
	VI.—Diseases of the nervous system and of the organs of special sense.	5, 508	2, 555	512	2, 441	108	33	20	10	9	57	40	54	49	118	277	512	955	3, 262
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis. Progressive locomotor ataxia (tabes	74 108 8	50 83 6	5 8 1	19 17 1	8 22 2	5 5 1	1 8	3 1	2	4 14 1	6 5	5 8	4 8	9 7 2	10 7 1	7 10	7 5 1	5 6
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord. Cerebral hemorrhage Cerebral embolism and thrombosis. Softening of brain. Hemiplegia and other paralysis, cause	41 112 4, 107 222 15	19 49 1,855 109 6	3 13 405 17 2	19 50 1,847 96 7	3	1 2	1 2	1		1	1 3 3	5 3 2	3 5 3	8 29 6	3 8 133 8	9 14 348 17	17 19 763 40 1	12 51 2,815 139 14
83 84 85 86 87	unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age) Other diseases of nervous system	118 171 41 139 35 149	45 65 14 40 11 66	13 5 8 8 13	60 101 24 91 21 70	29	6 3	3	2	1	6 4	12	17	2 3 13	1 17 4 24	53 10 17	55 8 10	21 22 4 13	90 20 12 23
88 89a 89b	Diseases of organs of vision Diseases of ear Diseases of mastoid process	105 59	3 80 54	10	1 15 2	31 6	5 5	1 1	1 2	1 5	16 10	1 4 3	1 1 6 4	4 2	î 3	7 8	6 1	<u>11</u> 7	1 9 2
	VII.—Diseases of the circulatory system	12, 573	6, 323	1, 159	5, 091	14	8	5	5	10	35	44	67	89	294		<u> </u>	2, 055	7, 992
90 91a 91b	Pericarditis	40 126 30	27 87 21	9	13 30 8	1 1	1 1 2	1	4	1 1	1 3	6	10 3	9	3 18 6	7 12 11	$\begin{smallmatrix} 5\\24\end{smallmatrix}$	8 15	13 22
92a 92b	Endocarditis, specified as chronic, and other valvular diseases Endocarditis, unspecified (45 years	2, 652	1,069	277	1, 306	1	1	2	1	4	11	20	32	35	99	166	255	404	1, 618
93a 93b	and over)	186 192	95 121	16 8	75 63	3		1		1	1		3	7	10	28	-23 24	39 37	124 77
93c	years)	66 4, 088	2, 310	3 300	1,478	3	1			1	3	3	4	12	10 77	193 7	429	661	2, 704
93d 94a 94b 95a	Other diseases of myocardium	1, 163 764 730 21	623 325 466 12	120 109 60 1	420 330 204 8							1		2 2	7 13	37 66 1	112 96 119	201 199 157 6	841 422 372 14
95b 96 97	Other and unspecified diseases of heart. Aneurysm(except of heart)	1, 318 74	626 48	131 3	561 23	1	1				13	10	12	3	39 1	77 15	138 12	213 20	802 23
98 99 100	cepted)	947 48 74	363 12 37	102 9 9	482 27 28	1									3	1 1 10	14 3 8	69 4 8	858 39 42
101	phlebitis, etc.) Diseases of lymphatic system (lym-	28	17 2	1	11 1	1	1	₁				1 -			2 -		5	8	10 2
102 103	phangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	13	8		7	1					1			·i		1	3	4 2	4 5
	VIII.—Diseases of the respiratory system	3, 899	2, 407	284	1, 208	749	190	57	38	27	64	59	82	83	257	348	399	363	1, 180
104a 104b 105 106a	Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis	5 22 12 111	15 8 60	$-\frac{1}{2}$	5 4 44	3 19	1 5		3		$\begin{bmatrix} 2\\1\\2 \end{bmatrix}$	3 1 1	4	4	2 1 1	1	1 5	3	1 4 73
106b 106c,d 107a	Chronic bronchitis Bronchitis, unspecified Bronchopneumonia	82 42 1, 439	51 24 851	7 5 6 83	26 12 505	1 11 529	99	35	16	14	1 1 27	1 15	19	5	43	4 2 59	10 1 80	5 7 1 98	73 52 23 392
107b 108 109 110 111a	Capillary bronchitisLobar pneumonia. Pneumonia, unspecifiedPleurisy. Pulmonary embolism and thrombosis.	14 1,743 86 134 28	5 1, 130 40 94 15	3 136 10 12	6 477 36 28 12	8 144 14 12	67 2 10	19	1 13 3 2	10	26 1 2	33 1 4	44 2 7	55 2 4	179 4 13	234 10 18	242 9 16 9	1 196 6 17 5	3 480 32 24 10
111b 112	Pulmonary congestion, edema, hem- orrhagic infarct	57 69	33 37	6 9	18 23	2 2	2			1			1 -		1 2	10	2 12	3 13	45 29 3
113 114	Pulmonary emphysemaOther diseases of respiratory system (tuberculosis excepted)	5 50	3 37	3	10	2	ı				1	-	3	.I	1 6	8	12	7	3 9

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	rres—							ı	EATHS	BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 Years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	,		1	I	MICE	UGAI	V—Co	ntinue	đ	·									
	IX.—Diseases of the digestive system	3, 315	2, 175	307	833	375	77	57	37	34	106	92	100	104	237	397.	488	437	774
115a 115b 116	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa Diseases of esophagus	189 25 6	124 14 5	23 3	42 8 1	6	10	3	11	3	19 2	12	10	18 2	24 4	23 2 2	23 4 1	15 2 2	12 7 1
117a 117b 118	Ulcer of stomach Ulcer of duodenum	207 100	131 84	16 5	60 11	1					2	1	2 1	4 2	23 7	22 22 22	60 24	39 16	54 27
119	Other diseases of stomach (cancer excepted) Diarrhea, enteritis (under 2 years of age)	101 351	48 195	13 25	40 131	17 298	.6 53				1		2	2	5	8	6	16	38
120 121 122a 122b 123	Diarrhea, enteritis (2 years and over) Appendicitis Hernia Intestinal obstruction Other diseases of intestines	194 703 208 288 49	81 548 140 194 34	18 75 24 26 6	95 80 44 68 9	3 41 3	3 1 4	30 10 8 1	18 7	16 10 3	15 56 1 1	2 68 4	70 7 1	5 49 3 6 1	95 4 20 2	13 115 21 31 8	19 105 34 42 13	9 58 40 39 9	61 57 102 81 10
124 125a 125b 126 127	Cirrhosis of liver	383 21 53 192	212 14 39 141	27 1 5 20	144 6 9 31	1 1					3	2 2	1 1 1	1 1 5 3	8 6 5 10	48 2 10 31	72 2 7 41	99 3 5 42	153 5 14 64
127 128 129	Other diseases of gall-bladder, biliary passages Diseases of pancreas Peritonitis, cause not specified	169 25 51	113 21 37	13 3 4	43 1 10	3		<u>4</u>		1 1	3	1	1 1	 1 1	12 4 4	23 5 11	28 2 5	30 7 6	72. 5 11
	X.—Diseases of the genitourinary system	3, 537	1, 924	344	1, 269	20	3	2	2	4	18	26	26	40	143	279	415	614	1, 943
130 131 132	Acute nephritis (including unspecified under 10 years) Chronic nephritis Nephritis, unspecified (10 years and	121 2, 553	80 1, 348	6 238	· 35 967	5	1 1	1	1	1 2	6 9	6 12	4 13	2 24	7 64	22 160	22 310	16 473	27 1, 484
133 134	over)Other diseases of kidneys, ureters (puerperal diseases excepted)Oalculi of urinary passages	240 130 46	93 81 35 18	30 14	117 35 10	10	1	1	1	1	3	. 6	2 3	1 2 1	15 - 10 4	22 16 5	20 20 4	41 18 12	133 41
135 136 137 138	Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess, etc. Diseases of prostate	. 32 13 250	18 11 137	1 4 33	10 2 80	1									3	1 2	5 2 9	7 3 32	20 19 4 207
139a	Diseases of male genital organs, not specified as venereal	9 25	7 18	2 5	<u>2</u>	4								2	6	7	1 6	1 2	3 2
139b 139c 139d	Diseases of uterus	84 32	75 20	4 7	. 5 5								3 1	6 2	28 6	34 9	9 7	. 6	1
139e	Other diseases of female genital organs.	1 1	1		1											1			<u>î</u> -
140	XI.—Diseases of pregnancy, child- birth, and the puerperal state Abortion with septic conditions	516 94	391 79	47 5	78 10							2	41 12	96 25	224 · 37	145	6		
141 142a	Abortion without mention of septic conditions (includes hemorrhages) Ectopic gestation, septic conditions	33	27	2	4								1	. 5	13	14			
142b 143	specified Ectopic gestation, septic conditions not mentioned Other accidents of pregnancy (hem-	5 33	5 28	2	3								3	8	2 14	3 8			
144a 144b	orrhage not included) Placenta praevia Other puerperal hemorrhages	2 18 37	1 10 26	2 3	1 6 8								<u>1</u>	1 7	1 6 23	9 5	1 1 1		
145a 145b 146	Puerperal septicemia and pyemia (abortion excluded). Puerperal tetanus (abortion excluded). Puerperal albuminuria and eclampsia.	82 1 79	62 1 58	13 9	7							· 1	<u>8</u>	17 14	33 1 33	23 25	, 		
147 148	Other toxemias of pregnancy	22	15	3	4								2	5	9	6			
149 150	as septic) Other accidents of childbirth Other and unspecified conditions of puerperal state	40 68 2	24 54 1	6 2	10 12 1								3 4 1	3 11	16 35 1	17 17	. 1 . 1		
	XII.—Diseases of the skin and cellular tissue	68	41	4	23	17	4		1		3	2	6		3	8	6	5	13
151 152 153	Furuncle, carbuncle. Phlegmon, acute abscess. Other diseases of skin and annexa, and of cellular tissue.	13 26 29	5 20 16	1	8 5 10	2 6 9	3		1		<u>2</u> 1	2	3 2 1		2 1	1 3 4	1 3 2	3	3 2 8
	XIII.—Diseases of the bones and organs of locomotion	62	47	6	9	2	ì	1	1		6	8	5	3	1	7	10	6	11
154 155	Osteomyelitis Other diseases of bones (tuberculosis excepted)	41 5	33 5	4	4	2	1		1		4	8	4	2	1	5	5	4 2	5
156	Diseases of joints, other organs of loco- motion	16		2	5		 	1			1	- -	1	1		2	4.	<u></u>	6

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

-			IN CI	ries—			-				מ	EATHS	ву ас)E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
					місв	UGAN	1 —Co	ntinue	d					•					
	XIV.—Congenital malformations	643	375	59	209	580	19	8	4	4	11	7	2	2	5	1			
157a 157b 157e 157d	Congenital hydrocephalus Spina bifida and meningocele Congenital malformations of heart Other congenital malformations	72 109 313 149	53 56 169 97	6 11 29 13	13 42 115 39	57 106 276 141	6 1 11 1	1 3	3	2 1 1	1 8 2	6 1	1 1	2	1 1 3	1			
	XV.—Diseases of early infancy	2, 109	1, 312	187	610	2, 109													
158 159 160 161	Congenital debility Premature birth. Injury at birth. Other diseases peculiar to early infancy.	1,364	47 876 268 121	14 110 45 18	63 378 109 60	124 1, 364 422 199									· 				
162	XVI.—Senility	402	138	30	234		- 											3	398
	XVII.—Violent and accidental deaths	4, 473	2, 498	421	1, 554	85	63	58	38	39	183	134	230	285	586	672	627	532	934
163 164 165 166 167 168 169 170 171 173 174 175 176 177 188 181 182 183 184 185 186a 186b 188 190 191 192 193	Suicide By solid or liquid poisons or by absorption of corrosive substances. By poisonous gas. By hanging or strangulation. By drowning. By fiverms. By cutting or piercing instruments. By cuthing or piercing instruments. By crushing. By other means. Homicide. By firearms. By cutting or piercing instruments. By other means. Accidental, other, or undefined. Attack by venomous animals. Poisoning by food. Absorption of poisonous gas. Other acute accidental poisonings (gas excepted). Conflagration. Burns (conflagration excepted). Supplemental. Mechanical suffocation. Drowning. Supplemental. Traumatism: By firearms (wounds of war excepted). By cutting or piercing instruments (wounds of war excepted). Supplemental. By custing or piercing instruments (wounds of war excepted). Supplemental. By fall Supplemental. By fall Supplemental. By grushing, landslide. Supplemental. Injuries by animals. Excessive cold. Excessive heat. Lightning. Due to electric currents. Supplemental. Foreign bodies. Other accidents.	931 160 187 167 167 167 167 168 41 14 4 9 271 165 40 66 3, 271 13 86 60 53 32 48 310 39 93 93 93 22 9 647 68 19 273 23 27 17 4 19 4 29 145 1, 061	548 109 155 73 26 136 23 13 1 7 214 131 35 48 1,741 11 66 34 222 8 5 29 17 3 344 30 6 6 182 8 1 11 11 6 77 614	76 14 113 6 25 4 11 2 3332 5 6 10 22 3 77 8 8 3 18 2 1 1 2 3 107	226 30 10 73 13	66 1 5 79 1 1 1 1 4 6 6 41 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	63 1 9 1 222 1 1 3 3	588 1 3 3 211 7 7	7 7 2 4 2 2 2	4 4 35 1 1 1 2 2 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1 1 1 2 2 1 1 1 1 1 1 2 2 1	9 2 7 174 1 2 2 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 1 2 2 3 3 1 3 6 3 3 9 9 2 100 1 1 8 8 1 1 1 1 1 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6	17 2 2 2 2 9 1 1 18 11 18 11 195 1 2 2 1 5 7 5 5 12 2 2 7 7 7 1 17 7 65	46 11 6 3 1 24 1 1 24 206 11 4 33 8 7 31 6 6 1 1 1 9 5 18	120 30 27 13 6 40 22 1 1 90 63 16 11 376 10 10 17 6 20 17 17 17 18 11 11 13 14 15 145	200 43 45 24 111 655 5 4 2 13 414 2 2 0 9 6 6 2 2 3 4 13 13 5 5 1 2 1 13 2 149	212 33 355 1155 160 60 313 3 9 389 11 3 3 18 10 2 2 11 11 14 3 3 3 15 11 15 15 15 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10	176 255 388 35 9 55 10 10 340 16 6 5 8 19 23 22 14 47 6 6 3 38 4 2 11 137	159 16 33 39 9 45 511 51 2 770 29 9 26 11 15 11 28 8 12 88 8 14 48 46 11 461
	XVIII.—Ill-defined causes of death	155	25	21	109	38	4	1		1	1	·	3	1	8	5	15	26	52:
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or unknown	30 75 50	4 9 12	7 10 4	19 56 34	4 14 20	3	1		1	1		1 2	1	1 5 2	3	3 7 5	7 14 5	11 28 13
Punch symbol	SUPPLEMENTAL 1				_														
201 202 203 204 205	Accidents in mines and quarries. Accidents from agricultural machinery. Elevator accidents. Accidents from machinery used for recreation. Other machinery accidents.	8 6 7 1 38	1 7 1 25 38	4	7 6		1					1	1	1	1 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 2 3	1	ī ī
206 207 208 209 210 211 212 213 214	Railroad and automobile collisions. Other railroad accidents. Street ear and automobile collisions. Other street-car accidents. Automobile accidents (primary). Motorcycle accidents Other land transportation accidents. Water transportation accidents. Air transportation accidents.	1 38 90 83 6 17 1,143 6 27 37 17	38 47 6 17 688 2 5 6	120 1 4 4 5	335 3 18 27 7	6	1 9	13	15	12	78	39	5 8 1 1 1 1 5 2	11 6 101 2 5 4	18 8 4 2 154 3 2 12 6	16 18 1 2 160 1 2 3 4	16 11 3 167 6 4	10 13 2 151 3 2	5 14 7 165 6

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—							D	EATHS	BY A	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	· 2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	44	45 to 54 years	55 to 64 years	65 years and over
					IM.	UNNI	ESOT	A	·							•		•	
	Total deaths (all causes)	25, 591	11,634	3, 488	10, 469	2, 189	200	126	82	82	328	297	484	588	1, 230	1, 760	2, 646	3, 726	11,848
	I.—Infectious and parasitic diseases	<u> </u>	870	345	1, 113	151	40	33	17	25	69	49	112	170	307	331	286	223	515
1 5	Typhoid fever Undulant fever	. 2	9	5	3 2	l						1	2	4	3	4	2		1 1
7 8 9	MeaslesScarlet fever Whooping cough	1 41	1 20	5	7 16 25	3	3 7	1 4 3	1 1 1	<u>2</u>	5 8	7	3	8	3	2			
10 11a	Diphtheria	26	13 9	6	11		í	ı	2	5	7	1	3		2	3	i		
11b	specified	536	196	87	253	46	10	9	2	1	11	10	21	20	39	56	46	47	218
13 15	Influenza, respiratory complications not specified	254 18 40	67 6 28	43 3 4	144 9 8	30 5 8	6 <u>2</u>	3	1 1	1	8 2	3 	10 1	4 2	16 1	14 2 3	14 1 6	17 2 3	124 3 13
16	Erysipelas. Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis.	1 10	7		3			2			2	2		3	1				
17 18 22	Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis Tetanus	28 27 23	18 18	8 5	12	4	1 2			. 2	3	4	5 4	1 1	3	3	7 1 2	3 2 2	1 1 3
23	Tuberculosis (all forms)	1, 048 891	13 342 276	143 106	563 509	1 9 3	7 4	7	5 1	2 1 2 5 2	2 14 3	4 2 18 13	1 54 43	119 111	217 184	201 177	155 142	111 98	126 110
24	Meninges and central nervous system	42	17	12	13	5	3	6	2	2	8	1	2 5	3	2	5	2		1
25 26 27a	Intestines and peritoneum Vertebral column Bones (vertebral column excepted)_	30 28 3	11	7 4	12 13 2	1					<u>1</u>	1	. 5	1	8 9 1	.3	, 5 3	5 1	2 6
27b 28	JointsSkin and subcutaneous cellular	5	3	ī	ĩ								1	1		î		ī	i
29	tissue	1			1							1				 -			
30	mesenteric, and retroperitoneal glands excepted)	1 15	1 9	2	<u>4</u>			1					1		6	3	<u>-</u> 1	3	1
31 32a	Other organsAcute disseminated tuberculosis	6 16	3 10	1	2 5				<u>2</u>	<u>i</u> -	<u>2</u>	i			3 3	3	2	3	1 2
32b,c 34 35	Other disseminated tuberculosis Syphilis Gonococcus infection and other vene-	10 156	105	9 15	1 36	11					3-		3	1 1 3	3 9	4 26	47	33-	21
36	Purulent infection, septicemia (non-	18	14	1	3								į	2	6	5	2	1	1
39	Other diseases due to protozoal para-	13	9	3	1	3		1			L		3		1	3	1		
42 43	other diseases caused by helminths Mycoses	3 1 5	3	<u>1</u>	3 1 1			i			1			<u>2</u>	1 ₁ -		1		1 1
43 44	Other infectious and parasitic diseases.	5 7	2	i	4	3	1.									ī		2	
	II.—Cancers and other tumors	3, 411	1,789	398	1, 224	3	5	- 6	1		14	9	15	25	89	241	534	777	1,691
(45) (45)	Cancer and other malignant tumors Buccal cavity Pharynx	5, 302 65 18 56	1,716 26 9	386 5	1, 200 34 9	1	4	6	1		13	9	13	23 1	78	210	503	761 10 4	1,679 49 13
(45) (45) (46) (46) (46) (46)	Esophagus Stomach and duodenum Liver and biliary passages	56 929 230	31 393 103	6 112	19 424									1	7	2 33	1 4 96	15 217	34 575
(46) (46)	Pancreas Other digestive tract and peri-	107	103 65	32 12	95 30		1							1	1	7 4	96 28 23	60 33	131 46
47	toneum	476 109	275 65	58 19	143 25								2	2 2	12 3	24 9	78 29	112 31	248 32
48 49	Other female genital organs	224 84	141 63	31 3	52 18								ī	1 2 2	9 3 5 7	34 14	57 18	61 19 68 55	62 27
48 49 50 51 52 53	Breast Male genitourinary organs Skin	299 304 50 351 4	63 159 156 26	31 39 33 1 35	52 18 101 115 23 112		ī	1			3 .		ī		5 7 1	34 14 39 5 3 36	57 18 85 20 3 59	55	62 27 99 210 37 116
53 54a	Other or unspecified organs Nonmalignant tumors, ovary Nonmalignant tumors, uterus	351 4	26 204 3 37		T I	1	2	4	1		8	8	9	11	26	36 1	1 !	6 70	1
54b 54d,e 55b	Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, uterus (nature unspecified)	47 27 1	16	4	6 7	2					1		ī	2	1	21 4 1	17 7	2 5	3 4
55d,e	Tumors, other organs (nature unspeci- fied)	30	1 16	4	10		1	[6	4	6	9	4
	III.—Rheumatic diseases, nutritional			-			-								Ĭ			١	*
	diseases, diseases of the endo- crine glands, and other general diseases.	889	. 4177	170	050	0.5	_					90	0.5			40	100	157	410
56	Acute rheumatic fever		23	119	353 24	25	5	2	1	3	10	7	25 9	10	40 9	1	109	177	419 7
	Diabetes mellitus	53 55 601	23 23 276	7 81	25 244		2			2	5	13	13	3 2 2	19	4 17	3 64	9 129	36 335
63 65	Pellagra Rickets Diseases of pituitary body	2 4 2	2 1 1		3 1	3	·					·i	·	1	1				
66a 66b	Simple goiter	119	3 67	17	1 35							1	2		1 5	15	31	1 3 27	38
(66) 67	Other diseases of thyroid and parathyroid glands.	14 20	8	2	4	3	2 1	<u>i</u> -	1 .					1	1 .		2	1	3
68	Other diseases of thyroid and parathyroid glands	20 11	4	4	12 3	18	1	1					1	1	2	3	4		
69	Other general diseases.	4	2	î	ř	1					i						î	i	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TIES—							D	EATHS	BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 Years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				1	MINN	ESOT	'A —C	ontinu	ed	•									
	IV.—Diseases of the blood and blood- making organs.	342	173	33	136	15	3	2	1	1	9	7	11	6	13	38	46	76	114
70 71a 71b 72a 72b 73	Hemorrhagic conditions Pernicious anemia. Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease). Diseases of the spleen. Other diseases of blood and blood-mak-	22 144 16 94 54 10	11 55 5 61 32 7	2 19 2 6 4	9 70 9 27 18 3	10 1 2 2 2	1 1 1	1 1	1	1	1 1 7	1 4 2	1 1 1 4 4	1 3 2	1 1 6 4 1	2 10 1 10 13 2	1 15 18 10 2	1 38 2 22 8 4	4 75 9 15 9
	V.—Chronic poisonings and intoxica-	63	44	4	15									1	7	13	29	1 12	1
75 76	Alcoholism (acute or chronic)	60	42	3	15									1	7	12	28	11	1
	VI.—Diseases of the nervous system and of the organs of special sense	2, 720	1,093	413	1, 214	60	9	6	8	2	33	20	25	30	47	112	255	462	1, 651
78 79a 79b	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis	22 42 5	9 26	6 5	7 11 5		1 1	<u>2</u>	2	1	3 4	2 4	1 1 1	2 3	1 3	1 3 1	3 1	5 6	2 4
80 81 82a 82b 82c	Progressive locomotor ataxia (tabes dorsalis) Other diseases of spinal cord Cerebral hemorrhage. Cerebral embolism and thrombosis Softening of brain.	25 69 1, 950 140 21	18 30 726 72 17	3 6 289 14	4 33 935 54 4	2 I	1				1	1 1 2	5 2 1	2 8	2 8 3	4 9 42 9	4 9 162 9 2	8 16 336 24 5	9 24 1, 388 91 14
82d 83 84 85 86 87 88 89a 89b	Hemiplegia and other paralysis, cause unspecified General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age). Other diseases of nervous system. Diseases of ear. Diseases of ear. Diseases of mastoid process.	46 74 23 69 20 126 1 61 26	13 27 11 18 1 63 1 40 21	3 36 8 12 3 16	30 11 4 39 16 47	2 19 10	1 2 2	1 	1 2 2	1	9 6	5 1 2 2	1 7 2 2 2 2	2 7 4	1 2 1 12 4 9 1	17 3 7 9	2 25 7 9 14 1 6	5 22 2 7 	37 8 7 10
	VII.—Diseases of the circulatory system	5, 708	2, 556	745	2, 407	5	3	1		. 1	18	28	30	42	103	216	467	877	3, 917
90 91a 91b 92a 92b	Pericarditis. Acute endocarditis. Endocarditis, unspecified (under 45 years). Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and over). Acute myocarditis.	10 63 9 1, 211 45 41	3 41 4 490 13 15	1 6 2 130 6 6	6 16 3 591 26 20	1	1	1		1	9	18	19	21	61	11 8 81	3 8 114 8 6	2 2 2 178 11 6	709 26 22
93b 93c 93d 94a 94b 95a 95b 96 97	Myocarditis, unspecified (under 45 years). Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart). Arteriosclerosis (coronary arteries ex-	12 1,538 464 328 684 25 696 37	5 644 193 126 433 8 320 28	235 57 44 66 4 85	6 659 214 158 185 13 291 7	1						2	2 3 1	5	4 8 2 3 1 6 1	8 33 1 13 22 1 27 3	87 39 39 85 3 55 9	189 65 74 157 1 134 8	1, 210 358 200 416 19 462 15
98 99 100 101 102 103	cepted) Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.) Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system.	463 4 43 17 2 13	196 17 9 2 7 2	91 1 7	176 3 19 7	1	1								1	3 1	5 3 2	30 1 8 4	426 3 24 10
100	VIII.—Diseases of the respiratory system	2, 253	1, 113	287	853	254	51	33	7	5	35	33	44	44	79	141	193	241	1,092
104a 104b 105 106a 106b 106c,d 107b 108 109 110 111a 111b 112 113 114	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified. Bronchopneumonia Capillary bronchitis. Lobar pneumonia. Pneumonia, unspecified. Pleurisy. Pulmonary embolism and thrombosis. Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorrhagic infarct. Asthma. Pulmonary emphysema. Other diseases of respiratory system (tuberculosis excepted).	7 20 5 27 77 11 18 998 876 34 755 23 47 28 2	2 14 3 10 26 8 519 427 6 42 14 19 13 2	1 2 3 8 1 145 1 94 2 2 10 1	4 6 14 37 9 334 4 355 26 23 8 18 11	3 1 	2 2 2 1 12 4	15 15 15	4 3	1 2	13 13 18 1 2	1 10 11 1 3 3 2 2 1	2 2 11 22 1 4	2 1 	2 	1 1 1 2 2 40 77 10 1 1	1 2 9 1 64 89 1 14 6	3 1 7 1 87 115 3 11 6	2 2 2 379 164 110 · 43 17 1 4

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			<u> </u>			-													
List	CAUSE OF DEATH	All	ļ	ries—	In,		1	1	1	ı	ı	EATHS	BYA	GE I	1	1	1	1	
no.	CAUSE OF BEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	64	years and over
					MINN.	ESO1	:A-C	ontinu	eđ			-							-
	IX.—Diseases of the digestive system.	1, 693	950	262	481	143	33	15	20	13	52	42	57	42	103	186	244	274	469
115a 115b	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa	86 12	45 8	13 2	28 2	5 1	1	1	2	2	8	2	12 2	4	7	14	12 4 1	7 2 1	. 9 1 2
116 117a 117b	Diseases of esophagus Ulcer of stomach Ulcer of duodenum	6 116 79	5 68 56	1 11 10	37 13	1		i	1					4	9 5	19 15	23 16	1 24 23	2 35 19
118 119	Other diseases of stomech (concer	22	4	4	14	3			1							1	1	1	15
120	excepted) Diarrhea, enteritis (under 2 years of age) Diarrhea, enteritis (2 years and over) Appendicitis Parrici	131 66	52 28	13 6	66 32	108	23	5	<u>-</u>	3	4	2		<u></u> 2	2	3	5	6	30
121 122a 122b	Deims	124	52 28 225 72 75 8	25	32 88 27 29	1 2 13	6	· 5	9 1 1		32	35 	38 3	21 3	42 2 9	61	63 15 18	48 27 22	30 73
$\frac{123}{124}$	Intestinal obstruction Other diseases of intestines. Cirrhosis of liver Yellow atrophy of liver	20 178	93	25 23 3 23 1	62	1					i	1 1		<u>-</u> -	3 6	15 2 15 2 2 2	18 1 33 2 1	22 1 39	30 73 36 10 83 2
125a 125b 126 127	Other diseases of liver Biliary calculi	7 22 183	10 129	1 7 18	1 5 36	2	1		ī					3	<u>2</u> 6	2 2 16	2 1 31	1 5 51	. 8 76
127 128	Other diseases of gall-bladder, biliary	68	37	11	20						1		1	1	2	10	14	8	31
129	Dîseases of pancreas Peritonitis, cause not specified	12 37	8 22	2 5	2 10	6		<u>i</u> -		2	3	1		2	2 5	3	2 2	3 5	2 7
	X.—Diseases of the genitourinary system	1,814	757	298	759	11	3	2	1		9	8	15	22	64	95	143	270	1, 170
130 131	Acute nephritis (including unspecified under 10 years) Chronic nephritis	41 1, 271	18 472	8 226	15 573	2	1	1	<u>1</u>		1 6	1 4	3 9	1 16	5 33	60	3 107	8 191	10 841
132 133	Chronic nephritis Nephritis, unspecified (10 years and over) Other discusses of hidneys westers	78	30	12	36						,	1			5	4	8	15	45
134	Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages. Diseases of bladder (tumors excepted).	77 46	45 40	7 2	25 4	8		1			2	1	<u>1</u>	1	4 2	7 3	7 5	8 13	39 ⁻
135 136	Diseases of bladder (tumors excepted). Diseases of urethra, urinary abscess, etc	15 3	5 2	2	8												1	3	21 11
137 138	Diseases of prostate Diseases of male genital organs, not specified as venereal	225	109	29	87												1 4	1 26	$^{1}_{195}$
139a 139b	Other diseases of ovaries, diseases of	14	1 7	4	3	1 	1						1	ī	2	4	3		3
139e 139e	tubes and parametrium Diseases of uterus Other diseases of female genital organs	21 17 4	17 9 2	4 2 2	6							<u>i</u> -	<u>1</u>	2 1	9	7 4	2 1	3	1 3
2000	XI.—Diseases of pregnancy, child- birth, and the puerperal state-	222	112	40	70										100		1	2	
140	Abortion with septic conditions	39	28	4	70								11	12	103	63	3		
141 142a	Abortion without mention of septic conditions (includes hemorrhages) Ectopic gestation, septic conditions	17	6	4	7								1	1	10	5			
142b	specified	2		2											1	1			
143	Other accidents of pregnancy (hemor- rhage not included)	11 2	8	1 2	2									1	5	6			
144a 144b 145a	Placenta praevia Other puerperal hemorrhages Puerperal septicemia and pyemia	10 16	4 6	1 1	5 9								1	3	3 6	7 6			
145b	(abortion excluded) Puerperal tetanus (abortion excluded)	39	19	6	14								3	12	15	9			
146 147 148	Puerperal albuminuria and eclampsia _ Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em-	37 12	16 9		10 3								1	3 4	18 7	13 1	2		
149	bolus, sudden death (not specified as septic) Other accidents of childbirth	8 28	3 13	2 6	3									1 5	3	4			
150	Other and unspecified conditions of puerperal state	1	19		9								1	5	17	4	1		
	XII.—Diseases of the skin and cellu- lar tissue	39	18	9	12	0			-						-				
151	Furuncle, carbuncle	12	7 5	2 3	3	8							1	3 2	2	3	5 2	3	
152 153	Phlegmon, acute abscess. Other diseases of skin and annexa, and of cellular tissue.	9 18	5 6	3 4	8	7							1	1 .	2	1	1 2	2	4
	XIII.—Diseases of the bones and organs of locomotion	32	15	7		•								-					5
154	Osteomyelitis	20	8	5	7			1		1	6	5	1	3	1	2	1	7 2	- <u>2</u>
155 156	Other diseases of bones (tuberculosis excepted)	2	2								1							1 .	
	motion	10	5	2	3						1		1	2			1	4	1
157a	XIV.—Congenital malformations Congenital hydrocephalus	334 61	132 26	4 <u>8</u> 8	154 27	283 50	11	5	1	4	11 4	7	5	5		1		1	
157h	Spina bifida and meningocele Congenital malformations of heart Other congenital malformations	7 119 94	22 40 44	8 4 19 17	27 34 60 33	57 94 82	4 2 3 2	3	1	3 1	1 4 2	3 3	3	4		1		1	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—	In						r	EATHS	BY A	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	54	64	years and over
,				1	MINN	ESOT	A —C	ntinu	eđ										
	XV.—Diseases of early infancy	1, 168	520	153	495	1, 168													
158 159	Congenital debility Premature birth		19 343	5 104	32 306	56 753													
160 161	Injury at birth Other diseases peculiar to early infancy_	251 108	112 46	27 17	112 45	251 108													
162	XVI.—Senility	139	21	15	103	-													139
	XVII.—Violent and accidental deaths	2, 364	1,047	304	1, 013	35	36	19	25	27	62	67	129	143	269	271	322	316	643
163	Suicide By solid or liquid poisons or by	459	205	50	204							1	14	18	60	86	93	98	88
	absorption of corrosive sub- stances	62	22	7	33				- -				5	2	11	9	11	11	15
164 165 166	By poisonous gas By hanging or strangulation	66 118	60 31	4 13 6	$\begin{bmatrix} 2 \\ 74 \\ 12 \end{bmatrix}$		 -					 1	<u>1</u> 1	3 2	14 9 3	15 18 4	12 24 5	14 32 12	12 8 31 10
167 168	By drowning By firearms By cutting or piercing instruments	36 145 11	18 55 8	17	73			- -					6	11	18	33 4	34	23	20
169 170	By jumping from high places By crushing	10 6	9	2	1 3								i		4 1	1 2	4	1	
171	By other means Homicide	5 76	38 20	1 10	3 28 20	5		<u>-</u> -		<u>ī</u> -		1	2 1	8 6	20 12	13 9	16 10	6	1
173 174 175	By firearms By cutting or piercing instruments_ By other means	46 4 26	3 15	6 4	1 7	1 4		<u>1</u>				1	1	2	1 7	1 3	1 5	4 <u>2</u>	
177	By other means Accidental, other, or undefined Poisoning by food	1,829	804 1	244	781	30	36	18 1	25	26	62	65	113	117	189	172	213	212	550
178	Absorption of poisonous gas	67 1	46	5	16 1	1							2	4	4	$^{12}_{1}$	17	9	18
179 180	Other acute accidental poisonings (gas excepted) Conflagration	28 26	14 8	4 3	10 15	1 2	4 1	2 1	$\frac{1}{2}$	1 3	<u>i</u> -		2 3	2	2	4 2	6 5	3 2	3
181	Burns (conflagration excepted) Supplemental	73 15	39	8 2	26 10	4	9	8	7	2	3	1	4 2	1 5	4 4	6 2	š	5	17
182	Mechanical suffocation Supplemental Drowning	6	5	1	12 6	12	1						1 2	1	1	2	4		
183	Drowning Supplemental Traumatism:	144 46	29 3	12	103 43	1	11 	1 	2	3	13	23 4	12 4	21 7	14 16	13 4	9 5	6 3	18
184	By firearms (wounds of war excepted)	72	15	11	46					1	3	6	7	5	13	10	14	6	١ .
185	By cutting or piercing instru- ments (wounds of war ex-																_		
1000	cepted)	24 7	9 2	3	12			;-	1 	1	1	1 	<u>1</u>	1 5	2 2 15	2 1 14	5 31	5 1 49	000
186a 186b ·	By fall Supplemental By crushing, landslide	463 44 17	254 21 5	69 5 3	140 18 9	2	3	1 	1	2	4 - -	5 3 1	3 3	2 3	2 2	7 2	5 4	13 1	328
187	Supplemental Cataelysm	143 2	59	19 1	65 1			1	3	2	4	2	12	13	28	20	21	16	1
188 190	Injuries by animals Excessive cold	30 21	7 6	5 4	18 11		1			1	1	2	1 1		3	3	5	6 3	
191 192 193	Excessive heat Lightning Due to electric currents	4	5 1 1	3	15 3 7	1						<u>i</u>	<u>-</u>	3	1 4	1	1	3	11
194a 194b	Foreign bodiesOther accidents	12	8 26	17	4 31	5	1 2		$\frac{1}{2}$	ī	1 3	2	8	3	9	1 12	1 10	9	1
	Supplemental XVIII.—Ill-defined causes of death	460 72	237	68 8	155 57	28	$\frac{1}{2}$	3	4	8	28	14	44 1	40	62	50 7	62 8	72 10	7.
199	Sudden death Cause of death ill-defined	14	1		12	6										2		4	
200a 200b	Cause of death not specified or un-	23	1	6	16	3							1		1	4	4	2 4	
Punch symbol	knownsupplemental !	35	5	1	29	19	1									1	4	#	'
$\frac{201}{202}$	Accidents in mines and quarriesAccidents from agricultural machinery	2 18	3	4	2 11		 	<u>-</u> -	i				, <u>-</u> 2		3	2	1 3	1 4)
203 205 206	Elevator accidents Other machinery accidents	1 20	7	4	9				2	1					6 8	3 7	3	3	
207 208	Railroad and automobile collisions Other railroad accidents Street car and automobile collisions	64	20 29 6	8 9	11 26						1		6	$\begin{bmatrix} 6\\1\\2 \end{bmatrix}$	10	10	5 11 2	3 9 2	1
209 210	Other street car accidents. Automobile accidents (primary) Other land transportation accidents	7	7 237	65	184			3	5	1 8	1 28	18	45	47	64	1 52	66	. 2	7
212 213	Water transportation accidents.	39	7 3	5	13 36		2					3	3	7 3	. 2 16	3	3		
214	Air transportation accidents	15	5		10		1						3	3	5	4	<u> </u>		
		1	11	T	1	ISSI		·	1		ī	ī	I	1	1	l	1	I	1
	Total deaths (all White Colored	8,303 12,008	1,868 2,017	728 728	5, 707 9, 263	967 1, 513			80 95	42 79	183 244	142 232	206 529	250 745	458 1, 261	580 1, 245	785 1, 536	1, 125 1, 380	3, 17 2, 73
	I.—Infectious and para-{White sitic diseases{Colored	1, 238 2, 525	216 355	78 152	944 2, 018	143 198	56 87	38 40	35 34	18 34	71 88	34 72	40 224	62 323	113 454	126 323	119 280	122 155	25 20
1	Typhoid fever $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	46 115	6 5	4 5	36 105		1 1	2	2	4	6	5 8	6 21	11 19	7	4 14	1 10	2 7	
6	Smallpox	1 4			103						i	1	<u>1</u>						
7	Measles	. 2	2		2			1			2	1		-				-	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	<u></u>		IN CIT	TES—				<u> </u>			ı	EATHS	BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
	-			7	MISSI	SSIPI	PI—C	ontinu	ed		,							-	
	I.—Infectious and parasitic dis- eases—Continued																		
8	Scarlet fever $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	10 2 50	1	1	8 2				<u>-</u>	2	4	1	1 1	1					
9	Whooping cough $\left\{ \begin{array}{ll} W_{} \\ C_{} \\ \end{array} \right\}$	68 94	8 11 15	2 1 10	40 56 69	35 36 12	10 16 16	3 6. 16	1 4 16	1 12	1 5 17	3		~	1				
11a	Influenza, respiratory complica W	59 273 270	4 56 63	3 18 26	52 199 181	49 48	15 9 14	16 8 6 4	6 6 4	5 7	12 6 4	6 7 3	10 16	9 17	13 30	29 36	23 27	36 18	70 39
11b	Influenza, respiratory complica-{W tions not specified{C	142 166	21 25 3	18 26 8 12 2	113 129 - 17	21 32	5 3 5	4 2 3	4 3 3	<u>1</u>	6	4	5	5 7	6 18 1	11 11	6 14	8 10 2	39 71 49 · 12 12
13 15	$ \begin{array}{c} \textbf{Dysentery} & - \begin{cases} \textbf{W} - \textbf{C} \\ \textbf{C} \\ \end{cases} \\ \textbf{Erysipelas} & - \begin{cases} \textbf{W} - \textbf{C} \\ \textbf{C} \\ \end{cases} \\ \end{array} $	22 40 23	. 4 5	1 2	35 16	<u>3</u>	6 	2 1	2		2	3	1	2	3 1	1	. 1 4 2	6 2	12 12 4
16	Acute poliomyelitis, acute polio W-encephalitis	14	2	<u>-</u>	12 7	3 1	2 1	1 2	4 1	<u>1</u> 1	2		2	1	1		1		
17 18	Epidemic cerebrospinal menin- $\{W_{-}\}$	10 3 6	2 3 4	1	1 3 11	1 3		<u>i</u> -			2	2	3	1	<u>i</u> -	1 <u>1</u>	2 2 3		1
20	gitis{C	16 1			1														1
21 22	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	12 17	3 5	1 4 1	1 5 11	3		1	<u>2</u>	1	3 4	1 2	1 4	<u>2</u>	<u>1</u>	<u>-</u>	2 1	1	
	Tuberculosis (all forms) $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	367 1, 121 344	56 148 .46	17 74 16	294 899 282	1 7	1 8			2	5 9 3	29 29 2	14 133 14	23 221 21	62 310 60	63 171 59	65 120 63	59 66 58	72 40 64
23 24	Meninges and central nervous W	1,060	135 2 1	71	854 3	4	4 1			1	6	27	120	211 1	299	164 1	118	63	38 1
25	$system$ \C\\\\\\\\\\\\\\\\\\\\\\\\\\\\	3 7 17	3 3	<u>-</u>	2 4 13	1	1			i	1		4	2	2 5	1 3		1	2
26	Vertebral column $\left\{ \begin{matrix} \dot{W}_{-1} \\ \dot{C}_{-1} \end{matrix} \right\}$	6 14	4 4	1. 1	1 9	ī					2	1	2	3	3	2 1	1 1		2
27a 27b	Bones (vertebral column ex- cepted)C	7 1	2		5 1		1					1	2		1		1 1		1
28	Skin and subcutaneous cellular tissue	4	1		3 2								1	2		- 		1	2
29	Lymphatic system (bron- chial, mesenteric, and re-																0		
30	troperitoneal glands ex- cepted)C Genitourinary system	7 1			7 1	1	1						2	1	1	1			<u>1</u>
31 32a	Other organsC Acute disseminated tuber-(W	1 2 1 1 5	1	1	1						i			1		1			1
32 b, e	culosis(C Other disseminated tuber-		ĩ		4								2	1	1	1			
34	$egin{array}{cccc} ext{culosis} & & ext{C} \ ext{Syphilis} & & ext{C} \ ext{C$	1 22 334	9 52	3 19	1 10 263	2 41	1 9	3	2	3	6	1 2	10	28	4 55	4 61	3 63	4 25	3 24
35 36	Gonococcus infection, other W. venereal diseases. C. Purulent infection, septicemia W.	2 20 9	10 3		10 6	<u>î</u>							3	1 3 1	4 2	3 2	4 1	1	1 3
38	(nonpuerperal)	131	18	6	107	10	6 13	6 9	4	1	18 30	8	7 21	1 8 22	14 14	12 24	5 11 25	7 22	1 19 31
40	Ankylostomiasis $\{W_{-}, C_{-}\}$	264 5 1	19 1	7	238 4 1	19			8 1	10	1	16 1	1 		1		1		
42	Other diseases caused by hel- minths	2			2		1				1				1				
43 44	Mycoses C C C C C C C C C C C C C C C C C C	1			1	1													
	II—Cancers and other {White tumors(Colored	689 514	166 97	70 42	453 375	2	4	1	1	1	3 1	5 1	2 4	1 10	25 31	71 84	105 151	157 108	310 117
	Cancer and other malignant {W	656 479	154 88	64 38	438 353	1	3	1	<u>i</u> -	1 1	3	2	2 3	1 7	21 25	62 73 2	101 143	153 107	303 114
(45)	Buccal cavity $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	21 10 9	88 3 2 2	38 3 1 5	15 7						1				1	2 2	2 1 1	4 2 3	11 4 5
(45) (46)	EsophagusW	6		<u>1</u>	6	··										1	1	1	3
(46)	Stomach and duodenum $\left\{\begin{array}{l}W_{}\\C_{}\end{array}\right\}$	120 70 83 42	2 22 13 18	9 4 8 3	89 53 57							i		1	4 1	4 4 7 4	14 12 15	43 24 18	58 25 40
(46) (46)	Pengrass	16	7 7	3 2	32 7					1				1	2	4 2	16 1	117	6 5
(46)	Other digestive tract and peri-{W toneumC	67 42	1 15 8	6 4	46 30									2	1	5 6	1 9 10	22 13	31 10
47	Respiratory system $\left\{ egin{array}{c} W_{-} \\ C_{-} \\ W_{-} \end{array} \right\}$	16 3 100	5	2 11	9 2 59										9	1 24	3 2 30	3	9 1 20
48	$\begin{array}{c} \text{Uterus}_{} \\ \text{W}_{} \end{array}$	179 9	30 30 5	16 2	133								1	<u>3</u>	12	36 1	67 3	32	31 10 9 1 20 27 2
49	Other female genital organs (C)	4	1		3				1	[1		1	1	1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

:			IN CIT	nes—							D	EATHS	вч ло	3E	***				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				I	MISSI	SSIPI	PI—C	ontinu	ed										
	II—Cancers and other tumors—Con. Cancer and other malignant tumors— Continued												,						
50 51 52 53 54a 54b 54d,e	Breast	58 47 56 26 37 6 61 43 2 1 8 21 4	9 10 16 6 5 1 15 8 2 1 2 8	5 4 4 2 3 1 3 3 3 4 3 1	44 33 36 18 29 4 43 32 	1	2	1	1	i	2 1	1	2 2	1	3 3 1 2 	6 9 3 3 1 1 6 7	14 16 1 6 3 2 5 8 1	12 7 7 6 3 2 10 8	23 12 42 11 28 1 27 13 1 1
55 d, e	Tumors, other organs (nature un- \ W specified) (C III.—Rheumatic diseases, nutritional dis- eases, diseases of White	19 12 251	62	· 1	11 11 168	18	1	2		1	1	3	1 8	<u>î</u> 9	2 4 13	5 1 14	2 1 40	2 1 69	4 2 80
	the endocrine(Colored_ glands, and other general diseases	408	55	24	329	4	3	ĩ	2	î	4	6	11	20	50	58	71	73	101
56 57 59 62 63 66a 66b	Acute rheumatic fever	10 18 10 4 136 84 68 284 3 1 2 10	4 1 3 1 36 13 8 36 1 1	3 1 10 8 5 12	3 17 6 3 90 63 55 236 2	3 1	1	1	2	1	1 1	1 1 2 2 2 1 2	2 1 4 4 1 6	1 1 3 3 16	2 1 3 4 6 43 1 1 2	1 1 7 5 4 47	1 1 2 16 22 17 47	1 3 2 47 20 17 46	3 5 4 2 50 21 19 72
(66) 67 68	Other diseases of thyroid and parathyroid glands	7 1 3 1	2	2 1 1	3 1	1 3 1									1	4	1	1	
69	disease not specified as tuber- culous)	2 9 6	1 3 1	<u>i</u>	1 6 4	2 1	1 2	1		1		<u>1</u>		1		1 <u>1</u>	1	1	1 1 1
	IV.—Diseases of the blood and blood-making organsColored	47 26	16 3	7 3	24 20	4 5	 		1	<u>i</u>	2	<u>i</u> -	<u>i</u> -	1 1	5 4	6 4	7 4	10 4	11 1
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions - { W - { O - } } } } } Conditions - { C - { O - } } } } } } Conditions anemia - { C - { O - } } } } } } Conditions anemias - { C - { O - } } } } } } } Conditions anemias - { C - { O - } } } } } } } Conditions anemias - { C - { O - } } } } } } } } } } Anemias anemias - { C - { O - } } } } } } Conditions anemias - { C - { O - } } } } } } } } } } } Anemias anemias - { C - { O - } } } } } } } } } } Anemias - { C - { O - { O - } } } } } } } } } } } } Anemias - { C - { O - { O - } } } } } } } } } } Anemias - { C - { O - { O - } } } } } } } } } } } } } Anemias - { Anemias - { O - { O - { O - } } } } } } } } } } Anemias - { Anemias - { O - { O - } } } } } } } } } Anemias - { Anemias - { O - { O - { O - } } } } } } } } } Anemias - { Anemias - { O - { O - } } } } } } } Anemias - { Anemias - { O - { O - } } } } } } } } Anemias - { Anemias - { O - { O - } } } } } } } } } } Anemias - { Anemias - { O - { O - { O - } } } } } } } } } Anemias - { Anemias - { O - { O - } } } } } } } } } } Anemias - { Anemias - { O - { O - { O - } } } } } } } } } }	3 7 18 11 4 13 6 4 2 4	1 1 5 2 2 2 5 5	2 5	2 4 8 9 2 7 6 3 1 2	2 5			1	1	1	1	1	1	2 3 2 1 1	3 2	2 2 1 2 2 1	5 3 4 1	5 2 1 2 1
	V.—Chronic poisonings {White and intoxications{Colored	10 11	2 4	1 3	7 4									2 1	3	2 3	3 1	2 1	1
75 76	Alcoholism (acute or chronic) $$ $\left\{\begin{matrix} W - \\ C - \end{matrix}\right\}$ Chronic poisoning by other or- $\left\{\begin{matrix} W - \\ C - \end{matrix}\right\}$ ganic substances $$ $\left\{\begin{matrix} C - \end{matrix}\right\}$	9 10 1 1	2 3 1	1 3	6 4 1									2 1	1 3 	1 3 1	3 1	2 1	i
	VI.—Diseases of the nerv- ous system and of the organs of spe- cial sense	740 830	165 148	48 57	527 625	19 21	3 2	3 4	<u>-</u> 2	1 1	6 4	4 5	7 7	5 15	18 20	42 67	79 176	136 172	417 322
78 79a 79b 80 81 82a 82b	Encephalitis (nonepidemic) { W . C . Simple meningitis. { C . Nonepidemic cerebrospinal meningitis. { C . Progressive locomotor ataxia { C . C . C . C . C . C . C . C . C . C	8 6 6 13 2 1 4 5 15 15 11 542 632 12 3	2 2 1 4 	1 1 1 1 1 2 1 38 41 2 1	5 4 4 8 2 2 4 8 9 393 467 7	2 2 6 3 1	1	1	1		1 1 1	1	1 1 2 2 2 2	1 2 3	2 1 1 4 14	1 1 2 2 1 1 1 19 47 1	1 1 3 1 1 55 147 2	1 2 1 3 116 150 4	3 1 1 10 2 342 268 5 2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TES-		<u> </u>				····	D	EATHS	BY AG	E		- 1			 =
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				1	/IISSI	SSIPI	PI—C	ontinu	ed										
	VI.—Diseases of the nervous system and of the organs of special sense—Continued		1																
82c 82d 83 84	Softening of brain	5 1 45 74 20 21 10	1 7 7 14 1 6	1 6 1	3 1 37 61 6 19 4 8			1						1 1 1 1 2	2 5 4 1 2	4 9 5 4 1	1 4 11 5 3	9 10 6	5 31 46 1, 2
85	Epilepsy $\left\{ \begin{array}{c} W_{} \\ C_{} \end{array} \right\}$	24 19	3		21 19	1 1				1	1	1 2	3 3	3 5	5 5	2 1	3	1 	
86	Convulsions (under 5 years of age). $\left\{\begin{matrix} W \\ C \end{matrix}\right\}$	3 14	1 1 4	1	12 12 21	$\begin{array}{c} 1 \\ 12 \\ 2 \end{array}$	i	i				1				<u>4</u>	3		12
87	Other diseases of nervous system { W	25 10 1	i	1	8			1	1	<u>-</u>	ī		1	1		2	3 2	1	
88	Diseases of organs of vision{C	14	5		1 1 9	3	1			1	3	1	1		<u>ī</u>	1	1		ī
89a	Diseases of ear{C	8	3	2 1	3 2 1	2				.	1	1				1	2	1	<u>1</u>
89p	Diseases of mastoid process{C	1				1	j		j				j <u>-</u>						
	VII.—Diseases of the cir- (White culatory system(Colored	1,300 1,161	327 247	121 96	852 818	3	3	1	3	2	. 8	8 16	5 17	10 22	23 74	49 146	130 198	225 251	834 420
90	Pericarditis $\{^{W}_{C_{}}\}$	7 9	3	<u>1</u> -	7 5							3		1		3	2	1 1	4
91a	Acute endocarditis $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	11 10	3	2 1	6		1		<u>i</u>				2	1	4 2	2 2		1 1	2_1
91b	Endocarditis, unspecified (under W-	. 2	1	1	1								1	1 5					
92a	45 years) C Endocarditis, specified as chronic, {W and other valvular diseases C	342 444 23	59 92	1 24 24 3	259 328	1	1			1	. 3	6 8	2 4	lii	25	62	22 84	56 97	232 147
92b	Endocarditis, unspecified (45 years Wand over)	. 9	7	3	13									2			5 2	5	13 2 1
93a	Acute myocarditis{W	9	3 5	ī	6 5			1						<i>-</i>	1	1 4 2	3	2	i
93b	Myocarditis, unspecified (under W. 45 years) C. Chronic myocarditis and myocar-	13	8		5 142				. i		$\frac{1}{2}$		2	i	4 3	4 7	14	50	
93¢	Chronic myocarditis and myocardial degeneration.	. 137	8 85 31 18 10 26	29 14									4		10	1 14	24	32 12	180 52 74
93d	Other diseases of myocardium	_ 56	10	14 15 11 15 15 7	92 65 35 83					-	1		1		1	3 1 6	10 19	20 33	74 22 66 12 18
94a	Angina pectorisC	_ 31	11 6	1 7	24 29								1	i	- 2 2	$-\frac{6}{7}$	6 15	13	12
94b	Diseases of colonary arteries (C.	_ 17	23 8 1	i	8 5	1			1						2	4	4	4 3	2 2 1
95a	Functional diseases of heart{C	_ 5	1 1	14	. 4 158	<u>i</u>				<u>ī</u>	1 2	2	-	i	- 2 7		31	35	148
95b	heart	319	66 62 1	32	225 3	1		. 1		-	_ 2	5	2	6		37	57	65	120 2
96 97	Arteriosclerosis (coronary arteries (W_	- 7 95		1 7	58					-				1	_ 1		5	10	2 3 80
	excepted)C	_ 59 _ 3	7 2	6	46		<u>î</u>	-		- <i>-</i>	-	-	-		- -	3		9	46 1
98	Gangrene C Other diseases of the arteries C	- 11 6	î	3	7 2						-		1				3 1	3 2 3	5 2
99 100	Diseases of veins (varices, hemor-	- 5	1 .		2			-		-	-				_ 1	1	1 *		
101	Diseases of veins (varices, hemor-rhoids, phlebitis, etc.)	1		\ <u></u> -	$\frac{1}{1}$		-	-	-	-	-				1				
102	Idiopathic anomalies of blood- W-pressure C-	_ 10		1	9			-						-		3	1 2	$\frac{2}{2}$	7 6
103	Other diseases of circulatory sys- {W_tem{C}}	_ 2	11		1 2										-				2
	VIII.—Diseases of the re-{White spiratory system(Colored.	566	116	49 38	401 497	77 133	25 23	14 21		5		12 16				36 70	44 69	59 68	193
104a	Diseases of nasal fossae $\left\{ egin{array}{c} W \\ C \end{array} \right.$. 1			1 2		-		-									2	1
104b	Diseases of nasal fossae and an- W-nexae	_ 5	2		3		-				_ 2	2			-		1	1	1
105	Diseases of larynx W	- 5		1			1	<u>1</u>	i		1				-	1			. 1
1068	Active bronchitis	. 5 18	1	3	. 4	1		i			1			-		1			1 11 1 3
106b	W	2		_	_ 2	<u>i</u>		-	-		-		-			- <u>-</u> -		1	3
1060,0	Bronchiss, unspecimental W.	159	1 34	10	115	3			1. 7	;- <u>-</u>	·		2	2	4		4	10	55
107a 107b	G. W. W.	135		_	94		: 2	:]	2	:	9	3	5	3	4	5	9		. 1
1075	W W	279	54	29		25 . 32	5	2	2	2	9			14	26 64	19 57	31 51	38 48	84 50
109	Pneumonia, unspecified	408 32 91	99	19	1 29	11 5	2	: 1	3	3	1		-[. 9	64	1 3	1 7	3 7	84 59 15 10

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				I	MISSI	SSIPI	PI-C	ontinu	ed						,				
	VIII.—Diseases of the respiratory system—Continued																		
110 111a 111b 112 114	Pleurisy	19 6 1 16 4 16 14 3 4	8 2 8 3 2 1 1	3 2 	8 2 1 7 1 13 13 2 3	1 1 95	1 2 68	1 i 1 1	15	1 	1	1 1	1 2 27	1 1 1 2 24	1 1 1 1 1	1 2 2 1 1 1 1 58	4 1 2 1 65	2 1	12 5 7 1
115a	gestive system(Colored) Diseases of pharynx, tonsils/ W	704	182	51 2	471	109	63	16	10	<u>5</u> 1	32 9	23 2	$-\frac{16}{2}$	44	71	79	79	62	91
116a 115b 116 117a 117b 118 119 120 121 122a 122b 123 124 125a 125a 126 127 128	Diseases of buccal cavity and an-W-nexa. Diseases of esophagus	31 77 9 138 35 36 8 35 73 143 150 20 23 37 67 61 21 22 33 34 66 13 86 21 11 11 11 13 86 21 13 86 13 86 14 86 15 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	15 3 3 3 3 3 9 9 4 4 17 11 10 66 42 4 10 10 10 26 33 5 4 9 9 7 7	2 1 1 1 2 1 1 1 8 2 2 3 7 7 5 4 4 7 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	19. 19. 19. 19. 19. 19. 19. 19. 19. 19.	3 1 4 4 2 80 96 1 7 9	3 63 54 1 1 1 1 1 1 4 4	13 13 13 13 12 12 12 12 12 12 12 12 12 12 12 12 12	3 3 8 1 1	1 4 4	9	2 2 12 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 18 8 5 1 1 1	2 1 2 2 2 1 1 5 5 1 1 1 1 1 1 1 1 1 1 1	3 1 1 1 2 2 2 6 6	1 1 1 6 6 6 4 4 16 17 24 18 11 2 2 4 1 1 2 4 4 1 1 2 2 4 1 1 2 4 4 1 1 2 2 4 1 1 1 2 1 2	2 2 2 1 5 9 4 4 3 3 2 10	2 2 1 1 1 2 9 2 1 1 5 9 9 1 2 1 1 5 5 6 6 1 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 19883 1166
130 131 132 133	tourinary system	1, 102 61 73 658 792 73 109 26 22 5	186 20 129 115 9 19 6	96 7 68 58 5 5 1	35 46 461 619 56 84 15 18	5	2	2	4	3 1 3	8 4 6 2 2 1	3 2 1 2 1 3	21 2 6 2 10 1 2 1 1	23 1 1 5 8 1 5 2 1	71 3 5 12 41 3 1 2	103 4 9 27 68 4 12 2 2	5 18 50 150 11 24 1 8	195 12 11 129 147 14 24 2 2	456 16 12 426 360 42 37 8 6 4
134 135	Calculi of urinary passages $\left\{ \begin{array}{l} W \\ C \end{array} \right.$ Diseases of bladder (tumors ex- $\left\{ \begin{array}{l} W \\ C \end{array} \right.$	1 7 13		1 2	5 11								1	1	1	i	 3	3	 ß 3
136 137 138	Diseases of urethra, urinary absess, etc	8 51 45	4 12 14	3 11 1	1 28 30										1	3	1 1 3	2 6 5	1 44 35
139a 139b 139c 139e	Cysts of ovary $\begin{array}{c} W - C \\ C \\ C \\ C \\ C \\ C \\ C \\ C \\ C \\ C$	5 6 5 25 1 3	1 4 2 3 8 1	1 1 6	3 1 3 1 11								1	5	3 12	3 2 1 6	1 1 1	1	1 1
	XI.—Diseases of preg- nancy, childbirth, and the puerperal state	110 180	26 32	11 12	73 136							1	16 44	25 41	46 61	20 32	2 2		
140 141	Abortion with septic conditions $-\begin{cases} W - \\ C - \end{cases}$ Abortion without mention of septic conditions (includes hemorphages)	10 19 8 6	3 5	3 3 1	4 11 7 4								1 6	4 2 3 1	2 8 1 2	3 3 4 2			

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

=			IN CIT	ies—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
-	•			ī	MISSI	SSIPI	PI-C	ntinu	ed										
	XI.—Diseases of pregnancy, child- birth, and the puerperal state—Continued																		
142a 142b 144a 144b	Ectopic gestation, septic conditions specified	. 1 . 2 7 3 5	1 1 1	1	1 1 5 3 4 9								1 2	2	1 5 1 6	1 2 ½	1		
145a 146 147 148	Puerperal septicemia and pyemia W (abortion excluded) C Puerperal albuminuria and W eclampsia C W Other toxemias of pregnancy C Puerperal phlegmasia alba w dolens, embolus, sudden death C	7 24 49 29 55 10 6	1 6 5 8 10 4 3	1 3 5 3 2	5 15 39 18 43 6 3							1	1 10 6 19 3 2	2 5 8 8 16 2	3 15 19 10 11 5 3	2 12 4 8	1 1		
149	(not specified as septic) $\begin{array}{c} C \\ C \\ \end{array}$	3 12 22	1 4 3		2 8 19								1 5	1 3 7	1 4 7	4 3			
	XII.—Diseases of the skin/White and cellular tissue Colored	20 13 9	6 7	1 1	13 6 7	3						1 	5 4	1	2 2 1	$\frac{2}{2}$	2	1 2	$\frac{\frac{2}{4}}{\frac{1}{1}}$
151 152 153	Furuncle, carbuncle	6 4 1 7 6	3 2 1 3 3		3 2 4 3	1 2 2 2	1					1	1	1 	1	1 1 1		1	1 2
-	XIII.—Diseases of the bones and or- Whitegans of locomo- Colored	12 13	7 5	1	4 8	1		1	<u>2</u>	1 1	4 2	2 5	3		1		1		
154 155 156	Osteomyelitis	11 11 1	7 3 1	1	3 8	1		1	2	1 1	4 2	2 4 1	3		1		 1		
	locomotion\C XIV.—Congenital mal-{White formations(Colored	66 16	1 14 1	6 1	46 14	56 13	2 1	<u>1</u>	- 1		1 2	4		1			1		
157a 157b 157c 157d	Congenital hydrocephalus $$ $\begin{pmatrix} W & \\ C & \end{pmatrix}$ Spina bifida and meningocele $$ $\begin{pmatrix} W & \\ C & \end{pmatrix}$ Congenital malformations of heart $\begin{pmatrix} W & \\ C & \end{pmatrix}$ Other congenital malformations $$ $\begin{pmatrix} C & \\ C & \end{pmatrix}$ XV.—Diseases of early in- \int White.	7 3 8 1 41 5 10 7	2 9 1 1 1	1 1 1 3 1	4 2 5 1 29 5 8 6	4 1 8 1 35 4 9 7	2	1	1,		1 1 1	2		1					
158 159 160 161	fancy Colored	286 24 40 263 183 61 25 28 38	50 4 5 48 34 14 3 6 8	15 2 1 28 12 4 1 2 1	221 · 18 34 187 137 43 21 20 29	286 24 40 263 183 61 25 28 38													
162	XVI.—Senility{Colored	104 235	13 14	6 7	85 214													5,	103 229
	XVII.—Violent and acci-{White dental deaths{Colored	759 991	223 259 26	79 68	457 664 59	19 27	18 13	16 17	13 21	13 	27 41	40 48 1	65 98	69 140 8	110 222 18	98 128 16	78 89 16	57 59	143 61 12
163 165 166 167 168 169 171	Suicide	98 24 24 57 20 6 1 1 10 367 79	28 8 1 2 	13 3 2 1 1 1 2 3 1 11 23 9	3 3 3 3 6 11 2 1 1 1 2 2 5 5 1						2 1 2	1	3 1 3 1	4 1 1 1 11 68 6	18 7 5 1 1 1 1 1 1 5 1 1	10 7 3 	7 4 3 3 1 16 36 14	19 4 3 	12 13 3

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—						·	D	EATHS	BY AG	E		· ·			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				Ŋ	aissi:	SSIPI	PI—Co	ntinu	ed	-		· ·							·
	XVII.—Violent and accidental deaths—Continued																		
174	Homicide—Continued By cutting or piercing instru-{W ments{C}}	7 38	4 18	1 6	2 14								3	1 8	1 16	2 5 3	2 4	1	
175	By other means $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	14 42	5 12 169	1 4	8 26	2					₁ -		2 6	4 5	11	5	6	1 6	I 1
	Accidental, other, or undefined $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	561 598	169 142	55 42	337 414	17 27	18 13	16 17	13 21	5 12	25 40	38 45	49 66	50 71	67 87	59 56	46 48	29 38	128 51
176	Attack by venomous animals $\left\{egin{matrix} W_{} \ C_{} \end{matrix} ight.$	1 2			$\begin{bmatrix} 1\\2 \end{bmatrix}$;-					<u>i</u> -		1					
177	Poisoning by food $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right.$	10 8	3	2 1	4	2	1	1		<u>1</u>				2	1 1	ī-	4	1	<u>-</u> 1
178 179	Absorption of poisonous gas. W Other acute accidental poison (W ings (gas excepted)(C	1 13 14	3 2	3 3	7 9		2	I I	3			1 1	1	4	1 1	2 3	1 2	1	2
180	Conflagration CC	4 11	3 3	2	1 6	1	1	1			1			1 2	2				3 2
181	Burns (conflagration ex-\W cepted)(C	64 99	26 25	9	29 70	$\frac{1}{7}$	9	6 8	8 12	1 6	3 16	4 4	2 3	3 6	4 4	8 5	6 7	5	6
	Supplemental $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	2 3		Î '	$\frac{1}{2}$								_i -		1	1 		1	<u>1</u>
182	Mechanical suffocation $\left\{egin{matrix} W_{} \\ C_{} \end{array}\right.$	6 7	1	1	5 6	7							1	1	 <u>-</u> -				
183	Drowning $\left\{ egin{matrix} W_{} \\ C_{} \end{matrix} \right.$	45 73	3 6	2	42 65	2 1	3	1	1 2	1	2 3	12 7	7 15	18 18	10	6	$\frac{1}{2}$	2	1 2
	Supplemental $C_{}$	15 35	2 15		13 20	 					ī	2	5 9	2 3	5 9	3 4	4	3	
184	Traumatism: By firearms (wounds of W	28	.7	1	20			1		4		4	2 13	3	5 10	.3	1 2	4	1 2
	war excepted)(C By cutting or piercing in-	55 8	14	6	35 7		1	1	3		5	9		6		1	2		2
185	struments (wounds of C	15 3	5	2	10 1						1	1	1	2	1	1	2	5 2	1
	SupplementalC	100	34	10	2 56		2				3	1	2	3	5	2 4	1	2	77
186a	Dy 1811	28 29	5 10	3 3	20 16	3			₁ -	1	4	1	3	1 5	5	3 6	5 2	4	6
	Supplemental	15 4	4	1	11							2	$\frac{2}{1}$	1	4	1 1	2	1	2 2 2
186b	Sycrushing, landside	12 31	5 11	1 5	6 15			<u>i</u> -	1		1 1	<u>-</u> -	2 4	2 4 3	3 6	1 5	5	2	3 2
107	Supplemental	30 1	13	2	15 1			1			1	2	8	3	8	4	1		2
187 188	Training by animals W	3 7	₁ -	2	3 4			<u>1</u>			1	1	1		1	<u>î</u> -		1	ī
190	Executive cold	5 1	1		1						1	2				i	1 	1	
191	W	5	1	1	3 5 10								1	<u>î</u>	<u>-</u> -	1 1	3 1 2	1 1 2	1 3 3 4 1
192	Lightning C.	12 10 16	1	$\frac{1}{2}$	9 14						1	1 5	1	2	1 3	3	1 2		4
193	Due to electric currents $\left\{ \begin{array}{l} C_{} \\ W_{} \\ C_{} \end{array} \right\}$	3 3	1		2 3								i	2	Ĭ	ĭ			<u>-</u>
194a	Foreign bodies $\left\{ \begin{array}{ll} C_{} \\ W_{} \\ C_{} \end{array} \right\}$	9 2	3 1	1	5	3 2	2	3			1								
194b	Other accidents $\left\{ egin{array}{c} \egin{array}{c} egin{array}{c} egin{array}{c} \egin{array}{c} $	33 37	9	2 3	22 25	6	<u>i</u> -		1		2	2	4	3 4	3 6	4	3 3 15	5 5	6 5
	Supplemental $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	125 100	9 48 25	3 12 8	25 65 67		1	1 3	2	<u>2</u> -	9 4	2 7 6	16 7	10 16	26 21	11 14	6	10 7	17 12
198	Legal executions $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	2 6	3	2	2 1								1	i	2	1 1	1		
	XVIII.—Ill-defined causes White of death	471 2, 311	55 225	17 73	399 2, 013	157 712	9 39	6 20	13	3 13	6 28	4 36	5 46	11 65	11 115	15 146	40 204	60 225	141 636
199	Sudden death $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	73 172	7 10	2 6	64 156	5 15	1 2			1 1	1	3	7	3 8	3 10	4 18	9	20 31	26 57
200a	Cause of death ill-defined	53 107	18 18	5 7	30 85	5 8		1				1 1	í	3 8 2 3	10 1 8 7	18 3 13 8	19 5 · 16	16 18	26 57 17 35 98
200b	Cause of death not specified or un-\\W\\Known\\C	345 2, 032	30 200	10 60	305 1,772	147 689	1 8 36	5 18	13	2 12	5 28	3 32	4 39	6 54	97	8 115	26 169	24 176	98 544
Punch	SUPPLEMENTAL 1																		
symbol 202	Accidents from agricultural ma-														,	,			
205	chinery	3 8 15 7 29 44	3 7	2	2 3 8							1	ī	1 2	1 1 5	2 3 4	3 2		
206	Railroad and automobile collisions_W	7 20	7 2 9	1 7	4 13							1	<u>-</u> -	1 3	1 7	1 3	2 3	1	6
207 209	Other railroad accidents $\left\{ egin{array}{ll} W \\ C \\ \end{array} \right.$ Other street car accidents $\left\{ egin{array}{ll} W \\ W \\ \end{array} \right.$	44	111	4	29			2			1	1	6	7	12	3	2	i	8
210	Automobile accidents (primary) $-\begin{cases} W \\ C_{} \end{cases}$	1 138 96 14	50 36	13	75 54		1	1 2	2	2	10	9	19 13	16 11	28 21	16 12	15 5	9	8 1 12 8 3
212	Other land transportation acci-\W dents(C	14 6	4		10			ĩ	1		4 1	3 2			3	1		î,	3
213	Water transportation accidents $\left\{ \begin{matrix} W_{} \\ C_{} \end{matrix} \right\}$	4 21	1 2		3 19						1	2	3 7	3	1 2	3-	3		
214	Air transportation accidentsW.	4	ĩ		3										2	2			

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	AGE FOR THE REGI	T		7110	1	11	273.01	1 111		1111	1101		AIL	1. 196			nueu		
.			IN CI	TIES—	- In						D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	34	35 to 44 years	54	64	65 years and over
	-				-	MISS	OUR	I											
•	Total deaths (all causes)	43, 738	21, 068	4, 363		3, 430	619	338	241	181	644	504	772		2, 351	3, 225	4, 720	6, 763	18, 762
1	I.—Infectious and parasitic diseases Typhoid fever		2, 081	591 27	2, 967 138	446	192	132	90	80	243 19	143 19	225 28	348 27	704 46	643 17	586 9	549 10	1, 243
1 2 5 6	Typhoid fever Paratyphoid fever Undulant fever Smallpox	2 5 2	1 2 1		1 3 1					1				1	1	2 2	<u>1</u>		1
7 8 9	Scarlet fever	119	12 32 83	6 18 14	15 69 143	6 6 146	7 12 51	15 17	12 11	 8 8	7 32 5	3 8	5	1 5	7	1 3	3	2	3: 1
10 11a	Whooping cough Diphtheria Influenza, respiratory complications specified		70	24	176	13	21	38	24	32	91	23	7	4	8	3	4	1 2	
11b	Influenza, respiratory complications	912 609	. 237 106	114 71	561 432	74 49	25 12	15 11	10 3	9	15 13	22 12	20 13	17 16	49 15	72 30	, 74 34	89 43	420: 347
13 15 16	Dysentery	108 55	24 25	13 4	71 26	32 17	19 2	8	3	2	1	1	. 2		1	2 5	2 5	5 6	27 17
17 18 22	Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis	10 35 44	20 35	3 5	8 12 4	1 5	 1 4	1	· 2 3 2	 1	·2	2 1 5 3	<u>1</u> 6	1 2	1 5 5 5	1 7 3	7 3	6 1	3. 3.
22 23	Tetanus Tuberculosis (all forms) Respiratory system	35 2, 436 2, 202	17 1,098 965	225 201	14 1, 113 1, 036	26 9	22 9	13 6	2 7 3	4	6 27 12	3 31 20	125 110	2 1 248 235	505	7 430	347	308	'338
24 25	Meninges and central nervous system Intestines and peritoneum			10	12	7	12	7	3	3	3	3	3	3 4	474	406 4	330 2	280	305. 2.
26 27a	Vertebral column	58 55 26 8	36 22 15 2	5 2	28 9 6	2			1		4	2 2 2	5 3	1	10 3 2	6 4	6 1 1	9 3 1	11 3 2
27b 28	JointsSkin and subcutaneous cellular tissue	16	8	3		1				1	1		1		3	1	2	3	3. ·
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	9-	5	1	3						1				1	 1	. 1	3	
30 31 32a	Genitourinary system Other organs Acute disseminated tuberculosis	11 3 39	8 2 32	<u>-</u> -	3 1							i.		1	2	1	2	4	2 2: 1 3:
32b,c 34	Other disseminated tuberculosis Syphilis	8 312	207	38	4 6 67	6 1 55	1 3	1	<u>2</u>		6	1 5	3 <u>1</u>	- 8	5 1 24	6 1 37	2 79	2 2 61	3: 3. 35-
35 36	Gonococcus infection and other vene- real diseases	32	. 29	1	2						1		4	6	14	2	4		1
38 39	puerperal) Malaria Other diseases due to protozoal para-	44 116	23 9	10 13	11 94	4 6	7	3	5	2 2	3 13	3 5	2 6	3 8	4 11	3 14	5 6	3 7	10· 22
41a 41b	sites	2 1 1	2	<u>1</u>												2		1	
43 44	MycosesOther infectious and parasitic diseases_	. 5 8	4 4		1 4	1	<u>-</u> -	1		ī					1 2		1 1	1	<u>2</u>
	II.—Cancers and other tumors	4, 398	2, 331	428	1,639	4	4	3	1	3	13	14	18	25	115	385	713	1, 051	2, 041
(45) (45) (46) (46)	Cancer and other malignant tumors Buccal cavity Pharynx	4, 195 162 41 74	2, 195 84 18 58	409 16 6	1, 591 .62 17	2	3	3		1	7	9	10	21	96 2	326 8 1	664 25 6	1, 031 37 14	2, 014 90 20
(46) (46) (46)	Esophagus Stomach and duodenum Liver and biliary passages	74 854 500	58 381 212	3 87 55	. 13 386 233					1			1	1 1	1 10 7	43 16	13 89 68	26 207	30; 500
(46) (46)	PancreasOther digestive tract and peri-	96	64	8	24										1	7	20	136 25	269 43
47 48	toneum Respiratory system Uterus	526 143 500	287 107 290	51 10 • 48	188 26 162						1		. 1	2 4 2 1	9 4 26	. 37 15 90	65 32 133	135 39 114	279 [,] 49 [,] 132 [,]
50 51	Other female genital organs Breast Male genitourinary organs	96 382 306	67 218 171	10 37 27	19 127 108		i	 1			i		3	. 1	4 8 5	9 49 6	26 103 22	27 105 67	25. 116 202
47 48 49 50 51 52 53 54a	SkinOther or unspecified organs Nonmalignant tumors, overy	152 363 3	39 199 2	17 34	96 130	1	2	<u>2</u>			1	9	5	<u>-</u>	17	5 36	8 54 2	22 77	112 147
54b 54c	Nonmalignant tumors, uterus Nonmalignant tumors, other female	90	69	8	13	;							1	1	6	36	31	7	<u>8</u> ,
54d,e 55a	genital organs Nonmalignant tumors, other organs Tumors, ovary (nature unspecified)	.58 1	1 47	1 3	8	1			1	2	3	3	5	2	11	11	5	6	8. 1
55d,e	Tumors, other organs (nature unspecified)	49	17	.6	26	1	1				3	2	2	1	2	11	11	6	8.
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and						`												
56	other general diseases	1, 255 74	662 39	107	486	30		3	2	7	17	16 7	25	27	45	81	148	290	552
57 59 60	Chronic rheumatism, osteoarthritis Diabetes mellitus	53 872	14 469	8 5 74	34 329	1	1			3	<u>5</u>	8	6 1 14	6 1 13	2 1 22	8 2 43	5 3 98	10 11 218	18. 33 44 5.
62 63	Seurvy	1 30 15	18 7	1 3	1 11 5	7	5			i	1		1	2	3	7	7	6	4.
66a 66b (66)	Simple goiter Exophthalmic goiter Other diseases of thyroid and para-	132	3 76	14	2 42							1	1	4	12	1 14	27	36	3 ⁻
67 68	thyroid glands	14 26	6 16	1	8	17 17	4	1			2 2		. 1	I		2	2	3	1
69	ease not specified as tuberculous) Other general diseases	16 17	10	1	6 12	₁	i				<u>i</u> -				5	3	4 2	4 -	11

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	~		IN CIT	ries—							D	EATHS	BY AG	E	<u> </u>				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
					MISS	OURI	—Con	tinued	1					•					
	IV.—Diseases of the blood and blood- making organs	346	179	31	136	17	2	2	3	3	11	7	3	8	20	31	49	85	105
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Pernicious anemia. Other anemias True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen. Other diseases of blood and blood-making organs.	31 149 15 102 32 14	11 55 7 72 23 8	6 13 2 8 1 1	14 81 6 22 8 5	11 4 1	2	2	1 1	1 1	5 1 5	1 3 1 2	2	2 4 1 1	4 4 8 3 1	1 12 8 6 3	2 24 1 16 4 2	1 38 3 28 12 1	1 64 6 24 6 4
	V.—Chronic poisonings and intoxications	81	40	8	33								1	1	12	24	25	9	9
75 76 77a	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning	74 6 1	37 · 2 1	5 3	32 1								1	1	10 2	22	24 1	9	7 1 1
	VI.—Diseases of the nervous system and of the organs of special sense.	4, 152	1, 676	415	2, 061	53	22	11	9	6	37	39	23	31	77	214	429	798	2, 392
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic eerebrospinal meningitis Progressive locomotor ataxia (tabes	48 65 11	20 43 2	3 8 1	25 14 8	10 1	2 3 1	2 2	1 3	1 1	6 6 2	4 5 3	1 3 1	3 1	6 4	7 10 1	7 6	6 4	4 5
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage_ Cerebral embolism and thrombosis Softening of brain	51 114 3, 055 119 30	27 50 1, 125 62 19	308 10 2	20 57 1, 622 47 9	1	1			1 2	4 1 1	1 1 2	3 2	2 6 1	1 1 28 4	6 8 88 8	11 284 9 4	15 32 612 21 5	25 53 2, 019 71 21
82d 83 84 85 86 87 88 89a 89b	Hemiplegia and other paralysis, cause unspecified	121 181 25 87 16 104 4 78 43	28 124 7 30 1 48 2 54 34	13 24 3 7 4 12	80 33 15 50 11 44 2 19	1 11 4 18 5	1 2 2 2 7 3	1 2 1	1 1	1	3 1 5 8	1 1 7 2 10 2	1 6 1 1 2 2	2 6 2 6 2	1 11 2 16 	6 53 4 15 4 2 2	11 11 12 6	13 45 4 8 17 2 8 6	91 20 6 12 58 1 2
	VII.—Diseases of the circulatory system	9, 504	5, 040	820	3, 644	8	4	4	5	2	33	26	46	71	207	469	966	1, 724	5, 923
90 91a 91b	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45	78 100	40 56	5 12	33 32	1	1	2	1	2	3	1 2	10	3 7	8	5 7	6 17	13 9	40 28
92a 92b	years)_ Endocarditis, specified as chronic, and other valvular diseases Endocarditis, unspecified (45 years and	18 2, 308	888 888	7 199	7 1, 221	1	1	1	2		2 19	2 11	22	2 32	73	2 146	241	389	1, 367
93a 93b	over)Acute myocarditis Myocarditis, unspecified (under 45	92 150	19 102	15 11	58 37									5 2	6	13 11	8 24	27 30	57 71
93c 93d 94a 94b 95a 95b 96	years) Chronic myocarditis and myocardial degeneration Other diseases of myocardium Angina pectoris Diseases of coronary arteries. Functional diseases of heart Aneurysm (except of heart) Arteriosclerosis (coronary arteries ex-	3, 674 547 530 350 34 704 133	2, 698 145 193 221 8 226 106	209 91 67 31 6 84 5	767 311 270 98 20 394 22	1 2	1	1			2	1 4 4	7	13 1 1 1 1	63 5 5 1 13 5	152 5 28 24 2 35 16	356 51 65 56 4 64 38	675 97 121 105 8 126 42	2, 395 389 309 159 19 448 31
98 99 100	espted)	587 35 107	211 17 88 7	63 5 3	313 13 16 8						2	1	i	1	1 3 3	3 4 12 2	9 23 2	40 2 34	534 25 34 7
101 102 103	Diseases of lymphatic system (lymphangitis, etc.). Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	4 12 7	3 1 3	2 1	1 9 3				1		1				1	1 1	1 1	4 2	6 4
	VIII.—Diseases of the respiratory system	3, 992	2, 107	396	1, 489	507	122	68	45	24	70	51	67	75	218	278	382	440	1,640
104a 104b 105 106a 106b 106c,d 107a 107b 108 109 1110 111a 111b	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified Bronchopneumonia. Capillary bronchitis Lobar pneumonia Pneumonia, unspecified Pleurisy. Pulmonary embolism and thrombosis. Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorrhagic infarct Asthma Pulmonary emphysema Other diseases of respiratory system (tuberculosis excepted).	8 21 21 53 86 31 1,440 14 2,027 43 72 23 44 66 4	4 16 8 24 34 5 783 2 1, 092 1, 092 121 22 23	1 1 3 4 2 144 4 203 5 4 3 10	3 4 4 13 26 48 24 513 8 732 30 14 8 517 35 2 12	2 1 4 8 	79 1 31 31 3	1 2 1 48 14 2	20 16 2 1	13 1 10	1 6 1 23 35 1 2	9 35 7	1 1 19 1 37 1 2 2	13 56 2	6 1 2 1 45 141 2 6 3 1 1	1 4 55 197 3 6 1	3 2 4 5 1 80 1 256 2 11 2 1 7	2 3 5 1 104 273 3 11 7 5 16 2	4 3 1 29 71 18 578 4 823 10 18 6 36 33 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

]									•								
List	CAUSE OF DEATH	AII	IN CI	ries—·	In		<u> </u>	1	ī	!	, I	EATHS	BY A	GE i	ſ	1		1	-
no.	CAUSE OF BEAT	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	34	35 to 44 years	45 to 54 years	64	years and over
	-				MISS	OUR	I —Cor	ntinue	i										
	IX.—Diseases of the digestive system	3, 122	1, 606	400	1, 116	437	182	66	37	20	82	83	92	85	198	250	394	449	746
115a 115b	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa	128 34	73 17	13 6	42 11	6	9	4	5 1	2	13 6	12 2	6 1	13	• 15	12 2	11 2	11 6	9 7
116 117a 117b	Diseases of esophagus Ulcer of stomach Ulcer of duodenum	172 65	78 52	25 5	69 8			1			1		3 1	1	1 14 6	24 8	31 13	38 16	2 60 20
, 118 119	Other diseases of stomach (cancer excepted) Diarrhea, enteritis (under 2 years of	145	34	17	94	24	3		. 2	1	1	1	2		1	10	24	14	62
120 121	Diarrhea, enteritis (2 years and over) Appendicitis	536 237 617	135 66 405 111 127	59 30 117	342 141 95	374 2	162	53 6	20 4	8 6	13 38	1 58	2 60	7 46	4 95	7 69	14 85	22 75	86 72
122a 122b 123	Hernia Intestinal obstruction Other diseases of intestines	158 228 32	111 127 23	21 32	26 69 8	1 22	5	1	4	3	3 1	6	12	4 2	4	15 20 3	85 25 30 7	22 75 37 36 5	76 63 11
124 125a 125b	Cirrhosis of liver Yellow atrophy of liver Other diseases of liver	353 11 42	23 218 6 21	22 4 3	113 1 18	1					i	î 1	1	, 1	19 2 8 1	30 2 8	84 1 3	98 1 6	129 4 16
126 127	Biliary calculi Other diseases of gall-bladder, biliary passages	167 130	21 104 90	26 14	37 26	1		1					2	3	5 3 6	17 14	35 20	43 31	66
128 129	Diseases of pancreas Peritonitis, cause not specified	19 44	16 29	5	10	5	Ĩ		1		4		2	1 2	1 10	5 4	5 4	5 5	55 2 6
	X.—Diseases of the genitourinary system	4, 561	2, 286	401	1,874	8	3	6	6	3	10	14	16	43	103	234	475	802	2, 829
130 131	Acute nephritis (including unspecified under 10 years)	141 3, 614	78 1,841	6 297	57 1, 476	2	2	3	3		3 5	3 9	3 9	5 21	11 48	16 163	23 372	27 658	40 2, 316
132 133	Nephritis, unspecified (10 years and over) Other diseases of kidneys, ureters	288	59	38	191							2	2		7	12	33	43	189
134 135 136	(puerperal diseases excepted)Calculi of urinary passagesDiseases of bladder (tumors excepted)Diseases of urethra, urinary abscess,	95 30 36	61 20 17	10 2 1	24 8 18	5	1	3		2	2		1	4	4 1	10 1 2	16 7 2	11 10 7	36 11 25
137 138	etc	7 244	6 127	32	85	-									1 2	2 4	7	1 28	3 203
139a 139b	specified as venereal	5 25	2 22	1' 2	2 1					1				3	3	5	1 4	2 8	1 2
139c 139e	tubes and parametrium Diseases of uterus Other diseases of female genital organs	52 23 1	38 15	6 4 1	8 4								1	- 9 1	23 3	14 5	6 4	6 1	3
	XI.—Diseases of pregnancy, child- birth, and the puerperal state	404	192	65	147							1	46	94	177	84	2	1	
140 141	Abortion with septic conditions Abortion without mention of septic	_ 94	58	17	19								8	26	49	11			
142a	conditions (includes hemorrhages) Ectopic gestation, septic conditions specified	21 5	11	2	8									5	. 8	8			
142b 143	Ectopic gestation, septic conditions not mentioned. Other accidents of pregnancy (hemor-	26	3 19	5	2									6	12	8	1		
144a 144b	Placenta praevia	1 14	<u>5</u>	1 3	6									2 2	10	2			
145a 146	Other puerperal hemorrhages Puerperal septicemia and pyemia (abortion excluded) Puerperal albuminuria and eclampsia	19 97	48	10	9 39								2 18	25 14	8 36	6 18	1		
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens, embolus, sudden death (not speci-	67 13	18 7	13 2	36 4								10	5	36 25 5	18			
149	fied as septic) Other accidents of childbirth	10 37	16 16	3	6 18							1	1 6	6	17	8			
-	XII.—Diseases of the skin and cellu- lar tissue	54	28	7	19	8					4	5	3	2	2	3	4	7	16
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and	13 20	8 -	5	5 4	5					1 2	2 -	2		1	1	3	3	7 1
	of cellular tissue	21	9	2	10	3					1	1	1	2		1	1	3	8
154	organs of locomotion	51 40	40 31	5	5			1	2	1	6	6	1	3 2	3	6	4 2	3 2	10
155 156	Other diseases of bones (tuberculosis excepted) Diseases of joints, other organs of loco-	4	3	1									1	1	1 .				1
	motionXIV.—Congenital malformations	377	162	38	177	327	17	4	3	3	10	1 -	4	2	2	3	2	1 2	
157a 157b	Congenital hydrocephalus Spina bifida and meningocele	53 29	27 10 87	7	19 19	39 25	7	3 -	1	2	1 1	1	2						
157e 157d	Congenital malformations of heart Other congenital malformations	213 82	87 38	23	103	189 74	9	ĭ	2	i	6 -	2	2	1	1 -			1	
	69301—35——19															-			

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

Ì			IN CI	ries—	_						I	EATHS	BY A	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	44	45 to 54 years	64	65 years and over
					MISS	OURI	—Cor	itinue	1										
	XV.—Diseases of early infancy	1, 435	623	150	662	1, 435													
158 159	Congenital debility Premature birth	129 955	28 444	15 90	86 421	129 955													
160 161	Injury at birthOther diseases peculiar to early infancy.	224 127	104 47	34 11	86 69	$\frac{224}{127}$													
162	XVI.—Senility	253	40	25	188		 											4	248
	XVII.—Violent and accidental deaths	3, 845	1, 955	458	1, 432	53	48	36	38	28	107	92	200	266	463	510	530	517	928
163	Suicide	735	382	66	287							1	12	38	92	127	158	162	143
164 165	stances By poisonous gas By hanging or strangulation	152 73 106	87 66 32	$15 \\ 2 \\ 12$	50 5 62								4 1 1	11	30 14	36 12 13	33 17 25	16 15	22 13 33 9
166 167	By drowning By firearms	32 319	12 150	1 32	19 137		i					1	1 5	1 23	4	3 51	6 68	30 12 77	9 51
168 169	By cutting or piercing instru- ments	28 19	15 17	4	9									1 1	<u>2</u> -	7 4	5 4	4 5	11 3
170 171	By crushing By other means	3	1 2		2											<u>i</u> -		1 2	1
173 174	HomicideBy firearmsBy cutting or piercing instru-	410 278	249 165	50 41	111 72	2		1	2 1		2	2 1	27 21	47 35	108 75	100 74	54 34	35 22	25 11
175	ments By other means	55 77	39 45	5 4	11 28	2			1		2	<u>1</u> -	3	8	15 18	13 13	9 11	5 8	2 12
176 177	Accidental, other, or undefined Attack by venomous animals Poisoning by food	2, 700 3 21	1,324	342 1 6	1, 034 2 12	51 1	48 1	35 2	36 4	28 1	105	89 1	161 1 1	181	263	283	318 2	320 1	760
178	Absorption of poisonous gas Supplemental	42	32	3	7		i					i	i	1 1 1	3	6	12	9	4 8
179 180	Other acute accidental poisonings (gas excepted) Conflagration	50 65	33 29	4 9	13 27 62	2	3 2	1 3		2	1 5			2 2	7	9	11	9	3 11
181	Burns (conflagration excepted) Supplemental	188 11	105 5	21 2 5 7	62 4	4 6	19	14	3 9	7	15	7	3 4 1	14	5 15	11 21 4	7 12 1	7 10 1	35 2
182 183	Mechanical suffocation Drowning Supplemental	20 148 37	34 4	5 7 3	10 107 30	18 1	2	2 1	2		1 11 1	16	25 3	20	13	12	17	13	10
184	Traumatism: By firearms (wounds of war							1		1			٥	6	(3	8	3	
185	excepted) By cutting or piercing instru- ments (wounds of war ex-	113	34	21	58				2	1	3	12	20	8	20	17	10	13	7
	cepted)Supplemental	28 8	13	2 1	13 4			1	1			1			3 4	4	5 1	4	9 1
186a 186b	By fall Supplemental	650 104 13	383 52	69 11	198 41	3	9	3	3 2	3 1	9 2	2	8 13	5 18	17 15	29 12	35 16	65 12	457 10
188	By crushing, landslide Supplemental Injuries by animals	176 19	75 5	$\begin{array}{c} 1 \\ 27 \\ 3 \end{array}$	8 74 11						4 2	7 2	13 1	$21 \\ 1$	2 20 1	36	3 27 5	1 24 5	17 2
189 190	Hunger and thirst Excessive cold	1 13	3		10					<u>i</u>					2		2	4	1 3
191 192 193	Excessive heat Lightning Due to electric currents	62 17 17	38 7	7	17 17 6							1	2	$\begin{bmatrix} 2\\1\\2 \end{bmatrix}$	1 6 6	10 1 4	18	11 5 1	17 1
194a 194b	Foreign bodiesOther accidents	29 135	15- 73 367	~ 1 14	13 48	7 6	6	3 1	2 1 7	1 2	7	6	1 13	1 9	18	15	22	3 15	4 19
198	Supplemental Legal executions	726 3	367	118 1	241		5	3		8	43	22	45	64	91 3	88	101	103	139
100	XVIII.—Ill-defined causes of death	269	20	18	231	97	12	2		1	1	3	1	6	5	10	13	33	80
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or unknown.	23 73 173	2 8 10	5 13	21 60 150	6 11 80	8 4	<u>1</u>		<u>î</u>	<u>î</u> -	1 2	1	1 2 3	1 1 3	4 6	4 9	3 16 14	12 22 46
Punch symbol	SUPPLEMENTAL 1		10	13	130	80	4	1				2		3	°	0	8	14	40
201 202	Accidents in mines and quarries Accidents from agricultural machinery_	23 10	12 2	5 2	6					<u>i</u> -			3	3 1	4	6	3 2	3	1
203 205	Elevator accidents Other machinery accidents	8 22	8 10	4	8								2	_i -	2 6	4 2 3	2 6	<u>i</u> -	1 1 2 3 5
206 207 208	Railroad and automobile collisions Other railroad accidents Street-car and automobile collisions	45 146	8 64 11	8 20 1	29 62						2 2 2	3	19 1	7 12	7 21 4	3 29 1	10 16 2	4 21	14
209 210	Other street-car accidents Automobile accidents (primary)	12 24 690	11 20 351	107	232		1 4	1	8	7	38	27	1 1 39	2 1 75	79	1 85	3 98	99	8 128
211 212	Motorcycle accidentsOther land-transportation accidents	42	4 11		22	1		1	1	2	6		3	2	1 -		6	·	7
213 214	Water-transportation accidents	34	5		26 3							3	4	1	8	1 -	6	3	

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	<u> </u>		IN CIT	ries—							n	EATHS	BY A	}E			·		
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	44	54	55 to 64 Years	65 years and over
		•				MON	TAN2								,	•	<u> </u>		١
	Total deaths (all causes)	5, 294	1,656	862	2,776	467	64	31	33	21	94	85	138	160	271	418	688	860	1,961
	I.—Infectious and parasitic diseases	658	166	76	416	55	18	16	10	8	23	16	36	38	66	89	101	78	104
1 2	Typhoid fever Paratyphoid fever	· 13	5	3 1	5		1						4	1	3	1	1	2	
125789	Undulant fever Measles	1 12	1 6	1 2	5	5	1	3	<u>1</u>		1			- -		1		1	
8 9 10	Scarlet fever Whooping cough Diphtheria	22	1	3	19 2	12	1 3 1	<u>2</u>	1 3	1	1		2	1	1				<u>ī</u>
11a	Influence recniretory complications	1	35	16	61	11	3	2	1	2	~2	1	5	7	8	19	12	14	25
11b 13	specified Influenza, respiratory complications not specified Dysentery	78 2	21 1	14	43 1	6	4	1		3	4	5	2	2	3	3	9	2	34
15 16	Erysipelas	10	3		7	2 7											1	2	
17 18	cephalitis Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis	9	2 4 3	i	2 4 2			2 			1	<u>-</u>	1 1 1	2	1	2		<u>î</u> -	<u>ī</u>
20	Anthrax (bacillus anthracis) malignant pustule Tuberculosis (all forms)		1			1					1	1				1		1	
23 24	Tuberculosis (all forms) Respiratory system Meninges and central nervous sys-	307 256	61 46	22 13	224 197	5 2	1	4 1	4 2		12 4	9 7	16 14	24 19	43 37	51 45	63 59	37	35 29
	tem	18 10	8 3	3	7 7	2	2	3	2		5 2		· 1	1 3	<u>i</u>	. 2			
25 26 27a	Vertebral column Bones (vertebral column excepted)	$\frac{1}{2}$	• 1	<u>i</u>		<u>i</u>									1				
27b 28	Joints Skin and subcutaneous cellular tissue	1			1							1							1
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)																		_
30 32a	glands excepted. Genitourinary system Acute disseminated tuberculosis Other disseminated tuberculosis	1 6 10	2	3 2	1 3 6		<u>i</u>	 			<u>-</u>	<u>-</u>			1 2	3 1	<u>-</u> -	<u>ī</u> -	1 2
32b,c 34	Synning	1 43	14	5	1 24	5		2			<u>i</u>		2	1	2	8	<u>-</u> -	<u>1</u> 0	5
35 36	real diseases	į.	2	1	1	 -						- -			2	1	1		
42	Other diseases caused by helminths	5	<u>-</u> 1 5	2	3	1										1	1	2	
44	Other infectious and parasitic diseases II.—Cancers and other tumors	15	204	5 85	9 243	1			2	1			2 2	3	3	1	4	5	3
4 t	Cancer and other malignant tumors	513	192	83	238	1			1		1		2	2	8 6	49	8 4 79	153	229
(45) (45)	Buccal cavity Pharynx Tranhagus		5 1 3	3	2 4 2													<u>-</u> -	7 2
(45) (45) (46) (46) (46) (46)	Esophagus Stomach and duodenum Liver and biliary passages	37	50 12	24 8	79 17	ī										9	20 5 5	2 41 13 7	7 2 3 83 15
(46) (46)	PancreasOther digestive tract and perito-	18	7	2	9														6
47 48	neum Respiratory system Uterus	16 55	28 6 22	15 1 9	21 9 24		,								1	5 5 11	8 1 14	23 7 17	27 3 11
49 50	Other female genital organs Breast	7	5 16 16	9	2 17											8	1 1	5	1
50 51 52 53 54b	Male genitourinary organs Skin Other or unspecified organs	39 18 44	16 5 16	5 7 2	17 18 13 21				<u>1</u>				2	1	1 2	1 2 3	9 1 2 13	10 7 4 8	15 29 11 14
54a,e	Nonmalignant tumors, uterus. Nonmalignant tumors, other organs. Tumors, ovary (nature unspecified) Tumors, other organs (nature unspecified)	10 2 1	7	<u></u>	1										2	3	4	1	1
55a 55d,e	Tumors, ovary (nature unspecified) Tumors, other organs (nature unspecified)	6	4		1 2				1					1`		1 1	1	2	
ĺ			_						1					1		1	1	۵	
İ	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases.	130	48	19	63	,	2				,		-	•				.,	
56	Acute rheumatic feverChronic rheumatism, osteoarthritis		5	1	10	3.				1	3	4	5 1	3	8	6	17 2	31	47 4
57 59	Chronic rheumatism, osteoarthritis Diabetes mellitus Rickets	87	·34	1 13	4 40						2	4	4		6	2	9	24	4 36
63 66a 66b	Simple goiter Exophthalmic goiter Other diseases of thyroid and parathy-	,2 1 12	6	3	2 1 3	2										2	3	 5	1 2
(66)	Other diseases of thyroid and parathyroid glands Diseases of thymus gland	1 2			1		1												
67 68	Diseases of thymus gland Diseases of adrenals (Addison's disease not specified as tuberculous)	3	2	1	2	ī	1							- -			1	2	
	IV.—Diseases of the blood and blood-	-							 								i	_	
70	making organs Hemorrhagic conditions	40	13	9	18	4			1		1	1		1	3	3	4	.8	
718 71b	Pernicious anemia	7 15 1	6	1 3	6				1			<u>i</u>			1 1			6	7
72a 72b 74	True leukemias. Pseudoleukemias (Hodgkin's disease) Other diseases of blood and blood-	1 <u>4</u> 1	6	5	3						1				1	3	4	2	3 1
	making organs	2	1		1									1					1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—							D	EATHS	вч л	3E				-	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					MON'	TANA	.—Cor	itinue	i										
	V.—Chronic poisonings and intoxica-	16	6	2	8									1	3	2	3	3	4
75 76	Alcoholism (acute or chronic)	15 1	5	2	8							·····		1	2	. 2	3	3	4
	VI.—Diseases of the nervous system and of the organs of special sense.	469	112	81	276	11	2		i	2	11	2	6	4	12	19	50	86	264
79a 79b	Simple meningitisNonepidemic cerebrospinal meningitis_	8	3	2	3	1				2	2		1		1 1				1
80 81 82a 82b 82c	Progressive locomotor ataxia (tabes dorsalis)	10 15 339 13	2 2 87 4	2 5 61 1	6 8 191 8 1						1	1			1 1	2 2 9 2	3 6 27 1	3 1 67 5	2 4 235 4 1
82d 83 84 85 86 87	Hemiplegia and other paralysis, cause unspecified General paralysis of insane Dementia praecox and other psychoses. Epilepsy	5 16 9 14	2 1	1 2 	2 14 9 13	1					1		<u>-</u>	4	2 3 2	2 1	7 2 1	3 2 2 1	2 3 2 1
86 87 89a 89b	Convulsions (under 5 years of age) Other diseases of nervous system Diseases of ear Diseases of mastoid process	8 18 7 5	1 5 3 2	1 1 1 3	6 12 3	3	2 				3 4	1	<u>2</u> <u>1</u>		ī .	1	2 1	2	9
	VII.—Diseases of the circulatory system	1, 156	398	164	594	5				1	4	6	6	8	35	55	118	224	694
90 91a 91b	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45 years)	1 13 4	6 2	1 1	6 1					1	1		1	· 1	2	<u>1</u> 1	2	2	1 4
92a 92b	Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and	216	69	24	123	1					2	2	3	2	11	17	18	38	122
93a 93b	over)	14 24 15	5 11 11	1 2	8 12 2						1	1		1	<u>2</u> 5	3 8	6	4	8 8
93c 93d 94a 94b	years). Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries.	291 207 75 57	108 55 28 22	37 51 12 5	146 101 35 30								1		5 1 1 1	9	21 14 18 16	51 53 17 14	204 139 34 26
95a 95b 96 97	Functional diseases of heartOther and unspecified diseases of heart. Aneurysm (except of heart)Arteriosclerosis (coronary arteries ex-	146 8	1 47 5	1 18 5	81 3							3		3	7	7 2	1 16 2	29 3	1 81 2 56
98 99 100	cepted)	64 1 8	3	3	1 2											1	1	1 1	1 5 1
101 102 103	Diseases of lymphatic system (lymp- hangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	3 2 2		<u>ī</u>	3 1 2	3 <u>1</u>												<u>-</u> 1 1	i
	VIII.—Diseases of the respiratory system	415	129	65	221	49	11	7	7	2	12	5	12	9	19	29	62	51	139
104a 105 106a 106b 106c,d 107a	Bronchopneumonia	3 8 3 110	3 1 36	2 1 15 38	1 3 3 1 59 106	30	7 2	1	1 3 2	1 1	1 1 2 6	4 1	2 8	1 2 6	7 12	1 4 19	2 9 40	1 7 33	3 5 1 32 70
108 109 110 111a 111b	Lobar pneumonia Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis Pulmonary congestion, edema, hemor-	23 8 2	36 71 2 4 1		19 3 1	861	1 1	6	1		1 1		1 1			2	1 1	3	32 70 8 1
112 114	rhagic infarct	9 4 24	3 1 4	1 2	5 2 18	2										2	8	5	3 9 84
115a	IX.—Diseases of the digestive system Diseases of pharynx and tonsils	21	7	104	152	36	14	3	4	3	17 5	16	6	19	1	34 2 1	78	60	1 1
115b 117a 117b 118	Diseases of buccal cavity and annexa_ Uler of stomach_ Ulcer of duodenum_ Other diseases of stomach (cancer excepted)	5 22 12	3 14 5	2 2 2 2	. 6 5	4					1		1	2	3 2	1 2 2 2	7 3 1	3 2	5 3 6
119 120 121 122a 122b 123 124	Diarrhea, enteritis (under 2 years of age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia Intestinal obstruction Other diseases of intestines Cirrhosis of liver	16 108 24 40 6	12 3 47 9 14 2 14	5 4 28 7 14 2 14	23 9 33 8 12 2 16	3	12	2	2 2	1 1	1 8	1 13 1	7	12	11 	1 14 1 4 1	20 9 6	13 3 5 3 13	6 3 11 11 2 17

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			<u> </u>			1					<u>.</u>					:			
List		AÚ	IN CI	ries—	In .	<u></u>	1	1		,	1	DEATH	BY AC	GE (,			7	
no.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	24	25 to 34 years	44	54	64	years and over
	•				MON	TAN	≜ —Co	ntinue	đ										
	IX.—Diseases of the digestive sys- tem—Continued										-								
125a 125b	Yellow atrophy of liverOther diseases of liver	. 2	1		<u>-</u>												1		
126 127	Other diseases of gall-bladder, biliary	25	10	5	10											1	8	8	8
129	Peritonitis, cause not specified	28 2	10	12 1	6 1									1		5	4	9	8 1
	X.—Diseases of the genitourinary system	415	144	74	197	3		1			2	4	4	7	14	30	53	70	227
130 131	Acute nephritis (including unspecified under 10 years) Chronic nephritis	14 302	3 99	2 50	9 153	3		1			1	1	1	1 5		4	2	1	
132	Nephritis, unspecified (10 years and	32	8	8	16						1	1	2	5	9	18 4	37 6	54 6	176 13
133 134	over) Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages	13 1	9	2	2							1	1	1	2		3 1	1	4
135 136	Diseases of bladder (tumors excepted). Diseases of urethra, urinary abscess.	3		ī	2														3
137 138	etc Diseases of prostate Diseases of male genital organs, not	38	18	7	13											1	2	1 4	31
139b	specified as venereal Other diseases of ovaries, diseases of tubes and parametrium	1 8	1 5	 3														1	
139c	Diseases of uterus	2			2							1			2	1	2	2	
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	60	16	20	24								6	20	20	12	2		
140 141	Abortion with septic conditions Abortion without mention of septic	12 2	4	6 2	2								1	5	5	1			•
142b	conditions (includes hemorrhages) Ectopic gestation, septic conditions not mentioned	5	1	2	2									1	1 2	3 .			
143 144a	Other accidents of pregnancy (hemor- rhage not included)	2	1		1											2			
144b 145a	Placenta praeviaOther puerperal hemorrhagesPuerperal septicemia and pyemia	4		1	3								1	3					
146 147	(abortion excluded)	10 5 3	4 1 1	2 1 2	3								1 2	3	3 1 1	2 2	1		
148	Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified	8								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-		_				_		
149	as septic) Other accidents of childbirth	8	3 1	3	4						·			3	3 4	ī -	1		
	XII.—Diseases of the skin and cellu- lar tissue	2	2			1												1	
152 153	Phlegmon, acute abscess Other diseases of skin and annexa, and	1	1															1	
İ	of cellular tissueXIII.—Diseases of the bones and or-	1	1			1													
154	gans of locomotion Osteomyelitis	5	3 2	1	3								-			3	1	2	
154 155	Other diseases of bones (tuberculosis excepted)	3	1	1	1								-		1	1	_		-
	XIV.—Congenital malformations	43	10	7	26	37	1				3	1 -			1 -				
157a 157b 157c	Congenital hydrocephalus	5 5 21	2 2 2 4	1 5	· 3 2 14	4 5 16	1				1 .								
157d	Other congenital malformations	12		1	7	12							-						
158	XV.—Diseases of early infancy	233	66	53	114	7233		-						j_		——i-		-	
159 160 161	Premature birth	156 44	2 45 16	39 9	72 19	156 44													
162	XVI.—Senility	· 21 51	3 9	5 4	13 38	21									·			1	 50
<u>~</u>	XVII.—Violent and accidental deaths	612	170	95	347	15	13	4	9	3	17	26	47	46	56	86	109	86	95
162	Suicide	125	41	18	66	10		*		0		20	- 2	5	16	21	33	26	22
163	By solid or liquid poisons or by absorption of corrosive sub- stances	31	11	7	13									2	7.	4	7	6	5
164 165 166	By poisonous gas	10 3 71	2 1	2	2 6						-				i	1 -		3	3
167 168	By firearms	7	27	9	35 7								2	1 2 .	7	12 1	$\begin{bmatrix} 21 \\ 3 \end{bmatrix}$	17	1 11 1
169	By jumping from high places	1			i									[[!	. 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	,		IN CIT	TES							I	DEATHS	BYAG	E				,	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					MON	TANA	L—Cor	tinue	d			•							
	XVII.—Violent and accidental deaths—Continued																İ		
173 174	Homicide By firearms By cutting or piercing instru-		12 9	4 2	29 26									4 3	5 5	15 13	11 8	7 6	3 2
175 176	ments By other means Accidental, other, or undefined Attack by venomous animals	6 442 1	3 117	2 73	2 1 252 1	15	13 1	4	9	3	17	26	45	1 37	35	50	1 2 65	53	70
177 178 179	Poisoning by food Absorption of poisonous gas Supplemental Other acute accidental poisonings	3 8 1	3	<u>2</u>	3 3 1								1	<u>-</u> -	1 	1 1	2	i	1 1 1
180 181 182	(gas excepted) Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation	33 1	2 6 13 1 9	1 9	6 4 11	1	3 3	1	1	1 1	3	2	1 6	1	1 2 3 1	1 6 3	3	3	1 2 2 1 1
183	Supplemental Drowning Supplemental Traumatism:	1	<u>2</u> 4	3	6 1 30 10		1 1	1	1	1	5	6	4 5	5 3	3	3 2	1 2 1	1 1	2
184 185	By firearms (wounds of war excepted) By cutting or piercing instru- ments (wounds of war ex-	32	12	8	12							6	3	8	2	5	5	2	1
186a 186b	espted)	62 20	17 5	1 10 4	35 11	<u>-</u> -						1 2	2 1 4	3 2	<u>-</u> -	5 1	1 6 1	<u>10</u> 3	33
188 190 191	Supplemental	38 8 8 3	5 1 1	6 2 1	27 7 5 2	1					. 1	1	3	1	6	7 2 1	9 3 1	6 1 2	3 3 2
192 193 194a 194b	Lighting Due to electric currents Foreign bodies Other accidents Supplemental	5 5 24	2 5 27	4 22	4 5 3 15 49	1 2	2 2	1			3	1 1 5	7 5	1 1 10	1 11	1 1 10	1 7 21	1 3 19	1 1 1 11
	XVIII.—III-defined causes of death	46	8	2	36	14	3			1		3			1	1	5	6	12
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or un- known	2 18 26	5 3	1 1	12 12 22	13	<u>2</u> 1			1		3			1	i	<u>4</u> - 1	1 3 2	1 7 4
Punch symbol 201 202 203 205	SUPPLEMENTAL 1 Accidents in mines and quarries Accidents from agricultural machinery. Elevator accidents. Other machinery accidents.	1	3 1 1	3 1	10 4 2						1	i	1	2 1 1	3 1	2 1	6 1	1 1	1
206 207 209 210	Railroad and automobile collisions Other railroad accidents Other street car accidents Automobile accidents (primary)	2 19 1 96	2 1 31	2 2 2	15 44		 					1 1 2	1 8	1	2	113	7	4	3 1 12
212 213 214	Other land transportation accidents Water transportation accidentsAir transportation accidents	20	3	3	14 8 2				ī 		1 -	3 1	5 2	1 1	2	1 2	2 1 1	2 1	1
					1	VEBR	ASK	A .											
	Total deaths (all causes)		4, 675	1,808	6, 439	1,091	156	89	42	49	172	158	237	267	555	824		1,772	6, 221
1 2 6	I.—Infectious and parasitic diseases Typhoid fever	18	393 7 1 1	173 2	540 9	98	43	18 	17	12	54	2	2	49	111 4	98	111 2 1 1	103 4	317 2
2 6 7 8 9	Measles Scarlet fever Whooping cough Diphtheria	9 26 28 45	1 10 6 15	5 2 5 6	3 14 17 24	2 14 7	2 3 7 3	2 3 2	1 1 3	2 1 5	2 8 2 14	2 4 4	1 2	2		1 3		1	
11a 11b 13	Influenza, respiratory complications specified Influenza, respiratory complications not specified Dysentery	313 231 9	115 47 2	58 41 2	140 143 5	27 18 1	10 6 1	5 3	4 3 2	3	6	6	15 6	5 4	24 8	24 10	29 11	22 22 1	135 122 .4
15 16 17 18 20	Erysipeles Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malignant	17 10 9 15	2 6 4 5 10	1 3	10 3 4 4	1 1 2	3	i	1 i	1	1 3	1	1 1	22	2 2	1 1	3 3 1	ī ī	<u>-</u> 2
22 23 24	pustule	1 11 279 242 6	5 110 98	1 40 35	1 5 129 109	1 4 2	5 3	1 1	i		3 4 1	2 4 4	1 10 9	1 28 27 1	1 59 52	47 45	41 34 1	2 36 29	40 35
18	temee explanatory footnote 2 p. 169.	וסו	11 Z j		4				I	1	, 1	I	1 1	1 1	ı		. 1	1 1	1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	•		IN CIT	ries—							I	EATHS	BY AG	E		•		,,,,,	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	.3 years	-4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					NEBI	RASK	A—Co	ntinue	d	•	•						·		
	I.—Infectious and parasitic dis- eases—Continued		ı									-							,
	Tuberculosis (all forms)—Continued																		
25 26 27b 28	Intestines and peritoneum Vertebral column Joints	13 6 1	5 2	2 1 	6 3 1	1	1				2				2 2	1	3 1	2 2 1	1 1
29	Skin and subcutaneous cellular tissue	. 2		. 2					-										2
30 32a	tissue	2 2 5	1 1		1		1	1							1		1	<u>i</u> -	
34 35	Gonococcus infection and other vene-	98	33	. 5	20 20	10	2	1					2	1	2 6	1 3	1 16	11	6
36 38	real diseases Purulent infection, septicemia (non- puerperal) Malaria	7 7 1	5 6 1	1	2	1					2		1		3 1		1	1	
38 39	Other diseases due to protozoal para- sites	1	1		<u>1</u>	1													
41a 42 43 44	Hydatid cysts of liver Other diseases caused by helminths Mycoses Other infectious and parasitic diseases.	1 2 4 2	2		1 2 2 2	1				 			ī		1 	<u>2</u>		1	i
••	II.—Cancers and other tumors	1,476	562	184	730	1		4		1	3	5	15	4	34	98	234	315	761
(45) (45) (46) (46) (46) (46) (46)	Cancer and other malignant tumors Buccal cavity Pharynx Esophagus Stomach and duodenum Liver and biliary passages Pancreas Other digestive tract and peritoneum	1, 425 40 11 31 346 159 49	533 14 3 16 110 44 26	174 9 2 3 42 18 6	718 17 6 12 194 97 17	1				1	2	4	13	3 1	30 5 1	83 2 1 1 8 3 4	221 6 3 37 19 6	310 9 3 9 78 38 10	752 22 7 18 218 98 28
47 48 49 50 51 52 53 540,e 55d,e	Respiratory system. Uterus. Other female genital organs. Breast. Male genitourinary organs. Skin. Other or unspecified organs. [Nonmalignant tumors, uterus. Nonmalignant tumors, other organs. [Tumors, other organs (nature unspecified).	39	81 23 60 14 42 48 7 45 13 8	185 185 103 122 6	15 62 14 74 74 15 50 34						1 1	3	1 2 7 1 1	1	3 2 9 1 2 2 2 1 2	14 16 4 17 2 11 9	33 7 34 5 41 9 3 18 7 2	44 13 33 10 30 9 3 21	108 13 47 11 44 84 12 42 1 5
	III.—Rheumetic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases.	464	166	56	242	9		2	1	3	3	11	8	13	21	28	52	91	221
56 57 59 63	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Rickets	36 17 332 4	16 5 111	6 1 43 1	14 11 178 3	<u>2</u>		1 1	- 1	1 2	2 1	3 8	1 6	3 8	2 <u>11</u>	5 <u>14</u>	2 4 28 1	4 1 71	12 12 181
64 65 66a 66b (66) 67 68	Osteomalacia Diseases of pituitary body Simple goiter Exophthalmic goiter. Other diseases of thyroid and parathy- roid glands. Diseases of thymus gland. Diseases of adrenals (Addison's disease not specified as tuberculous). Other general diseases.	50 6 4 3	1 2 27 2 1	4	1 1 2 19 4 2 2 5	3 3							1	1	1 5 1	7	1 13 1	13	3 10
	IV.—Diseases of the blood and blood- making organs	133	52	19	62	12		2	1	2	5	1	3	2	9	4	13	39	2 40
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Pernicious anemia Other anemias True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen Other diseases of blood and blood-making organs	17 53 8 33 11 7	6 16 5 13 6 2	3 5 1 4 4 2	8 32 2 16 1 3	8 2 1		1	1	1	2 2 1	1	1	1 1	1 3 2 3	1 1 1	1 3 6 2 1	1 20 1 12 2 1	27 3 7 1
	V.—Chronic poisonings and intoxications	22	14	1	7							;	1	1	2	10	2	3	3
75 76 77a	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning	18 3 , 1	11 2 1	1	6								1	1	2	9 1	2	2	1 2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	IES-							r	EATHS	BYAC	æ		······································			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					NEBR	ask.	A—Co	ntinue	đ	<u>'</u>	·							'	
	VI.—Diseases of the nervous system and of the organs of special sense.	1, 509	471	188	850	23	7	4	4	1	13	12	9	15	25	63	105	990	
78 79a	Encephalitis (nonepidemic) Simple meningitis		7 9	1 2	4 5	2 4	$\frac{1}{2}$	2		1	i	1 1	1 1	13	1	1 2	105 1 1	238 1 1	985
79b 80	Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes dor- salis)	12	6	ĩ	6		- -		1						î	1	5	3	3
81 82a 82b 82c 82d	Other diseases of spinal cord	1, 146 69 8	13 332 29 2	157 3 2	14 657 37 4	2 1	1	i			1	1 	1 1 1	1	2 4 2	29 6	75 3	9 178 10	16 851 43 8
83 84 85	unspecified General paralysis of insane Dementia praecox and other psychoses. Epilepsy	33 30 16	9 8 7 7 2	2 3 1	22 19 9 25						2	3	3	1 7	1 2 3 4	1 6 2 4	2 10 1	8 7 6 3	20 5 5
86 87 89a 89b	Convulsions (under 5 years of age) Other diseases of nervous system Diseases of ear Diseases of mastoid process	33 7 50 18 25	10 10 10 19	1 6 3 1	34 5 5	6 1 5 2	1 1 1	1	1 1 1		2 2 2 4	6	1	3 1 1	3	1 3 5	3 3 1	11 1	23 2 1
	VII.—Diseases of the circulatory system	2, 823	990	366	1, 467	7	3	1		1	8	10	19	15	33	93	238	453	1, 937
90 91a 91b	Pericarditis	11 29	5 12	3 4	3 13	1					<u>ī</u>	1 2	1	2	4	1 3	1 5	5	7 6
92a 92b	years) Endocarditis, specified as chronic, and other valvular diseases Endocarditis, unspecified (45 years and	552	3 186	70	3 296	1	1			1	1 4	6	1 11	8	11	1 31	55	100	323
93a 93b	over). Acute myocarditis. Myocarditis, unspecified (under 45 years).	46 52 10	13 17 3	11 3 1	22 32 6	3	1	1						2	1		6 4	8 13	32 29
93c 93d 94a	Chronic myocarditis and myocardial degenerationOther diseases of myocardium	691 367	271 127	69	351 182						1		1		4	12 2	46 22	111 48	516 294
94b 95a 95b 96	Angina pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart).	183 9	61 84 122 13	58 48 23 2 42 2	119 76 7 178						<u>1</u>	1	3	1	2 2 4 2	12 9 13	30 25 2 25	55 39 1 55	129 107 6 238
97 98 99	Arteriosclerosis (coronary arteries excepted) Gangrene Other diseases of arteries	219 9 30	52 2	29 1	138 6								1				5 6 1	9	14 204 7
100 101	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) Diseases of lymphatic system (lym-	11	10 5		20 6		1							I	1	2	3 1	5 1	18 5
102 103	phangitis, etc.) Idiopathic anomalies of blood-pressure Other diseases of circulatory system	1 1 3	3		1	1											<u>1</u>	1	·····à
704	VIII.—Diseases of the respiratory system.	·	379	142	434	106	37	11	3	6	18	16	16	17	39	56	73	93	464
104a 104b 105 106a	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis	16	1 6 1 5	1 1 1 4	1 7 7	1 4	1	1	1		1	2 1	1 1	Î	2	 1		1 1	2 2 2 10
106b 106c,d 107a	Chronic bronchitis. Bronchitis, unspecified Bronchopneumonia. Capillary bronchitis	20 4 309	1 1 124	3 47	13 3 138	69	26	3	 2		5	6	6		1 5	11	1	18	14 4 144
107b 108 109 110 111a	Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis	466	191 8 9 3	65 3 4 3	1 210 12 7 2	1 24 3 1 1	6 1 2	4 2		6	8 2 2	6	7 1	16	24 3 2 1	34 4 2	51	56 2 2	224 9 6 3
111b 112 113 • 114	Pulmonary congestion, edema, hemorrhagic infarct. Asthma Pulmonary emphysema. Other diseases of respiratory system	38 12 4	13 2 2	7	18 9 2	1 1									1	1 1	 1	2 6 1	34 4 1
111	(tuberculosis excepted)	13 990	9 444	2 185	2 361	79	30	1 22	10	16	30	30	37	37	71	2 116	5 131	124	5 257
115a 115b	Diseases of pharynx and tonsils	70 5	37	11	22	3	1	5	3	2	8	2	5	6	4	5	5 1	10	11 2
116 117a 117b 118	Diseases of esophagus. Ulcer of stomuch. Ulcer of duodenum. Other diseases of stomach (cancer	1 49 25	31 16	8 4	1 10 5									<u>i</u>	4 4	13 8	13 3	6 3	1 13 6
119 120 121	excepted) Diarrhea, enteritis (under2 years of age) Diarrhea, enteritis (2 years and over) Appendicitis.	26 77 57 246	4 14 15 123	3 13 18 53	19 50 24 70	6 50	27	12	3	 8	3	2	3		3	7	4 6	2	11 8
122a 122b 123 124 1 25a	Hernia. Intestinal obstruction Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver	53 102 18 79 7	26 49 9 34 2	20 3 8 1	70 18 33 6 37 4	2 15	1	2	1	1	4	23	3	24 1 1	34 7 1 2 2	30 4 8 2 8 1	32 12 6 1 13	32 9 17 6 8 1	8 22 26 35 8 48 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	-		l .			l						•	•		-				
List		All	IN CIT	TES—	In_		1		1		1	DEATHS	BY AC	E I	1			·	
по.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	34	44	45 to 54 years	55 to 64 years	years and over
					NEBR	ASK	A—Co	ntinue	d										
	IX.—Diseases of the digestive sys- tem—Continued												1	1					
125b 126	Other diseases of liver	12 65	3 33	1 12	8 20	1					 	ļ		1 1	<u>i</u> -	2	1 14	3 13	4 26
126 127	Biliary calculi Other diseases of gall-bladder, biliary passages	1 71	32	14	25									2	5	1 -	12	10	29
128 129	Diseases of pancreas Peritonitis, cause not specified	5 22	3 9	7	2 6	2		<u>ī</u> -				2	1		3	13 1 2	3	2	6
	X.—Diseases of the genitourinary system	1, 100	401	149	550	8	2	4		1	4	3	5	10	31	54	107	152	719
130 131	Acute nephritis (including unspecified under 10 years) Chronic nephritis	35 798	10 274	9 107	16 417	4	2	3		1	2 2	1 2	2	2 6	1 14	32	3 79	3 114	13 547
131 132 133	over)and	87	24	8	55									1	7	2	9	10	58
134	Other diseases of kidneys, ureters (puer- peral diseases excepted) Calculi of urinary passages	1 10	20 5	4 2	12 3	4		1						, 	1	9 2	6 2	4 3	11 3
135 136 137	Diseases of bradder (tumors excepted) Diseases of urethra, urinary abscess, etc Diseases of prostate	1 2	2 2 44	1 15	4 37										 1	1	1 3	1 15	6 77
138 139a	Diseases of male genital organs, not specified as venereal Cysts of ovary	1	3	1	1 2			 								3			1
139b 139c	Other diseases of ovaries, diseases of tubes and parametrium	13	10	2	1								1	1	6	3	2 1		2
139e	Diseases of uterusOther diseases of female genital organs	7 2	5 2		2								1		1	2	i	1	1
	XI.—Diseases of pregnancy, child- birth, and the puerperal state_		60	24	48								14	27	53	36	2		
140 141	Abortion with septic conditions	28 7	20 4	.4	4 2								5. 1	9	9	5 2			
142a 142b	specified specified	1	1											1					
143	Ectopic gestation, septic conditions not mentioned. Other accidents of pregnancy (hemor- rhage not included).	4	1		3										3	1			
144a 144b	Other ouerneral hemorrhogae	3 2 10	2 8	<u>-</u> 1	1 1 2									3	2	1 2 4			
145a 146	Puerperal septicemia and pyemia (abortion excluded) Puerperal albuminuria and eclampsia	29	10	8	11					-			3 4		15	7 7	1		
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as	7	6 2	5 3	9 2									3 2 2	6 3	2			
149	other accidents of childbirth	6 15	1 5	2	5 8								<u>-</u> -	1 5	2 7	3 2			
į	XII.—Diseases of the skin and cellu- lar tissue	18	7	2	9	4		,							2	4	2	2	4
151 152	Furuncle, carbunclePhlegmon, acute abscess	5	2	1											1	3			1
153	Other diseases of skin and annexa, and of cellular tissue	7	1 4	1	4 3	2 2									1	1	2	1	3
	XIII.—Diseases of the bones and organs of locomotion	/ 13	6	1	6	1		1				1	1	2		1	2	3	1
154 155	OsteomyelitisOther diseases of bones (tuberculosis	8	4		4			1				1	1	2		1	1	1	
156	excepted) Diseases of joints, other organs of loco- motion	2	1	1	2	1					 						₁	1	
	XIV.—Congenital malformations	152	45	24	83	138	5	2			1	2	2	1		1			1
157a 157b	Congenital hydrocephalus Spina bifida and meningocele	24 18	8 3 21	4	16 11	17 18	2	1				2	1	1					
157e 157d	Congenital malformations of heart Other congenital malformations	18 73 37	21 13	13 7	39 17	70 33	1 2	<u>i</u>			1		1			1	 		
158	XV.—Diseases of early infancy Congenital debility	565 35	178	82	305	565													
159 160	Premature birth Injury at birth Other diseases peculiar to early infancy	362	116 48 12	51 19	26 195 55	35 362 122													
161 162	Other diseases peculiar to early infancy. XVI.—Senility	1	12 32	5 22	29 99	46												1	152
	XVII.—Violent and accidental deaths_	1, 237	468	181	588	22	28	18	6	6	32	36	64	72	124	157	189	142	339
163	Suicide	277	107	35	135							1-2	6	16	30	49	56	50	59
164 165	By poisonous gas	26 53	27 23 8	7 1 5	14 2 40								1 2	6 3	8 2 4	13 5 4 3	8 6 14	8 4 10	4 6 19
166	By drowning	! 7	1	3	3	l	1	'	·	'	1	·	·			1 3	` <i></i>	1	3

69301-35---20

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

-			}			1	··········												
T 4-4			IN CIT	TES—	In						D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
]	NEBR.	ASKA	.—Cor	atinue	i										
	XVII.—Violent and accidental deaths—Continued Suicide—Continued																		
167 168 169 170 171 173 174 175 177 178 180 181 182 183 184 185 186a 186b 187 188 190 191 192 192 193	By firearms By cutting or piercing instruments. By jumping from high places. By crushing By other means Homicide. By firearms By cutting or piercing instruments. By other means. Accidental, other, or undefined. Poisoning by food Absorption of poisonous gas. Supplemental. Other acute accidental poisonings (gas excepted). Conflagration. Burns (conflagration excepted). Supplemental. Mechanical suffocation. Drowning. Supplemental. Traumatism: By firearms (wounds of war excepted). By cutting or piercing instruments (wounds of war excepted). Supplemental. By cutting or piercing instruments (wounds of war excepted). Supplemental. By cutting or piercing instruments (younds of war excepted). Supplemental By cutting or piercing instruments (younds of war excepted). Supplemental. By cutting or piercing instruments (younds of war excepted). Supplemental. By cutting or piercing instruments (younds of war excepted). Supplemental. By all. Supplemental. De cutting or piercing instruments (younds of war excepted). Supplemental. De you shing, landslide. Supplemental. Catacylsm. Injuries by animals. Excessive cold. Excessive cold. Excessive heat. Lightning. Due to electric currents.	120 121 12 3 3 4 51 35 8 8 909 111 12 72 3 3 8 8 47 5 5	39 4 4 1 29 20 332 20 2 2 3 22 10 3 2 10 3 2 10 2 2 10 3 2 2 2 2 3 3 2 2 2 3 3 2 2 2 3 3 3 3 2 2 1 3 3 3 3 3 3 3 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5	16 1 2 5 2 141 1 1 10 11 11 3 5 2 2 17 7	65 7 22 17 13 2 2 6 8 8 8 1 6 8 8 4 0 0 2 4 3 1 1 3 0 3 4 6 6 6 2 3 3 8 8 4 6 6 6 2 3 3	1 1 1 1 7 7 3 3 3 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2	28 1 2 1 5 8 8 1	18	1	6 1 1 1	1 1 31 8 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	385 2 2 2 2 2 2 2 1 1 1	3 4 3 3 1 1 5 4 4 2 1 1	566 1 1 4 4 2 5 1 10 1	12 1 1 2 16 13 3 2 2 1 5 5 6 6 3 1 9 2 2 1 1	19 2 2 2 3 1 1 95 6 3 7 1 1 8 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31 4 2 1 5 3 1 1 1 1 1 8 2 9 9 	22 4 4 7 7 4 2 1 1 7 7 7 2 1 1 7 7 5 5 1 2 2 2 1 4 4 2 2 2	25 1 2 2788 1 4 3 13
194b	Other accidents	47 200	18 82	4 39	25 79	5	1	1	2	3	11	2 9	3 16	4 16	7 23	4 27	6 33	2 23	11 35
199 200a 200b	XVIII.—Ill-defined causes of death Sudden death Cause of death ill-defined Cause of death not specified or unknown.	74 13 35 26	5 2	9 1 1 7	12 29 17	18 2 3 13	1				1			1		5 2 1 2	12 2 8 2	13 4 6 3	21 2 16 3
Punch symbol 202 203 205 206 207 208 209 210 211 212 213 214	Accidents from agricultural machinery Elevator accidents Other machinery accidents Railroad and automobile collisions Other railroad accidents Street-car and automobile collisions Other street-car accidents Automobile accidents (primary) Motorcycle accidents Other land-transportation accidents Water-transportation accidents Air-transportation accidents	12 4 7 10 37 1 2 212 1 29 4	4 1 3 18 1 2 78	2 9 	12 6 5 10 		3	1 2	1	2	1 10	7 8	3 20 2	1 1 3 21 1 1 2 1	3 4 	4 1 33 2	3 2 2 3 12 	1 3 5 1 20	1 6 5
						NEV.	ADA								-		_		
	Total deaths (all causes)	1, 342	350	361	631	88	12	10	8	7	22	24	28	51	122	148	203	243	375
1 7 8 9 10 11a	I.—Infectious and parasitic diseases Typhoid fever	205 8 2 5 6 35	32 1 	1 1 2 2 4 4	119 6 1 2 3 2 24 9	2 1 4	1	1 2 1			12 1 1 1 1 2	10	11 3	18 1	26 1 1 7	29 1 2 9	27 1 4 1	21 	29 7 4
	Dysentery Erysipelas Acute poliomyelitis, acute polioence- phalitis Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis ee explanatory footnote 2, p. 169.	1 1	1	6	1 2 1		1				<u>1</u>	1 2		 1	3	 <u>1</u>			1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	res—					<u>=</u>		D	EATHS	BY A	GE				1	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	•				NEV	ADA-	–Cont	inued											
	I.—Infectious and parasitic diseases— Continued.											-							·
23 24	Tuberculosis (all forms)	94 86	10 10	25 21	. 59 . 55	1		1	2 2		4 4	4 4	5 5	12 11	10 8	14 13	16 16	12 10	13 12
	system Intestines and peritoneum Vertebral column	2 2 2 1 1 15		<u>1</u> 1	2 1 1			1						<u>1</u>	1			<u>i</u> 1	i
25 26 30 32a 34	Genitourinary system Acute disseminated tuberculosis Syphilis Gonooccus infection and other vene-	1 1 15	3	1 1 5	7						<u>i</u>			<u>-</u>	1 2	1 2	 4	3	<u>2</u>
35 36	real diseases	2	1	1					1				 1	1	1				
38 44	MalariaOther infectious and parasitic diseases	3		2	1 1		1 				<u>i</u> -						1		1
,	II.—Cancers and other tumors Cancer and other malignant tumors	90 85	35	15 14	40 39					1					2	5 4	17 15	25 25	40
(45) (45) (46) (46) (46) (46)	Buccal cavity	[11	1 3 4 3	8 1	11 7											<u>2</u>	3 1	8 4	1 3 10 6
	PancreasOther digestive tract and peri- toneum	1 12 1 5	5	<u>-</u>	7												2	6	1 4 1
47 48 50 51 52	Uterus Breast	0	4 6 3	<u>-</u>	1 3 4					i						1 1	4 2 1	4 2	2 8
53 54b 54d,e	Male genitourinary organs. Skin Other or unspecified organs. Nonmalignant tumors, uterus. Nonmalignant tumors, other organs.	2.	3 1 1	i	2 3										1		1 1 1	1	
55a 55d,e	Tumors, ovary (nature unspecified)	1	1		1										1	1			Ē
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases.	25	7	7	11	2							1	2		3	2	11	4
57 59 60	Chronic rheumatism, osteoarthritis Diabetes mellitus	3 16	6	1 4	2 6 1	1							1	1		2	<u>i</u>	9	1 1 3
66b 67	ScurvyExophthalmic goiter Diseases of thymus gland	1	1	• 1	2 	<u>i</u>								1		1	1	î	
70	IV.—Diseases of the blood and blood- making organs.			2	1	1										1			1
70 71a 72a	Hemorrhagic conditionsPernicious anemiaTrue leukemias	1 1 1		1 <u>1</u>	1	1 										1			1
	V.—Chronic poisonings and intoxications	8	4	2	2				ļ						2		1	4	1
75 76	Alcoholism (acute or chronic) Chronic poisoning by other organic substances	5 3	3	2 	2 										1		1	3 1	1
	VI.—Diseases of the nervous system and of the organs of special sense	99	24	25	50	1						2	1			. 7	8	29	51
78 79a 80	Encephalitis (nonepidemic) Simple meningitis Progressive locomotor ataxia (tabes	4	2	<u>ī</u>	1							<u>-</u> i				2		1	<u>1</u>
81 82a 82b 82d	dorsalis) Other diseases of spinal cord. Cerebral hemorrhage Cerebral embolism and thrombosis.	69	1 13 3	16 1	4 40 1							1				1 2 1	4	1 22 2	2 41 2
	Hemiplegia and other paralysis, cause unspecified. General paralysis of insane. Dementia praecox and other psychoses.	6	1 2	1 4 1	1							.					1 1	1 2	1 3
83 84 85 87 89a	Epilepsy Other diseases of nervous system Diseases of ear	. 1	1	1	1	i			-				1			1			1
	VII.—Diseases of the circulatory system		67	76	91	<u></u>	ļ				_ 1	1	2	1	5	17	44	59	,104
91a 91b	Acute endocarditis Endocarditis, unspecified (under 45 years)	1	1				-				1	ļ	1				-		
92a 92b	years) Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and over)		16	19	22			<u> </u>	<u> </u>					_ 1	2	7	12	11 2	24
		. 4	11 X		1	1,					-1		- ,	_,		_,	-,		,

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

			IN CIT	TES—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	65 to 64 years	65 years and over
					NEV	ADA-	-Cont	inued									1		
	VII.—Diseases of the circulatory system—Continued																		
93a 93b	Acute myocarditis. Myocarditis, unspecified (under 45	5	2	3												1	1	1	2
93c 93d 94a 94b 95b 96	years). Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries. Other and unspecified diseases of heart. Aneurysm (except of heart).	13 21	23 5 6 4 4	25 12 3 6 3 1	20 13 9 3 14										1 1 1	1 3 1 1 3	13 6 4 4 2	17 9 5 3 8	35 14 7 5 7
97 98 100	Arteriosclerosis (coronary arteries excepted). Gangrene. Diseases of veins (varices, hemorrhoids, phiebitis, etc.).	11 1	1 2	2	8												1	2	9 1
	VIII.—Diseases of the respiratory system	135	37	44	54	18	2	2	1	2	3		4	3	16	10	27	19	28
104b 105 106b 107a 108 109 110 111a 111b	Diseases of nasal fossae and annexae Diseases of larynx. Chronic bronchitis. Bronchopneumonia. Lobar pneumonia. Pneumonia, unspecified. Pleurisy. Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorr	1 1 38 69 7 4 3	8 21 1	1 1 8 27 3 2 1	22 21 3 2	12 4 1 1	1	1	1	2	2 1		1 2 1	2	2 14	2 8	3 14 1 2 2	1 3 11 1	9 12 1
112 114	hagic infarct Asthma Other diseases of respiratory system (tuberculosis excepted)	4 2 5	2 3	1	2 2 1												4	2	2 2 1
1150	IX.—Diseases of the digestive system.	104	38	25	41	16	1	1	3	1	2	1	1	1	9	17	20	16	15
115a 117a 117b 118 119 120 121 122a 122b 123 124 125a 125b 126 127	Diseases of pharynx and tonsils. Ulcar of stomach. Ulcar of stomach. Ulcar of stomach. Ulcar of stomach (cancer excepted). Diarrhea, enteritis (under 2 years of age). Diarrhea, enteritis (2 years and over). Appendicitis. Hernia Intestinal obstruction. Other diseases of intestines. Cirrhosis of liver. Yellow atrophy of liver. Other diseases of liver. Billary calcull. Other diseases of gall-bladder, billiary passages.	5 13 1 3 15 6 27 3 11 4 8 1 2 2	3 5 1 1 1 1 2 7 3 4 1	2 1 4 2 7 7 1 3 3	1 10 4 12 1 1 1 2	1 14		1	3	1		1		1	2 1	1 3 4 	4 1 1 7 1 2 1 2	3 1	1 2 2 2 2 3 1 1
	X.—Diseases of the genitourinary system	106	37	28	41	2				1	1	3	1	1	5	4	12	21	55
130 131 132 133 134 135 137 139b	Acute nephritis (including unspecified under 10 years) Chronic nephritis Nephritis, unspecified (10 years and over) Other diseases of kidneys, uneters (puerperal diseases excepted) Calculi of urinary passages. Diseases of bladder (tumors excepted) Diseases of prostate Other diseases of overles, diseases of	7 79 6 1 4 2	6 24 1	20 3	1 35 2 1 1	1				1			1 .		1	2	10 1	1 14 2 3 1	51 2
139c	Diseases of uterus	5 1	3 1	2										1	3 1	1		·	
144b 145a	XI.—Diseases of pregnancy, child-birth, and the puerperal state. Abortion with septic conditions. Ectopic gestation, septic conditions not mentioned. Other puerperal hemorrhages. Puerperal septicemia and pyemia (abortion excluded).	8 1 1 1 1	2	1	5 1 1 2									3	1 . 1 . 1 . 1	1 -			
149 157c	Puerperal albuminuria and eclampsia Other accidents of childbirth XIV.—Congenital malformations Congenital malformations of boort	3 .	1		3	2	1 -						-	1 -		1			
157d 158 159 160	Other congenital malformations. XV.—Diseases of early infancy. Congenital debility. Premature birth Injury at birth Other diseases peculiar to early infancy.	33 1 21 7 4	5	11	17 1 1 1 2 3	33 _ 1 _ 21 _ 7 _ 4													

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	AGE FOR THE REGI	N 1 1021	1	11101		1													
	•		IN CIT	TES-	In						1	DEATH	BY A	GE -					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	25 to 34 years	44	45 to 54 years	55 to 64 years	65 years and over
*	ı				NEV	ADA-	-Cont	inued						-					
162	XVI.—Senility	20	4	1	15													1	19
	XVIIViolent and accidental deaths	245	58	68	119	3	. 3	1		2	3	7	7	22	52	51	41	30	22
163	Suicide By solid or liquid poisons or by	43	12	15	16								1	2	13	5	10	. 5	6
164	absorption of corrosive sub- stances	7 2	2	3 1	2					- -					4	1		1	- 1
165 166 167	By hanging or strangulation By drowning By firearms	2 1 28	1 6	10	2 <u>12</u>									<u>2</u>	8	1 2	1 8	1 3	5
168 170	By cutting or piercing instruments. By crushing	2	2	1 14	14						1		<u>1</u>		11	7	1 5	4	
173 174	Homicide	28 4	8 5 1	10	13						i	1	2	4 3 1	7	5	4	4	î
175 178	By other means	166 3	38 2	39 1	89	3	3	i		2	2	6	4	16	28 1	39 	26 1	21 1	15
179	Other acute accidental poisonings (gas excepted)	8 3	4		4 3		1	1		<u>i</u> -		1		 	1	1	3	1	
180 181 182 183	Absorption of poisonous gas. Other acute accidental poisonings (gas excepted). Conflagration. Burns (conflagration excepted). Mechanical suffocation.	5 1 6	1	2	2 1 5		1 i					1		<u>-</u>	<u>-</u>	3	<u>1</u>	2	
183	Drowning Supplemental Traumatism:	3			3										î	Î			1
184 185	By firearms (wounds of war excepted)	8	2	2	4	 -									2	3	1	2	
186a	By cutting or piercing instru- ments (wounds of war ex- cepted)	1 16		2	1 10						1		- -		4	3	2		-
186b	Supplemental By crushing, landslide	13	2	4	7]]							1	3	4 5 2	1 2	2	1	1
188 190	cepted) By fall Supplemental By crushing, landslide Supplemental Injuries by animals Excessive cold. Excessive heat	17 1 1	4	5 	8 1 1	 	 						2	3	1 	7 	1 	1 <u>1</u>	1
191 193					2	1								1		1	~		
194b	Due to electric currents Supplemental Other accidents	1 12	<u>4</u> 14	4 14	1 4	2				1	1	3	<u>-</u> -	6	1 2 7	3 13	2 11	4 8	
198 .	Supplemental Legal executions	ł			27 1												1		
199	XVIII.—Ill-defined causes of death	24		2	22	2		1							1	3	4	7	6
200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or un- known	15 7		1	14 6	1									1	3	3	2	3 3
Punch symbol	· ·	_			_										1	3	'1		
201 202 205	Accidents in mines and quarries Accidents from agricultural machinery Other machinery accidents	5 1 10	2	. i	5 5							<u></u>		1	4	4	1		
206 207 210	Railroad and automobile collisions	1 9	3	$\frac{1}{2}$	4	2			 					3 7	1 8	14	1 3 6	<u>-</u> 1 9	1
210 212 213	Automobile accidents (primary) Other land transportation accidents Water transportation accidents	59 1 3	15	15 1	29					1		4 				1	i 		<u>1</u>
			<u> </u>	l	NEW	HA	MPSI	: ::::::::::::::::::::::::::::::::::::				ļ	<u> </u>	1	<u> </u>	1	<u> </u>	<u> </u>	
	Total deaths (all causes)	6, 329	3, 013	516	2,800	460	49	27	11	13	60	56	80	95	209	328	576	956	3, 379
	I.—Infectious and parasitic diseases	449	198	43	208	41	14	9	2	2	8	14	20	21	47	53	57	48	113
1 7 8 9	Typhoid fever Measles	8 6	4 2 6	2 2	2 2		2					1	2	1	2	1	1		ī
8 9 10	Scarlet fever	11 13 4	6 8 3	1	4 4	10 1	1	3	<u>1</u>		1 2	3	1		1	3			
11a	Influenza, respiratory complications specified	96	44	8	44	10	5	1			1	1	1	1	3	6	12	11	44-
11b	Influenza, respiratory complications not specified Dysentery	53 1	17	8	28	6	4	1			1 1	2	2	1		3	2	3	28.
13 15 16	Erysipelas. Acute poliomyelitis, acute polioenceph-	8	3	ī	4	3										1		2	2:
17	alitis Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis	2 4 3	$-\frac{1}{2}$	1 1	1 3		`1 			1			1	• 1		1	<u>1</u>		2:
18 22	Tetanus Tuberculosis (all forms)	3 210	93	13	1 104	1 1 1	1	3		<u>i</u>	2	1 5	111	17	36	34	35	30	34
23 24	Respiratory system Meninges and central nervous system tem	177	73 8	10	94	1	1	3		1	2	2 2	11	14	31	31	31	27	30
18	see explanatory footnote 2, p. 163.		., 0						,										

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—	_						1	DEATHS	BYA	de					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				NE	W HA	MPSI	HRE	Con	tinued										•
	I.—Infectious and parasitic dis- eases—Continued														1				
25 26 27b 28	Tuberculosis (all forms)—Continued Intestines and peritoneum Vertebral column Joints.	7 4 1	4 2 1	1	2 2							1		2	1	1	<u>1</u> 1	1 1	2
30	Skin and subcutaneous cellular tis- sue Genitourinary system	3 5 2	1 2 2	ī	2 2									<u>-</u>	2 1 1	2	1	1	1
32a 34 35	Acute disseminated tuberculosis	16 2	6 2	4	6	3									3 2	3	5	2	
36 38 43	Purulent infection, septicemia (non- puerperal) Malaria Malaria Mayosas	4 3 1	1 3	<u>1</u>	3	1 2			1				1			1			1 1
44	Other infectious and parasitic diseases_ II.—Cancers and other tumors	771	370	61	340	1	1			1	1	3		1	10	34	118	176	422
(45) (45)	Cancer and other malignant tumors Buccal cavity Pharynx	751 17 10	360 6 5	60	331 10 5		1							1		30	112 1	174 6 2 3	419 10 8
(45) (45) (46) (46) (46) (46) (46)	Esophagus Stomach and duodenum Liver and biliary passages Pancreas	5 145 84 18	66 41 11	1 8 5 1	2 71 38 6											2 1 2	17 10 4	44 19 4	81 54 81
47	Other digestive tract and perito- neum	04	68 12 44	18 1 5 2	65 9 35		1					.		1	3	5 1 8 1	20 8 21	31 6 15 2	88 7 38
48 49 50 51 52	Other fe male genital organs Breast	64 65 19	28 33 12 30	8 5	3 28 27 7 25		1				1					6 2	12 4 3 12	15 11 3 13	88 7 38 4 30 47 13
53 54a 54b 55b	Other or unspecified organs Nonmalignant tumors, ovary Nonmalignant tumors, uterus. Tumors, uterus (nature unspecified)	6	3 1		3					-		. 1				4	i		
55 d,e	fied) TIT —Rheumatic diseases, nutritional	. 12	6	1	5					_ 1		-			3		5	2	1
	diseases, diseases of the endo- orine glands, and other gen- eral diseases.	201	94	15	92	5	1	1		_ 1	2	4	4	. 5	5	9	17	51	96
56 57 59 62 63 65	Acute rheumatic fever	. 148	6 5 66 1	1 10 1	7 72			1			2	1	2	1	5	1 2 5	4 2 11	1 3 44 1	79
66b	Rickets— Diseases of pituitary body— Exophthalmic goiter— Other diseases of thyroid and para-	2	1 5		2	1		1				1				1		1	
(66) 67 68	thyroid glands. Diseases of thymus gland. Diseases of adrenals (Addison's disease not specified as tuberculous).	t	2 3 2	1	3	3	- _i			1	-	1		1 1				. 1	
69	Other general diseases. IV.—Diseases of the blood and blood- making organs.	3	29	4	29		1	1		-	3	-	2	1 2		2	9	15	2
70 71 71 72a	Hemorrhagic conditions Pernicious anemia	5 25			3 14	2		1	-	-	1						1 3	11	1
72a 72b 73	Other anemias True leukemias Pseudoleukemias (Hogkin's disease) Diseases of the spleen	. 6	10 3 4	1	. 5	2			-				I 1			2	3 1 1		
	V.—Chronic poisonings and intoxications	_ 8	2	1	. 5	ļ				-					_ 2	-1	3	2	
75 76 77a	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning	_ 1	11		_ 1				 	-		-			1		1	2	
,,_	VI.—Diseases of the nervous system and of the organs of special sense.		368	67	378	8	1				_ 5	4	5	2	7	24	60	138	55
78 79a 79b	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis	- 8	6		3 2		1				1 2			1	1 1 1	1			
80 81 82a 82b	Progressive locomotor ataxia (tabes dorsalis)	- 11 18 - 644	285 26	59 2	300	1			-		i	1	1 1		1	1 12 3	3	111	3
826 82d 83	Softening of brain Hemiplegia and other paralysis, cause unspecified General paralysis of insane	- 4	5		2 6		-		-			-	-	-		3	1	_ 2	- '

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							3	DEATH	BY AG	3E ·				-	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	64	65 years and over
				NEV	V HA	MPSI	ORE	-Con	tinued		.							<u>. </u>	
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
84 85 86 87 89a 89b	Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age) Other diseases of nervous system Diseases of ear Diseases of mastoid process	11 4 26	2 4 1 11 2	1 1 1 1	2 6 2 14 1	4 1					1	2	1 1 1	1	1	i	3	2 1 7	1 2 16 1
	VII.—Diseases of the circulatory system	1,775	815	140	820	1	1				4	7	5	6	16	62	125	274	1, 265
90 91a 91b	Pericarditis	3 12 2	1 6 2	4	2 2							2	1	1 1	1	1 1	1	1 3	2 2
92a 92b	years). Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years	359	161	33 1	165						2	5	2	2	7	24	32 2	51	234
93a 93b	and over) Acute myocarditis. Myocarditis, unspecified (under 45 years) Chronic myocarditis and myocardial	25 19 3	14 9 3	1	10 9				 						ī	2 3	2	5	19 8
93c 93d 94a 94b	Chronic mycearditis and myceardial degeneration. Other diseases of myceardium. Angina pectoris. Diseases of coronary arteries.	215	205 67 109 50	26 10 14 6	163 68 92 41										1 1 1	4 6 6	25 6 17 5	59 29 56 19	301 108 135 65
95a 95b 96 97	Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart). Arteriosclerosis (coronary arteries ex-	237	88 5	22	127		<u>i</u> -				1 		2	1	2 1	12	25 3	34	65 1 159 2
98 99 100	cepted)	12 12	82 3 5	20 2	130 3 5						<u>1</u>				<u>-</u>	1 1	5 2	9	216 6 4
103	phlebitis, etc.)Other diseases of circulatory system	5 2	3 2	1	1	<u>ī</u> -								1		1		1	2 1
	VIII.—Diseases of the respiratory system		208	54	199	60	14_	6	2	3	10	4	5	4	13	26	37	45	230
104a 104b 105 106a 106b 106c,d 107a 107b 108	Diseases of nasal fossae and annexae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified Bronchopneumonia. Capillary bronchitis Lobar pneumonia. Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis		1 4 5 77 92 11	1 2 21 21 6	1 1 2 7 7 5 75 3 67	1 	10 10 11 11	4	1	1	1 1 1 1	3	5	1 2	1 2 9	1, 2	1 12 19 2 1	2 12 22 2 2 2	1 10 7 6 82 2 85 21
110 111a 111b 112 113 114	Pulmonary congestion, edema, hem- orrhagic infarct Asthma Pulmonary emphysema Other diseases of respiratory system	7 4 1	4 7 4 1	1	3 4 2 3 1			1			1					2 <u>2</u>		2 2	7 1
	(tuberculosis excepted)	336	2 213	29	94	30	7		3	3	1 14	7	6	9	22	32	2 45	56	100
115a 115b 116 117a 117b 118	Diseases of pharynx and tonsils. Diseases of bucal cavity and annexa. Diseases of esophagus. Ulcer of stomach. Ulcer of duodenum. Other diseases of stomach (cancer ex-	5 2 25 10	10 2 2 2 13 8	3	5 3 9 2	1				1	. 1	1	3	1	1	1 1 5 2	2 2 2	2 1 1 9 4	7 3 9
119 120 121 122a 122b	cepted). Diarrhea, enteritis (under 2 years of age). Diarrhea, enteritis (2 years and over). Appendicitis. Hernia. Intestinal obstruction.	. 28 10 71 18 29	18 5 47 13 22	3. 4 1 6 1 1	8 6 4 18 4 6	25 1	3 1 1		3	2	1 8	6	3	4 1 1	7 1 4	7 2 1 1	13	3 7 3 4	6 9 11 14
123 124 125a 125b 126 127	Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary passages	6 36 2 4 32	6 19 1 1 26	3 1 3 1	14 1 2 3	1	1								5	1 2 1 4 3	2 6 1 1 5	8 3 6 8	21 1 10 8
128 129	Diseases of pancreas Peritonitis, cause not specified	5	4	1	2		1								2	1		. 1	
40-	X.—Diseases of the genitourinary system		263	33	285	2	1				1	ļ <u></u> .	3	5	19	34	58	95	359
130 131	Acute nephritis (including unspecified under 10 years) Chronic nephritis	13 468	9 203	1 25	3 240	1	1			-	1		1	3	12	3 21	1 47	77	303

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—]	DEATH	S BY A	G E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	25 to 34 years	35 to 44 years	54	64	65 years and over
				NE	W HA	MPSI	URE	Con	tinued		· · · · · · · · · · · · · · · · · · ·	<u>'</u>	<u> </u>		<u></u>		,	<u> </u>	
	X.—Diseases of the genitourinary system—Continued																		
132	Nephritis, unspecified (10 years and	41	10		00	i	!										_		
133	over)Other diseases of kidneys, ureters (puerperal diseases excepted)	41 8	16 4	1	23	1					1				1	3 2	6	7	24 3
134 135	Calculi of urinary passages Diseases of bladder (tumors excepted).	1 5	1 3	1	1													1	<u>4</u>
136 137	Diseases of urethra, urinary abscess, etc	3 24	2 11	3	1 10												1	2 4	20
139a 139b	Other diseases of ovaries, diseases of	5	4		10									1	ī		1	i	1
139e	tubes and parametriumDiseases of uterus	9 4	8 2		1 2								<u>i</u>	1	5	2 3	1		
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	46	31	4	11								1	10	24	10	1		
140 141	Abortion with septic conditions	4	3		1										4				
142b	conditions (includes hemorrhages) Ectopic gestation, septic conditions	2	1		1								1		1				
143	not mentioned	2	1		1	- -									1	1	,		
144b 145a	Other puerperal hemorrhages Puerperal septicemia and pyemia	1	1												1				
146 147	(abortion excluded)	5 18 1	2 15 1	2	3 1									2 5	2 8 1	1 5			
148	Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified																		
149	as septic) Other accidents of childbirth	6	2	1 1	3									3	2 4	1 2			
	XII.—Diseases of the skin and cellu- lar tissue	6	4		2	 								2			2		2
151 152	Furuncle, carbunclePhlegmon, acute abscess	2 2	1 2		1									1 1			1		
153	Other diseases of skin and annexa, and of cellular tissue	2	1		1	 													2
	XIII.—Diseases of the bones and organs of locomotion	7	4		3		1	1						_				1	4
154 155	OsteomyelitisOther diseases of bones (tuberculosis	5	3		2		1	1										1	2
156	excepted) Diseases of joints, other organs of loco-	1			1		••												1
	motionXIV.—Congenital malformations	1 75	43	4	28	63	6												1
157a	Congenital hydrocephalus	13	8	2	3	12		<u>3</u>		1			1	1					
157b 157c 157d	Spina bifida and meningocele	15 34 13	9 17 9	1 1	6 16 3	14 28 9	1 2 3	1 1		<u>i</u> -			1	1					
-5/	XV.—Diseases of early infancy	241	142	21	78	241													
158 159	Congenital debility Premature birth	25 148	12 84	4 12	9 52	25 148													
160 161	Injury at birthOther diseases peculiar to early infancy	45 23	31 15	. 5 	. 8	45 23													
162	XVI.—Senility	64	22	2	40													1	63-
	XVII.—Violent and accidental deaths	415	203	36	176	4	1	6	4	2	11	13	28	26	43	41	43	51	139
163	Suicide By solid or liquid poisons or by	96	41	8	47							2	2	5	15	12	17	21	21
164 165	absorption of corrosive substances By poisonous gas By hanging or strangulation	4 15 25	12 12 12	4	2 3 9							1	1	1 1	3	1 2 4	1 7	3 4	6 5
166 167	By firearms	8 40	11	4	8 25			-				1	<u>1</u>	3	2 7	<u>+</u>	' 9	5 7	1 8
168 171	By cutting or piercing instruments. By other means. Homicide.	3 1 1	3 1 1												 	1 <u>i</u> -		1 1	i
173	By firearmsAccidental, other, or undefined	1 318	1 161	28	129	4	1	6	4	2	11	11	26	21	28	1 28	<u>2</u> 6	30	118
177 178 179	Poisoning by food Absorption of poisonous gas Other acute accidental poisonings	1 11	1 11											<u>-</u> -	2	4	$\begin{array}{c c} 1\\2 \end{array}$	1	<u>-</u>
180	(gas excepted) Conflagration	4 6	1	1	2 5										3	2	1	<u>-</u>	$\frac{1}{2}$
181 182	Burns (conflagration excepted)	15 1 1	13 1		2	1		1	3		1			1	2		2	2	3 <u>1</u>
183	Drowning Supplemental	35	11 1		24		1	1				6	11	5	6			2	1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		1	1			II		-											
			IN CIT	nes—	In			<u>. </u>			1	DEATH:	S BY AC	JE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	44	45 to 54 years	64	65 years and over
				NEV	W HA	MPSI	HRE	-Cont	inued								•		-
	XVII.—Violent and accidental deaths—Continued																		_
Ì	Accidental, other, or undefined—Con. Traumatism:																		•
184	By firearms (wounds of war excepted) By cutting or piercing instru-	10	4		6							1	3		3	1	1		1
185	ments (wounds of war ex-	. 1			. 1							1							-
186a	cepted) Supplemental By fall Supplemental By crushing landslide—	1 109 5	59 2	11 1	39 2	1		1			1	1	1		2	4	1 6	9	85
186b 188	By crushing landslide— Supplemental	3		1	2					 -						1	1		1
190 191	Supplemental Injuries by animals Excessive cold Excessive heat	2 3 1	1		3									2		 		1	1
192 193 194b	Due to electric currents	1	<u>1</u>	 1	1 1 10	1					 4					1 4		1 i	
	Other accidents	90 18	50 4	13 2	27 12			2	1	2	3	2	11	12	10	9	11	11	5 14
199 200a	Sudden death		1		1						1						1	3	
200a 200b	Cause of death not specified or un- known	1	3	1 1	. 8					- -	1	-		1			1	2	ž
Punch sumbol	SUPPLEMENTAL 1			_							-						1		
symbol 201 205 206	Accidents in mines and quarries Other machinery accidents	2 6 2	<u>i</u> -	<u>1</u>	2 4											<u>1</u> -	2 2		3
207 210	Other railroad accidents	10 70	4 41	2 11	2 4 18			1 1	<u>1</u>	<u>-</u>	1 2	 2	2 1 8	1 11	<u>1</u> 9	 9	3 4	1 8	1 / 11
212 213	Water-transportation accidents	10 1	6 1	1	3			1							2	1	2	2	1
											·								
_	•				N	ew J	ERSE	X											
-	Total deaths (all causes)	42, 914	28, 882	5, 615	N7 8, 417	EW J.	ERSE 411	223	170	144	583	539	771	1, 017	2, 346	3, 766	5, 663	7, 828	16, 376
	I.—Infectious and parasitic diseases	4,050	28, 882 2, 236	5, 615 765	<u> </u>	II .		<u> </u>	170 39	144 42	583	539	771	1, 017 340	2, 346	3, 766 635	5, 663	7,828	16, 376
1 2 5	I.—Infectious and parasitic diseases	4,050	<u></u>		8, 417 1, 049 5	3, 075	411	223	_			93	===	=		<u> </u>	<u> </u>		
1 2 5 7 8 9	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles.	28 2 1 46	2, 236 23 1 38 43	765	8, 417 1, 049 5 1 1 6 19	3, 075 231 	411 117 	223 69 6	39	1	143 3 9 15	93	198	340	620	635	605		464
7	I.—Infectious and parasitic diseases. Typhoid fever Paratyphoid fever Undulant fever Measles Scarlet fever Whooping cough Diphtheria Influenza, respiratory complications	28 2 1 46 73 129 98	2, 236 23 1	765	8, 417 1, 049 5 1 1 6	3,075	411 117	223 69	_	42	143 3	93	198 2	340	620 5	635	605		464
7 8 9 10	I.—Infectious and parasitic diseases. Typhoid fever	28 2 1 46 73 129 98 438	23 1 38 43 78 69 269	765 2 11 20 21 45	5 1,049 5 1 1 6 6 19 31 8 124	3,075 231 12 5 74 8 25	411 117 	69 66 6 6 10 13	39 	2 8 2 8 1	143 3 9 15 4 28 8	93 1 1 7 7 8	198 2 1 8 3 13	340	620 5 	635 9 4 6 64	605 1 	454 1 2 1 1 57	155
7 8 9 10 11a 11b	I.—Infectious and parasitic diseases. Typhoid fever	28 2 1 46 73 129 98 438	2, 236 23 1 38 43 78 69	765 2 11 20 21	8, 417 1, 049 5 1 1 6 19 31 8	3, 075 231 12 5 74 8	411 117 14 3 35 11	223 69 6 6 6 10 13	39 2 5 2 11	42 1 2 8 2 8 2 8	143 3 9 15 4 28	93	198 2 1 8	340	620 .5 .8	635 9 4 6	605	454 1 2	464
7 8 9 10 11a 11b 13 15 16	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles. Scarlet fever. Whooping cough Diphthena. Influenza, respiratory complications specified. Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis.	4,050 28 2 1 46 66 73 129 98 438 149 5 54 47	2, 236 23 1 38 43 78 69 269 95 5 38	765 2 11 20 21 45 18 5	8,417 1,049 5 1 6 19 31 8 124 36	3,075 231 	411 117 14 3 35 11 16	223 69 6 6 10 13 3 5	39 2 5 2 11 4	2 8 2 8 1	143 3 9 15 4 28 8 8	93 1 7 7 8 4	198 2 1 8 3 13	340 3 	620 5 8 22 3	635 9 4 6 64 9	605 1 2 2 2 52 13	1 2 1 57 22 1 8	155 61 - 1
7 8 9 10 11a 11b 13 15 16 17 18 20	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles. Scarlet fever. Whooping cough Diphthena Influenza, respiratory complications specified. Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malignant pustule.	4,050 28 2 1 46 73 129 98 438 149 54 47 39 38	2, 236 23 1 38 43 78 69 269 95 5 38 24 26 34	765 2 11 20 21 45 18	8,417 1,049 5 1 6 6 19 31 8 124 36 11 18	3, 075 231 12 5 74 8 25 5 21 13	411 117 14 35 11 16 3 1 3 1	69 66 6 6 10 13 3 5	39 2 5 2 11 4 2	2 8 2 8 1 4	143 3 9 15 4 28 8 8	93 1 7 7 8 4	198 2 1 8 3 13 7	340 3 4 10 3	620 .5 	635 9 	605 1 2 2 2 52 13	454 1 2 1 1 57 22 1	155 61
7 8 9 10 11a 11b 13 15 16 17 18 20 21	I.—Infectious and parasitic diseases. Typhoid fever	4,050 28 2 1 46 73 129 98 438 149 54 47 39 38	2, 236 23 1 383 433 78 69 269 95 58 24 26 34 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2	765 2 11 20 21 45 18 5 5	8, 417 1, 049 5 1 6 19 31 8 124 36 11 18 13 1	3,075 231 12 5 74 8 25 5 2 13 1 8	411 117 	223 69 	39 	42 1 2 8 2 8 1 4	143 3 9 15 4 28 8 8 15 24 14	93 1 7 7 8 4 8 1 4	198 2 1 8 3 13 7 2 2	340 3 	620 .5 .8 	635 9 4 6 64 9 2 7 3	605 1 2 2 52 13 9 4 3	454 1 2 1 1 57 22 1 8	155 61 114
7 8 9 10 11a 11b 13 15 16 17 18 20 21	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles. Scarlet fever. Whooping cough Diphthena. Influenza, respiratory complications specified. Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malignant pustule. Rables. Tetanus. Tuberculosis (all forms) Respiratory system Meninges and central nervous sys-	4,050 28 28 1 46 673 129 98 438 438 149 554 477 39 39 38 32 2,553 2,283	2, 236 23 1 38 43 78 69 269 95 5 38 24 24 21 1, 21 1, 21 1, 20	765 2 11 20 21 45 18 5 5 3 2 606 581	8,417 1,049 5 1 1 6 6 19 31 8 124 36 11 18 13 1 1 713 682	3,075 231 	411 117 117 14 3 35 11 16 3 1 1 1 4	223 69 66 10 13 3 5 6 1 1 2	39 	42 1 2 8 2 8 1 4 3	143 3 9 15 4 28 8 8	93 1 7 7 8 4 8 1	198 2 1 8 3 13 7	340 3 	620 .5 	635 9 	605 1 2 2 2 52 13	1 2 1 57 22 1 8	155 61 14
7 8 9 10 11a 11b 13 15 16 17 18 20 21 22 23 24 25 26	I.—Infectious and parasitic diseases. Typhoid fever	4,050 28 21 1 46 73 129 98 438 149 554 47 39 38 38 2,533 2,283 2,283	2, 236 23 1 38 43 78 69 269 95 5 38 24 24 21 1, 21 1, 21 1, 20	765 2 11 20 21 45 18 5 5 3	8,417 1,049 5 1 1 6 19 31 8 124 36 11 18 13 1 1 713 682 3 6	3,075 231 12 5 74 8 25 2 13 1 8 1 27 10 7 4	411 117 14 3 35 11 16 3 1 1 4	223 69 	39 	42 1 2 8 2 2 8 1 4	143 3 9 15 4 28 8 8 8 15 2 4 37 10 12 2	93 1 	198 2 1 8 3 13 7 2' 2' 2	340 3 	620 5 8 22 3 3 2 532 495 10 9	635 9 4 6 64 9 2 7 3 1 473 443 5 10	605 1 2 2 52 13 9 7 4 447 423 49	454 1 2 	155 61 -1 14 -7 2
7 8 9 10 11a 11b 13 15 16 17 18 20 21 - 22 23 24 25 26 27a 27b	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles. Scarlet fever. Whooping cough Diphthena. Influenza, respiratory complications specified. Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute pollomyelitis, acute policencephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malignant pustule. Rables. Tetanus. Tuberculosis (all forms). Respiratory system Meninges and central nervous system Intestines and peritoneum Vertebral column Bones (vertebral column excepted) Joints.	4,050 28 2 1 46 73 129 98 438 149 54 47 39 38	2, 236 23 1 38 43 78 69 269 269 95 38 24 26 34 1 2 21 1, 214	765 2 11 20 21 45 18 5 5 3 2 606 581	8, 417 1, 049 5 1 1 6 19 31 8 124 36 11 18 13 1 1 713 682	3,075 231 12 5 74 8 25 13 1 12 7	411 117 117 14 3 35 11 16 3 1 1 1 4	223 69 66 66 10 13 3 5 6 1 2 2	39 	42 1 2 8 8 2 8 8 1 4 3 3 3 3 3	143 3 9 15 4 28 8 8 15 24 11 4 37 10 12	93 1 	198 2 1 8 3 13 7 2 2 2 152 136 3	340 3 4 10 3 1 8 6 3 3 1 286 264	620 5 8 22 3 3 2 2 532 495 10	635 9 	605 1 2 2 52 13 9 4 4 447 423 4	454 1 2 1 57 22 1 8 6	155 61 - 1 14 - 7 2
7 8 9 10 11a 11b 13 15 16 17 18 20 21 - 22 23 24 25 26 27a	I.—Infectious and parasitic diseases. Typhoid fever	4,050 28 21 1 46 73 129 98 438 149 554 47 39 38 38 2,533 2,283 2,283	2, 236 23 1 38 43 78 69 269 95 5 38 24 26 21 1, 214 1, 214 1, 020 68 36 19	765 2 11 20 21 45 18 5 5 3 2 606 581 9 7 2	8, 417 1, 049 5 1 1 6 19 31 8 124 36 11 18 13 1 713 682 3 6 3 2	3,075 231 12 5 74 8 25 2 13 1 8 1 27 10 7 4	411 117 117 14 3 35 11 16 3 1 1 1 4	223 69 66 66 10 13 3 5 6 1 2 2	39 	42 1 2 8 8 2 8 8 1 4 3 3 3 3 3	143 3 9 15 4 28 8 8 8 15 2 4 37 10 12 2	93 1 1 7 7 8 4 4 8 1 4 2 5 5 8 8 1 4 2 2 5 4 4 2 2 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	198 2 1 8 3 13 7 22 2 2 1 152 1 136 3 3 3	340 3 3 10 3 . 1 8 6 3 3 . 286 264 6 5 1	620 5 8 8 22 3 3 2 532 495 10 9 5 1	635 9 4 4 6 6 64 9 2 2 7 3 1 473 443 5 10 2	605 1 2 2 2 3 52 13 4 4 447 423 423 447 423 41	454 1 2 	155 61 -11 14
7 8 9 10 11a 11b 13 15 16 17 18 20 21 - 22 23 24 25 6 27a 27b 28 29 30	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles. Scarlet fever. Whooping cough Diphtheria Infinenza, respiratory complications specified Infinenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malignant pustule. Rabies. Tetanus. Tuberculosis (all forms). Respiratory system Meninges and central nervous system. Intestines and peritoneum. Vertebral column. Bones (vertebral column excepted) Joints. Skin and subcutaneous cellular tissue. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) Genitourinary system.	4,050 28 2 1 46 673 129 98 438 149 55 447 338 2,533 2,533 2,288 809 244 510 1	2, 236 23 31 38 43 78 69 269 95 5 38 24 26 34 1, 214 1, 020 68 36 19 3 7	765 2 11 20 21 45 18 5 5 3 2 606 581 9 7 2	8, 417 1, 049 5 11 16 6 19 31 8 124 36 11 18 13 1 713 682 2 1 1 3	3,075 231 12 5 74 8 25 2 13 1 8 1 27 10 7 4	411 117 117 14 3 35 11 16 3 1 1 1 4	223 69 66 66 10 13 3 5 6 1 2 2	39 	42 1 2 8 8 2 8 8 1 4 3 3 3 3 3	143 3 9 15 4 28 8 8 8 15 2 4 37 10 12 2	93 1 1 7 7 8 4 4 8 1 4 2 5 5 8 8 1 4 2 2 5 4 4 2 2 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	198 2 1 8 3 13 7 2 2 2 2 136 3 3 3 3	340 3 3 10 3 . 1 8 6 3 3 . 286 264 6 5 1	3 3 3 2 2 2 2 495 10 9 5 1 1 2 2 1 1	635 9 4 6 6 64 9 2 7 3 1 1 473 443 5 10 2 1	605 1 2 2 2 2 2 13 9 4 4 447 423 4 9 4 423	454 1 2 2 1 57 22 1 8 6 6 297 279 1	155 61 - 11 193 181 3
7 8 9 10 11a 11b 13 15 16 17 18 20 21 - 22 23 24 25 26 27a 27b 28 29 30 31 32a	I.—Infectious and parasitic diseases. Typhoid fever	4,050 28 2 1 46 673 129 98 438 149 55 447 338 2,533 2,533 2,288 809 244 510 1	2, 236 23 1 38 43 78 69 269 95 5 38 24 21 1, 214 1, 020 68 36 19 37 7	765 2 11 20 21 45 18 5 5 3 2 606 581 9 7 2 1	8,417 1,049 5 11 16 19 31 8 124 36 11 18 13 1 1 713 682 2 1 1 1 1 1 1 5	3,075 231 12 5 74 8 25 2 13 1 8 1 27 10 7 4	411 117 117 14 3 35 11 16 3 1 1 1 4	223 69 66 6 6 10 13 3 3 5 	39 	42 1 2 8 8 2 8 8 1 4 3 3 3 3 3	143 3 9 15 4 28 8 8 8 15 2 4 37 10 12 2 2 4	93 1 1 7 7 8 4 4 8 1 4 2 5 5 8 8 1 4 2 2 5 4 4 2 2 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	198 2 18 8 3 13 7 2 2 2 152 138 3 3 3	340 3 4 10 3 1 1 8 6 6 3 3 1 1 226 6 6 5 1 1 1	620 5 8 22 3 3 2 532 495 10 9 5 1 2 1	635 9 4 6 6 64 9 2 7 3 1 1 473 443 443 10 2 1	605 1 2 2 2 3 52 13 4 4 447 423 423 447 423 41	454 1 2 2 1 57 22 1 8 6 6 	155 61 14 193 181 3 2 1 1
7 8 9 10 11a 11b 13 15 16 17 18 20 21 - 22 23 24 25 26 27a 27b 28 29 30 31	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles. Scarlet fever. Whooping cough. Diphtheria. Infinenza, respiratory complications specified. Infinenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Lethargic or epidemic encephalitis. Anthrax (bacillus anthracis) malignant pustule. Rabiles. Tetanus. Tuberculosis (all forms). Respiratory system Meninges and central nervous system. Untestines and peritoneum. Vertebral column. Schin and subcutaneous cellular tissue. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). Genitourinary system. Other organs. Acute disseminated tuberculosis. Other disseminated tuberculosis. Syphilis.	4,050 28 22 11 46 673 129 98 438 149 55 447 37 388 2,533 2,533 2,283 80 94 24 13 12 57 10 1	2, 236 23 1 38 43 78 69 269 95 5 38 24 1 1, 214 1, 020 68 36 19 3 7 7 1 49 9 1 205	765 2 11 200 21 45 18 5 5 3 2 606 581 9 7 2 1	8,417 1,049 5 11 16 619 311 8 124 36 11 13 11 13 682 2 1 1 13 15 4 51	3,075 231 12 5 74 8 25 27 11 8 11 7 4 1 1 5 43	411 117 14 3 3 35 11 16 3 1 1 1 1 4 13 13 13 13 14 15 16 17 18 18 19 19 19 19 19 19 19 19 19 19	223 69 66 66 10 13 3 5 6 6 1 2 2	39 2 5 2 11 4 4 2 1 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	42 1 2 8 8 2 8 1 4 3 3 3 3 1	143 3 9 15 4 28 8 8 15 24 37 10 12 2 4	93 1 1 7 7 8 4 8 1 4 2 2 5 38 28 4 1 2	198 2 3 13 7 2 2 2 136 3 3 152 133 3 3 152 136 136 136 136 136 136 136 136 136 136	340 3 10 3 11 8 6 3 2264 6 5 1 1 1	5 8 22 3 3 2 532 495 5 1 1 2 1	635 9 4 6 6 64 9 2 2 1 473 443 5 5 10 2 1 1	605 1 2 2 2 2 2 3 9 4 447 423 423 4 9 4 1 2 3	454 1 2 2 1 1 57 22 1 8 8 6 6	155 61 -1 193 181 3
7 8 9 10 11a 11b 13 15 16 17 18 20 21 - 22 23 24 25 26 27a 27b 28 29 30 31 32a 32b,c 34 35 36	I.—Infectious and parasitic diseases. Typhoid fever. Paratyphoid fever. Undulant fever. Measles. Scarlet fever. Whooping cough. Diphtheria. Influenza, respiratory complications specified. Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Lethargic or epidemic encephalitis. Epidemic cerebrospinal meningitis. Anthrax (bacillus anthracis) malignant pustule. Rabies. Tetanus. Tuberculosis (all forms). Respiratory system Meninges and central nervous system. Untestines and peritoneum. Vertebral column. Bones (vertebral column excepted) Joints. Skin and subcutaneous cellular tissue. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). Genitourinary system. Other organs. Acute disseminated tuberculosis. Syphilis. Gonococcus infection and other venereal diseases. Purulent infection, septicemia (non-puerperal).	4,050 28 2 1 46 673 1298 8 438 149 5 54 477 389 38 2,533 2,283 80 49 24 5 10 1 1 2 57 5 5 276 34 17	2, 236 231 38 43 78 69 269 95 5 38 244 211, 214 1, 020 68 36 19 3 7 7 1 49 9 1 205 28 14	765 2 11 20 21 45 18 5 5 3 2 606 581 97 2 1	8,417 1,049 5 11 16 19 311 8 124 36	3,075 231 12 5 74 8 21 27 10 7 4 1	411 117 14 3 3 3 11 16 3 1 1 4 22 4 13 3 5 5	223 69 66 6 6 10 13 3 3 5 	39 2 5 5 2 11 4 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	42 1 2 8 8 2 8 1 4 3 3 3 3 1	143 3 9 15 4 28 8 8 8 15 2 4 37 10 12 2 2 4	93 1 1 7 7 8 8 4 4 2 2 5 38 28 8 1 2 1	198 2 1 8 3 13 7 2 2 2 136 3 3 3 3 152 136 3 3 3 152 136 136 136 136 136 136 136 136 136 136	340 3 10 3 10 3 1 286 6 3 264 6 5 1 1 1	5 8 222 3 3 2 532 495 10 9 5 1 2 1	635 9 4 6 6 64 9 2 7 3 1 1 473 443 5 10 2 2 1	605 1 2 2 2 2 2 13 9 4 4 4 4 4 4 4 2 2 3 3 4 4 4 4 4 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4	454 1 2 2 1 1 57 222 1 8 8 6 6 6 1 1 1 1 1 1 1 1 1 1 3 1 1 1 1 1 3 1	155 61 -11 14 193 181 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7 8 9 10 11a 11b 13 15 16 17 18 20 21 22 23 24 25 26 27a 27b 28 29 30 31 32a 32b,c 34 35 36 38	Typhoid fever Paratyphoid fever Wealth State Scarlet fever Whooping cough Diphtheria Influenza, respiratory complications specified Influenza, respiratory complications specified System Specified Dysentery Erysipelas Acute poliomyelitis, acute polioencephalitis Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis Anthrax (bacillus anthracis) malignant pustule Rables Tetanus Tuberculosis (all forms) Respiratory system Meninges and central nervous system Intestines and peritoneum Vertebral column Bones (vertebral column excepted) Joints Skin and subcutaneous cellular tissue Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) Cenitourinary system Other organs Acute disseminated tuberculosis Conococcus infection and other venereal diseases Purulent infection, septicemia (non-	4,050 28 2 1 46 673 129 98 438 149 5 54 477 39 38 2,553 2,553 2,253 2,253 2,253 2,253 2,253 2,253 2,253 2,253 2,253 32 2,553 2,253 32 32 32 32 33 33 33 33 34 34	2, 236 23 3 1 38 43 78 69 269 95 5 38 246 34 1, 214 1, 020 68 366 19 3 7 1 205 28	765 2 11 200 21 45 18 5 5 3 2 606 581 9 7 2 1	8,417 1,049 5 11 16 19 31 8 124 36 11 18 13 1 713 682 2 1 1 13 15 4 51 2 2	3,075 231 12 5 74 8 25 27 11 8 11 7 4 1 1 5 43	411 117 14 3 3 3 11 16 3 1 1 4 22 4 13 3 5 5	223 69 66 6 6 10 13 3 3 5 5 12 2 15 4 8 1	39 2 5 2 11 4 4 2 1 1 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	42 1 2 8 8 2 8 1 4 3 3 3 3 1	143 3 9 15 4 28 8 8 15 2 4 37 10 12 2 4 37 10 11 6 2	93 1 1 7 7 8 4 4 8 1 1 4 2 2 5 38 28 1 1 2 1	198 2 3 13 7 2 2 2 136 3 3 152 136 3 3 3 152 136 136 136 136 136 136 136 136 136 136	340 3 10 3 11 8 6 3 2264 6 5 1 1 1	5 8 22 3 3 2 532 495 5 1 1 2 1	635 9 4 6 6 64 9 2 2 1 473 443 5 5 10 2 1 1	605 1 2 2 2 5 2 13 3 4 447 443 449 4 4 1 2 1 6 6 6	454 1 2 2 1 57 222 1 8 6 	155 61 -11 14 193 181 3 11 11 11 11 25

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

II.—Cancers and other tumors	4,605 116 31 110 950 950 142 870 204 498 298 75 355 4 71	3, 279 3, 134 70 16 92 637 200 115 610 156 350 79 322 203 355 249 4 63 28	10,000	In rural areas	Under 1 year	year 2	years ontinu		years	13	10 to 14 years	15 to 19 years	20 to 24 years	1	1	45 to 54 years	64	65 years and over
Cancer and other malignant tumors Buccal cavity	4,605 118 31 110 950 329 142 870 204 527 100 488 298 75 355 4 71 35	3, 134 70 16 92 637 200 115 610 156 350 79 322 203 35 249 4 633 28	653 640 19 8 6 6 121 46 14 122 24 78 9 84	848 831 27 7 12 192 83 13	3	2	3	4			10	16	30	l	1	ı		
Cancer and other malignant tumors Buccal cavity	4,605 118 31 110 950 329 142 870 204 527 100 488 298 75 355 4 71 35	3, 134 70 16 92 637 200 115 610 156 350 79 322 203 35 249 4 633 28	640 19 8 6 121 46 14 122 24 78 9 84	831 27 7 12 192 83 13							10	16	30	Ī	Ī	I		
Buccal cavity. Pharynx. Esophagus. Stomach and duodenum. Liver and biliary passages. Pancreas. Other digestive tract and peritoneum. Respiratory system. Uterus. Other female genital organs. Breast Male genitourinary organs. Skin. Other or unspecified organs. Tonmalignant tumors, ovary. Tonmalignant tumors, uterus Tonmalignant tumors, uterus Unmors, ovary (nature unspecified). "umors, other organs (nature unspecified). III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other	116 31 110 950 329 142 870 204 527 100 498 298 75 355 4 71 35	70 16 92 637 200 115 610 156 350 79 322 203 35 249 4 63 28	19 8 6 121 46 14 122 24 78 9 84	27 7 12 192 83 13	1	2	2	3					00	130	423	864	1, 270	2, 011
neum Respiratory system Uterus Other female genital organs Breast Male genitourinary organs Skin Other or unspecified organs Onmalignant tumors, ovary Ionmalignant tumors, uterus Ionmalignant tumors, other organs 'umors, ovary (nature unspecified) 'umors, other organs (nature unspecified) III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other	204 527 100 498 298 75 355 4 71 35	156 350 79 322 203 35 249 4 63 28	24 78 9 84	138						10	6	10	26	103 2 	383 5 1 5 54 17 9	815 21 8 17 158 44 28	1, 253 27 12 47 259 104 38	1,990 61 10 41 468 157 67
al diseases, diseases of the endocrine glands, and other		49	17 49 5 3	24 99 12 92 52 23 57 3 4 1	i	1	1	3	1	1 9	2 1 2 2 1 3	1 1 8 3 1 2	2 1 10 1	17 8 28 3 10 3 1 15 10 4	51 25 88 9 69 18 3 29 1 26 4	117 46 124 29 138 28 49 1 27 5 1	252 65 126 32 130 64 13 84 1 4 6	426 56 158 24 150 181 48 143
general diseases	1, 506	1, 141	140	225	53	9	3	3	4	28	24	21	21	50	87	203	410	590
ceute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Jeriberi	115 40 1, 122	97 24 851 1	8 5 111	10 11 160	1	1 2		1	2	20	14 1 5	9	11	19	6 1 50 1	11 5 141	8 8 356	12 25 525
ellagra tickets Diseases of pituitary body imple goiter	10 2	8 1	1	1 2 1	6	1	1 	1 				<u>1</u>	1		3 1	1	1	
Exophthalmic goiter Other diseases of thyroid and parathy- roid glands	122 9 48	87 7 38	11	24 2 9	2 39	 4	1	1		2	3	1	4	11	18	38	29	18 3
Diseases of thymus gland Diseases of adrenals (Addison's disease not specified as tuberculous) Other general diseases	16 15	11 12	2	3 2	3	<u>-</u> -			<u>-</u> -			1			6 1	6	1 6	3 3
IV.—Diseases of the blood and blood- making organs	311	236	33	42	16	8	6	1	2	12	12	11	7	28	31	41	65	71
lemorrhagic conditions ternicious anemia ther anemias True leukemias seudoleukemias (Hodgkin's disease) liseases of the spleen ther diseases of blood and blood- making organs	119 7 101	22 83 6 79 26 15	13 1 11 5 3	2 23 11 4 2	10 3 1 2	1 2 1 3	4	1	1	5 3	2 3 5 2	1 2 1 7	1 3 2 1	2 8 11 6 1	10 12 5 3	1 14 16 6 . 2	2 32 1 21 5 3	48 12 5 5
V.—Chronic poisonings and intoxications	121	83	10	28									1	15	43	38	20	4
lcoholism (acute or chronic) Phronic poisoning by other organic substances Uhronic lead poisoning Other chronic poisoning by mineral		76 3 3	9	28									1	14	1	35 1 1	17	4
VI.—Diseases of the nervous system and of the organs of special		2,635	629	990	66	25	13	8	5	49	41	48	45	104	235	533	905	2, 177
Encephalitis (nonepidemic) imple meningitis Tonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes	77	34 67 6	5 5	1 5 1	2 12 2	1 5 1	2	4	1	2 12 1	4 7	3 6 1	3 4	6	6 4	9 6 2	2 5	2 3
	3, 136 219	18 65 1,960 147 14	10 24 467 28	7 31 709 44 2	2 5	2 2 2	1	1	2	2 1 2	3 3 2	1 1 5	4 7 6	1 3 28 10	4 8 104 13	9 24 376 30	8 32 719 38 3	13 38 1,887 112 13
Other diseases of spinal cord Perebral hemorrhage Derebral embolism and thrombosis oftening of brain	147	38 51 7 19 9 73	18 29 13 7 2 9	13 67 33 41 4 23	1 11 6 1	1 3 4	1 1 2			3	1 1 4	2 2 2 7	1 3 3 2	2 12 13 11	36 17 17	4 32 12 9	9 45 5 7	43 16 1 4
it site	nronic poisoning by other organic stubstances	aronic poisoning by other organic substances	3 3 3 3 3 3 3 3 3										State Stat	State Stat	1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1	In the composition In the	State Stat

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	res—								DEATHS	S BY A	3E	•				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				N	EW J	ERSI	EX-C	ontinu	eđ										
	VII.—Diseases of the circulatory system	11, 426	7, 401	1, 551	2, 474	13-	5	5	3	7	34	80	89	94	277	699	1, 4 35	2, 376	6, 308
90 91a 91b	PericarditisAcute endocarditis Endocarditis, unspecified (under 45	16 131	14 103	7	1 21		<u>-</u> 1	<u>-</u> 1	1	3	6	1 11	1 12	1 14	1 24	3 21	13	8	17
92a	years) Endocarditis, specified as chronic, and other valvular diseases	17 1,779	14 1, 138	2 223	1 418	1 4	2	1	1 1	2	13	45	3 33	3 40	4 96	3 158	250	332	802
92b 93a 93b	Endocarditis, unspecified (45 years and over) Acute myocarditis. Myocarditis, unspecified (under 45	159 227	103 145	23 35	33 47			<u>i</u>		<u>-</u> 1	ī	<u>-</u> 2	2	<u>-</u> 2	10	14	23 37	39 52	97 105
93 c	years) Chronic myocarditis and myocardial degeneration	61 4,020	41 2, 401	11 638	9 981	3		1		1	3	1	3 11	2 13	12 44	38 159	397	820	2, 566
93d 94a 94b 95a	Other diseases of myocardium Angina pectoris Diseases of coronary arteries Functional diseases of heart	1,520 671 733 28	1, 168 426 516 18	137 105 86 3	215 140 131 7						1	1 	1	1 1 1	14 4 11 3	51 47 58 3	224 114 138 5	342 174 221 5	886 331 303 11
95b 96 97	Other and unspecified diseases of heart Aneurysm (except of heart) Arteriosclerosis (coronary arteries ex-	1,265 87	828 67	172 7	265 13	2		1			5	14 1	22 1	10 2	40 5	112 10	185 23	273 21	601 24
98 99 100	cepted) Gangrene Other diseases of arteries Diseases of veins (varices, hemorrhoids,	585 27 65	322 15 57	94 3 1	169 9 7	1	1				1			<u>1</u>	1 1 4	6 3 10	14 9	63 3 7	501 19 32
101	phiebitis, etc.) Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood-pressure.	14 5	14 2	1	2	1	.1					·		1	1	2	2	1 2	7
102 . 103	Idiopathic anomalies of blood-pressure. Other diseases of circulatory system VIII.—Diseases of the respiratory	6 10	3 6	1	3									2	. 1	1	1	3	3 3
104a	system		2, 465 5	307	548 1	567	149	52	32	21	63	43	79	76	- 193	328	372 1	443	902
104b 105 106a 106b	Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis. Chronic bronchitis	17 66	21 12 40 38	1 3 10 4	2 16 11	2 21 1	3	<u>-</u>	1	1 1	1 1	3 2	5	1 1 1	1 1 1	1 3 1 4	$\begin{bmatrix} 3\\2\\7 \end{bmatrix}$	3 5	5 3 32
106c,d 107a 107b	Bronchitis, unspecified Bronchopneumonia Capillary bronchitis	1, 167 14	832 7	3 111 4 139	224 3	9 378 8	88	20	12	7	22	8	10	22	38	53	66 1	118	32 8 325 3406
108 109 110 111a	Lobar pneumonia Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis	1,682 36 95 10	1, 293 33 76 8	139 2 10 1	250 1 9	129 7 6	52 2 2	25 4	17	10 1	35	26 2	54 2 7	43 3 5	139 2 5	233 3 14 1	245 5 13 1	268 1 16 2	406 10 18 6
111b 112	Pulmonary congestion, edema, hemor- rhagic infarct Asthma	34 51	21 33	4 9	9 9	2 2	<u>1</u>			1		1			1	5	12	7 13	24 16
113 114	Pulmonary emphysema Other diseases of respiratory system (tuberculosis excepted)	8 38	8 25	6	7	1						1			1	10	13	5	8
115a	IX.—Diseases of the digestive system. Diseases of pharynx and tonsils	2, 506	2, 013	219	274	265 4	46	23	17 5	18	69	54 5	71	57 7	188	319 19	396 14	444 9	539 19 2
115b 116 117a	Diseases of buccal cavity and annexa Diseases of esophagus	17 3 160	14 3 121	2 22	1	2	1			1		1	1	2	13	35	1 1 47	36	27
117b 118 119	Ulcer of duodenum Other diseases of stomach (cancer excepted) Distribute enteritis (under 2 years of	84	66 27	11 15	7 23	6		2	 		1		1	2	13	14 5	22 6	11 12	18 30
120 121	Diarrhea, enteritis (under 2 years of ago). Diarrhea, enteritis (2 years and over). Appendicitis.	240 108 530	180 69 470	· 15 30	42 24 30	204	36	2 5	<u>4</u> 5	6 6	8 41	1 37	3 42	6 24		17 76	10 97	.15 68	29 50 70 57
122a 122b 123 124	Hernia Intestinal obstruction Other diseases of intestines Cirrhosis of liver	196 37	161 168 28 271	8 13 2 43 2	12 15 7 48	32 1 1	3	1	2	1	2 1 1	1 4 2	3 2 2 2	4 2 3	6 14 1 9 2	15 24 6 45	30 17 7 70	15 68 54 33 10 105	70 57 6
125a 125b 126	Yellow atrophy of liver Other diseases of liver Biliary calculi	18	15 26 147	2 5 11	1 2 13	2					1	1	2	1 2	1 2	4 23	· 4 7 31	2 3 49	6 124 3 6 59
127 128 129	Other diseases of gall-bladder, biliary passages	108 18 43	83 17 40	9	16 1 3	2	1	1	<u>-</u>	1	2	2	2	1 1	9 1 4	14 7 7	20 5 7	32 2 3	28 2 7
128	X.—Diseases of the genitourinary system	4, 326	2, 799	642	885	23	2	1	5	3	10	20	- 27	38	128	297	541	859	2, 372
130 131	Acute nephritis (including unspecified under 10 years)	134 3, 561	96 2, 198	14 572	24 791	11	1	1	2	2	4 5	7 7	2 16	6 25	13 74	25 198	16 452	23 729	22 2, 052
132 133	Chronic nephritis Nephritis, unspecified (10 years and over) Other diseases of kidneys, ureters	155	111	19	25				- -			4	3		. 4	15	20	29	80
134 135 136	(puerperal diseases excepted)	. 49	74 40 14	10 2 2	9 7 5	. 9	1		2		1	1.	1	2 1		13 10 2	15 14 2	15 10 2	28 10 15
137	etc	14 192	12 157	1 19	1 16	1							1		1	2	, 6,	3 34	7 150

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TES—								EATHS	BY AC	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
			,,	N	ŒW J	ERSE	Y—C	ontinu	ied	1	1			ı	<u> </u>		<u> </u>		
	X.—Diseases of the genitourinary system—Continued																		
138	Diseases of male genital organs, not specified as venereal	5	4		1	2		 								2		1	
139a 139b	Cysts of ovary Other diseases of ovaries, diseases of tubes and parametrium	22 50	20 47	1 2	1							1	2	4	4 17	6 15	3	6	3: 1
139c 139e	Diseases of uterus Other diseases of female genital organs.	29 1	25 1		4								1		7	9	1		4.
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	352	289	30	33	<u> </u>		<u></u>				1	27	67	159	97	1		
140 141	Abortion with septic conditions	56 12	49 10	2	5 1								2	11 3	27 7	15 2	1		
142a 142b	Ectopic gestation, septic conditions specified	5	4		1									1	3	1			
143	not mentioned	15 2	13	1	1									3	6	6			
144a 144b 145a	Placenta praevia. Other puerperal hemorrhages. Puerperal septicemia and pyemia	18 25	16 20	1	2 4								2 1 1	3	11 11	6 10			
146 147	(abortion excluded) Puerperal albuminuria and eclampsia Other toxemias of pregnancy	74 54 16	65 39 10	6 12 3	3 3 3							1	7 9	21 10	32 21	13 14			
148	Puerperal phlegmasia alba dolens, embolus sudden death (not speci-	20	15										3	1	8	4			
149 150	fied as septic) Other accidents of childbirth Other and unspecified conditions of	54	45	2 2	3 7								2	3 10	7 26	10 16			
	puerperal stateXII.—Diseases of the skin and cellu-	1	1											1					
151	lar tissue	49	35	2	6 1	11			1			3	3	1	3	7	7 4 2	4	<u>9</u> 2
152 153	Phlegmon, acute abscess	19 21	14 15	3	2 3	10			1				1	1	2	4	1	3	3 4
	XIII.—Diseases of the bones and organs of locomotion	65	51	4	10	5	1	4		1	4	11	4	1	5	3	7	6	13
154 155	OsteomyelitisOther diseases of bones (tuberculosis	46	36	1	9	3	1	3		1	4	10	3	1	2	2	5	5	6
156	excepted)	11	8	3	1	1		1				1 .	1		3	1	2	1	4 3
1570	XIV.—Congenital malformations	355	265	39	51	316	9	5	4	4	5	3	4	3		1	1		
157a 157b 157c	Congenital hydrocephalus Spina bifida and meningocele Congenital malformations of heart	42 53 166	31 41 116	6 6 19	5 6 31	34 52 150	<u>5</u>	<u>1</u>	<u>2</u> 1	3	1 1	2	3	1					
157d	Other congenital malformations XV.—Diseases of early infancy	94 1, 428	77 1, 159	8 125	9 144	80 1, 428	2 	3	1		2	1	1	2		1	1		
158 159	Congenital debility Premature birth	75 890	57 720	6 75	12 95	75 890													
160 161 162	Injury at birth	304 159	253 129	75 27 17	24 13	304 159													
102	XVI.—SenilityXVII.—Violent and accidental	131	78	23	30												· 	2	129
100	deathsSuicide	739	2, 673	429 84	767 140	51	36	38	53	36	152	143	9	236 32	101	137	204	561 149	778- 103-
163	By solid or liquid poisons or by absorption of corrosive sub- stances	100	81	5	14							1	2	9	18	22	21	19	8.
164 165 166	By poisonous gas By hanging or strangulation By drowning	224 157 29	173 99 16	30 18 1	21 40 12							2	$\begin{bmatrix} \tilde{2} \\ 3 \\ 1 \end{bmatrix}$	5 4 1	32 14 4	22 38 22 5 37	61 52 9	54 31 4 35	8. 32: 29: 5
167 168 169	By firearms By cutting or piercing instruments By jumping from high places	170 23 29	101 17 25	24 2 2	45 4 2							1	i	12	22 5 6	8	41 10 8	3	5 22 3 3
170 171	By crushing By other means Homicide	5 2 218	3 163	1 1 21	1 1 34	7	2			·i	7	4	15	39	60	1 1 44	1 1 23	1 13	1 <u>2</u> ;
173 174 175	By firearms By cutting or piercing instruments By other means	121 19 78	91 15 57	13	17 4 13	6	2	1		1	3 4	3	<u>4</u> -	19 8 12	38 7 15	26 1 17	23 13 3 7	8 - 5 -	<u>2</u>
177 178	Accidental, other, or undefined Poisoning by food Absorption of poisonous gas	2, 912 7 111	1, 995 5 80	324 1 16	593 1 15	44	34	37	53	35	145	135	149 2 2	165	282	375 1 21	385 1 31	399 2 21	673 1 18
179	Supplemental Other acute accidental poisonings (gas excepted)	2 51	35	8	2 8	2	1	2	1	1	1	1	1	1	6	13	14	7 -	
180 181	Conflagration	163	19 138	7	19 18	1 -	15	10	3	4	11	3	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	10	17	7 25	6 19	3 12	8 18

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

3			IN CIT	MES—							1	DEATHS	BY AG	E			-		
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	25 to 34 years	35 to 44 Years	45 to 54 years	55 to 64 years	65 years and over
			•	N	EW J	ERSE	Y—C	ontinu	eđ		,					-		,	
-	XVII.—Violent and accidental deaths—Continued																		
182 183	Accidental, other, or undefined—Con. Supplemental. Mechanical suffocation. Supplemental. Drowning. Supplemental.	25	6 12 84 20	5 2 25 7	7 11 1 99 18	14	3	4	6 2	3 1	16	20 5	3 3 31 5	3 1 26 7	6 1 1 29 7	3 3 20 10	1 1 16 3	1 1 24 4	1 9 1
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or piercing instruments (wounds of war ex-	29	18	6	5						2	7	4	4		5	5	2	
186a 186b 188 189	cepted) Supplemental By fall Supplemental By crushing, landslide Supplemental Injuries by animals Hunger and thirst	8 84 7 2	15 5 530 38 5 50 4 1	65 8 1 11 1	2 94 17 2 23 23	6	7 1	6	1 3 2 1	1	13 3 1 5	13 5	2 1 18 5	3 7 7 1 3	23 12 1 10	1 2 44 9 1 14 1	1 74 8 1 19 1	6 3 95 7 1 12 2	380 6 8 2
190 191 192 193 194a 194b	Excessive cold Excessive heat Lightning Due to electric currents Supplemental Foreign bodies Other accidents Supplemental Legal executions	7 5 20 2 15 118 1,156	4 2 1 17 2 9 82 809	1 2 13 137	4 3 23 210	5 9 3	1	1 1 13	4 15	2 23	1 3 85	1 3 64	1 5 59	1 1 7 76	1 2 10 17 118	2 4 	2 2 21 158	1 2 3 6 184	2 2 1 25 188
190	XVIII.—Ill-defined causes of death	4 65	44	8	13	27	2	1			1	1		2	3	1 5	7	9	9
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or un- known	8 44 13	5 30 9	2 6	1 8 4	18	2	1			1	1			1 1 1	1 3	6	2 7	- 4 4 1
Punch symbol	SUPPLEMENTAL ¹					- 1										- !	,		
201 202 203 205 206 207 208 209 210 211 212 213 214	Accidents in mines and quarries Accidents from agricultural machinery Elevator accidents Other machinery accidents Railroad and automobile collisions Other railroad accidents Street-car and automobile collisions Other street-car accidents Automobile accidents (primary) Motorcycle accidents Other land-transportation accidents Air-transportation accidents	112- 3	1 16 18 89 3 4 758 5 10 20 2	1 140 1 1 8 2	2 1 3 23 12 207 3 4 19 6	3	1	1 12	1 15	23	5 87	1 11 11 63 1 2 4	1 7 2 60	1 1 7 8 67 2 1 6 2	1 8 9 116 2 2 2 11 6	1 5 7 19 	1 6 9 26 2 140	5 3 14 1 1 179 2 2 4	2 17 178 1 1 2 2
	,				NE	W M	EXIC	co		-									
	Total deaths (all causes)	5, 968	997	1, 196	3, 775	1, 479	236	86	52	51	150	131	185	216	452	540	435	611	1,320
1 5 7 8 9 10 11a 11b 13 15 16 17 18 22 23 24 25 26 27a 27b 28 29	I.—Infectious and parasitic diseases Typhoid fever Undulant fever Measles Scarlet fever Whooping cough Diphtheria Influenza, respiratory complications specified Influenza, respiratory complications not specified Dysentery Erysipelas Acute poliomyelitis, acute polioencephalitis Epidemic cerebrospinal meningitis Tetanus Tuberculosis (all forms) Respiratory system Intestines and peritoneum Vertebral column Bones (vertebral column excepted). Joints Skin and subcutaneous cellular tissue Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted).	1, 155 27 10 16 30 84 147 94 24 9 9 2 7 7 3 615 562 18 13 1 1	298 1 1 4 1 10 25 14 5 1 	242 5 4 3 15 10 31 32 1 15 4 2 1 101 89 4 6	615 21 15 9 14 64 91 48 18 3 5 2 2 2 7 5 3 1 1	123 1 	49 1 3 3 2 7 9 8 5 5 2 2 3 3 4 1 1	22 1 3 1 6 3 4 2 2 1	16 	25 2 3 1 8 1 3 2 1 1 3 1	51 3 1 26 7 1 1 3 3 1 26 7 1	42 4 1 1 1 1 2 5 5 1 1 1 10 8 1 1	64 3 3 1 6 5 5 2 2 1 1 1 42 37 3 1	75 2 	194 3 	201 2 1 1 15 7 169 162 1 2	110 2 2 16 5 1 1 73 68	14 11 12 3 3 48 41	32 29 2 3 3 2 1 1 1 1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				N	EW M	(EXI	C O —(Contin	neq		•								
	I.—Infectious and parasitic diseases— Continued													:					
30 32a 32b,c 34 35	Tuberculosis (all forms)—Continued Genitourinary system Acute disseminated tuberculosis. Other disseminated tuberculosis. Syphilis. Genococcus infection and other venereal diseases.	3 6 3 54 2	1 2 2 11	1 1 18	1 3 1 25	1 27	2		.	1	1	1	1	3	1 1 4	1 1 1 3	2 8	1 4	
36 38 44	Purulent infection, septicemia (non- puerperal) Malaria Other infectious and parasitic diseases	9 6 6	1 1	3 3	5 2 3	2	<u>i</u>		1			1	1	1	3	1 1	<u>î</u>	1	1 2 1
	II.—Cancers and other tumors	230	52	73	105						1		1	3	6	32	37	57	93
(45) (45) (46)	Cancer and other malignant tumors Buccal cavity Pharynx. Esophagus	221 8 5 1	50 3 1	67 2	104 3 4 1						.		1	2	5	30	34	57 3	92 5 5
(45) (45) (46) (46) (46) (46) (46)	EsophagusStomach and duodenum Stomach and duodenum Liver and biliary passages Pancreas Other digestive tract and peri-	21 3	13 4 1	20 7	34 10 2									1	i	3 2	8 1 1 2	25 4 1	30 13 1 1
47 48 49 50 51 52	toneum. Respiratory system. Uterus. Other female genital organs. Breast. Male genitourinary organs.	3 32 4 20 9	8 1 6 3 6	8 2 10 5 5	9 16 1 9 3										1 1	10 1 3	1 11 2 7	1 2 5 3 2	1 8 5 6 6
52 53 54b 54d,e 55d,e	SkinOther or unspecified organs Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, other organs (nature unspecified)	15 3 3	1 2 1 1	3 5 2 2 2	8 1						1		1	. 1	1	5 1	1 2	3	1
	III.—Rheumatic diseases, nutritional diseases, diseases of the endo- crine glands, and other gen- eral diseases.	92	15	28	49	3			_ 2		. 2	2	8	3	2	12	9	19	30
56 57 59 62	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Pellagra	11 7 39	3 5 3	2 2 17 3	6 5 17 13						2	2	3 2	1	2	1 1 6 3	1 3 2	. 2 9 5	4 5 13 7
63 66b (66)	Rickets Exophthalmic goiter Other diseases of thyroid and parathyroid glands Diseases of thymus gland	2 8 1 2	4	1	2 3 1 1	I			2				i	1 1		ii	3	3	
69	Other general diseases		4	9	. 8	2		1	1					2	2	1	1	7	4
70 71a 71b 72a 72b	Hemorrhagic conditions Pernicious anemia Other anemias True leukemias . Pseudoleukemias (Hodgkin's disease) _	3 6	2 1 1	5 1 3	2 2 1 2 1	1		i						1	1	i	i	5 1 1	3
	V.—Chronic poisonings and intoxica- tions	6	1	1	4									1		-	1		3
75 76	Alcoholism (acute or chronic) Chronic poisoning by other organic substances	1	1	1	3			-						. 1			. 1		. 2
	VI.—Diseases of the nervous system and of the organs of special sense	243	43	83	117	-			_ 1	2	5	9	3	3	-		26	51	99
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes	- 11 - 4	1 4 3	4	. 1	4			-	i	1 2			1		-		1	2
81 82a 82b 82c 82d	dorsalis). Other diseases of spinal cord	146 7 1	24	. 1		-				1		1	i		1		21	37 2	79 3 1
83 84 85 86	unspecified. General paralysis of insane Dementia praecox and other psychoses Epilepsy Convulsions (under 5 years of see)	17 9 2 6 6	1 1 2		13 2 3 3	2 6		_		-1	1	1	1	1		1 5		1 2 2 1	2
87 88 89a 89b	Other diseases of nervous system Diseases of organs of vision Diseases of ear Diseases of mastoid process	_ 1		3 2	4	- 5		-		-	i	- 4 1	1		1			-	4

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—					-		D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and
	<u> </u>	l	<u> </u>	N	EW M	ŒXI	CO-C	ontin	ned		!!		,	-]	over
	VII.—Diseases of the circulatory system	495	111	139	245	1	2	1	2	1	3	9	12	12	,,,			100	000
91a 91b	Acute endocarditis	11	2	2	7	1					1		1	2	17	46	50	100	236
92a	years) Endocarditis, specified as chronic, and other valvular diseases	20	1 22	25	1 , 73					1	1	 8	4	8	4	2 12		25	
92b 93a	Endocarditis, unspecified (45 years and over). Acute myocarditis. Myocarditis, unspecified (under 45	1	8 1	4 2	8 7						ļ		2		3		14 3 1	3	42 14 3
93b 93c	Myocarditis, unspecified (under 45 years)	6		3	,3							1				5			
93d 94a	degenerationOther diseases of myocardium	63	. 20 . 15	29 25 9	49 18 8		1								2	2 1 4	8 6	23 10	60 45
94b 95a 95b	Angina pectoris Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart.		5 1 11	3 21	5 48		<u>1</u>	1	 i		i		5	2	1	1 1 13	6 1 9	10 5	11 6 29
96 97	Aneurysm (except of heart) Arteriosclerosis (coronary arteries excepted)	3	4	12	10 10				- -		- -				<u>:</u> -		2	15 1 4	29
98 99 100	Gangrene Other diseases of arteries Diseases of veins (varices, hemorrhoids,	4 3	1 2	Ĩ	1											1		1 2	2 2
101	phlebitis, etc.) Diseases of lymphatic system (lym-	1		1	1				-						1	1			
102 103	phangitis, etc.)	1		i	<u>1</u>											i			1
	VIII.—Diseases of the respiratory system	442	68	70	304	118	34	12	11	1	14	10	13	6	22	33	30	39	98
105 106a 106b	Diseases of larynx Acute bronchitis Chronic bronchitis	3 6 7	1 2	2 1 2	1 4 3	3	1	1			1						1	<u>-</u> -	
106c,d 107a 107b	Bronchitis, unspecified Bronchopneumonia Capillary bronchitis	3	1 26	28 1 28	120	73 1	21	5	6		6	4	3	2	.5	1 7	6	11	5 1 . 25
108 109 110	Lobar pneumonia Pneumonia, unspecified Pleurisy	178 47	33	28 5 2	117 42 3	14 24	8 4	3	5	1 	7	6	8 2	3	13 1 1	2 <u>4</u> 1	18 1 2	21 4 2	47 7 2
111b 112	Pulmonary congestion, edema, hemor- rhagic infarct Asthma	3 8	1		2 8	1									1				1
114	Other diseases of respiratory system (tuberculosis excepted)	4.	1	1	2										1		2		1
~	IX.—Diseases of the digestive system	532	107	141	284	233	60	13		4	20	14	18	14	22	30	26	30	48
115a 115b 116	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa Diseases of esophagus	4	11 3 1	8	5 1	1	3	5		2	3	2	1	2	4 2		1	<u>î</u>	1
117a 118	Ulcer of stomach Other diseases of stomach (cancer excepted)	17	8	. 5 3	4 17	5					1				3	1	4 2	5	5 5
119 120	Diarrhea, enteritis (under 2 years of age)			59 4	177	213	56	 6			3					5		4	
121 122a 122b	Appendicitis Hernia Intestinal obstruction	269 23 79 8 32 5	33 3 26 3 7	34 1 13	16 19 4 12	10		 1		1	8	11 1	14	2 8 1	6 1 3	15 1 3	1 6 2 4	4 1	6 3
123 124 125a	Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver	5 19 3	6	5 1	5 8 2		i	 i		1			3	i		2	3	2 5	1 5 1
125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary	3 4 5	1	2	4 2											1 1	1	1 1	2 2
128 129	passages Diseases of pancreas Peritonitis, cause not specified	9 1 6	2	3	4 1 3	1 2					1 				3	1	1 1	1	4 1
	X.—Diseases of the genitourinary system	279	61	69	149	4	1			1		3	2	7	13	19	32	56	140
130	A cute nephritis (including unspecified	9	1	3	5	2				1		1			18		2	1	1 1 1
131 132	under 10 years) Chronic nephritis Nephritis, unspecified (10 years and over)	188 41	43 6	44 9	101 26	ĩ	1					2	1	3	8	14	22 4	40 11	95 22
133 134 136	over)— Other diseases of kidneys, ureters (puerperal diseases excepted)— Calculi of urinary passages Diseases of urethra, urinary abscess,	11 4	1 2	1	9								1		2	1	1 2	1	5
137	etc	2 18	1 5	8	1 5										1	1,	1	<u>i</u> -	16
138 139b	Diseases of prostate Diseases of male genital organs, not specified as venereal Other diseases of ovaries, diseases of	1		1		1													
139c	tubes and parametrium	4 1	2	1	1									3				1	-

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		_	IN CIT	ies—	_						ı	EATHS	BY AG	Ε					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	34	35 to 44 years	54	55 to 64 years	65 years and over
				N	EW M	EXIC	C O -C	ontin	1ed										
!	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	113	24	28	61								15	22	45	26	2		
140 141	Abortion with septic conditions	15 8	6 1	4 2	5 5								2 2	5	5 5	3 1			
142b 144a	Ectopic gestation, septic conditions not mentioned	2 6	1 1	1 2	3										$\frac{1}{2}$	1 3			
144b 145a	Other puerperal hemorrhages Puerperal septicemia and pyemia (abortion excluded)	7 32	7	6	5 19									10	3 12	3 5	1		
145b 146 147 148	Puerperal tetanus (abortion excluded). Puerperal albuminuria and eclampsia. Other toxemias of pregnancy Puerperal phlegmasia alba dolens, embolus, sudden death (not speci-	1 21 1	4	1 8 1	9									4	8 1	4	1		
149	fied as septic) Other accidents of childbirth	16	1 1	3	3 12								3	1	8	2 4	 		
	XII.—Diseases of the skin and cellu- lar tissue	9	2		7	7	[ļ						1			1
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and of cellular tissue	2 3 4	1 1		2 2 3	1 2 4										1			1
	XIII.—Diseases of the bones and organs of locomotion	4	2	1	1							2		1			1		
154 156	Osteomyelitis Diseases of joints, other organs of loco- motion	2 2	1	1	1							2		1			1		
	XIV.—Congenital malformations		10	9	29	43	3			1		-	ļ						
157a 157b 157c 157d	Congenital hydrocephalus Spina bifida and meningocele. Congenital malformations of heart Other congenital malformations	8 4 21 15	7 1	2 2 5	4 4 12 9	7 4 18 14	2 1			1	1								
4=0	XV.—Diseases of early infancy		32	68	171	271													
158 159 160 161	Congenital debility. Premature birth. Injury at birth. Other diseases peculiar to early infancy.	43 171 30 27	2 17 7 6	10 48 4 6	31 106 19 15	43 171 30 27							.						
162	XVI.—SenilityXVII.—Violent and accidental	53	10	10	33														53
	deaths	452	83	120	249	6	9	11	7	5	23	25	26	41	61	78	48	52 9	54
163	Suicide By solid or liquid poisons or by absorption of corrosive sub- stances	59 19	17	14 7	28								9	6	3	11	10	3	5
164 165 166 167	By poisonous gas	3 1 2 33	1 1 1 9	1 1 5	19								5	2	1 5	1 1 6	1 6	5	4
168 173 174 175	By cutting or piercing instruments. Homicide	1 63 49 5 9	10 5 1 4	16 11 2 3	37 33 2 2	1 					1 1	1	4 2 2	10 8 2	13 9 1 3	17 15 2	7 7	1 5 3	3 2
177 178	Accidental, other, or undefined Poisoning by food Absorption of poisonous gas Supplemental	330 10 5 15	56 1 2	90 2 2 1	184 7 1 14	5	9	11	1	5	22	24	13 1	25 1 1 4	39 1 2	50 1 2 7	31 1 1 2	38	46
179 180 181	Other acute accidental poisonings (gas excepted) Conflagration Burns (conflagration excepted) Supplemental	10 6 29 2	5	1 2 9	4 4 14 2	1 1	3	1 2	4	1	1		1 2 1	1 4	4	2	1 1	1	6 1 3 1
182 183	Mechanical suffocation Drowning Supplemental	2 23 1	3	1 3 1	1 17		$\frac{1}{2}$	4	2		3	7		1	<u>i</u> -	3	1		
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or piercing instruments (wounds of war ex-	21	3	9	9			2		. 1	1	3		. 2	3	3	3	2	
186a 186b	cepted) By fall Supplemental By crushing, landslide	4 34 24 3	2 5 2	1 11 8 1	1 18 14 2	1	1			1	1 1 1	2 2 2 1 2		2	1 2 4	2 2 7	1 1 5	2 3 1 3	22 1
187 188 189 190 192 193	Supplemental Cataclysm Injuries by animals. Hunger and thirst Excessive cold. Lightning Due to electric currents— Supplemental	31 2 1 2 4 4 4		9 2 1	13 1 2 3 4	1 1		1		. 1	1	1		1	1	1		1	1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

New MaxXCO Section S		AGE FOR THE REGI	STRA	TION	ARI	EA A	ND]	EACI	H RI	EGIS	TRA	TIO	rs v	CATE	E: 19	32	Conti	nued	-	
CATES OF PRACTIC Gastless 15,000 2,000	7:-1		-	IN CI	TIES-	l .					_]	EATH:	S BY A	GE				-	
NEW MEXICO—Continued		CAUSE OF DEATH			to	rural	der 1						14	19	24	34	44	54	64	years and
March Marc	-		<u> </u>	11	N	JEW J	/EXI	CO-(Contin	ued		<u> </u>	I	l	1	!	<u> </u>	·		
1946 Accidental, other, or undefined-Coro 1		XVII.—Violent and accidental deaths—Continued	Ī							<u>.</u>						<u> </u>				
XVIII.—III. defined causes of death. XVIII. II	194a	Accidental, other, or undefined—Con.	1		1	1						1								
XVIII.—II-defined causes of death	194b	Other accidents	14 80	1 17				2	1		<u>i</u>		3 3	4	2 4	2 13	11	2 11	3 17	1 6
Cause of death Ind-specified or un		XVIII.—III-defined causes of death	1, 523	74	105	1, 344	649	78	26	12	11	30	15	23	26	. 59	44	62	115	365
Months	200a	Cause of death ill-defined	. 7 52	2 5	10		10	3	1		1	1			1	2	4	<u>-</u>	10	3 19
201 Accidents in mines and curaria. 202 A coldents in mines and curaria. 203 Cher machinery sections. 3 1 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1	Punch	Known	1,464	67	95	1, 302	638	75	. 25	12	10	29	15	23	24	57	40	61	105	343
Total deaths (all causes)	-		, ,												_					
Total deaths (all causes)	202 205	Accidents from agricultural machinery Other machinery accidents	2 3	1	1	1			<u>1</u>		<u>-</u>				5	2				
Other land transportation accidents 13 2 3 8	207	Other railroad accidents	1 13	3	2	8						1					1	3		3
Total deaths (all causes)	212 213	Other land transportation accidents Water transportation accidents	13	2	3						i		1	2	2	1 1				7
Total deaths (all causes)	214	Air transportation accidents	2		2		 -								1		1			
III III	-					1	DEW:	YOR	RC.									•		
Typhidi fove:		Total deaths (all causes)	147, 824	112, 303	7,810	27, 711	10, 469	1, 299	750	581	517	2, 036	1, 589	2, 252	3, 246	8, 319	13, 086	19, 735	27, 082	56, 831
Description Second Secon				9, 717	620	2, 661	768	353	225	193	128	451	231	545	1,006	2, 108	2, 211	1, 969	1, 471	1, 338
Assessed Assessed	1 2	Typhoid fever	123 8	. 6	1			2 				-6	9	14 1	17	1			10 1	6 2
Diphtherian Diphtherian Diphtherian Diphtherian Specified Diphtherian Specified Diphtherian Specified Spec	5 7			157		2 52	47	 47	16	18	a	43	11		1			2		1 3
Institute Inst		Scarlet fever Whooping cough	366 312	293 232	14 14	59 66	190	28 54	42	35 6	23 9	91 14	36	26 2		24 2	18	14	5	2 1
Inflitenza, respiratory complications 478 285 37 176 43 30 9 5 9 16 7 11 8 32 31 56 51 177 178 179 1	11a	specified complications	1,091											-				- 1		3 300
Acture poliority entities, acture poliority entities and performent		Influenza, respiratory complications not specified	478		37	176	43	30	9	5	9	16			8	32	31	. 56	51	170
Composition Composition	15	Acute pollomyents, acute poncen-	322	272	10	12 40		_8 −8		2	1 1		2	2	1	2 10		3	43	8 76
Tetanus	18	cephalitis	104	82	5	17		1	1	1		6	4	9	1 5 8	28	11	20 13	8 5	10
Meninges and central nervois System System System System Similar	22	Tetanus	54			8		1			2		<u>-</u> 11		2	5	6	1 2		3
Intestines and peritoneum 135 104 5 26 5 3 2 3 2 3 8 6 10 26 27 12 14 12 12 13 14 12 15 14 12 15 15 15 15 15 15 15		Meninges and central nervous						28	12		12	40	85 44	388 340	814	1, 763 1, 652	1, 625 1, 529	1, 354 1, 301		605 553
Bones (vertebral column excepted)	25 26	Intestines and peritoneum	135	104	8 5	26		35 3	30 2	33 3		3	8	9	10	26	27	12	14	3 11
Second continue of the figur	27a 27b	Joints	2	1		1				1						1		- 1	1 .	<u>4</u>
mesenteric, and retroperitoneal glands excepted 15		tissue	9	6		2										_				3
Genitourinary system	ŀ	mesenteric, and retroperitoneal	15	9		6	1	1		,		1		7	3	,			2	3
Symbolis Concession and other veneral diseases Tota	31	Genitourinary system Other organs	76 13	62 10		11 3								3 1	6	18 3	2	11 4	9 2	1
Conococcus infection and other veneral diseases Conococcus infection, septicemia (non-purperal) Conococcus infection, septicemia (non-purperal) Conococcus infection, septicemia (non-purperal) Conococcus infection, septicemia (non-purperal) Conococcus infection, septicemia (non-purperal) Conococcus infection, septicemia (non-purperal) Conococcus infection, septicemia (non-purperal) Conococcus infection and other veneral (non-purperal) Conococcus infection and other veneral (non-purperal) Conococcus infection and other veneral (non-purperal) Conococcus infection and other veneral (non-purperal) Conococcus infection, septicemia (non-purperal) Conococcus infection	32b,c	Other disseminated tuberculosis	7	1 5	1	1						1		1	21 1 23	2	2			7
Duerperal) 49 37 3 9 9 3 1 1 1 1 2 2 3 5 6 4 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15		Gonococcus infection and other vene- real diseases						' 				- 		•	i		~		-	1
Content diseases due to protozoal para- Sites	38	puerperal) Malaria	49 2		3	9	9	3		1		1	1	2	2	3		6	4	12 1
43 Other diseases caused by helminths 3 2 11 1 1 1 1 1 3 1 3 1 3 4 4 Mycoses 12 11 1 1 1 1 1 1 1	39	other diseases due to protozoal para- sites	5			1						1		1			1		1	
43 Mycoses	41b	Hydatid cysts of other organs Other diseases caused by helminthe	9 3 3	2 1		1									1			1		2
II.—Cancers and other tumors	43	Mycoses	12 32	11 23	1	1	6	8	2	2	1	. 5	2	1	1			1	3	2 1
Cancer and other malignant tumors 16, 384		,		·	826	1			į.		i	- 1	- 1	- 1		474		3, 315		6, 888
	(45) (45) (46)	Cancer and other malignant tumors Buccal cavity Pharynx Esophagus	16, 384 438 88 396	342	12	84	3		9	4	4	31	23			7	29	91	126	6, 806 183 37 166

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—							r	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				:	NEW	YOR	K—Co	ntinue	đ										
(46) (46) (46) (46) 47 48 49 50 51 52 53	II.—Cancers and other tumors—Con. Cancers and other malignant tumors— Continued Stomach and duodenum Liver and biliary passages Pancreas. Other digestive tract and peritoneum. Respiratory system Uterus Other female genital organs Breast Male genitourinary organs	1, 211 497 3, 034 887 1, 631 423 1, 646 1, 275	2, 573 891 425 2, 408 795 1, 230 356 1, 259 990	156 73 17 159 24 88 21 86 62 17	601 247 55 467 68 313 46 301 223		1 1	1 1	1	1	6 2 1	2 3	2 4 6 1 2	3 1 6 5 2 6 2 4	38 12 5 69 17 61 18 55 25	185 58 28 226 98 241 68 217 55	545 191 88 502 230 415 112 418 131	927 353 170 868 285 464 111 433 330	1, 632 588 205 1, 349 239 447 103 521 719
54a 54b 54c	Skin. Other or unspecified organs. Nonmalignant tumors, ovary. Nonmalignant tumors, uterus. Nonmalignant tumors, other female genital organs.	276 1, 252 16 327	171 1,000 12 299	68 1 11	88 184 3 17	3	2	6	3	1 2	18	15	24 	20	54 2 37	10 122 2 148	37 224 6 110	45 318 5 16	176 441 1 16
54d,e 55a 55b 55d,e	Nonmalignant tumors, other organs Tumors, ovary (nature unspecified) Tumors, uterus (nature unspecified) Tumors, other organs (nature unspecified)	221 2 1 299	206 2 1 252	9	38	1	1	2	2	6 3	13	8	5	7	17 49	44 1 74	. 49 64	31 40	32 1 32
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases.	5, 218	4, 267	258	693	144	23	11	11	19	87	83	66	67	195	309	748	1, 442	2, 013
56 57 59 60 62 63 65	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Scurvy Pellagra Rickets	364 131 3,977 5 28 29	315 75 3, 309 4 25 17	13 10 186	36 46 482 1 3	2 3 24	5 2	3	6	13	65 1 14 1	59 22	29 24 1	34 1 21	49 5 60 7	36 6 160	28 9 569	22 26 1, 278	20 83 1,818
65 66a 66b (66) 67 68	Diseases of pituitary body	9 32 410 37 135 45 16	28 319 24 101 31	1 30 2 9 4 2	3 3 61 11 25	6 105	3 10	1 5	2	1 3	1 5	1 1	6	10	1 65 3 2	3 7 75 5 8	2 9 101 6 	2 9 81 5 12 2	6 71 6
	IV.—Diseases of the blood and blood-making organs.	1, 190	907	76	208	52	15	7	19	9	47	37	42	42	91	111	176	251	291
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Pernicious anemia. Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease). Diseases of the spleen Other diseases of blood and blood-making organs.	84 406 36 434 190 . 36	61 255 26 372 163 27	4 36 3 23 7 2	19 115 7 39 20 7	29 2 9 9	2 1 4 6	2 1 4	14	2 4 3	3 2 4 31 6 1	19 8 4	5 2 20 10 4	2 4 1 21 13 1	10 14 1 35 27 4	4 18 2 46 36 4	7 51 2 76 35 5	4 117 5 86 32 6	6 192 8 63 20 2
	V.—Chronic poisonings and intoxications	609	540	18	51		1	1	1					10	69	209	177	96	43
75 76 77a 77b,e	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning Other chronic poisoning by mineral substances	579 22 6 2	515 20 3 2	15 1 2	49 1 1		i	1	1					8 2	61 7 1	199	172 2 2 1	95 1 	42 1
	VI.—Diseases of the nervous system and of the organs of special sense	12, 519	8, 348	793	3, 378	222	65	42	24	29	175	124	113	118	329	755	1, 483	2, 525	6, 511
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes	86 218 36	77 194 31	3 4 1	6 20 4	4 48 5	5 13 2	3 13 2	4 1	1	8 18 1	8 19 3	3 8 2	4 9 3	19 15 4	14 19 4	11 26 5	3 14 4	10
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	127 302 8, 570 931 57	5, 480 724 32	7 26 600 59 4	32 85 2, 490 148 21	2 13 1	2 2	4 1	3	6 1 1	3 5 7	7 4 4	12 6 4	9 20 7	13 64 22	10 23 309 36	27 46 921 96 2	42 75 1, 857 212 6	48 98 5, 366 537 49
83 84 85 86 87	unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age) Other diseases of neryous system.	203 555 134 240 41 360	148 278 93 143 19 244	13 11 7 12 4 24	42 266 34 85 18 92	2 1 30 9	2 7 11	1 4 2 5	2 2 2 4	1 1 1	1 11 6	8 1	9 26	20 10 23	41 34 45	3 158 32 45 31	20 183 26 28	44 119 11 18 75	130 51 12 26
88 89a 89b	Diseases of organs of vision Diseases of ear Diseases of mastoid process	8 341 310	308 290	12 6	21 14	74 31	17 4	5 2	4 2	1 1 8 8	54 61	27 32	1 14 20	9 17	26 33	31 40	31 26	1 25 19	3 16 15

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	•		им си	ries—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	44	45 to 54 years	55 to 64 years	65 years and over
	•				NEW	YOR	K—Č	ntinue	ed.										
	VII.—Diseases of the circulatory system	42, 053	31, 023	2, 158	8,872	30	14	14	22	23	152	237	298	316	934	2, 196	5, 057	8, 721	24, 036
90 91a 91b	PericarditisAcute endocarditis Endocarditis, unspecified (under 45	337	31 280	3 18	12 39	2	1	4	3	6	7	17	2 34	1 31	5 59	5 45	10 52	4 49	17 29
92a 92b	years). Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and	7,499	29 5, 257	3 463	10 1,779	 5	2 2	3	11	7	95	1 154	6 176	189	8 451	16 636	894	 1, 291	3, 585
93a 93b	Acute myocarditis	371 379	282 255	24 25	65 99	2	2			2	4	1	5	6	17	31	57 71	76 66	238 172
93c 93d	years) Chronic myocarditis and myocardial degeneration Other diseases of myocardium	106 17, 654 3, 033	13, 542 2, 289	757 151	3, 355 593	1 3	1	1	1 1 2	3	7 1	9	16 1	5 26 1 3	25 148 6	60 611 14	1, 878 304	3, 699 685	11, 252 2, 016
94a 94b 95a 95b	Angina pectoris Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart	3, 033 2, 589 2, 942 42 3, 787	13, 542 2, 289 1, 789 2, 382 21 2, 718	164 138 2 192	636 422 19 877	-	3	1 4	3	 5	28	46	1 45	3 4 41	38 42 106	227 252 6 201	475 634 3 491	728 847 10 800	1, 118 1, 162 2, 006
96 97 98	Arteriosclerosis (coronary arteries ex- cepted)	270 2,632	1, 630	13 174	45	1						2	<u>5</u>	2	8	30 23	68 75	67 333	87 2, 198
99 100	Gangrene	57 125 100	30 86 78	13 4	828 23 26	2 2 1	1				2	1	1	 2	5 6	5 11 16	18 18	30 24	31 56 32
101 102 103	Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood pressure. Other diseases of circulatory system	12 16 14	9 16 7	1 4	2 <u>3</u>	2	- -	1	 <u>1</u>		1	2		<u>1</u>	3 1 1	6 1	2 2	3	3 4 8
	VIII.—Diseases of the respiratory system			543	1, 946	1, 881	478	202	109	84	255	210	288	292		1, 325	1, 554	1, 829	3, 636
104a 104b 105	Diseases of nasal fossae	47	20 98 33	1 3 2	2 6 12	9 8 10	1 9	3	1 1 6	1 2	3 5	2 13	1 9 2	8	1 18 1 3 7	14 1 2	1 15 4	10 2	2 7 4
106a 106b 106c,d 107a	Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified. Bronchopneumonia.	202	112 144 46 3,889	2 8 7 5 187	64 51 25 747	49 23 1, 286	1 9 7 1 4 260	8 84	5 1 54	1 32	105	1 2 2 52	2 1 56	2 3 52	3 7 3 127	20 1 278	4 4 19 3 377	10 2 12 29 3 538	88 118 36 1,521
107b 108 109 110	Bronchopneumonia. Capillary bronchitis. Lobar pneumonia. Pneumonia, unspecified. Pleurisy.	80 6, 551 112 365	5, 370 97	290 5 16	11 891 10 50	55 372 10 38	3 160 4 24	82 1 17	34 5	41 1 5	121 3 8	1 126 2 7	191 6 15	199 2 17	545 19 44	911 11 42 3	999 11 50	1, 107 12 40	12 1,662 30 53 12
111a 111b	Pulmonary embolism and thrombosis_Pulmonary congestion, edema, hemorrhagic infaret	46	299 28 38 89	3 4 5	15 17 25	5 2	1	1					1	1 1 1	6 2 3	1 19	5 1 29	16 29	12 46 32 2
113 114	Pulmonary emphysema Other diseases of respiratory system (tuberculosis excepted)	133	108	6	1 19	11	3	1			4	2	3	5	9	1 1 21	35	25 25	32 2 11
115a	IX.—Diseases of the digestive system. Diseases of pharynx and tonsils	8, 826 550	7, 459	469	898	1,007	183	103	72 16	65 16	224	204	193 27	239	634	1, 163 67	ļ	1, 510	1,720
115b 116 117a 117b	Diseases of buccal cavity and annexa Diseases of esophagus Ulcer of stomach Ulcer of duodenum	84 15 614 304	466 77 12 504	25 2 2 40 11	59 5 1 70	2	22 1 1	18 2			46 1	39 2 1	2 6	8 20	11 45	16 1 126	76 18 1 157	51 6 3 133	39 13 7 124
118	Other diseases of stomach (cancer ex- cepted)	128	262 52	10	31 66	10	4	6		1	1	3	2	3	32	64 8	78 16	76 19	48 50
122a	age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia	931 248 1, 996 665	774 179 1,788 571	42 12 111 29	115 57 97 65	826 5 5	105 23 2	22 33 2	19 32	5 37 1	22 126 2	7 130	11 112 5	8 116 7	29 239 17 44 9	24 343 43	25 338 128	18 274 160	58 188 293
122b 123 124 125a	Intestinal obstruction Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver	619 101 1, 147 70	499 87 935 62	29 43 5 66	65 77 9 146	78 3 2	10	3 2	2.	 <u>1</u>	11 2 1	13 1 2 1	5 9 1 2 3 2 2	116 7 12 1 4 8	44 9 30 10	43 72 19 138 18	338 128 93 19 274 13	95 27 322 6	177 19 370 9
1955	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary passages.	81 589	71 538	6 1 27	2 9 24	1	3	2				. Î	1	7	5 36	103	20 131	16 158	13 152
128 129	Diseases of pancreas Peritonitis, cause not specified	409 103 172	338 93 151	30 2 5	41 8 16	31	12	1 <u>12</u>	1 2	3	11	.4	2 1 5	5 1 6	27 15 12	66 19 18	74 23 23	104 24 18	125 20 15
130	X.—Diseases of the genitourinary system	13, 426	9, 970	800	2, 656	44	10	7	5	9	30	57	80	135	450	887	1, 636	2, 634	7, 440
131 132	under 10 years) Chronic nephritis Nephritis, unspecified (10 years and	260 11, 171	186 8, 137	20 671	2, 363	22	5	- 3	2 1	4 1	15 12	10 33	11 46	11 75	27 265		45 1, 340		35 6, 495
133 134	over) Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages	293 331 185	200 277 163	24 17 9	69 37 13	17 1	 -4	1	2	3 1	3	3 9	6 6	3 7 1	15 22 14	25 40 37	36 53 54	53 66 35	152 97 42
136	Calculi of urinary passages. Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess, etc. Diseases of prostate. Diseases of male genital organs, not specified as yenereal.	50 40 694	33 35 581 9	8 4 33	9 1 80	1 3	1							i	3 1	4 3 5	54 4 10 28	35 10 6 124	42 31 17 537

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—				-				DEATH	S BY A	GE	 -	-			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	44	45 to 54 years	64	years and over
	1				NEW	YOR	K—Co	ntinu	ed	1	1	!			•	i		,	
	X.—Diseases of the genitourinary system—Continued																		
139a 139b	Cysts of ovaryOther diseases of ovaries, diseases of tubes and parametrium	112 208	97 189	2 10	13							2	1 9	6 31	17 68	27 68	22 24	17 5	20
139c 139d	Diseases of uterus Nonpuerperal diseases of breast (cancer excepted)	68	58	2	8								1		17	13	17	11	3 9
139e	Other diseases of female genital organs XI.—Diseases of pregnancy, child-	3	3												1	1	Ī		
	birth, and the puerperal state	1, 174	988	87	99							1	71	220	578	298	6		
140 141	Abortion with septic conditions	197 51	170 40	10 7	17		-						12	44 8	90	50 19	1		
142a 142b	Ectopic gestation, septic conditions specified. Ectopic gestation, septic conditions not	19	17	1	1									2	15	2			
143	Other accidents of pregnancy (hemor- rhage not included)	45 10	38 8	4	3								1	6	25	13 5			
144a 144b 145a	Placenta praeviaOther puerperal hemorrhages Puerperal septicemia and pyemia	43 118	37 103	2 7	8		 						5	3 23	24 53	16 36	i		
146 147 148	(abortion excluded). Puerperal albuminuria and eclampsia. Other toxemias of pregnancy Puerperal phlegmasia alba dolens, embolus, sudden death (not specified	239 142 43	203 110 39	24 19 2	12 13 2							1	25 12 1	57 2∹ 7	116 68 19	40 32 16	2		
149 150	as septic) Other accidents of childbirth Other and unspecified conditions of puerperal state	74 187 6	59 160 4	3 6 1	12 21 1								2 11	12 28 2	40 98 3	20 48 1			
	XII.—Diseases of the skin and cel- lular tissue	198	152	18	28	33		1			1	8	15	9	13	29	31	19	39
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and	55 77	43 62	5 7	7 8	1 15		1			1	2 3	7 5	5 2	6 5	9 10	11 14	4 9	9
100	of cellular tissueXIII.—Diseases of the bones and	66	47	6	13	17						3	3	2	2	10	6	6	17
154	organs of locomotion	206	178		21	15	3 3	3	5 2	$\frac{2}{2}$	21	20	9	16	20	18	26 15		33
155 156	Other diseases of bones (tuberculosis excepted) Diseases of joints, other organs of locomotion	20 53	17 43	 1	3 9	1 1		1	3		3	7	3	1 6	2	1 5	2 9	2	11 5
	XIV.—Congenital malformations	1, 339	1, 015	89	235	1, 167	51	27	15	7	31	13	5	4	11	6	2		
157a 157b 157e 157d	Congenital hydrocephalus. Spina bifida and meningocele Congenital malformations of heart Other congenital malformations.	236 149 605 349	190 109 427 289	16 8 42 23	30 32 136 37	183 141 522 321	23 5 18 5	9 11 7	6 1 5 3	2 4 1	5 2 20 4	1 10 2	1 3 1	3	5 5 1	1 3 2	1 1		
158	XV.—Diseases of early infancy Congenital debility	4, 927	4, 068 125	272	587 72	4, 927													
159 160 161	Premature birth Injury at birth Other diseases peculiar to early infancy	2, 913 1, 301 502	2, 416 1, 098 429	148 91 19	349 112 54	2, 913 1, 301 502													
162	XVI.—Senility	288	136	17	135				<u></u>								2	4	282
	XVII.—Violent and accidental deaths	12, 587	9, 413	753	2, 421	157	92	93	99	129	504	322	462	703	1, 624	1, 934	2, 041	1, 870	2, 544
163	Suicide By solid or liquid poisons or by absorption of corrosive sub-	2,713	2, 101	122	490							5	41	115	409	553	654	577	357
164 165 166 167 168 169 170	stances. By poisonous gas. By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. By immping from high places. By crushing. By other means.	299 857 552 100 509 102 252 38	247 784 364 58 293 75 248 29	16 26 25 6 41 4 2	36 47 163 36 175 23 2 8							2 3	7 14 8 7	24 37 11 1 19 2 17 4	60 142 55 10 81 6 47 7	71 190 88 30 85 24 54 10	59 198 144 23 131 27 63 9	48 177 150 21 109 23 42 5	30 97 92 14 77 20 24 3
173 174 175 176 177 178	Homicide. By firearms. By cutting or piercing instruments. By other means. Accidental, other, or undefined. Attack by venomous animals. Poisoning by food. Absorption of poisonous gas. Supplemental.	763 386 158 219 9,111 7 21 475	689 345 149 195 6, 623 5 7 410	10 4 2 4 621 6 18	64 37 7 20 1, 867 2 8 47	28 1 1 26 129 3 1	1 91 4	2 91	2 1 97	3 126	4 500 2 5	4 313 1	36 19 6 11 385	87 52 23 12 501	256 154 55 47	178 82 49 47	90 45 16 29 1, 297 1 2 102	52 26 4 22 1, 241 7 97	20 6 4 10 2, 167 1 2 107

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—				-			r	EATHS	BY AG	Æ		···········			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 yéar	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
				;	NEW	YOR	K—Co	ntinue	đ			·		•					
	XVII.—Violent and accidental deaths—Continued										-								
179 180 181 182	Accidental, other, or undefined—Con. Other acute accidental poisonings (gas excepted) Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation Supplemental	195 402 51 75	154 130 343 34 51	7 16 29 4 9	23 49 30 13 15	6 1 10 50	7 1 25 1	1 4 30 1	3 5 15	2 5 22 1	4 22 39	1 10 8	1 6 8 4 2	8 10 16 5 2	18 15 31 21 8	57 39 44 10 4	51 36 40 6 2	16 17 40 2 2	9 24 74 1
183	DrowningSupplementalTraumatism:	738 183	476 88	24 5	238 90	1	6 2	12 1	9	5 1	71 10	60 12	76 11	59 25	81 39	109 38	136 23	81 14	27 7
186a 186b 188 189 190 191 192 193 194a 194b 198 199 200a 200b Punch symbol 201 202 203 205 206 207 208 209 210 211 212 213 214	By firearms (wounds of war excepted) By cutting or piercing instruments (wounds of war excepted). Supplemental By fall Supplemental By crushing, landslide Supplemental Injuries by animals Hunger and thirst Excessive cold Excessive cold Excessive heat Lightning Due to electric currents Supplemental Foreign bodies Other accidents Supplemental Legal executions XVIII.—Ill-defined causes of death Sudden death Cause of death ill-defined Cause of death not specified or unknown	16 2,346 281 281 29 39 31 14 43 111 447 27,787 20 81 7 37 37 48 69 124 221 26 129 2,813 213 31 31 31 37	46 88 1,811 198 18 312 16 1 1 2 28 111 20 41 19 18 42 48 42 48 42 48 41 19 18 11 12 16 15 16 15 16 16 15 16 16 16 15 16 16 16 16 16 16 16 16 16 16 16 16 16	15 10 3 157 16 1 19 2	37 6 5 378 67 7 111 2 7 14 12 15 86 576 33 2 14 17 12 20 70 76 62 22 586 4 20 79 19	13 23 4 18 2 5 11 1 5 5 1 1	1 1 2 3 3 5 10 4 4 4 4 1 1 1 1 1 1 2 2 1 1 1 1 1 1 1 1	1 1 2 2 1 1 1 2 2 2 1 1	2 2 21 1 1 5 5	100 1 1 2 7 7 57 57 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 4 59 12 24 2 1 21 21 214 	10 5 1 34 8 7 1 18 112 2 1 4 5 3 123 7 11	333 23 1 1 188 3 2 2 2 3 3 144 149 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	12 4 1 35 33 31 2 5 2 15 213 9 3 7 6 13 15 2 6 212 12 4 4 4 8	21 11, 5 124 48, 66 600 1 1 1 1 1 1 1 1 1 1 1 1 1 1 24 34 34 11 15 336 4 8 8 17	12 201 35 8 70 3 7 2 96 366 4 13 1 5 7	9 14 2 276 45 45 3 3 74 4 1 10 20 14 40 23 374 1 7 39	23 33 3211 41 42 2 11 13 366 422 13 11 4 8	19 2 1, 196 29 2 2 72 8 2 2 3 4 4 1 1 1 3 3 11 1 2 7 7 6 6 7 7 29 9 1 3 3 478 478 478 478 478 478 478 478 478 478
					NOR	тн с	ARO	LINA			-								
	Total deaths (all White causes) Colored	19, 513 11, 538	4, 752 3, 522	1, 745 897	13, 016 7, 119	3, 073 2, 110	443 275	235 124	119 81	84 56	360 205	264 217	443 516	580 765	1, 128 1, 233	1, 502 1, 249	1, 869 1, 376	2, 510 1, 273	6, 876 2, 003
	I.—Infectious and parasi-{White tic diseases		448 650	161 148	1, 561 1, 344	255 218	121 60	71 35	42 29	29 16	97 64	35 76	86 220	117 331	292 418	310 293	208 182	177 105	324 85
1 2 5 7 8 9 10 11a 11b 13 15 16 17	Typhoid fever. Paratyphoid fever. W. Undulant fever. C. Measles. Scarlet fever. W. Whooping cough. C. Diphtheria. C. Influenza, respiratory complications specified. Influenza, respiratory complications not specified. Dysentery. Erysipelas. Acute poliomyelitis, acute polioencephalitis. Lethargic or epidemic encephalitis. Gee explanatory footnote 2, p. 169,	40 21 34 136 106 107 360 195 105 105 105 24 24 22 22 22	12 16 1 13 7 9 19 28 20 8 69 67 39 32 5 6 6	3 2 2 12 17 7 2 14 11 1 1 2 2 12 2 12 1 1 1 1 1 2 2 1 1 1 1 1 2 1	59 60 2 24 12 24 110 76 107 19 255 114 109 48 17 26 1 1 1 1 6	8 39 25 22 32 17 10 13 1 5	12 4 6 32 222 31 4 17 8 6 3 7 7 2	2 2 4 7 5 26 6 6 9 11 1 8	1 4 4 4 2 12 3 8 8 2 6 6 1 1 1 1	1 1 2 2 2 2 1 13 4 5	4 15 5 3 7 6 2 24 2 6 7 6 4 2 1	5 8 2 2 4 4 1 7 5 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 16 11 10 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	10 6 	14 15 1 1 1 2 2 2 22 22 22 22 22 2 2 2 6	14 7 1 1 2 35 29 9 9 3 3 4 1 1 2 2	10 7 1 	5 1 1 39 20 7 7 3 1 1	116 19- 60 155 14 4 7

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

21 22	CAUSE OF DEATH	All deaths	10,000 or over	2,500	In rural														
21 22 23			1 1	to 10,000	areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
21 22 23	T T A 11 3			NOR	тн с	ARO	LINA	.—Con	tinued										
21 22 23	I.—Infectious and parasitic diseases— Continued																		
22	Epidemic cerebrospinal meningi-\(\)W	17	11	1	5	5	1	1	1		3	2	1		2			1	
23	tis\C Rabies\C	9	7		2	1		1					4 		1	1	1		
23	Tetanus $\{V_{C_{}}\}$	16 14	10 7	3	2	3				2	5 3 8	3	2	1 2	2	1	2	ī	
	Tuberculosis (all forms) $= \begin{cases} \widetilde{W}_{} \\ \widetilde{C}_{} \end{cases}$	948 1, 276	186 367	52 85 49	710 824	8 11	9	3 7	11 11	2 4	16	50 50	38 162	260	222 330	226 206	127 103 119	104 62	113 39 105
24	Respiratory system	866 1,164	159 315	75 1	658 774	5	6	1 2	5	1	9	3 41	36 148	81 243	213 306	212 200	96	91 60	36
- 1	Meninges and central nervous W	20 25	8 14	3	11 8	5	4 2	1 4	4	i	3	1 2	1	1 2	$\frac{1}{2}$	1	1	1]
25	Intestines and peritoneum $\left\{ \begin{array}{l} W \\ C \\ N \end{array} \right\}$	20 45	7 18	5	13 22	1	1			2	1 1	4	11	8	13	6 1 2	1 2	7 2 2	
26	Vertebral column	13 9	5 4		8 5 2		 			1		1		1 2	3	2	1		
27a	Bones (vertebral column ex-)W cepted)	3		1 	1								1 	1		ī		1	
27b	Joints{C	2 4	i	1 	3								1	ï	1		1		
28	Skin and subcutaneous cellu- lar tissueW	1			1													1	
29	Lymphatic system (bronchial, W mesenteric, and retroperi-	2 2			2 2				1			<u>-</u> -					1]
30	Construction of the control of the c	6	2		4										1	2	1		1
31	Other organsC	2	<u>i</u>		2	1											<u>ī</u>		
32a	Acute disseminated tubercu-{W losisC	14 22	13	<u>2</u> -	10 7	2 2		1	1		3	i	2	4	3 4	3 2	2 2		
32b,c	Other disseminated tubercu-{W losis(C	1	1												1			1	
	Syphilis $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	45 177	23 79 2	5 21	17 77	17 40	3	1			3	3	7	31	23	7 29	$\frac{9}{24}$	7	
	Gonococcus infection, other vene- W real diseases C	31	14	1 3	14								5	9	3 10	1 3 2 3	4		
36	Purulent infection, septicemia W (nonpuerperal)	23 10	3 2	7	13 8	1					5		2 2		5		3	3	1
38	Malaria{C	15 38	1 5	1 3	13 30	1	2	1 3	<u>-</u> -		1 5	1 2	2 3	2	1 5	1 5	2 5	1 2	2
42	Other diseases caused by hel-\W minths\C	3 4			3 4	<u>-</u> -		1	<u>i</u> -		2 2								
43	Mycoses	5 12	1 2	1 2	3 8	2 8	3							<u>1</u>	1	1		1	
44	Other infectious and parasitic dis-\W eases(C	10 3	1	<u>1</u>	7 2	2 2	1				4		1		1			1 	
	II.—Cancers and other tu-{White mors(Colored	1, 327 439	391 149	125 48	811 242	5 1	3	3 2	2 2	5 2	16 5	7	9 5	12 7	50 38	149 . 87	226 107	279 86	558 96
	Cancer and other malignant tu-{W	1, 252 387	362 116	114 42	776	3 1	2	2 2	2 2	3	12	4	6 4	9 7	37 25	135 67	212 101	271 81	551 92 27
(45)	mors_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	46	14	4	229 28 5										1	4	5 2	9 2	2
(45)	Pharynx C	7 2	ĭ	<u>i</u> -	6										î	3 1	ĺ		
(46)	Esophagus	9 3	3 3	î	5											1	2	4	
(46)	Stomach and duodenum $\left\{\begin{array}{l} \mathbf{W} \\ \mathbf{C} \\ \mathbf{C} \end{array}\right\}$	242		23	169									2	5 6	18	25 17	55	138
(46)	Timer and biliary passages W	82 115 20	50 23 27 7	23 7 12	52 76 12	1									3	10 8 5	17 14 4	16 29 8 7	60
(46)	Pancreas Pancreas	21 10	10	1 1 2 8	10 2										1		6 2	7	8
(46)	Other digestive tract and per-	137	6 57	ٷ	72 21			1	ī	1	2				5 1	18	18 10	32	58
47	itoneum\C Respiratory system\C	38 35 11	12 12	5 4	19					1		1	1		2	18 12 2 2	9	8 11 2	8
48	(W	195	70 70	14	111									1 2	11	41 21	47 24	40	138 30 60 1 8 4 58 7 8 1 1 2 4 1 1 4
49	\\ \vec{\pi}{\pi} = \(\vec{\pi}{\pi} = \vec{\pi}{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \vec{\pi}{\pi} = \v	93	23 13	12 2 1	58 6								i-		9 2	3	34 7	17	1
50		116	3 27	11	78 25					 				1	2 2	17 11	37	21 21	38
51	\w	42 84	11 25	6 15 3 1	44	1								<u>ī</u> -	1	11 2	15 7	18 18	38 9 55 15 43
52		26 61	5 9	$\frac{3}{1}$	18 51											5	4	18 7 9	
53	\w	163	44	1 18	101	1	2	1	1	<u>i</u>	10	3	4	5	5	14	30 30	32 32	54 9
	Other or unspecified organs{C	42	16 1	2	24	1		2	1	1	3		3	1	3	3	5	9	}
1	Wonmanghant tamors, ovary C	23	10	5	2 8										5	7	8	2 2	1
	Nonmalignant tumors, other or- W	36 19	28	4	9						2	2	<u>ī</u> -		11 4	7 18 3	3 2	2 1	4
1	Tumors, uterus (nature unspeci- W	3	2		1 1										1	1			1
	fied) C. Tumors, other organs (nature) W.	31	9	5 2	1 17	2	1	î		2 1	2 2	1	2 1	2	4 1	3 1	4 3	5 1	1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	·		IN CI	ries—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 Years	45 to 54 years	55 to 64 years	65 years and over
		,		NOI	TH C	ARO	LINA	—Соп	tinuec	i	· · · · · · ·	<u> </u>			·				<u> </u>
	III.—Rhenmatic diseases, nutritional diseases, diseases of the en- docrine glands, and other general dis- eases.——————————————————————————————————	696 419	184 122	59 40	453 257	32 12	10 5	6 3	3	2 1	12 5	12 11	16 13	7 37	44 56	79 67	98 78	151 57	224 71
56 57 59 60 61 62	Acute rheumatic fever	43 37 29 4 293 103 2 1 248	10 12 5 90 31 2	34 14 14	30 222 23 4 169 58	1		1	1	1	4 3 1 6 1	7 4 5 2	5 3 9 1	3 5 1 2 4	5 5 3 13 7	3 5 3 1 22 11	4 5 2 1 33 21 53 43	3 1 4 80 22 52 32	7 4 16 1 121 33 1
63 65 66a 66b	Rickets	231 8 10 1 6 4 23 15	66 2 4 14	19 	146 8 8 1 2 1	2 8	2 6 1	1 			1	4		24	42 1 1	46 1 7	2 2 4	32 1 2	28 1 4
(66) 67 68	Other diseases of thyroid and W-parathyroid glands-C-Diseases of thymus gland-C-Diseases of adrenals (Addison's W-culous)-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C-C	15 5 1 15 3 1	6 4 1 1	1 1 2	8 4 1 9 2	3 14 1	1	1 1	1				1	1	1	3	6	1	1
69	Other general diseases\\ \begin{align*} \text{W} \\ \text{C} \\ \text{IVDiseases of the blood} \\ \text{and blood-making} \\ \text{Colored} \\ \text{organs} \\ \text{colored} \end{align*}	24 7 108 34	7 2 35 14	2 14 1	15 5 59 19	13 2 6 3	4 1 4. 2	2 1		1 2	4 2	1 2	7	7	10 8	2 1 9 4	13 4	1 14 3	1 2 30 2
70 71a 71b 72a 72b	Organs	11 4 35 12 7 5 38 6 12 5	2 1 10 5 3 2 13 2 5 2 2 2	3 1 8 2	9 3 22 6 4 3 17 4 5 3	3 2 2 1 1	3			2	1 1 2 1	1 1	3	3 1 1 4 1	1 2 5 1 3	2 2 2 5 1 1 1	7 2 1 2 2 3 3	5 1 1 1 5 1 1 1	12 13 3
	V.—Chronic poisonings/White and intoxications(Colored	36 30 36	10 10 10	5 4 5	21 16 21		1						2	4 3	8 7	9 3	10 8	4 5	1
75	Alcoholism (acute or chronic) { W	2, 195 1, 091	10 475 319	· 163 83	1, 557 689	69 36	23 7	6	4 4	2 3	27 8	25 7	2 24 17	4 3 24 22	8 7 48 60	9 3 119 109	10 8 267 237	4 5 420 235	1, 136 336
78 79a 79b 80 81 82a 82b 82c 82d	Encephalitis (nonepidemic)	33 11 34 16 6 7 10 1 39 16 1,651 797 34 5 4 2 110 88	13 4 15 7 2 1 2 2 300 258 18 2	1 1 1 6 4 129 67 2 2	16 7 17 7 4 6 7 7 1,222 14 1 1 4 2 94 70	5 1 8 4 2 2 2	3 7 4 1 2 1	1 2	1	1	2 1 5 1 1 1	3 2 1 1 1 3 2	1 2 2 2 1 1 1 3 1 1 1	2 1 1 1 2 5 1 1	3 2 2 3 16 27 1 1	4 2 2 1 1 1 3 2 77 85 6 1	2 1 3 5 215 195 5 1	4 1 1 6 9 3 362 203 3 1	3 11 3 3 14 4 970 272 16 1 1 4 2 79 48 3 3
83 84 85 86 87 88 89a 89b	General paralysis of insane	110 88 20 27 30 14 76 48 25 25 25 3 19 3 44 7 26 5	17 4 11 126 5 2 3 16 7 2 21 21 21	1 1 1 2 2 2 2 2	13 23 19 13 49 42 21 20 35 12	3 2 23 20 3 1 17 2 5	2 1 1 1 3 3	1 2	1 1 1 1 1 1	1	1 4 2 1 7	9 1 3 2 1	2 11 4 2 1 1	1 3 12 9	1 7 1 4.7 5 7 10 3 1 1 2 1	1 2 2 3	11 7 11 7 1 6 6 6 5	15 2 6 5 1 6 2	25 4

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
i				NOF	ктн с	ARO	LINA	Con	tinued		<u> </u>			<u> </u>	,				
	VII.—Diseases of the cir-{White culatory system{Colored	3, 382 1, 562	788 539	304 109	2, 290 914	23 4	7 4	2	1 <u>1</u>	2 2	13 11	12 20	21 24	34 38	64 116	160 195	365 309	641 327	2, 035 507
90	Pericarditis	2 6 25	1 2 12	3	1 4 10	3	1 1						12	1 3	1 1 5	2	1 3	3	2 3
91a 91b	Endocarditis, unspecified (under W C C C C	20 10 7	12 5	1 2	7 5 5		Î	1		1	2 2 1	3	1	2	5 2	3 3	3	1	i
92a 92b	Endocarditis, specified as chronic, W and other valvular diseases(C Endocarditis, unspecified (45) W years and over)(C	702 445 60 35	101 161 12 12	55 22 8 6	546 262 40 17	2			1	1	6 3	6 7	8 10	11 8	16 40	38 55	52 89 8 11	127 94 15 13	435 135 37 10
93a 93b	Acute myocarditis $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$ Myocarditis. unspecified (under $W_{}$	31 22 23	8 10 10	6 3 3	17 9 10	2	1			1	<u>-</u>	1	1 1 1	1 3 3	3 3 6	2 5 11	1 5	6	12 4
93e	45 years) C	28 546 165	139 61	58 21	14 349 83	3						3	2 2 1	1 3 3	7 6 7	18 16 15	55 30	99 30	362 76
93d 94a	Other diseases of myocardium\{\begin{align*}W \C_1 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	419 166 318 54	96 57 98 22	39 17 41 8	284 92 179 24								 i	1 1 2	1 3 4	1 5 15 11	40 48 56 12	63 50 90 8	314 61 152 15
94b	Diseases of coronary arteries $\left\{ \begin{array}{ll} W_{} \\ C_{} \\ W_{} \end{array} \right\}$	122 18 9	48 9 3	19	55 9 6								<u>î</u> -	3 	1 5	13 1 2	22 3	34 4 2	49 4 5
95a 95b	Functional diseases of heart $\begin{pmatrix} C \\ C \end{pmatrix}$ Other and unspecified diseases of $\begin{pmatrix} W \\ C \end{pmatrix}$	868 488	184 154	60 16	624 318	12	3 2	1		1	4 4	4 6	5 8	6 16	21 36	1 48 68	1 108 89	156 105	498 150
96 97	Aneurysm (except of heart) W Arteriosclerosis (coronary arteries) W	18 9 161	7 6 45	1 2 8	10 1 108									1		2 3	5 4 11	8 26	3 1 124
98	excepted) C. Gangrene C.	61 16 4 20	12 2 1 13	3 1 2	46 14 2 5		1 							1	1	1 1 1 4	11 3	12 4	37 14 2 8
99 100	Other diseases of the arteries $\left\{ \begin{array}{c} W \\ C \\ \end{array} \right.$ Diseases of veins (varices, hemor- $W = 1$ rhoids, phlebitis, etc.) $\left\{ \begin{array}{c} W \\ C \\ \end{array} \right.$	6 4	4 2	î '	1 2									1	2 1	1 1	1	i	2 1
101 102	Diseases of lymphatic system (lymphangitis, etc.)	4 24	2	1	4 21	1										1		1 7	2 1 <u>6</u>
103	Other diseases of circulatory system	18 5	5	1	12 4							1		1	2	1	2	5 1	7
	VIII.—Diseases of the re-{White spiratory system (Colored	1, 717 1, 156	340 373	138 85	1, 239 698	438 381	95 73	48 38	28 17	10 7	47 32	32 24	41 48	39 64	82 106	131 93	93 92	146 69	485 110
104a 104b	Diseases of nasal fossae and an- $\left\{ \begin{array}{l} W_{-} \\ C_{-} \end{array} \right\}$	17 21 14	3	2 3 2	12 18 4	11 17	1	1	1		<u>i</u>	1	2	2	3	3	<u>1</u>	<u>-</u>	5 1
105	nexae	13 2	5	2 	3 8 2	4		2	1		1 2	1	3			ī	1	1	1
106a 106b	Chronic bronchitis	20 19 29	4 7 8	3	16 12 18	6 13	1 2	1	i					i	1 1 1	1	1 1	3	10 1 22
106c,d	Bronchitis, unspecified $\left\{ \begin{matrix} \mathbf{C} \\ \mathbf{C} \end{matrix} \right\}$	5 13 12	2 1 3	1 2	3 11 7	8 7	 1		 1		i	1 	1	1 1		1	 1	i	2 1
107a 107b	Bronchopneumonia $\begin{array}{c} W \\ C \\ C \\ \end{array}$	593 352 2	102 131	46 19 1	445 202 1	271 174 1	43 38	15 21	13 6	3 4	12 11	9 5	3 10	6 11	10 	11 11	17 11	28 14	154 26 1
108	Lobar pneumonia	801 510	168 184	68 50	565 276	82 52	35 19	27 8	9	6 3	25 14	19 12	30 30	25 40	60 78	97 76	63 68	91 47	230 57
109	Pneumonia, unspecified $\begin{bmatrix} W \\ C \end{bmatrix}$	107 176 31	12 25 12	4 2 3	91 149	48 112 1	10 12 2	1 7 2	1 3 2		5 5 1	3 1 1	4 2 1	6 3	1 7 2	5 3 3	1 6 1	8 3 3	20 9 9
110 111a	Pulmonary embolism and throm-\W	13	6	1 1	16 6 1					 			1	3	3	1 3	1	î	4
111b	bosis\C Pulmonary congestion, edema, \W hemorrhagic infarct\C	21 6	2 4 1	<u>2</u> 2	15 3	2 2 1			ĩ			i					1	ī	$\begin{array}{c} 1\\17\\2\end{array}$
112 113 114	Asthma $\{ \begin{matrix} W \\ C \\ \end{matrix}$ Pulmonary emphysema $W $ Other diseases of respiratory sys- $\{ W \}$	33 18 3 17	6 5 1 5	3 2 2	24 11 2 10	1 3 2	1 1			 1	1 		1	1 2	4 4 2	3 1 3	5 4 1	8 2 2	10 4 2 3
	tem (tuberculosis excepted) (C IX.—Diseases of the diges-{White	1, 298 699	448 213	142 80	708 406	310 246	111 73	49 15	9 10	8 4	45 12	36 21	53 18	49 44	77 47	100 62	124 60	1 116 40	2 210 41
115a	Diseases of pharynx, tonsils $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$		28 15		42 16		3	6	2 2	1	10 2	4 4	3 2	11 4	5 5	3 3) 12 3	7	3 1
115b	Diseases of buccal cavity and W	78 32 15 10 47 27 15	3 6 14	2 4 3	12 2 29	1	<u>1</u>				1 1		1	1 1 5	1 2 5	<u>3</u>	1 1 10	1 1 11	1 8
117a 117b	Ulcer of stomach		10 6	3 4	14 5								1	ž	5 3 2	6 3	8 6	4 2	3 2
118	Other diseases of stomach (cancer W excepted)	70 70 51 368	. 10 10 10 67	4 2 4 7 25	56 34 276	13 11 269	1 1 99	2 1	3 1		3	<u>1</u>	1 1	1 3	1 1 4	2 8 8	3 8 6	1 11 6	18 8
T1A	of age)\C	282	56	25 21	276 205	269	68												

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	-					=	D	EATHS	BY AG	E				····· <u>·</u> ··	 =
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
<u></u>			-	NOF	TH C	ARO	LINA	.—Con	tinue	l					·		·	•	
	IX.—Diseases of the digestive system—Continued									٥									
120	Diarrhea, enteritis (2 years and W	113 59	13 17	9	91 36			33 10	4 7	5 2 2	4 3 18	1 1 23	1	2 4 16	8 6 34	2 7	4 3 30 10	7 9	42 7 10
121	Appendicitis $\begin{cases} W_{-} \\ C_{-} \end{cases}$	227 75 41	145 36 13	33 18 8 2 12 8	49 21 20	$\begin{array}{c c} 1\\1\\2\end{array}$	2			1	18 3 1	10 10	41 6	12 1	34 9	35 12 2 2 2 10	30 10 3	14 7 8	10 .4 24
122a 122b	Hernia C C C C C C C C C C C C C C C C C C C	14 97 70	6 52	2 12 8	6 33 34	13 10	3 3	5 1		1	3 3	3 2	3	2 4 6	1 7 9 2	10 10	3 3 9 11	8 2 12 3	.4 24 2 25 8
123	Other diseases of intestines ${\mathbf{C}}_{\mathbf{C}}$	24 6	28 9 4 19	5	10 2	2	1				1		î 1	4 6 1 3 2 1 2 2 1	1	1 7	5 	3	6
124	Cirrhosis of liver	66 24 8 3	19 7	11 3 2	36 14 2			1			1		1	1	1 2 4	4	11 6	14 3	29 3 2
125a	Yellow atrophy of liver $\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 12	7 4 2 3 3 24	1 3	6							1	1	2	1	3	2	1	3
125b 126	Diliana calculi	12 12 37 5 54 12 6	3 24	1 7	8 6	2	1					2		ī	3 1	3 1 6	2 8	8	14 3
127	Other diseases of gall-bladder, W. biliary passages C.	54 12	1 23	2 4 1	2 27 7							1	1	1	1	10 2	2 9 2	11 4	21 2
128 129	Diseases of pancreas W . Peritonitis, cause not specified V .	20	13	1 2	3 5	i		1 2			3	1 2	<u>-</u> -	1 3	3 1	2	1 2	3	2
128	X.—Diseases of the geni-{Whitetourinary system{Colored	2, 170 1, 204	520	2 176	1, 474	9	5 2	8 2	1	2	8 6	19	3 16	24	81 81	131	246	377	1, 241
130	Acute nephritis (including un-\W	99	24	20	708 55	1	1	2	1	1	5	10	15 5	23	92	142	201	251 13	23 5
131	specified under 10 years) C — Chronic nephritis———————————————————————————————————	82 1, 602 816	28 322	9 123	45 1, 157 496	2	2 1	2 1	2 	2	1 2 3	2 7 1	3 4 6	390	15 33 40 8 7	9 21 85 81	10 10 183 154	291 185	985 330
132	Nephritis, unspecified (10 years W	230 177	250 58 65	70 18 14	154 98							2	2 1	9 3 2		11 32	26 28 10	45	133 66
133	Other diseases of kidneys, ureters W (puerperal diseases excepted)(C	84 38 22	34	8	42 26	7 3	3	5		1 1	2 2	<u>i</u>	2	3	8	10 2 3	4	12 7	21 9
134	Calculi of urinary passages $\{V_{C}\}$ Diseases of bladder (tumors ex- $\{V_{C}\}$	22 4 13	15 3 4		-7 1 9									1	5	3	4 1 2	3	6 2 10
135 136	cepted) C	10 10 3	1 2	4	5 1										2		<u>-</u> -	2	8
137	scess, etc	4 72	2 35	4	2 33										1	1 1 1	1 1	1 9	62
138	Diseases of male genital organs, not specified as venereal	32 1	13	5	14	-									1	1	1	3	26
139a	Cysts of ovary{C	4 3	2 1 15	1	Î 1										1	1	1	<u>i</u> -	1
139b	Other diseases of ovaries, diseases W of tubes and parametriumC	26 21	13	2 1	9 7					 			3	2 4	10	8 2 3	6	1 2	
139c 139d	Diseases of uterus C Nonpuerperal diseases of breast (can-	14 13	9		5 9							1	1	1	5 5	1	3 	1	
139e	cer excepted) W Other diseases of female genital or-	1			1										1				
	gansC.	3			3									- -	2	1			
	XI.—Diseases of pregnancy, childbirth, and the puerperal stateColored	291 238	99 74	35 17	157 147							<u>-</u>	35 44	63 50	118 85	72 52	2 2		
140	Abortion with septic conditions. $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	18 16	11 8	1	6 8								2 2	10	4 6	2 4			
141	Abortion without mention of sep-\W tic conditions (includes hemor-\C	7 14	5 4	1	1 10			-					1	1 2	2 8	3 3			
142a	Ectopic gestation, septic conditions	1	1		10								_		1				
142b	specified	3 5	2 3	i	1								1	1	2 2	1			
143	Other accidents of pregnancy W (hemorrhage not included)		Ĭ 1	1	3 2							<u>ī</u> -	Ī		3 2	1			
144a	1 14CCH14 D14C 1 14C	7	3	3 	9 4	-								2 2	6 3 12	10 2 10			
144b 145a	Other puerperal hemorrhages $\{V\}$ Puerperal septicemia and pyemia V	26 16 44	7 4 15	4 8	15 12 21								$\begin{bmatrix} 1\\2\\4 \end{bmatrix}$	3 2 10	7 20	5 9			
145a 145b	(abortion excluded)	45	11	8	26								וֹז	12	14	7	1		
146	cluded) W W Puerperal albuminuria and	93 82	32 34	6	55							3	18 19	26 13	37 27	1 12 19	<u>-</u>		
147	eclampsia C	82 20 8	24 11 3	6 4 1	52 5 4								4 2	13 2 2	8 3	6			
148	Puerperal phlegmasia alba dolens, w-embolus, sudden death (not)	Ī.	3 1	2	9 5									3 3	6 1	5 2			
149	Other assidents of childhirth	48	11	5	32		 	 					4	5 10	18	19	2		
150	Other and unspecified conditions of puerperal state		11	1	22 1								6	10	10	8			
	69301—35——21																		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	In						D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
				NOF	TH C	ARO	LINA	Сол	tinued										
	XII.—Diseases of the skin{Whiteand cellular tissue{Colored	33 17	15° 3	2 2	16 12	10 5	1			1	1	2	1	2	4 1		4 2	2 2	5. 5.
151	Furuncle, carbuncle \\ \begin{align*} align*	8 1	3	1	4 1 2	1				1		2		2	2		1	1	1
152 153	Other diseases of skin and annexa, Wand of cellular tissue Canada of cellular tissue	11 7 14 9	9 1 3 2	1 2	6 10 5	4 1 6 3	1				1 		1		1 		1 3 1	1 2	2 2 2 3
	XIII.—Diseases of the bones and organs of locomotion	30 11	18 3	3 2	9 6		1	4	1		5 2	5 1	5 3		2 1	2	3	1	1 4
154 155	Osteomyelitis $ \{V_{-}, V_{-}\}$ Other diseases of bones (tuber- $\{V_{-}, V_{-}\}$	23 8 2	17 2 1	2 2	4 4 1		1	4	1		5 2	4 1 1	3 3 1		1 1	1	3		ī
156	culosis excepted) C C Diseases of joints, other organs W	1 5 2		1	1 4								1		1	1		1	1 1 2:
	of locomotion\C XIV.—Congenital malfor-(White mations\Colored.	276 39	63 8	26 6	1 187 25	242 32	11 4	5	1	1	5 1	5	4	1	1 1			-4	
157a	Congenital hydrocephalus $\left\{egin{array}{c} W \\ C \end{array}\right\}$	29 8	9 1 5	1 2	19 5	25 4	2				1		2		1				
157b	Spina bifida and meningocele	22 1 139	1 25	3 <u>12</u>	102	22 117	9	4			4	4	1						
157c 157d	Congenital malformations of heart $\left\{ \begin{matrix} W \\ C \end{matrix} \right\}$ Other congenital malformations $\left\{ \begin{matrix} W \\ C \end{matrix} \right\}$	17 86 13	3 24 3	10 10	10 52 10	16 78 12	1 2 1	<u>i</u>	1	1		1	1	1					
	XV.—Diseases of early in-{White fancy(Colored	1,322 719	321 225	133 39	868 455	1, 322 719													
158	Congenital debility $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	105 136	7 25	11 8	87 103	105 136													
159	Premature birth $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	921 474	219 152	103 29	599 293	921 474													
160 161	Injury at birth \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	214 44 82	76 18 19	11 	127 26	214 44 82													
101	infancy(C	65	30	8 2	55 33	65													
162	XVI.—Senility{Colored	187 168	17 11	11 5	159 152													8	187 160 [,]
	XVII.—Violent and acci-{White dental deaths{Colored	1, 614 825	526 313	221 83	867 429	54 47	36 15	26 16	26 13	19 15	75 43	69 36	120 93	190 129	225 159	209 109	172 61	125 37	262° 46
100	Suicide	264 22	106 8	33 2	125 12							1	17 4	25	40 6	55 3	55 3	43 4	28 1'
163	By solid or liquid poisons or W	43	22	8 1	13								5	8	9	8	9	4	
164 165	By poisonous gas	11 25	8 12	2 1	1 12							1		3		2 4	5 5	3 6.	1 5
166	By drowning	9 2	2	<u>î</u>	6 2											<u>-</u>	2	3	1 3:
167	By firearms	161 14	53 7	19	89 7								10	14	28 5 1	33 2	32 2 2	26 1	18.
168	By cutting or piercing instru-W-ments	. 11	7	2 1	2 1								1 1		i	5	2	1 2	ī
169	By jumping from high places $\left\{ egin{array}{c} W & - \ C & - \ \end{array} \right.$	1 1	1		1										<u>i</u>	1			
170 171	By other meansW	1 2 150	1 40	20	1 1 90	2		<u>-</u>			2	2	1 10	22	1 41	35	15		<u>-</u> <u>-</u> 9\
173	Homicide	244 109	130 27	23 16	91 66	2					2	2 2	23 6	61	89	37	19	7 7	2 ⁻
174	By cutting or piercing instru-\ W	167 21 49	80 4 36	18 4 3	69 13 10	<u>1</u>		ī		1		2	19 2 2	16 42 5 12	59 3 23	26 27 5 5	11 2 5 5	$\begin{vmatrix} 4\\1\\2 \end{vmatrix}$	2 ⁻
175	By other means	20 28 1, 200	9 14	2	11 12	1 2							2 2	7	3 7	4 5	3	1	3
176	Accidental, other, or undefined \{\begin{aligned} W \ C \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1, 200 559 5	380 175	168 58	652 326 4	52 45	36 15	25 16	26 13	18 15	73 43	66 34 2	93 66 1	143 68	144 64	119 69	102 39	73 26	225 43
177	Poisoning by food $\left\{ \begin{array}{ll} W - C \\ C - C \end{array} \right\}$	18	4 3	1 1 3	13 12	4 4	1 1 1	1	1		2 2	1		1	i	1	4	1 2	<u>i</u>
178 179	Absorption of poisonous gasW Other acute accidental poi-\footnot{W}	18 2 22	2 8		11	1	7 2	2					1	1	1 2	<u>-</u> -	1 2	1	<u>î</u>
180	Sonings (gas excepted)(C	2 22 16 23 17	2 8 5 2 5	3 1 2 1 9	10 19	3		3	1 3 2	1	1 1 2	1	1 2 2	2 4	ı	1	1 2		1 4
181	Burns (conflagration except-) W	97 74 8	5 26 25 3	1 9 6 1	11 62 43 4	7 4	12 7	10 8	15 7	2 9 10	10 13	1 3 1	3 1	2 3 2	3 1 5 5 2 2	1 4 2 1	2 2 3 2	3 3 1	3: 11 6-
182	$\begin{array}{c} \mathbf{W}_{} \\ \mathbf{W}_{} \\ \mathbf{C}_{} \end{array}$	18 19	<u>4</u> 1	1 2	13 16	16 17					i		i		2 <u>1</u>	1			
183	W	80	2 3	3 2	75		4		2	1	6	10	1 11 22	19	10	11	2	1	3:
	Supplemental C	58 8 10	3	$\begin{bmatrix} 2 \\ \\ 1 \end{bmatrix}$	53 5 9	1		1			5 1	8 1 2	22	9	5 4	6 3	1	1	1 1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		T	1		1	<u> </u>										,			****
List		A 77	IN CIT	ries—	In	ļ	,	,				DEATHS	S BY AC	JE 					
no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
	•			NOF	TH C	ARO	LINA	.—Con	tinued										
	XVII.—Violent and accidental deaths—Continued																		
184 185	Accidental, other, or undefined—Con. Traumatism: By firearms (wounds of W. war excepted)	62 52 12 6 8 3 201	18 17 2 2 2 1 71	9 10 1 1 3 1 25	35 25 9 3 . 3 1 105	1	1	3	1		7 4 1	7 11 2	13 9	8 14 1 	9 6 3 5	6 5 1 1	4 1 1	4 1	3 3
186a	By fall W. Supplemental W. W. W. W. W. W. W. W. W. W.	33 39 17	13 17 8	2 8 2	18 14 7	2 2 1	3			2	ĭ	4 2 1	7 7	1 11 1	5 2 5 1	1 7 3 2 1	3 5 4	15 6 1	9 5 2
186b	By crushing, landside C	2 4 69 32	1 24 13	1 15	2 2 30	1	 ī	<u>2</u>		1	5	6	1 7	9	14	3 8	9	3 2	4
188 189 190 191	Supplemental C Injuries by animals C Hunger and thirst W Excessive cold C Excessive heat C Lightning C	9 2 1 2 2 8 4	1 .	2 1	17 5 2 1 1 2 3	1	1	i			2	1	1	10	8 1	1 2 2	1 1 2 1 1	2 2	1 3 1
193	Due to electric currents $\left\{ egin{array}{c} \widetilde{\mathbf{w}}_{} \\ \mathbf{c}_{} \end{array} \right.$	2 8 1	.4	1	2 3 1			<u>i</u>				1	1	2	3			·i	
194a	Foreign bodies $\left\{\begin{matrix} W_{} \\ C_{} \end{matrix}\right\}$	1 10 12 51 27	2 3 -	1	7 9	3 8 10	4	1			1				1	3 -	1 -	<u>-</u> -	
194b	C	27 438 136	15 8 167 56	11 2 71 19	25 17 200 61	9	3	1 3 1	1 4 1	1 4 1	28 12	3 1 25 6	3 7 37 10	7 2 71 19	8 3 64 23	3 67 26	1 48 16	4 1 35	4 1 46 11
198	$\begin{array}{c} \text{Supplemental} & \begin{array}{c} C \\ \end{array} \\ \text{Legal executions} & \begin{array}{c} C \\ \end{array} \\ \end{array}$	7	7 -										1	3	1 2			8	
	XVIII.—Ill-defined causes White of death(Colored	661 745	54 107	27 38	580 600	298 401	15 29	7 10	3	3	5 14	9	5 12	7 13	22 38	22 33	38 33	57 48	177 94
199 200a 200b	Sudden death	126 97 171 131 364 517	9 16 15 23 30 68	6 9 4 12 28	111 75 147 104 322 421	16 23 50 43 232 335	6 10 9 19	2 8 5 2	1 1 1 2	1 1 2	3 5 2 9	1 3 1 1 7	1 2 3 4 1 6	1 3 3 	8 9 4 5 10 24	8 11 9 · 6 5 16	16 12 16 6 6 15	19 16 21 18 17 14	57 19 49 22 71 53
Punch symbol 201 202	SUPPLEMENTAL 1 Accidents in mines and quarriesW Accidents from agricultural machinery	1 2			1 .								1 -		1 _			1	
203 204 205,	Elevator accidents C	1 1 16	1	3	8							1 -	1	4		1	5	1	<u>-</u>
206	Railroad and automobile collisions $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right]$	27 7 55	1 12 3 22	2 5 10	1 10 4 23								1 4 1	1 8 2 10	2 1 10	2 4 1	6 2	L	·2·
210	Other street car accidents	39 2 430 128 5	19 2 160 50 4	77 17	16 193 61 1	2	1 3	5 1	4	7	33 13	3 1 26 5	33 10 1	68 22 1	11 1 66 20	8 10 62 24	10 4 44 14	32 7	2: 43: 10: 2
	Other land transportation acci W dentsC	1 19 10	3 4	4 2	1 12 4							2	3	3	4		2	1	5 4
	Water transportation accidents $\left\{ egin{array}{c} \overline{W}_{-} \\ C_{-} \\ \end{array} \right.$ Air transportation accidents \overline{W}_{-}	8 9 7	4 2		9 5						1	1 2	1	2	1 4 2	2		ī	î 1
1	· · · · · · · · · · · · · · · · · · ·	<u> </u>		·	NOR	CH D.	AKO'	TA.	•	,	•			'			•	- 1	
	Total deaths (all causes)	5, 153	993		3, 535	779	87	42	31	26	93	85		126	<u> </u>	<u></u>	<u> -</u>	<u> </u>	2,053
7 8 9 10	I.—Infectious and parasitic diseases Typhoid fever Paratyphoid fever Measles Scarlet fever Whooping cough Diphtheria Influenza, respiratory complications	14 1 1 11 5 23 14	86 1 5 4 4	57 6 1 2 1	7	3 15 1	21 1 1 3 4	10 1 1 1 2 1	9	9	22 	18 1 1 3	36 2 1	41	3	2	45 4	31	76
11b	Influenza, respiratory complications not specified	77 64	12 13	9	56 47	12		1 2	3 1	2	1	3	3	3	2	6	9 4	7	20 32

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—	_						I	EATHS	BY AG	e E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
			_	NO	RTH	DAK	OTA-	-Cont	inued										
	I.—Infectious and parasitic diseases— Continued																		
13 15 16	DysenteryErysipelasAcute poliomyelitis, acute polioen-	5 7	1 2	2	4 3	1 3		1						 	1			1	2 3
17 18 22	cephalitisLethargic or epidemic encephalitis Epidemic cerebrospinal meningitis	15	2 1 4	2 5	1 3 6	1	1 1 4			2	4	2	<u>1</u>	1 <u>1</u>	1	2 	ī		<u>i</u>
22 23 24	Tetanus Tuberculosis (all forms) Respiratory system Meninges and central nervous	200 167	31 19	3 19 15	1 150 133	1 4 1	6		2	1	8 3	4 2	25 23	35 31	33 32	29 26	20 18	19 18	14 12
25	system Intestines and peritoneum Vertebral column	3	6 2 1	3 1	8 5 2	2 1	5			1		1	2	1 1 1	1	<u>2</u>	2		i
26 27a 30 31 32a	Bones (vertebral column excepted) Genitourinary system Other organs Acute disseminated tuberculosis	1	1 1 1		2									. 1		<u>1</u>		ī	1
34 35	Syphilis Gonococcus infection and other venereal diseases	16 3	3	1	12 2	5					1				2	î	4	2 1	1
36 41b	Purulent infection, septicemia (non- puerperal) Hydatid cysts of other organs	3 1 1	2		1										1	<u>i</u>	2		
43 44	Mycoses_Other infectious and parasitic diseases	1	134	66	341	1							2		13	36	91	129	263
(45)	Cancer and other malignant tumors Buccal cavity Pharynx	12	128 4	62	333 8 2								2		10	31	84 1	128 5	263 6 1
(45) (45) (46) (46) (46) (46) (46)	Esophagus. Stomach and duodenum. Liver and biliary passages. Pancreas.	10 182	1 39 6 5	3 17 7 2	6 126 19 6										2	9	24 9	3 41 5 5	106 17 7
47	Other digestive tract and peri- toneum	. 17 36	23 7 8 2	7 1 3 3	40 9 25								1		1	5 4	5 6 10 3	24 2 12	33 8 9 3
48 49 50 51 52 53	Breast Male genitourinary organs Skin Other or unspecified organs	. 44 . 56 . 6	8 16 1 8	8	32 32 5									i	1 1	8 2 2	13 6 2 5	13 10 8	9 37 4 16
54a 54b 55d,e	Nonmalignant tumors, ovary	8 9	5	2			-					1		1	1 2	4	4	1	
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and																		
56 57	other general diseases	. 8	35	16	. 5	9	1	1	-		_ 2	5	10	-	1	1 1	20	32	66
57 59 62 63	Chronic rheumatism, osteoarthritis Diabetes mellitus Pellagra Pickets	118		13	81 1 1	1					2	3	8	3	- 1 2	3	13	28	55 . 1
66b (66)	Rickets. Exophthalmic goiter. Other diseases of thyroid and parathyroid glands.	. 4	5		3 7	1 7			2	-			1		- 1	2	6	1	2
67 68	Diseases of thymus gland Diseases of adrenals (Addison's disease not specified as tuberculous)	. 1	1		1			-		-					- 1 				. 1
=0	IV.—Diseases of the blood and blood- making organs Hemorrhagic conditions	- 68	17	7	44	2	1		1	-	- 5	1	1	3	3	9	11	-	11
70 71a 72a 72b 73 74	Pernicious anemia. True leukemias. Pseudoleukemias (Hodgkin's disease) Diseases of the spleen. Other diseases of blood and blood-	30 22 8 2	6 5 2 1	3 2 2	21 15			3			4	. 	1	2		2	63	12 3 1	2 1
	waking organs		1	2	5		-	-						-	_ 1	1 2		3	
7 5	Alcoholism (acute or chronic)		-	-		-	-	-	-			-		-	1				-
	VI.—Diseases of the nervous system and of the organs of special sense		95	65	421	41	4	2		_ 2	2 4	6	2	3	11	21	48	88	348
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes dorsalis)	- 9 3	5		- 2 3	3		i			2	1 1 1		1	1	1	1	1	-

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TES-								DEATH	2 2 2 1/	20			<u>.</u>		
List	CAUSE OF DEATH	All deaths	10,000	2,500	In rural areas		1	2	3	1 .	.	10 to	ī	1	25 to	35 to	45 to	55 to	65
			or over	+a	algas	der 1 year	year	years		years	5 to 9 years	14	19	24	34 years	44	54	64	years and over
	•	÷		NO	RTH	DAK	OTA-	Cont	inued										
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
81 82a 82b 82c 82d	Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	13 432 28 1	6 59 10 1	3 45 5	328 13							1			3 1	10 1	1 35 6	2 73 4	3 312 16 1
	General paralysis of insane Dementia praecox and other psychoses.	7 10 4	2	1	5 8 4									i	 1	4	2 1	1 1 1	6 2 1
83 84 85 86 87 89a	Epilepsy Convulsions (under 5 years of age) Other diseases of nervous system Diseases of ear. Diseases of mastoid process.	11 33 10 8	2 2 2 2	2 2 2	7 33 6 4	32 2 3	 <u>1</u>	1 		 	1	1 1	1 1	 1	3	1	2	2	<u>3</u>
89b	VII.—Diseases of the circulatory system	966	169	91	706	2	. 1 2			1	2	12	3	8	29	36	113	138	620
90 91a 91b	Pericarditis	1 15	4		1 11							i			6	4	1	<u>i</u>	1 2
92a 92b	years)	2 180	34	19	2 127		2					1 4	1 , 1	5	9	11	 28	24	96
93a 93b	over) Acute myocarditis. Myocarditis, unspecified (under 45 years).	11 6	1 2	1	9						<u>-</u> 2	<u>i</u>					3	1	7 2
93c 93d	Chronic myocarditis and myocardial degeneration Other diseases of myocardium	306 36	46 . 10	35 2 3	225 24							1	1		4	9	28 4	39 10 17	223 22
94a 94b 95a 95b 96 97	Angina pectoris	306 36 71 68 10 150	13 21 1 20 1	3 8 1 10 1	55 39 8 120 5							4		3	1 3 1 4	1 5 4	9 11 19 1	17 10 2 23 3	223 22 43 39 7 93
98 99 100	Arteriosclerosis (coronary arteries excepted) Cangrene Other diseases of arteries Diseases of veins (varices, hemornhoids, phlebitis, etc.)	80 5 4	10 1	6 1	64 4 3											1	3	<u>4</u>	72 5 2
101 102 103	rhoids, phlebitis, etc.) Diseases of lymphatic system (lymphangitis, etc.) Idopathic anomalies of blood-pressure- other diseases of circulatory system	4 2 6	1 3 1	1 <u>2</u>	2 2 1	2											3	2	
	VIII.—Diseases of the respiratory system	456	92	60	304	101	25	11	. 5	.3	10	9	8	9	25	18	32	44	1 156
104b 105 106a	Diseases of nasal fossae and annexae Diseases of larynx	4 4 11	1	1	2 4 10	1 4	1		i		1		1			2	1	i	6
107a 108 109	Chronie bronchitis	14 5 169 216	1 2 2 42 35	2 20 33	10 3 107 148 2	81 13	2 17 3	6 5	2 2	<u>-</u>	4 5	1 8	7	7	1 2 20	2 13	1 2 25	1 8 31	11 2 44 75 1
110 111a 111b	Pleurisy_ Pulmonary embolism and thrombosis_ Pulmonary congestion, edema, hemor- rhagic infarct	2 7 5	· 1	1 2	1 3 4	1	ī			1				2	1	ī	1	1	1 1 7
112 114	AsthmaOther diseases of respiratory system (tuberculosis excepted)	10 2	1 1	1	8 2	1											1	1	7 1
***	IX.—Diseases of the digestive system	449	115	80	254	96	14	, 4	, 9	6	21	16	14	10	31	45	48	54	81
115a 117a 117b 118	Diseases of pharynx and tonsils	17 15 8 11	4 4 3	2 3 2	11 8 3 11	1 4			2	1 	1	3	2	2	1 2 1.	2 3 2	1 4 2	5 1	1 4 3
119 120 121 122a 122b	age). Diarrhea, enteritis (2 years and over) Appendicitis Hernia.	97 22 107 31 35 6 27	7 5 36 12 8 1	5 2 28 3 10	85 15 43 16 17	86 1 2	11 1	3 1	3 2	1 2	1 13	1 12	10	6	21 1	9 3	2 9 4 3	3 11 10	8 10 12 10
123 124 125a 125b	Intestinal obstruction. Other diseases of intestines. Cirrhosis of liver. Yellow atrophy of liver. Other diseases of liver.	4 2	8 1 5 1	10 1 5	17 4 17 3	2 2	1		. 2	1			1	1	1	9 3	. 3 7 2	6 5 1	12 1
126 127 128	Biliary calculi. Other diseases of gall-bladder, biliary passages. Diseases of pancreas. Peritonitis, cause not specified.	45 11 · 4 7	15 9 1 3	15 1 3	15 2 2 1						1			1	3 .	10 2	7 3 2 2	11	15 3

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	res—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	TARTE	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and
		<u>l</u> i		Ţ.	RTH		OTA-	-Conti	nued						<u> </u>	<u> </u>		-	over
-	X.—Diseases of the genitourinary	410	71	56	283	3		1		2	2	2	8	4	12	21	46	58	251
130	Acute nephritis (including unspecified	12	2		10	°		1		1			3	1		1	1	1	3
131 132	under 10 years) Chronic nephritis Nephritis, unspecified (10 years and over)		42 5	46	232 12						. 1	2	3	3	9	15	38	52	197
133 134	Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages	14	8	4	2 3	3				1	1		1			1	2	1	5 2
135 136	Diseases of bladder (tumors excepted) - Diseases of urethra, urinary abscess, etc	6	2		4 2												1		6
137 139a 139b	Diseases of prostate Cysts of ovary Other diseases of ovaries, diseases of	27	7 2	5	15 2											1	2	1	26
139c	tubes and parametrium	2	2		<u>i</u>					ļ -			<u>i</u>		2				
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	62	21	3	38					<u></u>			6	12	25	19			
140 141	Abortion with septic conditions	8	5 2	1	3 5								. 1	2	5	1 4	ļ	-	
142a 142b	Ectopic gestation, septic conditions specified			1						-	-			-		1		-	
144a 144b	not mentioned Placenta praevia Other puerperal hemorrhages	. 2	$\begin{bmatrix} 2 \\\frac{1}{1} \end{bmatrix}$	<u>-</u>	2 2 4								1	3	3 2 1	1			
145a 146	Puerperal septicemia and pyemia (abortion excluded)———————————————————————————————————	10	4 3		6								. 1	4	5	3 3			
147 148	Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified	. 1			1					-	-			1			-	-	<u>-</u> :
149 150	as septic). Other accidents of childbirth. Other and unspecified conditions of puerperal state.	3 9	4		3 5					-	- -		1 2		3	1 4			
	XII.—Diseases of the skin and cellu- lar tissue	. 10	2	3	5	2								· 	. 2	1	1	1	3
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and	. 1	2	i		-						.			1		1	1	
100	of cellular tissue	- 6		2	4	2				-	-		-	-	. 1		-		3
154	gans of locomotion		-	1	3	-11	1	1				1		1		1	-	-	
156	Diseases of joints, other organs of loco-	1 .				_ 1					-				-			-	-
157a	XIV.—Congenital malformations Congenital hydrocephalus	ļ	11	16	59	74	5	2	1	1	3								
157b 157c 157d	Spina bifida and meningocele	- 15 - 43	3 3	1 10 1	11 30 9	15 38	2			_		.!			-	.	_	-1	
1014	XV.—Diseases of early infancy	l.	II .	40	1 -	il i								1	ì		1		İ
158 159 160	Congenital debility Premature birth Injury at birth	_ 209	38	1 27 10	18 144 40	209		.	.					-	-1				-
161 162	Other diseases peculiar to early infancy XVI.—Senility	-\ 32		2	30	32												-	
	XVII.—Violent and accidental						10	5	3	a	20	14	24	28	37	41	58	41	70
163	SuicideBy solid or liquid poisons or by absorption of corrosive sub-	- 79	12	11	56					-			- 1	3	15	12	20	17	11
164 165	stances By poisonous gas By hanging or strangulation	- 4 - 20	4 1	1		-				-				-	1 4	1	2 2	1	5
166 167 168 169	By drowning By frearms By cutting or piercing instruments By jumping from high places	- 34 - 5	2		_ 23 5			-		-		-	_ 1	1	_ 1	2	- 2 9 2	10	1
170 171	By crushing By other means Homicide	- 1 - 3	1		1 2			-		-			-			2	1 2 1	1	
173 174 175	By firearms	- 3 1 4	1	. 1									- 1 i		1	11	1	2	
177 178	Accidental, other, or undefined Poisoning by food Absorption of poisonous gas	- 277 - 2	68		171 1	10			.							. 27	37		-

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	AGE FOR THE REGI	.olna	TION	ARI	2A A.	י עא	MACI	1 K.	1019	IKA	1101	N 9.T	AIL	i: 19	32(Jonti	nuea		
		'	IN CI	TIES—								DEATH	SBYA	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 years	54	55 to 64 years	65 years and over
				NC	RTH	DAK	OTA-	-Cont	inued		•	<u>'</u>	•		<u>'</u>	!		1 .	
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con. Supplemental	1		1			,									,			
179 180	Other acute accidental poisonings (gas excepted) Configgration Burns (configgration excepted)	1	4 4		3 4	1			1		ī			i			5	1 2	
181 182	Burns (confiagration excepted) Mechanical suffocation Supplemental	13	6 1	2	5 3	4	3	i		2			2	2		1 			2
183	Drowning Supplemental	22 3		4	18 3		1	1	1		6	3	3	3 2	2	1	2 1		
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or piercing instru- ments (wounds of war ex-	16	1	3	12			1			3	1	1	2		2	2	2	2
186a	cepted) Supplemental By fall	1 1	· 1	2 8	2 1 23		i				1 3	2 1	3		1		1 1	2	1 31
186b	Supplemental By crushing, landslide Supplemental	12	5 1	5	7 2 26						1	î i	1 1 3	1 7	2 1 3	2	2 1 7	1	1
188 190 191	Injuries by animalsExcessive coldExcessive heat	13 1 4	ž	2 1	9 1 3		î 	1 			2 1	î	2	i	2	2	i	6 1	6 1 1 3
192 194a 194b	Lightning Foreign bodies Other accidents	5 5 9	2	3	5 3 5	3	2						1		i	1	i		
1010	Supplemental XVIII.—Ill-defined causes of death	55 87	19 2	6	30 82	1 50	2	2	i		1	2	1 3 1	5	8	1 12 2	12	2 3 11	2 7 18
199 200a	Sudden deathCause of death ill-defined	14 16	1 1	1	12	3										2		. 4	7
200b	Cause of death not specified or un- known	57		2	15 55	2 45	1	2					1				<u> </u>	5 2	4 7
Punch symbol 201	SUPPLEMENTAL 1				4									Ī					
202 203 205	Accidents in mines and quarries. Accidents from agricultural machinery Elevator accidents.	6 8 3 5 2 19 57	1 1 2 1	1 1	4 6 1							1	1	1	1 2	1 2	2 2 2		2
206 207	Other machinery accidents Railroad and automobile collisions Other railroad accidents Automobile accidents (primary)	2 19	1 6	<u>1</u>	1 12					1		1		1 .	4	2 1 5.	4 11	2 7	3
210 212 214	Other land transportation accidentsAir transportation accidents	57 12 1	20 1	9	28 11 . 1	1	1		1		3	i	2	10 2	2	6 1 1	11	7 1	9 1
						OH	10												
	Total deaths (all causes)		44, 956		24, 416	5, 951	847	416	341		1,083		1,307						33, 277
1	I.—Infectious and parasitic diseases Typhoid fever	8, 258 138 2	4, 685 56	654 16	2, 919 66 2	606	296 1	162	118	99	365 8	173	358	20	24	18	986	772	1,626
2 5 6	Paratyphoid fever Undulant fever Smallpox	10	6		4 2						1	3			1	2	<u>2</u>	1 2	
7 8 9	Measles Scarlet fever Whooping cough	180 222 336	106 144 196	10 21 20	64 57 120	34 8 184	52 14 90	21 18 20	11 19 14	17 9	41 80 16	3 13	3 17	5	2 24	3 4	3 3 1	1	2 <u>î</u>
10 11a	Diphtheria	222 1, 462	115 732	19 151	88 579	6 116	23	30 22	26 9	23 11	72 34	14	5 32	26	5 78	9	135	1 159	2 632
11b	Influenza, respiratory complications not specified	892 53	370 20	97 6	425 27	92 17	19	15 6	10	7	27	18	19	20	47	52	78	84	404 22 35
15 16	Erysipelas Acute poliomyelitis, acute polioen- cephalitis ———————————————————————————————————	96 27	61	7 5	28 9	23 2	5		1	1 5	1 3	1 4	1	3	1 2	8	6	14	35
17 18 21 22	Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis Rabies Tetanus	55 70 1 53	36 56	3 7 3	16 7 1 12	13	1 4	2 3	3	3	1 7	6 8	3 5 1 2	5 4	11 5	6 5	15 5	/6 3 5	8 1
23 24	Tuberculosis (all forms) Respiratory system Meninges and central nervous sys-	3, 786 3, 412	2, 282 2, 028	245 212	1, 259 1, 172	28 12	29 14	21 10	19 7	15 3	58 30	56 45	241 215	433 412	809 755	717 670	573 535	365 327	422 377
25 26	tem Intestines and peritoneum Vertebral column	116 116 53	91 71 35	9 11 4	16 34 14	12 1	10 2	9	11	9 2	20 6	5 3	9 11 2	6 6 4	11 22 13	8 15 9	4 14 9	1 15 6	1 18 9
27a 27b 28	Bones (vertebral column excepted) Joints Skin and subcutaneous cellular	10 11	3 4	· 3	6	1					i	ī			1	3 -		3 2	4 3
29	tissue	2	2														·- - i	2	
30	glands excepted) Genitourinary system	12 28	7 20	2 2	3 6	1				1			_i -	3 -	2	7 -	3 5	3 4	3 6
1 Se	ee explanatory footnote 2, p. 169.																		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							D	EATHS	ву ло						
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					OF	HIO-	Contin	ued											
	I.—Infectious and parasitic dis- eases—Continued																		
31 32a 32b,c 34 35	Tuberculosis (all forms)—Continued Other organs Acute disseminated tuberculosis Other disseminated tuberculosis Syphilis Gonococcus infection and other vene- real diseases	524	7 13 1 366 34	1 <u>3</u> 0 7	3 1 128	<u>î</u> <u>69</u>	3	<u>i</u>	2	1	i	2	6 2	1 10 6	2 3 45	2 2 77	1 1 1 129 5	1 1 102 4	1 72
36 38 39	Purulent infection, septicemia (non- puerperal). Malaria. Other diseases due to protozoal para- sites.	41 7	23 5	3	15 2	4	1	2			2	2	1	1	4 1	6 1 2	3 1	4	11 3
41a 42 43 44	Hydatid cysts of liver Other diseases caused by helminths Mycoses Other infectious and parasitic diseases	3 9	2 2 7 12	2 2	1 7	2 6	2	1		1	2		1	1 i	1	1 1 2	1	3	2 2
	II.—Cancers and other tumors	8, 039	5, 018	730	2, 291	5	5	6	7	10	23	18	20 10	28	183	689	1, 381	2,006	3, 648
(45) (45) (46) (46) (46) (46) (46)	Cancer and other malignant tumors_ Buccal cavity_ Pharynx, Esophagus_ Stomach and duodenum_ Liver and biliary passages_ Pancreas_	199 33 103 1,627 780 186	4, 726 111 21 85 960 423 137	709 12 5 159 81 14	2, 239 76 12 13 508 276 35						17 1		10	1	150 2 11 7 2	581 8 1 4 65 40 13		1, 946 53 7 32 398 204 63	3, 605 109 21 46 941 425 83
47 48 49 50 51	Other digestive tract and perito- neum. Respiratory system Uterus. Other female genital organs. Breast. Male genitourinary organs.	1, 173 266 953 144 771 651	742 196 628 109 474 386	124 16 93 15 70 56	307 54 232 20 227 209	1	1	2	2	3	1	1	1	7	26 8 35 5 13 14	86 26 141 19 87 17	173 64 264 47 194 51	302 76 263 35 218 133	570 91 249 36 257 418
52 53 54a 54b 54c	Skin Other or unspecified organs. Nonmalignant tumors, ovary. Nonmalignant tumors, uterus. Nonmalignant tumors, other female genital organs.	183 605 16 166	80 374 14 139	18 46 1 7	85 185 1 20	2		1	4	3	10	10	1 4	11	25 1 14	11 63 4 68	4	26 136 5 19	134 225 2 14
54d,e 55a 55d,e	Tumors, ovary (nature unspecified) Tumors, other organs (nature unspecified)	98	79	8 1	11	1	2	1		2	-	-	-	2	7 1 10	20	14	18	19
	fied)		1, 522	226	689	101	13	5	4					41	100	172		564	1,022
56 57 59 60 62 63 65	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Scurvy	99 1,648	101 49 1, 029	10 12 154 1	47 38 465		2	1	1 i	- 2 - 1	-		. 1	8 2 22	21 2 48 1	21 3 90	6	14 17 423	30 67 805
66a 66b	Pellagra. Rickets Diseases of pituitary body Simple goiter. Exophthalmic goiter.	21 14 5 41 293	17 5 3 25 190	1 1 2 33	3 8 2 14 70	6	5	2			11		1 1 4	2 1 4	5 1 1 15	1 1 37	8	1 15 89	1 2 14 92
(66) 67 68	Other diseases of thyroid and parathy- roid glands. Diseases of thymus gland. Diseases of adrenals (Addison's disease not specified as tuberculous)	- 31 94	25 60 9	2 7 1	4 27 7	87	3 3	1	1	2	- 3 1			1	1	5	-	3	3
69	Other general diseases. IV.—Diseases of the blood and blood- making organs.	. 15	376	46	199	1	12	5	5		15		-	16	48	51		114	191
70 71a 71b 72a 72b 73	Hemorrhagic conditions Pernicious anemia Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease) Diseases of the spleen	53 249 50 148 83	28 128 27 108 56 23	4 24 6 4 7	21	28 1 10 1	2 3	1 1 3	5	_ 2 _ 1	1 2 1	3 1 5 2	5	4 3 4	4 8 1 14 15 5	3 11 1 22	6 37 7 23 14	56	3 119 18 32 14 5
73 74	Other diseases of blood and blood-making organs V.—Chronic poisonings and intoxica	- 6	6					-		-	-		_ 1		1	1	1	1	
75 76	cations	198	145	16	56 53						1	-	_ 2	3	24	68	_	40 35	15
77a 77b,c	Chrone lead poisoning.	8	6 6 1	2 1	1 1					-	1		1		2 1	2 1	1	1 4	2
	VI.—Diseases of the nervous system and of the organs of special sense	9, 134	4, 746	949	3, 439	89	24	14	16	16	79	53	61	64	164	432	944	1,641	5, 534
78 79a 79b	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis	110	42 85 10	7 4 2	26 21 5	5 19 4	1 4 3	3 2 1	1 1	1 4 1	8 14 2	9	6 3	5 6	7 6 3	6 9	14 14 1	10 1	10 9

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	TOTAL TOTAL	~ 	1	22201	JA AI	.,				~ ~01.		. ~ .		. 100					
T :		All	IN CI	TIES	In					1	מ	EATHS	вұ ас	3:E					
List no.	CAUSE OF DEATH .	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
					OE	по–(Contin	ued											
	VI.—Diseases of the nervous system and of the organs of special sense—Continued.						•												
81 82a 82b 82c 82d	Progressive locomotor ataxia (tabes dorsalls) Other diseases of spinal cord. Cerebral hemorrhage Cerebral embolism and thrombosis. Softening of the brain. Hemiplegia and other paralysis, cause unspecified.	93 186 7, 055 332 80	46 ¹ 84 3,552 203 41 39	5 27 746 34 3	42 75 2,757 95 36 43	3 1	1		1 1		2 2 1	3 5 1	5 8 2	3 5 5	3 8 36 12 1	3 13 215 21 1	20 22 634 28 8	31 42 1, 298 64 5	36 86 4,844 197 65
83 84 85 86 87 88 898 89b	General paralysis of insane Dementia praecox and other psychoses. Epilepsy Convulsions (under 5 years of age) Other diseases of norvous system Diseases of organs of vision Diseases of ear Diseases of mastoid process	370 62 157 28 238 10 146 78	237 31 47 11 124 6 116 72	5 2 64 3 20 1 11	128 29 . 46 . 14 . 91 . 3 . 19 . 6	3 19 6 24 4	5 2 6 1	3 1	1 3 7 1	· 2 1 2 4 1	5 7 1 17 18	13 3 10 9	5 1 15 6	1 8 5 15 3 1 2	29 3 24 7 1 16 7	98 12 22 17 10 4	109 13 24 	80 10 16 47 1 6	68 44 19 23 109 5 13 6
	VII.—Diseases of the circulatory system		10,001	1, 673	6, 232	19	5	5	8	6	45	66	74	123	326	913	1, 695	3.091	11, 528
90 91a 91b 92a 92b	Pericarditis. Acute endocarditis. Endocarditis, unspecified (under 45 years). Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and	45 160 36 3,424 313	23 120 17 1,709 158	7 6 5 310 30	15 34 14 1,405	2 1 3	1	1 1 1	5	1 1 2	2 6 2 17	1 9 3 30	10 4 31	. 5 18 4 48	11 103	4 29 9 236	353 28	7 22 552 59	21 22 2, 041 226
93a 93b 93c 93d 94a 94b	over) Acute myocarditis Myocarditis, unspecified (under 45 years) Chronic myocarditis and myocardial degeneration. Other diseases of myocardium Angina pectoris. Diseases of coronary arteries.	270 87 4, 449 2, 060 1, 258 1, 037	180 49 2,712 1,150 640 683	17 10 415 191 139 120	73 28 1,322 719 479 234	3 1 1 1	1	1	1		1 3, 5	9	3 6 2	5 6 9 2 1 2 3	8 29 43 6 13 8	33 42 170 18 72 72	28 41 382 186 160 157 6	728 339 322 269 7	3, 095 1, 509 690 526
95a 95b 96 97 98 99	Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart)	141 1,666 58 93	26 1,436 99 879 18 61	241 7 145 4 6	25 998 35 642 36 26	3	2	1	1	2	7	12	13	19	72 3 1 2 2	1 181 29 13 1 7	262 26 43 2 11	507 39 141 7 18	1, 592 53 1, 468 44 52
101 102 103	philebitis, etc.)	46 7 9 15	25 3 5 8	8 3 1 2	13 1 3 5	1 2								1	1	2 1 1 1	10 1 3 3	16 2 1	17 2 5 6
	VIII.—Diseases of the respiratory system	5,872	3, 670	429	1,773	933	216	96	61	34	94	71	107	135	297	493	544	620	2, 171
104a 104b 105 106a 106b 105c,d 107a 107b 108 109 110 111a 111b	Diseases of nasal fossae and annexae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis. Acute bronchitis. Bronchitis, unspecified Bronchopneumonia Capillary bronchitis. Lobar pneumonia Pneumonia Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis. Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorrhagic infarct Asthma Pulmonary emphysema Other diseases of respiratory system	33	11 35 13 33 70 27 1,532 8 1,638 17 120 18	1 2 7 11 5 194 165 3 11 2 11 11 2	3 7 9 40 41 15 727 25 783 17 26 6	6 2 2 2 1 1 6 6 9 1 177 8 5 1 2 2 2	1 4 6 1 137 52 3 8	2 1 63 1 19 1 8	2 2 2 36 1 14 3	1 1 2 	1 3 1 1 38 43 3 3	1 1 1 20 42 3	5 1 1 29 60 1 8 1	2 25 88 2 6	1 7 2 4 3 57 192 1 16 1 1 5	1 1 1 2 1 108 2 325 23 2 23 2 2 6	9 1 155 300 3 29 5 1 14 1	4 1 5 9 4 187 5 348 2 13 6 3 20 2	2 3 1 44 93 34 889 17 915 10 31 10 57
	(tuberculosis excepted)	61	42	4	15	2	1					2	1	105	7	8	16	769	11 142
115a 115b 116 117a 117b 118	Diseases of pharynx and tonsils	239 35 16 290 133 166	193 24 13 198 105 80	16 3 1 20 7	1,030 40 8 2 72 21 66	619 6 2 1 24	163 5 2	54	36	8	35 	115 18 2 1 1	131 22 1 5 1	125 13 2 7 2 2	342 31 3 25 11 7	541 37 6 4 44 27 9	690 17 7 3 56 33 21	768 17 5 1 68 23 18	1, 143 15 5 8 83 36 59
120 121 122a 122b 123 124 125a 125b	age) Diarrhea, enteritis (2 years and over) Appendicitis. Hernia Intestinal obstruction. Other diseases of intestines. Cirrhosis of liver. Yellow atrophy of liver. Other diseases of liver.	654 222 971 349 421 65 597 26 58	350 114 798 273 318 53 395 17 35	58 15 104 34 34 2 39 2 5	246 93 69 42 69 10 163 7	525 2 5 38 2 3	129 10 1 8	29 10 7	15 7 2	8 12 1 1 1 1	13 61 10 3	7 76 2 9	83 1 6 1 1	60 1 16 1 1 4	9 134 15 34 6 20 4 3	17 147 35 36 9 73 2	15 152 55 60 18 111 6 7	20 140 80 61 10 157 5	81 77 153 135 14 229 6 21

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—					· · · · ·		D	EATHS	ву ло	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					OE	по–	Contin	ued											
	IX.—Diseases of the digestive system—Continued																		
126 127	Biliary calculi Other diseases of gall-bladder, biliary	342	274	26	42						ļ			1	13	46	78	92	112 [##
128 129	passages	204 35 89	136 28 67	24 2 9	44 5 13	11	1	1	2	<u>-</u>	1 10		$\frac{2}{1}$	37	10 6 11	20 6 13	31 7 13	47 10 2	88 4 17
	X.—Diseases of the genitourinary system	6, 456	3, 702	650	2, 104	31	8	6	5	4	26	32	65	64	212	438	685	1, 087	3, 790
130 131	Acute nephritis (including unspecified under 10 years)	255 4,800	154 2, 611	22 519	79 1,670	12	7	4	1 2	2	14	9 19	13 33	7 23	26 97	41 234	35 490	26 855	58 3, 037
132 133	Nephritis, unspecified (10 years and over)Other diseases of kidneys, ureters (pu-	395	186	46	163							1	5	6	8	38	45	66	225
134	erperal diseases excepted) Calculi of urinary passages	203 71	154 55	12 3	37 13	17	1	1	2	2	5	3	5 1	2 1	18	21 8 1	31 23 3	23 12	72 21
135 136	Diseases of bladder (tumors excepted). Diseases of urethra, urinary abscess, etc	48 20	30 17	2	16 2	1								1	1	6	3	14	29 5
137 138	Diseases of prostate	392 5	267	27	98 2	1									Î	1	12	61	316
139a 139b	Cysts of ovary Other diseases of ovaries, diseases of	54	42 124	4	8								1	3	7	16	9	5	13
139c 139e	tubes and parametrium	141 69 3	57 2	8 5 1	9 7								6	17 3 1	39 10	53 17	15 18	7 13 1	8
	XI.—Diseases of pregnancy, child- birth, and the puerperal state	640	472	55	113							2	52	129	277	176	4	 	
140 141	Abortion with septic conditions Abortion without mention of septic	112	91	7	14							1	12	29	49	20	1		
142a	conditions (includes hemorrhages) Ectopic gestation, septic conditions _specified	39 6	28 6	1	10								2	8	16	12	1		
142b	Ectopic gestation, septic conditions not mentioned	32	29	1	2								2	3	18	9			
143 144a	Other accidents of pregnancy (hem- orrhage not included)	3 14	3 10	2	2								<u>ī</u> -	1	1 6	1 7			
144b 145a	Other puerperal hemorrhages Puerperal septicemia and pyemia (abortion excluded)	54 140	39 104	1	14								3	9	26	16			
146 147 148	Puerperal albuminuria and eclampsia. Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em-	87 20	51 15	19 13 2	23 3							1	18 9 1	30 20 6	65 32 4	26 25 8	1		
149 150	bolus, sudden death (not specified as septic) Other accidents of childbirth Other and unspecified conditions of	40 90	27 66	4 5	9 19								1 3	7 14	18 38	14 35			
	puerperal stateXII.—Diseases of the skin and cellu-	3	3											2		1			
151	lar tissue	96	64	8	24	8			2		3	1	4	2	4	14	9	13	36
152 153	Furuncie, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and	29 32	22 25	3 1	6	3			1		1	i	1 2	1	1	5	6	5 4	11 7
	of cellular tissueXIII.—Diseases of the bones and or-	35	17	4	14	5			1				1	1	1	3	1	4	18
154	gans of locomotion Osteomyelitis	77 40	62 35	6	9	5 3			1	2	9	8	5	$\frac{2}{1}$	9	6	6	7	17
154 155 156	Other diseases of bones (tuberculosis excepted)	11	9		2						1		1		3	1	2	1	2
150	Diseases of joints, other organs of loco- motion	26	18	3	5	2					. 1		2	1	3	· 1	3	3	10
157a	XIV.—Congenital malformations Congenital hydrocephalus	715 88	414 64	63	238	641 65	18	10	3		14	7	8	2	6	4			
157b 157e 157d	Spina bifida and meningocele	62 402 163	34 202 114	7 9 37 10	19 163 39	62 364 150	9	3 5 2	2 1		4 5	4	6	1 1	4 1	3 1			
	XV.—Diseases of early infancy	2,727	1, 724	211	792	2, 727													
158 159 160 161	Congenital debility	180 1,760 529 258	76 1, 139 357 152	19 140 32 20	85 481 140 86	180 1,760 529 258													
162	XVI.—Senility	554	206	85	263		- <u>-</u>					l 1		İ	i i			8	546

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—)	DEATHS	BY A	æ.		•			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
-	•			-	OF	110—(Contin	ued		-									
1	XVII.—Violent and accidental deaths	7, 404	4, 594	673	2, 137	82	80	53	71	61	241	190	362	481	880	969	1, 023	972	1, 931
163	Suicide	1,316	784 138	100 15	432							4	29	63	135	243	327	290	225
164 165 166	By poisonous gas	288	66 150 41	1'0 13 6	32 12 125 27							1	1 2	16 1 7 3	32 9 15 4	43 17 46 14	32 81 11	25 23 74 19	17 6 63 21
167 168 169	By firearms	588 54	318 37 27	53 2	217 15 2							2	19	33	66 7 2	97 9 12	138 9 10	132 14 1	101 15 2
170 171	By crushing	6 4 543	4 3 431	1 25 17	1 1 87	13	<u>-</u> 1				2		27	77	178	3 2 133	2 63	2 32	17
173 174 175	By firearms By cutting or piercing instruments By other means Accidental, other, or undefined	347 71 125	266 63 102	4 4	64 4 19	13	1		 		I 1		20 3 4	55 9 13	124 27 27	85 19 29	37 7 19	18 3 11	6 2 9
176 177 178	Actack by venomous animals Poisoning by food Absorption of poisonous gas	5, 545 3 41 98	3, 379 3 16 74	548 5 7	1, 618 20 17	69	79 1	53 	71 	61 2	239	186 1 2	306 1	341 1	567 2 1 12	593 5 16	633 1 7 22	650 6 18	1, 689
179	Supplemental. Other acute accidental poisonings (gas excepted)	90	1 66	8	16	3	10	1	1	2 2	4		1	·5	12	20	16	10	1 4
180 181	Conflagration Burns (conflagration excepted) Supplemental	93 332 32	66 229 8	10 23 3	17 80 21	7	35	18 	1 3 25 1	16	7 18	1 3 13	4 8 6	8 12 8	13 26 5	14 23 10	13 31	10 29 1	15 71 1 2
182 183	Mechanical suffocation Supplemental Drowning Supplemental	33 2 273 49	19 120	3 1 15	11 1 138	23	 11	3	3 1	3	3 43	41	45 7	35 7	1 <u>24</u>	3 1 21 7	1 21	1 15	- 7
184	Traumatism: By firearms (wounds of war excepted)	117	18 62	14	31 41	1	1	1	1	1	1 2	13	17	14	13 18	17	3 14	5 11	6
185	By cutting or piercing instru- ments (wounds of war ex- cepted)	41	30	6	5	2					2			2	6	7	7	10	3
186a	Supplemental By fall Supplemental	1, 485 133	905 75	162 15	418 43	1 8	3	8	2 1	2 	17 6	2 12 13	2 13 17	16 18	1 44 18	3 66 23	103 15	1 158 15	1, 033 17
186b 187 188	By crushing, landslide Supplemental Cataclysm Injuries by animals	29 464 1 25	272 9	43 	11 149 1		3	3	2 4 	5 1	13 1	17	33 1	37 1	66 	77 	84 	5 57 2	62
189 190 191	Hunger and thirst Excessive cold Excessive heat	4 8	2 3 17	1 1 4	16 1 4 14	1							 1		1 5	1 2 4	4 1 2 6	2 2 5	15 1 1 13
192 193	Lightning Due to electric currents Supplemental	35 13 30 2	3 18	3	9 9 2						3	3 1	2 2	1 2 1	13	3	3 1	1	1 2
194a 194b	Foreign bodies Other accidents Supplemental	27 207 1,852	21 133 1, 182	20 196	6 54 474	3 10 8	5 4 6	6 <u>-</u> -	$\frac{1}{27}$	5 24	11 99	9 59	8 137	7 161	2 17 259	25 234	6 33 232	1 33 251	2 45 342
198	Legal executionsXVIII.—Ill-defined causes of death	221	94	19	108	45	7				3		1	6	8	4 14	31	1 26	79
199 200a 200b	Sudden deathCause of death ill-definedCause of death not specified or un-	40 99	18 49	4 10	18 40	4 6	7				1 2		1	2 3	1 4	1 7	2 21	5 18	24 30
Punch	knownsupplemental 1	82	27	5	50	35								1	3	6	8	3	25
symbol 201 202 203	Accidents in mines and quarriesAccidents from agricultural machinery. Elevator accidents	57 15 11 71	19 1	7 3	31 11 1						1	<u>î</u>	<u>-</u> -	5 1	13 1 2 14	10 3 1	9 4 1	13 2 1	7 1 1
205 206 207	Other machinery accidents	152	1 10 44 60 141	15 21 21	12 71 81 2	1	1 1	<u>1</u>	2		1 6	1 2 6	4 3 19 19 2	1 8 20 20 3	14 25 34	14 20	10 27 36	11 I	9 11 28
208 209 210	Street-car and automobile collisions Other street-car accidents Automobile accidents (primary)	26 38 1,822	21 26 1, 190	21 21 3 2 179	10 453	8	1 6	11	32	1 28	108	1 66	1 137	3 4 151	6 6 243	57 7 3 229	6 4 232	23 32 2 9 224	8 343
208 209 210 211 212 213 214	Motorcycle accidents. Other land transportation accidents. Water transportation accidents.	243 26 38 1, 822 12 50 37 19	18 17	8 2	24 20				 		4	4 3	4 2 9	4 2 6 7	1 4 11	3 1 4 3	6 2	11 2	16
	Air transportation accidents	19	7	2	10)	7037	 				1	lI.	7	5	3	2	<u></u>	
	Motel deaths (a) (White	10 000	E 450	4 104		KLA)			,	100	450		,,,,	FO.		1 050			
	Total deaths (all \{\text{White}_\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	16, 663 2, 622	5, 476 985 752	4, 124 560 637	7, 063 1, 077 1, 346	1,770 282 238	308 76	242 23 113	155 17 74	130 13 51	430 57 189	321 58 92	499 135 133	527 189 145	1, 129 332 306	1, 288 312 261	1, 667 345 249	2, 169 278 208	6, 017 494
,	I.—Infectious and parasi- $\{$ White	2, 735 756 177	258	165 48	92	59		11	6 2	5	26 9	26 25	76	96 35	137 23	76	82 9	50	560 78 7
1 5 6	Undulant fever W_Smallpox W_	51 1 1	12 1	15 	24 1	3 2	ĩ 	î		ĭ	3	3 	ii		10	3	4	7 2 1	· 7 11
1 S	ee explanatory footnote 2, p. 169.																		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	IES-							I	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		<u>'</u>	·	(OKLA	ном	A —C	ontinu	ed							1.		!	
	I.—Infectious and parasitic dis- eases—Continued										1								
7	Measles{Q	. 11	4	2	5	2	3	1		. 1	4		 	 		<u>.</u> .			
8	$\widetilde{\mathbf{w}}$. 1 45	19	10	1 16		1 3	9	7	4	15				2		2		
· 1	C	86	16	2 19	1 51	50	21	6	3	<u>i</u>	. 1	1	1					1	
9	A Hoobing conduC	308	5 68	3 63	6 177	9	38	58	1 44	30	93	15	2	3	3	1		2	
10 11a	Diphtheria	13 538	170	104	5 264	3 42	1 12	1 16	4	3	4 26	13	30	13	48	49	51	51	180
11b	tions specified C. Influenza, respiratory complications not specified C.	95 404 72	46 102 19	15 82 13	34 220 40	8 44 10	12 3	10 2	1 5 1	1 3	6 13 1	11	3 11 1	8 8	6 23 7	9 15 6	15 25 7	12 29 4	19 195 26
13	Dysentery $\left\{ egin{array}{c} W_{-} \\ C_{-} \end{array} \right.$	44	8	9	27 10	17	8	2 2		. 1	$\begin{array}{c c} & 1 \\ 1 & 1 \end{array}$				1		. 2	J	12
15 16	Erysipelas W. Acute polionyelitis, acute polion W.	34 18	12 4	6 3	16 11	9 5	3		1		3	1	$\frac{1}{2}$	1	2	3 2	1	3	12
17	encephalitisCC	2	5	4	2 5	2							1	1	2			i	
18	tis\C Epidemic cerebrospinal meningi-\W_	1 24	1 6	5	13	5	1				1	. 2	5	2	2				
	tis}C	- 5		3	1 1	ž	î				1 2			.	. î		-	-	1
21	Rables C	1 28	15	6	1 7	3		<u>-</u>	1	-	6	4	3		1 3	1	5	-	
22	Tetanus	- 2	195	233	340	. 8	5		2	<u>i</u>	. 1		25	65	167			1 1	120
	Tuberculosis (all forms)	396	135 159	86 221	175 314	5 3	5 2	3	2	1	7 2	14	55	65	100 157	139 49 130	41	89 23 84	25 110
23 24	Respiratory system	359	112	78 1	169	5 4	2 3	1	2	1	4	13	22 49	61	93	42	39	22	24
	systemC	- 8	14 7 10	1	6		. 2			-	$\frac{1}{2}$	1	2				- 1 		1
25	Intestines and peritoneum\C	- 10	3 2	5 2	14 5			-					1	2 2		4	1	5	5
26 27a	Vertebral column $\left\langle \begin{array}{c} W \\ C \\ \end{array} \right\rangle$ Bones (vertebral column ex- $\left\langle \begin{array}{c} W \\ C \\ \end{array} \right\rangle$	1 ă	3		1		i				_ 1		3		. 1				
	cepted)	1		1	1										1	-	i		
27b 29	Joints C_{-} Lymphatic system (bronchial,	- 1 - 1	1			:										1			1
29	mesenteric, and retroperitoneal	_													_	1	_		_
30	glands excepted)	- 5 - 2	1 2	3	1						_ 1 1	_ 1		<u>i</u>	. 1		1 1		1
31 32a	Other organs	_	1	1				-								- 1	-		ī
32b,c	Acute disseminated tubercu-	_i 1i	5 9	1 2 1	2	1					1 1		2	- 2	5	- 1 1	3		
02D,C	losis) C	1 1		1	1											- _i			2
34	Syphilis	- 55	53 23	14 15	25 17	18	4 2			- 1	_ i		3 2	6	11 9	7	8	10	11 3
35	Gonococcus infection, other vene- W_real diseasesC_	- 2	13 2	4						-	-	-	1	_ 1	5			- 2	
36	Purulent infection, septicemia W_ (nonpuerperal)		12 1	7 2	9 2					-	-	1	7	1		_ 1	2	4	4
38	Malaria W - C	- 85 - 24	6 5	16	63	8		2	5		2	6 4	6 2	5	12		7 5	6 3	14 3
41b 42	Hydatid cysts of other organsW. Other diseases caused by helminths.W.		1		1	.		i	-			-				-	_ 1		
43	Mycoses	. 2	1 1	1	. 1	1						-		<u>i</u>		_ 1		- 1	<u>î</u>
44	Other infectious and parasitic dis- easesW.		3		. 1		. 1				3					_			
	II.—Cancers and other White tumorsColored_	1, 358 100	506 40	308 26	544 34	3	1	- 4 1	3	1	6	5	17	6 2	61			336 18	569 24
	Cancer and other malignant W	1, 277	462 34	288 25	527	2	1		2		_ 4	3	12		49	92	218	327	560
(45)	tumors C. W. G.	_ 41	21	25 8	29 12			_ 1		-		-[1	. 2		12	16	22 17
(45)	PharynxW_	_ 19	5	9	5									-	i		- 2 - 3	7	8
(46)	Esophagus $\left\{ egin{array}{c} W \\ C \\ W \end{array} \right\}$		3 1	1	.		-		-		-	-		-		- I		_	3
(46)	Stomach and duodenum $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \\ W \end{array} \right\}$	16		70	139		-			:	-	:		_ 1		_ 3	4	5	167 4
(46) (46)	Liver and biliary passages $\left\{ egin{array}{l} W \\ C \\ \end{array} \right.$	11	2	40 6	3				:	-	- 1	-	1		_ 2		_ 2	3	77
(46) (46)	Pancreas W Other digestive tract and peri-\W toneum C	_ 147	66	5 29	52				. i		: i		1		10	11	24	38	15 61 3
47	Respiratory system	7 26 2	10	11	5		-		-	-	-	- ī	2		1 2		. 5	3	12
. 48	Uterus\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	166	64	46		-		-	-	-	-	-	. <u>ī</u>	2	15		52	41	34
49	Other female genital organs. $- \begin{cases} W \\ C \\ \end{cases}$	_ 19	11	5 4			-	-	-	-	-			-	-	- 6	8	3	3
50	Breast W	_ 76	34				-			-	-			-	ī	10	25	24	16 2
51	Male genitourinary organs	80	30		31		-				1	-		1		3		24	45
52	W.	81	21	21	39		-	1	-		-	-	-			- <u>i</u>			3 62
53	1 (C.	124	53	15	58	- <u>i</u>	i			-	- <u>-</u>	2	- 7			10	16	33	40 1
	SkinV.	81	21	21 15 2		1	1				1	2	7	i	10	10	16	-	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		1	IN CI	NTPG															
List	. CAUSE OF DEATH	Ali	IN CI	1	In rural		Ī	!	1	ī	,	DEATHS	1	1	ı		1	ı	- n=
по.	OROSI OF BEATE	deaths	10,000 or over	2,500 to 10,000	areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
		•		•	OKLA	ном	A—Co	ntinu	eđ										-
	II.—Cancers and other tumors— Continued																		
54a	Nonmalignant tumors, ovaryW	2	2												1		1		
54b 54d,e	Nonmalignant tumors, uterus{W Nonmalignant tumors, other	18	8 4	6 1	2			<i>-</i>						1	2	7 3	6 1	1 1	2
55a	Tumors, ovary (nature unspeci-	12	11	1				1				1	3			3	1	3	
55b	fled) W_ Tumors, uterus (nature unspeci- fled)C_	2	1		1	<i>-</i>									2				
55d,e	Tumors, other organs (nature un-\ Wspecified) \ C	47	$2\frac{1}{2}$	13	12 3	1		ī	1	1	2	1	2	1	8	10	8	5 1	
	III.—Rheumatic diseases, nutritional dis- eases, diseases of White the endocrine/Colored glands, and other general diseases	508 71	146 24	129 21	233 26	21 4	2 2	4	2	2. 1	11	17 1	16 4	10 2	24 14	42 7	77 8	110 14	170 14
56	Acute rheumatic fever $\{V_{}, V_{}\}$	48 6	10 3	15 2	23 1		1			1	3	7	2	1	2	2	7	7	16
57 59	Chronic rheumatism, osteoar- thritisW Diabetes mellitus\W	19 273	5 86	6 61	8 126			<u>-</u>			5	9	1 11	5	13	1 15	3 37	3 60	11 117
60	Scurvy	12 1 111	<u>-</u>	4	4 1 49	1	1										. 1	5	5
62 63	Pellagra C	38	12	39 10 2	16 2	1	i	1	1 	1 			1 3	2 1	8 10	20 5	22 4	29 8	25 7
66a	Simple goiter	6 3	1	4	1 2	3	1			1			1					3	
66b	Exophthalmic goiter C	1 19 5	12 3	2 1	1 5 1			- -					ī	<u>2</u> -	1 3	1 2 1	<u>5</u>	8	
(66)	thyroid glandsW	5 14	1 5	1 1	3 8	2 11		1	<u>i</u>		2	 1				1		1	
67 68	Diseases of thymus gland	Î 1		1	1	Î													
69	Other general diseases $$	10 2	4 1		6 1	3		1						<u>1</u>		1	3 2		i
	IV.—Diseases of the blood White and blood-making Colored	136 6	62 3	26 2	48 1	7	7	2	1	3	5 1	2 1	5 1	5	10 1	11 1	23 1	16	39
70	Hemorrhagic conditions $ \left\{ \begin{array}{l} W_{-} \\ C_{-} \end{array} \right\}$	20 1	10	1	9	6	3			1	1	2			3	2	1		1
71a	Permicious anemia	53 3	16 2	18 1	19		1				1	<u>-</u>	1	2		3 1	8	9	28
71b 72a	Other anemias W True leukemias C	10 29 1	16	1 5	5 8	1 	1 2	<u>1</u> -	1	2	3		<u>-</u> 1	<u>1</u>	3	1	3 6	3	4 2
72b	Pseudoleukemias (Hodgkin's dis-\W	17 1	11		6 1			<u>î</u> -					2 1	1	3	ī	3	<u>4</u> .	<u>2</u>
73 74	ease) C Diseases of spleen W Other diseases of blood and blood- making organs W	6 1	4	1	1								î	1	1		2		1
	V.—Chronic poisonings \White and intoxications\Colored_	41 12	20 2	10	11										4	12	 14	9	1 2
75	·	34	[- <u>4</u>	- 6 9							\ 	1		<u>6</u>	8	13	1 8	$-\frac{2}{2}$
76	Alcoholism (acute or chronic) \{\bar{C}_{}\} \Chronic poisoning by other organic	11	16 2	4	5								1		6	2		1	í
77b,e	substances W Other chronic poisoning by mineral substances C	7	4	1	2										1	4	1	1	
	VI.—Diseases of the nerv- 1				1														1
	ous system and of \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1, 766 201	484 72	511 54	771 75	35 7	10 2	12	9	4 1	26 2	15 1	23 3	19 3	53 14	91 16	176 41	322 42	971 67
78 79a	Encephalitis (nonepidemie) W Simple meningitis C	34 37	15 20	10 7	9 10	3	3	2 3	1 3	1 1	5 2	3 2	1 1	2	4 2	3 4	2 4	5	5 2
79b	Nonepidemic cerebrospinal menin-	. 5 7	1 3	1	3	1	2			1		1	5						
80	gitis	7	2	3	2											2	2	2	<u>-</u>
81	Other diseases of spinal cord\{\bar{\curlcolor}{	30 1 1, 257	330	8 342	13 1 576	1					2	3	2		2	2	5	7	7
82a 82b	Cerebral embolism and throm-	1, 257 135 25 2	339 48 13	342 35 6	576 52 6		1	1	2	1	2	. 1	2 1	3 2 2	14 3 4	37 12 2	122 32 3	257 33 2	813 52 11
- 82c	bosis	10	1	<u>-</u> -	5											2		i-	9
82đ	Hemiplegia and other paralysis, W cause unspecified	108 23	19 11	2 26 2	63 10	1	1				1			1	3 3	1	11	16	1 74
,	Carried and promoting and a second control of the second control o	40	1 11 1	4	το [1 1							1].	[3]	1	5	3	9

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

=			IN CIT	ries						.,	D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
**********				•	OKLA	ном	A—Co	ntinue	ed										
	VI.—Diseases of the nervous system and of the organs of special sense—Continued																		
83 84 85 86	General paralysis of insane C C C C C C C C C C C C C C C C C C C	2 35 6 17 2 66	4 1 3 1 9 2 4 1 16 2	39 10 21 1 14 1 5	9 1 10 12 3 8 1 34 2	12 2 2 2 1	3	2	1 1 1		2	3 1	2 7 1	2 1 1 2	5 3 5 1 8 3	17 6 7 7	11 3 5 3 3 5 1	12 3 9 1	7 3 5 3 3 3 32 2
88 89a 89b	Diseases of organs of vision	1 29 6 17	1 16 3 10	5 1 4	8 2 3	7 2 1	2	1 3	1	1	7 2 4	2	1	2 4 1	1	1 1 2	2 1	i	1
350	VII.—Diseases of the cir- (White culatory system(Colored	2, 519 271	822 108	693 66	1, 004 97	15	3	4	3	2	7 4	15 5	18 3	19	48 13	130 42	256 51	498 51	1, 498 96
90 91a	Pericarditis	36	3 2 18 2 8		14 2 11 1 3	1	2		1	1	1	1 1	1 1 3	4	4	1 2 4 3	3	6 1 11 1	6 1 4
91b 92a 92b	45 years) C. Endocarditis, specified as chronic,/W. and other valvular diseases. C. Endocarditis, unspecified (45 W. vears and over) C.	3 462 78 86	2 127 42 28 1	100 10 21 2	235 26 37	6		1			3 2	1 5 1	6 1	6	11 1	43 15	39 16 10 2	76 11 19 1	266 31 57
93a 93b 93c	Acute myocarditis W.C. Myocarditis, unspecified (under W.45 years) C. Chronic myocarditis and myocar-W.	31 5 19 6	12 4 5 1 130	8 7 1 128	11 1 7 4 93	1			1		2	1 2 2	1 1	1	1 3 2 3	$\begin{array}{c c} & 1 \\ \hline & 11 \\ & 2 \\ & 12 \end{array}$	1 31	1 75	18 2 227
93đ 94a	dial degeneration	22 404 27	150 8 52 2	14 116 7 63 6	1 138 12 86 11	1						1	1	1	1	5 2 5 2	7 38 6 29 3	70 4 60 4	298 16 108 8
94b 95a 95b	Diseases of coronary arteries\begin{align*}W. \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	34 2 492	59 1 9 1 163	18 1 16	35 3 9 1 220	3		1	1			2	5	3	1 12	9 1 31	16 3 5 1 60 9	39 1 6 93 14	279 241
96 97	heart	15 4 171 15 23	26 10 2 28 5 4	15 2 73 6 9	27 5 70 4 10		1	1		1				3	1	11 5	2 1 5 1	. 4 3 28 4	137 9 16
98 99 100	Other diseases of the arteries	13	6 4 2	3	1 4 1 1	i									1 2 1 2	1	3 1	1	1 4 5
101 102 103	Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood-pressure. W. Other diseases of circulatory system.	19	5	5 . 1	9 3 1	1		1				1		1		1	4 1	2	12 12
	VIII.—Diseases of the re- {White spiratory system. {Colored	1, 463 286	458	375	630 117	215 67	72 19	39 4	16 3	13	40	39 1	37 16	43 16	94 30	106 28	119 33	119 22	510 41
104a 104b 105	Diseases of nasal fossae	1 8	1 4	1 1	3	1	1		1	1	2	1		1	1	1 1			ī
106a 106b	Acute bronchitis	1 2 11 1	5 1 4	1 1	1 1 5	3									2	2	1 1	1 1 1	1 5 5 1
106c,d 107a 107b 108	Bronchitis, unspecified	544 81 615 133	3 167 33 3 202 60 30 14	167 16 2 143 18 28 9	210 32 1 270 55 81 22	1 149 37 3 36 15 20 12	37 8 1 21 3 11 7	23 3 1 8 1 5	4 1 6	3 1 4	8 1 18 18 3	9 1 27	6 5 24 9 4 2	8 2 29 11 2 1	1 19 3 57 18 12 4	1 17 5 63 16 7 4 6	31 7 61 18 13 5	35 56 16 11 2	208 208 21 43
110 111a 111b 112 114	Pleurisy C Pulmonary embolism and throm- bosis C Pulmonary congestion, edema, W hemorrhagic infarct C Asthma C Other diseases of respiratory sys- W	3 1 32 2 47	1 9 8 2	1 8 2 12	15 27 3		1	1	1		1		1	1	3 1 1 2	1 3	2 1 6 1 4	1 3 9 1 1	23 1 25 24

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							D	EATHS	BY AG	E					•
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	, 3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
			•		OKLA	ном	A -Co	ntinu	eđ										
	IX.—Diseases of the diges-{White tive system{Colored	1,395 221	611 97	327 37	457 87	209 40	62 21	35 4	23 2	22 1	66 9	47 12	6 <u>4</u> 9	59 13	123 17	126 27	150 28	154 20	253 18
115a 115b	Diseases of pharynx, tonsils\{\bar{W}_{\cup}}\{\bar{C}_{\cup}}\] Diseases of buccal cavity and annexa\{\bar{C}_{\cup}}\{\bar{C}_{\cup}}\}	78 5 14 2	41 2 3	14 2 5	23 1 6 2	4	3	4	4 1	2 1 1	21	1 2 1	6	5	10 1	8 3	2 1 3	5 1	3 2
116 117a	Diseases of esophagus \\ \W\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	71 2 23	23 2 10	11 4	37 9						i	2 1		 	2	16 2	1 16 1 6	13	21 7
117b 118	Ulcer of duodenum W-C Other diseases of stomach (cancer W-excepted)	101 41	4 24 18	21 3 34	56 20 86	15 3 163	4 2 47	4	4		2 2		2 2	1 4 3	4 3	3 4 7	11 9	15 4	30 6
119 120	Diarrhea, enteritis (under 2 years W - of age) - C - C - Otarrhea, enteritis (2 years and W - over) - C - C - C - C - C - C - C - C - C -	210 52 104 16	90 14 32 7	12 30 2	26 42 7	33	19 	22 3	8	6	4	1 3		3	4	2 2	4 3 44	13	37 1 21
121 122a	Appendicitis \\ \{\mathbb{W}\)\\\ \mathbb{W}\)\\\ \mathbb{W}\)\\\ \mathbb{W}\)\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\ \mathbb{C}\)\\\\\ \mathbb{C}\)\\\\\ \mathbb{C}\)\\\\\ \mathbb{C}\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	356 40 45 2	193 22 25 1	102 9 5	. 61 9 15	3 1	1	1	5 	10 	30 3	33 5	46 6	35 5 1	57 7 3	54 9 6	3 8	19 1 10	1 14
122b 123	Intestinal obstruction \bigwedge \bigwedge \bigwedge \cdot \bigwedge	141 25 17 2	71 11 5	38 2 7	32 12 5 2	21	4	3 1 1	2	2	2	6 1	6 1 3	5 2	24 4 2	9 2 2 1	18, 4 1	12 4 2	1 25 2 6 1
124 125a	Cirrhosis of liver	81 11 8 29	32 6 3 7	18 2 2 8 1 9	31 3 3 14	i				 	1	2		1 2	5 1 1	5	14 4 1 5	23 3 1 5	37 3 5 7
125b 126 127	Biliary calculi	1 33 5 55	14 2 27	1 9 1 12 2	10 2 16 1						1			1	3	1 4 1 4	3 10 2	9 4 18	14 19 2
128 129	iary passages C. W. W. C. Peritonitis, cause not specified C.	5 3 1 25	2 3 1 8	7	10	2 1	i			1	2	1	ī	3 1	2 1	1 5	$\begin{bmatrix} 2\\2\\1\\1 \end{bmatrix}$	2 1	
	X.—Diseases of the geni- tourinary system(Colored	1, 183 190	428 72	254 29	501 89	12		· 1	2	1	7	6 1	14 1	18 4	51 11	79 23	127 33	198 35	666 81
130 131	Acute nephritis (including un- specified under 10 years) C	89 15 544	33 6 206	21 2 102	35 7 236 39	5		1	2	1	6	1	3	3 2 2	9 3 15	11 2 40	16 2 62	12 96	19 5 323
132 133	Nephritis, unspecified (10 years W and over)C Other diseases of kidneys, ureters W	86 374 57 37	36 96 17 18 3	11 94 13 4 1	39 184 27 15 3	5						3	6	7	4 6 1 4	8 15 6 3 2	62 14 35 13 4	24 66 7 8	5 323 36 236 29 13
134 135	(puerperal diseases excepted)	7 9 2 12	6 1 3	1 4	2 1 5								1		1	1	1 2 1	.24	3 3 11 4
136 137	cepted) C. C. Diseases of urethra, urinary ab W. C. C. Diseases of prostate C. C.	7 3 1 74	3 1 36 36	18	20 20											î 	2 1 3	10	61
138 139a	Diseases of male genital organs, not specified as venereal	5 2 11 2	1 7	1 2	2	1								1	1 4	4 2		2	
139b 139c	Other diseases of ovaries, diseases W. of tubes, and parametrium C. Diseases of uterus C.	19 7 9	1 12 3 7	1 6 1 1	1 3 1							1	1	4 2 1	7 2 4 1	4 2 1	2		
	XI.—Diseases of pregnan- cy, childbirth, and the puerperal state.	250 46	102 16	64 6	84 24							1	31 7	69 13	93 15	55 10	2		
140 141	Abortion with septic conditions $\left\{ \begin{matrix} W \\ C \end{matrix} \right.$ Abortion without mention of septic conditions (includes hemography)	60 7 11	28 4 3	16 1 2	16 2 6							1	5 2 1	16 2 3	27 1 4 1	11 1 3.	1		
142a 142b	corrhages)	1 2 12	1 1 8	1	3									1	1 7	1 4			
143	Other accidents of pregnancy (hemorrhage not included)W	1 1 17	1 1 6	8	3									1 1 3	8	6			
144b 145a 145b	Other puerperal hemorrhages { W { C} { C { C { C { C { C { C { C { C} { C} { C { C { C { C { C	2 52 16	1 24 5	 13 2	1 15 9								3 2	1 19 3	1 21 7	9 4			
146 147	Puerperal albuminuria and W eclampsia. Other toxemias of pregnancy	1 49 7 16 4	1 15 2 8 1	11 2 1	23 3 7 3								12 2 5	16 1 3 3	,1 9 3 5	11 1 3 1	1		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ŒS-							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				(KLA	ном	A —Co	ntinu	ed										-
	XI.—Diseases of pregnancy, child birth, and the puerperal state—Continued																		
148	Puerperal phlegmasia alba dolens, w-embolus sudden death (not specified as septic)	7 3 22	3 4	1 1 10	3 2 8								1 5	3	1 1 9	3 1 4			
149	XII.—Diseases of the skin/Whiteand cellular tissue (Colored	31	1 16	6	9	7	2	1	1	3			3	2	1	1	4	3	5 1
151 152 153	Furuncle, carbuncle	1 11 6 1	6 3	3 1 1	2 2	1	1			1			1 2		1	1	3	3	1 2 1
100	and of cellular tissueW	14	7 16	2	5 9	6	1	1 2	1	1		5	4	1	2	1	. 1	2	2 5
	XIII.—Diseases of the bones and organs Colored of locomotion	21	14	1 2	1 5	1		2	- 		 - 4	5	2	1	1	1		1	3
154 155 156	Osteomyelitis	5 3 2	1 1 1 1	1 1 1	3 1	1				1	-		1 1		1		1	1 1	1 1 1
	XIV.—Congenital malfor-{White mations(Colored_	142 7	47 3	34 1	61 3	125 6	3	1	6		_ 4		3			1			
157a 157b 157c 157d	Congenital hydrocephalus	15 1 82 2	17	22 1 10	3 4 1 43 1 11	9 1 12 1 73 2 31 2	1 2	1	2	-	1 1 2		3			i			
	XV.—Diseases of early in-{White fancy(Colored.	780 73	222 29	149 17	409 27	780 73		-	-					-					
158 159 160 161	Congenital debility	531 40 92 92 61	6 150 19 36 3 14 1	11 11 3 15 2	55 8 277 10 45 3 32 6	92 9 61 9											3	6	412
	XVII.—Violent and acci-{Whitedental deaths{Colored.	1,672	639	403	630 97	40		23	3 14 2 4				130				207	154	269 16
163 164 165 166 167 168 169 171	Suicide	28 - 28 - 16 - 144 - 16 - 163	38 38 2 2 5 56 1 4 3 3 3 4 4 4 4 4 9	1 15 2 2 6 6 1 2 2 38 38	50 2 5 5 1 1 1 3 71								15 - 8 - 1 - 5 - 1	2 8 1 1 15 1 14	3 13 1 3 4 - 1 - 22 1 - 1	10 22 3 3 3 4	1 15 15 15 15 15 15 15 15 15 15 15 15 15	2 7 24 3	2
173 174 175	By firearms WC C By cutting or piercing instru-W ments C By other means C Accidental, other, or undefined WC Attack by venomous animals W	126 72 16 16 17 17 1, 240 17 17	38 37 37 36 38 48 39 4472 30 472	26 17 2 3 7 2 304 43 1	18 4 5 5 4 464 67	39) a		3 14 2 4		6 64 1 13	3 9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 2 2 9 9 11 17	42 24 9 7 4 154 154	169	5 16 7 9 1 2 5 1 5 3 2 126 1 19	12 5 3 1 99 10	218 10
177 178 179 180 181	Poisoning by food	28 	13 77 12 12 12 12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	8 2 3 5 26	- 4 2 1 9 1 14 3 23		8		2 3	2 1	1		1	2	3 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		5 3 2 5 2 3	3 3	2 2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	IES—	·						т.	EATHS	BY AG	æ		<u> </u>			
List	CAUSE OF DEATH	A'll deaths		2,500	In rural	Un-						10 to	15 to	20 to	25 to	35 to	45 to	55 to	65
no.			10,000 or over	to · 10,000	areas	der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	24 years	34	44	54	64	years, and over
1		<u> </u>			OKLA	ном	A —Co	ntinu	eđ		,	<u></u>			l			1 1	
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con.	_														,	'		-
182	Supplemental W Mechanical suffocation / W C	7 22 4	2 6 3	4 4 1	12	19 4					1				4	1	1	1	
183	Drowning	90 12	3 18 3 2 3	14 3	58 6	2	3	, 1 , 1		2	12 2	23 1 2	18 	1 1 2	8	9 1 4	3 3 1	4	, L
	Supplemental	14 6	i - I	1 3	11 	1						1	1	3	2				
184	By firearms (wounds of W C C	72 12	27 4	26 1	19 7				<u>i</u>	1	3	11 2	13 1	10 1	1	11 4	11	6	2:
185	By cutting or piercing W-instruments (wounds of C-war excepted)	8 2	4	1 1	3		1 		 -		1	1		1		1	2	. 1	ï
186a	Supplemental W By fall	3 149 12	66 4	27 2	3 56 6		3	1		2	1 1 1	3	1 6 1	<u>4</u> 1	<u>7</u>	7 1	11 2	<u>13</u>	1. 91 4.
	Supplemental $\{W_{}\}$	46 8 3	13	15 1	18 4	ī		1	1		î	1	6	4	1 7 2	13 3	2 3 1	2 1	6- 1
186b	By crushing, landslide\\ C\\ C\\ W\\ W\\ W\\ W\	3 2 62	1 22	2 15	2 25			<u>-</u> -			<u>1</u>	 6	1 <u>5</u> -	 7	1 2 12	13	5	8	<u>3</u> ,
188	C Injuries by animals\W	9	3 6	3 2	3 8						5	<u>-</u> -	1	3	2 2	2	1 1	2	- 3.
190	Excessive cold	4 1 2	2 1 1		2							1 	<u>ī</u>			i	1		1. 1
191 192	Excessive neat	14 11	5	2 2	7 9	1					1	2	1 4	1		2	3	4	4 1
193 194a	Due to electric currents \\ \C\ \ \C\ \ \ \C\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	10 2 11	6 1 7	3 1 1	1	2	 4			 1		2 3		3	1 	2	3	1	-
194b	Other accidents{C	63 8	20	13	30	3 1			1	3 <u>-</u> -	6	. 8	3	1	3	6	10	9 2	1 7 1
198	Supplemental X C Legal executions X	443 46 3	177 16 3	128 9	138 21	1		4	1	5	23 5	12 2	45 2	40 3	82 7	79 12	52 8 3	29 3	69: 3;
200	\C	3 1	3 1		100											8	25	34	 88i
	XVIII.—III-defined causes White of death(Colored	234 58	68 16	46	120 35	63 16	3		1	1	1		1	1 2	7 5	2	8	6	12
199 200a	Sudden death	26 1 131	5 52	5	16 1 52	6	<u>4</u>	<u>-</u>					<u>-</u>	1	4	7	2	6 1 25	17 60
200a 200b	Cause of death not specified or un-\W	28 77	10 11	27 1 14	17 52	2 57	2			1				1	4 3	2	6	25 3 3	60 7 11 5
Punch	known(C	29	6	6	17	14	1		1				1	1	1	- -	. 2	2	5.
symbol 201 202	Accidents in mines and quarriesW	12	, 2	4	6									1	3	4	2	2	
202 203	Accidents from agricultural ma- chinery W- Elevator accidents W-	4 1	<u>-</u>		. 4								1		<u>i</u>			2	1
205 206	Other machinery accidents	22 20	8 6	4 5	10 9			1					2 2	2	6 5	7 4	3 4	1 8	1 2.
207 208	Other railroad accidents\\ C Street car and automobile colli-\\ W	61 17 3	24 2 1	16 6	21 9 2							2	2	5	5	13	2		2·
209 210	sions\C Other street car accidentsW_	1	1															1	<u>i</u>
	Automobile accidents (primary){C Wotorcycle accidents	38	163 15 2 6 4	119 7	117 16	2		2	1	5	. 24	13 1	1 1	39 1	68 5	73 12 1		24 2	59 [,]
211 212	Motorcycle accidentsW Other land transportation acci-W dentsC Water transportation accidentsW	41	6	12 1	23 3	1		3	1	1	1	3	4	4	8	5 2	3		4- 1
213 214	Water transportation accidents\\ C\ Air transportation accidents\ W\	3 5 5	3 1	1 2 1	1 3							1 1 1	ī	2	2	1			
	THE GRAND CONTROL OF THE CONTROL OF	1		<u> </u>]	1 -	<u> </u>		1	1		1	
	·	1	11	1	1	ORE	GON	· 	1	ı	1	T	1		1	1	1	1	1
	Total deaths (all causes)	10, 277	4,746	2, 028	3, 503	531	74	40	33		-	130	194	218	=	= ====	=	- 	4, 973
1	I.—Infectious and parasitic diseases Typhoid fever		332	185	319 8	-II -	22	14	11	2	32	28	40	52 4	-	103	- -		159
1 5 6 7 8	Typhoid fever Undulant fever Smallpox	. 1		. 1	. i	II									. _i				Ī
7 8 9	Measles Scarlet fever	7	12 2 10	4 2 3	3		3	1 1 2	1 1		6 2 2	1	1		- 1	_ 1			
10 11a	Diphtheria	9	5		. 4	1		1	2		- 3	l		1	1	-	-		
11b	Diphtheria Influenza, respiratory complications specified Influenza, respiratory complications	. 157	50	41	i .	li .	2	1	2		- 7	7	6	6	1	1			57
13	Dysentery		14 5	22 3	41 3	7	4 4	1	1 1		5	5	1	.	2	_ 2		6 2	
1 8	See explanatory footnote 2, p. 169.		*						•										

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

•			IN CIT	ries—						-		DEATHS	ву ло	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	54	64	65 years and over
	•				ORE	GON	-Cont	inued						!		•		1	
	I.—Infectious and parasitic diseases— Continued									!									
15 16	Erysipelas Acute poliomyelitis, acute polioen-	9	4	3	2	3	1					2			1		2		2
17 18 20	cephalitis	11	2 4 5	3 4	2 2	3	1					1 2		1	2 2	1 1	2 1	2	1
22 23 24	nant pustule	1 2 363 301	1 140 107	72 60	1 1 151 134	1	3	5 1			1 6 3	6 3	24 17	$\begin{array}{r} 1 \\ \\ 36 \\ 32 \end{array}$	71 63	63 56	63 52	46 40	38 34
24 25 26 27a 29	Meninges and central nervous system Intestines and peritoneum Vertebral column. Bones (vertebral column excepted) Lymphatic system (bronchial, mesenteric, and retroperitonea	17 12 7 5	9 6 5 2	5 3 1	3 3 1 3	1	3	4	1		3	1	4	2	1 3 1	2 1 2	3 1 1	2 2	i
30 31 32a 32b,e 34 35	Bones (vertebral column excepted) Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) Genitourinary system Other organs Acute disseminated tuberculosis Other disseminated tuberculosis Syphilis Genococcus infection and other vene-	1 8 1 8 3 98	1 5 1 3 1 64	1 2 13	2 3 2 21							1 1	2	2 3	1 2 6	1 1 16	3 1 1 1 27	2	1
36 38 41a 42 43 44	real diseases Purulent infection, septicemia (non- puerperal) Malaria Hydatid cysts of liver Other diseases caused by helminths Mycoses Other infectious and parasitic diseases.	10 1 1 1 2 8	7	1 2 1 1 1 1 4	1	3						2	1		1	1	1	ī	2 1 1
**	II.—Cancers and other tumors	1, 208	634	241	333	3			1	1	2	2	3	4	29	89	201	277	595
(45) (45) (46) (46) (46) (46) (46)	Cancer and other malignant tumors. Buccal cavity. Pharynx. Esophagus. Stomach and duodenum Liver and biliary passages. Pancreas. Other digestive tract and perito-	1, 144 43 4 16 232 93 45	592 18 12 112 38 24	230 10 4 2 51 20 14	322 15 2 69 35 7				1		2			2	22 2 1	77 1 12 4 1	188 6 4 24 11 13	266 12 2 4 56 25 14	582 22 2 8 138 52 17
47 48 49 50 51 52 53	neum. Respiratory system Uterus. Other female genital organs Breast. Male genitourinary organs Skin. Other or unspecified organs. Nonmalignant tumors, ovary	174 41 125 29 110 101 36 95	97 26 74 16 58 52 10	35 5 20 5 16 23 10 15	8 36						1		1	ī	7 1 4 4	11 13 5 13 4 3	25 10 35 7 27 9 2 15	38 16 29 5 24 14 8	92 13 43 10 42 74 22 47 4
54a 54b 54d,e 55d,e	Nonmalignant tumors, other organs Tumors, other organs (nature unspecified)	17 18 25	3 8 13	1 6 2 2	3 3 5	2								2	2 3 2	5 4 3	6 2 5	3 2 6	4 1 3 5
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases	316	144	66	106	10					1	8	7	2	7	18	44	81	137
56 57 59 63 66a	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Rickets Simple goiter	15 15 210 1 2	6 4 94	4 3 44 1	5 8 72	1					1	5 3	6		5	2 3 7	1 1 26	2 3 56	4 8 106
66b (66)	Exophthalmic goiterOther diseases of thyroid and parathy- roid glands	53 6	29 5 3	10	14								1	1	1	5 1	15	16	$\frac{14}{2}$
67 68 69	Diseases of thymus gland Diseases of adrenals (Addison's disease not specified as tuberculous) Other general diseases	9 4 1	3 2 1	1	1	8 .								1	1 _			2	1
	IV.—Diseases of the blood and blood- making organs	91	39	19	33			2			2	2	1		8	7	13	19	34
70 71a 71b 72a 72b	Hemorrhagic conditions Pernicious anemia Other anemias True leukemias Pseudoleukemias (Hodgkin's disease)	7 39 2 28 12	4 17 1 13 2	2 9 5 2	1 13 1 10 8			2			1	1 1	1		1 3 4	1 1 1 3 1	2 6 2	11 6 2	19 1 6 6
73 74	Diseases of the spleen Other diseases of blood and blood-making organs	1	2	1		·											1 -		
	V.—Chronic poisonings and intoxications	26	16	4	6										3	6	6	3	8
75 76 77a	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning	22 3 1	14 2	3	5 . 1 .										2	1 _	6	1	7 <u>i</u>

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

						-						}						·	
			IN CIT	ies-							I	EATHS	BY AG	₽Ε					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					ORE	GON	-Con	tinued						,				,	
	VI.—Diseases of the nervous system and of the organs of special sense.	1, 255	544	234	477	15	4	1	2	1	4	7	10	6	26	51	100	233	792
78 79a 79b	Encephalitis (nonepidemie)	9	4 6 1	4 2	2 1	3					ī	· i	2	<u>i</u>	2 1			5 2 1	1
80 81 82a 82b 82c	Progressive locomotor ataxia (tabes dorsalis) Other diseases of spinal cord. Cerebral hemorrhage. Cerebral embolism and thrombosis. Softening of brain.	76	7 13 365 40 2	1 3 175 18	2 19 380 18 9	4	1					1 1		1	2 7 2	17 1	2 6 56 5	3 5 168 21 1	3 20 665 45 10
82d 83 84 85 86	Hemiplegia and other paralysis, cause unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age)	25 44 25 20	8 35 17 7	8 .3 3 2	9 6 5 11	1 1	1 1					 1	 1 4	1 1	3 3 3	17 3 4	1 10 10 1	6 10 6 1	18 4 1 3
87 89a 89b	Other diseases of nervous system Diseases of ear Diseases of mastoid process	35 14	21 4 14	7 5 3	2 7 5 1	4 2	1	1	1 1	1	1 2	2 1	1 2	2	2 1	3 2 2	6 3	3 1	18
	VII.—Diseases of the circulatory system	2, 673	1, 235	490	948	6	1			2	4	13	10	19	32	95	223	441	1,823
90 91a 91b	Pericarditis	12 24	5 12	3	5 9	1					2	2	3	5	1	3 1	2 4	1 3	3 4
92a 92b	years) Endocarditis, specified as chronic, and other valvular diseases Endocarditis, unspecified (45 years and	557	183	138	236	1				1	1	8	2	7	16	28	39 7	79	374
93a 93b	over)Acute myocarditis Myocarditis, unspecified (under 45	31 25	8	8 9	15 8	i	1	ı	i	l .							5	8	20 11
93c 93d	years) Chronic myocarditis and myocardial degeneration	5 599	304	96	199 64	1							1	1	6	14	30	93 30	453 131
94a 94b 95a 95b 96 97	Other diseases of myocardium Angina pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart) Arterioselerosis (coronary arteries ex-	230 311 9	73 78 182 5 169 23	96 33 38 43 1 74 4	114 86 3 118 17	II						1		1 1 2 1	1 1 3	8 15 1 13 5	9 26 55 32 8	57 80 1 51 12	137 158 6 256 18
98 99 100	cepted) Gangrene Other diseases of arteries Diseases of veins (varices, hemor-	243 10 19	156 6 10	31 1 2	56 3 7	i								1		1	3	14 3 1	225 6 15
101 102 103	rhoids, phlebitis, etc.): Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	4	8 1 2 1	1 1 1	2 1	1	1						2		1	1	1 i	2 1 1	3 1 1 1
	VIII.—Diseases of the respiratory system	l	314	112	187	66	15	7	5	2	8	9	16	14	40	- 38	63	75	255
104a 104b 105 106a	Diseases of nasal fossae	2 7	1 5 2 6	i	2	1 1 2				1		i	1	1	2		1 1 2	i	2
106b 106c,d 107a	Chronic bronchitis Bronchitis, unspecified Bronchopneumonia	246	10 2 124	45	7 2 77	1 47	9	3	3		3	6	6	3	12	11	18	19	14 2 106
107b 108 109 110	Capillary bronchitis Lobar pneumonia. Pneumonia, unspecified Pleurisy	243 17 19	126 4 16	1 49 3 2 1	68 10 1	2 7 2 1	3 2	2 1	2	ii	5	2	8	7		22	31 2 4 1	43 1 3 1	1 89 8 3 3
111a 111b	Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemor- rhagic infaret	12 21	7 2	1 1 8	4 11	1 1	1	1						1	1	3	1	1 3	10 10 1
113 114	Other diseases of respiratory system (tuberculosis excepted)	1	1 3	1'	1												2	1	2
	IX.—Diseases of the digestive system.	1	311	152	133	30	12	5	6	4		23	25	19	46	61	93	98	159
115a 115b 116	Diseases of pharynx and tonsils Diseases of buccal cavity and annexa Diseases of esophagus	. 1	16 4 1	5 1	3 1	1		1			2	3	1	1	. 1	3	2	6	2 1
117a 117b 118	Ulcer of stomach. Ulcer of duodenum. Other diseases of stomach (cancer excepted).	39 27	17 14 7	14 10 3	8 3 7	1	1		1			1	1		5 2	3 7	10 8 1	6 6	13 4 8
119 120 121	Diarrhea, enteritis (under 2 years of age). Diarrhea, enteritis (2 years and over) Appendicitis			7	13 12 20	17	9-	3	2	3	1 10	1 14	2 17	2 12	1 23	5 22	3 17 7	4 20	
122a 122b 123 124	Hernia Intestinal obstruction Other diseases of intestines Cirrhosis of liver	31 56 14	10 79 23 27 8 37	2 11 5 4	6 18	6	ī		1	1	1	2 1	1	1 1	1 4	3 4 3 2	7 9 <u>12</u>	6 7 2 11	7 18 12 19 4 26

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		,	IN CIT	TES-							I	EATHS	BYAC	e E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
			<u>'</u> ,		ORE	GON-	-Cont	inued						<u>.</u>	·			,	
	IX.—Diseases of the digestive system—Continued				*														
125a 125b	Yellow atrophy of liverOther diseases of liver	5 11	2 3	2 3	1 5	1			<u>-</u> -					1	1	1		4	1 4
126 127	Biliary calculi Other diseases of gall-bladder, biliary passages	35 45	23 24	5 9	7 12										3	3	10 6	9 10	14
128 129	Diseases of pancreas Peritonitis, cause not specified	13	3 7	1 2	4	2	<u>ī</u>		1				i	<u>i</u>	<u>ī</u> -	2	1	1 2	23 2 1
100	X.—Diseases of the genitourinary system	1, 017	494	188	335	1	2				. 5	1	6	14	17	46	101	165	659
130	Acute nephritis (including unspecified under 10 years) Chronic nephritis	20 830	8 392	4 145	8 293		2			 	1 2		1 5	2 8	1 10	3 34	3 82	1 149	6 540
132 133	Nephritis, unspecified (10 years and over) Other diseases of kidneys, ureters	37	11	11	15									1	2	1	4	3	26
134 135 136	(puerperal diseases excepted)	21 14 5	14 10 3	6 1 1	1 3 1						2	1 			2	3	4 2	3 3	10 4 4
137 139a	etc Diseases of prostate Cysts of ovary	2 73 2	1 48	13	12											2	<u>ī</u> -	5	2 65
139b 139c	Other diseases of ovaries, diseases of tubes and parametrium Diseases of uterus	6 7	5 2	1 5		 								1 2	1	1 1 1	1 2 2	 1	1 1
1000	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	60	25	24	11								6	19	23	11	2	1	, 1
140 141	Abortion with septic conditions	23	9	9	5								2	8	10	3			
142b	conditions (includes hemorr hages) Ectopic gestation, septic conditions not mentioned	4 2	3 2		1								1		1 2	2			
144b 145a	Other puerperal hemorrhages Puerperal septicemia and pyemia (abortion excluded)	3 8	3	1 5	1									3	1 4	1			
146 147 148	Puerperal albuminuria and eclampsia. Other toxemias of pregnancy. Puerperal phlegmasia alba dolen, em- bolus, sudden death (not specified	11 3	5 2	6									2 1	3	3 1	2			
149	bolus, sudden death (not specified as septic) Other accidents of childbirth	5 1		1	4									3	1	1 1			
	XII.—Diseases of the skin and cellu- lar tissue	14	7	4	3	2					. 1	1	1		. 4		1		4
151 152	Furuncle, carbunclePhlegmon, acute abscess	5 1	3	2							1	1	1		2		1		
153	Other diseases of skin and annexa, and of cellular tissue	8	3	2	3	2									. 2				4
	XIII.—Diseases of the bones and organs of locomotion	19	15	3	1			1			3	4			. 2	2	2		5
154 155	Osteomyelitis Other diseases of bones (tuberculosis excepted)	15 2	13	1	1			1			3	4			. 1	2	2		2 2
156	Diseases of joints, other organs of loco- motion	2	2												. 1				1
157a	XIV.—Congenital malformations Congenital hydrocephalus	76	27	3	28	67 5	3				1	2	1				-		
157b 157c 157d	Spina bifida and meningocele	6 45 16	16 5	13 4	1 16 7	6 40 16	1				1	2	1						
	XV.—Diseases of early infancy		102	68	86	256													
158 159 160	Congenital debility Premature birth Injury at birth	157 59	61 31	1 45 12	51 16	16 157 59													
161 162	Other diseases peculiar to early infancy. XVI.—Senility	24 75	6 22	10 14	39	24					-								75
	XVII.—Violent and accidental deaths	1, 111	476	197	438	18	14	9	8	6	36	30	67	69	147	139	178	132	255
163	Suicide By solid or liquid poisons or by ab-	245	123	39	83							3	3	13	35	42	60	42	46
164 165	By poisonous gas By hanging or strangulation	38 24 35 25 97	17 22 23	8 1 3	13 1 9						-	1		2	13	8 8 4 5	9 4 13	3 6 4	5 8 3
166 167 168	By drowning By firearms By cutting or piercing instruments.	11	16 34 2	19 5	7 44 4								2	9	12 12	11	9 21 3	6 16 4	3 24 2
169 170 171	By jumping from high places By crushing	1	7 7 1 1	<u>1</u>	4								1		1 2	$\begin{vmatrix} 3 \\\frac{1}{2} \end{vmatrix}$	1	1	2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	•		1																
			IN CIT	TES—	In						I	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to · 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	64	65 years and over
					ORE	GON-	-Cont	inued		****									
	XVII.—Violent and accidental deaths—Continued	}																	
173	HomicideBy firearms	56 40	24 17	13 9	19	1	1	 			. 1		3	2	19 16	9	12 10	4	4
174 175	By cutting or piercing instruments. By other means	7 9	3 4	1 3	14 3 2	1	1				1		3		1 2	6 3	2	3	1
176 177	Accidental, other, or undefined Attack by venomous animals Poisoning by food	1 5	329	145 2	336 1 2	17	13 	9	8	6	35 1	27 1	61	54 	93		106 2 3	86	205 1 1
178 179	Absorption of poisonous gas Other acute accidental poisonings (gas excepted)	12	9 7	2	1 5										1	3	2 3	3 4	2
180 181	Conflagration Burns (conflagration excepted) Supplemental	l 38	3 25	9 5	10 8 1	1	1 2	4	$\frac{1}{2}$	1 3	3	1	1	1 2 1	1 3	3 4	3 1	1 2	9
182 183	Mechanical suffocation Supplemental	13 1	6		7	9							3			1	1		
	DrowningSupplementalTraumatism:	41	14 9	8 9	57 23		5 	1 	2	1	3	8 1	12	7 5	10 11	11 11	5 6	. 9 	1
184 185	By firearms (wounds of war ex- cepted) By cutting or piercing instru-	35	8	11	16				1			4	6	5	7	2	4	3	2
	ments (wounds of war ex- cepted) Supplemental	11 4	5	3	3 2								1	2	1	1	3 3	2	2
186a 186b	By fall Supplemental By crushing, landslide	1 150	88 6	1 29 3 3 12	33 8 9	<u>ī</u>		2			1	4 1 2	3 1 3	3 1 1	1 3 2	7 4 3	10 1 5	18 1	101 4
188	Injuries by animals	36	18 4		26		2	1			4		5	6	12	7	9	5	5 1
190 193 194a	Excessive cold Due to electric currents Foreign bodies	6	1 5	2	5 3	2	 <u>2</u>				1		1	2	<u>-</u>		2	2	1
194b	Other accidents Supplemental	. 55	5 16 99	13 32	26 85	2 2 1	<u>1</u>	1	2		2 10	3 2	4 18	3 15	10 27	6 28	3 8 35	30	10 48
100	XVIII.—Ill-defined causes of death		9	6	20	4		1			1		1		1	1	2	11	13
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or un-	8 17	2 4	3	10	1					1		1		i		1	8	4 5
Punch	known	10	3	1	6	3		1			·					` 1		1	4
symbol 201 202 205 206	Accidents in mines and quarries	5		1	4		- 						1	1	1	1	1	2-	
205 206	Accidents from agricultural machinery Other machinery accidents Railroad and automobile collisions	15 17	1 5 5	4	5 6 11						4	2	3	2	4	1 5 1	3 3	1	1 3
207 208 209	Other railroad accidents Streetcar and automobile collisions Other street car accidents	4	4 4 3	6 	9								1	2	1		6 1 1	3	2
210 211 212	Automobile accidents (primary) Motorcycle accidents	223	100	37	86 2 2	1	2	i	2		10	1	15 1	17	30 2	33	34	28	49
212 213 214	Other land transportation accidents Water transportation accidents Air transportation accidents	32	1 9 1	2 5	18 3	1				1	3	1	2	1 4 1	9	1 6 2	6		
	· · · · · · · · · · · · · · · · · · ·	<u> </u>	<u>!!</u>	<u> </u>	PET	nnsy	LVAN	NIA.	-	· ·	1	<u> </u>	!	<u> </u>		<u>!</u> ,_	<u> </u>		<u> </u>
	Total deaths (all causes)	109, 204	62, 793	13, 347	33, 064	10,113	1, 469	722	553	463	1, 670	1, 365	1, 981	2, 582	5, 702	8, 853	13,199	18,475	42,025
	I.—Infectious and parasitic diseases	11,389	5, 910	1, 250	4, 229	1, 024	447	223	172	147	458	. 301	556	789	1, 437	1, 536	1, 394	1, 161	1,740
1 2 2	Typhoid fever Paratyphoid fever Typhus fever	175 6 1	89 3	30 2	56 1 1		5		1	2	9	16	20 2	32 2	31	24 1	19	-	5
1 2 3 5 7 8	Undulant fever Measles	221	87	28 36	1 106 86	55 7	63	28			27	11	3	1	17	5		2	i
9 10	Scarlet fever Whooping cough Diphtheria	449	140 203 172	36 66 72	180 154	259 25	63 23 120 42	28 19 37 34	13 21 12 39	13 22 10 42	80 4 126	20 3 37	25 7	13	9	9	1 1 12	1	2 5
11a 11b	Influenza, respiratory complications specified	2,041		296	808	249	74	21	22	10	1	30	61	61	136	197	212	247	690
. 13	not specified Dysentery	957 44	353 16	132 6	472 22 64	100 14	23 6	21 3	11 2	9 1 1	21	29 1	21 1	18	46	67	78 2 15	94 1 29	419 10 47
15 16	Acute poliomyelitis, acute polioen-	168	83 109	9	26	. 10	13 3	9	15	10	37	27	11	7	5 1	13	1		
17 18 21 22	cephalitis Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis Rabies	. I Z	120 120	11 13	16	11	8 	1 5	2 9	7	. 1	5 18		6 10	13	14 5	10	5 1	10 1
23	Tetanus Tuberculosis (all forms) Respiratory system	5, 411 4, 855	2, 941	14 432 371	2.038	78 26	55 18	33 12	18 18 7	14 6	13 75	11 86 64	365	5 601 562		1, 028 951	866 818	628	484
24 25	Meninges and central nervous sys- tem	213 147	159 80	25 16	29 51	37 3	30 3	18 1	7	7	31 10	11 7	14 10	13 17	17 20	13 29	6 17	10	2 18 11
26	Vertebral column	65		10	14		1	l	1	l	.1 3	1 2	1 4	1 8	l 6	l 9	10	∙10	! 11

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

			IN CIT	ies							D	EATHS	BY AG	E				*	====
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
5				PE	NNSY	TLVA)	NIA-	Conti	nued										
	I.—Infectious and parasitic dis- eases—Continued																		
27a 27b 28	Tuberculosis (all forms)—Continued Bones (vertebral column excepted) Joints Skin and subcutaneous cellular tissue. Lymphatic system (bronchial,	4 30 3	1 16 2	3	3 11	1						<u>i</u>	5		3	2 5	1 4	1 4	7 3
30 31 32a 32b,c 34	mesenteric, and retroperitoneal glands excepted) Genitourinary system Other organs Acute disseminated tuberculosis Other disseminated tuberculosis Syphilis	14 37 7 31 5 640	7 25 4 26 5 450	2 5 58	5 7 3 5	4 5 2 125	3	2	1 i 1 2	1	2 1	1 3	3 1 6	1 1	1 7 2 2	12 12 5 123	7 1 2 133	5 2 3	5 3 1 1
35 36 38 39	Gonococcus infection and other vene- real diseases. Purulent infection, septicemia (non- puerperal). Malaria. Other diseases due to protozoal para-	72 45 10	55 27 5	14 2 2	3 16 3	8	2	2				3	4 1 1	15 2	23 1	11 9	13 5 4	3 2 1	2 9 4
42 43 44	sites. Other diseases caused by helminths Mycoses. Other infectious and parasitic diseases II.—Cancers and other tumors	5 5 12 31 11,010	2 4 11 17 6,746	6	3 1 1 8 2,847	1 2 11 11	2 8	1 5 12	2 2 11	1 1 7	1 3 3 29	1 32	52	62	3 1 306	1 4 1 972	2 2 2,006	1 1 1 2, 959	1 4, 541
(45) (45) (46) (46) (46) (46) (46)	Cancer and other malignant tumors. Buccal cavity. Pharynx. Esophagus. Stomach and duodenum. Liver and biliary passages. Pancreas. Other digestive tract and peri-	334 74 191 2, 239 932 305	6, 446 219 47 144 1, 264 495 184	1, 365 43 9 19 279 135 49	2, 784 72 18 28 696 302 72	7 1	1	9	7	5	23 3 1	27	47 2	52 1 2 1 2 1	256 3 1 18 11 4	854 13 1 8 120 49 13	48 10 37 338 126 52	2, 902 99 16 61 694 257 107	4, 497 165 43 83 1, 067 483 128
47 48 49 50 51 52 53 54a 54b, 54d,e 55d,e	toneum Respiratory system Uterus Other female genital organs Breast Male genitourinary organs Skin Other or unspecified organs Nonmalignant tumors, ovary Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, other organs (nature unspecified)	1, 700 383 1, 283 259 1, 027 781 222 865 9 209 144	1,048 276 773 189 649 495 93 570 5 160 106	239 49 192 26 129 92 18 86 2 28 14	413 58 318 44 249 194 111 209 2 21 24	2 2 1 2 2	2	1 5	2 4 2	4	2 3 14 5 1	3 2 1 2 18 	8 2 1 5 1 4 2 214 1	10 8 7 3 2 4 11 9	45 14 63 12 25 13 2 45 24 23	133 50 193 40 112 25 9 88 2 81 20	285 87 331 66 265 78 19 161 3 68 24	437 119 326 71 273 213 28 201 2 24 24 7	770 98 361 62 349 437 161 290 2 12 22
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases	3, 525	2, 166	436	923	167	23	15	8	12	60	82	58	69	125	214	520	866	1, 303
56 57 59 60 62 63 64 65 66a	Acute rheumatic fever Chronic rheumatism, osteoarthritis. Diabetes mellitus. Scurvy Pellagra. Rickets. Osteomalacia Diseases of pituitary body. Simple goiter.	275 102 2, 545 1 11 37 1 4 19	161 47 1,585 1 7 19	30 14 315 1 5	84 41 645 3 13 1 3	1 24	1 6	1 1 4	2	3	16 1	43 1 34	28 23 1	20 2 26	32 2 54 1 1	27 2 121 5	22 11 381 	20 18 740 	26 66 1,143
66b (66) 67 68 69	Exophthalmic goiter. Other diseases of thyroid and parathyroid glands. Diseases of thymus gland Diseases of adrenals (Addison's disease not specified as tuberculous). Other general diseases.	296 46 145 29 14	182 23 98 22 8	45 7 14 2 1	69 16 33 5 5	12 123 5	1 12 1	5	3	1	2	1 2 1	6	14 4 1 2	29 2 2	45 1 1 7	74 7 10 1	72 6 	55 5 4 3
	IV.—Diseases of the blood and blood-making organs	763	475	98	190	49	15	10	11	5	26	17	24	28	48	84	107	135	204
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Pernicious anemia. Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease). Diseases of the spleen. Other diseases of blood and blood-making organs.	67 310 36 204 102 38	37 153 23 152 77 27	11 46 5 19 10 7	19 111 8 33 15 4	32 3 7 4 1 2	5 7 2	2 2 5 5	7 1	1 2 2 2	13 6 1	7 4 1	12 6 1	8 10 4	1 4 21 16 5	2 30 25 20 7	4 54 1 32 9 6	3 77 3 34 13 3	5 133 18 27 14 5
	V.—Chronic poisonings and intoxications	293	169	33	91		1						1	1	31	67	101	64	27
75 76 77a 77b,c	Alcoholism (acute or chronic). Chronic poisoning by other organic substances. Chronic lead poisoning. Other chronic poisoning by mineral substances.	282 3 7 1	162 1 5	33	87 2 2		1						1	1	30	66	99 1 1	60 1 3	25 1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

$\overline{}$			IN CIT	was -								~~~							
List	CAUSE OF DEATH	AII	ļ		In rural						<u>_</u>	DEATHS			I			1	65
no.		deaths	10,000	2,500 to 10,000	areas	Un- der 1 year	1 year	years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
				PE	NNSY	LVA	NIA-	Conti	nued			,			'	•	•		
1	VI.—Diseases of the nervous system and of the organs of special																		
78 79a	sense Encephalitis (nonepidemic) Simple meningitis	99 200	5, 465 68 146	1, 382 8 20	4, 041 23 34	176 4 46	9 15	29 3 8	26 2 9	26 8	106 4 20	87 5 12	83 2 11	120 10 10	·236	10 23	1, 195 11 13	2, 078 10 9	6,058
79b 80 81	Nonepidemic cerebrospinal meningitis. Progressive locomotor ataxia (tabes dorsalis)	18 128 254	10 68 153	9 34	51 67	3	1	2		2	2	1 1	3	1 1	a	11	37	9 1 43	1 32
82a 82b 82c	Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain	7, 970 613 48	3, 808 420 20	1,061 71 6	3, 101 122 22	5	4 2 1	1 2 1	4	1	3 2 4	4 4 4	5 4 4	8 11 8	12 52 18	25 243 37 2	787 68 5	1, 612 141 5	5, 240 327 36
82d 83 84	Hemiplegia and other paralysis, cause unspecified———————————————————————————————————	164 417 83	84 187 21 86	19 11 6	61 219 56	2	,			1	1	<u>-</u> 1	<u>2</u> 2	2 2 5	2 33 12	5 129 17	8 130 15	19 85 14	124 35 18
83 84 85 86 87 88	Epilepsy Convulsions (under 5 years of age) Other diseases of nervous system Diseases of organs of vision	245	123	29 7 45	124 34 77	2 54 8	3 13 2	1 2 2	2 1 2	1 2	10 5	14 ·	28 9	42	38	40 26	22 25	21 39	15
89a 89b	Diseases of ear Diseases of mastoid process	177 157	116 120	28 25	33 12	35 17	6 8	3 4	3 3	1 7 2	30 24	15 21	6 6	1 9 5	12 11	11 23	14 19	15 8	11 6
	VII.—Diseases of the circulatory system	27, 491	15, 598,	3, 295	8, 598	34	19	11	18	11	130	185	218	241	636	1, 447	3, 090	5, 527	15, 919
90 91a 91b	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45	164 369	142 235	6 51	16 83	1 5	3	1 2	3 4	3	3 23	3 25	36	7 31	19 71	35 39	39 44	22 40	25 43
92a	years)	60 4,992	2, 585	7 641	15 1,766	1	1 4	3	1 5	4	63	106	5 116	114	10 253	26 368	 544	878	2,530
92b 93a	Endocarditis, unspecified (45 years and over)Acute myocarditis	330 633	175 389	43 80	112 164	6	3			<u>i</u>	10	5	8	8	21	57	58 118	72 147	200 249
93b 93c	Myocarditis, unspecified (under 45 years) Chronic myocarditis and myocardial	138	92	20	26	8		1	1		3	. 2	5	5	20	93			
93đ 94a	degeneration Other diseases of myocardium Angina pectoris	10, 416 2, 490 1, 589	6, 384 1, 454 822	1, 093 338 248	2, 939 698 519		2 1	1		1	5	9	13 3	28 5	112 5	386 12 102	1, 057 283 237 232	2, 170 543 433	6,632 1,638
94b 95a 95b	Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart.	1 1 333	880 28	160 6	293 19	1							3	6 1	5 16 19 2	108	l 6	379 13	797 584 27 1, 435
96 97	Arteriosclerosis (coronary arteries ex-	140	1,289	340 12	1,069 23	6	1	1	3	1	14	31	20	18	75 2	170 18	333 44	590 40	35
98 99	cepted)	1,771 73 133	802 33 90	207 9 16	762 31 27	1	1	1	 1	1	1		2	7	1 1 3	10	52 4 18	150 5 19	1,559 59 72
100 101	Diseases of veins (varices, hemorrhoids, phlebitis, etc.) Diseases of lymphatic system (lym-	66	34	12	20								1	1	4	7	13	19	21
102 103	phangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	16 11 16	9 6 6	4 1 1	3 4 9	4	2	1			1		1		1	1 2 1	1 4 3	1 3 3	3 2 8
100	VIII.—Diseases of the respiratory system	9, 659			2, 637	1. 818	451	164	96	73	161	136	182	200	547	l	1, 065	.	2, 573
104à 104b	Diseases of nasal fossae Diseases of nasal fossae and annexae	8 53 35	5 33 19 90				2 5					6	6	7 -				1 6	3 3
105 106a 106b	Diseases of larynx Acute bronchitis Chronic bronchitis	35 190 155	19 90 74	1 8 5 29 19	12 11 71 62 41	2 8 64 2 20 1, 130 20 511	5 9 1	3 5	2	1 2	4 3 2	1	1 <u>2</u> -	1 2 2	3	2 5 3 5 8 1	8 1 12 19 3 196	6 18 32 9 271	
106c,d 107a 107b	Bronchitis, unspecified Bronchopneumonia Capillary bronchitis	3, 298 56	30 2,014	367 10	917	20 1, 130	1 7	1 78 2	40	1 34	3 52	33	<u>26</u>	24	5 1 88 1 397	148	196	271	42 914
108 109	Lobar pneumonia. Pneumonia, unspecified. Pleurisy.	4, 946 126	3, 142 72	539 10	917 22 1, 265	25	264 5 141 6	64 3 8	43 3 7	33	90 1	84 7 5	134 3	1 143 6	397 5	655 6	694 12 30 7	764 0	68 84 42 914 19 1, 192 40 42 8
110 111a 111b	Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hem-	246 36	167 22	35 7	7	20	14 		7	2 	5	5 	3 5 1	6 7 2	5 30 2	6 33 9		38 7	42 8
112 113 114	orrhagic infarct	98 166 8	56 90 4	15 19 1	27 57 3	5 1	1 2	 	1	 	1		2 1 1	2 	1 3	2 17 1	34 2	15 43 1	67 63 2
114	(tuberculosis excepted)	156	89	15	52	8								3	7	29	39	44	26
115a	IX.—Diseases of the digestive system. Diseases of pharynx and tonsils Diseases of buccal cavity and annexa	7, 115	4, 515 214	950 46	74	1, 240	247 12	129 16	79		190 41	161 27	175 15	174	420 37	36	36	1, 070 28	1, 436 28
115b 116 117a	Diseases of esophagus	54 12 355	33 9 230	4 2 41	74 17 1 84	6		2	2		3	i	1 3	2 6 6	6	13 1 53	5	28 3 2 72	28 10 . 7 100
117b 118	Ulcer of stomach Ulcer of duodenum Other diseases of stomach (cancer excepted)	165	113	26 27	26	2 39	3	1	1	1	1 2		8	6	32 13	53 33	88 50 43	34 34	26 71
119 120 121	cepted)	235 1, 245 423 1, 163	594 180 892 330	160 45 166		1, 045 5	200	76 13	39 18	30 9	25 · 85	5 105	6 115	<u>-</u> -	16 134	34 168	35 191	40 128	110 85 183
122a 122b 123	Hernia Intestinal obstruction Other diseases of intestines	455 616 95	330 429 72	60 88 12	65 99 11	10 91 5	13	8 3	1	9	14 1	14	11 3	95 1 9 2	18 26 6	37 60 12	85 86 13	118 103 18	183 171 30

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	tes-							n	EATHS	BY AG	ŧΕ		·			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years		9 10 9	10 to 14 years	19	24	25 to 34 years	35 to 44 years	5 1	55 to 64 years	65 years and over
	·	,1	·	PE	NNSY	LVA	NIA-	Conti	nued							·			
	IX.—Diseases of the digestive sys- tem—Continued																		
124 125a 125b 126 127	Cirrhosis of liver	48 73	561 36 43 256 257	141 5 13 50	214 7 17 55	2 2 4	i	3		2	1 2 2	1 2	2 1 1 2 2	3 8 4 2	30 8 8 30	102 11 10 37	194 4 12 89 64	247 10 17 99 74	331 6 13 102 125 22
128 129	Diseases of pancreas Peritonitis, cause not specified	90 121	67 89	9 16	14 16	14	4	1 5	1		13	2	3	4 2 4	9 16	9 17	18 12	29 14	22 16
	X.—Diseases of the genitourinary system.	10, 525	6, 354	1,316	2, 855	38	10	7	6	5	33	50	82	93	341	748	1, 241	2, 060	5, 810
130 131 132	Acute nephritis (including unspecified under 10 years) Chronic nephritis Nephritis, unspecified (10 years and	389 8,600	245 5, 087	51 1,060	93 2, 453	15 1	7	2 1	3 2	2 2	21 10	15 24 7	16 48	11 53	38 193 14	51 520 38	70 992 45	54 1, 750 80	5, 003
133 134	over). Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages	409 195 89	216 142 69	54 24 7	139 29 13	18	2	4	1	1		3	5 4 1	5 1	19	24 18 4 4	28 17	39 26	216 45 22
135 136 137 138	Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess, etc. Diseases of prostate Diseases of male genital organs, not	43 24 485	19 21 331	5 3 60	19 94		ļ						, 1	1	2	4 4 6	8 18	2 5 73	31 5 388
139a 139b	specified as venereal Cysts of ovary Other diseases of ovaries, diseases of tubes and parametrium	6 73 147	3 51 122	2 15 21	1 7 4	4							1 5	3 15	12 47	1 22 49	16 24	<u>11</u>	1 8 3
139c 139d 139e	Diseases of uterus	57 2 6	40 2 6	14	3										11	11	17	15 1	1 1
2000	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	1, 025	695	143	187								83	203	461	269	9		
140 141	Abortion with septic conditions Abortion without mention of septic conditions (includes hemorrhages)	184 54	136 34	28 5	20 15				1			1	12	48 9	89 29	34 13	1		
142a 142b	Ectopic gestation, septic conditions specified Ectopic gestation, septic conditions	6	5	1 4									1	1 2	3 21	2	1		
143 144a	not mentioned Other accidents of pregnancy (hemorrhage not included) Placenta praevia	35 3 28 81	29 3 14	7	7		1						. 1	1	16	1 11	<u>i</u>		
144b 145a 146 147 148	Other puerperal hemorrhages. Puerperal septicemia and pyemia (abortion excluded). Puerperal albuminuria and eclampsia. Other toxemias of pregnancy. Puerperal phlegmasia alba dolens,	228	147 107 22	36 33 2	18 45 31 3								27 22 22	59 27 8	37 100 68 9	30 38 54 8	4		
149 150	embolus, sudden death (not speci- fied as septic) Other accidents of childbirth Other and unspecified conditions of	59 145	35 106	6 13	18 26	Îl .		i					3 7	5 32	26 62	25 43	<u>i</u>		
	puerperal state	165	88	23	54	27	4	1	1	1	6	4	4	6	9	16	26	30	30
151 152 153	Furuncle, carbuncle	36 72	20 39	8 10	8 23	1 9	3			1	1 5	2 2	1 2		4 5	6	4 12	5 17	10 8
	of cellular tissue	163	117	16	30	17	5	2	3	4	23	32	10	6	12	18	10	11	12 19
154 155	Osteomyelitis Other diseases of bones (tuberculosis	109	77	10	22	5	4	1	2	3	16	26	7	3	10	13	5	5	9
156	excepted)		13 27	3	3 5	1	1	1	1	. 1	. 3	5	3	1	2	4	3	5	7
157a	XIV.—Congenital malformations Congenital hydrocephalus	1,346	724 103	172 15	450 43	1, 223 126	35 9	14 4	12	6	-	12 5	11 2		5	5	2		
157b 157c 157d	Spina bifida and meningocele	777	82 373 166	23 96 38	46 308 53	145 719 233	17 5	5 5	4 4	3		5 2	8		2	3	1		
158	XV.—Diseases of early infancy	239	2, 278 95	513	1,302	4, 093													
159 160 161	Premature birth. Injury at birth Other diseases peculiar to early infancy	2,611	1, 421 532 230	339 110 41	851 190 140	2, 611 832 411							-	-					
1 62	XVI.—Senility	336	103	38	195		-	.	-	.	-	_	-	-l	.		1	8	327

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	-		-				1	EATHS	BYAG	Æ		****			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				PE	NNS	(LVA)	NIA-	Contin	nued							•			
	XVII.—Violent and accidental deaths	8, 992	5, 240	1, 132	2, 620	115	122	99	108	106	429	263	439	577	1, 066	1, 208	1, 341	1, 173	1,940
163	Suicide	1, 520 163	883 126	167 18	470 19						1		30 8	63 10	196 36	297	362 37	341	228
164 165 166	By poisonous gas. By hanging or strangulation. By drowning	241 345	205 149	15 39	21 157 24								2 4	5,5	26 24 3	38 47 62 12	61 87 16	63 89 14	10 34 74 5
167 168 169	By firearms By cutting or piercing instruments. By jumping from high places	557 71 59	28 267 43 54	74 11 2	216 17 3						1		14 1	30 2 2 1	93 1 11	112 13 8	115 17 15 3	115 18 14	76 19 9
170 171	By crushing By other means Homicide	19 469	54 3 8 335	3 74 11 2 3 2 40 18	9 94	6	1	1		2	9	7	1 32	63	125	1 4 112	60	3 1 30	1 21
173 174 175	By firearms By cutting or piercing instruments By other means Accidental, other, or undefined	. 137	179 62 94 4 022	6	61 6 27 2,056	6 109	1 121	 1 98	108	2 104	2 3 4 419	2 2 3 256	18 2 12 377	41 10 12 451	125 74 29 22 745	67 16 29 799	34 6 20 919	9 2 19 802	11 2 8 1,691
176 177 178	Attack by venomous animals Poisoning by food Absorption of poisonous gas	8	94 4,022 3 16 141	925 1 9 24	2,030 4 19 35	1 1 3	3 2	1 1	2 . 1	1	4 2	1 1 1	4	1 1 12	1 7 22	1 8 36	1 6 51	1 4 38	1,091 1 5 27
179	SupplementalOther acute accidental poisonings (gas excepted)	. 9	3 74	1 10	5 29	1	11	10	5	4	4	<u>ī</u>	2 6	6	10	3 12	5 22	1 12	12
180 181 182	Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation	459	34 331 17 16 2	16 57 15 3	61 71 14 19	23 30	5 44 3	38 1	28 	4 3 27	15 54 2	1 9 8 1	13	5 23 5	11 28 16 1	9 29 11	8 35 1	13 38 4	18 71 1
183	Supplemental Drowning Supplemental	15 373	156 13	29 3	188 20	2	1 14	9	4	3	1 57 1	36	2 1 53 7	2 26 8	5 52 8	1 1 33 2	3 48 3	1 14 4	22
184	Traumatism: By firearms (wounds of war excepted)	. 139	50	24	65		2				. 9	20	23	25	16	14		12	5
185	By cutting or piercing instru- ments (wounds of war ex- cepted) Supplemental	52	31 4	8 2	13	1		1	2	3	4 1	1	1	3	4	8	12	6	6. 1
186a 186b	By fall Supplemental By crushing, landslide	1,671 138 27	1,048 87	240 10	383 41 11	6 1	17 1	6 1 1	7 1	5 1	18 3 1	' 18 5 1	23 12 2	20 10 6	56 17 4	91 18 5 37 1		231 20 3 23 4 2	1,011 26 3 11
188 189 190	Supplemental Injuries by animals Hunger and thirst	23	98 8 2 5	32 2 2	49 13 1 6			1 	1	1	9	6	12	6	31	37	161 23 7 41 7 1	23 4 2	11 8 1
191 192 193	Excessive cold Excessive heat Lightning Due to electric currents	55 22	26 5 22 7	8 9 3	21 17 27	7	1			1	1 6	3 5 1	1	3 7	2 2 4 18 4 3 22 397	1 7 5 9	12 3 6	5 8 2 1	18 1 1
194a 194b	Supplemental Foreign bodies Other accidents	47 271	24 159	6 31	17 81	12 16	5 3	3 4	<u>4</u> 5	5	20	14	18 187	3 7 3 2 17	3 22	2 2 33	3 42	. 3 3 29	7 43-
198	Supplemental Legal executions XVIII.—Ill-defined causes of death	. 5	1,627 219	373 42	827 5	4	9 18	16 6	46 2	50 1	205	119	187	264 1 6	397 2 22	417 2 39		320	392
199 200a	Sudden death	426 64 83	14 33	8 9	165 42 41	91 15 7	1 12	1	1		1		1	3	3 3	7 8	64 9 12	67 10 13	98 17 22
200b	Cause of death not specified or un- known	279	172	25	82	69	5	5	1	1	4	3	2	3	16	24	43	44	59
Punch symbol 201	SUPPLEMENTAL 1 Accidents in mines and quarries Accidents from agricultural machinery	474	191	72 7	211			- -			3	1	20	38	97	142	108	50	1 <u>4</u> 5
202 203 204	Accidents from machinery used for	28	5 24 2	3	9						1	2	3	38 2 1	4 7	3 2	3	4	8
205 206 207	recreation Other machinery accidents Railroad and automobile collisions Other railroad accidents	1 319	39 18 173 24 50	12 6 52	18 32 94		1	2	2, 1	4	2 17	1 1 14	3 1 24	5 8 26	16 12 41	13 14 53	13 6 62	9 4 51	4 8 23 1 18
208 209 210	Other railroad accidents Street car and automobile collisions Other street car accidents Automobile accidents (primary)	2. 043	11. 240	3 2 261	5 5 542	4	8	2 12	2 40	46	1 1 191	103	24 2 3 148	193	6 2 254	8 3 242	6 7 247	3 14 228	1 18 326
211 212 213 214	Motorcycle accidents. Other land transportation accidents. Water transportation accidents. Air transportation accidents.	- 30 69 56 15	24 41 24 3	2 4 17 2	4 24 15 10	I	1 		1 2	1 1 	5 1	5 4 1	6 4 8 2	6 1 9 1	11 2 20 7	1 4 4 2	11 7 2	9 2	23- 1.
214	An wanspotestion accidents	10				ODE	TST.A	ND											
	Total deaths (all causes)	8, 080	7, 135	352	593	639	99	53	44	47	119	75	106	124	331	533	950	1, 554	3, 403
,	I.—Infectious and parasitic diseases	646	510	90	46	42	32	17	16	17	33	11	29	33	72	84	97	86	77
1 7 8 9	Typhoid fever Measles Scarlet fever Whooping cough	2 42 25 11 29	39 · 23 • 9	1 1 2	2 1	15 1 5	9 2 4 4	3 2 1	3	2 4	8 8 1	1			2	1 2			
10 11a	Diphtheria	29 63	26 47	1 4	12	3	3	3	6	6	5	2	1	2	2	6	7	12	1 27
1 S	ee explanatory footnote 2, p. 169.	•	•	·		•		·											

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

		,	IN CIT	ries							Г	EATHS	BY AG	}E		·			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	54	55 to 64 years	\$5 years and over
				RI	HODE	ISLA	ND-	Conti	nued	•					•				
	I.—Infectious and parasitic dis- eases—Continued										<u> </u>								
11b 15	Influenza, respiratory complications not specified.	19	13	1	5	3	1	1		<u>-</u> -	1		1		1	1	<u>-</u>	2	8
16 17	Erysipelas Acute poliomyelitis, acute polioen- cephalitis Lethargic or epidemic encephalitis Evidemic comburging in a proprietis	11 3 5	10 3. 4		1	<u>-</u> -		1		1	1				<u>î</u>	<u>i</u>			
18 22	Epidemic cerebrospinal meningitis Tetanus Tuberculosis (all forms)		3 5 276	78	1 17	1 3	1 8	6	1	2	<u>1</u>	 	<u>2</u> 7	1 30	63	1 66	2 65		1 28
23 24	Meninges and central nervous system	306 27	216 26	75 1	15	3	6	4	1	2	4 2	1	24	28	51 2	60 2	60 1	51 1	24
25 26 28	Vertebral column	18 4	15 3	1	2		2	1			1	2	2		3	2 1	1	3	2 1
29	tissue	1	1									- -					1		
30 31 32a	glands excepted) Genitourinary system. Other organs Acute disseminated tuberculosis.	7 1 5	7 1 5					1	<u>i</u>					1	3	ī	ī	1	1
32a 32b,c 33 34	Other disseminated tuberculosis Leprosy Syphilis	1 1 47	1 44	2	1 1	2									<u>-</u>	 5	1 1 19	13	7
35 36	Gonococcus infection and other vene- real diseases	1	1														1		
43 44	puerperal) Mycoses. Other infectious and parasitic diseases.	1 3 3	3		2	2				î					1	ī		ī	
	II.—Cancers and other tumors Cancer and other malignant tumors	1,022	925 899	35	62					1	1	$\frac{2}{2}$	4 3	10	18	- 74 - 67	174	269 264	469 461
(45) (45) (46)	Buccal cavity Pharynx Esophagus	35 12 16	32 11 11	2	1 1 3												8 1 6	9 5 4	18 6 5
(45) (45) (46) (46) (46) (46)	Liver and biliary passages Pancreas	188 81 28	168 72 27	2 3 3 1	17 6									1 1	2	1 9 4 1	27 10 6	46 25 9	103 41 12
(46) 47 48	neum	210 36	197 29	4 5	9					1			1	2	1	15 4	22 10	58 14	110
49 50	Uterus Other female genital organs Breast Male genitourinary organs	110 26 89 61	95 23 83 56	6 1 1 1	9 2 5 4										4 1 2	14 1 13	30 6 21 3	24 7 27 13	8 38 12 27 40
51 52 53 54a	Skin Other or unspecified organs Nonmalignant tumors overy	18 83 1	17 78 1	4	1 1						1	<u>2</u>	2	1 4	7	<u>2</u>	2 16	1 22	14 27
54b 54d,e 55d,e	Nonmalignant tumors, uterus	9 7	9 6	1									<u>î</u>		i	5	3 2	1	3 5
	fied)	12	10	1	1									1		1	1	4	Đ
	docrine glands, and other general diseases	278	250	13	15	10	1	1			5	2	3	6	6	14	30	86	114
56 57 59 62	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Pellagra	12 10 227 3	12 9 201 3	13	1 13		<u>1</u>				3	2	3	3	1 1 4	11	2 22 1	1 4 76	1 3 107 2
63 65 66b	Diseases of pituitary body	2 2 11	1 2 11		1	2										2 1	5	4	1
(66) 67	Exophthalmic goiter Other diseases of thyroid and parathyroid glands Diseases of thymus gland	. 1	1 8			8					1								
68 69	Diseases of adrenals (Addison's disease not specified as tuberculous) Other general diseases	1	1 1					1				- -						1	
	IV.—Diseases of the blood and blood- making organs	68	62	3	3	2	1	2			2	5	2	2	8	10	8	12	14
70 71a 71b	Hemorrhagic conditions Pernicious anemia Other anemias	2 21 4	2 21 2	<u>2</u>		1 1		1				1			ī	2	1	8 1	7 3 2
72a 72b 73 74	True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen Other diseases of blood and blood-	22 15 2	19 14 2	1	2 1		1 				1 1	2 1	1 1	2	4 3	4 3 1	2 5	3	2 2
• •	making organs	2	2					1				1							
75 770	Alcoholism (acute or chronic)	29	27		2		1 ;-	1							3	2	10	7	
77a 77b,c	Chronic lead poisoning Other chronic poisoning by mineral substances	1	1		2		1	1									1	1	<u></u>

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—					-		1	EATHS	BY AG	E				-	
List no.	. CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		•	 	RI	HODE	ISLA	ND-	-Conti	nued						,				
	VI.—Diseases of the nervous system and of the organs of special sense	850	734	33	83	11	4	2	2	3	7	4	3	8	14	35	94	187	476
78 79a 80	Encephalitis (nonepidemic) Simple meningitis Progressive locomotor ataxia (tabes	3 12	2 11		1 1	<u>i</u>	2	2	1		1			2	2	<u>1</u>	1	1	
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	48 5	6 15 576 40 5	30 1	68 7	2				1	1				2 1	20	2 76 6 1	159 7 1	3 3 414 33 3
83 84 85 86 87	unspecified	11	18 18 7 2 17	1 1	1 3	2					 1	2	i	1 2	1 3.	7 1 1	3 1 2	1 3 1 2	5 4 10
89a 89b	Diseases of ear	18 10	18 10			3 3	1 		. 1	1	3 1	1	1	2 1	1	1	2 1 1	2	
90 91a	system Pericarditis Acute endocarditis	2, 042 5 22	1,791 1 22	65 2	186	5 1				1	5	15	13 3	11 2	43 4	92	195	412 2 2	1, 249 2 4
91b 92a	Endocarditis, unspecified (under 45 years) Endocarditis, specified as chronic, and other valvular diseases.	3 376	3 335	9	32	1					4	12	1 5	4	2 22	32	42	61	193
92b 93a 93b	Endocarditis, unspecified (45 years and over)————————————————————————————————————	12 40 6	10 32 6	5	2 3								<u>i</u>		1	<u>3</u> 6	1 6	1 7	10 22
93c 93d 94a	Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries.	750 116 131 126	672 111 100	27 7 4	51 5 24 14								1 1	3	10	19 5 7	62 6 12 19	152 28 39 36	502 81 75 64
94b 95a 95b 96 97	Functional diseases of heart	288 5	108 3 243 5	3	42	2						3	1	2	3	15 1	36 1	67 1	1 159 1
98 99 100	cepted). Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.). Other diseases of circulatory system.	136 8 11 3 1	122 5 9 3	<u>2</u>	8 3 	1										1	1 2	1	120 6 7 1
103	VIII.—Diseases of the respiratory system.	732	643	. 37	52	118	32	14	9	7	13	11	5	9	23	49	76	98	268
104a 104b 105 106a 106b 106c,d 107a 107b	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis Chronic bronchitis Bronchtis, unspecified Bronchopneumonia Capillary bronchitis	2	1 1 2 13 4 7 219 1 363	1 2 1 9	2 4 17	3 2 81 29	17	. 5	3	3	1 1 8 8 2	2	1 	3	2	1 2	13	2 1 1 24	9 9 9 4 82 1
108 109 110 111a 111b 112 114	Lobar pneumonia. Pneumonia, unspecified. Pleurisy. Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorrhagic infarct. Asthma. Other diseases of respiratory system	6 16 2 4 5	4 15 1 4 3	1 1	2	1	 1 		2		1 				1 2 1 1 1	3	2 1	<u>2</u> <u>2</u>	152 3 2 1
	(tuberculosis excepted)	5 492	463	10	19	50	16	9	5	6	22	9	9	1 5	33	35	81	95	117
115a 115b 117a 117b 118	Diseases of pharynx and tonsils	34 2 26 25	30 2 25 25 25	1	3		4	1		1	9		1	1	3 1 2	1 4 2	7 4 7	2 8 9 2	5 8 6
119 120 121 122a 122b 123	Diarrhea, enteritis (under 2 years of age) Diarrhea, enteritis (2 years and over) Appendicitis	56 25 108 41 31 8 52 2	52 21 105 40 29 7	3 1 1	1 4 2 2 1	47 3	9 3	5 1	2 2	2 2 2	2. 9	7	7	3	3 12 2 3 1	1 10 3 3 2	4 24 4 3 1	1 13 10 7 2	5 15 22 9 2 15
123 124 125a 125b 126 127	Cirrhosis of liver	27	47 2 5 27	3											1 1	3 2	15 1 5	19 1 9	15 2 2 2 10
128 129	passages. Diseases of pancreas. Peritonitis, cause not specified.	28 6 8	25 6 7	1	2			1	1		1	1	<u>-</u>		2 2	3	5 1	8 3 1	9 2 1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

List		- 1	IN CIT	ies							1	DEATHS	BYAG	Œ					
no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	· · · · · · · · · · · · · · · · · · ·		<u></u>	RE	ODE	ISLA	ND-	Conti	nued	·									
	X.—Diseases of the gentourinary	903	800	44	59	1	1				2	4	4	5	27	68	106	206	478
130	system										ļ			1			5	200	
131 132	under 10 years)	29 783	26 689	2 41	53	1	<u>i</u>				1	2	1	2	5 15	4 47	92	187	434
133	over)Other diseases of kidneys, ureters (puerperal diseases excepted)	6	11	1	1			 				1		1		1	2	1	6
134 135 136	Calculi of urinary passages. Diseases of bladder (tumors excepted). Diseases of urethra, urinary abscess,	i	12 4		2								2		1 2	4	2	1	3
137 139a	etc	3 30 5	3 28 5		2							1			 1	2 <u>2</u> -	1 	6	2 <u>4</u> 1
139b 139c	Other diseases of ovaries, diseases of tubes and parametrium. Diseases of uterus.	12 5	12 5											1	3	7	1 1	3	
139e	Other diseases of female genital organs.	ĭ	ĭ										1						
740	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	67	64		3								7	6	41	13 1			
140 141	Abortion with septic conditions	12 5	12 5											1	3	1			
142b 144a	Ectopic gestation, septic conditions not mentioned Placenta praevia	4 5	4 5										1		3 3 3	1	1		
144b 145a	Other puerperal hemorrhages Puerperal septicemia and pyemia (abortion excluded)	8	7 10		1								3	1	5	2			
146 147 148	Puerperal albuminuria and eclampsia. Other toxemias of pregnancy Puerperal phlegmasia alba dolens,	13 2	12 2		1								2	1	8	1			
149	embolus, sudden death (not speci- fied as septic)	3 4	3 4												3 3				
210	XII.—Diseases of the skin and cellu- lar tissue	17	15	1	1	3				1		1	1	-		3	1	4	3
151 152 153	Furuncie, carbuncie. Phiegmon, acute abscess.	7 3	6	1		1				1		1	1			1 1		1	2
153	Other diseases of skin and annexa, and of cellular tissue	7	3 6		1	2										1	1	3	
	XIII.—Diseases of the bones and organs of locomotion	8	7		1						1	1	1		2			. 2	11
154 155	OsteomyelitisOther diseases of bones (tuberculosis	4	4							-	. 1		1		2				
156	Diseases of joints, other organs of loco- motion	3	3		1		.					. 1						1	
	XIV.—Congenital malformations	1	95	5	4	89	4	3	1		5			1	1				
157a 157b	Congenital hydrocephalus Spina bifida and meningocele Congenital melformations of heart	. 16	20 16	1	2	. 14		. 1			4			1					
157d	Other congenital malformations of heart		35 24	1	2	23	3	. 1		-	İ								
158	XV.—Diseases of early infancy	12	280	3	13	12	-		-										
159 160 161	Premature birth	. 79	147 75 46	2	9	158 79 47													
162	XVI.—Senility	. 23	17	1	5	 	-		-		-	-	-						23-
	XVII.—Violent and accidental deaths	479	430	12	37	8	7	4	11	11	22	10	25	26	36	52	73	85	
163	SuicideBy solid or liquid poisons or by absorption of corrosive sub-	94	88	4	2			-	-	-	-	-	- 1	2	8	24	23	21	15-
164 165	stances. By poisonous gas. By hanging or strangulation.	- 13 20	13 20 16			-			-	-	-				2	. 5 3 3	5 3 6	8	
166 167	By drowning By firearms	15 16	15 14	2		-	-	-	-	-	-	-	- i	<u>i</u>	$ \frac{1}{2}$	5 3	5	3 3	6 2: 1 3. 3.
168 169 171	By cutting or piercing instruments. By jumping from high places By other means	3 2	3 2		1	-			-						1	$\frac{1}{2}$	1		-
173 175	Homicide	- 4 - 7	2 7		. 2	2		-	-			-	1	-	2 2	ī	- 1	_], _ī	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
178 179	Accidental, other, or undefined Absorption of poisonous gas Other acute accidental poisonings	374 16	333	8	33 2	6	7		-	11				_ 24 1			4	3	
180 181	(gas excepted)	- 4 - 8	8		1		1	-1	1	2	3			i	1 3		1 1 4	3	2 4
182 183	Supplemental Mechanical suffocation Drowning	_ 2	1 3		. 1	i	-	-						1		1 1		-	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			,,,,) TO 4 TO	. D	179					
List	CAUSE OF DEATH	All	IN CIT		In rural	_	ĺ	1		1	1		BYAG					 	65
no.	GAUGE OF BEATE	deaths	10,000 or over	2,500 to 10,000	areas	Un- der 1 year	1 year	years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
				RE	ODE	ISLA	ND-	Conti	nued										
	XVII.—Violent and accidental deaths—Continued																		
	Accidental, other, or undefined—Con. Supplemental	9	4	1	4								4	2	1		1	1	
184	Traumatism: By firearms (wounds of war			-						,					_			•	
185 185	excepted) By cutting or piercing instru- ments (wounds of war ex-	4	3		1					1			2	1					•
186a	cepted) Supplemental By fall	6 1 89	6 1 87	 1	<u>1</u>		 1	<u>1</u>	3				2	<u>2</u>		1 2	19	1 1 16	3 <u>52</u>
186b	Supplemental By crushing, landslide	13 4	12 4		i						1		2 1	2	1 1		1	1 1	2
190 191	Supplemental Excessive cold Excessive heat	14 6 1	14 5	,1					1	1 	1	1	<u>î</u>	1	2	2	3	1	1 1
194a 194b	Foreign bodies Other accidents	3 17	1 2 14		1 3	$\frac{2}{2}$	<u>1</u>				1 8	2 2			1	3	1	2	5
ļ	Supplemental XVIII.—Ill-defined causes of death.	97	86 22	2	9	4	1		3	6	8	2	9	9	11 4	8 2	9	16 4	15 3
199 200a	Sudden death	6 14	6 14			3 1								2	1 3		1 1		1
200a 200b	Cause of death not specified or un- known	4	2		·ż						1			z		1	2	4	1
Punch symbol	SUPPLEMENTAL 1				,														
202 205	Accidents from agricultural machinery. Other machinery accidents	. 1 6 7	1 4	1	1								<u>i</u> -		1	1	1	3 1	
207 208 210	Other railroad accidents Street car and automobile collisions Automobile accidents (primary)	101	7 2 91	<u>1</u>	9		1		3	7	10	$\begin{bmatrix} 1 \\\frac{1}{2} \end{bmatrix}$	10	. 1 10	13	2	3 1 10	14	13
211 212	Motorcycle accidentsOther land transportation accidents	3 5	3 4		<u>-</u>				1					1			2		2 2
213 214	Water transportation accidentsAir transportation accidents	10	5 1	1	4								4	3	1		1	2	
	,				sou	TH C	ARO	LINA					•			_			
						_													
	Total deaths (all/White	8, 599 11, 285	2, 054 2, 333	910 832	5, 635 8, 120	1, 234 1, 970	165 253	81 113	65 71	41 68	147 202	137 220	198 515	257 689	512 1, 186	687 1,399	954 1, 643	1, 255 1, 301	2, 863 1, 645
	Total deaths (all/White			910 832 99 171	5, 635 8, 120 747 1, 638	1, 234 1, 970 145 264	165 253 53 84		65 71 33 30	41 68 14 19	147 202 46 79	137 220 36 90		257 689 66 290	512 1, 186 96 404	687 1,399 125 295	954 1,643 119 218	1, 255 1, 301 99 116	2,863 1,645 175 98
. 1	I.—Infectious and parasitic White	1, 078 2, 238 55 196	2,333 232 429 6 26	832	8, 120 747	145		113 31	71 33	68	202 46 79 1 9	220 36	515 37	66	96	1,399	119	99	175
. 2	I.—Infectious and parasitic White—diseases—(Colored Typhoid fever———————————————————————————————————	1, 078 2, 238 55 196 1	2,333 232 429 6	99 171 6	747 1,638 43 162	145 264	53 84	31 36 1	71 33 30 2	68 14 19	202 46 79	36 90 11	515 37 214 6 37	66 290 6	96 404 7	1,399 125 295 10	119 218	99 116	175 98
	I.—Infectious and parasitic White	1, 078 2, 238 55 196 1 3 1 25 18	2,333 232 429 6 26 1 1 1	832 99 171 6 8 	747 1,638 43 162 2 1 21 12	145 264	53 84	31 36 1	71 33 30 2	68 14 19	202 46 79 1 9 1 1	36 90 11	515 37 214 6	66 290 6 33	96 404 7 30	1,399 125 295 10	119 218	99 116	175 98
2 3 7 . 8	I.—Infectious and parasitic White	1, 078 2, 238 55 196 1 3 1 25 18 7	2,333 232 429 6 26 1 1 2 4 1 1	99 171 6 8 2 2 1	747 1,638 43 162 2 1 21 21 22 5 3	145 264 2 3 	53 84 2 	113 31 36 1 2 1	33 30 2 4	68 14 19 2 1	202 46 79 1 9 1 1 1	36 90 11 . 30	515 37 214 6 37	66 290 6 33	96 404 7 30	1,399 125 295 10 18	119 218	99 116	175 98
2 3 7 8	I.—Infectious and parasitic White diseases Colored	1, 078 2, 238 55 196 1 3 1 25 18 7	2,333 232 429 6 26 1 1 2 4 1 1	99 171 6 8 2 2 1	747 1,638 43 162 2 1 21 122 5 3 28 93 40	145 264 2 3 	53 84 2 2 8 2 1 5 27 13	113 31 36 1 2 1 2 1 3 5 15	71 33 30 2 4 	68 14 19 2 1	202 46 79 1 9 1 1 1	36 90 11 , 30 3	515 37 214 6 37 1 1 4	66 290 6 33	96 404 7 30	1,399 125 295 10 18	119 218	99 116	175 98 4 1
2 3 7 . 8	I.—Infectious and parasitic White diseases	1, 078 2, 238 55 196 1 1 25 18 7 4 40 98 59 31 292	2,333 232 429 6 26 1 1 2 4 1 1	99 171 6 8 2 2 1	747 1,638 43 162 2 1 21 122 5 3 28 93 40	145 264 2 3 	8 2 1 5 27 13 4 13	113 31 36 1 2 1 2 1 3 5 15	71 33 30 2 4 	68 14 19 2 1	202 46 79 1 9 1 1 2 2 2 9 9	36 90 11 , 30 3	515 37 214 6 37 1 1 4 	66 290 6 33	96 404 7 30 1 	1, 399 125 295 10 18 1 1	119 218 1 17 	1,301 99 116 2 9 37	175 98 4 1
2 3 7 8 9	I.—Infectious and parasitic White diseases	1, 078 2, 238 555 196 1 1 255 18 7 7 4 40 98 59 31 292 272 272 108	2,333 232 429 6 26 1 1 2 4 15 5 4 15 2 50 60 22 22 22 22 23 26 26 27 28 29 20 20 20 20 20 20 20 20 20 20	99 171 6 8 2 2 1	8,120 747 1,638 43 162 2 1 21 121 5 3 28 83 40 28 213 179 76 170	145 264 2 3 3 	53 84 	113 31 36 1 2 1 2 1 3 5 15 4 4 3 3 2 5 5 5 5 5 5 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8	71 33 30 2 4 	68 14 19 2 1	202 46 79 1 9 1 1 1 2 2 2 2 9	36 90 11 , 30	515 37 214 6 37 214 1 1 4 	66 290 6 33 1 1 8 16 3 14	96 404 7 30 1	1, 399 125 295 10 18	119 218 1 17 2 25 37 6 19	1,301 99 116 2 9 37 23 9 17	175 98 4 1 11 1 866 233 355 266
2 3 7 8 9 10 11a 11b	I.—Infectious and parasitic White—diseases—{Colored.} Typhoid fever—{C.} Paratyphoid fever—{W.} Typhus fever—{W.} Measles—{C.} Scarlet fever—{C.} Whooping cough—{C.} Diphtheria—{C.} Influenza, respiratory complications specified—{C.} Influenza, respiratory complications of specified—{C.} Unspecified—{C.} Influenza, respiratory complications of specified—{C.} Unspecified—{C.}	1, 078 2, 238 555 196 1 1 255 18 7 7 4 40 98 59 31 292 272 272 108	2,333 232 429 6 26 1 1 2 4 1 1	99 171 6 8 2 2 1	8,120 747 1,638 43 162 2 1 21 121 5 3 28 83 40 28 213 179 76 170	145 264 2 3 	53 84 	113 31 36 1 2 1 2 1 3 5 15 4 3 3 3	71 33 30 2 4 	68 14 19 2 1 1 2 3 2 3 3 3 3	202 46 79 1 9 1 1 2 2 2 9 9 9 9 9	36 90 11 , 30 3	515 37 214 6 37 1 1 1 4 2 1 9 17 3 13 2	8 16 3 14 1	96 404 7 30 1 	1, 399 125 295 10 18 1 30 29 8 24 3	119 218 1 17 	1, 301 99 116 2 9 37 23 9	175 98 4 1
2 3 7 8 9 10 11a 11b	I.—Infectious and parasitic White—diseases—{Colored.} Typhoid fever—{C.} Paratyphoid fever—{W.} Typhus fever—{W.} Measles—{C.} Scarlet fever—{C.} Whooping cough—{C.} Diphtheria—{C.} Influenza, respiratory complications specified—{C.} Influenza, respiratory complications not specified—{C.} Dysentery—{C.} Erysipelas—{C.} Acute poliomyelitis, acute polio-{C.}	1, 078 2, 238 55 198 3 1 1 25 4 4 40 98 59 31 292 272 2108 214 33 34 43 214 44 33 44 24 25 108 214 24 25 25 27 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	2,333 232 429 6 26 1 1 1 1 5 4 15 52 60 22 27 6 6	832 99 171 6 8 	8,120 747 1,638 43 162 2 1 121 122 3 283 40 40 203 179 170 25 29 213 170 170 170 170 180 180 180 180 180 180 180 18	145 264 2 3 3 9 8 1 30 54 4 4 12 21 50 8 18 8	53 84 8 2 15 5 27 13 4 13 14 5 10 4	113 31 36 1 2 1 2 1 3 5 15 4 4 3 3 2 5 5 5 5 5 5 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8	71 33 30 2 4 	68 14 19 2 1 1 2 3 2 3 3 3 3	202 46 79 1 9 1 1 2 2 2 9 9 4 6 1 1	36 90 11 ,30 3 1 1 4 10 2 8	515 37 214 6 37 214 1 1 4 	66 290 6 33 1 1 8 16 3 14	96 404 7 30 1 1 	1, 399 125 295 10 18 1 30 29 8 24	119 218 1 17 2 25 37 6 19	1,301 99 116 2 9 37 23 9 17 52	175 98 4 1 1 1 1 86 223 335 26 9 6
2 3 7 8 9 10 11a 11b	I.—Infectious and parasitic White—diseases— (Colored. Typhoid fever— W.— Paratyphoid fever— W.— Measles.— W.— Scarlet fever— W.— Whooping cough— C.— Diphtheria— C.— Influenza, respiratory complications specified— C.— Influenza, respiratory complications specified— C.— Dysentery— C.— Erysipelas— W.— Erysipelas— C.— Acute poliomyelitis, acute polio-W.— encephalitis— C.— Lethargic or epidemic encephalitis C.— Lethargic or epidemic encephalitis C.—	1,078 2,238 55 198 3 3 1 25 18 4 4 40 98 31 292 272 272 272 272 272 272 272 272 272	2,333 429 6 26 6 1 1 1 2 4 4 15 5 60 22 27 6 6 6 7	832 99 171 6 8 	8,120 7,47 1,638 43 162 2 1 21 112 5 3 28 93 40 28 213 179 76 170 29 11 3 4 4 4 4 4 4 4 4 4 4 4 4 4	145 264 2 3 3	53 84 	31 36 1 2 1 2 1 3 5 15 4 4 3 3 2 5 5 1	71 33 30 2 4 	68 14 19 2 1 1 2 3 2 3 3 3 3	202 46 79 1 9 1 1 1 2 2 2 2 9 9 4 6 1	36 90 11 , 30 3 1 1 4 10 2 8	515 37 214 6 37 1 1 1 4 2 1 9 17 3 13 2	8 16 3 14 1	96 404 7 30 1 	1, 399 125 295 10 18 1 30 29 8 24 3 1	119 218 1 17 	1,301 99 116 2 9 37 23 9 17 52	175 98 4 1 1 1 1 866 223 35 266 9 9 6 6
2 3 7 8 9 10 11a 11b 13 15	I.—Infectious and parasitic White—diseases— Colored. Typhoid fever— W. Paratyphoid fever— W. Measles— C. Scarlet fever— W. Whooping cough— C. Diphtheria— C. Influenza, respiratory complications specified— C. Influenza, respiratory complications not specified— C. Erysipelas— C. Acute poliomyelitis, acute polioencephalitis— C. Lethargic or epidemic encephalitis C. Epidemic cerebrospinal menin- C. Epidemic cerebrospinal menin- C.	1, 078 2, 238 55 198 3 1 1 25 18 8 7 4 4 4 0 98 59 292 272 2108 2108 2108 2108 2108 2108 2108 210	2,333 232 429 6 26 6 1 1 1 5 4 15 5 2 2 2 2 2 2 6 6 6 7 4 4	832 99 171 6 8 	8,120 7,47 1,638 43 162 2 1 21 112 5 3 28 93 40 28 213 170 29 170 29 11 12 3 4 4 4 4 4 4 4 4 4 4 4 4 4	145 264 2 3 3 9 8 1 30 54 4 4 12 21 50 8 18 8	53 84 	113 31 36 1 2 1 2 1 5 15 4 3 2 1 1 1 1	71 33 30 2 4 	68 14 19 2 1 1 2 3 2 3 3 3 3	202 46 79 1 9 1 1 2 2 2 9 9 4 6 1 1	36 90 11 , 30 3 3 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	515 37 214 6 37 1 1 1 4 2 1 9 17 3 13 2	8 16 3 14 1	96 404 7 30 1 1 1 1 8 43 7 17 2 4	1, 399 125 295 10 18 	119 218 1 17 	1,301 99 116 2 9 37 23 9 17 52	175 98 4 1 1 1 1 86 223 335 26 9 6
2 3 7 8 9 10 11a 11b 13 15 16 17 18	I.—Infectious and parasitic White—diseases— (Colored. Typhoid fever— W.— Paratyphoid fever— W.— Measles— W.— Scarlet fever— W.— Whooping cough— C.— Diphtheria— C.— Influenza, respiratory complications specified— C.— Influenza, respiratory complications specified— C.— Erysipelas— W.— Erysipelas— W.— Acute poliomyelitis, acute polioenecephalitis— C.— Lethargic or epidemic encaphalitis C.— Epidemic cerebrospinal menin- W.— gitis— W.— Rabies— W.— C.— C.— C.— C.— C.— C.— C.— C.— C.— C	1,078 2,238 55 198 3 3 1 1 1 25 18 4 40 98 31 292 272 272 272 272 272 272 272 272 272	2, 333 232 429 6 26 26 1 1 5 4 15 2 2 2 6 6 6 7 4 3 3 1	832 99 171 6 8 	8,120 747 1,638 43 162 2 1 121 122 5 3 28 93 40 28 213 179 76 6 170 25 29 15 1 3 2 2 2 2	145 264 2 2 3 3	53 84 2 2 1 5 27 1 1 4 4 5 10 4 6 6 1	113 31 36 1 2 1 2 1 5 15 4 3 2 1 1 1 1	71 33 30 2 4 	68 14 19 2 1 1 2 3 2 3 3 3 3	2022 46679 1 9 1 1 2 2 2 2 9 9 9 4 6 6 1 1 3 2 1 1 1	36 90 11 1,30 	515 37 214 6 37 1 1 1 4 2 1 9 17 3 13 2 1	8 8 16 3 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	96 404 7 30 1 1 1 18 43 7 17 2 4	1,399 125 295 10 18 	119 218 1 17 	1,301 99 116 2 9 	175 98 4 1 1 1 86 233 35 26 9 6
2 3 7 8 9 10 11a 11b 13 15 16	I.—Infectious and parasitic White—diseases— (Colored. Typhoid fever— W.— Paratyphoid fever— W.— Measles.— W.— Scarlet fever— W.— Whooping cough— C.— Uphtheria— C.— Influenza, respiratory complications specified— W.— Linguary.— W.— Erysipelas— W.— Erysipelas— W.— Acute poliomyelitis, acute polioence phalitis— C.— Lethargic or epidemic encephalitis C.— Epidemic cerebrospinal menin— W.— gits.— W.— Rabies— C.— Tetanus— W.— Colored.— W.— C.— W.— C.— W.— C.— C.— Tetanus— C.— C.— C.— C.— C.— C.— C.— C.— C.— C.—	1,078 2,238 55 198 3 3 25 18 4 4 40 98 8 31 292 272 272 272 272 272 272 272 272 272	2,333 232 429 6 26 1 1 1 5 4 15 5 2 2 2 2 2 7 4 1 1 5 4 1 1 5 4 1 1 5 4 1 1 5 4 1 1 1 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4	832 99 171 6 8 	8,120 747 1,638 43 162 1 12 15 5 3 28 93 3 40 28 213 179 76 15 13 5 4 22 2 7 5	145 264 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	53 84 2 2 1 1 5 27 13 34 4 13 13 14 15 1 1	113 36 1 2 2 1 1 3 5 15 4 4 3 3 2 2 1 1	71 33 30 2 4 	1 1 2 3 3 3 3 3 3 2 2 3 3 3 3 3 2 2 3	2022 466 799 1 1 1 2 2 2 2 2 9 9 9 4 6 6 1 1 1 3 1 2 1 2 1 2 1 3 1 3 1 3 1 2 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3	220 36 90 11 30 	515 37 214 6 37 	8 16 3 14 1 1 1 1	96 404 7 30 1 1 	1, 399 125 295 10 18 1 30 29 8 24 1 1 1 59 59	119 218 1 17 	1,301 99 116 2 2 9 	175 98 4 1 1
2 3 7 8 9 10 11a 11b 13 15 16 17 18 21 22	I.—Infectious and parasitic White—diseases — Colored Typhoid fever — C. Paratyphoid fever — W. Measles — C. Scarlet fever — C. Whooping cough — C. Diphtheria — W. Influenza, respiratory complications specified — C. Influenza, respiratory complications not specified — C. Linguage — C. Erysipelas — C. Acute poliomyelitis, acute poliodencephalitis — C. Lethargic or epidemic encephalitis W. Epidemic ecrebrospinal meningitis — C. Rabies — C. Tuberculosis (all forms) — C. Respiratory system — C.	1, 078 2, 238 555 196 3 1 1 255 188 7 4 40 98 599 2172 2722 2722 2722 2724 333 2913 35 55 55 59 214 292 255 11 292 255 255 265 265 285 285 285 285 285 285 285 285 285 28	2, 333 232 429 6 26 6 26 1 1 1 5 4 15 2 2 5 2 6 6 2 6 6 2 6 7 7 	99 171 6 8 8 	8,120 747 1,638 43 162 2 1 12 112 5 3 28 93 40 213 179 76 170 25 5 5 4 2 2 7 5 196 641 189 615	145 264 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	53 84 2 2 1 5 27 1 8 2 2 1 1 5 27 1 1 4 4 5 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	113 31 36 1 2 1 2 1 5 15 4 3 2 1 1 1 1	71 33 30 2 4 	1 2 2 3 3 3 3 2 2 2 3 3 3 2 2 2 3 3 3 3	2022 466 799 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	220 36 90 11 130 	515 37 214 6 37 	8 16 3 14 1 1 1 1 1 35 187 187	96 404 7 30 1 1	1,399 125 295 10 18 	119 218 1 17 	1,301 99 116 2 9 	175 98 4 1 1
2 3 7 8 9 10 11a 11b 13 15 16 17 18 21 22	I.—Infectious and parasitic White—diseases— Colored. Typhoid fever— W.— Paratyphoid fever— W.— Typhus fever— W.— Measles— C.— Scarlet fever— W.— Whooping cough— C.— Diphtheria— W.— Influenza, respiratory complications specified— C.— Influenza, respiratory complications specified— C.— Influenza, respiratory complications not specified— C.— Influenza, respiratory complications not specified— C.— Influenza, respiratory complications not specified— C.— Lethergic or epidemic encephalitis— C.— Acute poliomyelitis, acute polio— W.— Erysipelas— W.— Acute poliomyelitis, acute polio— W.— C.— Erysipelas— W.— C.— Acute poliomyelitis, acute polio— W.— C.— C.— Acute poliomyelitis, acute polio— W.— C.— C.— Respiratory system— C.— Meninges and central nervous C.— Meninges and central nervous C.—	1,078 2,238 198 198 11 125 18 14 44 40 98 59 11 108 272 272 272 272 272 272 272 272 272 27	2, 333 232 429 6 26 6 26 1 1 1 5 4 15 2 2 5 2 6 6 2 6 6 2 6 7 7 	99 171 6 8 8 	8,120 747 1,638 43 162 1 21 12 15 3 28 93 40 213 179 76 170 25 15 15 15 15 25 26 27 28 28 28 20 21 21 21 21 21 21 21 21 21 21	145 264 3 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	53 84 2 2 1 1 5 27 13 4 13 4 14 5 10 4 6 1	113 31 36 1 2 2 1 1 1 1 1	71 33 30 2 4 	1 1 2 2 3 3 3 3 3 2 2 2 2 3 3 3 3 3 2 2 2 3 3 3 3 3 3 2 2 2 3	2022 46679 1 9 1 1 2 2 2 2 2 9 9 9 4 6 1 1 3 2 - 1 1 3 3 2 1 16	220 36 90 11 , 30 	515 37 214 6 37 1 1 1 4 	866 290 6 33 3 11 1 1 1 1 35 187 33 179 1 1	96 404 7 30 1 1 	1,399 125 295 10 18 	119 218 1 17 	1,301 99 116 2 2 9 	175 98 4 1 1 1 1 86 223 335 26 9 6
2 3 7 8 9 10 11a 11b 13 15 16 17 18 21 22 23 24 25	I.—Infectious and parasitic White—diseases— Colored Typhoid fever— C. Paratyphoid fever— W. Measles— C. Scarlet fever— C. Whooping cough— C. Diphtheria— C. Influenza, respiratory complications specified— C. Influenza, respiratory complications not specified— C. Lethagic or epidemic encephalitis— C. Acute polionyelitis, acute polionencephalitis— C. Lethagic or epidemic encephalitis— C. Rabies— C. Tetanus— C. Tuberculosis (all forms)— C. Respiratory system— C. Meninges and central nervous System— C. Intestines and peritoneum— W. C. Lethagic or epidemic— C. C. Meninges and central nervous System— C. Lintestines and peritoneum— C. C. C. C. C. C. C. C. C. C. C. C. C. C	1, 078 2, 238 555 198 3 1 1 255 188 7 7 4 4 4 98 599 311 292 272 2108 214 33 33 1 1 292 272 2108 214 25 5 5 2 6 5 7 7 1 1 2 5 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 2 6 5 7 1 1 1 2 6 5 7 1 2 6 5 7 1 2 6 1 2 6 1 2 6 1 2 6 1 2 6 1 2 6 1 2 6 1 2 6 1 2 6 1 2 6 1 6 1 7 1 7 1 7 1 7 1 7 1 7 1 7 1 7 1 7 1 7	2, 333 232 429 6 26 6 1 1 1 2 4 15 5 60 22 27 6 6 7 7 	99 171 6 8 	8,120 747 1,638 43 162 2 1 21 122 5 3 28 93 40 28 213 179 76 170 25 5 4 22 2 2 7 5 196 641 189 615 3 9 8 1	145 264 2 3 3 3 4 4 4 12 2 15 5 0 8 18 8 8 2 2 2 2 3 3 1 1 5 6 6 3 3 4 4 6 6 2 2 2 3 3 2 2 2 3 3 2 2 5 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	53 84 2 2 1 1 5 27 13 34 4 13 14 6 6 1 1	113 31 36 1 2 2 1 1 1 1 1	71 33 30 2 4 	1 2 2 3 3 3 3 2 2 2 3 3 3 2 2 2 3 3 3 3	2022 466 799 1 1 1 2 2 2 2 2 2 2 9 9 9 4 6 6 1 1 1 1 3 2 2 1 6 6 7 9	220 36 90 11 13 	515 37 214 6 37 1 1 1 4 	866 290 6 33 3 11 1 1 1 1 35 187 33 179 1 1	96 404 7 30 1 1 1 1 1 1 1 1 1 2 4 4 7 7 17 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,399 125 295 10 18 	119 218 1 17 	1,301 99 116 2 2 9 	175 98 4 1 1 86 23 35 26 9 6 5 24 23 23 22 22
2 3 7 8 9 10 11a 11b 13 15 16 17 18 21 22	I.—Infectious and parasitic White—diseases—{Colored} Typhoid fever—{Colored} Typhoid fever—{Colored} Paratyphoid fever—{Womenser} Measles—{Colored} Scarlet fever—{Womenser} Whooping cough—{Colored} Diphtheria—{Colored} Influenza, respiratory complica-{Colored} Influenza, respiratory complica-{Colored} Influenza, respiratory complica-{Colored} Unfluenza, respiratory complica-{Colored} Erysipelas—{Colored} Acute poliomyelitis, acute polio-{Colored} encephalitis—{Colored} Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis—{Colored} Rabies—{Colored} Tetanus—{Colored} Tetanus—{Colored} Momenses and central nervous System—{Colored} Untestines and peritoneum—{Colored} Vertebral column—{Col	1, 078 2, 238 555 196 3 1 1 255 7 4 40 98 59 212 272 272 214 33 3 255 214 33 255 214 33 255 214 33 255 214 33 34 255 272 272 272 272 272 272 272 272 272	2, 333 232 429 6 26 6 1 1 1 2 4 15 5 60 22 27 6 6 7 7 	99 171 6 8 8 	8,120 747 1,638 43 162 2 1 21 112 5 5 3 28 93 40 28 213 170 25 29 15 4 4 2 2 2 2 2 7 5 196 641 189 615 3 9	145 264 2 3 3 3 4 4 4 12 2 15 5 0 8 18 8 8 2 2 2 2 3 3 1 1 5 6 6 3 3 4 4 6 6 2 2 2 3 3 2 2 2 3 3 2 2 5 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	53 84 2 2 1 1 5 27 13 34 4 13 14 6 6 1 1	113 31 36 1 2 2 1 1 1 1 1	71 33 30 2 4 	1 2 2 3 3 3 3 2 2 2 3 3 3 2 2 2 3 3 3 3	2022 466 799 1 1 1 2 2 2 2 2 2 2 9 9 9 4 6 6 1 1 1 1 3 2 2 1 6 6 7 9	220 36 90 11 , 30 	515 37 214 6 6 37 	866 2990 6 33 3 4 4 1 1 1 1 1 35 187 187 33 179	96 404 7 30 1 1 	1, 399 125 295 10 18 1 1 30 29 8 24 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	119 218 1 1 17	1,301 99 116 2 2 9 	175 98 4 1 1 186 23 35 26 9 6 5 5 243 23 22 21
2 3 7 8 9 10 11a 11b 13 15 16 17 18 21 22 23 24 25 26 29	I.—Infectious and parasitic/White—diseases—{Colored.} Typhoid fever—{C.} Paratyphoid fever—{W.} Typhus fever—{W.} Measles—{C.} Scarlet fever—{C.} Whooping cough—{C.} Diphtheria—{C.} Influenza, respiratory complications specified—{C.} Influenza, respiratory complications not specified—{C.} Dysentery—{C.} Erysipelas—{C.} Acute poliomyelitis, acute polioencephalitis—{C.} Lethargic or epidemic encephalitis—{C.} Epidemic cerebrospinal menin—{S.} Epidemic cerebrospinal menin—{S.} Epidemic cerebrospinal menin—{C.} Rabies—{C.} Tetanus—{C.} Tuberculosis (all forms)—{C.} Meninges and central nervous W. System—{C.} Intestines and peritoneum—{C.} Vertebral column—{C.}	1, 078 2, 238 555 198 3 1 1 255 188 7 7 4 4 4 4 98 599 2114 225 272 2108 214 225 214 25 215 216 217 218 218 218 218 218 218 218 218 218 218	2, 333 232 429 6 26 6 1 1 1 2 4 15 5 60 22 27 6 6 7 7 	99 171 6 8 	8,120 747 1,638 43 162 2 1 21 122 5 3 28 93 40 28 213 179 76 170 25 5 4 22 2 2 7 5 196 641 189 615 3 9 8 1	145 264 2 3 3 3 4 4 4 12 2 15 5 0 8 18 8 8 2 2 2 2 3 3 1 1 5 6 6 3 3 4 4 6 6 2 2 2 3 3 2 2 2 3 3 2 2 5 6 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	53 84 2 2 1 1 5 27 13 34 4 13 14 6 6 1 1	113 31 36 1 2 2 1 1 1 1 1	71 33 30 2 4 	1 2 2 3 3 3 3 2 2 2 3 3 3 2 2 2 3 3 3 3	2022 466 799 1 1 1 2 2 2 2 2 2 2 9 9 9 4 6 6 1 1 1 1 3 2 2 1 6 6 7 9	220 36 90 11 , 30 	515 37 214 6 6 37 	866 290 6 33 3 11 1 1 1 1 35 187 33 179 1 1	96 404 7 30 1 1 1 1 1 1 1 1 1 2 4 4 7 7 17 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1,399 125 295 10 18 	119 218 1 1 17	1,301 99 116 2 2 9 	175 98 4 1 1 186 23 35 26 9 6 5 5 243 23 22 21

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—								DEATH	S BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
	<u> </u>		11	sor	TH C	ARO	LINA	.—Соп	tinued	i I	1	<u> </u>					l		
	I.—Infectious and parasitic dis- eases—Continued																		
30 32a 32b,c 34 35	losis	1 5 18 1 38 208 2	1 9 1 24 82 2	1 3 6 12	3 6 8 114	7 42	7	1 1 1		1 1	1 2	3	1 3 1	2 3 17	2 3 4 40 1	1 3 6 41 1	4 28	1 1 1 6 9	5 5
36 38 39 40 42 43	real diseases Question, septicemia W. (nonpuerperal) Q. (Malaria. Q. (C. Malaria. Q. (C. Malaria. Q. (C. Malaria. Q. (C. Makylostomiasis. Q. (C. Ankylostomiasis. Q. (Michael Michael M. (C. Mycoses) Q. (Malaria. Q. (C. Malaria) Q. (Mycoses) Q. (Malaria) Q. (Mycoses) Q. (Malaria) Q. (Mycoses) Q. (Malaria) Q. (Mycoses) Q. (Malaria) Q. (Mycoses)	10 7 5 61 173 1 4 9 15 2	4 3 1 7 6 1 2 1	3 2 1 1 7	3 2 3 53 160	3 8 8	2 4	1 10	2 5 1	4	1 8 20	6 6	1 1 1 11	3 2 7 17	3 1 20 1	2 1 1 5 17	10 22	6 18	1 1 6 11
**	diseases	3 472 233	137	51 28	2 2 284	2	1	2	1		1	3	3	3	23	40 74	1 105 94	122	168
(45) (46) (46) (46) (46) (46) 47 48 49 50 51 52 53 54a 54d,e 55d,e	Cancer and other malignant/W tumors	333 4511 292 15 81 12 14 45 51 85 81 31 41 20 101 88 31 41 21 27 48 88 5	103 125 87 2 1 1 3 20 15 13 8 2 2 2 2 15 5 9 1 1 1 1 1 1 1 1 1 1 1 1 1	28 49 26 1 1 1 7 7 6 2 10 1 6 7 1 1 2 3 3 1 1 1 2 2 2	202 277 179 13 6 10 1 1 2 52 28 12 4 1 1 28 8 4 1 28 12 12 12 12 12 12 13 14 15 16 16 16 16 16 16 16 16 16 16			1		1			1	3 8 8	37 20 28 3 3 6 1 1 1 7 16 2 2 1 3 3 2 1	74 37 60 1 1 1 2 1 2 4 6 3 3 1 1 2 2 4 5 2 2 1 1 1 2 1 2 1 1 2 2 1 1 1 2 2 1 1 1 1 1 2 1	94 98 83 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1	66 121 4 4 3 3 6 6 17 12 6 6 3 3 5 1 1 22 15 5 2 2 1 1 14 6 6 5 5 7 1 14 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	46 164 43 7 3 3 3 2 2 41 9 20 12 2 13 3 15 4 14 15 4 1 15 4 1 3 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3
	nutritional dis- eases, diseases of White the endocrine Colored glands, and other general diseases	329 418	76 106	42 28	211 284	8 11	2	2 4	1 2	1	4 3	9 8	2 21	10 27	24 69	30 67	57 71	75 67	107 65
56 57 59 62 63 64 66a 66b (66) 67 68	Acute rheumatic fever C.—Chronic rheumatism, osteoarth-W.—ritis.—W.—C.—Diabetes mellitus.—W.—C.—Pellagra.—W.—C.—Rickets.—C.—Osteomalacia.—C.—Simple goiter.—C.—Exophthalmic goiter.—C.—C.—Other diseases of thyroid and parathyroid glands.—W.—Diseases of thymus gland.—C.—Diseases of adrenals (Addison's disease not specified as tuberculous).—W.—Other general diseases.—C.—	11 18 9 4 149 62 129 305 2 13 1 15 8 3 5 1	1 3 2 43 188 26 76 3 1	2 19 4 17 20 1 2 2 1	8 15 9 2 2 87 40 86 209 1 1 8 2 5 1 1 3 4	2 7 1		1 1 3	1					3 6 3 19 1	2 1 3 9 16 55 2 2 2	1 3 1 1 4 8 18 52	3 2 2 25 15 23 52 3 2 1	1 3 2 46 14 24 48 11 2 1 1 2 1 1	3 3 1 58 8 422 53 3

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT			Ī						EATHS	77 16	·		-			
List	CAUSE OF DEATH	AII	IN CIT		In rural						<u> </u>	i l		l	l	Ī	1] !	65
no.	ONOD OF BEATE	deaths	10,000 or over	2,500 to 10,000	areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
			_	sot	TH C	ARO	LINA	—Con	tinued	!				·					
	IV.—Diseases of the blood and blood-making organsColored	41 14	14 5	8 2	19 7	2 2	<u>i</u>	1	1		1	2 1	<u>-</u> 1	2	3	6 4	6	8	, 10
70	Hemorrhagic conditions $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	2 4	1 1	<u>1</u>	1 2	1 2										1			
71a	Pernicious anemia	15 6 2	5 2 1	2 1 1	8						1	1		1		1 1 2 1	2 2	4	6
71b	Other anemias	11	<u>i</u> -	2	1 8		1								2	2	2		
72a 72b	True leukemias	2 4	3												<u>i</u> -	ĩ	ĩ		
73 74	ease) \C_ Diseases of spleen W Other diseases of blood and blood-mak- ing organs W	. 1 5	1 2	2	1 2			<u>i</u>	1				1				2	2	i
	V.—Chronic poisonings{White and intoxications{Colored	30 21	9	3 2	18 15							1	2	2	9 5	7	9 4	4 2	1
75	Alcoholism (acute or chronic) $$ $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	27 20	8 3	. 2	17 15								2	2	7 5	6 4	9	4 2	1
76 77a	Chronic poisoning by other organic substances W. Chronic lead poisoning C.	3 1	1	1	1										2	. 1	1		
:	VI.—Diseases of the nerv- ous system and White of the organs of Colored special sense	946 1, 135	202 269	93 95	651 771	18 30	3 1	5 3	2 1	1 2	4	6 5	12 13	10 16	20 65	59 162	136 278	208 260	462 295
78	Encephalitis (nonepidemic) $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	10 6	2 4	1	7 1 7	1		1	1					2	2	2 1		1	2
79a 79b	Simple meningitis\\ \begin{align*} \bar{W} \\ C \\ \end{align*} \] Nonepidemic cerebrospinal men-\bar{W}	17 6 1	8 2	2	4	3 1	1	1		1	1	1	3	2	<u>-</u>		1		3 1
80	ingitis C. Progressive locomotor ataxia W.		2	1	1 2	1						1			1			<u>2</u> -	
81	(tabes dorsalis)	10	5		1 4 7								<u>ī</u> -	1		i	1 2	<u>1</u>	<u>4</u>
82a	Cerebral hemorrhage $C_{}$	694 694	133 209	1 2 70 76	491	3						1		2 3	5	39 109	109	169	364
82b	Cerebral embolism and thrombo-W-	780 24 14	12 7	4 2	495 8 5	1			1			1	1	<u>-</u> -	38	109	215 2 4	200 4 1	212 15
82c 82d	Softening of brainW Hemiplegia and other paralysis, W cause unspecified	7 94 186	1 5 8 3	7 7	6 82 171			 <u>1</u>			1			1	6	7 19	11 41	1 20 48	364 212 15 2 6 56 69 2 2 3
83 84	General paralysis of insane $\{W_{-}, \{W_{$	38 15	22 10	1	15 15								1	3 1	6	12	9 5	5	2 2
85	chosesC	15 16 25 34 7	8 8		4 8 15								1 6	3 3	2 3 5	1 5 4	1 4	2 2 1	Ĭ 2
86	Dpaops;	34 7	3 2	3	28 5	1 4		3			. 1	2	8	3	8	4 5	4		2 2
87	Other discours of newspaper arratem Win	17	3 5	<u>1</u>	21 11	20 2	1	2 		1	<u>î</u>		 				2	7 2	5
88	Diseases of organs of vision	11 1 11	4		9	1	1			1		1 2	1	ī	$\frac{2}{2}$	2 <u>1</u>		2	ī
89a 89b	Diseases of eathern C	4 5 4	1 2	1 1 2	6 2 1	5 3					2					î			
อลก	VII.—Diseases of the cir-(White	1, 593 1, 597	383	167	1,043 1,059	1 4 2	3	1		1	2 1 7 2	7	8	12	31	1 91	209	337	882
00	culatory system{Colored	1,597	402	136	1,059	2	2	1			2	10	24	44	124	247	403	343	393
90 91a	Pericarditis	1 18	7	1 1 2	11						3		2 3	3	1 1	1 2	2	1	4
91b	Endocarditis, unspecified (under W.	11 3	4	2 2	11 5 3 8	i				1	1			1		2	2	2	
92a	45 years) C. Endocarditis, specified as chronic, W. and other valvular diseases	15 271 424	39 108	30	1 202	1	1	1		<u>i</u>	$\frac{2}{1}$	2 4	3 2 7	3 1 14	3 9 36	6 11 83	30	58 87	153 96
92b	Endocarditis, unspecified (45 years W_and over)C	l 29	5 3	4 2	287 20 21												95 6 8	7 8	16 10
93a	Acute myocarditis $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	26 12 13	3	30 29 4 2 3 2	5 8							1	1	1	1	4	1 4	3	4 2
93b	Myocarditis, unspecified (under W 45 years)	10 39	11	2	4 25							<u>-</u> -		<u>1</u>	1 15	9 23			
93c	dial degeneration	226 126 173	69 37	3 29 25 16 23 26 3 11	128 64 108							1	1	1	4 6	12 15 1	20 27 27	49 31	138 46 107
93đ	Other diseases of myocardium	113 216	49 29 57	23 26	61 133								1	 1	1 2 7	14	44 35 42	31 38 38 62 15	29 102
94a 94b	Angina pectoris C	94 61	44 22 3		47 28								1			19 3	14	17	11 26
94b 95a	Diseases of coronary arteries C	8 4	3 1	2	3 3										1	2 1	2 1	3	2
95b	Other and unspecified diseases of W	451 585	77	38	336 438		<u>-</u>				2	1 5		5	1 12	31	61	82	256 144
i	heart{C	585	112	35	438	1 1	II	1			l	5 1	9 1	23	44	83 l	142	132	144

346
MORTALITY STATISTICS
TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

***************************************			IN CIT	TES—							I	EATHS	BYAC	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	'2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				sor	TH C	CARO:	LINA	-Con	tinued	i			•	<u>' </u>					
	VII.—Diseases of the circulatory system—Continued.																		
96 97 98 99 100 101 102 103	Aneurysm (except of heart) (C	5 10 82 70 4 16 11 2 2 3 3 8 8 33 3 6	37 34 255 1 6 8 1 1	7 3 1 1 1 1 1 1 1 1	2 3 41 42 3 9 3 1 2 3 8 8 29 1 5	1	1			1		1 1	1	1	1 3 2	1 4 4 2 1 1 2 2	1 3 6 20 2 2 2 1 1 11 11 1	1 17 17 13 	555 344 4887 1
	VIII.—Diseases of the re-{ White spiratory system.{ Colored	740 959	169 204	62 63	509 692	170 273	36 45	16 26	8 10	6 8	23 22	25 24	30 49	25 70	48 102	60 108	48 96	66 52	179 71
104a 104b 105 106a 106c,d 107a 107b 108 109 110 111a 111b 112 113 114	Diseases of nasal fossae	5 51 3 2 3 2 3 3 7 7 2 2 396 183 206 351 87 286 18 17	1 1 3 3 2 1 1 48 65 65 88 14 20 8 9 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 17 146 36 36 1	5 51 1 2 2 1 4 1 5 3 129 124 1 267 217 717 717 260 9 8 8 1 6 6 1 9 9 22	5 30 	12 12 16 18 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 12 6 6 3 1 5 1 1 2 2 2 1 1 1 1 4 1 1 1 1 1 1 1 1 1 1	2 2 4 1 1 2 4 4	1 3 3 4 1 1 2 2	1 1 1 3 6 6 114 8 8 3 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 6 7 7 7 4 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 222 26 2 2 18 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 5 18 37 7 4 4 22 2 1 2 2 1 2 2 1 1 1 1 1 1 1 1 1	33 1 4 7 335 57 3 3 28 3 1 1 1 1 1 1 1 1 1 1 1 1 27	1 1 1 1 9 458 68 66 18 3 3 3 1 1 1 1 1 422 272	1 1 1 3 5 5 5 0 4 4 21 1 5 5 1 1 4 4 4 4 es	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3
115a 115b	Diseases of pharynx, tonsils $\{W\}$ Diseases of buccal cavity and an- $\{W\}$	23 23 3	8 5	43 3 2 1	12 16 2	1 2	3 2	11	2	5	16 2 2	15	23 4 3	29 1 2	41 2 1	72 3 2 1	65 2 4	51 2 3	29 3 1
116 117a 117b 118	Diseases of esophagus C C C C C C C C C C C C C C C C C C C	12 1 16 28 10 4 29 138 161	1 1 4 12 7 1	2 2 2 1 1 3	11 10 14 2 2 26 129 117	1 5 40 120	2 15 41	1		1	6	1	1	1 3 2 3	1 5 1 5 1	4 7 3 4 14	3 7 3 2 20	2 3 1 17	1 1 2 2 2
120 121 122a 122b	of age) C Diarrhea, enteritis (2 years and W- over) W- Appendicitis C Hernia C Intestinal obstruction C C C C C C C C C C C C C C C C C C C	188 42 45 69 68 20 15 35	57 10 14 38 24 14 6 24 12	20 12 3 6 12 9 3 2	119 29 25 19 35 3 7 8	146 1 4 1	1	11 10 1	4 7 1	3 1 1	3 2 10 5	1 10 11 2 1	1 3 4 6	1 1 5 8 1 2	1 3 11 9	5 2 6 12 2 2 6 6	2 4 6 9 3 3 2	1 7 6 5 8 3 9	10 4 8 1 6 3
123 124 125a 125b 126 127 128 129	Other diseases of intestines.	3 10 25 20 4 2 6 15 12 4 9 7 2	1 5 5 6 1 1 2 4	3 1 1 1 2 1	2 5 17 13 3 1 5 13 4 4 3 5	2		1	1 1		1	1	1	3 1 1	1 2 1 2 1 2 	7 4 9 1	12 2 1 1 2 3 1 1 2	2 2 1 2 4 2 1 2 1	4 1 6 3 3

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	1	1	11		T	11						•							
List		All	IN CIT	rtes—	In		•				1	DEATHS	BYAC	3E					
no.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 Years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	64	65 years and over
				SOUT	H CA	ROLI	NA-	Conti	naeq										
	X.—Diseases of the genito-{White urinary system{Colored	1, 054 1, 124	222 250	12 <u>4</u> 106	708 768	1 4	4 6	5	1	2 4	4 5	、 <u>4</u> 6	2 20	11 33	36 84	67 155	129 256	195 242	598 303
130 131	Acute nephritis (including un-{W specified under 10 years){C	26 52 858	8 14 169	2 4 99	16 34 590	1 2	1 4	3	1	2 2	2 3 1	2 2	4 1	5 6	7 6 20	5 11 41	4 6 104	2 1 161	2 3 521
132 133 134	Nephritis, unspecified (10 years W_and over) C Other diseases of kidneys, ureters W_(puerperal diseases excepted) C W_Calculi of urinary passages W_C	858 802 80 134 36 63 9	189 13 17 8 7 6	99 92 7 6 7	521 60 111 21 55 3	2	1 3 1	2	1	1	1 1 1 1	1 3 1	3 5 5	9 2 10 1	48 1 13 2 9	102 6 17 8 8	199 9 29 4 10 4	199 20 23 4 8 2	521 239 41 34 12 15
135 136 137	Diseases of bladder (tumors ex-{W_cepted}	3 6 2 8 24	2 2 1 2 7	1 4	1 4 1 5 13									 1	3	2	2 2 2	2 2 4	1 2 20
138	Diseases of male genital organs, not specified as venereal	24 1 4	10 1 3	2 1	12										1 	4 1 1	3	4 7	9
139a 139b 139c	Other diseases of overies, diseases W. of tubes and parametrium.	2 7 18 4 5	3 6 2 2	4	12 2 3							1	2	1 1 1 4	2 1 2 1	1 3 6 2	1 3	1	
139d 139e	Nonpuerperal diseases of breast (cancer excepted) ————————————————————————————————————	1 1 6			1 1 6									i	1	<u>-</u>	<u>-</u> 1 1	1	 1
	XI.—Diseases of pregnan- cy, childbirth, and the puerperal state. Colored	163 227	45 48	26 25	92 154							1	28 53	23 56	71 67	39 47	2 3		
140 141	Abortion with septic conditions $\left\{ \begin{array}{ll} W-\\ C \end{array} \right.$ Abortion without mention of septic conditions (includes hemor- $\left\{ \begin{array}{ll} W-\\ C \end{array} \right\}$	8 9 4 10	7 5 3	1 1 2	1 3 3 5								2 1 3	2 4	5 2 3	1 1			
142b 143	rhages) Ectopic gestation, septic condi-{W_tions not mentionedC Other accidents of pregnancy (hemor- rhage not included)C	1 1 3	1	1	1								1	11	1 1				
144a 144b 145a 145b	Placenta praevia	12 4 20 15 38 38	6 1 6 3 16 14	2 2 2 1 8 4	1 12 11 14 20								3 2 4 5 4	1 5 9 14	3 3 11 4 16 11	5 1 6 1 7 9	1 1 1		
146 147 148	cluded)	1 49 73 5 8	1 5 9 2 3	11 12	33 52 3 5							1 	10 26 3 1	8 13 1	20 22 1 1	1 11 11 1 5			
149 150	embolus, sudden death (not C -specified as septic). Other accidents of childbirth. C -Other and unspecified conditions of puerperal state. C -	1 24 63 2	2 9	2 2	1 20 52 2								4 12	1 1 14	12 18 1	7 17	<u>2</u>		
	XII.—Diseases of the skin{White and cellular tissue{Colored	20 24	8 7	2	10 17	3 2		1 2		i	1 2		1	1	3	2 6	· 3	1	3
151 152 153	Furuncle, carbuncle	7 3 7 13 6 8	3 1 2 5 3 1	2	225837	1 1 2 1		1 1		i	1 1		1	1	1 2 2 1 1	1 3 2 2	3 1 4	1	1 1 1 1
	XIII.—Diseases of the white bones and organs of locomotion	9	5 2	1	3 6					1	2 1	1	1	1	3	2		1	1
154 155 156	Osteomyelitis	7 4 1 1 1 3	5 2	1	2 2 1 1 3					1	2	1	1	1	3 .	2		1	i
	XIV.—Congenital mal-{White formations{Colored	76 22	14 7	7 2	55 13	73 , 14	1		1	1	1 .	4	1						
157a 157b 157c 157d	Congenital hydrocephalus $\left\{ egin{array}{c} W \\ C \end{array} \right.$ Spina bifida and meningocele	12 8 9 34 6 21 8	2 1 7 2 6	1 4 2 2	11 6 8 23 2 13 5	12 . 3 9 31 4 21 7	1		1		1	2	1						
•	69301—35——23	0 1	0 1.		U II	• -			1	¥ 1.	j.			-	-			-	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	_						E	EATHS	BYAG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				sot	TH C	ARO:	LINA	—Con	tinued	l									
	XV.—Diseases of early in-{White fancy(Colored	524 538	129 145	48 46	347 347	524 538													
158	Congenital debility $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right.$	36 45	6 16	3 7	27 22	36 45													
159	Premature birth $\{V_{C}, V_{C}\}$	374 406 72	93 95	29 29 9	252 282	374 406													
160	Injury at birth W	72 42 42	95 23 19 7 15	6 7	40 17 28	72 42 42													
161	Other diseases peculiar to early W. infancy	45 70	15	4 7	26 59	45												3	67
162	XVI.—Senility{Colored	224	2	7	215													ž	222
	XVII.—Violent and acci- {White dental deaths{Colored	733 662	242 178	100 49	391 435	19 18	14 10	9 12	8 9	8 17	33 36	29 33	61 72	82 88	115 139	99 91	76 64	73 37	107 35
	Suicide $\{V_{C_{}}\}$	101	28 6	18 5	55 12								2 1	12 5	15 1	17 4	25 5	22 4	8
163	By solid or liquid poisons or by absorption of corrosive sub-			_	_													2	
164	stancesW By poisonous gas	12	6	1	5								1 -	2	32	1	3	1	
165	By hanging or strangulation \{\begin{align*}W \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2 2	2	1 	$\frac{1}{2}$	 							1	i			1		
166	by drowning	. 3	17	1 16	2 44								1	9		1 15	20	16	8
167 168	By firearms $\left\{ \begin{array}{c} W \\ C \end{array} \right\}$ By cutting or piercing instru- $\left\{ \begin{array}{c} W \\ C \end{array} \right\}$	15	4	4	7									5	8 1 1	3	1 1 3	2 2	3
100	ments\C	84	1 2 32	6	1 46						1		9	10	30	18	9	4	2
170	Homicide	174	62 23 42	12 4	100 38	1	- -				2	1	22 6	34 10	64 23	33 15	10	3 4	1
173 174	By cutting or piercing instru- (W.	. 11	42 6 13	10 1	79 4						2	1	17	25	46	27 2	8 3 2	3	2
175	ments\C By other means\W		13 3 7	1 1 1 1	14 4 7								3 1 2	8	11 6 7	3 1 3			<u>i</u>
	Accidental, other, or undefined $\left\{ \begin{array}{l} C_{} \\ W_{} \\ C_{} \end{array} \right.$	15 548 465	182 110	76 32	290 323	1 19 17	14 10	9 12	8 9	8 17	32 34	28 32	50 49	60 49	70 74	64 54	42 49	47 30	· 97
176	Attack by venomous animals. $\left\{ egin{array}{c} W \\ C \end{array} \right.$	2		2	4				<u>î</u> -					1	1			1	Ĩ
177	Poisoning by food $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	6	1	2	3	2	1							1	3	1 2	1	2	
178	Absorption of poisonous gas. $\left\{ \begin{array}{l} W \\ C \end{array} \right\}$. 1	1		2								1		1			1	
179	Other acute accidental poi- \{\bar{W}\} sonings (gas excepted)\{\bar{W}\}	. 15	3 4 1	3 2 5	6 9 2		3	5		ī	1 2		$\begin{array}{c} 1 \\ 1 \\ 2 \end{array}$	3	2 2	1	1	1 2	1
180 181	Conflagration	. 19	5 10	8	. 14 15		1	4	2	1 3	2 5	1	1	2 3	1 3	2	1 2	3 3	5
101	cepted) C	- 74 - 4	15	9	50	3	6	4	2 5	9	9	4	1 3	3	3	4	11	5	5
182	Mechanical suffocation $\left\{ \begin{array}{ll} W & \cdots & C \\ C & \cdots & C \end{array} \right\}$	14 6	3	1	. 10	12 6	1											1	
183	Drowning	34 61	6 2	1 1	31 54 2	1	2	2	1	2	5 4	10	7 7	. 5 8	13 3	3 6	3	2	3
	Supplemental $\left\{ egin{array}{c} \mathbf{W}_{-} \\ \mathbf{C}_{-} \end{array} \right\}$	4 4	í		3										1	ī	2		
184	By firearms (wounds of \{W war excepted\}\{C	32	12	2 2	18 26				1		5 5	3 2	4 9	5 5	4 9	5 5	1 3	2	2
185	By cutting or piercing winstruments (wounds of	1 6			1 6							1 1		1	_ī -				
	war excepted)	. 3		1	2									1	1			1	
186a	W	97	30	13	54 54	2		<u>I</u>			2	7	2 1	1	$\begin{vmatrix} 1\\2\\2 \end{vmatrix}$	8	7	8	57
2004	Supplemental W.	26	9 6	2	15 4	3	1			2		1	$\frac{1}{2}$	1	$\begin{vmatrix} 2\\1\\2 \end{vmatrix}$	4 2 3	42	3 1	3
186b	By crushing, landslideW	11 1 29	7 14	 5	1 10						1		3	4	5	3	3		
	Supplemental{C	18	6	4	8						2		4	3	5	1	2		î
187	Cataciysm	3 2	2		3							1			1	1	1		ī
188	Injuries by animais	- 2			2							2					<u>-</u>		
190 191	Excessive cold	1 2			1 2										1 2				
191	Lightning.	- 8 5	3		5 5								1	1 2	1	3	1 1		
193	Due to electric currents W.	- 5	4		$\begin{bmatrix} 7 \\ \frac{1}{2} \end{bmatrix}$						1	1	1	3 2		1	1 1		
194a	Foreign bodies\{\W\}\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	5 5 19	2	1	5 12	$\frac{2}{2}$	2 2			1					1	<u>2</u>	3		
194b	Other accidents	27 214	7 5 79	1 31	21 104	1	3	3	5	1 3	1 7	3 6	1 3 25	3 32	41	5 34	1 20	3	19
	Supplemental	. 116	33	9	74				2	2	6	7	15	17	22	14	13	12	5
198	Legal executions $\{C_{-}, C_{-}\}$	1 5	5										1		3	l î			

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	AGE FOR THE REG	10.1 K.A	TION	AK.	⊎A. А.	. עא	BAC.	H. K.	EGIS	TKA	1101	n ST	ATE	i: 19	32—(——	Jonti	nued		
			IN CI	TIES-								DEATH	SBYA	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over		In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				sot	TH (CARO	LINA	.—Cor	itinued									·	
	XVIII.—Ill-defined causes {White	241 1, 121	12 15	7 29	222 1, 077	134 620	5 39	11	1 9	3 7	· 4	2 20	3 18	1 24	5 42	18 67	11 83	16 62	37 86
199	Sudden death $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	4 3		1	3 3		2						1		1	1 1		<u>1</u>	
200a 200b	Cause of death ill-defined $X = \{ X = \{X = \{ X = \{X = $	302 162	6 10 6 5	2 7 4	67 285 152 789	11 71 123	13 2	5 1 6	2 1 7	1 3 2 4	1 13 3 17	7	3 9	10 1 14	3 10 1 32	10 33 7	6 43 5	12 32 4	27 51 10 35
Punch	unknown{C	816	5	22	789	549	26	6	7	4	17	13	8	14	32	33	40	29	35
symbol 201 202	Accidents in mines and quarriesC Accidents from agricultural ma	1			1	 									1				
203	chineryW_ Elevator accidentsC	1 1	<u>i</u>		1										1				
.205 206	Other machinery accidents $\begin{array}{c} W_{} \\ C_{} \\ \end{array}$ Railroad and automobile col-	12 3 4	4 1 1	1	7 2 2								2	1	1 3 1 3	4 .		1	ī
207	Other reilroad aggidents	2 24 19	9	3	12								1 2	6 5	1 4	4 3	4	2 2	2
210	Automobile accidents (primary) $\left\{ \begin{array}{l} C_{} \\ W_{} \\ C_{} \end{array} \right\}$	210 119	5 82 38	5 32 8	9 96 73	1	3	3	5 2	3 2	1 12 7	6 7	2 25 16	30 13	36 23	30 15	1 19 17	2 17 11	20 6
211 212	Motorcycle accidents	1 1 9	<u>1</u> 5	1 1	3		 1					1	1	Ĭ.					
213	dents(C	4 3	i		4 2								i	1	2	1 .	1	1	3 1
214	Air transportation accidentsW.	1	1		1										i		1		
-					sot	THE	DAKC	TA	·				·	'					
-	Total deaths (all causes)	5, 725	1, 185	828	3, 712	668	85	53	27	31	118	92	140	142	284	346	497	720	2, 508
	L.—Infectious and parasitic diseases	706	112	92	502	69	25	23	9	12	29	31	54	48	83	74	58	55	135
1 6 7 8	Typhoid fever Smallpox Measles	10 1 1	4	1	5 1 1	1 1					1 .		2 _		3	1	2	1 -	
8 9	Whooping cough	9 53	1 5 5		8 48	30	13	1 4	3	3	2 2	1 -		1	i				
9 10 11a	Diphtheria Influenza, respiratory complications	22 107	5 30	6	13 71	9	1	5 -		2	5 3	4 3	2			1		1	i
11b	Influenza, respiratory complications not specified. Dysentery.	99	13	9	77	12	1	3	3	1	3	1	4	5 1	3	8	9 7	6	55 45
13 15 16	Acute poliomyelitis, scute polioence-	6 7	3	ī	6 3	2 5		1										1	3 1
17 18 20	phalitis. Lethargic or epidemic encephalitis. Epidemic erebrospinal meningitis. Anthrax (bacillus anthracis) malignant	8 5 8	13	2	5			1	_i -	1 -		1	. 2		1		<u>-</u> -	1	1
20 22		1 8	5	3	2	1	2	3 -		 -	1 -		1			·	1	·	
23 24	Tetanus Tuberculosis (all forms) Respiratory system Meninges and central nervous sys-	337 288	36 27	55 46	246 215	4 2	7 5	3 -	i	4 2	12 7	18 15	34 30	36 35	67 61	56 48	37 32	30 24	27 24
25 26	Intestines and peritoneum	16 7 5	3 2 2	1 2 1	12 3 2		1	1	1	1	5	1	1	1	1	1	2	1	
27a 27b 29	Vertebral column Bones (vertebral column excepted) Joints	3		Î I -	2			 				ī			2	1	1	1	ī
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). Genitourinary system Acute disseminated tuberculosis Other disseminated tuberculosis	2			2							1	1						
30 32a	Genitourinary system Acute disseminated tuberculosis	7 7	2 -	2	5		i			1					1			3	<u>2</u> :
32b,c 34 35	SyphilisGonococcus infection and other vene-	11	1	6 -	4	3 -					· -		1	·	1	2	1	2	ī
36	real diseases Purulent infection, septicemia (non- puerperal)	5	3	3	2	1 -			 1	· 				2 2	1			1	
	II.—Cancers and other tumors	596	155	85	356	1 -					1	4	1 4		2	44	93	1 123	305
(45)	Cancer and other malignant tumors Buccal cavity	574 15	146 3	82	346	1 -					1	2	3		15	38	87	119	303;
(45) (46)	Pharynx Esophagus Stomach and duodenum	2 6 165	1 -	1 19	1 4 104														12: 2: 6
(45) (45) (46) (46) (46) (48) (46)	Liver and biliary passages Pancreas	45 11	42 11 3	6	28 -						1			 	2	5	10 12 2	29 7 2	113: 21 6:
	Other digestive tract and perito- neum	91 19	24 5	15	52 13								·		4	4	15	22	44
47 48 49	UterusOther female genital organs	49 17	15 6	1 9 4	25 7						-				5	6	3 17 5	3 9 8	10: 12: 3:
^I Se	e explanatory footnote 2, p. 169.										,				,		•	•	-

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—		!					,	DEATH	В ВҰ А	JE	· · · · · · · · · · · · · · · · · · ·				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				so	UTH :	DAKO	TA-	-Conti	nued										
50 51 52 53 54a 54b 54d,e 55d,e	II.—Cancers and other tumors—Con. Cancer and other malignant tumors— Continued. Breast	42 40 7 65 1 8 2	10 14 	7 4 11 1	25 22 7 43 1 6	1	 9					1 1 1	3		1	8 3 2 1 5	11 2 10	111 9 2 14	11 26 5 32
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases.	181	46	26	109	5	2	3	'2		4	7	6	5	5	13	17	40	
56 57 59 62 63 66a	Acute rheumatic fever. Chronic rheumatism, osteoarthritis Diabetes mellitus Pellagra Rickets Simple goiter	5 131 1 1 1	31	17 17	83 1 1		1	1	i i		2	5	3	2	3	6	1 11 1	35 	61 1
66b (66) 67 68	Exophthalmic goiter Other diseases of thyroid and parathyroid glands. Diseases of thymus gland. Diseases of adrenals (Addison's disease not specified as tuberculous)	19 2 4 3	2	1	7 2 1 2	1 2	i		1			1	1 	1	1	6 1	1	1	1
69	Other general diseases	70	20	7	43	2	1		1	2	4	1	1	1	4	7	9	16	21
70 71a 71b 72a 72b 73	Hemorrhagic conditions Pernicious anemia. Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease) Diseases of the spleen.	4 31 5 14 15	11 2 3 3 1	1 4 2	3 16 3 11 10	2	1		1	1	1 2 1	 1	1	1	1 1 1 1	2 5	5 1 3	10 1 1 3 1	16 1 1 3
	V.—Chronic poisonings and intoxications	10	2	3	5								1		1	3	1	1	3
75	Alcoholism (acute or chronic) VI.—Diseases of the nervous system and of the organs of special sense.	10 570	126	3 j 83	5 361	17	 5			1	3	8	1 4	2	13	3 21	48	84	3 364
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Progressive locomotor ataxis (tabes	8 6 4	2 1 1	2 1 1	4 4 2	1 1	1 1 1				1 2	1 1	1	1	1	2 1			1
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	1 17 428 23 1	6 97 5	1 53 5	1 10 278 13 1	2						1 			2 1	3 6	33 5	7 70 1	7 314 16 1
83 84 85 86 87 89a 89b	unspecified. General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age). Other diseases of nervous system. Diseases of ear. Diseases of mastoid process	11 2 4 24 12 20 5 4	1 2 2 1 3	1 3 10 5	6 1 13 10 13 4	11	1 1			1		4	1		8	1 1 2 3	2 3 3 2	3 2 1	8 1 5
	VII.—Diseases of the circulatory system.	1, 198	216	198	784	1	_ 1	1	1		10	5	8	8	23	40	94	179	826
90 91a 91b 92a 92b 93a	Pericarditis. Acute endocarditis. Endocarditis, unspecified (under 45 years). Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and over). Acute myocarditis.	1 10 5 234 47 16	2 2 43 4 5	3 1 25 11 7	1 5 2 166 32 4	1	1		1		1 1 3	1 2 2	1 1 3	6	11	1 1 12	1 24 4 2	27 10 2	143 33 10
93b 93c 93d 94a 94b 95a 95b	Myocarditis, unspecified (under 45 years). Chronic myocarditis and myocardial degeneration. Other diseases of myocardium. Angua pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart.	7 268 186 93 69 2	51 33 16 21 1	2 65 26 10 9	5 152 127 67 39 1 121						1		1	. 1	2 2 4 2	4 3 5 2	16 13 11 6	37 33 24 16 1 22	210 140 51 41 1
955 96 97 98 99	Other and diseases of heart. Aneurysm (except of heart). Arteriosclerosis (coronary arteries excepted). Gangrene. Other diseases of arteries.	70 7	13 2	13 1 1 1	3 44 4											1	3	5 1	65 5 9

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TIES—		İ						DEATH	S BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				so	OTH :	DAK) DTA-	-Conti	nued	1	1		ı	<u>, </u>	1			<u> </u>	
_	VII.—Diseases of the circulatory system—Continued																		
100 101	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	5	2	·	3											1	2	1	1
103	Other diseases of circulatory system	1 3			1 3						1						1		<u>2</u>
104a	VIII.—Diseases of the respiratory system	380	72	52	256	75	17	7	3	3	7	5	4	2	16	21	21	30	169
104b 105 106a	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis	3 4 2 5	1	2 1 1	3 1 1 2	2 1		1			1 1					2		 1	1 <u>-</u>
106b 106c,d 107a	Chronic bronchitis Bronchitis, unspecified Bronchopneumonia	12 5 127	2 3 25 26	1 19	9 2 83	1 49	 8	 1	2 1	1 2	1 4	3			1	1 4	3	<u>-</u>	10 4 52
108 109 110 111a	Lobar pneumonia	144 40 10 1	26 5 2	20 3 2	98 32 6	14 7	8 3 5	3 1 1	1	2 	4	1	1	2	10 3	9 4	14 2 1	19 3 3	52 61 15 2
111b 112	Pulmonary congestion, edema, hemor- rhagic infarct	12 10	2 3	2	8 7								<u>1</u>			<u>1</u>		2	1 12 6
113 114	Asthma Pulmonary emphysema Other diseases of respiratory system (tuberculosis excepted)	1		1	3								1				1	1	ĭ 1
115a	IX.—Diseases of the digestive system. Diseases of pharynx and tonsils	451 18	138	81 4	232	55	11	12	7	3	29 5	8	15	18	34	31	51	51	125
115b 116 117a	Diseases of buccal cavity and annexa Diseases of esophagus Ulcer of stomach	2	1 3	<u>1</u>	18	1					1 		1	1	1 1	1	3 4	1	2 1 12
117b 118	Other diseases of stomach (cancer ex-	23 8 23	3	6	4 14	3			1					î	î 1		1 2	2	12 3 14
119 120 121	Diarrhea, enteritis (under 2 years of age). Diarrhea, enteritis (2 years and over). Appendicitis.	53 35 129	6 3 56	4 4 34	43 28 39	44 2	9	6 6	4 1	1 1	2 19	5	14	10	21	1 10	1 19	2 13	18
122a 122b 123	HerniaIntestinal obstructionOther diseases of intestines	13 42 8	3 56 3 13 4	6 6 1	4 23 3	3								1 3	3	10 4 2 1	8 1	3 4	5 9 15 6
124 125a 125b	Cirrhosis of liver Yellow atrophy of liver Other diseases of liver	27 2 6 16	10 2 6	$\begin{bmatrix} 6 \\ 1 \\ 2 \end{bmatrix}$	11 2 3 8	2										5	3 1 1	6 1 1	13
126 127 128	Biliary calculi Other diseases of gall-bladder, biliary passages Diseases of pancreas. Peritonitis, cause not specified.	31 4	13	2	16						1			1	4	1	3 2 1	5 7 1	7 15 1
129	X.—Diseases of the genitourinary	10	3 4	2	4				i		1	1			. 1	. 2	1		3
· 130	Acute nephritis (including unspecified under 10 years)	349 16	71	61	217	- 6		1		2	4	1	2	6	7	16	32	59	211
131 132	Chronic nephritis Nephritis, unspecified (10 years and over)	201 52	2 34 10	31 8	7 136 34			1		, 1 	3	1	1	3	1 2	2 5 3	18 6	36 9	133 32
133 134	Other diseases of kidneys, ureters (puerperal diseases excepted)————————————————————————————————————	15 2	4	6	5 1	3				1						1	4	5	1
135 137 138	Diseases of bladder (tumors excepted) Diseases of prostate Diseases of male genital organs, not specified as venereal	6 43 2	15	7	21 2	1												5	5 38
139a 139b	Other diseases of ovaries, diseases of tubes and parametrium	2	3	1	1 3								1	1	1	3	1	1	
139c	Diseases of uterus XI.—Diseases of pregnancy, child-birth, and the puerperal state.	3 49	17	3	1										1	2			
140 141	Abortion with septic conditions	5	2 _		3								2	1	21	15	2		
142b 143	conditions (includes hemorrhages)— Ectopic gestation, septic conditions not mentioned.————————————————————————————————————	2	1	1	2										1 2 -	2	. l 		
144a	Other accidents of pregnancy (hemorrhage not included) Placenta praevia. Other puerperal hemorrhages	1 3 5	1 -		2 4										1 2 2	1 3			-
145a 146	Puerperal septicemia and pyemia (abortion excluded)———————————————————————————————————	8 8 3	2 4		6								2	3	3 3				
- 1	Other toxemias of pregnancy Puerperal plegmasia alba dolens, em- bolus, sudden death (not specified		ī		2									2	1 -				
149	as septic)Other accidents of childbirth	6	· <u>2</u> -	2	2										2 2	3 -	1		

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—		<u>_</u> _					1	DEATH	S BY A	GE		7			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				so	UTH	DAK	TA-	-Conti	nued										
	XII.—Diseases of the skin and cellu- lar tissue	7	3		4	3							1	1			1	1	
151 153	Furuncle, carbuncle	3	2		1			-					1	1			1		
	and of cellular tissueXIII.—Diseases of the bones and organs of locomotion	3	1		3 2	3				1			1					1	
154	Osteomyelitis	3	1		2					1			1						
ĺ	XIV.—Congenital malformations	65	16	6	43	52	2	1		2	5	1	2						
157a 157b 157c 157d	Congenital hydrocephalus	9 10 32 14	1 3 10 2	2 2 2 2	6 7 20 10	2 9 28 13	1	1		2	3 1 1	1 	2 		 				
	XV.—Diseases of early infancy	337	74	39	224	337													
158 159 160	Congenital debility Premature birth	33 207	3 45 21	3 24	27 138 34	33 207 63													
161 162	Injury at birth	63 34 122	5	8 4 11	25	34													12
	XVII.—Violent and accidental deaths	471	96	78	297	8	9	5	3	3	18	16	29	38	52	54	62	62	11
163	SuicideBy solid or liquid poisons or by	83	15	11	57								2	2	11	14	14	21	1
164	absorption of corrosive substances By poisonous gas	5 6	1 1	1	3 4								1		1	<u>-</u> 1 7	<u>i</u> -	2	
165 166	By hanging or strangulation By drowning	20	5	1	14 5									I <u>-</u> -	1	2	5	2	
167 168 169	By firearms By cutting or piercing instruments By jumping from high places	42 1 2	8	6 1	28 1									1	8 <u>1</u>	4	<u>-</u> -	14	
171	By other means	1 1 1	4		1 7								1		3	3	2	2	
173 174 175	By firearms By cutting or piercing instruments By other means	9 1 1	3 1		6								1		3	3 	1	1	
176	Accidental, other, or undefined Attack by venomous animals	377	77	67	233	8	9	5	3	3	18	16	26	36	38	37	46	39	
177 178 179	Poisoning by food Absorption of poisonous gas Other acute accidental poisonings (gas excepted)	5 7 9	2	1	5 6		1 2	1					1	1	1	2	ī	2	
180 181	Conflagration————————————————————————————————————	$\begin{array}{c} 4\\22\\1\end{array}$	2 5	.6	1 11 1	1	2	1	2		2	ī	1	4	i	3		1 2	
182 183	Mechanical suffocation Drowning Supplemental	8 16 3	2 3 1	2 1	12 2	3	1	1			2	3 1	3	3	2 2 1		1	1	
184 185	Traumatism: By firearms (wounds of war excepted) By cutting or piercing instru- ments (wounds of war ex-	25	2	6	17					 		1	4	4	4	4	7	1	
186a	cepted) Supplemental By fall	2 3 74	23	1 1 12	1 2 39			1		<u>-</u>	$\frac{1}{2}$	3		 1	1 3	<u>1</u>	7	2 7	4
186b	Supplemental By crushing, landslide	21	3 1	2	16					î	2	ĭ	1	2	4	3	1 1	3	
187 188	Supplemental Cataclysm	31	6 2	5	20	1			1		1	1	3 	3	2	4	1 1 2	3	
190 191	Injuries by animals Excessive cold Excessive heat	8 2 8		1	7 2 3						1	1		1	1			2 1 1	
192 193	Lightning Due to electric currents	3 3	1	4 1	3								ī		i	1		1	
194a 194b	Other accidents	3 15	2 2	1 4		ī	2			1	2		i		2	3	4	1	
ļ	Supplemental	97	19	18	60	2		1			4	3	8	13	12	13	14	9	1
199 200a 200b	XVIII.—Ill-defined causes of death Sudden death Cause of death ill-defined Cause of death not specified or unknown	160 8 38	9	2 1	6 31	37	12		1	2	1	5	4	6 1 5	3	7 1 1 5	8 2 1 5	19 2 6	2 2 2
Punch	CALIDAL DAVIDATION (* 1	114	3		111	32	12		1	2	3	5	4	*	6	٥	5	11	2
symbol 202 205	Accidents from agricultural machinery	7	1	1	5										1	1	3	2	
205 206 207 210	Other machinery accidents Railroad and automobile collisions Other railroad accidents	5 9	1 2	2	9		-				1			<u>i</u>	1 1	<u>1</u>	1	1	
210 212 213	Automobile accidents (primary) Other land transportation accidents Water transportation accidents	9 101 22 1	$\begin{array}{c c} 2 \\ 22 \\ 1 \\ 1 \end{array}$	3 18 2	61 19	3		1	1	<u>-</u>	3 3	2 2 1	1 8 3	1 13 3	1 13 3	14 1	13 2	2 7 1	

¹ See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	nes—	1			ALL LEIN WATER				DEATH	S BY A	3E		<u> </u>			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					r	ENN	esse	E											
	Total deaths (all White causes)(Colored_	20, 821 7, 807	6, 285 4, 138	2, 097 810	12, 439 2, 859	2, 783 767	589 122	265 57	190 41	138 41	359 106	278 111	491 350	713 460	1,365 990	1, 527 1, 042	2, 027 1, 186	2, 676 1, 084	7, 392 1, 420
	I.—Infectious and parasitic White diseasesColored	3, 966 1, 857	865 848	375 208	2,726 801	356 115	198 48	108 15	84 17	60 22	129 49	85 55	148 1,58	257 217	446 377	419 253	402 232	390 149	880 143
1 2	Typhoid fever $\left\{ egin{array}{c} W \\ C \\ W \\ \end{array} \right.$	210 94 3	35 32 2	21 18	154 44 1	2 1 1	1 1 1	2 1	4 2	3	17 9	19 15	26 22	38 8	52 22 1	16 5	17 2	10 3	6 1
6 7	Smallpox	1 1 7	1	<u>1</u>	1 6	1 1						<u>-</u> -			 2				<u>-</u>
8	Scarlet fever	28 2	11	1 1	16 1		3	5	6	1 2	9	1		1					
9	Whooping cough $\{^{W_{}}_{C_{}}\}$	173 64	36 15	12 16	125 33	96 30	42 22	15 3 39	6	5 4	8 2 41	1							
10	Diphtheria $\{ \begin{array}{c} W_{} \\ C_{} \\ \end{array} $	223 20	55 9	16 3	152 8	13 4	44 3 33 7	39 3 22	45	27 	9	7	3	1	1		1 <u></u>		`
11a 11b	Influenza, respiratory complica-\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	763 237 365 115	181 114 62	3 76 34 36 18 13 2 5	506 89 267	83 21 49 10 21 2	33 7 9 3	1 4	7 4 3	5 1 1 2	10 1 6 5	3333	17 13 6 5	25 10 3 5	38 26 12 8	60 31 18 12	88 41 22 18	77 32 25 18	287 44 204
13	Dysentery $\left\{ egin{array}{c} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array} \right.$	119 16 37	44 45 8 6	13 2	53 61 6	21 2	31	5 1	3		4	i 			4	6 2	2 2	9	26 36
15	Erysipelas	37	2	1	26 1 10	10 1 3	3		1					2 <u>-</u>	2 1	2 1	4 	1	12
16 17	Acute poliomyelitis, acute polio-W encephalitis	17 2 9	6 1 4	1	10 1 5	1	1 <u>1</u> -	\3	2	1 1	$\frac{2}{1}$	1	2 	1	1 1 1	i		2	
18	litis C. Epidemic cerebrospinal menin-{W.	4 40	2 21	2 4	15	7 1		1	2		7	5	 5	<u>2</u>	1 2	2	1 1 1	2	<u>-</u>
21	gitisC	9 8 2	. 1	<u>-</u> 2	5	1	2 1	1	₁ -	2 1	1	2		1	1		1 3	1	
22	Tetanus	30	1 14	2	14	3			1	3	5	3			1 4	1	5	i	4
	Tuberculosis (all forms) $\begin{array}{c} C_{} \\ W_{} \\ C_{} \end{array}$	7 1,706 1,009	296 426	168 102	1, 242 481	22 7 9	19 5	7 5	3	7 10	11 15	23 28 12	83 105	165 167	309 273	286 152	231 120	236 67	301 48 279
23	Respiratory system $\left\{ \begin{array}{ll} C_{} \\ C_{} \end{array} \right\}$	1,535 900	232 353	160 96	1, 143 451	9	7 2	1	2		4 9	12 23	72 90	158 154	273 291 252	266 137	212 113	222 59	279 44
24	Meninges and central nervous W systemC	60 17	27 12	4	29 4	4 9 1	1 <u>1</u>	6 2	ī	7 5 2	7 2	6	š	1	2 2 6	2 4	<u>i</u> -	4	1
25	Intestines and peritoneum $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	47 30	14 17	3	33 10	2					<u>i</u> -	1 3	<u>-</u> -	1 5	7	8	9 1	4 2	14 3
26	Vertebral column $ W$	12 2 10	3	1 	8 2	1						1 1	3		2		2	$\begin{array}{c c} 2 \\ 1 \end{array}$	
27a	Bones (vertebral column ex-\begin{array}{c} \C_{} \\ \C_{} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	10 I 8	2 1 4	<u>2</u>	<u>-</u> 2					1		1	1	<u>-</u>	1	<u>1</u>	<u>3</u> -	1	3
27b 28	Joints{C Skin and subcutaneous cellu-	î	i	<u>-</u>						1 					1				
29	lar tissue	2	2											1				1	
30	toneal glands excepted)C Genitourinary systemC	5 7 6	2 4 4		3 3 2				1		1		1 1 2		<u>2</u>	<u>1</u>	1 2 1	1	Ī
31	Other organs $\{W_{-}, \{C_{-}\}\}$	6 3	3 3 7	 	3									1		2	2	1	2
32a	Acute disseminated tubercu-{Wlosis}C	18 36	7 28	$\frac{1}{2}$	10	$\begin{bmatrix} 1\\2 \end{bmatrix}$	1 2	2		1	<u>i</u> -	$\begin{array}{c c} 2 \\ 1 \end{array}$	1 8	2 6	3 6	3 4	1	2 1	1 1
32b,c	Other disseminated tubercu-\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3 6 106	3 55	<u>-</u>	3 3 46	 <u>2</u> 5					1		1		1 3 9	1	1 20	1 16	12
34 35	Syphilis $C_{C_{}}^{W_{}}$ Gonococcus infection, other vene- $W_{}$	197	152	7 2	38 2	34						2	7 2	6 16 2	32	16 40 1	35	16	16
36	real diseases\C Purulent infection, septicemia\W	10 23	5 9	-	5 14	2	1			2	3	ī	1 2	6 5	2	2	1 3	1	<u>1</u>
38	(nonpuerperal)	8 83 49	3 20 19	8 4	5 55 26	14 2	5	5			5	5	2	5	5	3 9	2 3 9	9 9	1 15
42	Other diseases caused by hel-W-minths	1	19		1 1		1		$-\frac{2}{1}$	1	3		3	3	6	4			
43	Mycoses	1 4 4			î 4	1	1				1				1	ī	1	1	
44	Other infectious and parasitic dis-{WeasesC	4	1	2	2	1				1		ī	ī		ĩ				
	II.—Cancers and other Whitetumors	1, 418 329	550 208	140 28	728 93	5	1	4	4	4	7	3	10 4	11 3	57 31	137 84	235 86	332 70	607 49
	Cancer and other malignant {W	1, 327 275	497 167	133 24	697 84	3	1	2	2	3	3 1	2	8 3	7 3	46 22	116 61	217 72	318 65	598 47 32 2 8
(45)	Buccal cavity{C	55 6	18	6	31 2	<u>-</u>							<u>1</u>		1	1	6	15 3	32 2
(45)	Pharynx (W C W W	17 2 8	4 1 7	1	12 1 1										2	1 1	1 3	5 1	8 1 3
(46)	Esophagus (W-	232	3 65	20	147										3	1 14	33	60	122
(46)	Stomach and duodenum $\left\{ \begin{smallmatrix} V & \\ C & \end{smallmatrix} \right\}$	43	17	-6 .	20										ĭ	4	9	16	13

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		IN CIT	ies—							D	EATHS	BY AG	E					
CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				renn.	ESSE	E—Co	ntinue	d										
Cancer and other tumors—Continued Cancer and other malignant tumors—Continued. Liver and biliary passages	5 194 93 14 5 126 32 105 13 92 2 1 141 21, 21 24 41	35 111 15 5 80 19 23 3 86 5 5 21 46 13 18 18 14 14 14 14 15 20 3 3 2 2 7 7	14 1 5 1 15 23 11 1 13 1 16 7 7	76 6 4 1 1 63 7 13 1 1 85 28 8 2 2 63 10 43 3 6 5 1 1 30 3	2	1	1	1	2	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 1 1 1 3 2 2 3 3 1 1 14 7 7 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 8 3 1 1 20 4 4 5 5 1 1 322 33 32 15 6 6 4 4 1 1 1 2 6 6 18 8 2 2 1 1 2 2 12	19 6 5 2 26 7 7 7 52 30 5 5 1 1 27 8 8 8 2 2 6	35 4 6 6 2 35 9 110 2 2 54 4 13 4 4 17 5 11 1 29 9 3 1 10 2 1 10 2	58 3 11 1 67 2 11 41 41 4 7 7 7 1 4 7 7 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
III.—Rheumatic diseases, nutritional dis- eases, diseases of the endocrine Colored- glands, and other general diseases	591 185	175 104	65 14	351 67	18 6	3 2	4 3		. 4	8 1	12 3	10 4	10 5	42 22	65 21	84 33	126 46	203 39
Acute rheumatic fever	- 62 5 3 1 3 2 2 29 111 4 3 3 122 2 2 2 2 10 7	2 3	2	23 4 115 17 1 164 29 4 1 1 12 2 2 2 3 1 1 2 2 2 1 1 2 2 1 2 1	1 1 11 11 1	1	1 1 1 1 1 1		4	1	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 1 2	4 1 3	3 1 8 6 25 12	2 5 2 15 2 40 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1	6 4 4 7 1 58 21 1 1 5 2 2 2 2	10 2 14 5 103 19
IV.—Diseases of the blood White and blood-making Colored.	- 127 - 21		12 1				2	2	1	. 4	2 1	5			10 1			24
Pernicious anemia	5 46 9 7 1 1 39 5 1 1 7 43 7	4 15 4 3 1 20 5 6 1 4 23 5	3 2 1 1 1 1 1	1 26 4 4 4 16 7 7 2 19 1 14	1	2	i	2		1	1	3	2 2 2 2 2 2 1 1 2 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 2 1 2 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1	1 2 2 2 11 1 1 1 1 2 1 1 1 1 2 1 1 1 1	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 5 2 3 15 1	8 4	1 17 2 13 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Per Oth True Pse Pse Pse Pse Pse Pse Pse Pse Pse Ps	rnicious anemia	Second S	micious anemia	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	C	Morriagic conditions	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	C	Morriagic conditions	C	C	C	C	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	C	C	Indication C	C

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	MES							1	DEATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				,	TENN	ESSE	E—C	ntinu	bá										
	VI.—Diseases of the nerv- ous system and of the organs of spe- cial sense	1, 837 727	480 398	200 73	1, 157 256	38 14	12 3	3 3	5	. 2	18 4	21 4	24 10	20 19	53 27	87 82	223 167	358 161	971 226
78 79a 79b	Encephalitis (nonepidemic)	34 12 42 16	11 4 18 12 2	3 4 1	20 5 20 3	3 11 5	2 5 1	1 2 1	2	i 	3 1 2 3	4 3 6	1 2 1 3	2 2 3 1	5 4 3	3 1 2	1 2 3	5 2	3 1 1
80 81 82a	Progressive locomotor ataxia W (tabes dorsalis)	20 6 44 25 1,245 517	11 4 15 19 338 290	3 4 155 55 4	752 172	3	1			1	1 1 1	2	1 3 2	1 5 6	1 3 1 15 11	3 3 1 49 54	6 2 6 152 139	8 1 11 7 267 118	5 2 22 8 747 182 17 3 17
82b 82c 82d	Cerebral embolism and throm-\\W\\ bosis\C\\ Softening of brain\C\\ Hemiplegia and other paralysis,\\W\\	31 16 19 1 143	18 14 5	2 11	9 2 12 1 1		 1				2 		 i	ĭ 	2 1	1	2 6 5	8 4 2 1 19	112
83 84	cause unspecified C. C. General paralysis of insane. C. C. Dementia praecox and other W. psychoses C. Epilepsy C.	58 40 19 45 10 57 21	30 4 6 5 1 7	1 3 1	20 36 13 39 9 47 16	1		1 			1	1	1 2 6 1	1 2 4 5	1 4 5 1 10 3	5 6 6 3 13 6	8 16 1 16 12 2	20 9 5 9 2 5 1	21 5 3 9 1 3
86 87 88	Convulsions (under 5 years of W.age)	7 62 10 2 1	1 11 4 2	7 1	7 5 44 5	6 6 	1 	i	1		2 1	3 1	5 1	i	4		6	10 2	26 2 1
89a 89b	Diseases of ear W. Diseases of mastoid process	27 6 13 3	1 10 5 8 3	4	13 1 5	7 2	1 2 1		1	1 	2 2	3	2	1 1 2 1	1 1	1 2 1 1	3	1	i
	VII.—Diseases of the cir-{White culatory system. {Colored	2,820 1,020	965 552	266 131	1,589 337	7	5 1	3	1		7	13	23 15	27 15	79 66	125 137	273 239	535 225	1,719 314
90 91a 91b	Pericarditis. W. C. Acute endocarditis. C. Endocarditis, unspecified (under . W. 45 years). C. Endocarditis, specified as chronic, W.	19 10 27 14 11	4 5 15 9 4 2	3 1 4 1	12 4 8 4 7 3	1					1 3	4	1 2 1	1 1 1 2 1	2 7 4 3	5 1 2 4	1 2 1 2	2 4 2 3	11 5 1
92a 92b 93a	and other valvular diseases	681 386 44 23 23 19	166 225 13 11 12 9	60 57 2 5 2 5 2 1	455 104 29 7 9 5	1 1	3 1 	1	1		1	6	12 3	11 6 1 1	29 32 2 2	30 58	56 93 8 9 6 8	115 90 11 8 7 3	414 100 24 6 5 3
93b 93d	Myocarditis, unspecified (under W 45 years). Chronic myocarditis and myo-W cardial degeneration	13 18 383 102 349 141	10 154 48 149 78	30 14 38 14	7 199 40 162 49		1				1 1	1 1	1 3 1 1	1 2 1 1	2 6 7 2 4 2	2 8 8 11 13 6 4	24 10 33 46	83 25 65 33	254 49 237 55
4a 94b 95a	Angina pectoris $\begin{array}{c} W\\ C\\ \end{array}$ Diseases of coronary arteries $\begin{array}{c} W\\ C\\ \end{array}$ Functional diseases of heart $\begin{array}{c} W\\ C\\ \end{array}$	304 31 121 14 15 2	127 17 76 9 3	43 1 14 2 2	134 13 31 3 10								1	i	3 5 1 2	17 5 6 4 1 2	42 12 16 5 3	87 1 34 1 3	153 8 64 1 8
95b 96 97	Other and unspecified diseases of W	595 190 17 9 151 36	150 87 7 7 55 20	49 26 2 8 2	396 77 8 2 88 14	3	1				1 	1	6 4	7 2	15 6 1	31 29 2 3 2	57 40 6 2 8 6	99 43 1 2 16 9	375 65 8 1 125 21 11 2 7
98 99 100 101	Other diseases of the arteries\(\begin{align*} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	13 13 15 3 15 3	5 4 5 2 8 1	4 1 1 1	8 2 4 6 1								1	1	· 1 2	1 1 2 2 2	1 2 1 5	3	3 1 1
102 103	(tymphangius, etc.) C Idiopathic anomalies of blood-\W_pressure. C Other diseases of circulatory sys-\W_tem C	22 4 3 1	2 7 4 1 1	1	14 1	1 1 							1		1	1	5 2	1 5 1	12 2
	VIII.—Diseases of the re-{White spiratory system_{Colored	1, 757 738	505 419	170 71	1, 082 248	287 112	86 32	33 15	24 8	15 5	41 11	21 6	40 36	47 44	96 78	87 89	150 104	165 91 1	664 104 ——————————————————————————————————
104a 104b 105 106a 106b	Diseases of nasal fossae $ \frac{W}{C}$. Diseases of nasal fossae and annexae. W . Diseases of larynx	5 4 9 11 7 8 4 31	2 3 4 3 3 1 2 10	1 1 2 1	2 1 5 7 4 7	3 3 3 2 2	1 2 1	2	1	1	1	1	1	2	1	2 1	1 1 1	1 3	3 1 1 4 25
100n	69301—35——24	3		1				l		l 	.	.	1	1	l	i 2		1 1	l

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—	~						ı	EATHS	BYAC	GE.					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				,	TENN	ESSE	E—Co	ntinu	ed										·
	VIII.—Diseases of the respiratory system—Continued																		
106c,d	Bronchitis, unspecified $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	17 12	1 6		16 5	3 2		1				1				1	1	1	9
107a	Bronchopneumonia $\{ \widetilde{\mathbf{W}}_{-} \}$	632 229	192 133	53 20	387 76	194 76	47 15	18 9	9 2	9	12 2	4 1	5 7	11 6	24 13	13 19	1 29 22	32 18	224 24
107b	Capillary bronchitis $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	2 2	2	1	1	ĭ	₁ -							<u>î</u> -					34 I
108	Lobar pneumonia $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	820 399	232 233 22	85 40	503 126	56 17 22	22 12	9 4	12 4	2	21 7	13 4	27 25	30 31	57 54	57 57	89 68	108 61	315 52
109	Pheumonia, unspecified	128 38 21	19 14	15 1 2	91 18 5	10	11 1 3	2 1 1	2 1	1	2	3	3 3 2	2 2	8 5	8	13 3 3	9 2 2	40 5 4 3
110 111a	Pleurisy C Pulmonary embolism and thrombosis	12	8	1	3	1	i				1		í	1 1	3 2	1 2		í	3
111b	Pulmonary congestion, edema, W	1 23	1 8	3	12	_ī -									1	1 2	<u>-</u> -		
112	hemorrhagic infarct \C Asthma	3 26	5	5	3 16	1 1	<u>i</u> -						1			2	6	3	17 2 12
113	Pulmonary emphysema	14 2 2	5 2 2	4	5	<u>ī</u> -										2	7	2	3
114	Other diseases of respiratory sys-\W tem(tuberculosis excepted)\C	22 8	9 2	3 1	10 5					 	2		i	1	2	2 1	2 5	<u>4</u> 3	7
	IX.—Diseases of the di-{White gestive system{Colored	1,664 552	629 342	199	836 157	353 71	195 26	58 7	31	16	54	35	52	53 53	96	130	156 94	155 72	279
115a	Diseases of pharynx, tonsils	67	25	53 10	32	5	20	4	5 2	3	9	10 5	19 3	7	61	89	1	5	56
115b	Diseases of buccal cavity and W.	22	11 6	2 2	9	3	1		1 2		1 2	$\frac{2}{1}$	3	2 1	4	7 3 5	3	3	3
117a	annexa	22 8 68 29 38	3 24	4	5 40						1		2	2 2	2 6	10	14	3 6	27
117b	Ulcer of duodenum	38 2	16 24	2 6	11 8								1	3 1	7	5 4 1	9 12	77	4 7
118	Other diseases of stomach (cancer) W C	89 110	1 20 67	1 7 13	62 30	10	7	2	1 1	ī	2	1	1 1	<u>-</u>	8 9	4 25	12 30	12 19	28 14
119	of age)CC_	494 86	108 39 28 21	53	333 38	316 63	178 23												
120	over)	178 49	28 21	18 4	132 24			47 6	22 3	10 3	13 1	<u>1</u> -	<u>-</u> -	2	4	3	8	8 10	62 12
121	To the state of th	261 84 49	159 68 31	44 5 8	58 11 10		1 	1	3	1 2	21 6	24 5	39 7	28 7	34 17	35 20 8	31 10 6	25 8 13	62 12 18 2 19 7
122a 122b	C	23 114	10	1 17	3 39	1 16	3	1	<u>-</u>		4	2	5	1 <u>-</u> -	1 1 7	5 14	4	6 16	7 7 21
123	Other discours of intention (W-	55 20	58 38 13	9 1	8	1 1	1 1	î					2	3	11	12 3	18 13 4	5	6 5
124	W	14 86	12 48 11	1 6	1 32	1						1	1		3	1 14	4 18	23	26 7
125a	Yellow atrophy of liver W.	18 8 27	6 6	3	1	<u>ī</u> -									1	2	1	6 - -	14
125b 126	Diliony colonii	10 47	7 27	5 1 5	16 2 15							1	1 	1	2 2 4	3 2 10	3 3 9	4 2 9	11 1 14
127	Other diseases of gall-bladder, W	8 57	7 27	1 9	21								1	1	3 5	2 6	2 13	<u>ī</u> ō-	l
128	biliary passages C Diseases of pancreas C	14 10	9	1	44									1	2 2	4 2	4	2 6	23 1
129	Peritonitis, cause not specified	1 29 19	13 12	3	13		3	2-		₁		1		3	4	<u>-</u>	1	<u>4</u>	
	X.—Diseases of the geni-{White tourinary system Colored	1,611 618	553 355	182	876	8	3	5	2	3	10	10	2 18	4 19	64 64	3 90	2 151	1 274	952
130	Acute penhritis (including un-(W	75	19	7	203	3	3	3	1	2	5	3	5 5	11 5	9	84 5	119 7	145 5	216
131	specified under 10 years) C Chronic nephritis C	968 381	336 217	96 90	536	<u>1</u>		₁ -	<u>-</u>		$\begin{vmatrix} 1\\2 \end{vmatrix}$	5	4	7	28 28	8 46 46 12	93 97	188	590 590
132	Neddrills, imspecified (10 vegrs) W	281 90	67 32	29 34 20	135 180							1	2 3	6 1	16 5 3	12 10	87 28 12	89 43 23 9	134 189
133	and over) C Other diseases of kidneys, ureters W (puerperal diseases excepted) C	81 14	34 9	20 5 1	38 42 4	3		1		1 1	3	3	4	2	1	12 4	8	9	40 34 2 7 1
134	Calculi of urinary passages	16 4	11 3	1	4 1										3	3	1	2 3	7 1
135 136	Diseases of bladder (tumors ex- cepted)	15 9 3	3 3 2	1 1	11 5											1	3	3	14 3
	abscess, etc	17 122	16 54	24	1 1 44										3 1	 8 1	3 4	3 24	1 92
137 138	Diseases of male genital organs. W	47 2	33 1	5 1	9	<u>-</u>										1	8	11	92 27
139a	not specified as venereal	9	1 6	2	i									1	4	2		<u>1</u> -	î
139b	Other diseases of ovaries, diseases W.	2 22 16	11 12	6	5								<u>ī</u> -	<u>-</u> -	8	1 4	1 5	<u>î</u> -	<u>2</u>
139c	of tubes and parametrium C	15 15 1	13 8 1	4	3			•••••					3 1	$\frac{1}{2}$	6 4 1	3	3		2
139d	Nonpuerperal diseases of breast (can- cer excepted)	1		1											1	1			
193e	Other diseases of female genital W organs C	1	1 3											1	1	<u>i</u> -			

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ties—				,			I	EATHS	BYAG	æ		*		*	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
	-	,1			TENN	ESSE	E—Co	ntinue	b	<u> </u>				•	·				
	XI.—Diseases of pregnan- cy, childbirth, and the puerperal state. Colored	282 98	99 58	41 14	142 26							1 2	37 22	51 19	111 39	75 14	6 2		
140 141	Abortion with septic conditions $- \left\{ \begin{matrix} W \\ C \\ \end{matrix} \right\}$. Abortion without mention of septic conditions (includes hemorrhages).	31 14 25 5	13 11 13 3	7 1 2 1	11 2 10 1							1	2 3 1	8 1 3 2	17 8 10 1	4 1 10 2	1		
142a 142b 143	Ectopic gestation, septic condi-\{\text{W}\text{tions specified}\}_\text{C}\text{Ectopic gestation, septic condi-\{\text{W}\text{tions not mentioned}\}_\text{C}\text{C}\text{Other accidents of pregnancy (hemorrhage not included)}_\text{W}\text{W}\text{W}\text{Figure 1}\text{W}\text{C}\text{Figure 1}\text{Figure 1}\text{Figure 1}\text{Figure 1}\text{W}\text{Figure 1}Figure	1 9 2	1 . 3 2	3	3									i	5 2	1 4	1		
144a 144b 145a	Placenta praevia	5 2 16 1 52	5	1 1 1 6	3 2 10 26								1 1 4 10	4 7	3 2 1 22 8	1 1 4	2		
146 147 148	(abortion excluded) C. Puerperal albuminuria and W. eclampsia C. Other toxemias of pregnancy C. Puerperal phlegmasia alba dolens) W.	24 72 21 15 6	13 21 13 9 3	3 12 2 2 2	8 39 6 4 1			 				1 1	6 14 6 1	5 21 5 2	23 8 7 3	4 11 2 5 1	1 1		
149 150	embolus, sudden death (not C specified as septic)	15 1 38 20 1 1	7 1 6 10	1 4 4 1	28 6								3 5	5 5	16 7 1	13 2	1 1		
	of puerperal state\C XII.—Diseases of the skin\White and cellular tissue.\Colored	29 4	8 2	4	17 1	4	1						1	3	1	1	4 1	6	8
151 152 153	Furuncle, carbuncle	12 4 2 13 2	4 1 1 3 1	1 1 3	8 2 7 1	4	1						1	3	1 1	1	3 1 1	3 1 2 1	2 2 4
	XIII.—Diseases of the bones and organs Colored Colored	37 6	22 6	5	10	1		2	1	1	9	10	<u>i</u>		2	2 3	3	2 1	4
154 155 156	Osteomyelitis	28 2 4 5	16 2 3 3	4	8 1 1	1		2	1	1	7 1 2	10			2	1 1	1 1 1	2	4
	locomotion\C XIV.—Congenital mal-{White formations\Colored_	161 15	65 10	12 2	84 3	147 11	5 1	4	i	1	1	<u>1</u>	1	1	2	2		1	
157a 157b	Congenital hydrocephalus $\begin{array}{c} W = - \\ V = - $	17 2 20 1	9 2 6	2 1 1	6	13 2 19	3	1		1									
157c 157d	Congenital malformations of heart $\left\{ \begin{matrix} \mathbf{C} \\ \mathbf{C} \\ \mathbf{C} \end{matrix} \right\}$. Other congenital malformations $\left\{ \begin{matrix} \mathbf{C} \\ \mathbf{C} \end{matrix} \right\}$.	82 6 42 6	32 3 18 5	3 1 6	47 2 18 1	76 4 39 5	1 1	3	1		1	1	1 	1	2				
158	XV.—Diseases of early White infancy	978 237 84	350 172 21	90 12 10	538 53 53	978 237 84													
159 160 161	Congenital debility	33 659 155 154 31 81 18	24 231 114 72 24 26 10	2 60 7 13 1 7 2	368 34 69 6 48 6	33 659 155 154 31 81 18													
162	XVI.—Senility{Colored	289 95	47 26	28 8	214 61													3 5	286 90
	XVII.—Violent and acci- {White dental deaths {Colored	1, 824 682	727 425	221 68	876 189	36 9	33	26 5	25 5	22 3	62 20	58 19	115 57	186 82	261 203	239 122	217 52	181 52	355 49
163 165	Suicide	37	116 13 42 6 9	-33 1 9 4	135 4 18 							1 	. 1 3	24 2 8 2 1	47 5 17 2 3	46 4 13 2 5	64 5 11 11	47 1 9 	8 6
166 167 168	By drowning	7 1 151 8 12	58 7	18 2 1	4 1 75							1 	3 1 1	14	1 24 1 2 1	1 25 1 2	34 4 2 1	24 1 1	25 3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—							D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
		•			TENN	ESSE	DE-C	ntinu	ed					<u>'</u>					-
169 170 171 173 174 175 176 177 178 179 180 181 182 183 184 185 186a 186b 187 188 190 191 192 193 194a 194b	XVII.—Violent and accidental deaths—Continued Suicide—Continued By jumping from high places. W. By crushing. W. W. By other means. C. C. W. C. By firearms. C. By cutting or piercing instruments. C. By other means. C. C. Accidental, other, or undefined. C. Attack by venomous animals. C. Poisoning by food. C. Absorption of poisonous gas. W. Supplemental. W. Other acute accidental poisonings (gas excepted). C. Conflagration. C. Burns. (conflagration excepted). C. Conflagration. C. Supplemental. C. C. Supplemental. W. C. C. Supplemental. C. C. Supplemental. W. Foreign bodies. W. Other accidents. C. C. Supplemental. C. C.	395 109 1,387 616 163 51	79 201 154 123 100 53 155 225 2211 6 6 3 3 3 228 22 17 7 16 6 28 16 16 11 11 12 22 11 22 11 10 3 3 3 3 11 10 10 11 10 11 10 11 10 10 10 10 10	19 25 12 17 4 4 4 3 3 4 169 42	133 106 49 19 12 5 604 112 3 1 10 1 10 1 10 2 2 48 8 15 3 3 49 22 2 48 20 1 3 3 49 22 2 48 20 1 1 2 2 4 3 3 4 2 2 2 4 4 2 2 2 1 3 1 3 1 4 2 2 2 2 3 4 4 2 2 2 2 3 4 4 2 3 4 4 2 3 4 4 2 4 4 2 3 4 4 4 2 4 4 4 5 5 5 5 5 6 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1 36 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26 5 1 1 1 1 1 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2	25 5 1 1 1 1 1 1 2 1 1 1 3 3 3 3 3 3 3 3 3 4 4 4 4 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6	1 1 21 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 1 1 1 1 1 1 1 2 2 2 1 1 1 1 1 1 1 2 2 2 2 1	11 1 2 2 1 1 1 1 1 2 2 1 1 1 1 1 1 1 1	1 1 27 8 8 18 8 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	34 4 3 1 1 1 1 1 1 1 1 1 1 1 1 1 3 5 2 1 1 1 1 1 1 1 1 1 1 3 3 1 1 3 1 3 1	1 66 80 9 31 7 7 11 148 76	1 1	1 1 3 3 3 3 0 1 1 2 2 2 2 2 2 3 1 1 1 1 1 1 1 2 8 2 2 2 1 1 1 8 2 2 2 1 1 1 8 5 2 1 1 1 6 6 5 5 1 1 1 6 6 5 5 1 1 1 6 6 5 5 1 1 1 6 6 5 5 1 1 1 6 6 5 5 1 1 1 6 6 5 5 1 1 1 6 6 5 5 1 1 1 6 6 5 5 1 1 1 1	1 1 2 2 2 4 4 2 2 116 6 4 4 1 1 7 7 2 2 5 5 2 2 1 1 1 7 7 3 3 3 2 2 5 5 5 4 4 2 2 1 1 2 2 6 6 6 2 7 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	11 44 88 31 1 299 45 11 2999 45 11 20 11 21 22 12 28 11 11 33 192 130 11 192 130 11 192 130 11 192 130 10 11 10 438 33 900 12
200a 200b Pund	Cause of death ill-defined Cause of death not specified or Wanknown Cause of Cause o	193 55 1, 031 510	10 38 27 107 156	15 5 57 57	140 23 867 297	43 11 473 168	12 1 28 7	5 7 7	9 4	9 4	1 2 8 4	7 6	1 2 14	18 18 12	6 2 24 42	11 11 33 39	15 5 60 41	23 10 73 51	90 12 70 12 278 109
symbo 201 202 203 205		1 1 1 21	1 1 1 9 2	4	10 2 1 1						1 1		1 1 3	2 1	3	2	1 1 7	1	1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	,		IN CIT	ies—	_]						D	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				,	TENN	esse	E—Co	ntinue	ed					-					
Punch symbol	SUPPLEMENTAL 1—continued																		
206	Railroad and automobile collisions $\left\{ egin{align*} W_{} \\ C_{} \end{array} \right.$	15 1	10	1 1	4								3	2	4	2 1 . 9	3		1
207	Other railroad accidents $\begin{bmatrix} W_{} \\ C_{} \end{bmatrix}$	65 33 1	26 19	9	30 11						<u>-</u>	1	8	12 2	13 11	· 9	11	5 5	5 5
208	Street car and automobile colli- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 5	1 1 5										1		<u>-</u>	ī	1	i	<u>-</u>
209 210	total site of the control of the con	377	2 183	61	133	2		4	4	5	22	11	1 24 6	59 12	61	53	42 13	39	1 48
211	Motorcycle accidents $C_{C_{}}$	97 5 1	64 4 1	17 	16 1			-		1	4	1	6 1 1	12 2	27 1	18 	13	10	5
212	Other land transportation acci- \ W	25 5	8	3 1	14				2			3	i	1	1 1	6	4	$\frac{1}{2}$	6 1
213	Water transportation accidents $\left\{ \begin{matrix} \mathbf{W}_{} \\ \mathbf{C}_{} \end{matrix} \right\}$	5 9	1 6	1	4 3 3								1	1	2 5	1 3			
214	Air transportation accidentsW.	6			6			1		1				1	1	2	-		-
						UX	AH.												
	Total deaths (all causes)	4, 420	2, 202	654	1, 564	529	82	55	37	40	97	114	132	117	253	334	440	613	1, 570
	I.—Infectious and parasitic disease	487	223	74	190	70	29	10	8	1	25	24	12	21	47	53	52	45	89
7	Typhoid fever Measles	. 1	2		5	<u>-</u> -						1		1	4		1		
1 7 8 9	Scarlet fever Whooping cough Diphtheria	17 5 9	7 1 1	4 2 2	6 2 6	1 4	4 4	1 1	2 <u>1</u>		7	1 <u>2</u>					1		
11a	specified complications	166	74	27	, 65	29	11	4	1		5	8	7	7	10	15	11	20	38
11	Influenza, respiratory complications not specified.	82	25	13	44	16	7	1	2	1	6	2	1	2	6	4	2	5	27
15 16	Dysenfery Erysipelas Acute poliomyelitis, acute polioen-	5 17	8	2	3 7	8			ī							2	ī	1 2	3
	cephalitis	4 7	1 5	 	3 2	1	1		1		2			1 2	l I 1	1 1		1	<u>ī</u>
17 18 22	Tetanus Tuberculosis (all forms)	22 1 111	14 67	4 16	4 1 28	3 1	1 <u>1</u>	2			3	5 	3	2 8			1		1 13
23 24	Respiratory system	91	49	16	26							3	1	5	19 16	25 20	28 28	11 10	9
25 26 27b	Intestines and peritoneum	2 3	1 2		1 1											2 2			<u>i</u>
27b 29	Vertebral column Joints Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)	1	1								1		1	1	1				1
30	glands excepted) Genitourinary system Acute disseminated tuberculosis.	1 2 6	1 2											1					2
32a 32b,c	Other disseminated tuberculosis	1	6			1	1		- -					1	1	1		1	
34 35	Syphilis Gonococcus infection and other vene- real diseases	20	13	3	4	1									5	3 1	4	3	4
36	real diseases Purulent infection, septicemia (non- puerperal)	4	2		2 1							1			1			1	1
38 44	Malaria Other infectious and parasitic diseases_	7		1	6	2										<u>-</u> -	1 2	1	ĩ
	II.—Cancers and other tumors	416	252	45	119	1		2	1	1	3	1		4	6	43	70	92	191
(45)	Cancer and other malignant tumors Buccal cavity	400 6	241 3	41 1	118			2	1	1	3	1		3	5	38 1	65	91	189 5
(46) (46)	Pharynx Esophagus Stomach and duodenum	3 5 107	2 59	1 2 12	2 1 36				 1						 1			1	3 4 56
(45) (45) (46) (46) (46) (46) (46)	Liver and biliary passages Pancreas	32 10	17	3	12 1									1		5 1 1	15 5 1	29 3 2	5 3 4 56 21 6
I	Other digestive tract and perito- neum	49 16	34	6	9 4						1					6 5	7	15	20
48 49	UterusOther female genital organs	16 37 7	9 25 7	5	7									1	1	6	7 14 3	2 7 1	10
47 48 49 50 51 52 53	Breast Male genitourinary organs	26 48 17 37	17 27	1 2 2	8 19			1		1				1	2	5 1	3 5	9	10 3 7 31 8 15
52 53 54b	Skin Other or unspecified organs	17 37 5	6 26 3	2 4 2	9 7			ĩ			1	<u>-</u> -			<u>-</u>	3	5	5 9	8 15
54d,e 55d,e	Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, other organs (nature unspeci-	3	3												1	4 4 1	2		
1	fied)	8]	5]	2	1	1	- 							1			3	1	2

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	nes—				· <u>·</u>				DEATH	S BY A	GE		=		<u> </u>	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					UI	'AH-	Contin	nued							•				
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases	127	56	18	53	3	1	1	1	4	3	10	3	3	3	6	15	22	52
56 57 59 60 65 66b (66) 67 68	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Scurvy Diseases of pituitary body Exophthalmic goiter Other diseases of thyroid and parathyroid glands Diseases of adrenals (Addison's disease not specified as tuberculous) Other general diseases	70 1 1 24	1 15 3 1 1	1	30 1 8 1 1 1	1			1			9	1 1 1	1	1	1 1 1	9	1 15 4 1	1 41 7 2
70 71a 71b 72a	IV.—Diseases of the blood and blood-making organs Hemorrhagic conditions Pernicious anemia. Other anemias. True leukemias.	6	18 4 4 1 4	5 1 2 1 1	10 1 6	2	1	1	1		1	3 1 1 1	1	1	3 <u>1</u> <u>2</u>	3	3	2	6
728 72b 73	Pseudoleukemiss (Hodgkin's disease) Diseases of the spleen V.—Chronic poisonings and intoxications	8 3 2 4	3 2	1	3			1	1			1	1 		2	1	1	1 1 1	
75	Alcoholism (acute or chronic) VI.—Diseases of the nervous system and of the organs of special sense		180	1 55	133	12	3	5	4	2	6	13	5	2	9	18	34	63	190
78 79a 79b 80	Encephalitis (nonepidemic)	5 16 8	3 12	1 1	2 3 7	3 3	2 1	2	1	1	1 1	2 2	4	1	1	1 1	1 1		
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause unspecified.	10 243 14 1	1 7 102 7 1	2 41 3	1 100 4	1 1			1			1 1 1	1		2 1	9 1	21 1	2 48 2	3 161 9
83 84 85 86 87 89a	General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age) Other diseases of nervous system Diseases of ear.	12 9 15 1 11 15	10 9 7 8 8 8	3 1 2	5 3 5	2 2		2		1	1 3	4 1			2 1 2 2	1 1 3	5 1 1	2 2 2 2 4 1	3 3 4 3 1 2
89b	Diseases of mastoid process VII.—Diseases of the circulatory system	913	443	136	334	1	1	1	2	5	7	16	25	13	35	47	102	148	510
90 91a 91b	Pericarditis	2 13 2	7	2	1 4 2		ī		1		1	4	2	1	2			1	2
92a 92b 93a 93b	Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and over). Acute myocarditis. Myocarditis, unspecified (under 45	213 8 15	86 4 8	35 2 5	92 2 2			1		3	4	8	17	7	21	17 <u>1</u>	27 3 3	31 <u>4</u>	77 5 5
93c 93d 94a 94b 95b 96 97	years). Chronic myocarditis and myocardial degeneration. Other diseases of myocardium	301 73 50 65 115	149 24 22 48 57 7	42 16 10 6 15	1 110 33 18 11 43	1			1	2	1	1	13	14	2 1 2 4	13 3 4 6 1	27 8 1 10 19 3	42 12 14 18 18	214 53 31 31 57 2
98 99 100 102 103	cepted) Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.). Idiopathic anomalies of blood-pressure. Other diseases of circulatory system.	30 4 7 2 2 1	20 5 1 2	1 1	9 4 1						1	1	1		1	1 i	1	4 2 1	26 3 2
,	VIII.—Diseases of the respiratory system	380	171	63	146	79	15	14	1	4	10	7	6	11	20	19	24	51	118
104a 104b 105 106a	Diseases of nasal fossae	4 6 4 6	6 2 3	2 2	4 1	2	1 1	 				2		i	1 1		2	2 1	2

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN C	TIES—								DEATH	S BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or ove		In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	34	35 to 44 years	45 to 54 years	64	years
		·	,,		מסו	AH—	Conti	nued			•	<u> </u>	1		•			<u> </u>	
	VIII.—Diseases of the respiratory system—Continued											-							
106b 106c,d 107a 108 109 110 111a 111b	Chronic bronchitis. Bronchitis, unspecified Bronchopneumonia Lobar pneumonia. Lobar pneumonia. Pneumonia, unspecified Pleurisy. Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemorrhagic infarct. Asthma. Other diseases of respiratory system	2 159 148 21 1 3 5 8	1 1 75 66 9 2 1 4	19 31 1 1	2 1 65 51 11 1 1 3 2	62 4 8	9 1 3	7 5	1	2 2	1 8 1	2 3	2 3	9	5 13	5 13	4 11 3	8 30 2	2 2 52 45 4 4 2 2 5 2
,	(tuberculosis excepted)IX.—Diseases of the digestive system_	10 381	1 238	58	4 85	22	11	8	5	11	16	10	23	1 14	28	1 44	2 58	5 67	64
115a 115b 117a 117b 118	Diseases of pharynx and tonsils	21 5 21 14 8	16 4 14 13	2 2 1	3 1 5 1 4	2	2	2			3	1	1	1 1	2 1 3	3 1	4 1 5 5	7 3 1	5 2
120 121 122a 122b 123 124 125b	Diarrhea, enteritis (2 years and over) Appendicitis Hernia Intestinal obstruction Other diseases of intestines Cirrhosis of liver.	22 14 133 34 39 4 18	10 3 88 26 19 3 9	3 2 23 7 7 7	9 9 22 1 13 1 7	15 4 1	7 1	3 2 1	1 3	8 2	1 10 2	8	19	11	1 16 2	2 18 1 1 1 3	3 12 4 7	1 15 15 8 1 5	2 10 14 8 1 6
126 127 129	Other diseases of niver Billiary calculi Other diseases of gall-bladder, billiary passages. Peritonitis, cause not specified	14 27 6	10 14 5	7	2 6 1					 ₁					1	2 6 1	5 7 2	5	3 1 9
	X.—Diseases of the genitourinary system	324	183	38	103	3 .						1	6	6	17	26	35	56	174
130 131 132 133 134 135 136 137 139a	Acute nephritis (including unspecified under 10 years) Chronic nephritis. Nephritis, unspecified (10 years and over). Other diseases of kidneys, ureters (puerperal diseases excepted). Calculi of urinary passages. Diseases of bladder (tumors excepted) Diseases of urethra, urinary abscess, etc. Diseases of prostate. Oysts of ovary.	9 238 17 9 6 2 1 26 1	3 134 4 7 4 	2 21 5 2 1	4 83 8 2							-		2 - 1	28	19 2	28 1 1 1	46 4 2 1 1	4 132 8 2 2 1
139b 139c 139d	Other diseases of ovaries, diseases of tubes and parametrium Diseases of uterus. Nonpuerperal diseases of breast (cancer excepted)	9 5 1	7 3	2 .	2								1	1	5 1	2	2	i	
140	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	52	29	9	14								- 5	9	26	10	2 -		
140 141 142a 143	Abortion with septic conditions. Abortion without mention of septic conditions (includes hemorrhages). Ectopic gestation, septic conditions specified. Other accidents of pregnancy (hemorrhage not included).	10 4 1	7 3 1 1	1	1								1	3	6 - 4 -	1			
144a 144b 145a 146 147 148	Placenta praevia. Other puerperal hemorrhages. Puerperal septicemia and pyemia (abortion excluded). Puerperal albuminuria and eclampsia. Other toxemias of pregnancy. Puerperal phlegmasia alba dolens, em-	1 7 12 3	3 5 2	1 1 3 1	3 4									2 3	3 4 4 2	3 1			
149	bolius, sudden death (not specified as septic) Other accidents of childbirth XII.—Diseases of the skin and cellular tissue	5 4 3	2 2 3	2	1 2				1 -				1 -	i	. 1	2		1	1
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess. Other diseases of skin and annexa, and of cellular tissue.	1 1 1	1 1 1						1									1 -	1
	XIII.—Diseases of the bones and organs of locomotion	8	8			1 -						1	2 -	-		2		1	1
154 156	Osteomyelitis	7 1	1	-		1 -				-	 	1	2 -			1		1	1

MORTALITY STATISTICS

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

			IN CIT	ies—							I	EATHS	BY AC	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					UT.	AH—	Contin	ued	·										
	XIV.—Congenital malformations	48	19	9	20	41	2	 			2	1	1		1				
157a 157b 157c 157d	Congenital hydrocephalus Spina bifida and meningocele. Congenital malformations of heart Other congenital malformations	4 22	3 2 9 5	1 5 3	3 2 8 7	4 3 20 14	1 1				1 1	1 	1		1				
	XV.—Diseases of early infancy	263	105	52	106	263													
158 159 160 161	Congenital debility	180 45 30	67 20 14	1 34 11 6	3 79 14 10	180 45 30													
162	XVI.—Senility XVII.—Violent and accidental	62	23	9	30													1	61
	deaths	460	215	70	175	10	16	12	12	11	23	26	42	33	56	58	38	47	74
163 164 165 166	Suicide. By solid or liquid poisons or by absorption of corrosive substances. By poisonous gas. By hangung or strangulation. By drowning	$\frac{7}{2}$	31 7 1 4 2	1	3										8 3 1 4	9 1 1 6	6 2 1 1 1 2	13 1 3 1 6	. 8 1 1
167 168 171 173	By firearms	2 2 19	14 1 2 10 6	3 2	7 1 6 3	1							2 2	2	5 3	1 5 4	<u>-</u>	1 1 2 1	i i
174 175 178	By cutting or piercing instruments. By other means	3 5 394 6	3 1 174 5	1 62 1	3 158	1 9	16	12 1	12	11	23	26	40	28 1	1 1 43	1 1 1 	1 31 1	32 1	1 65 1
179 180 181	Other acute accidental poisonings (gas excepted) Conflagration Burns (conflagration excepted)	8 13 23	6	4	2 13 10	2 1	2	2 4	1 3	2 1	1 2 1	1	1	3 2	1 2 1	<u>2</u> 2	1	<u>i</u>	 5-
182 183	Supplemental Mechanical suffocation Drowning Supplemental Traumatism:	3 7 30 6	10	1 3 3 1	1 4 17 5	5	9	1	3	I 1	4	1	5 1		1 1 4 2	2		1 2	
184 185	By firearms (wounds of war excepted)————————————————————————————————————	21	5 4	8	8				1			2	2 2	5	3	2	3	1	2.
/86a 186b 187	Supplemental By fall Supplemental By crushing, landslide Supplemental Cataclysm	28 28 23 6 29	19 8 4 15	3 3 2 4	2 6 12 10 2						1 2 1 2	1 3	1 3	1 1 1 2	1 1 2 7	1 4 2 2 5	1 5 2 2	2 2 2	16 2:
188 190 191 192 193	Injuries by animals Excessive cold Excessive heat Lightning Due to electric currents	2 4 2 2 2	2	1	2 2 1 2 1							1	1	1		1 1 1 1	1	1	1 1
194a 194b	Foreign bodiesOther accidentsSupplemental	2 47 121	1 11 73	1 12 15	24 33	1	3	1 2	3	1 3	1 8	3 13	10 11	11	5 12	2 15	4 11	4 12	15- 16-
	XVIII.—Ill-defined causes of death		33	12	46	21	3	1		1	1	1				5	5	14	39
199 200a 200b	Sudden death Cause of death ill-defined Cause of death not specified or un- known	63 21	30 2	2 7 3	26 16	1 8 12	2	1		1	1	1				4 1	· 1 3	10 10	2: 34 3
Punch symbol 201 202 203 204		17 2 2 1	2 1 2	5	10			1			1			2	5 1	6	1	2 1	
205 206 207 208 209 210	Other machinery accidents. Railroad and automobile collisions. Other railroad accidents. Street car and automobile collisions. Other street car accidents.	12 2 2	1 7 2 2 72	1 3 11	532				3	3	1 8	12	1 1 14	1 1 1	1 2 2 1	2 1 2 12	3	1 1 13	1 18 2
212 213 214	Automobile accidents (primary) Other land transportation accidents Water transportation accidents Air transportation accidents	6	2	3 1	9 5			1	i	1	2	4	1 1	1	2	2	3		2:

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	1	<u> </u>																
<u>.</u>			Cities	Cities of 2,500 to			1		ı	<u> </u>	DEAT	es by .	AGE	1	I	J 3		
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	10,000 and rural areas	Under 1 year		2 years	3 years	4 years	5 to 9 years	19 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					VE	RMC	NT				,							
	Total deaths (all causes)	4, 753	897	3, 856	381	40	20	19	12	70	38	53	79	163	226	410	724	2, 505
	I.—Infectious and parasitic diseases	410	86	324	29	14	8	3	6	25	12	10	14	33	46	60	53	97
1 6 7 8 9	Typhoid fever Smallpox Measles Scarlet fever	2 2 29 7	 4 3 1	2 2 25 4	7	6	3	<u>-</u> 1 1	1 1	9	1 1		1 1			1		1 1 1
10	Whooping cough Diphtheria Influenza, respiratory complications	14 6	1 2	13 4	9	1	1	1	<u>-</u> -	2 2 1	1	- -	1					
11a 11b	Influenza, respiratory complications specified	59	6	53	2	1	1			- -	2	1	3	2	2	7	11	27
13	specified	47 3	3 1	44 2	3 1	<u>-</u> -	1		1	1	1	1			4	2	2	31 1
15 17	Erysipelas Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis	10 2 1	4 1	6 2	3	<u>î</u> -								1	1		1	4 1
18 22	TetanusTuberculosis (all forms)	5 210	1 1 54	4 156		<u>2</u>	2		<u>2</u>	$\begin{bmatrix} 1\\2\\7 \end{bmatrix}$	1 5	7	1 6		1 38	 48	35	20.
23 24	Respiratory system Meninges and central nervous	181	48	133	î		ĩ			3	2	6	6	28 27	37	42	31	29· 25-
25 26 29	system Intestines and peritoneum Vertebral column Lymphatic system (bronchial, mesanteric, and retroperitoneal	12 5 2	3 2	9 3 2		2 			2	2 1	1 2	1 		1 	1 	2 1	1	1 <u>1</u>
		1		1													1	
31 32a	Other organs Acute disseminated tuberculosis Other disseminated tuberculosis	5	1	1 4 3			<u>î</u> -			<u>i</u> -						1 1	<u>1</u>	ļ
32b,c 34 35	Syphilis Gonococcus infection and other vene-	3 10	5	5	3											2	4	1 1 1
36	real diseases	1	1										1					
44	puerperal) Other infectious and parasitic diseases	1		1 1		<u>1</u> -								1				
	II.—Cancers and other tumors	528	110	418						1	2	1	2	8	37	70	132	274
(45)	Cancer and other malignant tumors Buccal cavity Pharynx	504 11	103 3	401 8						1	2	1	1	8 1	29	66	128 4	267 5.
(45) (45) (46) (46) (46) (46) (46)	Pharynx Esophagus	2 2		$\begin{bmatrix} 2\\1 \end{bmatrix}$												1		5. 2. 1 45. 33. 5.
(46) (46)	Esophagus	93 54 12	24 1 2	69 53 10											3 1 1	12 6	33 14 6	45. 33.
(46)	Other digestive tract and perito-	94	20	74						1	1				7	10	20	
47 48	Respiratory system Uterus Other female genital organs Breast	13 48	10 10	11 38							1		<u>ī</u> -	5	3 6	1 13	3 7	55. 5. 16. 3. 28. 30.
49 50	Other female genital organs Breast	48 11 57	3 16	8 41 32										1	6	12	4 10	3. 28
47 48 49 50 51 52 53 54a	Male genitourinary organs SkinOther or unspecified organs	42 20 45	10 3 8	32 17 37		 						<u>-</u>		<u>-</u>	2	1 1 5	11 3 13	30 ¹ 16 23
54a 54b	Nonmalignant tumors, ovary Nonmaligant tumors, uterus	1 1 10	1 5	5									1		6	3	1 3	
54d,e 55d,e	Nonmalignant tumors, other organs Tumors, other organs (nature unspeci-	5	i	4													3	2.
	fied)	8		8						-					2	1		5.
•	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other gen-																	
	eral diseases	124	34	90	4			1		2		5		4	5	14	43	46,
56 57 59 63	Acute rheumatic feverChronic rheumatism, osteoarthritis	5 11	1	5 10				1		1 ;-				2	1	1 9	2 38	2; 8.
59 63 66a	Diabetes mellitus	90 3 2	28 1	62 3 1	2					1		4 			1	1		35,
66b (66)	Simple goiter Exophthalmic goiter Other diseases of thyroid and para-	8	3	5								1		i	i	2	3	,
67	thyroid glands Diseases of thymus gland	1 2		1 2	2											1		
68 69	Diseases of adrenals (Addison's disease not specified as tuberculous)	1	1	i											1			<u>-</u>
OΆ	IV.—Diseases of the blood and blood- making organs	41	9	32						1		2	2	2	2	6	7	19,
70	Hemorrhagic conditions	1		1								1						
71a 71b	Pernicious anemia	23 4 6	4	19 4						1				1		3	6 	13 2:
72a 72b 73	True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen	6 5 2	3 2	3 3 2								1 	1 1	1	1 1	2	1	2: 2. 1 1
	V.—Chronic poisonings and intoxications	8	2	6										1		3	1	3
75 76	Alcoholism (acute or chronic) Chronic poisoning by other organic substances	7	2	5										1		3	1	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

,		1	1		11				<u></u>									
			Cities	Cities of 2,500							DEATH	S BY A	GE					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	1.4	15 to 19 years	20 to 24 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				v	ERMC	NT-	-Conti	nued				·						
	VI.—Diseases of the nervous system and of the organs of special sense	541	61	480	4	4		1	1	4	4	2	3	6	15	35	82	379
78 79a 79b 80	Encephalitis (nonepidemic)	3 7 1	2	3 5 1	1	2		1	ī			1		1		1	1	1 1
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord. Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	5 10 437 22 4	50 2	3 10 387 20 4									1 1	2 1	10	1 25 4	1 3 65 2	4 5 333 15 4
83 84 85 86 87	unspecified General paralysis of insane. Dementia praecox and other psychoses. Epilepsy Convulsions (under 5 years of age) Other diseases of nervous system	10 2 12 2 13	2 1	4 8 2 11 2	2					1	1	1	1	2	2	3	2 5 2	2 2 1 3
89a 89b	Diseases of ear Diseases of mastoid process	13 4 5	2	13 2 5	1	i				2 1	1 1 1				1 1 1	1	1	6 1 1
00	VII.—Diseases of the circulatory system	1, 284	196	1, 088	4					2	1	3	3	14	31	81	183	957
90 91a 91b	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45 years)	2 7 3	1	2 6 3						•	1	2		1	2	1	1	1
92a 92b	Endocarditis, specified as chronic, and other valvular diseases. Endocarditis, unspecified (45 years and over)	312 29	37	275 27	2					2			2	5	6	14 2	44 5	237 22 12
93a 93b 93c	Myocarditis, unspecified (under 45 years) Chronic myocarditis and myocardial	16 6	2	15 4					••••••						6 .	2	2	12
93d 94a 94b	degeneration Other diseases of myocardium Angina pectoris Diseases of coronary arteries	274 91 158 36	53 21 23 5	221 70 135 31										4	3 -2	10 9 16 4	34 12 37 6	219 70 101 24
95a 95b 96 97	Functional diseases of heart Other and unspecified diseases of heart. Aneurysm (except of heart) Arterosclerosis (coronary arteries excepted)	$\begin{array}{c} 3 \\ 182 \\ 4 \\ 144 \\ \end{array}$	35 1 12	147 3 132	1							1		1	4	1 14 1 3	1 29 3 7	131 131
98 99 100	Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.). Idiopathic anomalies of blood-pressure.	3 9	1 1	8 3	1								1	1	2	1	1	131 2 3 1
103	Other diseases of circulatory system VIII.—Diseases of the respiratory	1		1												1		
105	system Diseases of larynx	386	64	322	61	7	1	5		3	2	4	1	12	21	28	59	179
106a 106b 106c,d 107a 107b 108	Acute bronchitis. Chronic bronchitis. Bronchitis, unspecified Bronchopneumonia. Capillary bronchitis.	7 6 11 142 2 184	4 19	7 6 7 123 2 151	3 38 1 17	6	2	3		3		1 3		2	5	5	1 17 35	7 5 8 65 1 81
109 110 111a 111b	Lobar pneumonia Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis. Pulmonary congestion, edema, hemor-	6 7 1	3	5 4 1		1	í				1		1			1 2	1 2	2 1 1
112 114	rhagic infarct Asthma Other diseases of respiratory system (tuberculosis excepted)	7 6 4	3	6 1							1				1	2 2	1	5 3
115a	IX.—Diseases of the digestive system. Diseases of pharynx and tonsils	267	90	177	29	8	2	2	2	14	4	9	7	20	19	36	37	78
115b 117a 117b 117b	Diseases of buccal cavity and annexa. Ulcer of stomach Ulcer of duodenum Other diseases of stomach (cancer ex-	14 2 14 3	3 2	11 1	•			1						2	2	5 2	1 .	1 5
119 120 121	cepted) Diarrhea, enteritis (under 2 years of age) Diarrhea, enteritis (2 years and over) Appendicitis	12 26 10 59	5 2 22	10 21 8 37	2 -	5 .	i .	1	2	1 9	4	7	5	6	1 7	4 - 1 5	2 7	6 4 5
122a 122b 123 124 125a	Hernia Intestinal obstruction Other diseases of intestines Cirrhosas of liver Yellow atrophy of liver	17 27 6 27 1	2 22 6 7 3 7	11 20 3 20	1 2 1	1				2			1	2 1 1	2 1 -	2	2 2 1 10	4 5 12 14 2 13
125b 126 127 128	Other diseases of liver. Biliary calculi Other diseases of gall-bladder, biliary passages. Diseases of pancreas Peritonitis, cause not specified.	3 17 20 5 4	1 9 8 4 3	2 8 12 1										1 4 1	1 2 2	7	6 1 1 2	1 5 7

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Cities	Cities of 2,500							DEATI	IS BY A	\GE					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Under 1 year		2 years	3 years		5 to 9 years	14	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
•				v	ERMO	, DNT-	-Cont	nued										
	X.—Diseases of the genitourinary system	423	88	335	1	1				1	1		5	9	15	43	87	258
130 131 132	Acute nephritis (including unspecified under 10 years) Chronic nephritis. Nephritis, unspecified (10 years and over)	17 321 32	1 68	16 253 31	1	1				1	1		<u>3</u>	<u>4</u> 1	2 6	5 30 1	67 9	6 209 19
133 134 135 137 139a	Over). Other diseases of kidneys, ureters (puerperal diseases excepted). Calculi of urinary passages. Diseases of bladder (tumors excepted). Diseases of prostate. Cysts of ovary.	16 2 2 17 5	5 2 7	11 2 10 5									1	2	2	2 2 1	4 5	5 2 12 2
139b 139c	Other diseases of ovaries, diseases of tubes and parametrium	5 6	2 2	3 4										1	4	2	1	3
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	43	21	22								2	14	16	11			
140 141 142b	Abortion with septic conditions. Abortion without mention of septic conditions (includes hemorrhages). Ectopic gestation, septic conditions not mentioned.	2	1	2 1 1									1	1				
144a 144b 145a 146	Placenta praevia. Other puerperal hemorrhages. Puerperal septicemia and pyemia (abortion excluded). Puerperal albuminuria and eclampsia.	7 10	2 4 4	3 6								<u>-</u>	2 4	1 1 3 2	1 2 3			
147 148	Other toxemias of pregnancy———————————————————————————————————	3 8	1 3	1 2 5									1 1 3	1 1	1 . 4			
149	Other accidents of childbirth	8	3	5	2			1				1			1	<u>`</u>		3
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess Other diseases of skin and annexa, and of cellular tissue	1 4 3	2	1 2 2	1			i				1			1			1 2
	XIII.—Diseases of the bones and organs of locomotion	. 3		3						1							1	1
154 155	OsteomyelitisOther diseases of bones (tuberculosis excepted)	2		2 1					-	1							1	1
157a	XIV.—Congenital malformations	61	13	48	59 10	1							1					
157b 157c 157d	Congenital hydrocephalus Spina bifida and meningocele Congenital malformations of heart Other congenital malformations	13	3 2 6	11 22 7	14 23 12	1							1.					
158	XV.—Diseases of early infancy Congenital debility	179	46	133	179													
159 160 161	Premature birth	121 30 14	33 7 4	88 23 10	121 30 14													
162	XVI.—SenilityXVII.—Violent and accidental	. 80	5	75													- -	80
	deaths	349	68	281 63	6	4	6	6	3	16	12	14	27	38 7	10	33	36 12	121
163 164 165 166 167 168	By solid or liquid poisons or by absorption of corrosive substances. By poisonous gas. By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. Homicide.	6 4 10 7 40 5 4	1 1 	5 3 10 7 34 4 4					1		1	1	1 6	1 1 5	1 1 1 5 1	1 2 8	1 1 2 2 2 6	2 3 4 8 4 1
173 175 177 178 179	By firearms By other means Accidental, other, or undefined Poisoning by food Absorption of poisonous gas Other acute accidental poisonings (gas excepted)	3 1 273 3 2	59 1	1 214 2 2 2	6 2	4	6	6	2	16	11	13 1	20	29 	13	22	24 1 1	1 99 1 3
180 181 182 183	Conflagration Burns (conflagration excepted) Mechanical suffocation Drowning Supplemental	14 1 34 3	1 2 6	12 1 28 3	1 1	1 2	1	3	ī	<u>3</u> <u>5</u>	1 2	3	1 5 2	8 1	1	2	1 3	1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			1	1	11		-			,								
			Cities		II			1			DEAT	HS BY	AGE					
List no.	CAUSE OF DEATH	All deaths	of 10,000 or over	to 10,000 and rural areas	Unde 1 year		2 years	3 years	4 years	5 to 9 years	11	19	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
				7	ÆRM	ONT-	-Cont	inued					·			•		•
	XVII.—Violent and accidental deaths—Continued					Ī						1						
	Accidental, other, or undefined—Con.																	
184	Traumatism: By firearms (wounds of war excepted)	17	4	13							١.			_ ا		,		
185	By cutting or piercing instru- ments (wounds of war ex- cepted)	1,	4	1			-				1	4	2	5	3	1		. 1
186a	By fall Supplemental	87 6	3	64 3									1	1		7	6 3	70
186b 188	By crushing, landslide Supplemental Injuries by animals	. 8	1	7		-					<u>i</u>		i	2				2
193 194a	Due to electric currents Foreign bodies	. 1		1 1 3	1		1				ii		-			1		
194b	Other accidentsSupplemental	9 73	15	6 58	i		i	3	1.		5	5	3	2 9	8	2 4	8	1 18
198	Legal executionsXVIII.—Ill-defined causes of death	1 18	11	1 17		-	-\ 					-			-	1		
199	Sudden death	4		17	3	1										_ 1	3	10
200a 200b	Cause of death ill-defined Cause of death not specified or un- known	11 3	1	10	1 2	1									-	1	1 1	3 7
Punch	SUPPLEMENTAL 1																	
symbol 203 205	Elevator accidentsOther machinery accidents	3 7 3	3 3	4			-					.		3			. 2	1 1
206 207	Railroad and automobile collisions Other railroad accidents	3 6		3 6										2			1	1 2 3
210 212 213	Automobile accidents (primary) Other land transportation accidents Water transportation accidents	63 6 2	13	50 6 2			1	3	1	1 5 1	5 1	1	6	7		2	9	13
		<u> </u>	IN CITI	Ps_	<u> </u>	<u> </u>	<u> </u>	<u> </u>	1		, DE	L MINO. I	Y AGE]	
List	CAUSE OF DEATH	All			In						JE I	AIES E	I AGE	- 1			1	1
no.	onogh of bunin	deaths	or		reas c	Un- ler 1 year	1 year y	2 ears y	ears y	4 ears y	2076	14	19	24	to 35 34 4 ars yea	to 45 to 54 to 54 to year	64	years and over
			·			IRGI	NIA	!.			<u>.</u> _			 ,-				<u> </u>
	Total deaths (all causes) \{ White	18, 270 10, 628	5, 314 3, 636	1, 780 11 633 6	1, 176 2 3, 359 1	, 222 , 448	364 202	177 90	101 57	82 42	263 142	226 184	389 419		007 1, 2 987 1, 1			7, 387 1, 946
	I.—Infectious and para-{White sitic diseases(Colored	2, 477 2, 102	461 622	248 1 120 1	, 768 , 360	317 241	151 74	70 33	46 22	33 17	84 56	45 69			248 2	37 239 35 239	254	537 122
1	Typhoid fever $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	85 46	14 14	12 7	59 25				1	4	4 5	8	15 7	15 9	11 8	10 11		1
2	Paratyphoid fever	3 1	1	1	1 -								i			ĭ	i	
3 5	Typhus fever W Undulant fever { W	3 1			3 -	-					1				1	1	1	
7	Measles W - C - C	18 18 8	2 2	3	1 13 6	3	10	i			1 -		₁			1		1
8	Scarlet fever	29	9 1	2	18	1	4	3	4	2	1 2 8 2 	2	2	2	i	ī-	-	
9	Whooping cough $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right.$	198 142	24 28	14 4	160 110	117 93	47 27	17 12	6	3	5 4	3	2				-	
10	Diphtheria	118 29	21 6	14	83 23	14	47 27 18 2	21 4	18	12 3	29 5	1	1	1	3	1		
11a 11b	Influenza, respiratory complica-\\ \text{U}\\ tions specified	455 245 192	94 77 31	62 22 12	299 146	56 24 29	21 13	6	2 2	2	6 7	3	15 17	12 8 2	23 3	26 49 34 37	52 7 40	174 31
1	tions not specified	114 131	17 21	10 10	149 87 100	29 14 35	7 2 27	3	2 2 5	1 1 2	4 2 5	7 1 3	7 7	$\begin{bmatrix} 2\\4\\1 \end{bmatrix}$	9 2	$ \begin{array}{c cccc} 9 & 11 \\ 1 & 18 \\ 4 & 3 \\ \end{array} $	3 14	31 83 28 28 7 7
13 15	Prysingles W	54 36	12 5	1 8	41	17 14	10 2	5	2	í	1		 ₁ -		3	4 3 1 3 4 3	6 3 4 3	28 7
16	Acute poliomyelitis, acute polio-W	5 16	1 2	1	23 3 13	_i	3	3			4	2	1			2		i
17	encephalitis C. Lethargic or epidemic encepha-W. litis C.	2 11 5		5 3	2 6 1					 	2				3	2	3	<u>i</u>
¹ See	explanatory footnote 2, p. 169.	ا د	11	9	⊤ II-			1		1	1		!	1	1			

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

		i	II																
Tiat			IN CI	TIES—	In]	DEATH	S BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to · 19 years	24	25 to 34 years	44	54	55 to 64 years	65 years and over
					VIRO	FINIA	.—Cor	tinued	l				÷.	,	•				
	I.—Infectious and parasitic diseases—Continued									[
18	Epidemic cerebrospinal menin-(W	24	3	6	15	4	3	2	ı	1	2	2	3	2	4				
22	gitis	13 6 12	3 2 2 7	1 1 1	10 3 4	<u>3</u>	1		1 1	1	2 4 3	1	1	1	1	1		1	
	Tuberculosis (all forms) $-$	1,035 1,136	200 336	76 49 66	759 751	22 17	8 13	3 5	4 6	<u>1</u>	10 18	5 12 48	32 157	91	178 266	154 179	142 124	143 65	234
23 24	Respiratory system\\ \begin{aligned} \W \\ \C \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	931 1,025 38	172 292 10 15	43	693 690	8 6	2 3	5	3 4	2	15	12 48 5 40	28 141	189 83 173	164 253	144 164	137 119	129 60	· · · 39 · · 223 38
25	systemC	32 25	15 6	5 1 1	23 16 18	12 7	4 5 1	3 	1		2 1	5 2 1	1 6	3 1	2	3 2 7	I I	2 1 8	
26	Vertebral column $C_{}$	41 9	14 4	2 1	25 4	1	1		1	3 1		4	7	8	3 2	3	4 2	2	
27a	Bones (vertebral column ex-W cepted)C	5 2 3	2 <u>-</u> 1	i	3 2 1	1	1				1	1			1	1		1	
27b 28	Joints{C Skin and subcutaneous cellu-	7 9	1 2		6 7	1				<u>i</u>			1	1 1 3	1 1 1	1. 1 1	1	1	<u>.</u> 2 1
29	lar tissueW Lymphatic system (bronchial,	1			1											:		1	
	mesenteric, and retroperi- toneal glands excepted)C	2	1		1							1			1				
30 31	Genitourinary system $\left\{egin{array}{l} W_{} \\ C_{} \\ W_{} \end{array}\right\}$	12 1 4	2 1 1	2 1	8 2	ī							2		4	4		1	1
32a	Acute disseminated tubercu-{W_losis_Other disseminated tubercu-	6 17	4 8	2	27	1 1	1 3			1	1	1	$\frac{1}{2}$	1	1 1 4	 2	1	<u>2</u>	<u>-</u>
32b,c	10S1S	1 77	22	14	1 41						,				1				
34 35	Gonococcus infection, other vene-\W	238 7	99	16	123	14 57 1	4	1		-	2	1	3 2	 8 1	10 41 2	18 47 2	15 45 1	11 17	5 13
36	real diseases C. Purulent infection, septicemia W. (nonpuerperal) C.	24 12	15 3 2	3	6 6	2						1	3 1	4	6 2	8 2	<u>-</u> -	1 3	2
38 39	Malaria C Other diseases due to protozoal	8	2	1	. 3	. 1					<u>-</u>	2	$\frac{1}{2}$	i	. 1		3		
40 41a	parasites W Ankylostomiasis W W Hydatid cysts of liver W Other diseases caused by hel-	4	1		3 1	1								<u>-</u> -		1			2
42	Other diseases caused by hel- minths	1	1	1	3		1		2	 1			1						
43 44	Mycoses	3 7 7			3 7	2 5							1	<u>-</u>				1	
- T	diseases(C	4	2		5 4	1				1	2		<u>1</u>			1		1	1
	II.—Cancers and other {White tumors{Colored	1, 473 450	521 164	128 32	824 254	3	1	4	2	<u>i</u> -	6	6 2	7 4	9 7	51 32	10 4 89	269 134	325 101	686 78
	Cancer and other malignant tu- {W morsC	1, 412 404	494 143	120 29	798 232	3	1	3	2		4	5 1	6 2	7 3	43 21	97 79	250 121	314 97	678 78
(45)	Buccal cavity W_{-}	, 50 8 10	14 1 4	7	29 7 6											3	6 5	8 2	78 33 1
(45) (46)	W	2 15	8	1	1 7											1	1 2	3	6 1 10
(46)	Stomach and duodenum $\begin{array}{c} C_{} \\ W_{} \\ C_{} \end{array}$	272 68	4 1	22	4 174									<u>1</u>	2	1 14 10 11	5 39	2	
(46)	Liver and biliary passages $\left\{ \begin{matrix} W_{} \\ C_{} \end{matrix} \right\}$	146 29 43	76 28 41 7 24	3 10	37 95 22 18	2						1		<u>ī</u> -	3	10 11 3	2 5 39 15 22 9	59 23 34 9	17 75
(46) (46)	Pancreas	6	24 2 67	1	18 3 82											4	7 3 27	10	157 17 75 7 22 1 88 4
47	toneum	172 25 41	8 1		82 17 19				1 		2 1		 i	1 1	7	10 4 2	27 9	37 6	88 4
48	Titerus \\ \V	9 171	22 5 62	2 20	2 89										13	· 22 39	9 12 3 49 29 6	15 4 39	9 48 17
49	Other female genital organs. $\left\{ \begin{array}{c} C_{} \\ W_{} \end{array} \right\}$	115 28 5	62 45 17	8	62 11									1	7	2	29 6	21 11	17 9
50	Breast	146 49	55 12	15 6	76 31									<u>i</u>	5 4	1 14 8	37 17	2 43 13	47
51	Male genitourinary organs $\left\{ \begin{array}{l} W_{} \\ C_{} \\ W \end{array} \right\}$	106 31	3 55 12 35 9 13	10 3 3 2	61 19 40	1		2						2	3	2	2 37 17 12 8 2	13 14 10	6 72 10 43 2
52 53	Skin{C Other or unspecified organs{C	56 8 156	13 3 56	3 2 9	3			i	 1		i		 5	2		4 1 11	3	$\begin{bmatrix} 7 \\ 2 \end{bmatrix}$	43 2
54a	Nonmalignant tumors overy	41 1	56 16 1	š	91 22		1					1	2		13 4	7	28 13	31	59 12
54b	Nonmalignant tumors, uterus	1 15 21	1 11 11	· 3 2	1 8										1 3 7	3	<u>7</u>	1	ii
54d,e	Nonmalignant tumors, other or- W	9 7	4 4	2	3 3		1	1					1	· 1	$\begin{bmatrix} 7\\1\\2 \end{bmatrix}$	$\begin{bmatrix} 4 \\ 2 \\ 2 \end{bmatrix}$	7 7 1	2	3
55a 55b	Tumors, ovary (nature unspecified) W- Tumors, uterus (nature unspeci-	1	1														1		
55đ,e	Tumors, other organs (nature un- (W-	1 34	10		1 21												1		
1	specified)(C	17	5	3	11					i-	2	1	1 1	2 2	4	1	9 6	10	4

MORTALITY STATISTICS

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies-)	DEATH	BY AC	Œ					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					VIRG	INIA	.—Con	tinue	ì										
	III.—Rheumatic diseases, nutritional dis- eases, diseases of the endocrine glands, and other general diseases	523 242	166 92	57 16	300 134	26 10	6	2 3	2	1	5 4	9	8 4	9 7	23 14	43 38	73 57	121 55	195 44
56 57	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	30 30 33 12 292	6 8 4 2 110	2 2 5 2 28	22 20 24 8 154	2	1		1	1	3 3	6	3 1 1 3	1 1 7 3	4 4 10	1 4 2 16	4 8 5 32	2 4 8 6 81	9 5 17 6 132
59 60 62	Diabetes mellitus	122 2 1 81 47	56 1 15 11	7 1 11 5	59 1 1 55 31	1 1 				1	1	2	1 2	3 1 1 3	5 4 4	17 1 	37 19 8	36 18 7	18 1 25 11
63 64 65 66a	Rickets W.C Osteomalacia W.Diseases of pituitary body W.Simple goiter W.	8 11 2 1 3	1 3 2 1 1	1	6 8 	6 7	1	3	1							1	2	1 1	1
66b (66) 67	Exophthalmic goiter C. Other diseases of thyroid and parathyroid glands C. Diseases of thymus gland C.	39 15 3 1 16 1	13 9 1 1 5	3	20 6 2	1 1 14 14	1 1	1							3 1	7 7	10 4	10 2	9 1 1
68 69	Diseases of adrenals (Addison's disease not specified as tuberculous)Other general diseases	3 2 10	1 1 5	1	2 1 4	2	2	1				1	1		2	1	1		2 1
	IV.—Diseases of the blood and blood-making organs	119 38	43 18	7 3	69 17	8 4	1	3	1		6	4 2	2 1	4 6	10 7	13 7	14 2	23 4	30 2
70 71a 71b 72a 72b	Hemorrhagic conditions C. Pernicious anemia W. Other anemias W. True leukemias W. Pseudoleukemias (Hodgkin's disease) C. Diseases of spleen C.	12 6 30 15 9 7 40 6 18 2 8	2 4 10 4 3 4 20 3 3 1 3 2	1 2 1 3 1	10 1 18 11 4 2 17 2 15 1 5	7 2 1	1 1	2	I		1 2 2 1	1 1 2	1 1	4	4 1 3	1 1 4 7 2 3	1 8 2	3 6 1 3	13 13 1 8 1 3
74	Other diseases of blood and blood- making organs	2 47 15	2 23 4	4 2	20						1	-	. 1	1	9 4	1 12 4	13	10 2	 1 1
75 76 77a 77b,c	Alcoholism (acute or chronic) \ \begin{aligned} al	13 2 1 1 1	21 4 1	1	19 8 1						1		1	1	9 4	12 4	13 2	8 2 1	1 1
	VI.—Diseases of the nerv- ous system and of the organs of special sense	1, 893 1, 229	497 430	185 69	1, 211 730	38 38	14 6	10 2	2 2	4	10 8	20 9	18 15	15 15	49 45	83 123	174 268	359 344	1, 095 351
78 79a 79b 80	Encephalitis (nonepidemic) C W	25 12 22 15 9 3	11 7 7 6	2	12 5 13 9 9	2 1 9 5 2	3 1 2	1 4	1	1 1	2 3 1 1	3 1 1 1 1	2 2 2 1	1 2	1 2	1 1	2 1 2 1 3	2 2	4
81 82a 82b	(tabes dorsalis) C Other diseases of spinal cord W C C Cerebral hemorrhage C Cerebral embolism and thrombosis W Softening of brain W	18 14	1 14 8 372 360 23 7 4	2 4 1 143 56 2 2	2 33 12 906 548 29 9	1		1	1			1	3 2	1 5 5	1 2 2 14 18 2 5	3 3 45 92 3 1	7 5 122 230 9 1	2 11 4 302 301 11 5	2 24 4 930 312 28 6
82d 83 84	Hemiplegia and other paralysis, W. cause unspecified	3 70 46 46 34 7 13	12 4 1 1 2 5	6 1 9 1	1 60 36 25 29 6 11 44	12		1		2	1	1	1 4	1 5	3 1 4 6	1 15 10 1 5 13	7 9 12 3 4 4	1	13 2 52 20 9 1 2
85 86 87	$ \begin{array}{c} \text{Epilepsy.} & \begin{array}{c} C \\ C \\ \end{array} \\ \text{Convulsions (under 5 years of age)} \\ \begin{array}{c} W \\ C \\ \end{array} \\ \text{Other diseases of nervous system.} \\ \end{array} \\ \begin{array}{c} W \\ C \\ \end{array} \\ \end{array} $	55 32 16 28 47 20	4 4 7 8 9	1	27 11 20 34 9	1 14 23 3	1 1 4	1 1	1	1	i		3	1		5	3	3	22

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

=			IN CIT	TEC.	 	<u> </u>	_					DE 1 W.	S BY A	GE.					3
List		All	IN CIT	IES—	In .		·- - 1	i	1			DEATH	SRYA	GE	1	1		1 .	
no.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					VIRO	ZINIA	.—Con	tinued		_					·-				
_	VI.—Diseases of the nervous sys- tem and of the organs of special sense—Continued																		
88	Diseases of organs of vision C	1 25	13	3	1 9	3	2	<u>i</u>			3	<u>-</u>	3	<u>i</u>	1 3			2	<u>î</u>
89a 89b	Diseases of ear	8 24	3 15	2	5 7	3 5 3	<u>i</u> -				1 2	5	3 2 1 1	1	4	1 1	3	1	3
552	VII.—Diseases of the cir-{White culatory system _ {Colored	3, 534 1, 773	1, 143 623	312 97	2,079 1,053	3 6	6	4 1	1 2 1	1 3	14 5	17 10	17 15	24 32	56 100	127 211	326 387	671 422	2, 264 578
90	Pericarditis $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	6 3	2 2	1	3										1	2	1	2	2
91a	Acute endocarditis $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	24 25 7	10 12	1 2	13 11	1		1			1	5 1	3	1 5	1 4 4 1	1 6	1 3	1 3	4 1
91b	Endocarditis, unspecified (under W	16	11	2	4 5	1	1				1	<u>-</u>	1	1	3	9			
92a 92b	Endocarditis, specified as chronic, W and other valvular diseases C Endocarditis, unspecified (45 years W and over)	857 473 67 47	195 140 13 22 7	57 36 4 1	605 297 50 24		3 	1	1 	1 1	9 1	6 2	10 5	13 10	18 25	33 49	67 100 4 14	147 121 18 19	547 157 45 14
93a	Acute myocarditis	47 19 24	7 11	3	8 10			1					1		1 2	3 4	3 6	4 6	7 5
93b	Myocarditis, unspecified (under W	10 27	12 12	<u>ī</u> -	6 14				 -		<u>ī</u> -	1 1		1	4 7	5 17			
93c	Chronic myocarditis and myo-{W cardial degeneration	708 192	254 64	73 8	381 120						1		i	3	5	18 26 3	56 35 33	121 49 52	505 72 252 84 177
93d	Other diseases of myocardium\	340 193 365	120 73 132	23 11 42	197 109 191										1 3	3 20	61 46	119	252 84
94a	Angina pectoris	75 209	30 109	เ ค	39 77									1 2	10	13 12	20 29	15	16 105
94b	Diseases of coronary arteries	48 20	29	23 2 1	17									2	4	8 1	14 2	58 13 2	6 15 1
95a 95b	Functional diseases of heart{C	651	197	İ	398	2		<u>-</u> -			2 2	3	5	6	15 31	19 65	74	113	411
96	heart C Aneurysm (except of heart)	480 18	154 13	56 20 2 3 19	306	3			1	2	2	3 	1	4		3	105 2 9	109 5 7	151 7
97	Arteriosclerosis (coronary arteries) W.	28 192	16 66 37	19	107									1	. 4	6	5 19	23 30	1 163
98	excepted) C	101 14 19	2 3	1 2	63 10 15													2 2	163 50 12 17
99	Other diseases of the arteries	12	5 2	1	6							2				2	1	3	6
100	Diseases of veins (varices, hemor-\W rhoids, phlebitis, etc.)(C	5 3	3 3		2											2		1	2
101	Diseases of lymphatic system W(lymphangitis, etc.)(C	. 6	1	2	3		2		1			2	1	3			1 2		
102	Idiopathic anomalies of blood-{W	5 2 1	1 1	1	3 1 1										- - -	1		1	3 <u>i</u>
103	Other diseases of circulatory sys-{W	7			7	2								ī	1			2	i
	VIII.—Diseases of the re-{White spiratorysystem_{Colored	1,309 987	335 412	115 55	859 520	227 236	49 53	28 26	13 14	12 7	├	20 19	34 29	32 50	77	84 86	97 136	132 122	505 110
104a	Diseases of nasal fossae	8 25 7	2	2	21	3 19	1 2				1 2			i	1	1			2 1
104b	Diseases of nasal fossae and W. annexae. C.	5 15	3	1 1 1	1 1 11	5	1		2	3		١٠i				I .	3	$\frac{1}{2}$	4
105	Diseases of laryinx	9	ll i		8 12 8	4	i	2	ĩ	1						1			9
1068	Actio bronchius	15 12 21	4 6		8 15	7	3	1	1							1	<u>ī</u>	1	l
106b 106c,d	Chrome bronemas	10	2	1 1	15 3 8	2				<u>1</u>				. 1 - -	. 1			1 1	16 3 4
107a	Bronchopneumonia	.(8	150 156	45	290 143	132	25 30	15	8 9	6	7	4	4	1 4 3	15	1 15	22	43	185
107b	Capillary bronchitis{Capillary bronchitis	. 3	156	16	143	145	30	11 	9	3	8	3	3	<u>i</u>		17	23	21	185 27 1
108	Lobar pneumonia	576	197		390 223	50 22	13 11	9	3	1 2	10	13 . 13	26 22	1 20	28	54 47	57 90	64	227 56
109	Pneumonia, unspecified $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	74 73	6 2	3 5	65 66	50 22 24 34	3 5	1 5		<u>-</u>		2	22 3 2	39 3 1	1 5	1 3	3 2	84 7 6	24 7
110	Pleurisy{C	25 19	2 8 8 7 5	55 26 3 5 2 1	66 15 10 17	3	1				<u>i</u>		1 1	1 2 2	4 2	1 3 5 1 2 1 2 8 .1	6	3	227 56 24 7 5 2 15 3 7 10 6
111b	Pulmonary congestion, edema, W. hemorrhagic infarct	- 26	5	1	. 2	4				1	-			;	1	1 1	2 6	9	3 3
112	Asthma	. 39	10 15 4	3 1 2 1	15 23 10	<u>i</u>					- -	2	1	1 1	3 3 2 1	8	8 3	5 1	10
114	Other diseases of respiratory sys-{W_tem (tuberculosis excepted){C}}	1	4		5		2 1				1			·	i	į.			l
	IX.—Diseases of the diges-{White tive system{Colored		279	165 48	587 338	216 153	93 34	26 15	12 10	10	1	32 17	28 16	29 21	79 63 7	99 67 2	114 104	1	241 57
115a 115b	Diseases of pharynx, tonsils \{ \bigcup_{\text{C}}^{\text{W}} \} \{	66 30 10	20 15 2	9 2 2 3	37 13	1	1	2 1	4 2	4	1 2	3 2	3 2	2 1	3 1	11	12	5 1 3	9 1 1
	annexa\C.	. 9	3	3	6 3 1	1				<u>i</u>					i	1	2	4	
116	Diseases of esophagus $\{C_{-}\}$	i			i						.	I		ĺ					

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CITI	ES-	-		· · · · · ·				D	EATHS	BY AGE	<u> </u>					
List no.	CAUSE OF DEATH	All deaths	10,000 or over		In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
					VIRO	NLA	Cor	tinue	ì										
	IX.—Diseases of the digestive system—Continued																		
117a 117b	Ulcer of stomach \{\begin{align*}W - \\ C \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	53 46 22	22 25 11	8 3 3	23 18 8	i					-	1	1	1 2	4 5 3 2	5 9 6	8 10 2 4	20 14 4	15 4 6 1
118 119	Other diseases of stomach (can-{W	7 45 57 271	6 6 11 32	4 3 31	1 35 43 208	7 14 186	2 2 85	2	1		1 2	1	ī	2 	2 7	3	7 10	8 8	13 7
120	of age) C Diarrhea, enteritis (2 years and W over) C Appendicitis C C	156 91 72 227	32 43 26 33 115	4 7 3 48	109 58 36 64	130 1	26 3	18 11 1	3 5 4	3 2	20	3	15	14	1 6 33 19	8 35 9	9 12 27 15	8 12 28 11	38 13 23 1
121 122a	Hernia W.	84 42 33 82	39 24 17 37	14 6 4 11	31 12 12 34	1 15	2 1 3	i	1	1	3 1	11	9 1 3	2	2 3 11	9 4 9	5 3 9	7 10 5	19 9 23
122b 123	Other diseases of intestines $\begin{bmatrix} C_{-} \\ W_{-} \end{bmatrix}$	15 13 86	28 5 2 31	5 3 2 8 3	14 7 9 47	6	3	1			i	3	ī	<u>1</u> 1	6 2 1	1 10	12 3 6 17	6 2 2 25	6 2 30
124 125a	Cirrhosis of liver	20	26 2 1 9	$\frac{3}{1}$	26 2 9	1					2		1	1	3 2 1	6 1 4	16 3	18 2 2 3	12 1 7
125b 126 127	Biliary calculi	15 41 6 58 14	7 25 5 31 8	6 1 9 1	18 5								1	1	1 1 3 3	1 5 2 7 1	3 4 1 6 4	14 1 11 5	30 1
128 129	biliary passages C Diseases of pancreas C Peritonitis, cause not specified C	11 1 14	1 6 9	4 3	3 5 9	1		2			1	2	1	1 1 2	2 2	3 1 6	1 1 5	1 1 1	2 2 1
	X.—Diseases of the genito-{White urinary system{Colored	1,881	623 381	182 60	1, 076 609	5 6	3 2	1	1	3	- 4 - 5	13 7	12 10	20 17	48 46	90 110	178 231	321 282	1, 183 328
130 131	Acute nephritis (including unspec-{W_ified under 10 years){C}}	1,470	9 33 481 256	6 3 140 39	42 47 849 433	4 4	2 2	1	1	3	2 3 2 2	5 3 . 5	3 1 6 4	1 6 9 6	8 8 23 20	5 17 55 70	9 15 142 159	3 10 257 219	11 12 971 242
132 133	Nephritis, unspecified (10 years W and over) COther diseases of kidneys, ureters W (puerperal diseases excepted) (Cother diseases excepted)	162 107	38 37 26 15	14 8 7	110 62 18 23	1	1					1 1 2	î	2 1 2	6 7 2 2	8 8 11 4 5	12 29 4 9	36 25 10 12	96 36 19 9
134 135	Calculi of urinary passages $\left\{ egin{array}{ll} W^{-} & W^{-} \\ C & \end{array} \right\}$ Diseases of bladder (tumors ex- $\left\{ W^{-} & C \right\}$	10 8	5 4 2 2	3 1	7 2 7 6								1	1	2 1	5	$\begin{array}{ c c }\hline & 4\\ 2\\ 1\\ 2\\ 1\\ \end{array}$	1 1 2 2	3 2 6 3
136 137	Diseases of urethra, urinary ab-{W_scess, etc	12 83 40	1 8 42 12	3 10 4	2 1 31 24	1									3	3 1 1	3 1 6	3 8 10	73 23
138 139a	Diseases of male genital organs, not specified as venereal	3 5 3	3 4 1		1 2	1							2		2 1 3	1 1 3	2	<u>2</u> -	1 1
139b 139c	Other diseases of ovaries, diseases W- of tubes and parametrium	12 9	10 5 4 3	1 1 1	5 6 4 1								3	1 2 1 2	2 2 1	3 <u>1</u>	3	1	2
139d 139e	Nonpuerperal diseases of breast (cancer excepted). C. Other diseases of female genital (W. organs.		1 1 1	1	2										1	1 1 1	1		
	XI.—Diseases of pregnan- cy, childbirth, and the puerperal state Colored	- 211 - 175	59 69	28 15	124 91							2		39 38	89 66	58 33	1 3		
140 141	Abortion with septic conditions{W-C-V-C-V-C-V-C-V-C-V-C-V-C-V-C-V-C-V-C-	29 18 12	13 8 5	6 2 1	10 8 6		-			.	- -		$\begin{bmatrix} 1\\3\\2\\2 \end{bmatrix}$	5 3 2	16 10 5 1	3			
142b 143	orrhages) Ectopic gestation, septic condi-W- tions not mentioned	_ 5	5 3	1 1	1				.				-	1	3 1	3			
144a	(hemorrhage not included) C	- 7	1 4	1	1 5 3 8								1	1		3 3 2			
144b 145a 146	Other puerperal hemorrhages	- 12 42 40 53	3 8 18 12	4 4 5	9 30 18 36								. 10	9 12 16	. 6 21 14 13 20	3	1 1		
147 148	eclampsia\C Other toxemias of pregnancy\C	- 64 10 2	21 3 2 2	6 2	37 5	-						i	- 2	_ 1	1 6	3 4			
149	(not specified as septic) C. Other accidents of childbirth W	5 - 30 17	2	1 5 1	15 11					<u>-</u>		1	4	5	11	10 2	1		
150	Other and unspecified conditions W of puerperal state	1 1			1 1	II	-]	- -	_	-		1	i		_		1	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

550		· I				i i	•												
List		All	IN CIT	TES	In						Ι	EATHS	BY A	GE .					
no.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to · 54 years	55 to 64 years	65 years and over
					VIRO	INLA	.—Con	tinued	l .		•								
	XII.—Diseases of the skin/White and cellular tissue_\Colored	38 15	15 9	7	16 6	11 3	1				2	4 2	5	2	3 1	4	5	1 2	5 1
151	Furuncle, carbuncleW	9 12	6 6	2 2	1 4		<u>1</u>					1 2	3 2	1	2	1 2		1	
152 153	Other diseases of skin and annexa, W and of cellular tissue	11 17 4	7 3 2	3	11 2	2 2 9 1	i 				2	2 1 		. 1	· î	1	1	1	1 3 1
	XIII.—Diseases of the bones and organs of locomotion	30 10	13 3	9	8 7	2 1	1		2	1	8	4 1	1 1	2	2	3 1	2 3	2	2 1
154 155	Osteomyelitis $$	18 8 4	11 2	3 3	4 6 1	1	<u>1</u>		1	<u>-</u>	7	4 1	1	<u>-</u>	2	1	2 1		1
156	losis excepted) CDiseases of joints, other organs of WLOCOMOTION CD	4 1 8 1	1 2	3	3 1	1			1		1					2 1	1	2	
	XIV.—Congenital malfor-{White mations(Colored	205 53	55 16	23 2	127 35	189 45	4 3	2 1	2	1 2	3	1	3 1						
157a	Congenital hydrocephalus	30 9 23	13 5 5	3	14 4 14	24 4 22	$\begin{array}{c c} 1\\2\\1\end{array}$	2 1	1		2	<u>i</u> -	1						
157b 157e	Congenital malformations of W	23 3 97	$\frac{1}{22}$	4 1 9	1 66	22 3 89			<u>1</u>	1	1	1	3						
157d	$\begin{array}{c} \text{heart}_{} \\ \text{Other congenital malformations}_{-} \\ \begin{array}{c} \text{C}_{} \\ \text{C}_{} \end{array}$	97 21 55 20	6 15 4	7	14 33 16	20 54 18	1 1			1 1									
-	XV.—Diseases of early in-{White fancy(Colored	995 522	286 158	80 33	629 331	995 522													
158	Congenital debility $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	127 109	9 13	10 5	108 91	127 109													
159	Premature birth	625 316 171	13 183 110	54 21	388 185 82	625 316 171													
160 161	Injury at birth	41 72 56	78 15 16 20	5 54 21 11 3 5	23 51 32	41 72 56													
162	XVI.—Senility{White Colored	228 170	51 17	15 5	162 148													3 6	225 162
	XVII.—Violent and acci-{White dental deaths{Colored	1,762 819	593 302	194 66	975 451	25 28	25 16	25 4	13 k 6	15 7	59 32	48 34	136 85	215 115	275 159	241 127	198 86	168 50	317 65
	Suicide \dots $\{ egin{array}{ll} W_{} \\ C_{} \end{array} \}$	330 27	138 12	33 1	159 14				:				14 3	32 4	65 5	67 6	60 3	55 5	37 1
163	By solid or liquid poisons or W by absorption of corrosive C	43 5	28 5	6	9								1 1	10 2	7	11 1	8	4	2
164	By poisonous gas	46 1 22	41 1 3	3	5 16								1	3 <u>2</u>	<u>-</u> 3	12 1 2	12	6 5	4
165 166	By hanging or strangulation - \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	22 2 8	l i	 i	1 -6								i			1	5 1	3	4 <u>4</u>
167	Bu fromms	190 190	57	21	3 112								11	17	1 44	38	7	2 30	<u>2</u> 1
168	By cutting or piercing instru-\ W ments\ C	11 13 3	3	2 1	8 8 2								1	2	1 2 2	1 1	29 2 5	3 4	1 2
169	By jumping from high places $\left\{egin{matrix} W_{} \ C_{} \end{matrix} ight.$	4 1	3		ī 											$\frac{\hat{2}}{1}$		2	
170 171	By crushing	2 2	2		2										1	1 1		<u>1</u>	
	Homicide.	217 99	27 108 17	18 11 14	91 98 68 69	1					2 1	2 3 2	6 20 5	17 50 11	71 20	30 47	27 15 21	17 6 11	7 1 6
173 174	By cutting or piercing instru-\W	137 10	60	8	69 7							í	15 1	36	28 71 20 43 1 24	23 28 3 13	8	4 2	
175	ments\C By other means\C	136 217 99 137 10 61 27	37 8	14 8 1 2 3 1	7 22 16						1 2	2	5	36 2 13 4	7	4	8 1 2 5 5	1 4	<u>-</u>
	Accidental, other, or undefined. $\{C_{-}, C_{-}\}$	1, 296 575	11 428 182	143 54	7 725 339	25 27	25 16	25 4	13 6	15 7	57 31	46 31	116 62	1 166 61	182 83	6 144 74	111 68	96 39	273. 63.
176	Attack by venomous animals. $\{ \overset{\mathbf{W}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}{\overset{C}}}{\overset{C}}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}}{\overset{\mathbf{C}}{\overset{C}}}{\overset{C}}}{\overset{C}}{\overset{C}}{\overset{C}}{\overset{C}}{\overset{C}}{\overset{C}}}{\overset{C}}{\overset{C}}{\overset{C}}}{\overset{C}}{\overset{C}}{\overset{C}}{\overset{C}}}{\overset{C}}}{\overset{C}}{\overset{C}}}{\overset{C}}{\overset{C}}{\overset{C}}}{\overset{C}}{\overset{C}}{\overset{C}}{\overset{C}}}{\overset{C}}}{\overset{C}}}{\overset{C}}{\overset{C}}{\overset{C}}{\overset{C}}}{\overset{C}}{\overset{C}}}{\overset{C}}{\overset{C}}{\overset{C}}}}{\overset{C}}}}{\overset{C}}}}{\overset{C}}}{\overset{C}}}{\overset{C}}}{\overset{C}}}{\overset{C}}}{\overset{C}$	1	1		1	1							1			. 1			
177	Poisoning by food	9 12 17	6	1	1 7 5 6	1	2	4			i		2		<u>i</u>	1 2	2	2	1
178 179	Absorption of poisonous gas $ \begin{cases} W\\ C \end{cases} $ Other acute accidental poison- $ W $	$\begin{bmatrix} & 17 \\ & 1 \\ & 29 \end{bmatrix}$	9	<u>2</u>	6		2	 2			3			2	4	6	4		1
	ings (gas excepted){C	17 23	8 12 9		1 12 5 13 20 50	i	1 1	1			<u>2</u>	<u>2</u> -	5 <u>2</u>	2	3 7 3•	2 2 4	3 2	2	3 1 2
180 181	Conflagration	1 22 17 23 24 80 59 20 3 11	22 22 3	1 1 8 3	20 50 34	<u>2</u>	1 8 4	11 2	 8 2	6 2	3 13 8	2 2 2 3	2 1	2 1. 3 2 1 5	2 7	2 2	2 1 4 6	2 6 4	1 3 1 2 7 13 16
	Supplemental $\left\{ egin{array}{c} \mathbf{W}_{-} \\ \mathbf{C}_{-} \end{array} \right\}$	20 3	2	3	14 1							1	3	5	6	3	1		1
182	Mechanical suffocation \cdots $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right\}$	11	$\begin{vmatrix} 4\\2 \end{vmatrix}$		6 8	10 9			1]					1	

 $\begin{array}{c} \overset{\cdot}{\text{CABLE}} \text{ 8.--DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued & Continued$

			IN CIT	TES-								EATHS	BYAC	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					VIRO	#INI#	.—Cor	tinued	1										
	XVII.—Violent and accidental deaths—Continued																		
183	Accidental. other, or undefined—Con. W	85 61 16 10	17 19 5 3	5 4	63 38 11		3	2		1	7 2 1	10 6 1	14 21 2 3	11 14 3	12 10 2 2	13 3 6 1	4 3 1	4 1 1	
184	Traumatism: By firearms (wounds of W	56	19 10	4 6	33 20		1				3 6	8	12 6	12 8	8 7	6 2	3 2	3	
185	war excepted) C	36 12 5 4	3 2	3 2	6 3 2		I		1		1 2	1	1	2 1	2 1	1 1			
186a	Supplemental 0 W 0 By fall 0 Supplemental 0	1 218 48 35 22	90 11 15 12	22 7 6	1 106 30 14 10	2 3	1 4		1	1	5 2 2	2 1 4 1	3 3 3	8 8 5	1 7 4 8 4	8 7	10 6 3 3	18 4 3 2	15 1
186b	By crushing, landslide $\left\{egin{array}{c} W \\ C \\ W \\ W \\ C \\ C \end{array}\right.$	4 2 88 26	24 7	8 5	2 2 56 14		1	1		2	3	2	1 2 9 3	11 6	23 5	1 6 6	14 5	6	1
187	Cataclysm (W	1 1 13	1	<u>1</u>	1 1 11	1			i		1 				<u>-</u> -	2	3	3 2	
188 190	W	8 2	2		6	1					1	1		1		2	2 		
191	Excessive heat $\begin{array}{c} C \\ W \\ C \\ \end{array}$	10 4	2	1	9								 1	2	2	$\begin{bmatrix} 1 \\ 2 \\ 2 \end{bmatrix}$	i	2	
192	$\mathbf{Lightning}_{}$	9 4			9							2	2	1	1 1	3			
193	Due to electric currents \bigve{W}_C \\ \C_C \\ \W \\ \V \\ \W \\ \V \\ \W \\ \V \\ \W \	11 4 2 9	3	1 1	6 4 2 5	4	2	 1		 1		1 1	1 1	2	6 2	1 1	2 		
194a	Foreign bodies[C]	6 56	1 16	1 11	4 29	1 4 7	4 3	1 1			<u>i</u> -	5	5 2	6	3	5 5	4 3	5 3	<u>-</u>
194b 198	Other accidents -{W - C - C - C - C - C - C - C - C - C -	31 487 167 2	9 171 55 2	3 61 22	19 255 90	7	2	2 	2 3	$\begin{smallmatrix} 1\\ 6\\ 2\\$	15 6	1 4 10	52 13 1	1 94 14	90 24	5 69 33 1	3 53 31	3 43 16	5 1
	XVIII.—Ill-defined causes White of death(Colored	385 313	22 37	21 10	342 266	157 155	9 10	2 4	4	1	5 4	3 5	7 3	5 2	10 12	16 13	28 31	36 26	10 4
199	Sudden death $\left\{ egin{array}{ll} W_{} \\ C_{} \end{array} \right.$	85 56	3 3	4	78 52	6 10 37	1	1			1	1 1	3		2 5	5 4	15 7 6	8 14	4 1
200a 200b	Cause of death ill-defined $\begin{array}{c} W-C\\ C \end{array}$ Cause of death not specified or un- $\left\{ \begin{array}{c} W-C\\ C \end{array} \right.$	114 92 186 165	11 18 8 16	5 5 12 4	98 69 166 145	37 24 114 121	2 7 6 3	3 1 1	2	1 	1 3 2 1 1	1 3 1 1	3 2 1 1	2 1 3 1	4 6 4 1	4 5 6 6 3	$\begin{array}{c} 6 \\ 12 \\ 7 \\ 12 \end{array}$	16 9 12 3	4 1 3 1 2 1
Punch symbol 201 202	SUPPLEMENTAL 1 Accidents in mines and quarries. $ \begin{cases} W - C \\ C - C \end{cases} $ Accidents from agricultural ma-	60 19	2	1	59 17								3	16 1	16 7	16 7	9	i	
203	chinery C C Elevator accidents C C	1 5	3	2	1								1	1	3	<u>i</u>			,
205 206	Other machinery accidents \(\begin{array}{c} \ W \\ C \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	14 8 29 8 63 39	5 3 5 23	4 1 3 1 6	5 4 21 7 34					1	2	1	4 1 4	4 2 1 1 10	1 3 1 13	6 7 4 8	1 5 7 1	5	,
207 208	Street car and automobile colli-)W	3	11 3	<u>š</u>	23								 	7	8	9	5	2	j
209	Sions	1 1 1	1 1 1													1 .	1	i	
210	Automobile accidents (primary) $\left\{ \begin{array}{l} \widetilde{W} \\ C \end{array} \right\}$	433 128	167 51	60 18	206 59		3	3	2 3	6 2	16 5	4 9	56 12	80 12 3	83 16	41 21	42 25	43 11	59 12
211 212	Motorcycle accidents \bigcup \bigwedge V \bigcup C \bigcup Other land transportation acci-\bigwedge V \bigcup C \bigcup C	6 1 12 10	3 1 2 3	<u>3</u>	$\begin{bmatrix} 2 \\ 7 \\ 7 \end{bmatrix}$						 2 1	3 .	1	1	<u>1</u>	 1	1	2 3	
213 214	Water transportation accidents $\{W^-\}$	19 8 12	7 3 2	2	12 5 8						ī	1 1	2 3 1	1 3 3	3 1 6	5 2	2	1	
					W	ASHID	1GTC	ON											
	Total deaths (all causes)	16, 581	9, 318	1,686	5, 577	967	115	79	69	40	220	250	316	392	796	1, 251	1, 940	2, 584	7, 53
	I.—Infectious and parasitic diseases	1,676	822	172	682	62	32	19	22	10	62	76	93	117	209	246	210	207	30
1 5 6 7	Typhoid fever	26 4 1 2 37	12 3 1 1 23	6 1 4	8 1 10	<u>i</u>	5	2	1	1 4	2	 2	5 1 3	3 1 1 1	4 1	5 1	2 	3	

¹ See explanatory footnote 2, p. 169.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	nes—]	DEATH	S BY A	GE					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4. years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	95 years and over
		,	•	· · · · · · · · · · · · · · · · · · ·	ASHI	NGT)—/(C	Contin	ued				,			•			
	I.—Infectious and parasitic diseases— Continued															l			
8 9 10	Scarlet fever Whooping cough Diphtheria	17 14 19	9 3 6	1 3 1	7 8 12	1 9 1	1 2 2	1 1	2 <u>2</u>		6 1 6	3 1 6			1	1 <u>1</u>		<u>-</u>	
11a 11b	Influenza, respiratory complications specified	293	155	31	107	17	8	5	3		3	9	3	11	15	34	28	41	116
13 15 16	not specined Dysentery Erysipelas Acute poliomyelitis, acute polioen- cephalitis	124 5 15	57 2 12 5	13 2	54 3 3	6	3 	3 1	3 1 1	 1	3 2	1 2	4 1 2	1 2	9	7 1 2	6 1 1	11 5	65 1 4
17 18 22	Lethargic or epidemic encephalitis	29 23 4 847	16 18 3 367	2 1	13 3	3	3	6	1 6	4	<u>-</u>	3 6 2 35	2 1 67	3	3 2	6 154	4 4 123	7 1 87	3
23 24	Respiratory system Meninges and central nervous system	755 20	306 16	89 83 1 1	366 3	1	2 2	3	4	2 1	25 20 3	30 1	60 1	73	145 1 3	141 1 7	114	80	88 87 1
25 26 27b 29	Intestines and peritoneumVertebral column Joints Lymphatic system (bronchial, mesenteric, and retroperitoneal	20 33 13 2	22 9 1	1 2	10 2 1		1			1 		1 1 2	4	8 1	3 4 	7 2 	3 1	3	2 4
30 31	glands excepted) Genitourinary system Other organs Acute disseminated tuberculosis	3 12 1 7	1 6 1	1	2 5						1		1		1 2	3	4	 1 2	Ţ 2
32a 32b,c 34 35	Acute disseminated tuberculosis Other disseminated tuberculosis Syphilis	7 1 169	105	14	1 1 50	12	1 1	1 	1 2		1	1	<u>1</u>	1 4	10	29	33	2 48	27
36	real diseasesPurulent infection, septicemia (non-puerperal)	21 8	14	1	6 2	2						1	2	1	6 1	4	4	2	1 1
38 41b 43 44	Malaria Hydatid cysts, other organs Mycoses	1 1 3	1 1 2	i												1	1 1	<u>-</u>	i
44	Other infectious and parasitic diseases. II.—Cancers and other tumors	1,887	1, 174	1 170	543	1	1	1	3	 4	6	1 5	9	6	41	166	342	444	857
(45) (45)	Cancer and other malignant tumors Buccal cavity Pharynx	61 9	1, 105 42 6	164 2 1	531 17 2	1	1		3	2	4	5	7	6	32	135 1 1	316 15	435 11 2	852 34 6 14
(45) (45) (46) (46) (46) (46) (46)	Esophagus Stomach and duodenum Liver and biliary passages Pancreas	23 439 150 62	17 245 75 41	43 21 3	6 151 54 18										3 2 2	26 7 11	3 59 25 5	6 115 45 17	14 236 71 27
	Other digestive tract and perito- neum	262 57 201	182 41 127	25 5 11	55 11 63	1	1					1	2	1 1	3 1 8	14 5 37	45 9 57	69 19 40	127 21 58
47 48 49 50 51 52	Other female genital organs Breast Male genitourinary organs	27	127 22 96 103 24	1 •14 21 1	4 57 36						i		1 1	<u>-</u>	6 3	6 13 4	5 50	7 39 25 8	7 59 111
52 53 54a	SkinOther or unspecified organs Nonmalignant tumors, ovary	42 140 6	84	1 16 1	17 40 1				3	<u>2</u>	3	4	3	3	3 2	1 9 1	13 3 27	8 32 2	30 51 1
54b 54c	Nonmalignant tumors, uterus Nonmalignant tumors, other female genital organs	36	30	2	4 				 						5	21	1	2	
54d,e 55a 55d,e	genital organs Nonmalignant tumors, other organs Tumors, ovary (nature unspecified) Tumors, other organs (nature unspecified)	1 22 1 21	16 1 17	1	3			1		2	2		1		2	3 6	9 8	3	3 1
	III.—Rheumatic diseases, nutritional diseases, diseases of the en- docrine glands, and other general diseases.	510	315	54	141	21	1	. 2	 		5	8	9	9	12	18	60	106	257
56 57	Acute rheumatic feverChronic rheumatism, osteoarthritis	27 26	13 14	5 4	9 8				1		2	6	1	2		2	1	3 5	9 20 200
59 63 66a	Diabetes mellitus	353 1 4	214	38	101 1 2			1			2	2	6	5	9	13	41 2	74	<u>2</u>
66b (66) 67	Exophthalmic goiter	64 5 21	52 3 11	1 3	9 1 7	1 20					1			2	1 2	2	14	22	23
68 69	Diseases of adrenals (Addison's disease not specified as tuberculous) Other general diseases	4 5	3 3		1 2		ī						1			1	2	1	<u>2</u>
	IV.—Diseases of the blood and blood- making organs	150	90	17	43	7	2		2		5	4	5	6	6	15	27	28	43
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Permicious anemia Other anemias True leukemias Pseudoleukemias (Hodgkin's disease) Diseases of the spleen Other diseases of blood and blood-making organs	8 71 7 36 20 6	4 41 4 23 11 5	2 9 2 3 1	2 21 1 10 8 1	1 1	2		1		3	1 2 1	4	2 1 2 1	1 4	. 7 7 3 1 1 2	9 1 12 3 2	19 1 4 3 1	30 2 6 4 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	Į.						I	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	64	65 years and over
				W	ASHI	NGT	ON-(Oontin	ued										
	V.—Chronic poisonings and intoxica-	33	24	4	5									1	5	5	12	7	3
75 76	Alcoholism (acute or chronic)	29	21	4	4									1	5	4	12	6	2 1
	VI.—Diseases of the nervous system and of the organs of special sense.	1,944	966	205	773	22	7	4	4	3	22	19	15	20	27	104	178	325	1, 192
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes	13 26 1	10 19 1	1 3	2 4	2 5 1	2 3 	2	2 1		1 2	2 2	2	1	2	3	2 2	2	1
81 82a 82b 82c 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	19 61 1,400 59 8	8 33 722 37 1	2 9 126 2	9 19 552 20 7	<u>2</u>			 	1	1 2	1	1 1	4 1 1	2 7 2	8 31 1	3 13 99 4	10 8 246 14	6 23 1,008 37 8
83 84 85 86	unspecified General paralysis of insane. Dementia praecox and other psychoses. Epilepsy. Convulsions (under 5 years of age).	37 74 77 50 3	21 4 6 17 3	1 14 41 4	15 56 30 29	<u>2</u> 3					1 4	3	3	6 4	1 2 3 4	1 21 14 12	1 28 11 5	12 13 5	30 11 30 8
87 89a 89b	Other diseases of nervous system	56 28 32	32 23 29	1 1	23 5 2	3 2	2		1	1	6 5	1 2 8	2 3 2	1 2	3	4 5 4	7 1 2	10 2 1	26 2 2
90	system	3,952	2, 134	361	1, 457	$\frac{4}{2}$		1	1	2	13	16	24	28	60	146	373	678	2,603
91a 91b	Acute endocarditis Endocarditis, unspecified (under 45 years) Endocarditis, specified as chronic, and	44	34	$\hat{4}$	6					1	4	1	5	4	11 2	7	3	5	3
92a 92b	other valvular diseases Endocarditis, unspecified (45 years and over)	795 43	436 24	67 6	292 13	1			 -		5	9	16	12	23	48	88 · 3	124 6 7	469 34
93a 93b	Acute myocarditis. Myocarditis, unspecified (under 45 years). Chronic myocarditis and myocardial	41 10	15 4	5 1	21 5							1	1	2	3	4			22
93c 93d 94a 94b 95a 95b 96	degeneration. Other diseases of myocardium. Angina pectoris. Diseases of coronary arteries. Functional diseases of heart. Other and unspecified diseases of heart. Aneurysm (except of heart).	1, 216 349 335 295 13 383 34	699 159 205 187 9 191	104 40 26 24 1 37	413 150 104 84 3 155 15								1	5 2	7 1 4 1 5	27 3 16 12 3 15	108 27 43 42 1 31	200 50 85 92 4 69 8	864 267 190 144 4 257 18
97 98 99 100	Arteriosclerosis (coronary arteries excepted) Gangrene Other diseases of arteries Diseases of veins (varices, hemorrhoids,	324 16 25	117 3 16	34 3 4	173 10 5									<u>-</u> -	i	23	63	20 1 5	296 13 14
101 102 103	phlebitis, etc.) Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	8 2 5 2	4 2 4	1	3 1 2			1	1	-					1	2 1	2 1	1	2 2 2 1
	VIII.—Diseases of the respiratory system	1,000	606	114	280	136	28	17	8	5	16	20	20	16	53	62	104	123	392
104a 104b 105 106a 106b 106c,d 107a	Diseases of nasal fossae	4 17 3 13 18 6 371	2 14 2 4 10 3 210	1 1 1 1 1 1 48	1 2 8 7 2 113	2 1 100	18	1	1 1 1	2	1	3	1	1 1 2	1 4 2 1 13	1 1 13	2 1 22 1	1 1 2 31	3 2 8 14 3 149
107b 108 109 110 111a 111b	Lobar pneumonia Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis Pulmonary congestion, edema, hemor	2 463 27 23 7	306 6 16 6	44 8 1	113 13 6 1	22 9	9	7	2	2 1	7 1	12 1 1	14 2 1	8 1 1	27 4	39 1 1 2	70 1 3 1	74 2 6 2	170 9 4 2
112 114	rhagic inferct	20 18 8	6 11 8	6	8 6	1		1			i		1	2	1	1 2	1 2	2 1	16 11 1
	IX.—Diseases of the digestive system	962	640	109	213	54	18	11	9	6	31	24	28	29	59	113	172	151	256
115a 115b 116 117a 117b 118	Diseases of pharynx and tonsils. Diseases of buccal cavity and annexa. Diseases of esophagus. Ulcer of stomach. Ulcer of duodenum Other diseases of stomach (cancer ex-	60 8 3 80 38	41 5 1 54 29	2 1 1 9 3	17 2 1 17 6	4 1	1	1	1	1	6	5	5	6	6 2 5 2	10 6	7 1 24 13	15 8	4 1 3 26 9
119 120 121 122a 122b 123	cepted) Diarrhea, enteritis (under 2 years of age). Diarrhea, enteritis (2 years and over) Appendicitis. Hernia. Intestinal obstruction. Other diseases of intestines.	23 48 35 217 69 91 21	7 22 16 161 50 63 10	5 8 2 28 6 13 4	11 18 17 28 13 15 7	37 1 7	11 3 1	6 3	4 3	5	4 16 1 2	1 12 3 1	20	1 2 16	27 1 3 1	2 33 6 12 1	1 32 19 15 3	3 25 11 19 1	14 12 21 31 29 11

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CI	ries—							, I	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1	1 year	2 years	3 years	4 years	5 to 9	10 to	19	20 to	34	44	54	64	65 years and
			<u> </u>	1	ASHI	year	037	Contin		<u> </u>	<u> </u>	years	years	years	years	years	years	years	over
		j	11	· ·	I	ll Control		I	lueu		 -	ı	1	ſ	I	1	· · · · ·	1	
	IX.—Diseases of the digestive sys- tem—Continued																		
124 125a	Cirrhosis of liverYellow atrophy of liver	81 6	47 3	8	26 2 7										1 3	8	12 1 3	20 1 3	40 1
125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary passages	13 66	5 55	5	6									1	3	9	16	18	1 3 19
128 129	passages Diseases of pancreas Peritonitis, cause not specified	72 13 18	. 51 . 8 12	10 1 1	11 4 5	3	2		1		1		<u>1</u>	<u>-</u> -	2	8 3 2	19 2 2	13 5 2	28 2 2
	X.—Diseases of the genitourinary system	1, 517	947	152	418	3	1	1		1	5	7	15	9	41	82	157	232	963
130	Acute nephritis (including unspecified under 10 years)	. 41	23	. 6	12	2				1	2		1		6	8	7		
131 132	Chronic nephritis Nephritis, unspecified (10 years and	1, 194	717	128	349						2	1 5	7	2 4	23	58	127	195	773
133	Other diseases of kidneys, ureters	33 50	15 36	5 1	13 13	1	1	1			1	1	4	1	1	2 6	3 5	3 8	22 19
134 135 136	Calculi of urinary passages	15 5	13		2 2											1	2	4	5 4
137 138	etcDiseases of prostate	2 146	110	10	26									1			2 1	18	126
139a 139b	specified as venereal Cysts of ovary Other diseases of ovaries, diseases of	1 7	6	1											<u>i</u>	1	1 3	2	
139c 139e	tubes and parametrium Diseases of uterus Other diseases of female genital organs	15 7	14 7		1								2 1	1	4	4	2 4	1 1	1
1986	XI.—Diseases of pregnancy, child-	1	1																1
140	birth, and the puerperal state. Abortion with septic conditions	129 37	93	9									9	9		9			
141 142a	Abortion without mention of septic conditions (includes hemorrhages) Ectopic gestation, septic conditions	9	3	3	3								1	2	5	1			
142b	specified Ectopic gestation, septic conditions not	1	1	1										- -	1				
143	mentionedOther accidents of pregnancy (hemor- rhage not included)	1	1		1											1			
144a 144b 145a	Placenta praeviaOther puerperal hemorrhages Puerperal septicemia and pyemia	6 8	3 8		3								2	2	3 4	3			
146 147	(abortion excluded) Puerperal albuminuria and eclampsia Other toxemias of pregnancy	15 21 6	11 15 4	2 1 1	2 5 1								2	3 5 2	5 6 3	3 8 1			
148	Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified															-			
149	as septic)	6 16	1I	1	2 4									1	3 7	9			
	XII.—Diseases of the skin and cellu- lar tissue	16	9	3	4	3		1					1		1		2	3	5
151 152 153	Furuncle, carbuncle	3	2 2	1	1								1		1			1 2	<u>i</u>
100	of cellular tissue	10	5	2	3	3		1									2		4
	XIII.—Diseases of the bones and organs of locomotion	22	16		6	1	1				1	3		1	2	4	3	4	2
154 156	Osteomyelitis Diseases of joints, other organs of loco- motion	16 6	13 3		3	1	1				1	3		1	2	4	2 1	2 2	<u>2</u>
	XIV.—Congenital malformations	158	89	19	50	140	3	2	4		3	3	2			1			
157a 157b	Congenital hydrocephalus Spina bifida and meningocele	25 18	15 9 39 26	1 3	9	21 17	2	1			1								
157c 157d	Congenital malformations of heart Other congenital malformations	18 80 35		12 3	29 6	73 29	1	1	1		1	1 2	2						
158	XV.—Diseases of early infancy Congenital debility	476	288	56 6	132	476 26													
159 160 161	Premature birth Injury at birth Other diseases peculiar to early infancy	26 303 98 49	184 70 25	34 5	85 23 13	303 98 49													
162	XVI.—Senility	167	56	11 27	13 84	49												5	161
	XVII.—Violent and accidental deaths	1, 888	1,030	192	666	19	20	19	15	9	50	63	84	125	220	249	297	257	448
163	SuicideBy solid or liquid poisons or by	450	284	36	130							3	9	25	53	74	116	87	79
164	absorption of corrosive sub- stances By poisonous gas	69 89	51 78	5 2	13 9								3	7 3	12 11	10 21	17 30	12 16	7 8
165	By hanging or strangulation	63	78 23	13	27								2	ა	5	9	16	11	16

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

			IN CIT	nes—]	DEATH	BY A	ge					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				W	ASHI	NGT	ON-C	Contin	ned										
	XVII.—Violent and accidental deaths—Continued																		
166 167 168 169 170	Suicide—Continued. By drowning. By firearms. By cutting or piercing instruments. By jumping from high places. By crushing.	157 25	15 83 15 15	2 11 2	7 63 8							3	4	2 11 2	1 16 3 4	4 25 2 2 1	5 37 4 5	6 31 6 1	5 29 10 1
171 173 174 175	By other means. Homicide. By firearms. By cutting or piercing instruments. By other means. Accidental, other, or undefined. Attack by venomous animals.	82 53 11 18 1,356 2	3 55 33 10 12 691	1 9 7 2 147	3 18 13 1 4 518 2	19	20	19	15	9 1	50	1 1 59	2 1 73	12 7 3 2 88	1 10 6 2 2 157	24 19 2 3 151	2 15 10 1 4 166	1 10 159	5 1 4 364
177 178 179	Poisoning by food. Absorption of poisonous gas. Supplemental. Other acute accidental poisonings (gas excepted)	28 1 18	8 21 14	3 3	1 4 1 3	1		1	3		1 		1	1 1	3 2 2	3 2 1 3	1 9 4	1 4 2	8 2
180 181 182	Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation Supplemental	13 7 1	6 34 6 1	3 3 1	14 7 6 6	1 5	1 4	3	1 4	1	1 5	2 1 2	1	1 1 1	4 4 3	4 1	1 3 4	1 4 2	3 9
183 184	Drowning Supplemental Traumatism: By firearms (wounds of war excepted)	154 12 44	40 3	18 4	96 9 27	1	9	7 1	1	3	7 1	22 1 2	21 2 6	13 2 2	21 1	10 4 3	18 2	11 5	5 1
185	By cutting or piercing instru- ments (wounds of war ex- cepted)	13 13	11 5	1 3	1 5						<u>-</u> -	<u>1</u>	2		<u>î</u> -	4 3	1 1	3 2	5 2
186a 186b 188	By fall. Supplemental By crushing, landslide. Supplemental Injuries by animals.	132 7	196 18 13 55	24 8 3 18 1	63 14 31 59 6	2 1	2	1 1 1	1	ī	3 4 2 3	3 2 3	5 2 10	7 4 3 11	7 6 8 20	15 4 8 15 1	16 2 11 23 2	25 7 4 23	197 6 7 19 4
189 190 193 194a	Hunger and thirst Excessive cold Due to electric currents Supplemental Foreign bodies	1 5 13 4 4	1 8 1 2	2 1 1	5 3 2 1	2		1					ī	2	1 2 2	1 4	2 2	1	2 2
194b 198	Other accidents Supplemental Legal executions	77 356 2	38 197	5 44	34 115 2	2	1	3	1 2 	3	20 	5 12	17 1	30 	14 44 1	11 49	10 42	12 51	82
199 200a 200b	XVIII—Ill-defined causes of death Sudden death Cause of death ill-defined Cause of death not specified or unknown	94 12 44 38	3 10 6	3 10 9	53 6 24 23	18 1 5 12	1	1 1			1	2	2	1	1	1 2	1 1 1	14 2 8 4	7 26 11
Punch symbol 201 202 203 205 206 207 208 209 210 211 212 213 214		14 6 4 31 24 37 2 10 413 2 12 12	4 1 3 11 7 13 	2 2 1 7 8 9 	8 3 3 13 9 15 2 1 146 1 5 6 3 3		3	5	3	4	25	21	1 3 1 1 22	1 5 4 2 1 31 2	3 4 2 6 3 53	2 3 3 3 3 56	6 1 1 7 5 9 	1 1 6 4 10 1 59	1 3 5 1 5 2 87
		,	,		WE	ST VI	RGI	NIA					1		-		1		
	Total deaths (all causes)	3, 082	4, 749 653	2, 566	2, 011	2, 911 340	174	132	184 88	145 68	182	302 99	487 168	197	365	305	285	204	5,603
1 5 6 7 8 9 10 11a	Typhoid fever Undulant fever Smallpox Measles Scarlet fever Whooping cough Diphtheria Influenza, respiratory complications specified Influenza, respiratory complications	191 236 520	45 1 30 11 29 28 132 54	39 15 8 30 20 62 37	134 1 141 24 132 188 326 176	1 30 3 106 11 72	1 45 7 37 27 33 8	23 25 42 23 3	14 5 7 30 9	3 14 3 5 36 3	13 23 13 10 59 12	22 8 3 14 11	37 8 4 6 17 5	30 5 2 4 13 7	36 	21 4 1 2 38 14	20 1 2 1 1 44 14	17 1 1 38 26	11
13 15 1 See	not specified	80	10 14	16 10	54 18	34 3 16	1	1 ·	2 8	i 	13	5	5	2 2	6 3	8 2	8 2	5 6	15 10

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TES-	1						.1101	DEATHS						*	
List no.	CAUSE OF DEATH	All deaths	10,000	2,500	In rural areas	Un-	1	2	3	4	5 to 9	10 to	15 to	20 to	25 to	35 to	45 to	55 to	65 years
			or over	10,000		der 1 year	year		years			14 years	19 years	24 years	34 years	years	54 years	64 years	and over
			,	W	est v	IRGI	NIA	-Conti	nued										
:	I.—Infectious and parasitic diseases— Continued										-								
16 17 18 21 22	Acute poliomyelitis, acute polioen- cephalitis. Lethargic or epidemic encephalitis. Epidemic eerebrospinal meningitis. Rabies	30	1 4 7	1 1 12 2	12 3 11 1 2	1 8	1 4	3 1	2	2	6 4	1 2	1 4	1 2	1 2	i	4 1 2	2 2	 I
·23 24	Tetanus Tuberculosis (all forms) Respiratory system Meninges and central nervous system	899	205 176	116 101 7	689 622	7 2 5	5 1 4	5 1 3	1 3		15 5 8	25 16 2	72 65	123 118	232 219 2	177 158	146 134 3	85 78	115 102
25 26 27a 27b 28	tem Intestines and peritoneum Vertebral column Bones (vertebral column excepted). Joints. Skin and subcutaneous cellular tissue Lymphatic system (bronchial,	52	12 3	5 2	35 4 3 3			1	1		2	3 3 1	3	2 2 1	6 2	14	5 2 1 1	5	ii i
29 30 32a 34 35	glands excepted)	2 7 2 172	3 1 58	1 36	2 4 78	42	 1	i	2		 i	<u>1</u>	 1 1 4	1	3 23	2 35	36	1 1 17	10:
36 39 42 43	real diseases. Purulent infection, septicemia (non- puerperal) Other diseases due to protozoal para- sites. Other diseases caused by helminths.	19 14 2 5 2	9 6 1	7 4 1	3 4 1 5	1	1 1 1	1	 <u>ī</u>		1 <u>ī</u> -	1	3	1	5 2	1	1	1	3:
44	MycosesOther infectious and parasitic diseases. II.—Cancers and other tumors	9	1 401	ī 151	7 647	3	1 2	2	2	1	5	4	9	13	48	102	238	265	Î 507
(45) (46) (46) (46) (46) (46) 47 48 49 50 51 52 54a 54d,e 55d,e	Cancer and other malignant tumors_Buccal cavity_Pharynx_EsophagusStomach and duodenum_Liver and biliary passages_Pancreas_Other digestive tract and peritoneum_Respiratory system_UterusOther female genital organs_BreastMale genitourinary organs_Skin_Other or unspecified organs_Nonmalignant tumors, overy_Nonmalignant tumors, other organs_Nonmalignant tumors, other organs_Tumors, other organs (nature unspecified)	1, 122 25 10	367 9 3 5 78 29 7 57 11 65 37 27 27 1 19 4	138 2 1 33 15 3 14 2 19 1 15 14 17 12 10 2	617 14 6 193 84 3 56 5 94 2 65 30 22 43 10 4	1	1	2	1	1	2	4	1	11 1 3 2 2 2 2	37 2 7 4 4 1 9 1 3 5 3	13 13 13 25 1 11 3 25 1 11 3 1 6	208 3 1 2 46 16 1 22 8 50 3 34 8 3 11 15 4	259 7 3 1 74 36 4 29 2 35 2 30 15 2 19	498 13: 6: 1: 163: 559: 8; 56: 4- 577 1 39 42: 26 23.
į	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases	406	145	61	200	25	7	1	1	1	12	13	9	12	20	46	53	87	119
56 57 59 60 62 63 66a 66b	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Scurvy Pellagra Rickets Simple goiter Exophthalmic goiter	39 19 250 2 13 12 5 37	11 7 93 3 1 3	6 2 45 1	22 10 112 2 10 10 2 20	1 1 8	2		1	1	5	5	3 -	8 2	4 1 9 1 2 - 2	4 1 24 	7 1 34 1	2 6 65 2	7 10: 91,
66) 67 68	Other diseases of thyroid and parathyroid glands. Diseases of thymus gland. Diseases of adrenals (Addison's disease not specified as tuberculous).	8 10 4	3 5	1 1 1	4 4 2	3 9	3 1								1 .		1	1	t 1
69	Other general diseases	7 136	55	1 16	2 65	3	1 2	1 4		· ,		-		- 		1 -		1 -	90-
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions Pernicious anemia. Other anemias. True leukemias. Pseudoleukemias (Hodgkin's disease) Diseases of the spleen. Other diseases of blood and blood-making organs.	23 76 4 16 7 8	8 29 3 8 3 2	16 8 1 1 2	11 39 1 7 3 4	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 .		1	1	1 - 3	1	6 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1	9 2 - 3 1 - 1 2	7 4 2 1	14 11 11 11 11 11 11 11 11 11 11 11 11 1	31 21 6 2 1	39° 3. 32° 22
	V.—Chronic poisonings and intoxications	54	26	6	22								1	3	4	16	15	13	2:
75 76	Alcoholism (acute or chronic) Chronic poisoning by other organic substances	53	25 1	6	22								1	3	4	16	14	13	2.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	_				-		I	EATES	BY A	æ					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 Years	55 to 64 years	65 years and over
				WE	ST V	RGI	NIA-	-Conti	nued										
	VI.—Diseases of the nervous system and of the organs of special sense	1, 660	449	235	976	46	23	8	2	8	26	17	22	19	45	84	170	277	913
78 79a	Encephalitis (nonepidemic)	21 53	7 16	5 4	9 33	15	2 10	3		2 2	4 5 3	5	5	1 1 2	2	2	3 2	3	2 1
79b 80 81	Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes dorsalis) Other diseases of spinal cord.	16 39	6 12	9	7 10 18	1 <u>1</u>	1 ₁	1			3	1	1	I I	1	2 2	2 5	4 10	7 15
82a 82b 82c 82d	Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	1, 182 24	327 6	155 6 1	700 12 3	1							3 3	3	16 1	45 2	127 2	216 2	773 11 4
83 84	unspecifiedGeneral paralysis of insaneDementia praecox and other psychoses.	47 24	7 8 2	15 11 6	63 28 16 27			1				1	1	1 3	8 2 11	8 5 8	6 8 5 2	15 12 4 2	61 9 7 4
85 86 87 89a 89b	Epilepsy Convulsions (under 5 years of age) Other diseases of nervous system Diseases of ear Diseases of mastoid process	21 41	10 1 18 17 9	6 7 2 3 6 5	18 20 10 2	18 9 1	1 2 1 4 1	1 1	1	2	1 1 5 4	5 2 3	1 1 1	2 1 '3	2 1	2 4 1	3 1	5 1	17 2
	VII.—Diseases of the circulatory system		686	362	1, 389	2	2		4		. 16	12	23	25	71	159	271	485	1, 367
90 91a 91b	Pericarditis Acute endocarditis Endocarditis, unspecified (under 45	. 22	1 15	1 2	4 5				1		5	1	2	1	6	2	2	1	3 2
92a 92b	years)	1	158	7 72	405		1		2		3	4	9	3 11	20	51	69	129	335
93a 93b	over)Acute myocarditis Myocarditis, unspecified (under 45	.l 15	14 6 4	1 2	18 8	1						1	1	1	2	3	10 4	11 3	15
93d 93d	years) Chronic myocarditis and myocardial degeneration Other diseases of myocardium	752 112	228 32 45	96 14	428 66							. 1	2		3	30 1 15	65 19	149 24 51	504 66
94a 94b 95a 95b	Angina pectoris Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart	288	42 1 70	36 20 48	105 45 4 170								5	9	5	10 26	31 16 2 38	25 1 54	66 83 51 2 136
96 97 98	Aneurysm (except of heart) Arteriosclerosis (coronary arteries excepted) Gangrene	169	12 41 4	1 45 2	83 12								1		2	2	5 4	7 24 3	137 14
99 100	Other diseases of arteries	. 16	6 2	5 1	5 4								. ī		3	5 1	1	1	4 5
101 102 103	Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood-pressure Other diseases of circulatory system	4 4 5	3	1	4 1	1					1				1	1	1 2	1 1	1 2 1
	VIII.—Diseases of the respiratory system		393	225	878	320	93	36	19	21	47	25	33	33	88	85	130	100	466
104a 104b 105 106a	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis	1 10 8 3	2 3	3 2	5 3 2	1 1 2	2			2	1	1	2		1 2	1 1 1	2	2	
106b 106c,d 107a	Chronic bronchitis Bronchitis, unspecified Bronchopneumonia	18 16 703	5 6 185	1 4 2 102	9 8 416 330	2 235 54	63 20	20 13	8 9	9	22 22	8 15	5 23	8 21	1 25 51	1 18 49	3 1 20 81	35 50	13 12 227 162 22 4 1
108 109 110 111a	Lobar pneumonia Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis	- 17 - 3	159 7 5 3	91 8 4	57	21	6 2		i		1			i	3 2	3 3 1	6 4 1	3 1	22 4 1
111b 112 113	Pulmonary congestion, edema, hemor- rhagic infarct	- 14 - 31		2 3 1	18	1			1				1		2	3	1 5 1	6	11 14
114	Other diseases of respiratory system (tuberculosis excepted)	_ 19	3		15	2				ļ	_ 1		_ 1	3	1	4	5	2	
115a	IX.—Diseases of the digestive system————————————————————————————————————	1, 792	483	254 11	37	624	311	2	39	2	15	3		8	15		3	108	
115b 116 117a 117b	Diseases of buccal cavity and annexa. Diseases of esophagus. Ulcer of stomach. Ulcer of duodenum.	- 13 - 1 - 53	26 11	5	1 22	2	2			1	2	ii	i	1	- 8		- 8	14	
118	Other diseases of stomach (cancer excepted) Diarrhea, enteritis (under 2 years of	47	8	4	35	4		_ 1	1		1	-	_ 3		1			3	20
120 121 122a	age)	- 191 - 185 - 45	35 97 27	15 56 5	141 32 13		3	57	_	2		19	23	22	1 20 1	15 4 8	25	13 20 6	37 16 26
122b 23 24 25a	Intestinal obstruction. Other diseases of intestines Cirr hosis of liver. Yell ow atrophy of liver.	76 10 60	34 6 22	16 1 11	26 3 27	14		1	2	1		2		. 5 1		8 2 7	7 2 10 1	10	26 18 3 31

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1931—Continued

List no.	CAUSE OF DEATH	All deaths	10,000	TIES	. In	l					n	EATHS	BY AG	E					
	CAUSE OF DEATH		10 000				,					,	1			,		,	
			or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	24	25 to 34 years	35 to 44 years	45 to 54 years	64	965 years and over
				wı	est v	TRGI	NIA.	-Conti	nued									,	
	IX.—Diseases of the digestive sys- tem—Continued																		
125b 126	Other diseases of liverBiliary calculi	. 26	6 -8	6	2 12										2 1	1 4	1 2	1 8	3 10
127	Other diseases of gall-bladder, biliary	61 5	26 3	14 1	21 1						1		· 1	2	4	6 2	12	18 1	17 1
128 129	Diseases of pancreas Peritonitis, cause not specified X.—Diseases of the genitourinary	18	9	3	6		ī	2		ī	2		2	2	1 2	ĩ	4		ī
	system	1, 501	446	218	837	4	8	3	2		6	11	7	16	34	93	187	255	875
131	Acute nephritis (including unspecified under 10 years). Chronic nephritis	40 1, 266 45	9 349 11	10 178 11	21 739 23	1	5	3	1		4 1	5 3	2 4 1	2 5 3	6 18 4	7 64 6	2 161 8	1 237 4	772 16
133	Other diseases of kidneys, ureters (puerperal diseases excepted)	22	12	2	8	3	3				1			1	1		4	4	5
134 135	Calculi of urinary passages	6 17 1	1 5 1	<u>ī</u>	5 11									1	1	2 1	1 2 1 3	2	2 11
137 139a	Diseases of prostate	74 5	40 4	10	24 1	 			 				 			3	3 1		65 1
	tubes and parametrium	18 7	9 5	- 5 1	4 1									4	2 2	5 5	4	1	2
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	, 222	82	49	91						,		34	53	81	52	2		
140 141	Abortion with septic conditions Abortion without mention of septic	38 12	20 5	12 2	6 5								5	7	15 4	11			
- 1	Abortion without mention of septic conditions (includes hemorrhages). Ectopic gestation, septic conditions specified	1	1												*	1			
	Ectopic gestation, septic conditions not mentioned	. 5	3	1	1									2	3				
144a	rhage not included) Placenta praevia Other puerperal hemorrhages	2 8 18	2 2 2	4 2	2 14								<u>-</u> - 1	1 3	3 8	4			
145a	Puerperal septicemia and pyemia (abortion excluded)	54	20 11	16 8	18 25								5 10	20	20 11	8	1		
147	Puerperal albuminuria and eclampsia Other toxemias of pregnancy Puerperal phlegmasia alba dolens, em- bolus, sudden death (not specified	44 5	2	1	2								1	13 2	1	1			
149	as septic). Other accidents of childbirth Other and unspecified conditions of puerperal state	9 25 1	12 	3	7 10 1								7	. 1	3 11 1	2 4	1		
1	XII.—Diseases of the skin and cel- lular tissue	32	18	5	9	6	1	1			5			1	4	3	3	2	6
152	Furuncle, carbunclePhlegmon, acute abscess	6 15	4 10	1 1	1 4	3	<u>1</u>				3				<u>3</u>	1 2	2	2	3
153	Other diseases of skin and annexa, and of cellular tissue	11	4	3	4	3		1			2			1	1				3
	XIII.—Diseases of the bones and organs of locomotion	21	13	3	5	1			1	1_	3	6	1		2	2	1	1	2
154 155	OsteomyelitisOther diseases of bones (tuberculosis excepted)	17 2	12	3	2 2	1			1	1	3	5	1		2	2	1	1	. 1
156	Diseases of joints, other organs of loco- motion	2	1		1							1						 	1
1570	XIV.—Congenital malformations	252	54	r 28	170	236	7 2	1	2	<u>1</u>	1	1							
157b 157e	Congenital hydrocephalus Spina bifda and meningocele Congenital malformations of heart Other congenital malformations	30 158 50	1 9 29 15	3 18 7	13 18 111 28	29 150 48	. 3	1 1	2 		1 1	1			1				
	XV.—Diseases of early infancy	1, 212	266	121	825	1, 212													
159 160	Congenital debility Premature birth Injury at birth Other diseases peculiar to early infancy_	165 804 162 81	20 183 39 24	10 80 18 13	135 541 105 44	165 804 162 81													
162	XVI.—Senility	354	39	24	291														354
	XVII.—Violent and accidental deaths	1,984	528	383	1,073	70	32	25	22	21	81	82	135	178	359	322	241	154	262
163 164	Suicide By solid or liquid poisons or by absorption of corrosive substances By poisonous gas	221 45 4	86 28 2	23 8 1	112 9 1							1	11 2	13	33 13	- 48 9 1	44 10 2	35 4	36 . 3 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—	_						I	EATHS	BY AG	E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				wı	est v	IRGI	NTA-	-Conti	nued										
	XVII.—Violent and accidental deaths—Continued																		
165 166 167 168 169 170	Suicide—Continued By hanging or strangulation By drowning By firearms By cutting or piercing instruments By jumping from high places By crushing By other means	22 5 125 10 4 2 4	5 38 6 1	2 9 1 2	15 78 3 1							1	1 8	9	3 16	5 1 28 3	6 22 2 1	2 1 22 4 1 1	5 2 20 4
173 174	Homicide By firearms By cutting or piercing instruments_	220 170 23	51 35 6	53 40 5	116 95 12	1			i 		1 1	2 1	17 14 2	27 23 4	67 54 8	51 38 4	33 24 3	17 15	3 2
175 176 177 178	By other means	27 1, 543 5 7 17	10 391 1 6	307 1 2 5	9 845 4 4 6 1	1 69 2	32	25	1 21 1	21 1	80 1	1 79 1	1 107 1	138	259 2	9 223 1 3	6 164 3	102 102	223 1 3 3
179 180 181	Other acute accidental poisonings (gas excepted) Conflagration Burns (conflagration excepted)	23 24 135	6 3 53 2	5 4 24	12 17 58 2	2 2 5	6 1 14	2 1 18	3 1 6	1 11	1 4 14	1 9	1 6	6	3 4 9	3 4 6	1 6	1 1 3	$\begin{array}{c}1\\3\\22\end{array}$
182 183	Supplemental. Mechanical suffocation. Drowning. Supplemental. Traumatism:	53 100 5	3 24	4 17 3	46 59 2	48	1 3	2			8	2 14	17	14 1	1 18 3	2 9 1	1 6	1 1 4	5
184 185	By firearms (wounds of war excepted)	53	9	12	32					1	1	12	13	4	10	4	4	1	3
186a 186b	cepted) Supplemental By fall Supplemental By crushing, landslide Supplemental	11 202 23 16 70	74 5 14	4 1 42 5 1 15	86 13 15 41	1	4			1 1	2 4 1 1 2 2	1 4 1 3	1 2 1 1 7	1 7 2 3 8	1 10 4 4 21	3 16 2 5 13	16 3	2 19 2 1 5	119 8
187 188 190 191 192 193	Cataclysm	2 13 10 7 2 8 14	1 3 1	1	2 8 7 6 2 5 14	1 1			I		1	2 1	1	1	1 1 5 6	2 1 1 4	3 2 2 2	3 1 1	2 1 4
194a 194b 198	Foreign bodies. Other accidents. Supplemental. Legal executions.	3 55 677 2	15 163 2	10 147	30 367	1 5	1 1	1	7	6	1 37	3 25	5 50	80 	5 150 1	8 135 1	10 95	51	8 39
100	XVIII.—Ill-defined causes of death	72	12	7	53	10	1	2				1	1	1	8	6	16	15	II
199 200a 200b	Sudden deathCause of death ill-definedCause of death not specified or unknown	29 22 21	3 1 8	3	22 21 10	1 6 3	1	2				1	1	1 	1 4 3	2 4	6 4 6	9 4 2	9 1 1
Punch symbol 201	SUPPLEMENTAL 1 Accidents in mines and quarries	295	35	62	198							2	8	38	93	81	45	23	5
202 203 205 206 207 208 209 210 211 212	Accidents from agricultural machinery. Elevator accidents	1 3 16 5 111 1 7 332 3 14	1 3 3 2 19 1 5 110 3	5 1 26 72	8 2 66 2 150		1	1	1 5	6	2 6 31	2 1 21	17	17 17 1 1 35	5 2 17 1 60 1	1 19 19 52	5 1 13 2 41 1	2 9 1 24	9 1 25
213 214	Water transportation accidentsAir transportation accidents	2 5	1	1	1 4								1		3		1		
					W	ISCO	NSI	1											
	Total deaths (all causes)	30, 321	13, 269	3, 691	13, 361	2, 675	288	161	136	108	431	345	508	645	1, 394	2,042	3, 010	4, 232	14, 335
1 6 7 8 9 10 11a	I.—Infectious and parasitic diseases Typhoid fever	2,876 21 1 42 51 67 56 578	1, 138 9 	308 4 1 2 4 7 5	1, 430 8 7 20 30 20 295	217 1 8 	79 5 4 16 1	9 9 1 6	30 1 3 2 2	31 4 5 1 6	111 1 9 18 2 21 13	72 1 3 2 7	129 4 1 1 2 17	192 3 	393 3 	5 1 2 3	326 2 1 1 40	251 1 1 3 45	567 L
11b 13 15 16	specified complications not specified Dysentery Erysipolas Acute poliomyelitis, acute polioencephalitis.	321 12 57 13	76 8 21 4	55 1 7	190 3 29 8	43 4 7 2	13	6 2 1 3	6	1	10 1 1 1	12 1	4 1 1	20	17	20	18 1 5	22 1 6	145 1 23

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ries—					•			DEATHS	BYAG	E	·				
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	64	65 years and over
		<u> </u>	<u>'</u>		wisc	onsi	N—C	ontinu	ed								·		
•	I.—Infectious and parasitic diseases— Continued			•													-		
17 18 21 22	Lethargic or epidemic encephalitis Epidemic cerebrospinal meningitis Rabies	25 31 1	18 21	. 6	5 4	1 5	1 4	<u>1</u>	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$		3 7	2 1	<u>-</u>		7	3 4	. 4 1	2	1
22 22 23 24	Tetanus. Tuberculosis (all forms). Respiratory system. Meninges and central nervous sys-	27 1, 378	1 13 537 470	6 100 86	8 741 683	2 6 3	11 5	2 7 2	8 1	1 6 4	5 18 9	5 22 12	1 86 76	156 141	292 280	2 285 264	203 188	1 133 124	3 145 130
25 26	Intestines and peritoneum Vertebral column	39 40 17	22 15 11	3 7 1	14 18 5	2	6	3 1 1	5 1	2	5 2 2	$\begin{array}{c} 6 \\ 2 \\ 1 \end{array}$	4 4 1	. 1 5 1	3 4 2	1 7 4	1 6 4	3 1	<u>5</u>
27a 27b 29	JointsLvmphaticsystem (bronchial, mes-	4 2	4	1	1									1		2	1	1	1
30 31 32a	enteric, and retroperitoneal glands excepted) Genitourinary system Other organs Acute disseminated tuberculosis	5 13 4 11	1 7 2 5	<u>2</u>	4 6 2 4	1			<u>1</u>			1	 1	1 3	3	1 2 2 1	3	1 1 1	1 4 1 2
32b,e 34 35	Syphilis Gonococcus infection and other ve-	4 145	83	10	52 52	17					1		5	1	-11	1 23	40	28	· 1
36 39	nereal diseases Purulent infection, septicemia (non-puerperal) Other diseases due to protozoal para-	12 18	7 12	3 4	.2	4	1	1						1	4	4	1 4	3	4
41b 43 44	sites Hydatid cysts, other organs Mycoses Other infectious and parasitic diseases	3 1 8 8	2 4 4	2 2	1 1 2 2	1 3	i						 i	 1	1 1	2	 2 2	2 	3
	II.—Cancers and other tumors	3, 733	1,813	475	1, 445	3	4	2	7	5	11	13	15	20	73	248	534	852	1, 945
(45) (45) (46) (46) (46) (46) (46)	Cancer and other malignant tumors. Buccal cavity. Pharynx. Esophagus. Stomach and duodenum. Liver and biliary passages. Pancreas: Other digestive tract and perito-	3, 576 109 17 85 948 307 83	1,722 47 6 51 394 136 47	457 15 3 7 110 46 20	1, 397 47 8 27 444 125 16	1	2	1	7	4	8 1 1	10 1	11 1	16	55 2 4 2	211 4 	496 13 2 15 91 42 13	832 21 5 27 208 75 24	1, 921 67 10 42 609 181 43
47 48 49 50 51 52	neum. Respiratory system. Uterus. Other female genital organs. Breast. Male genitourinary organs. Skin. Other or unspecified organs.	587 108 279 83 284 339 74	301 53 149 54 151 168 22	85 11 37 10 30 48 10	201 44 93 19 103 123 42		1		1	2	1 2	1	3	3 2 1 1 2	10 13 3 4 5	43 10 41 12 31 6 4 17	76 25 81 27 59 16	135 24 63 14 100 67 12	312 44 78 26 89 238 54
53 54a 54b 54d,e 55d,e	Nonmalignant tumors, overy- Nonmalignant tumors, other organs Nonmalignant tumors, other organs Tumors, other organs (nature unspeci- fied)	273 5 59 45 48	143 3 38 31 19	25 9 3 6	105 2 12 11 23	1 2	1 1 1	1	4	1 I	3 2 1	3	5 1 3	6 1 2 1	11 4 6 8	17 1 28 3	33 18 8	57 6 6 8	128 3 9
	 III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases. 	1,060	550	128	382	50	2	3	5	.7	17	27	13	22	37	68	119	212	478
56 57 59	Acute rheumatic fever	47 43 687	18 17 366 1	6 6 77	23 20 244	i			1	3	7	11 2 13	6	3	1 3 20	4 3 28	2 4 74	5 7 144	8 24 380
56 57 59 60 62 63 64 65 66a	Pellagra. Rickets. Osteomalacia. Diseases of pituitary body.	1 3 11 1 3	1	2	2 8 1	5	i	2	1		ī					2	1	1	1
66a 66b (66)	Exophthalmic goiter	175	101	22	52								4	5	6	25	1 30	1 49	1 2 56
67 68 69	roid glands Diseases of adrenals (Addison's disease not specified as tuberculous)	13 50 20 2	6 23 9	10 3	5 17 8	39 	i-	1	1 -	3	2	1	1	1	3 -	1 - 4	5	4	<u>1</u>
09	Other general diseases IV.—Diseases of the blood and blood- making organs	293	128	43	122	10	2	2	3 -		9	7	9	14	14	25	28	52	1 117
70 71a 71b 72a 72b 73 74	Hemorrhagic conditions	16 143 12 69 39 11	10 51 3 32 24 6	2 27 3 8 2 1	4 65 6 29 13 4	7 - 2 1	1 -	1	1 .		1 1 5 1 1	3 2	2 4 2 1	1 2 1 3 5 2	1 1 5 5 2	6 7 8 1	9 1 10 7 1	1 32 1 14 4	2 88 6 14 5
	waking organs	. 80	41	7	42			-				-		1	15	23	26	18	7
75 77a 77b,c	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic poisoning by mineral substances	87 2 1	38 2 1	7	42									_ 1	15	`23	24 2	17	7

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	TES—							1	DEATHS	BYAC	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 years and over
				-	WISC	ONSI	N—Co	ntinue	ed										
	VI.—Diseases of the nervous system and of the organs of special sense	3, 225	1, 246	417	1, 562	56	12	8	8	7	23	22	29	19	45	119	275	518	2, 082
78 79a 79b	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Researcher etwin (tebes	47	9 23 6	3 11 4	11 13 4	12 3	2 1 1	2	1 2 2	1 1	2 7 4	2	2 5	2 1	3	3 3	4 5 1	2 3 2	2 2
80 81 82a 82b 82c 82b	Progressive locomotor ataxia (tabes dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Softening of brain Hemiplegia and other paralysis, cause	2, 481 122	12 39 954 49 3	4 4 342 11 4	17 44 1, 185 62 9	1 5	1 	1		1	1	1 3 1	1 2 2	1 2 1	1 3 11 1	2 8 53 8	6 12 179 8 2	15 21 412 15 2	8 35 1,813 86 12
83 84 85 86 87	unspecified General paralysis of insane. Dementia praecox and other psychoses Epilepsy Convulsions (under 5 years of age) Other diseases of nervous system.	73 26 61 29	12 13 5 16 5 46	8 3 3 5 6	25 60 18 42 19 42	1 25 3	1	1 2 1	1 2	1	2	1 4	1 9	1 6	3 4 5	1 20 2 9	2 26 6 7	6 13 1 7	33 11 11 11 11
88 89a 89b	Diseases of organs of vision Diseases of ear Diseases of mastoid process	. 1 46	1 31 22	7 2	8 3	3 3	4 1	<u>î</u> -		<u>i</u>	3 4	<u>4</u> 5	3	4 1	6 3	3	6	4 2	1 5 2
	VII.—Diseases of the circulatory system		3, 050	815		8	2	1	2	2	24	34	44	39	95	240		1, 079	5, 068
90 91a 91b	Pericarditis	10 71 3	30 1	1 7	3 34 2	1 2			1	1	9	7	5 1	9	7 1	8	7	2 1	15
92a 92b	Endocarditis, specified as chronic, and other valvular diseases Endocarditis, unspecified (45 years and	1, 284	495	118	671	1		1	1	1	9	22	27	16	37	78	120	189	782
93a 93b	over)	70 121 10	18 60 2	9 6	43 55 8		1					1	1	<u>4</u> 2	3	7	12 19	11 18	47 67
93c 93d 94a 94b 95a 95b 96	Chronic myocarditis and myocardial degeneration Other diseases of myocardium Angina pectoris. Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart. Aneurysm (except of heart)	2,835 660 424 476 12 676	1, 357 198 188 228 6 233 14	258 99 58 51 2 114 4	1, 220 363 178 197 4 329	2					1	1	6	5 1 1	18 3 5 1 13 2	71 3 10 23	217 42 46 67 2 57	394 74 119 102 3 105	2, 122 539 246 278 6 458 12
97 98 99 100	Arteriosclerosis (coronary arteries excepted). Gangrene. Other diseases of arteries. Diseases of veins (varices, hemorrhoids, phlebitis, etc.).	455 25 58	162 7 27	70 1 12 3	223 17 19									1	2	1 2 2	6	29 3 12 7	420 20 36 8
101 102 103	Diseases of lymphatic system (lymphangitis, etc.) Idiopathic anomalies of blood-pressure. Other diseases of circulatory system	. 5 9	4 2 3	1	7	2	1									1	4 1	1 1	1 4 2
	VIII.—Diseases of the respiratory system	2, 347	1,007	268	1, 072	374	94	37	29	10	57	34	45	49	109	154	191	237	927
104a 104b 105 106a 106c,d 107a 107b 108 109 110 111a 111b	Diseases of nasal fossae Diseases of nasal fossae and annexae Diseases of larynx Acute bronchitis Chronic bronchitis Bronchitis, unspecified Bronchopneumonia. Capillary bronchitis Lobar pneumonia. Pneumonia, unspecified Pleurisy Pulmonary embolism and thrombosis Pulmonary congestion, edema, hemor-	14 12 40 55 23 883 11 1,088 39 59 13	6 8 4 14 122 8 382 2 482 7 28 2	97 1 122 7 11 4	2 5 24 30 15 404 8 484 25 20 7	5 6 2 262 5 73 8 4	1 1 2 1 1 60 2 22 1 1	1 3 1 19 12 1	9	3 5	1 2 2 2 2 16	1 1 1 9 16 4	3 1 7 32 1 1	1 1 9 2	1 1 2 22 	1 2 35 35 100 2 4	2 1 48 119 1 8 2	1 1 10 60 	1 4 1 24 37 16 324 4 415 23 17
112 113 114	rhagic infarct	36 24 7	13 7 5 17	7 1 1 2	16 16 1	2 1 4	1			1	1	1		2	1 4 	1 1 5	. 1 3 6	1 5 1 4	30 9 4 9
	IX.—Diseases of the digestive sys- tem		1, 131	295	583	218	45	23	22	21	62	32	53	57	125	213	270	312	555
115a 115b 116 117a 117b 118	Diseases of pharynx and tonsils. Diseases of buccal cavity and annexa. Diseases of esophagus. Ulcer of stomach. Ulcer of duodenum. Other diseases of stomach (cancer excepted).	21 6 90 57	58 6 2 52 39 16	11 3 1 18 7	29 12 3 20 11	5 1 4	2 2	4	5	4 1	11	1	8 1 1	10 1 1 1	14 1 7 3	8 6 12 8	8 2 1 25 12	11 2 1 17 20 6	7 4 3 27 13
119 120 121 122a 122b 123	Diarrhea, enteritis (under 2 years of age) Diarrhea, enteritis (2 years and over) Appendicitis Hernia Intestinal obstruction Other diseases of intestines	219 101 415 132 169	96 38 272 70 93	24 13 81 27 26 2	99 50 62 35 50 7	191 2 10	28 4 1 3 1	10 4	9 4	7 7 1	5 36 5 1	23	2 34 1 2	2 26 1	4 46 2 11 3	6 67 10 14 6	6 53 15 20 1	9 61 23 14	41 50 77 73 13

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	`																	-	
List	CAUSE OF DEATH	All	IN CIT		In rural			,		1	<u>_</u>	EATHS		<u> </u>		1	l	Ī	65
по.	CAUSE OF BEATH	deaths	10,000 or over	2,500 to 10,000	areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
				,	WISC	ONSII	N— Co	ntinue	b										
	IX.—Diseases of the digestive sys- tem—Continued																	,	
124 125a	Cirrhosis of liverYellow atrophy of liver	272 10	132 6	26	114 4		<u>-</u>				1		<u>i</u> -		14 1	33 2	60 2	58	106 3
125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary	23 191	10 119	2 36	11 36	2							ī	2 4	5	21	4 38	6 53	70
128 129	passages	94 20 29	63 15 18	10 2 4	21 3 7	<u>1</u>	3	1	<u>-</u>	<u>1</u>	1	<u>-</u>	1 1	 4	8 1 4	8 3 3	17 3 2	16 7	44 5 3
	X.—Diseases of the genitourinary system	2, 352	1,040	299	1,013	6	3		2	3	10	13	16	20	76	110	198	329	1, 566
130	Acute nephritis (including unspecified under 10 years)	57	29	6	22	5			1	1 1	1	4 7	3	3	4	7	4	13	11
131 132	Chronic nephritis	1,869 54	782 24	235 6	852 24		1		1	1	8	7	8	12	50 2	68 4	163 4	265 6	1, 285 37
133 134	over) Other diseases of kidneys, ureters (puerperal diseases excepted) Calculi of urinary passages	67 33	33 25 5	7 2	27 6	1	2			1	1	2	1	1 2	5 4	8 5	7 3	6	32 16
135 136	Diseases of bladder (tumors excepted)	13 8	5 4	1	7											1	1	1	10 .3
137 138	Diseases of prostate	193	103	34	56 1												2	24	167
139a 139b	Cysts of ovary Other diseases of ovaries, diseases of tubes and parametrium	13 24	7 15	2 2	4 7								1	2	2 8	4 6	4 6	1	ī
139c 139e	Diseases of uterusOther diseases of female genital organs	18 2	12	3 1	3								2		ı 	6	2	3	4
	XI.—Diseases of pregnancy, child- birth, and the puerperal state.	234	121	44	. 69								14	39	114	63	4		
140 141	Abortion with septic conditions Abortion without mention of septic conditions (includes hemorrhages)	34 13	15 6	7 _2	12 5		-						4	5 3	20 6	5 4			
142a 142b	Ectopic gestation, septic conditions	1		1												1			
143	Ectopic gestation, septic conditions not mentioned. Other accidents of pregnancy (hemor- rhage not included).	6 2	2	3	1 2	<u>-</u> -									6	 2			
144a 144b 145a	Placenta praevia. Other puerperal hemorrhages. Puerperal septicemia and pyemia	14 17	8 7	3	3 7									4 5	7 7	3 5			
145b	(abortion excluded)	44 1	26 1	9	9								5	9	22 1	8 			
146 147 148	Puerperal albuminuria and eclampsia_Other toxemias of pregnancy	36 6	20 4	5 1	11 1								2	7 2	13	12 1	2		
149	embolus, sudden death (not speci- fied as septic) Other accidents of childbirth	26 30	14 18	5 4	7 8								2 1	1 3	13 14	10 10	2		
150	Other and unspecified conditions of puerperal state	-4		1	3										2	2			·
	XII.—Diseases of the skin and cellu- lar tissue	44	24	8	12	9	2				1	4	4	3	4	3	4	6	4
151 152 153	Furuncle, carbuncle Phlegmon, acute abscess. Other diseases of skin and annexa, and of cellular tissue.	13 14 17	7 8 9	2 2 4	4 4 4	2 3 4	1 1			 	1	1 3	1 1 2	2 1	2 1	1 2	2 1	1 3 2	1 3
-	XIII.—Diseases of the bones and organs of locomotion	22	17	2	3	1	1	1	1	1	3			1	1	3	4	2	3
154 155	OsteomyelitisOther diseases of bones (tuberculosis	12	10	1	1		1				3			1		1	3	2	1
156	excepted) Diseases of joints, other organs of loco- motion	3 7	2 5	1	1	1		 1	1	1					 1	2	1		2
	XIV.—Congenital malformations	387	167	57	163	355	7	2		4	4	5	4	2	3		1		
157a 157b 157c 157d	Congenital hydrocephalus. Spina bifida and meningocele. Congenital malformations of heart. Other congenital malformations.	55 70 162 100	24 28 72 43	8 9 25 15	23 33 65 42	45 67 148 95	3 1 3	1 1		1 1 1	2	1 1 2 1	1 3	1 1	1		1		
	XV.—Diseases of early infancy	1, 314	563	137	614	1,314	<u> </u>							<u></u>					
158 159 160 161	Congenital debility Premature birth Injury at birth Other diseases peculiar to early infancy	45 853 250 166	14 354 130 65	2 86 36 13	29 413 84 88	45 853 250 166													
162	XVI.—Senility		76	47	193		l				.	.						3	313

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

	AGE FOR THE REGI	-		1220															
			IN CIT	ies—	In						D	EATHS	BY AG	E			1	,	
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	64	965 years and over
1				7	wisco	ONSII	N—Co	ntinue	i										
	XVII.—Violent and accidental deaths.	2, 689	1, 142	337	1, 210	31	34	25	27	17	98	82	133	166	288	349	404	351	68
L63	Suicide By solid or liquid poisons or by absorption of corrosive sub-	563	242	53	268						-		12	20	60	98	154	111	10
164 165 166 167 168 169 170 171	stances. By poisonous gas. By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. By jumping from high places. By cushing. By other means. Homicide. By firearms. By outting or piercing instruments.	11 8 9 83	32 50 68 22 50 11 7 2 40 30 2	9 6 16 3 15 1 2 1 5 4 1	20 6 97 14 105 11 3 4 8 8 38	2				2	3 1	1 1	2 5 1 2	6 4 2 8	. 1	15 15 22 4 33 3 3 14 12 1	15 59 10 41 5 2 4 4 12 9	10 38 11 33 5 2 3	1 4 3
175 177 178	By other means	2, 043 3 55	8 860 38	279 9	904 3 8	2 29 	34 1	23 	27	1 15 	95 1	81	120	142	199 3	237 11	238 11	235 1 11	56 1
179 180 181 182	(gas excepted) Conflagration Burns (conflagration excepted) Supplemental Mechanical suffocation	38 22 77 15 21	19 3 39 7 8	5 2 13 1	14 17 25 7 13	2 1 14	8 1 5	2 2 4	1 11	2 2	7 1	1 3 1	1 1 3	2 2	5 3 9	9 1 7 5	7 2 6 3	2 4 9 3	-
183	Drowning Supplemental Traumatism:	156 44	48 12	11 2	97 30	î 	9	1	1	2	16 2	21	27 6	16 9	11	16 10	18	12 2	
184 185	By firearms (wounds of war excepted) By cutting or piercing instru- ments (wounds of war ex-	83	23	13	47		1		1	1	4	14	15	11	14	8	3	5	
186a 186b	cepted) Supplemental By fall Supplemental By crushing, landslide Supplemental Cataclysm	14 501 66 12 130	6 3 219 31 2 47	4 4 77 11 3 15	7 205 24 7 68	3	1	1 1	1 2	2	2 5 2 3	1 5 5 2	3 11 5 2 2	1 7 8 1 9	.2 12 6 3 19	1 20 13 2 22	1 31 9 29	48 7 3 21	35 1 (
188 190 191 192 193 194a	Injuries by animals. Excessive cold. Excessive heat. Lightning. Due to electric currents. Foreign bodies.	31	1 8 5 14 5 7	5 1 4	12 7 13 6 9	4		1	1		1 1 1 2	1 1 2	1 1 1	1	2 2 2 1	3 2 4 1	5 2 5 1 1 2	2 6 4 3	1
194b	Other accidents Supplemental	73 612	29 286	12 86	32 240	4 2 2	1 4	7	3 6	2 4	8 39	19	9 31	6 68	86 86	90 90	7 86	12 77	9
199	XVIII.—Ill-defined causes of death Sudden death	72	15	4	53 18	23	1				1			. 1	2	2	8	10 4 2	1
200a 200b	Causes of death ill-defined. Cause of death not specified or un- known	12 35	3 6	3	9 26	18	1				1			1		2	2	4	
Punch symbol 202 201 203 205 206 207 208	Accidents in mines and quarries Accidents from agricultural machinery Elevator accidents Other machinery accidents Railroad and automobile collisions Other railroad accidents Street car and automobile collisions	. 5	6 1 12 13 24 3	5 6 8	3 6 8 38 30 2			2	1		1	2	1 3 1	3 7 5	8 17 3	3 6 7 15	1 3 1 4 9 13 1	7 11 1	1
208 209 210 211 212 213 214	Other street ear accidents. Automobile accidents (primary) Motorcycle accidents. Other land transportation accidents. Water transportation accidents. Air transportation accidents.	624 6 33	3 299 2 12 10 1	86 2 5 3 2	1 239 2 16 28 3	2	3 1 1	6	6	4	43 2 2	22 3 1	32 3 7	71 6 3	1 2	9	92	78	9
					7	WYO.	MINO	3					 						T
	Total deaths (all causes)	2, 057	395	550	1, 112	242	33	15	11	9	32		54 11			192	=		65
1 7 8 9	Typhoid fever	8 2	2 2	1 2	7 8 4 3	1 	1 3 1	2	1	1	1 1		2	i	4			1	
11a 11b 13 15 17	Influenza, respiratory complications specified Influenza, respiratory complications not specified Dysentery Erysipelas. Lethargic or epidemic encephalitis	5	8 4 2	35 9 1	25 19 2 3 1	1 4 2 2	1		1	1	1	2	3	1		13	10 4 1	2	1

¹ See explanatory footnote 2, p. 169.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			Ī																
List		All	IN CIT	nes—	In				г	1		EATHS	BY A	GE 	1	,	1	ī	
no.	CAUSE OF DEATH	deaths	10,000 or over	2,500 to 10,000	rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	years and over
					WYO	MOENO	3—Coi	ntinue	đ			_							
	I.—Infectious and parastic diseases— Continued]												
18 23 24 29	Epidemic cerebrospinal meningitis Tuberculosis (all forms) Respiratory system Meninges and central nervous system	6 54 47 3	2 6 . 6	2 10 9	38 32 3			1 1		1		3 3 2	5 4 1	2 2	1 12 10 2	11 11 11	1 8 6	3 2	 8 8
30 32a	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted)————————————————————————————————————	1 1 1		<u>1</u>	1							i					ī	1	
32b,c 34 36	Other disseminated tuberculosisSyphilis	1 10 2	4	3	3 2	1						 2			3	1		2	2
42 44	Other diseases caused by helminths Other infectious and parasitic diseases	1 16	1	6	9						1			1	3		4	3	5
	II.—Cancers and other tumors	167	37	63	67				1		1				6	15	25	35	84
(45) (45)	Cancer and other malignant tumors Buccal cavity Pharynx Esophogus	1 1	33	59 1	66 5				1		1				4 1 	14 1	21 2 1	33	84
(45) (45) (46) (46) (46) (46) (46)	Esophagus. Stomach and duodenum. Liver and biliary passages. Pancreas. Other digestive tract and peri-	3	11 2 1	15 2 1	19 7 1											2	4 1 1	9. 2 1	30 8 1
47 48 49	toneum Respiratory system Uterus Other female genital organs	15	5 1 2 1	8 1 5	13						1				1	2 3 1	2 1 3	1 1 4	16 5
47 48 49 50 51 52 53 54b	Male genitourinary organs Skin Other or unspecified organs	16 10 4 15	1 1 2 4	10 5 2 8	4 4				1						1	3	4 2	2 2	\$5 6 3
54b 54d,e 55a 55b 55d,e	Nonmalignant tumors, uterus Nonmalignant tumors, other organs Tumors, overy (nature unspecified) Tumors, uterus (nature unspecified) Tumors, other organs (nature unspecified)	3 2 1 1	1 1 2	1 1	1										1 1	1	2 1 1	2	
	III.—Rheumatic diseases, nutri- tional diseases, diseases of the endocrine glands, and other general diseases.	54	10	18	26	3	1	1	-	1	1	2	2		5	5	6	10	17
56 57 59 63 66b 67 69	Acute rheumatic fever Chronic rheumatism, osteoarthritis Diabetes mellitus Rickets Exophthalmic goiter Diseases of thymus gland Other general diseases	37 3	6 1 1	1 15 2	2 1 16 2 3 2	<u>2</u>	1 	1			1	1	2		1 1 2	4 1	5	1 1 6	16
	IV.—Diseases of the blood and blood- making organs.	14	5	4	5	1	1							1	1	3	1	3	3
70 71a 71b 72a	Hemorrhagic conditions Pernicious anemia Other anemias True leukemias	2 6 1 2	1	3 1	1 3 1	1	1							<u>-</u>	1	1	i	1	3
72b 73 74	Pseudoleukemias (Hodgkin's disease) Diseases of the spleen Other diseases of blood and blood-making organs	1 1	1													1		1	
	V.—Chronic poisonings and intoxications	6,	2	1	3					 							2	3	1
75 76 77a	Alcoholism (acute or chronic) Chronic poisoning by other organic substances Chronic lead poisoning	4 1 1	'2 	1	2												2	1 1 1	1
	VI.—Diseases of the nervous system and of the organs of special sense	183	31	54	98	3	2					1	1	2	5	11	24	45	88
78 79a 79b 80	Encephalitis (nonepidemic) Simple meningitis Nonepidemic cerebrospinal meningitis Progressive locomotor ataxia (tabes	1 2 2	1 1		1 1 1	<u>-</u>	2					1		1					
81 82a 82b 82d	dorsalis) Other diseases of spinal cord Cerebral hemorrhage Cerebral embolism and thrombosis Hemiplegia and other paralysis, cause	1 4 129 8	2 22 3	37 3	$\begin{array}{c} 1 \\ 2 \\ 70 \\ 2 \end{array}$										1 1	2	1 19 1	2 33 3	72 4
83 84 85 87	unspecified General paralysis of insane. Dementia praecox and other psychoses. Epilepsy Other diseases of nervous system	10 13 2 7 4	2	5 7 1	5 4 1 7 3	 1							i	1	2 1	5 1 2 1	1 2 	2 4 1	7 2 1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

			IN CIT	ies—					_		D	EATHS	BY AC	3E					
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areas	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	19	20 to 24 years	25 to 34 years	44	54	55 to 64 years	65 years and over
					WYO	MINO	3C01	ntinue	i										
	VII.—Diseases of the circulatory system.	411	76	99	236	1	2				. 3	9	5	3	16	25	53	76	217
91a 91b	Acute endocarditis	7	2	1	3						1	3	1	1		1		2	
92a 92b	Endocarditis, specified as chronic, and other valvular diseases	103	17	25	61		. 1	-			1	4	2	2	10	12	9	14	48
93a 93c	and over)Acute myocarditis Chronic myocarditis and myocardial	3 18	2 2	4	12		-									1	1	5	11
93đ 94a	degenerationOther diseases of myocardium Angina pectoris	86 57 40	13 16 6	27 8 6	46 33 28							1			2 2	3	15 6 8	15 12 10	5: 3: 1:
94b 95a 95b	Diseases of coronary arteries Functional diseases of heart Other and unspecified diseases of heart.	19 2 49	6 1 5	6 1 15	7 29 3		i						2			3	1 5 1	4 1 9 3	2
96 97	Aneurysm (except of heart) Arteriosclerosis (coronary arteries excepted)	5 14 2	5	2	7						-						1		1
98 99 101	Gangrene Other diseases of arteries Diseases of lymphatic system (lymphangitis, etc.)	1		2	1	1	-				-						1		:
	VIII.—Diseases of the respiratory		38	49	74	29		3	2	1	2	1	1	10	9	16	24	16	41
104a 105 106a	Diseases of nasal fossae Diseases of larynx Acute bronchitis	. 1	1		$\frac{2}{2}$			1							1	1			
106b 106c,d 107a	Chronic bronchitis	3	1 9	16	2 1 15			2			i			3	i	3		4	
107b 108 109	Capillary bronchitis	3 86 14	19 19	29 3	38 10 2	3	2		2	- 1	- i	i	1	5 2	6 1	11	20 1	11	2
110 111b 112	Pleurisy Pulmonary congestion, edema, hemorrhagic infarct Asthma	. 2	1 2 2	1	_		-		·	-		-	-		-		2		
114	Other diseases of respiratory system (tuberculosis excepted)	1	1		-	-		-		-		-	-		-	-		1	
115a	IX. Diseases of the digestive system Diseases of pharynx and tonsils	_ 2		56		-11	3 2	2			9	8	$-\frac{7}{1}$		20	26	26	9	3
115b 117a 118	Diseases of buccal cavity and annexa. Ulcer of stomach Other diseases of stomach (cancer excepted)	- 7	1 1 2	4	1		1			-		i		-	1	1 2	1	1	
119 120	Diarrhea, enteritis (under 2 years of age). Diarrhea, enteritis (2 years and over).	17	4 2	4	. 9	16				-			-		i	_		1	-
121 122a 122b	Appendicitis Hernia Intestinal obstruction	- 52 - 8	12 1 6	20 4	20		7	-	-			5	4	5	9		10 3 2	1 2	
123 124 125a	Other diseases of intestines Cirrhosis of liver Yellow atrophy of liver	17	1 6		_ 1							i			i	1	3	4	-
125b 126 127	Other diseases of liver Biliary calculi Other diseases of gall-bladder, biliary	- 11	2	1	1		-	-						-	4	1			-
129	passages Peritonitis, cause not specified	- 12		6			2	-			:- ;		i	ī	2	2			-
130	X.—Diseases of the genitourinary system————————————————————————————————————	- 115	19	23	73	<u> </u>		-				_ 2		- 1	. 6	9	16	21	- <u>- e</u>
131 132	under 10 years) Chronic nephritis Nephritis, unspecified (10 years and	86	17	15		·			-			2		-	4				
133	over) Other diseases of kidneys, ureters (puerperal diseases excepted)	1 1	1	-' - <u>1</u>		-	 				} 		- -		- 	- 1	. 1	1	 -
135 137 139a	Diseases of bladder (tumors excepted) Diseases of prostate Cysts of ovary	. 8		- 1 3 - 1	3 8											1	.	2	
139b 139c	Other diseases of ovaries, diseases of tubes and parametrium Diseases of uterus	_ 6	2	2	2 4									_ 1	2	3		-	-
140	XI. Diseases of pregnancy, child birth, and the puerperal state	28	_	_		5			-				6			6	1		<u> </u>
140 142b 144a	Abortion with septic conditions Ectopic gestation, septic conditions not mentioned Placenta praevia	2		_ 1		1		-							2		i	-	
144b 145a	Other puerperal hemorrhages Puerperal septicemia and pyemis (abortion excluded)				'			-					2		1	2			-
146 147 148	Puerperal albuminuria and eclampsia Other toxemias of pregnancy———————————————————————————————————	1. 3 1. 1		i		2		-							1			-	-
149	embolus, sudden death (not speci fied as septic) Other accidents of childbirth	- 3	1 1	, _j	<u>.</u>	3		-	-	.		-		<u>-</u>	į- 2 3	1 1		<u> </u>	-

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE IN CITIES AND RURAL AREAS AND BY AGE FOR THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1932—Continued

•	- Parameter - Para		IN CI	ries—	- 1			···		ALERT .	J	DEATHS	BY A	3E		<u></u>			
List no.	CAUSE OF DEATH	All deaths	10,000 or over	2,500 to 10,000	In rural areaș	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 34 years	35 to 44 years	54	55 to 64 years	65 years and over
-					WYOI	MIING	—Cor	tinued	i					×			······································		-1-4
	XII.—Diseases of the skin and cellu- lar tissue	2	1		1							· 	i				1		
151 152	Furuncle, carbunclePhlegmon, acute abscess	1 1	1		1								1				<u>1</u>		
	XIII.—Diseases of the bones and organs of locomotion	1			1													1	
156	Diseases of joints, other organs of locomotion	1			,1													1	
	XIV.—Congenital malformations	26	6	5	15	23				1		_ 1			1	·,			
157a 157b 157e 157d	Congenital hydrocephalus	1	1 4 1	4 1	1 11 3	1 17 5				1		1	 		<u>1</u>				
	XV.—Diseases of early infancy		22	31	83	136		<u></u> -					<u></u>						
158 159 160 161	Congenital debility	102 19	16 6	1 23 5	7 63 8	102 19													
162	XVI.—Senility	}	3	2	12													1	16
	XVII.—Violent and accidental deaths	305	63	67	175	1	9	5	2	3	9	15	20	21	65	43	44	33	32
163	Suicide	55 10	13	13	29								3	2	11	11	11	8	. 8
164 165 167 168 171 173 174 175 177 178 179 180 181 182 183	By poisonous gas. By hanging or strangulation By drowning. By firearms. By other means. Homicide. By firearms. By cutting or piercing instruments. By other means. Homicide. By firearms. By cutting or piercing instruments. By other means. Accidental, other, or undefined. Poisoning by food. Absorption of poisonous gas. Other acute accidental poisonings (gas excepted) Conflagration. Burns (conflagration excepted). Supplemental. Mechanical suffocation.	5 1 34 2 2 22 16 3 3 228 3 1 5 6	10 1 9 8 8 	3 1 3 6 7 5 1 1 47 1 1 1	18 2 1 6 3 2 1 140 3 5 5 9 1 2 1 1 6 3	1	9 1 1 1 3	5 1	2	3	9	15	1 	2 1 17 	1 9 	1	1 1 7 1 4 3 1 29	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24
184 185	Supplemental. Traumatism: By firearms (wounds of war excepted) By cutting or pieroing instruments (wounds of war excepted) Supplemental	17 - 1	· 3	5	9							3	1	1	3	5	1	2	1
186a 186b 188 190 192 193 194a 194b	Supplemental By fall Supplemental By crusbing, landslide Supplemental Lipuries by animals Excessive cold Lightning Due to electric currents Foreign bodies Other accidents Supplemental	20 14 2 19 2 9 2 1	3 	4 5 2 2 1 19	1 12 7 2 11 8 2 1		1			2	2 	1	1 1 	4	4 1, 3 1 2 2 1	1 1 1 -1 	1 2 3 2 1 1 10	1 2 1 	13 1 1 1 1 1 1 1 3
199 200a 200b	XVIII.—Ill-defined causes of death_ Sudden death_ Cause of death ill-defined_ Cause of death not specified or un-	26 4 6 16		1	25 4 5	6 1 5	2 2	1	1		1			2 1 1		3 1 2	3 2 1	1	6 2 3 1
Punch symbol 201 202 203	known	7 2	1 1	3	4 1			1					1	2	1	1 1	1	1 1	
symbol 201 202 203 205 207 210 212 213 214	Elevator accidents. Other machinery accidents Other railroad accidents. Automobile accidents (primary) Other land transportation accidents. Water transportation accidents. Air transportation accidents.	6 78 12 4	4 10 2 2	1 22 2 2	1 1 46 8 4 1		1	1		- 2	6	2 2 2 2	1 6 2	8 2	1 3 15 1 2 4	9 2	12	11 2	5 1

¹ See explanatory footnote 2, p. 169.

⁶⁹³⁰¹—35——26

${\tt T_{ABLE}}$ 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List. Cities of 100,000 population or more on Apr. 1, 1930, are included Only those with a minimum of 25,000 colored population on that date are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	34	35 to 44 years	54	55 to 64 years	65 to 74 years	75 years and over	0.5
Birmingham, Ala. (white), all causes	1, 553	143	26	11		5	38	27	36	62	59	58	141	213	259	241	229	
Typhoid and paratyphoid fever (1, 2)	1																	
Measles (7)	2		<u>i</u> -			1												
Whooping cough (9) Diphtheria (10)	5 8	3	ī 1	1			1											
nfluenza (11)	56	4	î			2	4	- -	2	4	3	3	7	5	8	3	10	
Epidemic cerebrospinal meningitis (18) Fuberculosis of the respiratory system (23)	1 4 5		1						1	4	5	4	9	9	7	4	1	
Other forms of tuberculosis (24–32)Syphilis (34)	6 16	2						1		1	<u>-</u> -	2 3	2 3	2 2	2	2		
Dancer and other malignant tumors (45–53)	134 28						1 2	1		2	3	3	12	30 6	40 3	22 12	22 1	
Disperse of the heart (90-95)	80							2		2		1	6	12 25	14 49	27 62	21 56	
Bronehitis (106)	210 5						1		2		4		1	1			3	
Bronchopneumonia (107)	46 62	9	3 2	2	1		1	3	2		3 7	3	6	2 7	6 8	5 7	16 10	
Diarrhea and enteritis (119, 120)Appendicitis (121)	17 32	7	4	2			1	1 3	_i -	2 5		3	8		3	2	1 1	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	29 7	i	1				î		î	ž	1	3	ž	5 2	4 3	j 4	3 1	
Nephritis (130–132)	136							2		1	3	3	8	17	32	37	33	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	9 7							Ī] 1	1 1	2 2	2 2	1 1	1)
Utner nuerneral causes	15 45								3	4	3 2	5	3 12	8	13	3		
Suicide (163-171) Homicide (172-175) Automobile accidents	21 53		1				4	2	3 5	1 3 6	4	2	7 7	3 13	2 4	3		
Automobile—railroad train and street car collisions Other external causes	1									1 7								
Other external causes	93 383	112	6	2 3	1 2	1	14	3 6	7 6	14	5 9	5 10	9 29	12 47	8 53	10 38	14 35	
Birmingham, Ala. (colored), all causes	1, 658	179	31	17	6	7	24	21	61	132	126	139	258	266,	206	102	83	
Typhoid and paratyphoid fever (1, 2) Measles (7) Scarlet fever (8)	6							1	2	1	2							
Scarlet fever (8)																		
Whooping cough (9) Diphtheria (10)	15 3	1	8	3			1	1										
nfluonzo (11)	46 4	6	5	3	1			1 1	6	1	4.	4	3	3	5	2	3	
Epidemic cerebrospinal meningitis (18) Fuberculosis of the respiratory system (23)	141 20		3	2	Î	1	3	2	16 1	34 2	23 2	21	20 6	8	10 1	2		
Other forms of tuberculosis (24-32) Syphilis (34)	43	10							1	4	5	2 6	9	6 15	5 10	1 3		
Cancer and other malignant tumors (45–53)	52 11						1		1		2		3	2	4	1	1	
Derebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	101 160	<u>-</u> 1		1	₁ -		2	3	3	1 4	8	10	14 26	31 40	29 27	14 21	10 13	
Bronchitis (106)	2 26	1 9	2				<u>-</u> -	<u>-</u> -		<u>-</u> -		1 2	2	3	<u>-</u>	<u>-</u> -		
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	107 15	9	3	ŝ			i	2	6	15	11	13	19	13	6	4	2	
Appendicitis (121)	23		5] 1 	1	3	2	2	1	i	4 2	3	5 6	įį			
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	20 7	2						1		1	1		6 1	2	1	1	2	
Nephritis (130–132) Diseases of the female genital organs (139)	150 7	1					1	1	1	2 2	9 2	6	15 1	43	41	16	12	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	14 17								2 2	4 2	4 5	1 1 5	3 3				~ ~~ -	
Suicide (163-171) Homicide (172-175)	5 88								3	1 20	16	18	1 20	8	1			
Automobile accidents 1	22						1	1	2	3	1	5	1	2	2	2	1	
Automobile—railroad train and street car collisions_ Other external causes	43	2 127			i	<u>i</u> -	₁ -	_î -	2	6	5	2	10	3	4	3	1	
All other causes	510	127	4	3			8	2	9	26	25	32	77	75	55	30	37	
Long Beach, Calif., all causes	1,534	$=\frac{72}{}$	3	3	5	2	7	13	22	25 ————	26	35	107	175	200	372	466	-
Pyphoid and paratyphoid fever (1, 2)	1																	
Carlet fever (8)									 				 					
nfluenza (11)	2 29						2	<u>i</u> -			<u>i</u> -	2	4	6	3	2	9-	
Spidemic cerebrospinal meningitis (18) Cuberculosis of the respiratory system (23)	32									3	<u>î</u> -			5		5	2	
Other forms of tuberculosis (24-32)	6							1	2					1	1	2		·
Syphilis (34) Dancer and other malignant tumors (45–53)	8 208	2		<u>-</u> -			2					1 4	8	2 35	1 44	60 60	54	
Diabetes mellitus (59) Derebral hemorrhage and softening (82a, 82c)	36 126	<u>i</u> -								1	1	<u>i</u> -	1 3	- 2 12	6 16	12 40	13 53	
Diseases of the heart (90-95) Bronchitis (106)	447							1	2	1	2	3	28	40	61	134	174	
Bronchopneumonia (107)	27	6				1						2 1		2	1	4	11	1
Jobar and unspecified pneumonia (108, 109)	38 7	6		1					1	2	1 		1	4	2	10		
Appendicitis (121) Lernia, intestinal obstruction (122)	15 23				1			2	4	1		2	3	3	2 4	3	7	
Dirrhosis of the liver (124) Jephritis (130–132)	128							<u>i</u> -		<u>i</u> -	1		5	1 15	16	1 42	5 46	J
Diseases of the female genital organs (139)	6						1				1	1	Ĭ	2		ĩ		
Puerperal septicemia (140, 142a, 145) Other puerperal causes	3 6	- -							1	1 1	1 1	<u>1</u> -	3					
uicide (163-171)	39 13								1	3	3 1	5 2	8 2	8 4	3 1	10		
utomobile accidents 1	55				1			1	4	6	3	2	$\tilde{4}$	11	6	10	7	
utomobile—railroad train and street car collisions.	Ĩ						,		1		1							

 $^{^{\}mbox{\tiny 1}}$ Excludes collision with railroad trains and street cars

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

			Į.o.	.0 11010	30 110	a or m		~ <u> </u>										
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	29	30 to 34 years	35 to 44 years	54	64	74	75 years and over	Age un- known
Los Angeles, Calif. (white), all causes	12, 814	664	84	50	39	28	159	124	170	282	378	374	1, 099	1,681	2, 309,	2, 779	2, 593	1
Typhoid and paratyphoid fever (1, 2)	, 10		1					2	1	1	2	1			2		==	==
Measles (7)	1 17		1	<u>;</u> -	1		4 3	3			2	ī	1	<u>i</u>			<u>î</u> -	
Diphtheria (10)	23 71 131	2	12 5	1 3 2 3	1 6	\ . 7	26 7	5	1		1	3	3		3			
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	27 705	15 2 5 2 10	5 4	<u>i</u> -	1	<u>-</u> <u>-</u>	3 5	5 2 3 5 6	2 3 34	8 2 64 1 1 9 3	3	i	13 3 149	13 3 130	17	21 50	29 23	
Other forms of tuberculosis (24–32)	73 132	9 5	8	4	1	1	6		1	1	80 5 5	75 4 4	۱ ۵	1 7	75 5	30 3 19	3 .	
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	1,630 277		î	1	1		4 2	1 3 2	5 2	9,	11	30 3	23 144 12 18 151	33 293 30 73 373	37 414 72	458 102	256	-
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	756 3, 229	2		l	1		7	1 6	13	1 15	4 31	40	18	73 373	157 675	251 947	250	
Other forms of Tuberculosis (24-32) Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (108) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) Appendicitis (121)	38 330	70	l:	1 1 3	<u>2</u>	2	6	5	1 3 8	5 9	1 6	9	2 29	2 36	5 28	5 37	20 -	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	315 62	11 33	12 2 2	6 2	1 2	1	5	6 2	8	9 1	14	14 2	47 2	39	51 6	43	59 -	
Appendicitis (121) Hernia, intestinal obstruction (122)	162 158	10	1	3	2 	1	9 4	11	. 1	16 5	1 15 11	14 2 8 5 3	26 22 9	4 26 21	21 25	14 32	3 -	
Nephritis (130-132)	117 917	1						4	<u>9</u>	10	2 9	3 10	36	28 105	31 186	28 266	15 282	
Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Homicide (177-175) Automobile accidents 1 Automobile -railroad train and street car collisions Other external causes	50 38					- -			<u>3</u> -	10 2 6 8 17 8 34	8 9	10 5 14 8 25 13 16	15 6	12	6	2		
Suicide (163-171)	43 374 72							1	3 5 3 2	17	9 27 12	8 25	13 82 15	89	90	35	5 -	
Automobile accidents 1	417 26	3	2	<u>-</u> -	2		10	11	20	8 34	38	13 16	48	11 62	72	58	3 41 -	
Other external causes.	424 2, 189	6 477	8 18	1 15	3 17	10	2 10 44	10 34	13 34	25 30	6 14	22 51	6 43	43	2 58 270	67	99	ī
Los Angeles, Calif. (colored), all causes	1,898	280	52	33	20	16	51	29	68	119	50 106	134	172 263	244	206	335 155	388 - 87 -	
, , , , , ,										====		101	200	1	1	100	<u>"</u>	=
Typhoid and paratyphoid fever (1, 2) Measles (7) Searlet fever (8) Whooping cough (9) Diphtheria (10)	1 3	1	<u>-</u>						<u>2</u> -									
Whooping cough (9) Diphtheria (10)	21 24	12 4	1 7 4	2 4 1	3	1	4	i		2		<u>-</u> -						
Epidemic cerebrospinal meningitis (18)	24	5	3				l		1		1	1	3	7	1	·	1 -	
Other forms of tuberculosis (24-32)	325 52	8 5	2 9	4 4 1	7 3	3 2	7 6	7	35 3	56 1 2	40	38 3 8 5	51 5	36 1	13 4 11	13 2	5 -	
Cancer and other malignant tumors (45–53)	63 145	1			<u>ī</u> -	2				2 2	3 3	8 5	5 20 28 2 5 15	14 40	30 7	31	3 -	
Cerebral hemorrhage and softening (82a, 82c)	22 55 188									1	3	1 11	5	6 16 42	12 1	14	7 -	
Bronchitis (106)	129	4 55	13			 	2	3	3	7		1	15 1 10	1	42	42	19 -	
Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchtis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	67 48	10	4	4 2 2	1	2	3 1 1 3 2		1 4	4	1	5 3	12	11 8	1 8 4 1	2 3	9 -	
Appendicitis (121) Hernia, intestinal obstruction (122)	48 18 21						3	2	1	1	3	1 2 1	4 5 2	3	2 2 4	2	2	
Circhosis of the livroy (194)	13 97	1	3 1			1				3	5	1 2	16	23	19	13	16	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	9 14	1	~						3	1 5		1 2 2 3	2	3		ĩ.		
Buicide (109-171)	19 29				2			1 3		4 5	2 4 4	4 6	7	6	1			
Homicide (172–175) Automobile accidents ¹ Automobile—railroad train and street car collisions	48 69	1		2		1	<u>i</u> -	3	1 2 4	.7 5	6 12	8 5	12 13	7 16	1 - 5	<u>-</u> -	<u>2</u>	
All other causes.	38 38		2 3	3 3	<u>2</u>	i	6	1 5	3 5	1 8	3	3 20	1 4	2 32	2	3 21	2	
OAKLAND, CALIF., all causes	343 3, 130	132 159	17	18	13	11	14 28	30		- 1	11	20 I 82	39	403	35	1	12	
Typhoid and paratyphoid fever (1, 2)	4	====	11	10	15		1	- OU	21	60	67		225	1	553	731	712	===
Measles (7)	4 1	2	i				î											
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	6 7	3		i	2	2	1 2									2		
Influenza (11) Epidemic cerebrospinal menincitis (18)	63 3	2	1	2			ī	1	1	2	3	5	10	8	6	9	12	
Tuberculosis of the respiratory system (23)	109 15	1	<u>1</u> -	i		<u>i</u> -	2 4	2	i	15	7 2	8	21 1	17	11 2	21	2	
Syphilis (34) Cancer and other malignant tumors (45–53)	20 346								<u>1</u>	<u>-</u> -		1 8	4 30	69	79	95	2 62	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	75 240								1	2	3		10	5 21 99	26 40	21 82	20 83	
Diseases of the heart (90–95) Bronchitis (106)	876 11	1	1	[[[1	5	1	5	3	8	38	2 1	170 1 13	267	277	
Bronchopneumonia (107)	102 83 12	14 5	3 3	3	1 2			1	ī	1	2	5 4	8 7	12 14	14	15 16	24 14	
Appendicitis (121)	12 43 40	7 1 2	1	2		1	2	1 2		4	3	3	8 7 2 6 3	7 8	6	5	1 -	
Nephritis (130-132)	40 42 209				 				1				4	8 12 29	13	6 9	10 -	- -
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	7									1 1	4	3 2 3 7	14 2 1	29	42	52	64 -	
Other pherneral causes	12 71								1	1 2	2 1 7	3 7 5	2 1	19	20	 <u>-</u> -		
Suicide (163-171) Homicide (172-175) Automobile accidents 1	18 64	1	i		3	1	3	5	1 2	2 2	1 5	3 4 2	13 5 7	3 7	11	1 9	16	
Automobile—railroad train and street car collisions. Other external causes	3 121	2		3].].		8	6	5	1 12	l	11	15		
All other causes	516	117	2 3	5	1 4	1 4	8	6 7	5 3	10	15	8	23	17 42	71	96	25 100	

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

	<u></u>	· ·	1200	_000 0	- 2000	or this							r					
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
San Diego, Calif., all causes	2, 252	122	12	3	7	2	19	14	35	43	69	74	190	245	387	442	588	
Typhoid and paratyphoid fever (1, 2) Measles (7)							1											
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	2 9	5					1									1		
Diphtheria (10) Influenza (11)	5 23	2	3 1	1				1 1		1			3		6	1		
Epidemic cerebrospinal meningitis (18)	125	<u>î</u> -	<u>-</u>							9				24	19			
Other forms of tuberculosis (24–32)	1 19				1		1	1	7	1	17 3 2	18 2 3 4	19	4 4	3	11	2	
Syphilis (34)—Cancer and other malignant tumors (45–53)———————————————————————————————————	267	2	1		1			1	1	1	3	4	27	40	69	2 54	65	
Clarebral hamorrhage and softening (829, 820)	152	1					1		2		i	1	2	3 14	10 33 100	15 35	7 68	
Bronchitis (106)	493						1	1	4	1	1	6	31	50 1	1	140 2 9	158 3	
Bronchopneumonia (107)	66	14 9					4	1				4	3 8	6 5	5 10	9 11	25 13	
Diarrhea and enteritis (119,120)	11 41	6					1 2			1 3	3	2	2 6		10	4	3	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	20 33		1								2	ī	2 5	3 9	1 7	4 6	6	
(NADDFITIS (1304)32)	1 226							1		1	5		10	22	36	53 2	98	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes											1	1 5	1 2					
Suicide (163–171)	63 11								1	1 1	<u>2</u> 3	6	13 2	15	16	7	2	
Suicide (163–171) Homicide (172–175) Automobile accidents ¹ Automobile—railroad train and street car collisions	68			<u>î</u> -	1	1	1 2	1	7	9	6	2 7	4	1 8	6	5	10	
Other external causes	86 368		1 2		1 3		1 3	<u>-</u> -	3	5	1 10	2 9	12 32	8 24	8 43	11	23	
San Francisco, Calif. (WHITE), all causes	7,763	78 254	24	15	14	8	56	45	80	142	5 171	233		1, 361		69 1,661	85 1, 275	1
Typhoid and perstyphoid fever (1.2)	10			===			= 1	== <u>-</u>		1	===		1	5	1			<u> </u>
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	1 4				<u>-</u> -		$\frac{1}{2}$											
Whooping coùgh (9) Diphtheria (10)	5 9	2	1	<u>î</u> -		1	1 3						₁ -					
		3	2				2 2	î 1	3	1	1	3	20 2	9	7 2	9	18	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	361 61	1	1 2	2	<u>į</u>	<u>-</u>	3 5	3	14	26	29	33 5	72 6	90	49	31	11	
Syphilis (34)	93	5							1	6 8	3 2	2	10	10 20	32	16 270	6	
Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	1, 091 170		1				2	1	2	8	10 1 2	13	125	247 21	306 40	259 61	116 37	
Diseases of the heart (90-95)	456 2, 037	1	1.				2	<u>5</u>	1 12	12	16	$\begin{smallmatrix} 4\\21\\3\end{smallmatrix}$	21 107	65 313	106 492	138 567	117 490	
Cerebral hemorrhage and softening (S2a, S2c). Diseases of the heart (90-95). Bronchitis (106). Bronchopneumonia (107).	19 249	29	3	1	1			4	2	5	2 2	8	$\frac{2}{21}$	23 49	36	4 46	4 67	
Diarrhea and enteritis (110 120)	217 19	12	3 1	3			1	2	1	2	3	15 1	44 1	2	39 1	32	19 1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	85 99		1		3 1	i	2	2	4	3 2	3 3	1 8 5	20 12	13 18	12 17	12 31	1 9	
Cirrhosis of the liver (124) Nephritis (130–132)	147 559			i	1				2	3	2 5	7 11	19 46	42 94	43 134	24 137	7 122	
Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes. Suicide (163-171)	19 13								1	1 4	2	2	5 4	5	2	i		
Other puerperal causes	20 262								1 1 1	4 12	4 22	$\begin{array}{c} 1 \\ 5 \\ 22 \end{array}$	6 51	79	37	28	10	
Homicide (172–175)	40 128				<u>î</u> -	<u>2</u>		1 1	1 6	3 12	10 8	6 5	9 17	5 17	1 22	4 18	12	
Automobile accidents 1. Automobile—railroad train and street car collisions. Other external causes.	304		;-				7						1 42	1 56	<u>51</u> -			
All other causes	1, 190	185	1 7	2 5	2	1	5 13	18	10 15	10 23	10 26	20 33	122	174	189	35 203	52 174	ī
San Francisco, Calif. (colored), all causes.	461	39	9	6	2	6	13	10	12	16	26	25	65	89	77	40	26	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7). Scarlet fever (8). Whooping cough (9) Diphtheria (10)	1		1															
Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18)	4													<u>-</u> -	2			
Tuberculosis of the respiratory system (23)	93	3	2			2	3	3	8	10	10	10	19	13	5	5		
Other forms of tuberculosis (24–32)	18 13		2	5		1	2	2	3	10	1		2	5	1 5			
Syphilis (34) Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	38										1	4	7	11	12	2 2	1	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	23 79						1	1 2		i	1	1	3 9	3 19	7 25	5 14	3	
Bronchitis (106)	3 23	2 7											3-		1 2	2		
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	15 3			1	i						1	ī	$\begin{array}{c c} 2\\1\\1\end{array}$	6		1	1	
Appendicitis (121) Hernia, intestinal obstruction (122)	2	2											1				1	
Cirrnosis of the liver (124)	5												1	1	2 5	2	<u>į</u> -	
Nephritis (130–132) Diseases of the female genital organs (139)	29										3	3	3	8	5	2	5	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	1										1 .							
Suicide (163–171) Homicide (172–175)	5 7									3-	1 .			1 3	2		1 .	·
Automobile—railroad train and street car collisions	4						2						<u>i</u> - :		2			
Other external causes All other causes	14 71	1			1	1 2	2-	1		1	1 6	1 4	1 3 7	2 10	1 4	2	7 -	
1 Evaluates collision with reilroad trains and street				'		2,			- 1		0 1	- '	• •		- 1	- 1	٠,٠	

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

					io nead		_				====		,			1		
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 29 years	34	35 to 44 years	54	55 to 64- years	74	75 years and over	Age un-
Denver, Colo., all causes	4, 326	336	44	26	21	18	68	46	92	123	142	151	381	509	695	883	779	12
Typhoid and paratyphoid fever (1, 2)	2							2										-
Measles (7) Scarlet fever (8). Whooping cough (9) Diphtheria (10)	6 13	1	2 2	2 2		1	3	1		2	3					-		
Whooping cough (9)	19	2 3	1	<u>2</u>	1 5		5	<u>î</u> -				<u>-</u>			<u>i</u> -			
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	181	12	5		3	1 2		4	6 2 9	8	10	4	14	19	24 1	26	37	
Tuberculosis of the respiratory system (23)	314	2	1 3	1	ī		2	2	ģ	20 2	37 3	45	86	48	35	20	6	
Other forms of tuberculosis (24–32)	25 43	3 5	3		 -			3	1	2	3 1	45 1 5 3	4	4 6		1 6	3	
Syphilis (34). Cancer and other malignant tumors (45-55). Diabetes mellitus (59). Cerebral hemorrhage and softening (82a, 82c).	438		1				1 1		1 2	5	1 2 1	3	32	79 9	11 107	141	64 7	1
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	56 236											1	32 1 3 35	25 83	18 41	92	74	
Diseases of the heart (90-95)	797 9	2	1 1 5			1	3	7	6	10	11	11	35 1		163	17 92 239	224 3	3
Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	134	33 19	5 2	2	3	1 2	1 3 8	2 2	1.	1	1 5	1 10	3 35	3 27	20 37	20 53 2	38 45	
		43	3	1 -		7						1	_	2		2	1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	103 75	1 4	2	1	2	2	4 1	4	9 2	6 5	9	3 2	11 11	24 9	17 17	6 10	9	
Cirrhosis of the liver (124)	23 312								1	8	2		1 12	6 35	6 54	9 88	99	2
Diseases of the female genital organs (139)	13								2	1	3	3 2	6	2	· i	2		
Puerperal septicemia (140, 142a, 145)	21 28								3	1 5	7 7 9	4	70	1				
Suicide (163-171)	107							1	5 2 3 1 3 2 6	6	9	9 4	18	21	27 6	12	1	
Cirrhosis of the liver (124). Nephritis (130-132). Diseases of the female genital organs (139)	86				2	1	1 4	1	6	7	9	7	18 7 7 2	12	12	9	7	2
Automobile—railroad train and street car collisions Other external causes	4 161	5	1	3	1		6	5	8	5	1 5	5	15 63	15	1 14	26	46	
All other causes	768	201	1 12	3 5	1 2	5	6 24	8	15	22	10	24	63	77	82	103	112	3
Bridgeport, Conn., all causes	====	122	15	7	3	11	19	17	21	26	26	38	144	209	301	321	250	
Typhoid and paratyphoid fever (1, 2)	3							 -										
Scarlet fever (8)	2						ī	1							[
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	7	5	2		<u>-</u> -													
17117767778 (111	2.5	4		1		1		1	1	1			2	1	2	5	4	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	59				1				1 1 1	7	5	4	16	īī	9	3	2	
Other forms of tuberculosis (24–32)	6 24	2 1					ī-	l	1		i	2	6	5	1			
Syphilis (34)—Cancer and other malignant tumors (45–53)————Dishets malifus (50)	197 36						1 1 1			1			6 21 2	36	62	52 15	24 5	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	98	1							3	1 4	3		4	10	11 23 81	30	29	
Bronchitis (106)	408					1	1	1	3	4	3	5	. 19	55 	1 6	121	115	
Bronchoneumonia (107)	1 02	15 2 1	1 3 3	2	1	1 2	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	2		2	1	3	10	5 12	6 18	9	6 6	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	5 17	ī	3						2					1 2		2		
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	16	1					1		1	1			3	4	5	4 1		
							i		1	<u>i</u> -	2.	1		2 16	2 11	3 27	2 25	
Diseases of the female genital organs (139)	3											3		2	1			
Other puerperal causes	i									1								
Homicide (172-175)	(4:							1	2	2	2 1 1	3	11 2 2	7	11	1	3	
Automobile accidents 1Automobile—railroad train and street car collisions_	27		2				2	4	ī		1		2	4	6	3	2	
Other external causes	66 250	1 86	2	1 2		2	2 5	1 3	4	4	3 6	3 11	8 22	13 21	6 35	9 29	11 16	
Hartford, Conn., all causes		201	22	9	9	, ±	38	27	37	42	44	55	160	271	397	420	296	
Typhoid and paratyphoid fever (1, 2)	2								======================================				100					===
Measles (7)) 2	1	1		<u>i</u> -		2	1										
Scarlet fever (8)	11	8	2		i													
Diontheria (10)	1 Z	3	i			1		i			1		2 1		2		<u>-</u> -	
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	1 6	1	1	1			<u>-</u> -		1	7	1 4	<u>i</u> -	9	9	7	5	<u>i</u> -	
Other forms of tuberculosis (24–32)	15	2		1	1		1			<u>-</u> -	2	2	1 5	4	1			
Syphilis (34) Cancer and other malignant tumors (45–53)	265	1					<u></u>		ī	1	1 2	3	13	5 53	8 83	6 71	38	
Diabetes mellitus (59)	60		<u>1</u>				1			1		<u>i</u> -	2 5	6 24	19 26	71 23 23	8 29	
Diseases of the heart (90-95)	475						2	7	5	3	3	6	30	59	105	145	110	
Bronchitis (106) Bronchopneumonia (107)	63	19.	2				1			<u>1</u>		2	8	5	1 10	3	12	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	63 65 22 35	5 14	3	1	<u>i</u> -		2	1	1 2	2 1	2	4	11	10 1	10 1	10	3	
Appendicitis (121)	35			ī	i		5	2	4	2		1	1 2 1	3	5	9		
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	10	1							1	1	1		1 1	7	8 4	- 3		
Nephritis (130–132) Diseases of the female genital organs (139)	145		-					1	1	2	2	4	10 3	19 2	26	45	35	
Puerperal septicemia (140, 142a, 145)	9									2	2	4	1					
Other puerperal causesSuicide (163–171)	29									2 2	4 1	1 5	4 5	7	3	5	1	
Homicide (172–175) Automobile accidents ¹	5 50					1	3	₁ -	1 6	1 3	1 2	1 2	1 4	<u>-</u> -	12	8	3	
Automobile—railroad train and street car collisions.	1		- -							1								
Other external causesAll other causes	71 441	144	1 9	1 3	4	· 4	6 14	5 8	3 7	2 7	3 11	2 13	3 : 35	6 45	7 59	10 47	22 31	
	_							- '										

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

	i i	<u> </u>															75	<u> </u>
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 · years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	years and over	Age un-
NEW HAVEN, CONN., all causes	2, 039	134	24	8	3	5	24	21	31	32	58	39	180	287	410	445	337	1
Typhoid and paratyphoid fever (1, 2) Measles (7)	2												2					
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	9 2			1	1		3	1			1		1	1	<i></i> -			
Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18)	2 19	3	2				2 2		_ī -		<u>ī</u> -		1	ī	2	<u>î</u> -	 ő	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	2 49							1	1	3	<u>ī</u> -	ī	11	16	7	5	1	
		2	1		1						1	<u>î</u> -	7	3	8	1		
Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	297 75								1	1 1	6	3	22	53 13	87 24	74 22	50 13	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	144 452						2	1	3	5	6	7	5 34	8 52	34 96	52 132	114 114	
Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonis (107)	43	9	5	<u>ī</u>		:ī							2	2	8	8	3 7_	
Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120). Appendicitis (121). Hernia, intestinal obstruction (122). Cirrhosis of the liver (124).	104 14	5 5	i					2	2 2		2	3 2 1	11 1 6	18 1 9	21	17 1 2	14	
Appendicitis (121) Hernia, intestinal obstruction (122)	31 18			. - -				2					. 2	1 5	4 4 5	9 7	1	ī
Nephritis (130–132)	19 119	i					1			2	1 3	. 1	2 1 8 2 1	17	25	40	24	
Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Suicide (163-171)	9 5							-			3 3	1	1 4					
Other puerperal causes Suicide (163–171) Homicide (172–175)	9 27 7					-			1 1	2	3	3	5 2	7 2	5 2	1		
Automobile—railroad train and street car collisions.	53					ī	3		3	5	6	4	6	6	12	6	1	
Other external causes	79 413	106	2 9	1 3	2	3	1 8	4 9	8	3 5	4 13	2 7	13 30	10 59	9 55	14 49	13 47	
Wilmington, Del., all causes		136	17	4			18	15	20	32	35	46	124	192	265	311	262	
Typhoid and paratyphoid fever (I, 2)	ī												. 1					
Typioid and paracyphold level (1, 2). Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).	3					2	ī							-				
Diphtheria (10)	3 24	- -	. 1		1	. 1	i			2			3	1	2	4	5	
Epidemic cerebrospinal meningitis (18)	2 49	1			-		. 1		.	5	2		. 1	14		5	2	
Diphtheria (10). Influenza (11). Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23). Other forms of tuberculosis (24-32) Syphilis (34) Ceneral achar malignant tumors (45-53)	13	2 3		ī	i	i				Ĭ		1 2	-	1 1	8 2	<u>i</u> -	$\frac{1}{1}$	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	134 27				ī			-		-	2	2	10	17 4	44 11	41	17 5	
Discourage of the heart (VII-U5)	1 393					-		- 4	1 4	1	6	_	- 1 8 19	12 42	25	39 93	32 83	
Bronchitis (106) Bronchopneumonia (107)	4 55	18				-				2	<u>ī</u>		2		7	9	2 5	
		7 8	$\frac{\hat{2}}{4}$	ī	1			2	. 2		2		_ 2	1		12	9 2	
Diarrhea and unspective pretumona (10s, 109) Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	. 19					-1	2	2	1	. 1		2	. 2	3 2 5	6 7	4	3	
Cirrhosis of the liver (124)	11 167					_		-	1		i	2	1 3	5 21	36	55	48	
Diseases of the female genital organs (139)	. 5 11					-			1 1	2	2	5	3 2					
Other puerperal causes	8 30									- 1 - 1	1	3	6	6	8		2	
Homicide (172-175)Automobile accidents 1	. 11 . 36				-	₁	- 2	2	1 2	1	3 2		- 4	1 5	1 6	4	1	
Automobile—railroad train and street car collisions.	. 56	<u>ī</u>	- _ī	-	i		4		3	5 - 7	3	3	7	8		5	10	
All other causes		90 380	1	_	21	20	1		73		142	-	1		1	985	30 1, 041	
WASHINGTON, D. C. (WHITE), an causes Typhoid and paratyphoid fever (1, 2)	6	900	34	_ 1						=	1				=	1		
3 F 1 (Pt)	1 1		ī			. <u>i</u>	5	ī	1	-	ī	i		-	-	-		
Measies (/)————————————————————————————————————		5 1	1 1	1 3		- <u>i</u>	-					-	-	- <u>-</u>				
Influenza (11) Enidemic cerebrospinal meningitis (18)	1 12	6 3		- 3				1 2		- 1		. 1					14	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	18						- i	- i	- 6	: 1] 1	.	- 44 - 4	. 2	3	2	4	-
Syphilis (34)	- 31 570	4		-	- 2	[-]	i	i	_ 2 _ 2	3] 1	2 2	12	62	94	162	139		
Diabetes mellitus (59)	- 317	11	-	-	-			1 7					_ 10	29	70	99	107	
To:	1 1 188	2			I				-				_ 2		17	_ 3	11 36	
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	162 178 60	11		3 1	3		[]	1 . 3	5	4	7	7 8	26	23	27	31	26	
Diarrhea and enterius (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	70 62	3		1	2	2 2		8	3		i 4	1 E	5 2	8	8	7	10	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (130–132)	- 34		-										27	35	84	12	2	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	- 5				-									2 2		-	-	-
Other puerperal causesSuicide (163-171)	_ 32		-						. 3 2 2 2	5 5 2 7 2 13	1 16	9 7	24	28	24	8	5	
Homicide (172-175)	1 127	i	-			1	3	3 2	. 1	L 2	10			20) 12	.		-
Automobile accidents Automobile railroad train and street car collisions Other external causes.	- 5 177	2						3 -		1		3	l 2		24	24	38	-
All other causes	962	253	1 8	1 2	3 6	3 3	3 2	5 21	. 15	5 10) 23	3 26	5 82	2 83	107	126	171	l

¹ Excludes collision with railroad trains and street cars:

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			1000	note a	o noaa	01 0010	000201											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 29 years	34	44	54	55 to 64 years	74	75 years and over	Age un- known
Washington, D. C. (colored), all causes	2, 936	360	49	23	12	11	25	43	95	163	187	175	430	497	421	297	148	_
M-1-13 3 1-13 c (* 0)				====				====		2	101	110	250	431		281	140	===
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Syphilis (34)	1										1							
Whooping cough (9)	10	6	2	2														
Influenza (11)	6 24	1 4	2 2	2 1 1	2					1	3	_i -		3	6	₁ -	2	
Epidemic cerebrospinal meningitis (18)	328	3			1			10	37		55	44	64	1 37	14	10		
Other forms of tuberculosis (24-32)	55	6	2 -8	5	ī 1	3 1	2 4	5	3	46 3 5	👸	3	5	3				
Syphilis (34) Cancer and other malignant tumors (45–53) Diabetes mellitus (52–53) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	66 164	13					1	1	1	5	8 7 4 1	5 4	14 35	11 42 12	8 46	1 18	13	
Diabetes mellitus (59) Cerebral hemorrhage and softening (829, 820)	41 151									2	1	3	5	12 37	10 52	6 30	2 15	
Diseases of the heart (90-95) Bronchitis (106)	510					3	i	4	2	9	19	3 24	13 79	131	108	89	41	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	15 178	7 <u>4</u>	20	1 7 1 1	2	1	1 3	1	2 4	11	1 7 12	7 19	1 10 27	1 13	5	11	1 3	
Lobar and unspecified pneumonia (108, 109)	143 38	8 27	2 2	1 1	2 1 1		3	1	4	9	12	19	27 1	25	17	10 1	4	
Diarrhea and enteritis (119, 120) Appendicitis (121) Barnia intestinal obstruction (122)	38 27 30	5	2	ī				$\frac{1}{2}$	3	3 2	3		3	. 5	1 4 4	3		
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	13		- <i></i> -						$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	1	1	2	4	13 25 3 5 5 49		2		
Nephritis (130–132) Diseases of the female genital organs (139)	243 28		1		1		1	1	2 2 2	2 10	5 5	9	38 8	49	58 1	48	28	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	28 13 23 22 90 59								4	3 10	4 3	9 1 1 4	1 2					
Suicide (163-171) Homicide (172-175) Automobile accidents ¹ Automobile—railroad train and street car collisions.	22								1	4		1	6	4	3	2	1	
Automobile accidents 1	59	1		1 1	ī	i	5	5	10	13 2	25 5	12 1	16 11	8 10	3 2 3	8	$\frac{1}{2}$	
Automobile—railroad train and street car collisions_ Other external causes	1 78	3	3	i			1	4	3	<u>-</u> -	5	<u>-</u> -	1 17	<u></u> -	8	6	i	
All other causes	575	205	3		1	2	5	8	9	19	12	25	65	78	63	46	34	
Jacksonville, Fla. (white), all causes	937	55	7	3	6	2	13	9	18	23	37	45	_100	128	_166	173	152	<u></u>
Typhoid and paratyphoid fever (1, 2)	2										1		1					
Messles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	1 2	2					1											
Diphtheria (10)	9	î	2	ī	2		2							_ī -				
Influenza (11) Epidemic cerebrospinal meningitis (18)	16										1	1	5	3		1	. 5	
Other forms of triborevises (24 32)	28					<u>-</u> -	1		1	2	3	3	6	6	5 1		2	
Syphilis (34)	6 89	î											2 7	3				
Diabetes mellitus (59)	21											1		14 4 9	25 8	28 7	14	
Syphilis (34) Cancer and other malignant tumors (45–53) Diabetes mellitus (59) Diseases of the heart (90–95) Perceptific (168)	61 181						-	<u>-</u> -	i-	2	4	6	3 13	25	14 39	20 49	15 41	· -
	1 20	2			1				-						3-	1 .		
Bronchopneumonia (107)	27 7	3			-	i .	= -		1 1	1	2	3		3	5	5	5 -	
Appendicitis (121)	17	Ī						1.		2	2	2	2	5 2	1 3	<u>i</u>		
Appendicitis (121). Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	10 15	2						·			2	<u>-</u> -	3	5	3 2	1 -	-	
Cirrnosis of the fiver (124) Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Homicide (172-175) Automobile secidents 1	91 4						-		· -			1 1	5 2	12	19	25	29	
Puerperal septicemia (140, 142a, 145)	8 11								3 2	1	2 4 4	1 2 7	$-\begin{bmatrix} \tilde{1} \\ 2 \end{bmatrix}$					
Suicide (163-171)	33								í	1 1 3	4	7	9	1	8			
Automobile accidents ¹ Automobile accidents ¹ Automobile—railroad train and street car collisions	00			- -	1		3-	i	2	2 3	4 2	3	3 11	1 1 4	$\frac{1}{3}$	3-	2	
Automobile—railroad train and street car collisions_ Other external causes	2 34			<u>i</u> -				<u>2</u> -	-		1 2		5	3	4	1 6	 - -	
All other causes	184	38	2		2		3	4	6	1 5	3	6	20	23	25	20	27	
Jacksonville, Fla. (colored), all causes	1, 041	81	6	5	3	2	9	15	34	61	86	111	216	205	137	48	21	1
Typhoid and paratyphoid fever (1, 2) Measles (7)	2							<u>i</u>			2							
Measles (7) Scarlet fever (8) Whomis cough (9)	2	1	i															
Whooping cough (9) Diphtheria (10)									-				. .					
Influenza (11)	25	1					2	1	4 -			4	4	2	5			
Tuberculosis of the respiratory system (23)Other forms of tuberculosis (24–32)	140 16	1	1				1 2	2	8 2 2	28 1	28 2	25 1	25 3	15 3	5	1 .		
Syphilis (34)Cancer and other malignant tumors (45–53)	63 32	12	1				ī ļ.		2	2	5 2	6	11 10	13	7			
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	5											-		11	6 4 .	1		
Diseases of the neart (90–95)	91 168					<u>i</u> - -	1	2	2	2 6	7	5 18	22 28	30 49	17 34	10 12		
Bronchopneumonia (107)	19	9	1			-					3	1 2		2	2			
Diarrhea and enteritis (119, 120)	38	5	ī	1 .					2	3	4	3	11	5	2	1		
Appendicitis (121) Hernia, intestinal obstruction (122)	11	2							1 -		į	2 3	3	4			1 -	
Cirrnosis of the liver (124)	14 9										1	1	3	1 2	3	-		
Nephritis (130–132) Diseases of the female genital organs (139)	81 6								₁	2 2	2	3	17	25 1	17	9	6	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	5 6								1 2 -	2	1	î.	2					
Suicide (163–171)	2			-										1	i		-	
Homicide (172–175) Automobile accidents ¹	57 19	1			1	<u>i</u> -	1_	1	1	7	11 2	14	16 6	2 4	$\frac{1}{2}$			
Automobile—railroad train and street car collisions. Other external causes	36	<u>-</u> -	<u>-</u> -	·		<u></u> -	-	5		ī	2	3-		8	4			<u>ī</u>
All other causes	186	44 .		1 -	2		1	š	3	ã	11	16	43	26	22	9	2	
1 7333																		

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[566	поте я	т пеац	of this	ramel											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 29 years	34	35 to 44 years	54	55 to 64 years	74	75 years and over	Аgе un- кпоwп
MIAMI, FLA. (WHITE), all causes	866	58	5	3	5	4	11	12	9	21	32	31	81	142	157	156	139	
Typhoid and paratyphoid fever (1, 2)	1								1									
Scarlet fever (8)			 															
Whooping cough (9) Diphtheria (10)	6		ī	1	2		2											
Influenza (11) Epidemic cerebrospinal meningitis (18)		i 			 								1	I				
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	7		<u>i</u> -			2				1	3	1	7	10	9 2	6	1	
Syphilis (34) Cancer and other malignant tumors (45-53)	9	[-			<u>î</u> -	<u>-</u> -					$\begin{bmatrix} 2\\1 \end{bmatrix}$	2	2 9	24	3 30	1 18	14	
Diabetes mellitus (59)	11 56]- -						1		<u>i</u> -		1 2	3	3 8	3 15	1 19	2 8	
Diseases of the heart (90-95) Bronchitis (106)	159	(ī		[ī	3	15	21	30	40	48,	
Bronchopneumonia (107)	22 13	2	ī				1					1	1 2	3 2	3	5 2	5	
Diarrhea and enteritis (119, 120)	8	2								2	1 1		6	1 1	1	3 1		
Appendicitis (121) Hernia, intestinal obstruction (122)	9 ,	i							1			 		Í	5 2	6	1 	
Cirrhosis of the liver (124)	4 64											-	3	10 10	1 17	1 15	19	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	3									2		1	2					
Other puerperal causes Suicide (163-171)	6 37									1 4	3 8	1 4	$\begin{vmatrix} 1\\2 \end{vmatrix}$	9-	3	<u>-</u> -	2	
Homicide (172–175) Automobile accidents ¹	15 35				<u>î</u> -		1	3	1 4	1	1	46	1 5	2 3	3	7	1	
Automobile—railroad train and street car collisions_ Other external causes	2 29	3		1	<u>i</u> -		<u>1</u>	2	1	1	1 2				2	1	6	
All other causes	200	48	1	i		1	4	5		7	7	4	17	27	25	$2\hat{5}$	28	
MIAMI, FLA. (COLORED), all causes	376	44	3	4	1	2	8	7	15	32	45	37	80	52	27	12	7	
Typhoid and paratyphoid fever (1, 2)	1									1								
Scarlet fever (8)																		
Diphtheria (10) Influenza (11)	[2			1					1		1	ī	1	3				
Epidemic cerebrospinal meningitis (18)																		
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	5						i	2	4	11 2	12 1	5 	16	3				-
Syphilis (34) Cancer and other malignant tumors (45–53)	18 13	3								1	$\frac{1}{2}$	<u>į</u>	5	7 4	4		<u>i</u> -	- -
Diabetes mellitus (59)	26										2	2	8 6	2 5	8	<u>2</u> -	3	
Dileases of the heart (90-95) Bronchitis (106)	32										7	8	9	5	1	1	1	
Bronchopneumonia (107)	10 12	5 2	1						<u>i</u> -	2	_i -	2	₁ -	₁ -		1		
Diarrhea and enteritis (119, 120) Appendicitis (121)	7 6	5									<u>î</u> -	<u>i</u> -	2	1 1	1			
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	4 3					1					î		1		1	i		
Nephritis (130–132) Diseases of the female genital organs (139)	19									1	<u>i</u> -	4 1	9	1	2	2	1	
Puerperal septicemia (140, 142a, 145)	3								1	1	1 2							
Other puerperal causes Suicide (163–171)	3									1				1				
Homicide (172–175) Automobile accidents ¹	27 5		<u>î</u> -					1 1	4	5	6	6	5	1				
Automobile—railroad train and street car collisions. Other external causes	15						2 1	<u>i</u> -	1 3	2		1	3	4	 		1	
All other causes	87	27	1	1		1	1	1		5	6	4	16	12	4	5		
Tampa, Fla., all causes.	1, 182	89	16	7	6 	4	17	11	29	39	63	63	139	174	182	189	154 =====	
Typhoid and paratyphoid fever (1, 2)	3						1				1	1						
Scarlet fever (8)	Í	 		 		J J-			 					 			 	 j
Diphtheria (10) Influenza (11)	5	<u>i</u> -	1	2		2	2		<u>i</u> -	<u>i</u> -	<u>î</u> -	3	7			<u>i</u> -	<u>5</u> -	
Epidemic cerebrospinal meningitis (18)	54								4		7	10	<u>9</u> -	6	9	2		
Other forms of tuberculosis (24-32) Syphilis (34)	21	4	i		<u>î</u> -				1 1	3	<u>ī</u> -	<u>ī</u> -		2-	3	2		
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	112 31				1			1	<u>î</u> -	ĭ	2	3 1	3 8 2	23 5	35 6	23 11	16 3	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	80 214				- -		2			4	1 7	11	9 21	18 34	14 42	22 53	16 40	
Bronchitis (106) Bronchopneumonia (107)	5 18	4	4	1			<u>-</u> -			ī		i i	i	2	1	2	1	
Lobar and unspecified pneumonia (108, 109)		3 5	4	1 1	i	1	1		<u>i</u> -	3	<u>i</u> -	i	2	2	5	4	3	
Diarrhea and enteritis (119, 120) Appendicatis (121)	19				1		1 1	<u>î</u> -	2	<u>î</u> -		<u>ì</u> -	5	2	3	<u>1</u>	<u>į</u>	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	19 12					 				 <u>:</u> -	1		3	3	1	7	3 5	
Nephritis (130–132) Diseases of the female genital organs (139)	116 4							1	$\begin{array}{c c} 1\\1\\2\end{array}$	2	2 1	2	12	20 2	21	24	30	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	8 11								2 2 2	2	3	1 2 2	3 4					
Suicide (163–171) Homicide (172–175)	33 25								4	2 1	6 8	2 1	12 7	1 2	3	1	1	
Automobile accidents ¹ . Automobile—railroad train and street car collisions.	28 2				1		1	1	1		1	5	2	4	$\tilde{4}$	5		
Other external causes	48 238			<u>i</u>	1	1	2 5	2 5	3 2	5	5 9	5 11	6 20	39	3 22	5 21	8 20	
THE COURSE COURSES	400	111	Ð	1		. 1	. J	Ð		0	9 1	TT	۵0 ا	98	24	21 '	20	

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: - 1932—Continued

			[See	note at	t head	of this	table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	29	34	44	54	55 to 64 years	65 to 74 years	75 years and over	Age un- known
Atlanta, Ga. (white), all causes	2, 049	194	33	13	12	11	29	25	43	67	68	77	189	256	351	338	343	
Typhoid and paratyphoid fever (1, 2)	5							1	1	1		1			1			
Scarlet fever (8)	. 1	3	<u>-</u>															
Diphtheria (10) Influenza (11)	10		$\frac{\hat{2}}{2}$		2 2	2	4 1	1	3	1	1	3	2	4	8	5	15	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	3 41		ī				1	1	- -	<u>4</u>	5	<u>5</u>	3	9	6	4		
Other forms of tuberculosis (24–32)	11	2 5	1 1		1 2			1		1		1 1	2 4 16	3	1	3		
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	164 53			1			_ 1	<u>-</u> -	3		4	5	4	30	48 21 33	33 15	24 5	
Diseases of the heart (90-95)	125 353	3		1				<u>2</u> -	1 	1	5	~ 2 6	6 28	20 53	77	32 84	29 94	
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	45	1 15 7	3	1			1 3	<u>-</u>		- -	2 3		2 14	1 12	1 4 10	1 7	10 7	
Diarrhea and enteritis (119, 120)	38	19	2 8	2			2	<u>-</u> -	5 1 1	4 1 3		4 1 4	1 9	13	1 9	11. 2	1 3	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	32 13	3		·!				ĩ	i	ĭ		3	5.	4 5	8 4	3 3	. 3	
Nephritis (130–132)) 230		ī					2	1	$\frac{1}{2}$	1 2	3 2	11 2	22	41	67 2	77	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	. 1 20						;-		2 2	1 9	3 5	1 2 7	2					
Suicide (163–171) Homicide (172–175) Automobile accidents ¹	. 54								1 2	2 4	6 2	3	15 8	14 3	4	5	1	
Automobile—railroad train and street car collisions.	. 2	1			1		9	3	4	12	6	2	5	5 1	5	4	7	
Other external causesAll other causes	96 436	132	9	3	3 1	1 4	3 4	2 5	5 6	4 14	3 15	7 14	4 46	8 46	14 53	11 44	24 40	
Atlanta, Ga. (colored), all causes	1,830	181	28	10	2	5	25	33	87	131	172	149	347	319	201	104	36	
Typhoid and paratyphoid fever (1, 2)	22		1				-1	4	5	3	4	2	2					
Scarlet fever (8) Whooping cough (9)	6	2	2	1		1												
Diphtheria (10) Influenza (11)	3 67	1 1	1 2			1	1	<u>-</u>	9	2	3	10	11	8	11	5	<u>2</u> -	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	7 135	1 6				<u>i</u> -	1	2 3	13	2 16	22 1	1 14	30 30	1 19	7	3	<u>î</u>	
Other forms of tuberculosis (24–32) Syphilis (34)	26 59	13	2	2			1	3	1 3	6	8	2 5	6 12	7	2	3		
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	60 17						1			1 3	3 1	3 1	17 3	19 3	11 3	5 3	1 2	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	150 236 1	1					2	3	4	6 1	1 9	5 22	36 55	58 56	33 42	9 26	4 10	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	61 169	- 25 8	2 5	2 2	2	ī	1 3	1 3	1 12	3 21	2 26	6 14	6 31	6 26	12	1 4	2	
Diarrhea and enteritis (119, 120)	15 18	ă.	- Ž	ī				1 2	3	2	1 2	i	4 2	1 2	3	î		
Hernia, intestinal obstruction (122)	21	2	1								2		4	4	6	1	1	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	147 7							1	1	2 1	3 2	8 2 3	31 2	40	28	25	8	
Other pherperal causes	6							2	2	4	3	3	2 1	1				
Suicide (163–171) Homicide (172–175) Automobile accidents ¹	83 35						 1	5	1 14	23 2	20 7	13 3	7 4	3 7	1 3 2			
Automobile—railroad train and street car collisions_ Other external causes	1 78	2					<u>-</u> -	2	3 7 -	8	1	- 7	15	7		1 2		
All other causes.	378	113	2 7	1		1	8	3	7	19	15 34	23	65	50	7 28	14	5	
CHICAGO, ILL. (WHITE), all causes		2, 132	264	207	163	119	531	365	491	723	844	968	3, 176	4, 659	5, 725	5, 893	4, 030	93
Typhoid and paratyphoid fever (1, 2)	13 31	3	7	7	6	2	5		<u>-</u>	2	3	3 <u>-</u> -	2	2		<u>:</u> -		
Scarlet fever (8)	127 49 61	3 2 30 1 23 9	10 10 4 8 3	18 7 10	16 2 7 7	11 _.	43	8 4		4	5 	3 	3	1	i	1		
Influenza (11) Epidemic cerebrospinal meningitis (18)	314 92	23	8	11	. 7	l	25 11 10 6	6	11 8	15 10	21 5	20 3	66 11	52 12	24	20 1	17	2
Tuberculosis of the respiratory system (23)Other forms of tuberculosis (24-32)	1, 153 168	6	1 17	4 1 8	4 8	2 2 4	6 16	13	64 13	151 16 2	151	131 11	249	213 22 47	103 6	49 6	1 8 1	ī
Syphilis (34)	142 3,707	14 17 3	1 2	2 1	0714	1 1	6	13 5 1 5 3		16 16	5 7 32 14 8	5 68	16 22 346 53	47 791	25 1, 042	13 959	1 411	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	901 1,448			ī			4	3	8 9 2 52 3 10 25	4 6		5 68 12 7	90	119 207	285 369	289 430	105 319	11 2 5 27
Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107)	7, 638 115	4 14 25 292 41	6 7	5 5	7 2	3	54 6	62 1 10	52 3	75 1	102	123 1	588 6	1, 135 7	1, 721 19	2,004 13	1,660 14	27
Bronchopneumonia (107)	836 992	292 41	51 26 32 3	5 5 22 9 8 5	17 6 5	3 1 5 13 3 5	22 23 4	10 15		9 35	23 35 3	12 52	64 161	68 164	69 163	78 144	83- 78	<u>1</u>
Appendicitis (121) Hernia, intestinal obstruction (122)	222 488 366	125 1 18	32 3		5 11 1	3 5 2	4 47 5	15 5 44 2	44	4 42 7	31	33	8 75 69	11 64	61 61	5 13 59 63	5 8	1 4 1
Cirrnosis of the liver (124)	1 337	18 1 4	4 1	<u>4</u>	<u>-</u> -	<u>-</u> -	5 <u>12</u>	2 2 14	5 		8 8 37	12 8	50	65 86 439	88 612	59 63 940	40 30 771	4 1 16
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	98 72					- -			23 1 4	25 4 19	6 17	14	255 35 15	19	14	3	2	
Other puerperal causes	155 573								4 4 5	37	40 37	61 14 16 23 43 42	50 108	154	111	68`	16	<u>-</u> 1 6
Homicide (172–175) Automobile accidents ¹	267 766	1 1		1 12	1 10	8	54	2 29	26 39 2	25 22 44	39 40	42	66 92	42 122	19 125	105	1 46	
Automobile—railroad train and street car collisions_ Other external causes	28 1, 239	25	14	16 50	13	13	41	31	40	5 50	3 36	- 39 3 60	221	208	201	1 146	121	3
All other causes	4,771	1, 472	57	50	33	34	136	96	91	92	124	163	447	606	590	478		10

¹ Excludes collision with railroad trains and street cars.

Table 9.—Deaths (exclusive of still births) from important causes, by age, in large cities: $1932\mbox{--}{\rm Continued}$

			[See	note a	t nead	of this	tabiej											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 29 years	30 to 34 years	35 to 44 years	54	55 to 64 years	65 to 74 years	75 years and over	Age un- known
CHICAGO, ILL. (COLORED), all causes	3, 977	283	71	30	30	23	58	57	105	197	321	392	708	810	494	265	121	12
Typhoid and paratyphoid fever (1, 2)	3								1	1	1							
Measles (7) Scarlet fever (8)	10	1	1	2	<u>i</u> -	2	3	<u>-</u> -	2		i							
Scarlet fever (8)	20 5	8	5 1	3	2 1	1	1				<u>i</u> -	<u>-</u>						
Influenza (11)	38	2	1				2			ī	4	4	10	10	1	2	1	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	592	1 6	1 4	4	3		9	19	2 44	85	110	98	103	$\begin{array}{c} 1 \\ 62 \\ 12 \end{array}$	34	<u>-</u> -		2
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Syphilis (34)	109 97	1 8	16	4		7	8	5	4	8 5	10	16 7	16 31	12	2 11	3		
Cancer and other malignant tumors (45-53)	227			<u>ī</u>		1			<u>î</u> -	2	6	19	47	28 82 17	41	20	6	ī
Diabetes mellitus (59)	56 166		_i -		 -		1			1	1 5	3 5	7 29	17 54	16 33	8 29	2 9	_ī
Diseases of the heart (90–95)	788			1	1	1	3	6	6	6	33	46	143	231	168	92	48	3
Bronchitis (106) Bronchopneumonia (107)	2 189	72	23	11	9	2	4	1	3	3	4	8	16	12	11	3	7	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	232 23	12	3	1	$\frac{2}{2}$	3	2		6	15 2	18	34	58 1	51 2	22	7	4	2
Appendicitis (121) Hernia, intestinal obstruction (122)	41		Ĭ		<u>1</u> -		ï	4	2	7	1 5	7 5 3	7	9	2 4	3		<u>ī</u>
Cirrhosis of the liver (124)	20	6								4 1		3	13 6	4	3	3		
Nephritis (130–132)	331 15							1	1 1	6 1	13 2 3	12 6	57 1	96 4	69	47	29	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	17 13								3	3	3 4	5	2 5					
Suicide (163–171)	27									5	3	5	6	3	3	2		
Homicide (172–175) Automobile accidents ¹	187 80		<u>i</u> -		<u>-</u> -	₁ -	<u>-</u> -	1 4	7 3	22 1	42 6	35 8	53 14	20 18	6 11	1 4	3	
Automobile—railroad train and street car collisions.	1					 -				<u>-</u> -			1 22					
Other external causes	126 500	158	5 5	1 2	3	 5	7 9	6 9	11 4	16	12 32	21 41	59	15 71	10 47	7 25	12	<u>2</u>
PEORIA, ILL., all causes	1, 199	94	15	5	4	7	20	16	23	29	22	28	90	156	183	258	248	1
Typhoid and paratyphoid fever (1, 2)	2		1											1				
Measles (7) Scarlet fever (8)	<u>-</u> -			ī														
Whooping cough (9) Diphtheria (10)	3 15	3	2		2	3	5	2										
Influenza (11)	31						1		1	1	4	3	4	6	2	2	7	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	$\frac{2}{22}$						2 1	1	ī	3	3	1	2		2	_i -		
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Syphilis (34)	2 8	2	1							1			3	2				
Cancer and other malignant tumors (45-53)	129										1	1	7	31	27	37	24	<u>-</u> ī
Diabetes mellitus (59)	28 65	1				1	1			<u>-</u>		_i -	1 1	11	8	12 19	1 18	
Diseases of the heart (90-95)	256							1	4	1	2	4	11 1	24	51	72	86	
Bronchopneumonia (107)	8 33	9	3			1				1			2	3	4	4	6	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	39 10	2 5	. I					1	2 1	2			7	3	4	10 1	7 1	
Appendicitis (121) Hernia, intestinal obstruction (122)	19		1					1	1	4	1	1	2	2	1 1	2 4	3	
Cirrhosis of the liver (124)	8							1					1	3		2	ı i	
Nephritis (130–132) Diseases of the female genital organs (139)	113 5							1		2		1	5 2	13 2	29	33	30	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	3 5								2	<u>i</u> -	<u>i</u> -	1 2	<u>-</u> -					
Snicidê (163–171)	20	<u>-</u>							2		1 2	1	3	6	3	2	2	
Homicide (172–175) Automobile accidents ¹	12 21			<u>i</u> -				2	2	3		2 5	2 2	5	1 2	4		
Automobile—railroad train and street car collisions Other external causes	2 62		1					<u>-</u> -	4	<u>5</u>	1	1	6	7	5	13	14	
All other causes	265	68	5		2	2	8	$\hat{2}$	3	4	5	$\tilde{4}$	26	25	28	40	43	
Evansville, Ind., all causes	1, 114	64	13	8	7	3	15	11	24	26	33	33	99	144	173	221	240	
Typhoid and paratyphoid fever (1, 2)	2												2					
Scarlet fever (8)	5	1				1	3											
Whooping cough (9) Diphtheria (10)	5	2	1	1	2		i	1					1					
Influenza (11) Epidemic cerebrospinal meningitis (18)	21 2			1			₁ -		1		2		3	4	2	2	6	
Tuberculosis of the respiratory system (23)	38								2 2	3	5	1 2	11	4 3	4	6	2	
Other forms of tuberculosis (24–32) Syphilis (34)	10 5	2					1		z	1	<u>i</u> -		1	2				
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	106 24						1			<u>ī</u> -		1	3 2	26 3	22 5	31 8	22 3	
Cerebral hemorrhage and softening (82a, 82c)	94									1 2		5	6	13 23	20 39	24 56	30	
Diseases of the heart (90–95) Bronchitis (106)	209 4			1							5	5	14			1	63	
Bronchopneumonia (107)	44 53	8 2	$\frac{2}{1}$	₁ -		<u>-</u> -		1 2	<u>i</u> -	1	_ī -	3-	5 5	1 4	5 5	5 9	16 17	
Diarrhea and enteritis (119, 120)	20	6	6	2	i							2 2	1 2	2	1		1 2	
Appendicitis (121) Hernia, intestinal obstruction (122)	25 8					1	2	3	4	2 	1	z	3 1	1	4			
Cirrhosis of the liver (124)	13 109								<u>i</u> -	2		2	7	5 18	2 28	3 31	2 19	
Diseases of the female genital organs (139)	8								1 1			2 2	2 2	2		1		
Puerperal septicemia (140, 142a, 145) Other puerperal causes	9 5								l	1	3 1	1	2					
Suicide (163–171)	9 10	_i -								1 2	2-	1	4	<u>1</u> -	2	1		
Automobile accidents 1	25			ī	ī		3		2	ĩ	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	2	2	3	4	4		
Automobile—railroad train and street car collisions_ Other external causes	1 42		<u>i</u>					1	<u>3</u>	1 5	<u>2</u> 5	1 6	3	5	2	4	19	
All other causes	204	42	$\bar{2}$	1	3		3	1 1	6	5	5 1	6 ¹	13 !	23	24	35 l	35	

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

		_	foee	поте а	t neau	of this	raniel											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
FORT WAYNE, IND., all causes	1, 199	89	8	10	5	8	24	20	22	26	31	36	94	151	181	245	249	
Typhoid and paratyphoid fever (1, 2)	3													1				
Measies (7)																		
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	8	2		1			3						1				1	
Epidemic cerebrospinal meningitis (18)	39 3 42	6		i	1	2	<u>î</u> -			2	1	3	6	3	3	1	11	
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	14	1	ī		1	1	1 1 1	2	5	3	4 	2	9	5 2	5	2	2	
Cancer and other malignant tumors (45–53)	111							1		1	1	2	5 9	30	2 36	40	21	
Cerebral hemorrhage and softening (82a, 82c)	16 94							1		3	1		3	5	10	37 37	37	
Other forms of underculosis (24-52) Syphilis (34). Cancer and other malignant tumors (45-53). Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c). Diseases of the heart (90-95) Bronchifts (106). Bronchopneumonia (107).	235						2	1 <u>-</u> -	3		1	2	11	26	48	67	71	
Donar and unspecimed pheumona (100, 109)	- **	8 2	2 1	2 2	1		1 2	1	<u>ī</u>	1 4	1	2	3	6	2 5	7	9	
Appendicitis (121)	29	3				1 1	1 2	2	4	2	2		3	9	3 3	1	2	
Diarrnea and enterius (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	22	2						1			1	1	2	3 2 7		7 2	3	
Diseases of the female genital organs (139)	120	1					1		2	1	1	3 1 1	3		21 1	40	39	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	6 3									1	1	2	2	1				
Suicide (163–171)	28 10			<u>1</u>					1	1 2	2	2	- 3	9	6 2	3 2	1	
Automobile—railroad train and street car collisions						1	4	2	2	1	2		5	6	4	2	1	
Other external causesAll other causes	42 201	1 59	1 2	1	1	2	5	6	3 1	2	8	3 5	5 16	27	19	6 22	10 28	
GARY, Ind., all causes	845	93	22	12	3	5	26	13	25	34	57	35	119	148	119	83	50	1
Typhoid and paratyphoid fever (1, 2)	1						===			1				===				
Measles (7) Scarlet fever (8)	. 3						1				2							
Whooping cough (9) Diphtheria (10)	1 3	1	<u>ī</u> -	·														
Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18)	15 7	1	3	<u>i</u>	. 1	2	1				1		3	2	2	. 1		
Other forms of tuberculosis (24–32)	- 59 16	1	1	2	1		1	2	5 1	9	7	6 2	14	5 3	5	2		
Cancer and other malignant tumors (45–53)	- 4										1 1	1	7	24	2 21	11	4	
Cerebral hemorrhage and softening (82a, 82c)	- 13 - 46		2		. 1		1					1	2 5	1 9	3 11	3 12	8	
Diseases of the heart (UL-US)	125			1			1	1	2	3	5	5	14	34	23	24	12 1	
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	13 46 125 3 26 50 19 26 16 26	9 3 9	3	1 2 2		1	1 3	1	1 4	1	3	1 3	9	8	6	1 4	1 1	
Diarrhea and enteritis (119, 120)	19 26	9	2	2			1 2	3	2	1 4 1	1 2	1	3	1 6	1-	1 2	1	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	16	4								1		1	5	4	1 1			
Diarrnes and entertits (119, 120) Appendictits (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicida (163–171)	.66	1							1	1	1	1	11	14	13 1	12	12	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	- 4 3 5									1 3	1	1 1	2					
Homicide (172–175)	7 24				.	.	·[.[8	1 4	6 2	4 4 2	1 3			
Automobile accidents ¹	- 43						1		. 2	1	3	4 3	7 2	2	6	2	1	
Other external causes	34 159	1 61	3	$\frac{1}{2}$		1	5 4	5	1 6	3	2 13	1 2	2 7 15	6	4 14	1 5	1 8	
Indianapolis, Ind. (white), all causes	4,011	299	37	33	19	22	55	48	56	. 72	89	125	351	487	667	865	786	1
Typhoid and paratyphoid favor (1 2)	7	:								2	2	2		1				
Measles (77—Searlet fever (8)—Whooping cough (9)————————————————————————————————————	6			i	2	1	1		<u> </u>		<u>-</u> -							
Whooping cough (9) Diphtheria (10)	11 7	8	1	2	<u>-</u> -		2	i	-					1				
Epidemic cerebrospinal meningitis (18)	96 45	5 5	Î	2	i	1 3 2	3 2	3	3 2	1	2 2	4	11 3	9	11 8	8	32 1	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	_ 126		2		i	<u>î</u>	3 3	1 3	5 2	15	13	14 14 3 2 6	23 6	9 2 17 5 11 83 8	16	14 4	4	
Cancer and other malignant tumors (45–52)	38	7	<u>î</u>			3	1 2	l	<u>-</u> -	<u>î</u>	1 5	2	4	11	120	110	47	
Cerebral hemorrhage and softening (82a, 82c)	_ 80 297			-	- ī	-		1 2 1	1 2		2	l	39 3 7	8	19	33 103	10 96	
I liggorge of the heart (QILOS)	806		-			2	3	3	4	1	7	11	56	33 79	156	252 2	232 4	
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	1 190	25 5	5 3		1	2	1 3	4	3	2 4	3	3 6	5 11	9	13 16	24 23	34 23	
Diarrnea and enteriols (119, 120)	1 67	50	5	1 1	1 3		5	4	1	1 1	4		. 2	10	7	23 I	3	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	45	2	1	ì		-			.] 1		. 1	4 1 3 1 5	8	11 8	4 3	10 12	5	
Nephritis (130–132)	_ 399	ï		-	-		1	1 2		3	5 1	\$	27	35	84	118	120	
Puerperal septicimia (140, 142a, 145) Other puerperal causes	- 14								1 1 2	2 4 3 2 1 3		- 5	4	6	.			
Suicida (183_171)	80					-			1	2	2 8	9	6 14	15	21	6	4	
Homicide (172–175) Automobile accidents ¹ Automobile—railroad train and street car collisions	- 83			2	<u>i</u>	2	4	ī	6	3	5 4	5	7 12			10	6	
Other external causes	129	. 2	3	5 10			5	7	6		$\frac{2}{2}$	5	14 77	1 14	18	21	20	
All other causes		ı 189	1 9	' 10	' 6	1 5	1 15	14	14	1 12	13	19	1 77	89	87	1 106	143	I

 $^{^{\}mbox{\scriptsize 1}}$ Excludes collision with railroad trains and street cars.

Table 9.—Deaths (exclusive of still births) from Important causes, by age, in large cities: $1932-\!\!\!$ Continued

AREA AND CAUSE OF DEATH	All	Un- der 1	1 year	2 Vears	3 vears	4 years	5 to 9	14	15 to 19	24	25 to 29	30 to	44	54	64	65 to 74	75 years and	Age un-
	- Geatins	year	year	years	years	years		years	years	years	years	years	years	years	years	years	over	Ag
Indianapolis, Ind. (colored), all causes	749	66	6	5	3	1	2	3	15	26	33	53	135	151	131	71	47	L
yphoid and paratyphoid fever (1, 2)		- -									- 	-						
sessles (7) sariet fever (8) hooping cough (9) iphtheria (10)		<u>-</u> -																
hooping cough (9)	. 8	7	1															
fluenza (11)	.1 20	I		1					1			3 2	3 6	5 6	3 2	2	1	
iberculosis of the respiratory system (23)	. 73	2	2					1	6	7	10	9	19	11	6	3		.[
ther forms of tuberculosis (24–32)philis (34)	. 11	<u>i</u> -						1	1	1		1	9 5	1	2	1		1-:
ncer and other malignant tumors (45–53) abetes mellitus (59)	. 39										1	1	6 2	11 5	9	5 1	6	-
rebral hemorrhage and softening (82a, 82c)	. 39		-	İ							1	2	6	7	9	7	7	
seases of the heart (90–95)	. 2	1						l	1	1	3	6	26	42	36 1	22	13	
onchopneumonia (107)bar and unspecified pneumonia (108, 109)	. 33	15	1 1	1	1				2	1	1 2	4	6	10	5 8	2	1 2	-
arrhea and enteritis (119, 120)	. 13	3 7	î	2					1		1	1						
opendicitis (121) ernia, intestinal obstruction (122)	5	1 2		 		 		 		1	3	 	1	1 2	2			
rrhosis of the liver (124)	_ 6									<u>i</u> -		1 3	16	19 19	28	1 14	10	
seases of the female genital organs (139)	. 3										2			Ĩ				£.
terperal septicemia (140, 142a, 145)her puerperal causes	1 .2									2		<u>î</u> -	2					1:
icide (163–171) micide (172–175) tomobile accidents ¹	6 21									1 5	2	2 6	5	2 2	1 1	 		-
tomobile accidents 1	16							1	1		2	2	3	2	î	3	1	-
itomobile—railroad train and street car collisions.	18	1				1				2 3		2 6	<u>3</u> -	1	6	1	1	1.
l other causes	. 96	25			1		2		2	3	5	6	14	16	11	6	4	
South Bend, Ind., all causes	- 836	75	14	3	2	3	18	13	19	22	14	28	80	122	129	148	145	L
phoid and paratyphoid fever (1, 2)																		[
pessles (7) arlet fever (8) hopping cough (9) phtheria (10)																		
hooping cough (9)	2	1]											-
uenza (11)	- 15	11	1				1			1	1	1 1	3	1	1	2	2	
oidemic cerebrospinal meningitis (18)berculosis of the respiratory system (23)	. 41	1					1		2	3	1	3		9	<u>-</u>	3	<u>2</u> -	-
ther forms of tuberculosis (24–32)philis (34)	8 9				1		1		$\frac{2}{1}$				2 5	<u>i</u> -	1 1			-
ncer and other malignant tumors (45–53)	. 94											1	10	14	23	26	20 2	-
abetes mellitus (59)erebral hemorrhage and softening (82a, 82c)seases of the heart (90–95)	- 24 61									1			$\begin{vmatrix} 1\\2 \end{vmatrix}$	5 8	5 16	10 16	18	-
iseases of the heart (90–95)	153							1		3	1	2	11	28	26	39	42 1	-
onchopneumonia (107)	_ 26	7	1				2	1				3	Î	1 5	2 6	$\frac{2}{3}$	9	
pbar and unspecified pneumonia (108, 109)iarrhea and enteritis (119, 120)	5	3	i			1	1		1						1			
ppendicitis (121) ernia, intestinal obstruction (122)	. 19 12	i	1			1	1	1	3	1	<u>i</u> -	1 1	2	6	2 3	2 3	3	-
ernia, intestinal obstruction (122) rrhosis of the liver (124) ephritis (130–132)	- 7 - 65									2		2	2	10	2 13	3 16	$\frac{2}{20}$	-
iseases of the female genital organs (139) perperal septicemia (140, 142a, 145)																		
ther puerperal causes	_] 7									2	2	2 3	1	1				-
nicide (163–171) omicide (172–175)	20								1		1	1	4	6 1	3	2	2	-
atomobile accidents 1	. 32					1	4	4	4	1	2	2	5	5	1	3		-
ntomobile—railroad train and street car collisions	- 5 38	₁ -	3					2	5	1 4	2	1 3	1 3	2 4	4	4	3	Ŀ
Il other causes	152	59	6	2			7	3		3	2	1	12	15	10	17	15	
DES Moines, Iowa, all causes	1,798	150	12	15	11	9	24	24	26	45	45	46	122	226	299	347	396	_
yphoid and paratyphoid fever (1, 2)easles (7)							1											
arlet fever (8)	_ 1						1											-
hooping cough (9) phtheria (10)	- 6 - 11	1	1 1	2		1												-
duenza (11)	_ 54	3	1	ĩ		1		į	1	2	1		3	3	2	11	24	-
oidemic cerebrospinal meningitis (18) berculosis of the respiratory system (23)	_ 53	1	1			1		1	1 3	6	9	6 3	8	8	1 4	6	2	-
her forms of tuberculosis (24–32)philis (34)	16	2		. 1	1						1	3	2	1 3	6	5		-
ncer and other malignant tumors (45-53)	_ 203							1		1	4	i	17	48	40	49	41	ľ
abetes mellitus (59) rebral hemorrhage and softening (82a, 82c)	_ 118										1	1	3 2	11	12 25	11 35	8 45	
seases of the heart (90–95)	_ 2					1		1	2	3	4	3	14	48	77 1	81	112 1	[-
onchopneumonia (107)	_ 69	30		1	1	1	1	2		1 2	<u>;</u> -	1 4	5 4	4 12	1 11	5 17	16 26	-
arrhea and enteritis (119, 120)	_ 10	6	1		1			1	<u>i</u>	1	4						26 1	-
opendicitis (121) ernia, intestinal obstruction (122)	- 40 18	<u>-</u> -			1	1	3	3	2	1	1 1	1 1	5 1	10 2	5 1	7 7	<u>-</u> -	-
rrhosis of the liver (124)	- 7										1	l		1	3	1	1	-
ephritis (130–132) iseases of the female genital organs (139)	_ 7			. I							1	4	6 3	10 2	17	29	21	-
perperal septicemia (140, 142a, 145)	14 14								2	4 3	3 4	3	2 4					-
ucide (163–171)	_ 47									1	2	2	5	12	12	8	5	
omicide (172–175) utomobile accidents ¹	_ 45		1	1	1	1	3	5	2 4	2 2	2	5	2 4	1 7	2	5	2	-
ntomobile—railroad train and street car collisions ther external causes	_ 8	5								2 3	<u>2</u>		4 8	9	1 12		₁₅ -	
ll other causes	386	93	1 4	4 4	1 4	11	2 9	2 6	2 6	111	1 4	1 7	18	31	64	18 52	72	1

 $^{^{\}mbox{\scriptsize 1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[See	note a	t head	of this	table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
Kansas City, Kans., all causes	1, 587	134	. 29	7	3	9	36	22	32	57	49	52	156	220	236	295	250	
Typhoid and paratyphoid fever (1, 2)																		
Measles (7)————————————————————————————————————	8		<u>1</u> -	<u>i</u> -		1	2	2										
Whooping cough (9)	5 3	3	$\frac{1}{2}$				1											
Influenza (11). Enidemic cerebrospinal meningitis (18)	41	. 6	3				5		1	3		ī	5	3	2	7	5	
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	69 14	1				2	1 1		5 2	8	9	8	10	14	3 3	6	2	
Syphilis (34)	17	2					ļ ¹ -			3	1		6	3	3	3		
Diabetes mellitus (59)	158 32						<u>i</u> -	i				4	15	37 5 15	32 6	44 11	21	
Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	112 270						1	1	3	1 2	1_ 3	6	8 23	36	19 50 2	37 76	31 69	
Bronchitis (106)	5 63	27	6	2	1	1	1 2		<u>1</u>	<u>2</u> 3	 5		4 7	1 5	1 6	1	11	
		8 11	1	1 2	1	1	1 4	1 3	1		1	3	1	6	1	13	. 8 2	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	31	<u>2</u>		 		.l	4	3	2 1	2	3	1	7 2	3	4	1 3	1	
INBUILDIS (1811–182)	1 727	1			l	.l		2	2		1 2		13	3 25	2 44	42	3 53	
Diseases of the Iemale genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	6										3	3 1 1 2	3	2				
Other puerperal causes Suicide (163-171)	7 21								<u>-</u> -	4 3 2	3	2 2	2 3			3		
Homicide (172–175) Automobile accidents ¹	33								<u>į</u> -	3 1	5	8 3	11	2	2			
Automobile—railroad train and street car collisions	l					1	2		4]	1		3	9	4			
Other external causesAll other causes	66 274	70	2 11	1	<u>-</u> -	2	8	6 5	3 4	9	4 5	7	22	13 28	39	31	6 32	
Wichita, Kans., all causes	1, 146	88	15	5	8	5	24	_11	28	24	46	29	74	128	160	242	259	
Typhoid and paratyphoid fever (1, 2)	2		1 1						===				1					==
Measles (7)	19	6	1	1	1		3											
Scarlet fever (8)	10					<u>i</u>	6	1										
Influenza (11) Epidemic cerebrospinal meningitis (18)	36	3	1 3 1		1 2		ĭ						4	3	4	6	10	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	22								2	4	6		1	4	1	2	2	
Syphilis (34)	6						ī	 					3	1	30	1		
Cancer and other malignant tumors (45–53)	1 20	[ļ								2 1	2	12	26 4	4	48 8	28 3	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	116 168			. -				<u>i</u> -	ī		1	1 2	3 7	10 19	21 33 1	39 47	41 57	
Bronchopneumonia (107)	37	8	3	<u>î</u>		1				 	1 3	<u>ï</u> -	2	2	3	1 5	$\frac{1}{12}$	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	10	3.7	1 1	2		1	1		4	1		2		1	2	6	7	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	32 15	<u>i</u> -					3	2	4	3	4	3	3	5 4	2 2	2 4	4	
Nephritis (130-132)	1 107									<u>-</u> -			6	2 14	1 21	1 30	34	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	5								2	1 2 2	1 1 2		1	1	. 1			
Other puerperal causesSuicide (163-171)	15 22	ì]]		1	1		3	5 2	3	6	5	2		
Homicide (172-175) Automobile accidents ¹	10 21				1					1	4	<u>ī</u>	2	4	2 4	$\tilde{1}$	2	
Automobile—railroad train and street car collisions. Other external causes	4						3	2	1 2 7	2 4		2				5		
All other causes	46 228	59	3	ī	2	i	5	3	2	.3	6	8	18	17	2 21	31	48	
LOUISVILLE, KY. (WHITE), all causes	3, 317	278	33	21	16	14	68	27	47	72	82	101	242	344	557	725	690	
Typhoid and paratyphoid fever (1, 2) Measles (7)	7						2		2	1		1		1				
Scarlet fever (8)	10	4	1 4		1		4	1	i	1	Ĩ.							
Diphtheria (10)	ıı,	1 8	2	<u>i</u>	1	1 2	7	1	<u>-</u> 2	3		2				8	10	
Influenza (11) Epidemic cerebrospinal meningitis (18)	59 5		z				3		1				6	8	7 -			
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	l 18	1	3	1	2		2 2	ī	1	7	7 2	9 2 1 2 3	15 2	6	11	12	7	
Syphilis (34) Cancer and other malignant tumors (45-53)	17 374	4		1		1	2	ī	1	1	1 4	1 2	3 27	66	98	105	66	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	83 215	1								1 1 8	1 2	3	9	10 21	98 28 47 156	31 68	63 1	
Diseases of the heart (90-95)	746 17	<u>-</u> -			1		2	2	2	8	6	11 1	34	81	156 1	217		
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	119	31 7	3 3	3			3	1	1 6	2 6	1 8	1 6	12 8	3 6	6 17	18 19		
Diarrhea and enteritis (119, 120) Appendicitis (121)	55 78 32	45	3	1	1	2	1 3		1 7	8	- 7	5	1 12	1 11	1 7	8	ĭ	
Hernia, intestinal obstruction (122)	32	ī			i		2				í	1	5 1	3	5 9	6 8	7	3:
Cirrhosis of the liver (124) Nephritis (130–132)	22 253	<u>ī</u> -						1	<u>-</u> 2	<u>î</u> -	5	6	8	3 4 23 2	44	76	86	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	8						 		i	4 4	2 4	5 2 3	3 2	1	1			
Other puerperal causes Suicide (163-171)	21 50								4		5 2	3	11	19	7		<u>1</u>	
Homicide (172–175) Automobile accidents ¹	15 73	2	<u>-</u> -	3	<u>-</u> -		5	1 1	<u>-</u> -	2 8 1 5 8	7	1 4	7 4	8	9	14	<u>5</u>	
Other external causes	6 148	2				1	7	 3-		1 5	1 3	1 7	19	1 8 55	20	30	<u>2</u> 5	
All other causes	665		9	6	6	6	20	3 8	9	. š	12	24	1 44	55	77	94	25 123	

Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[See	note a	t head	of this	table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
Louisville, Ky. (colored), all causes	978	77	7	3	3	3	10	7	25	35	44	66	138	204	172	116	68	
Typhoid and paratyphoid fever (1, 2)	1			-			1										==	
Measles (7) Scarlet fever (8)							1											
Whooping cough (9) Diphtheria (10)																		
Influenza (11)	23	1			j	i			2	3	ī	1	2	7	3	2		
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	64							1	2 1 7	8	8	6	7	16	6	4	1	
Other forms of tuberculosis (24–32)Syphilis (34)	9 40	4				J	1 1		<u>i</u> -	2 1	1 5	1	11	10 15	3	2 8	<u>i</u> -	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	53 16								1		3 1	2	5 2	15 2	13 5	5	5	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	46 194								2	<u>-</u> -	<u>5</u> -	2 10	7 26	2 18 43	10 63	6 25	3 16	
Bronchitis (106) Bronchopneumonia (107)	12 39	10	3		<u>-</u> -		1			<u>-</u> -		2	2 3	3 4	63 2 4	1 6	2 4	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	61 9	3 6				1		1	3	1	1 2	5	11	17	6	7	4	
Appendicitis (121) Hernia, intestinal obstruction (122)	14		1				1	1 1		1	2	1	4	1	2			
Cirriosis of the liver (124)	1 7				1								1 2 15	31			2	
Nephritis (130–132) Diseases of the female genital organs (139)	7									1		2 2		1	22 2	19 1	13	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	5 2 3								1	1	1	2						
Suicide (163–171) Homicide (172–175)	47								<u>-</u> -	6	1 6	1 14	1 11	5	₁			
Automobile—railroad train and street car collisions.	12					 -	1	1				3	3	2		2		
Other external causesAll other causes	29 173	1 50	2	1			1	2	2 2	1 4	2 5	1 6	5 20	4 20	5 23	2 25	3 13	
NEW ORLEANS, LA. (WHITE), all causes.	1	354	60	23	19	24	82	57	78	125	148	168	453	592	912	854	729	
Typhoid and paratyphoid fever (1, 2).	28	-002		1	1	===	2			4	3	5	===	3	====		===	<u> </u>
Measles (7) Scarlet fever (8)					<u>i</u> -		<u>î</u> -			- -								
Whooping cough (9) Diphtheria (10)	2 5 24	3 2		2	3			2										
Influenza (11) Epidemic cerebrospinal meningitis (18)	119	4	6	4 1	í	6 2	5 2	ĩ		9	4 1	13	10	18	20	6	22	
LUDERCHIOSIS OF the respiratory system (23)	240	1	1			1	2	3	10	19	29	29	1 50	1 48	37	14	2	
Other forms of tuberculosis (24–32) Syphilis (34)	21 53	1 5	2			2	1	1	1	1	3 1	1	$\begin{array}{c} 2\\11\end{array}$	2 11	3 12	1 9	2	<u>ī</u>
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	495 104		1	1		1	1	1	4	2	4	9	47	101 20	155 37	113 37	55 7	
Cerebral hemorrhage and softening (82a, 82c)	251 1,060	2	<u>-</u> -			1	3	2 4	2	2-	$\frac{1}{12}$	2 8	26 52	29 132	57 255	66 291	67 294	<u>-</u>
Bronchitis (106)	150	1 42	11	2	3-	3	2		<u>-</u>	₁ -	11	<u>5</u>	1 15	8	11	2 16	5 19	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	(111	15 18	5 10	1 2		1	5 3	1	2	4	3	ğ i	14	13	11	18	9	
Appendicitis (121) Hernia, intestinal obstruction (122)	87	9	1 1			1	7	. 6	10	6 1	4 1	8	14	13 8	13 20	3 7	1 7	
Cirrnosis of the liver (124)	51						2			2	2 5	1	7	16	15	4	1	<u>ī</u>
Nephritis (130-132) Diseases of the female genital organs (139)	543 14		1				1		1	3 2	3	6	, 44 4	73	128 1	164 1	114	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	22 30								1 6	6 7	$\frac{2}{10}$	4	9 7					
Suicide (163–171) Homicide (172–175)	84 30								4 2	8 2	9	11 4	19 12	13 5	16 2	3	1	
Automobile accidents 1 Automobile—railroad train and street car collisions	57		1		1	1	5	1	5	3	3	2	11	5	4	10	5	
Other external causesAll other causes	202 771	2 248	6 11	4 5	2 6	2 3	13 26	8 21	10 11	17 26	11 23	12 31	24 62	15 57	22 90	24 62	26 89	4
NEW ORLEANS, LA. (COLORED), all causes	3, 065	331	37	22	11	7	36	39	107	160	166	190	503	630	429	239	149	 9
Typhoid and paratyphoid fever (1.2)	14	===	===					3	5	2		====	1	1				===
Measles (7)									2									
Scarlet fever (8)	2 5 4	3	1	 	<u>ī</u> -	 		 <u>-</u> -				 						
Influenza (11)	118	24	$\frac{1}{2}$	3	1		1 4	$\begin{bmatrix} 1\\1 \end{bmatrix}$	3	4	11	3	20	14	14	7	7	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	6 306	1 4	1	1		1	1	3	1 31	54	42	36	62	47	16 2	7		ï
Other forms of tuberculosis (24–32) Syphilis (34)	22 195	3 24	1	2	1		$\frac{1}{2}$	1	2 3	7	10 2	2 13	6 51	1 49	2 24	6	<u>i</u>	3
Diabetes mellitus (59)	198 36					1			$_{1}^{2}$	2	2 1	9 3	39 5	61 13	47 10	31	4	
Diseases of the heart (90–95)	136 592	1					2	4	1 7	2 6	1 18	7 26	18 78	48 163	24 144	20 78	14 66	
Bronchopneumonia (107)	132	48	15	6		2	<u>-</u>					5	17	1 9	6	4	5	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	115 40	9 26	3 7	4	1	í	1	2 1	3 7	11	8	6	22 3	25 1	5	9	2	
Appendicitis (121) Hernia, intestinal obstruction (122)	27 28	1 20			i			2 1	<u>i</u>		2	5	5	7 (
Cirrhosis of the liver (124)	23			1			2		1 1		<u>i</u> -	2	6 12	8	5 2	2	1	
Nephritis (130–132) Diseases of the female genital organs (139)	306 12				1		1	1	3	4	5 2	14 3 7	42 6	86 1	76	47	26	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	25 21								4	7 6	7	1	3 6					
Homicide (172–175)	7 79	1							8	22	1 12	2 11	1 17	3 5	ī			2
Automobile accidents 1	34 1						4	1	ž	3		3	4	10	2	2	2	1
Other external causesAll other causes	90 489	182	2	3	3	2	3	10	10	6 17	10 23	5 24	15 61	8 65	7 44	20	4 16	1 1
1 Evolution collision with will be designed to the second	*00°	102	4	0 1		'	TT ,	8.	ō	17]	20	24	OT I	00 '	44	20	10	1

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[566	note a	т пева	OI chis	tablej											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	44	45 to 54 years	55 to 64 years	74	75 years and over	Age un- known
Baltimore, Md. (white), all causes	8, 063	572	68	43	24	22	104	89	101	170	189	225	622	1, 020	1, 539	1, 815	1, 458	2
Typhoid and paratyphoid fever (1, 2)	4									1		' 1	1	1				
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	1 18		1 1	3	2	2	6	2	ī					1				
Diphtheria (10)	30	18 1 7	5	5	1 2		3	<u>i</u>										
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	וגט	3	3	2	2	1	3 1	1	2	5	2	1	5	15	13	12	17	
Other forms of tuberculosis (24–32)	42	1 2	4	1	<u>ī</u> -		2	1	12	34	32 6	27	50 7	56 7	55 4	23 4	7 	
Syphilis (34) Cancer and other malignant tumors (45–53)	983	7	2	1			7	5	1 5	11 3	8 1	3 14	9 83 8	14 176	266	267	1 138	
Diahetes mellitus (59)	232							1	1	1	1	3	24	29 79 227	83 122	77 215	26 158	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonis (107)	1,851 24	1					11	11	10	10	22	26	80	Ì	266 83 122 405 2	267 77 215 542 12 55 52	505 9	1
Bronchopneumonia (107)Lobar and unspecified pneumonia (108, 109)	325 306	68 21	15 5	10 4	4	1	4 5	2 2	2 9	2 6	10	12	14 41	19 43	55 2	55 52	81 - 40	
Lobar and unspecfied pneumonia (108, 109) Diarrhea and enteritis (119, 120) A poendicitis (121)	72	51	11	1 -		1	11	12	12	4	8	1 3	2 16 9	17	10	1 7	2	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	115 49	8		[1			1	1	2	3	7 2	9	22 17	20 11	20 12	20 1	
Nebhritis (130–132)	830	1	: -				1	3	4	5 1	6	11 2	54 3	94	172	261	223	ī
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal senses	29 33								4	7	6	6 10	10 11					
Other puerperal causes. Suicide (163-171). Homicide (172-175). Automobile accidents 1	160 31	<u>i</u>						1	3	11 5	9	20 5	32 7	26 4	41	16	2	
Automobile accidents 1	159		2			1	8	8	3 1 2 1	17	14	6 2	17	17	28	25	14	
Automobile—railroad train and street car collisions. Other external causes	325 1, 263	6 375	4 12	3 11	10	4 11	15 26	12 24	8 22	10 27	14 30	15 43	43 89	29 121	58 141	44 167	59 154	
BALTIMORE, MD. (COLORED), all causes		298	50	19	11	7	38	30	88	155	152	169	438	540	395	219	103	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7) Scarlet fever (8)	1					1												
Whooping cough (9)	16	10	5 3	1	3		 1 1											
Influenza (11) Epidemic cerebrospinal meningitis (18)	34	2	3	2					1 1	3	2	3	3	8	2	3	1	
Other forms of tuberculosis (24–32)	327 36	3 2	8 4	1 2	3	i	4 6	6 2	43 5	65 1	42 3	33 3	69	33	13	2 2	2	
Syphilis (34) Cancer and other malignant tumors (45–53)	141 157	15	1	<u>i</u> -			2		43 5 2 2	13	42 3 9 3	20	25 26 3	44 48	11 36	2 24	8	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	36									2	1 1	6 4 4	36	15 57	62	40	1 12	
Diseases of the heart (90-95)	394		1					1	1	10	7	17	60	115 2	92	62	28	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	135	37 27	12 4	5 3	3	1	5 2	1 3	10 10	3 14	6 16	7 15	13 45	13 50	18 24	8 6	4 6	
Diarrhea and enteritis (119, 120) Appendicitis (121)	42	34	4 2	1	3 1			3		1 3	1	2	6	. 2	3			
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	25						1			2	1	2 2 2 9	6 2	1 4	5 2	2	1	
Nephritis (130–132) Diseases of the female genital organs (139)	260						1	1	1	1	8	9	38	63	74	38	26	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	11								2	3	3	4 2	3					
Suicide (163-171) Homicide (172-175)	14 50								l	10	2 13	10	1 4 12	3	1 1 5	1		
Automobile accidents ¹ Automobile—railroad train and street car collisions.	42				1		4	4	3 2		4	3	7	8	5	3	1	
Other external causesAll other causes	75 412	2 165	1	3		1 3	2 9	2 7	1 10	5 11	8 17	7 15	18 54	12 56	7 32	5 16	4	
Boston, Mass., all causes		1,024	148	88	59	54	152	136	148	214	281	289	837	1,,456		2, 281	"	1
Typhoid and paratyphoid fever (1, 2)	===		===		===				3				1					
Measles (7) Scarlet fever (8) Whooping cough (9)	10 41 30	4 2 19	3	5	1 5 1	$\begin{array}{c c} 1\\ 3\\ 2 \end{array}$	1 14	<u>-</u> -	1	2			1					
Diphtheria (10)	34	19 1	3 6 2 3	1 6	1 6	2 5	8 2	3	<u>-</u>	. <u>}</u> -			1		<u>i</u> -			
Influenza (11) Enidemic cerebrospinal maningitis (18)	41 22	1 3 3	3	2	1	<u>-</u> -		3	1 1	1	3	3 6	2	1 4	7	7	2	
Other forms of tuberculosis (24–32)	466	5	5 5	5 1	3	ī	5 1	2 2 1	12 2	40 3	46 7	53 4 1	88 8 8	92	70	30 2	12	
Syphilis (34)	53 1,361	ıĭ		3	2	1	4	1 5	5		10	10	105	1 17	418	380	173	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	254 589									ı i		10 2 3	10	30 72	72 157	193	173 30 143	
Bronchitis (106)	2, 723 18	4 3	2	3	3	4	12	25	29 1	22	23	33	129	338	654	781	661	ļ
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	641	165 24	51 14	12 8	4 4	4	10 6	7 5	8	5	8 28	7 16	30 57	40 103	75 . 82	111	103	1
Appendicitis (121)	85	58	6	1 6	1 4	6	1 8	1 3	10	13	28 2 15			3	5 35	73 2 11	1 4	
Cirrhosis of the liver (124)	105	8	ļi			i	3	i			3	8 3 4 12 4 11	11 5	23 14 19	23	25 16	13	
Nephritis (130–132) Diseases of the female genital organs (139)	603 603	1		1		i	2	4	2 4	11	14 6	12	45	86	129	166	127	
Puerperal septicemia (140, 142a, 145)	45								į	15 7	12	11	3 6 28	1		. 1		
Other puerperal causes Suicide (163-171)	81 133							3	1	. 10	23	21 12	21	35	26	15 2	1	
Homicide (172–175). Automobile accidents 1	27 151	1	2	1	3	1	12	6	6.	3 7	4 7	5 8	16	21	27	25	9	
Automobile—railroad train and street car collisions. Other external causes	468	11	7	6	6	3	12 49	18 41	14	4	17 42	17	41	62	81	. 89	80	
All other causes	2, 134	694	36	26	14	16	49	41	34	43	ı 42	45	184	251	253	236	170	1

 $^{^{1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932-Continued

			[See	note a	t nead	or this	s table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	54	64	65 to 74 years	75 years and over	Age un- known
Cambridge, Mass., all causes	1,384	140	17	6	10	6	12	10	19	33	24	35	97	150	274	291	260	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7) Scarlet fever (8)	3 2	2	1 1	1														
Whooping cough (9) Diphtheria (10)	3		3		1 1	<u>î</u>	1	<u>1</u>										
Influenza (11) Epidemic cerebrospinal meningitis (18)	8				1 								1		1	1	3	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	67 8				<u>i</u> -				3	7	7 2	6	16	15 2	5	6		
Syphilis (34) Cancer and other malignant tumors (45–53)	177	1							1	1		$\begin{array}{c c} 1 \\ 2 \end{array}$	9	28	1 45	53	37	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	23 120									1			2	13	6 30	10 35	3 40	
Diseases of the heart (90-95)	366		1] 1] 	2	2	2	2	4 	1 	17	38	107	100	90 1	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	80 54	31 4	6 2	3	1	1 2	1		1 2	2 2	. 2	1 3	12	9	7 9	6 2	12	
Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	9 24	7	1			<i>-</i>	3	1	4	<u>i</u> -			2	5	1 3	4	<u>-</u> -	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	9 3													$\begin{bmatrix} 2\\1\\7 \end{bmatrix}$	2	3 1	2	
Nephritis (130–132) Diseases of the female genital organs (139)	77 5	1							1	2	1 1	2	13	7	18 1	15	17	
Puerperal septicemia (140, 142a, 145)	8				 					$\frac{1}{2}$	₁ -	$\frac{1}{2}$	3					
Suicide (163-171) Homicide (172-175) Automobile accidents ¹	9 2								1	1 2		1	1	2	1	2		
Automobile accidents 1Automobile—railroad train and street car collisions_	22		1		1		3	1	1	ī	1	2	1	2	3	3	2	
Other external causes	46 244	93	1	1	1 3	2	1	1 3	1	2 4	1 2	3	2 9	6 14	6 26	12 38	5 41	
FALL RIVER, MASS., all causes	1, 312	111	21	9	4	9	15	21	22	28	15	30	84	141	277	293	232	
Tunhoid and paratuphoid favor (1.2)		====																===
Measles (7). Scarlet fever (8). Whooping cough (9).	8 10	3	3	2		2	1 1	1 2										
Whooping cough (9) Diphtheria (10)	3		i	ī	<u>î</u> -		1 1		1									
Influenza (11) Epidemic cerebrospinal meningitis (18)	12		2		- -				î				1	2	1	2	3	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	56 8		4	1			2	1	6	10	6	6	7	9	5 2	3	1	
Syphilis (34) Cancer and other malignant tumors (45–53)	3 155	1			<u>-</u>							4	16	2 26	<u></u> -	37	18	
Diabetes mellitus (59) Gerebral hemorrhage and softening (82a, 82c)	40 91										1	 1	4	4 4	17 25	12 28	5 29	
Diseases of the heart (90-95)	316 5						1	1		1	2	3	14	32 1	68 2	112	82	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	53 28	19 4	3	1	1	2	1			<u>-</u>	1	2	4 2	1 3	6 1	5 10	10 1	
Diarrhea and enteritis (119, 120) Appendicitis (121)	21 23	13	3		1		1	3	1 1	<u>-</u>	2	1 1			5	1 1	2	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	13 11						i		i				1 2	3 1 2	4 5	3	2	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	140 2									2		i	8	25 1	36 1	31	37	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	4									1	1	1 1	1					
Suicide (163–171)	13								1	î		2	3		2	3	1	
Automobile accidents L	20					1	2	3	2	5				2	2	1	1	
Other external causes.	48 221			2				2 6	3	3		2	4 12	4 19	7 34	14 28	7	
	1, 298	100	10	1	7	4	2		5	1	2	19	75	134	244	289	278	
Lowell, Mass., all causes Typhoid and paratyphoid fever (1, 2)	2	130	16	9		11	20	11	11	21	23 1	19		104		209		===
Measles (7) Scarlet fever (8)	1		1 1												1			
Whooping cough (9) Diphtheria (10)	8 7 11	5	2	2		1	2			1	1		1					
Influenza (11) Epidemic cerebrospinal meningitis (18)	3				1	1	5	1					i	ī				
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	38		1		;-	1	1			6	5	2	7	6	7	2		
Syphilis (34)	10	3		1	1		1			2			1				00	
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	141 28								1			1 ; -	12	26 5	39 5 25	40 10	6	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	105 372						1		1	2	2	1 4	15	17 35	102	35 113 6	97	
Bronchitis (106) Bronchopneumonia (107) Lober and unspecified preumonia (108, 100)	13 61	1 12	4 2	;-		1	2	1		2	1	1	$\frac{1}{2}$	5 2	5 3	11 7	14	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	33 12	6 10	1	1	1		1			1	1					1	6	
Appendicitis (121) Hernia, intestinal obstruction (122) Climberia of the liver (124)	24 · 19		1			1	1	1	3	1	3	1	1 3	3	3 5 2	4 4	4	
Cirrhosis of the liver (124) Nephritis (130–132)	8 41						1					1	3	3 8	7	12	9	
Diseases of the female genital organs (139)	6									1	<u>-</u> 5	2	3 2					
Other puerperal causes Suicide (163–171)	9 8				 				1	1	5 	1 	3		2	2		
Homicide (172–175) Automobile accidents 1	1 22			1		1	1	$\frac{1}{2}$		2	1	1		2	6	1	4	'
Automobile—railroad train and street car collisions. Other external causes.	45		3	1 3	$\frac{1}{2}$	<u>-</u>		2 3	3	1 1	1 2	$\frac{1}{2}$	2 11	4	8	6	11	-
All other causes	269	93	1	.1 3] 2	1 4	4	. 3	1	1	ı 2	1 2	11	11	24	35	73	

 $^{^{\}mbox{\scriptsize 1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

•			[See	note at	head	of this	tablej				•	•						
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 29 years	34	35 to 44 years	54	55 to 64 years	65 to 74 years	75 years and over	Age un- known
Lynn, Mass., all causes	1,039	. 66	17	5	3	6	6	5	4	19	20	20	49	124	194.	241	260	
Typhoid and paratyphoid fever (1, 2)																		
Typhoid and paratyphoid fever (1, 2) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	1 4	1	2 2								<u>-</u>	1						
Whooping cough (9)	6 3	3	3	1				- -										
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	1 4		1											3				
Other forms of tuberculosis (24-32)	. 5								1	1 2	2 1	2	3	2	3	2	2	
Syphilis (34)————————————————————————————————————	103											1 2	6	1 16	30	2 25	1 24	
Diabetes mellitus (59)	1 24								2	1		2	1	13 39	12 21	8 38 90	28 28	
Bronchitis (106)	1 4	11						1	2				13		64		87	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	35 28 9	7	4 2	2						1	1	2	1	3	7 4	10	10 4	
Appendicitis (121)	23	5	i		1	1	4	1		4	2	2	4	1	2 2	1	1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	9			1									2	1 2	- 4	2	1	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	81 2 7											3	1 1	10 1	14	23	29 	
										3	3	3						
Suicide (163–171) Homicide (172–175) Automobile accidents ¹	19						1				1		2	5	4	3 1 2	4	
Automobile excidents '- Automobile erailroad train and street car collisions. Other external causes	12									3	1		1	1			3	
All other causes	50 172	47	1	i		5	1 1	2 1		1 2	3	5	3 7	18	19	10 21	20 41	
NEW BEDFORD, MASS.,-all causes	1, 244	97	17	. 8	4	3	10	8	21	21	33	25	92	180	233	264	228	
Typhoid and paratyphoid fever (1, 2) Measles (7) Scarlet fever (8)																		
Measles (7) Scarlet fever (8)	3	1	- 1				1				2							
Whooping cough (9) Diphtheria (10)	3	2				ī	1									<u>-</u>	1	
Influenza (11) Epidemic cerebrospinal meningitis (18)		-	1		1								1			2	<u>-</u>	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	68	17	1 2 1	2		<u>1</u>	1	1 	11	10	10	. 	111	6	9	2		
Cancer and other malignant tumore (45.52)	102	1	1						1	1	1		10	5 20	29 12	40	21	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	1 413						<u>i</u> -						1	10	31	15 29	6 25	
Bronchitis (106)	. 2				- -			1	1	1	2	5	13	59	72	95	99	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	. 29	23 3	2	3	1	i		1	2		<u>-</u>	2	1 2	3 5	7	8 3	2	
Appendicitis (121)	7 13	4	1	<u>1</u>			3	<u>i</u> -			2		2		2	1 2		
Cirrhosis of the liver (124)	5 11 76													3	5	3	<u></u>	
Diarriea and entertits (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other nuerperal causes	5							2		2	3	. 1	3 2 2		20 1	16	13	
Other puerperal causes	12 12 21									2	í	3	6	;				
Suicide (163–171) Homicide (172–175) Automobile accidents ¹	20								2	1	ī	1 1	5	- 5	6	3		
Automobile—railroad train and street car collisions. Other external causes					1		. I			2		2		.	3	2	<u>9</u>	
All other causes	54 216	62	4	1	1		1	1	3		7	4	9 15	6 29	6 26	14 29	35	
Somerville, Mass., all causes	930	63	11	4	2	4	12	2	8	7	20	19	49	94	177	207	251	
Typhoid and paratyphoid fever (1, 2) Measles (7)																		
Scarlet fever (8)	. 1	1	i	- -		-	ī											
Diphtheria (10) Influenza (11)	2	<u>-</u> -	- i		1		2						i	<u>-</u>	2	2	1	
Epidemic cerebrospinal meningitis (18)	1										4	1			3	2	2	
Other forms of triberculosis (24–32)	1 2	1	1			-								·				
Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	110										1		6	21	28 13	27	27 6	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	29 73 282						<u>-</u> -		3	1	2	8	10		14 59	8 21 78	29 95	
Bronchopneumonia (107)	1	9	3	i			i -			<u>i</u>			2	3	2	3	12	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	37	7	. 2	i			i			2	3	2	5		5	4	5	
Appendicitis (121) Hernia, intestinal obstruction (122)	17					<u>ī</u>	3	- -		ī	2		2	3	3	1 3	1	
Cirrhosis of the liver (124)	5						.	<u>-</u>	1		1		5	11	- 1 12	1 28	1 25	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	_ 4					-						2	3	. 1	3			
Other puerperal causes. Suicide (163-171)	_ 4								1	<u>-</u>	1	í	1 3	1	6	3		
Homicide (172–175)	1				. 	<u>-</u>	1		1				1	.	3	2		
Automobile—railroad train and street car collisions. Other external causes	·	.				- - -		<u>1</u>					.	.		6	12	
All other causes	138	45	2	<u>1</u>	1	· <u>i</u> -	1 1	l	2	1	5	1 4	3	3 4	18	17	34	

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[500			oi this							 					
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	54	55 to 64 years	74	75 years and over	Age un- known
Springfield, Mass., all causes	1, 683	150	13	5	6	9	38	29	30	39	19	32	160	183	303	328	339	
Typhoid and paratyphoid fever (1, 2)	3		1									1	1					
Measles (7) Scarlet fever (8)	6	1		1	i	1 	1 3			1		1]			
Whooping cough (9) Diphtheria (10)	2 4	2		1	<u>i</u> -		1	<u>i</u>						 <u>-</u> -				
Influenza (11) Epidemic cerebrospinal meningitis (18)	12 2	1						1	2	1				1 <u>-</u> -	2	2	2	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	47 8	1 4						2 1	5	6	1	3	18	7	3	1		
Syphilis (34) Cancer and other malignant tumors (45–53)	221		1									2	14	3 ₆	70	66	33	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	52 126						1					<u>î</u> -	3	7 14	17 24	15 39	9 44	
Diseases of the heart (90–95)	390 5					1	2	4	5	5	1 1		24	35	89 1	108	116 2	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	48 48	9 5	3	1 1	1		3	1	2	1	2	2 3	7	8	3 4	2	. 8	
Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	1 15	9	1	l		<u></u>	3	$\frac{1}{2}$	4	3	1		2	1 5	1 3	1 1		
Cirrhosis of the liver (124)	6							 					2	2 2	3	1	3	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	161 4						1		1	3	2	2	15 3	12	31	41	54 	
Other piterneral causes	5 8									1	3	4	1 2					
Suicide (163–171) Homicide (172–175) Automobile accidents ¹	22 1									3		1	7	7	3		1	
Automobile—railroad train and street car collisions	28					1	5	2	2	1	1	1	4	2	3	5	1	
Other external causesAll other causes	89 321	1 114	1 6		1	3 2	4 11	3 11	5 4	2 9	5 1	5 4	17 30	8 25	14 31	5 33	15 38	
Worcester, Mass., all causes	2, 379	181	21	11	9	9	40	22	26	29	51	66	192	305	418	504	495	
Typhoid and paratyphoid fever (1, 2)	3												1	1	1			
Measles (7) Scarlet fever (8)	1 11	1	1		<u>2</u> -	1	5	ī			<u>ī</u> -							
Whooping cough (9) Diphtheria (10)	5 12	5		3	1	2	5	1										
Influenza (11) Epidemic cerebrospinal meningitis (18)	7 _1	1			1								3			2		
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	77 20	1 2	4	2	1		4		2 1	1	16	15 1	14	11 2	7 	9		
Syphilis (34)Cancer and other malignant tumors (45–53)	11 253	1							1	2	<u>1</u>	4	1 22	58 2	6 51	71	43	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	62 158						<u>ī</u>	1				1 2	1 4	19	23 35	23 48	11 49	
Diseases of the heart (90-95) Bronchitis (106)	520 5	1	1				1	2	4 	6	4	10	22 1	52	97 1	148	173	
Bronchopneumonia (107)	101 97	22 2	4 3			3	3 1		4	1	1 4	1 7	7 12	1 16	9 19	21 14	25 13	
Appendicitis (121)	11 45	8					3	3	3	2	2	1	9	7	3 9	4		
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	26 10						1				1	1	1 1 17	6	7 3	7 2	1	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	284 9						1		1 1	3	2	6 	2	48 1	62 1	73 1	71	
Other puerperal causes	6 15									1 3	4 2	2	1 8					
Suicide (163–171) Homicide (172–175)	33 5								1	1	1	4	8	9	6 1 7	5		
Automobile accidents 1. Automobile—railroad train and street car collisions.	31 2					1	5	1			1	1	3	4		4	1	
Other external causesAll other causes	99 459	130	1 5	1	4	2	2 8	6 7	3 5	2 5	1 7	4 6	12 37	9 54	13 57	14 58	29 74	
DETROIT, MICH. (WHITE), all causes	11, 314	1, 201	180	86	61	72	236	164	226	274	386	501	1, 381	1, 676	1, 660	1, 780	1, 429	1
Typhoid and paratyphoid fever (1, 2)	8 46	15	20		i		1 6	₁	1	1			2	1	2			
Scarlet fever (8)	43 57	1 36	2 14	2 8 3 5 3	4	1 5 1	15	2	2	3	1					1		
Diphtheria (10) Influenza (11)	65 167	7 16	4	5	4	6	24	11 3	8		1 5	10	32	1 16	14	13	27	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	33 599	10 2	4 7 3 3	5 1		2 2	1 7	2 6	38	5 1 70	4	1 58	1 142	109	49	27	6-	1
Other forms of tuberculosis (24–32)	92 76	7 9	7	4	1 5	9	7 10	6	6	7	3	8	11 19	6 20	1 11	2 5	[
Syphilis (34). Cancer and other malignant tumors (45–53)	1, 152 273		1		3		3	4 4	2	5	77 3 1 14 3	3 36 3	134 24	272 41	297 75	265 86	117	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	647 2, 435	1	4		1		1	1 19	3 2 22	70 7 3 5 3 2 25 1	38 38	9 60	50 224	99 402	147 458	184 597	150	
Bronchitis (106) Bronchopneumonia (107)	2, 435 84 366	7 151	4 36	1	1 <u>-</u> -	4	12 3 5	19 1 5	6	25 1	7	1 8	224 2 21	7 27	5	15 28	38	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	568 106	46 62	23 8	7 5 2	5 6 3	5 4 5	10 6	13 2	11 1	19	28 1	48	96 2	98	23 73 1	48	40	
Appendicitis (121) Hernia, intestinal obstruction (122)	221 119	9	1 1	3 5	1	4	21 1	21 1	$25 \\ 1$	3 13 1	16 4	16 4	47 16	29 20	16 26	4 21	4	
Cirrhosis of the liver (124) Nephritis (130–132)	105 617				;-		6	7	2			5 14	21	26 79	21 122	26 174	6	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	53 61				1				2 6 7	5 2 10	6 9 15	10 15	22 15	6	2			
Other purperal causes Suicide (163-171)	97 301								7 7	10 9 9	15 23 22 14 25 3	28 20	21 65 22 15 27 83 22	3 73	54	28	5	
Homicide (172–175)	95 292			2			3 20	1 7	3 13	14	14	21 17	22 53	9 55	6 40	29	2	
Automobile accidents 1	13 392	1 14	1 15	7	4	3 6	20 1 20		13 2 19	14	25 3 12	1 21	1 66	3 60	1 34	1 40		
All other causes	2, 131		26	23	1 14	15	54	12 35	34	10 38	52	84	183	208	182	184	194	

 $^{^{\}mbox{\scriptsize 1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			,,,,,,,		г пева													
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	44	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
DETROIT, MICH. (COLORED), all causes	1,676	148	35	18	11	6	24	28	65	93	135	191	392	270	133	80	47	
Typhoid and paratyphoid fever (1, 2)	1											1						
Measles (7) Scarlet fever (8)	5		2 		1	1												
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	17 1	13	4				<u>ī</u> -											
Influenza (11) Epidemic cerebrospinal meningitis (18)	9		1 			<u>i</u> -				1			3	2			2	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	305 70	3 7	6 3	7	5		7	7	27 9	39 7	49	56 1	80 12	25 1	7	2	1	
Cancer and other malignant tumors (45–53)	48 59	1			1					2	5 2	9	24 10	4 16	3 15	5	3	
Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	18 67			2								1 1	7 13	6 18	17	12	1 4	
Bronchitis (106)	327 4	<u>i</u> -		1		1	1	1	2	7	8	34	94	95	38	26 1	19 1	
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	52 126	28 3	3 7	$\begin{vmatrix} 1\\1 \end{vmatrix}$	1		1 4	3	4	10	3 8	2 18	33	2 21	8	2 4	<u>ī</u> -	
		8				2	<u>i</u> -	3	3	2	1 4	2	3 7	3		_i -		
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	12 8	1		1	<u></u>					1	1	<u>î</u> ·	3 2	3 3	2"	2		3
		1						1	<u>-</u>		4	1 9 2	25 4	23 1	14	12	8	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	5 17							1	2	8	1	1 3	3					
Suicide (163–171)	9 65								6	3 7	2 18	18	10	2 5	1			
Suicide (163-171) Homicide (172-175) Automobile accidents ¹ Automobile—railroad train and street car collisions	29					1	3		1	1	4	4	4	7	4			
Other external causesAll other causes	39 231	3 78	2 7	4	1 1		2 2	3	10	5	2 12	7 14	5 40	7 25	2 16	12	1 6	
FLINT, MICH., all causes	1, 227	200	31	16	7	5	23	18	23	43	38	51	101	140	173	173	184	1
Typhoid and paratyphoid fever (1, 2)	3						===							1				
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).	20 4	6	7	3	1	1	2 2											
Whooping cough (9) Diphtheria (10)	6 5,	3	1	1 2	1	1	1			<u>-</u>								
Influenza (11) Epidemic cerebrospinal meningitis (18)	25 5	6	1	<u>i</u> -		1 2					1 1		3	3	3	.2	4	
Other forms of tuberculosis (24–32)	44 16	2	<u>5</u>	2		1	2	1	3	9	4	11 1	6 2	6	3			
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of fuberculosis (24-32) Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhee and softening (829, 829)	16 108		1					1	<u>i</u> -	1	1 1	<u>4</u>	2 4 8 3	6 19	2 36	$\frac{1}{21}$	16	
Diabetes mellitus (59)	25 76							1				2 5	3	1 11 22	\ 8 13	7 24	5 24	
Diseases of the heart (90–95) Bronchitis (106)	184 2						2	1 2	1	1	2	5	6	22	34 1	48	61 1	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) Appendicits (121)	66 60	30 9	5 4	2	1		3		<u>1</u> -	2	3	1 3	1 10	4 8	3	2 7	13 6	
Diarrhea and enteritis (119, 120) Appendicitis (121)	22 22	17	4 1		1			3	<u>1</u> -	<u>2</u>	<u>1</u> -	<u>-</u>	4	4 8 2 5 2	3	<u>-</u> -	1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	19 5	5			1			1	1		1		1	_	3	3 1	$-\begin{array}{c c} 1 \\ 2 \end{array}$	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	57 6							1			<u>1</u>	2 2	.1 3 1	12	16 2	16	7	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	17 17								3 1	5 6	4		5 2					
Other puerperal causes	29 9	<u>2</u> -							1	6 2 1 3	1 1	4 3	9	7	3	3		
Automobile—railroad train and street car collisions	38 4		1	2			3	o ¹	1	3	6	1	5 1	3	5 1	4	3	
Other external causesAll other causes	32 285	1 119	3	2	1		3 5	3 3	2 6	9	4	1 2 6	19	2 25	3 24	·5 28	·7 32	1
Grand Rapids, Mich., all causes	1, 545	117	13	10	8	6	21	15	25	29	29	31	94	128	252	369	398	
Typhoid and paratyphoid fever (1, 2)			<u>*</u> -															
Typhoid and paratyphoid fever (1, 2) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	10 2		3	1 - -	1	1	2 1	1					1		,			
Diphtheria (10)	5	4		1														
Influenza (11) Epidemic cerebrospinal meningitis (18)	40 1	4		2		1	2 1		3	1	1	2	3	3	2	4	12	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	21 7						1		2	1	3 1	4	3 2	1	5	3 1		
Syphilis (34) Cancer and other malignant tumors (45–53)	13 178	1								<u>1</u>	1		8	25 6	4 47	65	32 4	
Diabetes mellitus (59)	34 155							_ 1					5 6	9	12 24	6 58	58	
Bronchitis (106)	425 1				2	1			5		3	6	16	34	71	130	1	
Lobar and unspecified pneumonia (108, 109)	31 49 6	9	1 2		1	1		1	i-	2 2	1 2	1 1	$\begin{bmatrix} 2\\7 \end{bmatrix}$	1 6	1 6	2 8	8 10	
Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	24	3	1				<u>i</u> -	1		<u>-</u> -	<u>i</u> -	<u>2</u> 2	4 1	1 8	2	1 3		
	21 8	2												8 2 1	6 2	3 2	5 3	
Nephritis (130-132) Diseases of the female genital organs (139)	94 3							2	1	1	1	1	5 1	8 1	20	27	29	
Other puerperal causes	4 6								1	1 2	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	<u>2</u> 2	1					
Homicide (172–175)	18									1	1	i	2	3	1	7	1	 -
Automobile—railroad train and street car collisions	29 4				1		3		4	2	2 1	3	3 2	2	3 1 7	6		
Other external causesAll other causes	53 303	90		2 4	<u>-</u> -	2	4 6	$\frac{2}{7}$	2 6	6	$\begin{bmatrix} \hat{2} \\ 6 \end{bmatrix}$	$\frac{3}{2}$	2 5 14	2 11	7 38	6 37	12 66	
the second contract of the second contract of																		

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[See	note a	t head	of this	table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	44	54	55 to 64 years	74	75 years and over	Age un- known
Duluth, Minn., all causes	1, 149	84	3	4	3	4	16	13	20	23	28	30	87	168	188	280	197	1
Typhoid and paratyphoid fever (1, 2)	1									1								
Scarlet fever (8)						;-												
Dipitneria (10)	1	1				1 1												
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	1	1	1						3	1		4	2	7	4	3		
Other forms of tuberculosis (24-52)	28 10			₁ -	<u>ī</u> -				<u>i</u> -	3	4	4	6	5 4	4	2	<u>i</u> -	
Syphilis (34) Cancer and other malignant tumors (45–53)	14 155	1		<u>ī</u> -			₁ -					5	3 8	39 2	5 37	2 50	14	
Diabetes mellitus (59)	28	1							1	<u>-</u> -	1		3	2 10	11	9	4 27	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Diseases	265						2		2 1	3	5	2	12	35 2	8 37 1	93	74	
Bronchopneumonia (107)	19	4	1				<u>i</u> -		1			<u>i</u> -	3 6	1 7	2	4	3 6	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	32	5	1			;-			<u>-</u> -		;-				6	1	1	
Appendicitis (121) Hernia, intestinal obstruction (122)	24 11			1	ī	1	1	3		2	1	1	2 4	1	5 1	4		
Cirrhosis of the liver (124)	49									<u>ī</u> .	<u>i</u> -	1	6	4 5	1 12	11	12	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	1 5 8									3	1		1					
Other puerperal causes Suicide (163-171)	8 28 3								<u>i</u> -	1	3 1	2 3	2 3	7	6	4	2	
Homicide (172–175)	3 22	2					2	3	4	2	$\frac{1}{2}$	1	2	2	3			
Automobile accidents 1	1 44	2			1	<u>î</u>	3	<u>-</u>	3	1 3		2	5	4	6	9	3	
All other causes	277	65					ě	Ĝ		ĭ	1 7	4	17	26	38	62	45	
MINNEAPOLIS, MINN., all causes	5, 187	421	32	25	17	14	66	51	77	102	120	140	403	653	852	1, 141	1, 073	
Typhoid and paratyphoid fever (1, 2)	4								1	1			1	1				
Scarlet fever (8) Whooping cough (9)	15 5	3	2	2		1	5	1	1	1	2	1	1					
Influence (11)	100	6		i		1	$\frac{2}{1}$	3	<u>i</u>	3	- 7	5	10	1 9	7	26	21	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	l 6	ĭ	2 1 1				1 1	1 2	3	<u>-</u> -		6	16	18	2	16	5	
Other forms of tuberculosis (24–32) Syphilis (34)	85 22 48			3	2		2		ĭ	ĭ	2	3	3 8 49	19	8 2	1 6		
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	729	1	2	4			3	1	2	6	5 2	17	49	118	13 196 21	218	108	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	113 327 993	i						4	1	$\frac{1}{2}$	1	1 <u></u> -	13	16 37	61 185	46 119	93	
Bronchitis (106)	20					1	1	6	6	10 1 1	20	15	44 1	112	2	265 3	328 11	
Bronchopneumonia (107)	313 253 28	42 5	8 2	2 4	2	1	5 4	3 3	3 8	7	5	3 15	10 29	33 36	35 41	64 45	101 47	-
Diarrhea and enteritis (119, 120) Appendicitis (121)	111	20	4			1	6	<u>5</u>	9	- -	1 5 2	<u>-</u> -	1 21	3 24	1 15	1 9	<u>-</u> -	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	37	4					1			1	2	4 1	4 4	9	15 11	13 5	14 6	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	235 21						1	2	4	1	4	6 3	20 6	22 4	35	66	73	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	21 27								2	1 7 5	5	8	3 8					
Suicide (163–171) Homicide (172–175)	111 21								2 1	5	8	7	25 5	26 5	21 2	15	2	
Automobile accidents 1	91					1	8	3	12	5 2	2 8	4 2	7	8	15	12	9	
Other external causes	274	3	2		4	<u>į</u>	5	4	5	6	7	8	25	36	38 184	59	68	
St. Paul, Minn., all causes		332 195	23	5	10	5 5	20 30	13 27	14 53	21 57	21	26 79	217	102 371	124 502	152 692	167	
Typhoid and paratyphoid fever (1, 2)	2, 500	195	20	14			=====	1			83	79	211	911	502	092	624	===
Measles (7)	5				1		<u>-</u> -	<u>-</u> -	1	<u>-</u> -								
Whooping cough (9) Diphtheria (10)	5	2	<u>ī</u> -	2														
Influenza (11) Epidemic cerebrospinal meningitis (18)	55	2	1		1 		1		2		3	3	11	4	9	9	10	
Tuberculosis of the respiratory system (23)	103	1						1 .	5 2	7	14	16 2	18	20	12	7	<u>2</u> -	
Other forms of tuberculosis (24-32)	18 29	6		1		1	3	2		1		1	6	1 11	3	1	1	
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	424 78		1	1			I	2 (2 1		1	5 2	32 2 7	69 8 21	100 19	135 30	75 15	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	229 647						2	6	1 3	1 3	1 10	2 5	7 23	63	53 126	76 180	67 226	
Bronchopneumonia (107)	12 115	1 16	6				1	<u>1</u> -	<u>-</u> -	<u>2</u> -	<u>i</u> -	2		3 8	15	1 21	7 32	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)		8	l ž	2			2 1			4 1	3	Ĩ	12 1	16	11	20	13	ī
Appendicitis (121) Hernia, intestinal obstruction (122)	90 18 42 37 28			i	1		3	1	3	2	1 1	2 1	7 3	9	1 8 5	4 14	5	
Cirrhosis of the liver (124) Nephritis (130–132)	28 137							1	<u>1</u> -	2	1 2	1 4	3 2 7	6 12	8 20	7 40	2 49	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	4									1	1 6		1 2	1				
Other puerperal causesSuicide (163–171)	13 17									4 2 2	8	1 4 2	2	1				
Homicide (172–175)	35 13						 <u>-</u> -			3	1 4	2	6 3	8	10	5	1 -	
Automobile accidents ¹ - Automobile—railroad train and street car collisions.	84				1	2			2	6	7	2	9	14	14 1	9	11	
Other external causesAll other causes	129 606	154	7	$\begin{bmatrix} 1 \\ 6 \end{bmatrix}$	3	2	10	7	6 17	$^{3}_{11}$	5 11	5 16	5 48	17 67	15 71	30 102	30 74	

 $^{^{\}mbox{\scriptsize 1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			eeaj	note a	r nead	or this	rabiel									_		
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 29 years	34	44	54	55 to 64 years	65 to 74 years	75 years and over	Age un-, known
Kansas City, Mo. (white), all causes	4, 277	276	53	20	16	19	60	28	69	126	126	133	379	544	757	846	824	1
Typhoid and paratyphoid favor (1.2)	6			1					1		3	1						
Measles (7)	4 8		1	2	1	2	2	2				<u>-</u>		. 1				
Whooping cough (9)	17 14	7	9 2			1 2	7											
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18) The benulesis of the nearing tory system (72)	22	2								3	1 	1	1	2	5	2	6	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	10 179	4	$\begin{vmatrix} 1\\2 \end{vmatrix}$		<u>ī</u>	1	1 3	<u>-</u>	1 5 2	21 1	24	18	28 2	31	25	13	- -	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	21 27	3		1	<u>1</u>	1	1	1	2	1 1	1		9	1	25 2 4	3 2	· i	
Cancer and other malignant tumors (45-53)	481	i		1				1	1 2	5	5	5 2	50 7 10	85	137 23 47	116	74	
Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	91 218								2 6	1 		1	10	85 12 22 92	47	26 64	18 71	<u>1</u>
Bronchitis (106)	19		i		1		1 5				13	19	42 1	1 1	168	237 7 28	275 7	
Bronchenneumonia (107)	210 209	42 6	10	3 3	3	1	5 2	3	3	2 11	3 6	3 11	11 28	21	32	28 35	55) 39	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	31 93	15 1	ž		1 1	1 3	7	4	1 10	1 8	1	1 8		18 18	10	3	1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	38 48	2	 					1	2		8 2	1 2	9 4	10	5	5 10	9	
Nanhritis (130–139)	1 357	i		i			1		2	3	<u>i</u>	1 1	9 22	12 43	11 80	10 94	5 108	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	14 33]							3	10	3 7	3 7	3 6	3			1	
Other puerperal causes	21 91								I 1	6 8	7 4	i 11	6 22	18		10	2	
Homicide (172–175) Automobile accidents ¹	40								3	2	9	7	9	6	15 3 17	1		
Automobile—railroad train and street car collisions	79				1	1	2	1	3	10	3	4	9	6		13 1	9	
Other external causesAll other causes	205 828	181	6 14	3 5	6	2 4	6 21	1 13	6 11	10 13	6 18	11 12	25 72	20 112	34 117	29 137	43 92	
Kansas City, Mo. (colored), all causes	854	55	8	7	2	2	3	8	19	29	55	65	141	184	142	85	47	2
Typhoid and paratyphoid fever (1, 2)																		
Scarlet fever (8)	l	1								1								
Whooping cough (9) Diphtheria (10)	<u>1</u> -		1															
Influenza (11)	3							1				2						
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	102	1		1				4	8 2	9	15	18	19	19	.4	3	1	
Synhilis (34)	1 12	<u>1</u> -	1	2				1	2	2	2 2	5 1	2 2	2 6	<u>i</u> -			
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	50										-	2	10 1	13 2	10 2	11	4	
Cerebral hemorrhage and softening (82a, 82c)	35									4	1	9	1 27	12 48	12 53	\ 5	5 18	
Diseases of the heart (90-95) Bronchitis (106)	3											1		1		21		
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	43 64	15 6	5	3	1	1				<u>ī</u>	7	3 4	3 14	3 17	3	4 7	3	
Diarrhea and enteritis (119, 120)	8	5						-	<u>i</u> -		4	1	1 2 2	2	2			
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	8						1				Ī	1	,2	1 4	2	2		
Nephritis (130–132)	64									1	2	2	6	15	18	13	7	
Diseases of the female genital organs (139)————————————————————————————————————	2									1	1	1		1				
Other puerperal causes Suicide (163–171)	3 2							-	1	<u>i</u> -	1	<u>i</u> -	1					
Homicide (172-175) Automobile accidents 1	46 10						1		3	6	11 1	5 1	9 1	7	3 2	$\frac{1}{2}$		1
Automobile—railroad train and street car collisions					;-													
Other external causes	34 132	1 25	1	1	1	1	1	2	1 2	1 2	1 6	3 4	10 30	6 22	2 23	10	5	ĩ
ST. Louis, Mo. (white), all causes	9, 040	562	54	47	27	26	109	89	100	180	207	226	689	1, 249	1,846	2, 029	1, 599	1
Typhoid and paratyphoid fever (1, 2) Measles (7)	9	<u>i</u> -						1		1	1	3	2	1				
Scarlet fever (8)	17	18	3	3 4	1 2 2	3 1	3 1		ĺ		1	2						
Whooping cough (9) Diphtheria (10) Influence (11)	26 82	8-	1 2	4 7 2	$\frac{\tilde{2}}{1}$	<u>i</u> -	9 4 2	1	1 1		1 1		2	2				
Influenza (11) Epidemic cerebrospinal meningitis (18)	12		2				2	3	2	5	2	5	8 I	8	9	12	13	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	258 33	1	3	2	<u>î</u> -	<u>-</u>	1 3	2	10 1	23 3	31 1	20 2	48 3	52 3	45 6	20 2	5	
Syphilis (34). Cancer and other malignant tumors (45–53). Diabetes mellitus (59).	84 1,101	8	1	1		1	3	2	3	5	13	3 10	3 8 87	28 211	24 315	9 305	2 142	
Diabetes mellitus (59)	241					1			2	1	2	3	7	33	71	88	33 122	
Diseases of the heart (90–95)	2, 236	ļ <u>į</u>	ī	1	î	1	9	10	11	16	12	4 26	23 111	57 252	111 473	141 666	646	
Bronchitis (106) Bronchopneumonia (107)	30 283	72	7	7	2		3		<u>5</u>	4	2 3	10	2 13	2 18	32 32	- 8 40	11 67	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	440 75	16 55	5 4	2	3	1	8	6.9	5	11 1	19	16	43	62 2	85 1	87	68 3	
Appendicitis (121) Hernia, intestinal obstruction (122)	131 108	5	1 2	1	2 1	1	6	9	. 9 . 1	6	9	4 3	17 12	21 16	3 22	20 25	3 11	
Cirrhosis of the liver (124)	122		l					1			8	4	11	37	28 35	19	15	
Nephritis (130–132) Diseases of the female genital organs (139)	963 26				1		1	4	. 3	6 3	5	9 4 10	47 2	127 2	229 7	289 2	239	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	30 25								3	9 6	5	5	2 3 9	<u>-</u> -				
Suicide (163–171) Homicide (172–175)	219 54			1					2 2 6	7 7	16 13	12 5	35 11	58 3	54 9	25 2	10	
Automobile accidents 1	136	<u>-</u> -	1	î		2	9	7	ę̃ i	13	6	4	ii	23	20	28	5	
Other external causes	413	8	8 12	6 9	2 8	3 10	7 39	5	1 14 17	2 11	16	20 41	40	66	63	71	72	ī
All other causes	1,387	366	12	1 9	8	10	39 I	27	17	38	31	.41	132	161	201	164 l	131	

¹ Excludes collision with railroad trains and street cars.

 $\begin{array}{c} \textbf{Table 9.-DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:} \\ \textbf{1932--Continued} \end{array}$

ASSE AND CATE OF BLATE ACT Color State Color State				[See	note a	t head	of this	table]											
Typical and peaking book percent of the peak of the	AREA AND CAUSE OF DEATH		der 1						14	19	24	29	34	44	54	64	74	years and	Age un- known
Sented for 10: 00: 00: 00: 00: 00: 00: 00: 00: 00:	St. Louis, Mo. (colored), all causes	1, 995	162	48	12	14	8	25	19	55	85	117	134	352	424	289	153	98	
Sented for 10: 00: 00: 00: 00: 00: 00: 00: 00: 00:	Typhoid and paratyphoid fever (1, 2)	3						1					1						
Publishment 101	Measles (7)Scarlet fever (8)	2			1				<u>ī</u> -										
Egistatic conference post part and manipulat (48)	Diphtheria (10)	4		1			1		1						1				
Other forms of tubercursical Cell-120. 33	Epidemic cerebrospinal meningitis (18)	4	î							1	1								
Cheese and other transgrant cursoes (46-50). Cheese and other transgrant cursoes (65-50). Cheese and other transgrant (67-50). Cheese and other	Other forms of tuberculosis (24–32)	33 42	3			1			2		1	3 2	2 3	5	2	5		<u>-</u> -	
Castern Benorthage and seferating (Sh., 680)	Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	123 16	3					1		1	3		3 2	2	5	2	3	2	
Lober and sugressed performances (108, 109)	Cerebral hemorrhage and softening (82a, 82c)	455						2	<u>ī</u> -	<u>2</u> -					111			4 52	
Series Line Charles	Bronchopneumonia (107)	83	34	16	$\begin{vmatrix} 1\\4 \end{vmatrix}$	3	5	 	 - -			2			5		<u>į</u> -	4	
Herens, intestinal obstraction (129). 38 1 1	Diarrhea and enteritis (119, 120)	23	16		1		1	1									1		
Negheric (38-190)	Hernia, intestinal obstruction (122)	18	1	J	J,]						2	5	6	4 1			
Proprent applications (146, 146) 11	Nambritic (120_139)	181										3	2	30	55		29	17	
Spinisted (1967-1979)	Puerperal septicemia (140, 142a, 145) Other puerperal causes	11								2		2	4						
Anthomosis evalued train and steet or collisions. A	Homicide (172–175)								<u>-</u> -		7	11	1	23	9		<u>ī</u> -		
Che external causes.	Automobile—railroad train and street car collisions.							2										1 '	
Typhoid and perstyphoid fever (1, 2)	Other external causes	63 275		3		3	1		4		9	5 15							
Measles (7)	Omaha, Nebr., all causes	2, 720	178	34	19	13	7	45	25	58	62	70	91	249	391	445	550	479	4
Searlet fewer (3) Monoping cough (6) 3	Measles (7)															1	1		
Infigurace (11) considerage in maningitic (18) 92	Scarlet fever (8)	5				1		2						1					
Epidemic cerebrespinal meninghis (18), 77 2 1 1 2 1 3 9 5 10 10 11 1 6 5 6 7 1 1 1 1 1 3 9 5 10 10 11 11 6 6 5 6 1 1 1 1 1 1 1 1 1 1 1 1 1	Influenza (11)	92	4			$\frac{1}{2}$		4	1 [2	7	7	15	8	14	17	
Cancer and other malignant fumors (46-33)	Epidemic cerebrospinal meningitis (18)	67						1	1!	3	9	8		10			5	3	
Diabetes mellitus (60)	Other forms of tuberculosis (24–32) Syphilis (34)	7 25	1	2				1				1			9	7			
Diseases of the heart (09-95)	Diabetes mellitus (59)	64							1	2	1	2 2		4 1	8	16	19	9	į
Bronchopneumonis (107)	Diseases of the heart (90–95)	543	1					1		7	3	5	5		76	107	159	146	ì
Diarrhes and enteritis (119, 120).	Bronchoppeumonia (107)	1 87		7 2	2 2	i	<u>i</u>	1 3		3 2	6	2	3 8			7	8	23	
Puerperal septicemia (140, 142a, 145)	Diarrhea and enteritis (119, 120)	14 57		3				<u>i</u> -	<u>-</u> 2			5		9	6	12	3	1	
Puerperal septicemia (140, 142a, 145)	Cirrhosis of the liver (124)	21												3 4	8 2	4	10	1	
Suicide (163-171)	Diseases of the female genital organs (139)	148								2		2	3	5	2				
Homicide (172-175)	Other puerperal causes	15								2	2	4]		2		12	11	i-	
Automobile—railroad train and street car collisions. 1	Homicide (172–175)	23						 4		2		2	5	8 7	3		2	3	1.
Camden, N. J., all causes	Automobile—railroad train and street car collisions	1						- -]]		1 1		[
Typhoid and paratyphoid fever (1, 2)				1			_								1	1			
Measles (7)			200		12		===	====			32				207	200		===	
Whooping cough (9)	Measles (7) Scarlet fever (8)	3						<u>1</u> -				<u>-</u> -							
Epidemic cerebrospinal meningitis (18)	Whooping cough (9) Diphtheria (10)	10	1			<u>-</u> 2	1	4	·	<u>î</u> -									
Other forms of tuberculosis (24-32)	Epidemic cerebrospinal meningitis (18)	2		7	1	ĩ		2	<u>î</u> -			 							
Cancer and other malignant tumors (45–53) 163 1 1 1 4 4 12 27 34 53 27 Diabetes mellitus (59) 49 1 1 1 1 1 2 7 17 13 7 7 Cerebral hemorrhage and softening (82s, 82e) 71 1 1 1 1 2 7 17 13 7 1 1 1	Other forms of tuberculosis (24–32)	16	1	 	<u>i</u> -		1	2				1	2		2		1		
Diseases of the heart (90-95).	Cancer and other malignant tumors (45–53)	163						ī		1				12	27	34	53		
Bronchopneumonia (107)	Cerebral hemorrhage and softening (82a, 82c)	71									1			1	8	17	19	25	
Lobar and unspecified pneumonia (108, 109)	Bronchitis (106) Bronchopneumonia (107)	5	1	7	2		1				₁ -					3	2	2	
Appendicitis (121) Appendicitis (122) Bernia, intestinal obstruction (122) 16 2 17 18 19 19 19 10 11 11 11 11 11 11 11 11 11 11 11 11	Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	89 18	14	3		2		3			3		1] 1]	18	1			
Nephritis (130–132)	Appendicitis (121)	16	2					1			2	3	1	5 2	4	3	4	1	
Puerperal septicemia (140, 142a, 145)	Nephritis (130–132)	192	3			ĩ	ī					3			33			39	
Suicide (163-171)	Puerperal septicemia (140, 142a, 145)	11 [3	3	3					
Automobile accidents 1	Suicide (163–171)	20									1	6	1	2		5	2	2	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Automobile accidents 1Automobile—railroad train and street car collisions	78 6				2	3		6	4 3	1	3	2		6 2	1			
	Other external causes	86 330	$\begin{array}{c c} & 3 \\ 132 \end{array}$	3	$\frac{2}{2}$	1 5	1 1	1 8		6	$\frac{2}{2}$	2 8	6 19	10 28	19 33		11 24		

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[See	note a	t head	of this	table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
ELIZABETH, N. J., all causes	1, 217	115	17	9	3	4	23	21	22	14	25	38	120	189	249	205	163	
Typhoid and paratyphoid fever (1, 2)		110		==		==	===	====		===			====	100	====			===
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	3 4		1		1	<u>ī</u> -	2	,	<u>î</u>									
Whooping cough (9)	4	4							<u>_</u>									
IIIIII 1728. (1	1 18		1	1			1		2		2		2	2	2	3	2	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	33	Î						1		<u>î</u> -	2	3	4	8	8	1 3		
Other forms of tuberculosis (24–32)	10	2	1	ì			1		i		î		2		î			
Syphilis (34) Cancer and other malignant tumors (45–53)	130	1					₁ -			i	2	3	1 12	3 23	44	1 22	22	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	40							2	3		ĩ		1 6	23	14 32	9 34	5	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	112 243	1					3	5	3	1	3	1 4	11	18 34	63	57	19 59	
Bronchitis (106) Bronchopneumonia (107)	5	17											2	1 5	3-	1 9	2	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	64	6	7 2 3	2			2		2		2	2	13	10	3 7	8	8	
Diarrhea and enteritis (119, 120)	7	1	3		<u>ī</u> -	1	2	<u>-</u>	<u>-</u> -				1 3 3	2	ī		1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	14 11	1										2 1	3	1 4	3 4	2	2	
Nephritis (130–132)	1 74						1					i	6	19	19	16	12	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	5 2										1		3 2		1			
Other puerperal causes	9						-		1	1	2 1	2	3 3	4				
Other puerperal causes Suicide (163-171). Homicide (172-175). Automobile accidents ¹ .	6						1 3		1	1		1		2				
Automobile accidents 1	39			-	1	1	3	1	1	3	1	2	8	7	6	4	1	
Automobile—railroad train and street car collisions. Other external causes	55	1 77	2				1 4	1 8	1 4	1 5	4 3	6 7	9 24	13 28	7 29	5 30	6 20	
All other causes	` 242		l	1				_		_	-							
JERSEY CITY, N. J., all causes		363	63	36	15	13	65	59	69	88	<u>85</u>	130	366	499	708	596	382	===
Typhoid and paratyphoid fever (1, 2)	- 21	3		4			2				1		1					
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).	6 10	3	5	1 1 2			4		1									
Diphtheria (10)	12	1	1	3 2		1 2	3 1						2	<u>1</u>				
Enidemic cerebrospinal meningitis (18)	44 5	1	2	2 1		2	1	ī	2	1	1	2	11 2	1	4	11		
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	191 30		1 2		<u>-</u> -			<u>i</u> -	10 3	17 5	19	17 3	36 1	44 2	34 1	10	3	
Synhilis (34)	22	4		1								3	1 6	3	5			
Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	382 96		1			<u>-</u>	1		2 1	1	1 2	4	27 3	80 14	121 37	100 27	41 8	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	219 852	1						20	12	8	14	6 19-	10	31 147	56 206	70 191	45 152	
Bronchopneumonia (107)	6	2											82	1		1	1 1	
Lobar and unspecified pneumonia (108, 109)	190 167	64 13	16 4	4 3 1 1	2 2	3	5	2	5 6	6	3	5 13	11 32	6 25	28 32	14 15	17 9	
Diarrhea and enteritis (119, 120)	59 64	44	4 8 2	Ī	1 1 1		8			<u>-</u>	1		1 10		8	1	1	
Hernia, intestinal obstruction (122)	49	4			i	1		2 2	5			6 1	3	13 6	16	5 9	5	
Cirrhosis of the liver (124)	22 198			1			1	3-	2	5	6	7	3 20	5 23	3 42	8 49	3 39	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	16									1	6	3	5	ĩ	1	1		
Other puerperal causes	16 26								1 3	5 5 2	4 2 4	6	10					
Suicide (163–171) Homicide (172–175)	40 12	1					 1	1			4 1	1 2	9	10	9	3	1	
Automobile accidents 1	58					2	1 10	1 6	2	1 3	1 2	3	4 9	5	11	4	1	
Automobile—railroad train and street car collisions. Other external causes	157	4	4	4 6	2 4	1 2	5 13	6	8	5	6 9	8	. 21	22	23 71	18	20	
All other causes	565	214	6	6	4	2	13	13	6	14	9	16	42	55	71	- 59	35	
NEWARK, N. J. (WHITE), all causes	4, 016	281	23	25_	14_	17	49	54	60_	81	92	118	382	601	846	824	549	
Typhoid and paratyphoid fever (1, 2)	3			i						2			1					
Scarlet fever (8)	1						1											
Whooping cough (9) Diphtheria (10)	3 2	2	1					1						1				
Influenza (11) Epidemic cerebrospinal meningitis (18)	40	2				1	1	1	2		3	1	8	4	6	7	4	
Tuberculosis of the respiratory system (23)	127				1		1 2	2	7	10	10	7	25	29	18	12	5	
Other forms of tuberculosis (24-32)	12 16	1 3	1				2			i		ī	3 2	1 4	3	. 1	2	
Cancer and other malignant tumors (45-53)	502 139	ĭ		1			1			1 3	3	15	49 8	94 15	142 44	124 52	69 18~	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	256*		1			1					ī	1	12	39	64	83	54	
Diseases of the heart (90–95)	948 15	3-		1		1	1	10	4	10	14	10	68 2 3 25 1 14	123	252	274 1	180	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	107 169	34 13	2 6	4 5	1	5	1 5	14	7	î 5	6	2 10	3	1 8 30	16 23	18 20	16 5	
Diarrhea and enteritis (119, 120)	20	11	2				1 .					1 8	1	2 16	1 12	1 5		
Appendicitis (121) Hernia, intestinal obstruction (122)	100 37	7		1	1	2	7	8	8	7	8	8	3	3	9	8	2 4	
Cirrhosis of the liver (124)	57	1 1					-		2	1	1	1 2 10	12	14	16	84	2	
Nephritis (130–132) Diseases of the female genital organs (139)	331 17 13	1	1				1	i-	z	3	2	10	21 7	56 1	83		67	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	13 18						-			4	4 3 2 4 4	1 3 8 6	8					
Spicide (163, 171)	18 87 20]						1	3	3	4	6	15	25 2	21	9		
Homicide (172-175) Automobile accidents ¹	90				1	2	6	7	2 4	3	6	4 3	3 10	16	16	12	4	
Automobile—railroad train and street car collisions. Other external causes	176		3-			3	<u>-</u> - -		3	7	5	4	19	32		30		;
All other causes	709	200	3 5′	3 9	6 4	3 2	6 13	5 13	16	16	15	4 19	60 I	32 85	24 90	30 73	89	`

¹ Excludes collision with railroad trains and street cars:

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[See	note a	t head	or this	table											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 29 years	34	44	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NEWARK, N. J. (COLORED), all causes	654	80	17	3	2	4	8	7	20	27	52	59	121	124	73	38	19	
																		
Typhoid and paratyphoid fever (1, 2) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)														 -				
Whooping cough (9) Diphtheria (10)	1	1																
											1		4	2		3		
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	103	3	4			1 1	1	3	11	5 2	15	21	19 2	14	$\begin{bmatrix} 6 \\ 1 \end{bmatrix}$	3	1	
Cancer and other malignant tumors (45–53)	25	2								3 2	2	8	5 4	7 8	1 8	1	<u>1</u>	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	6 35											1 2	2	1 16	3 9	1 4	1	
Diseases of the heart (90-95)	99	1		1							3	6	18	26	20	16	8	
Bronchonnellmonia (107)	1 21	8 6	5 5	2	1				 -	1 1	2 6	5	2 12	12	4	2 2	<u>î</u> -	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	11 13	7				1	1		₁	$\frac{1}{2}$	2	1	1 2	3	_i -			
Appendicitis (121) Hernia, intestinal obstruction (122) Currhosis of the liver (124)			1						2		1		1	2		1		
Orirnosis of the fiver (124) Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Homicide (172-175) Automobile accidents 1	44 6	2					1	1	1	<u>1</u>	1	<u>-</u>	10	12	11 1	3	3	
Puerperal septicemia (140, 142a, 145)	1 6								2	1	3		₁ -					
Suicide (163–171)	18								i	4		2 3	1	2	1 1			
Automobile accidents ¹ . Automobile—railroad train and street car collisions.	8					1	1				ĭ	ĭ	î	2		1		
Other external causes.	19 112	50	2				1	2	1	4	2 4	3	3 29	2 12	1 5	i		
PATERSON, N. J., all causes		138	13	8	8	6	32	19	28	38	45	40	147	233	315	354	297	
Typhoid and paratyphoid fever (1, 2)	1, 121	100	13			==		15			===	===	1	200		301	297	
Measles (7)	. 1		1															
Whooping cough (9) Diphtheria (10)	2 8	2				2	1 ; -											
Influenza (11)	1 26	1	1	1			1	1	ī	1	1		5	5	2	4	4	
Epidemic cerebrospinal meningitis (18)	43	2 1					1			2	4	2	7	1 14	7	3	2	
Other forms of tuberculosis (24–32)	1 14	11					2 1	1 	1	1	1	1	1 2	2	2	3	1	
Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	223 63									2	<u>î</u>	2	22 6	41 6	68 21	57 21	31 8	
Diseases of the heart (90-95)	349						1	2	5	2	11	7	3 24	16 40	46 77	36 85	29 95	
Bronchitis (106) Bronchopneumonia (107)	7 45	2 19	1 4	1	2						1	1	<u>2</u> -	3	1	2 5	6	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	72 11	4	2 2		1		2		3	2	2	5 1	8	11	12 2 5	10	10	
Appendicitis (121) Hernia, intestinal obstruction (122)	10			<u>i</u> -	1	2	2	1	1	2	2	1	$\begin{bmatrix} 1\\3 \end{bmatrix}$	$\begin{array}{c c} 4 \\ 1 \\ 2 \end{array}$	1	1 4		
Cirrhosis of the liver (124) Nephritis (130-132)	12 139							1	<u>2</u> -	1 2	2	1	$\frac{1}{12}$	12	$\frac{3}{22}$	3 46	39	
Puerperal septicemia (140, 142a, 145)											3	2	1	1				
Other puerperal causesSuicide (163–171)	12 41								1	4	3 2	4	4	16	7	5	2	
Homicide (172–175) Automobile accidents ¹	56				- -		7	4	2 4	3 2		2	6	2 6		7	5	
Automobile—railroad train and street car collisions. Other external causes	64	2	1	1 4	2		2	2 7	3	5 9	1	$\frac{1}{2}$	5	8	8 17	11	12	
All other causes	341	100	1	-	2	2	8	-	5	-	10	7	29	42		49	49	
TRENTON, N. J., all causes		146	23	8	4	5		12	40	43	43	48	184	242	349	335	246	===
Typhoid and paratyphoid fever (1, 2)	1											1						
Scarlet fever (8) Whooping cough (9)	4	<u>i</u> -	3															
Diphtheria (10)	19								i	<u>î</u> -			4	3	<u>-</u> -	3	·i	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	68	1					_i -		1 4	1 6	4	2	17	12	8	1 12	:-)-	
Other forms of tuberculosis (24–32) Syphilis (34)	5 12	1 3							1	2	1	1	4	1	1		-	
Cancer and other malignant tumors (45 53) Diabetes mellitus (59)	141 52		<u>i</u> -		1		2	1	2	1	3	2	9	24 10	43 12	35 17		
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	101 432			<u>-</u> -			<u>4</u> -	<u>i</u> -	4		5	7	6 38	13 60	38 91	26 120	16 -	-
Bronchitis (106) Bronchopneumonia (107)	4	20	2							<u>î</u> -	2		3	5	3-	2 7		
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	58 89 21	7 12	4	3	1	i	2		4	$\frac{1}{2}$	3	3	11	10 1	18	10	10 .	
Appendicitis (121) Hernia, intestinal obstruction (122)	25 40	2	1			[1	2	1 2	3 2	4	3 4	6 [1 4 9	2 6	[-	
Cirrhosis of the liver (124) Nephritis (130–132)	12 137						2		<u>1</u>		3	3	3 15	7 4 17	26	38	1 [.	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	6 8								2	2	1		3	1	3	1		
Other puerperal causes Suicide (163-171)	$\begin{array}{c c} & 5 \\ 14 \\ 22 \end{array}$								í	3 1	3	5 1	2 3	5	7 -	4		
Homicide (172–175) Automobile accidents ¹	14 41	1				i	4	 1		2 2	2	4 3	5	1 5	1 6	6		
Automobile—railroad train and street car collisions.	2	2									3			1 10	1	10		
Other external causesAll other causes	81 341		8	3	2	2	1 10	2 5	8	9	6	3 5	13 29	45	17 51	33	11 - 31 -	

¹ Excludes collision with railroad trains and street cars.

Table 9.—Deaths (exclusive of still births) from important causes, by age, in large cities: 1932—Continued

			1-00	поте а			, 00010]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year		2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	44	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
Albany, N.Y., all causes	1,765	118	14	8	5	5	22	13	17	22	45	39	160	242	353	385	317	
Typhoid and paratyphoid fever (1, 2)	2						1								1			
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).	2 1 3 3	2		1			1 1					ī						
Diphtheria (10)			1												3			
Influenza (11) Epidemic cerebrospinal meningitis (18) Characteristics (14)	12	1											2	2 1 17		3		
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	77 10	1	1	<u>i</u> -		1	ī	1	1	2 <u>-</u> -	8	8 - -	19 2		10 2 3	5		
Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	25 198 57	2								3	1	1 4 1	5 21	5 33 6 5	70 22	2 45 13	3 24 8	
Cerebral hemorrhage and softening (82a, 82c)	103 463						1	2	1 5			1 2	4 4 18	5 59	29 104	38 141	26 126	
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	403 4 71	15			i					1 1	. 4					10	3	
Lobar and unspecified pneumonia (108, 109)	56	3 14	5 1 3	1 1			1	2	2	į	2 1	1 2	7 9	3 9 1 5 8 4	9 7 1 6	10	7	
Appendicitis (121). Hernia, intestinal obstruction (122). Cirrhosis of the liver (124).	. 33	1			. 1		5	<u>2</u>		1 2	4	2	1 4 2	5	6 2	3 5	1 4	
Cirrhosis of the liver (124)	24 18 182			1						_		1 4 1	4 10	31	4 34	4 55	1	
Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	111									1 1 1	1	Ĭ	3 2	3		1	1	
Smeige (163-171)	5 18								1		3	2	1 6	<u>2</u>	5	1		
Homicide (172–175)	5 35					1		2	3	<u>-</u>	1		2 7	<u>5</u>	2 2	6	6	
Other external causes	49			2			1 2				ī	1 1 6		1 9	8	1		
All other causes	269	78	2		3	1	6	4	2	1 4	ıî	6	12 15	33	29	42	33	
Buffalo, N.Y., all causes		692	66	40	•35	26	125	109	142	127	201	236	710	986	1, 356	1,412	995	
Typhoid and paratyphoid fever (1, 2) Measles (7)	8		1	1			<u>1</u> 12	1 1	1	1	. 1		2		1			
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	55 21	3 15	3	5 2	7	2	1	10	4	1	2	2	1	1		2		
	21 21 48	1 3	1 3	2	4	2	9	1 2	2 1			4	12	9	7	1	4	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	12 354	2	1		1 5		3	1 2	20	37	58 2	44	78	60	38	13	2	
SVDniis (34)	41 42	2 7	5		5	1	1	3	1	4	3	4	6	9	1 9	1 .		
Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	807 214						₁	2 4	4 2	2 1	4	9 2	70 14	167 30	230 61	227 71	92 28	
Diseases of the heart (90-95)	355 1,711	4			2		9	17	26	13	$\frac{1}{22}$	2 24	15 116	40 220	93 397	110 474	92 384	
Bronchitis (106) Bronchopneumonia (107)	33 216	83	16	4			6 11				6	3	11	2 17	4 19	7 24	7 21	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	313 97	13 79	6	4 3	1 2	3	2	6	11	13	14 1	19	46 1	47	63	28	29	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	131 60	4	2	1	2	2	9	14	10	6	8	7 3	21	23 12 15 90	18 17	7 9	10	
Nephritis (130–132)	66 726	<u>i</u> -			· <u>2</u> -[5		1 3	1 4	5	16	15 42	15 90	17 148	16 212	198	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	31 32								4 4 3	2 7	9	4 7	10 5	6	2	1		
Suicide (163-171)	49 68								1	2	11 3	17 4	14 19	18	15	6		
Homicide (172-175) Automobile accidents Automobile—railroad train and street car collisions	25 132	1	1	2	<u>i</u>	4	7	6	5	5	4 10	5	9	27	22	24	4	
Other external causes.	269	5	2	3	1 7	5 7	13 34	9	7	8	9	10	2 44	-1 42	40	44	27	
	1,314	462	14	10		- 1		24	23	13	25	43	131	144	149	134	94 -	
New York, N.Y. (white), all causes Typhoid and paratyphoid fever (1, 2)		4, 943	651	412	312	271	,018	===	<u>-</u>	<u> </u>	<u> </u>		<u>-</u>	<u> </u>	<u> </u>	13,815 8	, 021	14
Mancles (7)	56 60 130	13		5 16	6 15	3 11	2 10 31 8 71 16 9 11 25	5 2 11	4	<u>10</u>	3 5	5	5	10	4			
Scarlet fever (8)	131 198	73	23	13 27 14	3	6	8	1	8 2 2		· <u>1</u> .	1 -		5	1 2	- 1		
Influenza (11)	619 105	33	22	14	3 26 9 6	6 23 4 3	16	21	24 4	17	20 6	29	83	94	105	72	56	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	3, 186 365	12	21 12 23 22 22 6 10 28 3	5 4 23	3 27	1 6	11	1 5 21 5 13 17	140	7 367 31	332	29 8 324 24 14	9 613 40	8 646 33	472	200	37	ī
Syphilis (34) Cancer and other malignant tumors (45–53)	401 8, 312	8 33 24 12 23 52 2	3 -	6		3	<u>20</u> -		140 18 3 26	6 29	10	14 146	86 777	107 , 776	30 84 3, 455	29	1 7 828	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	2, 130 2, 912	1 6 -	ž				5	5	8 4 179	9	12	21	79 138	345 424	742 766	697	204 591	
Diseases of the heart (90–95)	18, 572 159	16	5 1	5 2	12	1 14 1	98 1	13 5 2 136 2 31 71 2 67	179	192 l	332 23 10 58 12 12 235	280 1	1, 204 10	2,805 4 13	, 444 5	5, 152 30	, 806 41	1 1 1
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	2,742 3,546	761 227 429	136 115 42 13	5 2 57 55 5 23 2	12 3 34 23	1 24 25 2	1 52 59	31 71	3 29 110	31 118	.136	32 167	159 495	238 563	344 612	413 499		<u>-</u>
Appendicitis (121)	555 1, 058	429	42	5 23	23	18	5 61	67	57	62 11	9 56 12	10	10 204	7	8 143	7 76	6 14	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	633 578	40 1	8	2 -			5	5	5	ĭį	12 3	14 17	62 63	120 157	145 174	124 131	80 -	
Nephritis (130–132) Diseases of the female genital organs (139)	4, 544 176	7		~ i		2	11	$\begin{bmatrix} 2\hat{1} \\ 2 \end{bmatrix}$	28	2 45 11	66	85 26	316 59	615	988 1	, 328 1 8	, 029	
Puerperal septicemia (140, 142a, 145)	211 334						-		12	41 64	66 18 62 92 137 78 56	53 65	43 103	2				
Suicide (163–171) Homicide (172–175)	1,551 436	12	1	<u>i</u>		2	3	2 2 50	8 24 20 44	41 64 77 57 62	137	126	336 94	381	315 36	129	24	
Automobile—railroad train and street car collisions.	1,097 18		4	6.	21	31	109		44	62	56 4	21 21 220 4 32 167 10 70 14 17 85 26 53 65 126 71 44 2	125	153	193	140	58	1
Other external causesAll other causes	2,816 11,342	50 3, 148	34 136	32 107	34 60	29 62	103	74 201	74 196	103	117 265	147	434	548 , 354 1	441	315	278 886	3 5
1 Proludes collision with reflect desire and atrect												_				-		-

Excludes collision with railroad trains and street cars, 69301—35——27

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[See	note a	t bead	l of this	table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	34	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NEW YORK, N.Y. (COLORED), all causes	5, 528	655	80	49	26	26	103	74	170	314	417	497	1. 047	952	582	350	184	2
Typhoid and paratyphoid fever (1, 2)	7						2		1		1	1		1	===			
Measles (7) Scarlet fever (8)	4	2		1 2	_i -		1											
Whooping cough (9) Diphtheria (10)	24 7	14	4	3	1 2		2 2											
Influenza (11)	1 31	5	2		í		1	1	1 1	2	4	2	5	4	2		1	
Epidemic cerebrospinal meningitis (18)Tuberculosis of the respiratory system (23)	18 905	7 6	11	1 6	6	6	2 16	11	81	145	144	1 139	183	1 96	39	13	3	
Other forms of tuberculosis (24–32) Syphilis (34)	129	8 41	11	11 2	4	6 10	16 10	9	11 2	11 10	12 19	12 27 19	13 79	3 60	1 24	2 4	1 2	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	307				ī				2	i	9	19	61	95	70	41	8	
Uerebral hemorrhage and softening (82a, 82c)	186	2	<u>i</u> -				1		1	3	3	2 4	22 44	33 47	22 41	· 25	16	
Diseases of the heart (90-95)	957	4	1 1	1 1		2	11	11	9	17	26	50	169	247	179	141	93	
Bronchitis (106)	185	83 36	22	2 4	1 2		9		2	4	8	8.	14	9	12	6	4	1
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	1 71	63	7 3	1 1	2	1	5 1	6	13	20 1	15 1 7	49	92	87	44	19 1	10	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	55 51	$\begin{vmatrix} 1\\3 \end{vmatrix}$	<u>i</u> -	2			1	1	3	4	7	9 6	12 16	13 8	2 8	2	<u>-</u> -	
Cirrhosis of the liver (124)	21 312								1	2	7	19	8 56	8 96	3 59	1 47	24	
Diseases of the female genital organs (139)	41			L					1 3 2 6	10	13	9	5	1			24	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	33 40								6	10 8	9 14	6 10	6 2					
Suicide (163–171)	1 44	6						1	7	5 20	6 33	8 30	16 40	5 9	3 2			
Automobile eccidents 1	.] 66			2	2	2	12	7	2	2	5	5	ii	10	3	2		1
Automobile—railroad train and street car collisions. Other external causes	209	10	4	3 7	<u>i</u>	2 3	15 12	9	10	14	16	25 55	57	25	8 59	7 28	3	
All other causes	887	363	6	7	4	3	12	14	10	25	57	55	134	93	59	28	17	
New York, N.Y. (Bronx Borough, white), all causes	10, 233	634	72	55	38	30	130	112	183	272	276	345	984	1, 533	2, 179	2, 128	1, 261	1
Typhoid and paratyphoid fever (1, 2)	7	3	2		2		2	1			1	1	1	3				
Scarlet fever (8)	11		1	2	í	2	2	1	2	<u>î</u> -								
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	27 5	20	5 2	1 1 3	<u>-</u>	1	1											
Influenza (11) Epidemic cerebrospinal meningitis (18)	108	6 3	1 2	3		1	5 1	4	6 2	4	4	10 1	12	20	17 1	11	4	
Tuberculosis of the respiratory system (23)	670	3 9	2	4	1 5	1	7	3 4	33 2	86 6	65 1	70 2	124 7	128 2	107 4	43	7	
Other forms of tuberculosis (24-32)	33	4						2	3	1 6		3 25	6	9 325	6 440	388	130	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	374		1	3	1	1	4 3		2	2	14 3	3	145 12	62	129	119	39	
Cerebral hemorrhage and softening (82a, 82e) Diseases of the heart (90-95)	453 2, 903	2		1		1	1 17	19	34	31	46	4 55	24 191	61 423	139 690	137 796	84 597	<u>ī</u>
Bronchitis (106) Bronchopneumonia (107)	15	6 75	19	7	10	3	5				3	3	21	27	2 51	4 64	62	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	489 27	30 20	17	11 1	3	3 2	7	9	1 <u>4</u>	24	23	31 1	62	70	79 1	74	33	
Annendicitie (121)	1 132		1 1	1 1	3	2	7	8	11	12	7	7	27	$\frac{22}{12}$	13	10 13	1 7	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	64 72	4	I					3	1	1		3	6 3	18	13 21	21	6	
Nephritis (130–132) Diseases of the female genital organs (139)	647 16	1					1	3	7	7 2	8 2	14 1	46 7	78 3	165 1	194	122	
Puerperal septicemia (140, 142a, 145)	30 57								1 3	4 11	9 12	12 11	19	1				
Suicide (163–171)	224 43								1	10	16 10	14 7	60	52 5	53 4	16	2	
Automobile accidents 1	164		<u>-</u> 1	<u>î</u>	4	7	21	9	4 8	11	5	11	15	19	28	19	5	
Automobile—railroad train and street car collisions. Other external causes	366	8	6	8	6	5	13	19	12	13 27	2 17	19	54	63	42	39	42	
All other causes	1,362	439	8	8		3	33	27	30	27	27	36	129	130	173	177	115	
NEW YORK, N.Y. (BRONX BOROUGH, colored), all causes	386	48	3	2	1	1	' 7	7	19	24	35	33	79	58	38	23	8	====
Typhoid and paratyphoid fever (1, 2) Measles (7)	1 1	<u>-</u>																
Scarlet fever (8) Whooping cough (9)	3	2															-	
Dinhtheria (10)																		
Influenza (11) Epidemic cerebrospinal meningitis (18)	3 2	$\frac{1}{2}$																
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	114	2		1		₁ -	1	1	15	21	19	15	22	10 1	4	2		
Syphilis (34)	20	4									1	$\begin{array}{c c} 1 \\ 2 \end{array}$	7	5 6	2 8	4		
Dianetes mellitus (59)	. 0										1		1 3	2	1 2			
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	59 59							1	1		2	4	11	13	11	12	4	
Bronchitis (106) Bronchopneumonia (107)	12	6	ī	1							1			1	2			
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	23	4							1			4	8	4	1	1		
Appendicitis (121) Hernia, intestinal obstruction (122)	7								1	1	2 1		1 2	2				
Cirrhosis of the liver (124)	. 1												1 6	4	2	3		
Nephritis (130–132) Diseases of the female genital organs (139)	. 3										1	2	[-
Puerperal septicemia (140, 142a, 145) Other puerperal causes	3 3									1 1	1 1		1					
Suicide (163–171) Homicide (172–175)	3 2							<u>-</u> -			<u>-</u> -		3	 				
Automobile accidents 1	2					.					2							
Other external causes	.) 7						3		;-		1	2 1	8	2 5	5	<u>i</u> -		
All other causes	.l 51	26	,	·		.,	1		1		. т						2 1	

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			[Dee	поте я	и пева	of this	e rabiel											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1. year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	54	55 to 64 years	65 to 74 years	75 years and over	Age un-
New York, N.Y. (Brooklyn Borough, white), all causes	24, 212	1, 913	256	170	112	118	200	07.5		400				2 545	4 000			
Typhoid and paratyphoid fever (1, 2)	28 6	<u> </u>		170	112	110	388 1 1	315 2	396	483 7	<u>570</u>	688	2, 192	3,545	4,892	5,004	3, 167	3
Magies (7)	54	2	2 6	8 6	5	5	1 13	3	5	2		3	3					
Scarlet fever (8)	58 99	30 3 15	8 7	10	11 7	5 5 15	13 3 43 8	1 4	5 1 1 13		 :	1	<u>-</u> -	1	1	<u>1</u> -		
Influenza (11) Epidemic cerebrospinal meningitis (18)	265 50	10	10	5 1	7 3	2 1	161	9	13 2	5 3	.9 3	8 5	34 5	32 2	48 1	32 1	28	
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	646 103	7	5 4	6		<u>1</u>	4 4	2 5	29 5	3 70 10 1 9 5	67	56 10	106	135	117	47	5	1
Syphilis (34) Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	142 2,573	22 1	2 2	1		_i -		6	2 8	1 9	6 1 13	36	15 34 230	34	8 32 741	10 713	275	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	825 916		1				2 1	2	29 5 28 3 1	5 4	13 5 2	9	230 32 41 431	528 133 142 1,027	289 231 1, 670	974	70 198	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	6, 942 56	2 7	3 1	1 2 27	1	8	33 1	59	82 1	71	90 1	108	431 6	1, 027	1, 670 6	1, 959	1,397	
Bronenoppeninopia (107)	1, 114 1, 237 202	349 89	57 49	27 26	· 10	• 6 13	18 19	17 28	13 50	10 33	12 46	3 10 57	68	105 177	142 219	291 1, 959 10 151 164	119	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) Appendicitis (121)	202 427	146 1	49 25 5	26 2 12	2 9	10	30	28 1 23	4 28	33 2 21	19	5 '	156 2 84	55	2	2 1	2	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	218 192	17	1				š	23 1 1 9	1	2	3	30 4 7	22 18	39 50	64 51 60	31 48 48	26	
NADDTITIS (130-132)	1,821 70	2		1		2	2	9	9 3	14 5	27 3	28 10	114 22	254 16	401 6	529 4	429	
Diseases of the female genital organs (139)	95 124								6	15 27	31 31	22 24	21 39					
Homicide (172–175)	386 117	2			1			2 1	3 4 4 13	18 11	27 23	36 16	78 32	96 11	76 10	38	11	
Automobile accidents 1 Automobile—railroad train and street car collisions	376			2	7	11	2 44	21	13 1	22 1	26	8	44 1	48	62	48	20	
Other external causes	855 4, 210	18 1, 188	13 51	11 48	12 22	13 24	39 101	28 85	33 70	28 86	32 86	43 137	117 430	1 160 481	122 530	94 501	92 368	<u>-</u>
NEW YORK, N.Y. (BROOKLYN BOROUGH, COLORED), all causes		-				24											900	2
Typhoid and paratyphoid fever (1, 2)	1, 216	183	30	14	$\frac{4}{}$	<u></u>		16		57		106	213	201	133	88	50	===
Measles (7) Scarlet fever (8)	2			1	1													
Whooping cough (9) Diphtheria (10)	10	5	1 1	2			2											
Influenza (11)	9 3	2									2	ī	2	2				·
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	112	1 1	1 3	2		1	1	1	3	18	21	18	25	15	6	1		
Syphilis (34) Cancer and other malignant tumors (45–53)	15 70 45	17	î					1 1 1	1	5	3	1 4	17	16	5		ij	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	23 37										2 2	4	8 5	10 8 9	9 6	7 2		
Diseases of the heart (90-95) Bronchitis (106)	239	1		1		1	4	4	3	1 2	4	2 11	8 41	54	8 52	6 37	25 -	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	75 114	27 7	12	1	1		3 .		2	1 7	4	5	8	3	4	3	1	
Diarrhea and enteritis (119, 120)	25	21	3 1	2 1			3 1	2	1	7	3	15	29	23	8	6	5	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	9 10	1						1	1		i	2 2	2 2	2 2	2			
Nephritis (130-132)	3 81										2	5	2 9	25	13	20	7	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	. 10								1	1 5	2	3 2 2	1					
Other puerperal causesSuicide (163-171)	7 2								2	2	1	1		<u>i</u> -				
Homicide (172–175) Automobile accidents 1	32 13			1	<u>-</u> -	ī	2		1	4	9	11	6 3	1 1 3	1			
Automobile—railroad train and street car collisions. Other external causes	43	4 95	2 3				i	2 4		<u>2</u> 8	4 11	6 10	10 32	7	4		·i	
NEW YORK, N.Y. (MANHATTAN BOROUGH,	215	95	3	2	1		3	4	3	8	11	10	32	19	14	6	4 -	
WHITE), all causes		1,760	235	135	114	95	345	251	306	610	729	840		4, 212	5, 051	1,560	760	7
Typhoid and paratyphoid fever (1, 2) Measles (7) Scarlet fever (8)	17 35	6	15	<u>_</u>	<u>4</u>	2	6	1	3	3	1	1	2	2	2	2		
Whooping cough (9)	38 31	16	4 7	1 5 4 9 5 3	7	3	10 3	2	1	2	1	2	1					
Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18)	57 142	5 11	9	9 5	10	4	12	6	1 3	7	5	7	2 19	3 20	1 23	11	16	
Tuberculosis of the respiratory system (23)	32 1, 119	10 4 7	1 3	3	2 1	2	1 5	1 5	32 7	2 111	3 95 14	102	233	5 252 21	176	78	18	
Other forms of tuberculosis (24–32) Syphilis (34)	168 200	7 23 1	16	11	9	4	13	6	7 1	12 4	7	10 6	15 42	56	12 43	10	1 5	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	3, 192 656		3 1	1		1	4	5 2 1	12 2	.12	30	66	311 27	713 124	962 211	13 779 213	292 65	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95).	928 5, 909	4 1		3	7	3	30	42	2 48	4 66	7	11 75	50 416	150 958	249 1, 453	276 1, 574	173	ï
Bronchitis (106) Bronchopneumonia (107)	70 960	2 237	37		3 10	14	21	1 12	2 9	2 11	63 1 11 49	1 14	3 55	6 82	16 120	10 159	22	1
Lobar and unspecified pneumonia (108, 109)	1,318 286	77 232	41 11	12 2 7	5 2	8	20	24	29	46	49	53	213	243	236	170	91	ĭ
Appendicitis (121) Hernia, intestinal obstruction (122)	369 291	14	4 5	7	8	5	12 2	27 1	12 3	2 4	. 25 8	23	65 29	73 57	52 69	29 53	I	
Cirrhosis of the liver (124) Nephritis (130–132)	227 1, 240	1					5			19	2	8 7 28	36 109	70 184	62 252	42 348	259	
Diseases of the female genital organs (139)	74 62							2	3	18 18 19	ĨĨ IB	28 13 15	22 10	9	10	2	1	
Other puerperal causes	114 721								1 16	19 41	2 22 11 16 36 81	· 24 55	33 141	176	140		8	
Homicide (172–175) Automobile accidents ¹	228 408	8	2	1	3	10	29	1 15	9	36 17	42 17	42 18	45 50	25 71	142 14 76	61 4 60	28	
Automobile—railroad train and street car collisions. Other external causes	1, 287	19	8	<u>9</u>		7				44	1 54		1 214			1 -		1
All other causes	4,501	1,078	61	40	13 28	29	35 133	17 74	18 76	97	119	65 182	521	278 629	239 624	150 512	117 295	3:

¹ Excludes collision with railroad trains and street cars

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

			[See	note at	head	of this	table]											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	54	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NEW YORK, N.Y. (MANHATTAN BOROUGH,	0.400	400			70	7.5		49	100	150	005	014	700	240	074	010	107	Ī.
COLORED), all causes Typhoid and paratyphoid fever (1, 2)	3, 499	400	37	31	18	15	$\frac{57}{2}$	$\frac{42}{1}$	102	179	267	314	702	640	374	212		===
Measles (7)	2	1		1														
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).	2 10	7	ī	1	ī		1											
Diphtheria (10)Influenza (11)	16	<u>-</u> -	2		$\begin{vmatrix} 2\\1 \end{vmatrix}$			<u>-</u> -		₁ -		$\begin{vmatrix} 1\\1 \end{vmatrix}$	3	<u>î</u> -	$\frac{1}{2}$			
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	13 485	5 4	3 6	1 5			1 5	4	1 39	65	73	1 75	1111	56	23	10	3	
Other forms of tuberculosis (24-32) Syphilis (34)	101 178	4 16	6	8 2	4 4	8	8	7	9 2	11	9	10 22	11 55	39	17	2 4	1	
Cancer and other malignant tumors (45–53)	.1 218								1	5	7	12	48	72	48	26	4	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	62	1					1		1	2	1 3	2 2	14 30	21 32	15 28	6 15	10	
Diseases of the heart (90-95)	607	3	1	<u>i</u> -		1	6	4	5	14	19	35	112	166	106	82	56	
Bronchitis (106) (107)	87 254	46 24	6 4	ŧ	1		5 2	4	10	12 12	3 12	3 26	6 53	5 57	5 31	2 11	3	-:
Lobar and unspecified pneumonia (108,109) Diarrhea and enteritis (119, 120)	45	41	2								1		.		l	1 1		
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	37 31	3	<u>i</u> -						1	3	5 2	5 3	9	9	5			
Nephritis (130–132)	.1 188	_i -							1 1	1	4	12	35	8 61	40	20	13	
Diseases of the female genital organs (139)	. 27								2	1 7 4 5	10 7	4 4 8 7	3 4	1				
Puerperal septicemia (140, 142a, 145)	30								4		12 6	8	1 11		3			
Homicide (172-175)	. 108	6							1 5	5 13	22	19	32	8	2	1 2		
Automobile—railroad train and street car collisions	. 1				1		9	7	2	2	1	4	8	6	2			
Other external causesAll other causes	149 589	230	3	3 5	3	2 2	10 6	6 7	9 6	11 16	11 42	15 43	46 92	16 68	38	7 19	9	
NEW YORK, N.Y. (QUEENS BOROUGH, WHITE), all causes		493	69	41	44	27	122	68	106	168	198	215	690	1, 097	1, 557	1,722	1, 135	
Typhoid and paratyphoid fever (1, 2)	2		1			i								1				
Scarlet fever (8)	. 25		1	2	2	i	6	5		2	3		1	2				
Whooping cough (9) Diphtheria (10)	. 31	7	3	2 4	4	4	13	1	1				ī	1				
Influenza (11) Epidemic cerebrospinal meningitis (18)	92	1 1	3		1	1	2	1	2	2	2	3 2	16	20	16	17	6	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	. 362	2	1 4		1 3			1 1	20 3	51 2	53 1	39	61	61	42	24 1	6	
Syphilis (34) Cancer and other malignant tumors (45–53)	. 18	3		.			3		3	1	1 1	15	3 77	180	3 261	229	108	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	231	i						ī	í	2 2	1 1	1 2	6	17	95	82 194	24 112	
Diseases of the heart (90-95)	. 2, 287		i		4	$\frac{1}{2}$	10	11	11	1 18	31	38	19 144	60 350	128 517	659	491	
Bronchitis (106) Bronchopneumonia (107)	17 250	82	20	6	4	<u>i</u>	5	1 2	ī	2	2	2	15	3	3 27	5 24	3 36	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	407	23 22	4 2	5	5	2	9	10	15	13	15	19	52	59	64	73	39 2	
Appendicitis (121) Hernia, intestinal obstruction (122)	. 99	3	3	3	2	1	11	8	4	4	2	7	21 3	15 8	8	6 7	4 11	
Cirrhosis of the liver (124)	- 78			1							1 9		. 5	16	27	19 214	183	
Nephritis (130–132) Diseases of the female genital organs (139)	_ 14			.			2	4	4	3	2	10	39	82	139	. 214	109	.
Puerperal septicemia (140, 142a, 145) Other puerperal causes	19 34								1	3 5	12 7	1 3 6	10					
Suicide (163–171) Homicide (172–175)	- 180 - 35			.		.			1 3	7 4	7 3	16 4	53	46	35 5	13	2	
Automobile accidents I Automobile—railroad train and street car collisions.	. 132			i	7	3	13	5	12	10	7	6	13	11	26	12	5	
Other external causes	226	4		3	3	3	15	9	5	14	111	12	38	34	28	22	16	
NEW YORK, N.Y. (QUEENS BOROUGH, COL-	1,001	343	15	9	8	6	28	8	18	22	26	27	85	92	121	115	78	
ORED), all causes	209	16	5	1	1	4	6	3	10	15	12	16	29	36	26_	16	13_	===
Typhoid and paratyphoid fever (1, 2)	-																	
Scarlet fever (8)Whooping cough (9)			1															
Diphtheria (10) Influenza (11)	- 1						1		1	1			-	-		.	1	
Epidemic cerebrospinal meningitis (18)	-										.							
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	_ 1		ii			. 1		.	7	5		5		5	2			
Syphilis (34) Cancer and other malignant tumors (45–53)	3	3								<u>i</u>				5	5	i		
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	- 4												2 2			4	3	
Diseases of the heart (90-95) Bronchitis (106)	_ 33			.			1			1			. 4		6		5	
Bronchopneumonia (107)	_ 10	4	_				1			1					;	1		
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	_ 1	1				-			1	1		. 2	2	3	4			
Appendicitis (121)	_ 2			1				i				2	<u>i</u>		i	<u>-</u> -		
Cirrhosis of the liver (124) Nephritis (130–132)	-											<u>î</u>	5	6			3	
Diseases of the female genital organs (139)	. 3									2		<u>-</u>	. 1		4	.		
Puerperal septicemia (140, 142a, 145) Other puerperal causes			.							.				-				
Suicidê (163–171) Homicide (172–175)	. 1									2	i		1 1					
Automobile accidents 1 Automobile—railroad train and street car collisions.	. 5			-		1	1			-	. î	ī		. i			1	
Other external causes	. 8			.	. 1		ļ			. <u>i</u>	1	2	Į į		1			
All other causes		Ji 8	l		.1	.1 1	1	. 2	1	.1	.1 2	, 1	2	1	1 2	l	, I	l

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

Solve (1940 1970) Phylikiteria (194) Phyliki				- Loce	1006	и пеас	or with	s table]											
New Yorks AT Chemotor Benerous 200 145 10 11 4 1 20 20 20 20 20 20 20	AREA AND CAUSE OF DEATH		der 1				4 years		14	19	24	29	34	44	54	64	74	years and	Аgе un- known
Typhold near partyphold flower (1, 0)	NEW YORK, N.Y. (RICHMOND BOROUGH,															1			Γ.
Maching (17, 18) Maching (18)			143	19	11	4	<u></u>			50	84	85	110	210	271	349	401	<u>298</u>	==
Solve (1940 1970) Phylikiteria (194) Phyliki	Measles (7)	7	2	2	1			1	1	-									
Comment Comm	Whooping cough (9)	2											1		1				
Profession produces in the content of the content	Dipotheria (10)	6		1	3			2											
Special color products 1	Epidemic cerebrospinal meningitis (18)																		
Special color products 1	Other forms of tuberculosis (24–32)	13						í	í	1		1 1	2		1	30		T	
Consideration and princing (Sen, Seo.)	Syphilis (34)Cancer and other malignant tumors (45-53)	180		1	<u>i</u> -							1	1 4	1 14		51		23	<u>-</u> -
Procedure (1997) (1977) (1978)	Diadetes mellitus (59)	44												2	9	18	9	6	
Proceedings commonis (107, 100)	Diseases of the heart (90-95)	531		1				8	5	4	6	5	4	$2\bar{2}$	47		164		
Distribution of the Profession	Bronchopneumonia (107)	55	18	3				3			<u>i</u>		3				15		<u>-</u>
Appendicis (131) Appendicis (132) Signature (132) Signature (134) Appendicis (1	Diarrhea and enteritis (119, 120)	10	8		1			4		2	2	3	7	12	14	14	18	6	
Circhests of the liver (194)	Appendicitis (121)		2			1		1	1	2	1	3	3	7	5	6		1	
Diseases of the famale gential (Greens (139)) 2	Cirrhosis of the liver (124)	9												1	3	4	1		
State Pipe Per State Sta	Diseases of the female genital organs (139)	2							1				1	1		31	43	36	
Suided (169-717)	Other puerperal causes.	Š									2		1	2					
Authonoble sentents and greet or collisions 10	Suicide (163–171)	40								2	1 1		5	4		9	ī	ī	
Other certain causes Section Se	Automobile accidents 1	17			1			2		1				3		1	. 1		
New YORK, N.Y. (Riemmons Borough, 218 S 5 1 2 2 12 6 19 39 27 28 24 17 11 11 6 6	Other external causes	82		<u>1</u> -	1		1	1	1	6	4	3		11	13	10	īō-		
Typhoid and partyphoid fever (1, 2)			100	1	2	2		5	7	2	8	7	4	19	22	27	32	30	
Typhoid and partyphoid fever (1, 2)	NEW YORK, N.Y. (RICHMOND BOROUGH,	218	8	5	1	9	2	12	6	10	. 30	97	98	94	17	11	11	e	
Sancer and other malignant tumors (46-58)	Typhoid and paratyphoid fever (1, 2)		=		===					====						===	===		
Sancer and other malignant tumors (46-58)	Measles (7)																		
Sancer and other malignant tumors (46-58)	Whooping cough (9)				[
Sancer and other malignant tumors (46-58)	Influenza (11)	1						1											
Sancer and other malignant tumors (46-58)	Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	155	<u>-</u> -	4		2	2	9		17	36	24	26	18					
Sancer and other malignant tumors (46-58)	Other forms of tuberculosis (24-32)	5	î	î				1											
Second page commonia (107)	Concer and other malignant turners (45-52)	- 2												1	2		. 3		
Second page commonia (107)	Cerebral hemorrhage and softening (82a, 82c)	4												<u>-</u> -	1	2			
Hernia, intestinal obstruction (122)	Diseases of the heart (90–95)	19							0 1			1		1	4	4	4	3	
Hernia, intestinal obstruction (122)	Bronchopneumonia (107)	į														1			
Hernia, intestinal obstruction (122)	Diarrhea and enteritis (119, 120)												2				1	1	
Diseases of the female genital organs (139)	Appendicitis (121)———————————————————————————————————																		
Diseases of the female genital organs (139)	Cirrhosis of the liver (124)																		
All other causes.	Diseases of the female genital organs (139)																		
All other causes.	Other puerperal causes																		
All other causes.	Suicide (163–171) Homicide (172–175)	1 2									<u>-</u> -			1					
All other causes.	Automobile accidents 1																		
ROCHESTER, N.Y., all causes 3,888 260 36 16 11 19 64 42 44 57 59 96 290 496 714 886 798	Other external causes									1									
Typhoid and paratyphoid fever (1, 2)									1				1				i		
Measles (7) 26 6 4 3 2 3 6 3 1 1 1 2 3 1 1 1 2 1 2 1 1 5 8 2 4 14 3 1 1 1 2 1 <		3,888	260	36	16	11_	19	64	42	44	57_	59_	==		496	714	886	798	==
Searlie lever (S)	Measles (7)	26	6	4	3	<u>2</u>	3					<u>i</u> -	<u>i</u> -						
Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). 96 1 1 1 1 1 1 1 1 1 1 1 1 1	Scarlet fever (8)	44	1 1	5	8	2	4	1	3		1	. 1		2	1	2			<u>`</u>
Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). 96 1 1 1 1 1 1 1 1 1 1 1 1 1	Diphtheria (10)	3	1					$\tilde{2}$											
Other forms of tuberculosis (24-32)	Epidemic cerebrospinal meningitis (18)	2							1										-
Syphilis (34)	Other forms of tuberculosis (24–32)	14	₁ -			1	1 1	1 2	2	2 1	7 1	6 2	11			2			
Diabetes mellitus (59)	Syphilis (34)	32	2						2-				3			9	4	1	
Diseases of the heart (90-95)	Diabetes mellitus (59)	124						1				ĭ		5	9	46	39	23	
Stroncopheumonia (107)	Diseases of the heart (00-05)	1.071	li				<u>1</u>	4	6	8	7	7	10	49	119	206	318	335	
Diarries and enterties (119, 120)	Bronchopneumonia (107)	10 102	1 28	2					1	<u>i</u> -	5		i	8		11	16	13	
Appendicitis (121) Appendicitis (121)	Diarries and enterms (119, 120)	141	9	3	1	î l	ı		2	2	3	1	6	13		20	21		
Striction of the liver (124)	Appendicitis (121) Hernia intestinal obstruction (180)	53					1		2		2	3	4	8	12	6	4		
Nephritis (130-132)		34												4 1	7	8	8	6	
Carregeral septicemia (140, 142a, 145)	Diseases of the female genital organs (130)	352 13			1				1	- 1	4 2	3	6 2	23		71		87	: -
Striction (163-171)	Other puerperal causes	9									3		3	3					~~~
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Smende 1763-1711	67							1		1		10	14	17	10	9-	2	
Automobile—railroad train and street car collisions. Automobile—railroad train and street car collisions.	Automobile accidents 1	62	2					8	2	2 2	2		<u>4</u> ,	3 7	2 11	9	12	4	
All other causes	AULOHIODHE—Failroad train and streat car collisions 1	3								!	1					1	1 .	=-	
	All other causes	668	183	13	<u>2</u> -	2	5)	11	15	<u> 6</u> l	8	14	17	49	78	76	85	104	

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

	İ	Un-					table	10 to	15 to	20 to	25 to	30 to	35 to	45 to	55 to	65 to	75	j j
AREA AND CAUSE OF DEATH	All deaths	der 1 year	1 year	years	years	4 years	5 to 9 years	14	19	24 years	29	34 years	44	54 years	64	74 years	years and over	Age un-
Syracuse, N.Y., all causes	2, 521	187	30	14	15	10	33	23	34	43	40	49	170	333	491	553	496	
pphoid and paratyphoid fever (1, 2)	1													1				
ymont and partyphotic level (1, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	11 10	4	2	<u>i</u> -	1 2		2	2 1	2	1			1		1			
hooping cough (9)	11 1	6	4	1													-	
fluenza (11)	25	1	2	ī	1		1		1	1	3		4	2	5		3	
pidemic cerebrospinal meningitis (18)	2 34					1		1		2	2	<u>ī</u> -	8	8	7	4	i	
ther forms of tuberculosis (24–32)	10 37	6	2		1		3		1	1	3			6	2	4		
philis (34) ancer and other malignant tumors (45–53)	289									1	2	1 5	10 22	53	71	87	48	
ancer and other malignant tumors (45–53)iabetes mellitus (59)erebral hemorrhage and softening (82a, 82c)	69 185									1		1	3	6 24	25 43	23 63	12 52	
iseases of the heart (90-95)	696	2		1	1		4	1	5	6	3	1 8	25	74 1	160	187	221	
ronchitis (106)	5 66	16	6	2 2	1	î	1		1				1	5	4	12	16	1
obar and unspecified pneumonia (108, 109)	109 17	3 12	$\frac{2}{2}$	2	1	1	2		6	1	3	4	17	28 1	17	11	11	
ppendicitis (121)	30			. 1			3	1	i	4	1	1	8	5 2	4		į	
ernia, intestinal obstruction (122)	21 24	1					1		1	1		1	1 4	2	3 7	8	3	
ephritis (130–132) iseases of the female genital organs (139)	217	2				1	1	4	2	3	2	2 2 1 7 5	12 2	28	40	62	58	
uerperal septicemia (140, 142a, 145)	8 11								2	1 2	5	1	1					
ther puerperal causes	18 41								i	1 1	5 2	7 5	5 7		8	8		:
nicide (163–171) omicide (172–175)	4			.						1			. 1	1 9	1			-
utomobile accidents 1utomobile—railroad train and street car collisions	39 1				. 1	1	2	2	1	2	1 1	1	1		8	6	4	
ther external causes	85 444	133	9	4	6	1 4	2 9	1 10	2 7	4 9	1 5	1 8	6 30	12 56	19 57	14 57	21 40	
Utica, N.Y., all causes	1, 526	110	7	7	6	6	17	12	35	14	25	28	121	184	249	357	348	
yphoid and paratyphoid fever (1, 2)	2 3									===			1	1				
feasles (7)	2	<u>i</u> -			1	2	2						-					
Thooping cough (9)				-
Thooping cough (9)iphtheria (10)	10	2												5		3		
pidemic cerebrospinal meningitis (18)				.	.					2	2	2			5	2	<u>-</u> -	-
uberculosis of the respiratory system (23)ther forms of tuberculosis (24–32)	32 11	<u>i</u> -	1	1		₁	2		$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$		2	2		. 3	2	1		
yphilis (34) ancer and other malignant tumors (45–53)	12 144	3					-	-	- - -		2	·	2 14	3 21	35	2 41	29	
viabetes mellitus (59) erebral hemorrhage and softening (82a, 82c)	45			-	-			. 2	2	1			1 3	6 7	13	16	5 33	
erebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	81 339					<u>ī</u>	<u>ī</u>	2	<u>-</u> -	i	4	3		37	13 62	25 107	107	
ronchitis (106)	7	2		_			_				1 1		- 1	6	9	7	. 3	
ronchopneumonia (107)obar and unspecified pneumonia (108, 109)	66 59	10			1			2		2	i	2	4 5	10	13	5	5	
Diarrhea and enteritis (119, 120)	10 24	5		1 1					1 3	_i -	2	₁	4	3	5 3	1 4	1	
fernia, intestinal obstruction (122)	13	1						. 1		. 1			-	3 2 1	3 2	4 5	1	
Firthosis of the liver (124)	11 234								2	2	. 1	1		33	39	73	69	
viseases of the female genital organs (139)	7		1					-	-	. 1	1	2	1 1	2				-
ther puerperal causes	1 7										2	3	2					:
uicide (163-171))	22 3							-	- 1	i	1 1 1 3	2		7		4		-
utomobile accidents 1	29						_ 2	1	1		. 3	2	9	2	4	4	1]
utomobile—railroad train and street car collisions	56	3		-			2	3				3	8	8	6	9	10	-
.ll other causes	295	78	4	2	2	2	- 2 5	-	7	2	3	5	25	25	29	1	-	1
YONKERS, N.Y., all causes	1, 194	90	12	12	2	6	20	21		24	30	36	99	187	243	226	167	- -
'yphoid and paratyphoid fever (1, 2) Ieasles (7)	6	2	1	1			- <u>i</u>	1	_ 1				-			-	-	-
carlet fever (8)Vhooping cough (9)	3	i	₁	_ 1			2		-	.	-	-	-	-	-	-	-	-
Diphtheria (10)		1		-	-		_	-	-	[.		-				-	-
nfluenza (11) pidemic cerebrospinal meningitis (18)	14		- 1		-	. 1		- 2		-			_ 2	2	3	3		-
uberculosis of the respiratory system (23)	60						-		4	6	7	5		12		2		
other forms of tuberculosis (24–32) yphilis (34)	7 8	2	· _i					-	-		. 2		- 1	4	- 3		_ 1	
Cancer and other malignant tumors (45-53)	134								-	1		4	20	21	40	32	16	
Diabetes mellitus (59) Perebral hemorrhage and softening (82a, 82c)	31 80				-			-			1	1	_ 2	2 14	21	27	5 15	
Diseases of the heart (90-95)	312		-	-	- 1	ī	3	2	4	4	6	6		47		71	74	
	2 37	10	<u>i</u>	- <u>i</u>				-	_ i	1			2	6		4	7	- 1
ronchopneumonia (107)	80 5	1 3	3	1			- 2	3		1	3	4	8	9	17	17	8	
bronchopneumonia (107)			.	-		1	-1 -	3		ī			- 1			1		-
Bronchopneumonia (107)	16		1	-				-	-			<u>ī</u>	- 2	3	2 5			-
bronchopneumonia (107)	16		-	_ _							-1		1 %					-
bronchopneumonia (107)	16 8 17 75	2	i		-			-		. 3	2			17				-1
bronchopneumonia (107)	16 8 17 75 4		i					-	-	3	2	$\frac{3}{1}$. 1				
bronchopneumonia (107) obar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) ppendicitis (121) fernia, intestinal obstruction (122) Dirrhosis of the liver (124) Paphritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) ther puerperal causes	16 8 17 75 4 3		i	-				- -			3	1 2 1	1	1	1	1		
bronchopneumonia (107) obar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) ppendictis (121) lernia, intestinal obstruction (122) Dirrhosis of the liver (124) vaphritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) ther puerperal causes uicide (163-171) Lomicide (172-175)	16 8 17 75 4 3 4 18		1	-	_			- - - 		1	3	1 2 1	1 2 1	3	1 5	5		
bronchopneumonia (107)	16 8 17 75 4 3 4 18		i	-						1	3	1 2 1 1	1 2	3	1 5 1	5		

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

	_		[See	note a	t head	of this	s table]]										•
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 29 years	30 to 34 years	35 to 44 years	54	64	74	75 years and over	8,8
AKRON, OHIO, all causes	1, 985	183	15	15	11	13	44	28	42	61	62	81	220	295	306	310	299	
Typhoid and paratyphoid fever (1, 2)	2						2											
Measles (7)	8			2	1	<u>i</u> -	3		1									
Windoping Could (9)	6	3	1	1		<u>2</u>	2	<u>i</u>										
Epidemic cerebrospinal meningitis (18)	1 1	3			1			4 2	3	2		2 1 10	6	5	4	4	- 12	
Other forms of tuberculosis (24–32)	13	3	2			2	• 1			11 3 1	5 2 3	 10	13 1 3	19 5	5 1 3	4 3	1	
Cancer and other malignant tumors (45-53)	210 46						1	2	1 2 1	2	ĭ	4	26 2	45 9	62	37 11	30	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	173 383	1	1				ī	3	5	2	2	2 6	46	20 67	62 17 46 71	39 92	62 86	
Bronchoppermonia (107)	7	18	1 2	2	2	<u>-</u> -	1				1	2		3	1 2	1 1	4 9	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	70 11	6 6	2 1	2		ī	. 4 2	1	3	5 	4	1	9	10 2	6	9	7	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	27 30	3		1			1	2	2 1	2	1 4	3 1	6 · 2 1	3 6 2	5 4 1	1 6	<u>-</u> -	
Orrhosis of the fiver (124) Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	8 151 12							1	4 1	ī	6	6	12	24	24	3 44	29	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	13 12									2	5	6 2 4	3 2 4	1	1 	2	1	
Suicide (163–171)	40 25									2 3 2 5	2 1 2	3 3 5	13	10	7 1 5	3	1	
Automobile accidents ¹ Automobile—railroad train and street car collisions	80 10	î			2	2	3	4.	6	8	รื	10	6 9 3	4 9 4	5	10	3	
Automobile—railroad train and street car collisions. Other external causes	82 373	134	2 3	3	4	2 2	9 14	4 4	3 5	3 9	2 12	13	11	4 9 38	5 34	8 32	15 32	
Canton, Ohio, all causes	1,004	109	10	3	6	2	19	20	13	21	33	30	90	122	163	172	191	
Typhoid and paratyphoid fever (1, 2)	1 2	<u>-</u> -	1								1							
Scarlet fever (8)	3 6	3	3		1						2							
Influenza (11)	3 29	4		1	1		1		<u>i</u> -	2	₁		4	8	i	3	5	
Epidemic cerebrospinal meningitis (18)	17		<u>2</u> -				1 1		<u>i</u> -	2	2			5	<u>2</u> -			
Other forms of tuberculosis (24–32) Syphilis (34)	8	4							1	1	1		2 2	1	1			
Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	119 21 104								1 1		3	1 .	13	17 3	37 4	35 7	12 -	
Reprohitie (106)	195					i	1	<u>i</u> -	i	ī		4	12	7 26	19 40 1	28 43	49 65	
Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	2 27 40	8 4	3		1		1	2				1 4	1 2	3 5	2 7	1 2	7 5	
Diarrhea and enteritis (119, 120)	11 20	8		i-			<u>-</u> -	5	i	i				1 2	2 .			
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	12 6				: <u> </u> -			1 _					1	4 4	4	1	1	
Nephritis (130–132) Diseases of the female genital organs (139)	51 5							2	2 -		1	1	5 2	7	9 2	16	8 _	
Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171)	10 6 9	-							1	3	2 2	2	5 2 4 1				-	
Homicide (172-175) Automobile accidents ¹	12 32		·		i		4	5	 1	3 2	1 2 1	2 2 1	3 5	1 2	2	1 -		
Automobile—railroad train and street car collisions Other external causes	35					-		-		2			3	4	6	6	2 -	
All other causes	209	75	1	i	2	i	9	3 -	2	3	7	7	19	21	19	13	26	
CINCINNATI, OHIO (WHITE), all causes	5,780	330	53	36	31	21	73	44	71	112	133	150	470	707 1	, 015	336 1	, 198	===
Typhoid and paratyphoid fever (1, 2)	13							4	1	2	2	<u>-</u> -	3 -				-	
Whooping cough (9) Diphtheria (10)	30 13 10	10	2 2 1	3 1 1	$\frac{2}{1}$	2 -	12	1 - 				4	2 -				-	
Influenza (11) Epidemic cerebrospinal meningitis (18)	156 4	8	3	2	6 -	3	6 - 3 -		3	3	8	ī	13	18	20 1	32	33 -	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	193		$\frac{1}{2}$	1 -	3 _		2 2	2	6	22	20 1	20	29	42	29	17	2	
Syphilis (34) Cancer and other malignant tumors (45–53)	25 35 645	- ² ₂	2					2	ĭ		1	1 9	41	7 119	12	5 179	117	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	130 466			1 _	<u>i</u> -			1 -	i	1	3	2	6 18	7 55	179 31 103	64 157	15 -	
Diseases of the heart (90–95)	1, 154 27	2	1 .		ī		1	3	5	7 1 -	10	2 1 11 2 2	73	116	236	347	343 -	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	192 246	38 10	3 -	9	<u>-</u> -	<u>i</u>	3	1 2	3	4	2 8	11	9 39	11 26	20 39	34 53	54 43	
Diarrhea and enteritis (119, 120) Appendicitis (121) Appendicitis (121) Appendicitis (121)	129	35	13	2 -	2	2 -	4	5 -	8	16	7	7 -	19	2 25	21	11	3 -	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nonbritis (130, 132)	84 73	3 -		12 -	-					1	3	4	8 10 25	12 17	10 20 71	19 17	26 - 5 -	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	465 23 20 32							2	3	5 1 3	5 2 5	6 3 6 5 7 2 5	5	35 5	71 3	143	168	
Other puerperal causesSuicide (163-171)	32 120	-			-			1	1	10	6	5	3 - 10 - 19	38		75		
Homicide (172-175) Automobile accidents ¹	30 108		1 -	3	3	5	8		2 5	3 2 8	10	2 5	7 13	3 7	27 1 14	15 1 19	3 -	
Automobile—railroad train and street car collisions. Other external causes	262	5						5-	2 5	2 5	2 -		2 2	1 31	33	51	68	
All other causes	1,020	211.	7	$\frac{2}{3}$	4 7	6	21	11	16	14	17	12 25	9 5 -	124	139	162	167	

¹ Excludes collision with railroad trains and street cars.

 ${\tt Table~9.--}{\tt DEATHS}$ (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

CINCENTERALI, CRIDO (COLONED), all enumes. J. 00. 88 12 9 6 6 10 12 20 06 08 08 170 174 116 84 88 19 9 10 10 10 10 10 10 10 10 10 10 10 10 10				[See	note a	t head	of this	tablel											
Typical and participated lever (1, 7) 2 3 3 4 1 1 1 1 1 3 3 3 4 1 1 1 1 3 3 3 4 1 1 1 1 3 3 3 4 3 3 1 1 1 1 3 3 3 3	AREA AND CAUSE OF DEATH		der 1						14	19	24	29	34	44	54	64	74	years and	Age un- known
The Person Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.	CINCINNATI, OHIO (COLORED), all causes	1,001	83	12	9	6	6	15	12	26	62	92	89	174	174	118	84	38	1
The Person Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.	Typhoid and paratyphoid fever (1, 2)	2												2					
Statement everleenpinal membraids (28). 2	Measles (7) Scarlet fever (8)	1																	
Statement everleenpinal membraids (28). 2	Whooping cough (9)	8 3		3				<u>-</u> -											
The ferminal functions of tuberculois (0-40) 28						 								3	2	1	3	1	
Speciment Chicago Ch	Tuberculosis of the respiratory system (23)	175	2	2.				5	5		33		22		20		5		
Street S	Syphilis (34)	22									1	3	3	2	6	1			
Street S	Diabetes mellitus (59)	14											2	4	6		1		
Secretaria (100)	Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	70 166						<u>-</u> -		1	5	7							
	Bronchitis (106)	41	1 19	3						2			1		3		2	<u>2</u> -	
Symmetric State	Lobar and unspecified pneumonia (108, 109)	56 10	6		l ī					1	1	11	6		9	6	4	2	
Suphrists (196-180)	A properties (121)	11 5		l				1	1				1	1		1 2			
Discovered the fermion of general organs (139)	Cirrhosis of the liver (124)	9														1	2	2	
Commonder Comm	Diseases of the female genital organs (139)	32 5				~~				1	1	1	1 		12	8			
Commonder Comm	Puerperal septicemia (140, 142a, 145)Other puerperal causes	2 3									2	1	<u>i</u>						
National Dispersion National Dispersion	Suicide (103-171)	5 50									1 5		1 12		2	2			
All other causes	Automobile accidents 1	16						1			2		2	3	4	3			
CLEVELIAND, OHIO (WINTER), all ceuses	Other external causes	26			2		1				4	2	3	2	7	3	1		
Typhoid and parstyphoid fever (1, 2)		ll .		ĺ						Ì		-		İ				-	,
Measles (7)			692	89	47	44	31	140	96	140	207	:	262	982	1,349		1, 521	1, 134	===
Epidemic cerebrosphant menungitis (18) (28) 15 1 1 1 1 1 1 1 1	Moorles (7)	39	6	15	3	3		12											
Epidemic cerebrosphant menungitis (18) (28) 15 1 1 1 1 1 1 1 1	Scarlet fever (8)	41 30	15	4	5	2	3	17	1			2	2	1	1				
Epidemic cerebrosphant menungitis (18) (28) 15 1 1 1 1 1 1 1 1	Diphtheria (10)	13		2	5	2		1		1			4		17	17	14	18	
Other forms of tuberculosis (24-32)	Enidemic cerebrosninal meningitis (18)	15	ĺ	1	1				1	2		.	2	2	3		1		
Sancer and other making and softening (\$29, \$20 30 30 30 30 30 30 30	Other forms of tuberculosis (24–32)	450 29	2		1 2	1		3		28	2		2	5	4		1		
December December	Cancer and other malignant tumors (45-53)	II 963						4		<u>i</u> -	7		16	96	217	266	239	107	
Diseases of the heart (60-65)	Diabetes mellitus (59)	220 613							4		1 4		2 3	14 25	30 92			133	
Lobar and unspecified pneumonia (UR), 109). 330 11 7 1 1 3 0 6 5 8 12 11 15 65 94 98 41 31 1 1 1 1 3 0 6 5 8 12 11 15 65 94 98 41 31 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Diseases of the heart (90-95)	1,706	1		į			8	6	9		24	27	139	252	386	459		
Appendicitis (12)	Bronchonneumonia (107)	407	87	22	7		5	4	1	3		3	7	33	43	50	66	66	
Nephrisis (130-132)	Diarrhea and enteritis (119, 120)	330 42	24	3	1	1		4	1	1				. 4	1	1			
Nephrisis (130-132)	Appendicitis (121) Hernia, intestinal obstruction (122)	123 92	6	1		3	1	8 2			1	1	8	10	23	23	14	10	
The preper accuses 41	Cirrhosis of the liver (124)	89 473	<u>-</u> -					2	5	5	1 3	9	10	45	78	25 97	112	105	
The preper accuses 41	Diseases of the female genital organs (139)	38 30									1 7	4	5	17		4	3	1	
Automobile accidents 239	Other puerperal causes	H 41									. 7	8	13	13		37	18	<u>7</u> -	
Other external causes	Homicide (172-175)	ll 81								5	9	14	6	25	12	6	3		
All other causes.	Automobile—railroad train and street car collisions.	239							8	1		. 2	1	1	1	2			
CLEVELAND, OHIO (COLORED), all causes	Other external causesAll other causes		510													01 =			
Measles (7) 4 1 <th< td=""><td>CLEVELAND, OHIO (COLORED), all causes</td><td>1, 275</td><td>105</td><td>12</td><td>8</td><td>6</td><td>1</td><td>17</td><td>18</td><td>29</td><td>71</td><td>99</td><td>106</td><td>311</td><td>245</td><td>142</td><td>67</td><td>38</td><td></td></th<>	CLEVELAND, OHIO (COLORED), all causes	1, 275	105	12	8	6	1	17	18	29	71	99	106	311	245	142	67	38	
Searlet fever (8)	Typhoid and paratyphoid fever (1, 2)																		
Whooping cough (9)	Scarlet fever (8)	1				1		1											
Influenza (11). 18	Whooping cough (9)	10	1	3	2														
Tuber culosis of the respiratory system (23). 219 1 2 1 2 1 4 17 32 36 34 56 26 6 1	Influenza (11)	18	1					2					1	5		3	1		
Syphilis (34)	Tuberculosis of the respiratory system (23)	219	1	2	1	2		1		17	32	36	34				ī		
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Septimental hemo	Syphilis (34)	51	5			ī					1	. 2	3	15	17	3			
Cerebral hemorrhage and softening (82a, 82c)	Diabetes mellitus (59)	14					1			ī	1			. 3	6	1	3		
Bronchitis (106)	Cerebral hemorrhage and softening (82a, 82c)	85							1 3		. 1		3 8	21					
Digraphic 10 1 1 3 1 1 1 2 1 1 1 1 2 1 1	Bronchitis (106)																	4	
Herrita, intestinal obstruction (122)	Lobar and unspecified pneumonia (108, 109)	97	2	1							4		12					2	
Herrita, intestinal obstruction (122)	Appendicitis (121)	10						1	1			3	1		1		2		
Diseases of the female genital organs (139) 5 8 2 1	Cirrhosis of the liver (124)	ll 15					1 1	1					. 1	1	1				
Puerperal septicemia (140, 142a, 145)	Nephritis (130–132)	85								1		5	5	16		18	8	8	
	Puerperal septicemia (140, 142a, 145)	<u>8</u>					1				. 4	1 2		. 2					
	Suicide (163–171)	8	Ì						1	1	.	. 2	2	1	1	1			
Automobile—railroad train and street car collisions. 30	Homicide (172–175) Automobile accidents 1	45 23	1			i		2	1		13	8	1 3	14 6	5 5	$\begin{vmatrix} 1\\2 \end{vmatrix}$		<u>î</u> -	
	Automobile—railroad train and street car collisions.			-	·	.	-	.				1							
	All other causes:	201	67	!	l ĝ		1	. 4	5	! î	2	1 10	, 9	40	27		7	8	1

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued,

				[See	поте а	e nead	or ems	rantel											
	AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	44	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	Columbus, Ohio (white), all causes	3, 547	242	31	22	18	18	44	37	71	102	73	115	294	407	601	750	722	
	Typhoid and paratyphoid fever (1, 2)	5								1	1			2	1				
•	Nyaoin and pastypholises (7, 2) Searlet fever (8) Whooping cough (9) Diphtheria (10)	5 5		1		1		3		3									
	Whooping cough (9)	14	9	4			1												
1	Diphtheria (10)	10 79	4	ī	3	1 2	1	5 1	1 2	1	4	4	. 4	6	8	7	14	18	
	Epidemic cerebrospinal meningitis (18)	119	<u>-</u>	-	1	1				9	19	9	16	23	15	13	8	5	
	Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	19	1		1 2		1		1		ĩ		16 2 1 8	4	1	3	3		
	Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	21 413	5						1		3	1 1	8	4 45	67 9	106	129	54	
	Diabetes mellitus (59)	83 283		1				1	2	2	1	1	1	3 5	9 26	106 28 50	23 100	11 101	
	Diseases of the heart (90-95)	680					1	1	1	1	8	8	11	37	84	153	181	194	
		9 106	1 24	4	2	1 2	3		ī	1		2	1 2	8	26 84 2 6 7	10	1 19	4 24	
	Bronchopneumonia (107)Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	84 39	28	6	3	2		1		3	3 2	2	2	9	7	14	17	17	
	Appendicitis (121)	74		ĭ	2 3 2 1	1	2	3	8	8	2	3	6 3	11	10	13 12	5 10	10	
	Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	55 27							1		i	1		6 1	10 7 7	6	7	4	
	Nephritis (130–132)	243 31		1	. 1			2	1	3 1	2	1 6	4	11 8	31 7	51 1	77	58	
	Nephritis (130–132)	15 32								3	21124475	1	4457237	2					
	Other pherperal causes	55								ī	5	6 2	2	$\begin{array}{c} 12 \\ 12 \\ 2 \end{array}$	14 2	9	7	3	
	Suicide (168–171) Homicide (172–175) Automobile accidents ¹	13 91	2	1	<u>-</u>	3		6		10	1 8	1 5	3	2 10	2 10	2 10	9-	9-	
	Automobile—railroad train and street car collisions.	5						4	1	1	- 7	5	1	1 19	23	22		35	
	Other external causesAll other causes	172 758	160	6	4	3 2	2- 5	13	6 9	10 13	18	15	11 16	52	68	88	20 114	175	
	Columbus, Ohio (colored), all causes	549	43	8	5	4	3	10	4	14	30	22	41	92	116	82	47	28	
	Typhoid and paratyphoid fever (1, 2)							<u>i</u>											
	Measles (7) Scarlet fever (8)	1 2				1			1										
	Whooping cough (9) Diphtheria (10)	4		4															
			1					<u>1</u>		3		1	3	4	4	4	1	2	
	Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	1 48	1							3	11	5	3	14	7	3		1	
	Other forms of tuberculosis (24–32)	10 13 27	1	1			1			1	1	1	1	3	4	3			
	Syphilis (34) Cancer and other malignant tumors (45–53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82e) Diseases of the heart (90–95)	27 10											2	1 2	6 5	10 2	8		
	Cerebral hemorrhage and softening (82a, 82e)	30												3	11	10	5	1	
	Diseases of the heart (90-95) Bronchitis (106)	99 1							. 1	1	3	1	7	17	30	16	16	7	
	Bronchonnoumonia (107)	17	5	î	1	2		2	1	1	1 5		<u>2</u>	1 4	3 7	2 4	2		
	Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	13.1	10				2											i	
	Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	7										1	<u>1</u>	$\begin{vmatrix} 1\\1 \end{vmatrix}$	3	<u>-</u>			
	Cirrhosis of the liver (124)	3 39						<u>1</u> -						6	13	3 10	4		
	Diseases of the female genital organs (139)	39 4 3	lii	l						1		1	1		1				
	Nephritis (130–132)	3 7								<u>i</u>	2	2	3	i					
	Suicide (163-171) Homicide (172-175)	4 21	II	í							 5	5	1 2 1	1 3 7	<u>2</u>				
	Antomobile accidents 1	8						2		1		2	1	i		1			
	Automobile—railroad train and street car collisions. Other external causes	25			2 2			1 2	1	1	<u>i</u> -	1 1	3 10	6	3	2	3 7	i	
	All other causes	99	24	1	2	1		2		1		1	10	17	13	11	7	9	
	Dayton, Ohio, all causes	2, 428	181	21	15	12	10	48	25	38	44	70	62	203	308	406	517	468	
	Typhoid and paratyphoid fever (1, 2)	2							1						<u>-</u>	1			
	Scarlet fever (8) Whooping cough (9)	4 10	7	1		1		2	,	1									
	Diphtheria (10)	16	7		1 2	1	2	8	1		1 2	1		<u>-</u> -		<u>-</u>			
	Influenza (11) Epidemic cerebrospinal meningitis (18)	50	7	2		1		3 1	1		2	4	2	5	8	5	4	6	
	Tuberculosis of the respiratory system (23)	112		1 2				$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$	1	5	5	17	14	20 1	19 3	13 1	11	4	
	Other forms of tuberculosis (24-32) Syphilis (34)	10 48	4	1						1	1	2	5 3	8 27	10	11	4	$\begin{array}{c} 2\\42\end{array}$	
	Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	260 47					1		2 1	1		3	3	4	10 43 8 23 65	64 10	76 17	5	
	Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	165 584			.		 -	3	2	5	1 4	3	<u>4</u>	7 29	23 65	10 28 107	54 178	52 184	
	Bronchitis (106)	4				1									1			2	
	Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	80	27 5	7	2	1		1	1 2	<u>-</u>	2	3	2 1	4 7	2 7 1 7 3 5	10	10 12	17 12	
	Diarrhea and enteritis (119, 120)	41 41 35 18	29	2 1			1	2		2		l:			1 7	5	4 2	1	
	Appendicitis (121)	35	i						- -	1	2 1	2 1	3 1 1 1	3	3	5 8	10	6	
	Cirrhosis of the liver (124) Nephritis (130-132)	. 154	1						<u>i</u> -	<u>i</u> -	3	1	1	12		6 27	4 46	1 48	
	Diseases of the female genital organs (139)	15		.						3	3 3 4	Į.	$\frac{1}{2}$	6	4	1			
	Puerperal septicemia (140, 142a, 145) Other puerperal causes	15 12 6 43 22 58								l	4 2 1 2	2 2 4 3		2					
	Suicide (163–171) Homicide (172–175)	43	1							1	1 2		1 6	10 6	9 2 11	9 2	6	2	
	Automobile accidents ¹	58			-	1		6	2	3	2	4	3	2	11	12	7	5	
	Other external causes	. 107	-3 96	$\frac{1}{2}$	2	1 4	2 3	6 8	$\frac{2}{7}$	4 6	4	1 1 13	3 9	7 32	16	16	15	24	
	All other causes	412	₩ 96	ı 2	1 4	1 4	1 3	1 8	1 7	i 6	l 4	1 13	1 9	32	47	66	56	1 55	

 $^{^{\}mbox{\tiny 1}}$ Excludes collision with railroad trains and street cars.

5 22 42

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

Neghritis (180-132) regime of the following (150) 122 1				[566]	note at	nead	O1 0113	DEDIC]											
Type Type	AREA AND CAUSE OF DEATH		der 1						14	19	24	29	34	44	54	64	74	years and	Age un- known
Medical (1) March	Toledo, Ohio, all causes	3, 444	272	32	13	15	10	38	25	70	107	95	123	344	460	586	643	611	
Searche free (1)	Typhoid and paratyphoid fever (1, 2)								1					1					
Displaced Cond-bootsmal methylisis (SS)	Scarlet fever (8)	6			<u>î</u> -	1	ī	2				<u>i</u> -							
Displaced Cond-bootsmal methylisis (SS)	Whooping cough (9)	16 5	10		2		1							₁ -		_i -			
Cheere and other malignant tumors (46-59). 24	Inflitenza (11)	84		2				1		i	2		6	13			15	16	
Cheere and other malignant tumors (46-59). 24	Tuberculosis of the respiratory system (23)	184	2						2	15		27	23	38	34	13		4	
Chapter of the frame and extended (eds.) 50	Other forms of tuberculosis (24–32)	25 21	1		1	1		4					2	4 5	2 4	6	4 2	1	
Second Section (1997) 1 1 2 4 3 1 1 1 5 4 3 1 1 1 5 5 5 5 5 5 5	Cancer and other malignant tumors (45-53)	349			1	2	1	1		1	1	3	5	29	68	94			
Dother D	Cerebral hemorrhage and softening (828, 820)	993												9	29	60	57	68	
Dother D	Bronchitis (106)	757 9		<u>i</u> -			1	1	2	4	7	4	14	57	95		194		
Derriam and contestiti (18, 190). 58. 10 2 1 2 1 1 2 1 4 1 4 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 2 1 1 4 1 1 1 1	Bronchopneumonia (107)	105		8		5	1	3	1				3			11			
Electron, indeclinal obstruction (122). 4	Diarrhea and enteritis (119, 120)	34		2	<u>î</u>	2		ļi					i	4	1	2	1		
Carriers of the liver (1962) 1.00	Hernia, intestinal obstruction (122)	47	4		<u>-</u> -		1	2	2	6	5 2	2	7 2	13	6	13	9		
Exerption apprisonment (a) 120 130	Cirrhosis of the liver (124)	45												5	9	13			
Cher prepared cousses. 93	Diseases of the female genital organs (139)	16								1	ן זַ	2	1						
Mile Mile	Other puerperal causes	12									5	1 2	4						-
Mile Mile	Suicide (163–171)	61 24									5 2	1 2	10				8	4	
Mile Mile	Automobile accidents 1	109	- -			1	1	4	3	8		4	7	16	16	17	14	6	
Typhoda and paratyphoid fewer (1, 2)	Other external causes	141		3	2		1	8	5	7		6		11	10	17		31	
Typhoid and peratyphoid fever (1, 2)						[_	_							'			1	
Measles (7)	· · ·		175	27	21	17	= 12		31	48	42	47	60	199	274	-	226	183	-
Whooping conigh (9)	Measles (7)	13		3	3	3										1			
Indiquence (1) 20 3 1 1 1 1 2 5 2 3 4 3 3 3 3 3 3 3 3	Scarlet fever (8)	12			. 1	2	2	2	1	2	1				1				
Epidemie eerebroespinal meningitis (18)	Diphtheria (10)	8		1	2	1			1										-}
Chibese solf-cher malignant tumors (45-55)	Enidamia agrabaceninal maningitic (19)	i	3				1	. 1	ī		1								
Chibese solf-cher malignant tumors (45-55)	Other forms of tuberculosis (24–32)	62		1	1			2	2 2		6	8		12	11	4	4		
Diseases of the female genital organs (189) 10 10 10 10 10 10 10 1			ī					ļ			Ţ			2	2	45	38	12	
Diseases of the female genital organs (189) 10 10 10 10 10 10 10 1	Diabetes mellitus (59)	33											2	1	1 2	17	. 8		
Bröneloppeumonia (107)	Diseases of the heart (90-95)	302		i		ī	i	2		3	<u>ī</u> -	3			50	68			
Lobar and unspecified pneumonia (108, 109)	Bronchitis (106)		42										1				4	1 3	
Appendicitis (121)	Lobar and unspecified pneumonia (108, 109)	101	9	4	3			2	5		6		6					7	
Septimizer Sep	Appendicitis (121)	37			. 1			2	3		2		2	5	11	5		1	
Septimizer Sep	Cirrhosis of the liver (124)	21 12	3							1			2		2	1	4		
Prepaga Septicemia (140, 142a, 145)	Nephritis (130–132) Diseases of the female genital organs (139)								1	4	3	2	3				24	20	
Shielde (163-171)	Puerperal septicemia (140, 142a, 145)	13				.	.			3	2	2	2	4					-
Antomobile accidents:	Suicide (163-171)	25									1	1					i		
Automobile—rallroad train and street car collisions. Other external causes. 91	Automobile accidents !				-	· ;-		<u>-</u> -	3			7 2	3 2			1 6	4	1 1	
All other causes	Automobile—railroad train and street car collisions																		
Typhoid and paratyphoid fever (1, 2)				2	4	1	3					4	8		40	26	25		
Measles (7) 3 1 2 3 Searlet fever (8) 9 1 1 4 1 1 2 Whooping cough (9) 6 4 1 1 1 1 1 1 1 </td <td>OKLAHOMA CITY, OKLA., all causes</td> <td>2, 091</td> <td>210</td> <td>30</td> <td>21</td> <td>21</td> <td>9</td> <td>59</td> <td>51</td> <td>81</td> <td>96</td> <td>99</td> <td>111</td> <td>207</td> <td>275</td> <td>292</td> <td>277</td> <td>251</td> <td>3</td>	OKLAHOMA CITY, OKLA., all causes	2, 091	210	30	21	21	9	59	51	81	96	99	111	207	275	292	277	251	3
Scarlet fever (8)	Typhoid and paratyphoid fever (1, 2)	12							1		4		1	2	2	1			
Diphtheria (10)	Scarlet fever (8)	9			i i		1						ī		2				
Influenza (11)	Diphtheria (10)	21				5		.									1		
Tuberculosis of the respiratory system (28) 81 4 3 1 1 2 2 9 112 8 12 11 11 4 5 Other forms of tuberculosis (24-32) 25 4 3 1 1 3 1 4 2 1 2 2 1 2 2 2 2 2 Syphilis (34) 36 7 1 3 1 4 2 1 2 2 1 2 1 2 1 2 2 2 2 36 7 1 3 1 4 1 4 1 4 8 21 40 51 41 23 2 2 2 2 2 3 1 2 1 2 1 2 1 2 7 3 3 2 2 2 3 1 2 1 4 9 7 1 2 2 2 1 2 2 1 2 1 2 1 2 1 2 1	Epidemic cerebrospinal meningitis (18)	98			Ĭ			. 8	2	2	4		7	9	12	11	11	19	[<u>-</u>
Syphilis (34) Cancer and other malignant tumors (45-53) 196 1 1 1 1 1 4 1 4 8 21 40 51 41 23 1 20 10 20 20 28 35 10 20 20 28 35 20 20 20 20 20 20 20 2	Puberculosis of the respiratory system (23)	81	4					. 1	2	2	9	12	8			11	4	5	
Diabetes mellitus (39)	Syphilis (34)	36	7				1	3		2	2	1	2	12					
Cerebral hemorrhage and softening (82a, 82c) 107	Diabetes mellitus (59)	28		1		1			1		1	1	2		4	9	7	. 1	
Lobar and unspecified pneumonia (108, 109)	Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	107			-	1						2	2	7	24	19	23	29	
Lobar and unspecified pneumonia (108, 109)	Bronchitis (106)	4						2				1		. 1				2	
Diarraca and enterius (119, 120)	Lobar and unspecified pneumonia (108, 109)	86	9	2	3	1		2	1 1	1 5		4	<u>8</u>	3	8	11	13		
Hernia, intestinal obstruction (122)	Annendicitis (121)	48	34	6		4	1			16	R	1 3	ā	2 7] 1 8	2 2	2		
Nephritis (130-132)	Hernia, intestinal obstruction (122)	33	II .	1		.				2		š	4	4	1	6	3	1	
Automobile—railroad train and street car collisions. 4	Nephritis (130–132)	123	i		1			i		1				13		20			
Automobile—railroad train and street car collisions. 4	Puerperal septicemia (140, 142a, 145)	22								2	9	3 7	2	2					
Automobile—railroad train and street car collisions. 4	Other puerperal causes	20			-		.			3	4	5	4 2	4					-
Automobile—railroad train and street car collisions. 4 1 2 1 2 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1	Homicide (172–175)	1 28	1							. 2	2	6	8	3	1	3	2		-
All other causes	Automobile—railroad train and street car collisions	4								1		2				1			
	All other causes		115	3 4	1 6	1 5	2 2	17			13 16		15	13	52	53	40	15 41	ī

 $^{^{\}mbox{\tiny 1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

						oi this												
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Аgе un- кпоwп
Tulsa, Orla., all causes	1, 211	133	25	10	8	4	29	12	36	56	53	62	147	155	178	162	140	1
Typhoid and paratyphoid fever (1, 2)	7		1						2	2		1	1					
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	2				i į		ī											
Diphtheria (10)	2 10	3	2	1	1		<u>4</u> 5											
Influenza (11) Epidemic cerebrospinal meningitis (18)	04	6	3	1			5	2	2	1	6	4	11	4	·	- -		
Epidemic erebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	47 11		1						2 2	9	5	7	7 2	9	3	4		
Cancer and other malignant tumors (45-53)	11 98	4							ī		<u>i</u> -	2	3 8	2 28	2 29	21	8	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	12 89										<u>i</u>	3	5	28 2 7	5 18	· 26	29	
Diseases of the heart (90–95) Bronchitis (106)	184	1						1	2	2	4	1	19	24	38	46	46	
Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120). A propolicitie (127)	40 61	16 8	4 2 4						4	4	3	4	4 11	3 10	3 5	4	6 5	<u>ī</u>
Appendicitis (121) Hernia, intestinal obstruction (122)	42 46	27	4	2	1	2	3	1 3	1	6	4	2 5	9	9	1 2	1 2	2 (
	24 4	1								2	4	4	4	5	2	1 2	1	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	68 6	1							. 2	2 1	2	1 1 2 5	- 5 4	8	17	18	12	
Other puerperal causes	12 11				<u>:</u>				2 2	3 4	1	1 2	5 3					
Suicide (163-171)	31 19								1 1	3 3	3	2	6 6	7 1 3	2	2		
Automobile accidents 1Automobile—railroad train and street car collisions	34	1				1	3		2	3	3	3	8		3	3	1	
Other external causesAll other causes	44 229	62	1 6	3 2	5	1	2 11	2 3	2 8	3 7	2 11	4 9	7 17	5 22	5 30	1 19	17	
PORTLAND, OREG., all causes	3, 422	133	11	8	12	7	43	38	43	60	74	81	286	462	639	769	756	
Typhoid and paratyphoid fever (1, 2)	2			;-						2								
Measles (7) Scarlet fever (8)	11 1	1	2	1	1		5 1	1										
Whooping cough (9) Diphtheria (10)	3	4			1		2 4				_i				1	6	7	
Influenza (11) Epidemic cerebrospinal meningitis (18)	30 5	1	2		 			1			1	1 1 9	4	1	16		- -	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	77 22		ī	2	1		2 1	2	2 1	4 2 3	3 1 1	1 3	21 1 9	11 7 13	10 1 13	1 4		
Syphilis (34) Cancer and other malignant tumors (45-53)	48 467	1	 		1		ī	 <u>-</u> -		3	3	6	38 1	81 6	130	133 26	74	-
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	68 253	2					2	1	1 <u>-</u> -		2	6	9 35	20 85	26 48 151	81	90	
Diseases of the heart (90–95) Bronchitis (106) Bronchopneumonia (107)	759 17 104	3				2		4	1	10	1		9	3 10	101	228 3 16	228 7 36	
Lobar and unspecified pneumonia (108, 109)	102	10	1 1 1	1			3	3	2 4	1 2	7	3	10	15	17	13	20	
Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	10 53	3			<u>1</u>		4	5	<u>2</u>	. 1	5 3	1 5	11	6 9	9	1 5	2	
(Sirrhosis of the liver (194)	1 22	1						1					2	10	9 59	4 90	7 85	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	311 6						2		3 <u>-</u> -	2	4	1 1 1	17 1 2	48 3			1	
Other puerperal causes	7								1 	4	3	1 1	1 3					
Suicide (163–171)	104 19	1							1 2	6 2	4 5	10 2 5	19	27 3	20	11 1 10	6 9	
Automobile—railroad train and street car collisions_	74 6		1 <u>-</u> -	 	1		3 <u>-</u> -	1	4	2 5 1 5	2 1		11	12 1 20	10			
Other external causesAll other causes	159 627	98	1 1	3	2 4	3 2	7 6	2 15	6 12	8	8 12	6 12	22 51	67	15 94	22 105	$\begin{array}{c} 36 \\ 137 \end{array}$	
ERIE, PA., all causes	1,311	119	16	6	4	6	28	17	23	29	31	30	132	147	244	255	224	
Typhoid and paratyphoid fever (1, 2)	2 1					<u>i</u>							1	1			- 	
Scarlet fever (8) Whooping cough (9)	1 6	4	<u>1</u>		1			ī										
D10H18eria (10)	, ,	1 7	2	1			3	1 2	2	1			1 3	1	8	5	5	
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	- 1 57		<u>i</u> -					ĩ	2	5	7	5	12		9-	4	<u>i</u> -	
Other forms of tuberculosis (24-32) Syphilis (34)	11 13	1 3	i				2		ĩ	ž	2	<u>1</u> -	1 2	l	<u>i</u> -	2 2		
Cancer and other malignant tumors (45–53)	154						ī			2	2 2	2	11	2 24 5	48 14	46	20 1	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	38 84						5	2	2	2	2	8	. 2 3 15	. 8 29	19 49	12 28 75 2	26 94	
Bronchitis (106) Bronchopneumonia (107)	283 6 36	1 9	1		2	1	<u>-</u> -				<u>-</u> -		7	2	2	2	2 8	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	49 19 27	13	3	1		1 1	i		6	1	i	1	7	10	11	5 1	2	
Appendicitis (121) Hernia, intestinal obstruction (122)	27 19	2	1				<u>4</u> 1	1	1			2	9	5 2	5 5	1 5	₁	
Oirrhosis of the liver (124) Nephritis (130–132)	19 12 89	<u>-</u> 2								3			10	11	2 25	3 17	$\begin{bmatrix} \frac{1}{2} \\ 22 \end{bmatrix}$	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	89 3 7									2	1 2		2	1	· 1			
Other Duerberal Causes	10								<u>2</u>	1 2	2 2 2	1 3 2	4 3	6	6	2	1	
Suicide (163–171) Homicide (172–175)	26 9						1 2	1 2			2		4 4	1 4	5	6	3	
Automobile accidents 1. Automobile—railroad train and street car collisions.	36	1			1	2			3	3			6		9	7	16	
Other external causesAll other causes	56 213	75	6	2			2 5	3 3	2 2	1 3	2 3	3	23	3 17	25	30	20	\

¹ Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

 ${\tt Table~9.--DEATHS}$ (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: $1932-\!\!-\!\!-\!\!$ Continued

			[See	note a	t head	of this	table											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	34	35 to 44 years	54	55 to 64 years	74	75 years and over	Age un- known
PHILADELPHIA, PA. (WHITE), all causes	20, 318	1, 291	189	109	91	55	238	212	288	419	466	536	1, 666	2, 719	4, 261	4, 322	3, 449	7
Typhoid and paratyphoid fever (1, 2)	21				1			5		6	3			3	1			
Measles (7) Searlet fever (8) Whooping cough (9) Diphtheria (10)	1 45 42	$\begin{array}{c c} 1\\2\\21\end{array}$	3 12	3 5	5 2	3	16 1	5 1	2	2		3		ī				
Wildoffia (dd (d) Diphtheria (10) Influenza (11)	15 173	18	4 8	3	3 4	2	2	<u>-</u> -	3	4	1 2	1 8	19	20	30	23	22	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	44 802	7 8	1	Ĭ	3	3 2 1	7 2	6 5	4 34	103	88 88	3 76	155	141	3	1 64	7	2
Other forms of tuberculosis (24–32)	81 73	12 12	7	5 2 2	ī	 	4	2	5	4	3	6 2	13	6 17	5 16	6 4	1 4	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	2, 568 541	3	1		2	1 1	7 1	8 2	17 2	13	31	37	230 21 31	511 77	754 170	620 174	331 86	;
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	1, 088 5, 590	1 5	4	3	3	1	1 17	1 35	43	3 49	3 64 1	9 81	327	136 650 11	271 1, 350 8	336 1, 582 13	292 1, 375 23	1 2
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	65 587 725	153 66	1 29 24	13	1 3 11	2 2	10 19	6 16	6 19	21	11 25	13 31	31 107	45 106	73 128	95 84	95 62	<u>-</u>
	196 203	124	17	4 4	2 2	3	5	16	1 19	1 15	4 14		1 4	10 37	8 36	7 15	8	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	202 203	12	ī	2			1	2	2 1	2	1	4 5 34	23 19 23 116	35 41	58 66	40 45	23 20	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	2, 160 46		1	2	1		6	7	15 2	9	25 8	6	14	261	500 5	585 2	596	
Cuerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163–171)	55 114						;-		2 2 5	16 25 9	14 18 22	30 23	15 38	1 1 83			16	
Homicide (172-175) Automobile accidents	333 79 292		2		<u>-</u>	3	2 24	16	6 14	7 24	10 16	17 12	65 20 33	8 37	66 5 31	43 3 50	19	
Automobile—railroad train and street car collisions. Other external causes	14 724	 19	18	14		10	31	17	1	1 24	28	4 24	58	3 94	132	117	106	<u>-</u>
All other causes	3, 236	820	50	39	28	17	77	58	22 59	70	64	89	285	376	432	413	359	
PHILADELPHIA, PA. (COLORED), all causes		377	41	19	<u>15</u>	11	49	39	96	183	201	247	586	637	522	259	141	2
Typhoid and paratyphoid fever (1, 2) Measles (7) Societ fover (9)	5 						2	1		1 <u>1</u>	1							
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	5 16 3	9	4	1 2	1	<u>ī</u> -	1						1					
Innuenza (11)	! 66	14	3		1 1 1	i	ī			5 1	3	4	11	13	4	4	3	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	457 54	2 3	2 3	2 1	Î Î	1 2	1 4 6	11 2	42 8 3	78 5	70 9	57	89 9	61 4	27 1	6	3	1
Cancer and other malignant tumors (45-52)	133 223	23 1					<u>ī</u> -	2 1	3 2	5 3 3	4 6	13 9	29 42	30 61 24	24 60	. 2 <u>7</u>	8	ī
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	60 156				<u>ī</u> -			5		1 1 8	 <u>1</u> 7	3 2 32	8 32	30 153	16 50 169	7 26 82	1 14 60	
Bronchitis (106)	197	1 3 48	12				<u>1</u> -				3	3	113 15	16	109	1 12	3	
Lobar and unspecified pneumonia (108, 109)	209	32 32		1 1 5			2	ī	4 1	16	11	27	39 4	47 1	25 2	4		
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	26 38	2		<u>-</u> -	1		2	3	5	2	1 2	<u>2</u> 1	5 8	3 14	1 6	1 4		
							<u>i</u> -		1	1 4	<u>i</u> į	16 16	4 57	7 58	6 56	3 44	20	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	20 16 27								1 1 6	4 4 2	5 3 6	6 7	4 2 6	2				
Suicide (163-171) Homicide (172-175)	18 71								<u>2</u>	2 14	14	4 11	7 15	3	2 2		<u>-</u> -	
Automobile accidents 1 Automobile—railroad train and street car collisions	29 1		i	1		1	1 2	1 2	ĩ	î	3	6	3	4	2 1	3		
Other external causesAll other causes	95 560	5 201	1 7	4	1 4	<u>2</u> 2	4 16	2 8	5 6	7 17	6 24	9 29	14 68	19 78	12 46	4 29	4 21	
PITTSBURGH, PA. (WHITE), all causes	7, 735	752	113	52	35	29	124	104	160	198	225	287	797	1, 089	1, 350	1, 348	1,072	
Typhoid and paratyphoid fever (1, 2)	9	5		2	3	i	i			3		1	4			1		
Scarlet fever (8) Whooping cough (9)	34 19	10	5 5	2 3	3	3	10		4	1	2	1	1	1				
Diphtheria (10)	28 217	2 14	5 5 6	1 3	5 1		9	1 5	9	6	1 5	19	2 25 2	29	1 35	<u>-</u> 28	30	- -
Tuberculosis of the respiratory system (23)	22 263	4	1 1	1 4	1 1		3	2 3	<u>2</u> 1	1 31	3 26	25 3	54	3 47	28	16	8	
Other forms of tuberculosis (24–32) Syphilis (34) Cancer and other malignant tumors (45–53)	42 30	3 5	7	2		1	1		3	5 	1	1 1	4 5 76	7 11 142	2 3 202	1 2 181	1 90	
Diabetes mellitus (59) Cerebral hemorrhage and softening (829, 820)	734 156 500	2				1	1 2	2 5 1	4 2 19	5 1 2	14 3 3	16 3 3	9 24	23 66	48 119	38 160	19	
Diseases of the heart (90–95)	1, 508 21	2 4			<u>1</u>		14	15	19 1	20	22 1	36	91	208 1	331 5	377 2	373 6	
Bronchopneumonia (107)	320 654	99 43	24 11	5 7	2 	4	4 10	3 9	17	3 17	4 20	3 45	17 116	22 112	38 106	43 92	45 45	
Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	101 118	72	13 2	3	2	1 1	7	12	12	<u>9</u>	11	8 7	3 18 9	3 17 17	1 11 17	1 3 16		
Nephritis (130–132)	96 93 532	11	2 1			1	1 1 2	1 1 5	1 4	<u>-</u> -	1 1 5	2 9	15 47	23 64	20 106	20 160	10	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	42 48							J	1 2	9	6 13	6	16 11	5	3	3		
Other puerperal causes Suicide (163–171)	53 98								1	12 3 1 4	16 8	12 9	21 26	<u></u> -	19	7	3	
Homicide (172–175) Automobile accidents ¹	42 148			1	2	4	13	1 8	8	13	5 4	7 6	11 9	2 20	3 28	24	1 .	
Automobile—railroad train and street car collisions. Other external causes.	9 347	7	11	3	3	2	7	8	1 15	18	10	17	3 46	62	50 172	38	50	
All other causes	1, 435	468	15	14 !	11	4	34	22	19	31 l	40	38	132	179	173	135	120	

 $^{^{\}mbox{\scriptsize 1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

ANNA AND CATES OF PINATE Oscillation Free Presentation Oscillation Free Presentation Oscillation Free Presentation Oscillation Free Presentation Oscilla							01 01113												1
Probable (0)	AREA AND CAUSE OF DEATH		der 1						14	19	24	29	34	44	54	64	74	years and	Age un- known
Spiral for China Spiral for	Pittsburgh, Pa., (colored), all causes	912	115	22	8	5	6	16	20	20	24	53	67	159	175	129	60	33	
Spiral for China Spiral for	Typhoid and paratyphoid fever (1, 2)																		
This content of the expression precision (20)	Measies (7) Scarlet fever (8)	1				1 													
This content of the expression precision (20)	Whooping cough (9)	5	1				1				-								
Tables uniform (1906-190) Septimble (A)	Inflienza (11)	30	ī	2	ī						ī	1	2		7	5	5		
Change and other malignant transcript (64-33). 100 m	Tuberculosis of the respiratory system (23)	58					1	3	5	5	3	7		12	8	4			
Discusse of the femiles genuined craume (1890)	Other forms of tuberculosis (24–32)	14		2		1	1	2	1	1	<u>i</u> -	1	3		1	2		<u>-</u> -	
Discusse of the femiles genuined craume (1890)	Cancer and other malignant tumors (45–53)	30							1				2	5	7	10	4	ĩ	
Discusse of the femiles genuined craume (1890)	Cerebral hemorrhage and softening (82a, 82c)	56										:	1	8	15	18	7	7	
Discusse of the femiles genuined craume (1890)	Bronchitis (106)	132	1							z		1	4				18		
Discusse of the femiles genuined craume (1890)	Lobar and unspecified pneumonia (108, 109)	56 138	6	3	3	1 2		1	4	1 3	<u>4</u>		20	6 33	27 27		1 4	2 1	
Discusse of the femiles genuined craume (1890)	Diarrhea and enteritis (119, 120)	9	7					1											
Discusse of the femiles genuined craume (1890)	Hernia, intestinal obstruction (122)	17							ī		ĩ		ĩ	î			1	ī	
Engreyal applesming (16), 1489, 14	Nephritis (130–132)								ī		1	<u>2</u> -	3	16			12	6	
Selection Sele	Puerperal septicemia (140, 142a, 145)									<u>i</u> -		2	1		1	1			
Homided (172-175) Homi	Other puerperal causes		 -									2	5	1					
Other categories classes	Homicide (172–175)	20								2	•4	5	3	4	2				
All other causes. 164 64 2	Automobile—railroad train and street car collisions.	l							z					2		3			
Reading Pa., all causes	All other causes			$\frac{1}{2}$	2		<u>-</u> -	2 1	ī	2 3	1 2	1 7	3 3	5 24	~ 27	4 18	3 .		
Massies (1)	Reading, Pa., all causes		109	15	9	10			i	-								258	
Epidemic exchrospinal meningitis (15)	Typhoid and paratyphoid fever (1, 2)	1														1			
Epidemic exchrospinal meningitis (15)	Scarlet fever (8)	i					ī												
Epidemic exchrospinal meningitis (15)	Diphtheria (10)	4 3	2		2	<u>i</u> -	2												
Cancer and other malignant tumors (65-53)	Influenza (11) Epidemic cerebrospinal meningitis (18)	22	3	1		1						1	1	3	2	2	5	2	
Cancer and other malignant tumors (65-53)	Tuberculosis of the respiratory system (23)	50		1				1		2	4		2	12	7		4	ī	
Experimental Color 100, 100, 100, 100, 100, 100, 100, 10	Syphilis (34)	10										L		2	4	ī	3.	1	
Experimental Color 100, 100, 100, 100, 100, 100, 100, 10	Oancer and other malignant tumors (45–53) Diabetes mellitus (59)	151 54						1	1	1 3	2		1	7 3	29	34 20	43 13		
Experimental Color 100, 100, 100, 100, 100, 100, 100, 10	Oerebral hemorrhage and softening (82a, 82c)	77												3	7	12	28	27 .	
Experimental Color 100, 100, 100, 100, 100, 100, 100, 10	Bronchitis (106)	3	1												1			1 .	
Appendix Classification Appendix Classif	Lobar and unspecified pneumonia (108, 109)	49	8	2				i	1	1	1		ī	1	7	7	8		
Service Serv	Appendicitis (121)	16 27	11	1		1	1		2	2	2		_i -	3		2	1	1 -	
Aspantis (180-130)	Hernia, intestinal obstruction (122)	15 12	1											1	i	2	5	5 .	
All other causes. 197 64 1 3 2 3 2 3 7 2 4 4 10 16 12 2 2 26 3 3 4 5 5 5 5 5 5 5 5 5										1	1			3	13			27	
All other causes. 197 64 1 3 2 3 2 3 7 2 4 4 10 16 12 2 2 26 3 3 4 5 5 5 5 5 5 5 5 5	Puerperal septicemia (140, 142a, 145)	í																	
All other causes. 197 64 1 3 2 3 2 3 7 2 4 4 10 16 12 2 2 26 3 3 4 5 5 5 5 5 5 5 5 5	Suicide (163–171)	6 23									1 4		2 2			5	3-	·i-	
All other causes. 197 64 1 3 2 3 2 3 7 2 4 4 10 16 12 2 2 26 3 3 4 5 5 5 5 5 5 5 5 5	Homicide (172–175) Automobile accidents ¹	35				i-		2-	2-	4				3					
All other causes.	Automobile—railroad train and street car collisions. Other external causes																[.	;	
Typhoid and paratyphoid fever (1, 2)	All other causes			ĩ	3	2		3	2	3	7	2	4				22	26	
Neasles (7)	· · ·	1,855	183	26	17		10	34	27	32	66	46	50	201	310	352	279	210	1
Epidemic cerebrospinal meningitis (18)	Typhoid and paratyphoid fever (1, 2)	2								1		- -		1					
Epidemic cerebrospinal meningitis (18)	Scarlet fever (8)							2	2				1						
Epidemic cerebrospinal meningitis (18)	Diphtheria (10)	11	5	1			 												
Tuberculosis of the respiratory system (23) 84 2 2 2 2 5 11 15 6 19 13 10 3	Epidemic cerebrospinal meningitis (18)	31 5				1		1 .			2			6		2	3	6 .	
Syphilis (34)	Tuberculosis of the respiratory system (23)	84							2	5			6		13	10	3 .		
Diapetes Mellitus (69) 48		7]						.					i	<u>i</u>	3				
Cerebral hemorrhage and softening (82a, 82c) 103	Diapetes mellitus (59)	48				1		1		1		1	1	9 2	9	13	11	10	
Bronchitis (106)— Bronchopneumonia (107)— Bronchopneumonia (107)— Bronchopneumonia (108, 109)— 111	Diseases of the heart (90–95)	103			<u>i</u> -				2	3	<u>-</u> -	6		6	17 87	27	27 94	26 i.	
Lobar and unspecined pneumonia (108, 109)	Bronchitis (106)	12													2	2	5	1 -	
Appendictits (121) 31 4 1 1 3 8 2 1 1 3 5 5 5 1 1 3 8 2 1 1 4 1 1 1 5 3 2 1 4 1 1 1 5 3 2 2 5 2 20 14 14 1 4 1 4 1 5 All other causes 127 1 1 1 3 2 4 1 1 7 12 6 2 2 5 20 14 14 14 14 All other causes 2 32 4 13 31 34 35 26 17	Lobar and unspecified pneumonia (108, 109)	111	5	3	1 .			4	2	3	4	· i	3		21	21		اه	
Hermis, intestinal obstruction (122)	Appendicitis (121)	26 31			3					5	3		<u>-</u>	3	- -	2		-	
Nephritis (130-132)	Citronsis of the HVer (124)	21 12	4	1								1		1	3	5	5		
Prerperal septicemia (140, 142a, 145)	Nephritis (130-132)	106		1			1				4	2	2	12	27	21	23	13	
	Fuerperal septicemia (140, 142a, 145)	4								2			i						1
	Suicide (163–171)	20								<u>i</u>			1	2	3	- - <mark>8</mark> -			
Automobile—rairoad train and street car collisions. 127	Homicide (172–175) Automobile accidents ¹		1				<u>-</u>	4-			5	1 3	1 1	3 2	1 5				
All other causes 324 115 7 4 3 2 6 10 1 6 4 13 31 34 35 26 27	Automobile—railroad train and street car collisions_																		
	All other causes	324	115	7	4	3	2	6	10	í	6	4	13	31	34	35	26	27	

¹ Excludes collision with railroad trains and street cars.

 $\begin{array}{c} \textbf{Table 9.-DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:} \\ \textbf{1932--Continued} \end{array}$

			[See	note a	t head	of this	table											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	34	35 to 44 years	54	55 to 64 years	65 to 74 years	75 years and over	Age un- known
PROVIDENCE, R.I., all causes	3, 312	312	47	21	22	22	41	42	45	56	69	74	216	456	685	701	503	
Typhoid and paratyphoid fever (1, 2)	2										1			1				
Measles (7)	18 11	8	1	<u>i</u> -	1	1 2	3	1			<u>-</u>							
Measies (7). Scarlet fever (8) Whooping cough (9) Diphtheria (10)	6 16	4 2	2 2	2	3	4	2											
Influenza (11) Epidemic cerebrospinal meningitis (18)	. 21	ĩ	ī						1				1	3	6	7	1	
Tuberculosis of the respiratory system (23)	. 98	1	1		1		1	ī-	9	7	10	8	13	27	17	4	1	
Other forms of tuberculosis (24-32)	15	1 2	4	3		1			2		3		2 2	5 6	5	4		
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	415						1 1	$\frac{1}{2}$	2	4 2	4	6	28	86 11	113 38	111 36	59 9	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	221 699							9					6 38	26 85	60	75	54 157	
Bronchitis (106)	. 8	1				1	2		7	6	11	10			167	206	5	
Bronchopneumonia (107)	97 174	35 18	10 5	1 6	3	1 1	3	2 3	<u>ī</u> -	2	3	2	19	5 22	6 31	12 35	18 26	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) Appendicitis (121)	31 71	20	3 2		2		6	4	5	<u>ī</u> -	5	2 3	7	18 18	8		<u>i</u> -	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	43 17	2			ļ			ĺ		î	ļ	2	3 1	7 5	10 7	11	$\frac{\tilde{6}}{2}$	
Nephritis (130–132)	341	<u>-</u>	1				••	2			4	6	19	44	94	84	86	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	18 15							1	$\begin{vmatrix} 1\\1 \end{vmatrix}$	1 2	2 3	1 7	8 2	2	2			
Other puerperal causes	15 44									2	1	6	6 10	12	13		2	
Suicide (163-171) Homicide (172-175) Automobile accidents ¹	3 51	i			1	5	5	<u>i</u> -	5	5	<u>-</u>	1 5	2	1 6	8	5		
Automobile—railroad train and street car collisions.	. 2									1				1				
Other external causes	122 607	211	2 9	5	6 3	1 4	13	3 10	8	5 16	3 17	1 14	8 34	20 59	26 73	17 77	20 54	
CHATTANOOGA, TENN. (WHITE), all causes	903	133	29	12	10	9	12	10	25	32	38	35	80	103	125	107	142	1
Typhoid and paratyphoid fever (1, 2)	5						1	1	1		2							
Measles (7)	3		_ī -	₁ -						_i -								
Whooping cough (9) Diphtheria (10)	8	2	1 3		3													
Influenza (11) Epidemic cerebrospinal meningitis (18)	1 37	9	2	2	3 2					1	<u>i</u> -		1	6	3	4	7	
Tuberculosis of the respiratory system (23)	42	1	i		1				2	2	5	4	13	5	3	3	2	
Other forms of tuberculosis (24-32)	11 7	2 4	1	1		2				$\begin{vmatrix} 1\\1 \end{vmatrix}$	1 1		1	2	ī			
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	55	1		1					₁ -		$\begin{vmatrix} 2\\1 \end{vmatrix}$	1	5 1	11 2	16 2	7	11 1	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	57 116						1		2	<u>i</u>	Ιï	1 4	5 4	2 8 11	9 29	22 18	11 46	
Bronchitis (106)	3					l			<u>-</u> -					1	ű		1 3	
Bronchopneumonia (107)	28 37	11 3	1		2	2	1 1	1				2	2 6	1 4	5	3 5	6	
A proprietis (121)	1 17	13	10				1 1	1	₁ -	$\begin{vmatrix} 1\\2 \end{vmatrix}$		<u>i</u> -	4	4	2		2 	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	15 7	2							1	2		2	3	1	4 2	1 3	1	
Nanhritis (130–132)	1 73					1	1	2	2	1 1		2	5	14	16	12	17	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	8								2		2	1	3					
Other puerperal causesSuicide (163-171)Homicide (172-175)	6 12								2	1	1	2 3	ī	2	ī	4	î	
Homicide (172-175)	12 19			1	₁ -			1	1 2	2 4	2 2	4	2	1	2		<u>4</u>	
Automobile—railroad train and street car collisions. Other external causes.	2	1	_ 			1	₁ -	2	2		7	<u>-</u> -	5	1 1 4	ll	5	9	1
All other causes	230	83	1 4	3	1	2	4	2	6	4	7	4	19	24	2 27	20	20	
Chattanooga, Tenn. (colored), all causes	651	64	6	2	3	4	11	4	40	38	61	64	109	93	76	52	22	2
Typhoid and paratyphoid fever (1, 2) Measles (7)	, 11							1	3		4	1	2					
Scorlet fever (8)	ł																	
Whooping cough (9) Diphtheria (10)	$\frac{3}{1}$	1		1	1					j								
Influenza (11) Epidemic cerebrospinal meningitis (18)	36	2							3	3	2	2	9	9	3	1	2	
Tuberculosis of the respiratory system (23)	72	2				1			7 2	12 2	11 1	11	13	5	8	4	1	
Other forms of tuberculosis (24-32) Syphilis (34)	7	í									1	į	3	1				
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	2						1				3	1	4	3	2			
Cerebral hemorrhage and softening (82a, 82e) Diseases of the heart (90-95)	46 72						₁ -		ī- 1		3	2 6	3 8	16 26	11 12	10 8	4 5	<u>ī</u>
Bronchitis (108) Bronchopneumonia (107)	2 34	8	3	1		1			2		3	3	4	2	1 2	1 3	<u>-</u> -	
Lobar and unspecified pneumonia (108, 109)	44	3	i		1	i	1		4	5	3	4	10	3	6	ı i	i	
Diarrhea and enteritis (119, 120)	11 7						1 2	ī				2	1	1	1			
Hernia, intestinal obstruction (122)	10								1			2	2	1 1	2 1	2		-
Nephritis (130-132) Diseases of the female genital organs (139)	27 4									2 1	1	2	4 3	5	8	4	1	-
Puerperal septicemia (140, 142a, 145)	4 5									î	1	2	1					
Other puerperal causesSuicide (163-171)	1												1					
Homicide (172–175)	31 7	1							1	3	11 · 2	8 1	6	1	1	1		
Automobile—railroad train and street car collisions_ Other external causes	27										5	2	8	<u>î</u> -		ī		
All other causes		37	2			i	1	1	$\frac{4}{12}$	5	10	11	24	18	2 12	16	7	1

 $^{{}^{1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

			See	note a	t nead	of this	e tadiel											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	29	30 to 34 years	44	45 to 54 years	64	65 to 74 years	75 years and over	Age un- known
Transmiss of the same	7 242	150			12	9	- 22	- 00	97	60		60	144	171	701	177	154	
KNOXVILLE, TENN., all causes	11	158	33		13	=	33	$\frac{23}{2}$	37	2	61	<u>68</u>	144	1	181		194	==
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).																,		
Whooping cough (9)	11	2	5	1 3		2 3	1											
Diphtheria (10)	19 76	5	5 3 9	3	4	1 7	4	1				₇	6	10	3	14	20	-
Epidemic cerebrospinal meningitis (18)	15	2	2 2	2	1		1 3	3	2	1 1 7 1			1					
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	54 12	1 4	1 3				2	1		1	5 1	5 1	12	10	6	6		
Syphilis (34)Cancer and other malignant tumors (45–53)		4							1	2 2	1 2	<u>-</u> -	1 5	3 19	21	14	1 8	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	16							1	2				2	1	4	4	17	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	67 168		1					ī	2	1 2	6	14	6 16	12 19	12 45	18 34	38	
Diseases of the heart (90-95)	4 42	1 9	4				2		- -			3	<u>4</u>	ī	4	2 4 7	17	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	74	3 18	3	1 1 4 1	1 3 1		2 5	2	1	4	8	3 4	12	9	8	7	4	
Appendicitis (121)	27 25	Ì	1	1 1			1	1	. 4	4		3	1 6	1 6	2 2		1	
Appendicitis (121). Hernia, intestinal obstruction (122). Cirrhosis of the liver (124).	24 5	3									. 1	2	5	6	3	3	1	
								1		2	1 1	2 1	7	23 1	2Î 1	29	16	
Diseases of the female genital organs (139) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Homicide (172-175) Automobile accidents 1 Automobile accidents 1 Automobile accidents 1 Automobile accidents 1 Other external causes	5								1	1	2	1						
Other puerperal causesSuicide (163–171)	13 16								2	3 4	2333	2	3 1		3	3	i	
Homicide (172-175)	28 28						3	1	1 3	6 2	6	7 2	5 4	1 4	2 2	3		
Automobile—railroad train and street car collisions.	28 3					1					2		1					
Other external causesAll other causes	79 326	108	7	5	3	1 1	3 7	4 3	8 7	7 8	5 9	4 11	9 35	15 31	8 32	6 30	7 29	
	1	213	39	20	24	18	31	30	48 -	76	- 76	65	238	296	358	338	298	,
Memphis, Tenn. (white), all causes Typhoid and paratyphoid fever (1, 2)	13	1					91		1	4	3	$\frac{-05}{1}$	200	1	900	300	290	==
Measles (7)																		
Scarlet fever (8)Whooping cough (9)	11	9	1 2				1											
Whooping cough (9) Diphtheria (10) Induenza (11)	18 46	2	3	3	5 1	2	5		<u>ī</u> -		2	2	6	3	7	6	15	
Thidomic combragainal manipoitia (10)) a	ĩ			<u> </u>		1	1		1				1 14	1 13	6	}	
Other forms of tuberculosis (24–32)	64 22	1	2	1		1	1	1 2	2 2	4	5	3	13 6	3 7	2		2 1	
Syphilis (34)	27 205	4		- -			1	2		1	$\frac{1}{2}$	2 5	4 24	7 44	5 53	3 55	18	
Tuberoulosis of the respiratory system (23) Other forms of tuberculosis (24-32) Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	40							1		1	ĩ		2 6	7 21	14 24	55 10 28 76.	4 24	
		1	1					1	2	5	7	2 5	18	39	67	76.	85	
Bronchitis (106)Bronchopneumonia (107)	3 53	14		1	2	<u>-</u>	1		1	2	2	<u>-</u>	2	4 16	4	1 9	2 9	
Lobar and unspecified pneumonia (108, 109)	89 32	3 17	2 7	1 2	2 1	ī		.3	3	6	1	ï	2 9	16	4 17	12	13 2	
Diarrhea and enteritis (119, 120)	61				2	1	2 5	7	10	10	4	2	6	1 7 5 3	4	3		
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	28 20	3								1	1	1	6	3	4 4 7	4 2	4	ī
		2			1					2_1	3 7	2 1	11	16 3	35	35 1	36	
Puerperal septicemia (140, 142a, 145)	10								1		4	3	3 2					
Nephritis (10-162) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Homicide (172-175) Automobile accidents ¹ Automobile accidents ¹ Automobile	21 49								3 4	5 3	3	3 6	6 11	12	6	3	1	
Homicide (172-175)	30 67]			1	1 2	1 2	<u>-</u>	4 1 4 2 3	4 7	4 2	<u>4</u>	7 12	5 9	5	6	8	
Automobile—railroad train and street car collisions.	6							[2	1	1	L	15	1				
Other external causesAll other causes	114 560	151	4 16	3 9	2 9	2 7	3 8	3 7	8	4 14	4 13	5 16	60	11 63	21 60	15 61	16 58	
Memphis, Tenn. (colored), all causes	2, 175	229	26	14	7	8	26	16	88	139	147	156	378	382	302	160	97	
Typhoid and paratyphoid favor (1.2)	15	1			<u>===</u>		2	1	$\frac{\frac{0}{2}}{2}$	2	5	1	===	<u> </u>				===
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).											 							
Whooping cough (9)	9	5	4															
		3			 		2 1	 		2	2	9	8	12	9	5	4	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	187	1 2	1			1 4		3	15	35	26	30	32	1 22	11	2	4	
Other forms of tuberculosis (24-32)	40	1	2	1	2	4 1	1 4		8	3	26 4 9	4 9	9 27	4	3			
Syphilis (34)Cancer and other malignant tumors (45–53)	88	16							1	13 1	1.	7	25	21 22 4 42 72	. 11 18	6 9	2	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	23 136						1		<u>-</u> -	4	1	3	25 2 21 45	42	27	6 23 36	2 13	
Diseases of the heart (90–95)	1 247	1						1	1 4	4 2 1	5 1	10	45	72 1	55	36	17	
Bronchitis (106) Bronchopneumonia (107)	58 126	26	5	3				1	1 7	2	2	1	2 22	· 4	7 17	2 8	2	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	1 126	5 10	4 2	2 1	1		3	ĩ	7	12	12	6	22 1 13	24 3	4	.1	2 1	
Appendicitis (121) Hernia, intestinal obstruction (122)	23 43 31						3	2	4	3 1	5 2	7 5	17	3 3 7	3 4	4		
Circhosis of the liver (124)	1 7												i	1 1	1 1	13	3	
Nephritis (130-132) Diseases of the female genital organs (139)	127						1		1	3	1	6 	28 2	33 2	33	13		
Puerperal septicemia (140, 142a, 145)	12 18				-				5 6	3 5	2	3	1 2 1 25					
Other puerperal causes Suicide (163-171) Homicide (172-175)	10									2	1 30	1 17	يًّا	4	1			
Homicide (172–175)	117 34							<u>1</u>	14 2	25 4	30 4	17	25 10	4 3 5	3 3	1	 	
Automobile accidents 1Automobile—railroad train and street car collisions. Other external causes	69						3-	3		6	7	4	10		11	7	<u>-</u>	
All other causes	559	157	7	2 5	1 3	1	3 5	3	4 9	ļ ğ	25	25	84	7 84	74	36	32	

¹ Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

	All	Un-	1	2	3		5 to 9	10 to	15 to	20 to	25 to	30 to	35 to	45 to	55 to	65 to	75	-dra
AREA AND CAUSE OF DEATH	deaths	der 1 year		years		years		14	19 years	24	29	34	44	54	64	74 years	years and over	Age t know
Nashville, Tenn. (white), all causes	1, 564	193	37	12	11	10	23	25	32	45	46	52	117	184	231	261	285	
Typhoid and paratyphoid fever (1, 2)	10		2		1				1	2	2	2						
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	3 10	7		2		1	2											
Diphtheria (10) Influenza (11)	67	7	6	3	1	2	2		1		2		5	6	8	13	19	
Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	52	1					1	1	2	8		6	10		5	5	6	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Syphilis (34)	15 12	1 4	1			1	1	2	1		2	ì	5	7 2	2 2	1		
Cancer and other malignant tumors (45-53)	134								2			2	17	28 4	26 7	32 6	27 3	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	95 253			1				2	1	2	2	1 7	5 11	10 36	20 45	30 69	28 77	
Other forms of tildercitiosis (24-32). Syphilis (34). Cancer and other malignant tumors (45-53). Diabetes mellitus (59). Cerebral hemorrhage and softening (82a, 82c). Diseases of the heart (90-95). Bronchitis (106). Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis (119, 120).	3 55	1 18	8	3	1	i					2					6	2 6	
Lobar and unspecified pneumonia (108, 109)	58 38 46	3 27	Ĭ 4	1				î	ī	1	4	1	6	3	4 8 1	12	17 3	
Diames and enterties (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (180-132)	46 17	<u>i</u> -	<u>i</u> -				5	5	6	3	4	2	7	7 2 2	4	3 4		
Cirrhosis of the liver (124)	14 88								1			6	1 5	10	4 5 16	2 28	4 21	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	12								2		1	.3	3	ĭ				
Spicide (163–171)	. 26								2	3 3 2	3 2	. 1	5 3	2 11	2	3		
Homicide (172–175)	1.5			1	1		3	1	2	2 10	1 5	3 3	5 3	2 4	2 9	7	2-	
Automobile accidents 1 Automobile—railroad train and street car collisions. Other external causes	02													8		9		
All other causes	75 362	122	8	1	3 2	3 2	7	5 5	7	6 3	5 8	9	17	35	50	31	61	
NASHVILLE, TENN. (COLORED), all causes		68	7	5	2	6	7	14	36	35	57	52	121	162	151	77	47	
Typhoid and paratyphoid fever (1, 2)	.					1							1					
Scarlet fever (8)	: <u>i</u> -																	
Influenza (11)	. 39	2					î		1 3		1	2	7.	11	8	4		
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	61						2	3	4	13			9		4		<u>-</u> -	
Other forms of tuberculosis (24–32)	12 20	7	1			1		1	3		2 3	1	2	4	1		1 2	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	42							1	1		1 2	ī	7	9	14 3	6	3	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	78 132								2	<u>1</u> -	1	11	6 27	23 31	25 27	19 17	4 15	
The second of the (100)		14			1								3	4	2	4		
Lobar and unspecified pneumonia (108, 109)	50 18	11		1		1		1	4	3	7	4	5	10	9	1	2	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	13		 -			Î			2	2	1	2 2	2 2	3	$\frac{1}{2}$			
								<u>î</u>	2	1			12	14	17	1 11	8	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	. 7							<u>î</u> -	<u>î</u> -		3	2 2	1	1				
Other puerperal causes Suicide (163-171)	.\ 7								2	1	2	1	1					
Homicide (172–175) Automobile accidents ¹	35								4	6 2	11	5 2	4 3	3 4	2 4	2		
Automobile—railroad train and street car collisions. Other external causes				1				2		_	5		3	3	5	2		
All other causes	156	32	1		1		i	2 4	2	3	6	8	24	27	26	9	9	j
DALLAS, TEX. (WHITE), all causes		268	25	19	15	12	61	35	51	76	95	83	212	259	325	326	342	
Typhoid and paratyphoid fever (1, 2)	.]	1					1	1	1		1		3	1				
Whooping cough (9)	3 2	<u>i</u> -		1			2											
Diphtheria (10) Influenza (11)	. 113	7	1	5	3	6 1	11 4	6	1 4	1 4	6	5	17	8	12	10	27	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	. 1 . 55								1	5	5-	8	9			6	<u>-</u> -	
Other forms of tuberculosis (24–32) Syphilis (34)	15	2 5					1	1		3	2 2	3	2	1		1		
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	183 40		2	1	2				3	5 1	3	1 2 1	24 3	30	46 13	36 6	29 6	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	147 346	1					1	1	1 3	i	3 5	1 4	2 19	17. 55	32 79	52 92	37 87	
Bronchitis (106) Bronchopneumonia (107)	. 8	21	2			1	3	} <u>-</u> -		2		<u>-</u> -	1 2	1 3	1 4	4	4 7	
Lobar and unspecified pneumonia (108, 109)	83	7 37	4 5	2	1		4	1	1	5	11	4	14	12	4 2	10	3 2	
Appendicitis (121) Hernia, intestinal obstruction (122)	66	2			1		4	4	8 1	9	3 2	5 3	14	9 3	5 5	3 2	1 5	
Cirrhosis of the liver (124) Nephritis (130–132)	19							<u>-</u> -				[6	3 20	4 25	3 26	3 30	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	17						<u>-</u>		3	3	3 4	3	3	4				
Other puerperal causes Suicide (163-171)	8 57								3	1	2 4	1	3					
Homicide (172-175) Automobile accidents ¹	30							2	1 2	10 4	5 4	10 7	12	5	10	1 1		
Automobile—railroad train and street car collisions Other external causes	. 3	;-	3		2				5	4	4	3	8	9	12	5 <u>-</u> -	4 	
All other causes	104 528	183	2 4	3 5	3 3	3	6 16	4 8	5 4	4 13	7 19	12	39	10	12 48	17 48	17 79	

¹ Excludes collision with railroad trains and street cars.

Table 9.—Deaths (exclusive of still births) from Important causes, by age, in large cities: 1932—Continued

			Į Dee	посе а	t nead	01 61113	tabioj											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
DALLAS, TEX. (COLORED), all causes	840	124	20	12	12	13	12	18	30	47	51	61	150	147	67	39	37	
Typhoid and paratyphoid fever (1, 2) Measles (7)	.12							4	1		3	1	. 2	1				
Scarlet fever (8)	l																	
Whooping cough (9) Diphtheria (10)	6 15	3 2	1	1	4	1 4	3											
Influenza (11)Epidemic cerebrospinal meningitis (18)	41	4		3		1	1		3	1	2	1	6	8	4	4	3	
Tuberculosis of the respiratory system (23)	62	1	i	1	1		2	1	5	$\frac{12}{2}$	9	6	10 2	10	3	3		
Syphilis (34)	16	3								2		3	2	2	3	1	2	
Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	32 7							1					13 3	11 2	3 2	1		
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	81 77							2 1	3	3		1 5	16 15	32 21	10 15	8 9	9	
Bronchitis (108)	3	11	1 2		1 2			<i>-</i>	2	<u>i</u> -	<u>-</u> -			1	<u>-</u> -	1		
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	23 95 29	21 21	9 2	1 1	2		2 1	6	2	4	8	8	12	11	1	4	î	
Appendicitis (121)	13							1	2	1	ì		6 3	1	1		1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	9 3	1								1		2	2	1	1			
Diseases of the female genital organs (139)	44 5									<u>-</u> -	3 2	4 2	8	19	6	1	3	
Puerperal septicemia (140, 142a, 145)	6								2	î	ī	2	2					
Suicide (163–171) Homicide (172–175)	4								- -				3			1		
Automobile accidents 1	. 8		`			2		ī		7	9	13 	14 3	6 1	1	r		
Automobile—railroad train and street car collisions. Other external causes	. 27	2	1	ī	1	2	1	<u>-</u> -	2	<u>ī</u> -		3	5	3	<u>ī</u> -	1	2	
All other causes	1	54	2	2	1	3	2		6	. 9	9	10	23	16	11	3	6	
El Paso, Tex. (white), all causes		35	5	. 3	4	3	9	5	15	18	<u>26</u>	28	89	81	64	78	77	
Typhoid and paratyphoid fever (1, 2) Measles (7)									 -									
Scarlet fever (8) Whooping cough (9)	. 1						1											
Diphtheria (10)	.] 1				1													
Influenza (11) Epidemic cerebrospinal meningitis (18)		1					1		1	1	. 1		3	3	3		5	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	. 5	<u>-</u>	1						4	9	13	12	37 2	22	13 1	5	1 1	
Syphilis (34)	3 41												5	5	1 9	1 14	1 6	
Diabetes mellitus (59)	.i 10							ī				1		Ĭ	Ĭ	3 7	3 9	
Diseases of the heart (90-95)	. 70	i					2		2	ī		1	10	10	14	10	19	
Bronchitis (106)Bronchopneumonia (107)	. 15	3		1				1				1	3	2	1	4	1 2	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	. 9			1	2		1		1	1		1	5	1 1	2	4	3	
Appendicitis (121)	19 7						2 1	1		2	2	1	3	5	$\frac{1}{2}$		2	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (130–132)	2 14										1			2	1	1 5		
Diseases of the female genital organs (139)	1 2													í				
Other puerperal causes	. 4								1		2 1	1 2						
Suicidê (163–171)	. 9									1	1	2 2 2	5 3	6 2	1 1	4	1	
Automobile accidents 1Automobile—railroad train and street car collisions.	12						1	1	2	1			1	3		2	1	
Other external causes All other causes	19 93	24	1		1	į			2	į	3	1 3		3	2 9	2 16	2	
EL PASO, TEX. (COLORED), all causes:	922	203	20			1,		7.0	2	1	1 40		10	12			70	
Typhoid and paratyphoid fever (1, 2)		203	39	25	10		25 3	16	35 1	38	<u>40</u>	44	====	103	105	72	73	====
Measles (7)							<u>-</u>			1								
Scarlet fever (8) Whooping cough (9)		2	1	ī		$\frac{1}{2}$					1							
Diphtheria (10) Influenza (11)	73	18	2 6	2	_ī -		3	1			2	2	4	11	10		5	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	119	<u>-</u> -	<u>-</u> -	3	2		1 1 3	3	10	1 11	14	15	23	23			2	
Other forms of tuberculosis (24–32) Syphilis (34)	18	3	3	ı			2		10	2	2		2	1	7			
Cancer and other malignant tumors (45-53)	45	1		ï			1			4	2	1 3	5	2 6	12	8	6	
Diabetes mellitus (59)	3 21											_I -	1	3	4	7	5	
Bronchitis (106)	90	<u>î</u>		1		1.		2	2	2	1	3	12	15	18 2	20	14	
Bronchopneumonia (107)	55 29 99	15 8	8 2	5.	1			1		2	1 2	1 2	. 1	3	6	6	5	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	99	70	11	3	1	1	1 1		2			1	2	5 1	5 5	- 1 1	2	
Appendicitis (121) Hernia, intestinal obstruction (122)	18 10	ī		-	1	2	1	$\begin{array}{c c} 2 \\ 1 \end{array}$	5 1	1	3	1	4	3	2			
Cirrnosis of the liver (124)	36							1				ī	2 4	2 5	3 11	5	9	
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	6									2	2		2		<u></u> -	- -		
Other puerneral causes	}							1		2 1		3	2					
Suicide (163-171) Homicide (172-175)	8								2 3 1	2	1	1	1	1	1			
Automobile—railroad train and street car collisions.	18				1	2	4	1		2	1		3		2	1		
Other external causesAll other causes	26 187	78	1 4	2 6	1 2	1	5	2	3 2	2 1	1 7	⊉ 7	2 10	5 12	16	1 16	3 21	
1 Troludes collision with reilres d trains and stree	,			, ,	. ~					- 1	• 1	•	10 1	14	10	1 40	21	

 $^{^{1}}$ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

deaths deaths year years	75 ears and would ver Ver 229 7
Typhoid and paratyphoid fever (1, 2) 2 1 1 1 1	229 7
Measles (7)	
Scarlet fever (8) 7 3 1 1 2 Whooping cough (9) 2 1	
Whooping cough (9)	

Influenza (11) 61 4 1 2 3 1 1 2 6 10 4 9 Epidemic cerebrospinal meningitis (18) 2 1 1 1 2 6 10 4 9	14
Tuberculosis of the respiratory system (23) 59 1 3 2 3 7 15 11 13 2 Other forms of tuberculosis (24-32) 3 1	2
Syphilis (34) 7 1 1 3 2 2 2 3 1 32 2 3 1 32 3 2 4 15 24 31 32 3 32 3 32 3 32 3 3 3 3 3 3 3 3 3	12
Diabetes mellitus (59) 19 1 1 3 6 4 Cerebral hemorrhage and softening (82a, 82c) 102 7 8 32 26	281
Diseases of the heart (90-95)	28 1 65 1
Bronchopneumonia (107) $29 \mid 2 \mid 2 \mid 1 \mid \mid 1 \mid 2 \mid 1 \mid 1 \mid 1 \mid \mid 1 \mid 2 \mid 5 \mid 1$ Lobar and unspecified pneumonia (108, 109) $43 \mid 1 \mid 1 \mid \mid 1 \mid 2 \mid 1 \mid \mid 1 \mid 2 \mid 5 \mid 1 \mid 2 \mid 7 \mid 3 \mid 9 \mid 5 \mid 1$	10 1
Diarrhea and enteritis (119, 120) 26 16 4 2 1 3 7 2 6 1 4 3 3	3
Hernia, intestinal obstruction (122)	3
Neodrius (130–132)	22
Puerperal septicemia (140, 142a, 145)	î
Suicide (163–171) 30 2 1 3 4 7 8 3 1	i
Homicide (172-175)	5
Other external causes 91 3 1 1 3 2 3 5 8 2 4 4 10 10 14 7 All other causes 300 100 5 5 1 1 5 7 3 6 11 9 22 27 28 29	13 1 40 1
FORT WORTH, TEX. (COLORED), all causes 404 49 7 7 3 1 8 4 15 30 34 35 58 67 47 20	19
Typhoid and paratyphoid fever (1, 2) 3 1 1 1 1	
Measles (7)	
Scarlet fever (8)	
Inflinenza (11)	4
Tuberculosis of the respiratory system (23) 32 4 6 7 5 3 3 3 Other forms of tuberculosis (24-32) 1 1	1
Syphilis (34) 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 1 1 1 2 3 1 1 1 2 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 2 1 3 1 1 1 1	1
Diabetes mellitus (59)	2
Diseases of the heart (90-95) 36	1
Bronchopneumonia (107) 10 2 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1	2
Diarrhag and enteritie (110, 120)	
Appendicitis (121)	
NADDTIDS (301–132) 1 36 1 1 1 1 1 1 1 1 1	4
Diseases of the female genital organs (139)	
Suicide (163–171)	
Homicide (172–175)	
Other external causes 11 1 1 1 1 1 3 1	4
	30 2
Typhoid and paratyphoid fever (1.2)	
Measles (7). 2 1 1	
Diphtheria (ili)	
Influenza (11) 666 2 1 1 1 2 3 3 14 5 9 12 Epidemic cerebrospinal meningitis (18) 5 2 1 1 1 2 8 14 11 11 20 20 11	14
Other forms of tuberculosis (24–32)	2
Syphilis (34) 19 3 1 1 2 2 1 1 8 1 Cancer and other malignant tumors (45-53) 243 1 1 1 2 2 1 2 5 32 48 57 49 Diabetes mellitus (59) 46 1 2 5 5 14 13 Cerebral hemorrhage and softening (82a, 82c) 118 1 1 2 3 3 11 7 39	42
	35
Bronchitis (106)	87
Lobar and unspecified pneumonia (108, 109) 61 7 2 1 2 6 2 1 7 2 12 6 5 7	8
Diarrhea and enteritis (119, 120)	
Cirrhosis of the liver (124) 23 21 21 21 21 22	3
Nephritis (130-132)	42 1
Puerperal septicemia (140, 142a, 145) 7 2 1 3 1	
Suicide (163–171) 62 4 8 8 11 9 11 6 Homicide (172–175) 28 2 4 7 3 6 4 2	1
Automobile seeidents 1	2
Automobile—railroad train and street car collisions. 2	19

¹ Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at head of this table]

					пеац													
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	24	25 to 29 years	34	35 to 44 years	45 to 54 years	55 to 64 years	74	75 years and over	Age un- known
Houston, Tex. (colored), all causes	1,330	173	16	12	10	5	13	26	58	84	110	95	222	240	144	69	52	1
Typhoid and paratyphoid fever (1, 2)	6 5	3		1			1	1	1	1	1			1				
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	1 5	3	i										i					
				i	ī	1 1	2			1	4	i	6	10		4		
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	5 134	2 2						6	18	2 24	25	17	18	1 15	7	2		
Syphilis (34)	1 38	4				1		š	18 2		3	-:3		2 8	<u>-</u> -	3		
Cancer and other malignant tumors (45–53)	43						1	1		2		5	11 2	10 4	9 3	5		
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	53 171	1								<u>4</u> -	6	2 9	10	18 58	10 39	9 11	3 12	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107)	2 47	1 21	7	2	3			2	2	<u>1</u>			32 1 2	<u>i</u> -		<u>i</u> -		
		23 13	3 2	2 1			2	1	2 6	4 2	11	9	16	20	1	3	1	
Diarrhea and entertitis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	25 20	ī					1		3	4 2	6	3	2 6 5 3	ī 3	<u>-</u> -		<u>2</u> -	
						<u>-</u> -		1			1	4 1	18	6 27	26	1 8	1 9	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	6								3 1	<u>-</u> -	2	1 2	1	1				
Other puerperal causesSuicide (163–171)	9								1	3	1 5	2 1 1	1	<u>i</u>				
Nephritis (130-132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Homicide (172-175) Automobile accidents 1	57 11						ī	-	4 	9 6	16 1	9 1	16 1	3 1				
Automobile—railroad train and street car collisions. Other external causes	46 331	4 84	2	3	2 3	<u>-</u>	4	3 8	<u>-</u> 8 9	1 14	3 19	3 21	7 51	3 44	30	1 21	3 · 18	<u>-</u>
SAN ANTONIO, TEX. (WHITE), all causes		502	105	41	28	19	48	46	104	161	127	126	321	322	447	374	345	7
Typhoid and paratyphoid fever (1, 2)	8								1	3	2	1					1	
Measles (7) Searlet fever (8) Whooping cough (9) Diphtheria (10)	4	2	1					1						-				
Diphtheria (10)	6 15	4 2	1 2		2	2	3	3	1 8									
Epidemic cerebrospinal meningitis (18)	152 7 277	17	10	2	2 1 2	1	4 1 1 3	1		9	1	12	19 2 57	11	21	16	16	
Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Syphilis (34) Cencer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124) Nephritis (130-132)	40 37	2 1 11	3 5	4	3		3	8 2	24 3	54 5	38 4	35 4	2	24 3	21	8 1 3	<u>2</u>	
Cancer and other malignant tumors (45–53)	229 45		1				2	1	1	2 2	3 2	4 1 5 1	2 9 28 3	6 45	5 67	48	25 6	ī
Cerebral hemorrhage and softening (82a, 82c)	128 362	2		ī			1		1 3	7	1 2	6	5 21	7 22 47	12 27 96	48 11 35 89	33 88	
Bronchitis (106)	14 134	3 51			- 7	3		1 2	5		1 3	. 1	6	1 14	2 9	1 1	4	
Lobar and unspecified pneumonia (108, 109)	153 211	15 134	8 7 29	1 4 2 15	4 3 4	<u>4</u> -	4 1 2	5	11	2 8 1	4	6	24	14	19 5	10 12 3	22 4	
Appendicitis (121) Hernia, intestinal obstruction (122)	54 42	2	1				2	5	4	7	6	$\begin{smallmatrix}2\\3\\1\end{smallmatrix}$	9	835	9	4	2	1
Cirrhosis of the liver (124) Nephritis (130–132)	18 111		1		1	1		1		<u>1</u>	2	ĭ	3 9	2 15	5 27	3 30	î 24	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	17 18								3	2 4	3 4	4 3	95393350	2	i	Ĩ	î	<u>i</u>
Other puerperal causes Suicide (163–171) Homicide (172–175)	17 57								3 1	4 3 4	3 12	3	· 5 10	12	10	2	2	1
Homicide (172–175)	46					- -	5	<u>2</u> -	4 6 1	8 5	5 1	6 1	14 7	3	1 5	2 7	3	<u>i</u>
Other external causes	109	5	5	8	<u>2</u> 6		4 14	1	2	1 14	8-	4 21	15 62	10	6		18	
SAN ANTONIO, TEX. (COLORED), all causes	767 331	251 28	31 8	4	6	7		10	20	18 19	15.			64	87	74	81	2
Typhoid and paratyphoid fever (1, 2)	1	20	<u> </u>	1		===	· 6		<u></u>	19	20	<u>24</u>		68	31	23		2
Measles (7) Scarlet fever (8)																		
Whooping cough (9) Diphtheria (10)	2 2	1	1							2								
Influenza (11) Epidemic cerebrospinal meningitis (18)	1 <u>4</u> 1		<u>-</u> -							1	2	1	4	3	3			
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	28 7	1	<u>-</u> -				<u>-</u> -		2	5 2	3	3	11 2	2		1		
Syphilis (34) Cancer and other malignant tumors (45–53)	. 17 15	4						1			2	<u>1</u> -	5 3	4 5	1	<u>-</u> 2	3	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82e)	4 14							<u>-</u> -					2 8	1 6	2 1	1	2 1	<u>-</u>
Diseases of the heart (90–95) Bronchitis (106)	36	<u>ī</u> -									1	2		12	5 <u>-</u> -	7		1
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	10 16	1	<u>ī</u>								1	2	2 4	1 5	1 2	2	1	
Diarrhea and enteritis (119, 120) Appendicitis (121) Hernia, intestinal obstruction (122)	7 10	4	2					1			1	2	5	<u>1</u>				
Cirrhosis of the liver (124)	5 2									1			2	2 2				
Nephritis (130–132) Diseases of the female genital organs (139) Propriet servicemic (140, 142, 145)	27 3									1	1 2	3	7	5	5 	· 2	4	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	1 1									<u>i</u> -								
Suicide (163–171) Homicide (172–175) Automobile accidents 1	13								<u>1</u> -	1	2	3	1	5				
Automobile—railroad train and street car collisions. Other external causes	4 6											1		1 	1	1		
All other causes	83	14	1	1			1 4	1	1	5	1 3	6	2 12	₁₁ -	1 8	6	10	

Excludes collision with railroad trains and street cars.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1932—Continued

[See note at the head of this table]

			[See	note a	t the h	ead of	tnis ta	prel										
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 29 years	34	44	45 to 54 years	55 to 64 years	74	75 years and over	Age un- known
SALT LAKE CITY, UTAH, all causes	1, 594	140	24	17	6	13	22	38	47	42	43	55	132	188	270	267	290	
Typhoid and paratyphoid fever (1, 2)	1										1							
Measles (7) Scarlet fever (8)	1 5			<u>ī</u> -				<u>ī</u> -						1				
Whooping cough (9)	1 59	1						<u>1</u>										
Influenza (11) Epidemic cerebrospinal meningitis (18) (20)	10	10	1	2			1	1 3	1 3	12	3	1	7	6				
Tuber culosis of the respiratory system (23) Other forms of tuber culosis (24-32)	15		<u>ī</u>				1			3	1	5	10 3 1	14	5	3		
Syphilis (34)	194	1		1		;-	1	1		2	2	1	20	3 29	2 48	56 56	34	
Diabetes mellitus (99)	23 64						1	1					1 2 8	11	12	9 16	5 22	
Bronchitis (106)	306 3 60	1	1	1			1	5	10 	3	4	7		34	66	69	96 1	
Bronchopneumonia (107)	53	21 3	1	3		1	3	$\frac{1}{2}$	1	2	1 2	1 1	2 4	2 3	6 8	10 7	12 12	
A nnendicitis (121)	10 65	6	2 1	1	1	6	2	3	9	3		6	7	6	10	6		
Hernia, intestinal obstruction (122)	31 3	1							1		1	1		5	12 1	6 1		
Nephritis (130–132) Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	104							1 	1	1	3	3 4	11 2	12 1	19	24	29 	
	9 14								1 1	2 1	2	1 6	1 3 4	i				
Suicide (163–171) Homicide (172–175) Automobile accidents ¹	24 7								<u>i</u>	1	<u>i</u> -	3 2	2	5	8 1	3		
Automobile accidents 1Automobile—railroad train and street car collisions_ Other external causes	58 1		2		1	1	3	4	5	8	2 1	3	6	6	6	8	3	
Other external causesAll other causes	67 345	95	2 7	4	4	1	3 3	1 13	5 8	5 7	5 9	2 7	7 30	9 36	6 47	6 31	11 46	
NORFOLK, VA. (WHITE), all causes	874	58	6	4	2		5	9	11	30	30	29	98	99	184	170	138	1
Typhoid and paratyphoid fever (1, 2)																		
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).	i			1		İ:												
Diphtheria (10)	1		1															
Diphtheria (10) Influenza (11) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Syphilis (34) Control of the meligrant tumors (45-53)	9	1										2	1	I	1		2	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	27 5	1					1			3	1	2	3 2	5	5	5	3	
					1				1		5	2	10	16	2 29	23	9	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	15 71										1	<u>i</u>	3	3 4	5 23	3 22	18	
Bronchitis (106)	228		1							4	1	4	18	22	55	61 1	61	
Bronchopneumonia (107)	15 20	1	1 1	1	1 		1		1 	1 2	1		3	2 3	1 1	3	2 4	
	12 18	7	1	1				<u>î</u>	1		<u>2</u> -	2	5	3	4	1 1	1	
Hernia, intestinal obstruction (122)	11 6	1					1					1	1	2 2	1	3	1	
	57 5							1		2	1	2	6	8	14	13 1	14	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	2 7								1	1	2	3	2					
Buicide (163-171) Homicide (172-175)	42 5									4	4 1		15 1	8	6	2	2	
Automobile—railroad train and street car collisions	26 2	ll i		1		Į.			1	3	3	5	3	1	5	4 1	1	
Other external causesAll other causes	50 139	3 42	<u>-</u> -	1			1 1	5 2	4	5 4	3 4	3	10 11	12	6 24	2 17	5 14	1:
NORFOLK, VA. (COLORED), all causes	795	79	20	7	1	2	7	8	23	35	56	57	136	175	124	44	21	
Typhoid and paratyphoid fever (1, 2)	1		<u>1</u>									1						
Seerlat favor (8)	7	2	4	1														
Whooping cough (9) Diphtheria (10) Influenza (11)	2 13		ī							<u>i</u> -	i	2	<u>i</u> -	5	3			
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	67			1			2		7	10	17				5	2		
Other forms of tuberculosis (24–32) Syphilis (34)	11 17	2 3	4					1	i		2		5	4	ĭ		1	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	28 13											1 2	š	9 4	6	2	î	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	104 175	1							3	1 4	2 8	3	14 40	42 52	29 30	10 14	3	
Bronchitis (106) Bronchopneumonia (107)	1 50	23	5	2	1		2				2		5	2		2		
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	32 15	7	1 1					1	1	1	4	2	5 2	7	3 9 2	ī	<u>2</u>	
Appendicitis (121) Hernia, intestinal obstruction (122)	11 11 15		<u>-</u> -				1	2 2		2	2	1 2	2 3	2 2	1 2	<u>1</u>		
Cirrhosis of the liver (124)	1 35	1	- -				ī				<u>1</u>	3	1 5		9		<u>1</u>	
Nephritis (130–132) Diseases of the female genital organs (139) Diseases of the female genital organs (149)	30 2 4									<u>1</u>	<u>-</u> 2	<u>î</u> -		2				
Puerperal septicemia (140, 142a, 145) Other puerperal causes	5								<u>î</u> -	1	i	1	Į.					
Suicide (163–171)	25								2	5	4	6	7	1	2			
Automobile—railroad train and street car collisions.	10								2	1	1			3	2	5-	1	
Other external causesAll other causes	23 123	38	<u>2</u>	2		1	1		2 3	2 4	2 5	9	20 20	20 20	2 13	· 2	3	

 $^{{\}bf 1}$ Excludes collision with railroad trains and street cars.

 $\begin{array}{c} \textbf{Table 9.--DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:} \\ 1932---Continued \end{array}$

[See note at head of this table]

			[500	посеа	i Head	of this	140101											
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	44	75 years and over	Age un- known
RICHMOND, VA. (WHITE), all causes	1, 544	109	15	7	4	6	18	10	28	29	40	57	107	189	282	343	300	
Typhoid and paratyphoid fever (1, 2)	2									2								
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	2		1															
Diphtheria (10) Influenza (11)	2 24	2	i	1				1	î	1	<u>-</u>	2	<u>-</u>	4	3	4		
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	2 52						<u>1</u>		1 2	2	1 5	5	9		6		<u>4</u> -	
Other forms of tuberculosis (24–32)	10	2 2	1	1						2		ĭ	1	1 1	1	2		
Cancer and other malignant tumors (45-53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	174									1		4	15 3	. 39	46 9	54 12	15 5	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	108 312					<u>i</u>			<u>ī</u> -	2	1 1	7	15	6 34	29 70	37 88	29 95	
Bronchopneumonia (107)	37	6	1			1	3			1		2		1	<u>6</u>	6	3 10	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	10	2 2	2	1	<u>-</u>	 1	$\frac{1}{2}$		2		3		3	10	7 1 5	3 <u>-</u> -	5 2	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	30 20 11	3	 					1	1	! 1 	2 1	2 2	6	1 2 3 3	5 2 5	5 1 2	6	
Nephritis (130–132) Diseases of the female genital organs (130)	182										1	3 2	1 4	24 1	35	55 1	60	
Nephritis (130-132) Diseases of the female genital organs (139). Puerperal septicemia (140, 142a, 145) Other puerperal causes.	7 10								1	2	2 2	3	1 4					
\$5D1B108 1105=171)	34 6								1	2	2 4 2 5	2 5 1 5	6	6	6	2	2	
Homicide (172-175) Automobile accidents ¹ Automobile—railroad train and street car collisions-	55 2		1		1	2	1		9	6		1	3	4	9	5	4	
Other external causesAll other causes	60 306	88	1 6	1	2	_i -	5 ⁻ 5	7	4	3 4	7	4 6	1 4 23	4 33	6 35	15 39	9 45	
RICHMOND, VA. (COLORED), all causes	1,072	107	22	8	4	5	7	20	41	63	52	64	157	204	185	92	40	1
Typhoid and paratyphoid fever (1, 2) Measles (7)	3							1		2	1							
Scarlet fever (8)	1	5	1				1											
Diphtheria (10) Influenza (11)	l	3					1	1.	ī			<u>-</u>	4	7	- -	1		
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	1 1		1					3		19	10	11	16	16		<u>-</u> -	<u>-</u> -	
		6	$\bar{2}$			1		ĭ	5	3		1 4 2	4 3 14	4		3		
Syphilis (34) Cancer and other malignant tumors (45-53) Diabetes mellitus (59)	59 20										2	2	14	23 9	14 7	5 1	1	
Diabetes mellitus (59) Oerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	101 137	1							2	2	1 2	1 7	1 15 23	28 35	30 36	20 20	10	
Bronchopneumonia (107)	37	11	5	1	2					2	<u>1</u>	2	3 8	1 3	4	2	<u>i</u> -	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	17	3 5	2 3	1			1	2	5	2	1. 3	4	8	11 1 3	11 3	2 1	1	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	. 16 11 6		1		1 		1	2	1		3	1	1 1 3 2 15	3 4 2	1 2 2			
Nephritis (130–132) Diseases of the female genital organs (139)	90 5							1	1 1	3	2	4	15 1	22 1	24	16	4	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	10 14								2 1	4 5	3 2	3	1 3					
Suicide (163–171) Homicide (172–175)	2 29								1 2	8		7	1 3	2				
Automobile—railroad train and street car collisions	12					1		2	1			2	ĭ	2	2	1		
Other external causesAll other causes	28 243	70	1 4	2 2	<u>-</u> -	1 2	3	1 6	47	5 7	. 2 9	1 10	2 32	1 29	4 31	1 18	1 12	
SEATTLE, WASH., all causes	4, 153	. 212	28	17	16	11	61	40	49	96	120	106	343	594	723	883	849	_5
Typhoid and paratyphoid fever (1, 2)	3 16	1			<u>1</u>	3	9			1			2					
Measles (7) Scarlet fever (8) Whooping cough (9)	1 1		1	1 <u>1</u>				1										
Diphtheria (10) Influenza (11)	64	3	<u>-</u>		i		<u>-</u>			2	<u>1</u>	3	7	9	1 8	6	22	
Tuberculosis of the respiratory system (23)	6 184	Ĭ 1	1 1	2	1	<u>1</u> -	3	4	12	2	21	20	31	2 32	18	12	- -	
Other forms of tuberculosis (24-32)	29 50	4	1		2		4		2	18 2	4	١٤	5 7	4 9	3 22	6	1	
Diabetes mellitus (59)	532 96				1		2	4	1	3	5	4 1 1	51 1	115 12	143 26	128 36	76 18	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	326 956						1 4	3		7	1 11	1 14	10 38	22 123	73 182	118 278 2	100 288	2
Bronchitis (106) Bronchopneumonis (107) Lober and unspecified programs (108, 100)	11 112	26	4	<u>ī</u>	3		5		<u>-</u> -	1	1	4	3	9	9	18	8 27	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	129 10	3 5	2 1	3 	1		3	3	2	3	6	4	16	24	24 2	18 2 3	17 	
Appendicitis (121) Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	48 38 26	2				1 	7	2	4	4	4		12 7	5 7 3	7 12	7 3	8 6	
Nephritis (130–132). Diseases of the female genital organs (139)	26 264 11						2	1	2 1	2	5	6	20 20 2	37 4	39 2	73	77 1	
Other puerperal causes.	5 20									1 4	2 9	1 1 4	1 3					
Homicide (172–175)	158 24							i	2	6 5	13	4 9 1	30 5	49 2	30 4	13 2	5 2	1 2
Automobile—railroad train and street car collisions.	80 2			i	2	ī	5		ī	4	6	1 3	5	13 2	17	15	2 7	
Other external causes	169 781	162	12	1 7	2 1	1 3	3 12	4 17	6 10	10 20	8 22	7 18	22 62	27 84	10 90	20 123	40 138	

¹ Excludes collision with railroad trains and street cars.

Table 9.—Deaths (exclusive of still births) from important causes, by age, in large cities: $1932\mbox{--}{\rm Continued}$

[See note at head of this table]

		.1																
AREA AND CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	14	15 to 19 years	20 to 24 years	29	30 to 34 years	35 to 44 years	54	64	65 to 74 years	years and over	Age un- known
SPOKANE, WASH., all causes	1,342	77	8	9	8	2	13	21	29	27	24	34	99	169	226	315	280	1
Typhoid and paratyphoid fever (1, 2)	2													1		1		
Measles (7)—Searlet fever (8)—Whooping cough (9)—Diphtheria (10)—Versions (11)—Version	1 2						2											
Diphtheria (10)	2		1					1										
Epidemic cerebrospinal maningitic (18)	#1	1							1	3	1		6	5	9		8	
Other forms of tuberculosis (24–32)	20		1						2	1 1	3	2	5	2	3	2	_ī -	
Syphilis (34)	ו ו	<u> </u>			i				<u>-</u> -	1	2	1 4	1 10	35 35 3	3 39	46	32	
Cancer and other malignant tumors (45–53) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	29 113			1					1				1	3 8	12 20	8 43	3 42	
Diseases of the heart (90–95) Bronchitis (106)	253 4						1	2	1	2	3	3	16	24	46	73	82 3	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	18 57	4 3	2				i			1		2	4	9	4 12	1 8	6	
Diarrhea and enteritis (119, 120)	8 40	3		2	1	1		2	<u>*</u>	3	2	3		7	4	2 4	2	
Appendicitis (121) Hernia, intestinal obstruction (122) Circles of the liver (124)	20						1 	1					4	6	4	4 2	1	
Cirrhosis of the liver (124) Nephritis (130–132)	127						1	i		<u>i</u>		3	1 7	12	18	52	32	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145)	10 10	II							3	<u>î</u>	2	<u>i</u>	3	1	1 	1		
Other puerperal causes Suicide (163–171)	10 32								1 2	2 2	1 3	3	5 2	8	7	3	2	
Homicide (172-175) Automobile accidents :	8 25			 	<u>i</u> -	 	2	 	2	ī	1	1 3	2 4	2	2	5	1 5	
Automobile accidents ¹ Automobile—railroad train and street car collisions Other external causes	1 55		<u>-</u>					2	1 2	1			<u>-</u>	8		13	14	
All other causes	269	65	3	2	3		5	12	4	7	4	6	21	32	29	42	33	ī
TACOMA, WASH., all causes	1,380	84	5	5	4	2	22	16	16	23	27	26_	100_	172	218	349	311	====
Typhoid and paratyphoid fever (1, 2) Measles (7)	4 2	1		1			1						1		1	1		
Scarlet fever (8)	3 1				1		2	1										
Whooping cough (9) Diphtheria (10) Influenza (11)	1 20							î		1	1	<u>2</u>			2	6	7	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	2 31						1	1	1	1 4	5	3	2	5	4	5		
Other forms of tuberculosis (24–32)	7 18			1					2	2			1 2			6	į	
Syphilis (34) Cancer and other malignant tumors (45-53)	152	i				1			ì		1	2	13	27	34	49	24	
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	33 89										1	· 1 1	3	5	4 16	13 29	9 31	
Diseases of the heart (90-95) Bronchitis (106)	294	2					2	2	3	1			12	25	51	98	98	
Bronchopneumonia (107)	24 48	5 2	1	1		1	<u>i</u> -	2	<u>2</u> -		1 1		3 3	2 12	2 10	3 9	6	
Appendicitis (121)	3 28	2	1 1	<u>-</u> -			3	2		2-	4		3	5	3	4		
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	13 6									ī	2	î	2	1	2 2	2	4	
(Nephritis (130-132)	142 5										2	1 2	6 1	20 2	19	50	44	
Diseases of the female genital organs (139) Puerperal septicemia (140, 142a, 145) Other puerperal causes	5 2									ī	1	ĩ	2 1					
SHICIDE (163-171)	37 8									2	1	4	8	8	8	5	ī	
Homicide (172-175) Automobile accidents ¹ Automobile—railroad train and street car collisions	45		1				2	2	i	2 3	2	3	2 6	8 3 5 1	5	8	7	
Other external causes	2 89						4	4	<u>2</u> -	2	1	<u>2</u> -	6	9	1 15	16	25	
All other causes	266						6	1	4	1	3	3	23	28	34	45	47	
Milwaukee, Wis., all causes	5, 210	442	61	25	25	<u>26</u>	96		68	82		167	476	654	826	1, 105	1,006	<u>_</u>
Measles (7). Scarlet fever (8). Whooping cough (9) Diphtheris (10).	22 16	4	2 1	6 2	1	2 2	5 7	1 2			1			1	1			
Whooping cough (9)	14	10	4															
	30	11	6	1		2	10 4	2	<u>i</u> -	<u>-</u> 3	4	6-	1 13	5	8	18	<u>1</u> Į	
Tuberculosis of the respiratory system (23)	7 263	2	1 5		1	4	1 4	1	1 13	18	26	28	90 90	30	25	15	2	
Other forms of tuberculosis (24–32)Syphilis (34)	23 36	1 6	2	2	1	1	1	3	1	2 1	1		4 8	3 7	1 7	4		
Cancer and other malignant tumors (45–53) Diabetes mellitus (59)	654 157		1		1		2	1 3	1 2	1 2	<u>i</u> -	3 4 2 2 14	50 10	111 27	182 26	196 59	106	
Diseases of the heart (90–95)	371 1, 187	2 2					8		- -[7	1 1 7	2 14	13 54	42 157	63 203	126 326	121 395	<u>-</u> - <u>i</u>
Bronchitis (106) Bronchopneumonia (107)	16 180	1 64	1 18	2	2	ī	1 3		<u>i</u> -	1		4		1 5	3 8	25	7	
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119, 120)	193 51	11 37	5 3	3	4	4	8	2	6	2 2	4 3 1	8	22	20	28 2	35	32	
Appendicitis (121)	80 58	3	 1	1 2	<u>ī</u>	2	5	4	7	6	4	8 1 6 3 2 9	18	1 9 6	11 10	3 5 12	1	
Hernia, intestinal obstruction (122) Cirrhosis of the liver (124)	62								1		4 2 2 5 1	2	8 12	15	14	10	7	<u>-</u>
Nephritis (130–132) Diseases of the female genital organs (139)	340 16					1		1	3	5 1	5 1	3	20 4	43 4	53 2	88	112	
Puerperal septicemia (140, 142a, 145) Other puerperal causes	30								<u>-</u> -	<u>2</u> 3	8	3 8 8 3 4	9	1				
Suicide (163–171) Homicide (172–175)	115 21	2				1	1		3	2	4 3	8	22 2	32 4	25	15 1	1	
Automobile accidents 1Automobile—railroad train and street car collisions_	97 4			2	1		9	1	4	8	6	4	16	14 2	17	9		
Other external causes.	178 906	3 280	2 9	3	2 11	1 4	10 17	3 11	4 9	7	4 17	12 33	22 65	32 82	21 116	27 129	28 110	
TELL OUDGE CAUSES	800	~ou	ษ	اد	11	4	177	11	Э	10	17	35	00	02	110	129	110	

 $^{^{\}mbox{\tiny 1}}$ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932

[Numbers after causes of d	0000		,HO3C 01 8		CVISION		taneu III	- Land	iai Distj				
AREA AND CAUSE OF DEATH. ~	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
The Registration Area in Continental United States, all causes.		112, 676	113, 100	132, 278	114, 351	108, 923	99, 657	101, 769	96, 009	91, 481	101, 601	104, 791	131, 893
Typhoid and paratyphoid fever (1, 2)	4,441	287	217 8	197 7	162 4	184 6	328	641	780	658 1	510	288	189
Measles (7) Scarlet fever (8)	1, 941 2, 577 5, 364	151 271	207 286	287 387	363 313	337 271	253 155	111 91	46 70	24 98	25 157	1 42 233	95 245
Whooping cough (9)	5, 364 5, 418	386 686	516 493	734 432	566 296	571 222	574 197	485 215	408	319 497	238	245 765	322 616
Influenza (11)	37,066	2,547 76	4,318 69	7, 283	4, 683 60	2, 056 152	873 343	535 453	281 551 289 85	588 236	718 1, 163	2,362 95	10, 107
Erysipelas (15) Lethargic encephalitis (17)	2, 083 1, 934 874	177 85	192 60	256 96	247 77	217 61	156 69	117 72	85 75	95 65	180 108	124	160 79
Epidemic cerebrospinal meningitis (18)	1,677	192 5, 964	209 5,841	214 6,712	181 6, 229	158	97	100	95 5, 060	7.5	80 84	108	164
Other forms of tuberculosis (24–32)	67, 789 7, 720 2, 568	655 103	638	740 91	753 96	6, 157 747 129	5, 655 714 201	5, 575 683 336	623 348	4, 793 570	4,861 548	5, 126 502 240	5, 816 547 113
Diabetes mellitus (59) Cerebrel hemorrhage and softening (82a, 82a)	26, 368 95, 382	2, 336 8, 509	2, 361 8, 280	2,779 9,475	2, 218 8, 295	2,169 8,097	1,893 7,341	1,877 7,383	1,777	1,824	369 2, 092	2, 241	2,801 9,260
Diseases of the heart (90-95)	268, 696 4, 338	23, 367 445	23, 411 473	27,342	23,661	22, 648 360	19, 974	19,811	6,665 18,565 212	6, 625 18, 311 228	7,719	2, 241 7, 733 22, 495 370	27, 697
Bronchopneumonia (107)	39, 174 53, 300	4, 043 5, 969	4, 313 6, 551	559 5,378 8,571	403 3, 811	2,995 3,851	1,854 2,357	211 1,575 1,693	1,469 1,549	1,672 1,717	312 2,788 2,969	3, 426 4, 173	528 5,850 8,165
Diarrhea and enteritis [under 2 years] (119)	14, 375 5, 244	676 277	608 257	643	5, 735 715 255	1, 122	1, 820 565	2,336 867	2, 027 773	1,715	1,323	782 280	608 248
Nephritis (130–132)	104, 751 4, 939	9, 178 420	9, 144 443	10, 335 478	9, 169 473	8,933 429	8, 171 405	8, 276 392	7,769 414	7, 270 341	8, 318	8, 490 355	9, 698 402
Other puerperal causes	8,354 20,927	693 1,602	722 1,598	862 1,811	718 1,999	769 2,020	652	752	689	664	387 605	532	696
Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Automobile accidents 1 Automobile—railroad train and street car collisions Other external causes	26,350 1,770	2, 101	1,829 126	1,679	1,897	2,071	1,882 2,049 122	1,855 2,217 138	1,737 2,425	1,694 -2,523	1,612 2,676	1,521 2,425	1,596 2,458
Other external causesAll other causes		163 5, 245 36, 066	5, 256 34, 593	5,774 38,682	148 5, 197 35, 627	147 5, 596 36, 065	6, 130 34, 588	7, 205 35, 766	104 6, 299 34, 824	5, 313 32, 352	5, 299	187 5, 448	182 6, 021 37, 163
7 0	í		111,804	ł	113, 117	107, 722		100, 501	94, 830	90, 424	34, 415 100, 482	34, 147 103, 519	130, 237
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (\$2a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopeumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and entertitis (2 years and over) (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 145)	4,369	281 6	214 8	190	158	181	326	631	770	646	501	286	185
Measles (7)	1, 926 2, 560	151 269	207 284	286 386	361 311	6 337 271	248	107 91	46 69	23 97	24	· 42 230	94 243
Whooping cough (9)	5, 318	383	514	731	563	568	155 564	479	406 275	316	154 234	243	317
Influenza (11)	5, 278 36, 376	2, 509	482 4, 234	7, 168	293 4, 616	218 2,035	190 864	210 520	540	483 578	696 1,142	743 2,308	9,862
Erysipelas (15)	2,035 1,912	.175	189 60	63 254 95	56 244	148 216	331 155	446 113	286 83	. 233 93	175 107	92 123	63 160 79
Epidemic cerebrospinal meningitis (18)	869 1,651	188 188	206	211	77 177	155 0 0 5 6	69 95	72 97	75 93	65 75	78 83	54 107 5, 037	164
Other forms of tuberculosis (24-32)	66, 671 7, 596	5, 857 645	5, 743 622	6, 594 733	6, 128 744	6, 056 735	5, 565 703	5, 489 675	4,993 613	4, 715 558	4,779 533	495	5, 715 540
Diabetes mellitus (59)	2,540 26,148 94,561	102 2,315 8,442	79 2, 343 8, 212	90 2,755 9,398	2, 198 8, 226	127 2, 154 8, 025	198 1,880	332 1,865 7,318	344 1,764	456 1,811	367 2,071 7,663	236 2, 225 7, 657	2, 767 9, 177
Diseases of the heart (90-95)	266, 523	23, 149 438	23, 216 465	27, 155	23, 494 398	22, 480 354	7, 276 19, 804 233	19, 645 208	6, 595 18, 416 205	6, 572 18, 163 226	21, 233	22, 304 368	27, 464 518
Bronchopneumonia (107)	4, 278 38, 680	3,992	4, 265	553 5, 317	3,778	2,962	1,833	1,555 1,663	1,435	1,651 1,695	2, 750 2, 931	3, 380 4, 112	5, 762 8, 013
Diarrhea and enteritis (under 2 years) (119)	52, 570 13, 998	5,883 655	6, 465 595	8,470 626	5, 679 692	3,815 1,064	2, 317 1, 751	2,289	1,527	1,681	1, 292	764 270	597
Nephritis (130–132)	5, 127 103, 922	269 9,091	9, 089	258 10, 269	9, 094	368 8,871	8, 110	847 8, 204	768 7, 701	7,203	456 8, 258	8,415	9,617
Other puerperal causes	4, 863 8, 257	415 687	439 718	471 851	467 709	421 763	398 640	382 741	408 679	335 654	382 603	349 526	686
Nephrits (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Automobile accidents 1 Automobile—railroad train and street car collisions	20, 646 26, 033	1,583 2,074	1, 573 1, 804	1,786 1,661	1,976 1,870	1, 989 2, 054	1,864 2,020	1,823 2,197	1, 712 2, 397	1,668 2,498	1,596 2,647	1,497 2,383	1,579 2,428 181
Other external causes	1,760 67,832	162 5, 169	5, 189	5, 697	5, 122	5, 507	120 6,061	7, 120	6, 202	5, 234	5, 240	5, 355	5,936
ALABAMA (WHITE), all causes	1 '	35, 615	34, 143	38, 210	35, 192	35, 634	34, 127	35, 243 1, 215	34, 332 1, 098	31, 952 1, 015	34, 015 1, 226	33, 730 1, 185	36, 739 1, 625
Typhoid and paratyphoid fever (1, 2)	14, 871	1,292	1, 156	1,528	1, 196	$=\frac{1,157}{3}$	1,178	1, 215	1,098	1,013	4	2	2
Monday (7)	1	Ĭ											
Wester (1) Whooping cough (9) Diphtheria (10) Influenza (11) December (12)	34 119	8 8	3 6	4 10	1 9	18	1 18	16	2 9	5 5	5 4	4 5	1 11
Diphtheria (10) Influenza (11)	184 739 29 35 13	19 66	11 55	11 81	5 58	1 44	3 13	6	16 12	36 7	25 24	5 36 72 2 5 2	11 15 304 5 6 3
		$\frac{1}{2}$	2 2	<u>ī</u>	2	3	6 2 2	6 2	1 6	4	3	2 5	5 6
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) The results of the received form	13 15	1 2	2	1 1	1	$\frac{1}{2}$	2	1	3	1 1		2 3 53	
Other forms of tuberculoric (94.20)	685	50 14	58 6	69 6	60 5	75 3	55 8	56 8	58 5	33 4	51 2	I ∡	67 3.
Malaria (38). Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c). Diseases of the heart (90-95).	83 210	2 14	3	3 23 101	4 15	5 11	7 15 92	8 21	g i	17 18 66	13 15	8 22 70 181	4 31
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	1,007 1,973	93 184	12 78 151	101 203	60 161	80 174	92 132	101 167	13 67 128	134	97 171	70 181	102 187
Bronchitis (106). Bronchopneumonia (107)	40 391	5 58	5 58 90	1 50	37 72	4	1	1 19	4	2 7	5 23 32	5 30	4 31 102 187 5 49
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	636 261	77	5 '	112 10	72 15	25 42 22	19 22 56 20 97	12 48	16 15 35	18 24 9	24	5 30 53 6 3 85	91 11 6-
Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 146)	1,200	5 110	3 92	10 110	108	15 103		24 125	16 96	78	7 119	3 85	6 110
Fuerperal septicemia (140, 142a, 145) Other puerperal causes		9 12	10 13	4 1	3 16	9 12	7 18 20	2 12	5 15 14 24 2	5 16	3 18	8 12	110 6 17 17
Other pureperal causes. Suicide (163-171). Automobile accidents ¹ . Automobile—railroad train and street car collisions.	198 291	17 18	21 32	16 19 20	16 22 2	15 17	20 20	13 21 2	14 24	16 34	14 27	16 37	17 19 E
Oblief external causes	16 994	85	2 57	203	70	60	63	75	98	5 60	67	2 75	811
All other causes 1 Excludes collision with railroad trains and street cars.	5, 181	417	370	457	443	413	477	454	420	405	470	384	471

 $^{^{\}mbox{\tiny 1}}$ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

		,	.==. :							1			
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA (COLORED), all causes	12, 809	1, 138	1, 014	1, 231	1, 113	1,018	1, 080	1, 038	975	913	988	1, 012	1, 289
Typhoid and paratyphoid fever (1, 2)Smallpox (6)	70 1	6	5	4	3	6	6	13	9	7	6	2	3
Smallpox (6) Measles (7) Scarlet feyer (8)	5 1		3	1					1	<u>-</u>			
Whooping cough (9) Diphtheris (10) Influenza (11)	85 26	3	10 1	7	10 4	7	13 1	9 1	6 1	3 2	6 7	6 3	5 1
Influenza (11) Dysentery (13)	26 558 28 3	44	43 4	59 2	59 1	27 1	8	5 6	16 1	4	19 3	45 2	229 5
Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	3 4			2			2 1		1			1	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	7 1, 266	1 124	1 105	114	115	103	128	$\frac{3}{121}$	1 89	88	$\begin{smallmatrix} & 1\\100\end{smallmatrix}$	94	85
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Malaria (38) Diabetes mellitus (59)	102 96	8 5	6 1	8 4	14 5	7	9 10	8 17	10 11	10 18	6 11	10 5	6 2
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	84 675	8 64	3 52	5 67	6 70	3 61	8 46	8 50	7 48	5 54	12 63	9 52	10 48
Diseases of the heart (90-95)Bronchitis (106)	1, 346 19	107 4	105 3	103	97 3	106 1	122	112 1	121 3	100	147	96 2	130
Diabetes mellitus (59)————————————————————————————————————	214 549	32 64	28 59 10	34 76	22 69	17 45	9 18 24	7 13 23	9 23 16	5 19	15 33	19 51 7	17 79
Diarrhea and enteritis (under 2 years) (119)	156	11	7	6 3	69 7 3	45 18 8	7	7	5	15 2	12 2	2	1
Nephritis (130-132) [140, 142a, 145]. Puerperal septicemia (140, 142a, 145). Other puerperal causes. Suicide (163-171)	1,057 87	84	90 5	83 9	90 11	103 9	93 9	113	82 6	85 5 7	76 4	75 5	83 6
Suicide (163-171)	144 18	14 5	12 1 11	21 1	15 1 11	17 3 8	11 2	11 1 8	14 1 13		5 17	7 2 11	10 1 4
Automobile accidents ¹ Automobile—railroad train and street car collisions Other external causes	114 1 973	6	74	5	53	62	8 92	88	54	12 1 77	65	86	
All other causes.	5, 069	70 461	375	169 446	444	397	451	404	427	392	378	420	83 474
ARIZONA, all causes		497	526	473	462	465	406	402	420	353	369	499	548
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7)	21	1		1		1	2	3	3	1	4	2	, 3
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic eerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38)	1 10	2	 				1 2	1				3	2
Diphtheria (10)	31 20 252	5 3	3 2	7	5 2	5 2 7	3 2	1	1 1 5	I I	1	5	1
Dysentery (13)	252 26	27	31 1	25 1	12 2 2	4	5 5	4	2 1	$\begin{bmatrix} 1\\2\\2\end{bmatrix}$	5 3	52 1	77 1
Lethargic encephalitis (17)	10 1	1		1		1	3				1	1 2	3
Tuberculosis of the respiratory system (23)	14 1, 125 59	103 4	101 3	1 109 7	3 100 10	88 3	84 5	80 6	87 6	79 6	75 3	101	118
Dish star services (FO)	00	2	5	<u>-</u> -	4		4		<u>î</u>	1	2	1 2	<u>*</u>
Cerebral hemorrhage and softening (82a, 82c)	189 563	19 56	17 62	14 49	12 45	2 18 60	18 45	12 38	18 34	11	18 37	13 55	19 57
Orabotes mentus (39) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95) Bronchitis (106) Bronchopneumonia (107)	19 199	1 31	6	3 15	18		13	3 6	4	25 2 14	10	1 19	i 21
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171)	258 222	35 5	28 52 7	25	15 16	20 12 27	15 27	5 39	11 33	6 20	13 15	40 20	29 9
Diarrhea and enteritis [2 years and over] (120)	42 247	3	6 22	4 2 19	30	3 18	3 21	5 12	8 16	3 19	3 18	. 27	2 25
Puerperal septicemia (140, 142a, 145)Other puerperal causes	26 43	20 3 4	2 5	2 3	7 8	2 4	3	6 3	<u>î</u>	1 2 9	1 4	2	<u>-</u>
Suicidé (163-171) Automobile accidents 1————————————————————————————————————	86 162	3 12	5 18	7 18	10 9	8 12	7 8	7 12	9 16	9	11 13	4 14	6 13
Other external causes	3 326	27	2 31	26	23	$\frac{1}{27}$	34	29	47	23	22	17	20 128
All other causes	1, 431	127	116	129	126	139	94	126	116	109	109	112	
Arkansas (white), all causes	11, 251	853	948	1, 197	953	873	872	898	897	849 23	817	842	1, 252
Smallpox (6)	2	1		1	<u>-</u> 1	4 1 1				20	10	9	-
Whooping cough (9) Diphtheria (10) Influenza (11)	21 64	3	2 2		8	2 5	1 10	8	3 2	1 3	1 7	3 6	5 7
Diphtheria (10) Influenza (11)	166 627	2 28 36 3	15 50	4 7 134	4 96	2 29	10	8 7 3	13 6	1 3 23 3 5	24 14	23 31	16 215
Dysentery (13) Erysipelas (15)	55 26	3 1	1 3	1 3	1	9	8	3 13 1	8 2	5	6	2	1 3
Influenza (11). Dysentery (13). Erysipelas (15). Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). Other forms of tuberculosis (24–32).	5 13	1 1 1	2		<u>-</u> -	2	1 1	1	1	1		$\begin{vmatrix} \overline{1} \\ 2 \end{vmatrix}$	
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	583 47	48 2 14	43 3	67 4	58 2	54 6	41	$^{1}_{42}$	46 5	39 3	47	48	50 8
Diabetes mellitus (59)	156	15	12 15	11 17	58 2 8 12 52	8 9	20 12	30 12	50 14	59 12	25 10	16 13	8 12 15 61
Cerebral hemorrhage and softening (82a, 82c)	656	68 97	59 123	67 145	132	54 132	50 101	44 111	45 109	49 94	55 100	52 118	143
Bronchitis (106). Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis [under 2 years] (119). Diarrhea and enteritis [2 years and over] (120).	42 339	30	5 48 82	9 59	2 22 63	1 18	12	1 9	5 13	16	2 26	5 30	4 56
Diarrhea and enteritis [under 2 years] (119)	592 233	66	5	102	63 5	28 26	15 62 21	9 43 23	15 22 13	12 22 17	23 18	40 13	137 5
Diarrhea and enteritis [2 years and over] (120) Nephritis (130–132) Puerperal septicemia (140, 142a, 145)	119 823	62	. 8 <u>0</u>	85 85	5 5 73	12 63	61	69	65	51	13 65	3 65	8 <u>4</u>
Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171)	69 103	6 9	5 11	8 11	3 10	6 5	5	8 7	6 13	5 8	9	1 5	7 13
Suicide (163–171) Automobile accidents ¹ Automobile—railroad train and street car collisions	139 212	8 16	19 21	9 14	11 13	18 11	11 16	10 21	14 20	12 24	12 20	20 20	8 16
Other external causes	640	2 41 272	1 48 284	61 363	43 322	63 298	70 314	2 60 326	62 318	47 315	38 278	1 48 280	6 59 315
V-MOA VMMDOU	0,000	. 412	201	. 505	044	, 400	OT#	. 020	919	010	410	- 400	. จนอ

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of d												 -	
ARBA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Arkansas (colored), all causes	5, 064	387	425	523	408	464	423	456	407	403	352	351	465
Typhoid and paratyphoid fever (1, 2)Smallpox (6)	88	6	2 1			3 1	10	22	12	15	7	7	4
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132) Puerperal causes Suicide (163-171) Automobile accidents ¹ Automobile accidents ¹ Automobile accidents ¹ Automobile accidents ¹ Automobile accidents ¹ Automobile accidents .	1												
Whooping cough (9)	34 19	2 3	2 1	4 2	ī	4	4	4	1 1	3 5	2 1	4 3	3 2
Influenza (1)	301 23	19	20	59	45 1	20	6 11	1 5 1	4 3	2 3	4	24	93.
Erysipelas (15)	2 2				1	<u>-</u>	1				i		
Epidemic cerebrospinal meningitis (18)	4 525	46	1 51	1 62	49	1 57	45	38	1 37	39	41	28	
Other forms of tuberculosis (24–32)	26 191	1 5	3	3 10	6 5	5 17	2 14	2	2 36	33	20	2 2 11	32
Diabetes mellitus (59)	24 250 455	l	2 1 23 28 3 7	2	1 17 35	3 28 48	1 1	30 2 18	3	20 38	25	6	8 4 23 45 1 12
Diseases of the heart (90-95)	455 11	23 35 2	28	2 22 32 32 2		48	17 40 1	18 43	43	38	40	21 28	45
Bronchopneumonia (107) Lober and unspecified preumonia (108 109)	99 264	9 32	7 31	20 40	10 33	6 10	5	1 2 10	7	6 5	9 10	13 27	12 ⁻ 49-
Diarrhea and enteritis [under 2 years] (119)	264 85 39		3	3	4	16	10 17 7	13	11	3 4	12	3 3	<u>1</u>
Nephritis (130–132) Puerperal septicemia (140, 142a, 145)	348 24	23	31 3	3 2 38 5	19 1 3	33 3	30	7 30 1	6 28 - 3	34 2 7	3 25 2	33	24 <u>.</u> 2
Other puerperal causes	348 24 51 11	2	. 5.	6 2	3	5	5 1	8 2	3	7	3	1 2 1	2
Automobile accidents 1 Automobile—railroad train and street car collisions	48	1 3	4	5			4	6	5	3	8	6	6
Other external causesAll other causes	393 1, 739	50 120	50 150	26 177	21 153	35 163	27 164	51 159	32 156	34 145	20 118	21 106	26 128
California (white), all causes	60, 037	5, 855	5, 404	5, 170	4, 755	4, 803	4, 456	4, 522	4, 472	4, 309	4, 847	5, 230	6, 214
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7)	58		2	8	7	4	8	5	8	5	3	6	2
Measles (7) Scarlet fever (8)	46 45	3 4	10 5	4 4 5	12 4	4 5	7 4	3 4	2	i	1 4	1 3	1 5
Whooping cough (9) Diphtheria (10)	98 160	14	16	5 16	4 7 15 37 2 3	9	16 11	9 12	9	15	4 5 14	5	5. 10. 13. 305.
Influenza (11) Dysentery (13)	907	14 87 2	10 79 4	16 68 3	37	12 28 1	14	11	5 17 6	13 24 5	14 62 6	25 175 9	305
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10). Influenza (11). Dysentery (18). Erysipelas (16). Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). Other forms of fuberculosis (24-32). Malaria (38)	47 47 40	8	3 4	4 2 7	3 4	3	3	4 5 5	3	1 2	3 6	4 2	_ 6.
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	78 3, 197	12 294	12 278	7 290	8 291	7 284	216	240	228 26	6 212	2	8 296	6. 310.
Other forms of tuberculosis (24–32) Malaria (38)	306 7	18	25	30	30	37	34 1	18 3	26 1	27	258 23 1	22	16
Diabetes mellitus (59)	1, 207 4, 221	130 431	127 384	81 396	86 326	94 338	103 296	91 340	84 330	74 307	106 371	111 305	120- 397
Cerebral hemorrhage and softening (82a, 82c)	15, 506 186	1, 575 25	1,468 16	1.282	1, 272 13	1, 226 15	1, 109	1,099 9	1,070	1,049 12	1, 230 16	1,390 15	1,736
Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis (under 2 years) (119). Diarrhea and enteritis [2 years and over] (120). Nonbritis (120,129).	1, 520 1, 738	210 241	161 222	23 131 193	101 109	98 96	12 83 78 20 12	70 70	67	97 80	119 107	159 180	224 287 15
Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	182 128	10 9	9 7	13 8	11 11	18 13	20 12	23 11	75 15 15	20 14	14 9	14 11	15. 8.
Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	4, 457 139	460 15	437 12 18	407 10	333 19	381 13	347	348 12	355 10	302 11	341 10	347 10	399a 10a
SHICIGA (163-1711	200 1,617	17 123	18 128 155	16 136	11 162	18 124	17 112	19 156	19 166	10 133	17 117	15 129	23. 131
Automobile accidents 1 Automobile—railroad train and street car collisions Other external causes	1, 948 110	176 11	- 8	123	156 10	169 12	134 10	165 5	167	180 5	189 8	139 12	195, 18
Other external causes All other causes	2,886 18,956	231 1,744	235 1,578	245 1,659	206 1,509	258 1, 533	251 1, 546	288 1, 493	259 1,515	237 1,467	202 1,603	22 <u>4</u> 1, 613	250, 1,696,
California (colored), all causes	7, 643	752	677	681	594	638	637	558	- 564	544	558	630	810
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	26 1	1	1 1	2		2	2	4	2	3	2	3	4
Measles (7)	9 6			2	6 1	1		1 1			1 1		
Whooping cough (9) Diphtheria (10)	82 51	2 4	3 5	1	4	2 3	15 6	15	8 2	11 4	4 3	8 2	9: 7
Influenza (11)	179	17	23 2	11	4 6 2 1	4 2	Ĭ 7	5 2 2 2 1	2 2	4 7 2	4 3 9 3	37	64. 1
Erysipelas (15) Lethargic encephalitis (17)	6 5		1	1	î	ĩ	ļ <u>-</u>	2		1	i 1		
Bysentery (13) Erysipelas (15) Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32). Malaria (38)	1,348	130	1 112	148	134	127	1 109	1 104	91	95		97	1 113,
Other forms of tuberculosis (24–32) Malaria (38)	204	17	24	18	20	17	20	18	14	18	88 15 1	7	16.
Diabetes mellitus (59)	66 209	6	5 18	11 23	2 12	5 20	3 24	3 17	5 16	12	10	3 13	11 15
Cerebral hemorrhage and softening (82a, 82c)	· 846	17 91 4	5 18 73 2 57	23 85 4	61	20 74 3	24 62 2 27 26 43	49 1	63	12 56 1	22 64 5 25 24 35	77	11 15 91 3 77 58
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132)	516 396	4 74 59 19	57 56	4 47 40	$\frac{42}{22}$	42 20 24	- 27 26	28 22	23 13	27 14 30 7	25 24	3 47 42 36 2	77 58
Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	327	19	56 10	16	15	24	2	28 22 35 11 18	23 13 42 11	30 7	35	36	I
Nephritis (130–132) Puerperal septicemia (140, 142a, 145)	49 299 32	30 2	38 4	40 16 2 28 2 12 11	15 5	27 2	37 1	1	25	20 2	6 17 3	18	26- 2°
Other puerperal causes. Suicide (163–171)	69 108	2 9 5	4 3 10	12	3 8	6	6	2 11	6 13 21	3 10	9	5 3	5 10
Automobile accidents 1Automobile—railroad train and street car collisions	250 12	5 23 1 38 200	10 18 1	11	12 61 2 42 22 15 2 15 3 8 24 1	10 24 1	19	14	21	22	35 1	13	26- 22- 5- 10- 26- 6- 35- 208-
Other external causesAll other causes	425 2, 059	38 200	1 33 175	39 163	40 165	33 184	34 179	37 153	40 160	37 160	23 143	36 169	35 208
	-, 500			-00	_00	-01		_00	_00	00		00	

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

	learn corres	II	1	1	1	1	1	1	lar Biboj	1	1	1	
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Colorado, all causes	12, 599	1, 223	1,098	1, 146	976	1, 027	893	923	931	958	978	1, 027	1, 419
Typhoid and paratyphoid fever (1, 2)	38	2	1	1	1	2	1	5	3	9	9	3	1
Maggles (7)	15	2 5	1	4	2 5	7 2	1	1 2	2	1	2		5
Whooping cough (9) Diphtheria (10) Influenza (11)	40 41	2 4	4	4 2	5 6	5 3	4	5	3 1	3 2	2	4 3 4	6
Influenza (11) Dysentery (13)	673 10	129	70	55	49	16	11	4 7	5	8	20 1	41	8 262
Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c). Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132)	15 12	4	3	1 2	1 1	4	1 2	2	1	1		1	2
Epidemic cerebrospinal meningitis (18)	18 1, 030	5 97	2 95	3 89	- 77	104	82	71	2 64	1 98	3 64	2 79	111
Other forms of tuberculosis (24–32)	67	6	5	7	2	8	6	8	6	6	3	78 2	8
Diabetes mellitus (59) "Cerebral hemorrhage and softening (82a, 82c)	166 775	22 46	15 78	14 79	14 53	12 74	13 57	1Î 67	11 67	13 52	11 62	12 70	18 70
Diseases of the heart (90-95)	2, 107 25	205	182	202	162	166	162	163	144	151	155 2	197	218 7 87
Bronchopneumonia (107)	415 628	43 90	39 80	48 90	36 61	34 33	13	13 12	15 14	1 15 23	27 43	45 54	87 106
Diarrhea and enteritis [under 2 years] (119)	200 39	7 2	8	11 1	4 6	6	22 2 3	12	46	23 49 10	35 4	16	4
Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Automobile accidents 1 Automobile accidents 1 Other preserves leaves	846 60	76 3	79 5	81 7	61	83 3	60 5	61 1	63 8	63	$70 \\ 2$	68 8	81.
Other puerperal causes	71 257	12 13	3	5	31	8 21	2 21	1 20	10 30	10	4 19	8 18	6 6
Automobile accidents 1	284 14	24	21 22	22 13	18	26 2	21 1	19 2	30	25 34	31 2	26 4	16 20 2
Other external causes All other causes	738 3, 978	47 373	48 331	49 355	46 324	69 336	80 320	74 358	80 318	52 317	85 322	54 304	54 320
Connecticut, all causes		1, 492	1, 539	1,908	1, 459	1, 438	1, 281	1, 221	1, 165	1, 142	1, 409	1, 362	1,546
Typhoid and paratyphoid fever (1, 2)		1	2		1	2				2	1		1
1 yhdid and paracypnoid lever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Dinhtheric (10)	20		1	8	2 4	6	2	1					1
Whooping cough (9) Diphtheria (10)	23 44	3	3	4 7 3	9	3 6	3	1 3	2	1 1 2 3	2 1	2	1 4
Influenza (11)	217	$\frac{2}{22}$	34	63	$\frac{1}{32}$	14	2 3	1 4	3-		2 8	12	4 19
Dysentery (18). Erysipelas (15). Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). Other forms of tuberculosis (24-32).	$\frac{2}{22}$	3	2	3	1	4	4	i	1	1		1	3
Epidemic cerebrospinal meningitis (18)	14 14	3	3 2	2 1 76	3 1 72	1 1	1 1	2	1.	<u>i</u>	2	1 1	
Other forms of tuberculosis (24-32) Malaria (38)	739 95	88 8	65 5	11	72	61 5	59 9	56 9	58 9	44 6	53 8	55 7	52 11
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82e)	452	48 99	39 105	54 140	41 125	43 107	34 97	28 83	20 87	40 89	28 97	40	37 115
Diseases of the heart (90-95)	1, 258 4, 319	398 5	411	502	333	352 12	307	309	277	277	374	114 354	425
Bronchitis (106). Bronchopneumonia (107). Lobar and unprecified presuponia (108, 100)	63 425	38 84	60 100	68 146	50 74 7	39 56	3 26 39	15 18	5 16	11 23	6 25 43	. 34	425 3 54 75 8 5
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119) Diarrhea and enteritis (2 years and over) (120)	723 78 31	8 2	5 3	7 2	7 2	7	5	4 5	7	4 1	8	49 8	8
Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	1, 385 46	118	138	133	136	111 6	105	114	106 5	91 3	114	112	10 7
Other purperal causes Suicide (163–171)	68 335	4 21	10 23	9 37	1 39	4 24	8 26	8 27	29	8 24	4 3 30	7 26	4 29
Automobile accidents 1	409	30	18	28	24 1	29	· 37 2	29 2	36	42	47	50	39
Other external causesAll other causes	729	57	69 428	75 518	48 434	74 471	35 470	86 410	60 429	51 411	67	1 50 428	57 489
DELAWARE, all causes	5, 415 3, 178	443 277	259	360	290	253	215	265	230	219	484 259	252	299
Typhoid and paratyphoid fever (1, 2)	3									3			
Measles (7)													
Scarlet fever (8) Whooping cough (9)	6 16	1	i	1 6	1 2	1	2	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	1 -		1		
Influenza (11)	12 44	3 2	2	17	9	3	1 3	·i		2	1 2	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	3 3
Dysentery (13) Erysipelas (15)	3	<u>i</u> -	<u>i</u> -			1	<u>i</u> -		1				
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	2								1.		1		
Other forms of tuberculosis (24–32)	151 20	14 4	14 2	12 2	15 2	12	7	12 1	12	17	14	8 4	14
Malaria (38) Diabetes mellitus (59)	54	5	3	5	3		3	10	3	5	3		<u>-</u> 5
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	284 671	27 50	19 60	26 73	29 51	24 56	22 42	22 47	18 49	13 54	34 57	20 59	30 73
Bronchopneumonia (107)	130	3	10	1 34	1 14	8	11	3	3	3	7	4 9	17 18
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	129 41	16 2	12	34 4	15 3	7	3	8	3	7 3	5 7	7	
Diarrhea and enteritis [2 years and over] (120)	15 367	33	36	39	15 3 2 38 3 3	1 25	17	39	8 2 18	1 29	$\frac{2}{24}$	2 2 29	1 40
Puerperal septicemia (140, 142a, 145) Other puerperal causes	13 22		2 2		3	3 2	-i	3	1	1 3	2 2 7		1 2
Suicide (163–171) Automobile accidents 1	60 79	3 8	8	4 7 6	4	4 3	6	8 10	5 5	3 7	7 5	3 5	1 2 2 10 1 10
Automobile—railroad train and street car collisions Other external causes	2 145	11	12	8	9	9	15	1 12 81	17	16	13	13	1 10
All other causes	898	82	64	8i	81	89	72	81	80	51	71	77	69

¹Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

	00210	1				01 0210 01	, direct 11						
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA (WHITE), all causes	11, 287	1, 053	946	1, 183	942	850	831	896	833	801	856	952	1, 144
Typhoid and paratyphoid fever (1, 2)	35	9	1	• 3	2	5	3	2	2	4			4
Typhold and paratyphold lever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dracetory (12)	7 5	1		1 2	1	1		1	2				
Whooping cough (9) Diphtheria (10)	17 69	1 9	1 5	3 9	4	2 3	$\frac{1}{2}$	2 4	$\frac{2}{2}$	<u>3</u>	12	3 9	2 7
Influenza (11) Dysentery (13)	20 1	17 3	29 2	39 2	33	17 2	6 1 2	9	14 4	8 1	8 4	10	81
Inhuenza (13). Dysentery (13). Erysipelas (15). Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). Other forms of tuberculosis (24–32). Malaria (38).	15	1		2	2		2	1 2 2 1			2	2	2 2 - 1
Tuber forms of trabandari (24, 23)	6 361	30	23	38	33 33	30	33	28	28	23	33	1 29 3 23 13 86	33
Malaria (38) Diabetes mellitus (59)	39 132 197	8 17	7	4 6 31	4 8 12	4 2 17	12 21 53	4 13 11	2 9	23 2 11 12 57	3 20	23 23	13
Gerebral hemorrhage and softening (82a, 82c)	889 2, 107	85 201	18 77 175	95 239	78 195	67 156	53 144	75 150	8 53 144	57 146	17 63 165	86 177	20 100 215
Bronchitis (106)	. 26 194	6	l 4	5	13	1 8	2 8	8	14	1 8	1 9	1 20 19	27 27
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	283 109	26 28 14	20 35 6	33 60 10	3 13 35 11	17 12	14 10 7 87	9 10	11	10	14 9	9	31 6
Nephritis (130–132)	66 1, 112	7 112	11 99	5 104	2 91	9 76	7 87	5 95	3 8 91	3 65	4 91	3 96 8	2
Puerperal septicemia (140, 142a, 145)	54 102	6	6 7	7 12	5 12	5	10	5 6	4 7 23 28 2	5 7	4 8	8	3 13
Suicidē (163-171) Automobile accidents ¹ Automobile—railroad train and street car collisions	261 364	22 43	26 39	24 16	21 29	28 23	23 22	14 31	23 28	24 35	17 20	14 29	25 49
Other external causesAll other causes	11 682 3,849	51 350	56 295	1 64 368	1 40 304	63 296	2 69 293	61 347	45 326	2 48	50	65 323	105 3 13 25 49 2 70 328
FLORIDA (COLORED), all causes	7, 001	590	549	612	634	580	295 545	595	526 527	317 570	302 592	613	594
Typhoid and paratyphoid fever (1, 2)	48	5	5	6	3	5	5	5	2	1	7	3	1
Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	<u>4</u> 1			1	1		2					i	
Whooping cough (9)	14	1	2 3 25				4	3	2 1	1		<u>1</u>	ī
Dysentery (13)	264 222 3	23 5	25 3	· 27	1 48 1	26 1	11 2	8 2	5	2	2 14 5	13 2	62 1
	3	ĭ									2		
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	650 650	60	1 34	65	60	56	63	63	50	1 52	52	<u>4</u> 1	<u>-</u>
	41 114	6 7	2 4 6	8 7	6 10	2 6	6 7	2 7	12	1 17	3 10	3 17	54 2 10
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	58 558 900	46 46	45	10 40	6 48	5 59	3 43	3 47	1 50	7 44	4 40	8 46	1 50
	· 15	64	56 1 10	86 3 10	72 12	76 3 10	69 1 7	82 1 12	71 2	81 1	82	91 1 10	70 1
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	243 86 38	10 37 14	17 17 14	26 6	39 11	19 19 8	10 11	12 5	4 8 4	9 16 5	11 14 3	18 2	1 12 27 3 2 42 1 5 2 15
11CDHIIIS (150-152)	38 569	3 51	65	3 43	3 51	7	34	44	48	42	4 47	4 58	2 42
Puerperal septicemia (140, 142a, 145) Other puerperal causes	569 37 85 22	4 8	4 5	6	5	3 4	2 4	6	2 7	12	6 13	2 11	1 5
Suicide (163–171) Automobile accidents ¹ Automobile—railroad train and street car collisions	121	12	1 11	2 9	1 6	$\frac{2}{12}$	7	2 14	1 6	` 1 6	3 14	5 9	2 15
Other external causes	5 554	57	54	45	51	47	1 51	53	41	34	38	39	4 44
All other causes	2, 419	168	179	207	193	185 1, 384	200	216	210	231	218	228	184
	16, 818	1, 435	1, 293	1,690	1,465	8	1,356	1, 407 25	1, 183	1, 148	1,366	1,385 =	1,706
Typhoid and paratyphoid fever (1, 2) Massles (7)	5				2 3		1				1		<u>ī</u>
Measles (7). Scarlet fever (8). Whooping cough (9).	17 49	3 4 17	3 1	1 9 97 7	3 5	1 7	2	5	5	2 3 12 19	2 6	1	3
Diphtheria (10)	146 696 89	17 43 8	7 78	97	109	4 46	1 15	5 2 6	5 5	12 19	23 17	35 36	23 225
Dysentery (18) Erysipelas (16) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Theoremical of the programment (18)	89 51 10	8	6 5		5 8 109 6 2 1	8 6 2	1 15 21 3 2	18 2	5 5 5 4 4 1 41	7	1 9	3 3	3
Epidemic cerebrospinal meningitis (18) Tuberculosis of the recoirectory system (23)	16 629	4 2 5 57 2 4 22 93 190	1 58	2 56	1 50	1 53	2 2 51	1 63	1 1	1 37	47	1 49	1 58 2 7 25 125 230
Tuberculosis of the respiratory system (23)	47 132	2	2	3 6	1 59 3 5 15 99 196	4	8 8 19	5 12	6	7	4 23	1 26	2
Diabetes mellitus (59)	258	22 93	2 5 21 101 182	33 149	15 99	22 120	19 101	5 12 12 107	6 13 10 80 193	7 19 23 94 184	23 29 116	27 108	25 125
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	1, 293 2, 376 46	190 3		220 4	196 8	203	101 180 2	183	193 1	184 3	204	211 5 42	230 4
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	458 741	3 49 94	53 74 13	68 123 12	8 60 83 16	3 29 65	15 33 44 15 130	19 25	1 13 18 28 •7 114	3 22 26 23 11 90	25 44	57	4 63 99 15 8 139 10 17 20 46
Diarrnea and enteritis 12 years and over (120)	266 102	16 6	13 2 119	12 7 146	7 1	26 8	44 15	25 45 21 153	28 •7	23 11	19 6	9 4	15 8
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	1, 643 80	157 10	119 5	A	152 7	146 5 19	130	153 5 19	114	90 5	149 6	148 8 10	139 10
Other puerperal causes. Suicide (163-171) Automobile secidents 1	207 278 380	16 22 50	5 10 31 30	22 27 38 3	23 15 30	25 25 25	8 12 28 30	24 26	7 22 18 25	5 18 22 25	19 22 35	24 29 7	20 46
Automobile accidents !Automobile_railroad train and street car collisions Other external causes	389 36 946	50 4 84	50 2 51	3 95	- 79	25 4 66	98	20 2 95	25 1 71	25 2 63	73	7 67	9 104
All other causes	5, 679	465	419	536	463	474	511	532	470	408	468	468	465

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of d	eatn corres	spond to	those of	tne 1929 i	revision	of the de	etailed in	iternatio	nai Listi				
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Georgia (colored), all causes	15, 310	1, 242	1, 190	1, 515	1, 329	1, 301	1, 298	1, 390	1, 260	1, 077	1, 178	1, 198	1, 332
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	230	12	17 1	14	8	11	29	34	35	30	27	12	1
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	1 8 2					3	1	1	1 1	ī			2:
Whooping cough (9) Diphtheria (10)	61 37	3 4	3 2	7	3	4	9	4 3	9 2	6 5	3 7 7 7	8	6
Influenza (11) Dysentery (13) Brysipelas (15)	490 59	37 3	45	70 4	77 5	48 4	12 9	7 15	14 5	8 4	7 7	26 3	139
Erysipeias (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	6 2			1	2			1	1			1	
Tuberculosis of the respiratory system (23)	1, 166 1, 166	96	78	1 114	112	109	97	137	97	76	67	90 9	93 5
Other forms of tuberculosis (24–32) Malaria (38) Diabetes mellitus (59)	109 183 84	13 4 5	11 5 6	12 7 10	11 9 4	9 16 8	7 25 12	3 29 10	6 18 7	11 16 2	12 21 5	22 6	11 9
Cerebral hemorrhage and softening (82a, 82c). Diseases of the heart (90-95).	1, 136 1, 882	100 137	105 136	103 189	99 178	98 162	86 183	104 164	96 155	66 145	83 142	91 143	105 148
Bronchitis (106) Bronchopneumonia (107)	35 316	5 35	5	57	37	2	3 18	101 2 17	6 12	1 12	1 20	2	4
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	906 134	111 13	28 87 4	135	101 7	19 79 9	60 19	47 28	36 14	24	43 16	20 71 6	112 3 4 91 7
Diarrhea and enteritis [2 years and over] (120)	91 1, 352	7 103	5 99	127	109	10 117	5 128	14 118	11 115	103	6 123	9 119	4 91
Puerperal septicemia (140, 142a, 145) Other puerperal causes. Suicide (163–171)	106 195	11 9	10 20	7 13	4 16	11 23	12 20	10 17	13 26	7 15	8 15	6 11	10
Automobile accidents 1	25 152	2 16	4 8	2 17	8	2 11	2 16	3 5	3 19	17	2 13	1 12	10
Automobile—railroad train and street car collisions Other external causes	961	81	62	86	85	59	77	1 116	80	77	85	81	72
All other causes	5, 562 3, 942	435 339	444 329	531 353	436 348	485 318	467 306	499 292	478 300	430 279	464 322	335	449 421
Typhoid and paratyphoid fever (1, 2)	15	======================================	328	2	940	1	300	282	300	3	322	2	3
Smallpox (6) Measles (7)	2					<u>-</u>							<u>1</u>
Scorlet fever (8)	19	2		1			1	1	1	2 2		2	4
Whooping cough (9) Diphtheria (10) Influenza (11)	14 156	3 15	35	1 19	2 11	9	<u>i</u> -	1 2	1 1		2 4 3	1 13	2 46
Dysentery (18)	6 7	4		1	1					2 1	3	1	
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Thereal legis of the reconstant term (12)	2 12	3	1 2 9		2 9	1	1			1		1 7	2
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Malaria (38)	127 17	13	2	18 1	2	12	13	5 4	7	10	11 1	3	13 2
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	79 335	9 37	6 28	7 35	6 33	8 34	5 26	1 19	6 20	5 94	11 22	7 20	8 37
Diseases of the heart (90–95) Bronchitis (106)	737 9	37 73 2	60 	69 1	70 2	52	50 50	57	51 1	24 53 2	53	70 1	79
Bronchopneumonia (107)	97 153	8 14	15 19	9 14	10 17	4 8	5 9	3 4	2 5	2 6	9 13	9 18	21 26 2
Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis [under 2 years] (119). Diarrhea and enteritis [2 years and over] (120).	20 10	3	2	1 1	2	2		3 2	3	1	1 2	3	1
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	290 14	26	19 2	33 1	32 3	16	22 1	20 1	21	13	28	36 2	24 1
Suicide (168–171) Automobile accidents	32 81 86	3 4 2	4 4 1	10 10	2 10 3	3 7 5	9	11	3 4	1 6	4 7 20	2 3 7	6 7
Automobile—railroad train and street car collisions Other external causes	2 2 241	13	18	3	11	20	4 24	9 1 32	12 25	13 27	20 1 20	19	14
All other causes	1, 381	103	102	104	120	131	131	113	136	104	107	108	122
Illinois, all causes	83, 180	7, 168	7, 646	8, 191	7, 241	6, 885	6, 121	6, 572	5, 977	5, 647	6, 435	6, 747	8, 55 0
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	129 2	7	8	4 1	4	4	10	22	17	17 1	17	11	8
Measles (7) Scarlet fever (8)	56 264	1 22	40	7 39	10 34	13 32	9 21	10 10	3	4 7 7	14	1 16	1 26
Whooping cough (9) Diphtheria (10)	230 238	34 42	36 18	39 31 22	26 11	30 20	21 24 11	19 8 17	8	7 21	7 26	2 25 98	6 25
Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	1, 849 87	115	260 1	431 1	237	100 2 9	40 10	17 23 7 3	29 19 2	21 26 17	44 6 7	98 3 10	25 452 3 14 2 28 312
Lethargic encephalitis (17) Lethargic encephalitis (17) Endemic corphrospinal manipolitis (12)	132 52 157	13	13 2 20	14 5 23	20 5 13	1	17 2	33	12 8	6 8	5	10 1 14	2
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	3, 803 498	15 331 46	338 43	376 43	347 52	12 327 55	10 325 52	330 55	272 30	270 31	10 273 35	302 33	312 23
Malaria (38) Diabetes mellitus (59)	37 2, 058	5 215	193	201	2 158	3 155	5 136	5 145	5 145	158	4 166	1 153	1 233
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	5, 310 19, 185	483 1, 633	461 1,804	517 1,880	484 1, 708	424 1, 585	405 1,370	401 1, 415	362 1, 282	380 1, 232	434 1, 497	447 1,704	512 2, 075
Bronchitis (106)	315 2, 262	33 222	42 272	32 308	27 200	28 202	17	22 86	11 85	15 89	26 155	25 203	37 337
Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis [under 2 years] (119).	2, 958 570	340 30	446 34	427 24	269 34	203 29	106 46	78 104	78 90	109 72	160 51	228 33	514 23
Diarrhea and enteritis [2 years and over] (120) Nephritis (130–132) Puerperal septicemia (140, 142a, 145)	293 8, 167	12 684	11 774	15 762	14 717	18 740	23 629	45 646	64 555	37 534	25 636	653	514 23 14 837 19 25 106 165
Other puerperal causes	235 390	17 36	20 44	21 34	23 22	20 35	24 30	21 36	23 31	15 35	16 41	16 21	19 25
Suicide (163–171) Automobile accidents ¹ Automobile—railroad train and street car collisions	1, 424 1, 831	101 166	98 132	133 130	143 122	137 170	147 139	133 142	109 174	113 155	115 169	89 167	106 165
Other external causes	198 4, 151	320 320	20 299	317	314	15 299	15 386	18 450	15 393	15 345	26 320	302	406 205
All other causes	.,	2, 222	2, 215	2,385	2, 232	2, 217	2,009	2, 318	2, 146	1,923	2, 150	2, 157	2, 325

 $^{^{\}mbox{\tiny 1}}$ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

,	1	1		-	1	1	etaneu 11		1	1		1	
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Indiana, all causes	38, 756	3, 380	3,404	4,001	3, 297	3, 172	2, 913	2, 990	2,870	2, 720	2, 916	3, 075	4, 018
Typhoid and paratyphoid fever (1, 2)	86 2	2	5	1	2	5	. 2	8	24	13	12	8	4
Measles (7) Scarlet fever (8)	20 92	1 5	3 8	2 20	4 9	1 7	6	1 3	2 1	7	5	13	8
Whooping cough (9) Diphtheria (10)	200 178	23 26 87	27 18	38	21 9	24 5	20 4	11 6	11 6	8 10	21	3 34	14 28 429
Influenza (11) Dysentery (13)	1,497 42	2	174	348	178 1	84 2	4 45 5	20 8	20 11	30 9	~ 26 3	56	1
Lethargic encephalitis (17) Enidemic earebrashinal maningitis (18)	63 26 128	10 3 19	6 1 17	14 1 24	8 5 13	5 4 5	2 2 7	2 9	2 4 4	2 2 9	3 2 5	5 2 4	<u>1</u>
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	1,711 284	165 27	125 26	171 29	165 21	164 30	148 24	114 27	123 24	123 20	114 17	. 149 21	150 18
Malaria (38) Diabetes mellitus (59)	10 743	63	60	96	3 67	1 51	64	1 60	1 54	1 45	1 36	61	86
Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Infinenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (2 years and over] (120) Nephritis (136)—132)	3, 427 8, 110	332 693	333 708	361 817	292 676	271 660	255 611	255 642	243 565	249	262 634	275 672	299 849
Bronchopneumonia (107)	102 1, 024	12 124	10 124	9 140	12 99	11 59	3 41	38 38	31 31	4 37	8 69	12 103	13 159
Diarrhea and enteritis [2 years and over] (120)	1, 445 420 183	168 20 6	210 13 5	226 18 7	147 23 12	106 24 10	63 39 14	41 66 39	38 84 34	39 62	73 40 13	113 16 12	221 15 9
Nephritis (130–132). Puerperal septicemia (140, 142a, 145). Other puerperal causes.	3, 690 135	327 12	303 12	343 16	321 10	302	307	297 13	294 9	22 267 13	296 13	279 5	354 10
Suicide (163-171)	167 641	10 55	19 55	16 54 41	16 64	12 13 65	10 12 51	18 53	9 47	17 45	53 83	14 50 57	15 49 83
Automobile accidents 1Automobile—railroad train and street car collisions	845 165	66 15	48 17	24 i	66 20	76 9	82	68 11	101 9	74	13	24	12
Other external causesAll other causes	1, 755 11, 565	106 999	131 946	120 1, 054	125 908	125 1,041	172 913	188 987	187 928	140 882	151 955	154 933	156 1, 019
Iowa, all causes	25, 786	-2, 212	2, 554	2, 539	2, 130	2,084	1,830	1,897	1,804	1,764	2, 056	2, 135	2,781
Typhoid and paratyphoid fever (1, 2)	40 4 9	3	1 2 1	1	3 3	$\frac{2}{2}$		3	4	10	7	4	$\frac{2}{1}$
Scarlet fever (8)	35	1 7	5 9	4 10	5 6	8 5	1 1 9	3 5	1 3	1 1 6	3 1	. 2	2 8 7
Diphtheria (10) · Influenza (11)	75 62 1, 058	7 49	8 225	215	2 85	1 37	4 25	5	2 21	6 30	11 34	5 49	7 272
Dysentery (13) Erysineles (15)	18 36	1 4 1	3	1 7	3	1 5	ĩ	16 7 2	5	1 3 2	1	3	4
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	26 25	5	5 4	. 3	1 4	2 2	1 2	2	4	1	3	2 3	
Other forms of tuberculosis (24-32) Malaria (38)	623 111 1	43 8	61 . 6	65 14	60 5	58 11	52 4	53 11	43 12	35 6	47 11	53 9	53 14
Diabetes mellitus (59)	597 2, 421	61 215	66 247	73 195	36 210	48 225	37 173	29 208	33 155	1 46 166	44 174	57 201	67 252
Gerebral hemorrhage and softening (82a, 82c)	5, 181 85	436 7	486 10	518 9	461 9	434 5	363	336 1	335 7	362	440	465 9	545 13
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	774 925	85 101	100 139	92 12 <u>6</u>	58 93	39 60	31 25	26 25 10	37 24	29 28	55 51	81 7 <u>4</u>	141 179
Diarrhea and enteritis (under 2 years) (119) Diarrhea and enteritis [2 years and over] (120) Naphritis (120-122)	111 85 1, 619	8 3 157	6 5 161	7 3 142	7 3 142	8 4 134	5 5	10 11 112	17 17 109	14 15	16 12 128	7 3 133	6 4
Nephritis (130-132). Puerperal septiemia (140, 142a, 145). Other puerperal causes. Suicide (168-171).	79 140	12	8	6	9	8	131 6 5	16	9	111 7 12	126 4 13	14	159 10 18
Suīcidē (163–171) Automobile accidents ¹	563 422	45 24	66 24	10 52 26 7	48 27	48 34	54 36	45 62	51 38	36 31	43 36	39 43	36 41
Automobile accidents 1	57 1, 334 9, 270	112	5 108	99	6 101	4 130	2 136	5 126	3 104	3 94	11 128	6 89	3 107
All other causes	i	811 1,639	785	848 1, 836	739	757	718	774	753	701	773	774	837
·	19, 512	1,005	1,744 2	1,000	1,638	1,593	1,439	1, 593	1,422	1,366	1, 539	1,545	2, 158
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7)	26		3		12	5 3		2					
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	32 48	1	1	3 4 5	12 3 3 4 90 2	Q	<u>-</u>	3 6	<u>4</u>	2 6 6 10 3 3	2 1	2 1	6 5 9
Influenza (11) Dysentery (13)	76 758 22 26	14 50	9 105	118 2 5	90	3 44	1 22	6 2 1 <u>1</u>	4 3 12	10	7 28	13 34	234
	13 (105 1 1 2 7 44	5 4		1 i	1 2	5 4 1	<u>6</u>	3	2	1 5 1	. 1
Erysipelas (15) Lethargic encephalitis (17) Epidemic eerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38)	23 544	3 49	7 44	1 50	2 47 10	2 52	2 47	56	40	35	41	4 26	. 2 2 57
Other forms of tuberculosis (24–32) Malaria (38)	68	2	5	5	1	9	6	5	8	5	6	3 1	4
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	439 1,877 3,601	37 168 301	53 163	42 177	38 172 32 <u>4</u>	33 136 302	31 151 252	32 154 251	30 131 223	27 128 252	28 163 304	33 136 326	55 198 400 18 93 100
Bronchitis (106) Bronchopneumonia (107)	3, 601 83 *469	301 10 46	319 12 55	347 7 53	324 7 38 62	302 2 34	252 4 17	251 4 17	R i		4 36	4	400 18 02
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis funder 2 years (119)	555 143	60 / 9 (69	93	8 1	29	21 14	17 12 22 20 128	18 15 22 8	5 21 22 22 13 138	29 13	41 43 8	4
Nephritis (130–132)	86 1, 777	2 156	3 150	178	3 157	8 3 173	8 116	20 128	- 120 10	13 138	29 13 13 142	6 136	3 183
Puerperal septicemia (140, 142a, 145) Other puerperal causes	89 106	6 10	11 13	5	5 9	g l	7 1	9	6	6	9	5 6	9
Suicide (163-171) Automobile accidents ¹ Automobile—railroad train and street car collisions	347 386 52	27 30 6	11 13 35 26 4 78	22 33 3	30 21 2	14 30 25 2	6 43 25 8	29 41	39 38	26 40	26 42 5	19 33	21 32 5 97
Other external causes	1, 115 6, 712	71 575	78 564	75 579	89 496	82 582	114 532	6 145 615	105 568	6 88 484	84 539	1 87 568	97 610
	••	•	•				1				1	,	,

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of d	1	pond to	LAUSE UI	1949 1	C 7 151011	 			 				
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY (WHITE), all causes	24, 829	2, 048	1, 981	2, 455	2, 058	1,894	1,960	2, 270	1,879	1, 692	1, 968	2, 007	2, 617
Typhoid and paratyphoid fever (1, 2)	306	12	15	10	11	11	28	46	61	55	27	21	9
Measles (7)	39 75	5 14	4 7	7 13	3	2 3	6	1 3	1	3 2	8	1 9	7 2:
Whooping cough (9) Diphtheria (10)	254 357	21 40	· 23	42 23	27 10	23 9	31	22 7	14 21	18 34	12 81	10 66	11 39
Influenza (11)	1, 063 219	68 3	112 1	190	153 3	51 10	20 54	16 78	6 33	34 10 18	23 12	66 68 3	346
Erysipelas (15) Lethargic encephalitis (17)	29 15	3 1	6	1 3	3 2	4	1 3	1	4	1 4		2	3 2 1
Epidemic cerebrospinal meningitis (18)	47 أ	2	3	6 173	5	5	2	2	4	1	2 126	4	11
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	1, 630 207	138 13	148 16	16	151 20	135 21	119	132 17	125 21	104 21	22	122 9	157 17
Malaria (38) Diabetes mellitus (59)	339	30 30	36	32	2 21	3 20	31	3 24	7 25 103	22	32	28	38
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	1, 642 3, 620	150 307	138 286	158 364	120 335	150 292	119 261	148 288	103 268 2	106 245	144 294	152 299	15 4 381
Bronchitis (106)Bronchopneumonia (107)	757	13 67	7 75	15 91	13 77	7 45	6 30	2 35	23	6 37	8 68 58	9 79	5. 130. 200.
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	1, 040 746	120 7	124 17	158 18	100 13	50 42	35 162	27 244	26 110	37 60	46	105 16	200- 11
Diarrhea and enteritis [2 years and over] (120)	211 1,777	153	6 161	7 168	6 159	13 131	37 127	53 155	30 128 9	24 120	17 153	4 153	6 169
Nephritis (130–132). Puerperal septicemia (140, 142a, 145)	106	8	9 14	10 24	11 17	13 19	8 16	11 17	12	3 14	8 15	6 12	10
Other puerperal causes Suicide (163-171) Automobile seeidents 1	299 403	15 22 31	24 26	35 18	24 31	30 42	31 28	32 22	23 35	19 50	17 42	25 40	15 17 38
Automobile accidents 1 Automobile—railroad train and street car collisions	29 1, 666	119	1 106	5 116	116	134	138	187	6 172	137	113	3 149	38 3. 179
All other causes	7, 639	673	591	752	614	626	644	697	609	536	634	608	655
KENTUCKY (COLORED), all causes		365	377	420	369	336	332	353	325	290	340	291	432 1
Typhoid and paratyphoid fever (1, 2)	2		6 1	1		1		0					
Smailpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11)	2 36	3	3	1 3	3	3	7	6	4	1 2			<u>-</u> 2
Diphtheria (10)	7 168	15	14	29	1 30				1	2	1 4	2 14	42
Dysentery (13)	6		<u>1</u>				3	i	2	1 1			
Lethargic encephalitis (17)	1 10		3	1	2		<u>î</u> -	1				1	<u>-</u>
Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	390	31	40 5	36	48 5	32	32	28 7	28 9	27	28	31 5	29
				5 		4	1 2		2				2 1 1
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	46 254	8 26	7 21	5 22	2 22 55	25 25	30 57	6 18	3 18	13	5 22 63	2 11	26 70
Bronchitis (106)	745 25	64	65 4	71 4		57 2	4	79 1	60 1 9	49	2	11 55 3	70. 1 19
Bronchitis (106). Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109).	131 238	15 33	13 28	18 45	12 22 2	11 12	6 4	6 5	6	1 3 9	9 20	10 25	29.
Diarrhea and enteritis [under 2 years] (119)	62 23	3 3	<u>-</u>	1	1	5	9 2	23 7	6 7	4	7	1	1
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	396 15	33 3	36	33	27 1	30 2	37	33 1 3	36 3	35 2	30	29	37 1
Spicide (163–171)	16	2 2	3	1	4	1 1	6 2	3	2	1 1	7 2	1	<u>1</u>
Automobile accidents 1	38	3	1	3	5	7	2	1	5	3	3	3	2.
Other external causes	350	22 93	28 94	36 101	27 97	26 102	26 90	32 89	24 89	32 91	26 105	21 76	50 115
Louisiana (white), all causes	12, 504	1,030	944	1, 125	1,001	917	959	1,052	937	875	961	1, 150	1, 553
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	105	11	8	7	10	9	15	11	13	9	6	2	4
Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9)	33 6	<u>1</u>	2 1	3	5 2	6	. 5	2				5	5, 1
		7 8	5 8	3 6 47	2 4	1 6	1 3	7 6	3 6	3 5	13	3 14	· 6,
Influenza (11)	623 39	44 5	33 2	47	32 3	6 3	6 4	8 2	9	10 2	16 5	90	322. 5.
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	9 4	ì	2	1	1		. 2	1				3	
Epidemic cerebrospinal meningitis (18)	21 545	5 52	45	1	3 47	3 43	36	2 53	1 40	3 37	1 39	1 39	1i 56
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	47 92	7 3	3	58 5	3 2	7 6	3	2 6	3 11	4 14	2 26	2 15	6
Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	203	14 58	12	1 17	16 57	14 63	12 66	17 74	14 48	20 41	18 55	21 70	28 50
		198	57 179	61 237	192	164	189	212	136	143	174	231	4 28 59 285 4 54 91 7 4 104
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119) Diarrhea and enteritis [2 years and over] (120)	38 386	3 41	35	2 41	31 31	. 24	2 27	20 20	18 18	30	33 37	32	54
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	453 150	12 12	40	54 12	62 5	20 19	18	13 12	13 14	14 16	27 13	56 13	91.
Diarrhea and enteritis [2 years and over] (120)	. 59 1, 221	106	3 98	121	109	78	111	11 93	15 106	84 84	103	108	104
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	66	6 10	6 11	8 13	7 12	8	8	11	7 6	5 12	6 9	5	17
Suicide (163–171)	.1 207	14 17	21 16	25 12	14 20	21 16	22 14	12 20	17 19	12 18	11 16	15 25	5 17 23 36 5 52
Automobile accidents ¹ Automobile—railroad train and street car collisions Other external causes	11 751	59	62	64	1 55	1		89	68	68	50	50	52
All other causes	3,904	300	281	320	303	316		362	364	328	328	336	351

¹ Excludes collision with railroad trains and street ears.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH: REGISTRATION STATE: 1932—Continued

[Numbers area causes of	- COITE	spond to	those or	the 1929	164121011	or title d	eraned 11	тегнало	mar List	!			
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (COLORED), all causes	10, 807	842	799	933	838	832	890	.929	805	841	826	980	1, 292:
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	ł	9	7	17	. 7	9	16	20	18	4	11	8	5.
Measles (7) Scarlet fever (8)	11 2	1		1	2	ī		3		1		2	1 1
Whooping cough (9) Diphtheria (10)	50 47	8 9	6 4	5 2	5 1	5 1	7 2	3 3	2 1	2 9	3 5	2 7	2: 3
Influenza (11) Dysentery (13)	528 37	31	31 4	41 2	32 2	16 4	7 3	5 3	9	6 2	19 4	70 2	261. 3-
Lethargic encephalitis (17)	2 4 9		<u>1</u>	1 1	1			1	1		<u>-</u> 1	1	
Tuberculosis of the respiratory system (23)	934	90	78	83	82 82	65	91	82	65	83	60	7 <u>2</u>	2: 83.
Malaria (38)	71 64 95	4 4 6	9	83 7 2 7 47	6 1 4	5 2 8	9 8 6	7 12 11	5 8 13 32	3 11 10	5 10	7 4 8	4. 1 7.
Cerebral hemorrhage and softening (82a, 82c)	578 1,786	52 121	10 41 113	47 168	34 151	56 158	48 158	45 157	32 114	50 137	5 54 157	46 155	73 197
Bronchitis (106) Bronchopneumonia (107)	20 344	3 40	2	2 45	23 44		2	19	1 16	2	17	5 49	50.
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Nephritis (130–132)	456 161	45 9	27 47 10	46 11	44 10 6	23 18	16 14 18 11 74 7 6	17 21 11 93	1 16 21 17	23 14 14	33 14	55 10	97 9.
Nephritis (130–132)	62 1,001	2 74	3 78 5	80 80	6 79	71 71	11 74	11 93	6 83 13 5	14 5 79	6 84 7	93	3- 113
Other puerperal causes	75 95 19	7 6 2	6	1 10 1	79 7 9 3	13 13		6 9	13	8 13	8	6	4 9
Automobile accidents 1	112	13	6	9	10	3 6	8	1 8	5	.2	2 18	2 10	1 104
Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Automobile accidents ¹ Automobile -railroad train and street car collisions Other external causes All other causes	674 3, 437	53 249	56 254	43 299	54 262	58 282	76 301	83 307	52 312	54 299	33 269	57 305	55 298-
Maine, all causes		955	976	1,061	922	938	837	769	757	852	814	836	1,002
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	20	1	1	1		2	2		5	3	3	1	1
Typoid and paratyphoid lever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Letterace (1)	53 17	16 1	10	8 I	6 1 1 2	10 3	1	2	3	1	1 2	7	1 1.
Whooping cough (9) Diphtheria (10) Influenza (11)	• 16 17	1	2	3	1 2	3	1 2	2 5	3 5	2 1	1	1 4	
Dysentery (13)	206 6 12	26	39 1	45 2	26 3	18 1 1	9	<u>-</u>		i	8 1	7	18. 1
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	5 10 310	2 1 1	<u>i</u> -		2 1 1	1	2 1 1	1		1 4	1		1.
Lethargic encephalitis (17) Epidemic eerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	310 75	29 8	27 6	36 14	27 3	35 6	23 6	18 9	20 5	19 6	25 1	23	28- 8-
Diabetes mellitus (59)	239	18 97	24	28 100	21	18	14	14	19	23	17	21	22
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	1, 087 2, 375	206	24 91 210	229	90 218	96 198	100 183	86 154	74 162	78 194	79 185	89 212	107 ⁻ 224.
Bronchopneumonia (107)	66 294 349	6 29	6 33 50	6 43 46	8 26 37	8 23 30	1 17	17	3° 8 7	3 9 11	4 21 19	6 22 26	14 46 37
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119) Diarrhea and enteritis [2 years and over] (120)	81 34	29 49 8 1	7	9	3 1	2 2	23 2 2 54	14 3 2	10	17 7	10	5 3	5. 3.
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	829 40	78 2	87 3 8	73 5	71 3	76	54 2	66	66 5	76 3	64 2	52 6	66- 4
Suicide (163–171)	63 143	5 15	8 4	6	2 8	10 22	14	10	6 8	8 12	17	5 10	4 12.
Automobile accidents 1. Automobile—railroad train and street car collisions Other external causes	149	2	7	5	2	11	10	14	17	21 4	25	16 2	17-
All other causes	3, 780	29 324	23 332	32 353	35 320	39 320	45 318	299	51 277	35 314	25 302	28 287	48 334 -
MARYLAND (WHITE), all causes	15, 955	1, 448	1,379	1,670	1,450	1,317	1, 227	1, 156	1, 144	1, 114	1, 235	1, 246	1, 569
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Messles (7)	36 17	3	2	<u>1</u>	1	1	2	2	10	3	6	3	2:
Measles (7) Scarlet fever (8) Whooping cough (9)	31	4 4	4 2 9 6 13 2 6 2	4 5 9 3 65 1	3 1 7	2 3 6	3 2 7	. 6	1 3		3 2	5 1	4
Diphtheria (10) Influenza (11)	35 235 15 24	6 20	6	85	2 56 1	3 9	2 7 1 7	1	4	5 2 3	3 1	10	2. 46
Dysentery (13) Erysipelas (15)	15 24	i	6	1 4	1	1 5	i	. 1 2 1		3 2	3 .	<u>1</u>	2. 46 1. 1. 1
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	11	<u>2</u>	2	1 _	1 -	<u>2</u>	ī-	3	2 1 1 59 7	2 -	1	i-	
Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic ecrebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Malaria (38)	756 77 1	75 7	. 3	85 10	72 10 1	64 6	62 8	56 8	59 7	58 3	43 5	60 3	58 7
Diabetes mellitus (59)	366 1, 277	32 120	31 111	42 138	38 118	39	14 108	21 89 225	24 71	27 91	43	24 100	31 121 393
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	3, 618 71 555	329 9	310 8	138 403 12	335 8 41	39 88 332 2	256	225	246	232 3 23 11	122 281 6	276	393 6+
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	564	64 74	54 50	81 108	65	44 52 10	29 20 26	20 12 29	17 14	23 11	46 30	5 47 47	6, 89, 81
Naphritic (120–122)	193 37	8 2 147	10	6 4	5 2	3	2	5 I	30	32 8	21	9 5	7- 1 181
Nephritis (130–132)	1,720 47 59	3	150 4 1	. 7 . 3	174 3 11	143 4 9	131	113	125 9	107	135	150	181 2:
Smicide (163-171)	291 329	27 21	25 32	20 20 20 2	29 22	16 32	5 30 28	32 25	23 31	8 32 36	6 19 27	11 31	4 27 · 9₄
Automobile accidents ¹	776	3 1 27 21 2 62 425	25 32 1 50	61		58	82	104	3 23 31 3 72	1 65	52	58	2: 4 27 24 4 59
All other causes	4, 730	425	427	410	53 390	383	392	388	379	356	373	390	417.

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

	1 .,.							T	T	1		T	Ī
AREA AND CAUSE OF DRATH	deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oet.	Nov.	Dec.
Maryland (colored), all causes	5, 083	404	421	508	463	392	399	382	387	381	401	426	519
Typhoid and paratyphoid fever (1, 2)	17	2	1		1			2	2	4	3	2	
Measles (7) Scarlet fever (8)	1		<u>1</u>										
Whooping cough (9) Diphtheria (10)	32	3 4	3 2	5 2	3 2	5	4 3		6	1	1	1	
Influenza (11) Dysentery (13)	- 12	4	9	17	15	6	1	2 3	2	1 3	3	4 2	14
Erysipelas (15)	. 1				3	1 				1		2	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	6 815	40	2 42	50	59 59	53	55	1 61	47	49	55	41	63
Other forms of tuberculosis (24-32) Malaria (38) Disheter multipe (50)	.	5	1	3	9	5	4	7	8	3	6	5	2
Diabetes mellitus (50). Cerebral hemorrhage and softening (82a, 82c). Diseases of the heart (90-95).	379	10 25 70	4 29 61	36 66	$\begin{array}{c c} & 4 \\ & 44 \\ & 72 \end{array}$	2 30 69	5 33 70	6 29	23 63	21 54	29 66	3 33 65	3 47 73
Propohitic (106)	10	1 2	32	23 63	1 17	2 12	1 17	46 1	13	1 3	2 17	9	4 43
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119) Diarrhea and enteritis [2 years and over] (120)	232 326 108	23 29 3	41	63	37	17 10	15 10	11 11 15	12 18	8 12	15 13	21 28 7	50 7
		1 51	44	53	2 43	3 47	42	33	1 38	4 34	1 37	2 47	1 38
Nephritus (180-182). Puerperal septicemia (140, 142a, 145). Other puerperal causes. Suicide (163-171).	20 21	1 2	2 2 3	4 3	1	1 1	ī	1 2	4 3	$\frac{1}{2}$	2	2	. 2 4
Suicide (163–171) Automobile accidents 1	19 81	4	3 6	1 5	3	3 5	1 7	3 8	10	2 4	14	6	9
Automobile accidents ¹ Automobile—railroad train and street car collisionsOther external causes	252	16	20	25	28 110	15	14	30	18	22	18	22	4 24 129
All other causes	1, 421 49, 446	109 4, 415	113 4, 539	138 5, 092	4, 613	105 4, 239	112	106	115 3, 415	142 3, 338	111 3, 916	131 3, 955	129 4, 521
Typhoid and paratyphoid fever (1, 2)	25	7, 710	3	=======================================	4,015	2	3,812	3, 591	3,415	4	3, 910	====	=======================================
Smallnov (6)	1	4	6	5	15	15	8	7			~		<u>2</u>
Measles (7) Scarlet fever (8) Whooping cough (9)	150 110	26 15 8	23 10	23 10	19 20	15 12	8	5	3 7 8	1 6 4	3 6	7	8 5
Influenza (11)	371	55	18 60	6 70	7 59	5 17	10 12	8 9	4 2	6 6	11 19	7 11 18	14 44 2
Dysentery (13) Erysipelas (15)	10 65	1 3	10	9	10	1 11	5	1 3	<u>-</u>	4	<u>i</u> -	1 4	2 3
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	18 43	3	5	5	3	6	1 4	$\frac{2}{2}$	3 2	4	1 4	3	1 4
Epidemic cerebrospinal meningitis (18)	2, 054 245 2	201 27	175 21 1	228 21	219 27	176 28	154 28	157 22	153 7	145 13	143 24	153 14	150 13
Diabetes mellitus (59)	1, 197 3, 849	90 342	96 320	131 405	111 322	105 329	99 293	107	85 266	1 77 290	82 310	97 301	117
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	13, 205 166	1, 189 25	1, 244 21	1, 428	1, 197	1, 121	1, 028 11	286 896 4	832 13	869	1, 083	1, 051 11	385 1, 267 18
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119)	1, 989 1, 747	209 218	229 225	270 316	244 267	160 155	116 75	81 49	68 41	83 27 29	138 85	166 108	225 181
Diarrhea and enteritis 2 years and over (120)	232 90	13	21	21 10	19 5	14 8	18	17 12	25 6	7	85 21 12	18 4 291	16 13
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	3, 670 132	304 8	321 13	370 19	329 16	341 6	285 15 20	279 10	273	234	308	291 14 20	335 _8
Suicide (163-171)	280 639	25 48	28 40	23 67	23 75	24 60	54	30 66	27 46	23 50	21 46	20 45 97	225 181 16 13 335 8 16 42 92
Automobile accidents 1 Automobile—railroad train and street car collisions Other external causes	777 21 2, 032	54 1 160	53	32	50	54 2 158	49 2	74	68	76	78 4 145	3 149	92 4 196
All other causes	16, 153	1, 380	186 1, 407	157 1, 441	178 1,376	1, 401	166 1, 335	203 1, 250	194 1, 268	140 1, 222	1,356	1, 361	1, 356
Michigan, all causes	49, 585	4, 167	4, 413	5, 322	4, 254	4, 345	3, 810	3, 753	3, 665	3, 376	3, 855	3, 805	4,820
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	55 1	3	4	2	2	2	3	6	12	7	5	7	2
Measles (7)	195 116	8 12	8 11	13 24	33 10	44 16	44	1 19 7 21	7 5	1	3 6	2 5 9 8 48 2	12 13 16 12 213 4 5 1 4 193
Diphtheria (10)	204 107	10 21	18 13	23 11	20	17	13 9 22 2 7	21 5 19	20	21	16		16 12
Influenza (11) Dysentery (13) Therefore (15)	1, 130 32 80	61	145	353	148	64	22	1	22 5	9 12	26	48	213 4
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	29 72	2 8	8 1 6	16 3 14	13 3 10	11 3 10	2 4	2	3 2 2	$\begin{bmatrix} 3 \\ 2 \\ 2 \end{bmatrix}$	3 5 4	3 4	1
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	2, 146 352	185	178 27	210	183 32	223 37	179 31	187	$\frac{147}{22}$	140 18	158 28	163 27	193
Malaria (38) Diabetes mellitus (59)	1 1, 122	94	90	131	1 98	92	90	30 79	92	68	78	88	122
Cerebral hemorrhage and softening (82a, 82c)	4, 122 11, 376	337 936	395 994	417 1, 209	371 948	349 1, 027	298 867	310 859	307 798	283 734	321 914	333 964	401 1, 126
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	235 1, 453	25 115	29 166	39 209	20 133	19 113	15 73	7 57	14 57	10 51	102	20 154	29 223
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	1,829 351	176 23	206 23	326 27	195 24	188 22	100 19	64 28 26	46 56	63 58	106 37	119 14	29 223 240 20 7 269 15 24 82
Nephritis (130–132)	194 2, 914	11 247	281	14 297	6 259	14 243	226	26 224	36 223	35 196	20	216	7 269
Other puerperal causes	182 334	10 43 90	· 23	22 38	14 19	15 34	19 36	224 13 22 75	14 23	11 28	15 28 68 121	11 22 57 89	15 24
Suicide (163–171) Automobile accidents ¹ Automobile—railroad train and street car collisions.	931 1, 143	113	71 78	64 55	90 74	106 84	81 88	106	61 112	86 117	121	57 89	82 106 11
Automobile—rain oad train and street car consions—————————————————————————————————	2, 303 16, 480	11 173 1, 414	7 205 1,401	6 179 1, 584	9 166 1,364	12 196 1, 397	230 1, 334	250 1, 327	2 197 1, 374	9 170 1, 237	7 195 1, 340	12 171 1, 244	1 71 1, 464
	±0, ±00	-, ILT	A, 201	1,001	A, 00x	1,001	1,002	4,041	T, 01 T	1,201	1, 040	1,477	4, 404

¹ Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Minnesota, all causes	25, 591	1,998	2, 275	2, 505	2, 130	2, 113	1,903	1,990	1,809	1, 868	2, 156	2, 146	2, 698
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	17		1	1		2	1		1	6	2	3	
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measies (7) Scarlet fever (8) Diphtheria (10) Influenza (11) Dysentery (13) Erysingles (15)	13 41 42 26 790 18 40	5 1 2 31 1	8 5 1 118	4 5 1 183 1	3 8 2 2 82 1 5	1 1 2 36 2	8 2 21	1 2 5 15	, 7 3 15 4	7 3 18 5	2 6 3 25 2	6 2 1 3 31	3 2 2 3 215 1
Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). Other forms of tuberculosis (24–32).	28 27 891 157	1 71 13	1 5 1 81 16	11 5 2 79 14	5 1 2 91 11	1 3 6 85 19	4 2 2 78 21	1 47 14	73 13	3 3 72 7	1 3 2 75 8	2 5 2 79 9	5 4 3 60 12
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	1,003 910	40 182 419 8 81 86	55 169 471 9 124 106	51 187 521 14 111 118	37 159 423 11 69 63	48 171 400 11 76 66	41 121 366 11 52 41	42 155 399 6 49 25	43 133 333 6 38 41	44 124 361 3 48 33	74 184 425 10 107	61 175 453 15 93 90	65 211 555 - 12 155 171
Nepintas (130–132). Puerperal septicemia (140, 142a, 145). Other puerperal causes. Suicide (163–171)	131 66 1,390 80 142 459	5 3 130 3 10 31	128 128 4 7 29	13 4 151 11 15 34	105 4 15 48	9 109 7 19 42	10 6 112 10 11 50 39	11 9 99 8 17 49	38 41 18 10 88 7 6 43 51	20 10 94 7 12 48 54	9 10 125 9 10 23	8 5 118 3 9 32	15 2 131 7 11 30
Automobile accidents ¹ Automobile—nairoad train and street car-collisions. Other external causes. All other causes Mississippi (White), all causes.	486 45 1, 374 9, 601 8, 303	28 5 73 767 710	17 1 101 803 632	32 1 98 838 721	30 4 96 849 646	40 3 133 820 609	39 2 111 781 693	49 12 174 801 728	51 6 113 753	54 3 119 764 617	49 6 118 798	136 756 688	48 102 871 906
Typhoid and paratyphoid fever (1, 2)	46	3	2	1		= 2 1	5	9	10	6		6	1
Smallpox (6) Measles (7) Scarlet fever (8). Whooping cough (9) Diphtheria (10) Influenza (11)	50	5 19 22	1 5 2 36	6 4 49	1 8 2 40	1 3 3 18	10 2 6	4 2 1	4 9 8	7 7	1 16 17	2 3 15 40	2 3 1 13 171
Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Malaria (38) Diphetes mallitra (50)	22 23 3 6 344 23	28	1 27	33	2 1 1 30	1 24 4	6 1 33 1	20	35 2	2 6 1 1 28 3 30	2 1 24 4	1 1 25 6	2 1 1 37
Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (\$2a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132)	131 136 547 1, 179 25	2 14 51 104 7	1 11 52 107	3 7 53 112 1 1	2 12 41 87	4 12 41 78 1 4 17	8 7 35 105 2	21 17 45 108	2 24 9 50 95 1	11 45 68	23 9 41 94 2 17	10 7 35 105	1 3 20 58 116
Bronchopheumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171)	164 311 143 57 792 34 76	24 49 7 6 65 8	11 36 6 2 57 4	42 4 5 77 3	87 3 22 33 8 2 70 5	17 19 5 62 2 8	9 13 33 10 69 1	10 18 13 73 2 4	12 8 13 7 58 3	8 11 9 1 68 1 6	17 13 13 4 57 2	17 24 8 2 73	21 55 5 63 3
Automobile—railroad train and street car collisionsOther external causes	7 516	3 8 41 235	5 3 35 220	4 5 12 1 37 242	10 10 26 224	14 7 42	15 9 61	8 19 2 51 287	5 19 44 261	8 12, - 35 241	14 12 46	3 12 4 41	8 15 57 240
All other causes	2, 910 12, 008	1,031	932	1, 114	991	233 ,969	245 914	1,072	890	930	241 991	241 929	240 1, 245
Typhoid and paratyphoid fever (1, 2)Smallpox (6)	115 4 2 2	7	5 1	8	2	3	11	28	17	21	7	5	1
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Ervsipelas (15)	2 68 59 436 40	10 30 1	6 6 30 2 2	8 3 50 1	4 3 49 2	7 2 31 11	1 10 10 4 1	11 2 6	8 7 4 1	5 5 7 4	5 9 16 5	2 5 46 3	2 8 161
Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59) Qerebral hemorrhage and softening (82a, 82c)	84	6 96 7 6 4	1 104 10 4	110 4 4 6	106 6 10 9	1 113 7 12 12 12 46 77	1 93 7 12 6	3 79 6 33 3 43	67 4 45 8 43 88	73 2 57 6	65 2 54 4 57	65 3 21 5	3 89 3 6 13 56 86
Cerebral hemorrhage and softening (82a, 82c). Diseases of the heart (90-95). Bronchitis (106). Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis [under 2 years] (119). Diarrhea and enteritis [2 years and over] (120).	633	63 99 1 19 61 6	8 62 91 3 21 61 4	62 92 21 63	58 84 1 9 48 7	46 77 3 11 25 25 12 90	49 86 4 16 40	113	7 17	52 83 1 12 24	57 86 3 5 , 25	78 78 1 6 44 7	56 86 12 95 3 3 66
Nephritis (160–152) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163–171)	69 111 26	3 87 2 8 3	70 3 13	8 1 87 7 12	76 2 13	6 14 5	40 11 91 8 5	20 24 14 102 12 10	8 81 5 8 3	12 24 6 6 76 9 8	78 7 8 2	5 70 4 8 2	4 4
Automobile accidents ¹	96 869 5, 080	84 418	63 350	93 463	63 432	64 386	3 66 375	10 87 456	80 374	53 409	20 74 445	11 64 432	10 78 540

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of c	Cubii (Oil 6)	il on or	04096 OI	one 1929	Tearsion	or one d			mai Digi	1		1	
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri, all causes	43, 738	3, 668	3, 685	4, 285	3, 783	3, 432	3, 334	3, 522	3, 171	3, 004	3, 357	3, 613	4, 884
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	205 2	8	5	3 2	6	7	10	24	41	41	43	11	6-
Monding (7)	1 22	16	1	4		8	7 2	1 2	1		1	2	3
Whoshes (ever (8) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11)	240	32	13 30	8 35	13 37	18	19	19	11	7 11	11 10	22 7	20· 11
Influenza (11)	270 1, 521	32 77	20 141	35 18 267	17 230	87	6 36	10 16	19 11	23 27 21	40 45	45 78	35. 506.
Dysentery (13)	108	2 8	3 6	3	1 4	11 4	14	23	16 2	21	10 4	4	
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	35 44	3 7	ž 5	3 4	3	3 6	¥	2 2	1 3	1 3 2	3 3	3 3	5.
Tuber closes of the respiratory system (23)	2, 202	187	174	244	223	171	171	179	152	148	154	170	229 21
Malaria (38) Diabetes mellitus (59)	234 116	29 5	19 6	13 3	20 3	15 3	25 9	24 25 82	18 16	148 25 25	14 13	11 3	5.
Diabetes mellitus (89) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	872 3, 085	78 276	73 249	90 285 861 27	69 260	75 240	66 237	82 233	56 226 624	60 210	66 266	76 277	81 326
Diseases of the heart (90–95)	8, 604 170	734 15	729 14	861 27	744 14	712 11	629 7	706 12	624 9	560 10	642 10	741 19	922 22:
Bronchonneumonia (107)	1 454	133 190	139 269	190 306	145 235	109 107		45	57	56	103	119	305
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	536 237	16	13	15	21	53	98	54 85	52 77	58 62	116 54	184 24	419 18
Nephritis (130–132)	4, 043	345	12 339	6 417	8 326	16 342	53 80 98 22 330 13	54 335	39 290 10	35 266	$\frac{24}{327}$	12 346	390.
Other puerperal causes	196 208	19 19	17 20	24 23 62	14 17	16 17	13 14	335 12 17	10 19	11 19	24 10	20 17	16 16-
Nephritis (130-132). Puerperal septicemia (140, 142a, 145). Other puerperal causes. Suicide (163-171). Automobile accidents ¹ . Automobile - railroad train and street car collisions.	735 690	55 47	53 58	62 48	76 45	75 55	78 70	64 51	63 58	59 74	47 63	46 64	57′ 57.
Automobile—railroad train and street car collisions Other external causes	57 2, 363	5 181	1 171		7 188	202	3 220	5		6 174	5	12 185	212
All other causes	13, 234	1, 144	1, 103	189 1, 125	1, 051	1,050	1, 103	271 1, 166	197 1, 103	1,010	173 1, 076	1, 111	1, 192.
Montana, all causes		414	500	543	437	452	380	380	456	414	399	412	507
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Drescher (22)	14	1	1	1	2		1		2	3	1	2	
Measles (7) Scarlet fever (8)	12 7	2	2 1	2	2				2 1	<u>-</u> -			2
Whooping cough (9)	22 2		$\frac{1}{2}$	2	7	2	3	2	2			1	į
Influenza (11)	190	10	35	39	16	13	5	3	2	5	10	1 8	1. 44
Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	2 10		<u>-</u> -	1		<u>î</u> -		$\begin{bmatrix} 1 \\ 1 \end{bmatrix}$	<u>1</u>	1	<u>i</u> -	2	<u>2</u> .
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	9 5	1	ī	2		1	1	1	1	2			2.
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	256 51	20 5	16 3	26 4	16 10	27 8	20	21	$\frac{24}{2}$	19	21 6	19 2	27 3.
Diabetes mellitus (59)	87		9	6	9	10	11	4		- -		<u>-</u> -	6,
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	340 1, 065	27 83	32 90	30 108	27 98	31 97	34	31	20 96	20	32	30 82	26.
Bronchopneumonia (107)	14	1	1	2]		1	82 3	78	1)	81 2	75		95. 1.
Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis [under 2 years] (119).	110 238 40	9 29	12 31	14 29 3	12 17	10 18	8 7	5 7	3 8	8 13	7 23	6 24	16 32.
Diarrhea and enteritis [2 years and over] (120)	40 16	1 1	2	1	2	2	3	3 1	11 3	7 4	3	1	1 2:
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	348 22	28	32 1	33 7	30	25 2	27 1	25	3 27 1	33 1	23	26 2	39. 3.
Other puerperal causesSuicide (163–171)	38 125	1 14	3 14	4 13	5 9	3 7	4 6	1 14	7	10	1 8	2 3 5	2. 8
Automobile accidents 1	96	4	5		6	4	7	6	16	6	8	20	14.
Other external causes	389	27	30	25	25	27 162	19	64	49	33	28	34	28.
All other causes	1, 784	144	176	190	143		134	109	150	152	133	140	151
Nebraska, all causes	12, 922	1,099	1, 231	1, 227	1,093	1, 034	====	955	945	937	1,094	989	1, 416,
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	19	2	1				2	2	3	4	4		1
Measles (7) Scarlet fever (8) Whooping cough (9)	9 26	7 5	1	2	4	<u>î</u> -			<u>i</u> -			3	4
Diphtheria (10)	28 45	1 1	1 3 3 123	3 1	4 2 4	1	2 3	2 2	4 7	1 2	1 5	10	4. 7.
Influenza (11) Dysentery (13)	544 9	43	123	70	44	28	14 1	9 2	17	12 4	19	25	1406
	17	$\frac{1}{2}$		3	î	3	2	1 .		1	i	1	3, 2 1
Erystpeias (16) Lethargie encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (28) Other forms of tuberculosis (24-32)	15		1 4 29	4		2	1	1 .	1	1 .	3 .	1	1
	242 37	24 2	$\begin{bmatrix} 29 \\ 2 \end{bmatrix}$	32 4	18 3	20	13 2	13 4	21 1	15 3	19 5	15 3	23. 5.
Diabetes mellitus (59)	332	36	27	27	31	1 21	21	25	14	24	35	32	
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	1, 154 2, 526	112 213	99 256	115 234	94 203	104 189	89 174	25 70 190	82 174	61 185	93 209	103 203	39; 132, 296,
Bronchitis (106)	310	27	6 41	1 45	7 31	2 21	12	1 17	3 6	13	3 22	208 4 22	6.
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	489	48	73	58	64	35	19	17	15	29	31	22 28	53. 72 3.
Diarrhea and enteritis (2 years and over) (120)	489 77 57	6	6	58 7 2	7 2 78	3 5	4 2	9 7	9 20	10 7	8 5	28 5 1	R
Nephritis (130–132) Puerperal septicemia (140, 142a, 145)	920 58 74	79 5 8	89	80 7	78 7 8	83	67 3	56 4	61 4	75 2	77 7	77	98. 11 8. 12.
Other puerperal causes	277	8 14	5 22	6 26	8 25	6 29	3 9 28 26	21	2 15	8 33	3 26	$\frac{7}{26}$	8. 12
Automobile accidents 1	212	7 3	11	ĩi	17	17	26	19	24	23	17	20	20.
Other external causes All other causes	737 4, 646	48 401	48 376	66	41	55	60	88	67	70	78	63	53. 414.
1 Excludes collision with railroad trains and street cars	T, 040	±01	9/0	420	401	402	345	391	393	352	417	334	414

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nevada, all causes	1,342	130	130	112	120	122	85	108	107	80	107	102	139
Typhoid and paratyphoid fever (1, 2)Smallpox (6)	8	1		2	1	1			1	1	1		<u>-</u> ,
Measles (7)	2 2	1							1		1		i
Whooping cough (9) Diphtheria (10)	5 6	1		1 1		.			<u>-</u>	1	1 3	1 8	1 1
Influenza (11)	1		5		4	6	Į		1			8	
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	2 7	3	2.	2									
Eryspelas (16) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Natura (38)	86 8	8 2	1 6	2 6 1	11 1	12	6	4	9	5 1	1	8	7
Maiaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	1 16 69 218	3 4	1 4	2	1 10	1 2 7	1 2	1 5	4 4	1 5	13		2 8
		24	23 1	21	16	23	9	20	21	12	13 12	18	19
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Norbirtis (120, 120)	38 76 15	5 15	7 17	2 6	3 9	6 4	1 3 2	1 4	<u>1</u>	. 3	1 2 3	6	9
Diarrhea and enteritis [2 years and over] (120)	6 92	6	2 <u>14</u>	9	1 1 5		8	2 5	1 4	7	5	- 7	1 11
Diarries and enterits [2 years and over] (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Automobile accidents 1 Automobile—railroad train and street car collisions Other external causes	4	1 1	1	1	 1 4	1	1			<u>-</u>			
Suicide (163-171) Automobile accidents 1 Automobile accidents 1 Automobile accidents 1	43 59 1	2 5	4 1	6 3	4 6	3 3	2 7	6 6	3	3 5	3 9	3 6	3 6
Other external causes	. 142 376	10 29	13 28	9 39	18 28	12 28	10 30	16 38	13 37	9 24	6 42	13 22	13 31
New Hampshire, all causes	6, 329	588	563	594	590	528	- 485	540	501	454	455	476	555
Typhoid and paratyphoid fever (1, 2)Smallpox (6)	8	2	2						1	1			2
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59)	6 11	2 1	3	1		1 2	1	1 2	1	1		1	
Whooping cough (9) Diphtheria (10) Influenza (11)	13 4 149	1 3 14	30	2 37	1 1 15	3	6	2 4	<u>2</u>	4	6	<u>8</u>	15
Dysentery (13)	1 8	11	1	í	10	2			1	<u>1</u>		î	 1
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	4 3			1	1	1	2	<u>-</u>				1	
Other forms of tuberculosis (24–32)	177 33 3	16 1	10 4	12 4 1	18 4	19 4 1	23 2	11 2 1	12 2	10	15 4	11	20 2
Diabetes mellitus (59)	648	13 66	17 55	15 53	9 53	18 46	5 65	14 53 134	13 62	10 46	9 43	13 48	12 58
Bronchitis (106)	1, 512 31	137	55 123 5 31	138	162	122	126	2 (126	104	112	104	58 124 2
Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis [under 2 years] (119). Diarrhea and enteritis [2 years and over] (120).	176 214 28	13 32	28 1	22 37	22 26 2	14 18 2	13 8	8 7 4	6 7 7	9 9 1	10 5 6	11 13 2	2 17 24 3
Diarrhea and enteritis [2 years and over] (120)	28 10 522	2 45	1 42	1 49	46	43	1 37	î 44	i	39	1 39	45	1
Nephritis (130-132). Puerperal septicemia (140, 142a, 145). Other puerperal causes.	9 37	1 6	4	<u>1</u>	1 2	2 5	3	2	4	1 2	1 4	1	49 2 3 7
Suicide (183-171) Automobile accidents ¹ ————————————————————————————————————	96 70 2	11 6	6 5	5 1	8	8 7	8 8	14 4 2	6 9	5 7	12 6	6 3	7 8
Other external causes	247 2, 159	22 192	26 169	15 190	22 187	18 183	19 156	23 204	24 171	24 176	22 157	15 186	17 188
New Jersey, all causes	42, 914	3, 643	3, 587	4, 813	3, 884	3, 605	3, 246	3, 116	3, 159	3, 072	3, 253	3, 420	4, 116
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	30	4	1			1		1	8	2	7	3	3
Measles (7) Scarlet fever (8)	46 73	2 4	1 2	5 9 33 8 207	7 11	15 13 12 14 39	6 6	1 2 5	2 5	3	3	3 10	4 5
Whothing could (9) Diphtheria (10) Influenza (11)	129 98 587	13 10 40	1 2 12 12 12 59	33 8 207	1.2 9 97	12 14 30	13 3 15	5 6 10	8 5 9	6 3 4	6 7 20	10 31	4 5 7 11 56 2 5 3
Dysentery (13) Erysipelas (15)	5 54	6		11	9	2		i	3	1 \	1	\	2 5
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	39 38	3	6 2 4	5 5	2 5	3 2	5 3 2	2 2 4	4	2 5 2	. 3	1 2 2	4
Other forms of tuberculosis (24–32)	2, 283 250 4	197 22	202 20	220 23	209 31	222 19 1	206 22	176 19	179 23 1 73	170 12 2	166 21	159 21	177 17
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82e)	1, 122 3, 152	92 258	87 257	121 360	105 283	91	82 264	72 225 741	73 212	76 206	100 271	108 262	115 307
Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132)	10, 627 140	944 14	905	1, 141 28	975 12	247 874 15	818 5	741	212 738 6	727 9	833	262 874 10	1,057 14
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119)	1, 181 1, 718 240	100 224 15	125 170 11	196 345 27	118 190 18	113 128 22	60 81 7	6 45 50 12 7	38 46 26	44 51 31	833 12 76 95 25	10 88 131 23 3	178 207 23
Diarrhea and enteritis [2 years and over] (120)	108 3,850	314	9 324	12 483	18 7 327	319 9	Q	267 11	271	19 316	298 7	289	11 388 16
Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171)	135 217	15 17	7 28 51	12 20	17 19	9 24	254 16 19 66 77	11 16	12 19 52 115	6 10	7 14 42	7 15 71	16 16 70
Automobile—railroad train and street car collisions	739 1, 105 48	64 79 3	51 84 4	52 83 9	69 88 1	24 58 76 10	66 77 3	16 77 75 1	52 115 7	67 121 2	108 3	71 115 2	70 84 3
Other external causes All other causes	1, 977 12, 919	141 1, 052	171 1,024	196 1, 202	160 1, 103	156 1, 115	164 1,041	221 1,062	199 1,081	143 1,032	127 995	147 1,031	152 1, 181

¹ Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

					1		1		1				
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
New Mexico, all causes	5, 968	499	492	515	503	494	419	486	595	460	446	515	544
Typhoid and paratyphoid fever (1, 2)	27	3	2		1	2	1		4	6	6	2	
Smallpox (6) Measles (7) Scarlet fever (8)	10 16	2	1	2	2 3	2 2	1	2		2	1	<u>1</u>	3
Whooping cough (9) Diphtheria (10)	30 84	2 10	1 5	5 10	3	4 5	$\frac{1}{3}$	3 11	$\frac{2}{7}$	3 10	3 3	6	2 11
Influenza (11) Dysentery (13)	241 24	18	31 1	28	27	10 2	3	5	2 8	4	10 1	41 3	67
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Theoremicals of the respiretory system (23)	9 2 7	1	2	2 2 2		3	1					1	<u>1</u>
Tuberculosis of the respiratory system (23)	562	52 7	44	54	52	41 3	37	44	59 1	32 6	40 3	54 4	53 4
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Malaria (38) Diabetes mellitus (59)	53 6 39		<u>-</u>	6 1 2	7 6	1 5	5 1 5	1 2	1	1	1	<u>1</u>	<u>-</u>
Orebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	147 454	13 35	14 39	14 37	9 40	15 51	12 34	10 35	3 9 39	9 31	11 30	13 37	18 46
Bronchitis (106)	16	1	5 16	1	1 18	11	10	8	1 5	1 8	5 8	17	16
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis funder 2 years (119)	225 269	26 30 8	34 6	32 17 10	20 10	18 7	7	6 48	1 5 13 82 2 20 2 8	10 51	12 18	30 5	28 7
Diarrhea and enteritis [2 years and over] (120)	23 238 48 65 59 97	1 26	1 20	3 19	3 13	1 26	19	1 18	2 20	6 20	2 21	24	12
Puerperal septicemia (140, 142a, 145)Other puerperal causes	48 65	3	6 7	3	8 9 3 5	4 5	6 7	3 5		3 3	3	· 6	7
Suicidē (163–171) Automobile – railroad train and street car collisions	59 97	3 6	3 6	5 8	3 5	13	11 9	7 5	6 8	9	4 14	6	8
Other external causes	295 2, 746	13 234	26 212	13 234	25 235	21 238	32 192	27 242	28 283	20 218	31 215	22 229	$3\frac{1}{7}$ 214
All other causes	147, 824	12,919	12, 640	16, 045	13, 673	13, 062	11, 206	10, 774	10, 460	10,091	11, 346	11, 355	14, 253
Typhoid and paratyphoid fever (1, 2)	131	8	7	4	3	8	5	13	24	18	21	10	10
Smallpox (6) Measles (7)	1 219	9	22	32	41	37	43 30	<u>9</u> 9	4 10	2 5	1	7	12
Scarlet fever (8)	312	20 14	22 42 25 38	32 83 41	58 30 33	61 31 26	25 23 55	12 19	34 14	27 12	14 22 7	12 20 10	22 31 20
Diphtheria (10) Influenza (1)	1.569	31 91 3	169 2	33 432 2	244 3	114 1	55 2	27 6	19	24 7	52 7	72	270 270 2
Dysentery (13) Erysipelas (15) Lyberia grapholitic (17)	322 104	20	27	48	51	59	30	27 9	14 10	5 9	5 6	11 5	25 14
Epidemic cerebrospinal meningitis (18)	166 7, 254	13 17 617	7 17 620	48 10 28 725	10 20 672	15 686	10 625	11 620	10 556	7 531	12 516	10 544	9 542
Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32). Malaria (38)	819	68	59 1	78	85	72	71	62	92	72	51	49	60
Diabetes mellitus (59)		355 820	354 737	453 863	350 804	353 756	276 661	271 624	244 569	277 577	302 670	343 675	399 871
Bronchitis (100)	402	3, 360 41	3, 367 46	4, 266 66	3, 534 46	3, 366 38	2, 813 24	2, 735 25	2, 590 19	2, 595	3, 053 25	3, 122	4, 026 58
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	.) 6, 663	484 690	471 775 72	763 1, 297	574 733	466 545	260 353	205 251	185 172	210 187	286 326	336 417	663 917
Diarrhea and enteritis [under 2 years] (119)	931	67 22	17	68	87 12	68 18	50 20	59 23 863	87 28	111 30	108 31 912	76 13	78 17
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	11,724 455 719	1, 034 39 67	1, 026 44 63	1, 293 42 77	1, 087 45 55	1, 013 50 63	932 26 47	27 68	824 45 68	762 32 60	36 49	910 38 35	1,068 31 67
		197 233	199 177	248 188	270 215	271 231	243 216	214 231	225 251	195 266	217 272	230 266	204 267
Automobile accidents 1. Automobile—railroad train and street car collisions. Other external causes.	150 6, 911	20 536	11 492	12	15 546	12	9	10 693	669	9 587	18 559	18 535	9 566
All other causes	46, 126	4, 043	3, 753	4, 325	4,050	4, 086	3,784	3, 651	3, 684	3, 444	3, 768	3, 543	3, 995
NORTH CAROLINA (WHITE), all causes	19, 513	1,629	1, 621		1, 769	1, 662	1,622	1, 600	1,370	1,377	1, 473	1,666	1, 813
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7)	40		3		11	-	-	4			10		2
Scarlet fever (8) Whooping cough (9)	34 136	6	2 11	5	2	2	1	18	10	3 7	2	3 4	. 4
Diphtheria (10) Influenza (11)	_ 139	15 37	7 49	15	5 95	1		3 4	8 14 7	14	28 19 2 6	4 27 39	2 16 116 2 2 2 2 1 73 8
Dycontony (12)	60	1 4	3	2	3	9	13	14 1 1	7	. 7	6	3	2 2
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	20 17	4	2		3			. 1	1		1	. 1	1
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38)	- 866 - 82	77	90	5			9	65 6	65 5	7	69 6	74 10	73
Diabetes mellitus (59)	_ 293	1 24		26	34		- 1 24	14	18 112	19	1 14	28	36
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	_ 3, 135	135 255	141 245	314	276	266	243	14 133 278	206	244	146 262 7	137 241 7	148 305 11
Bronchitis (106) Bronchopneumonia (107) Cohor and unspecified presumonia (108, 100)	- 62 - 595 - 908	66 107	80 106	1 88	55 117	29	29	10 29	21 30	26	39 49	61 66	91
Lobar and unspecified pneumonia (108, 109)	- 368 - 113	117		8	14	39	93	87 19	35	22 8	19	18	9 6
Nephritis (130–132)	_ 1,931	163	163	159	176	172	163	162	143	131	154	163	182
Puerperal septicemia (140, 142a, 145) Other puerperal causesSuicide (163–171)	228 264	17	20	34	21	22 22	16 24	22 24	18 19 41	23 16 38	1 9	1 10	16 17
Automobile accidentsAutomobile—railroad train and street car collisions	- 430 27	24 28 1	26	36	. 1	. 1 6	29	34	_ 2	10	2	49	41 2
Other external causes	- 893 - 6,507	77	54		70	71	. 82		75	63	57 484	81 609	79 507

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

													
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
North Carolina (colored), all causes	11, 538	940	959	1, 121	1,009	1,028	1,034	966	926	832	873	889	961
Typhoid and paratyphoid fever (1, 2)Smallpox (6)	83	6	3	1	1	3	10	, 18	16	13	5	4	3
	21		1	3	5	3	5		2	1		1	
Wessies (/) Scarlet fever (8) Whooping cough (9) Diphtheria (10)	·106 27	6	10 5	13 1	8 1	10 2	22 2 10	9 4	8	7	5 2	1 5	7 3.
	300 24	17	34 3	1 51 1	62	31	10 5	9	5 3	1 5 1	16 3	20 1	40 1
Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	1 2		ī		1								·.Î
Epidemic cerebrospinal meningitis (18)	9 1, 164	101	118	95	100	4 115	101	1 92	96	1 92	74	89	91
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38)	112 38	10	7 4	8	11 1	16 1	13	12	12 1 12	8	6 5	6 2	4 1
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82e) Diseases of the heart (90-95)	103 799	10 60	7 61	10 76	10	10 74	3 74	68 126	12 65	67	9 60	9 59	13 77 120
Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107)	1, 458 36	119 2 35	103	147	58 123 7 34	123 4 33	112	7 !	128 3	110	127 2 19	. 120	120 5 46
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Lo	356 686 282	76	5 41 91	67 102	96	54	16 20	12 13 48	65 128 3 13 27 27 7 97	15 20	19 36 20	25 62 19	46 89 7
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	59	8	9	12 2 96	15	34 9	62 12	48 5 102	27 7	21 7 74	20 5 87	3	3
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	1,075 62	84 5	72 6	96	86 6	80 7	111	102 6 19	97 2 16	74	87 4 12	85 4	101 4 13
Spicide (163–171)	176 22 128	14	11 2 8	5 20 2 6	16 1 9	19	22 3	1	· 16	7 10 2 13	2	4 4 3	4
Automobile accidents 1 Automobile—railroad train and street car collisions	7	11	1	11		7	12 1	9 61	17 2 72	1 1 1	13	14	. 9
Other external causesAll other causes	668 3,734	48 322	40 313	68 326	46 309	53 336	68 339	61 332	72 293	57 288	55 306	60 291	40 279
North Dakota, all causes	5, 153	367	429	538	456	414	376	432	364	403	465	451	458
Typhoid and paratyphoid fever (1, 2)	15	1	1	1				2	3	. 2	3	2	
Measles (7)	11 5	1	1 1	1 1		1	1 1	1			1	2	·4
Whooping cough (9) Diphtheria (10)	23 14	1			2	3 3	5	1 1	4	4	1 1	2 5	2
Influenza (11) Dysentery (13)	141 5 7	6	11 1	36	14	18	9	4	3	3 1	4 1	7	26 1
Erysipelas (15) Lethargic encephalitis (17)	7 6		1 2			1	1	1 1 1		2	1	1	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	15 167	12	3 12	2 15	21	10	2 20	18	2 4 1	10	1 18	1 14	13
Lethargic encephalitis (17) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38)	33	2	2	4	-1	. 6	3	3		1	4 	1	5
Cerebral hemorrhage and softening (82a, 82c)	118 433 857	8 30	14 39 82	14 37 97	9 43	11 30	35 37	5 35	29 29	15 39	14 38	6 45	11 33
Diseases of the heart (90-95) Bronchitis (106)	857 30 169	66	3	97	77	67	37	62 5	29 57 2 7	75 5	83	75 4	33 79 2
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	169 218	13 15	13 14	1 29 37	77 2 18 27 5 2 25 2 5 10	18	9	6 10	10	5	. 16 18 9	22 26 11	.26 29 10
Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	218 97 22 350	9	9	5	2	30	1 1	10 7 3 29	10 5 4	5 16 7 24	28	3 34	1
Naphritis (130–132). Puerperal septicemia (140, 142a, 145). Other puerperal causes.	19	28 2	26	39	25	1	1 27 3 2	3 4	28	1 3	. 3	3	32 2 6 5 1
Snicide (163–171)	19 43 79 57	4 1	4 2 2	3 8		3 9	2 5	8	6 11	7.	10 11	6 3	5
Automobile accidents 1. Automobile—railroad train and street car collisions Other external causes	2 226			4	4	5	.]	5 	21		1 13		1
All other causes	1,991	13 154	18 167	22 182	16 173	19 157	161	28 188	157	23 142	184	165	161
Ohio, all causes	76, 286	6, 546	6, 637	8, 040	6, 699	6,408	5, 627	5,940	5, 564	5, 126	5, 855	6, 003	7, 841
Typhoid and paratyphoid fever (1, 2)Smallpox (6)	140 2	8	4	6	4	4	7	19	27	32	13	6	. 10
Smarpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Exercise (15)	180 222	8 17	13 30	31 29 64	48 28	1 41 20 42	20 14	6	5	1 9	1 14	29	4 24
Whooping cough (9)	336 222 2,354	16 38	46 30	64 25	28 40 12	42 9	32 5 52 1 5	36	19 8 34 12 3	11 15 41	7 24	13 23 104	24 10 25 621 1 8 6 6
Influenza (11) Dysentery (13)	2,354 1 53	141	301	25 572	264	118	52	8 38 21	34 12	6	68 3	2	- 621
Erysipelas (15) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	53 96 55	6 4	13	12 7	18 5	5 13 1	5 5	8 2	1 5	1 2 1	6 7 3	7 2	8 6
Epidemic cerebrospinal meningitis (18)————————————————————————————————————	70 3,412	7 300	3 8 311	7 8 372	10 311	1 7 302	5 8 271	297	245	234	234	6 249	286
M812F12 (38)	1 7	36	35	39	40	28	27	42	26	32	20 2	23	286 26 1
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	1, 648 7, 135	156 621	150 605	· 188	128 625	136 632	555	124 512	111 511	114 460	123 549	134 613	162 711
Diseases of the heart (90-95)	15,871	1,399 28	1, 363 32	1,677	1, 417 24	1,378 24	1, 220 15	1, 113	1,042	1, 024	1, 247 20	1, 285	1,706 34 394
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	2,486 2,623	271 253	268 339 22	344 436	218 227	178 194	97 118	94 89 137	85 79 162	104 73 96	184 164	249 235	416
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	654 222	18 13	15	26 8	28 8	29	49 15	43	162 43	96	45 23 434 20 23	21 10	21 13
Nephritis (130–132). Puerperal septicemia (140, 142a, 145). Other puerperal causes.	5.450	471 28	460 26 30	553 19	506 24	471 22 27	395 21	444 23 47	43 438 11 33 109	23 362 18 30	434 20	421 21	495 25 29 107 166
Suicide (163–171)	. 1,316	34 108	87	41 112	31 123	156	104	111	109	30 97 152	101	32 101	107
Automobile accidents 1Automobile—railroad train and street car collisions	178	157 18	124 11	130 23	144	118	12	168 12	157	15	228 21	152 19 310	11
Other external causesAll other causes	4, 088 24, 376	297 2,092	322 1,988	314 2, 234	331 2, 070	335 2,098	388 1,916	399 2, 126	391 1,983	307 1,853	304 1,967		2, 133
t 173 - 1 - day a 1911-land with an illness 2 to the annual at				-									

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Oklahoma (white), all causes	16, 663	1,354	1, 480	1,708	1, 408	1, 213	1,086	1, 414	1, 247	1, 201	1, 326	1, 343	1,883
Typhoid and paratyphoid feyer (1, 2)	177	12	3	5	2	4	7	22	51	24	23	15	9
Smallpox (6)	11		2		1 4	1	3		1				
Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13)	45 86	9 3	7	3 7	10	. 12	13	11 11	2 7 15	3 5	6 2	5	4
Diphtheria (10) Influenza (11)	308 942	25 46	$\frac{28}{151}$	19 228	9 89	6 34	6 13	7 5	15	43 8	55 26 7	60 37	35 290
Dysentery (13). Erysipelas (15). Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (28). Other forms of tuberculosis (24-32). Malaria (38). Diabetes mellitus (59). Gerahral bemorthage and softening (82a, 82c).	44 34	3 3 1	3	3 2	4	$\frac{4}{2}$	5	15 4 1	4 1 2	3 6	2 2	3 3 2	3 2
Epidemic cerebrospinal meningitis (18)	14 24 694	49	4 66	$\frac{1}{72}$	6 63	60	51	67	51	2 52	1 54	49	3 60
Other forms of tuberculosis (24-32)	74 85	9	6 5	8 7	9	6	4	4 13	6	7 27	4	4	7
Diabetes mellitus (59) Cerebral bemorrhage and softening (82a, 82c)	273 1, 267	25 119	20 114	31 134	20 114	25 92	15 81	26 118	18 88 149	15 87	11 25 107	24 106	29 107
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106)	2, 262	214	203	197	194	179	141 1	179 1	1 3	171	203	191	241
Bronchoonenmonia (107)	1 550) i	45 75	78 88	91 127	56 99	16 41	20 11	14 28 58	20 16	19 20 19	40 38	46 45	105 166
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	210 104	6 7	7	6	7 6	11 6	28	23	16 23 11	12	25 10	13 5	7
Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Automobile accidents Automobile—railroad train and street car collisions Other accuracy accu	1,007 115	77 12	86 13	85 13 19	90 13	71	74	85 9	80 10	80 6	82 4	97 10	100 11
Other puerperal causesSuicide (163-171)	135 269	10 23 27	13 22 31	1 20	17 32	6 33	9 23 23	8 24	8 21	13 23	11 17	10 16	11 15
Automobile—railroad train and street car collisions	399 23	1	4	36 5	29	27	. 1	36 2 106	43	39 1	37 1	45 3	26 2 84
Other external causesAll other eauses	901	76 471	66 455	73 510	79 449	78 478	103 430	106 544	90 500	77 438	71 462	78 464	553
Oklahoma (colored), all causes		201	224	284	228	176	197	240	201	187	216	196	272
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	51	3	2	2	1	1	2	7	17	5	9	2	
Measies (7) Scarlet fever (8) Whoming cough (0)	1 3 14			1		3	1	2 2	2				
Diphtheria (10)	13	2 11	17	37	1 29	4	1 8			2	1 3 6	3 10	42
Dysentery (13) Erysinals (15)	12						î	2 2	1 5	2	1		1
Lethargic encephalitis (17) Enidemic cerebraspinal meningitis (18)	1 5						1	2			1		1
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	359 37	29 1	36 4	33 3	34 5	32 2	44	34 4	24 3		21	20 3	27 4
Malaria (38) Diabetes mellitus (59)	24 12	2	î	1 3	2 2	ī	ĭ	1 2	2		3 3 1	3	1 3
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90–95)	137 245	9 20	14 17	16 27	16 17	11 19	6 23	1 15 25	10 21	11 19	1 8 17	11 23	10
Bronchitis (106) Bronchopneumonia (107)	8 81	7	1 7	16	8	5	3	4	3	3	1 2	1	17 1 22 39 1 2
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years (119) Diarrhea and enteritis [2 years and over] (120) Nephritis (130-132) Pusrperal septicemia (140, 142a, 145) Other puerperal causes. Suicide (163-171) Automobile accidents 1	178 52	12 2	21 1	27 1	19 2	11 2	3 7 7 2	3 16 3	4	3 5	16 11	16	39
Nephritis (130–132)	16 158	8	18	20	1 13	13	10	16	7	15	18	2 11	9
Other puerperal causes	23 23 7	2	2 4 3	3 1 1	3	3 1	2 4	2	1 3	2 2	1	$\begin{array}{c c} & 1 \\ 2 \\ 1 \end{array}$	3
Automobile accidents ¹ Automobile—railroad train and street car collisionsOther external causes	38 1	2	ı	1	4	1	3	6	2	5	1 5	4	4
Other external causes All other causes	229 727	15 72	14 59	15 76	20 50	16 51	17 47	15 76	32 58	18 59	31 53	20 58	16 68
Oregon, all causes	10, 277	933	913	921	885	903	802	788	688	782	732	781	1,149
Typhoid and paratyphoid fever (1, 2)	16	2	1	1	2 1	2	1	1	1	2	2		1
Typicid and palacyphold lever (1, 2). Smallpox (6). Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10).	17	1	1	3	5 1	7	1	1				1	2
Whooping cough (9) Diphtheria (10)	20 9	2	2 2	1	3	3	4	î	3	2 1 1			. 1
Influenza (11) Dysentery (13)	234 11	19 1	36	50	18	14 1 1	2	6	3 2	1	4 5	7	74 1 1
Erysipelas (15) Lethargic encephalitis (17)	9		1	. 2	2	1		2	1	2	<u>-</u>	1 2	
Dipitheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic eerebrospinal meningitis (18) Tubervulosis of the respiratory system (23) Other forms of tuberculosis (24-32)	301 62	28 5	32	2 29 5	25	18 8	33 8	26 3	16 4		2 22 2	22 4	30 4
Diabetes mellitus (59)	210	14	24	18	17	21	13	13	1 16			20	26
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	931 2, 338	78 213	85 207	69	89 190	84 206	70	67 173	64 153	72	84 179	66 195	103 271
Bronchitis (106) Bronchopneumonia (107)	240	1 30	3 34] 3	19	3 22	2 11	2 11	2 5	1	17	1 22	l B
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	260 26	36 3	40	39 1	16	20	12	9 3	5 5	9	13 3	16	41 45 1 6
Diarrhea and enteritis [2 years and over] (120) Nephritis (130–132)	29	83	77	81	3 72	3 94	76	5 70	61	63	3 47	3 69	94
Puerperal septicemia (140, 142a, 145) Other puerperal causes	31 29	3	2 3	1	2	4 2	2	2 3	1	5	6	3 2	1 3
Suicide (163–171) Automobile accidents ¹ Automobile—railroad train and street car collisions	245 223 21	18 27	15 10	10 16	27 20	30 14	18	24 17	20 22	18 22	20 18	12 19	21 20
Other external causes	622	52 52	44	3 46	53	52 52	42	2 54	49	68	57	44	61
All other causes	3, 440	312	283	312	-305	286	291	1 290	252	277	224	272	336

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

Er campon de de de de		· · ·	VIII030 01				caneu m	Стивноп	ויפורד ויי				
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Pennsylvania, all causes	109, 204	9, 490	9, 532	11,890	10, 109	9, 179	8, 212	7,842	7, 899	7, 518	8,302	8, 515	10, 716
Typhoid and paratyphoid fever (1, 2) Smallpox (6) Measles (7)	181	16	11	9	7	4	10	10	26	32	27	22	7
Measles (7) Scarlet fever (8)	221	27	41	51	44	28	13	4 8	2	1 6	3	3	4
Whoping cough (9) Diphtheria (10)	262 449	27 23 33	29 50	46 64	41 57	37 52	16 31	40	3 33	6 23	11 26	18 15	4 24 25 43
		53 237	52 341	50 765	27 419	30 161	25 100	14 52	11 47	23 27 50	33 109	15 33 147	43 570
Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Diobetes mediting (50)	44 168	1 19	18	1 21	25	2 24	2 9	4 6	11 8	10	7 11	3	3
Lethargic encephalitis (17)	77 149	10 14	3 17	10 22	6	6	4	5	6	5	7	6	3 12 8 13 418 36
Tuberculosis of the respiratory system (23)	4,855	412	430	481	18 411	14 429	7 458	12 396	14 355	8 353	3 349	7 363	418
Malaria (38)	556 ~10	34	52	57 2	46	56 2	54 1	58 1	38	41	40 1	44 1	1
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	2, 545 8, 018	222 724	. 209 685	280 844	235 741	201 676	167 614	161 578	192 593	181 556	202 642	226 · 607	269 758 2,600
Bronchitis (106)	25, 265 427	2, 200	2, 156 46	2, 769 68	2, 365 33	2, 111 39	1,875 24	1,782 20	1, 719 17	1,702 17	1,937 31	2, 049 40	2,600 53
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (under 2 years) (119) Diarrhea and enteritis [2 years and over] (120)	3, 354 5, 072	357 526	346 583	468 860	383 574	273 425	178 243	141	133 158	141	234 273	249	451 737 65
Diarrhea and enteritis (under 2 years) (119)	1, 245	l∣ 84.∣	65	55	53	90	83	163 119	179	171 227	152	359 73 29	65
Nephritis (130–132)	423 9, 398	844 844	29 814	1,001	19 851.	· 26 827	25 717	58 685 26 64	76 664	54 636	46 708	767	21 884 34
Nephritis (130–132). Puerperal septicemia (140, 142a, 145). Other puerperal causes.	418 607	46 66	41 53	29 73	51 57	30 49	41 47	26 64	35 39	28 39	30 44	27 36	34 40
Suicide (163-171) Automobile accidents ¹ Automobile—railroad train and street car collisions	1,520 2,043	125 154	120 161	126 134	156 161	147 184	141 174	122 151	136 165	122 202	106 194	103 177	116 186
Automobile—railroad train and street car collisions———Other external causes	88 5, 341	7 388	11 442	10 458	10 432	5 447	7 455	9 521	462	6 399	6 413	7 446-	9
All other causes	33, 072	2,808	2, 727	3, 117	2,887	2,804	2, 691	2, 632	2, 776	2, 474	2, 657	2, 648	478 2, 851
Rhode Island, all causes	8, 080	714	. 764	907	827	637	537	567	584	581	654	591	717
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	2								1			1	
Messies (7)	42	9	13	13	2	2	1	1	1				
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	25 11 29 82	3	3 2	4	11	. 2	2		1	1 2			ī
Influenza (11)	29 82	6 4	6	4 33	3 17	$\frac{2}{2}$	2 2	1 1 1	2		2 2	$\frac{1}{2}$.	12
Dysentery (13) Erysipelas (15)					3	3						<u>-</u>	<u>-</u> 1
Erysipelas (15) Ethargic encephalitis (17). Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32).	5 3	1				ĭ	2 1	i [1			
Tuberculosis of the respiratory system (23)	306	31	27	25 8	. 35	23	32	21	32	14	20	1 24	22
	65	7		. <u>/</u>].	8	8	1	5	4	7	9	4	4
Diabetes mellitus (59)	227 679	17 72	14 62	29 53	28 56	24 55	18 51	14 54	15 34	10 61	13 61	19 49	26 71
Bronchitis (106)	1, 878 34	163 3	168	206	197	144	120 1	140 1	119	127	165 4	151	178 2
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	246 416	19 37	28 59	53 81	43 71	24 28	7	8 11	13 13	12 11	13 21	8 24	18 37
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	56 25	2		3	3	4	23 2 1	3	6	16	5	5	6
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	818	67	2 88	92	74	61	48	3 2 71	67 67	4 58	62	63	67
Other puerperal causes	23 44	1	6	5 8	2 4	1	1	1 5 7	3 6	1 2	2 6	2	3 5
Suicide (163–171) Automobile accidents ¹ Automobile—railroad train and street car collisions	94 101	6 9	3 10	8 5	8 7	14 6	10	7 13	10	12 5	8	6 9	10 9
Other external causes	282	1 23	22	21	24	22	20	27	29	22	21	22	29
All other causes	2, 574	23 232	235	248	222	205	190	178	212	212	227	197	216
South Carolina (white), all causes	8, 599	685	638	836	821	787	679	712	629	625	665	702	820
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	56	3	5	1	1 _		6	10	15	6	4	3	2
Measles (7)————————————————————————————————————	25	1	1	3	<u>i</u> - -	7	7	1	<u>į</u> į	1	<u>-</u>		2
Whooping cough (9)	7 40		1 1	10	2 -	9		7	1 2		2 1	1	1 11
Diphtheria (10) Influenza (11)	59 400	6 26	1 35	5 62	2 87	1 42	8	1 2 8 1 1	2 - 2 2 1 2 1 - 2	11 13	12 17	7 26	11 80
Dysentery (13) Erysipelas (15)	33 25	1 1	2 2	3 3	1 2	1	1	8	$\bar{2}$	3 7	2 2	1 2	80 2 2
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	8		2	-		î.	2		2	i -		<u>i</u> -	ĩ
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	265 17	18	25 1	25 1	25 1	31	21 2	21	13	22 1	22	24	18
Malaria (38) Diabetes mellitus (59)	61	5	4 _	-		2	4	5 -	10	15	10	7 -	
Cerebral hemorrhage and softening (82a, 82c)	149 701	5 13 62	13 61	17 68	9 58	10 60	16 57	13 54	9 54	10 40	11 53	13 62	15 72 149
Diseases of the heart (90-95) Bronchitis (106)	1, 475 14	124 2	112 4 15	136	134	125	115	114	124	102	122	118	149 1 19
Bronchopneumonia (107)	185 483	22 46	15 46	19 90	1 19 74	19 29	7 23	11	10 10	9 22	16 29	19 40	19 51
Diarrnea and enteritis (2 years and over) (120)	161	2 22 46 7 3 72 3 7	4	5	ii	29 24 4	26 6	23 33 7	16 4	12	29 10 4	10 2	6
Nephritis (130–132)	964 47	72	69	79 5	91 7	74 (87	79	74 6	100	4 72 6	78	89 5
Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163–171)	116 101		6	9	15	15	4	15	9	. 7	9	6	14
Automobile accidents 1	210	15 15	7 15	· 9	11 15	16 20	8 24	23	8 11	12 15	18	6 19	$\frac{4}{20}$
Other external causes	418	42	27 177	39	34	35	38	2 37	1 26	24	31 -	33	52
All other causes	2, 527	200	177	227	217	253	204	231	215	185 l	199	216	203

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of u	eath corres	pond to	01103C 01	LIIC 1929 .	167131011	or the de	otaneu 11	пентано	nai Disej				
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
South Carolina (colored), all causes	11, 285	946	904	1, 069	1, 047	995	1, 009	1, 048	850	801	873	867	876
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	199	10	5	9	6	11	22	38	40	27	14	9	8
Measles (7)	18 4	1	2	1	4		2	3	<u>1</u>	3 1	1	1	ī
Whooping cough (9) Diphtheria (10)	98 31	6	11 4	8	18	10 1	11 2	8	6 2	3 7	5	7 3	5 2
Influenza (11)	486 42	46 4	55	84	95 3	51	12 9	13	6 5	5 4	22 1	27 3	70
Dysentery (13) Erysipelas (15) Lethergia ergenhelitis (17)	1 2			4							<u>1</u>	î	
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Typhyrallosis of the respiratory system (23)	5 862	70	67	$\frac{1}{72}$	72	2 76	1 1 80	1 84	87	66	<u>-</u> 59	62	67
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	51 173	3	4	6	3 7	5 7	5	6	6 14	2	6 26	62 4 22	1 11
Malaria (38) Diabetes mellitus (59) Combet homeometric (22, 22)	62 780	53	4 4 66	4	2	9 81	13 5 67	25 7 74	3	29 7 51	7 60	4	6 70
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	1,457	100	110	69 120	72 129	132	139	130	130	117	127	63 119	104
Bronchopneumonia (107)	9 206	20	33	1 34	25	1 16	8	11	9	4	11	19	1 16
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	637 188	81 8	86	91 8	79 18	45 17	33 28	22 33	14 15	26 23	35 9	46 15	79 7 2
Nephritis (130–132)	45 988	100	77	3 99	1 87	88 88	90	9 89	6 70	69	6 84	78 78	57
Puerperal septicemia (140, 142a, 145) Other puerperal causes	47 180	10	19	8 17	18	22	2 19	6 17	11	15 15	3 5	3 13	14
Suicide (163–171) Automobile accidents ¹	23 119	7	3 9	4 7	1 5	1 6	3 7	1 15	3 5	20	13	1 7	18
Automobile—railroad train and street car collisions Other external causes	2 518	48	36	51	37	38	2 48	55	33	25	50	46	51
All other causes	4, 052	348	296	360	361	368	396	393	324	286	327	310	283
SOUTH DAKOTA, all causes	5, 725	487	508	586	460	448	426	457	1	434	459	454	560
Smallpox (6)	1						1			1			
Measles (7) Scarlet fever (8) Whooping cough (9)	9	1 5	1 5	5	3	2	1	1 7	7	$\begin{bmatrix} 2\\4 \end{bmatrix}$	2	1 8	2
Diphtheria (10) Influenza (11)	53 22 206	2 5	6 49	43	1 22	1 6	3	5	i		3 10	2 8	3 32
Dysentery (13) Erysipelas (15)	200 6 7	3	1	40	2				·	2	ī	2	
Lethargic encephalitis (17)	5		1			1	1		1		1		
Epidemic cerebrospinal meningitis (18). Tuberculosis of the respiratory system (23). Other forms of tuberculosis (24–32).	288 288	21	25	3 34	25 25	24	27	28 28	23	30	12 3	20	19
Malaria (38)	1	2	4	8	8	2	5	6	2	4		3	2
Diabetes mellitus (59)	131 429	3 34	14 52	15 42	11 38 79	10 38	10 27 73	12 40	5 27	28	11 31	11 32	21 40 103 2
Diseases of the heart (90–95) Bronchitis (106)	1,098	96 1	100	115 2 14	79 4 11	101		81 2	27 87 3	28 71 1	31 89 3 4	103	2
Lobar and unspecified pneumonia (108, 109)	127 184	15 21	12 19	21	21	13 9	12	4 5	5 10 8 7	7 7 8	16 2 4	17 15	20 28 3 2
Bronchitis (106). Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis [under 2 years] (119). Diarrhea and enteritis [2 years and over] (120).	53 35	5	5	2 3	1	6	3 4	5 6	8 7	1	4	3	2
Nephritis (130–132). Puerperal septicemia (140, 142a, 145). Other puerperal causes.	269 13	25 4	17 8	20	26 2	20	21	22	20	24	21 2	26 3	27 2 4 5
		3	3	2 3 7	10	6	5	3	3 4 7	10	2 15	5	5
Automobile accidents 1 Automobile—railroad train and street car collisions	101	8	2	5	4	9	10	10 3	1	15	13	10 1	8
Other external causes	278 2, 192	21 201	13 168	18 223	24 163	15 179	28 170	43 164	29 188	20 179	25 187	13 165	29 205
Tennessee (white), all causes	20, 821	1, 655	1, 639	2, 053	1, 762	1, 712	1, 660	1,765	1,574	1, 347	1, 683	1,762	2, 209
Typhoid and paratyphoid fever (1, 2) Smallpox (6)		10	12	9	7	6	15	45	50	23	19	11	6
Measles (7) Scarlet fever (8) Whooping cough (9)	7 28	2 4	4	2	1 1			2 1	<u>i</u> -	<u>i</u> -	4	1 5	1 5
Diphtheria (10)	223	9 16	14 11	16 9	9 3	13 2	21	21	1 15 10	11 29	11 54 35	17 52	16 28
Influence (11)	1 100	62	80 3	203	185	75 15	22 34	15 31	16 15	29 19 7 3	35 5	72 4 2	344
Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	37 9	4 3	5	3 6	2 3	1 1	1	2	1	1	6 1	2	4
Epidemic cerebrospinal meningitis (18)	40 1, 535	136	7 112	138	5 147	133	2 124	132	3 145	1 95	110	3 119	8 144
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32) Malaria (38)	171 83	10	13 2	21	12	14	19 9	18	l 10	12 17	11 10	17 7	14
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	233	18 108	31 91	3 22 131	20 99	15 121	15 95	20 113	15 13 87	15 90	16 100	18 105	30 124
Diseases of the heart (90–95)	1, 264 2, 585 56	235	219 2	239 10	212	250	193	197	183	186	205	216 3	124 250
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	634	52 52	75	96	47	2 47	20	22	26	24 33 27	11 75 67	70	8 80 166
Diarrhea and enteritis [under 2 years] (119)	948 494	97 14	104 5	152 10	113 8	59 51	27 129	23 114	29 73	27	36 9	78 21	6 7
Diarrnea and entertis [2 years and over] (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 145)	178 1, 324	118	103	138	6 115	19 108	48 119	43 115	14 102	85 85	110	105 105	106
Other puerperal causes	198	11 12	8 24	5 23	17	18 18	18	17	17	5	13 10	5 20	8 17
Suicide (163-171). Automobile accidents ¹ . Automobile—railroad train and street car collisions	284 377	22 39	21 28	23 28 29	28 23 2	25 21	18 32	21 29	6 17 22 39	25 31 2	28 29	23 45	23 32
Other external causes	1, 147	4 84	86	122	84	1 84	87	107	101	80	81	113	118 662
All other causes	7, 233	563	572	629	600	618	600	652	577	514	625	621	662

¹ Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

	All	espond at				Ì	Ī		<u> </u>				
AREA AND CAUSE OF DEATH	deaths	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Tennessee (colored), all causes	7, 807	619	618	763	692	660	582	676	573	550	627	600	847
Typhoid and paratyphoid fever (1, 2)	95 1	3	3	3 1	3	5	6	10	16	21	17	7.	1
Measles (7) Scarlet fever (8) Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Disbetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	<u>2</u>							<u>-</u> -			<u>1</u>		
Whooping cough (9) Diphtheria (10)	64 20	5 4	· 5	6 3	8 2	8	5	1 7	3	7 4	3 2	$\frac{4}{2}$	3
Influenza (11) Dysentery (13)	352 16	27	30	69 1	54	23 / 1	5	6 1	3	4 4 3	6 2	29 1	96
Erysipelas (15) Lethargic encephalitis (17)	4		1	<u>-</u>		/ 1	1			1			1
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	9 900	2 86	3	4 80	71	109		82	66	63	60	57	80
Other forms of tuberculosis (24–32) Malaria (38)	109 49	II 1	68 9 2	. 8 1 7	11	14 4	78 13 3	11	12 5	4 8 4	8 13	6 1 5	80 2 1 6
Diabetes mellitus (59)	64 518	4 36	6	54 1	7 42	7 40	5 31	4 49 87	12 5 6 38 77	4 38	3 45	5 46	6 49
Diseases of the heart (90-95) Bronchitis (106)	518 955 19	64 4	50 58 1 29 49	97 4	86	85	80	87 2	77 1	56 2	87	46 74 4	104
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	19 231 437	21 43	29 49	21 61	29 63	16 24	3 17	12	1 12 9	15 19	18 22	21 30	1 34 89
Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	86 49	3	5	3	9	5	13 7	11 20 5	9 8 5	9	6	5	3
NODREIGS 113U-1321	504	38 2 2 1	36 4	1 48 3	37	33 2	43	53 4	39 3	28	50 7	45	54
Puerperal septicemia (140, 142a, 145)	39 59	2	4	4	4 8 2	2 8 2	3 4	4	4 2	4 8 1	7	2 2 1	1 5 1
Automobile accidents ¹	18 97 2	9	4	9	9	9	6	6	4	5	14	9	13
Other external causes	565 2,539	38 210	57 189	39 234	48 193	39 220	49 204	67 223	43 214	43 199	39 212	40 204	63 237
Utah, all causes	4, 420	406	411	363	370	340	324	326	299	297	356	415	513
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	7	1		1				1	1	1	1	1	
Measles (7) Scarlet fever (8)	1 17		2	6	<u>-</u> -		1		2		i	2	<u>2</u>
Whoping cough (9) Diphtheria (10)	5 9		1	1	1 7	1	<u>-</u>	1	1		·i-	1	$\frac{1}{2}$
Dycentery (12)	248 5	24	36	22	1 .	7		1	2	3	2	53	88 1
Erysipelas (15) Lethargic encephalitis (17)	17 7	1	5	2 2	4		3 1	1	1	1 .	·	₁ -	
Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	22 91	1 6	. 5 9	8	1 8	1 8	2 5	7	1 4	2 10	1 12	1 8	2 6
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32) Malaria (38) Disho of Disho (70)	20 1	1	1	1	1	1	2	1	4	1	1	2	4
Diabetes mellitus (59)	70 244	8 25	6 15	4 24	8 19	3 27	9 17	5 18	2 16	$\frac{2}{24}$	10 20	3 16	10 23 91
	860 11	25 89 2	65	62	76 1	68 2	67	64	66	53	73	86	91
Bronchopneumonia (107) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Nembritis (130-132)	159 169	22 21	17 27	10 19	11 12	8	4 13	5 2	6 8	7 9	10	23 13 2	1 36 23
Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	22 14	2	2	<u>i</u> -	1 3	2	13 2 1	7	1	4	12 3 1	2	1
Diarries and enterits 2 years and over (120) Nephritis (130-132) Puerperal septicemia (140, 142a, 145) Other puerperal causes Suicide (163-171) Automobile accidents 1 Automobile—railroad train and street car collisions Other external causes	264 18	25	27 1	26 1	29	18	21	3 18 5	14	18 18 1	25	21 2	22
Other puerperal causesSuicide (163–171)	34 47	3	3 2	3	4 5	2 5	3	3 6	1	3 4	$\begin{bmatrix} \tilde{4} \\ 2 \end{bmatrix}$	3 5	2
Automobile accidents 1 Automobile—railroad train and street car collisions	115	9	7	2 7 1	4	8	11	11	12 1	13	9ี	15	9
Other external causes	292 1, 645	37 127	27 150	22 133	14 159	24 139	31 122	27 141	25 122	17 122	32 132	11 141	25 157
VERMONT, all causes	4, 753	438	396	509	437	427	346	350	377	313	332	364	464
Typhoid and paratyphoid fever (1, 2) Smallpox (6)		700				1	020	550	1				
Measles (7)	2 2 29 7	2 11	8	7		·1	1	1					
Scarlet fever (8) Whooping cough (9) Diphtheria (10)	7 14	1	8 1 1	<u>i</u> -	1	1 2	2	î	2		1 2	2	1
Influenza (11)	6 106	9	5	26	18	10	1 -	2	2	1	2 4	$\begin{bmatrix} \tilde{2} \\ 6 \end{bmatrix}$	18
Dyrontory (12)	10	i	1	2	1			2	ĩ .	-	1	1	10
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Theoremies in the reconstruction (20)	10 2											i	1
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	181 29	21	1 15 2	20	19	18	5	11	. 16	17	6	16	17 2
Malaria (38) Diabetes mellitus (59)		[.				1	1	1	4	3		4	
Oerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	90 441	46	8 40	12 50	53	7 21	7 38 85	39	31	5 22 74	8 35	33	13 33 109
Bronchoppeymonia (107)	1, 119 24	91	101 4 18	112	95 4 -	107	1	76 1	96	1	79 5	94	109
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119)	144 190	14 17	18 22 3	17 29 2	7 25	20 21	9 12	9	6	3	15	18 14	3 22 28 2
Diarrnea and enteritis 2 years and over (120)	26 10	3 -		2	1 -	<u>i</u> .	3	1	3	4	1	2	2 1 44
Nephritis (130–132)	370 13	3 33 1	28 1 3	36 1 4	26	34	34	20 3	30	28 2	33	24 2	
Smerca (163-1711	30 72	1 5	2	9	3	10	6	3 3 6	8	3 6	10	.2	3 4
Automobile accidents ¹ Automobile—railroad train and street car collisionsOther external causes	63	4	1	1	1	2	3	5 1	13	9	/ 8 2	8	8
All other causes	211 1,555	21 145	14 117	16 151	10 155	18 147	26 106	21 140	21 134	19 114	11 101	17 107	17 138
- 1 Excludes collision with railroad trains and street cars.		- 1		- 1									-

¹ Excludes collision with railroad trains and street cars. 69301—35——30

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

Smallprot (6) Small Review (5)	[Numbers after causes of d	eath corres	pona to	inose oi	tne 1929 :	revision	or the de	taned in	ternatio	nai Listj	······································			
Probable and pearly position from Co. 9. S. S. 11	AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Smalleri (sw. 6)	Virginia (white), all causes	18, 270	1, 563	1, 523	1, 737	1, 745	1, 567	1, 460	1, 507	1, 291	1, 215	1, 373	1, 411	1,878
Manufact Manufact	Typhoid and paratyphoid fever (1, 2)	88	11	4	2	4	1	5	19	12	9	10	5	6
The polyment of the polyment o	Measles (7) Scarlet fever (8)	18 29		2 3	$\frac{1}{2}$		2	1	3	$\frac{1}{2}$	ī		3	
Entherence Color	Whooping cough (9)	198 118	23	21 15	26 12	3	28 2	1 1		19	10	8 17	15	12
Hethantie anesphalitis (17)	Influenza (11)	647 131	31	67 2	111 2		6	36	39	5 18	6 9	14 13	34 1	155 5
Tabberguiste of the recurstroty gradem (23). 40	Lethargic encephalitis (17)	11 !	2		3	1	2	3	1			1		1
Anderson Solution (69) — 222	Enidamic cerebrospinal maningitis (18)	931	98		84	92	97	73	69	69	49			86
Bronchitts (168) 168 169	Malaria (38)												2	
Bronchitts (168) 168 169	Diabetes mellitus (59)	1, 435	104	115	151	126	132	139	110	93	93	111	105	156
Discribes and enteritis (ander 2 years) (149)	Bronchitis (106)	46	4	6	6	4	280 5	3	1 2		4	1	3	8
Secret S	Lobar and unspecified pneumonia (108, 109)	488 650	83	68	110	81	44	27	23	12	18	33	51	100
Prespensi apopteomia (144), 142a, 140)	Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	91	3	5	3	. 7	10	17	14	10	9	4	5	4
Stucied (184-17). Automobile—quinted train and street car collisions. 330 29 21 27 27 28 30 38 28 22 27 28 30 30 30 38 28 28 27 29 30 30 30 30 30 30 30 30 30 30 30 30 30	Puerperal septicemia (140, 142a, 145)	71	6	4	8	2	6	4	10	7	6	4	6	8
Antomobile—rairroad train and street car collisions	Suicide (163–171)	330	28	21	27	27	26	30	33	28	22	27	26 30	35
All other causes.	Automobile—railroad train and street car collisions	32	2	1	4	3		.) 2	2		3 85	3	9	3
Typical and peratyphoid fever (1, 2)	All other causes												429	529
Similpox (0)	,,													
Searlet fever (3)	Smallpox (6)			2							8	6	7	
Diphiteria (10)	Scarlet fever (8)	2	1				1							
Dysentery (13)	Diphtheria (10)	29	5	2	4	4	2				2	3	3	4
Lethargic encephalitis (17)	Dysentery (13)	359 54		36			4	18	16	6	1 8	3		
Tiberculosis of the respiratory system (33)	Lethargic encephalitis (17)	5	1			1						2		
Company Comp	Tuberculosis of the respiratory system (23)	1,025	86	112	112	88	97			77	737	65		
Cerebral hemorrhage and softening (82e, 82c)	Maiaria (38)	6						. 1	1		2	1		l
Bronchitis (106)	Cerebral hemorrhage and softening (82a, 82c)	967	82	80	93	65	91	61	92	65	78	78	83	99
Lobar and unspecified pneumonia (108, 109) 550 61 64 79 62 42 24 15 19 20 28 35 51 Diarrhes and enteritis [2 years and over] (120) 72 4 3 6 4 5 11 11 8 9 5 4 2 Diarrhes and enteritis [2 years and over] (120) 72 4 3 6 4 5 11 11 8 9 5 4 2 Diarrhes and enteritis [2 years and over] (120) 72 4 3 6 4 5 11 11 8 9 5 4 2 Diarrhes and enteritis [2 years and over] (120) 72 4 3 6 9 9 6 7 7 7 7 7 7 7 7 7	Bronchitis (106)	26	3	3	6	1		. 1	3		1	5 27	30	2 50
Diarrhea and entertiis [2 years and over] (120)	Lobar and unspecified pneumonia (108, 109)	530	61	64	79	62	42	24	15 32	19 14	20	28	35	81
Automobile aecidents:	Diarrhea and enteritis [2 years and over] (120)	72	4		6	4 69	5	11 78	11 70	8 81	75	5 71	4 75	2 88
Automobile aecidents:	Puerperal septicemia (140, 142a, 145) Other puerperal causes	58 117	5 8	5 8			5 15	6	13	10	14	7		12
Other external causes	Smcide (163-171)	27 128				9	12			11			10	11
Washington, all causes	Other external causes	655		46		48	58		59	55	53	50	50	54
Typhoid and paratyphoid fever (1, 2)	,							i	i	1	[i		
Smallpox (6)	, ·				1, 492		1, 400							
Searlet fever (8)	Smallpox (6)	2 37		1 3	1 12		6	l						
Dysentery (13)	Scarlet fever (8)	17	1	1	2	3	4		2	3				
Dysentery (13)	Diphtheria (10) Influenza (11)	19 417	2 47	59	60 60	3	20	18	1	2 8	10		37	105
Other forms of tuberculosis (24-32) 92 8 11 4 10 10 7 2 9 7 8 3 13 Malaria (38). 1 1 4 10 10 7 2 9 7 8 3 13 Malaria (38). 1 1 4 10 10 7 2 9 7 8 3 13 Cerebral hemorrhage and softening (82a, 82c) 1,408 139 120 105 134 137 101 94 113 103 120 115 127 Diseases of the heart (90-95) 3.536 321 341 314 296 304 275 263 241 294 256 283 348 Bronchitis (106) 373 35 4 5 3 3 5 4 2 4 2 5 25 283 Bronchopneumonia (107) 373 35 45 44 2 7 33 20 15 17 16 38 37 46 Diarrhea and enteritis (under 2 years) (119) 48 1 2 2 6 6 6 6 4 3 4 7 1 6 Diarrhea and enteritis [29 years and over] (120) 35 5 4 1 1 2 2 3 1 7 5 4 2 Puerperal septicemia (140, 142a, 145) 53 4 11 7 25 112 89 83 94 87 84 120 118 Puerperal septicemia (140, 142a, 145) 53 2 2 9 3 4 1 51 39 44 34 38 30 33 Automobile accidents 1 2 2 4 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Dysentery (13) Erysipelas (15)	5 15		1	2	1			i	<u>i</u> -	<u>1</u> -		2	1 1
Other forms of tuberculosis (24-32) 92 8 11 4 10 10 7 2 9 7 8 3 13 Malaria (38). 1 1 4 10 10 7 2 9 7 8 3 13 Malaria (38). 1 1 4 10 10 7 2 9 7 8 3 13 Cerebral hemorrhage and softening (82a, 82c) 1,408 139 120 105 134 137 101 94 113 103 120 115 127 Diseases of the heart (90-95) 3.536 321 341 314 296 304 275 263 241 294 256 283 348 Bronchitis (106) 373 35 4 5 3 3 5 4 2 4 2 5 25 283 Bronchopneumonia (107) 373 35 45 44 2 7 33 20 15 17 16 38 37 46 Diarrhea and enteritis (under 2 years) (119) 48 1 2 2 6 6 6 6 4 3 4 7 1 6 Diarrhea and enteritis [29 years and over] (120) 35 5 4 1 1 2 2 3 1 7 5 4 2 Puerperal septicemia (140, 142a, 145) 53 4 11 7 25 112 89 83 94 87 84 120 118 Puerperal septicemia (140, 142a, 145) 53 2 2 9 3 4 1 51 39 44 34 38 30 33 Automobile accidents 1 2 2 4 4 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	29 23	2	3	5	<u>i</u> -	1	2	3			2		4
Cerebral hemorrhage and softening (82a, 82c)	Other forms of tuberculosis (24-32)	92		69 11				61	2					
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Malaria (38)	353 353	26	42					27	24			29	33
Bronehopneumonia (107)	Diseases of the heart (90-95)	1, 408 3, 536	321	341	314	296	304	275	263		294			348
1,205	Bronchopneumonia (107)	373 373	35	45	44	27	33	20		17	16	38	37	46
1,205	Diarrhea and enteritis [under 2 years] (119)	490 48	1	2	2	6	6	6	1 4	3	4	7	1	
Other puerperal causes 76 11 11 3 5 4 8 8 5 4 4 6 7 Suicide (163-171) 450 32 29 39 41 51 39 44 34 38 40 30 33 Automobile accidents 1 413 34 16 23 32 29 30 44 41 43 43 39 39 Automobile—reilrand trein and street cor collisions 26 2 4 2 4 9 3 1 1	Nephritis (130–132)	1, 268	117	122	117	125	112	89	83	94	87	84	120	118
Automobile accidents! 413 34 16 23 32 29 30 44 41 43 43 39 39 44 41 40 43 47 48 49 4 9 4 9 4 9 4 9 4 9 4 9 4 9 9 4 9 9 4 9 9 9 4 9	Other puerperal causes	76	11 32	11	3	5	4	8	8		4	4	6	7 32
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Automobile accidents 1 Automobile—railroad train and street car collisions	413 26	34	16	2	32 4		30	44	41	43	43	39	39
	Other external causes	999	73 487	88	70	71		115	83	93		93		80 480

¹ Excludes collision with railroad trains and street cars.

Table 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1932—Continued

[Numbers after causes of	death corr	espond to	those of	the 1929	revision	of the de	tailed Int	ternation	al List]				
AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
West Virginia, all causes	17, 912	1, 473	1,494	1,823	1, 458	1, 292	1, 353	1, 612	1,452	1, 294	1, 398	1, 442	1,821
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	218 1	13	6	- 5	6	2	7	26	45	38	33	17	20
Measles (7). Scarlet fever (8). Whooping cough (9). Diphtheria (10). Influenza (11).	186 43	21 5	30 4	37 5	· 33 2	28 2	13 2 15	7	4	1 2	· 4	1 10	8
Whooping cough (9) Diphtheria (10)	191 236	14 31 46	20 14	37 5 39 15	21 12	23 4	15 4	11 8	4 1 12 15	1 2 8 30	7 42 26	9 34	12 27
Influenza (11)	787 80	46 3	76	168 2	105 1 4	33	4 9 11	- 10 26	7 19	13 12	6	44	250
Erysipelas (15) Lethargic encephalitis (17)	42 8	6 1 2	4 3	168 2 3 2 3 91	4	3	3	2	1 1	<u>-</u>	5 2 2 72	3	8
Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32). Malaria (38)	30 899 111	68 16	79 7	91 12	1 5 87	70 70	71	62 62	63 63	65	$\frac{2}{72}$	2 74	6 97
Malaria (38) Diabetes mellitus (59)	250	26	23	24	10 20	13 19	6 17	12	- -	₁₂	7	6	12
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	1, 186 2, 194	118 165	96 186	136 229	117	90 186	99 156	111 180	14 83 184	64 148	18 67 189	35 96 181	30 109 207
Bronchonneumonia (107)	37 703	1 3	2	109	183 5 55	3 47	30	30	7	1 31	2 57	1 70	6 118
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	652 898	63 77 17	80 83 15	113 11	55 59 18 6	45 27	29 120	14 247	20 17 192	24 21 125	41 77	47 35	106 14
Diarrhea and enteritis [2 years and over] (120)	191 1,351	119	$\begin{array}{c} 3 \\ 125 \end{array}$	1 139	95	5 105	35 87	57 111	39 106	15 105	17 118	6 125	1 116
Nephritis (180–182). Puerperal septicemia (140, 142a, 145). Other puerperal causes. Suicide (163–171). Automobile accidents 1.	93 129	9 11	5 11	10 6	10 17	6 14	9 13	9	6	8	8	- 7 10	10 16
Automobile accidents 1	221 332 6	17 18	18 21	17 13 1	9 22 2	15 28 1	23 26	26 24 1	17 33	26 33	22 47	16 41	15 26
Automobile—railroad train and street car collisions Other external causes	1, 425 5, 412	1 127 469	126 457	106 522	104 449	91 429	120 445	144 470	120 436	95 434	119 401	149 423	124 477
Wisconsin, all causes	30, 321	2,479	2, 673	3, 018	2, 641	2, 631	2, 273	2, 329	2, 247	2, 154	2, 343	2, 439	3, 094
Typhoid and paratyphoid fever (1, 2) Smallpox (6)	21 1			3	3	1		4	4	1	4		1
Measles (7)	42	1 11	3 5	5 5	· 8	15 4	8 7	1	i	<u>2</u>	1 3	6	. 1
Whooping cough (9)	51 67 56	11 3 - 5	10 11	9 4	9	9 3 · 53	2	2 2	10 3 13	3 4	2 6	1 9	7 5
Influenza (11) Dysentery (13) Erysipelas (15)	899 12 57 25 31	. 5 33 2	116	227	107		24	17	13 2	18 3 2 1	29 1	26 1	236
Eryspeias (15). Lethargic encephalitis (17). Epidemic cerebrospinal meningitis (18)	25 21	6 5	4 2	7 2	12 5 3	9	2	1	2 2 2		3	1	1
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	1, 239 139	121 9	117 15	1 104 15	102 11	6 133 16	99 16	3 121 10	4 95 9	90 9	88 88	· 1 69 9	100 13
Malaria (38) Diabetes mellitus (59)	687	56	64	80	64	53	42	46	54	46	61	45	7 6
Cerebral hemorrhage and softening (82a, 82c) Diseases of the heart (90-95)	2, 497 6, 652	207 547	233 584	255 668	213 563	218 589	197 471	192 470	145 459	201 454	191 554	226 569	219 724
Bronchopneumonia (107)	. 118 894	7 89	12 94	13 113	14 85	4 81	7 36	8 31	5	9 38 35	7 66 77	10 1	$\begin{array}{c} 22 \\ 146 \end{array}$
Lobar and unspecified pneumonia (108, 109)	1, 127 219	112 15	147 15	185 14	100 11	· 94 23	51 18	40 23	32 23	31	77 2 <u>1</u>	83 86 15	168 10
Nephritis (130–132)	101 1,980 80	169	10 178 7	178	175	169	139	9 178	25 148	17 124	170	167	5 185
Puerperal septicemia (140, 142a, 145)	154 563	10 42	6 43	178 11 24 49	10 13 48	. 6 13 53	8 11 48	9 10 56	32 32 23 25 148 7 19 41	6 11 51	13 47	8 43	6 16 42
Automobile accidents ¹ Automobile—railroad train and street car collisions	624 62	40	41	28 6	39	45 13	62 10	63	62	75 9	59	54	56 5
Other external causesAll other causes	1, 440 10, 483	91 880	97 854	110 - 897	107 920	124 889	126 883	186 843	158 890	94 819	107 811	121 869	119 928
Wyoming, all causes	2, 057	165	180	180	172	189	162	166	153	146	156	155	233
Typhoid and paratyphoid fever (1, 2) Smallpox_(6)	8	1		2	1			. 1		1	2		
Measles (7) Scarlet fever (8) Whooping cough (9)	2 12	2	·i	3		₁		2	i	1		1	2
Diphtheria (10)	4 3	<u>-</u>		i		i		1		î .		ī	ĩ
Influenza (11)	100 5	15	21	10	3	1	2	1	1	<u>-</u>	1	2	37
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18)	5 3 2 6 47						1	1 .	1 .		<u>i</u> -		
Epidemic cerebrospinal meningius (18) Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24–32)	6 47	1 2	5	1 5	5	1 4	6	2	6	3	3	1	6
Other forms of theeremosis (22–32) Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	7 37		1 1	1 .	2		2	1	2 		1 .		1
Diseases of the heart (90-95)	129 387	4 9 29	16 29	3 7 37	19 33	15 38	16 31	9 21	4 7 28	1 9 .23	4 7 28	4 7 34	5 8 56
Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	6 li	5	3	1 5			1	2		3 -		3	8 56 1 12 19
Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	43 100 17 10	21	10	ž	8 2	3 7	7 2	1	1 3	3 5 2 7	3 7 1	8 2	19 1
Diarrhea and enteritis [2 years and over] (120)	95	2 7	13	6	6	10	2 16	4	1 4		8	7	7
Omer puerperar causes	10 18	1 2	, 1	$\frac{1}{5}$	$\frac{2}{2}$	2 1 3	2	2		1	1 2	<u>i</u>	
Suicide (163-171) Automobile accidents ¹ Automobile—railroad train and street car collisions	55 78	3	2	6	5 8	3 4	8 2	5 8	13	6 4	8	10	10 10
Other external causes	172 701	11 45	14 58	12 63	7 65	16 77	13 49	24 74	19 55	15 58	20 52	12 49	9 56
	701·	40	90	69	00	''	40	_ '*	99	50		45	

¹ Excludes collision with railroad trains and street cars.

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN CERTAIN CITIES IN TEXAS WHICH ARE NOT IN THE BIRTH REGISTRATION AREA: 1932

[Corresponding data for all the death registration States and for all the other cities of 100,000 population or more in 1930 appear in Births, Stillbirths, and Infant Mortality Statistics, 1932. Data by color are shown for the cities which had a minimum of 25,000 colored population on Apr. 1, 1930. Numbers after causes of death correspond to those of 1929 revision of the detailed International List.]

	Total								DEAT	нз ат .	AGE O	F—				····				
AREA AND CAUSE OF DEATH	deaths under 1 year of age	Un- der 1 day	1 day	2 days	3 to 6 days	1 week	wks.	3 wks.	Un- der 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
Dallas, Tex. (white), all causes	268	82	16	15	15	10	11	8	157	19	16	11	15	14	8	4	6	7	5	6
Whooping cough (9)	1													1						
Influenza (11) Dysentery (13) Erysipelas (15)	7 4										1	2	1 1	1	2			<u>-</u> -	<u>-</u> -	_i
Erysipelas (15) Tuberculosis of the meninges, etc. (24)	1										1					_i -				
Other forms of tuberculosis (25–32)	1																	î		
Syphilis (34) Bronchopneumonia (107)	5 21					1 3	1	1	2 5	$\frac{1}{2}$	4	1	$\begin{vmatrix} 2\\3 \end{vmatrix}$			2	1	1 3	2	
Lobar and unspecified pneumonia (108, 109) Diseases of the stomach (117, 118)	7									₁ -		1					2	3		1
Diseases of the stomach (117, 118) Diarrhea and enteritis (119) Intestinal obstruction (122b)	37 2						1	3	4	4	3	2	4	8	4	1	3	1	1	2
Congenital malformations (157)	24 3	3	2	2	1	i	1	1	11	1 4	2 1	1	1	2	1				1	ī
Drama aturna hinth (150)	1 00	64	9	9	6	2	3	2	95	1 3	1									
Injury at birth (160) Other diseases of early infancy (161a, d)	.\ 5	13	4	4	3 2	2	3		29 5	1	1									
External causes (172–198)	- 1				3		1	1	5	1	2	4	1	2						
	1						_	1				1		ļ	1					1
DALLAS, TEX. (COLORED), all causes	124	33	4	1	6	6	2	====	52	15	5	6	9	4	9	7	2	8	5	2
Whooping cough (9)	3 2															2	l,	1		1
Diphtheria (10) Influenza (11) Tetanus (22)	4																	1	2	
Tuberculosis of the respiratory system (23)					1	1			2				<u>-</u> -						 	
Tubérculosis of the meninges, etc. (24)Syphilis (34)													Î 1							
Syphilis (34). Bronchopneumonia (107). Lobar and unspecified pneumonia (108, 109). Diarrhea and enteritis (119). Intestinal obstruction (122b). Congenital malformations (157).	11									3		2	2	1	1	;-	i	1		
Diarrhea and enteritis (119)	21 21					1	1		1	9	1	3	2	3	6	1 3		1 3	2	1
	1				<u>i</u> -				1								- 		1	
Congenital debility, icterus, sclerema (158, 161b, c)					_					1										
Premature hirth (159)	27	27	4	1	2	2	1		37											
Injury at birth (160) Other diseases of early infancy (161a, d)	3	3		<u></u>	2				3											
External causes (172-198) All other causes	2 6		 -			1 1			1 1	1	₁ -		<u>-</u> -			₁ -	_i -	<u>-</u> -		
El Paso, Tex. (white), all causes	35	10	2	3		<u> </u>		1	22	2	4		-			1		3		
, , ,,		10		<u>_</u>	4				===			====	====		===			<u> </u>		===
Influenza (11) Bronchopneumonia (107)	3			<u>-</u>				1	2	1	1									
Diarrhea and enteritis (119) Intestinal obstruction (122b) Congenital malformations (157)	1										2					1		<u>-</u> -	1	
Congenital malformations (157)	4			1	3				4											
Congenital debility, icterus, sclerema (158, 161b, e)	3		1				ļ ,		1		1							1	<u> </u>	
Premature birth (159) Injury at birth (160)	13 2	8 2	1	1	1	2			13 2											
All other causes	4									1								1	2	
EL PASO, TEX. (COLORED), all causes.	203	18	9	8	13	7	9	7	71	16	13	19	13	5	10	16	14	13	3	10
Whooping cough (9)	2									1							1			
Influenza (11) Erysipelas (15)	18						1	1	2		1	2	1	1	3	4	3	1		<u>ī</u>
Tuberculosis of the respiratory system (23)	ī 1															1				
Other forms of tuberculosis (25-32)	2											1			₁ -					
Syphilis (34) Bronchitis (106)	4	1		1	1				3									1	<u>ī</u> -	
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	1 15 8 2 70					3	2		5	2	1	2 1	1		1	1 2				2 2
Disapped of the stomach (117 110)	2							1	2							1				1 4
Diarrhea and enteritis (119) Congenital malformations (157) Congenital debility, icterus, sclerema (158,	14	3	1	1	4		2	1 1	3 10	7	8	9	9	4	4	6	7	7	2	
Premature birth (159)	7 98	10		1 3	, -	1		1	3	2							2			
Injury at birth (160)	6	3			2	1			6											
External causes (172–198)	7	1		2	3	1			7			<u>i</u> -								
All other causes	2 13		1						1 2	1 2										
Congenital malformations (157) Congenital debility, icterus, sclerema (158, 161b, c) Premature birth (159) Injury at birth (160) Other diseases of early infancy (161a, d)	14 7 28 6 7 1 2 13	10	7		2 2 3	1 1 1	2	1	10 3 27 6 7	1	1	1	1				2			

Table 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN CERTAIN CITIES IN TEXAS WHICH ARE NOT IN THE BIRTH REGISTRATION AREA: 1932—Continued

[See note at head of this table]

DEATHS AT AGE OF-Total deaths under AREA AND CAUSE OF DEATH TIm-IIn-3 to 6 2 3 5 ß R 9 10 11 der 1 der 1 day days days week wks. wks. mo. mos mos. mos. mos. mos. mos. mos mos mos. day month mos FORT WORTH, TEX. (WHITE), all 129 34 11 11 11 83 17 10 3 3 . 2 2 2 1 Whooping cough (9)
Influenza (11).
Tuberculosis of the meninges, etc. (24)
Bronchopneumonia (107).
Lobar and unspecified pneumonia (108, 109)
Diseases of the stomach (117, 118).
Diarrhea and enteritis (119)
Intestinal obstruction (122b).
Congenital melformations (157)...
Congenital debility, icterus, sclerema (158, 161b, c).
Premature birth (159)
Injury at birth (160).
Other diseases of early infancy (161a, d)...
External causes (172-198). 1 1 4 1 2 1 2 16 ī ī 2 ī ----2 1 ----1 5 1 1 į -2 -2 -5 -5 ī ī 1 13 --2 ī ī 2 6 3 ..1 3 44 26 7 $\frac{1}{2}$ 1 22 8 2 6 2 3 2 42 22 ī 2 ī ī 1 ---ī ----2 2 ĩ ī 2 ī ī FORT WORTH, TEX. (COLORED), all 49 9 2 4 1 28 2 7 1 2 2 Causes
Diphtheria (10)
Influenza (11)
Epidemic cerebrospinal meningitis (18)
Tuberculosis of the meninges, etc. (24)
Syphilis (34)
Bronchopneumonia (107)
Lobar and unspecified pneumonia (108, 109)
Diarrhea and enteritis (119)
Congenital debility, icterus, sclerema (158, 16 lb, c)
Premature birth (159)
Injury at birth (160)
Other diseases of early infancy (161a, d)
External causes (172-188)
Unknown or ill-defined diseases (199, 200)
All other causes 3 ī ī ----<u>-</u>-____ ī 2 1 4 ī --ī 1 2 2 2 10 2 3 ĩ ·--i -:-2 5 2 4 10 1 . 1 2 ī 1 1 ī ī ---ī 1 ī HOUSTON, TEX. (WHITE), all causes. Measles (7)
Whooping cough (9)
Diphtheria (10)
Influenza (11)
Erysipelas (15)
Epidemic cerebrospinal meningitis (18)
Other forms of tuberculosis (25-32)
Syphilis (34)
Bronchitis (106)
Bronchiopneumonia (107)
Lobar and unspecified pneumonia (108, 109)
Diarrhea and enteritis (119)
Intestinal obstruction (122 b)
Congenital melformations (157)
Congenital debility, icterus, sclerema (158, 161b, c)
Premature birth (169)
Injury at birth (169)
Unknown or ill-defined diseases (199, 200)
All other causes
Houston. Tex. (Colored), all causes 148 48 12 3 18 4 93 13 11 3 1 2 5 3 .2 1 2 2 2 2 2 2 1 3 1 1 ī ī 7 ī ī ____ ī 1 ī 1 --<u>i</u> ī 10 7 8 3 22111 ī 2 1 1 13 î ī 1 1 ī ī --------3 6 18 ī 4 ī 2 31 5 3 40 12 7 42 ī 5 2 2 1 12 ī 2 20 8 2 2 3 ī ī ī 2 ī ī Houston, Tex. (colored), all causes 173 27 9 3 15 8 76 21 12 11 10 9 8 4 4 10 5 3 3 3 11 2 1 13 ī 2 1 ī 3 ī 2 ĩ ī ī ī īī ĩ 1 1 3 7 21 23 1 Ĩ ī 2 3 6 3 ī Ē i -<u>-</u>2 4 ī 1 2 ---<u>-</u>2 13 ī ī 3 ĩ ī 9 3 ĩ 6 2 26 3 2 16 2 -5 2 ī 26 rremature birth (159)
Injury at birth (160)
Other diseases of early infancy (161a, d)
External causes (172-193)
Unknown or ill-defined diseases (199, 200)
All other causes 1 ī ī ī 1 2 ī 2 -5 13

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN CERTAIN CITIES IN TEXAS WHICH ARE NOT IN THE BIRTH REGISTRATION AREA: 1932—Continued

[See note at head of this table]

	Total								DEATI	AS AT	AGE OF	·								
AREA AND CAUSE OF DEATH	deaths under 1 year of age	Un- der 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Un- der 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	nos.	8 mos.	9 mos.	10 mos.	11 mos.
San Antonio, Tex. (white), all causes.	502	64	29	8	32	18	14	19	184	35	34	53	39	31	39	13	18	20	14	22
Measles (7) Whooping cough (9) Diphtheria (10) Influenzs (11) Dysentery (13) Erysipelas (15) Tetanus (22) Tuberculosis of the respiratory system (23) Tuberculosis of the meninges, etc. (24) Syphilis (34) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diseases of the stomach (117, 118) Diarrhea and enteritis (119) Intestinal obstruction (122b) Congenital malformations (157) Congenital debility, icterus, sclerema (158, 161b, c) Premature birth (159) Injury at birth (160) Other diseases of early infancy (161a, d) External causes (172–198) Unknown or ill-defined diseases (199, 200) All other causes.	10 3 3 2 1 1 11 3 51 2 2 20 19 9 18 4 5 18	1		1 4 1	1 2 2 1	1 2 1 1 3 2	1 2 1 1	7	1 3 3 1 3 2 7 2 10 14 7 75 18 3 1 27 4	1 1 1 4 2 6 	2 1 1 7 1 10 10 1 3 1	1 10	1 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 3 14 1 1	3 3	1 1 9		1 2 1 1 1 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 1 1 7	1 1 2
SAN ANTONIO, TEX. (COLORED), all	. 28	3	3		. 4	3		_ 2	15	2	2	4		ļ ,	4	1		 		
Whooping cough Tetanus (22) Tuberculosis of the respiratory system (23) Syphilis (34) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109) Diarrhea and enteritis (119) Congenital malformations (157) Congenital debility, icterus, sclerema (158, 161b, c). Premature birth (159) Injury at birth (160) Other diseases of early infancy (161a, d) Unknown or ill-defined diseases (199, 200)	1 4 1 2 1 4 3 3 2 2 2				2 2	1		1	2 1 1 3 1 3 2 2 2	2	1	1 1 1			1	1				

SUPPLEMENT

HAWAII, PUERTO RICO, AND VIRGIN ISLANDS

HAWAII

Table 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1930

			POPULA	TION APRIL 1,	1930		
RACE	Hawaii Territory	Hılo city	Honolulu city	Hawaii County (ex- clusive of Hilo city)	Honolulu County (ex- clusive of Honolulu city)	Kauai County	Maui County ¹
Total	368, 336	19, 468	137, 582	53, 857	65, 341	35, 942	56, 146
Hawaiian	22, 636	1, 155	9, 675	3, 709	2, 428	1, 363	4, 306
Part Hawaiian	28, 224	1, 881	14, 242	3, 190	2, 117	1, 758	5, 036
Caucasian-Hawaiian	15, 632	986	8, 283	1, 537	1, 213	996	2, 617
Asiatic-Hawaiian	12, 592	895	5, 959	1, 653	904	762	2, 419
Gaucasian Portuguese Puerto Rican Other Caucasian	80, 373	3, 806	39, 043	6, 552	18, 659	4, 770	7, 543
	27, 588	· 2, 467	12, 297	3, 703	2, 138	2, 554	4, 429
	6, 671	158	2, 211	1, 490	818	841	1, 153
	46, 114	1, 181	24, 535	1, 359	15, 703	1, 375	1, 961
Chinese Japanese Korean Filipino All others	27, 179	897	19, 334	1, 201	2, 734	1, 201	1, 812
	139, 631	9, 356	47, 468	24, 392	22, 117	13, 905	22, 393
	6, 461	288	2, 604	843	1, 545	362	819
	63, 052	2, 055	4, 776	13, 901	15, 614	12, 562	14, 144
	780	30	440	69	127	21	93

¹ Includes Kalawao County.

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY RACE, IN THE TERRITORY OF HAWAII: 1932

				DEATH	s in—			
	HAWAH T	ERRITORY			Hawaii	Honolulu		
RACE	Number	Rate per 1,000 estimated population July 1, 1932	Hilo city	Honolulu city	County (exclusive of Hilo city)	County (exclusive of Honolulu city)	Kauai County	Maui County ¹
Total	3, 670	9.3	220	1,560	496	447	299	648
Hawaiian Part Hawaiian Caucasian-Hawaiian Asiatic-Hawaiian	541 442 238 204	24. 2 14. 5 14. 3 14. 8	19 21 9 12	218 237 133 104	85 62 26 36	59 33 22 11	29 17 9 8	131 72 39 33.
Caucasian. Portuguese. Puerto Rican. Other Caucasián.	710 275 86 349	8. 3 9. 9 12. 5 6. 8	42 26 6 10	383 120 25 238	73 35 23 15	86 23 9 54	48 21 10 17	78 50 13. 15
Chinese Japanese Korean Filipino All others	304 1, 050 66 536 21	10. 9 7. 2 9. 7 7. 4 26. 3	13 97 5 23	194 402 24 87 15	16 154 3 103	21 107 13 126 2	26 109 4 65 1	34 181 17 132 3

¹ Includes Kalawao County.

Table 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1932

AREA AND SEX	All deaths	Jan.	Feb.	Mar.	Apr.	Мау	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	3, 670	349	297	335	306	346	294	348	313	259	255	270	298.
MaleFemale	2, 351 1, 319	221 128	199 98	212 123	192 114	226 120	180 114	232 116	204 109	158 101	166 89	166 104	195. 103.
Hilo city: Male	140 80 952	15 9 76	10 5 75	10 2 87	9 7 92	11 7 93	13 7 71	18 11 78	15 9 83	11 10 64	10 5 68	9 4 79	9, 4
Male	608 323	51 33	76 39 33	64	48 21	65 33	49 29	51 37	47 24	44 18	47 25	56 17	47 27
Female Honolulu County (exclusive of Honolulu city): Male	173 286	21 24	17 23	15 32	12 19	14 33	17 23	22 24	15 22	9 23	11 18	10 21	10. 24
Female	161 215 84	12 24 9	13 14 4	19 16 12	15 21 11	12 22 4	17 17 9	12 24 4	14 18 5	14 18 8	7 13 6	15 13 7	11 15 5
Maui County: 1 Male Female	435 213	49 26	44 20	41 11	30 21	34 18	27 15	51 16	42 19	24 16	32 13	27 12	34 26.

¹ Includes Kalawao County.

 $_{
m Table}$ 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1932

								_										_					_					=
RACE AND SEX	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	o 99 ye	100 years and over	Age unknown
Total	3, 670	799	115	55	46	42	1, 057	100	66	83	166	151	150	157	187	193	223	280	222	191	167	125	74	40	23	9	5	1
Male Female	2, 351 1, 319	468 331	61 54	20 35	19 27	28 14	596 461	63 37	39 27	47 36	102 64	83 68	95 55	87 70	123 64	130 63	167 56	198 82	161 61	151 40	122 45	90 35	52 22	28 12	12 11	2 7	2 3	1
Hawaiian: Male Female Part Hawaiian:	281 260	36 37	7 6	2 4		3	48 50	2 2	9	9 4	10 12	• 58 • 1	8 11	11 17	17 20	17 19	21 12	22 23	26 21	23 11	14 11	15 13	10 5	9	3 7	2 3	2	
Male Female Caucasian-Hawaiian:	235 207	104 82	12 8	5	5 3	2	124 98	12 5	7	6	11 10	7 10	8	12 10	8 4	8 16	5 7	10 10	5 7	6 3	8 5	5 1	3		1:			
Male Female	131 107	42 31	7 6	2	2	1	52 39	8 4	5 2	2 1	6 6	5 7	2 4	6 5	6 2	8 12	5 4	7 6	4 6	6 2	5 3	3 1	3		1 			
Asiatic-Hawaiian: Male Female	104 100	62 51	5 2	1 3	3	1	72 59	4	2 2	5	5 4	2 3	1	6 5	2 2	<u>-</u> -	3	3 4	1 1	<u>-</u> -	3 2	2	1					
Caucasian: MaleFemale	451 259	47 37	6 9	2 5	3 4	7 2	65 57	5 10	4 3	13 7	19 6	19 15	17 10	17 9	26 13	37 9	31 10	36 23	· 19 14	34 9	43 22	29 15	20 13	12 8	3		1	1
Portuguese: MaleFemale	159 116	20 17	2 8	1 2	1	2 1	26 29	4	2 1	4 6	2 3	- 4 - 7	3	3 2	12 7	13 3	6 4	11 5	10 8	13 4	20 8	10 8	10 6	1 3	3	2	1	1 ⁻
Puerto Rican: Male Female	51 35	10 6	3	2	2	3	16 12	1	. 1	1	1 2	3 2	1	1	1	7 3	3	4 7	2	4	3 2		1	2 1				
Other Caucasian: MaleFemale	241 108	17 14	1	1	2	2	23 16	<u>-</u> -	2 1	8	16 1	12 6	13 7	13 7	13 5	17 3	22 6	21 11	7 5	17 4	20 12	19 7	9 7	9 4				
Chinese: Male Female	244 60	26 12	2 2	4 3	1		33 18	2 4	1 2	6 2	2 4	4	8 1	5 5	3 2	2 3	12 4	27 1	34 1	27 2	22 2	28 1	17 1	7 1	3 1	1	1	
Japanese: Male Female	682 368	95 71	21 18	4 13	7 12	12 10	139 124	33 11	12 9	14 16	21 29	21 24	12 16	12 21	45 18	50 13	73 23	89 23	67 17	51 14	29 5	12 5	2					
Korean: Male Female	57 9	3 1	1	1			5 3	<u>-</u> -	2 2	1	1				2	4	14	10 1	8	5 1	4 		1					
Filipino: Male Female	389 147	151 90	12 8	6 4	3 4	3 2	175 108	9 4	4	2	38 3	27 7	47 8	29 6	22 6	12 3	11	4	2 1	4	1	1			1			
All others: MaleFemale	12 9	6 1	2			1	7 3						<u>-</u> -	1 2	<u>i</u>			<u>ī</u> -		1	1		1 		1	1		

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1932

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List] Epidemic cerebro- losis of spinal meningitis Tubercu- losis of the respiratory system Tuber-culosis of the menin-Typhoid and para-typhoid fever losis of the re-spiratory system Whoop-ing cough Influ-enza Scarlet fever Diph-theria Erysipe-Small-Measles pox All causes AREA ges. etc. 24 1, 2 6 7 9 10 11 15 18 23 23 38 6 11 330 10 3,670 8 22 Territory of Hawaii.... Hilo city.
Honolulu city.
Hawaii County (exclusive of Hilo city).
Honolulu County (exclusive of Honolulu city). 34 176 31 20 23 46 1 12 1 3 1 1 1, 560 496 447 299 648 1 3 $\frac{4}{2}$ 5 12 3 3 5 2 3 ī 4 2 9 Kauai County Maui County I 4 ī 9 2 2 DEATH RATE PER 100,000 ESTIMATED POPULATION 9.7 2.5 933.8 2.0 5.6 0.3 5.9 1.5 2.8 84.0 Territory of Hawaii: 1932..... DIARRHEA AND Сепсет Cerebral Other forms of tuber-culosis Dis-Pneu-ENTERITIS and other malig-nant tumors hemor-rhage and sof-tening Rhenmonia (all forms) Diabetes mellitus Bron-chitis Syph-ilis Appen-dicitis matism and gout Malaria of the heart Under 2 years 2 years and over AREA 106 107-109 119 120 121 59 82a, 82c 90-95 25-32 34 38 45-53 56-58 175 392 52 30 44 Territory of Hawaii..... 20 47 270 10 38 189 386 12 136 47 24 21 12 77 24 181 58 52 20 51 25 154 57 50 31 75 5 24 2 1 4 2 3 9 3 4 2 9 9 45 40 29 16 36 7 18 9 5 6 14 18 9 4 7 2 32 •2 7 8 3 1 3 5 40 20 11 29 30 DEATH RATE PER 100,000 ESTIMATED POPULATION 44.5 9.7 98.2 7.6 99.7 13. 2 11. 2 Territory of Hawaii: 1932_____

¹ Includes Kalawao County.

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1932—Continued

	Hernia, intesti-	Cir- rhosis	Ne-	Puer- peral	Other	Congeni- tal mal- forma-		TT		OMOBILE EIDENTS		Un- known	
AREA	nal ob- struction	of the	phritis	septi- cemia 140, 142a,145	puer- peral causes	tions and diseases of early infancy	Suicide 163–171	cide	Pri- mary ²	In colli- sion with railroad trains and street cars	Other external causes	or ill-	All other causes
Territory of Hawaii	28	38	233	17	45	305	67	23	84		185	4	539
Hilo city Honolulu city Hawaii County (exclusive of Hilo city) Honolulu County (exclusive of Honolulu city) Kauai County Maui County ¹	1 15 2 4 3 3	1 17 3 6 4 7	23 100 19 26 36 29	8 1 1 1 6	4 18 4 8 2 9	12 133 45 30 30 55	6 27 12 9 4 9	1 12 1 5 1 3	6 41 9 12 4 12		4 63 20 40 25 33	2 ·1	23 201 58 71 40 146
	DEATE	H RATE	PER 1	00,000 ES	TIMATI	ED POPU	LATIO	N				•	
Territory of Hawaii: 1982	7. 1	9. 7	59. 3	4.3	11. 5	77. 6	17. 0	5. 9	21.4		47. 1	1. 0	137. 2

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932

				PAR	AWAH T	HAN		CAUC	ASIAN						
List no.	CAUSE OF DEATH AND SEX	All deaths	Ha- wai- ian	Total	Cau- casian- Ha- wai- ian	Asi- atic- Ha- wai- ian	Total	Portu- guese	Puer- to Rican	Other Cau- casian	Chi- nese	Japa- nese	Kore- an	Fili- pino	All others
	Total deaths (all causes)	2, 351 1, 319	281 260	235 207	131 107	104 100	451 259	159 116	51 35	241 108	244 60	682 368	57 9	389 147	12 9
	I.—Infectious and parasitic diseases. $\{f Male_{}\}$	393	55 54	40 39	27 23	13 16	51 21	18 11	8 2	25 8	32 9	127 81	12 1	75 24	1
1 7 8 10	Typhoid fever M Measles M Scarlet fever F Diphtheria M	6 2 12 10 1 1 11 11 11 11 11 11 11 11 11 11 11	1 1 3	1 2 2	1 2 2		1 1 1	1		1	i i	8 3 1 4	1	1 3	
11a	Influenza, respiratory complications specified	12 14 7 12	3 2 2	2 2 2	1	$\begin{array}{c} 1 \\ 1 \\ 2 \\ 2 \end{array}$	1 1 1	1	1	1	2	6 6 1	1	1 1 1	
11b 13	Influenza, respiratory complications not specified. $\begin{bmatrix} M \\ F \end{bmatrix}$ Dysentery	5 3 1	1 1	z			2	1	1		1	3		5 1 1	
14	Plague $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{array}\right\}$	4					1			i		1		2	
15 16 17	Erysipelas	4 2 2 1	1				1	1		1		1 		1	
18 22	$ \begin{array}{ccc} \textbf{Epidemic cerebrospinal meningitis.} & & \begin{bmatrix} \mathbf{M} & & \\ \mathbf{F} & & \\ \end{bmatrix} \\ \mathbf{Tetanus} & & \begin{bmatrix} \mathbf{M} & & \\ \mathbf{M} & & \\ \end{bmatrix} \\ \end{array} $	6 5 15	1 2	1	1		3 3 4	1 3 1		2	1	<u>1</u>		1 1 1	
	Tuberculosis (all forms) F . F .	226 134	1 14 33 12	19 15	12 7	7 8	15 11	2 4	4 2	9 5	26 5	1 89 53	7	55 17	1
23 24	Respiratory system $\begin{array}{c} \left\{ \mathbf{M} - \mathbf{F}_{} \right\} \\ \mathbf{F}_{} \end{array}$ Meninges and central nervous system $\left\{ \mathbf{M} - \mathbf{F}_{} \right\} $	206 124 6	12 32	18 13	12 5	6 8	14 10 1	2 4	2 3 2 1	9	26 3	53 80 50 2	6	49 16	1
25	Intestines and peritoneum F .	6 2		1	1		1			1		1 4		1 2	
26	Vertebral column $\{M_{}\}$	$\begin{bmatrix} & \bar{2} \\ 1 \end{bmatrix}$										2 1			
27a 29	Bones (vertebral column excepted) M. Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted). F.	1	1	1	1										
30 32a	$egin{array}{lll} ext{Genitourinary system} & ext{M} \ ext{Acute disseminated tuberculosis} & ext{M} \ ext{.} \end{array}$	1 4 2	1 1	1		1						ī	1	1	
33	Leprosy	44 21	19 10	7 8	5 7	2 1	11 3	7 3	1	3	1 2	2	3		
34 35	$egin{array}{lll} & & & & M. \\ & & & & F. \\ & & & & Gonococcus infection, other venereal diseases & & & F. \\ & & & & & & F. \\ & & & & & & & & & & & & & & & & & & $	29 18 2	9 3 1	5 10	6	1 4	8	1	1	6		4 5		3 <u>j</u> -	
36 42 44	Purulent infection, septicemia (nonpuerperal) $\begin{bmatrix} M \\ F \end{bmatrix}$. Other diseases caused by helminths M . Other infectious and parasitic diseases F .	4 2 1		1	1		<u>1</u>	1			1	$\frac{1}{2}$			

Includes Kalawao County.
 Excluding collision with railroad trains and street cars.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

			1											1	
				PAR'	AWAH 1	HAN		CAUCA	ASIAN						
List no.	CAUSE OF DEATH AND SEX	All deaths	Ha- wai-		Cau- casian-	Asi- atic-			Puer-	Other	Chi- nese	Japa- nese	Kore- an	Fili- pino	All oth-
	,		ian	Total	Ha- wai-	Ha- wai-	Total	Portu- guese	to Rican	Cau- casian	====	1000	"-	pino	ers
	•				ian ———	ian_									
	II.—Cancers and other tumors——— ${Male}_{}$	178 105	15 21	9 17	5 12	4 5	47 30	23 9	5 1	19 20	20 4	75 32	7	4	1 1
	Cancer and other malignant tumors $\{M_{F}\}$	171 99	15 20	9 16	5 12	4	44 27	21 9	5 1	18 17	19	72 31	7	4	1
(45)	Buccal cavity	6 2					3	ĭ	ī	i	4 1 1	2			
(45)	Pharynx	1 9					1 2	2		Ĩ	<u>1</u>	6			
(46)	Esophagus	2	1 7	4		3	17	10	2	5	5	1 35	4	1	
(46)	Stomach and duodenum	74 28 22	5	6	1 4	2	7 2	3 2	ĩ	3	4	10			
(46)	F	6					3	3				12	1	1	
(46)	Fancreas	5 3	1	1			3 2			2 2		1			
(46)	Other digestive tract and peritoneum $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	13 10	2	1		1	3 6	2 2		1 4	1	5 2	1		
47	Respiratory system $\{F_{}\}$	12 4	1	1 2	2		5	2		3	1	3	1		<u>ī</u>
48 49	UterusF Other female genital organsF	21 2	4 1	5	4	1 	2			2		10 1			
50 51	BreastF Male genitourinary organsM_	12 14	5 2	2	1	1	5 5	1	ī	5 3	1 2	1 2		₁ -	
52 53	Skin F Other or unspecified organs M	1 15	2 2				3	1	1	2	4	6			
54b	Nonmalignant tumors, uterus F	8 5	2	2	2		3			3-	1	3 1			
54d,e	Nonmalignant tumors, other organs $\{M_{-}\}$	5 1		<u>i</u> -		1	2	1		1		3			
55d,e	Tumors, other organs (nature unspecified)	2					1	1			1				
	III.—Rheumatic diseases, nutritional dis- eases, diseases of the endocrine glands, and other general diseases	83 62	5 8	11 12	4 4	7 8	5 6	1 3	1	4 2	4 7	15 12	1	41 16	1
56		5 3			1	1									
57	Acute rheumatic fever F . Chronic rheumatism, osteoarthritis F .	2		2		2					1 2				
59	Diabetes mellitus $\{m{M}_{}\}$	19 19	4 3	4	2 2	2 2	4	1 3	1	3 2	2 1 1	6 5			
60	Scurvy	50		2		2					1 2	6	1	1 38	
61 63	Beriberi	25 1	3 1	3	1	2						4		14	ī
66b	Exophthalmic goiterF	1									<i>1</i> 1				
(66)	Other diseases of thyroid and parathyroid glands. $\begin{cases} M - F \\ F - F \end{cases}$	1 7		1		1						<u>ī</u>			
67 69	Diseases of thymus gland F . Other general diseases M	8 1	<u>ī</u> -	3	1	1 2	1				1 1	1 2		1	
09														1	
	IV.—Diseases of the blood and blood-mak- {Male ing organs	9	1				2	1 		1		2 2		1	
70	Hemorrhagic conditions	1 2												1	
718	Pernicious anemia	Ī					1			1				1	
71b 72a	Other anemias F True leukemias [M	5	1				1			1		1 2		2	
73	Diseases of spleenM_	I I						1				1			
	V.—Chronic poisonings and intoxications ${f Male}$, 6					4	1		3	1	1			
		1		1	1		<u></u>								
75	Alcoholism (acute or chronic)	5 1 1		i	1		4	. 1		3		1			
76	Chronic poisoning by other organic substancesM.										1				
	VI.—Diseases of the nervous system and of Male the organs of special senseFemale_	204 92	26 26	11 10	7	4 3	47 22	20 11	4	23 11	16 4	78 28	8	18 1	
78	Encaphalitic (namanidamia) [Man	4	1								1	1			
79a	Simple maningitie	7										1 4		3	
80	Progressive locomotor ataxia (tabes dorsalis)	1 5					3	2		<u>i</u> -		1 2			
81	Other diseases of spinal cord $\mathbb{F}^{M_{}}$	6 2					3 2 2			2 2		ã			
82a	Cerebral hemorrhage $\left\{ egin{array}{c} M \\ F \end{array} \right.$	128 60	17 17	7	6 6	1 1	32 14	14 9	2	16 5	9	55 19	5	_ 3	
82b	Cerebral embolism and thrombosis $\{M_{-}, K_{-}\}$	60 7 5	2	<u>i</u>	- -	- -	ŝ			3	3			1	
82c	Softening of brain	1 3		<u>-</u> -							<u>i</u>	ļį			
82đ	rempregia and other pararysis, cause anspecimed.	3 7	1 1 2				$\begin{array}{c} 2 \\ 1 \end{array}$			2		;-	;-		
83	F.	5 8	3						1		2	1 1 2	1 		
84	Dementia praecox and other psychoses	4 4	1 1 1 1 1				3 1 1		1	1		2			
85	Epilepsy	1	ļ			1		1 						<u>-</u> -	
86	Convulsions (under 5 years of age) F_{F_0}	11 5	1	1		1 1	2	2				2 		7	
87	Other diseases of nervous system	3 2	1				1			i		1 1	1		
89a 89b	Diseases of ear	6.	<u>i</u> -	1		<u>ī</u>	1	1				3		2	
505	Diseases of mastoid process\F	3	[. 1	II	1	J	1	l	l	l	1	1'	l	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

	I					-					T T				
				PART	AWAH 1	IIAN		CAUC	ASIAN						
List no.	CAUSE OF DEATH AND SEX	All deaths	Ha- wai- ian	Total	Cau- casian- Ha- wai- ian	Asi- atic- Ha- wai- ian	Total	Portu- guese	Puer- to Rican	Other Cau- casian		Japa- nese	Kore- an	Fili- pino	All oth- ers
	VII.—Diseases of the circulatory system{Male Female	296 134	56 54	16 11	10	6 5	85 46	30 21	8 6	47 19	53 7	58 7	7 1	21 5	3
90 91a	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2 9 3		1		1	3	<u>î</u>		2		$\frac{1}{2}$	1	3	
91b	Endocarditis, unspecified (under 45 years) $\left\{egin{array}{c} M_{} \\ F_{} \end{array}\right\}$	1 3	1 10	1	1							1			
92a 92b	Endocarditis, specified as chronic, and other val- $\{M, \dots\}$ vular diseases. Findocarditis, unspecified (45 years and over) M	28 4	10 2	5 1	3	2	10 7	1 2	1	5	2 3 1	9 4 1	2	6 2	1
93a 93c	Acute myocarditis M . Chronic myocarditis and myocardial degeneration M .	117	1 26 29	2 4	1 4	1	34	19	2	13	2 22	23	2	6	
93d	Other diseases of myocardium $\begin{bmatrix} M \\ F \end{bmatrix}$	61 21 11	1 29 2	4 I 1		2	18 10 7	13 3 3	$\frac{2}{1}$	3 6 4	3 5	2 4		3	2
94a	Angina pectoris	14 6	1 2 2	1		1	6		1	5 3	2	3		2	
94b	Diseases of coronary arteries $\{M_{-}, \{Y_{-}, \}\}$	13 4	1	1	 	1	6	1		5 2	1	3			
95b	Other and unspecified diseases of heart $\left\{ \begin{matrix} M_{} \\ F_{} \end{matrix} \right\}$	29 11	7 3	3	1	<u>2</u> -	4 5	3 2	2	1	9	4	2	3	
96 97	Aneurysm (except of heart) M . Arteriosclerosis (coronary arteries excepted) F	3 32 4	4 3	2	2		1 11 1	1	3	8	9	2 5		ī	
98 99	Gangrene M Other diseases of the arteries F	1 2	1							<u>1</u>					
101	Diseases of lymphatic system (lymphangitis, etc.) ${M - F \choose F}$	1	1 1												
	VIII.—Diseases of the respiratory system ${\bf Male}$	274 176	41 32	51 33	24 15	27 18	25 24	11 11	6	8 7	15 7	60 40	3 2	76 37	3
104b	Diseases of nasal fossae and annexae $\left\{egin{array}{c} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array}\right\}$	1 1					1	1						<u>1</u>	
106a	Acute bronchitis	16 7 4	3 1 1	3	3		1				1	2		1	
106b	Chronic bronchitis	3 108	15	1 1 25	10	1 1 15	9	3	3	3	1 1 3	1 1 18	2	34	
107a 107b	Bronchopneumonia	98	17 3	16	8	8	18	8	5	5	2	18	ĩ	25	1
108	Lobar pneumonia $\{M_{}\}$	122 58	17 13	17 12	10 4	7 8	14	7 3	2	5	9 2	29 16	I 1	34 10	1
110	Pleurisy $\left\{egin{array}{ll} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	7 3		2	1	1					2	3 1		2	
111a 112	Pulmonary embolism and thrombosis	1 4	1	1 2	1 1	i			;-			<u>i</u>			
114	Other diseases of respiratory system (tuberculosis M. excepted)	5 5 1	1 1	1		1	2		1 		1	2 2		1	
	IX.—Diseases of the digestive system ${MaleFemale}$	275 138	35 18	39 21	20 10	19 11	45 31	18 12	7 6	20 13	17 4	68 40	5 1	64 21	2 2
115a	Diseases of pharynx, tonsils	5 3		1	1		2 2			$\frac{2}{2}$	1			2	
115b 116	Diseases of buccal cavity and annexa	4 1 19	1	1	1						<u>i</u>			1	
117a 117b	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 4	1 1	1 1		1	1		i						
118	Other diseases of stomach (cancer excepted) $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	1												1	
119	Diarrhea, enteritis (under 2 years of age) ${}_{\mathrm{F}_{}}^{\mathrm{M}_{}}$	109 66	1 9 8	26 15	9 7	17 8	13 9	8	3 3	2 2	3 1 1	13 11	1	42 20	2: 2.
120	Diarrhea, enteritis (2 years and over) $\begin{bmatrix} M_{-} \\ F_{-} \end{bmatrix}$	66 25 27 32 12	3	4 2	3	1 2	4 4 8	4 2 1 2	1 1	1 2	$\begin{bmatrix} 1 \\ 2 \\ 2 \end{bmatrix}$	7 15		5 1	
121	Appendicitis	12 10	2				8 7 3	3	1	5 3 1	2 1	13 5	<u>1</u>	. 6 -	
122a	Tetestical abstruction (M	9	1				3	1		2	2	1 4			
122b 123	Other discours of intestines (M	7 3	1				ĭ			Ĩ 1		4 2	1		
123	Circhonic of liver	33	10	3	3		6	2		4	2	10		·ī-	
125a	M-	5	1	1	1		2	1	1			1 .	1		
125b	Yellow atrophy of liver	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$	1					1 .				<u>-</u>			
126	Diliery colonli	$\begin{bmatrix} 1\\2\\3 \end{bmatrix}$					1 2			1 1		1			
127	Other diseases of gall-bladder, biliary passages $\{M, \dots, M\}$	11 3		2			1 2	1		<u>i</u> -	3	$\hat{4}$		1	
128 129	Diseases of pancreas M. Paritaritis carea not specified	1 4		<u>î</u> -		1						1 2		·i	
128	(1)	3	1				1			1		1 -	-		
190	X.—Diseases of the genitourinary system — {Male.—Female	163 86	18 24	8		3	37 17	16 8	5	17	39	51 27	1	3	1
130	Acute nephritis (including unspecified under 10 M. years) F. M.	5 4 148	17	1 .	<u>-</u>	1 3	$\begin{bmatrix} 1\\1\\32 \end{bmatrix}$	1 15	3	1 14	I 39	3 2 45	4	5	<u>1</u>
131	Chromic departus\F	71 3 2	21	5 7	4	3	14	5	5	4	4	22	i	2	
132	Nephritis, unspecified (10 years and over) $\left\{egin{align*} M_{} \\ F_{} \end{array}\right]$	2	1 -	1	1 .							- -			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

			PART HAWAIIAN			IIAN	CAUCASIAN								一
List no.	CAUSE OF DEATH AND SEX	All deaths	Ha- wai- ian	Total	Cau- casian- Ha- wai- ian	Asi- atic- Ha- wai- ian	Total	Portu- guese	Puer- to Rican	Cau-			Kore- an	Fili- pino	All others
133	X.—Diseases of the genitourinary system—Contd. Other diseases of kidneys, ureters (puerperal dis-M	3 2					1		1			1		1	
134 137 139a 139b	eases excepted) F Calculi of urinary passages M Diseases of prostate M Cysts of ovary F Other diseases of ovaries, diseases of tubes and parametrium F Diseases of uterus F	1 3 2	1				3	1							
139c	l	3 2	1				1	1			1			1	
140	XI.—Diseases of pregnancy, childbirth, and the puerperal state	62	8	7	4	3	12	6	4	2		29 4	<u></u>	6	
141 142a	Abortion without mention of septic conditions (includes hemorrhages) Ectopic gestation, septic conditions specified For example, septic conditions on mentioned For example, septic conditions not mentioned For example, septic conditions not mentioned For example, septic conditions not mentioned For example, septic conditions not mentioned For example, septic conditions For	2 2		1	1							1		<u>1</u>	
142b 143	Cluded)	1)						·		1		1	
144a 144b 145a	Placenta praevia F. Other puerperal hemorrhages F. Puerperal septicemia and pyemia (abortion excluded) F.	5 8 9	1 2	1	 	1	1	1				5 4 3		ī	
- 146 147 149	Pnerperal albuminuria and eclampsia	10 8 10	1 3	1 1 1	1 1	i 	5 1 2	1 2	4			3 2 5		1 2	
	XII.—Diseases of the skin and cellular Male tissueFemale	8 3	1				1			1		3 2		3	
151 152	Furuncle, carbuncle $- \begin{cases} M \\ F \end{cases}$ Phlegmon, acute abscess $- \begin{cases} M \\ M \end{cases}$	$\begin{smallmatrix} 4\\2\\2\\2\end{smallmatrix}$										1		<u>2</u>	
153	Other diseases of skin and aunexa, and of cellular M	1 2										2			
	XIII.—Diseases of the bones and organs of locomotion	6					2	1		1	1	2		1	
154	Osteomyelitis	6 33					2	1	2	1 4	1· 2	2 10		L	1
`	XIV.—Congenital malformations.—— ${Male.}$	33	1	13	4		7 5 ———————————————————————————————————	2	1	2		7	1	6	
157a 157b	Congenital hydrocephalus $egin{cases} \mathbf{M}_{\mathbf{F}} & \mathbf{M}_{$	7 1		2		2	1	2		1		2		1	
157e	Congenital malformations of heart $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	22 17	1	4 8	. 4	5	3	1		2	2	8 4		3 4	i
157đ	Other congenital malformations $\left\{f{M}_{} ight\}$	9 8		3	1	3 2	2 3		1	1 2		2	i	$\frac{2}{1}$	
	XV.—Diseases of early infancy ${f Male}$ Female	133 106	9	26 27	13 11	13 16	16 17	6 10	2 2	8 5	17 6	33 30		30 22	2
158	Congenital debility [M.]	15 11 73	1 1 3	3 1 14	3 5	 1 9	2 9	1 5	 1	1 3	1 11	2 3 21		3 4 13	5
159 160	Fremature bitti	63 29 14	3	17 1	8 4	9 2 2	9	6	i	2 5	6 3	19 7		9	ĩ
161	Other diseases peculiar to early infancy F .	14 16 18	2	6 5 3 4	3 1	2 2 4	3 1 3	1	1 1	1 1	<u>-</u> 2	3 3 5		3 5 6	
162	XVI.—Senility{Female	7 8	3				3 5	1 4	1	1	2		1	1	
	XVII.—Violent and accidental deaths $\left\{egin{array}{ll} \mathbf{Male} \\ \mathbf{Female} \end{array}\right.$	281 78	18 7	19 8	15 5	4 3	74 22	11 8	4 1	59 13	25 6	98 30	9 1	38 4	
	Suicide $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	50 17	3	$\frac{2}{2}$	1 1	1 1	10 3	1	1	8 2	6 2	23 10	2	4	
163	By solid or liquid poisons or by absorption of M	11	1	1	1		3 2	<u>1</u>	1	1		7 6	<u>-</u> -		
165	By hanging or strangulation $\left\{\begin{array}{ll} M_{} \\ F_{} \end{array}\right\}$	16 4	 				1			1	5	7 3	2 		
166	By drowning M. F. By freezens M.	2 1 12	2	<u>2</u>	1					 5	I 	1 1 2	- -	1	
167 168	By cutting or piercing instruments	3 8		1		i	5 2	ī		<u>-</u> -	2	5		1	
169	By jumping from high places	1 17	1	1	<u>i</u>		2			2	2	1 5		6	
173	F	6 5	1	1	1		1	1			2	2 1		1 2	
173	By outting or piercing instruments	9					1	1		1		1 4		4	
175	By other meens	2 3				 	1			1	. 2			1	
	by owner means	2		1				[1	1 1			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

				PAR'	T HAWA	IIAN		CAUCA	ASIAN			1		1	
List no.	CAUSE OF DEATH AND SEX	All deaths	Ha- wai- ian	Total	Cau- casian- Ha- wai- ian	Asi- atic- Ha- wai- ian	Total	Portu- guese	Puer- to Rican	Other Cau- casian	Chi- nese	Japa- nese	Kore- an	Fili- pino	All oth- ers
	XVII.—Violent and accidental deaths—Contd.														
	Accidental, other, or undefined $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	214 55	14 7	16 6	13 4	3 2	62 18	10 6	3 1	49 11	17 2	70 18	7	28 3	
177	Poisoning by food $\left\{egin{array}{c} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array}\right.$	1 1	1				1			1					
179	Other acute accidental poisonings (gas ex-)M	5										4			
180	cepted)	1 5	3	<u>1</u>	<u>i</u>		1			1					
181	Dyung (configuration arounted) (M	6		1	1		2			$\frac{1}{2}$		2			
101	Supplemental M.	10	1	1		1	4	3	1			3	1		
182	Managaran Managaran	1										1			 -
	(F	2										î		1	
183	Drowning $\left\{egin{array}{ll} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	38 5	3	3	2	1	5		1	4	4	18	1	4	
	Supplemental M.	3					3			3		4		1	
	Traumatism:	1									1				
184	By firearms (wounds of war excepted) $M_{}$	5		1		1	2	1	l	. 1		1	i	1	}
185	By cutting or piercing instruments (wounds	1		1	1										
100	of war excepted) M	1	1						1						
	Supplemental M	1												ī	
186a	By fall $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	36 9	4	2	2	 -	12 4	2	1	9 3	3	12	1	2	
	Supplemental M.	24		1	1		11	î		10	2	8		1 2	
186b	By crushing, landslide M	3					1			1		2			
1000	Gunnlamental (M	1 10	1	<u>-</u> 1								3		1 1	
100	F	1	ĩ												
188 189	Injuries by animals M Hunger and thirst M	1									1				
193	Due to electric currents M	3					2			2				1	
194b	Other accidents	17	2	4	4		8	4		4	2	1			
	Supplemental $\{M_{-}, $	58 16	2 2 1	4 3	3 2	1	17	2 2	1	14 4	5 1	18 5	4	8	
198	Legal executions	1 1												1	
	(Mala	اما								}					
	$XVIII.$ —Ill-defined causes of death ${Male}$	2 2										i		1	
	(2.5	1													
200a	Cause of death ill-defined $\{F_{}\}$	1 1										1			
200b	Cause of death not enseifed an unknown M.	î												\ i.	
	Cause of death not specified of unknown(F	1										1			
Punch	SUPPLEMENTAL 1														
symbol 202	Accidents from agricultural machinery M	2					, ,		Ì	, ,			;	_	
205	Other machinery accidents M	4					1 2			$\frac{1}{2}$		<u>-</u>		<u>i</u>	
207 209	Other railroad accidents M	7					1	1				3		3	
210	Other street car accidents F.	3 67	2	5	4	<u>1</u>	2 17	2		2 15	7	1 22	5		
210	Automobile accidents (primary)	17	2	3	2	1	5	2		10	1	6	9	¥	
211	Motorcycle accidents M Other land transportation accidents M	2 9	1				1 5		1						
213	Water transportation assidents	2		1	₁		D			5		3 1			
214	Airt ransportation accidents M	1									1				
	ALL DE LORDON DE CONTROL DE LA	4					4			4					
				!	<u> </u>							1			

¹ This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932

																	···a		
List no.	CAUSE OF DEATH AND SEX	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	Total deaths (all causes) ${ m Male}_{ m Female}_{ m}$	2, 351 1, 319	468 331	61 54	20 35	19 27	28 14	63 37	39 27	47 36	102 64	83 68	95 55	210 134	297 119	359 143	273 85	186 90	1
	I.—Infectious and parasitic dis-{Male easesFemale	393 229	25 13	16 8	2 5	4 6	9 4	11 9	11 8	13 17	36 29	. 30 36	29 17	72 39	60 21	45 13	20 3	10 1	
1	Typhoid fever $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	6 2							1	<u>-</u> -	1	2	1	1 1					
7	Measles	12 10	3	8 4	i	1	ī	1											
8	Scarlet fever	1 11			l		1							1					
10	Diphtheria\F	12	3	2	2 2	ī	3	1.											
11a	Influenza, respiratory complications M_ specified(F	14 7	2	1				1		$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	1	2		$\begin{vmatrix} 2\\2 \end{vmatrix}$	2	3	1		
11b	Influenza, respiratory complications M_ not specified F	12 5	2	1					2		3		1	1 1	1		1	1	
13	Dysentery $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	3						1						î	ĩ				
14	Plague	4							<u>i</u>		1			2	1				
15	M	$\tilde{4}$	1					ī						1			1		
16	Acute poliomyelitis, acute polioenceph-	2	1						- -			1							
17	alitisM Lethargic or epidemic encephalitisF	2 1					,1	<u>i</u> -											<u>-</u> -
18	Epidemic cerebrospinal meningitis $\left\{egin{matrix} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	6 5	1 1	<u>1</u> -		1	1	1	1	1				1		1			
22	Tetanus $\{M_{-}, K_{-}\}$	15 4	3 1			1	î	4 1	2	1					2			1	
	Tuberculosis (all forms) $F_{}$	226	5	2 1	1	1 3	4	3	é	9 14	26 26	22	22	44	45	25	10	2	
23	l ->	134 206 124	2	2			1	3	6 5 5	8	26 23 24	22 25 21 25	22 13 22 13	21 · 42	14 42 13	6 24	10	2	
24	Meninges and central nervous sys-M.	6	ī			1	2	2	4	14	24	25 1	13	20	13	6	2		
25	tem	6	i		1	2	<u>i</u> -	1	_i -		<u>i</u> -			. 1	1				
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2 2							1 1		- -			ī		1			
26 27a	Vertebral column $\{ \mathbf{M} \}$ Bones (vertebral column excepted) \mathbf{M}	1													1				
29	Lymphatic system (bronchial, mesen- teric, and retroperitoneal glands ex-	1		1				~							1				
30	cepted) F	1	<u>-</u> -											1					
32a	Acute disseminated tuberculosis $\left\{egin{matrix}\mathbf{M}_{}\\mathbf{F}_{}\end{aligned} ight.$	4 2								1	1 2				1				
33	Leprosy $\{egin{matrix} \mathbf{M}_{} \\ \mathbf{F}_{} \end{bmatrix}$	44 21								1	3	4 5	3	13 8	5	9 2	2 1	4	
34	Syphilis $\{f{M}_{-}\}$	29 18	5		<u>î</u> -						1	ĭ	ĭ	8 6 3	4	6 2	4	_ 2	
35	Gonococcus infection, other venereal dis-		ľ		_						1				U				
36	easesF Purulent infection, septicemia (non-{M	2 4									1	1 1		2		1	₁ -		
42	puerperal) [FOther diseases caused by helminthsM	2 1				1						1	1						
44	Other infectious and parasitic diseasesF II.—Cancers and other tumors.{Male Female	1 178		 1	1	1		1				 1	 5	15	 37	 60	41	15	
	1	105				1		1				5	- 4 - 5	13	25 36	30 59	17 41	10	
,	Cancer and other malignant tumors $\begin{bmatrix} M - 1 \\ F - 1 \end{bmatrix}$	99						1				3	3	12	24 2	29 1	17 2	10	
(45) (45)	Buccal cavity $F_{}$ Pharynx $M_{}$	2												2					
(46)	(M	9													3	5	1	<u>i</u> -	
(46)	`M	2 74											1	4	1 17	25	19	8	
(46)	Times and hilliam massage M	28 22											1	<u>-</u> - 1	5 5	11 8	5 6	6 1	
(46)	Papareas M	6 5											1	1 1 1	2	1 2	1	<u>i</u> -	
	Other digestive tract and perito-	3 13											1	1 1	2 2	5	1		
(46)	neum\F	10 12												4 1 1	1 2	2 4	5 4	1	
47	Respiratory system $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \\ \mathbf{F}_{} \end{array}\right.$	4							-1					1	1	1 7	1		
48 49	Other female genital organsF	21										2	1	3	6		2		
50 51	BreastF Male genitourinary organsM_	12 14				<u>ī</u> -							1	3 2	3	3 4	2 4	1 1	
52	SkinF	1 15											1		<u>4</u> -	5	3-	1 2	
53 54b	Other or unspecified organs $\left\{ \begin{array}{ll} \mathbf{F}_{} \\ \mathbf{F}_{} \end{array} \right\}$ Nonmalignant tumors, uterus $\mathbf{F}_{}$	8						1				1 1		1	2	4 1			
54d,e	Nonmalignant tumors, other organs [M]	5		1				1						î	i	1			
55d,e	Tumors, other organs (nature unspecified)M_	1 2			1							1							
	III.—Rheumatic diseases, nu- tritional diseases, dis- eases of the endocrine glands, and other gen- eral diseases.——Female.	83 62	44 (30	. 2	1 2	1	2	1	1	ī	2 1	3 1	3 2	, 8 2	6 8	6 7	2 3	3 2	
56	Acute rheumatic fever	5					2	1	1							1			
57	Chronic rheumatism. osteoarthritis F.	3 2	1			1				1		1					1		
59	Diabetes mellitus $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{aligned}\right.$	19 19 2				1							1	. 3	5 7	4 7	2 2	3 2	
60	ScurvyF	50 1	2 35 21		<u>i</u>						2	3		5	i-	1			
61	Beriberi	25	21		î						- 1		2	ĭ	*	-			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

	IN 7	THE T	LEMI	TITO	I I	1 10	1A W	AII:	1952		шиш	ueu							
List no.	CAUSE OF DEATH AND SEX	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	20 to 24 years	25 to 29 years	30 to 34 years	44	45 to 54 years	55 to 64 years	65 to 74 years	years and over	Age un- known
	III.—Rheumatic diseases, nutritional di- seases, diseases of the endocrine glands, and other general diseases— Continued																		
63 66b	Rickets F.	1	1												1				
(66)	Exophthalmic goiterF Other diseases of thyroid and parathy-[M	î	i																
	roid glands	1 7									1								
67 69	Diseases of thymus gland——— $\{F_{}^{M}\}$ Other general diseases———M—	8	5	2	1														
00	_	9			1							5	1	1	1				
	IV.—Diseases of the blood and Male blood-making organs (Female	4	1					1	<u></u>		1			<u></u>		1			
70 71a	Hemorrhagic conditions M. Pernicious anemia M.	$\frac{1}{2}$										1			1				
71b	Other anemiasF	1 2						1											
72a	True leukemias $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	5			1						1	3	I						
73	Diseases of spleen	1												1					
	V.—Chronic poisonings and in-{Male toxications\Female	6 1												1	1	2	1	1	
H-	Al-h-li (tin)	<u>-</u> -												1	$\frac{1}{1}$	2		<u>-</u>	
75 76	Alcoholism (acute or chronic)	1													1				
	vI.—Diseases of the nervous Male system and of the organs of special sense	204	13	2				5	2	4	2	3	5	13	31	56	1 53	15	
78	of special sense Female Encephalitis (nonepidemic) M	92	8	2	1			1	3	1		2	3	$\frac{7}{2}$	12	25	11		
	F_{M}	1	1																
79a	simple meningitis{F}	7	1	2				2			1		1						
80	Progressive locomotor ataxia (tabes dorsalis)	5	<u></u>												1	1	3		
81	Other diseases of spinal cord $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	6 2								1					1	2 2	2		
82a	Cerebral hemorrhage $F_{F_{}}$	128 60											1	6	20 9	44 19	45 9	$\frac{12}{17}$	
82b	Cerebral embolism and thrombosis $\left\{ \begin{array}{l} M \\ F \\ \end{array} \right\}$	7										1	î		ĭ	1	ĭ	2	
82c	Softening of brain 'M	5 1														i			
82d	Hemiplegia and other paralysis, cause M. unspecified F.	3							_i -							2	2	1	
83	General paralysis of insane $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	7 5												2 2	$\begin{bmatrix} 2\\1 \end{bmatrix}$	3	₁ -		
84	Dementia praecox and other psychoses. $\left\{egin{matrix} \mathbf{M}_{} \\ \mathbf{F}_{} \end{aligned}\right\}$	8 4										ī	1	1	1 3 2	2			
85	Eniloper M	4							<u>i</u>	2	1								
86	(m)	1 11	11																
87	Other dissess of newways system	5 3	4	1				ī								2			
89a	Diseases of earM	2 6		1					<u>i</u> -			_i -		i	2	1			
89b	Diseases of mastoid process $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	4 3	1					1					1	1					
	VII.—Diseases of the circula-/Male	296	1	1				4	3	1	11	2	7	17	36	65	74	74	
00	tory system\Female	134	1	2		1_		2	5	<u></u> -		1	6	15	12	34	23	32	
90 91a	Pericarditis M Acute endocarditis M	2 9						1	1		1 2	1			1	2	1		
91b	Endocarditis, unspecified (under 45 M_{\odot}	3 1	1			1								1					
92a	years) F Endocarditis, specified as chronic, and M	3 44						2	1	1	5		1	2 5	5	11	5	8	
92b	other valvular diseases\F Endocarditis, unspecified (45 years and	28		1				2	4				i	3	5	6	3	3	
93a 93c	over) M. Acute myocarditis M. Chronic myocarditis and myocardial/M.	4 5 117	i										2		1 1 16	3 1 25	41	28	
93đ	degeneration degeneration F_{-} . Other diseases of myocardium F_{-} .	61 21										1	2	3 4	3 4	19 4	14 5	18 18 8	
	Arging posteria M.	11 14											1	3	2 3	3	4	2	
94a	Angina pectoris(F	6												1 2	<u>1</u> -	3 4	1 2	į	
94b 95b	Diseases of coronary arteries	4												1		1	1	1	
	Other and unspecified diseases of M. heart. F.	29 11		 							1		2 2	3	3	6 2	10	3	
96 97	Aneurysm (except of heart) MArteriosclerosis (coronary arteries ex-{M_	3 32													1	3	<u>ş</u> -	19	
98	cepted)	4							-					i				4	
99 101	Other diseases of the arteries F. Diseases of lymphatic system (lym-fM.	2 1											1		1				
-	phangitis, etc.)\F	1		ī															
	VIII.—Diseases of the respira- {Male tory system	274 176	117 85	19 16	9 13		. <u> </u>	7 2	7 4	5 1	9	8 9	6 2	20	18 9	21 5	11 4	7 5	
104b	Diseases of nasal fossae and annexae $\left\{egin{matrix} \mathbf{M}_{} \\ \mathbf{F}_{} \end{aligned}\right.$	1	<u>-</u> -											1					
106a	Acute bronchitis $\left\{ egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	16 7	13	2	1														
106b	Chronic bronchitis	4 3	1												1	2	1		
107a	Bronchopneumonia $\left\{ egin{array}{ll} F_{} \\ F_{} \end{array} \right.$	108	68 68	7	<u>5</u>	1	3	4	3	<u>ī</u> -	<u>i</u>	2 1	2	3	2	4	1	<u>ī</u> -	
107b.	Capillary bronchitis	98 6	58 4	10 1	7	6 1	1	2	1		1			4		2	2	3	
108	Lobar pneumonia $\{egin{array}{cccccccccccccccccccccccccccccccccccc$	122 58	28 17	9 5	2 5	2 2	1	3	4 3	4	8 2	5 8	3 2	13 5	15 5	14	7	4	

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

List no.	CAUSE OF DEATH AND SEX	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to C4 years	65 to · 74 years	75 years and over	Age un- known
	VIII.—Diseases of the respiratory system—Continued																		
110	. (M	7 3	2		1							1	1	1		1	j 	 	
111a	Pulmonary embolism and thrombosisM.	1	1	1	1														
112 114	Asthma $\{M_{-}, M_{-},$	5				1	1								3 1		2	2	
114	(tuberculosis excepted)(F	5 1	1]								2	1		2		
	IX.—Diseases of the digestive {Male system	275 138	99 57	14 14	9	5 5	3 4	6 10	5 3	5 3	6 1	5 1	8 1	20 6	41 14	27 5	21 2	. 8	
115a	Diseases of pharynx, tonsils $\{M_{\overline{x}}, M_{\overline{x}}\}$	5									1	1	2	1					
115b 116	Diseases of buccal cavity and annexa_M_	3 4	<u>i</u>	[1		<u>-</u>				1	.1			1	
117a	Diseases of esophagusF	19								1		ī		2	9	4	1		
117b 118	Ulcer of duodenum M. Other diseases of stomach (cancer M.	2 4 1												1	2		·ī	1	
119	excepted) Figure 2 years of JM_	109	95									- -	1						
	age)	66	53	14 13	2		3												
120	Diarrnes, enteritis (2 years and over)	25 27 32			9	3 5 1	4	6 4	2 5			1	1	2	2	2	2	1	
121	Appendicus	12 10						2	1	3	1	1	2 	7 2	5 4 4	1 1 2	3 1 2		
122a	F.	2 9	1 2			1									<u>4</u> 1	1 2	<u>-</u> -	2	
122b	Intestinal obstruction	7 3	ĺí	1				1		1			1 		1 2 1		1	т.	
123	Other diseases of moestines	33						<u></u>						;-	1 1 11	10			
124	Cirrhosis of liver M	5 1								1				1	3				
125a 125b	F	1 2										1							
1265	The Market Marke	1 2						1							1				
127	Biliary calculi $\{F_{-}\}$ Other diseases of gall-bladder, biliary $\{M_{-}\}$	3 11										1	1	<u>i</u>	1 2	2	2	2	
128	passages F. Diseases of pancreas M.	3													2			í	
129	Peritonitis, cause not specified $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	3						<u>i</u> -		1				2 1	î	1			
	X.—Diseases of the genitouri- Male Female	163 86	2		<u>1</u>	<u>i</u>	1	2		2	2 3	2 2	2` 4	8 15	28 13	49 18	33 16	33	
130	Acute nephritis (including unspeci- \M	5	-				<u> </u>	1							13	10	10	11	
101	fied under 10 years)	148	ī			ī		<u>1</u>		<u>1</u>	1	2	2	8	<u>26</u>	<u>4</u> 5	1 32	1 30	
131 132	Chronic nephritis	71					1				1 . 1	ĩ	4	10	11	18	15	10	
133	over) F	2 3	1							<u>-</u>				1	1 1				
134	(puerperal diseases excepted)\F Calculi of urinary passages	2			1										1	<u>1</u>			
137 139a	Diseases of prostate M. Cysts of ovary F.	3 2									<u>1</u>			1		2		1	
139b	Other diseases of ovaries, diseases of tubes and parametriumF	3									1	_1		1					
139c	Diseases of uterusF XI.—Diseases of pregnancy, childbirth,	2												2					
	and the puerperal stateFemale.	62								3	14	7	13	23	2				
140 141	Abortion with septic conditionsF_ Abortion without mention of septic condi-	6								1	1	1	2	1					
142a	tions (includes hemorrhages)F_ Ectopic gestation, septic conditions speci-	2									1			1					- -
142b	fied F. Ectopic gestation, septic conditions not	2									1		1						
143	mentioned F Other accidents of pregnancy (hemorrhage	1									1								
144a	not included) F Placents praevia F	1 5										<u>1</u>	<u>1</u>	1 3					
144b 145a	Other puerperal hemorrhages F Puerperal septicemia and pyemia (abortion excluded) F	8				'- -						1	4	3			- -		
146 147	Puerperal albuminuria and eclampsia. F. Other toxemias of pregnancy	9 10								1 1	3 2	1 1	2	2 3	2				
149	Other accidents of childbirthF_	8 10									3 2	<u>2</u>	- I	4 5					
	XII.—Diseases of the skin and Male cellular tissue Female	8	1 1	1							2	1	2	<u>-</u> -		1 1			
151	Furuncle, carbuncle $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{aligned}\right.$	4									2	1	1						
152	Phlarmon acuta abcoose	2 2	1										1	1		1			
153	Other diseases of skin and annexa, and of	1			- -											1			
	xIII.—Diseases of the bones and organs	2	1	1															
	of locomotionMale	6					1	2	2		1								
154	Osteomyelitis M	6	<u>-</u> -				1	2	2		1								
	XIV.—Congenital malforma-{Male tions(Female	33 33	29 24	3	1 1	i	1	2 2	<u>-</u> -										
157a	Congenital hydrocephalus $\left\{egin{matrix} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	1	1	<u>*</u> -															
157b	Spina bifida and meningocele	7	2	2 	1	1		1											
	(£1	1	1 1				1			ı	- 1		i	,					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE AND SEX, IN THE TERRITORY OF HAWAII: 1932—Continued

		<u> </u>	11	<u> </u>			1	,			1		1					1	
List no.	CAUSE OF DEATH AND SEX	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	year and over	Age un- known
	XIV.—Congenital malformations—Con.												i r						
157c	Congenital malformations of heart $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{aligned}\right\}$	22 17	18 15	₁	1		1	2											
157d	Other congenital malformations $\left\{ \begin{array}{ll} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array} \right\}$	9 8	9				<u>i</u> -		₁ -										
	XV.—Diseases of early infancy-{MaleFemale_	133 106	133 106																
158	Congenital debility $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{aligned}\right.$	15 11	15 11																
159	Premature birth	73 63	73 63																
160	Injury at birth	29 14	29 14																
161	Other diseases peculiar to early in-{M	16 18	16 ,18																
162	XVI.—Senility{Female	8														2	1 2	6	
	XVII.—Violent and accidental/Male deaths(Female	281 78	3	7 6	3 3	3 4	7 3	22 9	8 3	17	31	23 4 4	$\frac{26}{3}$	$\frac{35}{4}$	38 2 11	$\frac{25}{4}$	16 4 8	$-\frac{\frac{16}{3}}{2}$	
169	Suicide M	50 17								6	6 7	1 2	<u>2</u>	1 2	1 3	<u>1</u>	1		
163	By solid or liquid poisons or by ab-{M sorption of corrosive substances_}F	11 9								4	4	z		1					
165	By hanging or strangulation $\left\{ egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array} \right\}$	16 4						 			1	1	1	2	1	2	5 1		
166	By drowning $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	2								1					1	1			
167	By firearms $\left\{ egin{array}{l} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array} \right.$	12 3								1 1	4 2	1	1	2	1 	1			
168 169	By cutting or piercing instruments M. By jumping from high places M	8 1									1	1		1	2	2	<u>į</u> -		
	Homicide $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	17 6				1				2	3	3 1	2	1	3 1		1		
173	By firearms $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{aligned} ight.$	5 2								₁ -	2	1		2					
174	By cutting or piercing instru-(M ments(F	9 2]					1	2	1	1	3 1				
175	By other means $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right.$	3 2								<u>-</u>		<u>-</u>	1	1			1		
	Accidental, other, or undefined $\left\{egin{array}{c} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array}\right\}$	214 55	4 3	7 6	3	2	7	22 9	8	16 3	22 4	16 2	20 3	24 2	24	18 4	7 3	14 3	
177	Poisoning by food $\left\{egin{matrix}\mathbf{M}_{}\\\mathbf{F}_{}\end{aligned}\right\}$	1 1		<u>-</u> -										1 1					
179	Other acute accidental poisonings M. (gas excepted)	5	ī	2									1		1	1			
180	ConflagrationF	5	i	1 2	2	<u>i</u> -					1	1	<u>i</u> -						
181	Burns (conflagration excepted) $\left\{\begin{array}{l} K_{1} \\ F_{-} \\ \end{array}\right\}$ Supplemental M_{-}	10 1		2	î	î	1	2	1		ī		ī			1			
182	Mechanical suffocation $\begin{bmatrix} \mathbf{M}_{} \\ \mathbf{F}_{} \end{bmatrix}$	1 2	I I														₁ -		
183	Drowning M.	38 5		1 2	2	i	2	7 2		4	3	3	5	2	4	1	2	1	
	Supplemental F.	3								1		2		ī					
184	Traumatism: By firearms (wounds of war ex-/M	5.						1	1	_		1	1		1				
185	cepted)\F By cutting or piercing instruments (wounds of war excepted)M_	1						î					1						
186a	Supplemental M By fall M	1 36					1	5		2	3	2	1 1	2	3	4	<u>-</u> -	7	
_500	Grandaniantal Man	9 24	1				1	1		4	4	2	2	5	5	3		3 2	
186b	By crushing, landslideM	3 1									1	1	₁ -			1			
	Supplemental $\left\{ egin{array}{l} \mathbf{M}_{} \\ \mathbf{F}_{} \end{array} \right.$	10 1		1		1		2	1		1	1	2		2				
188 189	Injuries by animals M Hunger and thirst M	1							l		l				1	1 			
193 194b	Other accidents	3 17	2						1	2	1 3			$\frac{1}{2}$	3	<u>i</u> -		<u>i</u> -	
	Supplemental $M = \{M_{F_{}}\}$	58 16		1		<u>2</u> -	4	6	1 2	4 2	6 2	4	4	10 1	4	9	2 2	3	
198	Legal executionsM.	1											1						
	XVIII.—Ill-defined causes of Male Female.	2	1	1						<u></u>		<u></u>	1						1
200a 200b	Cause of death in-defined F	1		1					 -										
Punch	Cause of death not specified or un-\(M_\) known \(F_\) SUPPLEMENTAL !	1 1	i										1						
symbol 202		2									1		1						
205 207	Accidents from agricultural machinery M. Other machinery accidents M. Other railroad accidents M.	7						<u>i</u> -	<u>i</u> -	<u>i</u> -	3		3	1			<u>i</u> -		
209 210	Automobile sasidents (primery)	3 67		2			3	7	₁ -	5	6			12	7	9	1	4	
211	Motorcycle accidents — M — Other land transportation accidents — M —	17 2				3	1 1	3	2	2	3	1	1	1					
212 213	Water transportation aggidents M	9								2	1		<u>i</u> -	1	4	i		1	
214	Air transportation accidents $F_{}$	1 4								1		2		2					
	nis supplemental list is made in accordance		,												n in th				

¹ This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	3, 670	349	297	335	306	346	294	348	313	259	255	270	298
Typhoid and paratyphoid fever (1, 2)Smallpox (6)					3						2	2	1
Measles (7) Scarlet fever (8)	22	5	8	7 1	1	1							
Whooping cough (9) Diphtheris (10)	23 38	2	ļ	1	5	4	4	1 1 13	<u>1</u>	1		<u>-</u>	2
Influenza (11)	4		1 	. 1	T	į	1	, 1	, 9		3	 ;;-	3
Lethargic encephalitis (17)	1	i		3	2	3	1						
Tuberculosis of the respiratory system (23)	330	31 4	22 4	37	32	27 6	24 2	30 6	30 4	30	30	17 1	20 3
Malaria (38) Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	38 189	6 19	1 13	5 11	2 15	1 18	4 15	4 11	7 22	1 16	 11	5 15	2 23
Bronchitis (106)	386	26 3	27 4	30 2	31 2	48 2	34	38 4	38 4	32 1	28	25 1	29 4
Bronchopneumonia (107)	212· 180	26 28	18 14	23 21	19 20	16 20	11 18	26 9	14 8	10 5	10	16 13	23 15
Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120) Nonbritis (120,132)	175 52 233	20 7 19	13 4 22	28 8 19	16 4 21	21 3 26	16 3 14	17 6 19	8 3 19	6 3 20	6	12 4 13	12 1 23
Nephritis (130–132) Puerperal septicemia (140, 142a, 145) Other puerperal causes	17 45	Î	3	2	2	1	2 7	2		8	18 2 4	4 6	4
Other puerperal causes	67 84	7	2 6	6 7	9 5	7 5	4 5	10 5	6 8	3	4 13	7 8	2 7
Automobile—railroad train and street car collisions Other external causes	208 1, 280	14 119	17 112	21 98	17 95	20 113	16 113	16 130	20 111	18 93	17 88	15 102	17 106

¹ Excludes collision with railroad trains and street cars.

Table 9.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in the territory of hawaii: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

	Total deaths								DEAT	HS AT	AGE O	F—								
CAUSE OF DEATH	under 1 year of age	Un- der 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Un- der 1 month	1 mo.	2 mos.	3 mos.	4 mos.	mos.	6 mos.	mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes	799	125	34	27	53	41	18	24	322	77	65	64	43	37	43	48	38	23	17	22
Measles (7) Scarlet fever (8)	6															2		1	1	2
Whooping cough (9) Diphtheria (10) Influenza (11) Dysentery (13)	5 5				 1	1			1 1		1		1	2 1		<u>1</u>	1 	ī		
Erysipelas (15) Epidemic cerebrospinal meningitis (18) Tetanus (22) Tuberculosis of the respiratory system (23) Tuberculosis of the meninges, etc. (24) Other forms of tuberculosis (25–32) Syphilis (34) Convulsions (86) Bronchitis (106) Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	.2		2	1	3 1 2	1	2 1 4	1 1 3	1 3 6 3 13	1 1 2 3 17 4	1 2 3 11 6	1 2 1 1 16 7	1 2 10 4	1 1 8 4	1 1 16 5	1 7 9 5	1	1 7 3	1 2 2 2	1 1 1 0
Diseases of the stomach (117, 118) Diarrhea and enteritis (119) Intestinal obstruction (122b) Congenital malformations (157)	1 148 3 53	13	.2	1 2	2 6	10	2	4	21	18	15 9	23 1 2	13 1 2	12 1 1	11	10	10	6	4 	5
Congenital debility, icterus, sclerema (158, 161b, c)— Premature birth (159)— Injury at birth (160)— Other diseases of early infancy (161a,d)— External causes (172–198) Unknown or ill-defined diseases (199, 200)—	33 136 43 27 7	4 73 24 10	2 14 7 5	1 11 5 1	3 14 6 7	2 10 1 2	6	5 4	17 132 43 25	8 2 1 1	4 2 1 2	1	1	1	 1			1	1	1
All other causes			1	4	4	6	3	3	21	14	8	8	8	4	6	11	10	2	5	2

PUERTO RICO

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR AND MONTHS, IN PUERTO RICO: 1932

AREA AND COLOR	All					1	MONTH O	F DEATH					
ALEA AND COLOR	deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico, total	35, 601	2, 836	2, 626	2, 929	2, 677	2, 824	2, 854	2, 999	2, 987	3, 155	3, 134	3, 170	3, 410
WhiteColored	26, 377 9, 224	2, 092 744	1, 931 695	2, 159 770	1, 930 747	2, 083 741	2, 109 745	2, 237 762	2, 222 765	2, 366 789	2, 367 767	2, 326 844	2, 555 855
Cities of 10,000 or more: White	2, 351	433 223	420 178	514 209	475 224	482 197	496 215	483 199	452 190	450 169	451 180	428 166	521 201
White Colored	2, 650 1, 133	236 85	186 103	209 100	211 75	221 89	228 105	214 91	240 100	251 110	220 100	213 99	221 76
White Colored	18, 122 5, 740	1, 423 436	1,325 414	1, 436 461	1, 244 448	1,380 455	1, 385 425	1, 540 472	1, 530 475	1, 665 510	1, 696 487	1, 685 579	1, 813 578
CITIES OF 10,000 OR MORE													
Aguadilla White Colored. White Colored. Colored. Bayamon. White Colored. White Colored. White Guayama. White Mayaguez. White Ponce. White Colored. White Colored. White Colored. White Colored. White Colored. White Colored. Colored.	75 353 77 330 72 433 254 315 94 771 271 1, 231	21 7 28 5 30 8 36 37 25 8 68 101 39 18 8	18 3 27 7 13 5 38 29 20 6 68 23 97 29 22 21 17	21 5 26 7 28 7 41 16 27 13 89 22 122 44 22 24	21 4 22 5 5 27 8 26 26 8 8 4 25 110 40 23	19 8 23 7 26 6 36 11 32 6 64 27 116 40 39 18	20 9 34 9 25 2 35 28 30 13 71 106 31	29 8 27 11 28 7 46 22 28 10 48 27 105 32 24 13	15 7 34 6 24 9 34 25 13 7 59 18 128 39 25 14	18 6 26 1 34 7 31 11 29 4 62 21 94 30 31	28 5 41 5 29 7 36 20 34 7 51 19 75 24 37	16 8 37 7 19 11 36 12 27 7 52 17 66 27 38 32	23 5 28 7 47 5 37 17 24 55 23 111 43 55 55

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR AND AGE, IN PUERTO RICO: 1932

						I	DEATHS AT	AGE OF-	-				
AREA AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
Puerto Rico, total	35,601	8,790	2,892	1,877	1,177	840	15, 576	1,798	789	1,291	2,093	1,437	1,277
White Colored	26,377 9,224	6,726 2,064	2, 226 666	1,414 463	886 291	631 209	11,883 3,693	1,334 464	580 209	902 389	1,512 581	1,003 434	894 383
Cities of 10,000 or more White Colored Cities of 2,500 to 10,000 White Colored Rural Colored	5,605 2,351 2,650 1,133 18,122 5,740	1,348 519 583 231 4,795 1,314	318 113 174 88 1,734 465	155 62 114 57 1,145 344	101 61 69 23 716 207	92 39 54 20 485 150	2,014 794 994 419 8,875 2,480	174 74 98 42 1,062 348	90 46 46 24 444 139	245 117 93 49 564 223	424 179 150 76 938 326	280 134 131 69 592 231	259 115 110 58 525 210
CITIES OF 10,000 OR MORE													
Aguadilla White Arecibo Colored Bayamon White Colored White Caguas White Guayama Colored Mayaguez White Ponce White Rio Piedras White San Juan White Colored Colored	249 75 353 77 330 72 433 254 315 94 771 271 1,231 418 365 200 1,558 890	54 24 73 9 75 13 88 53 59 15 201 55 255 72 83 48 460 230	17 2 15 5 26 1 1 27 15 21 4 38 7 7 7 7 18 26 19 19 40 40 40 40 40 40 40 40 40 40 40 40 40	9 1 4 1 16 8 9 2 23 6 29 8 9 3 3 43 33	6 2 10 2 13 3 12 8 5 5 2 9 5 5 6 6 7 15 26	63 61 63 88 97 73 15 20 44 44 20 10	92 32 108 18 182 20 151 26 286 75 403 108 127 81 81 614	8 15 3 19 2 16 10 17 1 17 10 27 7 7 5 48 34	6 12 2 6 7 5 3 11 22 5 6 4 4 34 18	11 4 10 3 9 1 27 15 15 42 15 59 24 19 17 58	13 6 27 5 19 6 49 28 28 28 58 115 116 23 30 15 92 73	17 4 18 5 13 2 23 14 14 8 37 16 67 26 16 10 75	9 21 4 122 6 29 16 6 39 16 49 17 13 8 73 40

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

							DEATHS	AT AGE	OF	•	· · · · ·				
AREA AND COLOR	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	76 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known
Puerto Rico, total	1,401	1,158	1,133	1,132	802	1,277	887	1, 101	537	796	424	361	188	136	7
White Colored	984 417	833 325	812 321	809 323	570 232	941 336	675 212	833 268	414 123	609 187	318 106	256 105	136 52	73 63	6
Cities of 10,000 or moreWhite	285 125 122 57 577 235	246 98 104 34 483 193	229 97 106 53 477 171	217 102 126 46 466 175	162 77 71 32 337 123	240 77 114 45 587 214	164 73 85 32 426 107	198 54 88 30 547 184	119 45 47 14 248 64	108 49 64 17 437 121	67 31 46 17 205 58	42 30 36 12 178 63	29 14 11 4 96 34	11 19 7 3 55 41	2 1 1 3
CITIES OF 10,000 OR MORE															
Aguadilla White Colored Arecibo White Colored Bayamon White Colored Caguas White Golored Guayama White Mayaguez White Colored Rio Piedras Colored San Juan White Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored	13 4 17 7 14 19 2 20 111 222 3 39 14 167 37 222 9 666 41	10 2 17 6 15 6 15 12 12 12 12 13 15 16 23 7 58 33	15 3 14 4 13 3 12 7 7 15 34 12 49 20 20 12 8 65 35	11 2 16 16 17 19 19 19 19 19 19 19 19 19 19 19 19 19	3 4 4 6 2 8 2 14 110 10 5 22 7 7 32 18 11 3 56 26	9 1 27 3 10 2 15 11 18 37 12 17 21 21 46 21	9 2 13 2 4 6 13 10 8 8 25 6 40 14 14 38 22	5 1 14 29 55 14 558 14	7 3 9 9 3 7 7 2 5 5 1 14 4 266 8 8 6 2 388 18	6 1 10 3 9 1 5 11 4 7 6 24 13 5 5 31 15	3 	1 4 3 1 4 1 5 5 2 9 7 2 11 11	1 2 1 3 3 3 7 7 2 2 2 2 10 5	2 1 1 3 1 1 4 2 3 1	1 1

Table 3—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY COLOR, IN PUERTO RICO: 1932

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND COLOR	All causes	Typhoid and para- typhoid fever	Small- pox	Measles	Scarlet fever	Whoop- ing cough	Diph- theria	Influ- enza	Erysipe- las	Epidemic cerebro- spinal menin- gitis	Tubercu- losis of the res- piratory system	Tuber- culosis of the menin- ges, etc.
		1,2	6	7	8	9	10	11	15	18	- 23	24
Puerto Rico, total	35, 601	85		51		135	46	430	21	4	4, 528	29
White Colored	26, 377 9, 224	65 20		35 16		111 24	37 9	333 97	16 5	2 2	3, 217 1, 311	19 10
Cities of 10,000 or more	5, 605 2, 351 2, 650 1, 133 18, 122 5, 740	26 8 7 3 32 9		7 5 2 1 26 10		8 6 12 4 91 14	9 4 8 2 20 3	43 14 29 10 261 73	3 1 12 5	1 2 1	1, 087 444 350 201 1, 780 666	12 4 1 7 5
CITIES OF 10,000 OR MORE		_										
Aguadilla White Colored White Arecibo White Bayamon Colored Colored Colored Cagaus White Colored Colored	249 75 353 77 330 72 433 254			1 1 1 1 1		1		2 4 1			69 21 76 19 48 16 121	1 i
Guayama	315 94							2			57 23	2
Ponce Colored Colored White Colored White White White Colored White Colored Co	771 271 1,231 418 365	1 2 10 1				4 1	3	5 2 2 2	1	1	154 49 236 66 93	1 2
San Juan Colored White Colored	200 1,558 890	13 5		1 4 3		3 2	1 6 2	23 - 10	2		39 233 156	5 2
	Dr	EATH RATE	PER 10	0,000 Esti	MATED PO	PULATION				·		
Puerto Rico, total	2, 228. 5	5. 3		3. 2		8. 5	2.9	26. 9	1.3	0.3	283. 4	1.8
WhiteColored	2, 216. 2 2, 264. 7	5. 5 4. 9		2. 9 3. 9		9.3 5.9	3. 1 2. 2	28. 0 23. 8	1.3 1.2	0. 2 0. 5	270. 3 321. 9	1. 6 2. 5

Table 3—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY COLOR, IN PUERTO RICO: 1932—Continued

[Numbers under causes of death correspond to those of the 1929 revision of the detailed International List]

							the detail						
	Other forms of	Syph-		Cancer and other malig-	Rheu- matism	Diabetes	Cerebral hemor- rhage	Dis- eases	Bron-	Pneu- monia		HEA AND ERITIS	Appen-
AREA AND COLOR	tuber- culosis		Malaria	nant tumors	and gout	mellitus	and sof- tening	of the heart	chitis	(all forms)	Under 2 years	2 years and over	dicitis
	25-32	34	38	45-53	56-58	59	82a, 82c	90-95	106	107-109	119	120	121
Puerto Rico, total	189	417	2, 722	727	33	57	336	1, 738	966	3, 679	4, 094	2, 509	53
White Colored	143 46	299 118	1, 904 818	577 150	26	43 14	239 97	1, 271 467	764 202	2, 710 969	3, 129 965	1, 933 576	41 12
Cities of 10,000 or moreWhite			309	186	7		84	343	101	529	723	243	17
Colored Cities of 2,500 to 10,000White	20	75 38 37	123 187	62 84	i 2	23 9 5	35	161 167	48 70	225 249	252 253	90 174	17 4 5
Colored	4	13 187	80	21 307	1 17	1 15	35 28 14 127	57 761	16 593	126 1, 932	135 2, 153	82 1,516	19
Rural	82	67	1,408 615	67	5	4	48	249	138	618	578	404	13
CITIES OF 10,000 OR MORE													
AguadillaWhite_	_ 1	3	14	7	_		3	9	2	13	27	15	1
Colored AreciboWhite.		1	4 17	13		1	2 2 1 5 2 5 5	27		. 10 34	9 30	1 26	
Colored Bayamon	1	9	8 7	3 8		1 2	1 5	8 35	5 3 7 2	7 36	5 48	1 28	<u>ī</u>
Colored	1	3		6			2	6 22	2 14	11 33	6 45	5 24	î
Cagaus	- 9 3	3 4	7	14 6		$\begin{vmatrix} 1\\2 \end{vmatrix}$	5 5	17	5	19	28	17	
GuayamaWhite_	. 1	1	45	10		4	13	12	13	33	40	13	
Colored MayaguezWhite	6	3	10 34	1 13		1 2	4 15	39	2 15	90 90	9 118	9 42	3
Colored Ponce White.	1 2	3 17	23 129	3 33	2	3	5	1 22	6 16	32 85	18 139	10 46	1
L'olored	''	7	39	12		3	13 2 5 5	39 16	6	28 44	41 38	12	2
Rio Piedras	1	7 9 2	3	15 4		1	5	13	3	35	21	10	1 9
San Juan	- 16 - 10	29 19	47 29	73 27	5 1	9 2	23 9	115 52	24 21	161 74	238 115	43 25	2
		DEATH B	ATE DEE	100,000	Sauth var.	n Popiii a	TION		1	<u> </u>		l	L
D. J. Directoral	1	26.1	170. 4	45. 5	2. 1	3.6	21. 0	108.8	60. 5	230. 3	256. 3	157. 1	3. 3
Puerto Rico, total								106. 8	64. 2	227. 7	262. 9	162. 4	
WhiteColored	12. 0 11. 3	25. 1 29. 0	160. 0 200. 8	48. 5 36. 8	2. 2 1. 7	3. 6 3. 4	20. 1 23. 8	114.7	49.6	237. 9	236. 9	141. 4	3. 4 2. 9
	i i		Ī			Congeni-			ATTTOMO	BILE ACC			
	Herma,	Cir-		Puer- peral	.,	tal mal- forma-				ENTS		Un-	
	intesti-	rhosis	Ne-		Other								
	nal ob-	of the	phritis	septi-	puer-	tions and	Suicide	Homi- cide		In colli-		known	All
AREA AND COLOR	nal ob- struction	of the		septi- cemia	puer- peral	diseases of early	Suicide		Pri-	sion with railroad	externa	known or ill- defined	All other causes
AREA AND COLOR	struction	of the liver	phritis	cemia 140, 142a,	puer-	diseases of early infancy		cide	Pri- mary ¹	sion with	externa causes	known or ill- defined diseases	other
AREA AND COLOR		of the		cemia 140, 142a,	puer- peral	diseases of early	Suicide 163-171	cide		sion with railroad trains	externa causes	known or ill- defined	other
Puerto Rico, total	struction 122	of the liver	phritis	cemia 140, 142a,	puer- peral	diseases of early infancy		cide		sion with railroad trains and stree cars	externa causes	known or ill- defined diseases 199, 200	other causes
Puerto Rico, total	122 102	of the liver 124 183	2, 501	cemia 140, 142a, 145 165	puer- peral causes	diseases of early infancy 157-161 2, 417	163-171 331 244	209	133 81	sion with railroad trains and street cars	externa causes 2 644 2 418	known or ill- defined diseases 199, 200	other causes 4, 775
Puerto Rico, total White Colored	122 102 74 28	124 183 142 41	2, 501 1, 825 676	140, 142a, 145 165 122 43	puer- peral causes 276 206 70	diseases of early infancy 157-161 2, 417 1, 829 588	331 244 87	209	133 81 52	sion with railroad trains and stree cars	externa causes et 2 644 2 418 226	known or ill- defined diseases 199, 200 1, 014 798 216	4, 775 3, 566 1, 209
Puerto Rico, total	122 102 102 28 25 13	124 183 142 41 20 9	2, 501 1, 825 676 302 139	140, 142a, 145 165 122 43 30 12	276 206 70 46 25	diseases of early infancy 157-161 2, 417 1, 829 588 291 126	331 244 87	209 156 53 47 17	133 81 52 26 19	sion with railroad trains and stree cars	externa causes 2 644 2 418 2 226 1 92	known or ill- defined diseases 199, 200 1, 014 798 216 51 23	4, 775 3, 566 1, 209 718 342
Puerto Rico, total White Colored Cities of 10,000 or more Cities of 2,500 to 10,000 Colored Colored	122 102 	124 183 142 41 20 9 21 9	2, 501 1, 825 676 302 139 182 71	140, 142a, 145 165 122 43 30 12 15 9	276 206 70 46 25 24 8	diseases of early infancy 157-161 2, 417 1, 829 588 291 126 176	163-171 331 244 87 79 37 28 8	209 156 53 47 17 33 9	133 81 52 26 19 11 8	sion with railroad trains and stree cars	externa causes et 2 644 2 418 226 1 92 35 1 47 1 19	known cr ill- defined diseases 199, 200 1, 014 798 216 51 23 31 10	other causes 4, 775 3, 566 1, 209 718 342 379 136
Puerto Rico, total White Colored Cities of 10,000 or more Cities of 2,500 to 10,000 Rural White White	122 102 74 28	124 183 142 41 20 9	2, 501 1, 825 676 302 139 182	140, 142a, 145 165 122 43 30 12	276 206 70 46 25 24	diseases of early infancy 157-161 2, 417 1, 829 588 291 126 176	331 244 87 79 37 28	209 156 53 47 17 33	133 81 52 26 19 11	sion with railroad trains and stree cars	externa causes 2 644 2 418 2 226 1 92 1 92 1 47	1, 014 798 216 23 31 10 716	other causes 4, 775 3, 566 1, 209 718 342 379 136
Puerto Rico, total White Colored Cities of 10,000 or more Cities of 2,500 to 10,000 Colored Colored	122 102 74 28	124 183 142 41 20 9 21 9 101	2,501 130–132 2,501 1,825 676 302 139 182 71 1,341	140, 142a, 145 165 122 43 30 12 15 9	276 206 70 46 25 24 8 136	diseases of early infancy 157-161 2, 417 1, 829 588 291 126	331 244 87 79 37 28 8 137	209 156 53 47 17 33 9	133 81 52 26 19 11 8 44	sion with railroad trains and stree cars	externa causes at 2 644 2 418 226 1 92 35 1 47 1 199	1, 014 798 216 23 31 10 716	4, 775 3, 566 1, 209 718 342 379 136
Puerto Rico, total White	123 102 74 28	124 183 142 41 20 9 21 9 101 23	2,501 130-132 2,501 1,825 676 302 139 182 1,31 1,466	140, 142a, 145 165 122 43 30 12 15 9	276 206 70 46 25 24 8 136 37	diseases of early infancy 157-161 2, 417 1, 829 558 291 126 70 7, 362 392	331 244 87 79 37 28 8 137	209 156 53 47 17 33 9	133 81 52 26 19 11 8 44	sion with railroad trains and stree cars	external causes of the causes	known all or ill- defined diseases 199, 200 1, 014 798 216 51, 23 31 10 716 183	other causes 4,775 3,566 1,209 718 342 379 1366 2,469 731
Puerto Rico, total White Colored Cities of 10,000 or more Cities of 2,500 to 10,000 White Colored Rural Cities of 10,000 or More Cities of 10,000 or More Aguadilla White Colored	122 102 74 28 13 21 36 13 11 1	124 183 142 41 20 9 21 9 101	2,501 1,825 676 302 139 182 71 1,341 466	140, 142a, 145 165 122 43 30 12 15 9	276 206 70 46 25 24 8 136 37	diseases of early infancy 157-161 2, 417 1, 829 558 291 126 70 7, 362 392	163-171 331 244 87 79 37 28 8 137 42 5	209 156 53 47 17 33 9 76 27	133 81 52 26 19 11 8 44	sion with railroad trains and stree cars	external causes set	known all or ill-si defined diseases 199, 200 1, 014 798 216 51 23 31 10 716 183	other causes 4,775 3,566 1,209 718 342 379 1366 2,469 731
Puerto Rico, total	122 102 74 28 - 25 13 - 36 - 13 - 2 - 36 - 2 - 36 - 2 - 36 - 36 - 36 - 36 - 36 - 36 - 36 - 36	of the liver 124 183 142 41 20 9 21 19 101 23	2, 501 1, 825 676 302 139 182 71 1, 341 466 8 6 6 31 5 5	cemia 140, 142a, 145 165 122 43 30 12 15 9 77 72 22	276 206 70 46 25 24 8 136 37	diseases of early infancy 157-161 2, 417 1, 829 291 126 70 1, 362 392 13 4 24 24	163-171 331 244 87 79 37 28 8 137 42 5 8	172-175 209 156 53 47 17 33 9 76 27	133 81 52 26 19 11 84 25	sion with railroad trains and stree cars	external causes set	known and or ill- defined diseases 199, 200 1, 014 798 216 51 23 31 10 716 183	other causes 4,775 3,566 1,209 718 342 379 1366 2,469 731
Puerto Rico, total White	122 102 74 28	124 183 142 41 20 9 21 9 101 23	2,501 1,825 676 302 139 182 71 1,341 466 8 6 6 131 5 133 3	cemia 140, 142a, 145 165 122 43 30 122 15 9 77 22	276 206 70 46 25 24 8 136 37 2 1 8 1 1	diseases of early infancy 157-161 2, 417 1, 829 588 291 126 70 1, 362 392 13 4 4 24 4 24 14	163-171 331 244 87 79 37 28 8 137 42 5 8 2 1	172-175 209 156 53 47 17 33 9 76 627 1 1 3	133 81 52 26 19 111 8 44 25	sion with railroad trains and stree cars	external causes st causes st causes st causes st causes st causes st causes st causes st causes caus	known or ill- defined diseases 199, 200 1, 014 798 216 51 233 31 10 716 183	4,775 3,566 1,209 718 342 379 1366 2,469 731
Puerto Rico, total White Colored Cities of 10,000 or more Cities of 2,500 to 10,000 White Colored Rural Cities OF 10,000 OR MORE Aguadilla White Colored Arecibo Bayamon White Colored White Colored White Colored White	122 102 74 28 13 13 21 36 13 21 22 14 25 15 16 17 17 18 18 18 18 18 18 18 18	of the liver 124 183 142 41 20 9 21 19 101 23	130-132 2,501 1,825 676 302 139 182 71 1,341 466 6 6 6 6 6 6 6 6 6 	cemia 140, 142a, 145 165 122 43 30 12 15 9 77 72 22	276 206 70 46 25 24 8 136 37 21 1 8	diseases of early infancy 157-161 2, 417 1, 829 291 126 70 1, 362 392 13 4 24 24	163-171 331 244 87 79 37 28 8 137 42 5 8	172-175 209 156 53 47 17 33 9 76 27	133 81 52 26 19 11 84 25	sion with railroad trains and stree cars	external causes set 2	known in or ill- defined diseases 199, 200 1, 014 798 216 51 10 716 183	4,775 3,566 1,209 718 342 379 1366 2,469 731
Puerto Rico, total White Colored Cities of 10,000 or more Cities of 2,500 to 10,000 White Colored Rural Cities OF 10,000 OR MORE Aguadilla White Colored Arecibo Bayamon White Colored Colored Colored Colored Colored White Colored Guayama White Colored White	122 102 74 28	183 142 41 20 9 101 23	130-132 2,501 1,825 6,76 302 139 182 71 1,341 466 31 5 13 3 3 3 3 3 3 3 3	cemia 140, 142a, 145 165 122 43 30 122 15 9 77 22	276 206 70 46 25 24 8 136 37 21 1 8	diseases of early infancy 157-161 2, 417 1, 829 588 291 1286 176 70 1, 362 392 13 4 4 2 2 14 4 10 7 7	163-171 331 244 87 79 37 28 8 137 42 5 8 2 1 7 9	172-175 209 156 53 47 17 33 9 76 27 1 1 3 1 1	133 133 151 152 26 19 11 18 44 25	sion with railroad trains and stree cars	external causes set 2	known and or ill- defined diseases 199, 200 1, 014 798 216 51, 23 31, 10 716 183 4 2, 1 1 1 2 3	0ther causes 4,775 3,666 1,209 718 342 379 136 2,469 731 44 10 38 8 37 84 36
Puerto Rico, total White Colored Cities of 10,000 or more Cities of 2,500 to 10,000 Cities of 2,500 to 10,000 Colored Rural Colored Cities OF 10,000 OR MORE Aguadilla Arecibo Arecibo Colored Arecibo Colored Colored Colored Colored Arecibo White Colored Colored Guayama White Colored Guayama White Colored Guayama White Colored Mayaguez White	122 102 74 28 13 13 21 13 21 21 21 21 21 22 21 21	183 142 20 9 101 23 11 21 21 3	130-132 2, 501 1, 825 676 302 139 182 71 1, 341 466 31 55 133 233 9 18 9 400	cemia 140, 142a, 145 165 122 43 30 122 15 97 77 222 2 1 3 4 1 1	276 206 70 46 25 24 8 136 37 21 1 8 2	diseases of early infancy 157-161 2, 417 1, 829 588 291 126 70 1, 362 392 14 24 24 19 10 7 3 3 3 3 3 3 3 4 4 2 4 4 2 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	163-171 331 244 87 79 37 728 8 137 42 5 8 2 1 7 9 5 2 11	172-175 209 156 53 47 17 33 9 76 27 1 1 3 3 3 3 3 3	133 133 151 152 26 19 11 18 44 25	sion with railroad trains and stree cars	external causes at 2 644 22 418 226 1 325 1 47 1 219 172 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	known or ill- defined diseases 199, 200 1, 014 798 216 51, 23 31, 10 716 183 4 2 1 1 2 3 1 1 2 2 2	718 3,566 1,209 718 342 379 136 2,469 731 44 10 38 8 8 8 37 8
Puerto Rico, total White Colored Cities of 10,000 or more White Colored Rural Colored Cities of 10,000 on More Rural Colored Colored Colored Colored Colored Colored Arecibo Colored Bayamon Colored Bayamon Colored Colored Colored Guayama White Colored Colored Colored Colored Colored Colored Colored Myhite Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Colored Myhite Colored Mayaguez Colored Mayaguez Colored	122 102 74 28 - 25 - 13 - 23 - 36 - 13 - 2 - 2 - 3 - 1 - 2 - 2 - 1 - 2 - 1 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	124 183 142 41 20 9 21 19 101 23 1 1 2 1 1 1 1 2 1 1 7	2,501 2,501 1,825 676 302 139 182 71 1,341 466 31 13 3 9 188 9 40 112	cemia 140, 142a, 145 165 122 43 30 12 15 9 77 72 2 2 1 3 4 1 1 2 1 7	276 206 70 46 25 24 8 136 37 2 1	diseases of early infancy 157-161 2, 417 1, 829 588 291 126 70 1, 362 392 14 24 24 19 10 7 3 3 3 3 3 3 3 4 4 2 4 4 2 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	163-171 331 244 87 79 37 728 81 137 42 5 5 21 11 32 22	172-175 209 156 53 47 17 33 9 76 27 1 1 1 1 3 1 2 3 10	133 133 151 152 26 19 11 18 44 25	sion with railroad trains and stree cars	external causes set 2	known in or ill- defined diseases 199, 200 1, 014 798 216 51 23 31 10 716 183 4 2 1 1 2 2 1 2 4 4 2 1 1 2 4 4 4 4 4	718 3,566 1,209 718 342 379 136 2,469 731 44 10 38 8 8 8 8 8
Puerto Rico, total White	122 102 74 28	of the liver 124 183 142 41 20 9 101 123 1 1 23 11	2,501 2,501 302 139 182 71 1,341 1,341 5 31 33 31 466 31 17 74 37 74	cemia 140, 142a, 145 165 122 43 30 12 15 9 77 22 2 1 3 4 1 1 2 1 1	276 206 70 46 25 24 8 136 37 2 1 1 8 2 1 3 16 3 2 2	diseases of early infancy 157-161 2, 417 1, 829 588 291 126 70 1, 362 392 14 24 24 19 10 7 3 3 3 3 3 3 3 4 4 2 4 4 2 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	163-171 331 244 87 79 37 728 81 137 42 5 5 21 11 32 22	172-175 209 156 53 47 17 33 9 76 627 1 1 2 3 1 2 3	133 133 151 152 26 19 11 18 44 25	sion with railroad trains and stree cars	external causes set 2	known a or ill- defined diseases 199, 200 1, 014 798 216 51 23 31 10 716 183 4 2 1 1 2 3 4 1 4 8 1 4 8 1 1	718 3,566 1,209 718 342 379 136 2,469 731 44 10 38 8 8 8 8 8
Puerto Rico, total White	122 102 74 28	183 142 20 91 101 23 11 21 11 11 11 11 11 11 11 11 11 11 11	130-132 2, 501 1, 825 676 302 139 182 71 1, 341 466 - 31 - 5 133 233 9 18 9 9 40 12 74 437 - 26 177 - 26 26 177 - 27 - 27	cemia 140, 142a, 145 165 122 43 30 125 977 22 2 1 3 4 1	276 206 70 46 25 24 8 136 37 21 1 8 2 1 6 6 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	diseases of early infancy 157-161 2, 417 1, 829 588 291 1226 2, 392 392 13 4 4 24 2 14 4 2 19 10 7 7 3 3 88 19 9 82 23 9 3 3 8	163-171 331 244 87 79 37 728 8 137 42 5 8 2 1 11 3 222 8 4 1	172-175 209 156 53 47 17 33 9 76 27 1 1 2 3 10 2 11	133 133 151 152 26 19 11 18 44 25	sion with railroad trains and stree cars	external causes set 2	known or ill- defined diseases 199, 200 1, 014 798 216 51, 23 31, 10 716 183 4 2, 1 1 28 48 81 11	718 3,566 1,209 718 342 379 136 2,469 731 44 10 38 8 8 8 8 8
Puerto Rico, total	122 102 74 28	of the liver 124 183 142 41 20 9 21 19 101 23 1 1 1 2 1 3 3 1 7 1	130-132 2,501 1,825-676 302-139-182-71 1,341-466 31-18-18-18-18-18-18-18-18-18-18-18-18-18	cemia 140, 142a, 145 165 122 43 30 125 977 22 2 1 3 4 1	276 206 70 46 25 24 8 136 37 2 1 1 8 2 1 3 16 3 2 2	diseases of early infancy 157-161 2, 417 1, 829 588 291 126 70 1, 362 392 14 24 24 19 10 7 3 3 3 3 3 3 3 4 4 2 4 4 2 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	163-171 331 244 87 79 37 28 8 137 42 5 8 2 1 11 3 3 3 22 8 4	172-175 209 156 53 47 17 33 89 78 72 1 1 1 2 1 2 1 2 1 2 1 2 1	133 81 52 26 19 11 8 44 25 1 2 7 3 4 2	sion with railroad trains and stree cars	external causes set 2	known all or ill- defined diseases 199, 200 1, 014 798 216 51, 23 311 716 183 4 2 1 1 2 2 3 4 14 8 8 1 1 3 3	718 3,566 1,209 718 342 379 136 2,469 731 44 10 38 8 8 8 37 8
Puerto Rico, total White Colored. Cities of 10,000 or more White Colored Rural Cities of 2,500 to 10,000. White Colored Colored White Colored Cities of 10,000 or More Aguadilla Arecibo. Colored Bayamon Colored Cagaus White Colored Colored White Colored Colored White Colored Colored White Colored Colored White Colored Colored Colored White Colored Colored Colored White Colored Guayama White Colored Guayama Colored Mayaguez White Colored Ponce White Colored Ponce Colored C	122 102 74 28	124 183 142 41 20 9 101 23 1 1 1 1 2 1 7 1 3	130-132 2, 501 1, 825 676 302 139 182 71 1, 341 466	cemia 140, 142a, 145 165 122 43 30 12 15 9 77 22 2 1 3 4 1 7 1 2 11 12	276 206 70 46 25 24 8 136 37 2 1	diseases of early infancy 157-161 2, 417 1, 829 588 291 1266 176 70 1, 362 392 14 4 24 2 14 4 19 10 7 3 3 88 19 82 23 9 9 3 85 62	163-171 331 244 87 79 37 728 81 137 42 5 5 21 11 3 222 8 4 1 16 12	172-175 209 156 53 47 17 33 89 76 27 1 1 2 1 2 1 2 2 1 2 2	133 81 52 26 19 11 8 44 25 2 1 2 7 7 3 4 2 12	sion with railroad trains and stree cars	external causes set 2	known all or ill- defined diseases 199, 200 1, 014 798 216 51, 23 311 716 183 4 2 1 1 2 2 3 4 14 8 8 1 1 3 3	718 3,566 1,209 718 342 379 136 2,469 731 44 10 38 8 8 8 37 8
Puerto Rico, total White Colored. Cities of 10,000 or more White Colored Rural Cities of 2,500 to 10,000. White Colored Colored White Colored Cities of 10,000 or More Aguadilla Arecibo. Colored Bayamon Colored Cagaus White Colored Colored White Colored Colored White Colored Colored White Colored Colored White Colored Colored Colored White Colored Colored Colored White Colored Guayama White Colored Guayama Colored Mayaguez White Colored Ponce White Colored Ponce Colored C	122 102 74 28	124 183 142 41 20 9 101 23 1 1 1 1 2 1 7 1 3	130-132 2, 501 1, 825 676 302 139 182 71 1, 341 466	cemia 140, 142a, 145 165 122 43 30 122 15 97 77 222 2 1 3 4 1 1 2 1 7 1 2 1 5	276 206 70 46 25 24 8 136 37 2 1	diseases of early infancy 157-161 2, 417 1, 829 588 291 1266 176 70 1, 362 392 14 4 24 2 14 4 19 10 7 3 3 88 19 82 23 9 9 3 85 62	163-171 331 244 87 79 37 728 81 137 42 5 5 21 11 3 222 8 4 1 16 12	172-175 209 156 53 47 17 33 89 76 27 1 1 2 1 2 1 2 2 1 2 2	133 81 52 26 19 11 8 44 25 2 1 2 7 7 3 4 2 12	sion with railroad trains and stree cars	external causes set 2	known or ill- defined diseases 199,200 1,014 798 216 51 23 31 10 716 183 4 2 1 1 2 1 3 1 8 1 4 8 1 1 1 3 5	0ther causes 4, 775 3, 666 1, 209 718 342 379 136 2, 409 731 44 10 38 8 8 37 7 24 10 10 10 10 10 10 10 10 10 10 10 10 10
Puerto Rico, total	122 102 74 28	124 183 142 41 20 9 101 101 1 1 1 1 21 3 1 7 1 1 7 3 Death 1	130-132 2,501 1,825 676 302 139 182 71 1,341 5 6 6 6 6 6 6 7 13 13 13 23 9 40 12 74 37 7 26 17 26 17 41	cemia	Duer-peral Causes	diseases of early infancy 157-161 2, 417 1, 829 588 291 1266 70 1, 362 392 14 4 24 2 14 19 10 7 7 3 38 19 82 23 3 85 62	163-171 331 244 87 79 37 28 8 137 42 5 8 2 1 1 3 22 1 1 16 12	172-175 209 156 53 47 173 39 76 627 1 1 2 1 2 1 2 9	133 81 52 26 19 11 18 8 44 25 2 2 1	sion with railroad trains and stree cars	external causes set 2	known and or ill- defined diseases 199, 200 1, 014 798 216 511 23 31 10 716 183 4 2 1 1 28 14 14 3 5 63.5	other

¹ Excludes collision with railroad trains and street cars.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932

						-													
List no.	CAUSE OF DEATH AND COLOR	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	Total deaths (all causes) White Colored	26, 377 9, 224	6, 726 2, 064	2, 226 666	1, 414 463	886 291	631 209	1, 334 464	580 209	902 389	1, 512 581	1, 003 434	894 383	1,817 742	1, 621 644	1, 511 568	1, 508 480	1, 806 636	6 1
	T.—Infectious and parasitic dis-{White	7, 340 2, 782	985 294	335 94	237 86	172 76	150 57	427 162	269 116	537 248	935 339	581 272	472 189	865 372	600 223	372 131	276 79	127 43	<u>1</u>
1	Typhoid fever $\left\{egin{array}{l} W_{} \\ C_{} \end{array}\right.$	63 20				1		3	10	11 5	7	12	6	7	2 2	3	1		
2 5	Paratyphoid fever W Undulant fever W	2												1	ĩ	<u>i</u> -			
7	Measles	35 16	7	9 3 27	9		4	6 2	ī	-,				1					
9	Whooping cough	111 24	62 13 6	27 7	8	8 1	1 2	5 1											
10	Diphtheria $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	37 9	4	71	8 2	1 4 1 7	2	4	2										
11a	Influenza, respiratory complications W specifiedCC	201 39	32 6 26	1 27 2 14	19 2 14	1	6 1	10	4 2	10 3	11 6	7 2	11	14 4	17 1	8 5 7	11	7	
11b	Influenza, respiratory complications/W not specifiedC	39 132 58 97 39 16	14	6	5	13 1 3	1 4 2	6 4 7	2 6 4	2 2	6	6 1	3 3 1	4 5 7	5 4	1	10	5 4	
13	Dysentery $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	97 39	10 5 1	11 4 5	3 1	1	5	7 4	6 2	6 1	2 4 2	2 1	3	7 3	12 1	4	7 4	7 3	
15	Erysipelas	5	1 2	5 1	2	1			₁ -			1		3	1	2			
16	Acute poliomyelitis, acute polioen-	1						1	1										
18	Epidemic cerebrospinal meningitis $\left\{\begin{array}{c} W_{} \\ C_{} \end{array}\right\}$	2 2	1		1		I I			1					- -				
22	Tetanus $\left\{\begin{array}{c} W_{} \\ C_{} \end{array}\right\}$	399 110	315 69	3 2	1	3	1	18 6	12 8	5 6	5	7 2	3 1	13 6	2	$\begin{bmatrix} 6 \\ 2 \end{bmatrix}$	2	2 1	
	Tuberculosis (all forms) $=$ $\begin{cases} \overline{W} = 0 \\ C_{-} = 0 \end{cases}$	3, 379 1, 367	29 5	42 5	27 7	20 13 15	11 11	6 68 23 48 17	8 94 38 86 31	355 176	732 260	431 201	351 132	585 259 567	329 131	176 63	99 33 92	30 10	
23 24	Respiratory system	3, 217 1, 311	18	34 1	21 7	6	9	48 17		344 172	717 258	423 198	342 128	256	306 124	166 59	92 31	29 10	
	Meninges and central nervous W	19 10 98	6	2 3 1	3	2 4	 1 1	3				1 <u>-</u> -	1	1					
25 26	Intestines and peritoneum (V	29 8		i	3	1	1	6 1 1	5	7 2	- 7	6	8	15 2	22 6	8 4	6 2	1	
27a	Bones (vertebral column excepted) $\left\{ \begin{array}{l} W - C \\ C - C \end{array} \right\}$	6				<u>1</u>		2 1	<u>i</u> -	1 1	1 1	1	1		1	ī			
27b	Joints	1 2							<u>i</u> -								i		
28	Skin and subcutaneous cellular tissue	1		1															
29	Lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted) \mathbb{C}_{-}	10 7		2		2 1		6 3	2						i				
. 30	Genitourinary system	2						-	1.	1	1								
32a 32b.c	Acute disseminated tuberculosis {W	16 4	3	2				2	1	1 2	5			1		1			
32D,C	Other disseminated tuberculosisW	1 6						-				i -	1	1 1	2		ī-		
34	SyphilisC	299 118	186	12 3	6	2	8	3	2	1 4	7	4 4	9	2 19	12	13			
35	Gonococcus infection, other venereal W diseasesC	3 2	57 1	1	6	1		2	2	4	5	4	3	6 1	10	6	2	<u>-</u> -	1
36	Purulent infection, septicemia (non- W _ puerperal) C _	136 35	27 5	11	2	3	2	5 2	10	9	10	14	5 2	11	9	12	5 3	1 -	
38	Malaria W C	1, 904 818	269 101	141 55	109 54	89 47	86 34	211 95	2 79 46	113	118 55	82 52	59 37	5 153 66	142 62	102 33	97 26	1 54 15	
39	Other diseases due to protozoal para-\W sitesC	1	i .																
40	Ankylostomiasis	337	6	3	4 2	4 7	10 2	64 12	38 7	22 5	32	11	15	27	45 5	27	23	6	
42	Other diseases caused by helminths	104 23	6 2	17 5	24	14 1	9 2	17	3 -			1	2	2	2	2	3 2	2	
43	Mycoses	104 23 73 21		Ĭ.				2	2	3	3 2	2 2	3 2	16	19	9 2	10	5	
44	Other infectious and parasitic diseasesW	1											ĩ						
	II.—Cancers and other tumors (White	590 164	1 1	I			2	5	3	3	7 2	6	16 8	64 23	148 36	128 45	136 23	70	
	Cancer and other malignant tumors $- \left\{ \begin{matrix} W_{} \\ C_{} \end{matrix} \right\}$	577 150 23		1 .			1	5	3	3	6	6	15 6	63 22 2	146 35	127 43	133 21	68 18	
(45)	Buccal cavity $\left\{ \begin{array}{c} W_{-} \\ C_{-} \end{array} \right]$	7			-].	1							2 2	3	1	7 1 2	5 _	
(45)	Pharynx	14 3 9	-		-								1 .		4	5	2	2 _	
(46)	Esophagus{C	4						-			·i			1	2 2	1 _	3	1 -	
(46)	Stomach and duodenum	190 43 30										1	3 2	19 3 1	2 2 49 8 8	49 18	47 6	22 _ 5 _	
(46) (46)	Diver and billary passages(C	30 4 11						1 -						1		10	5	⁵ · -	
(46)	Pancreas	29 8 21						-	-		2	i-	4	5	6	5	6 - 3	<u>\$</u> - -	
47 (Respiratory system	21 5				[: -	-				3	5 1 3 1	3	5	6	2 - 1 -	
48	Uterus	141	-				:	-	-		1	2	1 1	21 11	45	3 27 12	32	12	
49	Other female genital organs $\left\{\begin{array}{c} C \\ W \\ C \end{array}\right\}$	52 3 1			-				-	-		3	: <u></u> -		13 2 1	12	8	5 -	
50	Breast	12							-					3	5	2	2 -		
51	Male genitourinary organs $\begin{cases} \ddot{N}^{-1} \\ \ddot{N}^{-1} \end{cases}$	22									-	-		2	3 -	4	5	8 -	
52	Skin $\left\{ egin{array}{c} \egin{array}{c} egin{array}{c} egin{array}{c} \$	20								ī.			2	3 1	4	1 2	6	3 -	
53	Other or unspecified organs $\left\{ \begin{array}{c} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array} \right]$	52 9		1				4	3	2	3	2	1 2	3	10	9 2 -	9	5 -	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

						954-										,			
List no.	CAUSE OF DEATH AND COLOR	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	II.—Cancers and other tumors—Contd.																		
54a 54b 55d, e	Nonmalignant tumors, overy	1 3 12 11	1 1	1			1				<u>1</u> 1	1	1 2	1 1	1 2	1 1 1	3 2	2 1	
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases.	122 37	16 5	22 2	4 3	2	2	3 1	6	2 1		1 2	1	4 7	14 4	15 8	15 3	15	
56	Acute rheumatic fever $\{V_{C-1}, V_{C-1}\}$	19 6			1	1			3	1				1	5 1	2 3	. 1 1	5	
57	Chronic rhoumatism, osteoarthritis	7						1		1						1	<u>î</u> -	4	
-59	Diabetes mellitus	43 14	i						2			2	₁ -	3 4	6 1	12 5	13 1	6	~
60	Commerce 'W	1												1					
61	Beriberi	1 7		1				<u>1</u> -				1		1	2				
62	Pellagra\C	1 32	9	18	3	i	i							1					
63	Rickets	7	3		3			i											
66a 66b (66)	Simple goiter. W. Exophthalmic goiter. W. Other diseases of thyroid and parathyroid glands. C. W.	2		2									1		1				,
67	Diseases of thymus gland. $\begin{array}{c} W_{} \\ C_{} \\ \end{array}$	2 5 2 4	$\begin{bmatrix} 5\\2\\1 \end{bmatrix}$					<u>1</u>											
69	Other general diseases $\{C_{}^{W_{}}\}$	3		2						1					2				
	IV.—Diseases of the blood and White blood-making organs(Colored	210 55	20 16	1	1	1	5	11 4	7	7 2	$\frac{14}{2}$	7	9	33 6	15 11	25 4	25 4	20 2 ———	
70	Hemorrhagic conditions $\left\{\begin{array}{ll}W_{-}\\C_{-}\end{array}\right\}$	20 4	9	1	1	1		3	;-			 - -							
71a	Pernicious anemia $\left\{egin{array}{c} W_{} \\ C_{} \end{array}\right.$	105 26	3	<u>ī</u>	1	1		2	1	5 2	8 2 3	4 - -	7	15 4 13	9 9 6	18 1 6	18 2 5	11 2	
71b	Other anemias $\{ egin{matrix} W \\ C \end{bmatrix}$	24	8 11	3	1	2	5	4 3	2	1		1		13 2 2	2	3	2		
72a	True leukemias $\{W_{C}\}$	5			1			1 2	1			1 	1 						
72b 73	Pseudoleukemias (Hodgkin's disease) - W - Diseases of spleen	$\frac{4}{7}$				1				i	1	1		1		1	1		
	V.—Chronic poisonings and /White intoxications(Colored	5 7										2 1	1	1 2	1	<u>2</u>	<u>ī</u>		
75	Alcoholism (acute or chronic) $\left\{ \begin{array}{l} W_{} \\ C_{} \end{array} \right\}$	5 7										2	1	1 2	1	2	<u>ī</u> -		
	VI.—Diseases of the nervous system and of the organs of special sense} White		81 20	33 5	19 10	11 3	6 6	21 6	18 3	13 5	28 13	13 4	22 12	52 15	52 21	75 30	63 33	67 29	2
78	Encephalitis (nonepidemic) $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$		2				1 2	2		1	3	<u>-</u> -	1	2			<u>-</u> -		
79a	Simple meningitis $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	38	46 15	23 3	9	9	3 4	8	9	3	1 1	1 1	1	1	3		1		
79b 80	Nonepidemic cerebrospinal meningitis W Progressive locomotor ataxia (tabes { W dorsalis}	3 9 1			1						1		1	3	1 1	2 <u>1</u>	2 1		
81	Other diseases of spinal cord $\begin{array}{c} W = 0 \\ C = 0 \\ \end{array}$	235				<u>i</u>	<u>-</u> -	3				3	5	1 23	2 34	1 52	43	50	<u>î</u>
82a	Cerebral nemorrhage	94	1	2	1	2				3	3	2	5 5 3	4 4	15	16	23	20	<u>-</u>
82b	Cerebral embolism and thrombosis{C	. 7									3	î		î		1 2	ī	1	
82c 82d	Softening of brain	. 3						1	2		ī	3	1	8	7	11	1 9	1 11	
	unspecifiedC	23										1	3	2 4		8	5 1	5	<u>ī</u>
83 84	Dementia praecox and other psycho-	8 14 7							1	1	2 2	1	1 3 1	1 3	1 2 1	1 2 2	1 2 1	1 1 1	
85	Epilepsy	42 12	2	3	5	ī		$\frac{2}{2}$	3	2 2	11 2		4	1	i	2			
86	Convulsions (under 5 years of age) $\left\{\begin{matrix} W_{} \\ C_{} \end{matrix}\right\}$. 2	11 2	3	1														
87	Other diseases of nervous system $=$ $\{ \begin{array}{c} W = 0 \\ C = 0 \end{array} \}$. 4	7 2		. 1			2	1	1	1		2	3	1 1	2	1	1 	
89a	Diseases of ear	. 4	3	4	<u>i</u>	. 1	1	<u>i</u>	1		1	1						1	
89b	Diseases of mastoid process $\left\{egin{array}{c} W \\ C \end{array}\right\}$		1		. 1			4	1 1					1					
	VII.—Diseases of the circula- (White	596	15 4	6 2	6 2	5 3	7 2	20 4	15 6	20 10	.	37 13	33 28	122 57	188 95	290 99	319 102	476 154	1
90	Pericarditis $\left\{ \begin{array}{c} W_{-} \\ C_{-} \end{array} \right\}$	$\frac{3}{1}$	1								1		<u>į</u>	. 1					
91a	Acute endocarditis	9	1					1	2	1	. 1	3	1	3 2	1	2		<u>ī</u> -	
91b	Endocarditis, unspecified (under 45 W. years)	11			. 1		1	2	1	2	. 1	2	1 4	10					
92a	Endocarditis, specified as chronic, and Woother valvular diseases	250	2	1		1	2	5	4 2	$\begin{vmatrix} 2\\2 \end{vmatrix}$	10 5	5 3	8 4	26 8	46 18	48 9	13	43 13	

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

-		1	1	1	T	<u> </u>	1			1	i	1	1	ī	T T	1	I		
List no.	CAUSE OF DEATH AND COLOR	All	Un- der 1 year		2 years	years	years	5 to 9 years	10 to .14 years	15 to 19 years	24	29	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	VII.—Diseases of the circulatory system—Continued																		
92b	Endocarditis, unspecified (45 years (W	46		-											6	10	10	19	1
93a	and over)C	20 20		1			 	2		<u>1</u>	<u>i</u>	2	<u>-</u> -		3 2	10 1	1 5	6 4	
93b	Myocarditis, unspecified (under 45 W_	21 21			i				ī	3	6	2	1	7		1	1		
93c	years) CC Chronic myocarditis and myocardial W degeneration C	13 190 79	i				i	<u>1</u> -		2	<u>i</u>	1 4 1	1 3 3 2	12 12	17	33	39 17	77	
93đ	degeneration	156			1	1			1	1	3	1	2 1	5	7 19	11 42 13	38	29 55	
94a	Argina masteria	49 76 31									3	1 2	1 1	9	15 15	15	$\begin{bmatrix} 6 \\ 24 \end{bmatrix}$	15 8	
94b	Diseases of coronary arteries	5								1		z		2	10	5 3	4		
95a	Functional diseases of heart	49 14	3		1				2	3		4 1	. 2	7	11	3	8	5	
95b	Other and unspecified diseases of heart $\begin{cases} W - 1 \\ C - 1 \end{cases}$	418 156	4	3	3		1	4 2	5	3	8	13	7	37	62	97	83	88	
96	Aneurysm (except of heart)	4 7							1	4	5		8		26 1	39	31	20	
97	Arteriosclerosis (coronary arteries ex-	245 94	<u>-</u>										2	2 2	5	21	56 22 6 2	159	
98	Gangrene W	46 21	$\frac{1}{2}$	1 1	1	3 2	1	4		1		i	2 2	1	5	8 10	6	58 15	
99	Other diseases of the arteries	17 6	ĩ						1	· · · 2	1	i.		1 2 2	1 2	3 2	2	6	
100	Diseases of veins (varices, hemorrhoids, phlebitis, etc.)	3					1						1	- 1			1	1	
101	Diseases of lymphatic system (lymphangitis, etc.) W	4	. ,			1	1		1	1			1				1		
103	Other diseases of circulatory system $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	8						.1			i	1	ī	3		1			
/	VIII.—Diseases of the respira-{White tory system{Colored	3, 616 1, 216	1, 194 338	497 148	278 84	196 46	115 38	191 67	55 27	73 31	106 49	77 40	85 35	194 78	167 72	152 73	136 48	100 42	
1048	Diseases of nasal fossaeW	1 2	1																
104b 105	Diseases of largery	1 8	2		₁	2				ī.				1 -				- -	
105 106a	Discoses of larytix	230	l	1 37	25	11					1 -				2				
106b	Acute bronchitis	67 61	150 38 12	16	4 3	3 4	2	1 2 1	<u>i</u>				1 -	4		1 2 8	10	6	
106c,d	\ <u>C</u>	14	3 248 67				16	1 23	6	2	3 -	5	<u>i</u>	1 5	2 2 4	3 8		6	
107a	Bronchitis, unspecified C W	473 121 1,753	67	80 20 294 81 7	42 9 161	20 10 126 25	75 24	119	16	22	4 1 30	20-	24	2 56	60	2 58	4 3	2 49	
107b	Garillan hamakiti	572 56	600 163 32 14	81	53 10	25	24	48	14	7	15	14	10	15	24	30	25	24 -	
108	Tohor proumanic	27 392	14 44	6 1	3 -	7 2	4 -	13	11	17	37	20	27	60	34	32	36	9-	
109	Programonia amenaidad	170 509	14 96	23 9 47	6	18	<u>ī</u> ī-	8 28	16	10 25 12	18 27 11	20 11 23 14	27 12 25 10	28 54	34 22 52	13 28 15	25	15	
110	Pleurisy C	200 30	36	12	9	5	6	3	7	12	1i	14	10	26	18	15	7 3	9 -	
111a	Pulmonary embolism and thrombosis.	8 6						1 -	<u>-</u> -		2	1 2 -	1	2	1	1	i	·	
111b	Pulmonary congestion, edema, hemor-W	36	7			2	<u>i</u> -	2		<u>i-</u> -		2	1 -	3	2	3	4		
112	rhagie infaret C	18 42	3	1 -	2	1 -		1	· ₁ -			2		4 3	2 2 4	3	1 9	2	
113	Pulmonary emphysema W	16 2		1 -	-					1 -	1 -				3	4	5 1	1	
114	berculosis excepted)W	15	1	1 -		-			1	1 -			2	4	- 2	1	2		
	IX.—Diseases of the digestive White——system————————————————————————————————————	5, 728 1, 780	2, 269 712	1, 082 340	650 206	348 111	230 72	360 110	64 - 7	41 14	50 25	47 8	37 14	96 28	114 45	124 34	103 22	112 32	1
115a	Diseases of pharynx, tonsils $\left\{ \begin{array}{ll} W & -1 \\ C & -1 \end{array} \right\}$	14	6	1 -				1			2		-1	1	2 -				
115b	Diseases of buccal cavity and annexa $\left\{ \begin{matrix} W_{} \\ C_{} \end{matrix} \right\}$	8 3	4 2	1-	1	-		1		1 .	-	<u>-</u>	i-						
116	Diseases of esophagus $\{V_{C}\}$	4								1 -					i	I .		ī	
117a	Ulcer of stomach	38 14							1	1	1.	3	1	8 2	7 3	9 4	2	5	
117b	Ulcer of duodenum $\{V\}$	5				-					i				3	Î			
118	other diseases of stomach (cancer ex-{W	239 96 3, 129	129 59	41 13	19 8	4 2	4 5	10	6	4 -		1	2	2	2 3	4	3	9	
119	Diarrhea, enteritis (under 2 years of W age)C	965 II		, 034 327															
120	Diarrhea, enteritis (2 years and over) - \{\begin{align*} W \\ C \\ \ W \end{align*}	· 1, 933 576	1	1	625 194	343 108	221 65 1	336 106	46 7 2	22 3	29 12 6	23 2 5	15 7 3	45 10	50 16	50 12	57 14	70 20	i
121	Appendicus:	41 12 15	1 -					. 4		6 2	3	· <mark>-</mark>		7	1	3		1	
122a	Torma)C	59	22	3					1 2	ī			-		3		5	1	
122b,	C	24 25	.8 -		2		<mark>1</mark>	3		2	1 1	$\begin{vmatrix} 1\\1\\2 \end{vmatrix}$	2	4 2 1	5	4	1	5	-
123	Circle of the control	142	2				i	1		 2		_	1	19	31		3 1 27		
124 125a	OMTHOSIS OF INVOI	41									3 2	3	3	6	9	39 12 1	4	12	
125a	Other diseases of liver W	20		1	1			2			1	3	3		4				
TEOD	Outer diseases of invertilities (O	ő			- 1	1				<u>-</u> -	1	î		2 2	2		1	1	
	693013531																•		

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTOR RICO: 1932—Continued

List CAUSE OF DEATH AND COLOR der 1 1 2 3 4 5 00 9 14 19 24 29 34 44 54 64	74 years	74 years 0
Continued C. S	239 195 82 74 6 3 46 155 141 53 46 70 43 24 19 2 2 2 1 3 3	239 82 6 2 155 53 70 24 2 1
Biliary calculi	239 195 82 74 6 3 46 155 141 53 46 70 43 24 19 2 2 2 1 3 3	239 82 6 2 155 53 70 24 2 1
Other diseases of gall-bladder, biliary W 21	239 195 82 74 6 3 46 155 141 53 46 70 43 24 19 2 2 2 1 3 3	239 82 6 2 155 53 70 24 2 1
128 Diseases of pancreas W 2 2	239 195 82 74 6 3 2 141 153 46 70 43 24 19 2 2 1 3 3	82 6 2 155 53 70 24 2 1
Peritonitas, cause not specified Q 24 15 1 1 1 1 3 3 3 4 4 3 1 2 2 2 3 3 3 4 4 3 1 2 2 2 3 3 3 4 4 3 1 2 2 2 3 3 3 4 4 3 1 2 2 2 3 3 3 4 4 3 1 2 2 2 3 3 3 4 4 3 1 2 2 2 3 3 3 3 4 4 3 1 2 2 2 3 3 3 3 4 4 3 1 2 2 2 3 3 3 3 4 4 3 1 2 2 2 3 3 3 3 4 4 3 1 2 2 2 3 3 3 3 4 4 3 3 5 16 10 10 10 10 10 10 10	82 74 - 6 3 - 2 4 - 155 141 - 53 46 - 70 43 - 24 19 - 1 3 -	82 6 2 155 53 70 24 2 1
X.—Diseases of the genitouri-(White	82 74 - 6 3 - 2 4 - 155 141 - 53 46 - 70 43 - 24 19 - 1 3 -	82 6 2 155 53 70 24 2 1
Under 10 years C 193 18 19 27 21 19 43 6 7 5 3 4 5 5 5 5 5 5 10	2 4 155 141 53 46 70 43 24 19 2 2 1 3	2 155 53 70 24 2 1
Chronic nephritis	155 141 53 46 70 43 24 19 2 2 1 3	155 53 70 24 2 1
138 Cover)	24 19 2 1 3	24 2 1
Column	2 2 3	2 1
Diseases of bladder (tumors excepted) O		
Diseases of urethra, urinary abscess, we take the table of the table of the table of the table of the table of table o	1 2 3 3 3 2 2 1 1	1 3 2
137 Diseases of prostate. W 8	1 2 3 3 2 2 1 1	2
Diseases of prostate C 6 6 1 1 1 1 1 1 1 1	2 1	2
Specified as venereal	2	2
139c Diseases of uterus	2	2
Diseases of uterus. C 3 1 1 1 1 1 1 1 1 1	2	2
Note that the diseases of female genital organs. C		
140 Abortion with septic conditions		
141		
Abortion without mention of septic W		
142b		
143	, , , ,	
144a Placenta praevia	, -	
1448 Piacenta praevia		-
145a Puerperal septicemia and pyemia W. 110		
145b Puerperal tetanus (abortion excluded) $- \left\{ $		
146 D		
$W = \begin{bmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1$		
148 Puerperal phlegmasia alba dolens, em-lyr		-
bolus, sudden death (not specified as C 2		
149 Other accidents of childbirth		
150 Other and unspecified conditions of puer-		
peral state 2 1 1		
XII.—Diseases of the skin and (White 46 11 1 4 3 2 3 3 4 3 4 5 cellular tissue Colored 15 5 1 1 2 2 1	$\left \begin{array}{c c} \cdot & 2 & 1 \\ 2 & 1 \end{array}\right $. 2
W- 16 5 2 1 1 1 1 2	2	2 -
Furuncie, Galumos	1	
Friegmon, active abscess	1	
Other diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to diseases of skin and annexa, and $\{W\}$ to disease of skin annexa, and $\{W\}$ to disease of skin annexa, and $\{W\}$ to disease of skin annexa, and $\{W\}$ to disease of skin annexa, and $\{W\}$ to disease of skin annexa, and $\{W\}$ to disease of skin annexa, and $\{W\}$ to disease of skin annexa, and $\{W_$	1 1	1
XIII.—Diseases of the bones white 21 1 1 1 3 2 1 1 1 1 3 2	2 1	2
and organs of loco- motion		
154 Osteomyelitis	2	2
155 Other diseases of bones (tuberculosis ex-		. -
cepted) W 2 1		
tion	1	.
XIV.—Congenital malforma-{White 97 86 4 1 1 1 2 1 1		. -
1870 Consented by decomboling		-
Congenital Hydrocephalus		
Spind binds and moning cools and in a spin a	.	- -
107e Congenital manormations of neart C 12 12 12	1 1	
157d Other congenital malformations		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

List no.	CAUSE OF DEATH AND COLOR	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	XV.—Diseases of early infancy (White Colored	1, 732 550	1, 732 550																
158	Congenital debility $\left\{ egin{array}{ll} W_{} \\ C_{} \end{array} \right.$	1, 302 419	1,302 419																
159	Premature birth $\{\overset{\bullet}{\mathbf{W}}_{}\}$	181 59	181																
160	Injury at birth	69 20	69 20											 					
161	Other diseases peculiar to early in-\\ \W fancy	,180 52	180 52											:					
162	XVI ,—Senility{Colored}	732 292													3	. 27 8	141 59	561 224	
	XVII.—Violent and acciden-{Whitetal deaths(Colored	901 418	28 20	30 14	22 6	13 9	11 5	47 32	41 23	102 40	155 63	88 37	78 28	117 61	69 43	48 22	27 10	23 5	2
	Suicide $\{ egin{array}{c} W \\ C \end{array} $	244 87							3	32 14	62	29 9	22	39 12	23	16	9	9	
163	By solid or liquid poisons or by ab-\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	87 87							1	15	22 29 10	13	9 8	14	9 3 2 12	2	i	Î	
165	D- housing or street invitation (W-s)	35 86	 						1 2	8 10	11	4 11	, <u>4</u>	3 13	12	. 10	5	6	
166	By drowning\W.	23							2	3 1	5 2	1	1	2 1	5	2	1	1	
167	By firearms $\left\{ egin{array}{c} W \\ C \end{array} \right.$	55 21			7					2	18 6	4 3	6 2	8 5	8	2	3	2	
168	By cutting or piercing instru-) w	5										1	ĩ	2		1			
169	ments\C By jumping from high places\C	3 1							:			1		1		1			
171	By other means $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right.$	7								2 1	2		· 1	1 1		1			
	· · · · · (W)	. 156							5	14	31	23 10	27	31	14	8	3		
173		53 68	1				 		1 2	3 6	11 13	10 9	27 7 9	11 18	8	1 5	 		
173	By firearms $\{\overset{C}{V}_{}\}$	20 70							. 2	7		9	2 14	6	2				
1/4	ments{C}	27								3	8 17 2 1	12 8 2 1	4 4	6 8 5 5	. 5	3	3		
175	By other means $\left\{ \begin{array}{ll} W_{} \\ C_{} \end{array} \right\}$	18	<u>i</u> -						1	1	1 1	2	1		4	<u>i</u> -			
Ì	Accidental, other, or $\tilde{\text{undefined}}_{C}$	501 278	28 19	30 14	22 6	13 9	11 5	47 32	33 19	56 23	62 30	36 18	29 12	47 38	32 26	24 14	15 9	14	2
177	Poissoning by food	8	1	î						1		2		, 2				1	
179	Other acute accidental poisonings W	6 11	<u>-</u> -	3-		2	1	1.			i-	i-			1	1	1		
	(gas excepted) C	6	i	2				1			1 2	1	<u>i</u> -						
180	Соппадтацоп{С	3	2	1															
181	Burns (conflagration excepted) $\left\{\begin{array}{c} W_{} \\ C_{} \end{array}\right\}$	50 27	7 3	16 6	11	1 4	2	5 3	1	1	1 1	2	1 2	1	3-	1	_i -		
	Supplemental $\left\{ \begin{array}{ll} \mathbf{W}_{} \\ \mathbf{C}_{} \end{array} \right\}$	1 1										}		1					
182	Mechanical suffocation $\begin{bmatrix} \widetilde{W}_{} \\ C_{} \end{bmatrix}$	<u> </u>													2				
183	7	77 22		ī	2	·i-	ī	7	7	18	15	7	5	7	2		1	2	
200	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	22 2	1	2		1			1	4	2	1	1	6	1	1		1	
	Supplemental $C_{}$	4								î	î		2						
184	By firearms (wounds of war ex-				- 1	- [- [į	l	-		
185	By cutting or piercing instru-	13						1	1	2	2	1	2	2	2				
	ments (wounds of war ex-)	10 2		1					1		2		2			4			
186a	(Was	29	4					1	3	5	4	1			3	2	5	1	
1000	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	10 8		1				·	2	1 1	1	1	3	3 1	1				
	Supplemental{C	9								ī	2	1		î	2	1	1		
186b	By crushing, landslide $\left\{ \begin{array}{l} W_{} \\ C_{} \\ W_{} \end{array} \right\}$	2 1						i-	1	1									-
	Supplemental W	7							1	2	1 1	1	1		1		1		
187	Oacaciyom	133 103	8 10	5 2	7 5	9 2	5 4	15 15	1 8 7	9	9 8	8	4	15 11	15 12	7	3 2	6 2	
188 189	Injuries by animalsWHunger and thirstW	2						i				ī							
191	Excessive heat	1							1				<u>i</u> -						
192	Lightning $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	2								1	1								
193	Due to electric currents $\left\{ \begin{array}{c} W \\ C \end{array} \right\}$	9							1	i	1	2	2	2					
194a	Foreign bodies	6 3 34	1	i					1			2	1	<u>i</u> -[1			
194b	Other accidents $-$ Supplemental	34 14	4	2				3 2		2	3	3	1	5	4	3	2 2	2	
	Supplemental	94 58	<u>i</u> -		2	2	2	12 9	1 7 5	11 6	20	8	6	9 7	2	7	. 2	2	2
-	(0===	i i	1				- {	1	1	- 1	11	6	. 1	i	6	2	2	1	
	XVIII.—Ill-defined causes of White death\Colored	798 216	201 43	124 31	84 26	50 11	21 5	49 16	17 4	18 5	27 11	16 2	16 6	44 8	33 16	36 9	24 12	38 11	
199	Sudden death $\left\{ egin{array}{c} W_{} \\ C_{} \end{array} \right\}$	4 2	2	1														. 1	
200a	Course of death ill defined	228	6	81	45	29	10	12	2 1	3	3	<u>i</u> -	2 1	8	- 7	5	7 -		
200b	Cause of death not specified or un-W	65 566	3 193	16 42	18 39	6 21	3 11	12 3 37	1 15	1 15	1 24	1 15	1 14	36	6	1 31	2 17	30	
Punch	known(O	149	40	15	8	5	2	13	15 3	4	10	ĩ	4	6	26 10	8	10	. 10	
symbol	SUPPLEMENTAL I			Ì	1	1	ľ			1				1		1		Ì	
201	Accidents in mines and quarries $\left\{ \begin{array}{c} W_{} \\ C_{} \end{array} \right\}$	1 1									i-		1						
205	Other machinery accidents C	3									î		2						
1 Th	uis supplemental list is made in accordance w		equiren	ients c	of the I	nterna	tional	Confer	ence a	t Paris	s, 1929.	The	deaths	show	ı in th	is tabu	lation	are su	pple-

¹ This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR AND AGE, IN PUERTO RICO: 1932—Continued

Punch symbol	CAUSE OF DEATH AND COLOR	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 29 years	34	35 to 44 years	54	64	74	75 years and over	Age un- known
	SUPPLEMENTAL 1—continued			•												i			
206	Railroad and automobile collisionsW_	_ 2										1		1					
207	Other railroad accidents $\left\{ \begin{array}{ll} W_{-} \\ C_{-} \end{array} \right\}$							1	1	2	3			2	1				
209	Other street car accidents $\left\{ \begin{array}{c} W_{-} \\ C_{-} \end{array} \right\}$	_ 1														1	1		
210	[W-	_ 81			2	2	2	10	8	12	14 10	7	4	7	2	7	1	1	2
211	Motorcycle accidentsW	_ 2									10		2						
212	Other land transportation accidents $- {W \choose C}$							2			4		1		;-	;-	1	1	
213	Water transportation accidents $\left\{ \begin{array}{c} W \\ C \\ \end{array} \right\}$	_ 3								1 1	1 1		2	i					
214	Air transportation accidents	- 1												1					

¹ See explanatory footnote, p. 477.

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN PUERTO RICO: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico (white), all causes	26, 377	2, 092	1, 931	2, 159	1, 930	2, 083	2, 109	2, 237	2, 222	2, 366	2, 367	2, 326	2, 555
Typhoid and paratyphoid fever (1, 2)	65	2	9	8	6	6	8	4		5	7	5	5
Smallpox (6)	1 95		1	2	2	6	5	1	6	2	1	1	8
Whooping cough (9)	111	12		15			8	10		11	6	- -	7
Diphtheria (10)	51	3	4	7 9	1	4		5	10 3	3	2	1	4
Influenza (11) Dysentery (13)	07	10 7	5 4 4 2	5	4 7	$\frac{1}{3}$	1 6	21 7	71 8	89 7	60 9	43 20	20 16
Erysipelas (15) Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tubercluosis of the respiratory system (23) Other forms of tuberculosis (24-32)	16		3	1	2	1		1	2	1	2	1	2
Epidemic cerebrospinal meningitis (18)	2						1						1
Tubercluosis of the respiratory system (23)	3, 217 162	255 17	276 14	269 13	269 12	306 22	241 18	247	238	255 11	286 17	261	314
Malaria (38)	1,904	154	123	144	147	145	125	194	145	151	161	210	13 205
Diabetes mellitus (59)	43 239	3 19	3 14	3 15	7 23	3 15	3 20	5 21	6 17	1 25	3 19	$\begin{array}{c} 1 \\ 25 \end{array}$	5 26
Diseases of the heart (90-95)	1. 271	104	102	127	97	95	109	91	101	105	19 98	107	135
Bronchitis (106) Bronchopneumonia (107)	764 1,809	62 129	48 122	51 150	53 112	51 141	55 125	66 133	63 156	58 182	76 201	75 178	106 180
Lober and unspecified pneumonia (108, 109)	901	76 203	72 204	89	72 240	89 269	71	82 306	61 242	75 259	76 266	82 227	56 332
Diarrhea and enteritis [under 2 years] (119) Diarrhea and enteritis [2 years and over] (120)	1 1 033	144	118	255 121	115	138	326 170	196	216	151	163	187	214
Nephritis (130–132) Puerperal septicemia (140, 142a, 145)	1,825 122	166 10	125 12	151	134 11	145 8	148 9	135 11	169 12	151 9	164 9	179 10	158 10
Other nuerneral causes	i 206	16	13	24	12	13	11	17	18 23	25	14	20	23 13
Suicide (163–171)	244 81	21	17 6	25 9	22 6	15 2	26 15	24	23 14	23 3	15 4	20 8	13
Automobile—railroad train and street car collisions	2						1				1		
Other external causesAll other causes		32 645	24 610	36 619	38 529	41 553	35 572	34 614	37 595	158 606	58 649	41 610	40 653
PUERTO RICO (COLORED), all causes	1	744	695	770	747	741	745	762	765	789	767	844	855
Typhoid and paratyphoid fever (1, 2)	20	2		3	2	5		3			1	3	1
Smallpox (6)	1 16	1			<u>-</u>	3	3	4		1		2	ī
Whooping cough (9)	1	5		2	3		<u>1</u>	2	3		<u>-</u> -		
Dinhthoria (10)	. u		1	3	ĺ	1		1			1		î
Influenza (11) Dysentery (13)	1 30	2	1 2	4 3	1	1 7	2 4	10	33	19 3	16 6	5 4	3 4
Erysinelas (15)	.i 5		1		1	i						2	
Lethargic encephalitis (17) Epidemic cerebrospinal meningitis (18) Tuberculosis of the respiratory system (23)	2												2
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	1, 311 56	101	103 5	128	104	100	130	99	118 5	99	109	124 6	96 9
Malaria (38)	818	55	57	67	65	65	49	67	64	60	69	98	102
Diabetes mellitus (59) Cerebral hemorrhage and softening (82a, 82c)	14 97	13	2 6	1 3	10	6	9	8	8	8	1 11	2 6	9
Diseases of the heart (90-95)	467	26	37	36	37	40	48	41	36	45	40	39	42
Bronchopneumonia (107)	202 599	55	20 42	15 50	15 42	15 38 33 84	11 51	11 38	17 52	16 45	19 54	21 62	15 70
Lobar and unspecified oneumonia (108, 109)	370	36	26 63	31	32 99	33	51 21 90	38 38 93	52 28 81	45 27 62	49 78	62 25 79	24
Diarrhea and enteritis [under 2 years] (119)	576	38	33	69 43	33	49	51	67	52	55	39	54	24 95 62
Nephritis (130–132) Puerperal septicemia (140, 142a, 145)	. 676	13 26 27 55 36 72 38 59	53 5	60 4	49 3	54 5	55 7	42	60	45	56	79	64 . 5
Other puerperal causes	.1 70	8 3	5	6	7	5 4	4	6	5 8	1	5	8	8
Suicide (163-171) Automobile accidents 1	87 52	3 6	10 5	8 4	9 4	15 7	6 4	6 5	13	6	9	5 1	6
Automobile—railroad train and street car collisions													
Other external causes		14 212	13 201	25 203	10 214	16 181	10 186	17 197	14 157	112 177	21 176	18 201	225
	-, 500				<u> </u>				<u></u>	<u> </u>	<u> </u>		

¹ Excludes collisions with railroad trains and street cars.

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1930

		cor	or or r	ACE				CO	LOR OR R	ACE	
AREA AND SEX	Total	White	Negro	Mixed	Other colored	AREA AND SEX	Total	White	Negro	Mixed	Other
Virgin Islands	22, 012	2, 010	17, 243	2, 719	40	St. John Male	765 395	18	653	94	
Male Female	10, 208 11, 804	1, 156 854	7,841 9,402	1, 182 1, 537	· 29	Female	370	15 3	338 315	42 52	
St. Croix Male Female	11, 413 5, 441 5, 972	414 222 192	9, 592 4, 561 5, 031	1, 386 640 746	21 18 3	St. Thomas Male Female	9, 834 4, 372 5, 462	1,578 919 659	6, 998 2, 942 4, 056	1, 239 500 739	19 11 8

Table 2.—Deaths (exclusive of stillbirths) by sex, color, and months, in the virgin islands: 1932

Virgin Islands:	AREA, SEX, AND COLOR	All deaths	Jan.	Feb:-	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Negro	Male Female	213 241	26 25	16 20	17 17	17 16		15 21	15 17	16 19	19 18	13 24	19 18	23 27
St. Croix: Female. 1 1 1 1 1 1 1 1 1 1 1 1 <th< td=""><td> Negro</td><td>10 196</td><td>23</td><td></td><td>1 16 17</td><td>16 16</td><td>17 19</td><td>1 2 14 19</td><td>1 15 16</td><td>1 1 15 18</td><td>17</td><td>1 2 12 22</td><td>16 15 3</td><td>3 2 20 24</td></th<>	Negro	10 196	23		1 16 17	16 16	17 19	1 2 14 19	1 15 16	1 1 15 18	17	1 2 12 22	16 15 3	3 2 20 24
Negro Male Male 129 13 12 8 15 11 8 7 13 12 9	St. Croix:	1		1									1	
Negro	Male Female		14 15 1	11 13	· 15	12 8	12 15	9 11	6 8	12 7	12 13 1		12 9	11 9
Other colored	NegroMale Female		13 15	10 13	15 12	12 8		1 9 10		12 7	11 13		10 7	11 9
Male 2 1 1 1 Female 4 1 1 1 1 Negro Male 2 1 1 1 1	Other coloredMale	1		1									1 	
	Male	2 4	- 1 1			1		1	<u>1</u>					<u>-</u>
bt. Thomas:	St. Thomas: Female	4	1 11	 5		1 4	 5	1 6	1' q	4	7	4	 	1 12
Female 105 9 7 5 8 4 9 8 12 5 12 9 White 10 2 1 1 1 1 1 1 2	Female	105 10 9	2 1	7	5 1	8 1	4	9	<u>8</u>	12 1	5 1	12		17 3 2
Negro	Mixed Female Male		9 8	5 7	1 5	3 8	5 4	5 8	9 7	3 11	6 4	4	6 8 1	9 14

Table 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE, IN THE VIRGIN ISLANDS: 1932

AREA, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	S5 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Аgе un- клоwп
Virgin Islands: Male Female	213 241	45 29	6 3	2	1 1	2 2	54 37	5 1	3	5 7	5 9	5 8	7 10	5 8	6 3	7 11	16 11	15 15	20 18	20 16	15 27	12 25	6 13	5 11	2 4	4		
White	13 10 196 227 3 3	1 44 28	5 3	2	1 1	2 1	, 2 1 52 35	1 4 1	3 3	1 5 6	1 5 8	1 4 8 ,	7 9	58	6 3	1 6 10 1	1· 15 10 	1 13 15 1	1 19 18	2 18 16	1 14 26	1 2 11 22 	1 4 12 	1 1 4 10	1 4 1	3		
St. Croix:	135 132 3 1	23 18	2 1	2	1	1 2	26 24	3	1 1	5 3	3 4	2 6	4 4	3 6	4 2	1 6	12 6	14 6 1	14 9 1	17 9 1	11 19	7 13	4 7	2 4	2 2	1		
Female Female Male Female Other colored Male Female St. John:	129 129 2 1 1	23 18 	2 1 	2	1	1	26 23 1	3	1	5 3	3 4 	6	4	3 6 	4 2	1 6 	6	12 6 1	13 9 	16 9 	11 18 1	7 13	3 6 1	2 4 	1 2 1	1		
Male	2 4 2 4	 1 1	1				1 1 1			1 -1								1	1		1 							
Female Male Female Negro Male Female Male Female Female Female Female Male Female Male Female Female Female Female Female Male Female Male Female Male Female Male Female Male Female Male Female Male Female Male Female Male Male Male Male Male Male Male Female Male Male Male Male Male Male Male M	76 105 10 9 65 94 1	22 10 1 1 21 9	3 1 2 2		1	1	27 12 2 1 25 11	2 1 1 1	2 2 2 2	3 1 2	2 5 1 2 4	3 2 1 2	3 6 3 5	2 2 2 2	2 1 2 1	6 5 1 5 4 1	4 5 1 3 4	1 8 1 8	6 8 6 8	3 7 1 2 7	3 8 1 2 8	5 12 .1 2 4 9	2 6 1 6	3 7 1 2 6	2 2 	3 -1 -2		

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1932

												• •									
List			IRGIN LAND		S	r. OIX	JOI			T. MAS	List			IRGIN LAND		CR	T. OIX	IOI		S' THO	T. DMAS
no.	CAUSE OF DEATH	Total	White	Negro	White	Negro	White	Negro	White	Negro	no.	CAUSE OF DEATH	Total	White	Negro	White	Negro	White	Negro	White	Negro
	Total deaths (all causes)	1 454	23	429	4	261		6	19	162		IX.—Diseases of the digestive system.	34	1	33		22			1	11
	I.—Infectious and parasitic diseases	95	2	92		68			2	24	115a	Diseases of pharvnx and tonsils	5		5		2				3
9 10	Whooping cough Diphtheria Dysentery	8		1 1		8					117a 119 120	Ulcer of stomach Diarrhea, enteritis (under 2 years) Diarrhea, enteritis (2 years and	1 16		16		11				5
$\frac{13}{22}$	Tetanus Tuberculosis (all forms)	3	 1	1 3 28		. 3		l	1	14	121 122a	over) Appendicitis Hernia Intestinal obstruction	2 1 1		1 1		1				
23 25	Respiratory system. Intestines and peritoneum Joints	27	1	26		.[1			1 1	13	122b 124 125b	Intestinal obstruction Cirrhosis of liver Other diseases of liver	3 1	₁ -	3 2 1		1			1	2 1
23 25 27b 33 34 38 42	Leprosy Syphilis Malaria	6	ī	5		1 5		ı	1 1	<u>-</u> 5	127	Other diseases of gall-bladder, bil- iary passages	1	 	1		*				
	Other diseases caused by hel- minths	3	1	3					1	3		X.—Diseases of the genitourinary system	58	4	53	 	16		2	4	35
43	Mycoses II.—Cancers and other tumors_	28	3	25		18			3	7	131 137	Chronic nephritis Diseases of prostate	56 1	4	51 1		14 1		2	4	35
	Cancer and other malignant		3	25		18	-		3	7	138	Diseases of male genital organs, not specified as venereal	1		1						
(45) (45)	tumors. Buccal cavity Pharynx	. 1	2	1 1		_ī -				1		XI.—Diseases of pregnancy, childbirth, and the	0								
(45) (45) (46) 48 49 50 51	Stomach and duodenum Uterus Other female genital organs	7		1		7				3	140	Abortion with sentic conditions	9	1	1		1		1	1	4
50 51 52	Breast Male genitourinary organs Skin	2 3 1	1							Į Į	144b 146	Other puerperal hemorrhages Puerperal albuminuria and eclampsia	5	1	2		1		1	1	2 2
53	Other or unspecified organs III.—Rheumatic diseases, nu-	3								1	150	Other and unspecified conditions of puerperal state	1				1				
	tritional diseases, dis- eases of the endocrine											XII.—Diseases of the skin and cellular tissue	4		4	 	3				1
	glands, and other gen- eral diseases	15	<u> </u>	15		. 11				4	152 153	Phlegmon, acute abscess Other diseases of skin and annexa,	3		3		2				1
57 59	Chronic rheumatism, osteoarthri- tis	16		6		1 5				<u>î</u>		and of cellular tissueXIII.—Diseases of the bones	1		I		1				
62 67	Pellagra Diseases of thymus gland	. 6		6 2						$\frac{1}{2}$		and organs of locomo-	4		4		2				2
	V.—Chronic posionings and intoxications	1		. 1	 	.				1	154 156	Osteomyelitis Diseases of joints, other organs of	2 2		2 2		2				2
75	Alcoholism (acute or chronic)	1		1						1		locomotionXIV_—Congenital malforma-									
	VI.—Diseases of the nervous system and of the or- gans of special sense	43	5	38	2	29		1	3	8	157c	tions Congenital malformations of heart.	3		3		1				$-\frac{2}{2}$
78 82a	Encephalitis (nonepidemic)	1 29	1 4	<u> </u>	2	<u> </u>			1	<u>-</u>		XV.—Diseases of early infancy_	27	2	25		13		1	2	11
82b 82d	Cerebral embolism and throm- bosis Hemiplegia and other paralysis,	2		2							158 159 160	Congenital debility Premature birth Injury at birth	4 16	 1					_ī -		8
83	General paralysis of insane	2 1		2							161	Other diseases peculiar to early infancy.	1 6	1	5		2			1	3
84 85	Dementia praecox and other psy- choses. Epilepsy. Convulsions (under 5 years)	2 2		2 2		1 1				1	162	XVI.—Senility	1		1		1				
86 87 89b	Other diseases of nervous system. Diseases of mastoid process	1 1 2		1 1 2		2				1		XVII.—Violent and accidental deaths	7		7		_2				5
	VII.—Diseases of the circula- tory system	91	3	88	1				2	36	180 183	Accidental, other, or undefined Conflagration Drowning	7 1 2		7 1 2		2				5 1 2
91a 92a	Acute endocarditis Endocarditis, specified as chronic,	·		2		2					186a	Traumatism: By fall Supplemental	1		1		1 1				
92a 93c	and other valvular diseases	19	1	18		4			1	14	186b	By crushing, landslide Supplemental	1 <u>2</u>		1 2						<u>-</u> 2
93d 94a	Other diseases of myocardium	46 1 3	1	45 1 3	1	29 1 3				16		XVIII.—Ill-defined causes of death	8		8		8				
95b 96	Angina pectoris Other and unspecified diseases of heart Aneurysm (except of heart)	1 3		1 3		<u>-</u> -				1 2	200a 200b	Cause of death ill-defined Cause of death not specified or	3		3		3				
97 101	Arteriosclerosis (coronary arteries excepted) Diseases of lymphatic system	15	1	14		11			1	3	2000	unknown	5		5		5				
101	(lymphangitis, etc.)	1]	1		1					Punch	SUPPLEMENTAL 2							Ì		
	VIII.—Diseases of the respiratory system	26	2	24	1			_1	1	11	symbol 205 210	Other machinery accidents	1		1						1
104a 106a 107a	Diseases of nasal fossae	1 9 7	2	1 7 7	i	1 4 5			1	3	212	Automobile accidents (primary) Other land transportation accidents	1		1		1				1
107b 108	Capillary bronchitis Lobar pneumonia	8		8						1 6											•
1.77	ncludes 2 deaths of "Other colored"	in St	Cro	iv To	lond	!								·	!		1			!	

¹ Includes 2 deaths of "Other colored" in St. Croix Island.

² This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

SUPPLEMENT—VIRGIN ISLANDS

 $\textbf{T}_{\texttt{ABLE}} \ \textbf{5.} \textbf{--} \textbf{DEATHS} \ (\texttt{EXCLUSIVE} \ \textbf{OF} \ \texttt{STILLBIRTHS}) \ \textbf{FROM} \ \texttt{EACH} \ \texttt{CAUSE}, \ \texttt{BY} \ \texttt{AGE}, \ \texttt{IN} \ \texttt{THE} \ \texttt{VIRGIN} \ \texttt{ISLANDS:} \ 1932$

9 II II II II II II II II II II II II II	Total deaths (all causes) I.—Infectious and parasitic diseases. Whooping cough Diphtheria Dysentery Petanus. Tuberculosis (all forms) Respiratory system Intestines and peritoneum Joints Peprosy Philis Adlaria Other diseases caused by helminths Aycoses II.—Cancers and other tumors Buccal cavity Pharynx Stomach and duodenum Uterus. Other female genital organs Breast Male genitourinäry organs Skin Other or unspecified organs III.—Rheumatic diseases, nutritional dis-	1 3 29 27 1 6 21		9 3 2 2				2	6 1	3 · 3 · 3	. 14 . 7 . 7 . 4 4	13 8 	17' 11 6 5 1	7 7 1 3 3	45 12 	68 10 3 3	78 13	7	
9 10 VI III III III III III III III III III	Vhooping cough Diphtheria Dysentery Cetamus Puberculosis (all forms) Respiratory system Intestines and peritoneum Joints Poprosy Sphilis Halaria Other diseases caused by helminths Ayooses II.—Cancers and other tumors Cancer and other malignant tumors Buccal cavity Pharynx Stomach and duodenum Uterus Other female genital organs Breast Male genitourinary organs Skin Other or unspecified organs	8 1 1 3 2 2 2 2 8 2 8 1 1 9 7	1 1	1	2	1		2		3	4		6 5	1 3	4	3		7	
10 12 22 23 25 27b 33 34 42 43 43 44 45 (45) (46) 48 49 50 51 52	Diphtheria Dysentery Petanus Petanus Respiratory system Intestines and peritoneum Joints Peprosy Piphilis Adlaria Dither diseases caused by helminths Mycoses II.—Cancers and other tumors Buccal cavity Pharynx Stomach and duodenum Uterus Other female genital organs Breast Male genitourināry organs Skin Other or unspecified organs	29 27 11 66 21 21 21 28 28 28	1 1	1				2		 3.	4		5	3	 4	3 3	1 1 1		
23 25 27b 33 34 42 43 00 (45) (45) (46) 48 49 50 51 52	ysentery -etanus	3 29 27 1 1 6 21 21 21 28 28 1 1 9		1				2		 3.	4		5	3	4 4	3 3	1 1 1		
23 25 27b 33 34 42 43 00 (45) (45) (46) 48 49 50 51 52	Cuberculosis (all forms). Respiratory system. Intestines and peritoneum. Joints. eprosy. sphilis. dalaria. Other diseases caused by helminths. Aycoses. II.—Cancers and other tumors. Cancer and other malignant tumors. Buccal eavity. Pharynx. Stomach and duodenum. Uterus. Other female genital organs. Breast. Male genitourinary organs. Skin. Other or unspecified organs.	29 27 1 1 6 21 21 21 23 2 28 1 1 9 7		1						3. 3	4 4	4 4	5	3	4 4	3 3	1		
(45) (45) (46) 48 49 50 51 52	Intestines and peritoneum	1 1 6 21 21 3 2 28 1 1 9			~							*			- 1		^		1 -
(45) (45) (46) 48 49 50 51 52	eprosy. yphilis. dalaria. ther diseases caused by helminths. dycoses. II.—Cancers and other tumors. Cancer and other malignant tumors. Buccal cavity. Pharynx. Stomach and duodenum. Uterus. Other female genital organs. Breast. Male genitourināry organs. Skin. Other or unspecified organs. TII.—Rhenmatic diseases, nutritional dis-	28 28 28 1 1 9											_					- 1	
(45) (45) (46) 48 49 50 51 52	Malaria Mycoses II.—Cancers and other tumors Buccal cavity Pharynx Stomach and duodenum Uterus Other female genital organs Breast Male genitourinäry organs Skin Other or unspecified organs III.—Rhenmatic diseases, nutritional dis-	21 3 2 28 28 1 1 9 7						1	₁ -		1 2	1	4	2	2 2	2	2 4	1	
(45) (45) (46) 48 49 50 51 52	Aycoses II.—Cancers and other tumors Buccal cavity Pharynx Stomach and duodenum Uterus Other female genital organs Breast Male genitourināry organs Skin Other or unspecified organs	28 28 1 1 9 7					1	1				3	ī	2 1	2 1	4	4	3	
(45) (45) (46) 48 49 50 51 52	Cancer and other malignant tumors Buccal cavity Pharynx Stomach and duodenum Uterus Other female genital organs Breast Male genitourinäry organs Skin Other or unspecified organs	28 1 1 9 7			1										·ī			i	
(45) (45) (46) 48 49 50 51 52	Buccal cavity Pharynx Stomach and duodenum Uterus Other female genital organs Breast Male genitourinäry organs Skin Other or unspecified organs	1 1 9 7								1				2	6	8	7	4	
(45) (46) 48 49 50 51 52 53	Pharynx Stomach and duodenum Uterus Other female genital organs Breast Male genitourināry organs Skin Other or unspecified organs	1 9 7												. 2	6	8	7	4	
48 49 50 51 52 53	Other female genital organs Breast Male genitourinary organs Skin Other or unspecified organs UII—Rhenmatic diseases, nutritional dis-	7 1	11			i									<u>-</u>	5	2	ĩ	
50 51 52 53	Breast Male genitourinary organs Skin Other or unspecified organs STI —Rhenmatic diseases, nutritional dis-	5												2	ī		3	1	
52 53	Other or unspecified organs TIT—Rheumatic diseases, nutritional dis-	์ รี		l		l									1	<u>-</u>	1		
	TIT.—Rheumatic diseases, nutritional dis-	1 3								<u>-</u>					2	1			
i	anna diagram of the andcoring									_					-				
	eases, diseases of the endocrine glands, and other general diseases	15	1			1						2		1	3	2	2	3	
57 C	Chronic rheumatism, osteoarthritis	1								<u> </u>									
. 59 I T	Diabetes mellitus	6										2		<u>-</u>	2 1	1	1	2 1	
67 I	Pellagra Diseases of thymus gland	2	1			1													
	V.—Chronic poisonings and intoxications	1	<u> </u>									1							
75 A	Alcoholism (acute or chronic)	1	<i></i>		 -							1							
	VI.—Diseases of the nervous system and of the organs of special sense	43	1				1	1	1		1	1	1	3	3	10	11	9	
78 82a 82b 82d B	Encephalitis (nonepidemic)	1 29						1			_ī -			2	<u>-</u> -		6	8	
82b C	Derebral hemorrhage Derebral embolism and thrombosis Hemiplegia and other paralysis, cause un-	2												ī			ĭ		
I	specified	2											<u>î</u> -				2		
83 G 84 D 85 E 86 C 87 C	Peneral paralysis of insane Dementia praecox and other psychoses Dilepsy	2 2										1			1	,	1		
86 C	Epilepsy	. 1	1															<u>i</u>	
89b I	Diseases of mastoid process	Į.					1									<i></i> -	1		
-	VII.—Diseases of the circulatory system							1			1	1		3	9	18	20	38	
92a E	Acute endocarditisEndocarditis, specified as chronic, and other	2		-				- -								1	1		
93e C	valvular diseases	19		`-				1			1			1	3	2	, 3	8	
938 0	generation	46												1	2	11	12	20	
94a A 95b C	Angina pectoris	3										<u>i</u> -			1	2	~		
97 A	Aneurysm (except of heart)Arteries excepted)	3 15				 			:::						2	2	1 3	10	
101 I	Diseases of lymphatic system (lymphangitis, etc.)	1	 	 			 .	 	,		 -	 		1) 	
.	VIII.—Diseases of the respiratory system_	26	14	3			. 1		 				1		<u></u>	3	3	1	
	Diseases of nasal fossae		1																
107a E	Acute bronchitis Bronchopneumonia	.7	6 4	1			1									1	2		
107b C 108 I	Japillarÿ bronchitisbbar pneumonia	8	1 2	<u>î</u>	-/								1			2	1	<u>1</u>	
Ì	IX.—Diseases of the digestive system	34	15	3		 -	. 1		1	2	<u> </u>			2	4	2	4		
115a I	Diseases of pharynx and tonsils	5		1					1	1				1	1				
119 I	Ulcer of stomach Diarrhea, enteritis (under 2 years of age)	16	15	1													1 ;-		
121 A	Diarrhea, enteritis (2 years and over) Appendicitis Hernia	1 1					1			1							. 1		
122b I	intestinal obstruction	3		i										1	1	1			
125b C	Dirrhosis of liver Other diseases of liver Other diseases of gall-bladder, biliary pas-														1 	1	2		
127	Other diseases of gall-bladder, biliary pas- sages	1	 			ļ									1			· 	
j	X.—Diseases of the genitourinary system	58	<u> </u>				<u> </u>		- <u>-</u>		2		1	2	7	14	16	16	
131 C	Chronic nephritis	56 1									2		1	1	6	14	16	16	
137 138	Diseases of prostate Diseases of male genital organs, not specified as venereal	1]									٠ ١				

Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1932—Continued

		1			<u> </u>	1						ı .	1						
List no.	CAUSE OF DEATH	All deaths	Un- der 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	19	24	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	XI.—Diseases of pregnancy, childbirth, and the puerperal state	9								5	1		1	2					
140 144b 146 150	Abortion with septic conditions	5								4	1 		1	1 1					
	XII.—Diseases of the skin and cellular tissue	4	1			 											1	2	
152 153	Phlegmon, acute abscessOther diseases of skin and annexa, and of cellular tissue	3	1														1	1	
	XIII.—Diseases of the bones and organs of locomotion———————————————————————————————————	4	1						1		1				1				
154 156	Osteomyelitis Diseases of joints, other organs of locomotion_	2 2	1						1		1				1				
	XIV.—Congenital malformations	3	3			-					 				·				
157c	Congenital malformations of heart	3	3																
	XV.—Diseases of early infancy	27	27					-											
158 159 160 161	Congenital debility Premature birth Injury at birth Other diseases peculiar to early infancy	16	16 1 6																
162	XVI.—Senility	1														1			
	XVII.—Violent and accidental deaths	7	 					1	2	1	1		2						
180 183 186a	Accidental, other, or undefined	7 1 2						1	2 1	1	1		2						
186b	Supplemental By crushing, landslide Supplemental	i							1	1			<u>2</u>						
	XVIII.—Ill-defined causes of death	8	5	-		 -			,								1	2	
200a 200b	Cause of death ill-defined Cause of death not specified or unknown	3 5	2 3														1	2	
Punch symbol 205 210 212	SUPPLEMENTAL 1 Other machinery accidents Automobile accidents (primary) Other land transportation accidents	1 1 1								<u>1</u>			1 1						

¹ This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1932

[Numbers after causes of death correspond to those of the 1929 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Јар.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	454	51	36	34	33	36	36	32	35	37	37	37	50
Whooping cough (9) Diphtheria (10) Dysentery (13) Tubercalosis of the respiratory system (23) Other forms of the respiratory system (23)	8				2 1	1	5						
Tuberculosis of the respiratory system (23) Other forms of tuberculosis (24-32)	27 2	4	2	1	1	4	4	1	4		4	1	i
Malaria (38) Diabetes mellitus (59)	2 ₁	3	2	2	2	1			2	2	1	2	4
Diseases of the heart (90-95)	72 72	4 7 1	4 5	3 8 2	1 3 1	2 4	3 7	3 3 1	2 5	2 5	1 8 2	2 7	10 10 2
Bronchopneumonia (107) Lobar and unspecified pneumonia (108, 109)	8 8	2				2		<u>1</u>	1 1	1	1 1	2 3	<u>i</u>
Diarrhea and enteritis [under 2 years] (119)	16 2	2	1	1	2	3	1	2		1	1		2
Puerperal septicemia (140, 142a, 145)	56	6	9	2	5	2	2	6	5	3	4	6	6
Owner paerperar causes	8	3				1	1				2		ī
Automobile accidents 1Other external causes	1 6		i	1	<u>-</u> -						1		
All other causes	172	19	12	11	14	15	12	14	12	22	11	13	17

¹ Excludes collision with railroad trains and street ears.

APPENDIX

69301—35——32

483

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

								, 11				
List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	Total deaths (all causes): Both sexes	988, 647 135, 909	80, 886 17, 559	11, 395 2, 576	6, 137 1, 221	4, 475 822	3, 763 668	106, 656 22, 846	13, 993 2, 217	11, 335 2, 235	16, 863 4, 951	22, 135 7, 388
	Males	538, 878 72, 511 449, 769	46, 256 9, 720 34, 630	6, 217 1, 352 5, 179	3, 302 639 2, 835	2, 387 425 2, 088	2, 049 344 1, 714	60, 211 12, 480 46, 445	7, 737 1, 162 6, 256	6, 501 1, 164 4, 834	9, 488 2, 267 7, 375	11, 519 3, 575 10, 616
	Colored I.—Infectious and parasitic diseases:	63, 398	7,839	1, 224	582	397	324	10, 366	1, 055	1,071	2, 684	3, 813
	Males White Colored White Females Colored Colored	53, 340 15, 811 44, 029 13, 992	4, 014 1, 268 3, 392 1, 168	1, 786 481 1, 619 441	1, 034 215 999 216	754 169 744 155	635 135 606 137	8, 223 2, 268 7, 360 2, 117	2, 070 456 1, 904 443	1, 077 403 1, 132 537	1, 685 955 2, 225 1, 426	2, 534 1, 506 3, 562 1, 966
1	Typhoid fever: Males	1, 305 474 789	8 2 3	17 3 11	9 5 6	10 S 11	8 8 12	52 26 43	65 47 64	91 50 92	175 74 101	209 80 107
2	Paratyphoid fever: Males White White	412 34	1	4	5	6	6	25	43	55 1	90	57
3	FemalesColored Typhus fever:	3 25 8	1 1	1	1 			3 1	1 2	1 1	5	3
o	Males	15 1							3 		1	
5	Undulant fever: White	28								2		4
6	Females. White. Colored. Smallpox: Males. White.	19 2 9	1					1	1	3		1
	Females Colored Colore	6 3 5	ii	1			1	1 1	1 		1	1
7	Measles: Males	829 71	192 20	230 16	84 6	50 .5	37 3	593 50	145 7	36 6	15 5	7
8	Females	713 55 1,073	153 12 39	157 13 107	71 6 127	41 3 101	36 3	458 37 458	122 10 324	44 1 86	16 2 65	3
,	FemalesWhite Colored	25 1, 151 43	2 28 1	= 3 78 3	1 82 3	95 3	84 2 89 3	10 372 13	5 359 11	109 5	1 63 7	24 2 68 3
9	Whooping cough: Males	1, 522 459 1, 857	971 263 1, 075	314 122 400	106 31 167	38 19 70	29 7 48	1, 458 442 1, 760	49 15 65 13	6 1 9	2 1	1
10	Diphtheria: MalesWhite	551 1,793	330 147	137 220	36 241	17 220	48 12 222	532 1,050	13 525 39	1 105	3 28 3	10 2
11a	Colored. White Colored. Influenza, respiratory complications speci-	191 1,756 178	28 97 18	34 178 29	23 232 24	32 212 22	16 177 18	133 896 111	506 43	6 124 8	40 4	21 3
	fied: White	8, 142 1, 369 8, 199	821 213 645	301 67 242	126 33 104	98 18 74	43 12 44	1,389 343 1,109	163 40 140	136 24 157	· 261 69 214	230 63 230
11b	Influenza, respiratory complications not specified:	1, 288	162	59	22	13	44 15	271	30	27	60	72
	Males White Colored White White Colored Colore	4, 200 677 4, 262 725	487 131 363 101	144 27 119 16	80 15 80 16	43 10 44 7	40 7 52 5	794 190 658 145	124 14 119 26	92 14 98 25	106 32 105 27	8 <u>1</u> 29 90 29
13	Dysentery: MalesWhite Colored	646 159	165 51	94 26	44	17 8	15 1	335 90	26 2	7 2	6 3	6 2 5
15	Females White Colored Erysipelas: White White	549 171 821	110 42 234	87 23 10	33 7 9	21 4 4	6 1 2	257 77 259	13 7 8	4 1 10	7 3 9	5 2 11
	Females Colored Colored	46 737 29	10 185 12	1 26	6		2	239 11 225 12	1 12	11 11	3 16	1 16
16	Acute poliomyelitis, acute polioencephalitis: Males	350 33 266	41 2 21	26 2 27	25 1 24	23 5 23	23 2 18	138 12 113	83 9 · 60	59 4 36	28 1 24	21 2 18
17	Lethargic or epidemic encephalitis: MalesWhite	35 382	5 6	9	6	23 7	3	18 29	7 16	2 13	3 21	16
10	Colored White Colored	29 326 27	2 3	1 6 2	1 5	9 2	1 3 1	3 25 8	3 12 1	3 9 3	1 21 1	21 2
18	Epidemic cerebrospinal meningitis: Males	755 109 495	112 14 91	49 6 38	30 6 23	25 2 18	25 2 15	241 30 185	91 10 71	74 5 57	68 . 17 40	44 7 26
20	Colored Anthrax (bacillus anthracis) malignant pustule:	69	12	7	2	5	3	29	7	5	2	3
	MalesWhite FemalesWhite	$\begin{bmatrix} 7 \\ 2 \end{bmatrix}$										

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
23, 271 7, 676	25, 768 8, 129	33, 111 9, 187	40, 792 9, 292	50, 453 10, 060	60, 820 10, 893	72, 556 8, 977.	87, 686 8, 522	96, 770 6, 780	108, 719 5, 491	94, 787 4, 121	68, 822 3, 090	37, 410 1, 839	12, 969 986	2, 621 434	400 430	710 365	
11, 889 3, 844 11, 382 3, 832	13, 494 4, 242 12, 274 3, 887	18, 147 4, 919 14, 964 4, 268	23, 704 4, 956 17, 088 4, 336	29, 717 5, 458 20, 736 4, 602	35, 767 6, 007 25, 053 4, 886	42, 437 5, 052 30, 119 3, 925	49, 862 4, 688 37, 824 3, 834	53, 523 3, 750 43, 247 3, 030	58, 253 2, 986 50, 466 2, 505	49, 211 2, 293 45, 576 1, 828	33, 708 1, 661 35, 114 1, 429	16, 914 967 20, 496 872	5, 247 465 7, 722 521	960 209 1, 661 225	138 145 262 285	451 221 259 144	
2, 809 1, 531 3, 427 , 1, 631	3, 089 1, 508 2, 896 1, 272	3, 713 1, 532 2, 753 1, 072	4, 140 1, 259 2, 364 899	4, 230 1, 183 2, 057 652	3, 903 1, 072 1, 926 590	3, 678 659 1, 884 388	3, 049 508 1, 817 297	2, 546 365 1,900 225	2, 415 233 2, 098 150	1, 867 158 1, 876 109	1, 324 88 1, 432 82	662 48 969 49	242 22 329 31	53 8 80 13	3 10 14 17	28 39 24 26	
160 53 66 38	121 37 49 26	71 25 . 58 . 14	84 22 37 21	70 18 39 13	63 16 35	45 11 34 6	42 8 24 9	25 5 14	21 15	7 2 7	1 2	1 1				2 1 1	t
1 1	26	1-	2	13 2 1 1	2 1	6 3	9	1 5	1		2 1	1				1) } 2
2	1 2	3	i	1	4 2	1 2	2	1	1								∫
						1											} 3
. 3	1 1	6 1 5	3	4	1	1 2	1	1 2	i		1 1						5
1	.1		1	1	2		1			1					1) } . 6
5	1	9	1	3	1	3	4	4	1 2	2) 1
1 6 3	7	1 12 1	10	11	5	3 1	4	3	3	5		1					} 7
22 3 64 2	33 1 41	24 1 29 1	11 15	9 1 10	8 1 8	2 2 1	2 4	1 3	2 3	1						1	8
1		1			1		<u>-</u>	3	2	<u>-</u>						1	9.
	5 2	1 11 1	12	2 1 6 1	8	8 1	5 1	- 1.	1	1	4					2)].
11 2 23 2	23 2	16	29 1	20	15 3	13	15	8	2	4						1	10
170 75 288 79	244 81 327 71	366 76 428 95	416 90 391 81	485 94 333 76	462 102 358 83	533 67 402 67	496 64 478 75	526 59 524 61	616 30 735 48	653 41 760 30	562 23 696 25	305 14 446 . 14	103 4 138 8	21 3 37 5	2 4 7	5 5 4 3	}. 11a
85 18 95 34	81 30 120 40	113 23 121 45	139 40 131 43	150 35 107 43	169 33 153 48	178 37 181 28	208 35 199 31	244 35 261 , 33	370 30 376 26	435 24 450 26	410 21 411 28	266 16 387 17	123 10 159 17	26 3 32 5	3 5 8 7	3 3 1 2	116
. 5 10	4 6 5 11	15 5 7	13 2 8	9 6 7	15 10 12 12	23 2 10 6	17 5 25	30 5 34	32 7 32 7	42 3 42	37 5 41	19 2 25	2	3	<u>i</u>	1	13
10 5 7 2	.15 1 23	31 1 20	. 28 3 32 32	33 6 38 1	. 45 2 41 2	55 3 39	56 1 49	5 65 4 55	68 54	55 1	47 2	10	4	1		1	15
1	23	20 5	32 3 4	1	41 2 2	39 5	49 1	55 1 1	54	43	30	20	3	2	1		}
5 3 5 2	1	3 1	2 1	2 2		1			2 								16
26 4 26	31 2 27 1	24 2 19 1	31 2 35 3	33 4 19	37 31 2	29 1 26 2	33 13 1	15 15 1	15 15	7	3	1	1			i] 17
42 5 20 3	32 7 18 5	35 . 8 . 15	22 3 15 3	34 7 12 1	24 5 11	20 4 7	13 1 4 1		6	2	1	1					18
3	5	2	3	į	1		î 1	. 9	1								J h
	1	<u>-</u>			l			. 1			.[20

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

			1	Ī	i		1					i i
List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases— Continued											
21	Rabies: White Males Colored Colored White Females White	27 4 11		1	1	2 1 1	2	6 1 1	4 1 1	3	1	1
22	Tetanus: Males	482 144	36 28 12	5 2	6	7 5	16 2	70 37	88 22	91 29	33 13	15
	Females	174 57 26, 252	12 18 273	1 1 203	109	1 2 84	13 1 63	34 22 732	55 8 267	19 10 208	7 2 792	1, 762
	Colored White Colored	9, 021 20, 019 8, 186	102 229 97	132 190 97	63 129 65	38 87 54	55 68 53	390 703 366	177 219 181	222 300 358	673 1, 479 1, 108	1, 175 2, 785 1, 583
23	Respiratory system: Males White Colored_ Females White	23, 696 8, 087 17, 727	87 50 70	50 59 51	26 21 34	25 19 22	14 22 13	202 171 190	101 101 83	106 163 204	667 593 1, 319	1, 606 1, 101 2, 614
24	Colored Meninges and central nervous system: MalesWhite Colored	7, 330 799 268	48 118 20	38 117 36	24 62 31	29 42 11	27 31 20	166 370 118	. 111 111 40	304 47 20	1, 012 32 15	1, 484 35 14
25	Females White Colored Tritestines and peritoneum	742 222	113 20	102 24	75 26	52 12	37 16	379 98	87 40	42 12	59 14	48 13
	Males White Colored White White Colored Colore	499 225 609 277	18 4 12 4	6 4 6 9	6	5 1 2 3	5 5 4	40 14 29 20	15 12 13 13	14 19 21 16	26 31 30 34	38 16 46 46
26	Vertebral column: MalesWhite Colored	340 91	1 3	1 1	3	1	4	10 6	16 4	15 7	19 6	30 11
27a	Females	231 52 63	1	3 1	$egin{array}{c} 1 \ 2 \ \end{array}$	2	3 1	10 4 1	8 1	11 4 3	15 3 6	14 9 5
ant.	Colored White Colored	19 38 12	1	1 1				1 1 1	4	<u>3</u>	2 1 1	4 1
27b	Joints: White Colored Females White White	117 31 58	2	1		i	1 1 1	4 1 3	<u>2</u>	6 1 2	10 5 7	7 7 3 3
28	Colored Skin and subcutaneous cellular tissue: Males	15 24 4	2 1					2 1		1 1	2 3 1	1
29	FemalesWhiteColoredLymphatic system (bronchial, mesen-	17 8								î	î (2
	teric, and retroperitoneal glands excepted): MalesWhite Colored	47 17	3 1	2 2		2	1 1	8 4	2	1	2 1 2	4 3 2
30	Females White Colored Genitourinary system: Males White	51 22 236	6	1	1	2	Î	8 4	<u>1</u>	1 3 2	2 5 11	2 1 10
	ColoredWhite Colored	18 183 25			1			1	i	1 1	10 10 4	1 15 2
31	Other organs: White Colored Females	54 8 31	1					1	i	2	1	1 1
32a	Acute disseminated tuberculosis: Males White	322 222	38 20	26 30	12 11	8	6	90 71	18 16	11 5	2 11	20
32b,e	Females Colored. White Colored. Other disseminated tuberculosis:	292 195	23 22	27 21	11 14 11	5 8 8	5 8 5	80 67	17 14	17 14	11 15 34 28	20 15 40 18
	Males White Colored Females Colored Colored	55 31 40 18	3 3 3	2		1		3 4 3 3	3 2 1	1 2 1	4 3 1 3	5 2 1 4
33	Leprosy: Males	12 5								1		2
34	Females White Colored Males White White Colored Males White White Males White White Males White White Males White	3,559	373	18	6	8	4	409	13	11	25	25 95
95	FemalesWhite Colored	2, 427 1, 459 1, 480	343 276 301	19 17 23	7 4 11	3 6 2	2 3 3	374 306 340	12 7 12	18 15 7	24 30 57	95 49 124
35	Gonococcus infection and other venereal diseases: Males	77 56	6 3					6 3 9			2 2	5 4
36	Females	385 196	7 5		1		1	9 5	1 1	1	30 20	70 41
	Males White Colored Females Colored Colored	310 37 244 41	33 4 23 2	8 1 7 2	5 4 1	<u>1</u>	5 5 1	52 5 41 6	13 2 14 3	16 2 19 1	21 4 4 4	15 1 20 6

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

====	·		· · · · · · · · · · · · · · · · · · ·	<u> </u>				T	,				·				
25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
						•					-						
1	1 2 2		2	32	2	3 2	1										} 21
18 5 5 4	17 4 7	18 4 2	27 6 11	17 3 5 2	28 4 6	16 3 5	14 4 5	14 3 3	7 1 1	7 1 1	2					1	22
	4	2, 688 1, 060	1	!	2, 485 593 1, 084	2, 230 323 969	1, 721 237 862	1, 289 167	1, 055 104	551 50	207 19	44	9	1		11	
2, 099 1, 199 2, 612 1, 262	2, 336 1, 133 2, 069 917	1, 810 702	2, 912 811 1, 422 542	2,853 660 1,225 374	279	191	113	866 84	766 49	512 36	226 11	44 7 77 9	15 2	1 5 2	i	11 17 13 16	
1, 936 1, 100 2, 467 1, 173	2, 184 1, 058 1, 933 854	2, 542 993 1, 658 648	2, 735 757 1, 290 501	2, 704 622 1, 128 356	2, 342 553 986 258	2, 092 307 869 170	1,596 218 766 101	1, 184 158 782 81	961 97 682 45	495 49 456 32	186 18 206 9	39 7 70 8	8 3 12 1	· 3	1	10 17 9 14	23
35 14 26 19	27 14 19	32 14 21 10	29 7 12 3	21 4 12 1	14 2 12	17 2 . 8	10 1 4	9	5 3 2	5 4	i			<u>-</u>			24
	4 35 26	32 17	35	i.	42	1			28 2	14	8	1	1			1 1)]
35 27 44 39	35 26 54 32	60 23	14 53 22	32 12 43 8	. 38	38 2 39 9	28 8 38 2	37 3 36 2	30 	21 2	7	2	3			2	25
32 20 20 9	6 13 4	21 7 16 4	36 7 12 6	24 6 17 1	20 8 21 1	27 2 16 2	21 15 2	17 1 10 1	14 16	10 11	3 5	1					26
2 1 1	3 2 5 2	5 1 4	5 1 2	3 1 2	5 2	3 1 3	3 1 3	5 1	11 6	1 2	1	 1	 				27a
5 4	2 5	. 7 1	10	1 8 4	1 9	 8 .	1	12	7	1 5							J 1
5 3	1	4	1	1	4	2 4	12 1 2 1	1 5	5 1	2	1 2						27b
1 1 3	1	1 1	1 1 1	2	1 1	3 1	1	3	3	5 1	3	1 		<u>1</u>			28,
	3	1	2	- 2	3	3	6	4	2	2	1			-			,
4 2	1	1	1 3	2 1	i i	3 3	- 5 1	4	3 1 10	7	1	1					29
23 15 4	20 2 23 4	23 6 21	33 2 22 2	24 1 11 2	22 1 9	14 2 16	20 17	9 10	12 1 7	8	1 3	1					30
6 1	2 2	3 5	2 4 1	2 7 2	7	1 5	1 5 1	2	1 2	2	1	1) }
2	3 1 26	1 1 15	5 20	1 1 26	2 1 17	17	4	- 5	1 5	4 1 2		1 1					31
21 22 22 22 12	20 13 13	15 17 19 10	. 20 17 14 6	26 6 4 3	5 3 2	17 5 7 4	16 5 8 1	3 7	4	1	1	1	1	1		1 1	32a
3 5 5	5 3 4 1	4 4 6	3	2 2 2	4 1 6	6	3 1	3	3	2 1 1	2	1					32 b, c
3	2	1 2	2	1	1	· 2	1	1									
1	120		2	1 .	1	2	200	048	160								33
91 137 74 126	120 175 74 139	235 300 105 152	369 250 149 155	454 312 151 112	471 260 125 104	454 179 131 53	368 126 99 41	246 64 72 30	163 48 50 9	74 24 17 10	25 11 3 3	.1	2 1 2		ī	11 3	34
6 3 89 37	7 7 55	3 2 60	3 9 32	6 6 27 9	13 9 7 3	8 3 1	7 3 3	6 2	1	2	1	1				::::::]	35
37	32	34	32 9		1	3	1	1			, _					::::::	50
16	20	14 2	18 4 8 3	14 5 19	23 4 9 4	23 2 15 2	17 2 10 2	28 2 9 2	18 1 6	6 1 9	5 4	5 - 3	1 2	2		ī	36

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases— Continued											
38	Malaria: White	398 377	22	11	14	.7	6	60	41	21	13 23	27 29
	Colored FemalesWhite	377 329 368	22 28 29 15	8 19 15	14 9 11	12 12 10	10 7	72 76 58	41 33 31	13 15 24	23 15 30	29 15 34
39	Other diseases due to protozoal parasites: Males	26	2	15	11	10	'	2	3	24	1	01
	ColoredWhite	4 12	1					1 1			2	1
40	Ankylostomiasis:	3 9			1	1		2	1	2	2	
	MalesWhite FemalesWhite Colored	7 2				i		î	3	1 1		1
41a	Hydatid cysts of liver: MalesWhite	15	1					1			1	
41b	Females	7	1					1				
410	MalesWhiteWhite	2 6										<u>1</u>
42	Other diseases caused by helminths:					Ì.,		14		1		3
	MalesWhite Colored FemalesWhite	28 20 35	. 3	4 4 5	5 5	- -	3 2 1	14 13 17	3 6 6		1 1	1
43	Mycoses:	13		2	1	4	Ĩ	8	4	1		
ļ	Males White Colored	81 39 56	11 19 9	5	1			12 24 9	1	1	4	4 2 1
44	Females	30	20	1				21	î		. 1	3
**	Males	151 23 132	29 2	15 2	6	1	4 2	58 7	13 2	3 3	4	4
	Females	132	31 5	10	6	1	6 1	57	18 1	1	3	1
	II.—Cancers and other tumors: Males	48, 937	49	31	56	48	50	234	177	168	248	276 33
	Colored	2, 331 59, 540 4, 375	31 2	38 5	3 43 8	2 46 5	35 9	13 193 29	8 153 7	126 12	27 181 18	33 261 61
	Cancer and other malignant tumors:		l		<u>-</u>			-				
	Males	47, 528 2, 246	28 1 16	20 3	2	37 2 34	31 4 24	161 12 132	123 5 98	118 4 86	185 22 136	228 26 214
45	Females	56, 480 3, 783	10	28 3	6	5	6	22	6	7	12	46
10	MalesWhite Colored_	3, 211 144		i		1		2 2	4 2	4	8	7
	FemalesWhite	691 60	1		2	1		4	1		4	. 5
	Lip: MalesWhite Colored.	550 4										
	FemalesWhite Colored.	47								. 1		
•	Tongue: Males	688 43		-	-		-	-			-	. 2
	Females	132	1		-			1			-	
	Mouth: MalesWhite	317		_	-		-		1			
	Colored. White Colored.	_ 64										
•	Jaw: MalesWhite	670			2			2	3	2	4	2
	Colored. FemalesWhite	174		- 1	ī	1		$\frac{2}{1}$		-	2	
	Other and unspecified parts of the	19		-	-					-	-	1
	buccal cavity: MalesWhite Colored_	391 18		-	-			-	<u>1</u>	. 1		_ 1
	FemalesWhite Colored.	113 10			- 1	1		2	1	1	1	ī
	Pharynx: White	595 27			-	-	_	-	1	_ 1	2	2
	Colored. White Colored.	161		-	-					2	1	2
46	Of the digestive tract and peritoneum: MalesWhite	27, 521 1, 310	6		3	7	8	26	25			
	Colored_ FemalesWhite	_ 24,881	1 4		3	5	- 1 5 1		12		3 9	36
	Colored_ Esophagus: MalesWhite	1, 124		-	1		-				_ 1	
	Colored. White-	- 59 - 412			-	-	-	-			-	-
	Colored Stomach and duodenum:	23			-	-	-	-	1		4	11
	MalesWhite				1		i		1			. 11

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un-	List no.
23 12 7 23	15 13 14 19	18 15 16 17	22 15 17 27	24 18 13 15	23 32 14 30	18 20 20 19	18 20 9 17	19 18 13 2	22 11 21 8	17 10 13 2	13 6 10 6	3 5 4 4	1 2 2 1	 1 1	, 1 , 1	1	38
1	1	2 1 1	4	2	2	2	2	2 1 1	1	1							39
ī 2		î						1] . 1
	2 1	1 1	1	3	1	2 2	1 2	1		1	1					1	} 40
2	1	1				1											} 418 } 41b
1	1	1	1	1	1	3						,] ===
1	2	1	i			2			i		<u>i</u>						42
7 1 5 1	2 5 3	6 4 3 1	8 1 6	7 2 5 1	8	7 8	7	1	5	· · · · · · · · · · · · · · · · · · ·	3	<u></u>				1	43
1 2 4	5 1 4	8	5 1 6	7 1 6	4 5	9 1 6	 7	10 2	9	2		· f			-	<u>1</u>	44
366	553 58	1,014 1,015	1, 785	2,901	4, 183	5, 643	7, 026 308	7,397 266	7, 449 165	5, 370	2, 781	1, 083	226	31	6	20	i .
366 45 530 138	1, 169 283	2,386 486	1, 785 169 3, 791 561	2,901 243 .5,313 622	4, 183 340 6, 380 606	5, 643 346 7, 046 467	7,491 371	266 7,423 273	7, 182 186	5, 186 111	2,781 56 2,983 71	1,083 32 1,280 39	226 8 370 14	31 3 57 . 5	3 2	20 5 36 13	
301 34 427 96	473 52 956 207	908 104 1,990 358	1, 640 161 3, 257 446	2, 762 240 4, 807 536	4, 032 327 6, 041 562	5, 507 335 6, 829 438	6, 928 306 7, 357 360	7, 323 265 7, 310 269	7, 379 163 7, 085 178	5, 335 86 5, 112 107	2, 765 56 2, 926 68	1, 078 32 1, 263 37	225 8 361 12	31 3 56 4	6	20 5 34 10	
11 4 4	19 2 9	46 3 16	84 9 17 5	170 16 41	277 28 40	375 19 57 7	467 19 93 9	486 20 82 7	516 6 80	375 6 101	225 2 66	99 4 48 1	28 1 16	4	2	2	
	7	7	10	6 27 3	2 40 1	33	66	7 77 1 7	102	83	56	32	1 6 1	3		1	
2	1	1 2	14	50	90		1 2 1 121		89	67	4 1 28	5 10	6		·	1	
i		1 2 -	14 2 4	9 2	90 8 10	105 10 13 3	5 16 1	96 6 21 1	89 1 17 1	2 18 1	10	. 8	3				
	i i		12 3	15 2 6	19 2 4	30 2 4.	41 1 6 1	54 3 5 1	61 1 15 1	35	29 8	12 1 5	4 - 1 - 1 -				45
4 4 2	6	9 7 3	22 1 5 2	25 5 6 1	57 6 14 2	79 4 19 2	82 8 24 2	111 4 18 2	110 2 18 3	74 2 21 1	50 16	16 1 13	9	1	2		
3	2	8	14 3 4	26 3 6	27 3 4	51 3 1	56	58 1 18	55	40 2 19	30 1 11	14	3 -	3			•
2	3 1 4	9 2 5	2 12 3	2 27 11	44 8 2	77	101	90 5 13	99 2 12	76	32	15	3				
120	207 27 240	485 55 516	919 94	1, 654 137	2, 488 205	1	28 3 4,301 187	2	1	29 1 2,989	1,410	12 1 477	71 3	9 .		11 3	
120 14 106 18	240 50 2	516 63 7	877 99	1,398 145	2, 488 205 2, 107 157	3, 432 225 2, 836 161	3,366 133	4, 489 159 3, 843 102	4, 297 102 3, 970 71	46 2, 987 47	1,705 33	8 649 15	153 4	17 2 2	2	3 20 4	-
2	1	6 2	32 3 18 2	101 10 27 5	147 13 40 3	217 10 66 3	263 12 56 3	257 6 65 3	211 3 55	134 38 2	28	18	3 .	1 .		}	46
35 4 27 7	65 11 74 21	206 22 154 21	404 46 284 40	759 73 458 57	1, 162 99 643 74	1, 567 140 914 78	1,989 116 1,170 67	2, 132 95 1, 484 55	2, 089 55 1, 560	1, 478 23 1, 191 26	686 15 677	210 3 269	36 2 56	1 -	<u>1</u>	7 1 7	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Contd.											• • • •
46	Cancer and other malignant tumors—Contd. Of the digestive tract and peritoneum—											
	Continued Intestines (except duodenum, rectum, anus):											
	Males	4, 743 165 6, 038	1 1	1	3	3	1	6 1 7	6 4	6 4	11 1 4	16 3 10
	Colored Rectum and anus:	158										2
	MalesWhite Colored FemalesWhite	2, 856 106 2, 308							1	1 	3	6 <u>-</u> -
	Liver and biliary passages:	143										5
	Males	3, 675 186 5, 234	4	1 3	1	1 i	1	8 1 6	7 4	5	1	10 4 5
	Pancreas:	212										3
	Males	1, 565 66 1, 423							1	1	2	1 ī
	Mesentery and peritoneum:	35			2	3	6	10	9			
	MalesWhite Colored_ FemalesWhite	362 17 445	<u>1</u>	2	2		2	12	3	1 3	11 2	13 ī
	Others under this title:	24					1	1	1			
	ColoredWhite	14 1 32					1	1				
47	Of the respiratory system:	2,935					2	2	10	9	17	
	ColoredWhite	120	1	2	3		2	8	3	1 7	$\frac{2}{2}$	26 2 13
	Colored Larynx: Males	818									2]
	ColoredWhite	25 121										
	Colored Lungs and pleura: MalesWhite	1					2	2	10		12	
	Colored	- 85 - 947	1	2	3		1	7	3	1 7	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	2
	Other respiratory organs: MalesWhite	230									5	:
	Colored	10 70					i	1			ĭ	
4 8	Of the uterus: Females	11, 453		1				1	1	2	4	4:
49	Of other female genital organs:	1,554									3	14
	Females	2, 363		_ 1	3	1		5	5	5	19	3
	FemalesWhite Colored	1, 910			1			i	4	4	18	21
	Vagina and vulva: FemalesWhite Colored.	422		. 1	2			3	1	1	1	
	Other female genital organs: Females	31			1	1		2				. :
50	Of the breast: MalesWhite	154									2	
	Colored. White Colored.	10,022		-						1	5	1
51	Of the male genitourinary organs: MalesWhite	8, 262	9	9	18	14	6	56	16	7	17	4
	Colored . Kidneys and suprarenals: Males	401	5	8	16	10	3 6	4 45	12	4	2 2	
	Colored Bladder:	- 34		-			. š	3				
	Males		3	1	1	2		7		. 1	1 1	
	MalesWhite Colored_	4, 678 240		-		. 1		1			2	
	Testes: MalesWhite Colored_		1			1 1		2	4	2	12	3
	Scrotum: MalesWhite	_ 34			. 1			1				
	Other male genital organs: MalesWhite	- 7 - 217		-								
52	Of the skin:	- 35	ll .	-								
	MalesWhite Colored_ FemalesWhite	1,666 29 917	1			-	1	3	4	2	9	

APPENDIX

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
																	- 1
																,	
-																	:
36 4 32	54 6	110 10	180 17	284 13 350 27	394 26	563 21 673 24	707 22	719 17	729 10	551 . 10	249 3	104 1	12	5		1	
	72 11	144 7	17 256 18		555 17		22 785 16	848 13	876 13	730 2	471 6	160 1	46	6 1	1 	4	_
19	39 4	54 7 89 14	93 8 117	166 5	280 19 210 23	362 .10 299	486 14 322	466 15 323	409 11 336	270 4 221	143 4 125	50 2 56	6 11	1 1		1	
19	33 9	1	14	133 21		14	18	9	4	4	1	1					
10 1 13 3	20 4 45	48 11 88 13	101 11 139	193 25 276	307 36 462	475 29 602	567 17 737	617 16 840	612 12 881	405 9 648	207 4 316	69 2 127	7 1 31	1 4		2 2 7	
3 5	45 8 14	13	18 76	24 113	30 156	36 212	23 246	19 261	8 224	13 132	7 53	23	1 5			2	46
1 5	1 8	2 21	8	10 102	8 147	11 210	4 246	10 209	10 217	123	73	19		1			
1 12	13	20	32	37	9 41	4 34	5 40	3 36	1 23	16	3 7	2	1				
10	1 7 1	20 2 13 5	1 27 4	1 46 5	3 47 1	69 2	2 43 1	73	1 43 1	29	1 14	9					
1 1			1	1	,	2	3	1		3		1					
		1	1	6	1 3	3	7	1	2	7	1						
28	44 6 22	96 8 49	1	· 308	412	458 14 156	468	348	277 7	150 1	57	21 1	4		1	2] ,
28 1 9 1	22 1	49 4	197 16 76 7	· 308 24 93 7	412 18 135 11	156	468 12 172 5	7 161 1	132	56 1	27	13	4				·
. 1	3	9 2	35 2 5	67	100	134	126	118 2	120 5	61 ·	30	10	3		1		
1	1 1	2 6	5	6 9 1	3 11	3 20 1	- 18 1	2 17	15	8	5	3	2				47
27 1 7 1	39 5 19	7 <u>4</u> 5	133 10 62 6	217 15	276 15	288 11 126	304 12	206 4	146 2	80	26 21	11				2	1
7	19 1	5 40 3	1	15 76 5	116 11	126 4	, 144 3	138 	109	46 		10	2				,
	2 <u>2</u>	13 1 3 1	29 4 9 1	24	36	36	38	24 1	11 8	9	1		1				
1					8	10	10 1	6 1		1	1						J
150 52	329 106	670 194	1,079 217	1, 401 241	1, 573 238	1, 444 158	1, 456 119	1, 201 86	1,024 57	639 32	295 16	114 9	19 5	3 1	2	6 4	} 48
29 5	56 10	115 12	212 18	300 17	288 15	350 10	301 12	243 2	208 2	119 2	53 	19	6				_
27	50 5	104 8	186 13	274 15	259 11	296 7	246 10	_173 2	- ₁₃₇	67`	26	8ر	3				
1 2	5 4	10 4	23	24 2	25 4	53 3	54 2	65	68	49 1	25	10	. 3				49
1	1 1	1	3	2	4	1	1	5	3	3	∴2	~ 1					
. 1	3.	 3	1 4	13	9	24	19	24	19	1 17	5	8.	1				, 1
52 13	177 25	445 57	745 68	1, 184 88	1,377 100	24 2 1,394 58	1,285 55	1, 081 42	974 28	644 14	376 8	1 184 7	65 2	15 1	1	4	· 50
53	79	94	176	258	436	698	1, 106 66	1,394	1,605 33	1, 253 23	657 19	260 12	45 4	7 2	2	2 2	,]
9	5 12	16 30	16 57	30 72	49 109	49 106	123	63 92	74	44 44	14	3	2				
1	9	2 15	53	5 104	4 149	7 245	3 300	363	419	299 7	2 156	1 55	18	3	1	1	
	. 3		5	5	7	9	13	13	8	7 857	6	1 186	18 1 24	3 1		2	,
2	6	7 3	30 5	· 19	135 32	311 28	635 44	900 45	1,063 24	15	465 10	8	3	1		-	51
1 1	46	33 1	30	25	28 1	11	13	7	12	10 	5 						
<u>1</u>	2	2	2	1	5 -	8 1	5 2	. 4 	1	` 3 1	1						
· 1	4 1	9 8	4 2	9 1	10 5	17 3	30 4	28 4	36 1	40	16 1	11 -2	1		1	<u>i</u>	
5	13 2 9	l .	37		73 4	1	144	166 2 79	279	280 3	255 1	137 2	52	10		2	
4	9	17 2	37 2 20 5	53 2 33 4	42 3	123 6 42 3	144 2 60 3	79 6	279 2 124 3	133	150 1	117	. 60	12		2	52

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—Cancers and other tumors—Contd. Cancer and other malignant tumors—Con.											
53	Of other or unspecified organs: Males Colored.	3, 779 231	13	9 2	22 2	16	15	75 4	68 3	81 2	96 15	90
	FemalesWhite Colored	5, 015 286	9 2	18 3	19 4	27 5	16 5	89 19	73 5	55 7	92 4	10 71 8
	Kidneys and suprarenals: FemalesWhite Colored	656 31	6	9 2	8	11 3	8 1	42 7	17 3	3	5 1	5
	Bladder: FemalesWhite Colored	1, 095 63	1	1				1			1	2
	Brain: MalesWhite Colored	474 18	3	2 1	5 1	4	5	19	23	27	15 2	25
	FemalesWhite Colored	341 12		i 	3 1	4	2 1	10 2	16 1	9	16	3 13 1
	Bones (except jaw): MalesWhite Colored_	755 55		3	5	2	3	13	14	31	35 8	27
	FemalesWhite Colored	619 27	2	1	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	1		1 5 2	14 1	$\frac{22}{1}$	29 1	$\begin{bmatrix} 3\\21\\2\end{bmatrix}$
	Other or unspecified organs: MalesWhite Colored	2, 550 158	. 10	4	$^{12}_1$	10	7	43 1	31 3	23 2	46 5	38 4
w	FemalesWhite Colored	2, 304 153	1 1	7	6	11 2	6 3	31 7	26	21 3	41 2	30 4
548	Nonmalignant tumors, ovary: FemalesWhite Colored	136 15								2	1	7
54b	Nonmalignant tumors, uterus: FemalesWhite	1,656									1	3 8
54c	Colored Nonmalignant tumors, other female genital organs: Females	472 10										8
54d,e	Colored Nonmalignant tumors, other organs: MalesWhite	2 588	9	4	5	2	8	28	23	25	37	18
	Colored FemalesWhite	30 531	10	6	1 7	<u>-</u> - 5	8	36	20	17	21	1 21
558	Colored Tumors, ovary (nature unspecified): FemalesWhite	34 15								1	2	4
55b	Colored Tumors, uterus (nature unspecified):	2										
55c	Females	12										
55d,e	Tumors, other organs (nature unspecified):	1										••
	MalesWhite Colored_ FemalesColored Colored	821 55 699 66	12 5	7 4 2	6 6 2	9 7	11 3 3	45 25 7	31 3 35 1	25 1 21 4	26 3 20 4	30 6 16 2
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases: Males	12, 308 1, 265 19, 860	656 109 458	97 20 63	52 13 44	40 6 34	50 4 54	895 152 653	238 24 228	281 28 295	246 29 279	201 53 309
56	Colored Acute rheumatic fever:	2, 264	66	17	11	2	4	100	228 29	37	58	,116
	MalesWhite Colored	955 134	4 2	1 2	11	13	21 1	50 9	143 10	149 14	89 6	53 16 82 12
57	Females	988 178	2	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	8	17	25 2	54 3	130 16	143 14	6 69 12	82 12
.	MalesWhite Colored	483 24							3	4	4	5
58	FemalesWhite Colored	746 42				1		1	3	2	3	6 2
	FemalesWhite	1										
59	Diabetes mellitus: White Colored Females White White	8, 724 522 13, 648	6 2 4	16 10	5	8 3	18 1 15	53 3 36	63 4 67	112 5 125	122 12 138	110 17 120
60	Scurvy Colored.	853	2				Ĩ	3	4	11	6	14
	FemalesWhite	10 4 7	7 2 4	2		1		9 2 5	1 .			
61	Beriberi: Males White	6	2	1	1			4			1	
	Colored FemalesWhite	1					1	1				
62	Pellagra: White Colored	437 376		1 3	1			2		2	2 9	4
	FemalesWhite Colored_	649 872		1	2 3			3 3 3	3 2 4	5 2 10	11 35	13 22 78

493

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBÍA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 -years	100 years and over	Age un- known	List no.
		,									•						
83 10 73 7	108 10 114 13	160 21 162 19	223 24 231 27	306 29 357 28	337 21 479 36	397 20 550 35	423 19 624 24	416 12 620 23	386 13 573 9	271 7 433	156 7 254 9	76 4 119	24 38	1 6	1	1 2	
7 7 2	13 15 2	19 11 2	27 27 31 4	28 52 1	36 69 1	35 92 1	24 93 4	23 87 1	64	433 8 39	9 16	7	1			ĩ	
2 2	4 2	12 1	33 4	54 8	73 12	109 13	161 7	168 7	1 195 4	150 1	79 2	43	8			1	
18 4 18	32	39	54 4 37 2	66 1 33	63	33 1 32	27 1	16	9	3	3	1				1	53
	22 2	36	ſ		44 1		25	14	7	4		4	1				
24 1 10 1	24 3 23 2	27 6 25 1	41 3 32 1	62 7 50 6	61 8 63 4	72 4 61 3	89 3 69 1	88 4 64 1	83 2 45	39 42	19 2 24	12	6	1		1	
41 5	52 7 50	94 15 78 15	128 17 98 16	178 21 168 13	213 13 230 18	292 15 256 18	307 15 276 12	312 8 287 14	294 11 262 4	229 7	134 5	71 4 53.	22	1	1		
36 4	5		ı		l	256 18 13		1		198 7	135	4	22 	5		1)
6	12 3	14 3	13 1 410	14	21 1	4	10	4 39	32	6	3	2 0				1	} 54a
31 31	118 70	260 112	102	384 74	195 33	85 19	42 9	2	3	23 2	20 2	9 2	2			2 2	} 54b
		1		3 1	1	3	2										} 54c
28 · 3 29 4	32 3 24	36 4 55 2	52 2 37 7	56 41 ,1	59 7 49 5	60 4 54 3	36 2 37	30 1	41 1 20 2	10 21	6 13	1 2	4 1	1			54d,e
	1	1 2	3		2		3	3) } 55a
	1	3			1	2	2			1 1	1	1					55b
			. 1					 									55c
37 8	48	70 7	93 6 70	83 3 64	92 6	76 7	62	34 1 37	29	25	10	4	1],
37 8 37 7	48 3 57 3	70 7 62 8	70 5	64 9	92 6 70 5	60	38 2	37 1	29 1 37 3	23 . 1	20 1	3	3	1			} 55d,e
234	259	304	453	595	853	1, 135	1, 539	1,638	1,606	1,059	536	182	. 39	6		. 9	
234 27 321 145	259 60 380 159	304 69 494 207	453 82 729 186	595 108 1,036 248	853 138 1,570 236	1, 135 128 2, 243 198	1, 539 95 2, 923 196	1, 638 95 3, 014 126	1, 606 77 2, 648 92	1,059 46 1,646 51	536 22 722 38	182 - 14 287 19	.39 8 59 13	3 13 4	1 2	9 6 11 4	
47 2 61 17	35 7 57 12	47 5 43 8	33 10 45 8	41 15 40 16	37 10 41 13	45 6 33 9	43 6 45 12	31 4 41 8	46 5 37 4	32 3 30 5	23 1 25 4	. 8 2 8 3	2	1		1 2 2 1	56
17	I.	1			13 27	I .					4	l	2 1 5	1		[j 1
5	13 1 10	12 2 11 1	19 1 11	25 1 19 1	38 2	31 2 51 7	48 4 73 5	63 2 97 8	66 5 115 4	128 3	91 4	26 2 63 1	14 2	5		1	57
		1						- -									58.
125 13 112 18	141 24 121 33	148 32 183 49	266 36 342 67	417 56 574 125	623 76 1,017 134	924 66 1,701 120	1, 299 45 2, 344 111	1, 428 51 2, 481 67	1, 392 38 2, 185 47	896 22 1, 323 19	429 12 546 10	138 3 184 8	31 4 40 4	6 2	<u>i</u>	3 2 3	59
				1			,	i									,] 60
1		1							1]
		1															61
11 11 31 95	21 26 51 87	27 23 56 122	37 28 59 80	30 26 73 78	50 44 62 65	44 46 64 48	50 39 70 55	49 33 46 34	45 29 32 26	30 17 34 21	25 8 22 15	5 7 6 6	4	$\begin{array}{c c} & 1 \\ 1 \\ 2 \end{array}$	1	3 1 2 2	62

Table 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Rheumatic diseases, nutritional diseases, diseases of the endocrine glands, and other general diseases—Continued											
33	Rickets: WhiteWhite	119	76	19	10	3	1	109	2	1	3	1
	Colored White Colored	51 92 41	39 52 25	19 8	6 9 4	2 1 2	2	51 83 39	2	i	1	
4	Osteomalacia: White Males	1 7	1					1				
5	Colored Diseases of the pituitary body:	1	i					1				
	Males	22 30 2	1 1					2			7	1 2
ia	Simple goiter: White	42	1					7			2	1
	Colored	3 182 22								1	1	<u>2</u> 1
ib	Exophthalmic goiter: MalesWhite	517							1	2	8	11
	Colored White Colored	35 2, 618 170								9	37 2	3 57 7
c,d,e	Other diseases of thyroid and parathyroid glands:										_	
	Males	118 11 193	35 8 36	11 7	6 1 4	9	1	62 9 54	5	2	2	4 4
7 -	Colored Diseases of thymus gland:	16	7					7				
	Males	592 70 399	492 46 331	34 8 21	12 4 9	4 1 5	6	548 59 372	18 7 10	5 2 4	10 4	<u>-</u> 5
.	Colored Diseases of adrenals (Addison's disease, not	36	26	4	2			32	1			2
	specified as tuberculous): MalesWhite	131 7									2	Ę
	FemalesWhite Colored	184 8								1	2 1	1 7
•	Other general diseases: MalesWhite Colored	156 27	34	13 3	6 1	3	3 1	59 15	2	3	2	2
	FemalesWhite Colored	115 17	10 27 3	3	8	2	3 1	43 8	5 2	2 1	5	3 2
į	IV.—Diseases of the blood and blood-mak- ing organs:										`	
	MalesWhite Colored	4, 3 99 211	245 32	71 2	52	52	42	462 39	162 8	118 9	145 6	133 10
	FemalesWhite Colored	3, 881 167	178 20	45 5	37	37 1	22 1	319 27	93 5	76 8	100	113 14
)	Hemorrhagic conditions: MalesWhite	324	168	10	8	10	4	200	17	19	10	6
	Colored FemalesWhite Colored	34 293 20	110 8	6	6	11	1 5	23 138 8	1 15 1	2 10 1	$\begin{array}{c}1\\14\\2\end{array}$	1 12 2
a	Pernicious anemia: White	1, 559	11	9	6	5	6	37	15	8	13	15
	Colored FemalesWhite Colored	52 1, 709 69	9	9	4		1 2	2 24 1	1 5 1	10 2	16 5	1 18 8
ď	Other anemias: MalesWhite	193	39	16	7	1		63	6	2	1	3
	Colored White Colored	15 195 27	5 38 9	10	2	1	 1	5 51 13	8 1	1 3 1	5 1	1 3 2
a	True leukemias: MalesWhite	1,367	18	27	28	33	22	128	87	45	88	52
	Colored FemalesWhite Colored	1, 057 32	1 17 2	14	19	21	2 12	3 83 2	3 49 2	3 36 2	43	2 43 2
b	Pseudoleukemias (Hodgkin's disease): MalesWhite	727	2	1	1	1	7	12	27	32	24	45
	Colored White Colored	39 403 14	1 1	$\frac{1}{2}$	2	1	1 2	2 8 1	3 7	1 8 2	13	3 31
	Diseases of spleen: MalesWhite	197	7	8	1	2	3	21	9	12	8	11
	Colored White Colored	14 163 4	3 2	1 4 1	3,	3		12 12	9	6	7	2
	Other diseases of blood and blood-making organs:			1				_				
	MalesWhite Colored	32 2 61			1 1		 1	1	1		1 2	1
	Colored	1			<u>+</u>		1	3		3	z	3
	V.—Chronic poisonings and intoxications: MalesWhite	2, 248		4	3			7			9	27
	Colored FemalesWhite	273 310		2	<u>1</u>			4	$\begin{vmatrix} 1\\1 \end{vmatrix}$	<u>1</u>	6 3	8 6

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94. years	95 to 99 years	years and over	Age un- known	List no.
								•									
		1			1		1										63
2 			1							1] "
		1 	1	1		1	1	1									64
1	1	3 2 1	4 4 1	1 2	3 1	1 4	1 2	· 2 1	<u>i</u> -	1	1						65
1	2	. 3	2	8	2	5	3	6 1	3	2	1						, }
4	5 3	7 1	13 1	19 4	22 3	27 3.	25 1	25 1	19 2	-6 1	3	1		i		1	66a
24 1 86 14	34 1 106	40 2 152 25	71 7 218 23	48 7 277	77 6 345	60 5 329	59 325 10	42 2 283 7	30 237 7	9 104 1	1 30 3	18	2			3	66b
	20			23	16	329 11					3	18 1					}
2 6	5 8	1 1 11	3 5	8 14	8 1 10	4 10	18 2	3 20	1 11	2 7		i					66,c, d,e
2	1 2	2	3		2	1	2	1)
2		1		1		i											67
7	3	17 1	15	12	17	10 1 1 15	20 1	10 1	6	3	3			 		0 1 1	1
8	18 2	23 	26 1	15 1	1 28 1	[15	14	2	7	1 1	2					68
1	2 1 3	3 1 1	3 4	5 1 2	<u>-</u>	10 2 7	8 5	4 5	17 9	11 2 5	9 1 4	5 4	1 1	1			69
	1		2 (ĭ	ĭ			Î		•	[]
128 13 127 22	143 13 144 8	175 18 175 10	205 16 197	252 16 240	309 14	395 19 347	521 9	441 11 436 2	423 3 379	253, 3	106	15	8 1			5	
22	8	175	197	240 16	14 299 13	347	426 9	436 2	379 1	237	118	39	1 7 1	5 1	1	3	
5 3 12 4	7 1 13	5 6	4 1 11	8	8	4	. 8	7	6	5	5] - 70
1		1		10	10 105	7	6	8	11	3	5	1		1		3) "
15 1 24 11	25 5 19 4	23 4 54 6	39 6 72 6	73 6 92 5	133 9	174 6 186	257 2 240 6	250 8 283	271 1 256	-153 1 168	69 1 75	10 25	$rac{4}{2}$	3	i	3	71a
2	1	1	2	11	4	- 1	- 1	14	31	17 1 13	9 1 21	3	2) }
2	5 	6	4 1	1	8	3 2 4 1	18 1 18 3	12	31 1 21 1	13	2Î	6	2	1			71b
46 4 43 3	52 2 65	74 8 63 2	84 5 62 6	87 6 80 5	101 3 102 3	121 7 100	141 4 104	110 1 76	83 1 64	54 30	9 8	2 4	1 1 2			2	72a
	3 44 3	54	1			2			20		10		1) }
54 3 30 2	30	33 1	62 3 30 2	60 3 36 2	73 3 28 1	70 2 27 2	75 1 41	50 2 34 1	20	14 1 19	1 5	2	1				72b
6 1 15	14 10	16	9	12 I 14 2	14 2 10	19 1 15	16 1 12	8	10	8	4						73
			13	2		15	12	16	2	4	4	1					
3	1 2 1	2	5 5	1	<u>4</u> 8	4 1 8	6	2	2 5	2							74
																	ŀ
84 25 19 14	181 36 25 12	284 36 54 5	336 37 58 12	383 36 40 8	297 31 36 6	234 21 27	205 15 17 1	110 9 9 3	49 3 5	27 3 3	11 1 2	1	1			3 3 1	
14		5	12	8	6		ī	<u>3</u>	5 1								

Table 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
75	V.—Chronic poisonings and intoxications—Continued Alcoholism (acute or chronic):											
"	Males	2, 119 262 249								<u>1</u>	9 6 1	1 24 8
76	Colored Chronic poisoning by other organic substances:	66									2	6
	MalesWhite Colored FemalesWhite	63 7 48										2
77a	Colored Chronic lead poisoning: MalesWhite	4 56		4	2							. 1
	Colored. Females	3 10 3		2 1	<u>1</u>	1 1		4 2	1	1	ī	
77b, c	Other chronic poisoning by mineral substances: Males	10								1		1
	Colored White Colored	3 4							1 2			
	VI.—Diseases of the nervous system and of the organs of special sense:	•							_			
	Males	52, 519 6, 046 47, 953	873 168 610	267 27 215	147 23 140	111 9 88	92 12 87	1, 490 239 1, 140	528 43 472	461 46 345	487 76 320	483 107 362
78	Colored Encephalitis (nonepidemic):	5, 669	147	25		13	9	205	35	35	49	78
	MalesWhite Colored FemalesWhite	531 57 404	32 4 29	29 25	17 2 13	13 9	7 3	98 6 79	37 6 35	35 6 22	24 3 23	24 5 24
79a	Simple meningitis: Males	55 865	185	1 51	1 42	1 17	2 20	11 315	75 12	4 66	56	8 38
	Colored	145 611 83	30 130 27	7 51 6	$\begin{smallmatrix}6\\31\\2\end{smallmatrix}$	$\begin{array}{c}2\\21\\5\end{array}$	2 17	47 250 40	12 73 4	8 42 3	11 24 7	8 33 3
79b	Nonepidemic cerebrospinal meningitis: Males	117 22	29 3	14	6	3 1	1	53 5	13 2	8 4 8	6 1	2 1 2
80	Females	95 18	22 4	4	9	5	4 2	44 6	11 1	1	5 3	1
·	MalesWhite Colored FemalesWhite	780 72 206								1 i	1	1
81	Other diseases of spinal cord: Males Colored Colored Colored.	24 1, 385	9	10	5	4	4	32	17	33	1 47	33
80.	Females	101 1,079 94	4	6 1	4	4	2 6	2 24 1	12 13 3	1 11 3	20 4	23 5
828	Males White Colored Females White	37, 282 3, 925 36, 783	47 4	9 1 9	4 1 3	5 1	3	68 8	14 18	23 4 17	27 8 32	58 23 57
82b	Colored Cerebral embolism and thrombosis: MalesWhite	4, 187 2, 371	34 4 5	9 3 7	3 1 4	4 2 2	5 2	55 10 20	5	5	7	20
	Colored Females	147 2, 360	1 3	3	3	2		1 11	12	18	14	. 23 3 26
82c	Softening of brain: Males	136 304 24										
82d	Females	286 11										
	specified: Males	1, 139 320	7 2	3	1 2		2	13 4	5 1	5 1	7 3	6 4
83	FemalesWhite Colored General paralysis of insane:	1, 189 377	<u>-</u>		3 2	1	1	3	8 1	1 	3	4
•	MalesWhite Colored FemalesWhite	2, 526 646 693							1	2 1	3 8 3	15 10 5
84	Dementia praecox and other psychoses: MalesWhite	208 408								1	10	34
	Females	68 538 89								1	15 4	7 20 14
85	Epilepsy: MalesWhite Colored	1, 174 212	21 3 14	8 2	7	10 1	7 3	53 9	37 10	82 11	126 24	133 29
86	Females	889 120	3	8	8 1	3 2	5 1	38 7	35 4	59 10	80 10	87 12
	Males White Colored . White Colored . White Colored	269 84 178 79	215 68 129 68	32 9 24 7	10 4 20 3	9 1 3	3 2 2 1	269 84 178 79				

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years.	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
78 24 14 13	169 35 22 11	269 36 44 4	324 35 49 12	368 34 36 8	281 29 33 5	222 20 22	191 15 12 1	99 9 7 3	46 3 2 1	24 3 1	11 1	1	1			3 3 1	} 75
3 1 4 1	10 1 2 1	12. 10 1	8 2 8	6	. 9 2 3	3	3	4 2	3	2	1 1						76
1 i	2	1	3	8 2	5	. 7	11	7	3	1				· · · · · · · · · · · · · · · · · · ·			77a
2	1	2	1	1	2	1	1										77b, e
454 111 376 110	668 231 503 . 154	1,070 343 782 308	1,599 451 1,196 437	2, 227 565 1, 921 571	3,194 811 2,655 749	4,401 689 3,535 645	5,896 682 4,822 642	6,905 537 6,100 517	8,097 371 7,537 402	7,046 320 6,942 276	4,705 207 5,119 233	2,088 110 2,699 108	583 52 914 53	95 26 170 21	9 9 23 20	33 20 20 21	
27 3 17 3	27 5 33 2	35 3 14 6	27 8 28 4	43 3 29 3	32 5 23 2	29 2 17 2	28 25	24 14	19 2 9 1	14 9	1	4 2 1					78
28 6 21 6	31 8 15	38 10 21 3	34 10 21 6	49 6 25 2	39 12 17	25 3 20 1	28 1 18 3	17 2 15	· 9 · 1 10	8	6	1 3				2	79a
9 5	4 1 . 3	2	4 3 1 1	1 1 2 1	4 5 1	7 1 3	2 1 2 1	1	1	1 1	1					1	79b
4 2 1 2	4 2 3 2	22 6 8 1	. 28 8 12 4	57 7 19	98 · 13 29 4	145 8 24 2	145 11 34 3	118 5 21 1	89 3 25	47 5 16 2	14	7	1			1	80
. 23 2 17 2	31 6 25 3	55 10 34 5	67 6 42	74 6 63	121 16 88 18	139 9 119 18	167 6 132 9	180 13 143 4	164 4 145 7	116 8 98 . 4	60 2 65	21	3	1	1	1	81
96 34 70 36	156 87 143 85	322 171 341 202	650 236 688 318	1, 181 377 1, 341 464	2, 058 589 2, 027 612	3, 181 506 2, 806 526	4, 553 537 3, 954 526	5, 573 440 5, 087 423	6,.792 312 6, 427 343	6, 020 246 5, 956 229	4,078 161 4,443 195	1,810 94 2,335 88	516 47 811 43	· 80 · 21 146 16	8 6 17 17	18 18 12 17	82a
20 5 23 6	32 11 38 6	40 8 52 10	80 11 69 9	91 14 76 16	, 139 13 117 24	192 20 166 17	336 17 232 16	339 19 332 12	370 6 383 5	325 11 357 1	206 3 231 6	76 2 149 1	29 1 40	6 2 10	1 2 1	3 2	82b
	1	. 2	2 1	6 4 1 1	17 4 6 1	9 2 10	25 3 19 2	42 2 39 2	67 4 64 2	50 1 50 2	50 50	29 1 35	4	1 2	i		82e
5 3 9 10	7 6 7	8 6 12 13	15 18 17 20	19 19 28 26	43 40 42 46	74 39 62 32	118 - 44 103	149 30 162 59	214 22 179 34	197 39 213 32	146 22 199 17	84 10 97 16	19 4 28 8	3 3 5 4	2 2 2 2	2 1	82d
29 23 19 7	7 149 63 43 13	13 297 92 74 31	20 . 423 118 79 40	. 437 103 111 27	46 343 80 91 23	32 314 73 89 25	215 43 62 19	59 158 15 44 10	34 83 7 33 2	32 35 5 26	17 14 5 . 9	16 4 - 3	. 1	1	2	3 1	} 83
31 8 31 14	31 9 33 13	28 7 56	40 36 54 11	27 42 7 68 3	50 6 51	26 4 48	29 3 37	10 31 2 34	24 1 34 2	22 2 21	. 6 . 3 19	6 10	1 4 2	1		 1	84
93 17 83 17	94 18 75	93 16 68 12	85, 14, 73,	3 71 11 . 51 6	3 73 16 44 5	. 5 57 9 42 4	4 44 9 38 4	43 6 32 2	34 5 32 3	32 1 35 2	16 . 5 . 8 2	6 2 5	1	1		· 2	85
										. 2							86

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system and of the organs of special sense—Con.											
87	Other diseases of nervous system: Males	1, 499	E0.	.00	10	18	9	123	35	28	32	21
	Colored FemalesWhite	1, 499 82 1, 247	50 2 37	28 1 21	18 3 13	10 10	6	7 87	1 26	6 35	2 25	5 22
88	Colored	80	4	1		1	2	7 4	5 2	4	3 2	3
	Diseases of organs of vision: Males Colored Females White	8 26	6			1	<u>1</u>	8	1	1 1	3 2	1
89a	Colored Diseases of ear: MalesWhite	1,077	202	 52	20	19	24	317	152	 76	68	54
	Colored White	94 802	42 154	6 47	4 19	1 15	19	55 254	5 126	2 66	5 35	6 26 4
89b	Diseases of mastoid process: Males White Colored _	67 761	23 69	2 24	1 13	3 10	9	29 125	128	1 86	1 64	39
	Colored White Colored	39 567	9 45	1 17	14	1 10	19	11 105 12	3 115 3	$\begin{array}{c}2\\62\\1\end{array}$	39 1	31 2
	VII.—Diseases of the circulatory system:	39	8	4	!				i .			-
	MalesWhite Colored FemalesWhite	136, 345 11, 594 108, 599	162 16 153	70 8 56	46 8 44	45 4 55	56 10 49	379 46 357	378 41 383	547 77 601	754 81 691	780 154 860
45	Colored	10, 418	21	9	3	5		50	48	76	114	217
90	Pericarditis: MalesWhite Colored	386 96	8	1	2	4		15 2	2	8 4	12 1	12 3
010	FemalesWhite Colored	234 67	6	î	1	3	1	12 1	6 1	7 2	7 3	11 5
91a	Acute endocarditis: MalesWhite Colored	1, 194 131	10	6	10	7	11 2	44 5	50 8	62 6	86 9	84
91b	Females	1, 180 154	12 2	10 1	7	12 1	9 3	50 7	59 7	88 7	117 9	115 13
310	MalesWhite Colored	200 38	7	4	1	1	4	17 1	20 2	8 3	29 3	25 5
92a	FemalesWhite	195 58	5 1	4 1	1	2	2 1	14 3	24	14 1	16 4	18 7
32 u	valvular diseases: MalesWhite	23, 263	19	18	10	17	18	82	177	308	377	358
	Colored White Colored	2, 925 22, 291 2, 789	25 1	1 11	13 13	1 21	16 5	8 86 7	16 165 20	31 322 33	26 353 46	45 427 82
92b	Endocarditis, unspecified (45 years and over):						_					
	MalesWhite Colored_ FemalesWhite	1, 559 174 1, 456				l						
93a	Acute myocarditis: MalesWhite	169 2, 022			3			28	15	9	17	21
	Colored FemalesWhite	216 1, 515	14 2 17	6 5	2	1	1 5	5 31	10	2 12	4 16	12 1 33 1
93b	Colored Myocarditis, unspecified (under 45 years): MalesWhite	264 492	14	1	3	3	· 3	27	13	2 10	3 25	7 19
	Colored FemalesWhite	153 385	1 19	4	3	2 2		3 29	$\frac{2}{7}$	3 12	25 7 11	19 8 24 12
93c	Colored Chronic myocarditis and myocardial degen- eration:	189	2	1		1		4	2	2	4	
	MalesWhite Colored	43, 480 2, 649 37, 846	5	6	3	1	5	20	30 2 23	32 5 34	56 5 56	78 16 91 20
93đ	Females	2, 267	3 1	2		2	1	3	1	3	9	! !
	Males	12, 076 882 11, 225	3			2	1 1	4	1	5	3 3	8 3 9
94a	Angina pectoris:	944	1					ĭ	ĭ			13
	Males	11,707 404 5 236						1	1	1 1	2 3	13 1 8 5
94b	Colored Diseases of coronary arteries:	5, 236 345								1	7	1
	MalesWhite Colored FemalesWhite	10, 878 322 4, 523	2		1			2 1 1		1	2 2	16 7 13
95a	Functional diseases of heart:	102				1		l î	1	1	2	3 4
	Males	300 16 245	1					2			<u>1</u>	3
95b	Colored Other and unspecified diseases of heart:	9		11	10	6	8	81	60	91	116	114
	MalesWhite Colored _ FemalesWhite	16, 386 2, 502 12, 496	46 7 34	11 2 7	9		2 10	15 69	8 73	22 101	16 93	37 85
96	Aneurysm (except of heart): Males	2, 175	7	3	1 1	1	2	14	14	3	33	51 5
	Females Colored Colored Colored	1, 190 265 388 92					1	1		2	1 2	5 2

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1982—Continued

	ſ		<u> </u>	ī	1		1	i	1	<u> </u>	1	1	Γ	7-	100	Ī	
25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
	-													-			
95	20	49	63	64	04	197	147	184	100	150	90	35		2			
25 2 25 4	29 7 31 3	5 41 3	53 53 4	64 5 53 8	94 11 65 5	127 11 76 9	127 127	143 3	188 3 172 2	156 1 134 3	89 4 77 5	37 1	8	4 1		1	87
3	2	2			2	2	3	2	3	2	1						,]
		i				2 1	1	1	1	2	3	2			1		88
33 4 27	47 3 29	39 3 32	34 4 28	59 1 31	40 2 35 1	41 2 35 1	37 2 24	24 21	25 13	13 12	13 3 1	2 2	1	1 1		1	89a
28	25 3 25	5 39	4 51	33 1 23	41	33	19	20 1 12	1 16	9	2	3)]
28 2 28 3	25 2	39 3 27 2	5 31 4	23 4	3 15 3	16 2	1 14	12	1 9 	11	1 1	2	<u>i</u>				89b
905 246	1,328 412	2, 409 725	4, 121 915	6, 481 1, 148	9,307	12, 264	15, 921 1, 345	18, 277 1, 043	21,055	18,629	13, 246	6, 934 269	2, 123 141	370 46	52 32	85 23	
905 246 1, 035 336	1, 211 465	2, 409 725 1, 735 594	915 2, 437 809	6, 481 1, 148 3, 631 1, 049	9,307 1,412 5,007 1,244	12, 264 1, 322 6, 934 991	15, 921 1, 345 10, 352 1, 156	18, 277 1, 043 13, 229 893	21, 055 915 17, 186 808	18, 629 713 16, 843 587	13, 246 488 13, 791 409	6, 934 269 8, 267 284	2, 123 141 3, 219 142	370 46 674 71	52 32 101 55	85 23 55 20	
10 5 8 5	16 9 8 11	- 19 9 12 9	22 15 3 3	31 11	34 16 13	34 5 13	33 5 13	35 3	39 3 26	34 3 35	16	8 1	6				90
L .				11 7 3	7	. 1	6	35 3 16 2	2	3	26	6 1	4	1		1) "
89 9 125 18	83 16 89 16	82 12 77 11	94 8 71 13	87 16 58 16	81 7 54 9	94 14 49 11	86 6 50 8	60 2 53 4	46 3 47 2	33 1 38 2	15 1 21	11 14	7 4	1 1			91a
12 6 29 8	17 3	. 29 5 38 13	43)
· 29	22 6	38 13	10 20 16														} 91b
390 67 499 106	446 108 523 131	677 206 649 181	836 262 781 220	1, 120 279	1, 390 359	1,839 357 1,372 262	2, 369 328 1, 978 305	2, 787 262 2, 484 213	3, 495 194 3, 265 211	3, 106 168 3, 032 140	2, 116 100	1,068 53 1,339	266 29 445 25	34 12 75 21	4 6 9	18 9 10] 92a
106	523 131	649 181	781 220	960 282	1, 082 326	1,372 262	1, 978 305	2, 484 213	3, 265 211	3, 032 140	2, 435 91	1,339 69	445 25	75 21	9	10 9	}
				102 33 90 21	119 26	140 26 123 34	198 31 151	224 14 189 14	265 16 264 14	259 15 227	153 6	78 3	18 2	1 1 7 3	1 2 3		92b
14	44 1	~ 60	107		3 99 3 31 195		27		1	7 7 175	176 9 109	101 4	26 1 20	3 4		1 1] `
14 7 23 8	44 14 30 17	69 15 56 23	22 55 30	146 28 89 33	28 108 41	214 31 129 21	256 21 135 27	264 7 198 19	245 8 189 11	184 6	103 123 4	66 2 58 7	26 26 2	7	1 1 1	3 1 2	93a
34 15 34 29	54 23 57	112 40 89	198 52 122														} 93b
	35	41	60														
117 37 129 37	233 76 210 82	501 127 367 108	947 225 667 164	1,680 241 1,086 213	2,692 331 1,670 244	3, 722 275 2, 391 232	5, 100 346 3, 684 282	6, 208 257 4, 822 221	7, 336 239 6, 393 217	6, 481 188 6, 360 165	4, 731 132 5, 209 123	2, 531 80 3, 117 65	800 41 1, 223 44	149 11 247 12	14 12 36 18	22 3 23 4	93c
	10	32 12	61	575 101 345	788 141					1	1, 405 42 1, 677		;	52 4	18 9 2		,]
10 2 12 2	18 5	20 7	33 12	140	503 154	1, 058 133 702 123	1, 451 137 1, 176 129	1,672 88 1,434 116	2, 068 103 1, 835 93	1, 868 54 1, 939 55	1, 677 44	745 27 1,005 28	244 12 385 14	98 9	13	7 3 5 1	93d
23 11 11 13	80 21 21 21 21	240 30 59	493 51 96 41	774 49 178 59	1, 140 62 253 53	1,580 42 456 33	1,790 41 712 33	1,811 43 882 20	1,703 17 992 15	1, 208 21 806 12	554 3 492 · 8	231 7 187	57 2 64	5 9	2	<u>4</u>	94a
		. 23 240		1 1							1	4	42 2	8		<u>7</u>)
36 11 13 8	81 12 24 10	33 38 17	572 42 118 16	879 . 39 173 22	1, 269 30 277 31	1,399 45 436 24	1,682 35 619 17	1, 572 28 730 11	1,327 13 837 10	968 13 619 5	538 3 373 2	232 2 177 1	2 62 3	2 7	1	7 2 2 1	94b
6	1 1 5	6 4 11	14 1 8	12 1 11	26 1	24 1 18 1	35 2 21	35 23	47 1 46	40 1 30	33	8 3 13	3 6	1 4			- 95a
2	207 96	1	537	1	. 12 . 1 1, 121		21 2 2, 002				30 1 1, 451			29	4	17) 1
137 55 125 85	96 171 110	303 170 266 142	157 363 199	807 242 503 202	1, 121 325 703 281	1, 488 287 889 189	2, 002 272 1, 252 221	2, 279 229 1, 514 188	2, 503 206 1, 926 142	2, 168 154 1, 850 114	1, 451 119 1, 401 70	696 49 762 55	175 24 284 23	8 46 10	7. 12 7	8 3	95b
11 12 3 7	16 18 7 3	41 41 6 8	83 39 19 9	111	168 29 35 8	201 31 40 5	144 13 43 14	166 12 47 5	103 6 56 8	75 3 42 1	38 3 25 2	9	5 1				96
. 7	3	8	19 9	52 32 19	35 8	40 5	43 14	47 5	56 8	42 1	25	14 1	9]

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
-	VII.—Diseases of the circulatory system—Continued											
97	Arteriosclerosis (coronary arteries excepted):											
	Males White Colored Females White	9, 571 613 8, 023										
98	Gangrene: Colored_	513										i
	Males White Colored Females White	342 61	9					10 2	2	4	1	3
99	Other dispases of exteries:	278 60	8	3	1			12	3 1	1	1 	1
	MalesWhite Colored FemalesWhite	749 50	4	1				5 1	4	2	11	11
100	Colored	529 36	3	ī			1	5	2	3	5	8
100	phlebitis, etc.): MalesWhite	265	4	1		1		6			4	6
	Colored White Colored	12 313 23		1	i	 	1	3	1	2 1	3 1	5
101	Diseases of lymphatic system (lymphangitis, etc.):	20								1	1	1
	Males	59 11	10 2	. 12	3	3	1	29 3	2 1	2 1	1	1 3
102	Females	55 14	12 2	4 1	3			20 3	4 1	1	2	1
	MalesWhite Colored	138 57										
103	Females	113 56										<u>-</u> 1
100	MalesWhite Colored	88 17	5						1		1	2 1
	FemalesWhite Colored	17 73 12	3	1		1		5 4	1	1	i	3 1
	VIII.—Diseases of the respiratory system: MalesWhite	42, 575	6, 790	1,603	678	386	272	9, 729	800	528	880	897
	Colored	42, 575 7, 626 34, 814 5, 750	1, 769 5, 138 1, 421	362 1,349	174 602	100 325	52 218	2, 457 7, 632	142 668 126	96 580 104	218 632 197	897 337 697
104a	Diseases of nasal fossae:		1, 421	345	156	77	37	2, 036	120		191	264
	MalesWhite Colored	102 64	44 43	2 4	7 2	1 2	2	56 52	2	5	1	2 2
104b	Females	90 70	28 49	4	2 2	3	2 1	39 56	$\frac{2}{2}$	3 1	2	1
	MalesWhite Colored	366 29	15 1	3 1		1	1 1	20 3	17 3	29 2	43 6	41 1
105	Females	213 18	6	2 1	2	3	1.	14	15	35 4	14 2	. 17 . 2
100	MalesWhite Colored	221 29	40 7	36 3	17 1	21 3	12 1	126 15	27 2	5	5	2
106a	FemalesWhite Colored Acute bronchitis:	152 23	36 9	14 2	12 1	10 2	8	80 14	18 · 1	1	2 1	2
1000	Males	632 72	. 174 . 37	34 3	16 4	10	3	237 47	9	6	1	8 2
1003	Females	653 93	125 43	27 8	14 3	2	1	169 54	9 2	2	3	1
106b	MalesWhite Colored	815 32	8	3	2	2		15 1	1	3	6	9
************	Females	752 33	7 2	2 1	1			10	5 1	$\frac{1}{2}$	9 1	7 2
106c,d	Bronchitis, unspecified: Males Colored	314 40	69 19	9 1	1	3 1	3	85 21	4	3	1	2_1
	FemalesWhite Colored	334 61	59 26	3 5	3 3	i	1	67 34	4	2	2	3
107a	Bronchopneumonia: . Males	15, 323 2, 491	4, 610 1, 095	889 225	338 96	172 46	108 25	6, 117 1, 487	276 56	133 . 24	152 26	151 52
	FemalesWhite Colored	13, 634 2, 046	3, 470 860	787 220	312 82	155 36	100 17	4, 824 1, 215	234 52	157 26	140 43	139 44
107b	Capillary bronchitis: MalesWhite Colored	180	84	13	6	4	1	108	1	1		1
	FemalesWhite Colored	41 155 37	22 65 19	5 11 3	1 1	1 1	2	28 80 24	1 5 1	 1	1	1 2
108	Lobar pneumonia: MalesWhite	20, 326	1,398	480	222	141	118	2, 359	381	291	583	588
	Colored White Colored	3, 870 15, 795 2, 665	311 1,078 233	94 387 74	47 208 49	32 115 28	17 89 12	501 1, 877 396	56 309 54	57 322 53	160 · 388 121	235 440 168
109	Pneumonia, unspecified: MalesWhite	838	190	42	18	7	9	266	26	16	20	22
	FemalesWhite	492 769	202 163	20 47	16 12	11 14	4 3	253 239	15 24	9 20	12 23	21 17
110	Pleurisy: MalesWhite	1, 279	163 84	. 21 64	11 39	9 18	3 12	207	10 36	8 27	23 49	21 47
	Colored White	186 795	16	5 56	4 27	16 16	$\begin{bmatrix} 12\\2\\7 \end{bmatrix}$	28 164	30 2 31	1 27	7 28	15 38

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

				1													
25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
					•								,				
1 3 1	8 2 4 2	13 4 6	32 8	63 28 35 23	170 39	328 56 204	616 85 394	997 80	1,695 94	2, 018 76 1, 526	1, 928 70 1, 655	1, 157 33	449 25 627	. 76 . 7	15 3 24	5	97
]		4	8 27 13	í '	114 40 5	204 38 16	394 62 23	. 700 63	1, 157 66 36	1, 526 64 60	1,655 48 62	1, 384 43 43	627 24 26	163 13 5	24 8 3	1) ")
2 3 2	4 1 2 1	4 3 5	4 5	4 5 3 2	1 · 6. 7	· 7 10 4	11 7	5 26 8	23 7	. 6 29 8	6 59 5	6 44 3	20 2 26	7	<u>1</u> 3	1	98
7 1 7	17 2 8	19 7 19 3	40 5 21	50 9 25	60 9 34	77 4 37	· · 79 4 53	71 · 3 48 2	92 2 73	95 66	65	35 2 37	3	5		1	} 99
4	6		4	25 3	1	4	1		73 3	2	58 1	1					}
6	9 3	13 · · · · · · · · · · · · · · · · · · ·	23 1 17 3	24 6 24 1	32 29	26 2 43 2	\26 1 47 5	35 1 41 2	27 1 27 1	13 25	10 9	6 5	1 3 1	i			100
1	2	1	2	1	2	1 1	2	2	4	3	3	1					, }
1	2	1	2	3 1	3	. 3	1 3	3	1	4	· 1		i	1			101
1 1 1	1 1 1 2	8 5 2	8 3 6 5	11 6 5 8	8 7 8 10	13 4 16 6	18 9 . 9 6	20 1 9 14 5	15 5 18 6	20 4 17 2	10 1 13 1	4 1 1 2	2	1 1			102
1	1 3 2	2 1	5 1	5 1	7 1	10 1 3	11 5	12	9	5	9	5	1)] ₁₀₃
1	2 2	1	3 1	4	4		3	5 	11	14 1	8	3	2				J 103
897 368 815 292	1,160 436 989 317	1,632 503 1,136 318	2,125 502 1,239 304	2,329 551 1,241 295	2,553 495 1,353 328	2,622 392 1,673 244	2,790 313 2,170 250	3, 015 247 2, 364 181	3,205 199 3,003 168	2,980 146 3,051 127	2,363 99 2,755 73	1,395 67 1,828 59	521 29 759 34	114 10 185 9	19 8 28 15	21 11 16 9	
3 3	3	3	3 1 3	3	1	1 2 4	2	1	3	5 1	2	4 1	1	, 1			} 104a
30	2 1 31	2 2 25 1	24	25	1 18		14	1 7	2 3 12	1 4 2 4.	8	7 2	8	1	1) 1
13 	12 2	1 8 2	12	1 10	16 1	20 2 12 1	14 2 7 2	10 1	6	7	5						104b
$\begin{bmatrix} & & 1 \\ & \ddots & 2 \\ & & 2 \end{bmatrix}$	6 1 4	5 6	6 2 2	10 1 3	8 2 . 5	2 2 4	7 1 3	2 1 5	3 2	4	2 7	3	1	<u>1</u>		1	105
. · · · · · · · · · · · · · · · · · · ·	1 5 2	1 6 3	9 2 6	1 8 1	13	. 23	20	26	45 1	55 1 72	64 1	60	22	10	1)
1 1	3	4 1	4	1 9 4	3 7 3	14 5	• 29 3	26 2 28 3	50 	4	. 105 . 4	89 1	35	12			106a
8 2 11 1	11 1 13	13 2 7	32 1 13 5	44 2 17	35 1 18 1	56 4 29 2	70 2 44 2	75 7 64 2	109 2 128 4	116 129 3	110 3 127 1	70 1 83	27	2 1 8 1	2 1 2 1	1	106b
<u>1</u>	2 3 4 1	7 1 4	6 1 3	6 2 2	. 3	6 2 5	14 1 12 2	13 2 16	. 25 1 33 2	30 35	44 48	. 42 1 58 2	14	1 1 5	1) 106c,d
1 3 164		314 79 258		4	580	1		4		1	;		28 1 . 224		10	4]]
164 54 171 49	218 69 191 56	258 60	433 74 263 58	500 96 292 54	580 88 371 61	648 82 440 62	704 79 655 64	904 57 794 57	1,048 59 1,049 52	1,113 44 1,199 32	967 27 1,188 21	607 22 817 21	. 224 8 356 12	56 3 79 2	10 3 13 3	4 2 4 2	107a
2 1	<u>1</u>	1 2 1	3 1	1 2 1 1	4 2 1	3 3 1	. 9	8 4 1	11 1 5 2	12 14	7	7 15	<u>-</u> 5	3 1	1		107b
570 249 518 199	769 315 667 210	1,072 367 740 219	1,353 362 829 192	1,450 379 785 200	1,541 327 801 221	1,525 246 1,017	1,619 187 1,236 145	1,658 138 1,253 89	1,620 103 1,493 83	1 1,369 83 1,347 74	923 48 990 38	453 28 551 25	159 13 184 13	29 5 36	2 3 4 7	12 8 8 8	108
199 • 13 14 19	13 17 26 18	33 11 25 7	25 13 19	200 27 27 16 6	38 - 26 15 13	148 42 12 20 9	31 14 38 13	42 14 37 7	63 11 49	56 6 47	38 51 8 60 5	· 25 27 6 46 4	17 3 25	4	1 2	2	109
19 54 22 44 8	18 48 13 36 14	7 79 12 24 9	16 111 18 36 10	. 6 103 13 34 11	13 99 12 36 5	9 89 15 50 6	13 81 6 51 7	7 83 7 54 7	7 63 6 46 1	52 3 45	5 27 4 27 2	10 1 14 14	2	1	2	1	110
• 81	14	9	10	11	5	6	7	7	1	.1 {	2 !	- 1	2 !],	1

Table 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

		ı	i i			1	I I					
List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VIII.—Diseases of the respiratory sys- tem—Continued											
111a	Pulmonary embolism and thrombosis: Males	200 19	6					7		1	3	2
	Females	170 11	4					4			6	1 2
111b	Pulmonary congestion, edema, hemorrhagic infarct:			_	_							
	Males	476 34	21 7	8	2	1	1	33 7	1 1 2		4	2
112	Females White Colored Asthma:	565 28	19 4	2	1 1	1	2	25 6	2	3 1	2	. 1
112	MalesWhite Colored_	717 120	11 2	12 1	3 2	4	1	31 5	6	3 1	2 1	4
	FemalesWhite	542 107	7	4 2	5 1	3	2 2	21 7	8	2 3	4	18
113	Pulmonary emphysema: MalesWhite	63	6		1	-		7	1	1	1	
	Colored FemalesWhite	4 25	1					1		1	1	
114	Other diseases of respiratory system (tuber-											
	culosis excepted): MalesWhite Colored	723	30	8	5	1	1	45	11	4	9	16
	FemalesWhite Colored	103 170 40	6 12 4	3 1	2 2 1	1	1	9 18 7	3 2	1 4 1	4 7 1	5 14 4
	IX.—Diseases of the digestive system: MalesWhite	36, 351	4, 745	1, 291	559	358	288	7, 241	1, 011	859	1, 050	
	Colored Females	4, 464 28, 075 3, 917	1, 079 3, 489 965	266 1,060 206	85 437 65	289 42	30 228 32	1, 504 5, 503 1, 310	96 891 109	107 700 78	108 708 115	992 182 794 183
115a	Diseases of pharvnx and tonsils:											
	MalesWhite Colored_	1,670 169	95 11	83 7	69 6	74 6	63	384 33	213 16	111 12	100	123 12
41.5%	FemalesWhite Colored	1,666 192	64 7	45	43 6	56 7	43 4	251 24	174 23	89 16	106 18	107 17
115b	Diseases of buccal cavity and annexa: Males	345	17	5	4	3		29	17	5	13	25
	Females Colored Vhite Colored.	52 223 59	2 14	3 5	3	2	<u>-</u>	6 25 0	8 1	1 10	11 1	19 7
116	Diseases of esophagus: Males	69	6		1	1	1 1	7	1			'
	Colored. White.	5 49	5	1			1	1 6	1	1		
117a	Ulcer of stomach:	4										1
	MalesWhite Colored	3, 010 301	3	1	1			5 1	3 1	6 1	17 5 12	65 19
117b	Females	812 145	2	i				2 1	3	5 1	2	15 8
1170	MalesWhite Colored_	1, 552 102	4		1	1		6 1	2	1	13	19 2
	FemalesWhite Colored	367 23	4				2	4 2			1	6
118	Other diseases of stomach (cancer excepted): Males	1,112	134	30	20	6	4	194	13	3	15	17
	Colored FemalesWhite	411 772	70 125	16 20	4 7	4 7	6	94 165	7	47	13	11 7 20
119	Diarrhea and enteritis (under 2 years)	397	57	13	•	1	2	73	11	4	7	20
	Males	4, 925 1, 137	3, 933 916	992 221				4, 925 1, 137				
120	Colored_ Diarrhea and enteritis (2 years and over):	3, 812 1, 025	2, 926 845	886 180				3, 812 1, 025				
	Males White Colored	1, 642 310			303 56	128 22	77 18	508 96	102 16	33 7	25 10	26 8
	FemalesWhite Colored	1, 731 376			252 49	122 30	72 14	446 93	99 31	31 7	28 9	45 10
121	Appendicitis: White	8,076	23	75	79	104	103	384	539	595	730	560
}	Colored White	663 5, 128	9	3 39	5 67	5 74	5 79	22 268	35 476	66 472 42	59 436	72 350
122a	Hernia: Colored Males	473 2, 328	44	1 11	2	1	4	9 61	29	5	36 14	46 20
į	Colored FemalesWhite	246 1,707	14	3	1			18		1	5 1	7 4
122b	Intestinal obstruction:	86										1
	MalesWhite Colored	2, 549 394	370 46	61 11 37	48 7 27	20 3	20	519 67	69 14	59 11	75 8	51 23 86
100	Females	2, 746 423	247 35	37 7	27 5	16	14 3	341 50	48 2	38 3	40 9	86 27
123	Other diseases of intestines: Males	480	21	4	4			29	9	5	5 1	6
	Colored White Colored	60 371 77	$\begin{vmatrix} 1\\12\\2 \end{vmatrix}$	4	2 2	1	i	20 3	10	2 1	10 2	10 8
124	Cirrhosis of liver: MalesWhite	4,800	5	1	1		1	7	2	8	10	14
	Colored FemalesWhite	328 2, 522	1 8		1	1	1	4 8	6	1 12	4 5	1 12
I	Colored	232	l		1	1	<u>i</u> -	3	l	ī	7	6

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
5 2 3	7 2 . 4 1	8 1 11 11	12 1 10 2	10 1 14 1	23 1 18	20 2 11 1	30 3 19 2	17 3 20 1	24 2 24	14 1 9	9	5 5	3	3			} 111a
3 4	5 2 1	4 3 3 1	6 1 4 2	7 8 2	14 3 3 2	16 2 13	15 20 1	30 3 22 1	45 4 42 4	70 1 75 1	~ 89 3 116 1	79 1 114 2	39 3 73 1	10 28	2 5 1	1	} 111b
6 4 14 6	12 6 19 6	25 10 28 10	23 12 28 . 8	46 14 33 7 4 1	76 15 48 14	76 11 42 6	93 ' 9 47 6 7	92 9 45 8	81 7 57 10 4	58 4 53 3 6	56 5 47 1 4	20 5 22 3	6 1 6 1	1	1	1	112
29 10	30 7	1 36 12		85 11 16	92 7 10	1 89 10	74 4 4	3 48 3	49 2	16 2	2	3 · · 7	3 1		1	1	} 113
29 10 12 5 1,064 189 842 194	1,243 241 992 218	36 12 13 4 1,730 276 1,308 256	74 11 11 5 2,218 301 1,425 265	2,698 321 1,734	2,791 296 1,995 229	2,907 2,907 2,046 198	2,746 202 2,107	2,516 134 1,979	2,203 96 1,900	1,565 69 1,427	907	413	118	24 2 41	5 3 8 5	50 6 15 11	114
100 14 86 21	85 18 100 8	1,308 256 61 9 126 19	1,425 265 87 15 88 17	1,734 266 80 11 92 8	74	78 6 103 7	2,107 166 44 3 73 3	1,979 114 47 3 56 1	1,900 71 31 1 54 3	1,427 58 23 1 22	977 41 17	26 495 16 5	14 188 10 5	1 1	5 1 1	15 11) 115a
21 24 4 13 6	16 3 15 7	19 30 9 13 6	24 5 17 4	8 31 8 12 5	104 7 24 3 18	24 3 13 6	20 1 9 4	1 22 3 11 1	3 19 1 8	9 7 1	6	3	2			2] } 115b
1 1 1	2	2 4	3 1 1	6 1 1	1	7 1 2	5 1	3 4 1	5	10 5	6	3 5 26	1	1		2	116
- 97 26 21 10 55 10 12 1	141 23 27 9 89 10 20	216 25 39 20 119	290 28 44 21 182 15 34	354 46 61 20 197 16 33 2	392 38 79 10 203 15	357 32 90 12 191 12	318 22 82 11 152 6 35	260 14 96 12 126 1	230 10 81 4 118	144 4 75 2 52	83 5 48 1 20	24 1 3	1 8 4				} 117a
12 1 13 17 16 14	20 3 24 26 9 17	119 11 20 4 25 33 14 23	34 46 41 20 41	88 32 25 33	203 15 43 3 92 51 16 36	191 12 44 3 78 26 45 30	35 1 88 17 48 28	95 20 49 25	3 32 2 87 .5 79 12	28 81 12 80 7	63 3 76 5	4 1 42 7 49 1	17 3 29 3	2 9 1	1 1 2	28 1 4 4	1176
14	17		41	33	36	30	28	25	12	7	5	1	3	1	2	4	} 119
36 8 38 10 528	35 9 45 16 511	42 14 50 18 628	58 16 47 20 680 52	80 20 54 17 682	. 62 20 58 25	64 15 62 23 551	66 20 90 27 412	87 11 94 10	111 10 124 15	102 15 139 19	118 6 141 12 44 2	53 A 91 3	27 4 38 5	6 7 3	1 3 2	1 1 1	120
54 292 58 25 10 14 3	38 7 22 4	71 293 41 72 13 46 12	52 323 33 118 28 80 10	682 55 356 41 164 24 134	584 34 366 34 184 21 181 9	231 30 22 231 30 206 16	16 321 24 245 25 239 3	323 12 207 6 303 13 243 9	206 10 177 7 305 21 231	96 2 262 9	166 7 83	1 17 1 78 7	19	8	3	2 1 1 1 1	} 121 } 122a
14 3 59 21 118 32	22 4 61 29 116 47	46 12 91 27 180 53	80 10 107 33 174 41	134 11 158 31 172 53	181 9 164 30 170 29	206 16 187 23 187 26	239 3 223 23 190 11	243 9 195 21 218 14	231 203 8 213 9	151 156 11 171 6	99 5 161 6	39 2 54 3 75 2	18 15 3 34	3 2 8	2	1 1 1 4 3	122a 122b
11 4 19 4	18 3 15 . 11	22 10 22 8	37 5 23 10	· · 52 9 30 7	34 5 31 6	50 5 32 7	53 3 31 1	49 2 25 3	41 3 32	29 26 2	17 2 16 1	10 10 - 1	3	i		1	123
40 5 24 2	74 20 59 · 16	191 25 111 19	311 37 166 27	468 46 231 27	589 49 272 27	658 39 267 21	698 42 311 22	614 22 291 23	543 13 311 10	354 9 220 12	150 7 - 136 6	50 3 58 2	10 1 16	1 4	1 1 1	7	124

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the digestive sys- tem—Continued											
125a	Yellow atrophy of liver: White	140 18 242	3 2	1 i				6		3	2	7 6 25
125b	Colored	27 444 90	18	3 1	3	1 1	2 1	27	6 3	4 2	7 9 1	6 18 5
126	Biliary calculi: Males Colored Colored Colored Colored Colored	323 63 1, 148 26	10 4	6		3 1	1	22 5	6 2		5 1 1	5 5 2
127	Females	2, 862 93									6 2	36 1
	MalesWhite Colored _ FemalesWhite Colored_	1, 208 63 1, 942 110	12 8 1	1 1 1	3 5 1		2	21 1 14 2	5 6 2	3 3 3	7 4 7 2	11 2 21 4
128	Diseases of pancreas: Males	316 20 260			2 1	1		3	1	1	2	6 1 7 2
129	Peritonitis, cause not specified: Males	537 69	60 10	24	20 1 27	13	9	126 12	25 4	18 2	1 12 3	2 22 3 39
	Females	540 95 50, 228	47 7	15 3 63	43	28	10 1 41	106 11 363	41 7 153	161	17 10 275	39 14 336
	Colored	6, 587 42, 783 5, 771	40 130 25	6 44 15	6 42 8	7 27 7	10 29 3	69 272 58	27 143 17	29 230 23	- 41 343 94	73 544 160
130	Acute nephritis (including unspecified, under 10 years): Males	1, 562 376	. 77 20	34 4	24 4	13 7	23 6	171 41	71 14	, 51 7	. 59 13	57 19
131	Females Onliver Colored Chronic nephritis: Males Ohio Chronic nephritis: Males Ohio Chronic Nephritis:	1, 190 385 38, 163 4, 642	55 12 2	22 13 7 2	19 6 7 2	15 4 9	13 2 6	124 37 31 6	52 10 57	43 9 78	47 15	43 14 222 29
132	Colored Females	35, 285 4, 172 2, 650	1 4	4 	5	5	1 2 1	20 1	11 67 4	11 130 7	13 172 29	260 51
133	Golored. Females	650 2, 138 537								10 18 4	- 28 7 24 8	26 7 24 13
200	diseases excepted): Males	1, 224 195 1, 275	80 12 70	19 17	11 18	5 7	10 3 13	125 15 125	23 2 23	15 1 30	23 5 20	20 7 31
134	Calculi of urinary passages: Males	167 663 30 337						19 1	3	1	5 5	3 5 1 8
135	Pemales White. Colored. Diseases of bladder (tumors excepted): Males White. Colored.	25 345 78	1 4					1 4 1	1		1 1 1	4
136	Females	160 19		1				1 	1		1	2
137	Females. Colored. White. Colored. Diseases of prostate:	131 11 1	1					î 1				6
138	Males White Colored Diseases of male genital organs, not specified as yenereal:	5, 356 455									1	1
139a	Males White Colored Cysts of ovary: Females White White	73 30 570	24 5	3	. 1		2	30 5	1	1 3	1 9	24
139b	Other diseases of ovaries, diseases of tubes and parametrium: Females	58 1, 175								1	3 52	7 128
139c	Diseases of uterus: Females	318 596 60	1						i	1 2 1	27 13 4	56 24 11
139d	Nonpuerperal diseases of breast (cancer excepted): Females	15 3										
139e	Other diseases of female genital organs: Females	31 26								1	·3 1	5

25 to 29 ' years	00 4- 04					1	Į.	Ì	ı	1		1	1	1	1	1	
	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
			,			•											
3 2 24 4	11 17 3	12 3 26	13 20 4	12 2 25 1	- 16 3 16 1	9 1 15	13 14	14 15 1	6 1 13	8 11	2 3	3					125æ
22 6 9	14 4 10	38 4 12	36 11 23 4	39 7 12 3	44 8 33	41 9 38	36 11 31 4	27 5 16	30 2 27 1	31 3 27 1	16 1 27	5	1 1 2	1) 125b
5 8 2 57	27 3 106	51 4	84	108 4 277	136	162 2	151 4	146 2	117	85	3 41	. 27	1	1]
	7	172	194 12	16 110	352 12	360 4	370 11	347 2	283 2	163	95 3	36	8 1] 120
19 2 36 7	8 79 9	74 7 123 10	74 5 128 10	. 3 158 13	118 . 7 192 11	149 9 202 13	133 4 209 14	160 1 230 2	100 2 195 3	99 2 176 2	44 2 87 1	30 1 58 1	4 1 14			. 2	127
12 2 12	24 4 14 1	28 3 15 3	33 3 23 1	32 2 29 5	31 2 35 2	$\begin{array}{c} 42\\2\\32\\1\end{array}$	44 1 32	23 22	19 16 1	12 11	1 4	2 1				1	128
11 1 50 10	28 5 35 9	28 8 42 6	35 6 21 9	37 4 32	39 3 28 10	28 . 5 . 19	46 4 17	22 4 22	29 4 19	14 19	14 1 9	2	1			1	129
414 116	-		1, 396 426 1, 764	2, 061 572		3,899	5, 423 820	6, 669 690	8, 139 607	7, 554 451	5, 355	2, 703 188 2, 284	725	115	21	32)
710 249	574 · 188 955 312	930 272 1, 320 419	1, 764 492	2, 171 597	2, 930 768 2, 558 634	3, 899 737 3, 023 579	5, 423 829 4, 163 519	5, 054 479	6, 190 400	5, 815 273	5, 355 355 4, 332 209	2, 284 119	725 70 732 72	43 123 22	21 19 19 27	32 17 38 17	
66 24 45 27	. 74 23 69 24	97 27 76 52	116 31 79 46	122 30 91 36	97 39 78 29	85 28 70 30	115 31 86 20	101 12 70 11	88 13 77 11	80 13 50 4	52 4 41 2	. 39 . 31 2	19 2 13	2 1 3	1 1	2 1	130
266 55 302 110	389 114 466 169	652 167 739 242	1, 022 299 1, 133 330	1, 614 428 1, 561 450	2, 409 572 2, 064 498	3, 161 551 2, 547 457	4, 297 619 3, 583 438	5, 079 483 4, 504 402	6, 285 455 5, 587 346	5, 721 322 5, 314 236	4, 042 259 3, 936 180	2, 053 131 2, 082 106	498 55 659 60	85 34 111 19	17 15 18 25	27 13 30 12	131:
32 14 32 14	33 21 43 23	52 35 52 39	88 42 107 54	106 52 103 55	145 63 130 67	221 67 151 59	261 73 189 46	314 75 249 48	383- 59 310 30	401 51 302 29	308 33 234 22	169 28 117	49 7 40 9	15 3 8 2	2 1	3 1 4 4	132:
23 7 43 6	43 9 62 20	70 11 68 15	73 17 92 14	73 13 72 16	86 23 93 18	92 21 84 17	93 21 118	115 17 104	111 7 109	111 11 86 3	74 3 70	40 1 31	10 2 12	3 1 1		1 1 1	133,
22	20 1 19	37 26	49	69 2 35 3	63 8 37	61 5 28	6 81 4 50	83 3 22	7 7 7 3 20 1	53 1 19	2 23 1 5	7 1 5	5 1	1	1	1	134;
3	3 2 3 2 1	2 4 2 4	8 6 10	11 6	9 7	16 12 10	24 4 11	3 46 8 22	38 5 21 2	55 6 17	63	36 4	20 1	2	1		135
1 1 13	1 . 7 12	7 18 2	16 20 1	8 2 24 15	9 3 20 13	2 22 10	24 13	22 1 26 5	21 2 15 3 2	17 1 15	21 1 6	15 4 1	1			 	
3	 6	8	20	37	98 39	238 41	522	1 1 899 86	1, 136 60	1,115	787		123	7	3		136
1	4	3 1	9 4 2	, 19 5 7	3	3	64 6	6	6	1,115 46	45	354 18	123	4	ĭ	2	137
45 7	52 11	86 10	67 4	70 5	37 7	$\begin{array}{c c} 2 & \\ 42 & \\ 1 & \end{array}$	48 1	31 1	2 30 1	11	13	2				 }	1398
175 65	184 50	211 56	157 30	144 18	51 5	25 5	22 2	. 11	3 1	8	3 1					}	139b
47 11	56 9	51	78 7	80 7	52	61 3	49	37	29 1	7	7	1	1			}	139c
2	1 2 1	1 3	1 2 2	2 5	2 1 5 2	3 1	1 .	3	1		1					·	139đ

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XI.—Diseases of pregnancy, childbirth, and the puerperal state: Females	8, 810 1, 884								16 12	734 372	1, 741 412
140	Abortion with septic conditions: Females	1, 481								2	111	390
141	Abortion without mention of septic condi- tions (includes hemorrhages):	220								1	29	51
142a	FemalesWhite Colored Ectopic gestation, septic conditions specified:	495 80									21 13 1	82 17 8
142b	Females	76 17									1	4
143	Females	343 59									8 4	48 14
110	not included): Females	57 14								<u>-</u>	5 2	6 2
1448	Placenta praevia: FemalesWhite Colored	299 49									9 1	22 7
144b	Other puerperal hemorrhages: FemalesWhite Colored	680 125									47 12	104 22
1458	Puerperal septicemia and pyemia (abortion and ectopic gestation excluded): Females	1, 762					•			4	200	402
145b	Puerperal tetanus (abortion and ectopic ges- tation excluded):	417								2	99	102
146	Females	8 1 1, 528				!				7	207	1 328
147	Other toxemias of pregnancy: Females	498 351								6	135 31	105 82
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic):	59								1	. 14	14
149	Females	501 34				1				1	25 3	70 7
150	Females	1, 198 300								2 1	66 57	191 65
	state: White Colored	31 11									2 3	6 1
	XII.—Diseases of the skin and cellular tissue: MalesWhite	#90	,,,,	10		2	3	166	16	20	40	30
	Colored FemalesWhite Colored	788 88 607 79	144 15 92 9	12 2 14	5 1 4 1	4 1	 1 1	18 115 12	17 17 1	2 30 1	1 36 3	34 34 3
151	Furuncle, carbuncle: MalesWhite	261	7	1			2	10	5	6	20	16
	FemalesWhite Colored	17 152 17	4 4 1	1	1			5 2	4	8 1	1 12 1	1 15
152	Phlegmon, acute abcess: MalesWhite Colored	269 41	47 4	6 2	4	1	1	59 6	8	12 2	13	11 1 7
153	FemalesWhite Colored_ Other diseases of skin and annexa, and of	198 27	28 5	9	1	3		41 6	8	12	16 1	7 2
	cellular tissue: Males	258 30	90 7	5	1 1	1 1		97 8 69	3 1 5	2	7	3 2 12
	Females	257 35	60	4	3		1	4			Î	1
	locomotion: MalesWhite Colored	820 77	31 4	10 1	i9 1	19	18 2	97 8	76 7	123 11	55 9	36 9
	FemalesWhite Colored	467 44	25 3	16	13 1	12 2	12	78 6	67 5	57 3	22 3	9 19 1
154	Osteomyelitis: White Colored	567 54	20 3	7 1	17 1	13	17 2	74 7	67 5	103 9	38 5	22 9
155	Females White Colored Other diseases of bones (tuberculosis ex-	291 24	21 3	14	10 1	9 2	10	64 6	50 3	51 3	15 2	10 1
	cepted): Males White Colored Females White Colored	80 5 61 6	4	1 2	1	2	1 2	9 7	6	4 1 1	5 1 3	3

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
2,004 339	1, 902 350	1, 614 263	713 107	76 23	2 3											8 3	
353 45	333 60	205 30	76 2	9	1											1	} 140
113 12	115 21	. 113 . 11	47 5	4												4	} 141
16 8	27 3	15 2	8	1				·									} 142a
75 13	106 18	73 8	32 2	1			-										} 142b
13 4	8 2	7	14	4													} 143
68 11	64 11	81 12	48 6	6												1	} 144a
155 · 31	153 22	137 22	73 13	11 2	1						,						} 144b
421 62	350 78	269 49	103 19	11 5	1											1	} 145a
3		1	1														} 145b
300 83 79 8	275 69 68 10	269 63 •	124 30 22	15 7 2												3	} 146 ·
111		10	1 41	1 2												1) 140
289 56	118 7 277 48	240 40	41 3 122 26	10 10 4	2											1 1	} 148 } 149
8 1	. 8	. 5 5	20								·						} 150
															,		
30 5 26 4	22 4 24 . 5	39 7 37 7	46 6 31 6	48 9 29 8	46 11 30 6	51 3 23 7	53 2 42 6	46 6 31	54 3 31 2	27 3 22 3	23 2 26 1	21 13 2	6 4	4 1	2.	1	
11 1 13	10 2 10	17 · 2 · 7	16 3 11	21 1 10 1	22 1 11 3	17	24	23	20	11	4	6	1	.1			151
	1	1	3	l		7 2 22	1	10	6 1 12	7	4	3	1	1	2) h
17 3 7 2	8 2 9 2	12 4 18 2	16 3 9 2	19 6 8 4	15 8 9 3	22 2 6	20 1 14 1	8 	12 1 9 1	7 1 5	8	2		2		1	152
2 1 6 2	4	10 1 12 4	14	· 8 2 11 3	9 2 10	12 1 10 5	9 1 20	13 5 15	22 2 16	9 10 3	15 2 14 1	12	5	2			153
2	5 2	4	11	3		5	4			3	i	8 2		1		1)
29 3 11 1	44 3 17 5	37 6 18 1	39 4 26 2	45 4 12 8	40 2 23 3	46 2 17 1	36 3 16 1	37 2 20	44 2 15 1	18 2 23 1	11 10 2	5 12	2	1		1	
23 3 4 1	29 2 10 2	29 4 9 1	25 2 16	29 2 6 3	28 6 2	27 1 7	14 2 9	19 1 14	23 . 1 6	11 1 6	3	3					154
2	.5	4 1 1	3	3 2 2	2	6 1 1	4 4 1	8 1 3	7 4 1	4 6 1	3 3 1	1 2	2	1		1	155

Table 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIII.—Diseases of the bones and organs of locomotion—Continued											
156	Diseases of joints, other organs of locomotion:]	
	Males	173 18 115	7 1 3	2	1	4		14 1 7	3 2 11	16 1 5	12 3 4	10
	Colored	14							2		ı	
	XIV.—Congenital malformations: Males	5, 582 359	4, 994 312	164 12	76 4	48 3	34 4	5, 316 335	85 7	64	51 3	19
	FemalesWhite Colored	4, 580 253	4, 078 219	155 13	52 8	32 1	25 3	4, 342 244	90	57 4	24 2	27 1
157a	Congenital hydrocephalus: MalesWhite	706	537	61	22	16	10	646	23	16	9	4
	Colored White Colored	55 669 31	36 544 20	5 41 6	17 2	13 13	5	620 29	5 24	4 8 2	1 6	3
157b	Spina bifida meningocele: MalesWhite Colored_	529	505	8	4	3	3	523	2			2
	FemalesWhite Colored	16 675 20	16 648 17	$\begin{array}{c} 14 \\ 2 \end{array}$	1	1	1	16 665 19	6	2	1	2
157e	Congenital malformations of heart: MalesWhite Colored	2, 907 179	2, 624 159	73 3	28 4	17 2	14 2	2, 756 170	43 2	39	35 2	10
y pro-2	FemalesWhite Colored	2, 243 128	1, 983 113	76 4	24 4	13	15	2, 111 122	46 1	36 2	16 1	1 14 1
157d	Other congenital malformations: MalesWhite Colored	1,440 109	1,328 101	22 4	22	12	7	1,391 105	17	9 2	7	3
	Females	993 74	903 69	24 1	10 2	5	4 2	946 74	14	11	2	8
	XV.—Diseases of early infancy: MalesWhite	21,449	21, 449					21,449				
	Colored FemalesWhite Colored	3,388 15,412 2,574	3,388 15,412 2,574					3,388 15,412 2,574				
158	Congenital debility: MalesWhite		1,276									
	ColoredWhite	1, 276 399 929	399 929					1, 276 399 929				
159	Premature birth: MalesWhite	338 13,328	338 13, 328					338 13,328				
	Colored_ FemalesWhite Colored	2, 170 10, 083 1, 744	13,328 2,170 10,083 1,744					2,170 10,083 1,744				
160	Injury at birth: Males	4,774	4,774					4,774				
	ColoredWhite Colored	425 2,935 252	425 2,935 252					425 2,935 252				
161	Other diseases peculiar to early infancy: MalesWhite Colored	2,071 394	2,071 394					2,071 394				
	FemalesWhite Colored	1,465 240	1,465 240					1,465 240				
162	XVI.—Senility: MalesWhite Colored	2,507 675										
	FemalesWhite Colored	3, 275 724										
	XVII.—Violent and accidental deaths: Males	64,754 8,524	705	650	506	482	453	2,796	2,008	2,078	3, 538	4, 731
	Colored White Colored	8,524 24,397 2,605	160 536 139	87 438 63	78 343 63	65 383 70	57 334 64	2,034 399	244 1, 121 184	305 568 90	655 1,055 164	1,029 1,240 257
	Suicide: MalesWhite	14, 213							1	29	211	559
`.	Colored FemalesWhite	449 3,628								3 10	11 167	42 325
163	Colored By solid or liquid poisons or by absorp- tion of corrosive substances:	141								2	15	26
	MalesWhite Colored	1,600 53								1 1 3	24	74 5 162
164	Females	1, 127 59								1	82	15
	MalesWhite Colored FemalesWhite	2, 062 32 767								$\frac{1}{2}$	7	54 2 37
165	By hanging or strangulation:	10									2	1
	MalesWhite Colored FemalesWhite	2,780 65 471								13	38 1 5	56 2 16
166	By drowning: MalesWhite	11 574								1	1 4	1
	Females White Colored Colored	28 294 13								1	6	19

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age un- known	List no.
				*													
7	10 1 6 3	4 1 8	11 2 10 2	13 2 4 3	10 2 7 1	13 9 1	18 1 3	10 3	14 1 5	3 1 11	5 4 1	1 5	2				156
13	10 2	8	8	6	1		1										
14	12	1	1	3	1.	2											
<u>3</u>	3 1 4	1	1		 												157a.
	1			1													157b
8 1 8	4	4	6	2]] 157e
1	2	î 4	1	3	1		1										} } }
. 3	1 2	2	1	2	1	1											} 157đ
																	158
]
																	159
																	160
																	161
				1	1	12 8 4	19 16 31	49 . 25 69	224 67 238	422 106 469	682 156 835	630 115 860	353 78 539	97 50 182	16 51 43	2 3 3	162
4, 422	4, 171	4, 729	5, 111		2	6	12	18	74	86	150	124	100	45	105	2	j
4, 422 1, 097 1, 092 269	4, 171 980 1, 020 243	4, 729 924 1, 101 206	5, 111 706 1, 068 139	5, 322 600 1, 156 120	5, 172 456 1, 131 111	4, 922 349 1, 230 87	4, 353 222 1, 339 74	3, 574 155 1, 482 70	3, 014 114 1, 891 48	2, 154 86 1, 874 52	1, 483 46 1, 890 31	708 38 1, 386 21	275 8 568 16	45 3 116 10	6 2 15 8	142 58 20 6	
788 40 371 20	871 50 360 • 19	1, 135 62 381 17	1,429 44 367 17	1, 685 51 387 7	1,786 43 330 7	1,724 42 281 5	1,435 24 248 5	1, 102 13 189 1	778 9 125	407 8 47	193 4 22	46 1 9	. 8	1		25 2 6	
111 5 156	124 8 152	147 6 119	191 7 106	197 9 86	200 3 70 2	182 3 56 3	133 53 1	87 38	77 1 22	32 2 10	15 8	1 2	1			3	163
156 11 106 4 66 1	9 153 6	119 7 167	257 2 82 82 3	244	294	268 2 75	223 1 63	141 2 54	85	45 1 11	11	5				1) } } 164
	66 1 118 5	80 1 180 9		332	81 1 397 7 56	75 384 12 58	303 4 49	257 3 39	35 171 4 26	11 103 3 9	5 68	2 14	3			5) }
110 3 21 1	31	31 2	228 5 52 3	332 5 74 2			1	39 52		27	12	5	1			5 1 2	165
12 2 11 1	27 2 18 2	52 4 31 2	53 6 28 2	63 3 32 1	63 5 33 1	69 3 29 1	72 1 27 2	27 1	45 1 20	7	2	2	. 1			3	166

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths— Continued											
7.0 0	Suicide—Continued					İ						
167	By firearms: MalesWhite Colored	5,941			. 			 	1	12	127	330 26
	FemalesWhite	203 574							İ <i>-</i>	2 4	45	66
168	By cutting or piercing instruments:	29				1				1	3	7
	Males White Colored	639 40									2	10 4
	Females	98 5									1 1	1
169	By jumping from high places: MalesWhite	414								1	4	15
	Colored	19 223									5	2 20
170	By crushing:	9						<u> </u>				2
	Males White Colored	123									2	4
171	Females	19										3
	Males	80 5									3	3
	FemalesWhite Colored	55 5			 						2	1
	Homicide: MalesWhite	3, 996	55	7	6	3	11	82	33	33	206	458
	ColoredWhite	2,827 1,026	12 52	4	2 5	4	3 7	17 72	3 29	15 19	188	478 139
173	Colored By firearms:	675	8			1	1	10	4	10	63	146
	Males	2,879 1,885	3	2	2		2	9	15 1	20 10	168 133	367 341
	FemalesWhite Colored_	518 364	1	2	1	2	2	8	7 2	8 8	34 38	67 79
174	By cutting or piercing instruments: Males	367	2	1			1	4	2	2	13	46
	Colored	619 86	2 3		1		$\frac{2}{1}$	4 5	2 5	4 2	40	111
175	By other means:	200					î	ĭ		ĩ	16	51
1,0	Males	750 323	50 10	4	4 2	3	8	69 12	16	11	25 15	45 26
	FemalesWhite Colored_	422 111	48	2	3	2	4	59 8	17 2	9	38	64 16
	Accidental, other, or undefined:		650	643	500	479	442	2,714	1,974		_	i l
:	Colored	46, 545 5, 248	148	87	500 76	65	54	430	241	2,016 287	3, 121 456	3,714 509
174	Colored	19, 743 1, 789	484 131	434 63	338 63	379 69	327 63	1,962 389	1, 092 180	539 78	809 86	776 85
176	Attack by venomous animals: Males	40	4	1		2	1	8	2	4	1	4
•	Females Colored Colored	12 29	5	i	1	1	1 2	3 9	4	3 3	1 2	1
177	Poisoning by food:	4	1			7		1	1			
į	Males White Colored	217 56	20 5	14 2	10 2	2	5	56 11	12	10	5 4	3 4
	Females	148 53	9 6	1	9 2	5 1	1	27 11	12	5 2	6 2	5 1
178	Absorption of poisonous gas: Males	1, 405	4	9	3	2	1	19	6	13	23	51
	Colored White	44 400	1 6	1 3	2		i	12	10	2 4	13	16
	Colored Supplemental:	13	1	1				2		1		1
	Males	41 2			1			1				2
	FemalesWhite	2		1				1				
179	Other acute accidental poisonings (gas excepted):] [l 					1	
	MalesWhite Colored	776 123	19 4	63 13	32 12 17	14 5	4	138 38 94	17 4	7 2	14	24 6
	FemalesWhite Colored_	123 382 58	12	41 8	17	12 4	12	94 21	12	5 2	17 5	37
180	Conflagration: MalesWhite	701	16	22	19	23	17	97	45	22	22	35
	Colored	130	3 22	10	16	6 22	17	17 87	14 51	3 23	4 14	9
181	Colored Burns (conflagration excepted):	93	Ĩ	6	5	3	4	19	9	4	3	6
	MalesWhite Colored	1,616 338	60 19	170 31	146 28	80 21	57 16	513 115	76 22	55 9	42	77 13 67
	FemalesWhite Colored	1, 992 432	49 11	137 22	133 32	145 37	122 40	586 142	238 70	49 15	42 7 65 12	67
	Supplemental: White	387	1	1	2	"	40	3	1	8	38	61
	Colored	26					2	4	1 6		. 2	5
100	Colored	67 6		1		1	. 2			1	7 2	14
182	Mechanical suffocation: Males	372	238	6	2	2	}	248	11	5	15	5
	Females Colored Colored	60 211	54 181	8	1	1		54 191	1		3	3
	Supplemental:	53	50	2				52				
	MalesWhite FemalesWhite	31 6		i		İ		1	1		3	2

APPENDIX 511

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
381 20 81 4	371 21 60 2	477 28 73 2	582 15 46 5	685 17 68 2	658 21 44 2	707 16 33 1	572 15 19	471 6 20	320 3 10	154 2 4	65 2	16 1	2			10 1 1	167
17 2 5	31 6 4 1	54 4 8	57 4 14 1	69 9 17	92 4 14 1	59 4 7	83 2 12	54 4	53	36 1	16 1 1	3	1	1		1	168
31 4 26	37 1 23	37 3 27 3	40 2 30	68 2 19	48 2 22	39 1 17	29 1 15	31 1 5	18	9	5	2	2				169
11 2	7	12 1 1 2	16 2 2	1 15 3	18	9	15 2	7	5	1						1	170
9 3 1	3 1 4 2	9 1 10	5 1 7	12 <u>2</u>	16 1 7	7 6	5 8 1	2 1 2	4 1	<u>2</u>	1					. 1	171
560 561 140	538 453 110	538 408 110 85	395 254 91 28	364 184 64 19	237 95 43 14	207 56 44 9	135 51 37 3	95 20 19 3	61 5 12	26 9 4	12 4 9 2	5 2 4		1		11 23 1 3	
157 442 387 71 86	119 424 310 65	413 266 68 44	290 162 57	251 111 42 8	152 62 32 8	137 32 23 4	85 28 17	52 . 14 . 8	34 1 3	13 5 1	3 2 4	1 1 2		1		3 17 1 2	173
54 128 10 51	53 103 4 31	54 88 10 25	35 61 10 11	39 40 7 4	24 17 4 3	14 9 3 5	1 10 6 6	10 1 3	2	3		1				3 3,	174
51 64 46 59 20	. 61 40	25 71 54 32	70 31 24	74 33 15	61 16 7	56 15 18	1 40 17 14	33 5 8	27 2 9	10 4 1	9 2 5	3 1 2				5 3	175
3, 074 496 581 92	2, 762 477	3,056 454 610	3, 287 408 610 94	3, 273 365 705 94	3, 149 318 758 90	2, 991 251 905 73	2, 783 147 1, 054	2,377 122 1,274	2, 175 100 1, 754	1, 721 69 1, 823 52	1, 278 38 1, 859	657 35 1,373	267 8 565	44 2 116	6 2 15	106 33 13 3]
3 3	550 105	104	5	5	1	2		1, 2, 4 66 2 1	1,734	1	29	21	16	10	8	3	176
1 4 1	7	6 2	1 19 6	16 5	16 7 9 2	12 3 9 3	12 2 7	11 1 4 2	11 2	9	4 2	3 1	1				177
10 3 69 3	5 2 92 4	12 5 127 5	6 3 5 147 6	5 7 3 187	9 2 171 7	140	7 3 136 3	85 2	12 1 64 3	8 2 38	5 1 24	11 1		-		2]
2 <u>1</u> 7	23 2 5	28 1 5	24 6	28 2 6	26 1 6	3 29 1	37	41 1	22	38 2	13	13	2				178
	1	1	1				 		 								J [].
26 8 26 6	49 13 27 5	59 11 35 3	95 7 29 3	93 11 28 2	94 9 24	64 4 14	37 1 9 2	28 11 1	16 2 11 1	5 1 2	1 1	3	i		1	2	179
36 11 19 2	31 5 18 2	51 6 17 7	54 10 20 7	38 8 21 4	43 7 19 4	· 49 5 16 3	38 5 10 4	37 6 13 6	48 7 16 4	31 5 15 3	12 4 6 3	7 3 2 1	2	2	1 1	3	180
70 16 · 63 14	87 20 . 56 16	79 17 82 9	91 14 73 17	79 21 72 16	62 18 71 18	67 11 91 20	76 12 87 15	56 10 77 11	61 11 105 5	58 11 77 18	47 4 77 3	12 5 41 3	5 1 12 6	1 3 1	3	2 1	
61 7 4	54 2 12 2	48 4 5 1	42 1 4	20 2 5	15	15	4 2 1	7	7	1						2	181
10 2 1	12	15	14	9	4 1 2	6 1	9	3	4	1	1						182
4	5	3		7	1 4 1	1	1										102

Table 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIVII.—Violent and accidental deaths— Continued											
	Accidental, other, or undefined—Continued											
183	Drowning: White	4,052	14	109	63	59	40	285	394	476	562	424
	Colored White Colored	698 561 54	1 7 2	12 61 5	9 29 4	19 19	10 2	30 126 14	46 62 5	93 76 9	146 87 8	115 41 6
	Supplemental: MalesWhite	817	. 1	1	2	2	5	11	25	48	95	129
	Colored	128 105	1	1 2	3	2	3	2 10	4 6	7 6	12 18	17 13
184	Traumatism: By firearms (wounds of war ex-	30							3	4	6	4
101	cepted): MalesWhite	1, 707	3	7	3	6	19	38	66	198	283	207
	Colored FemalesWhite	286 193	i	1	1 3	5 4	2 4	8	20 24	34 23	283 54 27	· 50
185	By cutting or piercing instruments (wounds of war excepted):	59				2		2	10	7	12	6
	MalesWhite Colored	387 54	8	11	3 1	3	3	28	14 3	27 4	12 1	18 5
	Females	153 25	2	1	1	7	2	13 1	1 <u>1</u>	11	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$	5 6 1
	Supplemental: MalesWhite	146	1	1		1		3	2	4	9	11
	Colored	12 32 3		1	1			2	5	5 1	1 3	3
186a	By fall: MalesWhite	7, 236	46	58	40	26	22	192	136	148	196	176
	Colored	421 8, 128	15 41	58 11 31	4 31	2 33	5 19	37 155	18 80	12 35	16 31	23 31
	Colored Supplemental: MalesWhite	233 1, 616	13	5 6	9	4 16	3 6	26 40	11 47	5	1 146	5
	Colored White	216 277	3	1 2	4	3		1 19	3 13	78 9 18	22 30	178 22 41
186b	Colored By crushing, landslide:	20							2	2	3	1
	MalesWhite Colored FemalesWhite	346 35			1 	2 		3	10	14 2	23 7	24
	Colored Supplemental:	20 1	2	1	1	3 1		7	4			1
	MalesWhite Colored_	3, 593 420	5	14	20 2	$^{22}_4$	23 3	84 10	108 9	116 11	217 38 58	349 40 58 8
187	Females	750 73	3	16 1	10 1	11 1	12	52 3	54 9	23 5	58 4	58 8
101	MalesWhite	43 4	2		1	1	1	5 1	7	1	3	1
	Females White Colored	30 6				2	2	4	4	3	1 1	1
188	Injuries by animals: MalesWhite Colored	355		4	9	3	6	22	19	18	13	6
	Females	35 35 5	1	2	1	1		1 4	3 3	6 2 1	1	i
189	Hunger and thirst: MalesWhite	15	1					1				
190	Females Colored Excessive cold:	3 6	2	1				3				
180	Males White Colored	153 47	2		1		1	4			5 2	4 5
	Females	18 11							1		1	
191	Excessive heat: MalesWhite	320	11	2	1			14	1	2	1	9
	Females	79 95 30	4 7 5	1 1	1	1	1	7 10 5	1 1 1	i	1 : 1	3 1 2
192	Lightning: MalesWhite	180	0	1				1	6	17	22	28
j	Females	36 21							<u>1</u>	3 6	4 5	7 2
193	Due to electric currents: MalesWhite	13 443		2	2	1	1	6	2 14	35	35	44
	Colored FemalesWhite	31 23	1		1				1 3	2 2	5 2	4 2
	Supplemental:	1										
	Males White Colored White Females White	56 2 5			1			1	2	1	3	11
94a	Foreign bodies: MalesWhite	305	73	58	30	11	6	178	8	6	4	3
ĺ	Colored Females White	28 164	9 43	4 42	6 14	1 5	4	20 108	3	1	3	i-
194b	Other accidents: Colored - Males - White -	32 2, 328	15 85	7 26	1 9	2 17	1 22 2	26 159	94	1 123	165	130
	Colored	296 535	21 70	3 21	9	2 11	15	28 126	5 48	13 30	24 17	14 17
l	Supplemental: Colored MalesWhite	83 16, 810	24 33	2 57	1 90	1 179	2 196	30 555	1 850	579	1, 163	1 1,685 149
	Females Colored Colored Colored	1, 570 4, 966 398	7 18	3 44 3	8 51 7	11 90 12	14 93 10	43 296 33	80 426 42	67 208 14	91 394 22	149 374 21
195	Violent deaths of unknown nature: MalesWhite	1	1	0	'	12	10	1	42	14		41
		- 11	- 1					~ II				

APPENDIX

25 to 29 years	30 to 34 years	35 to 39 years.	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
276 63 26 2	203 46 21 3	217 49 17 3	226 35 11 1	229 23 19 1	232 15 17 1	168 14 15	139 4 14	87 4 12 1	64	32 3. 5	9 4 - 3	4 3 1				25 5	
93 15 17 6	87 19 5 2	70 18 8	79 5 8 2	42 9 5	47 8 4	37 5	25 2 2 2	15 1 2	6 1	6 1						3	183
136 37 16 4	125 20 14 8	118 17 10 5	110 15 13 1	104 12 6 1	96 9 10 1	. 84 . 3 5	, 59 4 2	43 3 6 1	29	6						5	184
15 5 4	23 1 7	25 7 6 1	28 6 10 2	32 6 16 3	30 5 10 4	30 1 16 5	31 3 13 2	20 1 9	27 2 7 2	11 8	9	7 1 1	1				185
18 4 6	14	10 2 1	11 3	17 1 1	10	16 2	6	4	7	1 1	3						100
171 28 35 6	221 41 39 8	309 47 54 12	393 36 76 8	431 38 126 7	450 30 153 18	488 31 251 9	549 20 435 19	555 10 663 20	645 8 1, 123 15	694 7 1, 379 17	740 7 1, 583	473 7 1, 221 11	222 1 530 9	41 2 110 8	5 2 14 3		186a
128 21 23 3	110 27 23 2	123 19 13 2	105 16 10 1	110 17 9	126 19 14 2	112 15 13	98 6 11	81 8 9	66 3 15 2	41 4 10	19 1 4	4 1 1	1			2 2	
33 4	26 2 2	30 5 1	39 2	35 2	24 2 1	26 4	24 1	14	11	4	5		1			1	
309 57 46 6	285 51 45 8	299 41 40 5	334 48 40 5	312 37 56 7	293 27 50 3	239 16 52 2	200 10 52	189 8 35 2	124 6 47 2	74 4 28 3	36	6 1 4 1	1			18 6 2) 186b
3 1 2	3 2 2 2	2	3	1 1	2	3	3	3 1	1	<u>-</u> <u>1</u>	2						18
10	10 1	18	26 1 3	31 5	32 3 1 2	29 3 2	28 4 3 1	36 1 4	27 2 5	18 2 3	8	3	1			1	188
	1	1 1		1	1 1	i	4	2	2	1	i	1					189
6 3 1	3 6 1	7 4 1	7 8 2	24 4 1 1	11	16 4 2 2	20 1 1	13 2 1 2	17 2 1	10 4 1	4 1 1	1 1 2 1	1		1	1	190
13 4	10 7 1	25 3 1 3	28 9 5 5	30 9 3 2	31 10 7 4	22 12 7	29 3 6	37 4 11 4	25 2 11 1	21 3 7	17	2	3			1	191
1 15 5	13 5 1	13 2 1	17 3 2 1	1	8 2 1	8	11	7 1	4 1	1						1	192
79 2 3	73 6	38 4 4	36 3	24	24	15 2 1	7	4	2	6	1	1					
8	7	4	3	3	7	2	1	1	1							1	193
8	. 1 4 1 3	7 3 2	12 1 3 1	17	12 1 6	6 7	13	10	7	6 1 2	2	1	1) 194a
1 115 28 8 2		168 22 18 7	1 171 27 15 4	180 25 15	184 25 16	168 17 15	160 11 19	125 11 34	99 7 36	83 5 38	34 4 32	26 1 26	8	1		5.2	
1,340 152 249 35	1,062 163 223 34	1, 172 160 242 35	1, 181 142 258 31	1, 177 124 272 37	5	1, 163 96 350 23	1,066 55 336 13	902 46 332 13	798 40 329 10	.562 19 195 7	297 9 110 3	93 9 50 3	21 3 7	2		33 9 6	194b

 $\textbf{T}_{\texttt{ABLE}} \ \textbf{1.} \textbf{--} \textbf{DEATHS} \ (\texttt{EXCLUSIVE} \ \textbf{OF} \ \texttt{STILLBIRTHS}) \ \textbf{FROM} \ \texttt{EACH} \ \texttt{CAUSE}, \ \texttt{BY} \ \texttt{AGE}, \ \texttt{SEX}, \ \texttt{AND} \ \texttt{COLOR},$

List no.	CAUSE OF DEATH, SEX, AND COLOR	All ages	Under 1 year	1 year	2 years	3 year	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XVII.—Violent and accidental deaths— Continued											
198	Accidental, other, or undefined—Continued Legal executions: Males	50									1	13
	Colored XVIII.—Ill-defined causes of death:	. 56									6	12
	Males	3, 728 3, 192 2, 377 2, 835	1, 211 1, 359 908 1, 060	98 75 64 79	26 28 34 31	14 16 11 15	15 19 14 12	1, 364 1, 497 1, 031 1, 197	35 57 25 43	16 36 21 50	25 52 22 59	44 68 47 72
199	Sudden death: MalesWhite	575	70	8	2			81	1	1	2	2
	Colored White	256 303	42 47	2 2 2	2 2 2		1 1	47 52 41	3	3	3 5 8	$egin{array}{c} 2\\ 12\\ 7\\ 7\\ 7 \end{array}$
200a	Cause of death ill-defined: Males	221 1,088	37 167	47	11	1	7	233	17	4	14	14
	Females Colored Colore	535 657 424	120 155 93	27 37 25	9 8 10	2 5 3	3 2 2	161 207 133	17 5 10	5 9 10	8 10 13	9 17 10
200b	Cause of death not specified or unknown: Males	2, 065 2, 401	974 1, 197	43 46	13 17	12 14	8 15	1, 050 1, 289	17 39	11 29	9 41	28 47
Punch	Females Colored Colore	1, 417 2, 190	706 930	25 52	24 19	6 12	11 10	772 1, 023	17 33	12 37	7 38	23 55
sy mbol 201	Accidents in mines and quarries: MalesWhite	1, 014				1		1	3	2	43	106
	FemalesWhite	75 5									1 2	-
202	Accidents from agricultural machinery: MalesWhite	209 15			1	2	2	5	7	5	14 2	22 1
203	Females	5			1		2	3		1		
	Males White Colored White White	165 12 7					2		3	4 1	10 1 1	18 1 2
204	Accidents from machinery used for recreation:	3									1	
	Males	8 1							1	3 2	1	1
205	Other machinery accidents:	4		1				_	1	_ :		
	Males	655 67 26		1 2	4 1	2 1	3 1	10 5	9 3 1	3 1 1	29 4 1	64 9
206	Railroad and automobile collisions:	1										109
	MalesWhite Colored_ FemalesWhite	902 45 333	1 3	2 ' 3	<u>2</u>	5 4	1	11 14	12 1 13	17 15	71 3 33	102 6 50
207	Other railroad accidents: MalesWhite	14 2, 217		4	3	4	4	15	51	61	3 . 182	186
	Colored FemalesWhite	420 174		1	1 6	2	3	$\begin{array}{c} 1 \\ 12 \end{array}$	6 16	11 5	37 12 3	55 5 3
208	Street car and automobile collisions: MalesWhite	37 214		1	2			3	3	3 2	14	26
	Colored_ FemalesWhite Colored_	9 59 1			1			1	1 5	<u> </u>	4	1 9
209	Other street car accidents: MalesWhite	348		1	4	1	4	10	7	6	8 2	15 1
	FemalesColored White Colored	26 126 4		3	4	1	2	10	3	4		1 1
210	Automobile accidents (primary): Males	15, 803 1, 499	37 8	67 3	103 9	190 15	207 16	604 51	874 81	609 67	1, 095 94	1, 607 137
011	Females White Colored	5, 250 444	18 1	55 3	51 6	95 12	97 10	316 32	459 46	210 17	429 26	410 26
211	Motorcycle accidents: Males	181 12		1		1		2	5	2	39 4	66 1
212	Females White Colored	20 1	1			2	1	4			2	3
	MalesWhite Colored	661 71 102	5 2	$\begin{array}{c} 4\\1\\2\end{array}$	5 1	14 1	2 1 7	30 2 13	39 1 11	72 7 16	53 6 6	29 4 7
213	Females	10	2			1		1	2	2		
	MalesWhite Colored FemalesWhite	821 121 62	1	1	2 1	1	4	6 2 5	22 3 2	47 8 5	96 12 15	118 15 9
214	Air transportation accidents:	15					1	1	2	2	19	68
	Males	299 3 37			1		1	1		<u>1</u>	7	8
			li	l	<u> </u>	1	ı	I	11	1	I	1

^{*} This supplemental list is made in accordance with the requirements of the International Conference at Paris, 1929. The deaths shown in this tabulation are supplemental to those reported opposite titles 178 to 194, inclusive. Comparable figures for titles shown in prior years will be found opposite the International List titles. To obtain the total number of deaths in 1932 due to any of the accidental causes, the supplemental figures should be added to those reported opposite the International List numbers in the regular table.

APPENDIX 515

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1932—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	years and over	Age un- known	List no.
8 15	9 9	6 8	5 3	2 2	4	2 1											} 198
40 67 33 88	49 70 35 84	73 93 44 115	122 82 49 102	139 102 75 119	187 161 86 126	228 127 85 107	284 139 108 134	303 165 137 129	276 131 163 101	240 101 162 94	175 97 122 89	75 59 77 32	• 25 34 32 35	6 15 10 19	1 10 5 29	21 29 8 11	
7 8 7 6	7 10 5 12	16 17 6 14	21 15 7 12	25 14 14 15	46 18 22 17	40 22 15 17	71 21 20 18	76 28 35 20	69 13 36 6	56 6 31 10	37 10 23 8	10 2 10	7 3 3 2	1 1 2	1 2	3	199
12 8 13 20	. 15 15 8 11	19 22 20 19	41 25 11 27	54 18 25 27	56 43 29 27	94 39 39 18	105 37 45 26	120 36 45 25	109 28 60 10	76 24 44 12	59 16 35 15	26 13 21 3	13 3 11 2	1 1 1 3	1 1 2	6 6 1 1	} 200a
21 51 13 62	27 45 22 61	38 54 18 82	60 42 31 63	60 70 36 77	85 100 35 82	94 66 31 72	108 81 43 90	107 101 57 84	98 90 67 85	108 71 87 72	79 71 64 66	39 44 46 29	5 28 18 31	5 13 8 14	1 9 3 25	15 20 7 9	200b
116 8	117 18	12 <u>4</u> 18 1	131 7	122 6	100 6 1	69 4	40 1	20 1 1	11 1	3	2					4	201
18 1 12	10 2 7	19 3 7	22 14	16 1 17	17 14	16 4 16	17 9	6 1 11	9 11	6 8	 						202
12 2 2 2 2	3 1	1 	1 '	1		1			1								203
	1	70	1														204
66 13	70 8 1 1	73 8 2	66 8	62 6 1	70 5 1 	52 3 62	27 2 	27 3 3	13 5 27	7 1 1	6 1 6	3	1			2	205
5 26 	80 6 22 2	81 5 25 3	80 8 21 	72 6 34 2	23 	1 21 1	1 11 1	6	10	3 	4 	4	2			2	206
56 3 2 2	156 56 11 3 29	196 42 8 1	206 45 11 3	214 27 13 3	181 21 8 2	185 19 13 1	12 15 11	9 12 4	59 7 13 4	55 5 8 1	6 1	1 2 1	1			10	207
21 21 3	16 2 2	1 1 1 16	23 2 3	1 6 34	2 27	5 1 30 3 15	31	31 31 10	26	26 2 11	14	5 1	2				208
		2 3 1,059	1	1,038 1,038	1,020 1,020		4 23 981 45		784 38		290 7	88 9	18	1		26 8	209
1, 248 152 279 45 21 1	968 139 252 40 13	1, 059 144 256 39	1,060 128 · 270 35	1, 038 126 280 40 4	1, 020 118 328 24 3	1,048 92 360 23	981 45 349 14 1	863 43 338 14	784 38 334 9	522 17 207 9	108 2 1	52 3	3 7 			6	210
30 3 5	16 4 5 2	23 3 6	28 4 3	33 6 4	. 1 49 7 6	47 4 3	52 5	52 6	53 3 7	34 3 4	1 13 3	3	1	1		3	} 211 } 212
90 11 8	102 22 3	68 16 5	72 7 3	53 7 • 4	6 1 44 6 1	3 48 4	24 2 1	1 15 2 1	7 1 7 1	6 	1					3	213
78 1 10	44 1 7	42 1 1	28	6	7	1			1	1						1	} 214