	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
UNITED STATES	65,163			27,108		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		8,560 12,763 3,242	13.1 19.6 5.0		4,932 4,590 1,177	18.2 16.9 4.3
PLACE OF DELIVERY		61	0.1		30	0.1
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		31,485 32,446	48.3 49.8		4,082 4,911	15.1 18.1
FETUS SEX <sup>1</sup> BIRTH WEIGHT		35,416 37,972	54.3 58.3		0 3,047	0.0 11.2
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		28,907 25,943 10,007	44.4 39.8 15.4		9,527 4,444 2,619	35.1 16.4 9.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		5,565 5,607 5,681	8.5 8.6 8.7		1,331 1,420 1,504	4.9 5.2 5.5
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		34,537 38,913 40,511 36,404	53.0 59.7 62.2 55.9		7,856 8,925 9,865 8,892	29.0 32.9 36.4 32.8
MEDICAL RISK FACTORS		27,406	42.1		3,783	14.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		37,520 31,743	57.6 48.7		8,016 7,498	29.6 27.7
PREGNANCY		44,919	68.9		13,222	48.8
OBSTETRIC PROCEDURES		25,942	39.8		3,289	12.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		26,848	41.2		3,606	13.3
CONGENITAL ANOMALIES OF FETUS		28,956	44.4		5,438	20.1
UNDERLYING CAUSE OF DEATH		65,163	100.0		27,108	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ALABAMA	564			551		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		30 107 6	5.3 19.0 1.1		28 107 6	5.1 19.4 1.1
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGANNUMBER OF VISITS		68 67	12.1 11.9		67 65	12.2 11.8
FETUS SEX1 BIRTH WEIGHT		1 27	0.2 4.8		0 26	0.0 4.7
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 54 1	0.0 9.6 0.2		0 53 1	0.0 9.6 0.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		23 24 27	4.1 4.3 4.8		23 24 27	4.2 4.4 4.9
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		314 327 327 312	55.7 58.0 58.0 55.3		305 317 318 303	55.4 57.5 57.7 55.0
MEDICAL RISK FACTORS		11	2.0		10	1.8
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY		24 24	4.3 4.3		22 22	4.0 4.0
WEIGHT GAIN DURING PREGNANCY		188	33.3		181	32.8
OBSTETRIC PROCEDURES		16	2.8		13	2.4
COMPLICATIONS OF LABOR AND/OR DELIVERY		16	2.8		15	2.7
CONGENITAL ANOMALIES OF FETUS		16	2.8		15	2.7
UNDERLYING CAUSE OF DEATH		564	100.0		551	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ALASKA	42			38		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 6 0	0.0 14.3 0.0		0 6 0	0.0 15.8 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		2 5	4.8 11.9		2 5	5.3 13.2
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 2	0.0 4.8		0 1	0.0 2.6
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 6 1	0.0 14.3 2.4		0 6 1	0.0 15.8 2.6
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		9 11 14 8	21.4 26.2 33.3 19.0		9 11 14 8	23.7 28.9 36.8 21.1
MEDICAL RISK FACTORS		1	2.4		1	2.6
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		4 5 10	9.5 11.9 23.8		3 4 10	7.9 10.5 26.3
OBSTETRIC PROCEDURES		2	4.8		2	5.3
COMPLICATIONS OF LABOR AND/OR DELIVERY		2	4.8		2	5.3
CONGENITAL ANOMALIES OF FETUS		3	7.1		3	7.9
UNDERLYING CAUSE OF DEATH		42	100.0		38	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ARIZONA	447			423		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		8 113 5	1.8 25.3 1.1		8 109 5	1.9 25.8 1.2
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		54 79	12.1 17.7		53 75	12.5 17.7
FETUS SEX1 BIRTH WEIGHT		1 34	0.2 7.6		0 32	0.0 7.6
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		1 29 7	0.2 6.5 1.6		1 28 7	0.2 6.6 1.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		9 10 16	2.0 2.2 3.6		9 10 15	2.1 2.4 3.5
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		154 171 173 156	34.5 38.3 38.7 34.9		148 163 165 150	35.0 38.5 39.0 35.5
MEDICAL RISK FACTORS		4	0.9		3	0.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING		18	4.0		17	4.0
PREGNANCY WEIGHT GAIN DURING		24	5.4		22	5.2
PREGNANCY		168	37.6		162	38.3
OBSTETRIC PROCEDURES		4	0.9		4	0.9
COMPLICATIONS OF LABOR AND/OR DELIVERY		5	1.1		5	1.2
CONGENITAL ANOMALIES OF FETUS		19	4.3		17	4.0
UNDERLYING CAUSE OF DEATH		447	100.0		423	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ARKANSAS	277			264		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		3 46 0	1.1 16.6 0.0		3 46 0	1.1 17.4 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		24 26	8.7 9.4		23 25	8.7 9.5
FETUS SEX1 BIRTH WEIGHT		0	0.0 2.2		0	0.0 2.3
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 32 0	0.0 11.6 0.0		0 32 0	0.0 12.1 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 2 0	0.4 0.7 0.0		1 2 0	0.4 0.8 0.0
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		102 104 115 100	36.8 37.5 41.5 36.1		98 100 111 96	37.1 37.9 42.0 36.4
MEDICAL RISK FACTORS		1	0.4		1	0.4
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY		6	2.2 2.5		6	2.3 2.7
WEIGHT GAIN DURING PREGNANCY		64	23.1		60	22.7
OBSTETRIC PROCEDURES		1	0.4		1	0.4
COMPLICATIONS OF LABOR AND/OR DELIVERY		1	0.4		1	0.4
CONGENITAL ANOMALIES OF FETUS		1	0.4		1	0.4
UNDERLYING CAUSE OF DEATH		277	100.0		264	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
CALIFORNIA	3,415			3,338		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		3,414 293 327	100.0 8.6 9.6		3,337 293 327	100.0 8.8 9.8
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		169 200	4.9 5.9		168 197	5.0 5.9
FETUS SEX1 BIRTH WEIGHT		0 26	0.0 0.8		0 26	0.0 0.8
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		3,402 216 54	100.0 6.3 1.6		3,326 213 53	100.0 6.4 1.6
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		109 115 153	3.2 3.4 4.5		108 113 150	3.2 3.4 4.5
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		320 355 424 180	9.4 10.4 12.4 5.3		315 347 418 178	9.4 10.4 12.5 5.3
MEDICAL RISK FACTORS		131	3.8		130	3.9
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		3,415 3,415 3,415	100.0 100.0 100.0		3,338 3,338 3,338	100.0 100.0 100.0
OBSTETRIC PROCEDURES		143	4.2		143	4.3
COMPLICATIONS OF LABOR AND/OR DELIVERY		107	3.1		106	3.2
CONGENITAL ANOMALIES OF FETUS		179	5.2		176	5.3
UNDERLYING CAUSE OF DEATH		3,415	100.0		3,338	100.0

 $<sup>^{1}\,</sup>$  NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
COLORADO	370			363		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 72 0	0.0 19.5 0.0		0 72 0	0.0 19.8 0.0
PLACE OF DELIVERY		1	0.3		1	0.3
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		57 69	15.4 18.6		55 67	15.2 18.5
FETUS SEX1BIRTH WEIGHT		0 69	0.0 18.6		0 68	0.0 18.7
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 57 22	0.0 15.4 5.9		0 56 22	0.0 15.4 6.1
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		29 30 29	7.8 8.1 7.8		29 30 29	8.0 8.3 8.0
FATHER RACEAGE		81 105 109 77	21.9 28.4 29.5 20.8		78 101 106 74	21.5 27.8 29.2 20.4
MEDICAL RISK FACTORS		53	14.3		50	13.8
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		66 70 184	17.8 18.9 49.7		63 67 178	17.4 18.5 49.0
OBSTETRIC PROCEDURES		53	14.3		50	13.8
COMPLICATIONS OF LABOR AND/OR DELIVERY		53	14.3		50	13.8
CONGENITAL ANOMALIES OF FETUS		56	15.1		53	14.6
UNDERLYING CAUSE OF DEATH		370	100.0		363	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
CONNECTICUT	300			299		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		8 138 12	2.7 46.0 4.0		8 138 12	2.7 46.2 4.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		138 137	46.0 45.7		138 137	46.2 45.8
FETUS SEX1 BIRTH WEIGHT		0 18	0.0 6.0		0 18	0.0 6.0
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		295 191 50	100.0 63.7 16.7		294 191 50	100.0 63.9 16.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		104 141 124	34.7 47.0 41.3		104 141 124	34.8 47.2 41.5
FATHER RACE		49 46 214 74	16.3 15.3 71.3 24.7		49 46 214 74	16.4 15.4 71.6 24.7
MEDICAL RISK FACTORS		87	29.0		87	29.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING		93	31.0		93	31.1
PREGNANCY WEIGHT GAIN DURING		98	32.7		98	32.8
PREGNANCY		174	58.0		174	58.2
OBSTETRIC PROCEDURES		82	27.3		82	27.4
COMPLICATIONS OF LABOR AND/OR DELIVERY		96	32.0		96	32.1
CONGENITAL ANOMALIES OF FETUS		125	41.7		125	41.8
UNDERLYING CAUSE OF DEATH		300	100.0		299	100.0

 $<sup>^{1}\,</sup>$  NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
DELAWARE	52			50		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		1 2 0	1.9 3.8 0.0		1 2 0	2.0 4.0 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		0	0.0 0.0		0	0.0 0.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 1	0.0 1.9		0 1	0.0 2.0
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 1 1	1.9 1.9 1.9		1 1 1	2.0 2.0 2.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		11 9 13 11	21.2 17.3 25.0 21.2		11 9 13 11	22.0 18.0 26.0 22.0
MEDICAL RISK FACTORS		6	11.5		6	12.0
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		3 4 13	5.8 7.7 25.0		3 4 12	6.0 8.0 24.0
OBSTETRIC PROCEDURES		6	11.5		6	12.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		5	9.6		5	10.0
CONGENITAL ANOMALIES OF FETUS		8	15.4		8	16.0
UNDERLYING CAUSE OF DEATH		52	100.0		50	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
DISTRICT OF COLUMBIA	140			136		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		7 25 7	5.0 17.9 5.0		7 25 7	5.1 18.4 5.1
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		25 25	17.9 17.9		25 25	18.4 18.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0	0.0 4.3		0	0.0 4.4
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		16 32 9	11.4 22.9 6.4		15 32 9	11.0 23.5 6.6
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		6 9 6	4.3 6.4 4.3		5 8 5	3.7 5.9 3.7
FATHER RACEAGE		72 95 84 75	51.4 67.9 60.0 53.6		71 93 83 74	52.2 68.4 61.0 54.4
MEDICAL RISK FACTORS		67	47.9		64	47.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		74 75 98	52.9 53.6 70.0		71 72 94	52.2 52.9 69.1
OBSTETRIC PROCEDURES		61	43.6		58	42.6
COMPLICATIONS OF LABOR AND/OR DELIVERY		61	43.6		58	42.6
CONGENITAL ANOMALIES OF FETUS		84	60.0		80	58.8
UNDERLYING CAUSE OF DEATH		140	100.0		136	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
FLORIDA	1,496			1,461		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		50 248 43	3.3 16.6 2.9		50 248 43	3.4 17.0 2.9
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		266 313	17.8 20.9		260 307	17.8 21.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 122	0.0 8.2		0 119	0.0 8.1
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 249 106	0.0 16.6 7.1		0 242 104	0.0 16.6 7.1
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		210 216 223	14.0 14.4 14.9		203 209 216	13.9 14.3 14.8
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		318 417 417 330	21.3 27.9 27.9 22.1		307 404 405 319	21.0 27.7 27.7 21.8
MEDICAL RISK FACTORS		72	4.8		70	4.8
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING		115	7.7		111	7.6
PREGNANCY WEIGHT GAIN DURING		125	8.4		121	8.3
PREGNANCY		545	36.4		530	36.3
OBSTETRIC PROCEDURES		59	3.9		57	3.9
COMPLICATIONS OF LABOR AND/OR DELIVERY		74	4.9		72	4.9
CONGENITAL ANOMALIES OF FETUS		79	5.3		77	5.3
UNDERLYING CAUSE OF DEATH		1,496	100.0		1,461	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
GEORGIA	9,447			1,152		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		1,167 2,090 568	12.4 22.1 6.0		23 155 18	2.0 13.5 1.6
PLACE OF DELIVERY		4	0.0		3	0.3
PRENATAL CARE MONTH BEGANNUMBER OF VISITS		4,043 4,094	42.8 43.3		227 227	19.7 19.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		7,827 7,616	82.9 80.6		0 185	0.0 16.1
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		1 4,842 2,373	0.0 51.3 25.1		0 404 152	0.0 35.1 13.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1,077 1,184 1,161	11.4 12.5 12.3		55 69 66	4.8 6.0 5.7
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		6,108 6,677 7,258 6,732	64.7 70.7 76.8 71.3		704 769 816 744	61.1 66.8 70.8 64.6
MEDICAL RISK FACTORS		471	5.0		46	4.0
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY		1,303 1,383	13.8 14.6		94 109	8.2 9.5
WEIGHT GAIN DURING PREGNANCY		5,923	62.7		548	47.6
OBSTETRIC PROCEDURES		190	2.0		13	1.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		308	3.3		22	1.9
CONGENITAL ANOMALIES OF FETUS		432	4.6		29	2.5
UNDERLYING CAUSE OF DEATH		9,447	100.0		1,152	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
HAWAII	1,031			110		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		263 364 102	25.5 35.3 9.9		1 36 0	0.9 32.7 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		272 264	26.4 25.6		26 27	23.6 24.5
FETUS SEX <sup>1</sup> BIRTH WEIGHT		889 677	86.2 65.7		0 27	0.0 24.5
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 698 202	0.0 67.7 19.6		0 27 10	0.0 24.5 9.1
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		21 26 41	2.0 2.5 4.0		3 3 6	2.7 2.7 5.5
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		781 782 801 616	75.8 75.8 77.7 59.7		38 34 39 31	34.5 30.9 35.5 28.2
MEDICAL RISK FACTORS		1,031	100.0		110	100.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY		1,031	100.0		110	100.0
PREGNANCY WEIGHT GAIN DURING		1,031	100.0		110	100.0
PREGNANCY		1,031	100.0		110	100.0
OBSTETRIC PROCEDURES		1,031	100.0		110	100.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		1,031	100.0		110	100.0
CONGENITAL ANOMALIES OF FETUS		1,031	100.0		110	100.0
UNDERLYING CAUSE OF DEATH		1,031	100.0		110	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
IDAHO	127			124		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		1 21 0	0.8 16.5 0.0		1 21 0	0.8 16.9 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		12 17	9.4 13.4		12 17	9.7 13.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0	0.0 7.1		0	0.0 7.3
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 10 3	0.0 7.9 2.4		0 10 3	0.0 8.1 2.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		2 4 6	1.6 3.1 4.7		2 4 6	1.6 3.2 4.8
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		18 17 25 16	14.2 13.4 19.7 12.6		17 16 24 15	13.7 12.9 19.4 12.1
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		11 13 32	8.7 10.2 25.2		11 13 32	8.9 10.5 25.8
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		2	1.6		2	1.6
CONGENITAL ANOMALIES OF FETUS		2	1.6		1	0.8
UNDERLYING CAUSE OF DEATH		127	100.0		124	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
ILLINOIS	1,279			1,258		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		67 225 50	5.2 17.6 3.9		66 224 50	5.2 17.8 4.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		185 185	14.5 14.5		184 184	14.6 14.6
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 107	0.0 8.4		0 107	0.0 8.5
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 140 72	0.0 10.9 5.6		0 140 72	0.0 11.1 5.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		80 80 83	6.3 6.3 6.5		80 80 83	6.4 6.4 6.6
FATHER RACEAGE		299 321 373 286	23.4 25.1 29.2 22.4		293 316 367 280	23.3 25.1 29.2 22.3
MEDICAL RISK FACTORS		209	16.3		207	16.5
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		26 14 491	2.0 1.1 38.4		24 14 487	1.9 1.1 38.7
OBSTETRIC PROCEDURES		148	11.6		147	11.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		208	16.3		208	16.5
CONGENITAL ANOMALIES OF FETUS		231	18.1		229	18.2
UNDERLYING CAUSE OF DEATH		1,279	100.0		1,258	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
INDIANA	630			612		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		31 97 14	4.9 15.4 2.2		30 93 14	4.9 15.2 2.3
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		69 96	11.0 15.2		64 91	10.5 14.9
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 91	0.0 14.4		0 87	0.0 14.2
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 62 39	0.0 9.8 6.2		0 60 37	0.0 9.8 6.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		19 20 20	3.0 3.2 3.2		17 18 17	2.8 2.9 2.8
FATHER RACE		77 96 113 82	12.2 15.2 17.9 13.0		74 92 108 79	12.1 15.0 17.6 12.9
MEDICAL RISK FACTORS		56	8.9		51	8.3
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY		56 77	8.9 12.2		54 74	8.8 12.1
WEIGHT GAIN DURING PREGNANCY		130	20.6		125	20.4
OBSTETRIC PROCEDURES		53	8.4		49	8.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		45	7.1		43	7.0
CONGENITAL ANOMALIES OF FETUS		83	13.2		78	12.7
UNDERLYING CAUSE OF DEATH		630	100.0		612	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
IOWA	218			211		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		5 21 4	2.3 9.6 1.8		5 21 4	2.4 10.0 1.9
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		6 13	2.8 6.0		6 13	2.8 6.2
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 7	0.0 3.2		0 7	0.0 3.3
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 8 2	0.0 3.7 0.9		0 8 2	0.0 3.8 0.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 4 4	1.4 1.8 1.8		3 4 4	1.4 1.9 1.9
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		42 49 47 37	19.3 22.5 21.6 17.0		42 49 47 37	19.9 23.2 22.3 17.5
MEDICAL RISK FACTORS		5	2.3		4	1.9
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		6 6 28	2.8 2.8 12.8		5 5 27	2.4 2.4 12.8
OBSTETRIC PROCEDURES		5	2.3		4	1.9
COMPLICATIONS OF LABOR AND/OR DELIVERY		5	2.3		4	1.9
CONGENITAL ANOMALIES OF FETUS		10	4.6		9	4.3
UNDERLYING CAUSE OF DEATH		218	100.0		211	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
KANSAS	183			183		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		5 22 2	2.7 12.0 1.1		5 22 2	2.7 12.0 1.1
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		6 9	3.3 4.9		6 9	3.3 4.9
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0	0.0 0.5		0 1	0.0 0.5
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 6 3	0.0 3.3 1.6		0 6 3	0.0 3.3 1.6
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		18 17 22 19	9.8 9.3 12.0 10.4		18 17 22 19	9.8 9.3 12.0 10.4
MEDICAL RISK FACTORS		17	9.3		17	9.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		17 17 4	9.3 9.3 2.2		17 17 4	9.3 9.3 2.2
OBSTETRIC PROCEDURES		16	8.7		16	8.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		15	8.2		15	8.2
CONGENITAL ANOMALIES OF FETUS		24	13.1		24	13.1
UNDERLYING CAUSE OF DEATH		183	100.0		183	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
KENTUCKY	373			359		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		4 22 0	1.1 5.9 0.0		4 21 0	1.1 5.8 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		9 15	2.4 4.0		9 15	2.5 4.2
FETUS SEX1BIRTH WEIGHT		0 12	0.0 3.2		0 12	0.0 3.3
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 8 1	0.0 2.1 0.3		0 7 0	0.0 1.9 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		5 7 14	1.3 1.9 3.8		5 7 14	1.4 1.9 3.9
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		134 136 142 138	35.9 36.5 38.1 37.0		130 132 136 133	36.2 36.8 37.9 37.0
MEDICAL RISK FACTORS		101	27.1		96	26.7
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		95 95 157	25.5 25.5 42.1		89 89 150	24.8 24.8 41.8
OBSTETRIC PROCEDURES		90	24.1		85	23.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		100	26.8		94	26.2
CONGENITAL ANOMALIES OF FETUS		133	35.7		123	34.3
UNDERLYING CAUSE OF DEATH		373	100.0		359	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
LOUISIANA	579			532		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		22 92 22	3.8 15.9 3.8		22 86 22	4.1 16.2 4.1
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		43 49	7.4 8.5		41 47	7.7 8.8
FETUS SEX <sup>1</sup> BIRTH WEIGHT		2 54	0.3 9.3		0 45	0.0 8.5
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 43 6	0.0 7.4 1.0		0 43 6	0.0 8.1 1.1
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 6 3	0.5 1.0 0.5		3 5 3	0.6 0.9 0.6
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		287 297 294 289	49.6 51.3 50.8 49.9		270 280 277 272	50.8 52.6 52.1 51.1
MEDICAL RISK FACTORS		12	2.1		12	2.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		27 32 121	4.7 5.5 20.9		27 32 108	5.1 6.0 20.3
OBSTETRIC PROCEDURES		11	1.9		10	1.9
COMPLICATIONS OF LABOR AND/OR DELIVERY		13	2.2		12	2.3
CONGENITAL ANOMALIES OF FETUS		15	2.6		14	2.6
UNDERLYING CAUSE OF DEATH		579	100.0		532	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MAINE	70			70		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		2 23 1	2.9 32.9 1.4		2 23 1	2.9 32.9 1.4
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		13 16	18.6 22.9		13 16	18.6 22.9
FETUS SEX1 BIRTH WEIGHT		0 23	0.0 32.9		0 23	0.0 32.9
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		1 18 21	1.4 25.7 30.0		1 18 21	1.4 25.7 30.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		11 14 18	15.7 20.0 25.7		11 14 18	15.7 20.0 25.7
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		20 8 28 29	28.6 11.4 40.0 41.4		20 8 28 29	28.6 11.4 40.0 41.4
MEDICAL RISK FACTORS		2	2.9		2	2.9
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING		19 20	27.1 28.6		19 20	27.1 28.6
PREGNANCY		31	44.3		31	44.3
OBSTETRIC PROCEDURES		2	2.9		2	2.9
COMPLICATIONS OF LABOR AND/OR DELIVERY		3	4.3		3	4.3
CONGENITAL ANOMALIES OF FETUS		5	7.1		5	7.1
UNDERLYING CAUSE OF DEATH		70	100.0		70	100.0

 $<sup>^{1}\,</sup>$  NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MARYLAND	620			571		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		620 140 148	100.0 22.6 23.9		571 140 148	100.0 24.5 25.9
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		108 620	17.4 100.0		102 571	17.9 100.0
FETUS SEX1 BIRTH WEIGHT		3 53	0.5 8.5		0 48	0.0 8.4
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		587 129 620	100.0 20.8 100.0		541 118 571	100.0 20.7 100.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		41 55 69	6.6 8.9 11.1		41 55 67	7.2 9.6 11.7
FATHER RACEAGE		66 92 168 620	10.6 14.8 27.1 100.0		64 88 155 571	11.2 15.4 27.1 100.0
MEDICAL RISK FACTORS		620	100.0		571	100.0
OTHER RISK FACTORS  TOBACCO USE DURING  PREGNANCY  ALCOHOL USE DURING		620	100.0		571	100.0
PREGNANCY WEIGHT GAIN DURING		620	100.0		571	100.0
PREGNANCY		620	100.0		571	100.0
OBSTETRIC PROCEDURES		620	100.0		571	100.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		620	100.0		571	100.0
CONGENITAL ANOMALIES OF FETUS		620	100.0		571	100.0
UNDERLYING CAUSE OF DEATH		620	100.0		571	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MASSACHUSETTS	451			441		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		7 50 1	1.6 11.1 0.2		7 50 1	1.6 11.3 0.2
PLACE OF DELIVERY		1	0.2		1	0.2
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		23 31	5.1 6.9		22 30	5.0 6.8
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 20	0.2 4.4		0 20	0.0 4.5
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 82 451	0.0 18.2 100.0		0 80 441	0.0 18.1 100.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 9	0.0 0.0 2.0		0 0 9	0.0 0.0 2.0
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		138 130 161 451	30.6 28.8 35.7 100.0		134 125 155 441	30.4 28.3 35.1 100.0
MEDICAL RISK FACTORS		451	100.0		441	100.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		451 451 451	100.0 100.0 100.0		441 441 441	100.0 100.0 100.0
OBSTETRIC PROCEDURES		451	100.0		441	100.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		451	100.0		441	100.0
CONGENITAL ANOMALIES OF FETUS		451	100.0		441	100.0
UNDERLYING CAUSE OF DEATH		451	100.0		441	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MICHIGAN	775			749		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		19 152 18	2.5 19.6 2.3		19 149 18	2.5 19.9 2.4
PLACE OF DELIVERY		4	0.5		4	0.5
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		125 136	16.1 17.5		120 131	16.0 17.5
FETUS SEX1 BIRTH WEIGHT		6 28	0.8 3.6		0 26	0.0 3.5
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		767 161 108	100.0 20.8 13.9		741 154 104	100.0 20.6 13.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		10 10 12	1.3 1.3 1.5		10 10 12	1.3 1.3 1.6
FATHER RACEAGE		217 325 286 259	28.0 41.9 36.9 33.4		209 313 275 251	27.9 41.8 36.7 33.5
MEDICAL RISK FACTORS		17	2.2		17	2.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING		62	8.0		60	8.0
PREGNANCY WEIGHT GAIN DURING		59	7.6		56	7.5
PREGNANCY		311	40.1		298	39.8
OBSTETRIC PROCEDURES		12	1.5		12	1.6
COMPLICATIONS OF LABOR AND/OR DELIVERY		17	2.2		16	2.1
CONGENITAL ANOMALIES OF FETUS		21	2.7		20	2.7
UNDERLYING CAUSE OF DEATH		775	100.0		749	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MINNESOTA	367			345		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		5 40 7	1.4 10.9 1.9		5 35 7	1.4 10.1 2.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		13 19	3.5 5.2		12 17	3.5 4.9
FETUS SEX <sup>1</sup> BIRTH WEIGHT		3 39	0.8 10.6		0 36	0.0 10.4
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 32 29	0.0 8.7 7.9		0 28 25	0.0 8.1 7.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		8 14 12	2.2 3.8 3.3		8 14 12	2.3 4.1 3.5
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		56 68 70 74	15.3 18.5 19.1 20.2		49 60 63 66	14.2 17.4 18.3 19.1
MEDICAL RISK FACTORS		41	11.2		39	11.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		44 51 125	12.0 13.9 34.1		39 46 112	11.3 13.3 32.5
OBSTETRIC PROCEDURES		15	4.1		14	4.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		35	9.5		30	8.7
CONGENITAL ANOMALIES OF FETUS		34	9.3		28	8.1
UNDERLYING CAUSE OF DEATH		367	100.0		345	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MISSISSIPPI	455			439		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		17 80 8	3.7 17.6 1.8		17 77 8	3.9 17.5 1.8
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		30 61	6.6 13.4		29 59	6.6 13.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		2 14	0.4 3.1		0 13	0.0 3.0
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 30 0	0.0 6.6 0.0		0 30 0	0.0 6.8 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		7 10 9	1.5 2.2 2.0		7 10 9	1.6 2.3 2.1
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		276 289 288 277	60.7 63.5 63.3 60.9		265 277 277 266	60.4 63.1 63.1 60.6
MEDICAL RISK FACTORS		12	2.6		12	2.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		20 19 150	4.4 4.2 33.0		19 18 143	4.3 4.1 32.6
OBSTETRIC PROCEDURES		10	2.2		10	2.3
COMPLICATIONS OF LABOR AND/OR DELIVERY		12	2.6		12	2.7
CONGENITAL ANOMALIES OF FETUS		16	3.5		15	3.4
UNDERLYING CAUSE OF DEATH		455	100.0		439	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MISSOURI	476			443		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		6 51 2	1.3 10.7 0.4		6 44 2	1.4 9.9 0.5
PLACE OF DELIVERY		1	0.2		1	0.2
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		36 54	7.6 11.3		28 46	6.3 10.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 24	0.0 5.0		0 18	0.0 4.1
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 36 5	0.0 7.6 1.1		0 28 5	0.0 6.3 1.1
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		4 5 5	0.8 1.1 1.1		3 4 3	0.7 0.9 0.7
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		152 174 171 150	31.9 36.6 35.9 31.5		133 154 150 133	30.0 34.8 33.9 30.0
MEDICAL RISK FACTORS		7	1.5		6	1.4
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		12 17 66	2.5 3.6 13.9		9 14 54	2.0 3.2 12.2
OBSTETRIC PROCEDURES		8	1.7		7	1.6
COMPLICATIONS OF LABOR AND/OR DELIVERY		5	1.1		5	1.1
CONGENITAL ANOMALIES OF FETUS		10	2.1		9	2.0
UNDERLYING CAUSE OF DEATH		476	100.0		443	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
MONTANA	58			57		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		1 10 1	1.7 17.2 1.7		1 10 1	1.8 17.5 1.8
PLACE OF DELIVERY		1	1.7		1	1.8
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		2 3	3.4 5.2		2 3	3.5 5.3
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0	0.0 5.2		0	0.0 5.3
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 0 5	0.0 0.0 8.6		0 0 5	0.0 0.0 8.8
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 1	0.0 0.0 1.7		0 0 1	0.0 0.0 1.8
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		5 5 5 8	8.6 8.6 8.6 13.8		5 5 5 8	8.8 8.8 8.8 14.0
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		3 3 11	5.2 5.2 19.0		2 2 10	3.5 3.5 17.5
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		58	100.0		57	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEBRASKA	160			159		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 9 0	0.0 5.6 0.0		0 9 0	0.0 5.7 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		1 2	0.6 1.2		1 2	0.6 1.3
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 5	0.0 3.1		0 5	0.0 3.1
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 5 9	0.0 3.1 5.6		0 5 9	0.0 3.1 5.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 2 2	0.6 1.2 1.2		1 2 2	0.6 1.3 1.3
FATHER RACEAGE		16 16 19 23	10.0 10.0 11.9 14.4		16 16 19 23	10.1 10.1 11.9 14.5
MEDICAL RISK FACTORS		2	1.2		2	1.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		2 4 14	1.2 2.5 8.8		2 4 13	1.3 2.5 8.2
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		4	2.5		4	2.5
UNDERLYING CAUSE OF DEATH		160	100.0		159	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEVADA	172			160		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		4 53 2	2.3 30.8 1.2		3 48 2	1.9 30.0 1.2
PLACE OF DELIVERY		1	0.6		1	0.6
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		32 30	18.6 17.4		29 28	18.1 17.5
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 39	0.0 22.7		0 32	0.0 20.0
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		168 11 5	100.0 6.4 2.9		156 11 4	100.0 6.9 2.5
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		15 15 15	8.7 8.7 8.7		13 13 13	8.1 8.1 8.1
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		14 22 20 14	8.1 12.8 11.6 8.1		12 19 18 11	7.5 11.9 11.2 6.9
MEDICAL RISK FACTORS		55	32.0		47	29.4
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING		63	36.6		57	35.6
PREGNANCY WEIGHT GAIN DURING		66	38.4		60	37.5
PREGNANCY		104	60.5		96	60.0
OBSTETRIC PROCEDURES		35	20.3		29	18.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		61	35.5		55	34.4
CONGENITAL ANOMALIES OF FETUS		56	32.6		50	31.2
UNDERLYING CAUSE OF DEATH		172	100.0		160	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW HAMPSHIRE	63			61		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 2 0	0.0 3.2 0.0		0 2 0	0.0 3.3 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		0 2	0.0 3.2		0 2	0.0 3.3
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0	0.0 4.8		0	0.0 4.9
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 5 7	0.0 7.9 11.1		0 5 7	0.0 8.2 11.5
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 2 0	1.6 3.2 0.0		1 2 0	1.6 3.3 0.0
FATHER RACEAGE		12 12 14 17	19.0 19.0 22.2 27.0		12 11 14 17	19.7 18.0 23.0 27.9
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		0 0 1	0.0 0.0 1.6		0 0 1	0.0 0.0 1.6
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		63	100.0		61	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW JERSEY	746			729		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		83 172 55	11.1 23.1 7.4		79 170 55	10.8 23.3 7.5
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		129 165	17.3 22.1		128 161	17.6 22.1
FETUS SEX1BIRTH WEIGHT		0 158	0.0 21.2		0 153	0.0 21.0
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 162 38	0.0 21.7 5.1		0 156 38	0.0 21.4 5.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		44 43 46	5.9 5.8 6.2		44 43 46	6.0 5.9 6.3
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		59 137 207 79	7.9 18.4 27.7 10.6		58 133 201 78	8.0 18.2 27.6 10.7
MEDICAL RISK FACTORS		91	12.2		89	12.2
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		92 101 357	12.3 13.5 47.9		90 99 350	12.3 13.6 48.0
OBSTETRIC PROCEDURES		67	9.0		65	8.9
COMPLICATIONS OF LABOR AND/OR DELIVERY		97	13.0		95	13.0
CONGENITAL ANOMALIES OF FETUS		108	14.5		106	14.5
UNDERLYING CAUSE OF DEATH		746	100.0		729	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW MEXICO	90			89		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		3 14 2	3.3 15.6 2.2		3 14 2	3.4 15.7 2.2
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		4 9	4.4 10.0		4 9	4.5 10.1
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 2	0.0 2.2		0 2	0.0 2.2
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 36 3	0.0 40.0 3.3		0 35 3	0.0 39.3 3.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		41 48 56 41	45.6 53.3 62.2 45.6		40 47 55 40	44.9 52.8 61.8 44.9
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING PREGNANCY		1 2	1.1		1 2	1.1
PREGNANCY		25	27.8		24	27.0
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		90	100.0		89	100.0
UNDERLYING CAUSE OF DEATH		90	100.0		89	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW YORK	9,214			974		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		1,035 1,103 510	11.2 12.0 5.5		28 112 15	2.9 11.5 1.5
PLACE OF DELIVERY		23	0.2		2	0.2
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		4,564 4,581	49.5 49.7		281 286	28.9 29.4
FETUS SEX1 BIRTH WEIGHT		7,879 8,376	85.5 90.9		0 329	0.0 33.8
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		9,119 4,700 67	100.0 51.0 0.7		967 384 13	100.0 39.4 1.3
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1,210 1,210 1,210	13.1 13.1 13.1		80 80 80	8.2 8.2 8.2
FATHER RACEAGE		3,685 5,761 5,838 3,649	40.0 62.5 63.4 39.6		289 512 511 279	29.7 52.6 52.5 28.6
MEDICAL RISK FACTORS		3,550	38.5		212	21.8
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING		9,214 3,049	100.0 33.1		974 165	100.0 16.9
PREGNANCY		6,015	65.3		404	41.5
OBSTETRIC PROCEDURES		2,890	31.4		110	11.3
COMPLICATIONS OF LABOR AND/OR DELIVERY		3,186	34.6		141	14.5
CONGENITAL ANOMALIES OF FETUS		3,267	35.5		208	21.4
UNDERLYING CAUSE OF DEATH		9,214	100.0		974	100.0

 $<sup>^{1}\,</sup>$  NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NEW YORK CITY	12,782			1,643		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		218 2,157 172	1.7 16.9 1.3		8 243 17	0.5 14.8 1.0
PLACE OF DELIVERY		6	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		11,816 11,788	92.4 92.2		727 696	44.2 42.4
FETUS SEX1 BIRTH WEIGHT		10,717 11,086	83.8 86.7		0 509	0.0 31.0
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		12,553 6,726 2,749	100.0 52.6 21.5		1,610 683 217	100.0 41.6 13.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		408 69 94	3.2 0.5 0.7		66 17 17	4.0 1.0 1.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		9,650 10,597 10,654 10,064	75.5 82.9 83.4 78.7		1,041 1,080 1,170 1,064	63.4 65.7 71.2 64.8
MEDICAL RISK FACTORS		11,425	89.4		347	21.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY		11,473	89.8		396	24.1
PREGNANCY		11,513	90.1		431	26.2
PREGNANCY		12,147	95.0		1,038	63.2
OBSTETRIC PROCEDURES		11,278	88.2		352	21.4
COMPLICATIONS OF LABOR AND/OR DELIVERY		11,476	89.8		396	24.1
CONGENITAL ANOMALIES OF FETUS		12,782	100.0		1,643	100.0
UNDERLYING CAUSE OF DEATH		12,782	100.0		1,643	100.0

 $<sup>^{\</sup>mbox{\scriptsize 1}}$  NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NORTH CAROLINA	968			935		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		24 151 17	2.5 15.6 1.8		23 149 17	2.5 15.9 1.8
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		62 77	6.4 8.0		60 72	6.4 7.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 82	0.1 8.5		0 80	0.0 8.6
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 74 13	0.0 7.6 1.3		0 74 13	0.0 7.9 1.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		20 23 28	2.1 2.4 2.9		20 23 27	2.1 2.5 2.9
FATHER RACEAGE		405 430 440 405	41.8 44.4 45.5 41.8		387 411 422 387	41.4 44.0 45.1 41.4
MEDICAL RISK FACTORS		10	1.0		10	1.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		30 34 224	3.1 3.5 23.1		29 33 216	3.1 3.5 23.1
OBSTETRIC PROCEDURES		11	1.1		11	1.2
COMPLICATIONS OF LABOR AND/OR DELIVERY		14	1.4		14	1.5
CONGENITAL ANOMALIES OF FETUS		14	1.4		14	1.5
UNDERLYING CAUSE OF DEATH		968	100.0		935	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
NORTH DAKOTA	55			54		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		1 6 1	1.8 10.9 1.8		1 6 1	1.9 11.1 1.9
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		2	3.6 5.5		2 3	3.7 5.6
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1	1.8 5.5		0 2	0.0 3.7
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 5 4	0.0 9.1 7.3		0 5 4	0.0 9.3 7.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		12 12 17 14	21.8 21.8 30.9 25.5		12 12 17 14	22.2 22.2 31.5 25.9
MEDICAL RISK FACTORS		3	5.5		3	5.6
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		6 7 15	10.9 12.7 27.3		6 7 15	11.1 13.0 27.8
OBSTETRIC PROCEDURES		2	3.6		2	3.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		4	7.3		4	7.4
CONGENITAL ANOMALIES OF FETUS		11	20.0		10	18.5
UNDERLYING CAUSE OF DEATH		55	100.0		54	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
OHIO	1,090			1,041		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		8 169 6	0.7 15.5 0.6		7 164 6	0.7 15.8 0.6
PLACE OF DELIVERY		1	0.1		1	0.1
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		105 121	9.6 11.1		94 111	9.0 10.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		8 119	0.7 10.9		0 105	0.0 10.1
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		2 59 19	0.2 5.4 1.7		2 54 16	0.2 5.2 1.5
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		31 34 43	2.8 3.1 3.9		27 30 38	2.6 2.9 3.7
FATHER RACE		118 158 194 114	10.8 14.5 17.8 10.5		104 145 180 102	10.0 13.9 17.3 9.8
MEDICAL RISK FACTORS		69	6.3		55	5.3
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY		75	6.9		63	6.1
PREGNANCY WEIGHT GAIN DURING		101	9.3		88	8.5
PREGNANCY		329	30.2		312	30.0
OBSTETRIC PROCEDURES		69	6.3		57	5.5
COMPLICATIONS OF LABOR AND/OR DELIVERY		80	7.3		66	6.3
CONGENITAL ANOMALIES OF FETUS		107	9.8		92	8.8
UNDERLYING CAUSE OF DEATH		1,090	100.0		1,041	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
OKLAHOMA	317			303		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		317 150 150	100.0 47.3 47.3		303 150 150	100.0 49.5 49.5
PLACE OF DELIVERY		5	1.6		5	1.7
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		145 149	45.7 47.0		145 149	47.9 49.2
FETUS SEX1 BIRTH WEIGHT		0 97	0.0 30.6		0 96	0.0 31.7
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		2 113 317	0.6 35.6 100.0		2 112 303	0.7 37.0 100.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		117 117 116	36.9 36.9 36.6		117 117 116	38.6 38.6 38.3
FATHER RACEAGE		129 73 153 317	40.7 23.0 48.3 100.0		125 69 146 303	41.3 22.8 48.2 100.0
MEDICAL RISK FACTORS		317	100.0		303	100.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING		317	100.0		303	100.0
PREGNANCY WEIGHT GAIN DURING		317	100.0		303	100.0
PREGNANCY		317	100.0		303	100.0
OBSTETRIC PROCEDURES		317	100.0		303	100.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		317	100.0		303	100.0
CONGENITAL ANOMALIES OF FETUS		317	100.0		303	100.0
UNDERLYING CAUSE OF DEATH		317	100.0		303	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
OREGON	270			262		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 28 0	0.0 10.4 0.0		0 26 0	0.0 9.9 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		9	3.3 3.3		9	3.4 3.4
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 11	0.0 4.1		0	0.0 3.4
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 26 0	0.0 9.6 0.0		0 26 0	0.0 9.9 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		30 57 66 28	11.1 21.1 24.4 10.4		29 55 64 27	11.1 21.0 24.4 10.3
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY		6	2.2		5	1.9
PREGNANCY		55	20.4		52	19.8
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		270	100.0		262	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
PENNSYLVANIA	1,601			1,140		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		70 365 62	4.4 22.8 3.9		67 234 62	5.9 20.5 5.4
PLACE OF DELIVERY		9	0.6		6	0.5
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		244 244	15.2 15.2		171 178	15.0 15.6
FETUS SEX1BIRTH WEIGHT		112 273	7.0 17.1		0 174	0.0 15.3
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		1 296 41	0.1 18.5 2.6		1 175 33	0.1 15.4 2.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		68 69 69	4.2 4.3 4.3		58 59 60	5.1 5.2 5.3
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		216 371 389 188	13.5 23.2 24.3 11.7		120 231 239 113	10.5 20.3 21.0 9.9
MEDICAL RISK FACTORS		155	9.7		123	10.8
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY		185	11.6		136	11.9
PREGNANCY		201	12.6		146	12.8
PREGNANCY		715	44.7		470	41.2
OBSTETRIC PROCEDURES		99	6.2		82	7.2
COMPLICATIONS OF LABOR AND/OR DELIVERY		148	9.2		116	10.2
CONGENITAL ANOMALIES OF FETUS		282	17.6		209	18.3
UNDERLYING CAUSE OF DEATH		1,601	100.0		1,140	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
RHODE ISLAND	1,040			64		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		68 706 50	6.5 67.9 4.8		0 60 1	0.0 93.8 1.6
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		1,035 1,036	99.5 99.6		62 62	96.9 96.9
FETUS SEX <sup>1</sup> BIRTH WEIGHT		972 983	93.5 94.5		0 7	0.0 10.9
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		12 1,037 1,035	1.2 99.7 99.5		1 62 63	1.6 96.9 98.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		683 690 706	65.7 66.3 67.9		61 60 60	95.3 93.8 93.8
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		1,036 956 1,038 1,037	99.6 91.9 99.8 99.7		62 24 63 63	96.9 37.5 98.4 98.4
MEDICAL RISK FACTORS		979	94.1		51	79.7
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY		1,004 1,007	96.5 96.8		56 56	87.5 87.5
PREGNANCY		1,028	98.8		58	90.6
OBSTETRIC PROCEDURES		982	94.4		52	81.2
COMPLICATIONS OF LABOR AND/OR DELIVERY		999	96.1		51	79.7
CONGENITAL ANOMALIES OF FETUS		1,010	97.1		57	89.1
UNDERLYING CAUSE OF DEATH		1,040	100.0		64	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
SOUTH CAROLINA	509			487		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		4 62 3	0.8 12.2 0.6		4 60 3	0.8 12.3 0.6
PLACE OF DELIVERY		2	0.4		2	0.4
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		27 23	5.3 4.5		24 20	4.9 4.1
FETUS SEX <sup>1</sup> BIRTH WEIGHT		3 9	0.6 1.8		0	0.0 1.8
MOTHER  MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 33 7	0.0 6.5 1.4		0 32 6	0.0 6.6 1.2
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 5 3	0.6 1.0 0.6		3 5 3	0.6 1.0 0.6
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		280 294 296 274	55.0 57.8 58.2 53.8		268 280 282 261	55.0 57.5 57.9 53.6
MEDICAL RISK FACTORS		13	2.6		12	2.5
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		23 22 114	4.5 4.3 22.4		23 22 109	4.7 4.5 22.4
OBSTETRIC PROCEDURES		18	3.5		17	3.5
COMPLICATIONS OF LABOR AND/OR DELIVERY		5	1.0		5	1.0
CONGENITAL ANOMALIES OF FETUS		12	2.4		12	2.5
UNDERLYING CAUSE OF DEATH		509	100.0		487	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
SOUTH DAKOTA	48			48		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 2 0	0.0 4.2 0.0		0 2 0	0.0 4.2 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		0	0.0 0.0		0	0.0 0.0
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 1	0.0 2.1		0	0.0 2.1
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 1 0	0.0 2.1 0.0		0 1 0	0.0 2.1 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		4 8 8 4	8.3 16.7 16.7 8.3		4 8 8 4	8.3 16.7 16.7 8.3
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY  WEIGHT GAIN DURING PREGNANCY		48 48 4	100.0 100.0 8.3		48 48 4	100.0 100.0 8.3
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		48	100.0		48	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
TENNESSEE	440			433		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		13 103 10	3.0 23.4 2.3		13 101 10	3.0 23.3 2.3
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		37 50	8.4 11.4		37 50	8.5 11.5
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 4	0.2 0.9		0 4	0.0 0.9
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 38 18	0.0 8.6 4.1		0 38 17	0.0 8.8 3.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		7 9 12	1.6 2.0 2.7		7 9 12	1.6 2.1 2.8
FATHER RACEAGE		178 204 204 185	40.5 46.4 46.4 42.0		174 200 200 181	40.2 46.2 46.2 41.8
MEDICAL RISK FACTORS		9	2.0		9	2.1
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		36 41 154	8.2 9.3 35.0		36 41 152	8.3 9.5 35.1
OBSTETRIC PROCEDURES		16	3.6		16	3.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		18	4.1		18	4.2
CONGENITAL ANOMALIES OF FETUS		23	5.2		22	5.1
UNDERLYING CAUSE OF DEATH		440	100.0		433	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
TEXAS	2,007			1,895		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		130 447 115	6.5 22.3 5.7		129 412 115	6.8 21.7 6.1
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		301 312	15.0 15.5		281 291	14.8 15.4
FETUS SEX1 BIRTH WEIGHT		6 248	0.3 12.4		0 215	0.0 11.3
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		1,979 158 25	100.0 7.9 1.2		1,869 149 25	100.0 7.9 1.3
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		33 34 50	1.6 1.7 2.5		31 31 49	1.6 1.6 2.6
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		230 295 357 231	11.5 14.7 17.8 11.5		223 283 342 223	11.8 14.9 18.0 11.8
MEDICAL RISK FACTORS		231	11.5		221	11.7
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY		162	8.1		148	7.8
PREGNANCY WEIGHT GAIN DURING		208	10.4		192	10.1
PREGNANCY		853	42.5		808	42.6
OBSTETRIC PROCEDURES		50	2.5		47	2.5
COMPLICATIONS OF LABOR AND/OR DELIVERY		76	3.8		70	3.7
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		2,007	100.0		1,895	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
UTAH	266			249		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 45 0	0.0 16.9 0.0		0 43 0	0.0 17.3 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		12 15	4.5 5.6		12 15	4.8 6.0
FETUS SEX1BIRTH WEIGHT		0 24	0.0 9.0		0 21	0.0 8.4
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 34 7	0.0 12.8 2.6		0 34 7	0.0 13.7 2.8
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		3 3 3	1.1 1.1 1.1		3 3 3	1.2 1.2 1.2
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		37 44 64 36	13.9 16.5 24.1 13.5		31 38 58 30	12.4 15.3 23.3 12.0
MEDICAL RISK FACTORS		7	2.6		7	2.8
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING		14 14	5.3 5.3		13 13	5.2 5.2
PREGNANCY		46	17.3		42	16.9
OBSTETRIC PROCEDURES		4	1.5		4	1.6
COMPLICATIONS OF LABOR AND/OR DELIVERY		1	0.4		1	0.4
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		266	100.0		249	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
VERMONT	33			33		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 4 0	0.0 12.1 0.0		0 4 0	0.0 12.1 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		5 3	15.2 9.1		5 3	15.2 9.1
FETUS SEX1 BIRTH WEIGHT		0	0.0 18.2		0	0.0 18.2
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 0 1	0.0 0.0 3.0		0 0 1	0.0 0.0 3.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		0 0 0	0.0 0.0 0.0		0 0 0	0.0 0.0 0.0
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		1 2 3 2	3.0 6.1 9.1 6.1		1 2 3 2	3.0 6.1 9.1 6.1
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY		1 2	3.0 6.1		1 2	3.0 6.1
WEIGHT GAIN DURING PREGNANCY		9	27.3		9	27.3
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		3	9.1		3	9.1
UNDERLYING CAUSE OF DEATH	_	33	100.0		33	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
VIRGINIA	7,986			724		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		795 2,269 726	10.0 28.4 9.1		13 132 12	1.8 18.2 1.7
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE MONTH BEGAN NUMBER OF VISITS		7,022 7,079	87.9 88.6		185 217	25.6 30.0
FETUS SEX1BIRTH WEIGHT		6,980 7,257	87.4 90.9		0 222	0.0 30.7
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		1 5,118 1,386	0.0 64.1 17.4		0 255 70	0.0 35.2 9.7
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1,101 1,258 1,199	13.8 15.8 15.0		31 54 42	4.3 7.5 5.8
FATHER RACE AGE EDUCATION HISPANIC ORIGIN		7,986 7,986 7,986 7,986	100.0 100.0 100.0 100.0		724 724 724 724	100.0 100.0 100.0 100.0
MEDICAL RISK FACTORS		6,944	87.0		178	24.6
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY		7,074	88.6		239	33.0
PREGNANCY WEIGHT GAIN DURING		7,097	88.9		249	34.4
PREGNANCY		7,505	94.0		418	57.7
OBSTETRIC PROCEDURES		6,959	87.1		179	24.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		6,991	87.5		188	26.0
CONGENITAL ANOMALIES OF FETUS		7,071	88.5		245	33.8
UNDERLYING CAUSE OF DEATH		7,986	100.0		724	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
WASHINGTON	454			446		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		23 139 13	5.1 30.6 2.9		23 139 13	5.2 31.2 2.9
PLACE OF DELIVERY		1	0.2		1	0.2
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		106 109	23.3 24.0		103 106	23.1 23.8
FETUS SEX <sup>1</sup> BIRTH WEIGHT		1 84	0.2 18.5		0 82	0.0 18.4
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 108 57	0.0 23.8 12.6		0 107 57	0.0 24.0 12.8
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		34 34 34	7.5 7.5 7.5		34 34 34	7.6 7.6 7.6
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		77 100 133 94	17.0 22.0 29.3 20.7		77 98 131 94	17.3 22.0 29.4 21.1
MEDICAL RISK FACTORS		60	13.2		60	13.5
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCYALCOHOL USE DURING		59	13.0		58	13.0
PREGNANCY WEIGHT GAIN DURING		132	29.1		130	29.1
PREGNANCY		249	54.8		242	54.3
OBSTETRIC PROCEDURES		54	11.9		54	12.1
COMPLICATIONS OF LABOR AND/OR DELIVERY		84	18.5		84	18.8
CONGENITAL ANOMALIES OF FETUS		109	24.0		108	24.2
UNDERLYING CAUSE OF DEATH		454	100.0		446	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
WEST VIRGINIA	148			148		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 19 0	0.0 12.8 0.0		0 19 0	0.0 12.8 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		14 22	9.5 14.9		14 22	9.5 14.9
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 5	0.0 3.4		0 5	0.0 3.4
MOTHER MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 8 0	0.0 5.4 0.0		0 8 0	0.0 5.4 0.0
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 1 2	0.7 0.7 1.4		1 1 2	0.7 0.7 1.4
FATHER RACE		25 29 37 23	16.9 19.6 25.0 15.5		25 29 37 23	16.9 19.6 25.0 15.5
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS  TOBACCO USE DURING PREGNANCY  ALCOHOL USE DURING PREGNANCY		9	6.1 7.4		9	6.1 7.4
WEIGHT GAIN DURING PREGNANCY		56	37.8		56	37.8
OBSTETRIC PROCEDURES		1	0.7		1	0.7
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		1	0.7		1	0.7
UNDERLYING CAUSE OF DEATH		148	100.0		148	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
WISCONSIN	421			411		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		1 32 0	0.2 7.6 0.0		1 32 0	0.2 7.8 0.0
PLACE OF DELIVERY		0	0.0		0	0.0
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		13 12	3.1 2.9		12 11	2.9 2.7
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 7	0.0 1.7		0 5	0.0 1.2
MOTHER  MARITAL STATUSEDUCATIONHISPANIC ORIGIN		0 18 8	0.0 4.3 1.9		0 18 8	0.0 4.4 1.9
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 1 2	0.2 0.2 0.5		1 1 2	0.2 0.2 0.5
FATHER RACE AGE AGE EDUCATION HISPANIC ORIGIN		164 170 168 165	39.0 40.4 39.9 39.2		158 164 162 159	38.4 39.9 39.4 38.7
MEDICAL RISK FACTORS		0	0.0		0	0.0
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		3 3 35	0.7 0.7 8.3		3 3 33	0.7 0.7 8.0
OBSTETRIC PROCEDURES		0	0.0		0	0.0
COMPLICATIONS OF LABOR AND/OR DELIVERY		0	0.0		0	0.0
CONGENITAL ANOMALIES OF FETUS		0	0.0		0	0.0
UNDERLYING CAUSE OF DEATH		421	100.0		411	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION

	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN	TOTAL DEATHS	NUMBER UNKNOWN	PERCENT UNKNOWN
WYOMING	41			41		
GESTATION CLINICAL ESTIMATEAS COMPUTEDCOMBINED		0 6 0	0.0 14.6 0.0		0 6 0	0.0 14.6 0.0
PLACE OF DELIVERY		1	2.4		1	2.4
PRENATAL CARE  MONTH BEGAN  NUMBER OF VISITS		2 2	4.9 4.9		2 2	4.9 4.9
FETUS SEX <sup>1</sup> BIRTH WEIGHT		0 1	0.0 2.4		0	0.0 2.4
MOTHER MARITAL STATUS EDUCATION HISPANIC ORIGIN		0 1 1	0.0 2.4 2.4		0 1 1	0.0 2.4 2.4
PREGNANCY HISTORY BORN LIVE, NOW LIVING BORN LIVE, NOW DEAD OTHER TERMINATIONS		1 1 1	2.4 2.4 2.4		1 1 1	2.4 2.4 2.4
FATHER RACEAGE		8 8 8	19.5 19.5 19.5 19.5		8 8 8 8	19.5 19.5 19.5 19.5
MEDICAL RISK FACTORS		1	2.4		1	2.4
OTHER RISK FACTORS TOBACCO USE DURING PREGNANCY ALCOHOL USE DURING PREGNANCY WEIGHT GAIN DURING PREGNANCY		2 2 7	4.9 4.9 17.1		2 2 7	4.9 4.9 17.1
OBSTETRIC PROCEDURES		1	2.4		1	2.4
COMPLICATIONS OF LABOR AND/OR DELIVERY		1	2.4		1	2.4
CONGENITAL ANOMALIES OF FETUS		1	2.4		1	2.4
UNDERLYING CAUSE OF DEATH		41	100.0		41	100.0

<sup>1</sup> NOT STATED SEX IS IMPUTED FOR FETAL DEATHS OF 20 WEEKS OR MORE GESTATION