

reasons therefor. If the petition is denied fully or in part, the petitioner may then file a supplemental petition, but no supplemental petition shall be considered unless it is received within 60 days from the date of the Deputy Administrator's notification concerning the original petition. The Deputy Administrator shall notify the petitioner in writing concerning the action taken in response to the supplemental petition, and shall state the reasons therefor.

(Information collection requirements were approved by the Office of Budget and Management under control number 0579-0076)

§ 356.8 Return procedure.

If, at the conclusion of proceedings, seized property is to be returned to the person determined to be the owner or agent thereof, the Deputy Administrator shall issue a letter or other document to the person determined to be owner or agent thereof authorizing its return. This letter shall be delivered personally or sent by registered or certified mail, return receipt requested, and shall identify the person determined to be the owner or agent, the seized property, and if appropriate, the bailee of the seized property. It shall also provide that upon presentation of the letter or other document and proper identification, and the signing of a receipt provided by Plant Protection and Quarantine, the seized property is authorized to be released.

§ 356.9 Filing of documents.

(a) Any document required by this subpart to be filed or served within a certain period of time, will be considered filed or served as of the time of receipt by the party with or upon whom filing or service is required.

(b) Saturdays, Sundays, and federal holidays shall be included in computing the time allowed for the filing or serving of any document or paper; except that when such time expires on a Saturday, Sunday or federal holiday, such period shall be extended to include the next following business day.

PART 360—NOXIOUS WEED REGULATIONS

Sec.

360.100 Definitions.

360.200 Designation of noxious weeds.

360.300 General prohibitions and restrictions on the movement of noxious weeds; permits.

AUTHORITY: 7 U.S.C. 7701-7772 and 7781-7786; 7 CFR 2.22, 2.80, and 371.3.

§ 360.100 Definitions.

(a) As used in this part, words in the singular form shall be deemed to import the plural and vice versa, as the case may require.

(b) As used in this part, the terms as defined in section 3 of the Act (7 U.S.C. 2802) shall apply with equal force and effect. In addition and except as may be provided otherwise in this part the following words shall be construed, respectively, to mean:

Department. The U.S. Department of Agriculture.

Deputy Administrator. The Deputy Administrator of the Plant Protection and Quarantine Programs of the Animal and Plant Health Inspection Service of the Department, or any other officer or employee of the Plant Protection and Quarantine Programs to whom authority has heretofore been delegated or may hereafter be delegated to act in his stead.

Plant Protection and Quarantine Programs. The Plant Protection and Quarantine Programs, Animal and Plant Health Inspection Service of the Department.

[41 FR 49988, Nov. 12, 1976]

§ 360.200 Designation of noxious weeds.

As authorized under section 412 of the Plant Protection Act (7 U.S.C. 7712), the Secretary of Agriculture has determined that the following plants¹

¹One or more of the common names of weeds are given in parentheses after most scientific names to help identify the weeds represented by such scientific names; however, a scientific name is intended to include all weeds within the genus or species represented by the scientific name, regardless of whether the common name or names are as

Continued

or plant products fall within the definition of “noxious weed” as defined in section 403 of the Act (7 U.S.C. 7702(10)). Accordingly, the dissemination in the United States of the following plants or plant products may reasonably be expected to have the effects specified in section 403 of the Act:

(a) *Aquatic and wetland weeds:*

Azolla pinnata R. Brown (mosquito fern, water velvet)
Caulerpa taxifolia (Mediterranean clone)
Eichornia azurea (Swartz) Kunth (anchored waterhyacinth, rooted waterhyacinth)
Hydrilla verticillata (Linnaeus f.) Royle (hydrilla)
Hygrophila polysperma T. Anderson (Miramar weed)
Ipomoea aquatica Forsskal (water-spinach, swamp morning-glory)
Lagarosiphon major (Ridley) Moss
Limnophila sessiliflora (Vahl) Blume (ambulia)
Melaleuca quinquinervia (Cav.) Blake (broad-leaf paper bark tree).
Monochoria hastata (Linnaeus) Solms-Laubach
Monochoria vaginalis (Burman f.) C. Presl
Ottelia alismoides (L.) Pers.
Sagittaria sagittifolia Linnaeus (arrowhead)
Salvinia auriculata Aublet (giant salvinia)
Salvinia biloba Raddi (giant salvinia)
Salvinia herzogii de la Sota (giant salvinia)
Salvinia molesta D.S. Mitchell (giant salvinia)
Solanum tampicense Dunal (wetland nightshade)
Sparganium erectum Linnaeus (exotic bur-reed)

(b) *Parasitic weeds:*

Aeginetia spp.
Alectra spp.
Cuscuta spp. (dodders), other than following species:
Cuscuta americana Linnaeus
Cuscuta appplanata Engelm
Cuscuta approximata Babington
Cuscuta attenuata Waterfall
Cuscuta boldinghii Urban
Cuscuta brachycalyx (Yuncker) Yuncker
Cuscuta californica Hooker & Arnott
Cuscuta campestris Yuncker
Cuscuta cassytoides Nees ex Engelm
Cuscuta ceanothii Behr
Cuscuta cephalanthii Engelm
Cuscuta compacta Jussieu
Cuscuta corylii Engelm
Cuscuta cuspidata Engelm
Cuscuta decipiens Yuncker
Cuscuta dentatasquamata Yuncker
Cuscuta denticulata Engelm

comprehensive in scope as the scientific name.

Cuscuta epilinum Weihe
Cuscuta epithymum (Linnaeus) Linnaeus
Cuscuta erosa Yuncker
Cuscuta europaea Linnaeus
Cuscuta exalta Engelm
Cuscuta fasciculata Yuncker
Cuscuta glabrior (Engelm) Yuncker
Cuscuta globulosa Bentham
Cuscuta glomerata Choisy
Cuscuta gronovii Willdenow
Cuscuta harperi Small
Cuscuta howelliana Rubtsoff
Cuscuta indecora Choisy
Cuscuta jepsonii Yuncker
Cuscuta leptantha Engelm
Cuscuta mitriformis Engelm
Cuscuta nevadensis I. M. Johnston
Cuscuta obtusiflora Humboldt, Bonpland, & Kunth
Cuscuta occidentalis Millspaugh ex Mill & Nuttall
Cuscuta odontolepis Engelm
Cuscuta pentagona Engelm
Cuscuta planiflora Tenore
Cuscuta plattensis A. Nelson
Cuscuta polygonorum Engelm
Cuscuta rostrata Shuttleworth ex Engelm
Cuscuta runyonii Yuncker
Cuscuta salina Engelm
Cuscuta sandwichiana Choisy
Cuscuta squamata Engelm
Cuscuta suaveolens Seringe
Cuscuta suksdorfii Yuncker
Cuscuta tuberculata Brandegee
Cuscuta umbellata Humboldt, Bonpland, & Kunth
Cuscuta umbrosa Beyrich ex Hooker
Cuscuta vetchii Brandegee
Cuscuta warneri Yuncker
Orobanch spp. (broomrapes), other than the following species:
Orobancha bulbosa (Gray) G. Beck
Orobancha californica Schlechtendal & Chamisso
Orobancha cooperi (Gray) Heller
Orobancha corymbosa (Rydberg) Ferris
Orobancha dugesii (S. Watson) Munz
Orobancha fasciculata Nuttall
Orobancha ludoviciana Nuttall
Orobancha multicaulis Brandegee
Orobancha parishii (Jepson) Heckard
Orobancha pinorum Geyer ex Hooker
Orobancha uniflora Linnaeus
Orobancha valida Jepson
Orobancha vallicola (Jepson) Heckard
Striga spp. (witchweeds)

(c) *Terrestrial weeds:*

Ageratina adenophora (Sprengel) King & Robinson (crofton weed)
Alternanthera sessilis (Linnaeus) R. Brown ex de Candolle (sessile joyweed)
Asphodelus fistulosus Linnaeus (onionweed)
Avena sterilis Linnaeus (including *Avena ludoviciana* Durieu) (animated oat, wild oat)

- Carthamus oxyacantha* M. Bieberstein (wild safflower)
Chrysopogon aciculatus (Retzius) Trinius (pilipiliula)
Commelina benghalensis Linnaeus (Benghal dayflower)
Crupina vulgaris Cassini (common crupina)
Digitaria scalarum (Schweinfurth) Chiovenda (African couchgrass, fingergrass)
Digitaria velutina (Forsskal) Palisot de Beauvois (velvet fingergrass, annual conchgrass)
Drymaria arenarioides Humboldt & Bonpland ex Roemer & Schultes (lightning weed)
Emex australis Steinheil (three-cornered jack)
Emex spinosa (Linnaeus) Campdera (devil's thorn)
Galega officinalis Linnaeus (goatsrue)
Heracleum mantegazzianum Sommier & Levier (giant hogweed)
Homeria spp.
Imperata brasiliensis Trinius (Brazilian satintail)
Imperata cylindrica (Linnaeus) Raeuschel (cogongrass)
Ischaemum rugosum Salisbury (murainograss)
Leptochloa chinensis (Linnaeus) Nees (Asian sprangletop)
Lycium ferocissimum Miers (African boxthorn)
Melastoma malabathricum Linnaeus
Mikania cordata (Burman f.) B. L. Robinson (mile-a-minute)
Mikania micrantha Humboldt, Bonpland, & Kunth
Mimosa invisa Martius (giant sensitive plant)
Mimosa pigra Linnaeus var. *pigra* (catclaw mimosa)
Nassella trichotoma (Nees) Hackel ex Arechavaleta (serrated tussock)
Opuntia aurantiaca Lindley (jointed prickly pear)
Oryza longistaminata A. Chevalier & Roehrich (red rice)
Oryza punctata Kotschy ex Steudel (red rice)
Oryza rufipogon Griffith (red rice)
Paspalum scrobiculatum Linnaeus (Kodo-millet)
Pennisetum clandestinum Hochstetter ex Chiovenda (kikuyugrass)
Pennisetum macrourum Trinius (African feathergrass)
Pennisetum pedicellatum Trinius (kyasumagrass)
Pennisetum polystachion (Linnaeus) Schultes (missiongrass, thin napiergrass)
Prosopis alpataco R. A. Philippi
Prosopis argentina Burkart
Prosopis articulata S. Watson
Prosopis burkartii Munoz
Prosopis caldenia Burkart
Prosopis calingastana Burkart
Prosopis campestris Grisebach
Prosopis castellanosii Burkart
Prosopis denudans Bentham
Prosopis elata (Burkart) Burkart
Prosopis farcta (Solander ex Russell) Macbride
Prosopis ferox Grisebach
Prosopis fiebrigii Harms
Prosopis hassleri Harms
Prosopis humilis Gillies ex Hooker & Arnott
Prosopis kuntzei Harms
Prosopis pallida (Humboldt & Bonpland ex Willdenow) Humboldt, Bonpland, & Kunth
Prosopis palmeri S. Watson
Prosopis reptans Bentham var. *reptans*
Prosopis rojasiana Burkart
Prosopis ruizlealii Burkart
Prosopis ruscifolia Grisebach
Prosopis sericantha Gillies ex Hooker & Arnott
Prosopis strombulifera (Lamarck) Bentham
Prosopis torquata (Cavanilles ex Lagasca y Segura) de Candolle
Rottboellia cochinchinensis (Lour.) W. Clayton
Rubus fruticosus Linnaeus (complex) (wild blackberry)
Rubus moluccanus Linnaeus (wild raspberry)
Saccharum spontaneum Linnaeus (wild sugarcane)
Salsola vermiculata Linnaeus (wormleaf salsola)
Setaria pallide-fusca (Schumacher) Stapf & Hubbard (cattail grass)
Solanum torvum Swartz (turkeyberry)
Solanum viarum Dunal (tropical soda apple)
Spermacoce alata (Aublet) de Candolle
Tridax procumbens Linnaeus (coat buttons)
Urochloa panicoides Beauvois (liverseed grass)

[48 FR 20039, May 4, 1983, as amended at 49 FR 25223, June 20, 1984; 57 FR 8838, Mar. 13, 1992; 60 FR 35832, July 12, 1995; 64 FR 12883, Mar. 16, 1999; 65 FR 33743, May 25, 2000; 66 FR 21060, Apr. 27, 2001]

§ 360.300 General prohibitions and restrictions on the movement of noxious weeds; permits.

(a) No person may move a Federal noxious weed into or through the United States, or interstate, unless:

(1) He or she obtains a permit for such movement in accordance with paragraphs (b) through (e) of this section; and

(2) The movement is consistent with the specific conditions contained in the permit.

(b) The Deputy Administrator will issue a written permit for the movement of a noxious weed into or through the United States, or interstate, if application is made for such movement and if the Deputy Administrator determines that such movement, under conditions specified in the permit, would not involve a danger of dissemination of the noxious weed in the United

States, or interstate; otherwise such a permit will not be issued.

(c) All such permits issued shall contain in written form in the permit any conditions (other than those conditions specified in this part) under which the permit is to be granted, e.g. conditions with respect to shipment, storage, and destruction.

(d) If the permit is denied, the applicant shall be furnished the reasons therefor.

(e) The Deputy Administrator may revoke any outstanding permit issued under this section, and may deny future permit applications, if the Deputy Administrator determines that the issuee has failed to comply with any provision of the Act or this section, including conditions of any permit issued. Upon request, any permit holder will be afforded an opportunity for a hearing with respect to the merits or validity of any such revocation involving his or her permit.

(Approved by the Office of Management and Budget under control number 0579-0054)

[41 FR 49988, Nov. 12, 1976, as amended at 48 FR 57466, Dec. 30, 1983; 59 FR 67611, Dec. 30, 1994; 64 FR 41009, July 29, 1999]

PART 361—IMPORTATION OF SEED AND SCREENINGS UNDER THE FEDERAL SEED ACT

Sec.

- 361.1 Definitions.
- 361.2 General restrictions on the importation of seed and screenings.
- 361.3 Declarations and labeling.
- 361.4 Inspection at the port of first arrival.
- 361.5 Sampling of seeds.
- 361.6 Noxious weed seeds.
- 361.7 Special provisions for Canadian-origin seed and screenings.
- 361.8 Cleaning of imported seed and processing of certain Canadian-origin screenings.
- 361.9 Recordkeeping.
- 361.10 Costs and charges.

AUTHORITY: 7 U.S.C. 1581–1610; 7 CFR 2.22, 2.80, and 371.3.

SOURCE: 62 FR 48460, Sept. 16, 1997, unless otherwise noted.

§361.1 Definitions.

Terms used in the singular form in this part shall be construed as the plural, and vice versa, as the case may de-

mand. The following terms, when used in this part, shall be construed, respectively, to mean:

Administrator. The Administrator of the Animal and Plant Health Inspection Service, U.S. Department of Agriculture, or any other individual to whom the Administrator delegates authority to act in his or her stead.

Agricultural seed. The following kinds and varieties of grass, forage, and field crop seed that are used for seeding purposes in the United States:

Agrotricum—x *Agrotricum* Ciferri and Giacom.

Alfalfa—*Medicago sativa* L.

Alfileria—*Erodium cicutarium* (L.) L'Her.

Alyceclover—*Alysicarpus vaginalis* (L.) DC.

Bahiagrass—*Paspalum notatum* Fluegge

Barley—*Hordeum vulgare* L.

Barrelclover—*Medicago truncatula* Gaertn.

Bean, adzuki—*Vigna angularis* (Willd.) Ohwi and Ohashi

Bean, field—*Phaseolus vulgaris* L.

Bean, mung—*Vigna radiata* (L.) Wilczek

Beet, field—*Beta vulgaris* L. subsp. *vulgaris*

Beet, sugar—*Beta vulgaris* L. subsp. *vulgaris*

Beggarweed, Florida—*Desmodium tortuosum* (Sw.) DC.

Bentgrass, colonial—*Agrostis capillaris* L.

Bentgrass, creeping—*Agrostis stolonifera* L. var. *palustris* (Huds.) Farw.

Bentgrass, velvet—*Agrostis canina* L.

Bermudagrass—*Cynodon dactylon* (L.) Pers. var. *dactylon*

Bermudagrass, giant—*Cynodon dactylon* (L.)

Pers. var. *aridus* Harlan and de Wet

Bluegrass, annual—*Poa annua* L.

Bluegrass, bulbous—*Poa bulbosa* L.

Bluegrass, Canada—*Poa compressa* L.

Bluegrass, glaucantha—*Poa glauca* Vahl

Bluegrass, Kentucky—*Poa pratensis* L.

Bluegrass, Nevada—*Poa secunda* J.S. Presl

Bluegrass, rough—*Poa trivialis* L.

Bluegrass, Texas—*Poa arachnifera* Torr.

Bluegrass, wood—*Poa nemoralis* L.

Bluejoint—*Calamagrostis canadensis* (Michx.) P. Beauv.

Bluestem, big—*Andropogon gerardii* Vitm. var. *gerardii*

Bluestem, little—*Schizachyrium scoparium* (Michx.) Nash

Bluestem, sand—*Andropogon hallii* Hack.

Bluestem, yellow—*Bothriochloa ischaemum* (L.) Keng

Bottlebrush-squirreltail—*Elymus elymoides* (Raf.) Swezey

Brome, field—*Bromus arvensis* L.

Brome, meadow—*Bromus biebersteinii* Roem. and Schult.

Brome, mountain—*Bromus marginatus* Steud.

Brome, smooth—*Bromus inermis* Leyss.

Broomcorn—*Sorghum bicolor* (L.) Moench

Buckwheat—*Fagopyrum esculentum* Moench