

WEST PENINSULAR FLORIDA
VOLUME 2
ENVIRONMENTAL SENSITIVITY INDEX
METADATA

Prepared By:

Research Planning, Inc.
1200 Park Street
Columbia, South Carolina 29201 USA

FILE DESCRIBES: Digital data for 1996 West Peninsular Florida Volume 2 Environmental Sensitivity Index. Data were compiled and digitized at Research Planning, Inc., Columbia, South Carolina.

FILE CREATED BY: Joanne N. Halls, Director, GIS Department
Scott A. Zengel
Mark A. White
Research Planning, Inc.
Post Office Box 328
Columbia, SC 29202
Phone: (803) 256-7322
FAX: (803) 254-6445
email: joanne@rpi.columbia.sc.us

FILE CREATED ON: 19960808

COMMENTS: Information was developed using the U.S. Federal Geographic Data Committee's Content Standards for Digital Geospatial Metadata, June 8, 1994. The numbering scheme matches the Meta Data Standard in order to facilitate referencing definitions of the elements. The items in **bold** are required elements and the others are optional elements. The Spatial Data Transfer Standard, ver. 03/92, was referenced to properly identify the geographic entities.

TABLE OF CONTENTS

	Page
1.0. IDENTIFICATION INFORMATION	1
1.1. Citation	1
1.2. Description	2
1.3. Time Period of Content	2
1.4. Status	2
1.5. Spatial Domain	2
1.6. Keywords	3
1.7. Access Constraints	3
1.8. Use Constraints	3
1.11. Data Set Credit	3
1.13. Native Data Set Environment	4
2.0. DATA QUALITY INFORMATION	5
2.1. Attribute Accuracy	5
2.2. Logistical Consistency Report	5
2.3. Completeness Report	6
Shoreline Habitat Mapping	6
Sensitive Biological Resources	7
Human-Use Resources	10
2.4. Positional Accuracy	10
2.5. Lineage	11
2.5.1. Source Information: BIRDS	11
Source Information: ESI	12
Source Information: HABITATS	12
Source Information: HYDRO	13
Source Information: INDEX	13
Source Information: MGT	14
Source Information: M_MAMMALS	15
Source Information: NESTS	15
Source Information: REPTILES	16
Source Information: SHELLFISH	18
Source Information: SOCECON	19
Source Information: SOCECONP	20
Source Information: T_MAMMALS	20
3.0. SPATIAL DATA ORGANIZATION INFORMATION	25
3.2. Direct Spatial Reference Method	25
3.3. Point and Vector Object Information	25
4.0. SPATIAL REFERENCE INFORMATION	27
4.1. Horizontal Coordinate System Definition	27

TABLE OF CONTENTS (continued)

	Page
5.0. ENTITY AND ATTRIBUTE INFORMATION.....	29
5.1. Detailed Description: BIRDS.....	29
Detailed Description: ESI.....	31
Detailed Description: HABITATS	35
Detailed Description: HYDRO.....	37
Detailed Description: INDEX.....	39
Detailed Description: MGT	43
Detailed Description: M_MAMMALS.....	45
Detailed Description: NESTS	47
Detailed Description: REPTILES	51
Detailed Description: SHELLFISH.....	53
Detailed Description: SOCECON.....	55
Detailed Description: SOCECONP	57
Detailed Description: T_MAMMALS.....	59
6.0. DISTRIBUTION INFORMATION.....	61
6.1. Distributor.....	61
6.2. Resource Description.....	61
6.3. Distribution Liability	61
6.5. Custom Order Process.....	61
7.0. METADATA REFERENCE INFORMATION.....	63
7.1. Metadata Date.....	63
7.2. Metadata Review Date	63
7.4. Metadata Contact.....	63
7.5. Metadata Standard Name.....	63
7.6. Metadata Standard Version.....	63

LIST OF FIGURES

1	Relationship between biology coverages and attribute files	8
---	--	---

1.0. IDENTIFICATION INFORMATION

1.1. CITATION

1.1.1. ORIGINATOR:

Florida Department of Environmental Protection (FDEP), Florida Marine Research Institute (FMRI), 100 Eighth Avenue S.E., St. Petersburg, Florida 33701; and Research Planning, Inc., 1200 Park Street, Post Office Box 328, Columbia, South Carolina 29202

1.1.2. PUBLICATION DATE:

199608

1.1.4. TITLE:

Sensitivity of Coastal Environments and Wildlife to Spilled Oil: West Peninsular Florida Volume 2

1.1.5. EDITION:

First

1.1.6. GEOSPATIAL DATA PRESENTATION FORM:

Atlas

1.1.7. SERIES INFORMATION

1.1.7.1. SERIES NAME:

None

1.1.7.2. ISSUE IDENTIFICATION:

West Peninsular Florida Volume 2

1.1.8. PUBLICATION INFORMATION

1.1.8.1. PUBLICATION PLACE:

St. Petersburg, Florida

1.1.8.2. PUBLISHER:

Florida Department of Environmental Protection (FDEP),
Florida Marine Research Institute (FMRI)

1.1.9. OTHER CITATION DETAILS:

Prepared by Research Planning, Inc., Columbia, South Carolina for the Florida Department of Environmental Protection (FDEP), Florida Marine Research Institute (FMRI), St. Petersburg, Florida

1.1.11. LARGER WORK CITATION:

None

1.2. DESCRIPTION

1.2.1. ABSTRACT:

This data set comprises the Environmental Sensitivity Index (ESI) maps for the shoreline of West Peninsular Florida Volume 2. ESI data characterize coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats; sensitive biological resources; and human-use resources

1.2.2. PURPOSE:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources

1.3. TIME PERIOD OF CONTENT

1.3.1. TIME PERIOD INFORMATION

1.3.1.3. RANGE OF DATES/TIMES:

The intertidal habitats were mapped during aerial and ground surveys conducted 21-25 June 1993. The biological and human-use resources data were compiled by regional biologists in 1996. The dates for these data vary and are documented in Section 2.5.1

1.4. STATUS

1.4.1. PROGRESS:

Complete

1.4.2. MAINTENANCE AND UPDATE FREQUENCY:

None planned

1.5. SPATIAL DOMAIN

1.5.1. BOUNDING COORDINATES

1.5.1.1. WEST BOUNDING COORDINATE:

-82.625

1.5.1.2. EAST BOUNDING COORDINATE:

-80.875

1.5.1.3. NORTH BOUNDING COORDINATE:

27.250

1.5.1.4. SOUTH BOUNDING COORDINATE:

25.125

1.6 KEYWORDS

1.6.1. THEME

1.6.1.1. THEME KEYWORD THESAURUS:

None

1.6.1.2. THEME KEYWORD:

Sensitivity maps; ESI; coastal resources; oil spill planning; and coastal zone management

1.6.2. PLACE

1.6.2.1. THESAURUS:

None

1.6.2.2. PLACE KEYWORD:

The coastal areas from Sarasota Bay to Cape Sable, Florida

1.7. ACCESS CONSTRAINTS:

None

1.8. USE CONSTRAINTS:

DO NOT USE ESI MAPS FOR NAVIGATIONAL PURPOSES.

Besides the above warning, there are no use constraints on this data.

Acknowledgment of the Florida Department of Environmental Protection and other contributing sources would be appreciated in products derived from these data

1.11. DATA SET CREDIT:

This project was supported by the Florida Department of Environmental Protection (FDEP), Florida Marine Research Institute (FMRI). Henry Norris with FMRI's Coastal and Marine Resource Assessment (CAMRA) section served as contract manager for the project. Henry Norris, Chris Friel, Bill Sargent, and Robert Warford of CAMRA contributed significantly to the project.

Much of the biological data included on the maps were provided by FDEP scientists and resource managers. Digital data for the shoreline and seagrasses were provide by FDEP. Digital point data for birds and terrestrial mammals

were provided by the Florida Game and Fresh Water Fish Commission (FGFWFC) and the Florida Natural Areas Inventory (FNAI). Glenn Reynolds (FGFWFC) and Lance Peterson (FNAI) assisted with data transfer. Digital data for managed land boundaries were provided by FDEP and the Geoplan Center, Department of Urban and Regional Planning, University of Florida.

At Research Planning, Inc. (RPI), Joanne Halls and Scott Zengel were the project managers. Shoreline mapping was conducted by Miles O. Hayes, Jacqueline Michel, and Todd M. Montello under a previous contract. Biological and human-use resource data were collected and compiled by Scott Zengel. Mark White was the GIS coordinator and Lee Diveley, Kara Hastings, Christopher Locke, James Olsen, and William Holton entered the data and produced the final maps under the supervision of Joanne Halls. Systems administration was coordinated by William Holton. Graphics were provided by Joe Holmes and Rebecca Cox. Dot Zaino and Laura Brown prepared the final text.

1.13. NATIVE DATA SET ENVIRONMENT:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO (version 7.0.3) and ORACLE RDBMS (version 6.0.36.1.1). The hardware configuration is Hewlett Packard workstations (models 715/50 and 712/80 with 4 X-terminals) with unix operating system (HP-UX Release A.09.01). The following files are included in the data set: biores.dat.e00, birds.e00, esi.e00, habitats.e00, hydro.e00, index.e00, mgt.e00, m_mammals.e00, nests.e00, reptiles.e00, seasonality.dat.e00, shellfish.e00, socecon.dat.e00, socecon.e00, soceconp.e00, sources.dat.e00, species.dat.e00, t_mammals.e00, and turtles.dat.e00. The entire data set is approximately 40 megabytes.

2.0. DATA QUALITY INFORMATION

2.1. ATTRIBUTE ACCURACY

2.1.1. ATTRIBUTE ACCURACY REPORT:

The attribute accuracy is estimated to be “good” given the years of ESI experience, the data input methodology, the quality control review sessions, and the digital logical consistency checks.

2.2. LOGICAL CONSISTENCY REPORT:

The digitization of shoreline types, biological resources, and human-use resources is a complex and highly quality-controlled process. In order to facilitate digitizing, the entire study area is split into individual quadrangles using the INDEX coverage. The first layer of information digitized is the ESI shoreline. The ESI digitization was completed under a previous contract. In this project, the ESI data were checked for completeness and topological and logical consistency. Any errors in the shoreline classification are updated prior to digitization of the biological and socio-economic layers. All layers use the shoreline as the geographic reference so that there are no slivers in the geographic coordinates.

The hardcopy biological information is compiled onto 1:24,000 USGS topographic quadrangles by a biological expert using data from regional specialists in the form of maps, tables, charts, and written descriptions of wildlife distributions. Concurrently, digital data sources are imported, projected, checked for quality control, and integrated into our spatial data structure. The hardcopy data are digitized, checked using both digital and on-screen procedures, integrated with existing data, plotted, and sent out for review by the regional specialists. The edited maps are updated, checked once again, and the final product plotted (at approximately 1:50,000 scale). A team of specialists review the entire series of maps, check all data, and make final edits. The data are then merged to form the study-wide layers. The data merging includes a final quality control check where labels, chains, and polygons are checked for attribute accuracy.

To finalize the data checking process, each coverage is checked using a standardized form by two GIS personnel (a technician and the GIS manager), and each attribute database is checked using several programs which test the files for missing or duplicate data, rules for proper coding, GIS topological

consistencies (such as dangles, unnecessary nodes, etc.), and ORACLE to ARC/INFO inconsistencies. A final review is made by the GIS manager, where data is written to tape and metadata is written.

2.3. COMPLETENESS REPORT:

Shoreline Habitat Mapping:

The shoreline habitats of West Peninsular Florida Volume 2 were mapped during overflights conducted in June 1993. The surveys were conducted at elevations of 300-500 feet and slow air speed. An experienced coastal geologist delineated the coastal types directly onto 1:24,000 scale USGS topographic maps, using a standardized classification scheme. Where appropriate, multiple habitats were delineated for each shoreline segment. Relatively simple changes to the shoreline position and shape were made during the overflights. Where there were complex changes in the shoreline, the most current aerial photographs were used to update the shoreline and habitats on the topographic maps, particularly where new canals and marinas were built.

Prediction of the behavior and persistence of oil on intertidal habitats is based on an understanding of the dynamics of the coastal environments, not just the substrate type and grain size. The vulnerability of a particular intertidal habitat is an integration of the following factors:

- 1) Shoreline type (substrate, grain size, tidal elevation, origin)
- 2) Exposure to wave and tidal energy
- 3) Biological productivity and sensitivity
- 4) Ease of cleanup

All of these factors are used to determine the relative sensitivity of intertidal habitats. Key to the sensitivity ranking is an understanding of the relationships between: physical processes; substrate; shoreline type; product type; fate and effect; and sediment transport patterns. The intensity of energy expended upon a shoreline by wave action, tidal currents, and river currents directly affects the persistence of stranded oil. The need for shoreline cleanup activities is determined, in part, by the slowness of natural processes in removal of oil stranded on the shoreline.

These concepts have been used in the development of the ESI, which ranks shoreline environments as to their relative sensitivity to oil spills, potential

biological injury, and ease of cleanup. Generally speaking, areas exposed to high levels of physical energy, such as wave action and tidal currents, and low biological activity rank low on the scale, whereas sheltered areas with associated high biological activity have the highest ranking.

Sensitive Biological Resources:

Regional biologists compiled the biological data. These data denote the key biological resources that are most likely at risk in the event of an oil spill. Six major categories, or elements, of biological resources were considered during data compilation: birds, habitats, marine mammals, reptiles, shellfish, and terrestrial mammals.

Each ELEMENT corresponds to a coverage or geographic theme. There are also five attribute tables, BIORES.DAT, SEASONALITY.DAT, SOURCES.DAT, SPECIES.DAT, and TURTLES.DAT, that are used to store the complex biological data (Fig. 1). Each biological coverage (BIRDS, HABITATS, M_MAMMALS, NESTS, REPTILES, and T_MAMMALS) is linked to the Biological Resources table (BIORES.DAT) using the item RARNUM. The biological coverage REPTILES is also linked to the turtle survey data table (TURTLES.DAT) using the item ID. TURTLES.DAT can also be linked to BIORES.DAT using the item RARNUM. RARNUM is the resources at risk number and is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, S_SOURCE, and ELEMENT. The items in BIORES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be BLANK, LOW, MEDIUM, HIGH, VERY HIGH, or TRANSIENT, or an actual count of the number of species present in the polygon. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced.

The SEASONALITY.DAT table stores the monthly presence of each species and the characteristics of the presence (life history information). The BIORES.DAT table is linked to the SEASONALITY.DAT table using the




FIGURE 1. Relationships between biology coverages and attribute files.

SPECIES_ID, ELEMENT, and SEASON_ID items. The categories of the variables BREED1 through BREED4 for each ELEMENT are:

ELEMENT	BREED 1	BREED 2	BREED 3	BREED 4
BIRD	nesting	laying	hatching	fledging
M_MAMMAL	calving	pupping	molting	
REPTILE	nesting	hatching		
SHELLFISH	spawning	juvenile		

NOTE: There are no BREED variables for HABITATS or T_MAMMALS.

The SPECIES.DAT table contains the common name (NAME), the scientific name (GEN_SPEC), the state abbreviation (STATE), the state and federal status (S_F), the threatened or endangered status (T_E), the date of the status list (DATE_PUB), the biological element (ELEMENT), and the biological subelement (SUBELEMENT). The item SUBELEMENT refers to the grouping of the species:

ELEMENT	SUBELEMENT
BIRD	diving
	gull_tern
	passerine
	pelagic
	raptor
	shorebird
	wading
	waterfowl
	HABITAT
MARINE MAMMAL	manatee
REPTILE	alligator
	turtle
SHELLFISH	clam
	crab
	lobster
	shrimp
TERRESTRIAL MAMMAL	small mammals

In response to a special request from the state of Florida, additional turtle data was collected and digitized into the TURTLES.DAT table. An identifier which links the TURTLES.DAT table to the REPTILES coverage is ID. The value of ID is unique for each region. The items in TURTLES.DAT are: ID, RARNUM, SURVEY, COUNTY, and, NAME. RARNUM is a link to the BIORES.DAT table

and is identical to the values in REPTILES.DAT. The SURVEY identifies the survey source code, with SURVEY = 1 indicating 1994 FDEP surveyed beaches, SURVEY = 2 indicating 1995 surveyed beaches, SURVEY = 3 indicating nonsurveyed beaches with nesting information provided by an expert source, and SURVEY = 4 indicating pre-1994 surveyed beaches. The COUNTY and (surveyed beach NAME) correspond to fields in the FDEP Statewide Sea Turtle Nesting Database, allowing for future updating of nesting information. For SURVEY = 3 (expert source), “unsurveyed” is listed under NAME. The data is stored in TURTLES.DAT and is linked to the REPTILES coverage using the item ID.

Human-Use Resources:

Several human-use, or socio-economic, features are included in ESI atlases. Entity points and complete chains are digitized into the coverage SOCECON. In the Florida ESI, aquaculture sites and archaeological/historical sites were collected and digitized as complex polygons in the coverage SOCECONP. All managed lands are digitized as complex polygons (regions) in the MGT coverage. The coverages are linked to the database SOCECON.DAT using the item RARNUM.

The table SOCECON.DAT contains the RARNUM, the feature type, and the geographic and attribute sources for the features. The RARNUM value is distinguished from the biology RARNUM values by an “H” preceding the unique number.

2.4. POSITIONAL ACCURACY

2.4.1. HORIZONTAL POSITIONAL ACCURACY

2.4.1.1. HORIZONTAL POSITIONAL ACCURACY REPORT:

The ESI data uses USGS 1:24,000 topographic quadrangles as the base map. It is estimated that the ESI has a minimum mapping unit of 50 feet. The biological data sets are developed primarily using regional experts who estimate concentration areas. Unlike shorelines, which maintain relative spatial stability through time, the biological data by nature migrate across the landscape. Therefore, the 1:24,000 USGS quadrangles are used as a base map in gathering the data but the data have

“fuzzy” boundaries which must be understood when utilizing this information.

2.5. LINEAGE

2.5.1. SOURCE INFORMATION:

Coverage or theme name: BIRDS

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Kale, H.W. and D.S. Maehr	1990	Florida's Birds: A Handbook and Reference	Text	Pineapple Press, Inc., Sarasota, Fla., 288 pp.	N/A	N/A
U.S. Fish and Wildlife Service	1982	Gulf Coast Ecological Inventory	Hardcopy maps	U.S. Geological Survey, Reston, Va.	250000	1982
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994
Brakhage, D. FGFWFC (Tallahassee)	N/A	Regional Waterfowl Concentration Areas	Expert knowledge	N/A	N/A	1995
Jodice, P.G.R.	1992	Distribution of Wintering Loons in the Northeastern Gulf of Mexico	Text	Final Performance Report, Bureau of Non-game Wildlife, FGFWFC, Tallahassee, Fla., 11 pp.	N/A	1991-1992
Clark, J.	1976	The Sanibel Report, Formulation of a Comprehensive Plan Based on Natural Systems	Text and map graphics	The Conservation Foundation, Washington, D.C., 305 pp.	N/A	1976

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Everglades National Park	N/A	Nesting Sites for Bald Eagle, Osprey, and Colonial Waterbirds in Everglades National Park, Florida	Hardcopy maps	N/A	Varies	Historical-1995

2.5.1. SOURCE INFORMATION:

Coverage or theme name: ESI

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Research Planning, Inc.	N/A	ESI Shoreline	Digital complete chains	N/A	24000	1996
FDEP, FMRI (St. Petersburg)	N/A	ESI Shoreline	Digital complete chains	FMRI, St. Petersburg, Fla.	24000	1994
Marine Spill Response Corporation	N/A	ESI Shoreline	Digital complete chains	N/A	24000	1994
Research Planning, Inc.	N/A	ESI Shoreline	Maps	N/A	24000	1993

2.5.1. SOURCE INFORMATION:

Coverage or theme name: HABITATS

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
-------------------------	-------------------------------	--------------------	--	--------------------------------------	-------------------------------------	-------------------------------

FDEP, FMRI (St. Petersburg)	1988	Seagrass Dis- tribution in Lemon Bay	Digital complex polygons	FMRI, St. Petersburg, Fla.	24000	1987
--------------------------------	------	--	--------------------------------	----------------------------------	-------	------

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
FDEP, FMRI (St. Petersburg)	1994	Seagrass Distribution for Charlotte Harbor	Digital complex polygons	FMRI, St. Petersburg, Fla.	24000	1990
FDEP, FMRI (St. Petersburg)	1992-1993	Seagrass Distribution for South Florida	Digital complex polygons	FMRI, St. Petersburg, Fla.	40000	1982-1987

2.5.1. SOURCE INFORMATION:

Coverage or theme name: HYDRO

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
FDEP, FMRI (St. Petersburg)	1995	Shoreline	Digital complete chains	N/A	24000	Varies

2.5.1. SOURCE INFORMATION:

Coverage or theme name: INDEX

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Research Planning, Inc.	1996	Index for West Peninsular 2 Florida ESI Maps	Digital complex polygons	Joanne Halls, GIS Manager	24000	1996

2.5.1. SOURCE INFORMATION:

Coverage or theme name: MGT

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
University of Florida, Dept. of Urban and Regional Planning, Geoplan Center	1994	Florida Greenways Conservation Lands Database	Digital complex polygons	David Lambert, Database Manager	250000	1994
FDEP, FMRI (St. Petersburg)	N/A	Florida Aquatic Preserves	Digital complex polygons	FMRI, St. Petersburg, Fla.	24000	Unknown
Barrier Islands GEOpark Staff, FDEP (Boca Grande)	N/A	Port Charlotte Beach and Gasparilla Island State Recreation Areas, boundary maps	Hardcopy maps	N/A	Unknown	1996
Gibson, J. FDEP (Fort Myers)	N/A	Lovers Key State Recreation Area boundary map	Hardcopy maps	N/A	1 inch = 1,600 ft.	1996
U.S. Fish and Wildlife Service, J.N. "Ding" Darling NWR	N/A	Caloosahatchee NWR boundary map	Hardcopy map	N/A	1 inch = 20 miles	Unknown
Nottingham, B. U.S. Fish and Wildlife Service (Naples)	N/A	Proposed Boundaries for 10,000 Islands NWR	Expert knowledge	N/A	N/A	1996
FDEP, FMRI (St. Petersburg)	N/A	Rookery Bay NERR boundaries	Digital complex polygons	N/A	Unknown	Unknown

2.5.1. SOURCE INFORMATION:

Coverage or theme name: M_MAMMALS

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Weigle, B., R. Flamm, and L. Ward FDEP, FMRI (St. Petersburg)	N/A	Interpolated Manatee Concentration Areas in Florida	Digital complex polygons	N/A	40000	1985-1993
Koelsch, J. Mote Marine Laboratory (Sarasota)	N/A	Mote Marine Lab Manatee Survey Data	Expert knowledge	N/A	N/A	Unknown
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994
Everglades National Park	N/A	Manatee Aerial Surveys for Everglades National Park	Hardcopy maps	N/A	150000	1991-1992

2.5.1. SOURCE INFORMATION:

Coverage or theme name: NESTS

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
FGFWFC, Nongame Wildlife Program, (Tallahassee)	N/A	Wildlife Observation Database	Digital ASCII tables	Glenn Reynolds, Database Manager	Unknown	1994

Florida Natural Areas Inventory (Tallahassee)	N/A	Rare and Endangered Element Occurrence Database	Digital ASCII tables	Lance Peterson, Database Manager	Unknown	1995
---	-----	---	----------------------	----------------------------------	---------	------

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Kale, H.W. and D.S. Maehr	1990	Florida's Birds: A Handbook and Reference	Text	Pineapple Press, Inc., Sarasota, Fla., 288 pp.	N/A	N/A
Everglades National Park	N/A	Nesting Sites for Bald Eagle, Osprey, and Colonial Waterbirds in Everglades National Park, Florida	Hardcopy maps	N/A	Varies	Historical-1995
Williams, A. FGFWFC (Tallahassee)	N/A	Bird Concentration Updates to the USCG COTP Tampa, Area Response Plan Maps	Hardcopy maps	N/A	Varies	1996
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994

2.5.1. SOURCE INFORMATION:

Coverage or theme name: REPTILES

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
-------------------------	-------------------------------	--------------------	--	--------------------------------------	-------------------------------------	-------------------------------

WEST PENINSULAR FLORIDA VOLUME 2 METADATA

Meylan, A., B. Schroeder, and A. Mosier	1995	Sea Turtle Nesting Ac- tivity in the State of Florida, 1979- 1992	Text and hardcopy tables	FMRI, Publication No. 52, FDEP, FMRI, St. Petersburg, Fla., 51 pp.	N/A	1979-1995
---	------	--	--------------------------------	---	-----	-----------

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Foley, A. FDEP, FMRI (St. Petersburg)	N/A	Sea Turtle In-water Area for Southwest Florida	Expert knowledge	N/A	N/A	1995
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994
Mazzotti, F. UF-IFAS (Davie)	N/A	American Crocodile Concentration and Nesting Areas for South Florida	Expert knowledge	N/A	N/A	1977-1996
Moler, P. FGFWFC (Gainesville)	N/A	American Crocodile Nesting Locations Along the Imperial River, Florida	Expert knowledge	N/A	N/A	1996
Snow, S. Everglades National Park (Homestead)	N/A	Unsurveyed Sea Turtle Nesting Beaches for Everglades National Park and 10,000 Islands	Expert knowledge	N/A	N/A	1996
Davis, G.E. and M.C. Whiting	1977	Loggerhead Sea Turtle Nesting in Everglades National Park, Florida, USA	Text	Herpetologica 33:18-28	N/A	1964-1973

2.5.1. SOURCE INFORMATION:

Coverage or theme name: SHELLFISH

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Steele, P. FDEP, FMRI (St. Petersburg)	N/A	Shrimp and Blue Crab Distributions for Florida	Expert knowledge	N/A	N/A	1995
NOAA, Strategic Assessment Branch	1985	Gulf of Mexico Coastal and Ocean Zones Strategic Assessment: Data Atlas	Maps	NOAA, Strategic Assessment Branch, Ocean Assessment Division, Rockville, Md.	4000000	1981-1983
Nelson, D.M. (Ed.)	1992	Distribution and Abundance of Fishes and Invertebrates in Gulf of Mexico Estuaries, Vol. I: Data Summaries	Text	ELMR Report No. 10, NOAA/NOS/SEA, Rockville, Md., 273 pp.	N/A	1989-1991
Berrigan, M. FDEP, Bureau of Marine Resource Regulation and Development (Tallahassee)	N/A	Aquaculture and Shellfish Lease Areas, and Oyster Seasonality and Spawning for Southwest Florida	Expert knowledge	N/A	N/A	1995
Arnold, W. FDEP, FMRI (St. Petersburg)	N/A	Hard Clam and Bay Scallop Areas in Southwest Florida	Expert knowledge	N/A	N/A	1996
Guillory, V., H.M. Perry, and R.L. Leard	1995	A Profile of the Western Gulf Stone Crab of the Gulf of Mexico	Text	Gulf States Marine Fisheries Commission, Ocean Springs, Miss.	N/A	1994

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Sargent, F. FDEP, FMRI (St. Petersburg)	N/A	Photointerpreted Oyster Bars and Other Features for Southwest Florida	Expert knowledge	N/A	Unknown	Unknown
Matthews, T. FDEP, FMRI (Marathon)	N/A	Spiny Lobster Concentrations for Southwest Florida	Expert knowledge	N/A	N/A	1995
Estevez, E. Mote Marine Laboratory (Sarasota)	N/A	Hard Clam Areas for Gasparilla Sound	Expert knowledge	N/A	N/A	1996
Rodriguez, C. FDEP (Murdock)	N/A	Hard Clam and American Oyster Beds in Southwest Florida	Expert knowledge	N/A	N/A	1996

2.5.1. SOURCE INFORMATION:

Coverage or theme name: SOCECON

2.5.1.1. SOURCE CITATION

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Delorme Mapping Company	1989	Florida Atlas and Gazetteer	Hardcopy maps	Delorme Mapping, Freeport, Maine, 127 pp.	150000	Unknown
U.S. Geological Survey	Varies	USGS 7.5-minute Topographic Quadrangles	Hardcopy maps	USGS, Reston, Va.	24000	Varies
Deloach, N.	1993	Diving Guide to Underwater Florida	Text and hardcopy maps	New World Publications, Jacksonville, Fla., 324 pp.	N/A	1993

Research Planning, Inc.	N/A	Boat Ramps and Marinas from Over-flight Maps	Hardcopy maps	N/A	24000	1993
-------------------------	-----	--	---------------	-----	-------	------

2.5.1.1.1	2.5.1.1.2	2.5.1.1.4	2.5.1.1.6	2.5.1.1.8	2.5.1.2	2.5.1.4
Originator	Publication Date	Title	Geospatial Data Presentation Form	Publication Information	Source Scale Denominator	Source Time Period
Coakley, L. Florida Power and Light (North Palm Beach)	N/A	Locations of Water Intakes for Florida Power and Light Power Plants	Hardcopy maps	N/A	Varies	1996

2.5.1. SOURCE INFORMATION:

Coverage or theme name: SOCECONP

2.5.1.1. SOURCE CITATION

2.5.1.1.1	2.5.1.1.2	2.5.1.1.4	2.5.1.1.6	2.5.1.1.8	2.5.1.2	2.5.1.4
Originator	Publication Date	Title	Geospatial Data Presentation Form	Publication Information	Source Scale Denominator	Source Time Period
Florida Bureau of Archaeological Research (Tallahassee)	N/A	Florida Archaeological Site File	Hardcopy maps	Fla. Dept. of State, Bureau of Archaeological Research, Tallahassee	24000	1995
Berrigan, M. FDEP, Bureau of Marine Resource Regulation and Development (Tallahassee)	N/A	Aquaculture and Shellfish Lease Areas, and Oyster Seasonality and Spawning for Southwest Florida	Expert knowledge	N/A	N/A	1995

2.5.1. SOURCE INFORMATION:

Coverage or theme name: T_MAMMALS

2.5.1.1. SOURCE CITATION

2.5.1.1.1	2.5.1.1.2	2.5.1.1.4	2.5.1.1.6	2.5.1.1.8	2.5.1.2	2.5.1.4
Originator	Publication Date	Title	Geospatial Data Presentation Form	Publication Information	Source Scale Denominator	Source Time Period

FGFWFC, Nongame Wild- life Program, (Tallahassee)	N/A	Wildlife Observation Database	Digital ASCII tables	Glenn Reynolds, Database Manager	N/A	1994
--	-----	-------------------------------------	-------------------------	---	-----	------

2.5.1.1.1 Originator	2.5.1.1.2 Publication Date	2.5.1.1.4 Title	2.5.1.1.6 Geospatial Data Presentation Form	2.5.1.1.8 Publication Information	2.5.1.2 Source Scale Denominator	2.5.1.4 Source Time Period
Florida Natural Areas Inventory (Tallahassee)	N/A	Rare and Endangered Element Occurrence Database	Digital ASCII tables	Lance Peterson, Database Manager	N/A	1995
Humphrey, S.R. (Ed.)	1992	Rare and Endangered Biota of Florida, Volume I, Mammals	Text	University Press of Florida, Gainesville, Fla., 392 pp.	N/A	1992
Wood, D.A.	1994	Official Lists of Endangered and Potentially Endangered Fauna and Flora in Florida	Text	Florida Game and Fresh Water Fish Commission, Tallahassee, Fla., 22 pp.	N/A	1994

2.5.2. PROCESS STEP

2.5.2.1. PROCESS DESCRIPTION:

The digitization of ESI, biological resources, and human-use resources is a complex and highly quality controlled process. In order to facilitate digitizing, the entire study area was split into individual quadrangles using a map index coverage. The first layer of information digitized is the shoreline with ESI classification. This layer was obtained from the Florida Marine Research Institute. The data were checked for completeness, topological and logical consistency, and edited for any error using the original overflight maps. Any errors in the shoreline classification were updated prior to digitization of the biological and human-use layers. All data use the shoreline as the geographic reference so that there are no slivers in the geographic layers. The biological information was compiled onto 1:24,000 USGS topographic quadrangles by an in-house biological expert using the data from regional specialists in the

form of maps, tables, charts, and written descriptions of wildlife distributions. Concurrently, all digital data was imported, merged into the spatial data structure, and checked for completeness. The hardcopy data were digitized, merged with existing digital data, checked using both digital and on-screen procedures, plotted, checked by the biological expert, edited to remove any errors, and plotted for review by the regional specialists. The reviewed maps were updated on the computer, checked once again, and plotted at final map scale. A team of specialists reviewed the entire series of maps, checked all data, and made final edits. The data were merged to form the study-wide layers which are described in this document. The data merging included a final quality control check where topological consistency, rules for geography, and database to geography were checked and validated for all relationships.

2.5.2.3. PROCESS DATE:

199607

2.5.2.6. PROCESS CONTACT

2.5.2.6.1. CONTACT PERSON PRIMARY

2.5.2.6.1.1. CONTACT PERSON:

Joanne Halls

2.5.2.6.1.2. CONTACT ORGANIZATION:

Research Planning, Inc.

2.5.2.6.3. CONTACT POSITION:

Director, GIS Department

2.5.2.6.4. CONTACT ADDRESS

2.5.2.6.4.1. ADDRESS TYPE:

Physical Address

2.5.2.6.4.2. ADDRESS:

1200 Park Street

2.5.2.6.4.3. CITY:

Columbia

2.5.2.6.4.4. STATE OR PROVINCE:

SC

2.5.2.6.4.5. POSTAL CODE:

29201

2.5.2.6.5. CONTACT VOICE TELEPHONE:

(803) 256-7322

2.5.2.6.7. CONTACT FACSIMILE TELEPHONE:

(803) 254-6445

2.5.2.6.8. CONTACT ELECTRONIC MAIL ADDRESS:

joanne@rpi.columbia.sc.us

This page intentionally left
blank

3.0. SPATIAL DATA ORGANIZATION INFORMATION**3.2. DIRECT SPATIAL REFERENCE METHOD:**

Vector

3.3. POINT AND VECTOR OBJECT INFORMATION**3.3.1. SDTS TERMS DESCRIPTION:****3.3.1.1. SDTS POINT AND VECTOR OBJECT TYPE, and****3.3.1.2. POINT AND VECTOR OBJECT COUNT:**

Theme	Universe Polygon	GT-Polygons	G-Polygons	Area Points	Complete Chains	Line Segments	Label Points	Entity Points	Nodes
BIRDS	1	6	2,461	2,461	2,961	291,899			2,868
ESI	1		2,821	2,821	8,161	308,681			7,819
HABITATS	1	3	1,592	1,592	1,794	162,856			1,697
HYDRO	1		2,545	2,545	4,134	290,798	266		3,891
INDEX	1		45	45	100	124			56
MGT	1	28	1,294	1,294	1,729	143,512			1,526
M_MAMMALS	1	9	2,109	2,109	2,554	264,867			2,507
NESTS								552	
REPTILES	1	138	1,973	1,973	3,235	210,188			2,673
SHELLFISH	1	14	2,423	2,423	2,914	289,157			2,839
SOCECON					55	72		208	230
SOCECONP	1		456	456	472	15,462			472
T_MAMMALS								2	

This page intentionally left
blank

4.0. SPATIAL REFERENCE INFORMATION

4.1. HORIZONTAL COORDINATE SYSTEM DEFINITION

4.1.2. PLANAR

4.1.2.1. MAP PROJECTION

4.1.2.1.1. MAP PROJECTION NAME:

ALBERS

4.1.2.1.2. MAP PROJECTION PARAMETERS :

4.1.2.1.2.1. 1ST STANDARD PARALLEL:

24.0

4.1.2.1.2.2. 2ND STANDARD PARALLEL:

31.5

4.1.2.1.2.3. CENTRAL MERIDIAN:

-84.0

4.1.2.1.2.4. LATITUDE OF PROJECTION

ORIGIN:

24.0

4.1.2.1.2.5. FALSE EASTING:

400,000

4.1.2.1.2.6. FALSE NORTHING:

0

4.1.2.1.2.7. SCALE FACTOR AT CENTRAL

MERIDIAN:

Unknown

4.1.2.4. PLANAR COORDINATE INFORMATION

4.1.2.4.1. PLANAR COORDINATE ENCODING METHOD:

Coordinate Pair

4.1.2.4.2. COORDINATE REPRESENTATION:

4.1.2.4.2.1. ABSCISSA RESOLUTION:

50 feet

4.1.2.4.2.2. ORDINATE RESOLUTION:

50 feet

4.1.4. GEODETIC MODEL

4.1.4.1. HORIZONTAL DATUM NAME:

North American Datum of 1983

4.1.4.2. ELLIPSOID NAME:

GRS 1980

4.1.4.3. SEMI-MAJOR AXIS:

Unknown

4.1.4.4. DENOMINATOR OF FLATTENING RATIO:

Unknown

5.0. ENTITY AND ATTRIBUTE INFORMATION

5.1. DETAILED DESCRIPTION: BIRDS

The coverage BIRDS contains regions (polygons) with bird species.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, and S_SOURCE. The items in BIORES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH, or an actual count of the numbers of species present in the polygon. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following bird species are found in the BIRDS coverage of the West Peninsular Florida Volume 2 atlas:

SPECIES ID	NAME
1	Common loon
8	Double-crested cormorant
17	Northern pintail
20	Northern shoveler
23	Lesser scaup
26	Bufflehead
33	Red-breasted merganser
77	Osprey
118	Brown pelican
124	Redhead
167	Northern gannet
190	Blue-winged teal
192	Common moorhen
211	Mottled duck
1,003	Waterfowl

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: ESI

The coverage ESI contains arc (Complete Chain) and polygon (GT-Polygon) features for the ESI shoreline classification. The classification of the features is based upon *Guidelines for Developing Digital Environmental Sensitivity Index Atlases and Data-bases* (Michel, J. and J. Dahlin, 1993, Hazardous Materials Response and Assessment Division, NOAA). The ESI classification was performed in June, 1993.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Complete Chain</u>	ESI character
	SOURCE_ID integer
<u>GT-Polygon</u>	ESI character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

ESI

5.1.2.2. ATTRIBUTE DEFINITION:

The item ESI contains values according to the ESI ranking of the shorelines and polygons. The ESI rankings progress from low to high susceptibility to oil spills. In many cases, the shorelines are also ranked with multiple codes such as 10A/5. The first number is the most landward shoreline type, fringing wetlands, with mixed sand and gravel beaches being the shoreline type closest to the water. The West Peninsular Florida Volume 2 shoreline types are listed below.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:	5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:
1	Exposed Vertical Rocky Shores/Seawalls
1/3	Exposed Vertical Rocky Shores/Seawalls/Fine-grained Sand Beaches
1/4	Exposed Vertical Rocky Shores/Seawalls/Coarse-grained Sand Beaches

ENUMERATED DOMAIN VALUE:	ENUMERATED DOMAIN VALUE DEFINITION:
2	Exposed Rocky Platforms
2/4	Exposed Rocky Platforms/ Coarse-grained Sand Beaches
3	Fine-grained Sand Beaches
3/10A	Fine-grained Sand Beaches/ Exposed Marshes and/ or Mangroves
4	Coarse-grained Sand Beaches
4/1	Coarse-grained Sand Beaches/ Exposed Vertical Rocky Shores/ Seawalls
4/2	Coarse-grained Sand Beaches/ Exposed Rocky Platforms
4/6	Coarse-grained Sand Beaches/ Gravel Beaches/ Riprap
4/10A	Coarse-grained Sand Beaches/ Exposed Marshes and/ or Mangroves
5	Mixed Sand and Gravel Beaches/ Fill
5/10A	Mixed Sand and Gravel Beaches/ Fill/ Exposed Marshes and/ or Mangroves
6	Gravel Beaches/ Riprap
6/3	Gravel Beaches/ Riprap/ Fine-grained Sand Beaches
6/4	Gravel Beaches/ Riprap/ Coarse-grained Sand Beaches
7	Exposed Tidal Flats
7/4	Exposed Tidal Flats/ Coarse-grained Sand Beaches
8	Sheltered Rocky Shores/ Seawalls/ Vegetated Banks
8/3	Sheltered Rocky Shores/ Seawalls/ Vegetated Banks/ Fine- grained Beaches
9	Sheltered Tidal Flats
10A	Exposed Marshes and/ or Mangroves
10A/3	Exposed Marshes and/ or Mangroves/ Fine-grained Sand Beaches
10A/4	Exposed Marshes and/ or Mangroves/ Coarse-grained Sand Beaches
10A/5	Exposed Marshes and/ or Mangroves/ Mixed Sand and Gravel Beaches/ Fill
10E	Sheltered Marshes and/ or Mangroves
10E/3	Sheltered Marshes and/ or Mangroves/ Fine-grained Sand Beaches
10E/4	Sheltered Marshes and/ or Mangroves/ Coarse-grained Sand Beaches

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:ordinal

5.1.2.1. ATTRIBUTE LABEL:

SOURCE_ID

5.1.2.2. ATTRIBUTE DEFINITION:

Data source for the ESI

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

**5.1.2.4.1.1. ENUMERATED
DOMAIN VALUE:**

**5.1.2.4.1.2. ENUMERATED DOMAIN
VALUE DEFINITION:**

0	Digital
---	---------

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

This page intentionally left
blank

5.1. DETAILED DESCRIPTION: HABITATS

The coverage HABITATS contains the regions (polygons) with plant species.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIoRES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, and S_SOURCE. The items in BIoRES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and is blank for the HABITATS coverage. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the HABITATS coverage of the West Peninsular Florida Volume 2 atlas:

SPECIES ID	NAME
85	Seagrass

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: HYDRO

The coverage HYDRO contains polygonal water and land features. This coverage was created using the digital shoreline provided by the Florida Department of Environmental Protection. This coverage contains all annotation used in producing the atlas. The annotation features are categorized into three subclasses in order to simplify the mapping and quality control procedures: geog or geographic features, soc or socio-economic features, and hydro or water features.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:

5.1.1.2. ENTITY TYPE DEFINITION:

GT-Polygon

WATER_CODE character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

WATER_CODE

5.1.2.2. ATTRIBUTE DEFINITION:

Specifies a polygon as either water or land

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:

5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:

L
W

Land
Water

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

This page intentionally left
blank

5.1. DETAILED DESCRIPTION: INDEX

The coverage INDEX contains polygons with the map boundaries for each quad/ map in the atlas.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	TILE-NAME character
	TOPO-NAME character
	SCALE integer
	MAPANGLE fraction
	PAGESIZE character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

TILE-NAME

5.1.2.2. ATTRIBUTE DEFINITION:

The TILE-NAME contains the map number according to the specified layout of the atlas. During the map production process the value of TILE-NAME is plotted on the map product to order the maps in a coherent manner. The values for each polygon are unique and range from 1 through 45.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:ordered

5.1.2.1. ATTRIBUTE LABEL:

TOPO-NAME

5.1.2.2. ATTRIBUTE DEFINITION:

USGS 1:24,000 topographic map name. Some polygons straddle two or more maps and all map names are included in this attribute. The date (latest/ revised) of the USGS maps are also included in this field.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

ALLIGATOR BAY, FLA. (1973)
BELLE MEADE, FLA. (1987)
BIRD KEYS, FLA. (1992)
BOKEELIA, FLA. (1987)
BONITA SPRINGS, FLA. (1987)
CAPE ROMANO, FLA. (1973)
CAPTIVA, FLA. (1987)
CHOKOLOSKEE, FLA. (1974)
EL JOBEAN, FLA. (1987)
ENGLEWOOD, FLA. (1987)
ENGLEWOOD NW, FLA. (1987)
ESTERO, FLA. (1987)
EVERGLADES CITY, FLA. (1974)
FORT MYERS, FLA. (1987)
FORT MYERS BEACH, FLA. (1987)
FORT MYERS NW, FLA. (1987)
FORT MYERS SW, FLA. (1987)
HARNEY RIVER, FLA. (1972)
LAKE INGRAHAM WEST, FLA. (1972)
LAUREL, FLA. (1987)
LOSTMANS RIVER RANGER STATION, FLA. (1973)
MARCO ISLAND, FLA. (1973)
MATLACHA, FLA. (1987)
MURDOCK, FLA. (1987)
MYAKKA RIVER, FLA. (1987)
NAPLES NORTH, FLA. (1987)
NAPLES SOUTH, FLA. (1987)
PANTHER KEY, FLA. (1974)
PAVILION KEY, FLA. (1973)
PINE ISLAND CENTER, FLA. (1987)
PLACIDA, FLA. (1987)
PLOVER KEY, FLA. (1973)
PORT BOCA GRANDE, FLA. (1987)
PUNTA GORDA, FLA. (1987)
PUNTA GORDA SE, FLA. (1987)
PUNTA GORDA SW, FLA. (1987)
ROYAL PALM HAMMOCK, FLA. (1973)
SANIBEL, FLA. (1987)
SHARK POINT, FLA. (1972)

SHARK RIVER ISLAND, FLA. (1972)
VENICE, FLA. (1987)
WEAVERS STATION, FLA. (1972)
WHITEWATER BAY EAST, FLA. (1972)
WHITEWATER BAY WEST, FLA. (1979)
WULFERT, FLA. (1987)
YANKEETOWN, FLA. (1993)

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1.2.1. ATTRIBUTE LABEL:

SCALE

5.1.2.2. ATTRIBUTE DEFINITION:

SCALE contains the value of the denominator of the scale at which the INDEX polygon is plotted in the final map product.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:

50,000
54,000

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:ordinal

5.1.2.1. ATTRIBUTE LABEL:

MAPANGLE

5.1.2.2. ATTRIBUTE DEFINITION:

MAPANGLE contains a value to rotate the final map product so that it is situated straight up and down.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:

-1.424
-1.365
-1.307

-1.249

-1.133

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:

-1.075
-1.017
-0.958
-0.952
-0.900
-0.842
-0.784
-0.726
-0.668

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:ordinal

5.1.2.1. ATTRIBUTE LABEL:

PAGESIZE

5.1.2.2. ATTRIBUTE DEFINITION:

PAGESIZE contains the value of the width and height of the map in the final map product.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:

11,17

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: MGT

The coverage MGT contains the regions (polygons) for the managed lands data.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygons</u>	SOCECON character RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

SOCECON

5.1.2.2. ATTRIBUTE DEFINITION:

Identifies a region with a type of managed land. This attribute allows direct access to the type of feature instead of linking to the more detailed SOCECON.DAT table.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:	5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:
MS	Marine Sanctuary
P	State Park
NP	National Park
WR	Wildlife Refuge

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the SOCECON.DAT table. The table SOCECON.DAT contains the feature type, the name of the feature, the geographic source, and the attribute source. The RARNUM value is distinguished from the biology RARNUM values by an "H" preceding the unique number.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: M_MAMMALS

The coverage M_MAMMALS contains the regions (polygons) with marine mammal species.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, and S_SOURCE. The items in BIORES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, HIGH, or VERY HIGH. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the M_MAMMALS coverage of the West Peninsular Florida Volume 2 atlas:

SPECIES ID	NAME
10	West Indian manatee

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: NESTS

The coverage NEST contains entity points representing nesting sites.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Entity Point</u>	RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, and S_SOURCE. The items in BIORES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can HIGH or an actual count of the numbers of species present in the polygon. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following bird species are found in the NESTS coverage of the West Peninsular Florida Volume 2 atlas:

SPECIES ID	NAME
8	Double-crested cormorant
40	Ring-billed gull

SPECIES ID	NAME
45	Common tern
54	Great blue heron
55	Whimbrel
56	Spotted sandpiper
58	Greater yellowlegs
59	Lesser yellowlegs
60	Red knot
62	Least sandpiper
63	Dunlin
64	Short-billed dowitcher
66	Western sandpiper
67	Sanderling
69	Semipalmated plover
70	Killdeer
71	Black-bellied plover
73	Ruddy turnstone
76	Bald eagle
77	Osprey
86	Least tern
87	Little blue heron
88	Great egret
89	Snowy egret
90	Black-crowned night heron
93	Cattle egret
94	Tricolored heron
95	Roseate tern
97	Green-backed heron
98	Laughing gull
107	Peregrine falcon
115	White ibis
116	Roseate spoonbill
118	Brown pelican
119	Magnificent frigatebird
120	Yellow-crowned night heron
121	Anhinga
132	Wood stork
133	Black skimmer
135	Sandwich tern
136	Caspian tern
137	Royal tern
138	Forster's tern
139	Snowy plover
152	American oystercatcher
153	Piping plover

154	Wilson's plover
155	Willet
156	Semipalmated sandpiper
163	Reddish egret

SPECIES ID	NAME
164	Lesser-golden plover
173	American white pelican
196	Common snipe
209	Long-billed curlew
210	Marbled godwit
213	Stilt sandpiper
214	Solitary sandpiper
238	White-rumped sandpiper
286	Dowitcher
290	Peep
292	Sharp-tailed sandpiper
295	Florida scrub jay
297	White-crowned pigeon
1,001	Gulls
1,002	Shorebirds
1,004	Wading birds
1,006	Diving birds
1,008	Terns

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE

DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

This page intentionally left
blank

5.1. DETAILED DESCRIPTION: REPTILES

The coverage REPTILES contains the regions (polygons) with reptile species.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	ID character RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

ID

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the TURTLES.DAT table. The value of ID is unique for each region. The items in TURTLES.DAT are: ID, RARNUM, SURVEY, COUNTY, and NAME.

RARNUM is a link to the BIORES.DAT table and is identical to the values in REPTILES.DAT. The SURVEY identifies the survey source code, with SURVEY = 1 indicating 1994 FDEP surveyed beaches, SURVEY = 2 indicating 1995 surveyed beaches, SURVEY = 3 indicating nonsurveyed beaches with nesting information provided by an expert source, and SURVEY = 4 indicating pre-1994 surveyed beaches. The COUNTY and (surveyed beach NAME) correspond to fields in the FDEP Statewide Sea Turtle Nesting Database, allowing for future updating of nesting information. For SURVEY = 3 (expert source), "unsurveyed" is listed under NAME.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, and S_SOURCE. The items in BIORES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, HIGH or TRANSIENT. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the REPTILES coverage of the West Peninsular Florida Volume 2 atlas:

SPECIES ID	NAME
1	American crocodile
2	Green sea turtle
4	Kemp's ridley sea turtle
6	Loggerhead sea turtle

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: SHELLFISH

The coverage SHELLFISH contains the regions (polygons) with shellfish species.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>GT-Polygon</u>	RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, and S_SOURCE. The items in BIORES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and can be LOW, MEDIUM, or HIGH. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the SHELLFISH coverage of the West Peninsular Florida Volume 2 atlas:

SPECIES ID	NAME
4	Pink shrimp
41	Atlantic bay scallop
43	American oyster (eastern)
49	Blue crab
72	Spiny lobster
74	Stone crab
100	Quahog spp. (hard clam)

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: SOCECON

The coverage SOCECON contains the entity points and complete chains for the human use data.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:	
<u>Complete Chain</u>	SOCECON	character
<u>Entity Point</u>	SOCECON	character
	RARNUM	character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

SOCECON

5.1.2.2. ATTRIBUTE DEFINITION:

Identifies a line or point with a socio-economic, or human-use, feature. This attribute defines all feature types in the coverage.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:	5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:
A	Airport – Points
B	Beach – Points
BR	Boat Ramp – Points
DV	Diving – Points
M	Marina – Points
R	Bridge - Chains
WI	Water Intake – Points

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the SOCECON.DAT table. The table SOCECON.DAT contains the RARNUM, the feature type (SOC_TYPE), the facility name (NAME), the geographic source (G_SOURCE), and the attribute source (A_SOURCE). The RARNUM value is distinguished from the biology RARNUM values by an "H" preceding the unique number.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: SOCECONP

The coverage SOCECONP contains polygons for archaeological/historical and aquaculture sites.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Complex Polygon</u>	SOCECON RARNUM
	character character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

SOCECON

5.1.2.2. ATTRIBUTE DEFINITION:

Identifies polygons with a socio-economic, or human-use, feature. This attribute defines all feature types in the coverage.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.1. ENUMERATED DOMAIN VALUE:	5.1.2.4.1.2. ENUMERATED DOMAIN VALUE DEFINITION:
AS	Archaeological/ Historical Site – Polygons
AQ	Aquaculture Site – Polygons

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the SOCECON.DAT table. The table SOCECON.DAT contains the RARNUM, the feature type (SOC_TYPE), the facility name (NAME), the geographic source (G_SOURCE), and the attribute source (A_SOURCE). The

RARNUM value is distinguished from the biology RARNUM values by an "H" preceding the unique number.

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

**5.1.2.4.1.3. ENUMERATED DOMAIN VALUE
DEFINITION SOURCE:**

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

5.1. DETAILED DESCRIPTION: T_MAMMALS

The coverage T_MAMMALS contains points with terrestrial mammal species.

5.1.1. ENTITY TYPES:

5.1.1.1. ENTITY TYPE LABEL:	5.1.1.2. ENTITY TYPE DEFINITION:
<u>Entity Point</u>	RARNUM character

5.1.2. ATTRIBUTES:

5.1.2.1. ATTRIBUTE LABEL:

RARNUM

5.1.2.2. ATTRIBUTE DEFINITION:

An identifier which links to the BIORES.DAT table. The value of RARNUM is determined for each unique combination of SPECIES_ID, SEASON_ID, CONC, G_SOURCE, and S_SOURCE. The items in BIORES.DAT are: RARNUM, SPECIES_ID, CONC, SEASON_ID, G_SOURCE, S_SOURCE, and ELEMENT. SPECIES_ID is the numeric identifier of each species and is unique within each ELEMENT. CONC is the concentration of the species and is blank for T_MAMMALS coverages. SEASON_ID contains a numeric value according to the monthly presence of the species. Usually, there is one seasonality per species, but occasionally the same species has different monthly presence or breeding activity. When this occurs, a new record with a different seasonality is referenced. G_SOURCE is a variable which links to the SOURCES.DAT table and references the source for geographic information. S_SOURCE is a variable which also links to the SOURCES.DAT table and references the source for seasonality information.

The following species are found in the T_MAMMALS coverage of the West Peninsular Florida Volume 2 atlas:

SPECIES ID	NAME
79	Southern mink

5.1.2.3. ATTRIBUTE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.4.1.3. ENUMERATED DOMAIN VALUE DEFINITION SOURCE:

Research Planning, Inc.

5.1.2.5. ATTRIBUTE UNITS OF MEASUREMENT:nominal

6.0. DISTRIBUTION INFORMATION

6.1. DISTRIBUTOR

6.1.1. CONTACT PERSON PRIMARY

6.1.1.1. CONTACT PERSON:

Joanne Halls

6.1.1.2. CONTACT ORGANIZATION:

Research Planning, Inc.

6.1.4. CONTACT ADDRESS

6.1.4.1. ADDRESS TYPE:

Physical Address

6.1.4.2. ADDRESS:

1200 Park Street

6.1.4.3. CITY:

Columbia

6.1.4.4. STATE OR PROVINCE:

SC

6.1.4.5. POSTAL CODE:

29201

6.1.5. CONTACT VOICE TELEPHONE:

(803) 256-7322

6.1.7. CONTACT FACSIMILE TELEPHONE:

(803) 254-6445

6.2. RESOURCE DESCRIPTION:

ESI Atlas for West Peninsular Florida Volume 2

6.3. DISTRIBUTION LIABILITY:

Although this data has been processed successfully on a computer system at Research Planning, Inc., no warranty, expressed or implied, is made by Research Planning, Inc. regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. Research Planning, Inc. warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

6.5. CUSTOM ORDER PROCESS

Contact Research Planning, Inc. for distribution options (see 6.1.1.).

This page intentionally left
blank

7.0. METADATA REFERENCE INFORMATION

7.1. METADATA DATE:

19960808

7.2. METADATA REVIEW DATE:

19941115

7.4. METADATA CONTACT

7.4.1. CONTACT PERSON PRIMARY

7.4.1.1. CONTACT PERSON:

Joanne Halls

7.4.1.2. CONTACT ORGANIZATION:

Research Planning, Inc.

7.4.3. CONTACT POSITION:

Director, GIS Department

7.4.4. CONTACT ADDRESS

7.4.4.1. ADDRESS TYPE:

Physical Address

7.4.4.2. ADDRESS:

1200 Park Street

7.4.4.3. CITY:

Columbia

7.4.4.4. STATE OR PROVINCE:

South Carolina

7.4.4.5. POSTAL CODE:

29201

7.4.5. CONTACT VOICE TELEPHONE:

(803) 256-7322

7.4.7. CONTACT FACSIMILE TELEPHONE:

(803) 254-6445

7.4.8. CONTACT ELECTRONIC MAIL ADDRESS:

joanne@rpi.columbia.sc.us

7.5. METADATA STANDARD NAME:

Content Standards for Digital Geospatial Metadata

7.6. METADATA STANDARD VERSION:

19940608

This page intentionally left
blank