

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total*	18-24	17,706	8.4	0.33	(7.8 - 9.1)		2,226,886	(2,052,033 - 2,401,738)
U.S. Total*	25-34	35,756	7.3	0.22	(6.8 - 7.7)		2,789,519	(2,617,940 - 2,961,098)
U.S. Total*	35-44	43,698	6.9	0.20	(6.5 - 7.3)		2,978,311	(2,806,636 - 3,149,986)
U.S. Total*	45-54	40,065	7.2	0.23	(6.8 - 7.7)		2,771,156	(2,593,790 - 2,948,521)
U.S. Total*	55-64	26,565	7.4	0.26	(6.9 - 7.9)		1,906,305	(1,772,718 - 2,039,893)
U.S. Total*	65+	38,468	6.5	0.21	(6.1 - 6.9)		2,378,421	(2,225,523 - 2,531,319)
AL	18-24	253	6.4	1.62	(3.2 - 9.6)		28,778	(14,002 - 43,555)
AL	25-34	484	6.0	1.22	(3.6 - 8.4)		36,321	(21,570 - 51,072)
AL	35-44	562	5.8	1.10	(3.6 - 7.9)		37,568	(23,242 - 51,894)
AL	45-54	565	6.5	1.09	(4.4 - 8.6)		38,892	(25,850 - 51,933)
AL	55-64	359	8.7	1.52	(5.7 - 11.7)		36,488	(23,632 - 49,343)
AL	65+	541	5.6	1.08	(3.5 - 7.7)		33,293	(20,321 - 46,265)
AK	18-24	299	7.3	2.06	(3.2 - 11.3)		4,184	(1,760 - 6,607)
AK	25-34	510	5.5	1.39	(2.8 - 8.3)		5,289	(2,643 - 7,934)
AK	35-44	750	7.4	1.31	(4.8 - 9.9)		8,026	(5,152 - 10,900)
AK	45-54	687	10.0	2.29	(5.5 - 14.5)		8,581	(4,412 - 12,750)
AK	55-64	351	5.4	1.80	(1.8 - 8.9)		2,670	(881 - 4,459)
AK	65+	234	8.3	2.61	(3.1 - 13.4)		3,330	(1,164 - 5,496)
AZ	18-24	324	9.0	2.06	(4.9 - 13.0)		43,441	(23,086 - 63,796)
AZ	25-34	531	5.9	1.17	(3.6 - 8.2)		42,298	(25,746 - 58,850)
AZ	35-44	585	9.9	2.39	(5.2 - 14.6)		76,684	(37,464 - 115,903)
AZ	45-54	564	8.8	1.69	(5.5 - 12.1)		55,807	(33,961 - 77,653)
AZ	55-64	490	7.0	1.66	(3.7 - 10.2)		31,975	(16,584 - 47,365)
AZ	65+	698	9.5	1.65	(6.2 - 12.7)		64,524	(41,266 - 87,782)
AR	18-24	256	6.8	2.16	(2.5 - 11.0)		17,052	(5,893 - 28,211)
AR	25-34	476	5.1	1.05	(3.0 - 7.1)		17,686	(10,326 - 25,046)
AR	35-44	577	8.4	1.32	(5.8 - 11.0)		31,365	(21,236 - 41,495)
AR	45-54	577	7.0	1.38	(4.3 - 9.7)		24,551	(14,688 - 34,413)
AR	55-64	420	6.8	1.31	(4.2 - 9.4)		17,588	(10,703 - 24,473)
AR	65+	591	7.7	1.21	(5.3 - 10.1)		31,373	(21,328 - 41,417)
CA	18-24	404	6.3	1.29	(3.8 - 8.9)		192,462	(114,175 - 270,750)
CA	25-34	819	7.4	0.99	(5.5 - 9.4)		355,431	(259,867 - 450,994)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	35-44	923	6.9	0.86	(5.2 - 8.6)		381,816	(287,354 - 476,278)
CA	45-54	765	7.5	1.12	(5.3 - 9.7)		346,575	(241,830 - 451,320)
CA	55-64	508	6.6	1.24	(4.1 - 9.0)		182,307	(113,480 - 251,133)
CA	65+	743	8.0	1.13	(5.8 - 10.2)		292,621	(209,578 - 375,663)
CO	18-24	211	9.7	2.26	(5.2 - 14.2)		37,578	(19,545 - 55,610)
CO	25-34	418	8.5	1.44	(5.6 - 11.3)		52,280	(34,286 - 70,274)
CO	35-44	478	7.3	1.26	(4.8 - 9.8)		51,914	(33,866 - 69,963)
CO	45-54	371	9.3	1.66	(6.0 - 12.6)		56,905	(36,145 - 77,666)
CO	55-64	241	7.5	1.82	(3.9 - 11.1)		29,159	(14,860 - 43,458)
CO	65+	277	6.6	1.75	(3.2 - 10.1)		31,488	(14,473 - 48,503)
CT	18-24	533	11.5	1.66	(8.2 - 14.7)		33,318	(23,325 - 43,311)
CT	25-34	1,341	9.1	0.85	(7.5 - 10.8)		40,957	(33,269 - 48,646)
CT	35-44	1,722	7.6	0.71	(6.2 - 9.0)		41,786	(33,944 - 49,628)
CT	45-54	1,503	8.3	0.86	(6.6 - 10.0)		39,503	(31,110 - 47,896)
CT	55-64	1,048	6.8	0.86	(5.1 - 8.5)		22,425	(16,719 - 28,130)
CT	65+	1,438	5.5	0.67	(4.1 - 6.8)		25,607	(19,297 - 31,916)
DE	18-24	302	13.1	2.70	(7.8 - 18.4)		10,374	(5,825 - 14,922)
DE	25-34	562	8.3	1.65	(5.1 - 11.5)		8,838	(5,224 - 12,452)
DE	35-44	741	6.9	1.19	(4.5 - 9.2)		8,388	(5,454 - 11,321)
DE	45-54	671	6.5	1.23	(4.1 - 8.9)		6,843	(4,235 - 9,450)
DE	55-64	464	6.7	1.45	(3.9 - 9.6)		4,988	(2,803 - 7,172)
DE	65+	735	4.9	0.94	(3.0 - 6.7)		5,102	(3,145 - 7,059)
DC	18-24	174	8.9	2.28	(4.4 - 13.4)		5,003	(2,429 - 7,578)
DC	25-34	426	7.6	1.51	(4.6 - 10.6)		6,507	(3,896 - 9,118)
DC	35-44	357	6.5	1.51	(3.6 - 9.5)		6,376	(3,403 - 9,349)
DC	45-54	383	8.5	1.48	(5.6 - 11.4)		6,596	(4,284 - 8,907)
DC	55-64	223	7.7	2.35	(3.1 - 12.3)		4,265	(1,581 - 6,949)
DC	65+	277	5.6	1.64	(2.3 - 8.8)		4,037	(1,627 - 6,447)
FL	18-24	391	5.7	1.18	(3.4 - 8.0)		70,154	(40,937 - 99,370)
FL	25-34	763	6.1	0.96	(4.2 - 8.0)		127,665	(87,255 - 168,075)
FL	35-44	888	5.3	0.91	(3.6 - 7.1)		123,320	(81,141 - 165,499)
FL	45-54	847	6.0	0.87	(4.3 - 7.7)		122,748	(87,296 - 158,199)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	55-64	574	7.1	1.17	(4.8 - 9.4)		115,511	(77,140 - 153,881)
FL	65+	1,118	4.8	0.67	(3.5 - 6.1)		145,583	(105,415 - 185,751)
GA	18-24	410	8.1	1.87	(4.4 - 11.7)		65,725	(34,718 - 96,732)
GA	25-34	880	7.1	1.20	(4.8 - 9.5)		86,054	(56,519 - 115,588)
GA	35-44	1,029	6.7	0.95	(4.9 - 8.6)		88,466	(63,152 - 113,780)
GA	45-54	907	6.5	1.21	(4.2 - 8.9)		74,209	(46,118 - 102,300)
GA	55-64	568	8.5	1.60	(5.3 - 11.6)		61,929	(37,809 - 86,049)
GA	65+	679	7.0	1.21	(4.6 - 9.3)		61,482	(39,701 - 83,262)
HI	18-24	329	8.6	1.98	(4.7 - 12.5)		9,302	(4,902 - 13,702)
HI	25-34	768	5.1	0.88	(3.4 - 6.9)		8,848	(5,833 - 11,862)
HI	35-44	965	9.7	1.74	(6.3 - 13.1)		18,224	(11,359 - 25,090)
HI	45-54	999	9.4	1.29	(6.9 - 12.0)		15,111	(10,887 - 19,335)
HI	55-64	561	6.4	1.27	(3.9 - 8.9)		7,979	(4,824 - 11,133)
HI	65+	818	4.8	0.99	(2.9 - 6.8)		7,559	(4,453 - 10,665)
ID	18-24	484	6.6	1.45	(3.7 - 9.4)		7,916	(4,385 - 11,447)
ID	25-34	856	9.1	1.10	(6.9 - 11.3)		15,014	(11,311 - 18,717)
ID	35-44	1,004	8.3	0.96	(6.5 - 10.2)		15,431	(11,858 - 19,004)
ID	45-54	864	5.5	0.83	(3.9 - 7.1)		9,446	(6,603 - 12,288)
ID	55-64	618	9.8	1.38	(7.0 - 12.5)		11,173	(7,960 - 14,386)
ID	65+	952	8.8	1.05	(6.7 - 10.8)		14,051	(10,627 - 17,475)
IL	18-24	368	11.3	1.87	(7.6 - 15.0)		133,229	(87,490 - 178,968)
IL	25-34	761	8.4	1.18	(6.1 - 10.7)		141,970	(101,392 - 182,547)
IL	35-44	827	7.8	1.02	(5.8 - 9.8)		149,523	(110,234 - 188,812)
IL	45-54	779	6.6	1.06	(4.6 - 8.7)		114,659	(77,413 - 151,905)
IL	55-64	512	8.5	1.29	(5.9 - 11.0)		95,878	(66,545 - 125,210)
IL	65+	737	5.8	0.93	(4.0 - 7.6)		92,799	(62,967 - 122,631)
IN	18-24	374	7.2	1.29	(4.7 - 9.8)		44,388	(28,469 - 60,308)
IN	25-34	730	6.9	1.13	(4.7 - 9.2)		55,264	(37,015 - 73,513)
IN	35-44	828	7.6	1.02	(5.6 - 9.6)		68,210	(49,576 - 86,844)
IN	45-54	780	8.8	1.09	(6.7 - 11.0)		73,883	(55,328 - 92,438)
IN	55-64	500	6.5	1.14	(4.3 - 8.7)		36,270	(23,479 - 49,061)
IN	65+	737	8.0	1.07	(5.9 - 10.1)		64,052	(46,659 - 81,446)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IA	18-24	310	10.8	2.05	(6.8 - 14.9)		31,276	(18,885 - 43,667)
IA	25-34	526	7.5	1.17	(5.2 - 9.8)		27,417	(18,745 - 36,088)
IA	35-44	716	6.5	1.07	(4.4 - 8.6)		26,555	(17,624 - 35,485)
IA	45-54	649	7.0	1.15	(4.7 - 9.3)		26,678	(17,815 - 35,542)
IA	55-64	499	2.8	0.67	(1.5 - 4.1)		7,549	(3,988 - 11,111)
IA	65+	883	6.0	0.88	(4.3 - 7.8)		27,244	(19,317 - 35,172)
KS	18-24	431	12.5	2.38	(7.8 - 17.2)		32,421	(19,193 - 45,649)
KS	25-34	837	7.7	0.94	(5.9 - 9.6)		27,413	(20,711 - 34,116)
KS	35-44	982	7.1	0.83	(5.4 - 8.7)		28,188	(21,563 - 34,812)
KS	45-54	885	6.9	0.96	(5.0 - 8.8)		24,114	(17,332 - 30,897)
KS	55-64	536	8.6	1.27	(6.1 - 11.1)		20,123	(14,085 - 26,160)
KS	65+	866	7.7	1.00	(5.8 - 9.7)		28,803	(21,188 - 36,419)
KY	18-24	565	8.2	1.70	(4.9 - 11.6)		32,850	(18,847 - 46,853)
KY	25-34	1,242	7.1	0.88	(5.4 - 8.9)		38,118	(28,801 - 47,434)
KY	35-44	1,483	7.4	0.84	(5.8 - 9.1)		45,350	(35,155 - 55,545)
KY	45-54	1,440	7.9	0.95	(6.1 - 9.8)		44,721	(33,849 - 55,592)
KY	55-64	1,142	10.6	1.34	(7.9 - 13.2)		40,255	(29,692 - 50,818)
KY	65+	1,599	9.6	0.98	(7.7 - 11.5)		51,705	(40,984 - 62,427)
LA	18-24	584	5.8	1.09	(3.7 - 7.9)		26,011	(16,143 - 35,879)
LA	25-34	919	4.5	0.84	(2.9 - 6.2)		27,736	(17,463 - 38,008)
LA	35-44	1,026	5.2	0.74	(3.8 - 6.7)		33,619	(24,124 - 43,114)
LA	45-54	908	5.4	0.80	(3.8 - 7.0)		30,756	(21,616 - 39,897)
LA	55-64	635	5.2	0.88	(3.4 - 6.9)		19,659	(12,972 - 26,346)
LA	65+	855	6.1	0.90	(4.3 - 7.8)		31,793	(22,274 - 41,313)
ME	18-24	159	15.8	3.24	(9.5 - 22.2)		19,130	(10,692 - 27,568)
ME	25-34	358	8.7	1.50	(5.7 - 11.6)		13,963	(9,065 - 18,860)
ME	35-44	532	8.0	1.25	(5.6 - 10.5)		15,850	(10,838 - 20,862)
ME	45-54	515	8.3	1.36	(5.6 - 10.9)		14,952	(9,977 - 19,927)
ME	55-64	349	9.4	1.63	(6.1 - 12.6)		11,093	(7,141 - 15,046)
ME	65+	477	8.5	1.29	(6.0 - 11.1)		14,903	(10,312 - 19,494)
MD	18-24	324	9.6	1.91	(5.8 - 13.3)		43,796	(25,879 - 61,714)
MD	25-34	753	8.2	2.21	(3.8 - 12.5)		61,539	(26,559 - 96,519)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	35-44	1,046	5.2	0.77	(3.7 - 6.7)		45,257	(32,091 - 58,422)
MD	45-54	914	7.3	1.09	(5.2 - 9.5)		55,511	(38,762 - 72,259)
MD	55-64	589	8.5	1.52	(5.5 - 11.5)		44,052	(27,889 - 60,216)
MD	65+	742	5.4	0.96	(3.6 - 7.3)		32,522	(21,080 - 43,964)
MA	18-24	656	13.7	1.67	(10.4 - 16.9)		85,335	(63,281 - 107,389)
MA	25-34	1,708	9.8	0.85	(8.2 - 11.5)		84,417	(69,474 - 99,360)
MA	35-44	1,975	9.9	0.88	(8.2 - 11.6)		100,166	(81,727 - 118,605)
MA	45-54	1,645	8.7	0.90	(7.0 - 10.5)		75,135	(59,225 - 91,045)
MA	55-64	1,003	9.0	1.04	(7.0 - 11.1)		52,277	(40,017 - 64,536)
MA	65+	1,462	6.8	0.77	(5.3 - 8.3)		59,521	(45,749 - 73,292)
MI	18-24	320	12.8	2.55	(7.8 - 17.8)		123,963	(71,352 - 176,575)
MI	25-34	617	10.0	1.51	(7.1 - 13.0)		133,477	(92,184 - 174,770)
MI	35-44	827	7.9	1.02	(5.9 - 9.9)		118,396	(87,377 - 149,414)
MI	45-54	820	7.9	1.06	(5.8 - 10.0)		107,701	(78,350 - 137,051)
MI	55-64	515	9.9	1.40	(7.2 - 12.7)		89,827	(63,817 - 115,837)
MI	65+	675	7.0	1.10	(4.9 - 9.2)		88,271	(60,213 - 116,330)
MN	18-24	310	8.3	1.60	(5.2 - 11.4)		36,573	(22,305 - 50,841)
MN	25-34	698	7.6	1.07	(5.5 - 9.7)		51,688	(36,877 - 66,499)
MN	35-44	892	4.8	0.73	(3.3 - 6.2)		35,861	(24,924 - 46,798)
MN	45-54	755	6.8	0.97	(4.9 - 8.7)		46,548	(33,095 - 60,001)
MN	55-64	497	8.4	1.33	(5.8 - 11.0)		36,672	(24,819 - 48,526)
MN	65+	790	5.1	0.81	(3.5 - 6.7)		31,499	(21,353 - 41,645)
MS	18-24	268	5.2	1.58	(2.1 - 8.3)		15,840	(6,159 - 25,521)
MS	25-34	579	4.6	1.06	(2.5 - 6.7)		17,757	(9,568 - 25,946)
MS	35-44	601	5.5	1.04	(3.5 - 7.6)		22,004	(13,617 - 30,391)
MS	45-54	569	6.8	1.24	(4.3 - 9.2)		23,927	(15,035 - 32,819)
MS	55-64	405	6.4	1.24	(4.0 - 8.9)		15,657	(9,575 - 21,739)
MS	65+	587	5.1	0.94	(3.2 - 6.9)		18,153	(11,416 - 24,891)
MO	18-24	459	9.3	1.87	(5.6 - 12.9)		48,699	(28,418 - 68,980)
MO	25-34	623	7.6	1.28	(5.0 - 10.1)		55,501	(36,519 - 74,483)
MO	35-44	784	10.3	1.47	(7.4 - 13.2)		84,932	(60,028 - 109,837)
MO	45-54	784	10.0	1.69	(6.7 - 13.3)		75,014	(48,714 - 101,314)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MO	55-64	588	6.4	1.30	(3.9 - 9.0)		34,242	(20,405 - 48,079)
MO	65+	897	5.7	1.01	(3.7 - 7.7)		45,438	(29,221 - 61,654)
MT	18-24	244	7.9	2.42	(3.1 - 12.6)		6,274	(2,301 - 10,247)
MT	25-34	458	7.9	1.51	(5.0 - 10.9)		8,899	(5,485 - 12,313)
MT	35-44	656	9.5	1.63	(6.3 - 12.8)		12,595	(8,170 - 17,021)
MT	45-54	750	6.9	1.29	(4.3 - 9.4)		8,937	(5,528 - 12,346)
MT	55-64	480	5.3	1.15	(3.0 - 7.5)		4,450	(2,522 - 6,378)
MT	65+	737	9.2	1.53	(6.2 - 12.2)		11,397	(7,472 - 15,323)
NE	18-24	350	9.3	2.52	(4.3 - 14.3)		15,269	(6,593 - 23,944)
NE	25-34	586	4.3	0.99	(2.4 - 6.3)		9,542	(5,164 - 13,919)
NE	35-44	737	5.1	0.86	(3.4 - 6.8)		12,587	(8,333 - 16,841)
NE	45-54	687	5.0	0.88	(3.3 - 6.8)		11,240	(7,315 - 15,165)
NE	55-64	440	6.6	1.21	(4.2 - 9.0)		9,972	(6,299 - 13,646)
NE	65+	858	5.7	0.89	(4.0 - 7.5)		13,853	(9,527 - 18,178)
NV	18-24	224	7.4	2.14	(3.2 - 11.6)		12,651	(5,329 - 19,973)
NV	25-34	423	10.8	2.22	(6.4 - 15.1)		29,723	(16,923 - 42,522)
NV	35-44	571	7.0	1.27	(4.5 - 9.5)		23,466	(15,032 - 31,900)
NV	45-54	530	8.9	1.82	(5.3 - 12.4)		27,036	(15,908 - 38,165)
NV	55-64	364	10.0	2.38	(5.3 - 14.6)		19,691	(9,866 - 29,516)
NV	65+	450	5.7	1.20	(3.4 - 8.1)		14,126	(8,247 - 20,004)
NH	18-24	279	10.1	2.02	(6.2 - 14.1)		12,053	(7,077 - 17,029)
NH	25-34	663	11.2	1.42	(8.4 - 14.0)		19,169	(14,143 - 24,196)
NH	35-44	1,000	6.9	0.85	(5.2 - 8.6)		13,922	(10,447 - 17,398)
NH	45-54	817	6.7	0.96	(4.9 - 8.6)		11,553	(8,229 - 14,877)
NH	55-64	561	10.7	1.42	(7.9 - 13.5)		12,181	(8,847 - 15,515)
NH	65+	674	6.5	1.03	(4.4 - 8.5)		9,661	(6,549 - 12,774)
NJ	18-24	449	8.9	1.57	(5.8 - 12.0)		63,316	(41,031 - 85,601)
NJ	25-34	1,167	7.1	0.96	(5.3 - 9.0)		81,358	(59,302 - 103,415)
NJ	35-44	1,379	6.3	0.77	(4.8 - 7.8)		84,358	(63,779 - 104,937)
NJ	45-54	1,125	6.3	0.85	(4.7 - 8.0)		74,239	(54,308 - 94,170)
NJ	55-64	677	5.3	0.98	(3.4 - 7.3)		44,489	(28,113 - 60,866)
NJ	65+	1,109	4.2	0.76	(2.7 - 5.6)		49,086	(31,221 - 66,951)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	18-24	309	6.7	1.65	(3.4 - 9.9)		11,156	(5,554 - 16,758)
NM	25-34	552	6.4	1.13	(4.2 - 8.7)		16,213	(10,503 - 21,923)
NM	35-44	750	5.9	0.98	(4.0 - 7.8)		16,593	(11,043 - 22,142)
NM	45-54	747	8.1	1.39	(5.4 - 10.9)		19,144	(12,411 - 25,877)
NM	55-64	510	7.7	1.27	(5.2 - 10.2)		11,949	(7,945 - 15,953)
NM	65+	713	7.1	1.09	(5.0 - 9.3)		14,905	(10,259 - 19,551)
NY	18-24	318	9.1	1.61	(5.9 - 12.2)		155,719	(99,998 - 211,439)
NY	25-34	796	8.2	1.03	(6.2 - 10.2)		211,993	(158,418 - 265,568)
NY	35-44	876	6.4	0.95	(4.5 - 8.2)		189,047	(132,462 - 245,632)
NY	45-54	747	8.6	1.37	(5.9 - 11.3)		221,011	(147,649 - 294,372)
NY	55-64	480	6.7	1.31	(4.1 - 9.3)		122,399	(73,987 - 170,811)
NY	65+	596	5.9	1.17	(3.6 - 8.2)		151,686	(90,479 - 212,894)
NC	18-24	546	8.5	2.01	(4.6 - 12.5)		69,941	(36,056 - 103,827)
NC	25-34	1,154	6.3	1.15	(4.0 - 8.6)		70,708	(44,403 - 97,014)
NC	35-44	1,287	5.3	1.03	(3.3 - 7.3)		66,241	(40,327 - 92,156)
NC	45-54	1,131	5.5	0.97	(3.6 - 7.4)		62,264	(40,540 - 83,989)
NC	55-64	821	7.7	1.36	(5.1 - 10.4)		59,611	(38,219 - 81,003)
NC	65+	1,189	6.2	1.01	(4.2 - 8.2)		65,265	(43,767 - 86,762)
ND	18-24	285	9.7	2.00	(5.8 - 13.7)		6,584	(3,786 - 9,382)
ND	25-34	405	7.5	1.41	(4.7 - 10.3)		6,216	(3,841 - 8,590)
ND	35-44	543	6.1	1.06	(4.0 - 8.2)		5,550	(3,601 - 7,499)
ND	45-54	498	5.9	1.11	(3.7 - 8.0)		4,796	(2,963 - 6,629)
ND	55-64	282	6.5	1.47	(3.6 - 9.4)		3,457	(1,866 - 5,047)
ND	65+	465	6.1	1.13	(3.9 - 8.3)		5,463	(3,431 - 7,496)
OH	18-24	330	6.6	1.49	(3.7 - 9.6)		71,124	(39,244 - 103,005)
OH	25-34	584	6.3	1.10	(4.2 - 8.5)		95,344	(62,515 - 128,173)
OH	35-44	750	8.3	1.21	(5.9 - 10.7)		139,891	(98,353 - 181,430)
OH	45-54	658	6.8	1.06	(4.7 - 8.9)		104,980	(72,014 - 137,945)
OH	55-64	404	8.5	1.56	(5.4 - 11.5)		89,086	(55,550 - 122,622)
OH	65+	642	7.4	1.09	(5.2 - 9.5)		110,422	(77,389 - 143,455)
OK	18-24	399	5.7	1.26	(3.2 - 8.2)		19,085	(10,637 - 27,532)
OK	25-34	718	8.4	1.18	(6.1 - 10.8)		38,426	(27,671 - 49,181)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	35-44	889	5.7	0.91	(3.9 - 7.4)		28,436	(19,395 - 37,476)
OK	45-54	833	7.2	1.02	(5.2 - 9.2)		32,770	(23,412 - 42,128)
OK	55-64	634	8.1	1.55	(5.0 - 11.1)		26,139	(15,802 - 36,476)
OK	65+	1,035	6.8	0.98	(4.9 - 8.7)		32,874	(23,382 - 42,366)
OR	18-24	241	8.7	1.83	(5.1 - 12.3)		26,367	(15,126 - 37,608)
OR	25-34	475	7.8	1.28	(5.3 - 10.3)		34,642	(23,125 - 46,159)
OR	35-44	480	6.7	1.23	(4.2 - 9.1)		35,279	(22,105 - 48,453)
OR	45-54	506	7.1	1.13	(4.9 - 9.3)		35,177	(23,981 - 46,374)
OR	55-64	336	11.2	1.83	(7.6 - 14.8)		36,671	(24,350 - 48,992)
OR	65+	467	8.3	1.45	(5.5 - 11.2)		38,471	(24,679 - 52,263)
PA	18-24	289	9.5	2.38	(4.8 - 14.2)		109,194	(53,069 - 165,319)
PA	25-34	588	7.0	1.16	(4.7 - 9.2)		107,403	(71,158 - 143,647)
PA	35-44	727	7.9	1.08	(5.8 - 10.0)		144,486	(104,493 - 184,480)
PA	45-54	717	8.7	1.08	(6.5 - 10.8)		145,577	(109,016 - 182,139)
PA	55-64	514	6.4	1.11	(4.2 - 8.6)		78,140	(50,857 - 105,423)
PA	65+	788	5.2	0.84	(3.6 - 6.9)		101,196	(68,736 - 133,655)
RI	18-24	271	13.2	2.40	(8.5 - 17.9)		13,944	(8,706 - 19,181)
RI	25-34	680	12.7	1.56	(9.7 - 15.8)		17,039	(12,686 - 21,391)
RI	35-44	981	9.4	1.08	(7.3 - 11.5)		15,626	(11,988 - 19,265)
RI	45-54	796	7.0	1.10	(4.9 - 9.2)		9,642	(6,581 - 12,702)
RI	55-64	508	9.8	1.45	(7.0 - 12.7)		9,358	(6,526 - 12,190)
RI	65+	794	6.0	0.90	(4.2 - 7.8)		9,471	(6,610 - 12,331)
SC	18-24	276	6.4	1.66	(3.2 - 9.7)		26,634	(12,747 - 40,520)
SC	25-34	599	7.2	1.54	(4.2 - 10.3)		39,843	(22,289 - 57,396)
SC	35-44	674	5.4	0.89	(3.6 - 7.2)		32,559	(21,789 - 43,330)
SC	45-54	640	6.4	1.08	(4.3 - 8.6)		34,692	(23,013 - 46,371)
SC	55-64	420	6.1	1.19	(3.7 - 8.4)		21,725	(13,122 - 30,329)
SC	65+	527	7.7	1.33	(5.1 - 10.3)		37,918	(24,541 - 51,294)
SD	18-24	404	5.9	1.55	(2.9 - 9.0)		4,272	(2,006 - 6,538)
SD	25-34	722	4.6	0.81	(3.0 - 6.2)		4,454	(2,896 - 6,012)
SD	35-44	1,049	4.7	0.66	(3.4 - 6.0)		4,986	(3,586 - 6,386)
SD	45-54	976	5.0	0.75	(3.5 - 6.4)		4,718	(3,288 - 6,148)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	55-64	645	6.4	1.13	(4.2 - 8.6)		4,045	(2,589 - 5,501)
SD	65+	1,257	5.8	0.71	(4.4 - 7.2)		6,360	(4,797 - 7,922)
TN	18-24	257	5.3	1.46	(2.4 - 8.1)		29,286	(13,076 - 45,496)
TN	25-34	527	5.6	1.18	(3.3 - 7.9)		42,763	(24,499 - 61,026)
TN	35-44	614	6.0	1.05	(4.0 - 8.1)		52,769	(34,324 - 71,213)
TN	45-54	552	6.6	1.20	(4.3 - 9.0)		54,847	(34,769 - 74,924)
TN	55-64	438	8.5	1.51	(5.5 - 11.4)		46,488	(29,558 - 63,419)
TN	65+	520	9.2	1.47	(6.4 - 12.1)		70,664	(47,553 - 93,775)
TX	18-24	565	7.4	1.18	(5.1 - 9.7)		153,354	(103,823 - 202,886)
TX	25-34	1,172	6.0	0.73	(4.6 - 7.5)		186,390	(141,490 - 231,290)
TX	35-44	1,333	5.4	0.63	(4.2 - 6.7)		175,589	(134,874 - 216,305)
TX	45-54	1,055	6.1	0.85	(4.4 - 7.7)		165,173	(118,291 - 212,056)
TX	55-64	745	6.3	0.95	(4.5 - 8.2)		111,673	(77,959 - 145,387)
TX	65+	999	6.0	0.83	(4.4 - 7.6)		138,084	(99,853 - 176,315)
UT	18-24	468	8.0	1.66	(4.7 - 11.2)		18,609	(10,685 - 26,534)
UT	25-34	765	8.2	1.42	(5.4 - 11.0)		23,532	(15,283 - 31,781)
UT	35-44	765	5.0	0.94	(3.2 - 6.9)		15,559	(9,729 - 21,390)
UT	45-54	657	7.3	1.35	(4.6 - 9.9)		19,274	(12,063 - 26,484)
UT	55-64	417	9.6	1.89	(5.9 - 13.4)		16,103	(9,625 - 22,581)
UT	65+	548	5.2	1.03	(3.2 - 7.2)		10,306	(6,302 - 14,309)
VT	18-24	301	12.3	2.13	(8.1 - 16.5)		7,834	(4,984 - 10,684)
VT	25-34	707	9.0	1.18	(6.7 - 11.3)		6,984	(5,115 - 8,852)
VT	35-44	926	9.3	1.00	(7.3 - 11.2)		8,890	(6,943 - 10,838)
VT	45-54	1,000	7.8	0.91	(6.0 - 9.6)		6,736	(5,138 - 8,335)
VT	55-64	620	7.1	1.05	(5.1 - 9.2)		3,998	(2,815 - 5,181)
VT	65+	685	7.9	1.10	(5.7 - 10.1)		5,920	(4,242 - 7,599)
VA	18-24	243	8.9	2.11	(4.8 - 13.1)		61,753	(32,364 - 91,141)
VA	25-34	512	4.6	0.96	(2.7 - 6.5)		46,546	(27,057 - 66,036)
VA	35-44	661	7.4	1.07	(5.3 - 9.5)		85,994	(61,185 - 110,804)
VA	45-54	608	5.6	0.94	(3.7 - 7.4)		55,546	(36,753 - 74,339)
VA	55-64	384	6.7	1.35	(4.0 - 9.3)		43,322	(25,532 - 61,111)
VA	65+	468	6.4	1.20	(4.0 - 8.7)		52,619	(32,685 - 72,552)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
WA	18-24	376	9.2	1.58	(6.1 - 12.3)		49,069	(31,979 - 66,159)
WA	25-34	788	7.1	0.96	(5.2 - 9.0)		56,522	(41,027 - 72,018)
WA	35-44	927	7.0	0.87	(5.3 - 8.7)		65,965	(49,402 - 82,528)
WA	45-54	880	6.5	0.86	(4.8 - 8.2)		54,160	(39,714 - 68,605)
WA	55-64	471	10.3	1.60	(7.2 - 13.5)		55,837	(37,881 - 73,794)
WA	65+	699	7.1	1.12	(4.9 - 9.3)		51,080	(34,761 - 67,398)
WV	18-24	201	12.9	2.55	(7.8 - 17.9)		22,414	(13,073 - 31,756)
WV	25-34	465	7.9	1.28	(5.3 - 10.4)		17,878	(11,975 - 23,781)
WV	35-44	605	8.8	1.20	(6.5 - 11.2)		22,371	(16,185 - 28,557)
WV	45-54	630	10.4	1.28	(7.9 - 12.9)		27,186	(20,342 - 34,030)
WV	55-64	428	8.1	1.32	(5.5 - 10.7)		14,961	(10,030 - 19,893)
WV	65+	740	8.6	1.11	(6.4 - 10.8)		24,051	(17,740 - 30,363)
WI	18-24	312	11.3	2.50	(6.4 - 16.2)		58,356	(32,194 - 84,519)
WI	25-34	579	10.5	1.48	(7.6 - 13.4)		72,518	(51,424 - 93,612)
WI	35-44	805	6.9	0.96	(5.0 - 8.8)		55,817	(40,225 - 71,409)
WI	45-54	658	7.5	1.14	(5.3 - 9.8)		56,299	(39,099 - 73,500)
WI	55-64	394	5.1	1.29	(2.6 - 7.7)		24,628	(12,071 - 37,186)
WI	65+	576	5.8	1.12	(3.6 - 8.0)		42,616	(26,130 - 59,103)
WY	18-24	271	8.8	1.80	(5.3 - 12.4)		3,828	(2,241 - 5,414)
WY	25-34	486	9.3	1.72	(5.9 - 12.7)		5,969	(3,676 - 8,262)
WY	35-44	613	8.7	1.18	(6.3 - 11.0)		6,456	(4,670 - 8,242)
WY	45-54	721	6.9	1.07	(4.8 - 9.0)		4,794	(3,285 - 6,302)
WY	55-64	397	8.9	1.54	(5.9 - 11.9)		3,920	(2,535 - 5,304)
WY	65+	524	7.4	1.24	(4.9 - 9.8)		4,176	(2,744 - 5,607)
Territories								
GU	18-24	115	4.4	1.81	(0.8 - 8.0)		650	(114 - 1,185)
GU	25-34	229	4.7	1.95	(0.8 - 8.5)		939	(147 - 1,731)
GU	35-44	223	2.4	0.81	(0.8 - 4.0)		516	(170 - 861)
GU	45-54	154	3.7	1.81	(0.2 - 7.3)		667	(17 - 1,317)
GU	55-64	80	3.8				366	
GU	65+	60	1.8				177	
PR	18-24	372	10.9	2.31	(6.4 - 15.4)		52,309	(29,137 - 75,480)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Adult Self-Reported Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2001**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	25-34	658	8.3	1.21	(5.9 - 10.7)		44,335	(31,418 - 57,253)
PR	35-44	812	8.1	1.19	(5.7 - 10.4)		41,735	(29,260 - 54,210)
PR	45-54	775	9.9	1.37	(7.2 - 12.5)		45,863	(32,859 - 58,867)
PR	55-64	674	11.6	2.01	(7.7 - 15.6)		40,908	(25,862 - 55,954)
PR	65+	941	9.2	1.17	(6.9 - 11.5)		39,250	(29,097 - 49,403)
VI	18-24	207	9.2	2.32	(4.6 - 13.7)		992	(474 - 1,509)
VI	25-34	422	6.1	1.80	(2.6 - 9.7)		854	(341 - 1,367)
VI	35-44	492	2.9	0.85	(1.3 - 4.6)		402	(173 - 631)
VI	45-54	490	5.1	1.42	(2.3 - 7.9)		722	(318 - 1,126)
VI	55-64	323	3.7	1.15	(1.4 - 5.9)		321	(121 - 520)
VI	65+	268	2.9	1.09	(0.7 - 5.0)		310	(76 - 545)

Notes:

\*CI denotes confidence interval.

U.S. Total includes the 50 states plus the District of Columbia and excludes the three territories.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.