

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
U.S. Total**	18-24	18,364	17.4	0.52	(16.4 - 18.4)		4,961,160	(4,642,175 - 5,280,145)
U.S. Total**	25-34	43,354	13.7	0.31	(13.1 - 14.3)		5,457,718	(5,199,573 - 5,715,862)
U.S. Total**	35-44	55,603	12.4	0.25	(11.9 - 12.9)		5,495,790	(5,269,153 - 5,722,427)
U.S. Total**	45-54	60,658	13.1	0.27	(12.6 - 13.7)		5,273,390	(5,044,035 - 5,502,745)
U.S. Total**	55-64	49,585	13.7	0.29	(13.1 - 14.2)		3,832,287	(3,664,026 - 4,000,548)
U.S. Total**	65+	67,005	10.9	0.24	(10.5 - 11.4)		3,949,841	(3,772,658 - 4,127,024)
AL	18-24	229	13.6	2.60	(8.4 - 18.7)		62,025	(36,828 - 87,222)
AL	25-34	527	12.6	1.61	(9.4 - 15.7)		74,823	(54,925 - 94,720)
AL	35-44	625	13.8	1.49	(10.9 - 16.7)		91,011	(70,655 - 111,368)
AL	45-54	722	15.2	1.53	(12.2 - 18.3)		95,778	(75,439 - 116,118)
AL	55-64	629	14.4	1.55	(11.4 - 17.5)		66,377	(51,480 - 81,274)
AL	65+	844	14.3	1.34	(11.7 - 17.0)		85,640	(68,893 - 102,388)
AK	18-24	232	20.4	4.05	(12.4 - 28.4)		11,656	(6,476 - 16,835)
AK	25-34	501	13.9	2.23	(9.5 - 18.2)		11,158	(7,451 - 14,865)
AK	35-44	560	11.4	1.97	(7.5 - 15.3)		11,903	(7,640 - 16,165)
AK	45-54	643	10.9	1.69	(7.6 - 14.3)		11,964	(8,200 - 15,729)
AK	55-64	422	14.5	2.56	(9.5 - 19.5)		9,092	(5,680 - 12,504)
AK	65+	272	8.9	2.00	(5.0 - 12.9)		3,474	(1,911 - 5,037)
AZ	18-24	275	13.6	3.57	(6.6 - 20.6)		77,368	(35,032 - 119,704)
AZ	25-34	695	10.1	1.71	(6.8 - 13.5)		80,492	(53,805 - 107,179)
AZ	35-44	804	11.5	1.74	(8.1 - 14.9)		91,705	(63,535 - 119,876)
AZ	45-54	865	14.3	2.01	(10.4 - 18.3)		101,586	(71,812 - 131,360)
AZ	55-64	785	10.8	1.57	(7.7 - 13.9)		56,677	(40,165 - 73,189)
AZ	65+	1,248	13.5	1.62	(10.3 - 16.7)		99,022	(74,259 - 123,785)
AR	18-24	238	10.8	2.10	(6.7 - 15.0)		29,916	(17,985 - 41,846)
AR	25-34	548	13.8	1.64	(10.6 - 17.0)		48,712	(36,594 - 60,831)
AR	35-44	667	12.2	1.43	(9.4 - 15.0)		46,991	(35,514 - 58,469)
AR	45-54	791	12.3	1.29	(9.8 - 14.8)		44,511	(34,890 - 54,131)
AR	55-64	797	12.0	1.27	(9.5 - 14.5)		34,703	(27,087 - 42,319)
AR	65+	1,012	11.0	1.09	(8.8 - 13.1)		42,005	(33,425 - 50,584)
CA	18-24	319	17.9	2.59	(12.8 - 23.0)		649,568	(446,438 - 852,698)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
CA	25-34	818	14.1	1.42	(11.3 - 16.9)		757,964	(598,091 - 917,837)
CA	35-44	978	12.2	1.10	(10.0 - 14.4)		673,221	(550,069 - 796,373)
CA	45-54	864	15.1	1.53	(12.1 - 18.1)		716,669	(561,561 - 871,777)
CA	55-64	684	13.8	1.43	(11.0 - 16.6)		423,631	(334,434 - 512,828)
CA	65+	822	11.9	1.45	(9.1 - 14.7)		456,984	(340,598 - 573,370)
CO	18-24	385	16.4	2.32	(11.8 - 21.0)		74,822	(52,508 - 97,137)
CO	25-34	962	13.0	1.37	(10.3 - 15.7)		89,117	(69,778 - 108,456)
CO	35-44	1,189	12.7	1.24	(10.3 - 15.1)		92,616	(73,991 - 111,242)
CO	45-54	1,316	14.3	1.33	(11.7 - 17.0)		96,937	(78,091 - 115,783)
CO	55-64	1,013	12.1	1.27	(9.6 - 14.6)		50,531	(39,606 - 61,455)
CO	65+	1,075	12.9	1.28	(10.4 - 15.4)		57,855	(45,942 - 69,768)
CT	18-24	279	23.6	2.85	(18.0 - 29.2)		66,145	(48,658 - 83,632)
CT	25-34	788	17.5	1.51	(14.5 - 20.5)		75,338	(61,484 - 89,191)
CT	35-44	1,246	15.9	1.14	(13.6 - 18.1)		89,338	(75,910 - 102,767)
CT	45-54	1,253	14.0	1.07	(11.9 - 16.1)		68,356	(57,606 - 79,105)
CT	55-64	971	13.8	1.19	(11.5 - 16.2)		48,839	(40,130 - 57,549)
CT	65+	1,407	10.3	0.89	(8.6 - 12.0)		49,739	(40,971 - 58,508)
DE	18-24	296	21.0	3.70	(13.7 - 28.3)		17,692	(10,611 - 24,773)
DE	25-34	572	19.1	2.09	(14.9 - 23.2)		20,966	(16,048 - 25,885)
DE	35-44	813	12.6	1.57	(9.5 - 15.7)		16,450	(12,187 - 20,712)
DE	45-54	822	12.0	1.41	(9.3 - 14.8)		13,619	(10,337 - 16,901)
DE	55-64	619	12.8	1.72	(9.4 - 16.2)		10,677	(7,721 - 13,633)
DE	65+	916	10.6	1.26	(8.1 - 13.1)		11,546	(8,735 - 14,357)
DC	18-24	208	18.7	3.47	(11.9 - 25.5)		12,607	(7,539 - 17,675)
DC	25-34	634	19.2	1.92	(15.4 - 23.0)		19,777	(15,533 - 24,022)
DC	35-44	557	14.2	1.86	(10.5 - 17.8)		11,900	(8,608 - 15,192)
DC	45-54	549	15.6	1.79	(12.1 - 19.1)		10,878	(8,291 - 13,464)
DC	55-64	469	10.3	1.88	(6.5 - 14.0)		5,648	(3,489 - 7,807)
DC	65+	507	10.9	1.78	(7.4 - 14.4)		7,393	(4,864 - 9,923)
FL	18-24	396	15.8	2.24	(11.4 - 20.2)		230,633	(163,277 - 297,989)
FL	25-34	911	11.2	1.40	(8.5 - 14.0)		236,950	(176,275 - 297,626)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
FL	35-44	1,164	13.1	1.40	(10.4 - 15.9)		333,474	(258,962 - 407,987)
FL	45-54	1,239	13.6	1.34	(10.9 - 16.2)		309,804	(246,645 - 372,963)
FL	55-64	1,255	14.1	1.40	(11.4 - 16.9)		256,259	(203,503 - 309,016)
FL	65+	2,130	8.9	0.80	(7.4 - 10.5)		261,444	(214,230 - 308,659)
GA	18-24	372	19.1	3.13	(12.9 - 25.2)		171,536	(108,713 - 234,360)
GA	25-34	780	11.1	1.47	(8.2 - 13.9)		148,743	(108,089 - 189,398)
GA	35-44	966	11.2	1.25	(8.8 - 13.7)		157,796	(121,930 - 193,662)
GA	45-54	991	11.3	1.25	(8.9 - 13.8)		131,561	(102,115 - 161,007)
GA	55-64	862	12.8	1.35	(10.1 - 15.4)		100,235	(78,522 - 121,948)
GA	65+	1,031	10.0	1.20	(7.6 - 12.4)		84,778	(63,929 - 105,627)
ID	18-24	406	14.4	2.40	(9.7 - 19.1)		21,795	(14,003 - 29,586)
ID	25-34	848	10.8	1.17	(8.5 - 13.1)		19,257	(15,016 - 23,499)
ID	35-44	932	12.2	1.20	(9.9 - 14.6)		23,490	(18,739 - 28,242)
ID	45-54	1,040	14.6	1.33	(12.0 - 17.2)		27,325	(22,072 - 32,578)
ID	55-64	892	13.1	1.22	(10.7 - 15.5)		17,017	(13,757 - 20,276)
ID	65+	1,115	14.3	1.25	(11.8 - 16.7)		22,389	(18,280 - 26,498)
IL	18-24	308	17.8	2.44	(13.0 - 22.6)		220,944	(156,099 - 285,789)
IL	25-34	597	14.8	1.68	(11.5 - 18.1)		264,650	(201,392 - 327,907)
IL	35-44	814	10.6	1.23	(8.2 - 13.0)		205,406	(156,319 - 254,492)
IL	45-54	829	11.4	1.20	(9.1 - 13.8)		200,755	(157,812 - 243,698)
IL	55-64	621	13.4	1.51	(10.5 - 16.4)		158,759	(121,864 - 195,655)
IL	65+	883	11.9	1.32	(9.3 - 14.5)		181,463	(139,471 - 223,455)
IN	18-24	454	15.9	1.89	(12.2 - 19.6)		102,220	(76,272 - 128,168)
IN	25-34	1,087	15.0	1.19	(12.7 - 17.4)		122,179	(101,898 - 142,459)
IN	35-44	1,211	11.0	0.97	(9.1 - 12.9)		101,636	(83,287 - 119,984)
IN	45-54	1,300	13.8	1.05	(11.7 - 15.8)		117,147	(98,648 - 135,645)
IN	55-64	1,027	13.5	1.24	(11.1 - 16.0)		80,518	(64,984 - 96,053)
IN	65+	1,352	11.8	0.94	(10.0 - 13.7)		91,235	(76,312 - 106,158)
IA	18-24	314	13.4	2.18	(9.2 - 17.7)		40,374	(26,618 - 54,130)
IA	25-34	710	10.5	1.19	(8.2 - 12.9)		39,545	(30,492 - 48,599)
IA	35-44	935	10.5	1.25	(8.1 - 13.0)		44,840	(33,733 - 55,947)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
IA	45-54	993	10.3	1.05	(8.2 - 12.4)		42,972	(34,026 - 51,918)
IA	55-64	815	9.1	1.11	(6.9 - 11.3)		26,370	(19,789 - 32,950)
IA	65+	1,250	9.8	0.92	(8.0 - 11.6)		42,586	(34,430 - 50,743)
KS	18-24	520	16.3	1.77	(12.9 - 19.8)		47,555	(36,678 - 58,431)
KS	25-34	1,234	12.4	1.01	(10.4 - 14.3)		42,979	(35,654 - 50,303)
KS	35-44	1,606	10.9	0.85	(9.2 - 12.6)		43,378	(36,459 - 50,296)
KS	45-54	1,811	11.5	0.81	(9.9 - 13.0)		43,104	(36,805 - 49,402)
KS	55-64	1,245	13.8	1.03	(11.7 - 15.8)		34,474	(29,096 - 39,851)
KS	65+	2,180	8.9	0.67	(7.6 - 10.2)		32,003	(27,114 - 36,893)
KY	18-24	337	15.8	3.04	(9.8 - 21.8)		59,659	(34,991 - 84,328)
KY	25-34	868	16.4	2.11	(12.2 - 20.5)		100,559	(72,409 - 128,709)
KY	35-44	1,158	13.1	1.50	(10.2 - 16.1)		84,283	(64,282 - 104,284)
KY	45-54	1,353	13.8	1.34	(11.2 - 16.5)		83,400	(66,630 - 100,171)
KY	55-64	1,206	14.8	1.59	(11.7 - 17.9)		63,512	(48,946 - 78,078)
KY	65+	1,686	10.1	0.89	(8.3 - 11.8)		52,584	(43,288 - 61,880)
LA	18-24	745	13.4	1.51	(10.5 - 16.4)		63,182	(48,384 - 77,980)
LA	25-34	1,421	10.9	1.03	(8.9 - 13.0)		66,804	(53,881 - 79,726)
LA	35-44	1,758	10.8	0.91	(9.0 - 12.5)		69,699	(57,624 - 81,774)
LA	45-54	1,833	11.7	1.02	(9.7 - 13.7)		72,171	(59,014 - 85,328)
LA	55-64	1,438	13.7	1.30	(11.2 - 16.3)		64,357	(51,320 - 77,395)
LA	65+	1,803	10.7	0.97	(8.8 - 12.6)		52,260	(42,408 - 62,112)
ME	18-24	164	22.8	3.63	(15.6 - 29.9)		26,495	(17,242 - 35,748)
ME	25-34	442	15.3	1.87	(11.7 - 19.0)		23,475	(17,461 - 29,490)
ME	35-44	668	15.7	1.61	(12.6 - 18.9)		33,483	(26,221 - 40,746)
ME	45-54	791	13.6	1.39	(10.9 - 16.3)		28,171	(22,177 - 34,165)
ME	55-64	628	12.7	1.51	(9.7 - 15.6)		18,221	(13,723 - 22,718)
ME	65+	811	10.8	1.21	(8.5 - 13.2)		20,589	(15,873 - 25,306)
MD	18-24	226	18.7	3.27	(12.2 - 25.1)		81,629	(50,489 - 112,768)
MD	25-34	644	15.3	1.70	(11.9 - 18.6)		121,456	(93,304 - 149,608)
MD	35-44	909	13.5	1.54	(10.4 - 16.5)		121,197	(92,013 - 150,381)
MD	45-54	998	14.5	1.43	(11.7 - 17.3)		114,845	(91,144 - 138,546)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MD	55-64	741	11.8	1.43	(9.0 - 14.6)		69,319	(51,949 - 86,689)
MD	65+	862	10.8	1.38	(8.1 - 13.5)		63,211	(46,507 - 79,915)
MA	18-24	442	19.0	2.28	(14.5 - 23.4)		114,915	(85,843 - 143,986)
MA	25-34	1,251	16.5	1.36	(13.9 - 19.2)		147,458	(121,800 - 173,117)
MA	35-44	1,665	13.8	1.08	(11.7 - 16.0)		143,930	(120,454 - 167,405)
MA	45-54	1,740	13.9	0.99	(12.0 - 15.9)		124,244	(106,158 - 142,330)
MA	55-64	1,341	15.0	1.21	(12.6 - 17.3)		94,324	(78,482 - 110,166)
MA	65+	1,628	12.6	1.06	(10.6 - 14.7)		110,480	(91,311 - 129,649)
MI	18-24	299	17.3	2.38	(12.6 - 22.0)		169,838	(119,542 - 220,133)
MI	25-34	579	15.8	1.73	(12.4 - 19.2)		208,046	(159,818 - 256,274)
MI	35-44	953	10.9	1.05	(8.8 - 12.9)		167,343	(134,229 - 200,456)
MI	45-54	1,063	13.1	1.16	(10.8 - 15.4)		189,241	(154,437 - 224,044)
MI	55-64	833	14.0	1.34	(11.4 - 16.7)		137,479	(109,817 - 165,140)
MI	65+	1,186	11.1	0.97	(9.2 - 13.0)		139,052	(114,164 - 163,939)
MN	18-24	247	18.3	2.78	(12.8 - 23.8)		92,995	(62,463 - 123,526)
MN	25-34	618	11.6	1.36	(8.9 - 14.3)		77,708	(58,900 - 96,516)
MN	35-44	917	9.9	1.04	(7.9 - 11.9)		80,429	(63,209 - 97,648)
MN	45-54	976	10.4	1.04	(8.4 - 12.5)		76,810	(61,078 - 92,542)
MN	55-64	720	10.7	1.21	(8.3 - 13.1)		50,783	(38,952 - 62,613)
MN	65+	957	10.2	1.10	(8.1 - 12.4)		62,601	(48,752 - 76,450)
MS	18-24	339	15.2	2.11	(11.1 - 19.4)		50,022	(35,430 - 64,614)
MS	25-34	826	12.1	1.35	(9.5 - 14.7)		45,655	(35,068 - 56,241)
MS	35-44	895	10.7	1.14	(8.5 - 13.0)		44,077	(34,501 - 53,653)
MS	45-54	1,001	11.1	1.11	(8.9 - 13.3)		41,867	(33,253 - 50,480)
MS	55-64	858	11.7	1.19	(9.3 - 14.0)		32,099	(25,339 - 38,859)
MS	65+	1,301	10.5	0.95	(8.6 - 12.3)		36,782	(29,918 - 43,646)
MO	18-24	321	15.8	2.46	(11.0 - 20.7)		90,665	(60,959 - 120,372)
MO	25-34	680	15.4	2.01	(11.5 - 19.4)		113,663	(81,736 - 145,589)
MO	35-44	857	13.2	1.51	(10.2 - 16.1)		113,828	(86,734 - 140,922)
MO	45-54	917	11.8	1.30	(9.3 - 14.4)		93,939	(73,155 - 114,723)
MO	55-64	825	13.3	1.45	(10.4 - 16.2)		76,064	(58,852 - 93,275)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
MO	65+	1,296	11.7	1.19	(9.4 - 14.0)		90,314	(71,390 - 109,238)
MT	18-24	281	13.2	2.54	(8.2 - 18.2)		12,250	(7,340 - 17,160)
MT	25-34	605	15.0	1.82	(11.4 - 18.6)		15,357	(11,426 - 19,288)
MT	35-44	948	13.0	1.32	(10.4 - 15.6)		17,172	(13,525 - 20,819)
MT	45-54	1,099	12.4	1.24	(10.0 - 14.8)		17,988	(14,249 - 21,727)
MT	55-64	936	11.6	1.20	(9.2 - 13.9)		11,563	(9,112 - 14,014)
MT	65+	1,101	13.2	1.28	(10.6 - 15.7)		16,440	(13,112 - 19,769)
NE	18-24	409	13.0	2.08	(8.9 - 17.1)		24,110	(16,016 - 32,204)
NE	25-34	1,203	11.4	1.12	(9.2 - 13.6)		25,603	(20,454 - 30,752)
NE	35-44	1,592	10.2	0.94	(8.3 - 12.0)		25,517	(20,705 - 30,329)
NE	45-54	1,882	9.9	0.86	(8.2 - 11.6)		23,725	(19,491 - 27,959)
NE	55-64	1,418	10.9	1.01	(8.9 - 12.9)		17,586	(14,248 - 20,924)
NE	65+	2,265	8.7	0.77	(7.2 - 10.2)		20,485	(16,799 - 24,170)
NV	18-24	206	17.7	3.63	(10.5 - 24.9)		35,287	(19,744 - 50,829)
NV	25-34	402	11.5	2.17	(7.2 - 15.8)		39,112	(23,897 - 54,326)
NV	35-44	533	12.1	1.87	(8.4 - 15.7)		42,273	(28,758 - 55,789)
NV	45-54	577	12.4	1.98	(8.6 - 16.3)		38,707	(25,878 - 51,537)
NV	55-64	544	12.0	1.86	(8.3 - 15.7)		28,200	(19,163 - 37,236)
NV	65+	624	11.5	1.80	(8.0 - 15.0)		29,462	(19,991 - 38,932)
NH	18-24	242	21.4	2.95	(15.6 - 27.2)		25,177	(17,446 - 32,909)
NH	25-34	629	14.9	1.48	(12.0 - 17.8)		23,128	(18,357 - 27,900)
NH	35-44	1,058	15.1	1.19	(12.7 - 17.4)		33,625	(28,065 - 39,185)
NH	45-54	1,191	15.3	1.17	(13.0 - 17.6)		30,000	(25,197 - 34,804)
NH	55-64	871	14.0	1.25	(11.5 - 16.4)		18,231	(14,853 - 21,610)
NH	65+	1,018	10.9	1.08	(8.8 - 13.0)		17,039	(13,569 - 20,509)
NJ	18-24	515	19.1	1.93	(15.3 - 22.9)		132,631	(103,665 - 161,598)
NJ	25-34	1,522	14.1	1.01	(12.1 - 16.1)		158,137	(134,431 - 181,844)
NJ	35-44	2,434	13.5	0.78	(12.0 - 15.0)		192,807	(169,671 - 215,944)
NJ	45-54	2,488	13.2	0.80	(11.6 - 14.8)		157,382	(137,511 - 177,253)
NJ	55-64	2,024	13.0	0.87	(11.3 - 14.7)		113,442	(97,778 - 129,106)
NJ	65+	2,787	10.7	0.67	(9.4 - 12.0)		122,564	(106,806 - 138,322)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
NM	18-24	423	18.6	2.25	(14.2 - 23.1)		35,745	(26,457 - 45,032)
NM	25-34	833	12.3	1.32	(9.7 - 14.9)		28,659	(22,314 - 35,003)
NM	35-44	1,128	13.6	1.19	(11.3 - 16.0)		37,348	(30,596 - 44,101)
NM	45-54	1,325	15.6	1.23	(13.2 - 18.0)		41,474	(34,602 - 48,346)
NM	55-64	1,115	15.2	1.28	(12.6 - 17.7)		27,891	(22,943 - 32,840)
NM	65+	1,548	13.5	1.03	(11.5 - 15.5)		30,724	(25,818 - 35,630)
NY	18-24	337	20.2	2.50	(15.2 - 25.1)		367,927	(269,087 - 466,766)
NY	25-34	874	14.5	1.36	(11.8 - 17.2)		387,969	(311,745 - 464,192)
NY	35-44	1,216	12.9	1.05	(10.8 - 15.0)		385,441	(320,967 - 449,916)
NY	45-54	1,199	13.5	1.19	(11.2 - 15.9)		355,040	(290,434 - 419,647)
NY	55-64	930	16.8	1.54	(13.8 - 19.9)		320,240	(257,260 - 383,219)
NY	65+	1,296	10.0	0.95	(8.1 - 11.9)		249,942	(201,509 - 298,375)
NC	18-24	843	18.1	1.78	(14.6 - 21.6)		152,962	(120,141 - 185,783)
NC	25-34	2,399	10.4	0.83	(8.8 - 12.0)		126,587	(105,574 - 147,600)
NC	35-44	2,830	13.9	0.83	(12.3 - 15.5)		180,400	(157,898 - 202,901)
NC	45-54	2,805	13.2	0.82	(11.6 - 14.8)		151,216	(131,694 - 170,738)
NC	55-64	2,558	13.7	0.85	(12.1 - 15.4)		114,568	(99,822 - 129,314)
NC	65+	3,523	11.3	0.65	(10.0 - 12.6)		116,280	(102,551 - 130,009)
ND	18-24	200	13.2	2.64	(8.0 - 18.4)		10,007	(5,817 - 14,197)
ND	25-34	422	13.0	1.81	(9.4 - 16.6)		9,908	(6,997 - 12,819)
ND	35-44	575	9.5	1.32	(6.9 - 12.1)		8,363	(5,969 - 10,756)
ND	45-54	661	9.9	1.27	(7.4 - 12.4)		8,881	(6,549 - 11,214)
ND	55-64	460	10.3	1.51	(7.3 - 13.3)		6,147	(4,287 - 8,008)
ND	65+	704	10.9	1.27	(8.4 - 13.4)		10,233	(7,788 - 12,679)
OH	18-24	519	16.0	2.98	(10.2 - 21.9)		177,320	(108,654 - 245,985)
OH	25-34	1,113	13.6	2.08	(9.5 - 17.6)		196,718	(133,783 - 259,653)
OH	35-44	1,286	12.4	1.77	(8.9 - 15.9)		211,517	(148,689 - 274,345)
OH	45-54	1,530	10.7	1.45	(7.9 - 13.5)		175,678	(128,055 - 223,300)
OH	55-64	1,146	13.5	1.88	(9.8 - 17.2)		150,815	(107,585 - 194,045)
OH	65+	1,652	9.2	1.47	(6.3 - 12.1)		140,948	(94,741 - 187,155)
OK	18-24	421	18.4	2.21	(14.1 - 22.8)		69,966	(51,706 - 88,226)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
OK	25-34	919	13.6	1.26	(11.1 - 16.1)		61,763	(49,850 - 73,677)
OK	35-44	1,168	11.7	1.02	(9.7 - 13.8)		58,516	(48,068 - 68,964)
OK	45-54	1,297	13.1	1.04	(11.1 - 15.2)		63,248	(52,861 - 73,635)
OK	55-64	1,185	13.3	1.10	(11.1 - 15.4)		47,570	(39,342 - 55,798)
OK	65+	1,856	11.2	0.80	(9.6 - 12.7)		52,380	(44,689 - 60,071)
OR	18-24	318	27.7	2.99	(21.8 - 33.5)		95,129	(71,027 - 119,231)
OR	25-34	762	16.6	1.53	(13.6 - 19.5)		80,741	(64,925 - 96,556)
OR	35-44	882	14.1	1.24	(11.6 - 16.5)		72,836	(59,517 - 86,155)
OR	45-54	1,072	14.9	1.19	(12.6 - 17.3)		81,546	(67,973 - 95,118)
OR	55-64	925	16.3	1.34	(13.6 - 18.9)		59,294	(48,999 - 69,589)
OR	65+	1,111	11.6	1.02	(9.6 - 13.6)		52,747	(43,196 - 62,297)
PA	18-24	364	20.2	2.48	(15.3 - 25.1)		237,011	(172,415 - 301,607)
PA	25-34	804	14.8	1.40	(12.0 - 17.5)		218,240	(175,447 - 261,033)
PA	35-44	1,095	12.8	1.24	(10.3 - 15.2)		238,607	(189,795 - 287,418)
PA	45-54	1,224	13.2	1.15	(11.0 - 15.5)		232,789	(190,517 - 275,061)
PA	55-64	1,046	12.6	1.17	(10.3 - 14.9)		159,284	(128,502 - 190,065)
PA	65+	1,502	8.2	0.78	(6.7 - 9.7)		157,699	(127,181 - 188,218)
RI	18-24	194	19.2	3.28	(12.7 - 25.7)		22,604	(14,189 - 31,018)
RI	25-34	551	16.9	1.83	(13.3 - 20.5)		23,314	(17,942 - 28,686)
RI	35-44	777	14.0	1.37	(11.3 - 16.7)		23,917	(19,086 - 28,748)
RI	45-54	884	14.8	1.38	(12.1 - 17.5)		22,087	(17,779 - 26,394)
RI	55-64	702	12.0	1.34	(9.3 - 14.6)		12,567	(9,681 - 15,454)
RI	65+	835	11.2	1.20	(8.9 - 13.6)		17,410	(13,587 - 21,233)
SC	18-24	417	12.6	1.92	(8.9 - 16.4)		55,619	(37,924 - 73,315)
SC	25-34	1,049	11.4	1.12	(9.2 - 13.6)		64,892	(51,720 - 78,065)
SC	35-44	1,256	10.9	0.98	(8.9 - 12.8)		68,239	(55,525 - 80,954)
SC	45-54	1,436	13.3	1.09	(11.2 - 15.4)		76,723	(63,505 - 89,941)
SC	55-64	1,314	13.0	1.02	(11.0 - 15.0)		56,559	(47,332 - 65,785)
SC	65+	1,560	10.1	0.94	(8.3 - 12.0)		52,403	(42,306 - 62,500)
SD	18-24	337	14.9	2.46	(10.1 - 19.8)		12,329	(7,952 - 16,706)
SD	25-34	787	9.0	1.09	(6.8 - 11.1)		8,027	(6,054 - 10,000)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.



**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
SD	35-44	1,033	8.4	0.97	(6.5 - 10.3)		9,111	(6,973 - 11,250)
SD	45-54	1,279	10.1	0.96	(8.2 - 12.0)		10,783	(8,700 - 12,865)
SD	55-64	963	10.1	1.09	(7.9 - 12.2)		7,095	(5,524 - 8,666)
SD	65+	1,713	10.4	0.85	(8.7 - 12.1)		11,394	(9,484 - 13,305)
TN	18-24	198	19.9	3.67	(12.7 - 27.1)		112,529	(66,681 - 158,378)
TN	25-34	576	13.3	1.80	(9.8 - 16.8)		107,463	(77,112 - 137,815)
TN	35-44	715	13.5	1.77	(10.1 - 17.0)		120,875	(87,401 - 154,348)
TN	45-54	751	13.4	1.53	(10.4 - 16.4)		111,080	(84,978 - 137,182)
TN	55-64	629	17.6	1.88	(14.0 - 21.3)		106,982	(82,580 - 131,384)
TN	65+	884	12.6	1.27	(10.1 - 15.1)		93,327	(74,108 - 112,546)
TX	18-24	535	14.8	1.84	(11.2 - 18.5)		349,649	(257,592 - 441,707)
TX	25-34	1,172	13.5	1.22	(11.2 - 15.9)		442,266	(359,124 - 525,408)
TX	35-44	1,216	11.4	1.08	(9.3 - 13.5)		378,046	(305,110 - 450,981)
TX	45-54	1,185	12.5	1.12	(10.3 - 14.7)		365,687	(298,540 - 432,834)
TX	55-64	993	14.7	1.42	(12.0 - 17.5)		285,467	(226,684 - 344,250)
TX	65+	1,157	11.2	1.04	(9.1 - 13.2)		250,047	(202,177 - 297,917)
UT	18-24	479	15.2	1.92	(11.4 - 19.0)		48,932	(35,923 - 61,941)
UT	25-34	1,098	13.8	1.27	(11.3 - 16.3)		52,404	(42,337 - 62,470)
UT	35-44	934	13.2	1.33	(10.5 - 15.8)		38,749	(30,583 - 46,915)
UT	45-54	929	12.6	1.31	(10.0 - 15.2)		33,100	(25,943 - 40,257)
UT	55-64	786	11.3	1.32	(8.7 - 13.9)		19,781	(15,027 - 24,535)
UT	65+	909	11.0	1.25	(8.5 - 13.4)		22,441	(17,174 - 27,708)
VT	18-24	335	22.3	2.57	(17.3 - 27.4)		13,898	(10,319 - 17,477)
VT	25-34	831	18.2	1.44	(15.4 - 21.0)		12,995	(10,786 - 15,203)
VT	35-44	1,305	13.6	1.04	(11.6 - 15.6)		13,434	(11,302 - 15,565)
VT	45-54	1,553	13.9	0.99	(11.9 - 15.8)		13,861	(11,785 - 15,938)
VT	55-64	1,185	12.6	1.03	(10.6 - 14.6)		8,414	(6,994 - 9,834)
VT	65+	1,540	11.8	0.91	(10.0 - 13.6)		9,455	(7,954 - 10,957)
VA	18-24	341	18.8	2.82	(13.2 - 24.3)		137,690	(92,324 - 183,055)
VA	25-34	815	13.4	1.45	(10.5 - 16.2)		139,524	(108,619 - 170,429)
VA	35-44	1,174	12.3	1.16	(10.0 - 14.6)		148,587	(120,313 - 176,861)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
VA	45-54	1,155	11.9	1.17	(9.6 - 14.2)		126,189	(101,223 - 151,154)
VA	55-64	963	12.5	1.39	(9.8 - 15.2)		92,268	(71,169 - 113,366)
VA	65+	1,085	12.1	1.27	(9.6 - 14.6)		102,008	(80,272 - 123,743)
WA	18-24	1,356	18.9	1.36	(16.2 - 21.5)		112,596	(94,890 - 130,302)
WA	25-34	2,651	16.1	0.90	(14.3 - 17.9)		137,351	(121,103 - 153,599)
WA	35-44	3,404	14.6	0.73	(13.1 - 16.0)		140,600	(125,917 - 155,284)
WA	45-54	3,793	15.9	0.75	(14.4 - 17.3)		146,024	(131,534 - 160,515)
WA	55-64	3,197	14.9	0.78	(13.4 - 16.4)		88,705	(79,005 - 98,404)
WA	65+	4,118	13.1	0.65	(11.9 - 14.4)		91,547	(82,248 - 100,846)
WV	18-24	190	15.3	2.92	(9.6 - 21.1)		27,019	(16,030 - 38,009)
WV	25-34	462	17.0	1.93	(13.2 - 20.8)		37,440	(28,353 - 46,526)
WV	35-44	598	16.0	1.65	(12.8 - 19.2)		40,952	(32,036 - 49,868)
WV	45-54	697	14.0	1.42	(11.2 - 16.8)		39,530	(31,172 - 47,888)
WV	55-64	634	16.0	1.63	(12.8 - 19.2)		32,980	(25,841 - 40,119)
WV	65+	846	15.1	1.38	(12.4 - 17.8)		42,001	(33,919 - 50,084)
WI	18-24	295	17.0	2.69	(11.7 - 22.3)		95,900	(63,259 - 128,540)
WI	25-34	725	14.0	1.48	(11.1 - 16.9)		95,937	(74,904 - 116,970)
WI	35-44	878	12.6	1.26	(10.1 - 15.0)		107,389	(85,330 - 129,448)
WI	45-54	957	10.8	1.14	(8.6 - 13.0)		83,685	(65,698 - 101,672)
WI	55-64	681	10.2	1.31	(7.7 - 12.8)		53,858	(39,779 - 67,938)
WI	65+	921	10.7	1.17	(8.4 - 13.0)		76,762	(59,469 - 94,055)
WY	18-24	258	19.7	2.76	(14.3 - 25.2)		10,618	(7,373 - 13,863)
WY	25-34	609	11.4	1.33	(8.8 - 14.0)		6,708	(5,106 - 8,311)
WY	35-44	721	11.2	1.23	(8.8 - 13.7)		8,044	(6,241 - 9,848)
WY	45-54	989	11.6	1.11	(9.4 - 13.8)		9,312	(7,473 - 11,151)
WY	55-64	684	12.9	1.37	(10.2 - 15.6)		6,817	(5,319 - 8,314)
WY	65+	876	11.0	1.15	(8.8 - 13.3)		6,673	(5,238 - 8,108)
Territories								
PR	18-24	330	27.2	2.93	(21.5 - 33.0)		113,853	(85,987 - 141,719)
PR	25-34	514	20.3	2.23	(16.0 - 24.7)		110,455	(83,949 - 136,961)
PR	35-44	725	19.8	1.83	(16.2 - 23.4)		104,166	(83,349 - 124,983)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table L3**  
**Adult Self-Reported Lifetime Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2004**

State	Age Group	Sample Size	Prevalence (percent)	Standard Error	95% CI* (percent)		Prevalence (number)	95% CI* (number)
PR	45-54	786	13.9	1.33	(11.2 - 16.5)		65,410	(52,647 - 78,172)
PR	55-64	734	14.5	1.52	(11.6 - 17.5)		56,676	(44,432 - 68,921)
PR	65+	1,020	16.8	1.47	(13.9 - 19.6)		77,236	(62,911 - 91,561)
VI	18-24	198	20.1	3.53	(13.2 - 27.1)		1,734	(1,058 - 2,411)
VI	25-34	424	10.7	1.82	(7.1 - 14.3)		1,476	(960 - 1,991)
VI	35-44	600	10.5	1.51	(7.5 - 13.5)		1,656	(1,164 - 2,147)
VI	45-54	641	9.2	1.35	(6.5 - 11.8)		1,316	(918 - 1,713)
VI	55-64	489	6.9	1.31	(4.3 - 9.5)		798	(492 - 1,104)
VI	65+	317	7.5	1.83	(3.9 - 11.1)		670	(334 - 1,006)

## Notes:

\*CI denotes confidence interval.

\*\*U.S. Total includes 49 states plus the District of Columbia and excludes the two territories. Data for Hawaii and Guam not available.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.