

# Childcare and School Vaccination Requirements

2007 – 2008



<b>Contents</b>	<b>Page</b>
<b>Foreword</b>	2
<b>Summary of Requirements</b>	
Table by Vaccine or Antigen	3
Table by Grade Level	4
<b>Diphtheria, Tetanus and acellular Pertussis (DTaP)</b>	
Childcare	5
Kindergarten	6
<b>Tetanus and diphtheria (Td) or Tetanus, diphtheria and acellular pertussis (Tdap)</b>	
Middle School	7
<b>Hepatitis A (Hep A)</b>	
Childcare	8
Kindergarten	9
<b>Hepatitis B (Hep B)</b>	
Childcare	10
Kindergarten	11
Middle School	12
<b>Haemophilus influenzae Type b (Hib)</b>	
Childcare	13
<b>Human Papillomavirus (HPV)</b>	
Middle School	14
<b>Measles, Mumps, and Rubella (MMR)</b>	
Childcare	15
Kindergarten	16
<b>Measles Dose 2</b>	
Kindergarten	17
Middle School	18
<b>Meningococcal Conjugate Vaccine (MCV4)</b>	
Middle School	19
<b>Pneumococcal Conjugate Vaccine (PCV)</b>	
Childcare	20
<b>Polio</b>	
Childcare	21
Kindergarten	22
<b>Varicella</b>	
Childcare	23
Kindergarten	24
Middle School	25
<b>Exemptions Allowed</b>	26
<b>College Requirements</b>	27
<b>Immunization Program Websites</b>	28

## **FOREWORD**

This publication presents a condensed version of the state and project vaccination policies that were validated in March, 2008. It reflects state laws, regulations, or rules that impose vaccination requirements for enrollment and attendance in childcare, kindergarten, and middle school. Also included are the reported allowable exemptions for each project area, college and university vaccination requirements, and immunization program websites.

The policies are vaccine specific, cataloged by grade, and are presented in table format. Because there are variances in requirements, narrative descriptions referencing age or grade and dose requirements are included.

This information represents the collaborative efforts of immunization program managers and staff in the 50 states, the District of Columbia, the Commonwealth of Puerto Rico, the U.S. Virgin Islands, the U.S. affiliated jurisdictions in the Pacific, and staff from the CDC's National Center for Immunization and Respiratory Diseases.

James A. Singleton, M.S.  
Chief, Assessment Branch  
Immunization Services Division  
National Center for Immunization  
And Respiratory Diseases

**Summary of Vaccination Requirements by Vaccine or Antigen (2007-2008)**  
**For Childcare (CC), Kindergarten (K), and Middle School (MS)**

	DTaP		Hep A		Hep B			Hib	HPV	MMR		Measles Dose 2		MCV4	Polio		PCV	Td or Tdap	Varicella			
	CC	K	CC	K	CC	K	MS	CC	MS	CC	K	K	MS	MS	CC	K	CC	MS	CC	K	MS	
Alabama																						
Alaska																						
American Samoa																						
Arizona			*																			
Arkansas											^^											
California											^^											
Colorado																						
Connecticut											o	o	o									
Delaware													**									
District of Columbia																						
Federated States/Micronesia	Did not report requirements																					
Florida																						
Georgia																						
Guam																						
Hawaii																						
Idaho																						
Illinois																						
Indiana																						
Iowa											^	^										
Kansas																						
Kentucky																						
Louisiana							**						**									**
Maine																						
Marshall Islands	Did not report requirements																					
Maryland																						
Massachusetts																						
Michigan																						
Minnesota																						
Mississippi																						
Missouri																						
Montana																						
N. Mariana Islands	Did not report requirements																					
Nebraska																						
Nevada				**		**	**														**	**
New Hampshire																						
New Jersey																						
New Mexico																						
New York											o	o	o	o								
North Carolina																						
North Dakota																						
Ohio																						
Oklahoma																						
Oregon																						
Palau	Did not report requirements																					
Pennsylvania																						
Puerto Rico																						
Rhode Island																						
South Carolina																						
South Dakota																						
Tennessee																						
Texas				*																		
Utah																						
Vermont												^										
Virgin Islands																						
Virginia																						
Washington																						
West Virginia											^	^	**									
Wisconsin																						
Wyoming																						

Required     
  Not Required     
  Recommended

\*Required for specific geographic area(s) only  
 \*\*Required for new entrants only  
 ^Mumps not required  
 ^^Measles containing vaccine accepted  
 oDocumented history of disease acceptable

## Summary of Vaccination Requirements by Grade Level (2007-2008)

For Childcare, Kindergarten, and Middle School

	Childcare								Kindergarten						Middle School						
	DTaP	Hep A	Hep B	Hib	MMR	Polio	PCV	Varicella	DTaP	Hep A	Hep B	MMR	Measles Dose 2	Polio	Varicella	Hep B	HPV	Measles Dose 2	MCV4	Td or Tdap	Varicella
Alabama								o							o						o
Alaska								o													
American Samoa																					
Arizona		*						o							o						o
Arkansas								o				^^			o						o
California								o				^^			o						**
Colorado					o			o				o	o		o						o
Connecticut								o							o						o
Delaware																		**			o
District of Columbia								o							o						o
Federated States/Micronesia	Did not report requirements																				
Florida								o							o						
Georgia																					
Guam																					
Hawaii								o							o						o
Idaho																					
Illinois																					
Indiana								o							o						
Iowa					^			o				^			o						
Kansas																					
Kentucky															o						
Louisiana																**		**			**
Maine								o							o						o
Marshall Islands	Did not report requirements																				
Maryland																					
Massachusetts								o							o						o
Michigan								o							o						o
Minnesota															o						o
Mississippi								o							o						
Missouri								o							o						
Montana																					
N. Mariana Islands	Did not report requirements																				
Nebraska								o							o						o
Nevada									**	**					**	**					**
New Hampshire															o						o
New Jersey								o							o						o
New Mexico															o						o
New York					o			o				o	o		o			o			o
North Carolina								o							o						o
North Dakota								o							o						
Ohio																					
Oklahoma								o							o						o
Oregon								o							o						o
Palau	Did not report requirements																				
Pennsylvania								o							o						o
Puerto Rico								o							o						o
Rhode Island																					
South Carolina																					
South Dakota															o						o
Tennessee								o							o						
Texas								o		*					o						o
Utah																					o
Vermont												^									
Virgin Islands																					
Virginia								o							o						
Washington																					
West Virginia					^			o				^						**			
Wisconsin								o							o						o
Wyoming																					

☐ Required

◐ Not required

◼ Recommended

\*Required for specific geographic area(s) only  
 \*\*Required for new entrants only  
 ^Mumps not required  
 ^^Measles containing vaccine accepted  
 oDocumented history of disease acceptable

## Diphtheria, Tetanus, and acellular Pertussis (DTaP) 2007-2008 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required (age appropriate)
Alaska	4 doses (age appropriate < age 7 years)
American Samoa	4 doses (ages 2,4,6,15 months); 5 doses (ages 4-6 years)
Arizona	4 doses (age appropriate)
Arkansas	Required (age appropriate)
California	Required (age appropriate up to age 2 years); 4 doses (ages 2-4 years)
Colorado	4 doses (dose 1 by age 4 months, dose 2 by age 6 months, dose 3 by age 8 months, dose 4 by age 18 months)
Connecticut	Required (age appropriate by age 18 months); 4 doses (> age 18 months)
Delaware	4 doses (5 doses if dose 4 is before age 4 years)
District of Columbia	4 doses (age appropriate by age 18 months); 5 doses (at age 4 years)
Federated States/Micronesia	Did not report requirements
Florida	Required (age appropriate)
Georgia	Required (age appropriate)
Guam	1 dose minimum (age appropriate and must receive all follow-up doses by age recommendations)
Hawaii	Required (age appropriate by age 19 months); 4 doses (> age 19 months)
Idaho	5 doses (age appropriate)
Illinois	3 doses (by age 1 year); 4 doses (at or after age 2 years)
Indiana	3 doses (ages 6-17 months); 4 doses (ages 18-59 months)
Iowa	3 doses
Kansas	4 doses (5 doses if dose 4 before age 4 years)
Kentucky	Required (age appropriate)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	Required (age appropriate)
Massachusetts	4 doses (age appropriate)
Michigan	Required (age appropriate under age 15 months); 4 doses (age appropriate ages 15 months-5 years)
Minnesota	Required (age appropriate under age 15 months); 4 doses (ages 15 months-4 years); 5 doses (after age 4 years)
Mississippi	4 doses (before age 4 years); 1 dose (after age 4 years)
Missouri	Required (age appropriate following ACIP recommendations)
Montana	Required (age appropriate)
N. Mariana Islands	4 doses
Nebraska	Required (age appropriate; booster given 8-12 months after dose 3)
Nevada	4 doses (age appropriate) or any 5 doses
New Hampshire	Required (age appropriate)
New Jersey	3 doses (age appropriate < age 17 months); 4 doses (minimum for ages 18 months-4 years)
New Mexico	4 doses (3 doses by age 7-12 months; booster dose at age 20-48 month)
New York	Required (age appropriate); 3 doses: pertussis and tetanus
North Carolina	Required (age appropriate following ACIP recommendations)
North Dakota	Required (age appropriate)
Ohio	4 doses
Oklahoma	Required (age appropriate)
Oregon	4 doses (age appropriate): diphtheria and tetanus only, pertussis not required
Palau	Did not report requirements
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	4 doses (age appropriate with 1 dose after age 4 years)
Tennessee	Required (age appropriate)
Texas	Required (age appropriate)
Utah	Required (age appropriate)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required (age appropriate)
Washington	1 dose (ages 3-4 months); 2 doses (ages 5-6 months); 3 doses (ages 7-18 months); 4 doses (at or after age 19 months)
West Virginia	3 doses (age appropriate up to age 18 months); 4 doses (over age 18 months)
Wisconsin	2 doses (ages 5-15 months); 3 doses (ages 16-23 months); 4 doses (ages 2-4 years)
Wyoming	Required (age appropriate)

## Diphtheria, Tetanus, and acellular Pertussis (DTaP) 2007-2008 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	4 doses (1 dose after age 4 years)
Alaska	5 doses (4 doses if dose 4 is after age 4 years)
American Samoa	4 doses (K3); 5 doses (K5 and above)
Arizona	4 doses (5 doses if dose 4 is before age 4 years)
Arkansas	4 doses (1 dose on or after age 4 years)
California	4-5 doses (age appropriate)
Colorado	4 doses (final dose on or after age 4 years); 5 doses (if dose 4 was before age 4 years)
Connecticut	4 doses (final dose after age 4 years)
Delaware	4 doses (5 doses if dose 4 is before age 4 years)
District of Columbia	4 doses (age appropriate age 18 months); 5 doses (at age 4 years)
Federated States/Micronesia	Did not report requirements
Florida	5 doses (4 doses if dose 4 is after age 4 years)
Georgia	3 doses (1 dose after age 4 years)
Guam	1 dose minimum (for school entry, but must receive all follow-up doses needed to complete the series)
Hawaii	5 doses (4 doses if dose 4 is on or after age 4 years)
Idaho	5 doses
Illinois	4 doses (1 dose after age 4 years)
Indiana	5 doses (4 doses if dose 4 is after age 4 years)
Iowa	4 doses
Kansas	4 doses (5 doses if dose 4 is before age 4 years)
Kentucky	5 doses
Louisiana	4-5 doses (1 dose after age 4 years)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	4 doses
Massachusetts	5 doses (unless dose 4 is after age 4 years)
Michigan	5 doses (unless dose 4 is after age 4 years)
Minnesota	5 doses (unless dose 4 is after age 4 years)
Mississippi	4 doses (1 dose after age 4 years)
Missouri	4 doses (following ACIP recommendations)
Montana	4 doses (1 dose after age 4 years)
N. Mariana Islands	5 doses
Nebraska	3 doses (1 dose on or after age 4 years)
Nevada	4 doses (1 dose after age 4 years)
New Hampshire	4 doses (1 dose after age 4 years); 5 doses (no age limitation as long as minimum intervals are met)
New Jersey	4 doses (1 dose on or after age 4 years)
New Mexico	4 doses (1 dose on or after age 4 years)
New York	3 doses: diphtheria only, tetanus and pertussis not required; 4 doses: DTP for NYC only
North Carolina	5 doses (1 dose after age 4 years and before school entry)
North Dakota	5 doses (unless dose 4 is on or after age 4 years, age appropriate)
Ohio	5 doses (if dose 4 is before age 4 years)
Oklahoma	5 doses (unless dose 4 is after age 4 years)
Oregon	5 doses (unless dose 4 is after age 4 years): diphtheria and tetanus only, pertussis not required
Palau	Did not report requirements
Pennsylvania	4 doses (1 dose on or after age 4 years): diphtheria and tetanus only, pertussis not required
Puerto Rico	5 doses (unless dose 4 is after age 4 years)
Rhode Island	5 doses (unless dose 4 is after age 4 years)
South Carolina	4 doses (1 dose after age 4 years)
South Dakota	4 doses (1 dose after age 4 years)
Tennessee	4 doses
Texas	5 doses (unless dose 4 is on or after age 4 years)
Utah	5 doses (unless dose 4 is after age 4 years)
Vermont	3 doses (6 months between dose 2 and dose 3): pertussis not required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (1 dose after age 4 years)
Washington	4 doses (1 dose after age 4 years)
West Virginia	3 doses (1 dose on or after age 4 years)
Wisconsin	4 doses (1 dose after age 4 years); 3 doses (if dose 3 is after age 4 years)
Wyoming	4 doses (1 dose after age 4 years for new entrants)

## Tetanus and Diphtheria (Td) or Tetanus, Diphtheria, and acellular Pertussis (Tdap) 2007-2008 Requirements for Middle School

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required (if 5-10 years after preschool booster)
Alaska	Required (if 10 years after last tetanus/diphtheria containing vaccine)
American Samoa	1 dose (between ages 11-14 years)
Arizona	Not required (Tdap required beginning 2008 school year for grade 6 entry)
Arkansas	3 doses (either Tdap/Td/DTP/DTaP/DT)
California	Not required
Colorado	1 dose (Tdap; grade 6)
Connecticut	Not required
Delaware	Not required (recommended if 5 years after the last DTaP/DTP/ DT)
District of Columbia	Required (age appropriate every 10 years)
Federated States/Micronesia	Did not report requirements
Florida	1 dose
Georgia	Not required
Guam	Required (if 10 years since last DTP/DTaP/Td)
Hawaii	Not required
Idaho	Not required
Illinois	1 dose (if 10 years since last DTP/DTaP/Td; high school requirement for 9th grade primarily)
Indiana	3 doses (either DTP/DTaP/Td/DT)
Iowa	Not required
Kansas	Required (10 years after primary series; can be given to ages 11-12 years if at least 5 years after primary series)
Kentucky	Required (at age 11 or 12 years)
Louisiana	Required (new entrants only)
Maine	Not required
Marshall Islands	Did not report requirements
Maryland	Not required
Massachusetts	1 dose
Michigan	Required (if 10 years since last dose)
Minnesota	1 dose
Mississippi	Not required
Missouri	Required (age appropriate)
Montana	1 dose (Tdap or Td)
N. Mariana Islands	1 dose
Nebraska	Not required
Nevada	Required (age appropriate)
New Hampshire	1 dose (if 10 years since last dose)
New Jersey	Not required
New Mexico	1 dose (Tdap or Td)
New York	1 dose (Tdap)
North Carolina	1 dose (if 10 years or more since last tetanus containing vaccine)
North Dakota	Not required
Ohio	Not required
Oklahoma	Not required
Oregon	Not required (recommended)
Palau	Did not report requirements
Pennsylvania	Not required
Puerto Rico	Required (age 11 years or older)
Rhode Island	Required (if 5 years or more since last tetanus containing vaccine)
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	1 dose (Tdap or Td; if 10 years since last dose)
Utah	1 dose (Tdap preferable; Td acceptable)
Vermont	1 dose (if 10 years since last tetanus containing vaccine)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	1 dose (Tdap or Td; if at least 5 years since last dose)
Washington	Required
West Virginia	Not required
Wisconsin	Not required
Wyoming	Required (age appropriate + one booster)

NOTE: Unless a specific antigen is specified, Td is acceptable.



## Hepatitis A (Hep A) 2007-2008 Requirements for Childcare

	<b>DOSAGE REQUIREMENTS AND COMMENTS</b>
Alabama	Not required
Alaska	2 doses (after age 1 year with a minimum interval of 6 months)
American Samoa	Not required
Arizona	2 doses (ages 12-71 months in Maricopa County only)
Arkansas	Not required
California	Not required (recommended)
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required
Federated States/Micronesia	Did not report requirements
Florida	Not required
Georgia	2 doses (born after 1/11/06)
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required
Kentucky	Not required
Louisiana	Not required
Maine	Not required
Marshall Islands	Did not report requirements
Maryland	Not required
Massachusetts	Not required (recommended)
Michigan	Not required
Minnesota	Not required
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	Not required
Nebraska	Not required
Nevada	Not required
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	2 doses (dose 1 at or after age 2 years; dose 2 administered 6-18 months later)
Oregon	Not required (recommended)
Palau	Did not report requirements
Pennsylvania	Not required
Puerto Rico	Not required (recommended)
Rhode Island	Not required
South Carolina	Not required (recommended)
South Dakota	Not required
Tennessee	Not required
Texas	Required (age appropriate)
Utah	Not required
Vermont	Not required
Virgin Islands	Not required
Virginia	Not required
Washington	Not required
West Virginia	Required (age appropriate)
Wisconsin	Not required
Wyoming	Required (age appropriate)

## Hepatitis A (Hep A) 2007-2008 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	2 doses (after age 1 year with a minimum interval of 6 months)
American Samoa	Not required
Arizona	Not required
Arkansas	Not required
California	Not required
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required
Federated States/Micronesia	Did not report requirements
Florida	Not required
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required
Kentucky	Not required
Louisiana	Not required
Maine	Not required
Marshall Islands	Did not report requirements
Maryland	Not required
Massachusetts	Not required
Michigan	Not required
Minnesota	Not required
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	Not required
Nebraska	Not required
Nevada	2 doses (new entrants)
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	2 doses (dose 1 on or after age 2 years, dose 2 administered 6-18 months later)
Oregon	Not required (recommended)
Palau	Did not report requirements
Pennsylvania	Not required
Puerto Rico	Not required (recommended)
Rhode Island	Not required
South Carolina	Not required
South Dakota	Not required (recommended)
Tennessee	Not required
Texas	2 doses (grades K-3 in designated counties)
Utah	2 doses
Vermont	Not required
Virgin Islands	Not required
Virginia	Not required
Washington	Not required
West Virginia	Not required
Wisconsin	Not required
Wyoming	Required (age appropriate)

## Hepatitis B (Hep B)

### 2007-2008 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	3 doses
American Samoa	3 doses (ages birth, 1, and 6 months: infants of carrier mothers); 1 dose (age 12 months: infants of non-carrier mothers)
Arizona	3 doses (age appropriate)
Arkansas	Required (age appropriate)
California	3 doses
Colorado	3 doses (dose 1 by age 4 months, dose 2 by age 6 months, dose 3 by age 15 months)
Connecticut	3 doses (age appropriate before age 18 months)
Delaware	Required (age appropriate)
District of Columbia	Required (age appropriate intervals: dose 3 at or after age 6 months)
Federated States/Micronesia	Did not report requirements
Florida	Not required
Georgia	Required (age appropriate)
Guam	1 dose minimum (age appropriate and must receive all follow-up doses by age recommendations)
Hawaii	3 doses (age appropriate)
Idaho	3 doses
Illinois	3 doses
Indiana	3 doses (age appropriate)
Iowa	3 doses
Kansas	Not required (recommended)
Kentucky	Required (age appropriate)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	Required (age appropriate)
Massachusetts	3 doses (age appropriate)
Michigan	3 doses (age appropriate before age 15 months)
Minnesota	Not required
Mississippi	Not required
Missouri	Required (age appropriate following ACIP recommendations)
Montana	Not required
N. Mariana Islands	3 doses
Nebraska	3 doses (age appropriate)
Nevada	Not required
New Hampshire	Required (age appropriate)
New Jersey	Not required
New Mexico	3 doses (age appropriate)
New York	3 doses or positive serological test as proof of immunity
North Carolina	Required (age appropriate following ACIP recommendations)
North Dakota	Not required
Ohio	3 doses
Oklahoma	3 doses (age appropriate)
Oregon	3 doses (age appropriate)
Palau	Did not report requirements
Pennsylvania	3 doses (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	3 doses (age appropriate)
South Carolina	3 doses (age appropriate)
South Dakota	Not required (recommended)
Tennessee	3 doses (age appropriate)
Texas	Required (age appropriate)
Utah	Not required
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (age appropriate)
Washington	3 doses (> age 5 months); 2 doses (ages 3-4 months)
West Virginia	3 doses (age appropriate)
Wisconsin	2 doses (ages 5-23 months); 3 doses (ages 2-4 years)
Wyoming	3 doses

## Hepatitis B (Hep B)

### 2007-2008 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	3 doses
American Samoa	3 doses
Arizona	3 doses
Arkansas	3 doses
California	3 doses
Colorado	3 doses
Connecticut	3 doses
Delaware	3 doses (age appropriate)
District of Columbia	3 doses (age appropriate intervals: dose 3 at age 6 months or older)
Federated States/Micronesia	Did not report requirements
Florida	3 doses
Georgia	3 doses
Guam	1 dose minimum (for school entry, but must receive all follow-up doses to complete the series)
Hawaii	3 doses
Idaho	3 doses
Illinois	Not required
Indiana	3 doses
Iowa	3 doses
Kansas	3 doses
Kentucky	Required (completion of series)
Louisiana	Required
Maine	Not required
Marshall Islands	Did not report requirements
Maryland	3 doses
Massachusetts	3 doses
Michigan	3 doses
Minnesota	3 doses
Mississippi	3 doses
Missouri	3 doses (following ACIP recommendations)
Montana	Not required
N. Mariana Islands	3 doses
Nebraska	3 doses
Nevada	3 doses (new school entrants)
New Hampshire	3 doses
New Jersey	3 doses
New Mexico	3 doses
New York	3 doses or positive serological test as proof of immunity
North Carolina	3 doses
North Dakota	3 doses
Ohio	3 doses
Oklahoma	3 doses
Oregon	3 doses
Palau	Did not report requirements
Pennsylvania	3 doses
Puerto Rico	3 doses
Rhode Island	3 doses
South Carolina	3 doses
South Dakota	Not required (3 doses recommended)
Tennessee	3 doses
Texas	3 doses
Utah	3 doses
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses
Washington	3 doses
West Virginia	Not required
Wisconsin	3 doses
Wyoming	3 doses

## Hepatitis B (Hep B)

### 2007-2008 Requirements for Middle School

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	3 doses
American Samoa	3 doses
Arizona	3 doses (or 2-dose adolescent series)
Arkansas	3 doses (or 2 dose adolescent series for ages 11-15 years)
California	3 doses
Colorado	3 doses (2 doses acceptable for ages 11-15 years if given approved Merck's 2-dose Recombivax, 1.0cc)
Connecticut	3 doses
Delaware	3 doses (2 doses acceptable for ages 11-15 years)
District of Columbia	3 doses (age appropriate intervals with the 3rd dose at age 6 months or older)
Federated States/Micronesia	Did not report requirements
Florida	3 doses (2 doses acceptable for ages 11-15 years)
Georgia	3 doses
Guam	1 dose minimum (for school entry, but must receive all follow-up doses needed to complete the series)
Hawaii	3 doses (grade 7 entry and new entrants to HI schools)
Idaho	3 doses (if born after 11/22/1991)
Illinois	3 doses (grade 5; progressive requirement)
Indiana	Not required
Iowa	3 doses
Kansas	Not required (recommended)
Kentucky	Required (completion of series)
Louisiana	Required (new entrants only)
Maine	Not required
Marshall Islands	Did not report requirements
Maryland	Required (K-grade 10)
Massachusetts	3 doses
Michigan	3 doses (grade 6 entry or new entrant to the school district)
Minnesota	3 doses (grade 7 only)
Mississippi	Not required
Missouri	3 doses
Montana	Not required
N. Mariana Islands	3 doses
Nebraska	3 doses
Nevada	3 doses (new school entrants)
New Hampshire	3 doses (if born on or after 01/01/1993)
New Jersey	3 doses (2 doses acceptable for ages 11-15 years if given approved Merck's 2-dose Recombivax)
New Mexico	3 doses (2- dose Recombivax acceptable for ages 11-15 years)
New York	3 doses (2 doses acceptable for ages 11-15 years) or positive serological test as proof of immunity
North Carolina	3 doses (if born on or after 07/01/1994)
North Dakota	Not required
Ohio	Required (grade 7 entry)
Oklahoma	2-3 doses (depending on vaccine used)
Oregon	3 doses (2 doses if dose 1 on or after age 11 years and dose 2 at least 4 months later)
Palau	Did not report requirements
Pennsylvania	3 doses (grade 7 entry)
Puerto Rico	3 doses
Rhode Island	Required
South Carolina	3 doses
South Dakota	Not required
Tennessee	3 doses
Texas	3 doses
Utah	3 doses
Vermont	Required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required (complete series prior to grade 6 entry)
Washington	3 doses (through grade 10)
West Virginia	Not required
Wisconsin	3 doses
Wyoming	3 doses

## Haemophilus influenzae Type b (Hib) 2007-2008 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required (age appropriate)
Alaska	Required (age appropriate)
American Samoa	3 doses (ages 2,4,15 months PedvaxHIB)
Arizona	3-4 doses (age appropriate)
Arkansas	Required (age appropriate)
California	2 doses (age appropriate)
Colorado	3 doses (series began before age 1 year); 2 doses (series began at ages 12-14 months); 1 dose (series began at age 15 months)
Connecticut	Required (age appropriate)
Delaware	Not required
District of Columbia	3-4 doses (age appropriate age 1 year, depending on manufacturer; up to age 5 years)
Federated States/Micronesia	Did not report requirements
Florida	Required (age appropriate)
Georgia	3-4 doses (age appropriate)
Guam	Required (age appropriate)
Hawaii	Required (at least 1 dose on or after age 1 year)
Idaho	3 doses (age appropriate)
Illinois	Required (age appropriate or at least 1 dose after age 15 months)
Indiana	1-4 doses (age appropriate and dependent on manufacturer; not required if dose 1 not received before age 5 years)
Iowa	1 dose (at least; ages 2-18 months); 3 doses (at least; ages 18 months and older); or 1 dose (at least; after age 15 months)
Kansas	Not required (recommended)
Kentucky	Required (age appropriate or at least 1 dose after age 15 months)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	Required (age appropriate)
Massachusetts	3-4 doses (age appropriate, depending on vaccine)
Michigan	Required (age appropriate or at least 1 dose after age 15 months)
Minnesota	1 dose (at least + history of 1 dose given after age 1 year)
Mississippi	Required (age appropriate)
Missouri	Required (age appropriate following ACIP recommendations)
Montana	Required (age appropriate)
N. Mariana Islands	4 doses
Nebraska	Required (age appropriate up to 3 doses)
Nevada	Required (age appropriate)
New Hampshire	Required (age appropriate)
New Jersey	2 doses (age appropriate ages 2-11 months); 1 dose (on or after age 1 year)
New Mexico	1-3 doses (age appropriate)
New York	Required (age appropriate or at least 1 dose after age 15 months)
North Carolina	Required (age appropriate up to age 15 months); 1 dose (> age 15 months up to age 5 years)
North Dakota	Required (age appropriate)
Ohio	Required (age appropriate)
Oklahoma	Required (age appropriate)
Oregon	Required (age appropriate)
Palau	Did not report requirements
Pennsylvania	Required (age appropriate)
Puerto Rico	1 dose (at least after age 15 months)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	Required (age appropriate following ACIP recommendations)
Tennessee	Required (age appropriate)
Texas	Required (age appropriate or 1 dose after age 15 months)
Utah	Required (age appropriate)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required (age appropriate)
Washington	Required (age appropriate)
West Virginia	1 dose (age appropriate)
Wisconsin	2 doses (ages 5-15 months); 3 doses (ages 16 months-4 years)
Wyoming	1 dose (ages 18-60 months)

## Human Papillomavirus (HPV) 2007-2008 Requirements for Middle School

STATE	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	Not required
American Samoa	Not required
Arizona	Not required
Arkansas	Not required
California	Not required
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required (Education)
Federated States/Micronesia	Did not report requirements
Florida	Not required
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Not required (Educational materials grade 6)
Iowa	Not required
Kansas	Not required
Kentucky	Not required
Louisiana	Not required
Maine	Not required
Marshall Islands	Did not report requirements
Maryland	Not required
Massachusetts	Not required (recommended)
Michigan	Not required
Minnesota	Not required
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	Not required
Nebraska	Not required
Nevada	Not required
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Not required
North Carolina	Not required (recommended)
North Dakota	Not required
Ohio	Not required
Oklahoma	Not required
Oregon	Not required (recommended)
Palau	Did not report requirements
Pennsylvania	Not required
Puerto Rico	Not required (recommended)
Rhode Island	Not required
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	Not required
Utah	Not required
Vermont	Not required
Virginia	Not required (2009 requirement for grade 6)
Washington	Not required (recommended)
West Virginia	Not required
Wisconsin	Not required
Wyoming	Not required

## Measles, Mumps, and Rubella (MMR) 2007-2008 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	1 dose (after age 1 year)
Alaska	1 dose (on or after age 1 year)
American Samoa	1 dose (at age 15 months)
Arizona	1 dose (after age 1 year)
Arkansas	1 dose (after age 1 year)
California	1 dose (after age 1 year)
Colorado	1 dose (by age 15 months)
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	1 dose (measles after age 15 months; mumps and rubella after age 12 months)
District of Columbia	1 dose (after age 1 year), 2 doses (at age 4 years)
Federated States/Micronesia	Did not report requirements
Florida	1 dose (after age 1 year)
Georgia	1 dose (after age 1 year)
Guam	2 doses (age appropriate; after age 1 year; dose 2 between ages 4-6 years)
Hawaii	1 dose (at or after age 1 year)
Idaho	2 doses (age appropriate; after age 1 year; dose 2 between ages 4-6 years)
Illinois	1 dose (after age 1 year)
Indiana	1 dose (after age 1 year)
Iowa	1 dose (after age 1 year): measles and rubella; mumps not required
Kansas	1 dose (after age 1 year)
Kentucky	1 dose (after age 16 months)
Louisiana	1 dose (after age 1 year)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	1 dose (after age 1 year)
Massachusetts	1 dose (after age 1 year)
Michigan	1 dose (after age 1 year)
Minnesota	1 dose (after age 1 year)
Mississippi	1 dose (after age 1 year)
Missouri	1 dose (following ACIP recommendations)
Montana	1 dose (after age 1 year)
N. Mariana Islands	2 doses
Nebraska	1 dose (after age 1 year)
Nevada	1 dose (after age 1 year)
New Hampshire	1 dose (after age 1 year)
New Jersey	1 dose (at age 16-19 months)
New Mexico	1 dose (after age 1 year)
New York	1 dose (at age 1 year no earlier than 4 days before age 1 year) or proof of immunity (ined provider diag or pos sero test)
North Carolina	1 dose (after age 1 year)
North Dakota	Required (age appropriate)
Ohio	1 dose (after age 1 year)
Oklahoma	1 dose (after age 1 year)
Oregon	1 dose (after age 1 year)
Palau	Did not report requirements
Pennsylvania	1 dose (after age 1 year)
Puerto Rico	1 dose (after age 1 year)
Rhode Island	1 dose (after age 1 year)
South Carolina	1 dose (after age 1 year)
South Dakota	1 dose (after age 1 year)
Tennessee	1 dose (after age 1 year)
Texas	1 dose (age appropriate on or after age 1 year)
Utah	1 dose (after age 1 year)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	1 dose (after age 1 year)
Washington	1 dose (after age 1 year)
West Virginia	1 dose (on or after age 1 year): measles and rubella; mumps not required
Wisconsin	1 dose (after age 1 year)
Wyoming	1 dose (after age 1 year)



## Measles, Mumps, and Rubella (MMR)

### 2007-2008 Requirements for Kindergarten

	<b>DOSAGE REQUIREMENTS AND COMMENTS</b>
Alabama	1 dose (after age 1 year)
Alaska	1 dose (on or after age 1 year)
American Samoa	1 dose (K-3)
Arizona	2 doses (after age 1 year)
Arkansas	2 doses (dose 1 on or after age 1 year, dose 2 at least 28 days after dose 1) : measles containing vaccine; 1 dose mumps and rubella (on or after age 1 year)
California	2 doses (on or after age 1 year): measles-containing vaccine
Colorado	2 doses
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	1 dose (after age 15 months): measles; 1 dose (after age 1 year): mumps and rubella
District of Columbia	1 dose (after age 1 year); 2 doses (at age 4 years)
Federated States/Micronesia	Did not report requirements
Florida	1 dose (after age 1 year)
Georgia	1 dose (after age 1 year)
Guam	2 doses (on or after age 1 year)
Hawaii	2 doses (on or after age 1 year): measles-containing vaccine (with at least 1 dose of MMR)
Idaho	2 doses (after age 1 year)
Illinois	1 dose (after age 1 year)
Indiana	2 doses (after age 1 year): measles; 1 dose mumps and rubella
Iowa	1 dose (after age 1 year): measles and rubella; mumps not required
Kansas	1 dose (after age 1 year)
Kentucky	1 dose
Louisiana	1 dose (after age 1 year)
Maine	1 dose (after age 1 year)
Marshall Islands	Did not report requirements
Maryland	1 dose (after age 1 year)
Massachusetts	1 dose (after age 1 year)
Michigan	2 doses (on or after age 1 year)
Minnesota	2 doses (after age 1 year)
Mississippi	2 doses (after age 1 year)
Missouri	2 doses (following ACIP recommendations)
Montana	2 doses (after age 1 year)
N. Mariana Islands	2 doses
Nebraska	2 doses (on or after age 1 year; 1 month between doses)
Nevada	1 dose (after age 1 year)
New Hampshire	1 dose (after age 1 year)
New Jersey	1 dose (on or after age 1 year)
New Mexico	2 doses
New York	2 doses or proof of immunity (medical provider diagnosis or positive serological test)
North Carolina	2 doses: measles and mumps; 1 dose: rubella (all after age 1 year)
North Dakota	Required (age appropriate)
Ohio	1 dose (on or after age 1 year)
Oklahoma	2 doses (age appropriate)
Oregon	1 dose (after age 1 year)
Palau	Did not report requirements
Pennsylvania	2 doses
Puerto Rico	2 doses
Rhode Island	2 doses
South Carolina	1 dose (after age 1 year)
South Dakota	2 doses (after age 1 year)
Tennessee	1 dose (after age 1 year)
Texas	1 dose (after age 1 year)
Utah	2 doses (after age 1 year)
Vermont	1 dose (after age 1 year): measles and rubella; mumps not required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	1 dose (after age 1 year)
Washington	1 dose (after age 1 year)
West Virginia	1 dose (on or after age 1 year): measles and rubella; mumps not required
Wisconsin	1 dose (after age 1 year)
Wyoming	1 dose (on or after age 1 year)

## Measles 2nd Dose 2007-2008 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required
Alaska	Required
American Samoa	Required (for K-4 and up)
Arizona	Required: MMR
Arkansas	Required (at least 28 days after dose 1): measles-containing vaccine
California	Required (on or after age 1 year): measles-containing vaccine
Colorado	Required
Connecticut	Required or proof of immunity acceptable
Delaware	Required (after age 4 years)
District of Columbia	Required (at age 4 years): MMR
Federated States/Micronesia	Did not report requirements
Florida	Required
Georgia	Required (2 doses mumps required)
Guam	Required
Hawaii	Required (2 doses measles containing vaccine with at least 1 dose of MMR)
Idaho	Required (after age 1 year)
Illinois	Required
Indiana	Required
Iowa	Required (no less than 28 days after dose 1)
Kansas	Required: MMR
Kentucky	Required
Louisiana	Required
Maine	Required (at least 4 weeks after dose 1)
Marshall Islands	Did not report requirements
Maryland	Required
Massachusetts	Required
Michigan	Required (at least 28 days after dose 1); dose 2 of mumps and rubella (at least 28 days after dose 1)
Minnesota	Required: MMR
Mississippi	Required
Missouri	Required: MMR (following ACIP recommendations)
Montana	Required: MMR
N. Mariana Islands	Required
Nebraska	Required (at least 28 days after dose 1)
Nevada	Required
New Hampshire	Required
New Jersey	Required (at least 28 days after dose 1): live measles-containing vaccine
New Mexico	Required
New York	Required or proof of immunity (medical provider diagnosis or positive serological test)
North Carolina	Required
North Dakota	Required (age appropriate)
Ohio	Required
Oklahoma	Required (at least 28 days after dose 1)
Oregon	Required (at least 28 days after dose 1)
Palau	Did not report requirements
Pennsylvania	Required
Puerto Rico	Required
Rhode Island	Required: MMR
South Carolina	Required
South Dakota	Required
Tennessee	Required
Texas	Required
Utah	Required
Vermont	Required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required
Washington	Required (after age 1 year)
West Virginia	Required
Wisconsin	Required: MMR
Wyoming	Required: MMR

## Measles 2nd Dose 2007-2008 Requirements for Middle School

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required
Alaska	Required
American Samoa	Required
Arizona	Required
Arkansas	Required
California	Required
Colorado	Required
Connecticut	Required
Delaware	Required (new entrants)
District of Columbia	Required (at age 4 years): MMR
Federated States/Micronesia	Did not report requirements
Florida	Required
Georgia	Required (grade 6 entry); 2 doses mumps required
Guam	Required
Hawaii	Required (grade 7 entry and new entrants to HI schools)
Idaho	Required
Illinois	Required
Indiana	Required
Iowa	Required
Kansas	Required
Kentucky	Required
Louisiana	Required (new entrants)
Maine	Required
Marshall Islands	Did not report requirements
Maryland	Required
Massachusetts	Required
Michigan	Required (for grade 6 entry or new entrants to school district)
Minnesota	Required (for grade 7 entry)
Mississippi	Not required
Missouri	Required
Montana	Required (for grades 7-12, if not received at K)
N. Mariana Islands	Required
Nebraska	Required
Nevada	Required
New Hampshire	Required (prior to entering grade 7)
New Jersey	Required (2 doses if born on or after 1/1/1990); 1 dose mumps and rubella required
New Mexico	Required
New York	Required or proof of immunity (medical provider diagnosis or positive serological test)
North Carolina	Required
North Dakota	Required
Ohio	Required
Oklahoma	Required
Oregon	Required
Palau	Did not report requirements
Pennsylvania	Required
Puerto Rico	Required
Rhode Island	Required
South Carolina	Required
South Dakota	Required
Tennessee	Required
Texas	Required
Utah	Required
Vermont	Required
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required
Washington	Required
West Virginia	Required (for out-of-state transfer students)
Wisconsin	Required
Wyoming	Required (prior to entry to grade 7 and transfer students)

## Meningococcal Conjugate Vaccine (MCV4) 2007-2008 Requirements for Middle School

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	Not required
American Samoa	Not required
Arizona	Not required
Arkansas	Not required
California	Not required
Colorado	Not required
Connecticut	Not required
Delaware	Not required
District of Columbia	Not required
Federated States/Micronesia	Did not report requirements
Florida	Not required
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required (recommended)
Kentucky	Not required
Louisiana	Not required
Maine	Not required
Marshall Islands	Did not report requirements
Maryland	Not required
Massachusetts	Not required (recommended); (Required for newly enrolled full time residential students)
Michigan	Not required
Minnesota	Not required
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	Not required
Nebraska	Not required
Nevada	Not required
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Not required
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	Not required
Oregon	Not required (recommended)
Palau	Did not report requirements
Pennsylvania	Not required
Puerto Rico	Not required (recommended)
Rhode Island	Not required
South Carolina	Not required
South Dakota	Not required
Tennessee	Not required
Texas	Not required
Utah	Not required
Vermont	Not required (recommended)
Virginia	Not required
Washington	Not required
West Virginia	Not required
Wisconsin	Not required
Wyoming	Not required

## Pneumococcal Conjugate Vaccine (PCV) 2007-2008 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Not required
Alaska	Not required
American Samoa	Not required
Arizona	Not required
Arkansas	Not required (will be a requirement in 2008)
California	Not required (recommended)
Colorado	1-4 doses (depending on age)
Connecticut	Required (age appropriate)
Delaware	Not required
District of Columbia	Not required
Federated States/Micronesia	Did not report requirements
Florida	Required (age appropriate under age 5 years)
Georgia	Not required
Guam	Not required
Hawaii	Not required
Idaho	Not required
Illinois	1-4 doses (age appropriate)
Indiana	1-4 doses (age appropriate)
Iowa	3 doses
Kansas	Not required (recommended)
Kentucky	Not required
Louisiana	Required (under age 24 months)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	Required (age appropriate)
Massachusetts	Not required (recommended)
Michigan	Required (age appropriate)
Minnesota	Required (age appropriate for ages 2-24 months)
Mississippi	Required (age appropriate)
Missouri	Not required
Montana	Not required
N. Mariana Islands	4 doses
Nebraska	Required (age appropriate)
Nevada	Not required
New Hampshire	Not required
New Jersey	Not required
New Mexico	Not required
New York	Required (if born after 01/01/2008)
North Carolina	Not required
North Dakota	Not required
Ohio	Not required
Oklahoma	1-4 doses (depending on age)
Oregon	Not required (recommended)
Palau	Did not report requirements
Pennsylvania	Required (age appropriate)
Puerto Rico	4 doses (age 15 months)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	Not required (recommended)
Tennessee	Not required
Texas	Required (age appropriate)
Utah	Not required
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Required (age appropriate for less than age 2 years)
Washington	Not required (recommended)
West Virginia	1 dose (age appropriate)
Wisconsin	Not required
Wyoming	Required (age appropriate)

## Polio

### 2007-2008 Requirements for Childcare

<b>DOSAGE REQUIREMENTS AND COMMENTS</b>	
Alabama	1 dose (age appropriate)
Alaska	3 doses (age appropriate)
American Samoa	3 doses (ages 2,4,6 months); 4 doses (ages 4-6 years)
Arizona	3 doses (age appropriate)
Arkansas	Required (age appropriate)
California	3 doses (age appropriate)
Colorado	3 doses (dose 1 by age 4 months, dose 2 by age 6 months, dose 3 by age 8 months)
Connecticut	Required (age appropriate before age 18 months); 3 doses (after age 18 months)
Delaware	Required (age appropriate)
District of Columbia	4 doses (age appropriate; dose 3 by ages 6-12 months; dose 4 by or before age 4 years; fewer doses required based on age)
Federated States/Micronesia	Did not report requirements
Florida	Required (age appropriate)
Georgia	3-4 doses (or age appropriate)
Guam	1 dose minimum (age appropriate and must receive all follow-up doses by age recommendations)
Hawaii	3 doses (age appropriate)
Idaho	3 doses (age appropriate; more doses may be required)
Illinois	2 doses (by age 1 year); 3 doses (if age 2 years or older)
Indiana	1-3 doses (age appropriate)
Iowa	3 doses
Kansas	4 doses (3 doses if dose 3 after age 4 years)
Kentucky	Required (age appropriate)
Louisiana	Required (age appropriate)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	Required (age appropriate)
Massachusetts	3 doses (minimum; age appropriate)
Michigan	Required (age appropriate under age 15 months); 3 doses (ages 15 months-5 years)
Minnesota	Required (age appropriate under age 15 months); 3 doses (ages 15 months-4 years); 4 doses (over age 4 years)
Mississippi	Required (age appropriate)
Missouri	Required (age appropriate following ACIP recommendations)
Montana	Required (age appropriate)
N. Mariana Islands	3 doses
Nebraska	3 doses (maximum; age appropriate)
Nevada	Required (age appropriate)
New Hampshire	3 doses (age appropriate)
New Jersey	2 doses (age appropriate under age 17 months); 3 doses (ages 18 months-4 years)
New Mexico	Required (age appropriate following ACIP recommendations)
New York	3 doses (age appropriate)
North Carolina	Required (age appropriate following ACIP recommendations)
North Dakota	3 doses (minimum; age appropriate)
Ohio	3 doses
Oklahoma	4 doses (age appropriate); 3 doses (if dose 3 given after age 4 years)
Oregon	3 doses (age appropriate)
Palau	Did not report requirements
Pennsylvania	Required (age appropriate)
Puerto Rico	Required (age appropriate)
Rhode Island	Required (age appropriate)
South Carolina	Required (age appropriate)
South Dakota	Required (age appropriate following ACIP recommendations)
Tennessee	Required (age appropriate)
Texas	Required (age appropriate)
Utah	Required (age appropriate)
Vermont	Required (age appropriate)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (age appropriate)
Washington	1 dose (ages 3-4 months); 2 doses (ages 5-18 months); 3 doses (at or after age 19 months)
West Virginia	3 doses (age appropriate; dose 3 after age 18 months)
Wisconsin	2 doses (ages 5-23 months); 3 doses (ages 2-4 years)
Wyoming	Required (age appropriate)

## Polio 2007-2008 Requirements for Kindergarten

	<b>DOSAGE REQUIREMENTS AND COMMENTS</b>
Alabama	3 doses (last dose after age 4 years)
Alaska	3 doses (4 doses recommended unless last dose is after age 4 years)
American Samoa	3 doses (for K3); 4 doses (K4 and above)
Arizona	4 doses (3 doses if dose 3 is after age 4 years)
Arkansas	3 doses (at least 1 dose on or after age 4 years)
California	3-4 doses (age appropriate)
Colorado	4 doses (new entrants; 3 doses if dose 3 is on or after age 4 years)
Connecticut	3 doses (last dose after age 4 years)
Delaware	4 doses (3 doses if dose 3 is after age 4 years)
District of Columbia	4 doses (age appropriate; dose 3 by ages 6-12 months; dose 4 at age 4 years, fewer doses may be required based on age)
Federated States/Micronesia	Did not report requirements
Florida	4 doses (3 doses if dose 3 is after age 4 years)
Georgia	3 doses (last dose on or after age 4 years)
Guam	1 dose minimum (for school entry, but must receive all follow-up doses needed to complete the series)
Hawaii	4 doses (3 doses if dose 3 is on or after age 4 years; 4 doses if combination IPV/OPV administered)
Idaho	3 doses
Illinois	3 doses (last dose after age 4 years)
Indiana	4 doses (3 doses if dose 3 is after age 4 years)
Iowa	3 doses (last dose after age 4 years)
Kansas	4 doses (3 doses if dose 3 is after age 4 years)
Kentucky	4 doses
Louisiana	4 doses (last dose after age 4 years)
Maine	Required (age appropriate)
Marshall Islands	Did not report requirements
Maryland	3 doses
Massachusetts	4 doses (3 doses if dose 3 is after age 4 years; 4 doses required if combination IPV/OPV administered)
Michigan	4 doses (3 doses if dose 3 is after age 4 years)
Minnesota	4 doses (3 doses if dose 3 is after age 4 years)
Mississippi	3 doses (last dose after age 4 years)
Missouri	3 doses (following ACIP recommendations)
Montana	3 doses (last dose after age 4 years)
N. Mariana Islands	4 doses
Nebraska	3 doses
Nevada	3 doses (last dose after age 4 years)
New Hampshire	3 doses (last dose after age 4 years; 4 doses if eIPV or OPV administered regardless of age)
New Jersey	3 doses (last dose after age 4 years or any 4 doses)
New Mexico	3 doses (all OPV or all IPV administered or 4 doses if combination IPV/OPV administered)
New York	3 doses
North Carolina	4 doses (last dose after age 4 years and before school entry or 3 doses if dose 3 is after age 4 years)
North Dakota	4 doses (age appropriate; 3 doses if dose 3 is after age 4 years)
Ohio	4 doses (3 doses if dose 3 is after age 4 years)
Oklahoma	4 doses (3 doses if dose 3 is after age 4 years)
Oregon	4 doses (3 doses if dose 3 is after age 4 years)
Palau	Did not report requirements
Pennsylvania	3 doses
Puerto Rico	4 doses (3 doses if dose 3 is after age 4 years)
Rhode Island	4 doses
South Carolina	3 doses (last dose after age 4 years)
South Dakota	3 doses (at least 1 dose after age 4 years)
Tennessee	4 doses (1 dose after age 4 years)
Texas	4 doses (3 doses if dose 3 is on or after age 4 years)
Utah	4 doses (3 doses if dose 3 is after age 4 years)
Vermont	3 doses (6 months between doses 2 and 3)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	3 doses (last dose after age 4 years)
Washington	3 doses (last dose after age 4 years)
West Virginia	3 doses (last dose on or after age 4 years)
Wisconsin	4 doses (3 doses if dose 3 is after age 4 years)
Wyoming	4 doses (new entrants must have 4th dose after age 4 years)

## Varicella

### 2007-2008 Requirements for Childcare

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	1 dose (after age 1 year) or physician or lab documented disease history
Alaska	1 dose (after age 1 year) or documented history of disease
American Samoa	Not required
Arizona	1 dose (after age 1 year) or documented history of disease
Arkansas	1 dose (on or after age 1 year) or verbal history of disease documented on record
California	1 dose (ages 18 months-4 years) or physician documented disease history
Colorado	1 dose (by age 15 months) or health care provider documented history of disease
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	Required (age appropriate)
District of Columbia	1 dose (after age 1 year) or positive varicella disease history
Federated States/Micronesia	Did not report requirements
Florida	1 dose or history of disease from physician or parent recall
Georgia	1 dose (after age 1 year)
Guam	Not required
Hawaii	1 dose (on or after age 1 year and by age 19 months) or documented history of disease
Idaho	Not required
Illinois	1 dose (if over age 2 years)
Indiana	1 dose or parent or physician document history of disease
Iowa	1 dose or reliable history of natural disease
Kansas	Not required (recommended)
Kentucky	1 dose (if > age 19 months to < age 7 years)
Louisiana	Required
Maine	Required (age appropriate) or physician documented history
Marshall Islands	Did not report requirements
Maryland	1 dose (after age 1 year)
Massachusetts	1 dose (age 19 months or older) or physician-certified proof of immunity
Michigan	1 dose (after age 1 year) or history of disease
Minnesota	1 dose (age 18 months or older)
Mississippi	1 dose (after age 1 year)
Missouri	1 dose (after age 1 year) or history of disease
Montana	1 dose
N. Mariana Islands	1 dose
Nebraska	1 dose (after age 1 year) or history of disease from physician or parent
Nevada	Not required
New Hampshire	1 dose (at age 19 months)
New Jersey	1 dose (on or after age 1 year) or documented history of disease
New Mexico	1 dose (at age 16-19 months) or proof of immunity
New York	1 dose or documented history of disease
North Carolina	1 dose (after age 1 year) or documented history of disease, if born on or after 04/01/2001
North Dakota	1 dose (age appropriate) or documented proof of immunity
Ohio	Not required (recommended)
Oklahoma	1 dose (on or after age 1 year) or parental history of disease
Oregon	1 dose or parent-signed history of disease
Palau	Did not report requirements
Pennsylvania	Required (age appropriate) or history of disease
Puerto Rico	2 doses (if born after 1997; dose 2 at age 4 years) or proof of immunity
Rhode Island	Required (age appropriate) or proof of immunity
South Carolina	Required (age appropriate)
South Dakota	Not required (recommended)
Tennessee	1 dose (after age 1 year) or a history of disease provided by parent or physician
Texas	1 dose (age appropriate; on or after age 1 year) or documented history of disease
Utah	Not required
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	1 dose (no earlier than age 1 year) or documented proof of immunity
Washington	1 dose
West Virginia	1 dose (after age 1 year) or history of disease
Wisconsin	1 dose (ages 2-4 years) or prior history of disease
Wyoming	Not required



## Varicella

### 2007-2008 Requirements for Kindergarten

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	1 dose (after age 1 year) or physician or lab documented disease history
Alaska	Not required
American Samoa	Not required
Arizona	1 dose (after age 1 year) or documented history of disease
Arkansas	1 dose (on or after age 1 year) or verbal history disease documented on record
California	1 dose or physician documented disease history
Colorado	2 doses or health care provider documented history of disease
Connecticut	1 dose (after age 1 year) or proof of immunity
Delaware	1 dose
District of Columbia	1 dose (at age 1 year) or positive varicella disease history
Federated States/Micronesia	Did not report requirements
Florida	1 dose or history of disease (physician diagnosed or parental recall)
Georgia	2 doses
Guam	Not required
Hawaii	1 dose (on or after age 1 year) or documented history of disease
Idaho	Not required
Illinois	1 dose (on or after age 1 year)
Indiana	1 dose or parent or physician documented history of disease
Iowa	1 dose or reliable history of natural disease
Kansas	2 doses (after age 1 year)
Kentucky	1 dose or previous history of disease
Louisiana	Required
Maine	1 dose or physician documented history
Marshall Islands	Did not report requirements
Maryland	1 dose
Massachusetts	Required or physician-certified proof of immunity
Michigan	1 dose (on or after age 1 year) or history of disease
Minnesota	Required or history of disease
Mississippi	2 doses (after age 1 year)
Missouri	1 dose (after age 1 year) or history of disease
Montana	Not required
N. Mariana Islands	1 dose
Nebraska	1 dose (after age 1 year) or history of disease from physician or parent
Nevada	Required (new school entrants)
New Hampshire	1 dose (on or after age 1 year) or history of disease reported by parent or health care provider
New Jersey	1 dose (on or after age 1 year) or documented history of disease
New Mexico	Required or proof of immunity
New York	1 dose or documented history of disease
North Carolina	1 dose (after age 1 year) or documented history of disease, if born on or after 04/01/2001
North Dakota	1 dose (age appropriate) or documented proof of immunity
Ohio	1 dose (progressive requirement each year)
Oklahoma	1 dose (on or after the age 1 year) or parental history of disease
Oregon	1 dose or parent-signed history of disease
Palau	Did not report requirements
Pennsylvania	Required (age appropriate) or history of disease
Puerto Rico	2 doses (if born after 1997; dose 2 at age 4 years) or proof of immunity
Rhode Island	1 dose (after age 1 year) or proof of immunity
South Carolina	2 doses (age appropriate)
South Dakota	2 doses (after age 1 year) or parental history of disease
Tennessee	1 dose (after age 1 year) or history of disease provided by parent or physician
Texas	1 dose (after age 1 year) or documented history of disease
Utah	Required
Vermont	Not required (recommended)
Virgin Islands	2 doses
Virginia	1 dose (after age 1 year) or documented proof of immunity
Washington	Required (age appropriate)
West Virginia	Not required
Wisconsin	1 dose or prior history of disease
Wyoming	Not required

# Varicella

## 2007-2008 Requirements for Middle School

	DOSAGE REQUIREMENTS AND COMMENTS
Alabama	Required (grades 5-7 entry requirement; yearly grade increase until 2013) or physician or lab diagnosed disease history
Alaska	Not required
American Samoa	Not required
Arizona	Not Required (grade 7 entry requirement in 2008) or documented history of disease
Arkansas	Required (grade 7 only); 1 dose (before age 13 years); 2 doses (at least 28 days after dose 1, if age 13 years or older) or verbal history of disease
California	Required (only for children who entered CA schools on or after July 1, 2001)
Colorado	1 dose (grades 2-8) or health care provider documented history of disease
Connecticut	1 dose (if < age 13 years); 2 doses (4 weeks apart for ages 13 years and older); or must show proof of immunity
Delaware	Not required (grade 6 will begin in 2009)
District of Columbia	1 dose (at age 1 year); 2 doses (if dose 1 at age 13 years or older); or positive varicella disease history
Federated States/Micronesia	Did not report requirements
Florida	Not required
Georgia	Required (for all entrants into grade 6)
Guam	Not required
Hawaii	1 dose (grade 7 entry and new entrants to HI schools); 2 doses (if dose 1 dose is on or after age 13 years); or documented history of disease
Idaho	Not required
Illinois	Not required
Indiana	Not required
Iowa	Not required
Kansas	Not required (recommended)
Kentucky	Not required
Louisiana	Required (new entrants only)
Maine	1 dose (if < age 13 years); 2 doses (age 13 years or older); or physician documented history
Marshall Islands	Did not report requirements
Maryland	Required (K-grade 10)
Massachusetts	1 dose (before age 13 years); 2 doses (age 13 years or older); or physician-certified proof of immunity
Michigan	1 dose (between ages 1-13 years); 2 doses (28 days apart if dose 1 is on or after age 13 years); or history of disease
Minnesota	Required (grade 7 only) or history of disease
Mississippi	Not required
Missouri	Not required
Montana	Not required
N. Mariana Islands	2 doses
Nebraska	1 dose (age 13 years or under); 2 doses (if > age 13 years); or history of disease from physician or parent
Nevada	Required (new school entrants)
New Hampshire	1 dose (before grade 6) or history of disease from parent or health care provider
New Jersey	1 dose (if born on or after 1/1/1998; new entrants or transfers to NJ schools) or documented proof of immunity
New Mexico	Not required
New York	1 dose (for grade 6 if born on or after 1/1/1994) or documented history of disease
North Carolina	Required or documented history of disease
North Dakota	Not required
Ohio	Not required
Oklahoma	1 dose (after age 1 year for grades K-7) or parental documentation of history of disease
Oregon	Required or parent-signed history of disease
Palau	Did not report requirements
Pennsylvania	Required (age appropriate for grade 7) or history of disease
Puerto Rico	2 doses (if born after 1997; dose 2 at age 4 years) or proof of immunity
Rhode Island	Required or proof of immunity
South Carolina	Not required (proof of immunity required for grades 6 and 7)
South Dakota	Not required
Tennessee	Not required
Texas	1 dose (before age 13 years); 2 doses (age 13 years and over) or documented history of disease
Utah	1 dose or history of disease
Vermont	Not required (recommended)
Virgin Islands	Required (age appropriate following ACIP recommendations)
Virginia	Not required
Washington	1 dose
West Virginia	Not required
Wisconsin	1 dose (before age 13 years); 2 doses (age 13 years or older); or prior history of disease
Wyoming	Not required

Grantee	Childcare and School Exemptions Allowed (2007 - 2008)			
	Medical		Religious	Philosophical
	Temporary	Permanent		
Alabama		X	X	
Alaska		X	X	
Arizona	X	X	**	*
Arkansas	X		X	X
California	X	X	X	X
Colorado	X	X	X	X
Connecticut		X	X	
Delaware	X	X	X	
District of Columbia	X	X	X	
Florida	X	X	X	
Georgia	X		X	
Guam	X	X	X	
Hawaii	X	X	X	
Idaho	X	X	X	X
Illinois		X	X	
Indiana <sup>^</sup>	X	X	X	
Iowa	X	X	X	
Kansas	X		X	
Kentucky	X	X	X	
Louisiana	X	X	X	X
Maine	X		X	X
Maryland	X	X	X	
Massachusetts	X	X	X	
Michigan	X	X	X	X
Minnesota	X	X	X	X
Mississippi	X	X		
Missouri		X	*	**
Montana	X	X	X	
Nebraska	X	X	X	**
Nevada	X	X	X	
New Hampshire	X		X	
New Jersey	X	X	X	
New Mexico	X	X	X	X
New York	X	X	X	
North Carolina	X	X	X	
North Dakota		X	X	X
Ohio	X	X	X	X
Oklahoma	X	X	X	X
Oregon	X	X	X	
Pennsylvania	X	X	X	
Puerto Rico	X	X	X	
Rhode Island	X	X	X	
South Carolina	X	X	X	
South Dakota		X	X	
Tennessee	X	X	X	
Texas	X	X	X	X
Utah	X	X	X	X
Vermont	X	X	X	X
Virginia	X	X	X	
Washington	X	X	X	X
West Virginia	X	X		
Wisconsin	X	X	X	X
Wyoming	X	X	X	

X Exemption allowed

\* Allowed in schools only

\*\* Allowed in childcare and head start facilities only

<sup>^</sup> Medical exemptions are referred to as "Acute" and "Chronic"

Note: Federated States/Micronesia, Marshall Islands, Palau did not report requirements

## State College/University Vaccination Entry Requirements^

Grantee	Vaccines Required							COMMENTS
	Hep B	HPV	MMR2	MCV4	Tdap	Td	VAR	
Alabama								
Alaska								
Arizona								
Arkansas			Yes*					*Incoming freshman and foreign students: 2 doses measles; 1 dose rubella
California	Yes							
Colorado			Yes	Yes*				*Incoming freshman resident students or waiver is to be signed.
Connecticut			Yes	Yes				
Delaware			Yes					
District of Columbia	Yes		Yes			Yes	Yes	
Florida	Yes			Yes				
Georgia	Yes		Yes			Yes	Yes	
Guam	Yes*		Yes			Yes		*Only for Nursing Students and Allied Health Students
Hawaii			Yes					
Idaho								
Illinois			Yes			Yes		
Indiana			Yes			Yes		
Iowa								
Kansas	Yes		Yes					
Kentucky								
Louisiana			Yes	Yes		Yes		
Maine			Yes			Yes		
Maryland				Yes				
Massachusetts	Yes		Yes	Yes*		Yes		*Newly enrolled full-time residential students
Michigan								
Minnesota			Yes			Yes		
Mississippi			Yes			Yes	Yes	
Missouri								
Montana			Yes					
N. Mariana Islands			Yes			Yes		
Nebraska								
Nevada			Yes			Yes		
New Hampshire								
New Jersey			Yes	Yes*				*New 4-year students in dorm setting; additional institution requirements may vary
New Mexico								
New York			Yes*					*2 Measles, 1 Mump, 1 Rubella, med provider diag M/M, or pos sero test M/M/R
North Carolina			Yes		Yes*	Yes		*Students enrolling for the first time after 07/01/2008 if 10 years since last Td/DTP
North Dakota			Yes					
Ohio								
Oklahoma	Yes		Yes	Yes				
Oregon			Yes*					*Measles only; mumps and rubella not required
Pennsylvania								
Puerto Rico	Yes		Yes		Yes	Yes		
Rhode Island	Yes		Yes			Yes	Yes	
South Carolina								
South Dakota			Yes			Yes		
Tennessee			Yes					
Texas	Yes		Yes			Yes	Yes	
Utah								
Vermont			Yes					
Virgin Islands	Yes		Yes			Yes	Yes	
Virginia	Yes		Yes	Yes		Yes		
Washington								
West Virginia								
Wisconsin								
Wyoming			Yes					

^Individual institutions may have additional requirements beyond those required by state law or regulation.

# Immunization Program Websites

<b>Alabama</b>	<a href="http://www.adph.org/Immunization/Default.asp?id=538">http://www.adph.org/Immunization/Default.asp?id=538</a>
<b>Alaska</b>	<a href="http://epi.alaska.gov/id/immune.stm">http://epi.alaska.gov/id/immune.stm</a>
<b>Arizona</b>	<a href="http://www.azdhs.gov/phs/immun/index_schchld.htm">http://www.azdhs.gov/phs/immun/index_schchld.htm</a>
<b>Arkansas</b>	<a href="http://www.healtharkansas.com/faq/faq_immunizations.html">http://www.healtharkansas.com/faq/faq_immunizations.html</a>
<b>California</b>	<a href="http://www.dhs.ca.gov/ps/dcdc/izgroup/schools/default.htm">http://www.dhs.ca.gov/ps/dcdc/izgroup/schools/default.htm</a>
<b>Colorado</b>	<a href="http://www.cdph.state.co.us/dc/Immunization/index.html">http://www.cdph.state.co.us/dc/Immunization/index.html</a>
<b>Connecticut</b>	<a href="http://www.ct.gov/dph/cwp/view.asp?a=3136&amp;q=388450&amp;dphNav_GID=1601">http://www.ct.gov/dph/cwp/view.asp?a=3136&amp;q=388450&amp;dphNav_GID=1601</a>
<b>Delaware</b>	<a href="http://www.dhss.delaware.gov/dph/dpc/immunize-children.html">http://www.dhss.delaware.gov/dph/dpc/immunize-children.html</a>
<b>District of Columbia</b>	<a href="http://doh.dc.gov/doh/cwp/view,a,1374,Q,580681,dohNav_GID,1824,asp">http://doh.dc.gov/doh/cwp/view,a,1374,Q,580681,dohNav_GID,1824,asp</a>
<b>Florida</b>	<a href="http://www.doh.state.fl.us/disease_ctrl/immune/news/imm_guidelines.htm">http://www.doh.state.fl.us/disease_ctrl/immune/news/imm_guidelines.htm</a>
<b>Georgia</b>	<a href="http://health.state.ga.us/programs/immunization/schools.asp">http://health.state.ga.us/programs/immunization/schools.asp</a>
<b>Hawaii</b>	<a href="http://www.hawaii.gov/health/about/rules/11-157.pdf">http://www.hawaii.gov/health/about/rules/11-157.pdf</a>
<b>Idaho</b>	<a href="http://www.healthandwelfare.idaho.gov/portal/alias__Rainbow/lang__en-US/tabID__3383/DesktopDefault.aspx">http://www.healthandwelfare.idaho.gov/portal/alias__Rainbow/lang__en-US/tabID__3383/DesktopDefault.aspx</a>
<b>Illinois</b>	<a href="http://www.ilga.gov/commission/jcar/admincode/077/07700665sections.html">http://www.ilga.gov/commission/jcar/admincode/077/07700665sections.html</a>
<b>Indiana</b>	<a href="http://www.in.gov/isdh/programs/immunization/SchoolRequirements/index_school_req.htm">http://www.in.gov/isdh/programs/immunization/SchoolRequirements/index_school_req.htm</a>
<b>Iowa</b>	<a href="http://www.idph.state.ia.us/adper/immunization.asp">http://www.idph.state.ia.us/adper/immunization.asp</a>
<b>Kansas</b>	<a href="http://www.kdheks.gov/immunize/schoolInfo.htm">http://www.kdheks.gov/immunize/schoolInfo.htm</a>
<b>Kentucky</b>	<a href="http://chfs.ky.gov/dph/epi/immunizationprograms.htm">http://chfs.ky.gov/dph/epi/immunizationprograms.htm</a>
<b>Louisiana</b>	<a href="http://www.dhh.louisiana.gov/offices/?ID=265">http://www.dhh.louisiana.gov/offices/?ID=265</a>
<b>Maine</b>	<a href="http://www.maine.gov/dhhs/boh/ddc/_immunization/school_requirements.html">http://www.maine.gov/dhhs/boh/ddc/_immunization/school_requirements.html</a>
<b>Maryland</b>	<a href="http://www.edcp.org/html/schoolrequire.html">http://www.edcp.org/html/schoolrequire.html</a>
<b>Massachusetts</b>	<a href="http://www.mass.gov/dph/cdc/epii/imm/imm.htm#school">http://www.mass.gov/dph/cdc/epii/imm/imm.htm#school</a>
<b>Michigan</b>	<a href="http://www.michigan.gov/mdch/0,1607,7-132-2942_4911_4914---,00.html">http://www.michigan.gov/mdch/0,1607,7-132-2942_4911_4914---,00.html</a>
<b>Minnesota</b>	<a href="http://www.health.state.mn.us/divs/idepc/immunize/laws/schlaw.html">http://www.health.state.mn.us/divs/idepc/immunize/laws/schlaw.html</a>
<b>Mississippi</b>	<a href="http://www.msdc.state.ms.us/msdcsite/_static/14,0,71,303.html">http://www.msdc.state.ms.us/msdcsite/_static/14,0,71,303.html</a>
<b>Missouri</b>	<a href="http://www.dhss.mo.gov/Immunizations">http://www.dhss.mo.gov/Immunizations</a>
<b>Montana</b>	<a href="http://www.dphs.mt.gov/PHSD/Immunization/immune-resource.shtml">http://www.dphs.mt.gov/PHSD/Immunization/immune-resource.shtml</a>
<b>Nebraska</b>	<a href="http://www.dhhs.ne.gov/hew/fah/imm/immindex.htm">http://www.dhhs.ne.gov/hew/fah/imm/immindex.htm</a>
<b>Nevada</b>	<a href="http://health.nv.gov/index.php?option=com_content&amp;task=view&amp;id=54&amp;Itemid=109">http://health.nv.gov/index.php?option=com_content&amp;task=view&amp;id=54&amp;Itemid=109</a>
<b>New Hampshire</b>	<a href="http://www.dhhs.state.nh.us/DHHS/IMMUNIZATION/LIBRARY/Best+Practice/immunizations-info.htm">http://www.dhhs.state.nh.us/DHHS/IMMUNIZATION/LIBRARY/Best+Practice/immunizations-info.htm</a>
<b>New Jersey</b>	<a href="http://nj.gov/health/cd/vpd/home.htm">http://nj.gov/health/cd/vpd/home.htm</a> and <a href="http://nj.gov/health/cd/chap14.pdf">http://nj.gov/health/cd/chap14.pdf</a>
<b>New Mexico</b>	<a href="http://www.health.state.nm.us/immunize/Pages/Public/sched/sched.html">http://www.health.state.nm.us/immunize/Pages/Public/sched/sched.html</a>
<b>New York</b>	<a href="http://www.health.state.ny.us/prevention/immunization/recommendations/immunization_requirements/">http://www.health.state.ny.us/prevention/immunization/recommendations/immunization_requirements/</a>
<b>North Carolina</b>	<a href="http://www.immunizenc.com/Schools.htm">http://www.immunizenc.com/Schools.htm</a>
<b>North Dakota</b>	<a href="http://www.ndhealth.gov/Immunize/Schools-Daycares/Schools-DayCares.htm">http://www.ndhealth.gov/Immunize/Schools-Daycares/Schools-DayCares.htm</a>
<b>Ohio</b>	<a href="http://www.odh.ohio.gov/odhPrograms/idc/immunize/cliloc.aspx">http://www.odh.ohio.gov/odhPrograms/idc/immunize/cliloc.aspx</a>
<b>Oklahoma</b>	<a href="http://www.ok.gov/health/Disease,_Prevention,_Preparedness/Immunizations/">http://www.ok.gov/health/Disease,_Prevention,_Preparedness/Immunizations/</a>
<b>Oregon</b>	<a href="http://oregon.gov/DHS/ph/imm/school/index.shtml">http://oregon.gov/DHS/ph/imm/school/index.shtml</a>
<b>Pennsylvania</b>	<a href="http://www.health.state.pa.us">http://www.health.state.pa.us</a>
<b>Puerto Rico</b>	<a href="http://www.salud.gov.pr">http://www.salud.gov.pr</a>
<b>Rhode Island</b>	<a href="http://www.health.ri.gov/family/immunization/requirements.php">http://www.health.ri.gov/family/immunization/requirements.php</a>
<b>South Carolina</b>	<a href="http://www.scdhec.gov/health/disease/immunization/immunizations.htm">http://www.scdhec.gov/health/disease/immunization/immunizations.htm</a>
<b>South Dakota</b>	<a href="http://doh.sd.gov/Immunize/School.aspx">http://doh.sd.gov/Immunize/School.aspx</a>
<b>Tennessee</b>	<a href="http://health.state.tn.us/Ceds/required.htm">http://health.state.tn.us/Ceds/required.htm</a>
<b>Texas</b>	<a href="http://www.dshs.state.tx.us/immunize/school/default.shtml">http://www.dshs.state.tx.us/immunize/school/default.shtml</a>
<b>Utah</b>	<a href="http://www.immunize-utah.org/provider/school/default.htm">http://www.immunize-utah.org/provider/school/default.htm</a>
<b>Vermont</b>	<a href="http://healthvermont.gov/hc/imm/index.aspx">http://healthvermont.gov/hc/imm/index.aspx</a>
<b>Virgin Islands</b>	<a href="http://www.healthvi.com/index.php?page_id=92">http://www.healthvi.com/index.php?page_id=92</a>
<b>Virginia</b>	<a href="http://www.vdh.state.va.us/epidemiology/immunization/requirements.htm">http://www.vdh.state.va.us/epidemiology/immunization/requirements.htm</a>
<b>Washington</b>	<a href="http://www.doh.wa.gov/cfh/immunize/schools.htm">http://www.doh.wa.gov/cfh/immunize/schools.htm</a>
<b>West Virginia</b>	<a href="http://www.wvdhhr.org/immunizations/school_entryrecomm.asp">http://www.wvdhhr.org/immunizations/school_entryrecomm.asp</a>
<b>Wisconsin</b>	<a href="http://www.dhfs.wisconsin.gov/immunization/pdf/PPH4021_02_08.pdf">http://www.dhfs.wisconsin.gov/immunization/pdf/PPH4021_02_08.pdf</a>
<b>Wyoming</b>	<a href="http://www.immunizewyoming.com">www.immunizewyoming.com</a>

Please note: These are the websites as of 3/2008, and they are subject to changes and updates made by the state immunization program.

For additional information about school vaccinations, please visit the CDC website  
<http://www.cdc.gov/vaccines/stats-surv/schoolsurv/default.htm>