

## SKATE FIGURES




Figure B1.1. Total landings of skates in NAFO subareas 5 and 6.




Figure B1.2. Distribution of winter skates from the Observer Program, 1989-2005.




Figure B1.3. Distribution of little skates from the Observer Program, 1989-2005.




Figure B1.4. Distribution of barndoor skates from the Observer Program, 1989-2005.




Figure B1.5. Distribution of thorny skates from the Observer Program, 1989-2005.




Figure B1.6. Distribution of smooth skates from the Observer Program, 1989-2005.




Figure B1.7. Distribution of clearnose skates from the Observer Program, 1989-2005.




Figure B1.8. Distribution of rosette skates from the Observer Program, 1989-2005.

### Winter Skate Observer Length Data




Figure B1.9. Winter skate length composition from the NEFSC observer program 1996-2005.

### Little Skate Observer Length Data




Figure B1.10. Little skate length composition from the NEFSC observer program 1996-2005.

### Barndoor Skate Observer Length Data




Figure B1.11. Barndoor skate length composition from the NEFSC observer program 1996-2005.

### Thorny Skate Observer Length Data




Figure B1.12. Thorny skate length composition from the NEFSC observer program 1996-2005.

### Smooth Skate Observer Length Data




Figure B1.13. Smooth skate length composition from the NEFSC observer program 1996-2005.

### Clearnose Skate Observer Length Data




Figure B1.14. Clearnose skate length composition from the NEFSC observer program 1996-2005.

### Rosette Skate Observer Length Data




Figure B1.15. Rosette skate length composition from the NEFSC observer program 1996-2005.