

Table 121. Death Rates from Human Immunodeficiency Virus (HIV) Disease by Selected Characteristics: 1990 to 2005

[Rates per 100,000 population. Beginning 2000, cause of death is coded according to ICD 10; for explanation, see text this section. For explanation of age adjustment, see headnote, Table 102. See Appendix III]

Characteristic	1990	2000	2001	2002	2003	2004	2005
All ages, age adjusted	10.2	5.2	5.0	4.9	4.7	4.5	4.2
All ages, crude	10.1	5.1	5.0	4.9	4.7	4.4	4.2
Under 1 year	2.7	(B)	(B)	(B)	(B)	(B)	(B)
1 to 4 years	0.8	(B)	(B)	(B)	(B)	(B)	(B)
5 to 14 years	0.2	0.1	0.1	0.1	0.1	0.1	(B)
15 to 24 years	1.5	0.5	0.6	0.4	0.4	0.5	0.4
25 to 34 years	19.7	6.1	5.3	4.6	4.0	3.7	3.3
35 to 44 years	27.4	13.1	13.0	12.7	12.0	10.9	9.9
45 to 54 years	15.2	11.0	10.5	11.2	10.9	10.6	10.6
55 to 64 years	6.2	5.1	5.2	5.1	5.4	5.4	5.3
65 to 74 years	2.0	2.2	2.1	2.2	2.4	2.4	2.3
75 to 84 years	0.7	0.7	0.7	0.8	0.7	0.8	0.8
85 years and over	(B)	(B)	(B)	(B)	(B)	(B)	(B)
AGE ADJUSTED							
Male	18.5	7.9	7.5	7.4	7.1	6.6	6.2
Female	2.2	2.5	2.5	2.5	2.4	2.4	2.3
White male	15.7	4.6	4.4	4.3	4.2	3.8	3.6
Black male	46.3	35.1	33.8	33.3	31.3	29.2	28.2
American Indian, Alaska Native male	3.3	3.5	4.2	3.4	3.5	4.3	4.0
Asian or Pacific Islander male	4.3	1.2	1.2	1.5	1.1	1.2	1.0
Hispanic male ¹	28.8	10.6	9.7	9.1	9.2	8.2	7.5
Non-Hispanic, White male ¹	14.1	3.8	3.6	3.5	3.4	3.1	3.0
White female	1.1	1.0	0.9	0.9	0.9	0.9	0.8
Black female	10.1	13.2	13.4	13.4	12.8	13.0	12.0
American Indian, Alaska Native female	(B)	1.0	(B)	(B)	1.5	1.5	1.5
Asian or Pacific Islander female	(B)	0.2	(B)	(B)	(B)	(B)	(B)
Hispanic female ¹	3.8	2.9	2.7	2.6	2.7	2.4	1.9
Non-Hispanic, White female ¹	0.7	0.7	0.6	0.6	0.6	0.6	0.6

B Base figure too small to meet statistical standards for reliability of a derived figure. ¹ Data for 1990 exclude data from states lacking an Hispanic-origin item on their death certificates. Persons of Hispanic origin may be any race.