

TABLE R54. Number of nonfatal occupational injuries and illnesses involving days away from work ¹ by part of body affected by the injury or illness and industry division, 1997

| Part of body | Part of body code ² | Private industry ³ | Goods producing | | | | Service producing | | | | |
|--|--------------------------------|-------------------------------|---|---------------------|--------------|---------------|--|-----------------|--------------|-------------------------------------|----------|
| | | | Agriculture, forestry, and fishing ³ | Mining ⁴ | Construction | Manufacturing | Transportation and public utilities ⁴ | Wholesale trade | Retail trade | Finance, insurance, and real estate | Services |
| Total | | 1,833,380 | 40,513 | 18,069 | 189,839 | 446,109 | 220,607 | 138,180 | 313,915 | 42,699 | 423,449 |
| Head | 0 | 123,392 | 4,603 | 1,506 | 15,461 | 35,477 | 12,035 | 9,010 | 17,874 | 2,258 | 25,169 |
| Head, unspecified | 00 | 20,260 | 465 | 33 | 2,747 | 3,483 | 2,897 | 1,564 | 3,652 | 620 | 4,799 |
| Cranial region, including skull | 01 | 11,582 | 390 | 71 | 689 | 2,411 | 1,338 | 712 | 2,490 | 401 | 3,081 |
| Cranial region, unspecified | 010 | 135 | - | - | - | 42 | - | - | - | - | 47 |
| Brain | 011 | 7,038 | 175 | 54 | 439 | 1,283 | 678 | 402 | 1,642 | 345 | 2,020 |
| Scalp | 012 | 3,528 | 174 | - | 181 | 807 | 498 | 193 | 743 | 44 | 883 |
| Skull | 013 | 817 | - | 10 | 65 | 255 | 152 | 110 | - | - | 114 |
| Multiple cranial region locations | 018 | 45 | - | - | - | 19 | - | - | - | - | - |
| Cranial region, n.e.c. | 019 | 20 | - | - | - | - | - | - | - | - | - |
| Ear(s) | 02 | 2,523 | - | 28 | 116 | 337 | 1,399 | 113 | 157 | - | 325 |
| Face | 03 | 87,298 | 3,709 | 1,308 | 11,836 | 28,913 | 6,097 | 6,513 | 11,300 | 1,219 | 16,403 |
| Face, unspecified | 030 | 4,707 | 208 | 45 | 324 | 1,040 | 382 | 250 | 1,126 | 33 | 1,299 |
| Forehead | 031 | 5,097 | 215 | 115 | 304 | 1,086 | 371 | 338 | 821 | 138 | 1,710 |
| Eye(s) | 032 | 64,909 | 2,863 | 555 | 9,028 | 24,145 | 4,272 | 4,877 | 7,718 | 893 | 10,558 |
| Nose, nasal cavity | 033 | 2,957 | 90 | 69 | 619 | 632 | 262 | 225 | 334 | - | 716 |
| Nose, except internal location of diseases or disorders | 0330 | 2,871 | 90 | 69 | 619 | 622 | 262 | 225 | 332 | - | 640 |
| Cheek(s) | 034 | 971 | - | 104 | 128 | 289 | 46 | - | 82 | - | 251 |
| Jaw/chin | 035 | 1,391 | - | 13 | 233 | 285 | 95 | 230 | 94 | - | 415 |
| Mouth | 036 | 3,362 | 132 | 18 | 929 | 650 | 310 | 127 | 609 | - | 562 |
| Mouth, unspecified | 0360 | 458 | - | 18 | - | 52 | 79 | - | 129 | - | 122 |
| Lip(s) | 0361 | 771 | 82 | - | - | 321 | 45 | 75 | 166 | - | 52 |
| Tongue | 0362 | 131 | - | - | - | - | 113 | - | - | - | - |
| Tooth(teeth) | 0363 | 1,716 | 47 | - | 775 | 207 | 60 | - | 252 | - | 329 |
| Multiple mouth locations | 0368 | 235 | - | - | 84 | 46 | - | - | - | - | - |
| Multiple face locations | 038 | 3,682 | 153 | 386 | 256 | 766 | 336 | 396 | 500 | 113 | 777 |
| Face, n.e.c. | 039 | 223 | - | - | - | - | - | - | - | - | 115 |
| Multiple head locations | 08 | 1,495 | - | 42 | 60 | 328 | 301 | 72 | 179 | - | 504 |
| Head, n.e.c. | 09 | 233 | - | 24 | - | - | - | - | 96 | - | 58 |
| Neck, including throat | 1 | 32,008 | 589 | 349 | 3,079 | 6,146 | 4,686 | 2,416 | 4,813 | 710 | 9,219 |
| Neck, except internal location of diseases or disorders | 10 | 31,872 | 588 | 347 | 3,079 | 6,097 | 4,676 | 2,416 | 4,783 | 709 | 9,176 |
| Internal neck location, unspecified | 11 | 87 | - | - | - | 46 | - | - | - | - | - |
| Trunk | 2 | 687,395 | 12,648 | 5,646 | 66,266 | 153,718 | 90,385 | 57,123 | 110,630 | 13,675 | 177,305 |
| Trunk, unspecified | 20 | 2,828 | 128 | - | 384 | 693 | 457 | 192 | 365 | 46 | 560 |
| Shoulder, including clavicle, scapula | 21 | 92,763 | 1,473 | 642 | 8,258 | 24,083 | 14,520 | 6,348 | 14,283 | 1,425 | 21,730 |
| Chest, including ribs, internal organs | 22 | 29,357 | 826 | 471 | 3,578 | 6,710 | 3,650 | 2,387 | 4,658 | 499 | 6,579 |
| Chest, except internal location of diseases or disorders | 220 | 27,316 | 790 | 434 | 3,406 | 6,078 | 3,435 | 2,299 | 4,451 | 475 | 5,949 |
| Internal chest location, unspecified | 221 | 101 | - | - | - | 16 | - | - | - | - | 69 |
| Heart | 223 | 380 | - | - | - | 35 | 63 | - | - | - | 165 |
| Bronchus | 224 | 143 | - | - | - | 75 | - | - | - | - | - |
| Lung(s), pleura | 225 | 1,412 | - | 33 | 143 | 501 | 141 | - | 147 | - | 366 |
| Back, including spine, spinal cord | 23 | 472,091 | 8,209 | 3,634 | 44,499 | 97,785 | 60,512 | 39,610 | 76,597 | 9,817 | 131,428 |
| Back, including spine, spinal cord, unspecified | 230 | 210,342 | 4,120 | 1,850 | 23,982 | 38,038 | 24,621 | 17,742 | 37,603 | 4,599 | 57,787 |
| Lumbar region | 231 | 219,571 | 3,438 | 1,476 | 17,633 | 48,997 | 30,245 | 18,718 | 32,946 | 4,655 | 61,464 |
| Thoracic region | 232 | 17,138 | 216 | 143 | 827 | 4,198 | 2,841 | 1,506 | 2,296 | 205 | 4,906 |
| Sacral region | 233 | 4,497 | 50 | 34 | 263 | 1,315 | 884 | 349 | 502 | 48 | 1,050 |
| Coccygeal region | 234 | 2,959 | 64 | 27 | 202 | 461 | 203 | 240 | 969 | 98 | 695 |
| Multiple back regions | 238 | 16,239 | 310 | 80 | 1,484 | 4,446 | 1,651 | 968 | 2,191 | 186 | 4,922 |

See footnotes at end of table.

TABLE R54. Number of nonfatal occupational injuries and illnesses involving days away from work ¹ by part of body affected by the injury or illness and industry division, 1997 — Continued

| Part of body | Part of body code ² | Private industry ³ | Goods producing | | | | Service producing | | | | |
|--|--------------------------------|-------------------------------|---|---------------------|--------------|---------------|--|-----------------|--------------|-------------------------------------|----------|
| | | | Agriculture, forestry, and fishing ³ | Mining ⁴ | Construction | Manufacturing | Transportation and public utilities ⁴ | Wholesale trade | Retail trade | Finance, insurance, and real estate | Services |
| Back, including spine, spinal cord, n.e.c. | 239 | 1,345 | — | 24 | 108 | 329 | 66 | 87 | 90 | — | 604 |
| Abdomen | 24 | 43,346 | 858 | 343 | 5,636 | 13,909 | 4,523 | 4,702 | 6,679 | 629 | 6,068 |
| Abdomen, except internal location of diseases or disorders | 240 | 11,707 | 272 | 37 | 1,483 | 3,231 | 1,385 | 1,031 | 1,899 | 56 | 2,314 |
| Internal abdominal location, unspecified | 241 | 13,645 | 224 | 189 | 2,236 | 4,066 | 1,323 | 1,280 | 2,756 | 321 | 1,249 |
| Stomach organ | 242 | 824 | 83 | 6 | 147 | 197 | 72 | 134 | — | — | 116 |
| Intestines, peritoneum | 245 | 16,671 | 275 | 111 | 1,761 | 6,252 | 1,713 | 2,058 | 1,924 | 225 | 2,353 |
| Intestines, peritoneum, unspecified | 2450 | 12,297 | 114 | 28 | 1,115 | 4,710 | 1,237 | 1,740 | 1,440 | 141 | 1,773 |
| Peritoneum | 2451 | 1,030 | 69 | — | 136 | 287 | 47 | 83 | 144 | — | 259 |
| Small intestine | 2452 | 180 | — | — | — | 78 | — | — | — | — | — |
| Large intestine/colon, rectum | 2453 | 2,067 | — | — | 455 | 864 | 367 | 113 | 81 | 76 | 102 |
| Intestines, n.e.c. | 2459 | 1,096 | 82 | 80 | — | 313 | — | 110 | 206 | — | 219 |
| Other digestive structures | 246 | 44 | — | — | — | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | 249 | 397 | — | — | — | 148 | — | 180 | — | 20 | — |
| Pelvic region | 25 | 31,477 | 682 | 337 | 2,851 | 7,453 | 4,449 | 2,802 | 5,914 | 556 | 6,434 |
| Pelvic region, unspecified | 250 | 962 | — | 201 | 101 | 159 | 94 | — | 247 | — | 101 |
| Hip(s) | 251 | 11,325 | 208 | 89 | 815 | 2,220 | 1,357 | 795 | 2,295 | 209 | 3,338 |
| Pelvis | 252 | 830 | — | — | 129 | 159 | 86 | — | 291 | — | 75 |
| Buttock(s) | 253 | 1,655 | 158 | 6 | 66 | 311 | 190 | 131 | 445 | — | 324 |
| Groin | 254 | 15,592 | 283 | 30 | 1,592 | 4,330 | 2,586 | 1,716 | 2,478 | 250 | 2,328 |
| External reproductive tract structures | 255 | 571 | — | 6 | 105 | 163 | 96 | — | 119 | — | 75 |
| External reproductive tract structures, unspecified | 2550 | 157 | — | — | — | — | 45 | — | 99 | — | — |
| Scrotum | 2551 | 259 | — | 6 | — | 130 | 48 | — | — | — | — |
| Penis | 2552 | 95 | — | — | 68 | 12 | — | — | — | — | — |
| Internal reproductive tract structures | 256 | 50 | — | — | — | 18 | — | — | — | — | — |
| Multiple pelvic region locations | 258 | 251 | — | — | — | 62 | — | — | — | 49 | 59 |
| Pelvic region, n.e.c. | 259 | 241 | — | — | — | 31 | — | — | — | — | 123 |
| Multiple trunk locations | 28 | 15,220 | 463 | 191 | 1,013 | 3,060 | 2,269 | 1,037 | 2,062 | 699 | 4,425 |
| Trunk, n.e.c. | 29 | 313 | — | 26 | — | 25 | — | — | — | — | 81 |
| Upper extremities | 3 | 419,519 | 10,302 | 4,544 | 39,932 | 137,421 | 34,125 | 27,383 | 83,541 | 9,825 | 72,446 |
| Upper extremities, unspecified | 30 | 753 | 81 | — | — | 220 | 52 | — | 160 | 58 | 105 |
| Arm(s) | 31 | 78,935 | 2,038 | 1,139 | 7,559 | 22,669 | 8,523 | 5,066 | 14,375 | 1,701 | 15,866 |
| Arm(s), unspecified | 310 | 28,291 | 1,195 | 19 | 2,734 | 6,964 | 2,949 | 2,020 | 5,437 | 702 | 6,270 |
| Upper arm(s) | 311 | 4,334 | — | 46 | 244 | 1,404 | 534 | 458 | 516 | 75 | 1,048 |
| Elbow(s) | 312 | 29,902 | 454 | 168 | 2,944 | 8,806 | 3,830 | 1,706 | 5,666 | 690 | 5,640 |
| Forearm(s) | 313 | 12,795 | 307 | 759 | 1,354 | 4,341 | 872 | 642 | 2,289 | 190 | 2,040 |
| Multiple arm(s) locations | 318 | 2,994 | 72 | 31 | 245 | 918 | 275 | 222 | 386 | 43 | 803 |
| Arm(s), n.e.c. | 319 | 619 | — | 117 | — | 235 | 63 | — | 82 | — | 65 |
| Wrist(s) | 32 | 92,157 | 1,572 | 471 | 5,810 | 29,031 | 8,477 | 6,360 | 16,963 | 3,820 | 19,653 |
| Hand(s), except finger(s) | 33 | 72,862 | 2,434 | 588 | 7,777 | 22,412 | 5,328 | 4,653 | 16,374 | 1,359 | 11,936 |
| Finger(s), fingernail(s) | 34 | 154,112 | 3,860 | 2,254 | 17,378 | 56,079 | 9,672 | 10,306 | 31,921 | 2,207 | 20,436 |
| Multiple upper extremities locations | 38 | 20,470 | 317 | 76 | 1,288 | 6,977 | 2,058 | 950 | 3,747 | 681 | 4,376 |
| Multiple upper extremities locations, unspecified | 380 | 286 | — | 45 | — | 53 | 78 | — | — | 48 | — |
| Hand(s) and finger(s) | 381 | 5,196 | 67 | 6 | 449 | 2,131 | 507 | 139 | 892 | 54 | 950 |
| Hand(s) and wrist(s) | 382 | 4,575 | — | 18 | 245 | 1,641 | 350 | 124 | 659 | 223 | 1,277 |
| Hand(s) and arm(s) | 383 | 2,829 | 110 | 6 | 220 | 859 | 169 | 108 | 676 | 125 | 555 |
| Multiple upper extremities locations, n.e.c. | 389 | 7,584 | 98 | — | 372 | 2,292 | 954 | 569 | 1,495 | 231 | 1,572 |
| Upper extremities, n.e.c. | 39 | 231 | — | 16 | 79 | 33 | — | — | — | — | 74 |

See footnotes at end of table.

TABLE R54. Number of nonfatal occupational injuries and illnesses involving days away from work ¹ by part of body affected by the injury or illness and industry division, 1997 — Continued

| Part of body | Part of body code ² | Private industry ³ | Goods producing | | | | Service producing | | | | |
|---|--------------------------------|-------------------------------|---|---------------------|--------------|---------------|--|-----------------|--------------|-------------------------------------|----------|
| | | | Agriculture, forestry, and fishing ³ | Mining ⁴ | Construction | Manufacturing | Transportation and public utilities ⁴ | Wholesale trade | Retail trade | Finance, insurance, and real estate | Services |
| Lower extremities | 4 | 375,031 | 8,875 | 4,779 | 47,002 | 76,297 | 52,131 | 29,161 | 66,492 | 8,936 | 81,357 |
| Lower extremities, unspecified | 40 | 360 | 71 | — | — | 79 | 46 | — | — | — | 68 |
| Leg(s) | 41 | 181,887 | 4,466 | 2,233 | 21,543 | 36,496 | 24,691 | 15,010 | 31,639 | 4,333 | 41,479 |
| Leg(s), unspecified | 410 | 27,601 | 974 | 223 | 4,111 | 5,878 | 3,623 | 1,913 | 4,523 | 523 | 5,834 |
| Thigh(s) | 411 | 6,980 | 262 | 61 | 864 | 1,490 | 950 | 583 | 1,292 | 207 | 1,271 |
| Knee(s) | 412 | 129,948 | 2,721 | 1,377 | 14,663 | 24,927 | 17,753 | 11,253 | 23,342 | 3,018 | 30,894 |
| Lower leg(s) | 413 | 13,544 | 420 | 377 | 1,554 | 3,383 | 1,809 | 985 | 1,899 | 557 | 2,560 |
| Multiple leg(s) locations | 418 | 2,865 | 81 | 36 | 211 | 721 | 426 | 185 | 520 | — | 665 |
| Leg(s), n.e.c. | 419 | 948 | — | 158 | 140 | 97 | 130 | 92 | — | — | 255 |
| Ankle(s) | 42 | 89,243 | 1,855 | 714 | 10,647 | 15,423 | 14,255 | 5,874 | 15,904 | 2,511 | 22,061 |
| Foot(feet), except toe(s) | 43 | 69,262 | 1,648 | 1,160 | 10,864 | 16,126 | 8,426 | 5,335 | 13,161 | 1,613 | 10,929 |
| Foot(feet), except toe(s), unspecified | 430 | 61,125 | 1,519 | 610 | 9,211 | 14,423 | 7,845 | 4,485 | 11,934 | 1,423 | 9,676 |
| Instep(s) | 431 | 580 | — | 67 | — | 125 | — | 103 | 144 | — | 62 |
| Sole | 432 | 5,815 | 92 | 12 | 1,400 | 1,257 | 489 | 621 | 978 | 121 | 845 |
| Sole(s), unspecified | 4320 | 631 | — | — | 178 | 166 | 94 | — | — | — | 88 |
| Ball(s) | 4321 | 69 | — | — | — | — | — | — | — | — | — |
| Arch(es) | 4322 | 143 | — | — | — | 93 | — | — | — | — | — |
| Heel(s) | 4323 | 4,765 | 48 | 12 | 1,104 | 932 | 375 | 608 | 903 | 92 | 690 |
| Multiple sole(s) locations | 4328 | 69 | — | — | — | 15 | — | — | — | — | 46 |
| Sole(s), n.e.c. | 4329 | 139 | — | — | 76 | 47 | — | — | — | — | — |
| Multiple foot(feet) locations | 438 | 883 | — | 471 | 102 | 86 | — | — | — | 41 | 100 |
| Foot(feet), n.e.c. | 439 | 859 | — | — | 115 | 236 | 80 | 80 | — | — | 245 |
| Toe(s), toenail(s) | 44 | 21,272 | 416 | 594 | 2,872 | 5,349 | 2,329 | 2,001 | 4,097 | 273 | 3,341 |
| Multiple lower extremities locations | 48 | 12,838 | 420 | 74 | 1,063 | 2,809 | 2,384 | 905 | 1,615 | 184 | 3,384 |
| Multiple lower extremities locations, unspecified | 480 | 143 | — | 63 | — | — | — | — | — | — | — |
| Foot(feet) and leg(s) | 481 | 883 | 48 | 8 | 96 | 304 | 98 | — | 83 | 37 | 155 |
| Foot(feet) and ankle(s) | 482 | 3,841 | 103 | — | 287 | 931 | 500 | 292 | 625 | — | 1,073 |
| Foot(feet) and toe(s) | 483 | 1,730 | — | — | 218 | 423 | 189 | 156 | 327 | 37 | 340 |
| Multiple lower extremities locations, n.e.c. | 489 | 6,241 | 227 | — | 448 | 1,147 | 1,582 | 390 | 575 | 80 | 1,789 |
| Lower extremities, n.e.c. | 49 | 168 | — | — | — | 15 | — | — | — | — | 95 |
| Body systems | 5 | 25,193 | 298 | 178 | 1,973 | 5,169 | 3,117 | 1,472 | 3,248 | 1,629 | 8,108 |
| Multiple body parts | 8 | 150,635 | 2,513 | 1,007 | 14,237 | 27,070 | 22,540 | 10,062 | 24,196 | 5,051 | 43,959 |
| Other body parts | 9 | 20,206 | 685 | 59 | 1,889 | 4,811 | 1,589 | 1,552 | 3,122 | 615 | 5,885 |
| Prosthetic devices | 91 | 76 | — | — | — | — | — | — | — | — | 51 |
| Other body parts, n.e.c. | 98 | 52 | — | — | — | — | — | — | — | — | — |
| Nonclassifiable | 9999 | 20,078 | 684 | 58 | 1,882 | 4,791 | 1,572 | 1,523 | 3,122 | 612 | 5,834 |

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor; and by

the Federal Railroad Administration, U.S. Department of Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.

n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor