

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2002

Part of body	Part of body code ²	Total cases	Source of injury or illness ³				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Private industry		1,436,194	20,652	193,146	52,393	92,560	147,553
Head	0	90,228	7,380	4,623	4,024	3,992	10,318
Head, unspecified	00	16,300	82	1,597	1,937	1,500	1,857
Cranial region, including skull	01	10,729	37	704	769	839	1,439
Cranial region, unspecified	010	287	—	—	—	—	59
Brain	011	7,097	—	434	367	505	857
Scalp	012	2,628	—	171	286	279	476
Skull	013	590	—	60	83	—	43
Multiple cranial region locations	018	40	—	—	—	—	—
Cranial region, n.e.c.	019	87	—	—	—	—	—
Ear(s)	02	1,718	—	—	39	67	108
Face	03	60,064	7,168	2,091	1,235	1,493	6,710
Face, unspecified	030	4,445	371	197	191	154	657
Forehead	031	3,887	—	208	202	280	728
Eye(s)	032	42,286	6,303	1,055	339	597	3,582
Nose, nasal cavity	033	3,031	173	286	246	119	462
Nose, except internal location of diseases or disorders	0330	2,795	—	286	246	109	462
Internal nasal location, unspecified	0331	145	132	—	—	—	—
Sinuses	0334	73	—	—	—	—	—
Cheek(s)	034	736	—	—	—	73	191
Jaw/chin	035	906	—	—	—	—	99
Mouth	036	2,072	55	144	161	136	426
Mouth, unspecified	0360	328	—	19	—	—	—
Lip(s)	0361	462	—	38	72	51	58
Tooth(teeth)	0363	980	—	74	77	71	213
Multiple mouth locations	0368	239	—	—	—	—	130
Mouth, n.e.c.	0369	—	17	—	—	—	—
Multiple face locations	038	2,430	233	133	66	106	479
Face, n.e.c.	039	272	—	—	—	—	85
Multiple head locations	08	1,208	58	186	42	88	177
Head, n.e.c.	09	209	—	—	—	—	—
Neck, including throat	1	22,885	132	3,810	711	860	1,716
Neck, except internal location of diseases or disorders	10	22,743	47	3,810	711	860	1,716
Internal neck location, unspecified	11	66	64	—	—	—	—
Internal neck location, n.e.c.	19	19	—	—	—	—	—
Trunk	2	522,055	1,950	121,942	22,352	21,966	55,680
Trunk, unspecified	20	2,646	—	216	143	62	138
Shoulder, including clavicle, scapula	21	83,924	53	16,990	3,071	3,459	9,973
Chest, including ribs, internal organs	22	23,195	1,233	3,200	815	1,152	1,796
Chest, except internal location of diseases or disorders	220	20,354	82	3,185	815	1,152	1,771
Internal chest location, unspecified	221	380	—	—	—	—	—
Heart	223	487	—	—	—	—	—
Bronchus	224	113	—	—	—	—	—
Lung(s), pleura	225	1,862	1,075	—	—	—	—
Back, including spine, spinal cord	23	345,294	285	85,611	15,608	13,731	33,495
Back, including spine, spinal cord, unspecified	230	147,675	213	33,571	7,353	6,626	15,147
Lumbar region	231	168,596	62	46,176	7,312	6,352	16,375
Thoracic region	232	13,564	—	2,925	501	331	1,051
Sacral region	233	1,834	—	533	63	43	211

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2002 — Continued

Part of body	Source of injury or illness ³					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁴
Private industry	220,794	255,548	66,588	118,569	69,994	198,395
Head	105	8,776	4,950	6,118	1,397	38,546
Head, unspecified	—	3,637	336	1,980	201	3,139
Cranial region, including skull	—	2,771	303	1,907	132	1,814
Cranial region, unspecified	—	58	—	—	—	66
Brain	—	2,172	96	1,325	127	1,212
Scalp	—	287	201	433	—	461
Skull	—	195	—	123	—	70
Multiple cranial region locations	—	18	—	—	—	—
Cranial region, n.e.c.	—	41	—	—	—	—
Ear(s)	—	18	—	67	—	1,329
Face	56	2,174	4,197	2,038	1,045	31,859
Face, unspecified	—	564	375	172	225	1,537
Forehead	—	403	282	695	62	1,016
Eye(s)	46	184	2,842	319	413	26,607
Nose, nasal cavity	—	258	96	333	107	952
Nose, except internal location of diseases or disorders	—	258	96	333	107	895
Internal nasal location, unspecified	—	—	—	—	—	—
Sinuses	—	—	—	—	—	—
Cheek(s)	—	37	94	58	—	185
Jaw/chin	—	222	64	150	101	221
Mouth	—	236	336	127	—	422
Mouth, unspecified	—	—	134	40	—	49
Lip(s)	—	50	—	—	—	113
Tooth(teeth)	—	166	149	59	—	158
Multiple mouth locations	—	—	—	—	—	67
Mouth, n.e.c.	—	—	—	—	—	16
Multiple face locations	—	244	105	150	71	842
Face, n.e.c.	—	—	—	—	—	77
Multiple head locations	—	138	84	108	18	310
Head, n.e.c.	—	38	—	17	—	96
Neck, including throat	3,067	1,927	459	5,534	1,584	3,086
Neck, except internal location of diseases or disorders	3,041	1,926	459	5,534	1,584	3,056
Internal neck location, unspecified	—	—	—	—	—	—
Internal neck location, n.e.c.	—	—	—	—	—	18
Trunk	79,751	68,838	13,542	34,681	49,063	52,290
Trunk, unspecified	220	836	111	492	93	322
Shoulder, including clavicle, scapula	11,772	12,375	3,419	5,656	7,303	9,854
Chest, including ribs, internal organs	915	5,033	562	2,855	1,045	4,588
Chest, except internal location of diseases or disorders	896	5,019	553	2,772	1,026	3,084
Internal chest location, unspecified	—	—	—	—	—	333
Heart	—	—	—	76	—	383
Bronchus	—	—	—	—	—	59
Lung(s), pleura	—	—	—	—	—	730
Back, including spine, spinal cord	60,243	39,696	7,577	21,518	37,712	29,819
Back, including spine, spinal cord, unspecified	26,016	18,324	3,266	9,244	13,322	14,593
Lumbar region	30,520	15,926	3,486	10,022	19,358	13,007
Thoracic region	1,860	1,005	569	1,193	2,899	1,223
Sacral region	263	236	—	71	261	125

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2002 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness ³				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Coccygeal region	234	3,259	—	115	168	—	106
Multiple back regions	238	9,816	—	2,208	205	309	587
Back, including spine, spinal cord, n.e.c.	239	551	—	84	—	44	18
Abdomen	24	32,813	318	10,269	1,645	1,955	6,514
Abdomen, except internal location of diseases or disorders	240	7,959	196	2,047	417	330	1,250
Internal abdominal location, unspecified	241	11,364	—	3,540	439	788	2,415
Stomach organ	242	691	92	153	47	—	139
Spleen	243	74	—	—	—	—	—
Intestines, peritoneum	245	12,647	—	4,505	742	802	2,670
Intestines, peritoneum, unspecified	2450	11,315	—	4,011	651	709	2,393
Peritoneum	2451	445	—	158	—	60	137
Small intestine	2452	435	—	211	—	—	46
Large intestine/colon, rectum	2453	328	—	95	54	—	76
Intestines, n.e.c.	2459	112	—	—	—	—	18
Other digestive structures	246	19	—	—	—	—	—
Liver	2461	18	—	—	—	—	—
Internal abdominal location, n.e.c.	249	48	—	—	—	—	—
Pelvic region	25	24,239	—	4,454	777	1,259	3,187
Pelvic region, unspecified	250	348	—	18	43	83	—
Hip(s)	251	9,394	—	888	359	216	414
Pelvis	252	1,171	—	48	—	74	37
Buttock(s)	253	1,656	—	78	—	—	187
Groin	254	11,016	—	3,281	333	841	2,376
External reproductive tract structures	255	249	—	—	—	—	84
External reproductive tract structures, unspecified	2550	51	—	—	—	—	—
Scrotum	2551	165	—	—	—	—	79
Penis	2552	17	—	—	—	—	—
Internal reproductive tract structures	256	96	—	—	—	—	18
Testis(testes)	2562	17	—	—	—	—	—
Uterus	2564	57	—	—	—	—	—
Multiple pelvic region locations	258	157	—	18	—	—	38
Pelvic region, n.e.c.	259	153	—	70	—	—	—
Multiple trunk locations	28	9,666	—	1,144	286	345	575
Trunk, n.e.c.	29	278	—	57	—	—	—
Upper extremities	3	328,274	3,172	29,277	11,148	50,421	43,741
Upper extremities, unspecified	30	442	—	—	—	17	—
Arm(s)	31	64,202	1,008	7,546	3,091	4,942	7,153
Arm(s), unspecified	310	24,356	481	3,116	1,570	1,877	2,492
Upper arm(s)	311	4,096	—	614	202	320	579
Elbow(s)	312	23,172	18	2,442	1,003	1,240	2,187
Forearm(s)	313	9,359	425	1,016	274	1,158	1,504
Multiple arm(s) locations	318	2,562	52	307	—	248	314
Arm(s), n.e.c.	319	657	—	51	—	99	76
Wrist(s)	32	69,187	113	6,059	1,737	1,894	4,025
Hand(s), except finger(s)	33	55,894	1,346	5,156	2,135	8,450	10,128
Finger(s), fingernail(s)	34	121,562	377	8,714	3,603	33,050	21,114
Multiple upper extremities locations	38	16,812	294	1,773	580	2,054	1,265
Multiple upper extremities locations, unspecified	380	537	16	96	—	—	16
Hand(s) and finger(s)	381	4,162	135	398	104	1,057	536
Hand(s) and wrist(s)	382	4,197	—	607	125	383	264

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2002 — Continued

Part of body	Source of injury or illness ³					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁴
Coccygeal region	54	2,416	—	194	—	168
Multiple back regions	1,449	1,700	218	683	1,787	667
Back, including spine, spinal cord, n.e.c.	79	89	—	109	84	—
Abdomen	2,819	882	1,172	1,525	1,063	4,650
Abdomen, except internal location of diseases or disorders	499	404	466	445	697	1,209
Internal abdominal location, unspecified	1,277	275	306	288	107	1,902
Stomach organ	17	16	—	50	—	144
Spleen	—	—	—	—	—	—
Intestines, peritoneum	1,020	163	401	734	247	1,362
Intestines, peritoneum, unspecified	887	140	389	656	237	1,240
Peritoneum	—	—	—	43	—	—
Small intestine	61	—	—	—	—	61
Large intestine/colon, rectum	—	—	—	—	—	—
Intestines, n.e.c.	38	—	—	16	—	—
Other digestive structures	—	—	—	—	—	—
Liver	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—
Pelvic region	2,910	6,660	434	1,622	889	2,025
Pelvic region, unspecified	—	91	—	43	—	—
Hip(s)	1,232	4,495	95	713	424	558
Pelvis	109	441	—	242	—	209
Buttock(s)	155	1,011	—	75	—	81
Groin	1,349	546	288	496	421	1,083
External reproductive tract structures	—	—	—	—	—	36
External reproductive tract structures, unspecified	—	—	—	—	—	—
Scrotum	—	—	—	19	—	—
Penis	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	16	—
Testis(testes)	—	—	—	—	—	—
Uterus	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	20	—	—
Multiple trunk locations	869	3,291	264	1,007	943	917
Trunk, n.e.c.	—	66	—	—	—	114
Upper extremities	48,773	32,233	40,844	17,856	7,452	43,357
Upper extremities, unspecified	154	—	139	—	—	40
Arm(s)	7,532	13,024	2,995	3,957	2,618	10,336
Arm(s), unspecified	2,513	4,056	1,080	1,659	1,295	4,217
Upper arm(s)	343	410	146	392	205	876
Elbow(s)	3,399	7,334	629	1,391	585	2,944
Forearm(s)	674	728	974	391	371	1,844
Multiple arm(s) locations	559	453	76	91	97	330
Arm(s), n.e.c.	44	43	89	—	66	125
Wrist(s)	31,253	11,870	2,828	2,119	2,332	4,959
Hand(s), except finger(s)	3,133	2,792	8,589	3,341	847	9,978
Finger(s), fingernail(s)	2,644	2,640	25,166	7,313	1,076	15,865
Multiple upper extremities locations	4,051	1,814	1,126	1,099	578	2,178
Multiple upper extremities locations, unspecified	158	39	—	83	—	82
Hand(s) and finger(s)	348	177	465	391	47	505
Hand(s) and wrist(s)	1,300	514	178	114	189	498

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2002 — Continued

Part of body	Part of body code ²	Total cases	Source of injury or illness ³				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Hand(s) and arm(s)	383	2,063	98	133	—	308	147
Multiple upper extremities locations, n.e.c.	389	5,853	20	540	312	281	301
Upper extremities, n.e.c.	39	176	19	—	—	—	—
Lower extremities	4	304,453	1,288	23,589	9,836	10,729	27,785
Lower extremities, unspecified	40	166	—	—	—	—	—
Leg(s)	41	155,787	513	11,142	5,227	5,594	10,322
Leg(s), unspecified	410	21,039	225	2,026	796	1,425	2,084
Thigh(s)	411	6,407	90	783	231	277	632
Knee(s)	412	113,035	51	6,905	3,659	3,095	5,782
Lower leg(s)	413	11,616	104	1,233	505	647	1,565
Multiple leg(s) locations	418	3,104	—	142	—	108	206
Leg(s), n.e.c.	419	586	—	54	—	42	52
Ankle(s)	42	77,954	91	3,331	1,110	1,054	4,046
Foot(feet), except toe(s)	43	46,182	616	5,378	1,587	2,220	9,462
Foot(feet), except toe(s), unspecified	430	41,205	597	5,017	1,386	2,004	8,696
Instep(s)	431	377	—	—	137	—	48
Sole	432	3,380	—	210	42	104	581
Sole(s), unspecified	4320	478	—	—	—	—	325
Ball(s)	4321	39	—	—	—	—	39
Arch(es)	4322	70	—	—	—	—	—
Heel(s)	4323	2,743	—	197	42	104	194
Multiple sole(s) locations	4328	17	—	—	—	—	—
Sole(s), n.e.c.	4329	—	—	—	—	—	—
Multiple foot(feet) locations	438	414	—	—	—	—	—
Foot(feet), n.e.c.	439	805	—	100	—	97	107
Toe(s), toenail(s)	44	14,547	—	2,949	1,775	1,369	3,020
Multiple lower extremities locations	48	9,775	54	779	135	484	909
Multiple lower extremities locations, unspecified	480	272	—	—	—	—	55
Foot(feet) and leg(s)	481	1,838	—	74	—	40	219
Foot(feet) and ankle(s)	482	2,782	—	342	—	113	204
Foot(feet) and toe(s)	483	929	—	224	—	85	171
Multiple lower extremities locations, n.e.c.	489	3,954	—	117	43	239	260
Lower extremities, n.e.c.	49	43	—	—	—	—	—
Body systems	5	19,933	4,430	98	114	429	903
Multiple body parts	8	139,445	1,803	9,286	3,892	4,018	6,979
Other body parts	9	55	1	14	—	1	9
Prosthetic devices	91	42	—	—	—	—	—
Nonclassifiable	9999	8,866	497	507	316	144	422

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, 2002 — Continued

Part of body	Source of injury or illness ³					
	Worker motion or position	Floors, walkways, or ground surfaces	Handtools	Vehicles	Health care patient	All other sources ⁴
Hand(s) and arm(s)	518	224	—	58	91	432
Multiple upper extremities locations, n.e.c.	1,726	861	446	453	252	660
Upper extremities, n.e.c.	—	83	—	—	—	—
Lower extremities	77,424	90,627	5,058	26,029	3,919	28,169
Lower extremities, unspecified	38	54	—	—	—	—
Leg(s)	41,851	47,650	3,269	12,371	3,128	14,718
Leg(s), unspecified	2,442	5,243	673	2,699	435	2,990
Thigh(s)	1,033	1,148	468	474	121	1,149
Knee(s)	36,723	37,640	1,685	7,012	2,443	8,040
Lower leg(s)	1,037	2,268	418	1,683	89	2,067
Multiple leg(s) locations	586	1,175	18	457	39	330
Leg(s), n.e.c.	—	175	—	47	—	142
Ankle(s)	29,396	29,415	488	3,394	518	5,110
Foot(feet), except toe(s)	4,672	9,364	930	6,710	115	5,127
Foot(feet), except toe(s), unspecified	4,264	7,701	798	6,040	109	4,593
Instep(s)	—	42	—	17	—	70
Sole	248	1,265	64	528	—	333
Sole(s), unspecified	19	72	—	—	—	36
Ball(s)	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—
Heel(s)	218	1,163	40	513	—	267
Multiple sole(s) locations	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	16
Multiple foot(feet) locations	—	202	46	19	—	—
Foot(feet), n.e.c.	106	154	20	106	—	98
Toe(s), toenail(s)	236	1,015	354	1,733	—	2,048
Multiple lower extremities locations	1,226	3,110	16	1,808	122	1,133
Multiple lower extremities locations, unspecified	—	79	—	54	—	—
Foot(feet) and leg(s)	63	324	—	795	—	264
Foot(feet) and ankle(s)	584	682	—	443	—	375
Foot(feet) and toe(s)	—	41	—	179	—	169
Multiple lower extremities locations, n.e.c.	541	1,984	—	337	107	311
Lower extremities, n.e.c.	—	18	—	—	—	—
Body systems	242	241	86	208	117	13,063
Multiple body parts	10,910	51,829	1,589	26,997	6,362	15,780
Other body parts	—	16	—	—	—	14
Prosthetic devices	—	—	—	—	—	—
Nonclassifiable	522	1,060	60	1,147	100	4,090

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All

other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals. n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor