

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003

(in hundreds)

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total		13,159.2	3,417.5	1,664.4	914.4	577.6	826.7	1,745.7	418.7
Head	0	847.4	534.4	288.8	96.8	3.0	26.9	85.7	.4
Head, unspecified	00	160.0	93.4	52.8	39.9	.5	9.9	35.4	.2
Cranial region, including skull	01	107.0	54.8	34.1	19.1	1.5	12.0	22.7	—
Cranial region, unspecified	010	5.2	4.1	3.2	.4	—	—	.5	—
Brain	011	65.0	26.0	17.4	8.5	—	9.5	16.9	—
Scalp	012	31.4	22.0	12.0	9.3	.5	1.5	4.0	—
Skull	013	4.2	2.0	.9	.6	.4	.7	1.0	—
Multiple cranial region locations	018	.4	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	.8	.5	—	.2	—	—	.2	—
Ear(s)	02	18.7	4.4	3.4	.6	—	—	.5	—
Face	03	550.4	376.3	195.0	35.3	.9	3.7	25.6	—
Face, unspecified	030	38.8	15.2	12.1	3.1	—	.6	5.4	—
Forehead	031	33.9	25.2	16.4	7.3	.6	—	5.5	—
Eye(s)	032	369.4	269.4	114.8	11.2	—	—	1.7	—
Nose, nasal cavity	033	33.4	22.1	13.9	7.9	—	.7	2.9	—
Nose, except internal location of diseases or disorders	0330	32.9	22.1	13.9	7.9	—	.7	2.9	—
Nasal passages	0333	.2	—	—	—	—	—	—	—
Cheek(s)	034	8.7	5.4	4.4	.9	—	—	1.0	—
Jaw/chin	035	8.6	6.3	4.8	1.4	—	.4	.7	—
Mouth	036	32.8	22.1	19.2	2.7	—	.8	4.7	—
Mouth, unspecified	0360	6.6	5.5	5.1	.4	—	—	—	—
Lip(s)	0361	7.2	4.1	3.9	—	—	—	1.3	—
Tongue	0362	.5	—	—	—	—	—	—	—
Tooth(teeth)	0363	14.8	9.7	7.5	2.1	—	.8	3.1	—
Multiple mouth locations	0368	2.5	1.7	1.6	—	—	—	—	—
Mouth, n.e.c.	0369	1.1	1.1	1.1	—	—	—	—	—
Multiple face locations	038	21.2	8.4	7.4	.8	—	.8	3.5	—
Face, n.e.c.	039	3.5	2.2	2.1	—	—	—	—	—
Multiple head locations	08	9.2	4.7	2.9	1.7	—	.5	1.2	—
Head, n.e.c.	09	2.0	.7	.5	.2	—	.8	.4	—
Neck, including throat	1	212.2	37.6	24.6	11.0	.8	6.0	11.2	2.2
Neck, except internal location of diseases or disorders	10	211.2	37.6	24.6	11.0	.8	6.0	11.2	2.2
Internal neck location, unspecified	11	.6	—	—	—	—	—	—	—
Pharynx	15	.2	—	—	—	—	—	—	—
Trunk	2	4,725.1	264.6	150.0	72.1	22.9	220.3	488.3	128.0

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Total	3,391.4	1,850.6	574.2	557.8	576.7	23.3	224.9	165.6	59.4	1,402.5
Head	1.2	.9	—	119.4	29.0	3.2	39.8	34.3	5.5	7.2
Head, unspecified	—	—	—	1.8	10.3	—	6.4	6.2	—	2.2
Cranial region, including skull	—	—	—	1.6	10.8	—	3.4	3.4	—	1.1
Cranial region, unspecified	—	—	—	—	.2	—	—	—	—	—
Brain	—	—	—	.8	8.3	—	2.2	2.2	—	.7
Scalp	—	—	—	.7	2.1	—	.6	.6	—	—
Skull	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	9.1	.2	—	3.7	2.7	1.0	.4
Face6	.4	—	106.3	6.9	2.5	24.9	20.8	4.1	3.4
Face, unspecified	—	—	—	8.2	3.2	.8	5.3	3.2	2.1	—
Forehead	—	—	—	.5	.9	—	1.2	1.1	—	—
Eye(s)4	.4	.2	90.6	—	.8	3.1	2.9	.2	2.7
Nose, nasal cavity	—	—	—	1.3	.9	—	5.4	4.7	.7	—
Nose, except internal location of diseases or disorders	—	—	—	.8	.9	—	5.4	4.7	.7	—
Nasal passages	—	—	—	.2	—	—	—	—	—	—
Cheek(s)	—	—	—	.4	—	—	1.6	1.6	—	—
Jaw/chin	—	—	—	—	—	—	.6	.6	—	—
Mouth	—	—	—	1.4	.8	—	2.9	1.9	1.0	—
Mouth, unspecified	—	—	—	.6	—	—	.4	.2	.2	—
Lip(s)	—	—	—	—	.7	—	.9	—	.7	—
Tongue	—	—	—	—	—	—	—	—	—	—
Tooth(teeth)	—	—	—	—	—	—	1.1	.9	—	—
Multiple mouth locations	—	—	—	—	—	—	.6	.6	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	3.0	.6	.4	4.5	4.4	—	—
Face, n.e.c.	—	—	—	.9	—	—	—	—	—	—
Multiple head locations	—	—	—	.5	.6	—	1.5	1.3	—	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—
Neck, including throat	62.8	32.6	7.2	4.1	47.1	—	8.5	7.6	.9	25.3
Neck, except internal location of diseases or disorders	62.8	32.6	7.2	3.7	47.1	—	8.5	7.6	.9	24.8
Internal neck location, unspecified	—	—	—	—	—	—	—	—	—	.4
Pharynx	—	—	—	.2	—	—	—	—	—	—
Trunk	2,686.7	1,552.8	111.7	27.9	150.4	1.6	39.5	36.4	3.1	606.0

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level
			Total	Struck by object	Struck against object	—			
Trunk, unspecified	20	17.9	1.9	0.5	0.7	—	0.9	3.4	0.4
Shoulder, including clavicle, scapula	21	845.2	77.3	46.9	20.5	7.8	44.4	107.6	16.2
Chest, including ribs, internal organs	22	200.5	43.3	22.8	14.9	3.5	21.8	36.1	1.7
Chest, except internal location of diseases or disorders	220	180.3	43.3	22.8	14.9	3.5	21.8	36.0	1.7
Internal chest location, unspecified	221	1.8	—	—	—	—	—	—	—
Heart	223	3.0	—	—	—	—	—	—	—
Bronchus	224	1.2	—	—	—	—	—	—	—
Lung(s), pleura	225	13.9	—	—	—	—	—	.2	—
Back, including spine, spinal cord	23	3,037.5	105.2	58.4	27.6	6.5	117.9	254.2	98.0
Back, including spine, spinal cord, unspecified	230	1,322.9	50.0	26.8	15.0	3.3	59.5	118.8	44.3
Lumbar region	231	1,446.5	41.9	22.9	10.1	2.4	39.8	101.2	48.3
Thoracic region	232	129.4	8.1	6.2	1.1	—	2.3	6.7	2.9
Sacral region	233	15.6	.4	—	—	—	—	2.1	—
Coccygeal region	234	29.4	.8	.5	—	—	10.3	16.6	.2
Multiple back regions	238	88.5	3.8	1.6	1.1	.6	5.0	8.5	1.8
Back, including spine, spinal cord, n.e.c.	239	5.1	—	—	—	—	.6	—	—
Abdomen	24	302.8	12.2	8.0	2.2	1.4	2.2	8.2	2.5
Abdomen, except internal location of diseases or disorders	240	71.9	9.9	6.8	1.4	1.4	1.4	5.6	.6
Internal abdominal location, unspecified	241	115.3	1.6	.9	.7	—	.4	1.4	.8
Stomach organ	242	5.2	—	—	—	—	—	—	—
Urinary organs	244	.6	—	—	—	—	—	—	—
Kidney(s)	2442	.6	—	—	—	—	—	—	—
Intestines, peritoneum	245	108.4	.6	.4	—	—	—	1.1	.9
Intestines, peritoneum, unspecified	2450	95.0	.5	—	—	—	—	1.0	.9
Peritoneum	2451	7.1	—	—	—	—	—	—	—
Small intestine	2452	1.6	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	4.4	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	.2	—	—	—	—	—	—	—
Liver	2461	.2	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Trunk, unspecified	3.4	1.5	—	2.2	3.3	—	0.2	0.2	—	2.1
Shoulder, including clavicle, scapula	431.5	197.8	57.1	1.0	23.2	—	8.9	8.2	.7	77.7
Chest, including ribs, internal organs	45.6	25.9	.9	16.2	7.3	0.8	7.8	7.3	.5	19.0
Chest, except internal location of diseases or disorders	43.7	24.2	.8	3.2	7.3	.8	7.8	7.3	.5	13.9
Internal chest location, unspecified	—	—	—	.2	—	—	—	—	—	1.5
Heart2	—	—	—	—	—	—	—	—	2.8
Bronchus	—	—	—	1.2	—	—	—	—	—	—
Lung(s), pleura	1.5	1.5	—	11.4	—	—	—	—	—	.7
Back, including spine, spinal cord	1,848.5	1,106.8	47.2	2.1	99.1	.4	14.0	13.2	.8	451.0
Back, including spine, spinal cord, unspecified	762.2	461.6	23.0	.8	53.5	—	6.2	5.6	.6	204.4
Lumbar region	939.6	566.9	18.6	.5	35.7	—	4.5	4.3	.2	216.2
Thoracic region	86.4	46.9	3.6	—	4.4	—	.6	.6	—	14.3
Sacral region	10.6	5.0	—	—	—	—	—	—	—	1.6
Coccygeal region4	.2	—	—	.2	—	—	—	—	.7
Multiple back regions	46.0	23.9	1.8	—	5.2	—	2.6	2.6	—	13.7
Back, including spine, spinal cord, n.e.c.	3.2	2.3	.2	—	—	—	—	—	—	—
Abdomen	237.0	153.4	3.9	4.8	2.9	—	5.5	5.2	—	23.8
Abdomen, except internal location of diseases or disorders	38.5	23.0	.4	2.0	2.1	—	5.3	5.1	—	6.2
Internal abdominal location, unspecified	99.6	63.4	1.2	—	.6	—	—	—	—	9.1
Stomach organ	3.0	2.1	—	1.5	—	—	—	—	—	.5
Urinary organs	—	—	—	—	—	—	—	—	—	.5
Kidney(s)	—	—	—	—	—	—	—	—	—	.5
Intestines, peritoneum	95.1	64.2	2.3	.5	—	—	—	—	—	7.3
Intestines, peritoneum, unspecified	83.8	56.5	2.1	—	—	—	—	—	—	5.9
Peritoneum	6.4	5.1	—	—	—	—	—	—	—	.6
Small intestine	1.3	.4	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	3.4	2.1	.2	—	—	—	—	—	—	.7
Intestines, n.e.c.2	.2	—	—	—	—	—	—	—	—
Liver	—	—	—	.2	—	—	—	—	—	—
Multiple internal abdominal locations	—	—	—	—	—	—	—	—	—	.2

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Internal abdominal location, n.e.c.	249	0.8	—	—	—	—	—	—	—
Pelvic region	25	229.8	18.0	8.6	5.8	2.2	18.2	60.7	7.3
Pelvic region, unspecified	250	3.8	.7	—	.2	—	—	.5	—
Hip(s)	251	95.9	9.5	4.0	4.1	1.1	10.8	40.4	2.4
Pelvis	252	9.6	1.8	1.3	—	—	1.5	2.7	—
Buttock(s)	253	17.4	1.0	.6	—	—	2.7	10.6	—
Groin	254	96.9	4.0	2.0	1.3	.4	2.7	5.5	4.1
External reproductive tract structures	255	3.3	.6	.5	—	—	—	—	—
External reproductive tract structures, unspecified	2550	.6	—	—	—	—	—	—	—
Scrotum	2551	1.9	.2	—	—	—	—	—	—
Penis	2552	.5	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	—	—	—	—	—	—	.2	—
Testis(testes)	2562	.2	—	—	—	—	—	—	—
Uterus	2564	.2	—	—	—	—	—	.2	—
Multiple pelvic region locations	258	1.0	—	—	—	.2	—	—	—
Pelvic region, n.e.c.	259	1.7	—	—	—	—	—	.4	—
Multiple trunk locations	28	90.0	6.7	4.7	.4	1.4	14.9	17.8	1.9
Trunk, n.e.c.	29	1.4	—	—	—	—	—	.4	—
Upper extremities	3	2,985.3	1,569.0	667.2	393.6	446.6	117.0	257.9	7.1
Upper extremities, unspecified	30	6.3	1.1	.4	.5	.2	—	.7	—
Arm(s)	31	575.1	159.7	69.7	62.4	23.0	47.7	97.4	2.7
Arm(s), unspecified	310	205.4	56.7	30.4	14.8	9.7	15.7	33.6	1.4
Upper arm(s)	311	41.4	5.7	3.0	1.1	1.3	2.7	5.6	1.0
Elbow(s)	312	192.7	48.3	10.6	33.6	2.9	20.4	40.8	—
Forearm(s)	313	93.0	42.3	22.7	11.2	7.1	3.5	9.9	—
Multiple arm(s) locations	318	35.8	3.7	1.2	1.3	1.0	5.3	6.7	—
Arm(s), n.e.c.	319	6.7	3.1	1.8	—	.9	—	.7	—
Wrist(s)	32	652.8	79.5	41.0	27.1	9.7	46.6	89.2	2.9
Hand(s), except finger(s)	33	511.2	331.4	161.5	88.4	66.0	9.5	27.2	.4
Finger(s), fingernail(s)	34	1,063.7	938.4	370.9	202.9	329.2	7.1	22.6	—
Multiple upper extremities locations	38	175.1	58.8	23.7	12.2	18.5	6.1	20.6	.8
Multiple upper extremities locations, unspecified	380	2.2	.6	—	—	—	—	—	—
Hand(s) and finger(s)	381	58.3	36.6	14.4	8.5	10.3	.7	2.4	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Internal abdominal location, n.e.c.	0.8	0.7	—	—	—	—	—	—	—	—
Pelvic region	89.6	51.4	1.3	1.1	6.5	—	2.5	1.8	0.8	24.6
Pelvic region, unspecified	1.5	.4	—	—	—	—	—	—	—	.7
Hip(s)	16.0	6.9	.4	—	3.5	—	.6	—	—	11.9
Pelvis	.4	—	—	—	2.2	—	.2	—	—	.5
Buttock(s)	1.0	.7	—	.4	—	—	.7	.6	—	.4
Groin	67.6	41.1	.9	—	.4	—	.9	.7	—	10.6
External reproductive tract structures	1.9	1.4	—	—	—	—	—	—	—	—
External reproductive tract structures, unspecified	.2	—	—	—	—	—	—	—	—	—
Scrotum	1.6	1.4	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	.2	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—	—	—
Testis(testes)	—	—	—	—	—	—	—	—	—	—
Uterus	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	.9	.5	—	—	—	—	—	—	—	—
Multiple trunk locations	30.5	15.7	1.3	.5	8.0	—	.5	.5	—	7.7
Trunk, n.e.c.	.5	—	—	—	—	—	—	—	—	—
Upper extremities	308.6	130.1	399.2	157.2	26.9	4.2	52.0	28.6	23.4	86.0
Upper extremities, unspecified	1.3	.7	1.4	1.1	—	—	—	—	—	.5
Arm(s)	129.6	59.5	46.8	44.0	9.6	.7	13.5	7.1	6.4	23.4
Arm(s), unspecified	43.5	19.2	10.4	22.1	5.0	.5	8.3	4.4	3.9	8.2
Upper arm(s)	19.1	7.4	1.8	1.5	—	—	.6	—	.6	3.2
Elbow(s)	45.1	22.1	25.3	.9	3.0	—	.6	.5	—	8.1
Forearm(s)	14.1	7.4	3.9	13.6	.9	—	2.7	.9	1.8	2.0
Multiple arm(s) locations	7.0	3.0	5.3	4.2	.4	—	1.2	1.2	—	1.8
Arm(s), n.e.c.	.8	.4	—	1.7	—	—	—	—	—	—
Wrist(s)	112.2	46.9	277.6	5.8	7.3	—	7.5	6.8	.7	24.2
Hand(s), except finger(s)	21.5	9.2	23.7	64.4	3.2	1.9	14.7	6.0	8.7	13.2
Finger(s), fingernail(s)	24.8	8.0	20.1	17.4	5.2	.7	10.6	6.1	4.5	16.5
Multiple upper extremities locations	18.6	5.5	29.6	24.5	1.6	.8	5.5	2.5	3.0	8.2
Multiple upper extremities locations, unspecified	.8	.4	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	2.3	—	3.2	11.6	—	—	.6	.4	—	.6

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Hand(s) and wrist(s)	382	34.6	8.4	3.7	1.9	2.5	1.5	7.2	—
Hand(s) and arm(s)	383	22.6	4.6	1.1	.5	3.0	—	1.4	—
Multiple upper extremities locations, n.e.c.	389	57.4	8.5	4.4	1.1	2.6	3.7	9.4	0.5
Upper extremities, n.e.c.	39	1.1	—	—	—	—	—	—	—
Lower extremities	4	2,795.7	862.3	439.2	306.5	90.3	273.2	539.6	255.3
Lower extremities, unspecified	40	2.7	1.1	—	.5	.6	—	.4	—
Leg(s)	41	1,467.1	340.6	155.2	138.5	26.6	120.2	351.1	126.7
Leg(s), unspecified	410	208.6	79.9	50.5	19.2	7.0	18.6	35.4	8.2
Thigh(s)	411	55.0	16.3	11.6	2.8	1.2	3.9	10.0	3.4
Knee(s)	412	1,058.6	191.0	65.7	96.5	13.6	82.7	276.5	111.1
Lower leg(s)	413	111.8	44.8	22.3	17.6	3.7	10.2	19.3	3.0
Multiple leg(s) locations	418	27.3	6.2	3.2	2.0	.8	4.6	8.1	1.0
Leg(s), n.e.c.	419	5.8	2.6	1.9	.4	—	—	1.8	—
Ankle(s)	42	680.0	136.1	44.6	74.4	15.4	98.7	136.8	105.8
Foot(feet), except toe(s)	43	439.0	249.7	149.5	68.7	28.7	39.7	29.9	13.8
Foot(feet), except toe(s), unspecified	430	378.6	223.5	139.7	55.2	26.1	24.6	27.6	11.9
Instep(s)	431	9.0	5.7	3.5	1.2	1.0	—	—	.6
Sole	432	38.5	14.9	2.3	11.5	.9	13.1	1.2	.7
Sole(s), unspecified	4320	7.1	7.1	—	6.8	—	—	—	—
Ball(s)	4321	.2	.2	—	.2	—	—	—	—
Arch(es)	4322	.8	.5	—	.4	—	—	—	—
Heel(s)	4323	28.9	6.2	2.3	3.3	.5	13.0	1.2	.6
Multiple sole(s) locations	4328	.8	.6	—	.6	—	—	—	—
Sole(s), n.e.c.	4329	.7	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	4.2	2.0	1.4	.2	.4	1.3	—	—
Foot(feet), n.e.c.	439	8.7	3.7	2.6	.6	—	.4	.7	.6
Toe(s), toenail(s)	44	124.7	107.4	75.4	19.0	11.9	2.9	2.9	1.4
Multiple lower extremities locations	48	81.8	27.1	14.4	5.5	7.1	11.4	18.5	7.1
Multiple lower extremities locations, unspecified	480	1.5	—	.2	—	—	.4	—	—
Foot(feet) and leg(s)	481	8.1	3.4	1.4	1.5	.4	1.3	1.7	—
Foot(feet) and ankle(s)	482	27.7	10.0	5.1	1.3	3.5	2.2	6.1	3.7
Foot(feet) and toe(s)	483	7.6	5.7	4.3	.6	.6	—	.4	—
Multiple lower extremities locations, n.e.c.	489	36.8	7.8	3.3	2.0	2.5	7.4	10.1	3.2
Lower extremities, n.e.c.	49	.5	.2	.2	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Hand(s) and wrist(s)	3.7	0.8	7.5	2.0	0.2	—	1.4	0.8	0.5	2.3
Hand(s) and arm(s)	1.4	.5	3.6	7.8	—	0.5	2.1	—	2.0	1.0
Multiple upper extremities locations, n.e.c.	10.4	3.5	15.0	3.0	1.2	—	1.5	1.2	—	4.1
Upper extremities, n.e.c.5	—	—	—	—	—	.2	—	—	—
Lower extremities	148.4	45.1	18.1	51.3	88.0	1.8	33.3	16.1	17.2	524.4
Lower extremities, unspecified	—	—	—	—	—	—	—	—	—	.2
Leg(s)	119.8	39.6	13.1	23.0	43.7	1.7	25.7	10.5	15.2	301.4
Leg(s), unspecified	12.7	3.7	—	13.2	16.9	.4	6.8	.7	6.1	16.2
Thigh(s)	7.4	3.8	—	3.3	2.6	—	4.0	.2	3.9	4.1
Knee(s)	91.1	29.5	12.3	2.5	18.3	—	10.2	8.9	1.3	262.9
Lower leg(s)	7.1	2.2	—	3.1	4.3	1.2	4.4	.5	3.8	14.2
Multiple leg(s) locations	1.1	—	—	.9	1.3	—	.2	.2	—	3.6
Leg(s), n.e.c.4	—	—	—	—	—	—	—	—	.5
Ankle(s)	18.8	3.0	2.1	3.5	11.9	—	3.0	2.6	—	163.2
Foot(feet), except toe(s)	7.5	1.7	2.5	20.3	21.8	—	3.5	2.9	.6	50.2
Foot(feet), except toe(s), unspecified	6.5	1.6	2.4	19.1	19.8	—	1.0	.4	.6	42.1
Instep(s)	—	—	—	.8	.8	—	—	—	—	.4
Sole6	—	—	—	.8	—	—	—	—	6.9
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	—
Heel(s)6	—	—	—	.7	—	—	—	—	6.6
Multiple sole(s) locations	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.2	—	—	—	—	—	—	—	—	.4
Toe(s), toenail(s)4	—	—	.6	5.6	—	1.0	—	1.0	2.3
Multiple lower extremities locations	1.8	.5	—	3.6	4.9	—	—	—	—	7.0
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)4	—	—	.4	.7	—	—	—	—	—
Foot(feet) and ankle(s)	—	—	—	1.1	.6	—	—	—	—	3.7
Foot(feet) and toe(s)	—	—	—	.6	.7	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	1.1	—	—	1.3	2.6	—	—	—	—	3.1
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Caught in or com- pressed or crushed	Fall to lower level	Fall on same level
			Total	Struck by object	Struck against object	—			
Body systems	5	184.9	2.3	0.8	1.3	—	1.3	0.9	—
Multiple body parts	8	1,304.1	140.8	89.7	32.4	13.5	177.0	353.1	24.6
Other body parts	9	2.3	—	—	—	—	—	.8	—
Other body parts, n.e.c.	98	2.3	—	—	—	—	—	.8	—
Nonclassifiable	9999	102.1	6.3	4.0	.7	.5	4.9	8.1	1.0

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2003 — Continued

(in hundreds)

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Body systems	0.7	0.4	—	124.7	3.7	0.7	7.8	7.7	—	42.6
Multiple body parts	175.6	83.6	35.0	58.0	225.6	11.8	37.3	33.2	4.2	65.2
Other body parts	—	—	—	—	—	—	1.0	1.0	—	—
Other body parts, n.e.c.	—	—	—	—	—	—	1.0	1.0	—	—
Nonclassifiable	7.3	5.1	2.4	15.0	5.8	—	5.6	.8	4.9	45.5

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults

and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor