

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Total		1,183,500	82,420	35,970	17,840	401,900	250,870	75,810
Contact with objects and equipment	0	335,460	50,500	25,310	2,970	23,130	8,720	5,750
Contact with objects and equipment, unspecified	00	5,600	350	240	20	350	70	150
Struck against object	01	85,710	9,590	1,070	1,060	6,780	2,770	1,270
Struck against object, unspecified ..	010	3,290	390	80	20	430	260	30
Stepped on object	011	13,500	—	—	—	550	450	60
Struck against stationary object	012	49,000	7,300	700	900	4,020	1,570	870
Struck against moving object	013	9,010	470	100	70	810	280	100
Struck against object, n.e.c.	019	10,920	1,430	190	70	980	210	210
Struck by object	02	164,670	25,680	9,670	1,680	12,910	4,390	3,760
Struck by object, unspecified	020	6,050	1,350	630	60	730	240	190
Struck by falling object	021	58,010	7,920	830	1,050	5,980	2,590	2,100
Struck by flying object	022	19,320	7,990	5,610	140	1,270	270	220
Struck by flying object, unspecified	0220	2,060	1,380	1,130	30	90	—	30
Struck by dislodged flying object, particle	0221	9,480	4,930	3,560	30	600	150	80
Struck by discharged object or substance	0222	4,850	570	260	30	250	—	60
Struck by flying object, n.e.c.	0229	2,920	1,120	660	50	330	110	50
Struck by swinging or slipping object	023	57,500	4,760	1,570	200	2,380	410	820
Struck by swinging or slipping object, unspecified	0230	1,250	150	60	70	140	—	20
Struck by or slammed in swinging door or gate	0231	8,380	980	190	30	730	260	250
Struck by slipping handheld object	0232	44,080	2,750	1,010	40	1,050	100	380
Struck by swinging or slipping object, n.e.c.	0239	3,790	870	310	60	460	40	160
Struck by rolling, sliding objects on floor or ground level	024	4,090	100	—	—	390	200	50
Struck by object, n.e.c.	029	19,700	3,560	1,020	220	2,170	680	390
Caught in or compressed by equipment or objects	03	58,760	490	20	60	1,750	620	310
Caught in or compressed by equipment or objects, unspecified	030	7,640	250	—	—	270	90	40
Caught in running equipment or machinery	031	22,550	70	—	—	310	100	60
Compressed or pinched by rolling, sliding, or shifting objects	032	10,420	80	—	—	390	110	40
Caught in or compressed by equipment or objects, n.e.c.	039	18,140	100	—	40	780	320	170
Caught in or crushed in collapsing materials	04	510	—	—	60	60	20	20

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Total	274,180	106,050	49,480	48,810	262,180	95,520	57,450	18,220	115,930	10,840
Contact with objects and equipment	157,310	95,380	33,870	7,330	87,800	18,010	38,380	400	12,520	840
Contact with objects and equipment, unspecified	3,720	2,510	760	170	840	230	200	—	210	110
Struck against object	35,210	18,520	8,170	2,030	30,050	9,430	8,410	340	2,490	190
Struck against object, unspecified ..	1,680	860	410	90	680	290	160	—	70	20
Stepped on object	170	20	—	90	12,410	2,020	4,610	—	320	20
Struck against stationary object	21,670	10,060	5,670	1,250	13,130	5,620	2,650	320	1,540	120
Struck against moving object	5,780	4,320	860	200	1,650	470	590	—	210	20
Struck against object, n.e.c.	5,900	3,260	1,220	400	2,170	1,030	400	—	340	20
Struck by object	70,260	38,960	17,800	4,010	45,250	5,680	24,770	50	8,420	430
Struck by object, unspecified	1,940	1,000	490	150	1,640	560	430	—	300	30
Struck by falling object	12,990	5,540	3,460	1,270	24,730	2,070	16,130	40	5,190	120
Struck by flying object	6,530	2,900	1,540	500	2,710	660	640	—	580	100
Struck by flying object, unspecified	140	60	20	—	370	270	30	—	60	—
Struck by dislodged flying object, particle	2,960	1,230	510	180	700	90	120	—	260	—
Struck by discharged object or substance	2,590	1,300	860	150	1,310	230	450	—	80	20
Struck by flying object, n.e.c.	840	310	140	150	330	70	50	—	180	70
Struck by swinging or slipping object	41,840	25,650	10,870	1,640	7,080	1,120	2,750	—	1,160	90
Struck by swinging or slipping object, unspecified	730	450	150	40	130	30	30	—	20	—
Struck by or slammed in swinging door or gate	5,390	3,350	1,110	200	860	240	290	—	380	—
Struck by slipping handheld object	34,450	21,280	9,290	1,310	5,070	680	2,120	—	640	70
Struck by swinging or slipping object, n.e.c.	1,260	570	320	100	1,010	160	300	—	110	20
Struck by rolling, sliding objects on floor or ground level	430	190	110	30	3,030	230	1,910	—	120	—
Struck by object, n.e.c.	6,530	3,690	1,330	410	6,060	1,040	2,920	—	1,080	80
Caught in or compressed by equipment or objects	45,350	33,870	6,310	1,010	9,950	1,440	4,800	—	1,100	50
Caught in or compressed by equipment or objects, unspecified	5,760	4,420	790	150	1,150	170	450	—	190	20
Caught in running equipment or machinery	20,310	15,690	2,380	330	1,530	50	1,100	—	300	—
Compressed or pinched by rolling, sliding, or shifting objects	6,110	4,250	1,090	190	3,620	550	1,730	—	210	—
Caught in or compressed by equipment or objects, n.e.c.	13,170	9,510	2,060	350	3,650	660	1,520	—	400	—
Caught in or crushed in collapsing materials	60	40	—	—	230	120	—	—	80	—

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Caught in or crushed in collapsing materials, unspecified	040	70	—	—	—	—	—	—
Excavation or trenching cave-in	041	220	—	—	—	30	—	20
Other cave-in	042	20	—	—	—	—	—	—
Caught in or crushed in collapsing structure	044	100	—	—	—	—	—	—
Caught in or crushed in collapsing materials, n.e.c.	049	90	—	—	—	—	—	—
Rubbed or abraded by friction or pressure	05	15,970	14,270	14,260	—	40	—	—
Rubbed or abraded by friction or pressure, unspecified	050	80	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	940	—	—	—	—	—	—
Rubbed or abraded by objects being handled	052	680	130	130	—	—	—	—
Rubbed or abraded by foreign matter in eye	053	14,130	14,120	14,120	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	059	150	—	—	—	—	—	—
Rubbed, abraded, or jarred by vibration	06	1,420	—	—	80	1,000	760	190
Rubbed, abraded, or jarred by vibration, unspecified	060	50	—	—	—	20	20	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	890	—	—	60	680	620	40
Rubbed, abraded, or jarred by other machine or equipment vibration	062	370	—	—	—	210	100	100
Rubbed, abraded, or jarred by vibration, n.e.c.	069	110	—	—	—	80	30	50
Contact with objects and equipment, n.e.c.	09	2,820	100	30	—	240	70	50
Falls	1	234,450	11,440	240	1,960	60,110	30,800	14,240
Fall, unspecified	10	2,560	70	—	—	860	280	160
Fall to lower level	11	74,280	3,560	40	960	19,210	10,210	4,010
Fall to lower level, unspecified	110	690	90	—	—	140	70	20
Fall down stairs or steps	111	17,170	330	—	200	4,030	2,710	710
Fall from floor, dock, or ground level	112	4,820	100	—	20	1,230	380	220
Fall from floor, dock, or ground level, unspecified	1120	900	20	—	—	330	120	60
Fall through existing floor opening	1121	530	—	—	—	200	60	20
Fall through floor surface	1122	900	—	—	—	120	70	40
Fall from loading dock	1123	840	20	—	—	260	40	30

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Caught in or crushed in collapsing materials, unspecified	40	30	—	—	30	—	—	—	—	—
Excavation or trenching cave-in	—	—	—	—	100	80	—	—	30	—
Other cave-in	—	—	—	—	—	—	—	—	—	—
Caught in or crushed in collapsing structure	20	—	—	—	40	—	—	—	30	—
Caught in or crushed in collapsing materials, n.e.c.	—	—	—	—	50	20	—	—	20	—
Rubbed or abraded by friction or pressure	600	220	300	20	1,030	930	60	—	—	20
Rubbed or abraded by friction or pressure, unspecified	30	30	—	—	20	20	—	—	—	—
Rubbed or abraded by kneeling on surface	—	—	—	—	920	910	—	—	—	—
Rubbed or abraded by objects being handled	520	170	280	20	—	—	—	—	—	—
Rubbed or abraded by foreign matter in eye	—	—	—	—	—	—	—	—	—	—
Rubbed or abraded by friction or pressure, n.e.c.	50	20	—	—	80	—	50	—	—	—
Rubbed, abraded, or jarred by vibration	90	—	—	30	90	40	20	—	140	—
Rubbed, abraded, or jarred by vibration, unspecified	—	—	—	—	20	20	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	20	—	—	—	30	20	—	—	90	—
Rubbed, abraded, or jarred by other machine or equipment vibration	50	—	—	20	30	—	—	—	30	—
Rubbed, abraded, or jarred by vibration, n.e.c.	—	—	—	—	—	—	—	—	—	—
Contact with objects and equipment, n.e.c.	2,020	1,260	510	50	360	150	110	—	70	—
Falls	32,510	2,490	3,140	10,890	77,030	33,850	7,890	190	49,400	1,810
Fall, unspecified	510	20	20	120	620	260	60	—	460	30
Fall to lower level	8,220	560	670	2,870	24,860	7,470	3,830	30	17,040	410
Fall to lower level, unspecified	70	—	—	30	230	50	30	—	120	30
Fall down stairs or steps	1,130	160	190	330	7,470	2,190	1,000	—	3,960	40
Fall from floor, dock, or ground level	270	20	—	80	2,320	560	450	—	810	70
Fall from floor, dock, or ground level, unspecified	80	—	—	30	380	150	20	—	80	—
Fall through existing floor opening	—	—	—	—	220	90	—	—	90	—
Fall through floor surface	60	—	—	—	540	80	50	—	170	—
Fall from loading dock	60	—	—	40	270	80	40	—	230	—

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Fall from ground level to lower level	1124	1,180	60	—	—	160	40	60
Fall from floor, dock, or ground level, n.e.c.	1129	480	—	—	—	150	50	—
Fall from ladder	113	20,250	850	—	190	5,660	3,190	1,230
Fall from piled or stacked material	114	540	70	—	—	150	100	20
Fall from roof	115	1,970	50	—	—	400	170	50
Fall from roof, unspecified	1150	330	—	—	—	50	—	20
Fall through existing roof opening	1151	200	—	—	—	—	—	—
Fall through roof surface	1152	370	—	—	—	90	30	—
Fall through skylight	1153	50	—	—	—	—	—	—
Fall from roof edge	1154	610	20	—	—	190	80	—
Fall from roof, n.e.c.	1159	400	—	—	—	70	40	—
Fall from scaffold, staging	116	2,870	180	—	30	700	300	180
Fall from building girders or other structural steel	117	500	—	—	80	120	40	40
Fall from nonmoving vehicle	118	13,270	680	—	250	3,730	1,700	1,030
Fall to lower level, n.e.c.	119	12,200	1,190	30	170	3,060	1,560	500
Jump to lower level	12	4,590	20	—	—	670	540	70
Jump to lower level, unspecified	120	290	—	—	—	30	—	—
Jump from scaffold, platform, loading dock	121	530	—	—	—	130	120	—
Jump from structure, structural element, n.e.c.	122	320	—	—	—	40	30	—
Jump from nonmoving vehicle	123	1,930	—	—	—	280	230	30
Jump to lower level, n.e.c.	129	1,520	—	—	—	190	150	—
Fall on same level	13	151,750	7,770	200	980	39,110	19,600	9,970
Fall on same level, unspecified	130	1,510	140	—	—	360	160	120
Fall to floor, walkway, or other surface	131	129,480	5,690	120	730	32,370	16,900	8,210
Fall onto or against objects	132	18,560	1,870	80	220	5,810	2,240	1,480
Fall on same level, n.e.c.	139	2,200	70	—	30	570	310	160
Fall, n.e.c.	19	1,270	30	—	—	260	160	30
Bodily reaction and exertion	2	461,530	310	60	7,630	291,250	196,790	51,950
Bodily reaction and exertion, unspecified	20	5,950	—	—	50	3,460	2,220	540
Bodily reaction	21	128,770	90	—	2,300	54,010	42,260	6,150
Bodily reaction, unspecified	210	7,300	20	—	200	4,060	3,060	470
Bending, climbing, crawling, reaching, twisting	211	53,170	—	—	1,340	31,080	25,300	3,200
Sudden reaction when surprised, frightened, startled	212	1,270	—	—	110	760	450	180
Running without other incident	213	1,240	—	—	—	160	110	—
Sitting	214	550	—	—	40	340	300	—
Slip, trip, loss of balance without fall	215	35,440	30	—	250	9,410	7,010	1,160

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Fall from ground level to lower level	50	—	—	—	670	140	330	—	180	50
Fall from floor, dock, or ground level, n.e.c.	20	—	—	—	230	20	—	—	70	—
Fall from ladder	2,870	170	290	990	5,990	1,840	1,110	20	4,540	140
Fall from piled or stacked material	60	—	—	20	160	30	20	—	100	—
Fall from roof	360	—	20	190	370	20	80	—	770	—
Fall from roof, unspecified	60	—	—	—	60	—	30	—	150	—
Fall through existing roof opening	80	—	—	80	40	—	—	—	70	—
Fall through roof surface	20	—	—	—	20	—	—	—	230	—
Fall through skylight	—	—	—	—	—	—	—	—	30	—
Fall from roof edge	190	—	20	90	50	—	20	—	160	—
Fall from roof, n.e.c.	—	—	—	—	190	—	20	—	130	—
Fall from scaffold, staging	320	30	30	70	750	190	140	—	870	—
Fall from building girders or other structural steel	20	—	—	—	170	—	20	—	90	—
Fall from nonmoving vehicle	1,540	90	80	720	4,140	1,330	640	—	2,890	30
Fall to lower level, n.e.c.	1,550	80	50	430	3,260	1,240	320	—	2,880	80
Jump to lower level	90	—	—	30	3,570	1,240	730	—	230	—
Jump to lower level, unspecified	—	—	—	—	260	130	50	—	—	—
Jump from scaffold, platform, loading dock	20	—	—	—	300	90	50	—	70	—
Jump from structure, structural element, n.e.c.	—	—	—	—	260	80	40	—	—	—
Jump from nonmoving vehicle	50	—	—	—	1,520	440	440	—	80	—
Jump to lower level, n.e.c.	—	—	—	—	1,230	500	140	—	80	—
Fall on same level	23,560	1,880	2,440	7,830	47,390	24,660	3,240	160	31,440	1,350
Fall on same level, unspecified	210	20	20	80	560	160	20	—	220	—
Fall to floor, walkway, or other surface	20,150	1,320	1,910	7,140	41,850	22,250	2,700	120	27,340	1,230
Fall onto or against objects	2,900	530	490	500	4,290	2,020	470	20	3,340	110
Fall on same level, n.e.c.	290	20	20	110	680	240	50	—	540	—
Fall, n.e.c.	140	20	—	30	580	210	30	—	240	—
Bodily reaction and exertion	58,910	4,000	4,150	27,650	77,780	40,110	5,120	1,910	22,070	1,680
Bodily reaction and exertion, unspecified	930	70	120	320	750	490	70	40	630	80
Bodily reaction	4,380	280	370	1,370	62,200	30,170	4,230	180	5,000	620
Bodily reaction, unspecified	750	50	140	120	1,790	650	110	30	280	170
Bending, climbing, crawling, reaching, twisting	1,830	100	90	580	16,940	11,110	630	—	1,770	200
Sudden reaction when surprised, frightened, startled	110	—	—	20	250	130	40	—	40	—
Running without other incident	—	—	—	—	1,010	270	70	—	50	—
Sitting	—	—	—	—	90	40	—	—	80	—
Slip, trip, loss of balance without fall	720	30	40	280	22,910	9,660	1,690	—	1,890	210

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Standing	216	1,840	—	—	—	970	940	—
Walking without other incident	217	4,890	—	—	—	550	350	—
Bodily reaction, n.e.c.	219	23,060	20	—	330	6,690	4,740	1,130
Overexertion	22	284,910	100	30	4,760	223,750	148,260	40,720
Overexertion, unspecified	220	19,620	—	—	380	15,080	10,150	2,870
Overexertion in lifting	221	150,990	40	—	2,240	125,880	86,630	17,960
Overexertion in pulling or pushing objects	222	48,700	20	—	870	34,600	19,670	8,940
Overexertion in holding, carrying, turning, or wielding objects	223	51,550	40	20	1,090	38,340	25,500	8,640
Overexertion in throwing objects	224	1,700	—	—	—	1,250	650	420
Overexertion, n.e.c.	229	12,340	—	—	170	8,590	5,670	1,890
Repetitive motion	23	38,310	20	—	430	8,780	3,580	4,380
Repetitive motion, unspecified	230	9,180	—	—	100	1,900	840	880
Typing or key entry	231	5,430	—	—	30	190	50	130
Repetitive use of tools	232	4,990	—	—	40	830	300	490
Repetitive placing, grasping, or moving objects, except tools	233	14,240	—	—	130	4,410	1,720	2,380
Repetitive motion, n.e.c.	239	4,470	—	—	140	1,450	660	490
Sustained viewing	24	20	20	20	—	—	—	—
Bodily conditions, n.e.c.	25	2,290	60	—	—	580	60	—
Bodily reaction and exertion, n.e.c. ...	29	1,270	—	—	90	660	400	150
Exposure to harmful substances or environments	3	56,510	12,490	9,340	540	3,510	370	150
Exposure to harmful substances or environments, unspecified	30	920	140	120	—	50	—	—
Contact with electric current	31	2,620	90	30	—	—	—	—
Contact with electric current, unspecified	310	240	—	—	—	—	—	—
Contact with electric current of machine, tool, appliance, or light fixture	311	840	—	—	—	—	—	—
Contact with wiring, transformers, or other electrical components	312	1,010	50	—	—	—	—	—
Contact with overhead power lines	313	30	—	—	—	—	—	—
Struck by lightning	315	60	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	430	30	—	—	—	—	—
Contact with temperature extremes ...	32	20,000	1,800	420	280	860	190	120
Exposure to environmental heat	321	3,110	—	—	—	50	—	—
Exposure to environmental cold	322	280	—	—	—	20	—	—
Contact with hot objects or substances	323	16,570	1,790	420	280	790	180	120
Contact with cold objects or substances	324	30	—	—	—	—	—	—
Exposure to air pressure changes	33	400	330	—	—	—	—	—
Pressure changes underwater	331	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Standing	—	—	—	—	840	480	200	—	20	—
Walking without other incident	—	—	—	—	4,210	1,430	790	—	90	—
Bodily reaction, n.e.c.	950	90	110	370	14,160	6,410	700	110	770	40
Overexertion	27,710	2,060	1,660	9,180	13,650	8,590	700	80	14,110	740
Overexertion, unspecified	2,230	160	80	620	900	590	40	—	960	60
Overexertion in lifting	11,600	970	500	3,810	4,240	2,730	210	—	6,520	450
Overexertion in pulling or pushing objects	5,660	420	380	1,600	4,650	2,780	350	20	2,720	160
Overexertion in holding, carrying, turning, or wielding objects	6,000	360	530	2,270	2,890	1,890	60	20	3,110	60
Overexertion in throwing objects	360	30	—	100	20	—	—	—	60	—
Overexertion, n.e.c.	1,860	130	170	790	940	590	40	20	750	—
Repetitive motion	25,730	1,580	1,980	16,750	980	700	110	60	2,070	230
Repetitive motion, unspecified	6,130	340	550	4,210	340	250	50	50	540	120
Typing or key entry	4,890	180	190	3,590	—	—	—	—	280	30
Repetitive use of tools	3,950	250	400	2,400	20	—	—	—	130	—
Repetitive placing, grasping, or moving objects, except tools	8,590	630	700	5,190	190	160	—	—	870	60
Repetitive motion, n.e.c.	2,180	170	140	1,360	430	290	50	—	250	—
Sustained viewing	—	—	—	—	—	—	—	—	—	—
Bodily conditions, n.e.c.	20	—	—	—	—	—	—	1,530	90	—
Bodily reaction and exertion, n.e.c. ...	140	20	—	30	190	150	—	20	170	—
Exposure to harmful substances or environments	13,360	1,620	5,790	570	5,360	180	2,220	14,290	5,600	1,370
Exposure to harmful substances or environments, unspecified	60	—	30	—	20	—	—	500	—	120
Contact with electric current	670	60	480	—	—	—	—	1,580	250	—
Contact with electric current, unspecified	40	—	30	—	—	—	—	140	50	—
Contact with electric current of machine, tool, appliance, or light fixture	290	20	220	—	—	—	—	500	40	—
Contact with wiring, transformers, or other electrical components	140	20	60	—	—	—	—	710	100	—
Contact with overhead power lines	—	—	—	—	—	—	—	20	—	—
Struck by lightning	—	—	—	—	—	—	—	60	—	—
Contact with electric current, n.e.c.	190	—	170	—	—	—	—	160	50	—
Contact with temperature extremes ...	8,230	670	3,650	490	3,630	50	1,650	3,270	1,880	60
Exposure to environmental heat	—	—	—	—	—	—	—	3,020	30	—
Exposure to environmental cold	20	—	—	—	—	—	—	230	—	—
Contact with hot objects or substances	8,190	640	3,640	490	3,610	50	1,630	—	1,850	60
Contact with cold objects or substances	20	—	—	—	—	—	—	—	—	—
Exposure to air pressure changes	—	—	—	—	—	—	—	60	—	—
Pressure changes underwater	—	—	—	—	—	—	—	20	—	—

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Pressure changes in airplane, other aircraft	332	360	320	—	—	—	—	—
Exposure to caustic, noxious, or allergenic substances	34	28,940	7,950	6,760	250	2,490	170	30
Exposure to caustic, noxious, or allergenic substances, unspecified	340	2,330	400	300	—	280	—	—
Inhalation of substance	341	5,960	110	—	40	1,050	—	—
Inhalation of substance, unspecified	3410	1,900	—	—	—	320	—	—
Inhalation in enclosed, restricted, or confined space	3411	1,040	80	—	20	170	—	—
Inhalation in open or nonconfined space	3412	3,020	20	—	—	560	—	—
Contact with skin or other exposed tissue	342	13,920	6,430	5,980	110	260	40	—
Injections, stings, venomous bites	343	4,820	520	40	80	640	130	20
Injections, stings, venomous bites, unspecified	3430	740	40	—	—	20	—	—
Needle sticks	3431	140	—	—	—	—	—	—
Bee, wasp, hornet sting	3432	1,710	400	40	30	250	120	—
Other stings or venomous bites	3433	1,660	50	—	40	350	—	—
Injections, stings, venomous bites, n.e.c.	3439	580	30	—	—	—	—	—
Ingestion of substance	344	240	—	—	—	80	—	—
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	1,670	480	440	—	190	—	—
Exposure to noise	35	150	150	—	—	—	—	—
Exposure to noise over time	351	20	20	—	—	—	—	—
Exposure to noise in single incident	352	120	120	—	—	—	—	—
Exposure to radiation	36	2,230	1,920	1,910	—	—	—	—
Exposure to sun	361	320	—	—	—	—	—	—
Exposure to welding light	362	1,790	1,780	1,780	—	—	—	—
Exposure to radioactive material	363	40	40	40	—	—	—	—
Exposure to radiation, n.e.c.	369	80	80	80	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	990	30	30	—	50	—	—
Oxygen deficiency, n.e.c.	38	20	—	—	—	—	—	—
Other oxygen deficiency, n.e.c.	389	20	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	240	70	60	—	30	—	—
Transportation accidents	4	56,170	2,800	50	3,930	15,220	9,910	2,320
Transportation accident, unspecified	40	1,790	50	—	120	610	420	100
Highway accident	41	36,330	1,840	30	3,140	10,880	7,480	1,490
Highway accident, unspecified	410	3,120	140	—	140	930	580	190

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Pressure changes in airplane, other aircraft	-	-	-	-	-	-	-	40	-	-
Exposure to caustic, noxious, or allergenic substances	4,090	880	1,630	80	1,690	130	550	7,830	3,440	1,180
Exposure to caustic, noxious, or allergenic substances, unspecified	300	100	110	-	70	-	20	810	290	160
Inhalation of substance	-	-	-	-	-	-	-	4,750	-	-
Inhalation of substance, unspecified	-	-	-	-	-	-	-	1,550	-	-
Inhalation in enclosed, restricted, or confined space	-	-	-	-	-	-	-	770	-	-
Inhalation in open or nonconfined space	-	-	-	-	-	-	-	2,430	-	-
Contact with skin or other exposed tissue	2,020	290	970	40	900	70	490	1,140	2,720	340
Injections, stings, venomous bites	1,590	480	450	30	680	50	30	460	190	670
Injections, stings, venomous bites, unspecified	240	40	50	-	140	-	-	130	-	160
Needle sticks	110	80	20	-	-	-	-	-	-	-
Bee, wasp, hornet sting	410	30	230	20	110	-	-	140	110	260
Other stings or venomous bites	640	220	120	-	350	30	-	50	30	150
Injections, stings, venomous bites, n.e.c.	190	100	20	-	70	-	-	120	50	110
Ingestion of substance	-	-	-	-	-	-	-	120	20	-
Exposure to caustic, noxious, or allergenic substances, n.e.c.	180	-	100	-	40	-	20	540	220	-
Exposure to noise	-	-	-	-	-	-	-	-	-	-
Exposure to noise over time	-	-	-	-	-	-	-	-	-	-
Exposure to noise in single incident	-	-	-	-	-	-	-	-	-	-
Exposure to radiation	300	-	-	-	-	-	-	-	-	-
Exposure to sun	300	-	-	-	-	-	-	-	-	-
Exposure to welding light	-	-	-	-	-	-	-	-	-	-
Exposure to radioactive material	-	-	-	-	-	-	-	-	-	-
Exposure to radiation, n.e.c.	-	-	-	-	-	-	-	-	-	-
Exposure to traumatic or stressful event, n.e.c.	-	-	-	-	-	-	-	900	-	-
Oxygen deficiency, n.e.c.	-	-	-	-	-	-	-	20	-	-
Other oxygen deficiency, n.e.c.	-	-	-	-	-	-	-	-	-	-
Exposure to harmful substances or environments, n.e.c.	-	-	-	-	-	-	-	130	-	-
Transportation accidents	3,560	270	450	970	9,250	1,440	3,260	100	20,680	640
Transportation accident, unspecified	80	-	40	-	160	80	20	-	640	120
Highway accident	1,900	80	190	560	2,000	430	150	80	16,030	460
Highway accident, unspecified	190	-	20	70	310	110	-	-	1,370	30

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Collision between vehicles, mobile equipment	411	25,260	1,210	—	2,300	7,360	5,940	600
Collision between vehicles, mobile equipment, unspecified	4110	6,680	400	—	470	1,890	1,310	330
Re-entrant collision	4111	580	—	—	40	110	80	—
Moving in same direction	4112	7,290	160	—	850	2,580	2,270	90
Moving in opposite directions, oncoming	4113	2,220	50	—	180	750	690	30
Moving in intersection	4114	3,650	310	—	260	970	710	70
Moving and standing vehicle, mobile equipment in roadway	4115	2,780	170	—	420	610	510	20
Moving and standing vehicle, mobile equipment side of road	4116	550	—	—	20	100	100	—
Collision between vehicles, mobile equipment, n.e.c.	4119	1,520	110	—	70	350	270	40
Vehicle struck stationary object or equipment in roadway	412	570	50	—	80	80	30	30
Vehicle struck stationary object, equipment on side of road	413	1,280	90	—	40	500	100	330
Noncollision accident	414	5,490	330	—	580	1,740	830	340
Noncollision accident, unspecified	4140	140	—	—	—	50	—	—
Jack-knifed or overturned no collision	4141	2,670	120	—	140	800	200	200
Ran off highway no collision	4142	780	110	—	—	280	170	—
Struck by shifting load	4143	60	—	—	30	20	20	—
Sudden start or stop, n.e.c.	4144	1,130	40	—	340	420	300	80
Noncollision accident, n.e.c.	4149	700	50	—	60	160	120	30
Highway accident, n.e.c.	419	610	—	—	—	280	—	—
Nonhighway accident, except rail, air, water	42	8,560	650	—	600	2,290	1,420	310
Nonhighway accident, unspecified	420	190	—	—	—	40	30	—
Collision between vehicles or mobile equipment	421	1,280	20	—	110	430	350	—
Vehicle, mobile equipment struck stationary object	422	2,000	170	—	180	320	170	40
Noncollision accident	423	4,680	430	—	280	1,420	810	250
Noncollision accident, unspecified	4230	100	—	—	—	40	30	—
Fall from moving vehicle, mobile equipment	4231	1,140	180	—	—	280	170	40
Fell from and struck by vehicle, mobile equipment	4232	150	—	—	—	70	—	—
Overtaken	4233	1,190	100	—	20	200	70	80
Loss of control	4234	310	—	—	—	70	—	40
Struck by shifting load	4235	170	—	—	—	60	30	—
Sudden start or stop, n.e.c.	4236	850	80	—	140	310	210	40

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Collision between vehicles, mobile equipment	1,280	40	130	350	1,180	250	110	60	11,550	320
Collision between vehicles, mobile equipment, unspecified	370	20	50	120	430	120	50	40	2,900	190
Re-entrant collision	—	—	—	—	—	—	—	—	420	—
Moving in same direction	490	—	—	170	200	20	—	—	2,930	70
Moving in opposite directions, oncoming	90	—	30	—	250	20	20	—	890	—
Moving in intersection	160	—	30	20	160	60	—	—	1,770	30
Moving and standing vehicle, mobile equipment in roadway	50	—	—	—	50	20	—	—	1,460	—
Moving and standing vehicle, mobile equipment side of road	—	—	—	—	30	—	—	—	380	—
Collision between vehicles, mobile equipment, n.e.c.	110	—	—	—	50	—	20	—	810	20
Vehicle struck stationary object or equipment in roadway	70	—	—	20	50	—	—	—	240	—
Vehicle struck stationary object, equipment on side of road	50	—	—	50	50	20	—	—	520	—
Noncollision accident	300	20	40	80	410	40	20	—	2,030	100
Noncollision accident, unspecified	20	—	—	—	20	—	—	—	50	—
Jack-knifed or overturned no collision	130	—	20	20	240	—	—	—	1,190	60
Ran off highway no collision	110	—	20	50	—	—	—	—	240	—
Struck by shifting load	—	—	—	—	—	—	—	—	—	—
Sudden start or stop, n.e.c.	20	—	—	—	80	—	—	—	210	—
Noncollision accident, n.e.c.	20	—	—	—	50	—	—	—	340	30
Highway accident, n.e.c.	—	—	—	—	—	—	—	—	310	—
Nonhighway accident, except rail, air, water	1,030	100	140	350	2,080	370	590	—	1,870	30
Nonhighway accident, unspecified	40	—	—	—	80	30	40	—	20	—
Collision between vehicles or mobile equipment	150	—	—	40	160	30	40	—	400	—
Vehicle, mobile equipment struck stationary object	330	50	40	150	710	70	190	—	290	—
Noncollision accident	450	20	40	160	950	220	230	—	1,140	—
Noncollision accident, unspecified	—	—	—	—	30	—	—	—	20	—
Fall from moving vehicle, mobile equipment	140	—	—	50	280	90	50	—	260	—
Fell from and struck by vehicle, mobile equipment	—	—	—	—	50	—	—	—	20	—
Overtaken	160	—	20	70	270	—	70	—	430	—
Loss of control	30	—	—	—	50	—	—	—	150	—
Struck by shifting load	20	—	—	—	50	—	30	—	30	—
Sudden start or stop, n.e.c.	40	—	—	20	120	80	—	—	160	—

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Noncollision accident, n.e.c.	4239	770	60	—	110	390	290	—
Nonhighway accident, n.e.c.	429	410	20	—	20	90	50	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	8,400	180	—	30	1,050	420	290
Pedestrian struck by vehicle, mobile equipment, unspecified	430	1,490	40	—	—	150	50	30
Pedestrian struck by vehicle, mobile equipment in roadway	431	700	30	—	—	60	—	30
Pedestrian struck by vehicle, mobile equipment on side of road	432	130	—	—	—	—	—	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	6,090	110	—	30	840	350	230
Railway accident	44	220	—	—	20	70	40	20
Collision between railway vehicle and other vehicle	442	60	—	—	—	—	—	—
Derailment	445	40	—	—	—	20	—	—
Railway accident, n.e.c.	449	90	—	—	—	40	20	—
Water vehicle accident	45	220	—	—	—	60	20	20
Fall from ship, boat, n.e.c.	453	20	—	—	—	—	—	—
Fall on ship, boat	454	110	—	—	—	40	20	—
Water vehicle accident, n.e.c.	459	60	—	—	—	—	—	—
Aircraft accident	46	610	60	—	20	240	120	80
Aircraft accident, unspecified	460	30	—	—	—	—	—	—
During takeoff or landing	461	60	—	—	—	50	—	40
Aircraft accident, n.e.c.	469	520	50	—	20	180	100	40
Transportation accident, n.e.c.	49	40	—	—	—	20	—	—
Fires and explosions	5	2,270	330	130	—	220	110	—
Fire or explosion, unspecified	50	20	—	—	—	—	—	—
Fire unintended or uncontrolled	51	1,300	60	—	—	30	—	—
Fire, unspecified	510	280	—	—	—	—	—	—
Fire in residence, building, or other structure	511	330	20	—	—	—	—	—
Forest, brush, or other outdoor fire	512	50	—	—	—	—	—	—
Ignition of clothing from controlled heat source	513	120	—	—	—	20	—	—
Fire, n.e.c.	519	510	40	—	—	—	—	—
Explosion	52	960	260	130	—	180	110	—
Explosion, unspecified	520	60	—	—	—	—	—	—
Explosion of battery	521	220	120	110	—	—	—	—
Explosion of pressure vessel or piping	522	340	90	—	—	20	—	—
Explosion, n.e.c.	529	340	50	—	—	70	—	—
Assaults and violent acts	6	22,430	3,960	600	530	4,360	1,710	770

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Noncollision accident, n.e.c.	50	—	—	—	100	20	50	—	60	—
Nonhighway accident, n.e.c.	60	—	40	—	180	30	90	—	30	—
Pedestrian, nonpassenger struck by vehicle, mobile equipment	440	80	30	40	4,820	510	2,410	—	1,850	30
Pedestrian struck by vehicle, mobile equipment, unspecified	20	—	—	—	810	40	520	—	460	—
Pedestrian struck by vehicle, mobile equipment in roadway	50	—	—	—	240	30	120	—	320	—
Pedestrian struck by vehicle, mobile equipment on side of road	—	—	—	—	50	—	—	—	60	—
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	360	80	30	30	3,730	430	1,760	—	1,010	20
Railway accident	20	—	—	—	30	20	—	—	60	—
Collision between railway vehicle and other vehicle	—	—	—	—	—	—	—	—	60	—
Derailment	—	—	—	—	—	—	—	—	—	—
Railway accident, n.e.c.	—	—	—	—	30	—	—	—	—	—
Water vehicle accident	40	—	—	—	60	30	—	—	50	—
Fall from ship, boat, n.e.c.	—	—	—	—	—	—	—	—	—	—
Fall on ship, boat	30	—	—	—	30	20	—	—	—	—
Water vehicle accident, n.e.c.	—	—	—	—	20	—	—	—	—	—
Aircraft accident	—	—	—	—	80	—	80	—	170	—
Aircraft accident, unspecified	—	—	—	—	—	—	—	—	—	—
During takeoff or landing	—	—	—	—	—	—	—	—	—	—
Aircraft accident, n.e.c.	—	—	—	—	80	—	80	—	150	—
Transportation accident, n.e.c.	—	—	—	—	—	—	—	—	—	—
Fires and explosions	460	70	130	—	260	—	—	160	830	—
Fire or explosion, unspecified	—	—	—	—	—	—	—	—	—	—
Fire unintended or uncontrolled	250	20	90	—	230	—	—	150	550	—
Fire, unspecified	—	—	—	—	180	—	—	—	60	—
Fire in residence, building, or other structure	70	20	—	—	—	—	—	150	90	—
Forest, brush, or other outdoor fire	—	—	—	—	—	—	—	—	50	—
Ignition of clothing from controlled heat source	50	—	30	—	20	—	—	—	30	—
Fire, n.e.c.	120	—	50	—	20	—	—	—	320	—
Explosion	200	40	40	—	30	—	—	—	280	—
Explosion, unspecified	—	—	—	—	—	—	—	—	30	—
Explosion of battery	—	—	—	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	70	—	—	—	—	—	—	—	150	—
Explosion, n.e.c.	110	20	—	—	20	—	—	—	100	—
Assaults and violent acts	5,970	1,490	1,520	960	2,760	1,180	320	370	4,070	390

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Event code ²	Private industry ³	Part of body affected by the injury or illness ⁴					
			Head		Neck	Trunk		
			Total	Eyes		Total	Back	Shoulder
Assaults and violent acts, unspecified	60	150	40	—	—	20	—	—
Assaults and violent acts by person(s)	61	15,970	3,250	560	460	3,500	1,580	670
Assaults and violent acts by person(s), unspecified	610	1,680	240	80	50	350	220	90
Biting	611	520	20	—	—	20	—	—
Hitting, kicking, beating	612	6,410	2,320	340	190	1,500	440	200
Shooting	613	90	—	—	—	—	—	—
Squeezing, pinching, scratching, twisting	614	1,620	60	30	90	230	110	90
Stabbing	615	490	20	—	—	350	280	—
Threats or verbal assaults	617	190	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	4,970	580	110	110	1,040	520	270
Self-inflicted injury	62	90	—	—	—	—	—	—
Self-inflicted injury, unspecified	620	60	—	—	—	—	—	—
Self-inflicted injury or fatality intent unknown	622	20	—	—	—	—	—	—
Assaults by animals	63	6,220	670	20	60	850	110	90
Assaults by animals, unspecified	630	550	—	—	—	50	20	—
Nonvenomous bites	631	3,610	200	—	40	260	30	—
Assaults by animals, n.e.c.	639	2,060	450	—	—	540	60	80
Other events or exposures	9	190	—	—	—	20	—	—
Nonclassifiable	9999	14,480	600	250	270	4,080	2,460	610

See footnotes at end of table.

TABLE R32. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and selected parts of body affected by injury or illness, 2006 — Continued

Event	Part of body affected by the injury or illness ⁴									
	Upper extremities				Lower extremities			Body systems	Multiple body parts	All other body parts ⁵
	Total	Finger	Hand	Wrist	Total	Knee	Foot, toe			
Assaults and violent acts, unspecified	20	—	—	—	20	20	—	—	40	—
Assaults and violent acts by person(s)	3,310	760	550	810	1,360	790	150	350	3,640	100
Assaults and violent acts by person(s), unspecified	370	70	100	60	290	200	20	40	320	—
Biting	410	80	50	20	—	—	—	—	30	20
Hitting, kicking, beating	590	150	120	100	540	350	50	20	1,240	20
Shooting	—	—	—	—	20	—	20	—	30	—
Squeezing, pinching, scratching, twisting	960	290	100	380	110	30	—	—	150	—
Stabbing	110	—	100	—	—	—	—	—	—	—
Threats or verbal assaults	—	—	—	—	—	—	—	170	—	—
Assaults and violent acts by person(s), n.e.c.	870	170	90	250	380	210	70	110	1,850	30
Self-inflicted injury	70	30	—	—	—	—	—	—	—	—
Self-inflicted injury, unspecified	60	20	—	—	—	—	—	—	—	—
Self-inflicted injury or fatality intent unknown	—	—	—	—	—	—	—	—	—	—
Assaults by animals	2,580	690	970	110	1,380	370	160	—	390	290
Assaults by animals, unspecified ...	90	20	—	30	270	160	—	—	130	—
Nonvenomous bites	1,940	340	870	70	820	70	110	—	180	170
Assaults by animals, n.e.c.	550	330	90	—	290	150	50	—	80	120
Other events or exposures	20	—	—	—	30	—	—	20	90	—
Nonclassifiable	2,080	720	430	420	1,910	750	270	780	670	4,090

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Part of body codes: Head, Total = 00-09; Eyes = 032; Neck = 10-19; Trunk, Total = 20-29; Back = 23; Shoulder = 21; Upper extremities, Total = 30-39; Finger = 34; Hand = 33; Wrist = 32; Lower extremities, Total = 40-49; Knee = 412; Foot, toe = 43, 44; Body systems = 5; Multiple body parts = 8; All other body parts = remaining codes, including 9999 (Nonclassifiable). These codes are based

on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies