

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>							
			Sprains, strains, tears <sup>5</sup>	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total .....		1,158,870	448,380	94,950	107,000	91,270	15,730	101,340	17,490	6,130
<b>Head</b> .....	0	78,370	220	3,600	13,810	13,010	800	10,330	1,900	3,990
Head, unspecified .....	00	16,310	30	50	3,780	3,750	30	5,010	—	—
Cranial region, including skull .....	01	10,120	—	200	1,790	1,770	20	1,140	—	—
Cranial region, unspecified .....	010	180	—	—	—	—	—	60	—	—
Brain .....	011	6,420	—	—	—	—	—	—	—	—
Scalp .....	012	2,820	—	—	1,740	1,730	—	790	—	—
Skull .....	013	540	—	200	—	—	—	250	—	—
Multiple cranial region locations .....	018	90	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	019	70	—	—	20	20	—	20	—	—
Ear(s) .....	02	910	—	—	230	220	—	30	70	—
Face .....	03	50,140	150	3,330	7,940	7,210	740	3,970	1,810	3,980
Face, unspecified .....	030	3,490	20	150	720	700	20	870	540	90
Forehead .....	031	3,160	—	20	1,630	1,620	—	760	—	—
Eye(s) .....	032	33,010	110	—	2,970	2,310	660	1,130	740	3,690
Nose, nasal cavity .....	033	2,790	—	1,150	490	490	—	520	—	—
Nose, except internal location of diseases or disorders .....	0330	2,690	—	1,150	490	490	—	520	—	—
Internal nasal location, unspecified .....	0331	20	—	—	—	—	—	—	—	—
Nasal passages .....	0333	60	—	—	—	—	—	—	—	—
Cheek(s) .....	034	830	—	140	330	300	30	110	20	—
Jaw/chin .....	035	930	—	230	380	380	—	190	—	—
Mouth .....	036	2,350	—	1,250	600	600	—	90	—	—
Mouth, unspecified .....	0360	300	—	30	90	90	—	70	—	—
Lip(s) .....	0361	540	—	—	450	450	—	20	—	—
Tooth(teeth) .....	0363	1,290	—	1,230	—	—	—	—	—	—
Multiple mouth locations .....	0368	190	—	—	40	40	—	—	—	—
Mouth, n.e.c. ....	0369	20	—	—	—	—	—	—	—	—
Multiple face locations .....	038	3,240	—	360	710	700	—	250	440	150
Face, n.e.c. ....	039	350	—	20	110	110	—	60	50	20
Multiple head locations .....	08	740	40	—	50	50	—	130	—	—
Head, n.e.c. ....	09	150	—	—	20	—	—	60	—	—
<b>Neck, including throat</b> .....	1	17,050	11,730	280	130	100	30	320	60	—
Neck, except internal location of diseases or disorders ...	10	16,980	11,730	280	130	100	30	320	60	—
Internal neck location, unspecified .....	11	40	—	—	—	—	—	—	—	—
Pharynx .....	15	20	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	2	384,650	248,480	12,270	1,170	680	490	19,610	430	170
Trunk, unspecified .....	20	2,000	620	110	20	—	—	600	40	—
Shoulder, including clavicle, scapula .....	21	75,580	51,180	2,630	70	70	—	3,320	40	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness <sup>4</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>5,6</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
<b>Total</b> .....	7,320	11,940	4,380	46,820	11,100	15,570	115,540	37,130	197,580
<b>Head</b> .....	—	—	—	2,470	590	50	4,510	—	37,540
Head, unspecified .....	—	—	—	450	—	30	2,530	—	4,450
Cranial region, including skull .....	—	—	—	150	60	—	90	—	6,740
Cranial region, unspecified .....	—	—	—	—	—	—	—	—	100
Brain .....	—	—	—	—	—	—	—	—	6,400
Scalp .....	—	—	—	40	—	—	60	—	170
Skull .....	—	—	—	20	20	—	30	—	40
Multiple cranial region locations .....	—	—	—	70	40	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	30
Ear(s) .....	—	—	—	30	—	—	80	—	470
Face .....	—	—	—	1,630	500	20	1,750	—	25,590
Face, unspecified .....	—	—	—	260	40	—	50	—	790
Forehead .....	—	—	—	150	—	—	100	—	480
Eye(s) .....	—	—	—	210	—	—	1,160	—	23,000
Nose, nasal cavity .....	—	—	—	130	40	—	150	—	350
Nose, except internal location of diseases or disorders .....	—	—	—	130	40	—	150	—	250
Internal nasal location, unspecified .....	—	—	—	—	—	—	—	—	20
Nasal passages .....	—	—	—	—	—	—	—	—	60
Cheek(s) .....	—	—	—	90	80	—	—	—	100
Jaw/chin .....	—	—	—	—	—	—	50	—	60
Mouth .....	—	—	—	110	40	—	60	—	220
Mouth, unspecified .....	—	—	—	—	—	—	—	—	100
Lip(s) .....	—	—	—	—	—	—	—	—	60
Tooth(teeth) .....	—	—	—	—	—	—	50	—	—
Multiple mouth locations .....	—	—	—	100	40	—	—	—	30
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	—	650	280	—	140	—	540
Face, n.e.c. ....	—	—	—	20	—	—	—	—	50
Multiple head locations .....	—	—	—	210	20	—	50	—	240
Head, n.e.c. ....	—	—	—	—	—	—	—	—	60
<b>Neck, including throat</b> .....	—	—	—	140	—	90	2,580	—	1,790
Neck, except internal location of diseases or disorders ...	—	—	—	140	—	90	2,580	—	1,710
Internal neck location, unspecified .....	—	—	—	—	—	—	—	—	40
Pharynx .....	—	—	—	—	—	—	—	—	20
<b>Trunk</b> .....	—	—	1,100	3,690	830	2,200	54,260	37,130	43,460
Trunk, unspecified .....	—	—	—	50	—	—	260	—	290
Shoulder, including clavicle, scapula .....	—	—	1,100	410	40	290	10,000	—	6,830

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007  
— Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>							
			Sprains, strains, tears <sup>5</sup>	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Chest, including ribs, internal organs .....	22	18,580	3,600	4,040	250	140	110	5,200	100	—
Chest, except internal location of diseases or disorders .....	220	16,590	3,600	4,040	250	140	110	5,200	100	—
Internal chest location, unspecified .....	221	180	—	—	—	—	—	—	—	—
Heart .....	223	400	—	—	—	—	—	—	—	—
Bronchus .....	224	160	—	—	—	—	—	—	—	—
Lung(s), pleura .....	225	1,190	—	—	—	—	—	—	—	—
Multiple internal chest locations .....	228	40	—	—	—	—	—	—	—	—
Internal chest location, n.e.c. ....	229	20	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	235,960	177,480	2,450	220	140	70	5,980	50	—
Back, including spine, spinal cord, unspecified .....	230	96,130	69,810	1,040	120	90	30	2,770	30	—
Lumbar region .....	231	119,350	94,150	520	40	30	—	2,090	20	—
Thoracic region .....	232	9,710	7,470	110	30	—	30	290	—	—
Sacral region .....	233	590	350	30	—	—	—	90	—	—
Coccygeal region .....	234	2,490	110	720	20	—	—	580	—	—
Multiple back regions .....	238	7,190	5,240	20	—	—	—	150	—	—
Back, including spine, spinal cord, n.e.c. ....	239	500	350	—	—	—	—	20	—	—
Abdomen .....	24	24,720	3,240	60	410	180	230	720	130	20
Abdomen, except internal location of diseases or disorders .....	240	6,890	3,240	60	410	180	230	720	130	20
Internal abdominal location, unspecified .....	241	8,570	—	—	—	—	—	—	—	—
Stomach organ .....	242	650	—	—	—	—	—	—	—	—
Spleen .....	243	70	—	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	8,420	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified .....	2450	7,760	—	—	—	—	—	—	—	—
Peritoneum .....	2451	450	—	—	—	—	—	—	—	—
Large intestine/colon, rectum .....	2453	180	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	90	—	—	—	—	—	—	—	—
Pelvic region .....	25	19,250	8,640	2,850	190	140	50	2,680	20	40
Pelvic region, unspecified .....	250	240	110	40	—	—	—	20	—	—
Hip(s) .....	251	9,240	2,180	2,280	100	90	—	1,940	—	—
Pelvis .....	252	830	120	500	—	—	—	50	—	—
Buttock(s) .....	253	1,090	130	—	20	—	—	430	—	30
Groin .....	254	7,310	5,890	—	40	20	20	130	20	—
External reproductive tract structures .....	255	180	40	—	30	20	—	60	—	—
External reproductive tract structures, unspecified ..	2550	30	20	—	—	—	—	—	—	—
Scrotum .....	2551	120	—	—	20	—	—	60	—	—
Internal reproductive tract structures .....	256	60	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness <sup>4</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>5,6</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Chest, including ribs, internal organs .....	-	-	-	410	230	120	1,740	-	3,230
Chest, except internal location of diseases or disorders .....	-	-	-	410	230	120	1,740	-	1,240
Internal chest location, unspecified .....	-	-	-	-	-	-	-	-	180
Heart .....	-	-	-	-	-	-	-	-	400
Bronchus .....	-	-	-	-	-	-	-	-	160
Lung(s), pleura .....	-	-	-	-	-	-	-	-	1,190
Multiple internal chest locations .....	-	-	-	-	-	-	-	-	40
Internal chest location, n.e.c. ....	-	-	-	-	-	-	-	-	20
Back, including spine, spinal cord .....	-	-	-	1,390	110	1,020	37,130	37,130	11,240
Back, including spine, spinal cord, unspecified .....	-	-	-	440	70	270	16,780	16,780	5,120
Lumbar region .....	-	-	-	570	20	430	17,460	17,460	4,500
Thoracic region .....	-	-	-	180	-	150	1,200	1,200	430
Sacral region .....	-	-	-	-	-	-	80	80	40
Coccygeal region .....	-	-	-	-	-	-	330	330	720
Multiple back regions .....	-	-	-	170	-	130	1,220	1,220	390
Back, including spine, spinal cord, n.e.c. ....	-	-	-	20	-	-	60	60	40
Abdomen .....	-	-	-	30	-	-	1,250	-	18,870
Abdomen, except internal location of diseases or disorders .....	-	-	-	30	-	-	1,250	-	1,040
Internal abdominal location, unspecified .....	-	-	-	-	-	-	-	-	8,570
Stomach organ .....	-	-	-	-	-	-	-	-	650
Spleen .....	-	-	-	-	-	-	-	-	70
Urinary organs .....	-	-	-	-	-	-	-	-	20
Intestines, peritoneum .....	-	-	-	-	-	-	-	-	8,420
Intestines, peritoneum, unspecified .....	-	-	-	-	-	-	-	-	7,760
Peritoneum .....	-	-	-	-	-	-	-	-	450
Large intestine/colon, rectum .....	-	-	-	-	-	-	-	-	180
Intestines, n.e.c. ....	-	-	-	-	-	-	-	-	20
Internal abdominal location, n.e.c. ....	-	-	-	-	-	-	-	-	90
Pelvic region .....	-	-	-	530	360	100	2,940	-	1,350
Pelvic region, unspecified .....	-	-	-	-	-	-	40	-	-
Hip(s) .....	-	-	-	500	360	90	1,360	-	870
Pelvis .....	-	-	-	-	-	-	90	-	50
Buttock(s) .....	-	-	-	20	-	-	310	-	150
Groin .....	-	-	-	-	-	-	1,030	-	170
External reproductive tract structures .....	-	-	-	-	-	-	20	-	30
External reproductive tract structures, unspecified ..	-	-	-	-	-	-	-	-	-
Scrotum .....	-	-	-	-	-	-	20	-	20
Internal reproductive tract structures .....	-	-	-	-	-	-	-	-	60

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007  
— Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>							
			Sprains, strains, tears <sup>5</sup>	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Testis(testes) .....	2562	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations .....	258	280	150	—	—	—	—	30	—	—
Pelvic region, n.e.c. ....	259	30	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	8,350	3,670	100	—	—	—	1,070	50	70
Trunk, n.e.c. ....	29	210	70	30	—	—	—	40	—	—
<b>Upper extremities</b> .....	<b>3</b>	<b>269,240</b>	<b>40,740</b>	<b>35,010</b>	<b>78,010</b>	<b>67,470</b>	<b>10,540</b>	<b>20,030</b>	<b>9,220</b>	<b>750</b>
Upper extremities, unspecified .....	30	520	180	—	90	80	—	60	20	—
Arm(s) .....	31	54,260	13,590	9,380	6,780	5,520	1,260	6,750	2,330	180
Arm(s), unspecified .....	310	18,170	4,780	3,480	2,140	1,930	220	1,400	1,280	100
Upper arm(s) .....	311	4,230	2,410	640	290	250	40	180	40	—
Elbow(s) .....	312	18,830	4,180	3,330	1,100	1,070	40	4,090	60	—
Forearm(s) .....	313	10,540	1,330	1,620	3,200	2,250	960	820	790	80
Multiple arm(s) locations .....	318	2,090	770	230	20	—	—	220	130	—
Arm(s), n.e.c. ....	319	410	120	80	20	—	—	50	30	—
Wrist(s) .....	32	51,620	15,710	9,440	2,570	1,900	670	1,580	400	—
Hand(s), except finger(s) .....	33	47,920	3,680	3,670	18,320	14,720	3,600	5,450	4,550	340
Finger(s), fingernail(s) .....	34	101,650	4,510	12,020	48,730	43,790	4,950	5,230	1,220	150
Multiple upper extremities locations .....	38	13,060	2,980	490	1,510	1,460	50	940	690	60
Multiple upper extremities locations, unspecified .....	380	220	90	—	—	—	—	—	—	—
Hand(s) and finger(s) .....	381	4,070	300	170	980	950	30	290	250	30
Hand(s) and wrist(s) .....	382	3,050	920	90	230	230	—	330	100	—
Hand(s) and arm(s) .....	383	1,560	180	30	50	30	20	70	220	20
Multiple upper extremities locations, n.e.c. ....	389	4,170	1,490	190	240	240	—	240	120	—
Upper extremities, n.e.c. ....	39	210	90	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>260,580</b>	<b>112,980</b>	<b>39,970</b>	<b>12,300</b>	<b>8,550</b>	<b>3,740</b>	<b>36,080</b>	<b>2,510</b>	<b>520</b>
Lower extremities, unspecified .....	40	790	470	40	—	—	—	190	30	—
Leg(s) .....	41	132,280	60,970	9,630	7,220	5,920	1,300	19,790	880	200
Leg(s), unspecified .....	410	17,310	3,100	3,530	2,340	1,930	410	2,770	450	100
Thigh(s) .....	411	4,610	1,360	560	890	690	190	890	190	20
Knee(s) .....	412	94,500	52,340	2,760	2,010	1,520	490	13,530	70	20
Lower leg(s) .....	413	11,930	2,830	2,220	1,900	1,700	200	2,100	120	50
Multiple leg(s) locations .....	418	3,420	1,230	520	30	30	—	430	20	—
Leg(s), n.e.c. ....	419	520	130	50	60	40	—	60	30	—
Ankle(s) .....	42	62,660	41,730	11,780	530	440	90	2,800	220	20
Foot(feet), except toe(s) .....	43	43,970	6,790	12,780	3,770	1,520	2,240	9,940	1,080	190
Foot(feet), except toe(s), unspecified .....	430	38,870	6,320	10,890	3,000	1,210	1,790	9,190	1,030	190
Instep(s) .....	431	180	—	40	—	—	—	90	—	—
Sole .....	432	3,680	360	1,560	670	300	370	470	—	—
Sole(s), unspecified .....	4320	470	—	—	360	30	320	80	—	—
Ball(s) of foot .....	4321	30	—	—	—	—	—	—	—	—
Arch(es) .....	4322	40	20	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness <sup>4</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>5,6</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Testis(testes) .....	-	-	-	-	-	-	-	-	20
Multiple pelvic region locations .....	-	-	-	-	-	-	90	-	-
Pelvic region, n.e.c. ....	-	-	-	-	-	-	-	-	-
Multiple trunk locations .....	-	-	-	870	70	660	930	-	1,570
Trunk, n.e.c. ....	-	-	-	-	-	-	-	-	80
<b>Upper extremities</b> .....	<b>7,070</b>	<b>11,940</b>	<b>2,910</b>	<b>6,390</b>	<b>2,750</b>	<b>860</b>	<b>16,290</b>	<b>-</b>	<b>40,890</b>
Upper extremities, unspecified .....	-	-	-	-	-	-	20	-	130
Arm(s) .....	60	-	840	930	290	230	4,820	-	8,600
Arm(s), unspecified .....	50	-	100	300	50	50	1,580	-	2,960
Upper arm(s) .....	-	-	70	40	20	-	200	-	360
Elbow(s) .....	-	-	390	420	170	120	2,170	-	3,100
Forearm(s) .....	-	-	200	120	20	20	390	-	1,980
Multiple arm(s) locations .....	-	-	70	50	-	20	430	-	170
Arm(s), n.e.c. ....	-	-	-	-	-	-	50	-	40
Wrist(s) .....	-	11,940	1,460	590	330	170	3,870	-	4,050
Hand(s), except finger(s) .....	70	-	170	830	160	80	2,490	-	8,360
Finger(s), fingernail(s) .....	6,920	-	170	2,840	1,620	80	3,130	-	16,720
Multiple upper extremities locations .....	-	-	270	1,190	360	300	1,890	-	3,010
Multiple upper extremities locations, unspecified .....	-	-	-	-	-	-	50	-	40
Hand(s) and finger(s) .....	-	-	20	550	160	80	380	-	1,080
Hand(s) and wrist(s) .....	-	-	140	190	20	100	550	-	480
Hand(s) and arm(s) .....	-	-	-	130	70	30	240	-	600
Multiple upper extremities locations, n.e.c. ....	-	-	100	310	110	90	670	-	810
Upper extremities, n.e.c. ....	-	-	-	-	-	-	80	-	20
<b>Lower extremities</b> .....	<b>240</b>	<b>-</b>	<b>260</b>	<b>7,910</b>	<b>1,600</b>	<b>3,060</b>	<b>23,290</b>	<b>-</b>	<b>24,520</b>
Lower extremities, unspecified .....	-	-	-	-	-	-	20	-	40
Leg(s) .....	110	-	90	3,990	370	1,570	15,300	-	14,090
Leg(s), unspecified .....	70	-	-	610	70	170	1,670	-	2,660
Thigh(s) .....	-	-	-	50	-	20	230	-	420
Knee(s) .....	-	-	80	2,200	130	1,130	12,560	-	8,940
Lower leg(s) .....	20	-	-	480	40	110	500	-	1,710
Multiple leg(s) locations .....	-	-	-	590	120	150	280	-	320
Leg(s), n.e.c. ....	20	-	-	60	-	-	70	-	50
Ankle(s) .....	-	-	60	790	110	420	2,290	-	2,450
Foot(feet), except toe(s) .....	20	-	90	880	250	300	3,610	-	4,820
Foot(feet), except toe(s), unspecified .....	20	-	60	810	230	290	3,030	-	4,330
Instep(s) .....	-	-	-	-	-	-	-	-	20
Sole .....	-	-	30	30	-	-	240	-	320
Sole(s), unspecified .....	-	-	-	-	-	-	20	-	-
Ball(s) of foot .....	-	-	-	-	-	-	-	-	-
Arch(es) .....	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007  
— Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Nature of injury or illness <sup>4</sup>							
			Sprains, strains, tears <sup>5</sup>	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Heel(s) .....	4323	3,090	340	1,550	290	270	30	370	—	—
Multiple sole(s) locations .....	4328	40	—	—	—	—	—	—	—	—
Multiple foot(feet) locations .....	438	210	30	50	—	—	—	30	—	—
Foot(feet), n.e.c. ....	439	1,010	70	230	90	—	80	160	20	—
Toe(s), toenail(s) .....	44	11,630	370	5,070	600	500	100	2,320	20	20
Multiple lower extremities locations .....	48	9,020	2,570	670	180	170	—	1,030	290	80
Multiple lower extremities locations, unspecified .....	480	200	20	20	—	—	—	20	—	—
Foot(feet) and leg(s) .....	481	1,670	410	50	60	60	—	140	190	40
Foot(feet) and ankle(s) .....	482	2,410	1,050	170	40	30	—	220	70	—
Foot(feet) and toe(s) .....	483	970	40	210	20	20	—	290	—	—
Multiple lower extremities locations, n.e.c. ....	489	3,780	1,050	220	60	60	—	370	20	20
Lower extremities, n.e.c. ....	49	220	80	—	—	—	—	20	—	—
<b>Body systems</b> .....	5	17,710	—	—	—	—	—	—	—	—
<b>Multiple body parts</b> .....	8	120,950	33,050	3,770	1,370	1,300	80	14,480	3,070	570
<b>Other body parts</b> .....	9	50	—	—	—	—	—	—	—	—
Prosthetic devices .....	91	40	—	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	20	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	10,280	1,170	50	220	160	60	490	300	130

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R19. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness <sup>4</sup>								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures <sup>5,6</sup>
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Heel(s) .....	-	-	30	30	-	-	210	-	270
Multiple sole(s) locations .....	-	-	-	-	-	-	-	-	40
Multiple foot(feet) locations .....	-	-	-	20	-	-	30	-	50
Foot(feet), n.e.c. ....	-	-	-	20	-	-	310	-	100
Toe(s), toenail(s) .....	100	-	-	220	140	20	700	-	2,220
Multiple lower extremities locations .....	-	-	-	1,930	730	680	1,370	-	890
Multiple lower extremities locations, unspecified .....	-	-	-	70	-	40	50	-	30
Foot(feet) and leg(s) .....	-	-	-	570	340	30	110	-	110
Foot(feet) and ankle(s) .....	-	-	-	270	80	110	270	-	310
Foot(feet) and toe(s) .....	-	-	-	180	150	-	90	-	120
Multiple lower extremities locations, n.e.c. ....	-	-	-	840	150	500	850	-	330
Lower extremities, n.e.c. ....	-	-	-	100	-	70	20	-	-
<b>Body systems</b> .....	-	-	-	-	-	-	-	-	17,710
<b>Multiple body parts</b> .....	-	-	80	26,120	5,330	9,270	14,400	-	24,030
<b>Other body parts</b> .....	-	-	-	-	-	-	-	-	50
Prosthetic devices .....	-	-	-	-	-	-	-	-	40
Other body parts, n.e.c. ....	-	-	-	-	-	-	-	-	-
<b>Nonclassifiable</b> .....	-	-	20	90	-	30	210	-	7,600

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries = 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Selected estimates for this category were affected by the March 2009 revision, see note below.

<sup>6</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies