

[This table was reissued in March 2009. See note at end of table.]

**TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007**

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall <sup>5</sup>	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Total .....		1,158,870	317,550	162,840	75,730	54,100	77,300	166,560	37,780	264,930	140,330
<b>Head</b> .....	0	78,370	47,260	27,190	8,880	390	2,380	8,950	70	100	80
Head, unspecified .....	00	16,310	8,420	4,330	3,860	160	990	4,320	70	30	—
Cranial region, including skull .....	01	10,120	5,440	3,300	2,040	90	790	2,050	—	—	—
Cranial region, unspecified .....	010	180	100	60	50	—	—	60	—	—	—
Brain .....	011	6,420	2,960	1,730	1,210	30	570	1,440	—	—	—
Scalp .....	012	2,820	2,050	1,240	740	60	100	440	—	—	—
Skull .....	013	540	280	230	50	—	70	70	—	—	—
Multiple cranial region locations .....	018	90	—	—	—	—	40	30	—	—	—
Cranial region, n.e.c. ....	019	70	40	30	—	—	—	—	—	—	—
Ear(s) .....	02	910	340	260	60	—	—	—	—	—	—
Face .....	03	50,140	32,690	19,040	2,820	120	560	2,400	—	60	50
Face, unspecified .....	030	3,490	1,290	1,060	220	—	70	370	—	—	—
Forehead .....	031	3,160	2,020	1,260	730	—	70	690	—	—	—
Eye(s) .....	032	33,010	23,500	11,800	1,030	50	20	110	—	50	50
Nose, nasal cavity .....	033	2,790	1,660	1,350	290	—	80	280	—	—	—
Nose, except internal location of diseases or disorders .....	0330	2,690	1,660	1,350	290	—	80	280	—	—	—
Internal nasal location, unspecified .....	0331	20	—	—	—	—	—	—	—	—	—
Nasal passages .....	0333	60	—	—	—	—	—	—	—	—	—
Cheek(s) .....	034	830	600	520	30	40	100	20	—	—	—
Jaw/chin .....	035	930	470	400	60	—	120	110	—	—	—
Mouth .....	036	2,350	1,800	1,590	190	—	50	300	—	—	—
Mouth, unspecified .....	0360	300	220	210	—	—	—	40	—	—	—
Lip(s) .....	0361	540	400	390	—	—	—	40	—	—	—
Tooth(teeth) .....	0363	1,290	1,020	860	150	—	30	200	—	—	—
Multiple mouth locations .....	0368	190	150	120	30	—	—	—	—	—	—
Mouth, n.e.c. ....	0369	20	20	20	—	—	—	—	—	—	—
Multiple face locations .....	038	3,240	1,160	870	250	—	50	500	—	—	—
Face, n.e.c. ....	039	350	190	190	—	—	—	—	—	—	—
Multiple head locations .....	08	740	290	210	70	—	30	120	—	—	—
Head, n.e.c. ....	09	150	70	40	30	—	—	70	—	—	—
<b>Neck, including throat</b> .....	1	17,050	3,000	1,910	880	80	490	940	190	4,950	2,640
Neck, except internal location of diseases or disorders ...	10	16,980	3,000	1,910	880	80	490	940	190	4,950	2,640
Internal neck location, unspecified .....	11	40	—	—	—	—	—	—	—	—	—
Pharynx .....	15	20	—	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	2	384,650	22,450	13,310	5,070	1,930	21,020	43,450	10,690	205,710	115,420
Trunk, unspecified .....	20	2,000	370	170	170	20	270	470	20	510	270
Shoulder, including clavicle, scapula .....	21	75,580	5,710	3,800	1,150	340	4,710	11,400	1,420	38,070	17,550

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

**TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007 — Continued**

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5,6</sup>
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	Assaults by person	All other assaults		
								Total	Assaults by animal	
<b>Total</b> .....	36,700	52,950	53,320	33,360	1,870	24,230	16,840	7,400	7,280	125,680
<b>Head</b> .....	30	11,360	2,820	1,890	380	3,930	3,300	630	610	1,090
Head, unspecified .....	—	210	1,140	820	—	830	810	20	20	290
Cranial region, including skull .....	—	30	1,120	790	30	450	400	50	50	210
Cranial region, unspecified .....	—	—	—	—	—	—	—	—	—	—
Brain .....	—	—	970	730	20	300	250	50	50	140
Scalp .....	—	20	60	40	—	80	80	—	—	70
Skull .....	—	—	70	20	—	50	50	—	—	—
Multiple cranial region locations .....	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	450	30	30	30	30	20	—	—	20
Face .....	—	10,630	470	210	310	2,460	1,910	550	540	570
Face, unspecified .....	—	900	110	50	50	610	560	50	50	80
Forehead .....	—	120	120	40	—	110	100	20	—	—
Eye(s) .....	—	8,350	40	—	90	460	350	110	100	380
Nose, nasal cavity .....	—	240	40	40	—	330	280	40	40	60
Nose, except internal location of diseases or disorders .....	—	140	40	40	—	320	280	40	40	60
Internal nasal location, unspecified .....	—	20	—	—	—	—	—	—	—	—
Nasal passages .....	—	60	—	—	—	—	—	—	—	—
Cheek(s) .....	—	60	—	—	—	30	30	—	—	—
Jaw/chin .....	—	—	20	—	—	200	200	—	—	—
Mouth .....	—	20	20	—	—	140	70	70	70	20
Mouth, unspecified .....	—	—	—	—	—	20	—	—	—	—
Lip(s) .....	—	—	—	—	—	80	30	50	50	—
Tooth(teeth) .....	—	—	—	—	—	30	20	—	—	—
Multiple mouth locations .....	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	—	850	80	40	50	540	290	260	260	—
Face, n.e.c. ....	—	90	—	—	—	30	30	—	—	—
Multiple head locations .....	—	40	60	30	—	160	160	—	—	—
Head, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	300	290	4,500	3,880	—	440	390	50	50	1,940
Neck, except internal location of diseases or disorders ...	300	240	4,500	3,880	—	440	390	50	50	1,930
Internal neck location, unspecified .....	—	40	—	—	—	—	—	—	—	—
Pharynx .....	—	—	—	—	—	—	—	—	—	—
<b>Trunk</b> .....	8,800	3,240	12,440	8,340	70	4,270	3,790	480	470	52,510
Trunk, unspecified .....	—	110	100	70	—	30	20	—	—	130
Shoulder, including clavicle, scapula .....	4,250	60	2,260	1,580	—	850	780	70	70	6,870

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall <sup>5</sup>	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Chest, including ribs, internal organs .....	22	18,580	3,490	1,980	770	570	2,450	3,810	70	3,440	1,530
Chest, except internal location of diseases or disorders .....	220	16,590	3,480	1,980	770	570	2,450	3,810	70	3,400	1,520
Internal chest location, unspecified .....	221	180	—	—	—	—	—	—	—	—	—
Heart .....	223	400	—	—	—	—	—	—	—	30	—
Bronchus .....	224	160	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	225	1,190	—	—	—	—	—	—	—	—	—
Multiple internal chest locations .....	228	40	—	—	—	—	—	—	—	—	—
Internal chest location, n.e.c. ....	229	20	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	235,960	9,270	5,130	2,340	440	10,890	19,010	7,820	136,900	80,320
Back, including spine, spinal cord, unspecified .....	230	96,130	3,680	2,100	790	220	5,280	7,790	3,510	54,020	32,660
Lumbar region .....	231	119,350	4,580	2,380	1,290	200	3,680	8,260	3,800	72,830	42,520
Thoracic region .....	232	9,710	540	340	130	20	550	770	100	5,990	2,950
Sacral region .....	233	590	20	20	—	—	70	100	—	300	130
Coccygeal region .....	234	2,490	70	20	50	—	690	1,200	300	90	30
Multiple back regions .....	238	7,190	360	260	70	—	600	840	100	3,470	1,910
Back, including spine, spinal cord, n.e.c. ....	239	500	30	—	—	—	20	60	—	200	130
Abdomen .....	24	24,720	1,320	1,000	180	90	90	830	190	17,730	11,310
Abdomen, except internal location of diseases or disorders .....	240	6,890	1,070	810	150	80	70	480	50	3,210	1,780
Internal abdominal location, unspecified .....	241	8,570	120	90	20	—	—	160	60	6,860	4,580
Stomach organ .....	242	650	—	—	—	—	—	—	—	300	220
Spleen .....	243	70	—	—	—	—	—	—	—	—	—
Urinary organs .....	244	20	—	—	—	—	—	—	—	20	—
Intestines, peritoneum .....	245	8,420	120	100	—	—	—	110	70	7,290	4,670
Intestines, peritoneum, unspecified .....	2450	7,760	120	90	—	—	—	110	70	6,790	4,300
Peritoneum .....	2451	450	—	—	—	—	—	—	—	400	300
Large intestine/colon, rectum .....	2453	180	—	—	—	—	—	—	—	70	50
Intestines, n.e.c. ....	2459	20	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	90	—	—	—	—	—	—	—	40	40
Pelvic region .....	25	19,250	1,590	810	380	310	1,740	5,420	800	6,890	3,670
Pelvic region, unspecified .....	250	240	40	30	—	—	—	20	—	130	90
Hip(s) .....	251	9,240	830	370	220	170	1,180	4,350	380	1,170	570
Pelvis .....	252	830	210	100	30	80	220	220	—	80	60
Buttock(s) .....	253	1,090	60	20	30	—	180	570	—	70	20
Groin .....	254	7,310	350	230	70	20	50	180	400	5,270	2,800
External reproductive tract structures .....	255	180	70	40	—	—	—	30	—	30	—
External reproductive tract structures, unspecified ..	2550	30	—	—	—	—	—	—	—	—	—
Scrotum .....	2551	120	50	30	—	—	—	30	—	20	—
Internal reproductive tract structures .....	256	60	—	—	—	—	—	—	—	20	—
Testis(testes) .....	2562	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5,6</sup>
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	Assaults by person	All other assaults		
								Total	Assaults by animal	
Chest, including ribs, internal organs .....	70	1,650	1,210	710	30	840	700	140	140	1,530
Chest, except internal location of diseases or disorders .....	60	200	1,190	690	30	840	690	140	140	1,070
Internal chest location, unspecified .....	—	100	—	—	—	—	—	—	—	70
Heart .....	—	—	—	—	—	—	—	—	—	360
Bronchus .....	—	160	—	—	—	—	—	—	—	—
Lung(s), pleura .....	—	1,130	—	—	—	—	—	—	—	30
Multiple internal chest locations .....	—	40	—	—	—	—	—	—	—	—
Internal chest location, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	3,760	110	7,540	5,190	20	1,530	1,430	100	100	39,100
Back, including spine, spinal cord, unspecified .....	1,760	80	3,920	2,670	20	670	620	50	50	15,410
Lumbar region .....	1,680	20	2,810	1,990	—	700	650	50	50	20,980
Thoracic region .....	160	—	390	290	—	80	80	—	—	1,130
Sacral region .....	—	—	40	—	—	—	—	—	—	60
Coccygeal region .....	—	—	—	—	—	—	—	—	—	120
Multiple back regions .....	160	—	380	240	—	60	60	—	—	1,220
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—	—	180
Abdomen .....	550	1,000	170	100	—	590	540	50	50	2,250
Abdomen, except internal location of diseases or disorders .....	30	600	150	90	—	580	540	50	50	630
Internal abdominal location, unspecified .....	400	80	—	—	—	—	—	—	—	850
Stomach organ .....	20	240	—	—	—	—	—	—	—	90
Spleen .....	—	—	—	—	—	—	—	—	—	—
Urinary organs .....	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	90	40	—	—	—	—	—	—	—	670
Intestines, peritoneum, unspecified .....	90	30	—	—	—	—	—	—	—	520
Peritoneum .....	—	—	—	—	—	—	—	—	—	40
Large intestine/colon, rectum .....	—	—	—	—	—	—	—	—	—	100
Intestines, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	90	140	400	150	—	260	180	80	80	1,930
Pelvic region, unspecified .....	—	—	20	—	—	—	—	—	—	—
Hip(s) .....	40	—	270	90	—	140	100	50	50	860
Pelvis .....	—	—	70	40	—	—	—	—	—	20
Buttock(s) .....	—	90	20	—	—	20	—	—	—	70
Groin .....	40	30	—	—	—	70	50	20	20	900
External reproductive tract structures .....	—	—	—	—	—	—	—	—	—	20
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	—	—
Scrotum .....	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures .....	—	—	—	—	—	—	—	—	—	—
Testis(testes) .....	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall <sup>5</sup>	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Multiple pelvic region locations .....	258	280	20	—	—	—	90	—	—	110	100
Pelvic region, n.e.c. ....	259	30	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	8,350	690	420	90	160	860	2,490	360	2,130	770
Trunk, n.e.c. ....	29	210	—	—	—	—	20	20	20	50	—
<b>Upper extremities</b> .....	<b>3</b>	<b>269,240</b>	<b>149,810</b>	<b>67,340</b>	<b>32,600</b>	<b>41,500</b>	<b>8,240</b>	<b>25,750</b>	<b>700</b>	<b>26,220</b>	<b>10,800</b>
Upper extremities, unspecified .....	30	520	170	110	—	20	—	—	—	150	—
Arm(s) .....	31	54,260	16,510	7,130	6,540	2,380	3,500	9,620	230	11,350	5,290
Arm(s), unspecified .....	310	18,170	5,050	2,590	1,220	1,100	1,110	2,920	140	3,750	1,750
Upper arm(s) .....	311	4,230	710	410	110	120	150	580	30	2,210	1,180
Elbow(s) .....	312	18,830	5,390	1,450	3,620	210	1,760	4,800	40	3,520	1,520
Forearm(s) .....	313	10,540	5,010	2,530	1,510	830	280	870	—	1,140	520
Multiple arm(s) locations .....	318	2,090	270	120	60	80	170	370	—	620	260
Arm(s), n.e.c. ....	319	410	80	40	—	30	30	80	—	110	50
Wrist(s) .....	32	51,620	7,490	4,380	1,750	1,010	3,230	9,780	320	8,990	3,490
Hand(s), except finger(s) .....	33	47,920	31,420	15,880	7,270	6,470	570	2,990	50	2,130	650
Finger(s), fingernail(s) .....	34	101,650	89,620	37,820	16,120	30,110	390	1,920	30	1,780	620
Multiple upper extremities locations .....	38	13,060	4,580	2,010	900	1,500	540	1,400	70	1,760	730
Multiple upper extremities locations, unspecified .....	380	220	40	—	—	20	—	20	—	40	20
Hand(s) and finger(s) .....	381	4,070	2,610	990	440	1,110	20	140	—	280	30
Hand(s) and wrist(s) .....	382	3,050	880	450	210	140	140	530	40	370	150
Hand(s) and arm(s) .....	383	1,560	250	80	80	80	40	190	—	250	50
Multiple upper extremities locations, n.e.c. ....	389	4,170	800	470	160	160	330	530	30	810	480
Upper extremities, n.e.c. ....	39	210	40	—	—	—	—	20	—	60	20
<b>Lower extremities</b> .....	<b>4</b>	<b>260,580</b>	<b>81,540</b>	<b>44,750</b>	<b>25,240</b>	<b>8,960</b>	<b>26,690</b>	<b>51,180</b>	<b>23,940</b>	<b>13,340</b>	<b>4,520</b>
Lower extremities, unspecified .....	40	790	180	160	—	—	20	40	—	—	—
Leg(s) .....	41	132,280	31,580	14,930	11,660	3,080	10,870	32,390	10,680	10,960	4,040
Leg(s), unspecified .....	410	17,310	7,180	4,570	1,320	1,080	1,190	3,280	530	1,030	380
Thigh(s) .....	411	4,610	1,740	1,170	300	220	290	640	250	570	260
Knee(s) .....	412	94,500	16,600	5,690	8,420	960	7,970	25,900	9,080	8,040	2,790
Lower leg(s) .....	413	11,930	4,950	3,050	1,410	390	860	1,660	610	910	370
Multiple leg(s) locations .....	418	3,420	920	340	160	400	540	830	160	340	220
Leg(s), n.e.c. ....	419	520	200	120	50	40	30	70	50	60	30
Ankle(s) .....	42	62,660	11,550	4,410	5,640	1,330	9,170	13,080	10,800	1,240	280
Foot(feet), except toe(s) .....	43	43,970	25,670	16,150	5,970	3,290	4,640	3,200	1,780	960	160
Foot(feet), except toe(s), unspecified .....	430	38,870	23,170	15,090	4,790	3,060	3,270	2,940	1,680	840	130
Instep(s) .....	431	180	120	60	30	—	—	—	—	—	—
Sole .....	432	3,680	1,600	450	1,020	110	1,270	100	70	100	20
Sole(s), unspecified .....	4320	470	440	—	440	—	—	—	—	—	—
Ball(s) of foot .....	4321	30	20	—	—	—	—	—	—	—	—
Arch(es) .....	4322	40	20	—	—	—	—	—	—	—	—
Heel(s) .....	4323	3,090	1,110	430	560	110	1,270	90	70	90	20
Multiple sole(s) locations .....	4328	40	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007 — Continued

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									All other events <sup>5,6</sup>
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				
			Total	Highway accident		Total	Assaults by person	All other assaults		
								Total	Assaults by animal	
Multiple pelvic region locations .....	—	—	—	—	—	—	—	—	—	40
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	80	140	750	540	—	150	150	—	—	680
Trunk, n.e.c. ....	—	—	—	—	—	—	—	—	—	30
<b>Upper extremities</b> .....	24,550	14,870	2,950	1,560	460	7,190	3,300	3,900	3,860	8,500
Upper extremities, unspecified .....	50	40	—	—	—	—	—	—	—	80
Arm(s) .....	3,110	4,630	1,110	800	100	1,570	1,070	500	500	2,560
Arm(s), unspecified .....	550	2,480	710	570	90	570	400	170	170	810
Upper arm(s) .....	80	120	40	30	—	80	50	30	30	220
Elbow(s) .....	1,690	160	220	130	—	190	170	20	20	1,060
Forearm(s) .....	470	1,700	90	30	—	660	390	270	270	310
Multiple arm(s) locations .....	310	140	40	40	—	30	30	—	—	130
Arm(s), n.e.c. ....	—	30	—	—	—	30	20	—	—	30
Wrist(s) .....	16,520	480	570	310	—	1,320	700	620	620	2,920
Hand(s), except finger(s) .....	1,410	6,300	340	210	180	1,520	500	1,010	1,010	1,020
Finger(s), fingernail(s) .....	1,540	2,280	610	90	110	2,190	770	1,420	1,390	1,160
Multiple upper extremities locations .....	1,890	1,150	290	150	40	580	240	350	340	750
Multiple upper extremities locations, unspecified .....	80	—	20	20	—	—	—	—	—	—
Hand(s) and finger(s) .....	240	360	—	—	—	350	100	240	240	50
Hand(s) and wrist(s) .....	540	120	30	—	—	70	40	30	30	320
Hand(s) and arm(s) .....	180	430	30	30	20	90	30	60	60	50
Multiple upper extremities locations, n.e.c. ....	840	230	190	80	—	80	70	20	20	320
Upper extremities, n.e.c. ....	40	—	20	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	900	3,830	9,030	1,870	80	2,860	1,300	1,570	1,530	47,200
Lower extremities, unspecified .....	—	30	40	20	—	—	—	—	—	460
Leg(s) .....	680	1,640	3,780	1,400	60	2,350	880	1,460	1,430	27,300
Leg(s), unspecified .....	50	880	1,220	290	30	500	90	410	410	1,420
Thigh(s) .....	20	240	230	60	—	250	—	250	230	370
Knee(s) .....	580	160	1,530	770	—	980	700	280	270	23,650
Lower leg(s) .....	20	300	560	220	20	570	60	500	500	1,480
Multiple leg(s) locations .....	—	30	240	50	—	30	20	—	—	330
Leg(s), n.e.c. ....	—	30	—	—	—	20	—	—	—	50
Ankle(s) .....	50	300	1,710	200	—	280	230	50	50	14,460
Foot(feet), except toe(s) .....	150	1,410	2,230	220	—	110	90	20	20	3,820
Foot(feet), except toe(s), unspecified .....	120	1,340	2,040	200	—	100	80	20	20	3,370
Instep(s) .....	—	—	30	—	—	—	—	—	—	—
Sole .....	30	—	110	20	—	—	—	—	—	380
Sole(s), unspecified .....	—	—	—	—	—	—	—	—	—	20
Ball(s) of foot .....	—	—	—	—	—	—	—	—	—	—
Arch(es) .....	—	—	—	—	—	—	—	—	—	—
Heel(s) .....	30	—	110	20	—	—	—	—	—	300
Multiple sole(s) locations .....	—	—	—	—	—	—	—	—	—	40

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

**TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007 — Continued**

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Event or exposure leading to injury or illness <sup>4</sup>								
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall <sup>5</sup>	Overexertion	
			Total	Struck by object	Struck against object	Caught in or compressed or crushed				Total	In lifting
Multiple foot(feet) locations .....	438	210	90	60	20	—	30	—	—	—	—
Foot(feet), n.e.c. ....	439	1,010	680	480	110	90	60	140	30	—	—
Toe(s), toenail(s) .....	44	11,630	9,750	7,470	1,470	720	480	390	110	30	—
Multiple lower extremities locations .....	48	9,020	2,810	1,610	490	530	1,480	1,980	550	130	40
Multiple lower extremities locations, unspecified .....	480	200	80	50	—	—	—	50	—	—	—
Foot(feet) and leg(s) .....	481	1,670	390	160	30	40	580	190	30	20	—
Foot(feet) and ankle(s) .....	482	2,410	650	340	160	140	300	520	210	30	—
Foot(feet) and toe(s) .....	483	970	810	530	120	150	60	20	—	—	—
Multiple lower extremities locations, n.e.c. ....	489	3,780	880	530	160	190	530	1,200	300	70	40
Lower extremities, n.e.c. ....	49	220	—	—	—	—	20	100	—	—	—
<b>Body systems</b> .....	<b>5</b>	<b>17,710</b>	<b>220</b>	<b>130</b>	<b>70</b>	<b>20</b>	<b>30</b>	<b>290</b>	<b>—</b>	<b>50</b>	<b>20</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>120,950</b>	<b>12,700</b>	<b>7,830</b>	<b>2,910</b>	<b>1,220</b>	<b>18,040</b>	<b>35,090</b>	<b>2,040</b>	<b>13,940</b>	<b>6,520</b>
<b>Other body parts</b> .....	<b>9</b>	<b>50</b>	<b>40</b>	<b>40</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Prosthetic devices .....	91	40	40	40	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	98	20	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>10,280</b>	<b>540</b>	<b>350</b>	<b>80</b>	<b>20</b>	<b>400</b>	<b>900</b>	<b>150</b>	<b>630</b>	<b>330</b>

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

**TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, 2007 — Continued**

Part of body	Event or exposure leading to injury or illness <sup>4</sup>									
	Repetitive motion	Exposure to harmful substance or environment	Transportation accidents		Fires and explosions	Assaults and violent acts				All other events <sup>5,6</sup>
			Total	Highway accident		Total	Assaults by person	All other assaults		
								Total	Assaults by animal	
Multiple foot(feet) locations .....	—	20	20	—	—	—	—	—	—	20
Foot(feet), n.e.c. ....	—	30	30	—	—	—	—	—	—	40
Toe(s), toenail(s) .....	—	50	590	30	—	80	80	—	—	140
Multiple lower extremities locations .....	—	390	620	20	20	50	—	30	30	1,000
Multiple lower extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	40
Foot(feet) and leg(s) .....	—	230	140	—	—	—	—	—	—	70
Foot(feet) and ankle(s) .....	—	80	280	—	—	—	—	—	—	350
Foot(feet) and toe(s) .....	—	30	20	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c. ....	—	50	170	—	—	30	—	30	30	530
Lower extremities, n.e.c. ....	—	—	—	—	—	—	—	—	—	20
<b>Body systems</b> .....	—	12,940	180	150	120	1,100	1,080	20	20	2,760
<b>Multiple body parts</b> .....	2,000	5,140	20,630	15,190	740	3,950	3,470	480	470	6,680
<b>Other body parts</b> .....	—	—	—	—	—	—	—	—	—	—
Prosthetic devices .....	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c. ....	—	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	120	1,270	780	480	—	480	200	280	280	5,010

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Highway accident = 41; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; Assaults by person = 61; All other assaults = 60, 62, and 63; Assaults by animal = 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>5</sup> Selected estimates for this category were affected by the March 2009 revision, see note below.

<sup>6</sup> Includes nonclassifiable responses.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

**This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.**

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies