

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2007

Part of body	Part of body code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Total		1,158,870	20	400	35,250	124,550	260,080	283,660	271,300	138,960	25,140	19,510	
Head	0	78,370	-	-	2,860	9,960	20,810	18,140	16,770	7,080	1,600	1,130	
Head, unspecified	00	16,310	-	-	620	1,820	3,530	3,810	3,380	2,360	550	230	
Cranial region, including skull	01	10,120	-	-	620	1,030	2,170	2,030	2,590	1,070	410	190	
Cranial region, unspecified	010	180	-	-	-	-	60	40	50	20	-	-	
Brain	011	6,420	-	-	500	560	1,480	1,070	1,730	700	270	110	
Scalp	012	2,820	-	-	60	410	450	790	650	250	110	70	
Skull	013	540	-	-	20	40	160	130	110	70	-	-	
Multiple cranial region locations	018	90	-	-	-	-	-	-	30	-	-	-	
Cranial region, n.e.c.	019	70	-	-	-	-	20	-	30	-	-	-	
Ear(s)	02	910	-	-	40	60	200	290	230	70	-	-	
Face	03	50,140	-	-	1,550	6,930	14,730	11,810	10,350	3,480	610	670	
Face, unspecified	030	3,490	-	-	120	570	870	700	730	310	140	30	
Forehead	031	3,160	-	-	60	390	860	600	690	510	40	20	
Eye(s)	032	33,010	-	-	990	3,900	10,440	7,990	7,240	1,800	240	390	
Nose, nasal cavity	033	2,790	-	-	90	430	710	670	510	190	50	130	
Nose, except internal location of diseases or disorders	0330	2,690	-	-	90	430	710	650	450	190	50	130	
Internal nasal location, unspecified	0331	20	-	-	-	-	-	20	-	-	-	-	
Nasal passages	0333	60	-	-	-	-	-	-	60	-	-	-	
Cheek(s)	034	830	-	-	-	150	180	260	170	50	-	-	
Jaw/chin	035	930	-	-	30	210	230	160	150	130	-	-	
Mouth	036	2,350	-	-	140	370	700	460	380	220	30	60	
Mouth, unspecified	0360	300	-	-	-	90	60	80	70	-	-	-	
Lip(s)	0361	540	-	-	-	50	200	110	150	-	-	-	
Tooth(teeth)	0363	1,290	-	-	120	190	390	240	100	180	20	50	
Multiple mouth locations	0368	190	-	-	-	30	40	40	60	20	-	-	
Mouth, n.e.c.	0369	20	-	-	-	-	-	-	-	-	-	-	
Multiple face locations	038	3,240	-	-	80	860	660	910	380	240	80	20	
Face, n.e.c.	039	350	-	-	20	50	90	40	110	20	-	-	
Multiple head locations	08	740	-	-	20	100	120	190	190	90	20	-	
Head, n.e.c.	09	150	-	-	20	-	60	-	-	-	-	-	
Neck, including throat	1	17,050	-	-	270	1,450	3,810	4,620	4,900	1,510	310	190	
Neck, except internal location of diseases or disorders ..	10	16,980	-	-	270	1,440	3,810	4,600	4,870	1,500	310	190	
Internal neck location, unspecified	11	40	-	-	-	-	-	20	-	-	-	-	
Pharynx	15	20	-	-	-	-	-	-	-	-	-	-	
Trunk	2	384,650	-	20	7,440	36,040	86,290	100,830	94,010	45,900	7,620	6,470	
Trunk, unspecified	20	2,000	-	-	30	310	350	360	650	230	30	40	
Shoulder, including clavicle, scapula	21	75,580	-	-	1,100	5,560	13,460	19,130	20,250	12,750	2,170	1,160	
Chest, including ribs, internal organs	22	18,580	-	-	480	1,610	3,360	4,590	4,670	2,990	610	270	
Chest, except internal location of diseases or disorders	220	16,590	-	-	460	1,520	2,950	4,190	4,130	2,600	530	220	
Internal chest location, unspecified	221	180	-	-	-	50	-	40	50	20	-	-	
Heart	223	400	-	-	-	-	20	70	110	120	60	-	
Bronchus	224	160	-	-	-	-	120	20	-	-	-	-	
Lung(s), pleura	225	1,190	-	-	-	40	240	270	350	220	-	40	
Multiple internal chest locations	228	40	-	-	-	-	-	-	-	-	-	-	

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Internal chest location, n.e.c.	229	20	-	-	-	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	235,960	-	-	4,940	23,640	58,520	63,970	55,160	22,650	2,700	4,350	
Back, including spine, spinal cord, unspecified	230	96,130	-	-	1,860	9,440	24,740	26,130	21,670	9,880	1,140	1,260	
Lumbar region	231	119,350	-	-	2,530	11,660	28,130	32,630	29,270	11,000	1,370	2,750	
Thoracic region	232	9,710	-	-	420	1,330	2,750	2,450	1,840	670	40	210	
Sacral region	233	590	-	-	-	90	110	250	100	30	-	-	
Coccygeal region	234	2,490	-	-	30	470	640	470	600	240	30	-	
Multiple back regions	238	7,190	-	-	90	620	1,920	1,930	1,600	790	110	120	
Back, including spine, spinal cord, n.e.c.	239	500	-	-	-	30	230	110	80	40	-	-	
Abdomen	24	24,720	-	-	260	2,560	5,010	6,360	6,460	3,230	510	330	
Abdomen, except internal location of diseases or disorders	240	6,890	-	-	140	1,330	1,760	1,440	1,360	580	150	130	
Internal abdominal location, unspecified	241	8,570	-	-	40	630	1,800	2,270	2,310	1,240	120	140	
Stomach organ	242	650	-	-	-	50	200	150	130	100	-	-	
Spleen	243	70	-	-	-	-	-	-	-	-	-	-	
Urinary organs	244	20	-	-	-	-	-	-	-	-	-	-	
Intestines, peritoneum	245	8,420	-	-	70	550	1,180	2,480	2,560	1,290	220	60	
Intestines, peritoneum, unspecified	2450	7,760	-	-	70	530	1,070	2,280	2,360	1,200	190	50	
Peritoneum	2451	450	-	-	-	-	90	90	150	80	30	-	
Large intestine/colon, rectum	2453	180	-	-	-	-	-	100	50	20	-	-	
Intestines, n.e.c.	2459	20	-	-	-	-	-	-	-	-	-	-	
Internal abdominal location, n.e.c.	249	90	-	-	-	-	-	-	80	-	-	-	
Pelvic region	25	19,250	-	-	570	1,790	3,560	4,360	4,490	2,880	1,400	190	
Pelvic region, unspecified	250	240	-	-	30	50	50	40	40	20	-	-	
Hip(s)	251	9,240	-	-	250	730	1,350	1,970	2,010	1,650	1,200	60	
Pelvis	252	830	-	-	-	50	120	140	250	210	40	20	
Buttock(s)	253	1,090	-	-	20	100	240	270	290	130	20	-	
Groin	254	7,310	-	-	250	810	1,540	1,840	1,830	830	120	90	
External reproductive tract structures	255	180	-	-	-	-	60	50	40	-	-	-	
External reproductive tract structures, unspecified ..	2550	30	-	-	-	-	-	-	-	-	-	-	
Scrotum	2551	120	-	-	-	-	50	30	20	-	-	-	
Internal reproductive tract structures	256	60	-	-	-	-	30	-	-	-	-	-	
Testis(testes)	2562	20	-	-	-	-	-	-	-	-	-	-	
Multiple pelvic region locations	258	280	-	-	-	-	170	30	30	20	-	-	
Pelvic region, n.e.c.	259	30	-	-	-	-	-	-	-	-	-	-	
Multiple trunk locations	28	8,350	-	-	50	570	1,970	1,990	2,280	1,150	190	130	
Trunk, n.e.c.	29	210	-	-	-	-	60	60	60	20	-	-	
Upper extremities	3	269,240	-	320	12,270	34,070	64,080	63,200	57,650	28,620	5,620	3,400	
Upper extremities, unspecified	30	520	-	-	-	50	240	60	100	40	-	-	
Arm(s)	31	54,260	-	130	1,720	5,400	10,980	14,150	12,860	7,160	1,220	640	
Arm(s), unspecified	310	18,170	-	-	830	1,790	3,750	4,610	4,300	2,190	460	250	
Upper arm(s)	311	4,230	-	-	20	280	570	1,110	1,290	660	240	50	
Elbow(s)	312	18,830	-	-	370	1,870	3,280	5,530	4,890	2,380	270	220	
Forearm(s)	313	10,540	-	-	480	1,240	2,790	2,230	1,820	1,650	150	100	
Multiple arm(s) locations	318	2,090	-	-	20	210	520	530	460	230	90	20	
Arm(s), n.e.c.	319	410	-	-	-	-	70	150	100	50	-	-	

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Wrist(s)	32	51,620	—	—	1,160	4,580	11,200	12,340	13,180	6,910	1,570	670
Hand(s), except finger(s)	33	47,920	—	170	2,970	6,620	13,570	10,360	8,810	4,320	590	510
Finger(s), fingernail(s)	34	101,650	—	—	5,960	16,310	24,650	23,250	19,380	8,810	1,840	1,440
Multiple upper extremities locations	38	13,060	—	—	440	1,090	3,380	2,990	3,280	1,350	390	140
Multiple upper extremities locations, unspecified	380	220	—	—	—	20	40	60	70	20	—	—
Hand(s) and finger(s)	381	4,070	—	—	270	310	1,380	700	950	360	70	30
Hand(s) and wrist(s)	382	3,050	—	—	50	300	850	640	810	320	30	30
Hand(s) and arm(s)	383	1,560	—	—	50	80	390	470	290	160	120	—
Multiple upper extremities locations, n.e.c.	389	4,170	—	—	70	380	730	1,120	1,150	480	160	80
Upper extremities, n.e.c.	39	210	—	—	—	30	50	50	40	40	—	—
Lower extremities	4	260,580	—	30	9,100	30,060	57,750	61,900	59,680	33,210	5,490	3,350
Lower extremities, unspecified	40	790	—	—	150	20	460	50	70	30	—	—
Leg(s)	41	132,280	—	20	3,760	11,780	26,010	32,740	33,460	19,630	3,190	1,680
Leg(s), unspecified	410	17,310	—	—	380	1,860	3,460	4,090	4,140	2,520	570	280
Thigh(s)	411	4,610	—	—	90	750	1,270	790	860	580	190	90
Knee(s)	412	94,500	—	—	2,890	7,770	18,290	24,360	23,810	14,270	2,030	1,060
Lower leg(s)	413	11,930	—	—	300	990	2,180	2,770	3,470	1,760	290	190
Multiple leg(s) locations	418	3,420	—	—	90	380	750	630	970	430	110	70
Leg(s), n.e.c.	419	520	—	—	—	40	70	100	210	80	20	—
Ankle(s)	42	62,660	—	—	1,970	9,380	15,560	15,600	12,340	5,930	1,100	780
Foot(feet), except toe(s)	43	43,970	—	—	2,320	6,470	10,250	8,820	9,790	4,840	810	660
Foot(feet), except toe(s), unspecified	430	38,870	—	—	2,120	5,970	8,850	8,040	8,510	4,030	760	590
Instep(s)	431	180	—	—	50	30	50	20	30	—	—	—
Sole	432	3,680	—	—	110	260	930	600	1,000	740	20	40
Sole(s), unspecified	4320	470	—	—	50	90	110	80	40	110	—	—
Ball(s) of foot	4321	30	—	—	—	—	—	—	—	—	—	—
Arch(es)	4322	40	—	—	—	—	—	20	—	—	—	—
Heel(s)	4323	3,090	—	—	60	160	790	480	940	590	20	40
Multiple sole(s) locations	4328	40	—	—	—	—	—	—	—	30	—	—
Multiple foot(feet) locations	438	210	—	—	30	—	40	30	60	20	—	—
Foot(feet), n.e.c.	439	1,010	—	—	—	210	390	140	180	50	—	30
Toe(s), toenail(s)	44	11,630	—	—	590	1,360	3,210	2,790	2,200	1,190	170	120
Multiple lower extremities locations	48	9,020	—	—	310	1,030	2,250	1,820	1,770	1,570	180	100
Multiple lower extremities locations, unspecified	480	200	—	—	—	40	40	40	60	—	—	—
Foot(feet) and leg(s)	481	1,670	—	—	60	210	430	450	130	380	—	20
Foot(feet) and ankle(s)	482	2,410	—	—	150	340	370	490	560	400	50	50
Foot(feet) and toe(s)	483	970	—	—	30	130	320	180	180	80	40	—
Multiple lower extremities locations, n.e.c.	489	3,780	—	—	80	310	1,090	660	840	690	80	30
Lower extremities, n.e.c.	49	220	—	—	—	—	—	90	50	30	40	—
Body systems	5	17,710	—	—	650	2,610	3,360	4,210	3,940	2,280	200	460
Multiple body parts	8	120,950	—	—	2,490	9,030	21,960	28,870	32,970	19,800	4,120	1,690
Other body parts	9	50	—	—	—	—	—	—	—	—	—	—
Prosthetic devices	91	40	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, 2007 — Continued

Part of body	Part of body code ²	Private industry ³	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Other body parts, n.e.c.	98	20	-	-	-	-	-	-	-	-	-	-	-
Nonclassifiable	9999	10,280	-	-	140	1,330	2,010	1,900	1,370	540	180	2,820	

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies