

Table R73. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by injury or illness and industry division, 1992

| Part of body | Part of body code ³ | Private industry ⁴ | Goods-producing | | | | Service-producing | | | | |
|--|--------------------------------|-------------------------------|---|---------------------|--------------|---------------|--|-----------------|--------------|-------------------------------------|----------|
| | | | Agriculture, forestry, and fishing ⁴ | Mining ⁵ | Construction | Manufacturing | Transportation and public utilities ⁵ | Wholesale trade | Retail trade | Finance, insurance, and real estate | Services |
| Total [2,331,098 cases] | | 304.7 | 472.5 | 356.5 | 529.5 | 352.1 | 417.9 | 299.5 | 292.4 | 101.9 | 253.0 |
| Head | 0 | 20.7 | 44.8 | 26.2 | 48.8 | 26.3 | 27.8 | 21.9 | 17.8 | 5.3 | 13.9 |
| Head, unspecified | 00 | 2.7 | 3.5 | 1.1 | 3.6 | 2.2 | 4.4 | 2.3 | 3.8 | 0.8 | 2.4 |
| Cranial region, including skull | 01 | 1.7 | 2.6 | 1.4 | 3.3 | 1.6 | 3.4 | 2.0 | 1.8 | 0.6 | 1.3 |
| Cranial region, unspecified | 010 | 0.2 | 0.3 | 0.1 | 0.3 | 0.1 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 |
| Brain | 011 | 0.9 | 1.2 | 0.9 | 1.5 | 0.7 | 1.7 | 1.3 | 1.0 | 0.4 | 0.7 |
| Scalp | 012 | 0.5 | 0.8 | 0.2 | 0.8 | 0.5 | 1.1 | 0.5 | 0.4 | - | 0.3 |
| Skull | 013 | 0.1 | 0.3 | 0.2 | 0.6 | 0.2 | 0.2 | 0.1 | 0.1 | - | 0.1 |
| Multiple cranial region locations | 018 | - | - | - | - | - | - | - | - | - | - |
| Cranial region, n.e.c. | 019 | - | - | - | 0.1 | - | 0.1 | - | - | - | - |
| Ear(s) | 02 | 0.4 | 0.6 | 0.8 | 0.6 | 0.5 | 2.3 | 0.4 | 0.1 | - | 0.2 |
| Face | 03 | 15.5 | 37.5 | 21.3 | 40.8 | 21.7 | 17.2 | 16.8 | 11.8 | 3.7 | 9.7 |
| Face, unspecified | 030 | 0.7 | 2.0 | 1.0 | 1.5 | 0.6 | 1.1 | 0.6 | 0.7 | 0.4 | 0.6 |
| Forehead | 031 | 0.7 | 1.3 | 0.5 | 1.1 | 0.8 | 1.1 | 1.1 | 0.6 | 0.2 | 0.6 |
| Eye(s) | 032 | 11.9 | 29.8 | 14.1 | 32.9 | 18.4 | 12.2 | 12.7 | 7.9 | 2.4 | 6.9 |
| Nose, nasal cavity | 033 | 0.6 | 1.5 | 0.7 | 1.3 | 0.6 | 0.6 | 1.2 | 0.5 | 0.4 | 0.5 |
| Nose, except internal location of diseases or disorders | 0330 | 0.6 | 1.4 | 0.7 | 1.2 | 0.5 | 0.5 | 1.2 | 0.5 | 0.3 | 0.5 |
| Internal nasal location, unspecified | 0331 | - | - | - | - | - | - | - | - | - | - |
| Nasal passages | 0333 | - | - | - | - | - | - | - | - | - | - |
| Sinuses | 0334 | - | - | - | - | - | - | - | - | - | - |
| Multiple internal nasal locations | 0338 | - | - | - | - | - | - | - | - | - | - |
| Internal nasal location, n.e.c. | 0339 | - | - | - | - | - | - | - | - | - | - |
| Cheek(s) | 034 | 0.2 | 0.3 | 2.1 | 0.5 | 0.2 | 0.2 | 0.1 | 0.2 | - | 0.2 |
| Jaw/chin | 035 | 0.2 | 0.4 | 0.6 | 0.4 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 |
| Mouth | 036 | 0.6 | 1.1 | 1.2 | 1.6 | 0.4 | 0.7 | 0.4 | 1.5 | 0.1 | 0.3 |
| Mouth, unspecified | 0360 | 0.1 | 0.1 | 0.6 | 0.4 | - | 0.2 | - | 0.1 | - | 0.1 |
| Lip(s) | 0361 | 0.1 | 0.4 | 0.2 | 0.4 | 0.1 | 0.2 | - | 0.2 | - | 0.1 |
| Tongue | 0362 | - | - | - | - | - | - | - | - | - | - |
| Tooth(teeth) | 0363 | 0.4 | 0.5 | 0.2 | 0.7 | 0.1 | 0.4 | 0.2 | 1.1 | - | 0.1 |
| Gum | 0364 | - | - | - | - | - | - | - | - | - | - |
| Multiple mouth locations | 0368 | - | - | 0.2 | 0.1 | - | - | - | 0.1 | - | - |
| Mouth, n.e.c. | 0369 | - | - | - | - | - | - | - | - | - | - |
| Multiple face locations | 038 | 0.4 | 0.9 | 1.0 | 1.1 | 0.4 | 0.8 | 0.3 | 0.3 | 0.1 | 0.3 |
| Face, n.e.c. | 039 | 0.1 | 0.2 | 0.1 | 0.3 | 0.1 | 0.2 | 0.1 | 0.1 | - | 0.1 |
| Multiple head locations | 08 | 0.3 | 0.5 | 0.7 | 0.5 | 0.2 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 |
| Head, n.e.c. | 09 | 0.1 | 0.1 | 0.9 | 0.1 | - | 0.2 | 0.1 | 0.1 | - | 0.1 |
| Neck, including throat | 1 | 5.2 | 6.3 | 8.9 | 7.7 | 5.3 | 9.7 | 5.4 | 4.2 | 2.1 | 5.0 |
| Neck, except internal location of diseases or disorders | 10 | 5.2 | 6.1 | 8.9 | 7.7 | 5.2 | 9.6 | 5.4 | 4.2 | 2.1 | 5.0 |
| Internal neck location, unspecified | 11 | - | 0.2 | - | - | - | - | - | - | - | - |
| Vocal cord(s) | 12 | - | - | - | - | - | - | - | - | - | - |
| Larynx | 13 | - | - | - | - | - | - | - | - | - | - |
| Pharynx | 15 | - | - | - | - | - | - | - | - | - | - |
| Trachea | 16 | - | - | - | - | - | - | - | - | - | - |
| Multiple internal neck locations | 18 | - | - | - | - | - | - | - | - | - | - |
| Internal neck location, n.e.c. | 19 | - | - | - | - | - | - | - | - | - | - |
| Trunk | 2 | 119.1 | 165.2 | 137.7 | 189.1 | 128.0 | 172.2 | 125.9 | 108.9 | 36.4 | 110.8 |
| Trunk, unspecified | 20 | 1.0 | 2.0 | 0.3 | 2.0 | 1.1 | 2.2 | 1.1 | 0.9 | 0.2 | 0.7 |
| Shoulder, including clavicle, scapula | 21 | 13.8 | 17.1 | 12.8 | 19.4 | 17.3 | 21.7 | 14.0 | 11.3 | 3.2 | 12.3 |
| Chest, including ribs, internal organs | 22 | 5.6 | 11.9 | 9.8 | 11.2 | 6.1 | 8.4 | 5.4 | 3.8 | 2.1 | 5.1 |
| Chest, except internal location of diseases or disorders | 220 | 4.9 | 11.4 | 6.9 | 10.1 | 5.3 | 7.8 | 5.1 | 3.4 | 1.8 | 4.5 |
| Internal chest location, unspecified | 221 | 0.1 | 0.1 | - | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | - | 0.1 |
| Esophagus | 222 | - | - | - | - | - | - | - | - | - | - |
| Heart | 223 | 0.1 | 0.1 | 0.8 | 0.3 | 0.1 | 0.2 | - | 0.1 | - | 0.1 |
| Bronchus | 224 | 0.1 | 0.1 | - | 0.1 | 0.1 | 0.1 | 0.1 | - | - | 0.1 |
| Lung(s), pleura | 225 | 0.3 | 0.1 | 2.0 | 0.6 | 0.5 | 0.2 | 0.1 | 0.2 | 0.3 | 0.3 |
| Breast(s)--internal | 226 | - | - | - | - | - | - | - | - | - | - |
| Multiple internal chest locations | 228 | - | - | - | - | - | - | - | - | - | - |
| Internal chest location, n.e.c. | 229 | - | - | - | - | - | - | - | - | - | - |
| Back, including spine, spinal cord | 23 | 85.4 | 116.0 | 96.0 | 135.1 | 87.5 | 120.7 | 90.4 | 80.9 | 25.7 | 82.2 |
| Back, including spine, spinal cord, unspecified | 230 | 45.7 | 66.4 | 55.6 | 81.1 | 44.0 | 65.7 | 48.9 | 46.0 | 13.8 | 42.1 |
| Lumbar region | 231 | 33.3 | 44.3 | 34.5 | 46.7 | 36.1 | 47.0 | 36.1 | 29.4 | 9.4 | 32.9 |

See footnotes at end of table.

Table R73. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by injury or illness and industry division, 1992 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Goods-producing | | | | Service-producing | | | | |
|--|--------------------------------|-------------------------------|---|---------------------|--------------|---------------|--|-----------------|--------------|-------------------------------------|-------------|
| | | | Agriculture, forestry, and fishing ⁴ | Mining ⁵ | Construction | Manufacturing | Transportation and public utilities ⁵ | Wholesale trade | Retail trade | Finance, insurance, and real estate | Services |
| Thoracic region | 232 | 2.6 | 1.6 | 2.3 | 3.0 | 3.1 | 3.3 | 2.4 | 2.0 | 0.4 | 2.8 |
| Sacral region | 233 | 0.6 | 0.5 | 0.6 | 0.8 | 0.7 | 0.9 | 0.5 | 0.6 | 0.1 | 0.5 |
| Coccygeal region | 234 | 0.6 | 0.5 | 0.7 | 0.6 | 0.5 | 0.8 | 0.5 | 0.8 | 0.2 | 0.4 |
| Multiple back regions | 238 | 2.1 | 2.0 | 1.7 | 2.3 | 2.4 | 2.4 | 1.6 | 1.8 | 0.8 | 2.6 |
| Back, including spine, spinal cord, n.e.c. | 239 | 0.6 | 0.6 | 0.6 | 0.7 | 0.6 | 0.6 | 0.3 | 0.3 | 0.8 | 0.7 |
| Abdomen | 24 | 3.2 | 4.4 | 2.3 | 5.2 | 4.0 | 4.5 | 3.7 | 2.8 | 1.2 | 2.4 |
| Abdomen, except internal location of diseases or disorders | 240 | 2.6 | 3.6 | 2.1 | 4.0 | 3.3 | 3.9 | 2.9 | 2.4 | 1.1 | 2.0 |
| Internal abdominal location, unspecified | 241 | 0.3 | 0.4 | — | 1.0 | 0.4 | 0.2 | 0.3 | 0.3 | — | 0.1 |
| Stomach organ | 242 | 0.1 | — | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | — | 0.1 |
| Spleen | 243 | — | — | — | — | — | — | — | — | — | — |
| Urinary organs | 244 | — | — | — | — | — | — | 0.1 | — | — | — |
| Bladder | 2441 | — | — | — | — | — | — | 0.1 | — | — | — |
| Kidney(s) | 2442 | — | — | — | — | — | — | — | — | — | — |
| Intestines, peritoneum | 245 | 0.1 | 0.1 | — | 0.1 | — | 0.1 | 0.2 | 0.1 | — | 0.1 |
| Intestines, peritoneum, unspecified ... | 2450 | — | — | — | — | — | — | 0.1 | — | — | — |
| Small intestine | 2452 | — | — | — | — | — | — | — | — | — | — |
| Large intestine/colon, rectum | 2453 | — | 0.1 | — | 0.1 | — | 0.1 | 0.1 | 0.1 | — | — |
| Intestines, n.e.c. | 2459 | — | — | — | — | — | — | — | — | — | — |
| Other digestive structures | 246 | — | — | — | — | — | — | — | — | — | 0.1 |
| Liver | 2461 | — | — | — | — | — | — | — | — | — | 0.1 |
| Multiple internal abdominal locations | 248 | — | 0.1 | — | — | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | 249 | — | 0.1 | — | — | — | — | — | — | — | — |
| Pelvic region | 25 | 7.8 | 11.0 | 12.2 | 12.8 | 9.8 | 11.7 | 8.4 | 7.1 | 2.9 | 5.8 |
| Pelvic region, unspecified | 250 | 0.2 | 0.1 | 7.7 | 0.7 | 0.2 | 0.4 | 0.2 | 0.1 | 0.1 | 0.1 |
| Hip(s) | 251 | 1.9 | 2.8 | 1.4 | 2.1 | 1.8 | 2.4 | 1.4 | 2.2 | 0.6 | 2.1 |
| Pelvis | 252 | 0.2 | 0.3 | 0.1 | 0.4 | 0.1 | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 |
| Buttock(s) | 253 | 0.3 | 0.7 | 0.3 | 0.3 | 0.3 | 0.5 | 0.2 | 0.2 | 0.1 | 0.4 |
| Groin | 254 | 5.0 | 6.4 | 2.4 | 8.4 | 7.1 | 7.7 | 6.1 | 4.2 | 2.0 | 2.9 |
| External reproductive tract structures | 255 | 0.2 | 0.4 | 0.2 | 0.4 | 0.2 | 0.3 | 0.1 | 0.2 | 0.1 | 0.1 |
| External reproductive tract structures, unspecified | 2550 | — | 0.1 | — | — | — | 0.1 | — | — | — | — |
| Scrotum | 2551 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | — | 0.1 | 0.1 | — |
| Penis | 2552 | — | 0.1 | — | — | — | — | — | 0.1 | — | — |
| External female genital region | 2553 | — | — | — | — | — | — | — | — | — | — |
| Multiple external reproductive tract structures | 2558 | — | — | — | 0.1 | — | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | 2559 | — | — | — | — | — | — | — | — | — | — |
| Internal reproductive tract structures | 256 | — | — | — | 0.1 | 0.1 | 0.1 | — | — | 0.1 | — |
| Prostate | 2561 | — | — | — | — | — | — | — | — | — | — |
| Testis(testes) | 2562 | — | — | — | 0.1 | — | — | — | — | — | — |
| Uterus | 2564 | — | — | — | — | — | — | — | — | — | — |
| Internal reproductive tract structures, n.e.c. | 2569 | — | — | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 258 | 0.1 | 0.1 | — | 0.1 | 0.1 | 0.3 | 0.1 | — | — | 0.1 |
| Pelvic region, n.e.c. | 259 | — | 0.1 | — | 0.2 | — | — | — | — | — | — |
| Multiple trunk locations | 28 | 2.2 | 2.5 | 3.8 | 3.1 | 2.0 | 2.8 | 2.8 | 2.0 | 1.0 | 2.2 |
| Trunk, n.e.c. | 29 | 0.2 | 0.3 | 0.7 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | — | 0.1 |
| Upper extremities | 3 | 69.6 | 111.0 | 71.9 | 110.3 | 105.8 | 65.2 | 55.5 | 74.8 | 19.1 | 45.9 |
| Upper extremities, unspecified | 30 | 0.1 | 0.2 | — | — | 0.4 | 0.1 | — | — | — | 0.1 |
| Arm(s) | 31 | 12.2 | 17.4 | 13.0 | 21.1 | 17.3 | 15.2 | 10.7 | 11.8 | 3.0 | 8.7 |
| Arm(s), unspecified | 310 | 4.4 | 8.1 | 1.4 | 8.0 | 5.6 | 5.3 | 3.0 | 4.8 | 1.2 | 3.5 |
| Upper arm(s) | 311 | 0.6 | 0.9 | 1.1 | 0.9 | 1.0 | 0.8 | 0.4 | 0.5 | 0.1 | 0.5 |
| Elbow(s) | 312 | 4.3 | 4.2 | 4.7 | 7.2 | 6.2 | 6.3 | 4.8 | 3.9 | 1.0 | 2.7 |
| Forearm(s) | 313 | 2.2 | 3.4 | 2.8 | 3.9 | 3.5 | 2.0 | 2.1 | 2.0 | 0.4 | 1.6 |
| Multiple arm(s) locations | 318 | 0.4 | 0.5 | 0.3 | 0.8 | 0.6 | 0.7 | 0.2 | 0.5 | 0.2 | 0.2 |
| Arm(s), n.e.c. | 319 | 0.2 | 0.2 | 2.8 | 0.3 | 0.3 | 0.2 | 0.2 | 0.1 | — | 0.2 |
| Wrist(s) | 32 | 14.7 | 15.2 | 7.9 | 17.0 | 24.1 | 14.4 | 10.4 | 13.6 | 6.0 | 11.1 |
| Hand(s), except finger(s) | 33 | 12.5 | 25.7 | 14.3 | 22.4 | 17.4 | 11.1 | 9.8 | 14.7 | 2.8 | 8.4 |
| Finger(s), fingernail(s) | 34 | 25.8 | 47.0 | 34.1 | 44.3 | 40.6 | 21.0 | 21.7 | 29.9 | 5.7 | 14.4 |
| Multiple upper extremities locations | 38 | 4.1 | 5.5 | 2.5 | 5.4 | 6.0 | 3.2 | 2.7 | 4.8 | 1.5 | 3.2 |
| Multiple upper extremities locations, unspecified | 380 | 0.1 | 0.3 | 1.2 | 0.2 | 0.1 | 0.2 | — | 0.2 | — | 0.1 |

See footnotes at end of table.

Table R73. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by injury or illness and industry division, 1992 — Continued

| Part of body | Part of body code ³ | Private industry ⁴ | Goods-producing | | | | Service-producing | | | | |
|---|--------------------------------|-------------------------------|---|---------------------|--------------|---------------|--|-----------------|--------------|-------------------------------------|-------------|
| | | | Agriculture, forestry, and fishing ⁴ | Mining ⁵ | Construction | Manufacturing | Transportation and public utilities ⁵ | Wholesale trade | Retail trade | Finance, insurance, and real estate | Services |
| Hand(s) and finger(s) | 381 | 1.2 | 1.7 | 0.8 | 2.1 | 1.8 | 0.7 | 0.9 | 1.6 | 0.1 | 0.9 |
| Hand(s) and wrist(s) | 382 | 0.9 | 1.1 | 0.2 | 0.7 | 1.3 | 0.8 | 0.6 | 1.4 | 0.5 | 0.5 |
| Hand(s) and arm(s) | 383 | 0.6 | 1.4 | 0.3 | 0.7 | 0.9 | 0.5 | 0.4 | 0.6 | 0.4 | 0.6 |
| Multiple upper extremities locations, n.e.c. | 389 | 1.2 | 1.1 | 0.1 | 1.7 | 1.9 | 1.1 | 0.8 | 1.1 | 0.4 | 1.0 |
| Upper extremities, n.e.c. | 39 | 0.1 | — | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | — | 0.1 | 0.1 |
| Lower extremities | 4 | 58.6 | 98.6 | 77.8 | 121.9 | 58.6 | 94.5 | 62.4 | 56.6 | 20.3 | 46.5 |
| Lower extremities, unspecified | 40 | 0.1 | — | — | — | — | 0.4 | — | — | — | — |
| Leg(s) | 41 | 27.1 | 48.7 | 40.1 | 54.2 | 27.2 | 44.7 | 27.2 | 25.8 | 9.0 | 22.0 |
| Leg(s), unspecified | 410 | 3.9 | 10.9 | 2.7 | 8.8 | 3.9 | 6.6 | 4.0 | 3.9 | 1.0 | 2.7 |
| Thigh(s) | 411 | 1.2 | 2.5 | 1.7 | 2.7 | 1.5 | 1.6 | 1.2 | 0.9 | 0.7 | 0.9 |
| Knee(s) | 412 | 19.4 | 30.8 | 28.2 | 37.6 | 18.8 | 31.9 | 19.0 | 18.7 | 6.3 | 16.7 |
| Lower leg(s) | 413 | 1.8 | 3.4 | 3.2 | 3.6 | 2.2 | 3.3 | 2.5 | 1.5 | 0.7 | 1.0 |
| Multiple leg(s) locations | 418 | 0.5 | 0.8 | 0.5 | 1.1 | 0.5 | 0.6 | 0.3 | 0.6 | 0.2 | 0.5 |
| Leg(s), n.e.c. | 419 | 0.3 | 0.3 | 3.8 | 0.6 | 0.3 | 0.6 | 0.2 | 0.2 | — | 0.2 |
| Ankle(s) | 42 | 13.4 | 21.5 | 15.5 | 27.9 | 11.8 | 24.9 | 14.3 | 12.3 | 5.0 | 11.6 |
| Foot(feet), except toe(s) | 43 | 11.6 | 20.4 | 16.0 | 27.3 | 12.8 | 15.6 | 13.2 | 11.4 | 3.5 | 8.3 |
| Foot(feet), except toe(s), unspecified | 430 | 10.0 | 17.9 | 15.4 | 22.4 | 11.0 | 13.3 | 11.6 | 10.0 | 3.0 | 7.1 |
| Instep(s) | 431 | 0.1 | — | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | — | 0.1 | 0.1 |
| Sole | 432 | 1.1 | 2.2 | 0.2 | 3.5 | 1.0 | 1.7 | 1.2 | 0.9 | 0.3 | 0.8 |
| Sole(s), unspecified | 4320 | 0.2 | 0.5 | — | 1.0 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 |
| Ball(s) | 4321 | — | 0.1 | — | 0.1 | — | — | — | — | — | — |
| Arch(es) | 4322 | — | 0.1 | — | — | 0.1 | 0.1 | 0.1 | — | — | — |
| Heel(s) | 4323 | 0.8 | 1.4 | — | 2.3 | 0.8 | 1.4 | 0.9 | 0.7 | 0.1 | 0.7 |
| Multiple sole(s) locations | 4328 | — | — | — | 0.1 | — | — | — | — | — | — |
| Sole(s), n.e.c. | 4329 | — | — | 0.1 | — | — | — | — | — | — | — |
| Multiple foot(feet) locations | 438 | 0.1 | 0.1 | — | 0.4 | 0.1 | 0.2 | 0.1 | — | 0.1 | 0.1 |
| Foot(feet), n.e.c. | 439 | 0.4 | 0.2 | 0.2 | 0.9 | 0.5 | 0.3 | 0.2 | 0.4 | 0.2 | 0.2 |
| Toe(s), toenail(s) | 44 | 4.3 | 4.9 | 3.3 | 8.3 | 4.8 | 6.4 | 5.8 | 4.7 | 1.4 | 2.8 |
| Multiple lower extremities locations | 48 | 2.1 | 3.0 | 2.8 | 4.1 | 1.9 | 2.5 | 1.9 | 2.3 | 1.4 | 1.7 |
| Multiple lower extremities locations, unspecified | 480 | 0.1 | 0.2 | 1.6 | 0.2 | 0.1 | 0.2 | — | — | — | 0.1 |
| Foot(feet) and leg(s) | 481 | 0.2 | 0.6 | 0.1 | 0.4 | 0.2 | 0.3 | 0.1 | 0.4 | — | 0.1 |
| Foot(feet) and ankle(s) | 482 | 0.6 | 1.0 | 0.2 | 1.3 | 0.6 | 0.7 | 0.7 | 0.6 | 0.4 | 0.6 |
| Foot(feet) and toe(s) | 483 | 0.3 | 0.3 | 0.1 | 0.6 | 0.5 | 0.3 | 0.4 | 0.3 | 0.1 | 0.3 |
| Multiple lower extremities locations, n.e.c. | 489 | 0.8 | 0.9 | 0.7 | 1.7 | 0.6 | 1.0 | 0.6 | 1.0 | 0.9 | 0.7 |
| Lower extremities, n.e.c. | 49 | — | — | — | — | — | — | — | — | — | — |
| Body systems | 5 | 3.4 | 6.1 | 2.8 | 4.8 | 3.5 | 4.0 | 2.8 | 2.6 | 3.3 | 3.6 |
| Multiple body parts | 8 | 23.6 | 32.8 | 30.1 | 39.1 | 20.8 | 37.0 | 21.4 | 22.0 | 13.6 | 23.5 |
| Other body parts | 9 | — | 0.2 | — | 0.1 | — | 0.1 | — | — | — | — |
| Prosthetic devices | 91 | — | — | — | — | — | — | — | — | — | — |
| Other body parts, n.e.c. | 98 | — | 0.2 | — | — | — | 0.1 | — | — | — | — |
| Nonclassifiable | 9999 | 4.5 | 7.4 | 1.1 | 7.7 | 3.8 | 7.6 | 4.1 | 5.4 | 1.8 | 3.9 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000) where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor; and by the Federal Railroad Administration, U.S. Department of Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines. Major classifications may include detailed classifications not shown separately.
 n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor