

Table R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, 1996

| Part of body | Part of body code ³ | Total cases | Source of injury or illness ⁴ | | | | |
|--|--------------------------------|-------------|--|------------|------------------------|-----------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Private industry [1,880,525 cases] | | 223.8 | 4.2 | 32.5 | 8.2 | 14.7 | 24.9 |
| Head | 0 | 14.8 | 1.4 | 0.8 | 0.6 | 0.6 | 1.7 |
| Head, unspecified | 00 | 2.4 | — | 0.3 | 0.3 | 0.2 | 0.4 |
| Cranial region, including skull | 01 | 1.4 | — | 0.1 | 0.1 | 0.1 | 0.2 |
| Cranial region, unspecified | 010 | 0.1 | — | — | — | — | — |
| Brain | 011 | 0.8 | — | 0.1 | 0.1 | — | 0.1 |
| Scalp | 012 | 0.4 | — | — | — | — | 0.1 |
| Skull | 013 | 0.1 | — | — | — | — | — |
| Multiple cranial region locations | 018 | — | — | — | — | — | — |
| Cranial region, n.e.c. | 019 | — | — | — | — | — | — |
| Ear(s) | 02 | 0.2 | — | — | — | — | — |
| Face | 03 | 10.5 | 1.3 | 0.4 | 0.2 | 0.3 | 1.1 |
| Face, unspecified | 030 | 0.6 | 0.1 | — | — | — | 0.1 |
| Forehead | 031 | 0.6 | — | — | 0.1 | 0.1 | 0.2 |
| Eye(s) | 032 | 7.9 | 1.2 | 0.2 | 0.1 | 0.2 | 0.6 |
| Nose, nasal cavity | 033 | 0.4 | — | — | — | — | 0.1 |
| Nose, except internal location of diseases or disorders | 0330 | 0.4 | — | — | — | — | 0.1 |
| Sinuses | 0334 | — | — | — | — | — | — |
| Multiple internal nasal locations | 0338 | — | — | — | — | — | — |
| Cheek(s) | 034 | 0.2 | — | — | — | — | — |
| Jaw/chin | 035 | 0.1 | — | — | — | — | — |
| Mouth | 036 | 0.4 | — | — | — | — | 0.1 |
| Mouth, unspecified | 0360 | — | — | — | — | — | — |
| Lip(s) | 0361 | 0.1 | — | — | — | — | — |
| Tooth(teeth) | 0363 | 0.2 | — | — | — | — | — |
| Multiple mouth locations | 0368 | — | — | — | — | — | — |
| Mouth, n.e.c. | 0369 | — | — | — | — | — | — |
| Multiple face locations | 038 | 0.4 | 0.1 | — | — | — | — |
| Face, n.e.c. | 039 | 0.1 | — | — | — | — | — |
| Multiple head locations | 08 | 0.2 | — | — | — | — | — |
| Head, n.e.c. | 09 | — | — | — | — | — | — |
| Neck, including throat | 1 | 4.1 | — | 0.6 | 0.2 | 0.1 | 0.4 |
| Neck, except internal location of diseases or disorders | 10 | 4.1 | — | 0.6 | 0.2 | 0.1 | 0.4 |
| Internal neck location, unspecified | 11 | — | — | — | — | — | — |
| Vocal cord(s) | 12 | — | — | — | — | — | — |
| Trunk | 2 | 85.2 | 0.4 | 20.8 | 3.9 | 3.4 | 9.8 |
| Trunk, unspecified | 20 | 0.4 | — | — | — | — | — |
| Shoulder, including clavicle, scapula | 21 | 11.5 | — | 2.5 | 0.4 | 0.5 | 1.3 |
| Chest, including ribs, internal organs | 22 | 3.9 | 0.3 | 0.5 | 0.3 | 0.2 | 0.3 |
| Chest, except internal location of diseases or disorders | 220 | 3.4 | — | 0.5 | 0.3 | 0.2 | 0.3 |
| Internal chest location, unspecified | 221 | — | — | — | — | — | — |
| Heart | 223 | 0.1 | — | — | — | — | — |
| Bronchus | 224 | 0.1 | 0.1 | — | — | — | — |
| Lung(s), pleura | 225 | 0.2 | 0.2 | — | — | — | — |
| Back, including spine, spinal cord | 23 | 58.4 | — | 15.1 | 2.6 | 2.2 | 6.4 |
| Back, including spine, spinal cord, unspecified | 230 | 26.4 | — | 6.5 | 1.2 | 1.0 | 3.1 |
| Lumbar region | 231 | 26.6 | — | 7.4 | 1.3 | 1.1 | 2.8 |
| Thoracic region | 232 | 2.2 | — | 0.6 | 0.1 | 0.1 | 0.2 |
| Sacral region | 233 | 0.5 | — | 0.1 | — | — | 0.1 |
| Coccygeal region | 234 | 0.5 | — | — | — | — | — |
| Multiple back regions | 238 | 2.1 | — | 0.4 | — | 0.1 | 0.2 |
| Back, including spine, spinal cord, n.e.c. | 239 | 0.2 | — | — | — | — | — |
| Abdomen | 24 | 4.9 | 0.1 | 1.4 | 0.3 | 0.3 | 1.1 |
| Abdomen, except internal location of diseases or disorders | 240 | 1.2 | 0.1 | 0.3 | 0.1 | 0.1 | 0.2 |
| Internal abdominal location, unspecified | 241 | 1.6 | — | 0.5 | 0.1 | 0.1 | 0.4 |
| Stomach organ | 242 | 0.1 | — | — | — | — | — |
| Intestines, peritoneum | 245 | 1.9 | — | 0.6 | 0.2 | 0.1 | 0.5 |
| Intestines, peritoneum, unspecified | 2450 | 1.5 | — | 0.5 | 0.2 | 0.1 | 0.4 |
| Peritoneum | 2451 | 0.1 | — | — | — | — | — |
| Small intestine | 2452 | — | — | — | — | — | — |
| Large intestine/colon, rectum | 2453 | 0.1 | — | — | — | — | — |
| Intestines, n.e.c. | 2459 | 0.1 | — | 0.1 | — | — | — |

See footnotes at end of table.

Table R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, 1996 — Continued

| Part of body | Source of injury or illness ⁴ | | | | | |
|--|--|-------------------------------------|-----------|----------|---------------------|--------------------------------|
| | Worker motion or position | Floors, walkways or ground surfaces | Handtools | Vehicles | Health care patient | All other sources ⁵ |
| Private industry [1,880,525 cases] | 32.5 | 36.2 | 9.6 | 18.0 | 10.3 | 32.8 |
| Head | — | 1.0 | 0.9 | 0.9 | 0.2 | 6.7 |
| Head, unspecified | — | 0.4 | — | 0.3 | — | 0.4 |
| Cranial region, including skull | — | 0.3 | — | 0.2 | — | 0.3 |
| Cranial region, unspecified | — | — | — | — | — | — |
| Brain | — | 0.2 | — | 0.2 | — | 0.1 |
| Scalp | — | — | — | — | — | 0.1 |
| Skull | — | — | — | — | — | — |
| Multiple cranial region locations | — | — | — | — | — | 0.0 |
| Cranial region, n.e.c. | — | — | — | — | — | 0.0 |
| Ear(s) | — | — | — | — | — | 0.2 |
| Face | — | 0.3 | 0.8 | 0.3 | 0.1 | 5.7 |
| Face, unspecified | — | — | — | 0.1 | — | 0.2 |
| Forehead | — | — | — | — | — | 0.1 |
| Eye(s) | — | — | 0.6 | — | — | 5.0 |
| Nose, nasal cavity | — | — | — | — | — | 0.1 |
| Nose, except internal location of diseases or disorders | — | — | — | — | — | 0.1 |
| Sinuses | — | — | — | — | — | 0.0 |
| Multiple internal nasal locations | — | — | — | — | — | 0.0 |
| Cheek(s) | — | — | — | — | — | — |
| Jaw/chin | — | — | — | — | — | — |
| Mouth | — | — | 0.1 | — | — | 0.1 |
| Mouth, unspecified | — | — | — | — | — | — |
| Lip(s) | — | — | — | — | — | — |
| Tooth(teeth) | — | — | — | — | — | — |
| Multiple mouth locations | — | — | — | — | — | 0.0 |
| Mouth, n.e.c. | — | — | — | — | — | 0.0 |
| Multiple face locations | — | — | — | — | — | 0.1 |
| Face, n.e.c. | — | — | — | — | — | — |
| Multiple head locations | — | — | — | — | — | 0.1 |
| Head, n.e.c. | — | — | — | — | — | 0.0 |
| Neck, including throat | 0.6 | 0.3 | 0.1 | 1.1 | 0.4 | 0.4 |
| Neck, except internal location of diseases or disorders | 0.6 | 0.3 | 0.1 | 1.1 | 0.4 | 0.4 |
| Internal neck location, unspecified | — | — | — | — | — | 0.0 |
| Vocal cord(s) | — | — | — | — | — | 0.0 |
| Trunk | 12.6 | 10.8 | 1.8 | 5.4 | 7.3 | 8.8 |
| Trunk, unspecified | — | 0.1 | — | — | — | 0.1 |
| Shoulder, including clavicle, scapula | 1.8 | 1.7 | 0.3 | 0.7 | 0.9 | 1.3 |
| Chest, including ribs, internal organs | 0.2 | 0.6 | 0.2 | 0.5 | 0.2 | 0.7 |
| Chest, except internal location of diseases or disorders | 0.2 | 0.6 | 0.2 | 0.5 | 0.2 | 0.5 |
| Internal chest location, unspecified | — | — | — | — | — | — |
| Heart | — | — | — | — | — | 0.1 |
| Bronchus | — | — | — | — | — | — |
| Lung(s), pleura | — | — | — | — | — | 0.1 |
| Back, including spine, spinal cord | 9.6 | 6.7 | 1.2 | 3.5 | 5.7 | 5.5 |
| Back, including spine, spinal cord, unspecified | 4.3 | 3.1 | 0.5 | 1.7 | 2.2 | 2.7 |
| Lumbar region | 4.4 | 2.6 | 0.5 | 1.4 | 2.9 | 2.3 |
| Thoracic region | 0.3 | 0.2 | — | 0.2 | 0.3 | 0.2 |
| Sacral region | — | — | — | — | 0.1 | — |
| Coccygeal region | — | 0.4 | — | — | — | — |
| Multiple back regions | 0.4 | 0.3 | — | 0.2 | 0.2 | 0.2 |
| Back, including spine, spinal cord, n.e.c. | — | — | — | — | — | — |
| Abdomen | 0.3 | 0.1 | 0.1 | 0.2 | 0.2 | 0.7 |
| Abdomen, except internal location of diseases or disorders | 0.1 | 0.1 | — | 0.1 | 0.1 | 0.2 |
| Internal abdominal location, unspecified | 0.1 | — | — | 0.1 | — | 0.3 |
| Stomach organ | — | — | — | — | — | — |
| Intestines, peritoneum | 0.1 | — | — | 0.1 | 0.1 | 0.2 |
| Intestines, peritoneum, unspecified | 0.1 | — | — | — | 0.1 | 0.2 |
| Peritoneum | — | — | — | — | — | — |
| Small intestine | — | — | — | — | — | 0.0 |
| Large intestine/colon, rectum | — | — | — | — | — | — |
| Intestines, n.e.c. | — | — | — | — | — | — |

See footnotes at end of table.

Table R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, 1996 — Continued

| Part of body | Part of body code ³ | Total cases | Source of injury or illness ⁴ | | | | |
|---|--------------------------------|-------------|--|------------|------------------------|-----------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Other digestive structures | 246 | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | 249 | — | — | — | — | — | — |
| Pelvic region | 25 | 4.4 | — | 1.0 | 0.2 | 0.2 | 0.5 |
| Pelvic region, unspecified | 250 | 0.1 | — | — | — | — | — |
| Hip(s) | 251 | 1.6 | — | 0.2 | 0.1 | — | 0.1 |
| Pelvis | 252 | 0.2 | — | — | — | — | — |
| Buttock(s) | 253 | 0.3 | — | — | — | — | — |
| Groin | 254 | 2.1 | — | 0.8 | 0.1 | 0.1 | 0.3 |
| External reproductive tract structures | 255 | 0.1 | — | — | — | — | — |
| External reproductive tract structures, unspecified | 2550 | — | — | — | — | — | — |
| Scrotum | 2551 | — | — | — | — | — | — |
| Penis | 2552 | — | — | — | — | — | — |
| External female genital region | 2553 | — | — | — | — | — | — |
| Internal reproductive tract structures | 256 | — | — | — | — | — | — |
| Testis(testes) | 2562 | — | — | — | — | — | — |
| Uterus | 2564 | — | — | — | — | — | — |
| Multiple pelvic region locations | 258 | — | — | — | — | — | — |
| Pelvic region, n.e.c. | 259 | — | — | — | — | — | — |
| Multiple trunk locations | 28 | 1.6 | — | 0.2 | 0.1 | 0.1 | 0.1 |
| Trunk, n.e.c. | 29 | — | — | — | — | — | — |
| Upper extremities | 3 | 50.7 | 0.7 | 4.8 | 1.5 | 7.8 | 7.0 |
| Upper extremities, unspecified | 30 | 0.1 | — | — | — | — | — |
| Arm(s) | 31 | 9.5 | 0.2 | 1.2 | 0.4 | 0.7 | 1.1 |
| Arm(s), unspecified | 310 | 3.7 | 0.1 | 0.5 | 0.1 | 0.3 | 0.4 |
| Upper arm(s) | 311 | 0.5 | — | 0.1 | — | — | 0.1 |
| Elbow(s) | 312 | 3.2 | — | 0.4 | 0.2 | 0.2 | 0.3 |
| Forearm(s) | 313 | 1.6 | — | 0.2 | — | 0.1 | 0.3 |
| Multiple arm(s) locations | 318 | 0.3 | — | — | — | — | — |
| Arm(s), n.e.c. | 319 | 0.1 | — | — | — | — | — |
| Wrist(s) | 32 | 11.3 | — | 1.1 | 0.2 | 0.4 | 0.6 |
| Hand(s), except finger(s) | 33 | 9.0 | 0.3 | 0.9 | 0.3 | 1.4 | 1.6 |
| Finger(s), fingernail(s) | 34 | 18.2 | 0.1 | 1.4 | 0.5 | 5.0 | 3.4 |
| Multiple upper extremities locations | 38 | 2.5 | 0.1 | 0.2 | — | 0.3 | 0.2 |
| Multiple upper extremities locations, unspecified | 380 | — | — | — | — | — | — |
| Hand(s) and finger(s) | 381 | 0.6 | 0.1 | — | — | 0.1 | 0.1 |
| Hand(s) and wrist(s) | 382 | 0.6 | — | 0.1 | — | — | 0.1 |
| Hand(s) and arm(s) | 383 | 0.4 | — | — | — | — | — |
| Multiple upper extremities locations, n.e.c. | 389 | 0.9 | — | 0.1 | — | 0.1 | 0.1 |
| Upper extremities, n.e.c. | 39 | — | — | — | — | — | — |
| Lower extremities | 4 | 44.7 | 0.2 | 3.7 | 1.6 | 2.0 | 4.7 |
| Lower extremities, unspecified | 40 | — | — | — | — | — | — |
| Leg(s) | 41 | 21.9 | 0.1 | 1.5 | 0.9 | 0.8 | 1.5 |
| Leg(s), unspecified | 410 | 3.4 | — | 0.4 | 0.2 | 0.2 | 0.4 |
| Thigh(s) | 411 | 0.9 | — | 0.1 | — | — | 0.1 |
| Knee(s) | 412 | 15.2 | — | 0.9 | 0.6 | 0.5 | 0.8 |
| Lower leg(s) | 413 | 1.5 | — | 0.1 | 0.1 | 0.1 | 0.2 |
| Multiple leg(s) locations | 418 | 0.6 | — | — | — | — | — |
| Leg(s), n.e.c. | 419 | 0.2 | — | — | — | — | — |
| Ankle(s) | 42 | 10.3 | — | 0.5 | 0.2 | 0.2 | 0.5 |
| Foot(feet), except toe(s) | 43 | 8.1 | 0.1 | 1.0 | 0.3 | 0.6 | 1.7 |
| Foot(feet), except toe(s), unspecified | 430 | 7.4 | 0.1 | 1.0 | 0.3 | 0.5 | 1.6 |
| Instep(s) | 431 | — | — | — | — | — | — |
| Sole | 432 | 0.6 | — | — | — | — | 0.1 |
| Sole(s), unspecified | 4320 | 0.1 | — | — | — | — | 0.1 |
| Arch(es) | 4322 | — | — | — | — | — | — |
| Heel(s) | 4323 | 0.4 | — | — | — | — | — |
| Multiple foot(feet) locations | 438 | — | — | — | — | — | — |
| Foot(feet), n.e.c. | 439 | 0.2 | — | — | — | — | — |
| Toe(s), toenail(s) | 44 | 2.8 | — | 0.6 | 0.2 | 0.3 | 0.8 |
| Multiple lower extremities locations | 48 | 1.5 | — | 0.1 | — | 0.2 | 0.1 |
| Multiple lower extremities locations, unspecified | 480 | — | — | — | — | — | — |
| Foot(feet) and leg(s) | 481 | 0.2 | — | — | — | — | — |
| Foot(feet) and ankle(s) | 482 | 0.6 | — | — | — | 0.2 | — |
| Foot(feet) and toe(s) | 483 | 0.2 | — | — | — | — | — |
| Multiple lower extremities locations, n.e.c. | 489 | 0.6 | — | 0.1 | — | — | — |

See footnotes at end of table.

Table R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, 1996 — Continued

| Part of body | Source of injury or illness ⁴ | | | | | |
|---|--|-------------------------------------|------------|------------|---------------------|--------------------------------|
| | Worker motion or position | Floors, walkways or ground surfaces | Handtools | Vehicles | Health care patient | All other sources ⁵ |
| Other digestive structures | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | — | — | — | — | — | — |
| Pelvic region | 0.5 | 1.1 | 0.1 | 0.3 | 0.2 | 0.4 |
| Pelvic region, unspecified | — | — | — | — | — | — |
| Hip(s) | 0.2 | 0.7 | — | 0.1 | 0.1 | 0.1 |
| Pelvis | — | 0.1 | — | — | — | — |
| Buttock(s) | — | 0.2 | — | — | — | — |
| Groin | 0.3 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 |
| External reproductive tract structures | — | — | — | — | — | — |
| External reproductive tract structures, unspecified | — | — | — | — | — | 0.0 |
| Scrotum | — | — | — | — | — | 0.0 |
| Penis | — | — | — | — | — | 0.0 |
| External female genital region | — | — | — | — | — | 0.0 |
| Internal reproductive tract structures | — | — | — | — | — | — |
| Testis(testes) | — | — | — | — | — | — |
| Uterus | — | — | — | — | — | — |
| Multiple pelvic region locations | — | — | — | — | — | 0.0 |
| Pelvic region, n.e.c. | — | — | — | — | — | 0.0 |
| Multiple trunk locations | 0.2 | 0.5 | — | 0.2 | 0.1 | 0.1 |
| Trunk, n.e.c. | — | — | — | — | — | 0.0 |
| Upper extremities | 7.9 | 4.6 | 5.7 | 2.7 | 1.0 | 7.0 |
| Upper extremities, unspecified | — | — | — | — | — | — |
| Arm(s) | 1.2 | 1.7 | 0.5 | 0.7 | 0.4 | 1.6 |
| Arm(s), unspecified | 0.4 | 0.6 | 0.1 | 0.2 | 0.2 | 0.7 |
| Upper arm(s) | — | 0.1 | — | — | — | 0.1 |
| Elbow(s) | 0.5 | 0.8 | 0.1 | 0.3 | — | 0.4 |
| Forearm(s) | 0.2 | 0.1 | 0.2 | 0.1 | — | 0.3 |
| Multiple arm(s) locations | 0.1 | 0.1 | — | — | — | — |
| Arm(s), n.e.c. | — | — | — | — | — | — |
| Wrist(s) | 5.2 | 1.8 | 0.3 | 0.3 | 0.4 | 0.9 |
| Hand(s), except finger(s) | 0.5 | 0.5 | 1.2 | 0.5 | 0.1 | 1.7 |
| Finger(s), fingernail(s) | 0.4 | 0.3 | 3.6 | 1.1 | 0.1 | 2.3 |
| Multiple upper extremities locations | 0.6 | 0.3 | 0.2 | 0.1 | — | 0.4 |
| Multiple upper extremities locations, unspecified | — | — | — | — | — | 0.0 |
| Hand(s) and finger(s) | — | — | 0.1 | — | — | 0.1 |
| Hand(s) and wrist(s) | 0.2 | 0.1 | — | — | — | 0.1 |
| Hand(s) and arm(s) | 0.1 | — | — | — | — | 0.1 |
| Multiple upper extremities locations, n.e.c. | 0.3 | 0.1 | 0.1 | — | — | 0.1 |
| Upper extremities, n.e.c. | — | — | — | — | — | — |
| Lower extremities | 9.7 | 13.0 | 0.9 | 3.9 | 0.5 | 4.4 |
| Lower extremities, unspecified | — | — | — | — | — | 0.0 |
| Leg(s) | 5.3 | 6.8 | 0.5 | 1.8 | 0.4 | 2.2 |
| Leg(s), unspecified | 0.4 | 0.7 | 0.1 | 0.5 | 0.1 | 0.5 |
| Thigh(s) | 0.1 | 0.2 | 0.1 | 0.1 | — | 0.2 |
| Knee(s) | 4.2 | 5.6 | 0.2 | 1.0 | 0.3 | 1.2 |
| Lower leg(s) | 0.2 | 0.3 | — | 0.2 | — | 0.3 |
| Multiple leg(s) locations | 0.4 | 0.1 | — | 0.1 | — | — |
| Leg(s), n.e.c. | — | 0.1 | — | — | — | — |
| Ankle(s) | 3.5 | 4.0 | — | 0.5 | 0.1 | 0.8 |
| Foot(feet), except toe(s) | 0.7 | 1.5 | 0.2 | 1.0 | — | 1.0 |
| Foot(feet), except toe(s), unspecified | 0.6 | 1.3 | 0.2 | 0.9 | — | 0.9 |
| Instep(s) | — | — | — | — | — | — |
| Sole | 0.1 | 0.2 | — | 0.1 | — | 0.1 |
| Sole(s), unspecified | — | — | — | — | — | — |
| Arch(es) | — | — | — | — | — | 0.0 |
| Heel(s) | 0.1 | 0.2 | — | 0.1 | — | 0.1 |
| Multiple foot(feet) locations | — | — | — | — | — | 0.0 |
| Foot(feet), n.e.c. | — | — | — | — | — | — |
| Toe(s), toenail(s) | — | 0.2 | 0.1 | 0.3 | — | 0.3 |
| Multiple lower extremities locations | 0.2 | 0.4 | — | 0.2 | — | 0.2 |
| Multiple lower extremities locations, unspecified | — | — | — | — | — | 0.0 |
| Foot(feet) and leg(s) | — | — | — | — | — | — |
| Foot(feet) and ankle(s) | 0.1 | 0.1 | — | 0.1 | — | — |
| Foot(feet) and toe(s) | — | — | — | — | — | — |
| Multiple lower extremities locations, n.e.c. | 0.1 | 0.2 | — | 0.1 | — | — |

See footnotes at end of table.

Table R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, 1996 — Continued

| Part of body | Part of body code ³ | Total cases | Source of injury or illness ⁴ | | | | |
|---------------------------------|---|----------------|--|------------|------------------------------|-----------|---------------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Lower extremities, n.e.c. | 49 | — | — | — | — | — | — |
| Body systems | 5 | 3.2 | 1.0 | — | — | 0.1 | 0.2 |
| Multiple body parts | 8 | 19.2 | 0.4 | 1.6 | 0.4 | 0.6 | 1.0 |
| Other body parts | 9 | — | — | — | — | — | — |
| Other body parts, n.e.c. | 98 | — | — | — | — | — | — |
| Nonclassifiable | 9999 | 2.0 | — | 0.1 | — | — | 0.1 |

See footnotes at end of table.

Table R23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected sources of injury or illness, 1996 — Continued

| Part of body | Source of injury or illness ⁴ | | | | | |
|----------------------------------|--|-------------------------------------|-----------|----------|---------------------|--------------------------------|
| | Worker motion or position | Floors, walkways or ground surfaces | Handtools | Vehicles | Health care patient | All other sources ⁵ |
| Lower extremities, n.e.c. | — | — | — | — | — | — |
| Body systems | — | — | — | — | — | 1.6 |
| Multiple body parts | 1.6 | 6.3 | 0.1 | 3.9 | 0.8 | 2.5 |
| Other body parts | — | — | — | — | — | — |
| Other body parts, n.e.c. | — | — | — | — | — | 0.0 |
| Nonclassifiable | 0.1 | 0.1 | — | 0.1 | — | 1.4 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Data shown in columns correspond to the following Source codes:

Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Worker motion or position = 562; Floors, walkways or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; Health care patient = 573; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available.
n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor