

Table R73. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by injury or illness and industry division, 1996

Part of body	Part of body code ³	Private industry ⁴	Goods-producing				Service-producing				Services
			Agriculture, forestry, and fishing ⁴	Mining ⁵	Construction	Manufacturing	Transportation and public utilities ^{5,6}	Whole-sale trade	Retail trade	Finance, insurance, and real estate	
Total [1,880,525 cases]		223.8	295.5	245.2	372.2	251.2	380.7	232.2	198.5	69.9	184.3
Head	0	14.8	28.6	19.0	31.7	18.8	22.0	15.0	12.6	4.7	9.6
Head, unspecified	00	2.4	3.2	0.1	3.2	1.9	4.1	2.4	3.2	0.8	2.1
Cranial region, including skull	01	1.4	2.5	0.8	1.8	1.3	2.4	1.4	1.6	0.6	1.0
Cranial region, unspecified	010	0.1	—	—	0.2	0.1	0.1	0.1	0.1	—	—
Brain	011	0.8	1.0	0.5	1.0	0.7	1.4	0.9	1.0	0.4	0.6
Scalp	012	0.4	0.7	0.3	0.4	0.4	0.6	0.3	0.3	0.2	0.3
Skull	013	0.1	0.6	0.1	0.2	0.1	0.3	0.1	0.1	—	—
Multiple cranial region locations	018	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	—	—	—	—	—	—	—	0.1	—	—
Ear(s)	02	0.2	0.4	0.9	0.2	0.2	1.8	0.1	0.1	—	0.1
Face	03	10.5	22.4	15.6	26.3	15.2	13.5	11.0	7.2	3.2	6.3
Face, unspecified	030	0.6	2.6	0.7	0.8	0.5	0.6	0.6	0.4	0.2	0.7
Forehead	031	0.6	0.7	0.1	0.7	0.6	1.4	0.5	0.6	0.4	0.4
Eye(s)	032	7.9	14.2	7.6	21.6	12.7	9.3	8.3	5.1	2.2	3.9
Nose, nasal cavity	033	0.4	1.2	0.9	0.7	0.4	0.7	0.4	0.3	0.2	0.4
Nose, except internal location of diseases or disorders	0330	0.4	1.2	0.9	0.7	0.4	0.7	0.4	0.3	0.2	0.4
Nasal passages	0333	—	—	—	—	—	—	—	—	—	—
Sinuses	0334	—	—	—	—	—	—	—	—	—	—
Multiple internal nasal locations	0338	—	—	—	—	—	—	—	—	—	—
Cheek(s)	034	0.2	0.6	1.5	0.3	0.1	0.1	0.1	0.2	—	0.1
Jaw/chin	035	0.1	—	0.6	0.2	0.1	0.1	—	0.1	—	0.1
Mouth	036	0.4	1.8	3.7	0.8	0.3	0.8	0.2	0.2	0.1	0.3
Mouth, unspecified	0360	—	—	0.5	0.1	—	0.2	—	—	—	—
Lip(s)	0361	0.1	0.4	1.7	0.1	0.1	0.3	—	—	—	0.1
Tooth(teeth)	0363	0.2	1.2	1.4	0.6	0.2	0.2	0.1	0.1	0.1	0.2
Multiple mouth locations	0368	—	—	0.1	—	—	—	—	—	—	—
Mouth, n.e.c.	0369	—	—	—	—	—	—	—	—	—	—
Multiple face locations	038	0.4	1.3	0.4	0.9	0.4	0.4	0.4	0.2	0.1	0.4
Face, n.e.c.	039	0.1	—	0.1	0.2	—	0.1	0.4	—	—	—
Multiple head locations	08	0.2	—	1.0	0.3	0.2	0.2	—	0.4	—	0.1
Head, n.e.c.	09	—	—	0.5	—	—	—	—	—	—	—
Neck, including throat	1	4.1	3.8	5.9	5.0	3.7	10.1	4.5	3.4	1.4	3.8
Neck, except internal location of diseases or disorders	10	4.1	3.8	5.8	5.0	3.7	10.0	4.5	3.4	1.3	3.8
Internal neck location, unspecified	11	—	—	0.1	—	—	—	—	—	—	—
Vocal cord(s)	12	—	—	—	—	—	—	—	—	—	—
Internal neck location, n.e.c.	19	—	—	—	—	—	—	—	—	—	—
Trunk	2	85.2	112.1	86.7	130.3	87.8	162.6	95.0	72.3	20.9	76.1
Trunk, unspecified	20	0.4	1.0	0.2	0.7	0.4	1.3	0.3	0.4	0.1	0.2
Shoulder, including clavicle, scapula	21	11.5	14.8	10.3	15.7	13.6	25.3	11.7	8.4	2.8	9.7
Chest, including ribs, internal organs	22	3.9	10.8	6.4	6.8	3.7	7.1	4.3	3.5	1.2	3.3
Chest, except internal location of diseases or disorders	220	3.4	10.5	6.1	6.3	3.2	6.4	3.5	3.2	0.9	2.7
Internal chest location, unspecified	221	—	—	—	—	—	—	—	—	—	—
Heart	223	0.1	—	—	—	—	0.1	0.2	0.1	0.1	0.1
Bronchus	224	0.1	—	—	0.3	0.1	0.5	—	0.1	0.2	0.1
Lung(s), pleura	225	0.2	—	0.3	0.1	0.3	0.1	0.6	0.1	—	0.4
Multiple internal chest locations	228	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	58.4	71.9	56.5	89.7	56.8	108.2	65.8	50.3	14.8	55.1
Back, including spine, spinal cord, unspecified	230	26.4	39.7	31.4	45.5	23.8	48.4	29.1	24.3	7.3	23.8
Lumbar region	231	26.6	27.3	21.2	38.2	27.4	51.2	31.7	21.1	6.3	25.4
Thoracic region	232	2.2	1.2	1.8	2.8	2.4	3.9	1.8	1.7	0.4	2.4
Sacral region	233	0.5	—	0.2	0.5	0.7	0.7	0.4	0.3	0.1	0.7
Coccygeal region	234	0.5	0.8	0.6	0.2	0.4	0.3	0.4	1.0	0.1	0.4
Multiple back regions	238	2.1	2.6	0.9	2.3	2.1	3.3	2.3	1.8	0.4	2.3
Back, including spine, spinal cord, n.e.c.	239	0.2	—	0.3	0.2	0.2	0.4	—	0.1	0.3	0.1
Abdomen	24	4.9	5.8	4.7	9.0	7.3	8.7	6.4	3.3	0.8	3.0
Abdomen, except internal location of diseases or disorders	240	1.2	1.2	0.9	1.5	1.4	3.1	1.7	0.9	0.2	1.0
Internal abdominal location, unspecified	241	1.6	1.4	3.6	3.9	2.5	3.0	2.2	1.2	0.4	0.6
Stomach organ	242	0.1	—	—	0.1	0.1	0.1	0.1	0.2	—	0.1

See footnotes at end of table.

Table R73. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by injury or illness and industry division, 1996 — Continued

Part of body	Part of body code ³	Private industry ⁴	Goods-producing				Service-producing				
			Agriculture, forestry, and fishing ⁴	Mining ⁵	Construction	Manufacturing	Transportation and public utilities ^{5,6}	Whole-sale trade	Retail trade	Finance, insurance, and real estate	Services
Intestines, peritoneum	245	1.9	2.9	0.2	3.4	3.2	2.4	2.5	1.1	0.2	1.2
Intestines, peritoneum, unspecified	2450	1.5	2.0	0.2	2.3	2.6	2.1	2.1	0.9	0.2	1.1
Peritoneum	2451	0.1	—	—	0.6	0.1	0.1	—	0.1	—	—
Small intestine	2452	—	—	—	0.1	—	—	0.2	—	—	—
Large intestine/colon, rectum	2453	0.1	—	—	0.2	0.3	0.2	—	—	—	—
Intestines, n.e.c.	2459	0.1	0.8	—	0.2	0.3	0.1	0.1	0.1	—	0.1
Other digestive structures	246	—	—	—	—	—	—	—	—	—	—
Liver	2461	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	—	—	—	—	—	—	—	—	—	—
Pelvic region	25	4.4	5.7	5.7	6.0	4.6	8.9	5.0	4.6	0.8	3.5
Pelvic region, unspecified	250	0.1	—	3.5	—	0.1	—	—	0.1	—	—
Hip(s)	251	1.6	1.7	1.0	1.9	1.4	2.9	1.5	1.9	0.4	1.5
Pelvis	252	0.2	0.6	—	0.5	0.1	0.4	—	0.1	0.1	0.1
Buttock(s)	253	0.3	—	—	0.3	0.2	0.4	0.2	0.7	—	0.2
Groin	254	2.1	2.4	1.1	2.8	2.7	4.6	3.0	1.7	0.3	1.5
External reproductive tract structures	255	0.1	—	—	0.3	0.1	0.2	0.1	0.1	—	—
External reproductive tract structures, unspecified	2550	—	—	—	0.1	—	0.1	—	—	—	—
Scrotum	2551	—	—	—	0.2	0.1	0.1	—	—	—	—
Penis	2552	—	—	—	—	—	—	—	—	—	—
External female genital region	2553	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	2559	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	256	—	—	—	—	—	0.3	—	—	—	0.1
Testis(testes)	2562	—	—	—	—	—	0.2	—	—	—	—
Uterus	2564	—	—	—	—	—	—	—	—	—	—
Female genitals, n.e.c.	2565	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	—	—	0.1	—	—	—	—	0.1	—	—
Pelvic region, n.e.c.	259	—	0.6	—	0.1	—	—	—	—	—	—
Multiple trunk locations	28	1.6	2.2	2.2	2.5	1.4	3.1	1.5	1.7	0.4	1.4
Trunk, n.e.c.	29	—	—	0.7	—	—	—	—	—	—	—
Upper extremities	3	50.7	60.4	50.8	85.1	76.8	57.8	44.0	49.4	17.1	32.7
Upper extremities, unspecified	30	0.1	—	—	—	0.2	—	0.2	—	—	—
Arm(s)	31	9.5	9.8	9.6	15.8	12.8	16.4	8.1	8.7	3.1	6.6
Arm(s), unspecified	310	3.7	5.9	2.6	5.8	4.2	5.9	3.1	4.1	1.0	2.8
Upper arm(s)	311	0.5	0.4	0.6	0.8	0.7	1.4	0.8	0.4	0.1	0.3
Elbow(s)	312	3.2	1.9	2.8	4.8	4.7	6.9	2.7	2.4	1.3	2.2
Forearm(s)	313	1.6	1.0	1.7	3.6	2.7	1.8	1.3	1.4	0.6	1.0
Multiple arm(s) locations	318	0.3	0.5	0.2	0.7	0.5	0.3	0.2	0.2	0.1	0.3
Arm(s), n.e.c.	319	0.1	—	1.7	0.1	0.1	0.1	—	0.2	—	—
Wrist(s)	32	11.3	9.2	6.4	14.5	16.9	13.3	8.0	9.9	6.0	9.3
Hand(s), except finger(s)	33	9.0	17.2	5.6	18.3	12.1	9.2	8.4	10.1	2.1	5.5
Finger(s), fingernail(s)	34	18.2	21.6	27.3	33.4	31.1	15.4	17.1	18.4	4.4	9.1
Multiple upper extremities locations	38	2.5	2.5	1.8	2.9	3.7	3.3	2.2	2.2	1.3	2.0
Multiple upper extremities locations, unspecified	380	—	—	0.9	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	0.6	0.8	—	1.0	1.1	0.3	0.5	0.2	0.1	0.6
Hand(s) and wrist(s)	382	0.6	—	—	0.5	0.8	0.9	0.2	1.0	0.4	0.5
Hand(s) and arm(s)	383	0.4	0.5	0.5	0.6	0.4	0.5	0.7	0.4	0.2	0.3
Multiple upper extremities locations, n.e.c.	389	0.9	0.8	0.3	0.8	1.4	1.5	0.8	0.6	0.6	0.7
Upper extremities, n.e.c.	39	—	—	—	0.2	—	—	—	—	—	0.1
Lower extremities	4	44.7	59.7	59.1	83.3	43.9	83.6	49.8	41.0	13.7	35.9
Lower extremities, unspecified	40	—	—	0.2	—	—	0.1	—	—	—	—
Leg(s)	41	21.9	31.5	33.5	42.1	21.0	40.3	20.5	20.6	6.7	18.2
Leg(s), unspecified	410	3.4	6.6	4.0	7.2	3.2	6.0	3.0	4.2	1.1	2.1
Thigh(s)	411	0.9	2.3	1.2	2.1	1.1	1.4	0.9	0.6	0.2	0.8
Knee(s)	412	15.2	17.2	22.0	29.0	14.3	29.6	14.7	14.3	4.9	12.6
Lower leg(s)	413	1.5	4.6	3.6	2.5	1.9	2.4	1.2	1.0	0.3	1.1
Multiple leg(s) locations	418	0.6	0.4	0.1	0.8	0.3	0.5	0.5	0.2	0.1	1.4
Leg(s), n.e.c.	419	0.2	0.5	2.6	0.5	0.2	0.4	0.2	0.3	—	0.1
Ankle(s)	42	10.3	10.3	12.2	19.4	9.0	22.6	12.1	7.9	4.3	9.1
Foot(feet), except toe(s)	43	8.1	11.7	8.5	14.2	9.2	14.3	11.1	8.3	1.8	5.1
Foot(feet), except toe(s), unspecified	430	7.4	10.4	8.2	11.8	8.3	13.0	10.0	7.7	1.7	4.7
Instep(s)	431	—	—	—	0.1	—	—	0.1	—	—	—
Sole	432	0.6	1.1	0.3	2.0	0.6	0.9	0.9	0.3	—	0.3

See footnotes at end of table.

Table R73. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by injury or illness and industry division, 1996 — Continued

Part of body	Part of body code ³	Private industry ⁴	Goods-producing				Service-producing				
			Agriculture, forestry, and fishing ⁴	Mining ⁵	Construction	Manufacturing	Transportation and public utilities ^{5,6}	Whole-sale trade	Retail trade	Finance, insurance, and real estate	Services
Sole(s), unspecified	4320	0.1	—	—	0.6	0.1	—	0.1	0.1	—	—
Arch(es)	4322	—	—	—	—	—	—	—	—	—	—
Heel(s)	4323	0.4	1.0	0.3	1.4	0.5	0.8	0.7	0.2	—	0.2
Sole(s), n.e.c.	4329	—	—	—	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	—	—	—	—	—	0.1	—	—	—	—
Foot(feet), n.e.c.	439	0.2	—	—	0.2	0.2	0.3	—	0.2	—	0.1
Toe(s), toenail(s)	44	2.8	3.7	3.2	5.3	3.1	3.8	4.6	3.0	0.3	1.7
Multiple lower extremities locations	48	1.5	2.5	1.5	1.8	1.5	2.5	1.4	1.2	0.5	1.6
Multiple lower extremities locations, unspecified	480	—	—	1.2	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	0.2	0.4	—	0.2	0.2	0.3	0.3	0.1	—	0.1
Foot(feet) and ankle(s)	482	0.6	0.4	0.2	0.5	0.5	0.6	0.4	0.4	0.1	0.9
Foot(feet) and toe(s)	483	0.2	0.8	—	0.2	0.2	0.2	0.2	0.2	0.1	0.1
Multiple lower extremities locations, n.e.c.	489	0.6	0.8	—	0.9	0.6	1.3	0.6	0.5	0.3	0.5
Lower extremities, n.e.c.	49	—	—	—	0.2	—	—	—	0.1	—	0.1
Body systems	5	3.2	4.6	2.2	3.9	3.0	4.4	1.4	2.0	2.4	4.3
Multiple body parts	8	19.2	22.8	20.0	29.2	14.8	37.4	20.4	16.0	9.0	20.2
Other body parts	9	—	—	0.1	—	—	—	—	—	—	0.1
Other body parts, n.e.c.	98	—	—	0.1	—	—	—	—	—	—	0.1
Nonclassifiable	9999	2.0	3.5	1.4	3.6	2.3	2.9	2.2	1.8	0.8	1.6

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employers in railroad transportation are provided to BLS by

the Mine Safety and Health Administration, U.S. Department of Labor; and by the Federal Railroad Administration, U.S. Department of Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal industries.

⁶ In 1996, air courier operations previously classified in Industry Groups 421, 422, 423, 452, 473, and 478 were reclassified to Industry Group 451. As a result, the 1996 estimates for these SIC's and Major Industry Groups 42, 45, and 47 are not comparable to those for prior years. In addition, the 1996 estimates for transportation and public utilities may have more variability than those for prior years.

NOTE: Dashes indicate data that are not available. Major classifications may include detailed classifications not shown separately.
n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor