Table 9. Number of nonfatal occupational injuries and illnesses involving days away from work¹ for three selected nature of injury or illness categories by selected worker and case characteristics, 1999

| Characteristic | All | Sprains, strains, | Carpal tunnel | Tendonitis |
|--|-----------|-------------------|---------------|------------|
| | natures | tears | syndrome | |
| | | | | |
| Total: | 1,702,470 | 739,742 | 27,922 | 16,582 |
| Total. | 1,702,470 | 100,142 | 21,022 | 10,002 |
| Sex: | | | | |
| Men | 1,129,243 | , | 9,185 | 6,406 |
| Women | 558,127 | 262,315 | 18,651 | 10,127 |
| Age: | | | | |
| Under 14 | | | | |
| 14 to 15 | 866 | 563 | 38 | |
| 16 to 19 | 58,206 | 20,607 | | 266 |
| 20 to 24 | 197,841 | 80,555 | 1,291 | 1,481 |
| 25 to 34 | 457,555 | 205,641 | 5,111 | 4,764 |
| 35 to 44 | 483,545 | 220,955 | 9,994 | 5,079 |
| 45 to 54 | 310,502 | 136,548 | 7,860 | 3,531 |
| 55 to 64 | 138,391 | 55,645 | 3,189 | 1,204 |
| 65 and over | 22,538 | 6,937 | 113 | 75 |
| Occupation: | | | | |
| Managerial and professional | 94,671 | 44,962 | 1,879 | 760 |
| Technical, sales, and administrative support | 249,426 | 115,759 | 8,076 | 3,475 |
| Service | 289,479 | 137,295 | 2,358 | 2,053 |
| Farming, forestry, and fishing | 42,899 | 15,104 | 180 | 237 |
| Precision production, craft, and repair | 297,965 | 113,155 | 4,492 | 2,042 |
| Operators, fabricators, and laborers | 719,728 | 310,563 | 10,755 | 7,941 |
| Length of service with employer: | | | | |
| Less than 3 months | 229,969 | 91,796 | 961 | 1,573 |
| 3 months to 11 months | 308,348 | , | 2,378 | 2,430 |
| 1 year to 5 years | 549,718 | 242,649 | 9,119 | 5,469 |
| More than 5 years | 413,776 | 184,405 | 12,448 | 5,118 |
| Not reported | 200,660 | 88,204 | 3,017 | 1,993 |
| Race or ethnic origin: | | | | |
| White, non-Hispanic | 859,591 | 378,302 | 16,355 | 8,506 |
| Black, non-Hispanic | 155,149 | 68,197 | 2,259 | 1,475 |
| Hispanic | 182,896 | 63,985 | 1,646 | 1,299 |
| Asian or Pacific Islander | 25,328 | 9,206 | 286 | 272 |
| American Indian or Alaskan Native | 6,812 | 2,910 | 127 | 53 |
| Not reported | 472,693 | 217,142 | 7,248 | 4,978 |

See footnotes at end of table.

Table 9. Number of nonfatal occupational injuries and illnesses involving days away from work¹ for three selected nature of injury or illness categories by selected worker and case characteristics, 1999

| Characteristic | All | Sprains, strains, | Carpal tunnel | Tendonitis |
|--|---------|-------------------|---------------|------------|
| | natures | tears | syndrome | |
| | | | | |
| Major industry division | | | | |
| Agriculture, forestry, and fishing ² | 34.941 | 11,563 | 214 | 232 |
| Mining ³ | 11,318 | | 73 | 202 |
| Construction | 193,765 | | 1,173 | 751 |
| Manufacturing | 403,568 | | 12,147 | 7,093 |
| Transportation and public utilities ³ | 196,725 | 95,657 | 2,012 | 1,019 |
| Wholesale trade | 136,110 | | 1,287 | 802 |
| Retail trade | 291,648 | , | 3,360 | 2,169 |
| Finance, insurance, and real estate | 39,472 | | 2,182 | 595 |
| Services | 394,922 | 195,554 | 5,474 | 3,918 |
| Public sector | | | | |
| Number of days away from work: | | | | |
| Cases involving 1 day | 272,605 | 100,742 | 1,125 | 1,589 |
| Cases involving 2 days | 219,191 | 95,920 | 1,119 | 1,680 |
| Cases involving 3-5 days | 348,806 | , | 2,352 | 3,281 |
| Cases involving 6-10 days | 226,406 | • | 2,991 | 2,598 |
| Cases involving 11-20 days | 193,564 | 86,915 | 4,327 | 2,047 |
| Cases involving 21-30 days | 107,415 | , | 3,278 | 1,268 |
| Cases involving 31 or more days | 334,483 | 141,377 | 12,731 | 4,120 |
| Median days away from work | 6 | 6 | 27 | , 9 |
| Part of body affected: | | | | |
| Head | 107,696 | 405 | | 38 |
| Eye | 53,096 | 117 | | 38 |
| Neck | 30,889 | 23,609 | | |
| Trunk | 631,173 | 448,986 | | 2,960 |
| Back | 424,251 | 347,827 | | |
| Shoulder | 93,787 | 63,655 | | 2,904 |
| Upper extremities | 397,118 | 61,029 | 27,922 | 11,647 |
| Finger | 149,475 | 6,863 | | 655 |
| Hand, except finger | 70,809 | 5,699 | | 1,422 |
| Wrist | 84,410 | | 27,922 | 4,263 |
| Lower extremities | 350,202 | 157,224 | | 1,154 |
| Knee | 127,953 | | | 577 |
| Foot, toe | 77,649 | 9,694 | | 306 |
| Body systems | 21,910 | | | |
| Multiple | 148,188 | 46,985 | | 675 |
| All other | 15,294 | 1,505 | | 99 |

See footnotes at end of table.

Table 9. Number of nonfatal occupational injuries and illnesses involving days away from work¹ for three selected nature of injury or illness categories by selected worker and case characteristics, 1999

| Characteristic | All | Sprains, strains, | Carpal tunnel | Tendonitis |
|---------------------------------------|---------|---------------------------------------|---------------|------------|
| | natures | tears | syndrome | |
| | | | , | |
| Source of injury, illness: | | | | |
| Chemicals, chemical products | 28,773 | 262 | | |
| Containers | 244,574 | - | 72 | 1,088 |
| Furniture, fixtures | 58,537 | , | | 90 |
| Machinery | 114,183 | , , , , , , , , , , , , , , , , , , , | | 284 |
| Parts and materials | 192,005 | , | | 497 |
| Worker motion or position | 267,060 | , | 27,797 | 12,044 |
| Floor, ground surfaces | 272,026 | , | 21,101 | 382 |
| Handtools | 77,942 | | | 448 |
| Vehicles | 137,660 | , | | 263 |
| Health care patient | 72,363 | , | | 706 |
| All other | 237,346 | | 17 | 780 780 |
| 7 5 5 | | 00,200 | • • | . 55 |
| Event or exposure: | | | | |
| Contact with object, equipment | 459,606 | 45,604 | | 601 |
| Struck by object | 229,158 | 20,696 | | 338 |
| Struck against object | 116,517 | | | 232 |
| Caught in object, equipment, material | 76,968 | | | |
| Fall to lower level | 93,881 | | | |
| Fall on same level | 190,701 | | | 349 |
| Slips, trips | 54,761 | , | | |
| Overexertion | 459,441 | 369,877 | 103 | 3,215 |
| Overexertion in lifting | 264,837 | | 88 | 1,578 |
| Repetitive motion | 73,195 | 14,820 | 27,729 | 10,729 |
| Exposed to harmful substance | 76,223 | · | , | , |
| Transportation accidents | 73,246 | | | |
| Fires, explosions | 3,486 | 179 | | |
| Assault, violent act | 23,225 | | | 51 |
| by person | 16,644 | | | 51 |
| by other | 6,581 | 128 | | |
| All other | 194,705 | 133,070 | 79 | 1,517 |

¹ Days away from work include those which result in days away from work with or without restricted work activity.

NOTE: Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Dashes indicate data that do not meet publication guidelines. The scientifically selected probability sample used in 1999 was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics U. S. Department of Labor

March 2001

² Excludes farms with fewer than 11 employees.

³ Data conforming to OSHA definitions for mining operators in coal, metal, and nonmetal mining and for employees in railroad transportation are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor; and the Federal Railroad Administration, U.S. Department of Transportation. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries.