

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001

Part of body	Part of body code ³	Total cases	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	
			Total	Struck by object	Struck against object					
Private industry [1,537,567 cases]		169.1	44.0	22.0	11.1	7.5	.4	10.6	20.1	5.5
Head	0	11.0	6.7	3.5	1.2	.1	.1		1.0	—
Head, unspecified	00	2.0	1.3	.8	.5	(.6)	.1		.3	—
Cranial region, including skull	01	1.3	.7	.4	.3	(.6)	.2		.3	—
Cranial region, unspecified	010	.1	(.6)	(.6)	(.6)	—	(.6)	(.6)		—
Brain	011	.8	.4	.2	.1	—	.1		.2	—
Scalp	012	.4	.2	.1	.1	(.6)	(.6)	(.6)	.1	—
Skull	013	(.6)	(.6)	(.6)	—	—	(.6)	(.6)		—
Multiple cranial region locations	018	(.6)	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	(.6)	(.6)	(.6)	—	—	—	—	—	—
Ear(s)	02	.3	(.6)	(.6)	—	(.6)	(.6)		—	—
Face	03	7.2	4.6	2.3	.4	(.6)	.1		.3	—
Face, unspecified	030	.7	.2	.2	(.6)	—	(.6)	(.6)		—
Forehead	031	.4	.3	.2	.1	—	(.6)		.1	—
Eye(s)	032	4.9	3.5	1.4	.2	(.6)	(.6)	(.6)	.1	—
Nose, nasal cavity	033	.3	.2	.2	(.6)	—	(.6)	(.6)	.1	—
Nose, except internal location of diseases or disorders	0330	.3	.2	.2	(.6)	—	(.6)		.1	—
Sinuses	0334	(.6)	—	—	—	—	—	—	—	—
Cheek(s)	034	.1	.1	.1	(.6)	—	(.6)	(.6)		—
Jaw/chin	035	.2	.1	.1	(.6)	—	(.6)	(.6)		—
Mouth	036	.3	.2	.1	(.6)	(.6)	(.6)	(.6)	.1	—
Mouth, unspecified	0360	.1	(.6)	(.6)	(.6)	—	—	(.6)		—
Lip(s)	0361	.1	(.6)	(.6)	—	—	—	(.6)		—
Tooth(teeth)	0363	.1	.1	.1	(.6)	—	(.6)	(.6)		—
Multiple mouth locations	0368	(.6)	(.6)	(.6)	—	—	—	(.6)		—
Multiple face locations	038	.3	.2	.1	(.6)	(.6)	(.6)	(.6)	.1	—
Face, n.e.c.	039	(.6)	(.6)	(.6)	—	—	—	—	—	—
Multiple head locations	08	.1	.1	(.6)	(.6)	—	(.6)	(.6)		—
Head, n.e.c.	09	(.6)	(.6)	(.6)	(.6)	—	—	—	—	—
Neck, including throat	1	3.0	.5	.3	.1	(.6)	.1		.1	(.6)
Neck, except internal location of diseases or disorders	10	2.9	.5	.3	.1	(.6)	.1		.1	(.6)
Internal neck location, unspecified	11	.1	—	—	—	—	—	—	—	—
Vocal cord(s)	12	—	—	—	—	—	—	—	—	—
Larynx	13	(.6)	—	—	—	—	—	—	—	—
Trachea	16	(.6)	—	—	—	—	—	—	—	—
Trunk	2	61.8	3.4	2.0	.9	.2	2.8		5.7	1.6
Trunk, unspecified	20	.3	.1	(.6)	(.6)	(.6)	(.6)	(.6)	.1	(.6)
Shoulder, including clavicle, scapula	21	9.7	.8	.5	.2	(.6)	.5		1.1	.2
Chest, including ribs, internal organs	22	2.6	.5	.3	.2	(.6)	.3		.5	(.6)
Chest, except internal location of diseases or disorders	220	2.3	.5	.3	.2	(.6)	.3		.5	(.6)
Internal chest location, unspecified	221	(.6)	—	—	—	—	—	—	—	—
Heart	223	.1	—	—	—	—	—	—	—	—
Bronchus	224	(.6)	—	—	—	—	—	—	—	—
Lung(s), pleura	225	.1	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	41.0	1.3	.7	.4	.1	1.6		3.0	1.3
Back, including spine, spinal cord, unspecified	230	17.4	.6	.3	.2	.1	.7		1.3	.6

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Private industry [1,537,567 cases]	45.0	25.0	7.2	7.5	7.4	0.4	2.6	1.9	0.7	18.9
Head	(6)	(6)	—	1.9	.4	.1	.4	.3	.1	(6)
Head, unspecified	(6)	(6)	—	(6)	.2	(6)	.1	.1	(6)	(6)
Cranial region, including skull	(6)	(6)	—	—	.1	—	(6)	(6)	—	(6)
Cranial region, unspecified	—	—	—	—	—	—	(6)	(6)	—	—
Brain	(6)	(6)	—	—	.1	—	(6)	(6)	—	(6)
Scalp	—	—	—	—	(6)	—	(6)	(6)	—	—
Skull	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	.2	—	—	(6)	(6)	—	(6)
Face	(6)	—	—	1.6	.1	.1	.2	.2	.1	.1
Face, unspecified	—	—	—	.2	.1	.1	.1	(6)	(6)	(6)
Forehead	—	—	—	(6)	(6)	—	(6)	(6)	—	—
Eye(s)	(6)	—	—	1.3	(6)	(6)	.1	(6)	(6)	(6)
Nose, nasal cavity	—	—	—	(6)	(6)	—	(6)	(6)	—	(6)
Nose, except internal location of diseases or disorders	—	—	—	(6)	(6)	—	(6)	(6)	—	(6)
Sinuses	—	—	—	(6)	—	—	—	—	—	—
Cheek(s)	—	—	—	(6)	—	(6)	(6)	(6)	—	—
Jaw/chin	—	—	—	—	—	—	(6)	(6)	(6)	—
Mouth	—	—	—	(6)	(6)	—	(6)	(6)	—	—
Mouth, unspecified	—	—	—	—	(6)	—	—	—	—	—
Lip(s)	—	—	—	—	—	—	(6)	(6)	—	—
Tooth(teeth)	—	—	—	—	(6)	—	(6)	(6)	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	.1	(6)	(6)	(6)	(6)	—	—
Face, n.e.c.	—	—	—	—	(6)	—	(6)	—	—	—
Multiple head locations	—	—	—	(6)	(6)	(6)	(6)	(6)	—	—
Head, n.e.c.	—	—	—	—	(6)	—	—	—	—	—
Neck, including throat	1.0	.5	.1	.1	.7	—	.1	.1	(6)	.4
Neck, except internal location of diseases or disorders	1.0	.5	.1	(6)	.7	—	.1	.1	(6)	.4
Internal neck location, unspecified	—	—	—	.1	—	—	—	—	—	—
Vocal cord(s)	—	—	—	—	—	—	—	—	—	(6)
Larynx	—	—	—	—	—	—	—	—	—	—
Trachea	—	—	—	(6)	—	—	—	—	—	—
Trunk	35.9	21.0	1.2	.3	1.9	(6)	.5	.4	.1	8.4
Trunk, unspecified1	(6)	(6)	(6)	(6)	—	(6)	(6)	—	(6)
Shoulder, including clavicle, scapula	5.2	2.4	.7	(6)	.3	—	.1	.1	—	.9
Chest, including ribs, internal organs6	.3	(6)	.2	.2	—	.1	.1	(6)	.2
Chest, except internal location of diseases or disorders6	.3	(6)	(6)	.2	—	.1	.1	(6)	.1
Internal chest location, unspecified	—	—	—	(6)	—	—	—	—	—	(6)
Heart	(6)	(6)	—	—	—	—	—	—	—	(6)
Bronchus	—	—	—	(6)	—	—	—	—	—	—
Lung(s), pleura	(6)	—	—	.1	—	—	—	—	—	—
Back, including spine, spinal cord	25.4	15.2	.4	(6)	1.2	—	.2	.2	(6)	6.6
Back, including spine, spinal cord, unspecified	10.3	6.4	.1	(6)	.7	(6)	.1	.1	(6)	2.9

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Part of body code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level
			Total	Struck by object	Struck against object	—			
Lumbar region	231	20.2	0.6	0.3	0.2	(⁶)	0.7	1.3	0.6
Thoracic region	232	1.7	.1	.1	(⁶)	—	.1	.1	(⁶)
Sacral region	233	.2	(⁶)	—	—	—	(⁶)	(⁶)	(⁶)
Coccygeal region	234	.3	(⁶)	(⁶)	—	—	.1	.1	(⁶)
Multiple back regions	238	1.2	(⁶)	(⁶)	(⁶)	—	.1	.2	(⁶)
Back, including spine, spinal cord, n.e.c.	239	.1	(⁶)	—	—	—	(⁶)	(⁶)	—
Abdomen	24	3.8	.2	.1	(⁶)	(⁶)	(⁶)	.1	(⁶)
Abdomen, except internal location of diseases or disorders	240	1.0	.1	.1	(⁶)	(⁶)	(⁶)	.1	(⁶)
Internal abdominal location, unspecified	241	1.4	(⁶)	(⁶)	(⁶)	—	(⁶)	(⁶)	(⁶)
Stomach organ	242	.1	—	—	—	—	—	—	—
Spleen	243	—	—	—	—	—	—	(⁶)	—
Intestines, peritoneum	245	1.2	(⁶)	(⁶)	(⁶)	—	(⁶)	(⁶)	(⁶)
Intestines, peritoneum, unspecified	2450	1.1	(⁶)	(⁶)	(⁶)	—	(⁶)	(⁶)	(⁶)
Peritoneum	2451	.1	—	—	—	—	—	—	—
Small intestine	2452	(⁶)	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	.1	(⁶)	—	—	—	—	—	—
Intestines, n.e.c.	2459	(⁶)	—	—	—	—	—	—	—
Other digestive structures	246	(⁶)	(⁶)	—	—	—	—	—	—
Other digestive structures, unspecified	2460	(⁶)	(⁶)	—	—	—	—	—	—
Liver	2461	(⁶)	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	(⁶)	—	—	—	—	—	—	—
Pelvic region	25	2.8	.3	.2	.1	(⁶)	.2	.6	.1
Pelvic region, unspecified	250	.1	(⁶)	—	(⁶)	(⁶)	(⁶)	(⁶)	—
Hip(s)	251	1.0	.1	(⁶)	(⁶)	(⁶)	.1	.4	(⁶)
Pelvis	252	.1	(⁶)	(⁶)	—	—	(⁶)	(⁶)	—
Buttock(s)	253	.2	(⁶)	(⁶)	—	—	(⁶)	.1	(⁶)
Groin	254	1.3	.1	.1	(⁶)	—	(⁶)	(⁶)	(⁶)
External reproductive tract structures	255	.1	(⁶)	(⁶)	(⁶)	—	—	(⁶)	—
External reproductive tract structures, unspecified	2550	(⁶)	—	—	—	—	—	—	—
Scrotum	2551	(⁶)	(⁶)	(⁶)	(⁶)	—	—	(⁶)	—
Penis	2552	(⁶)	(⁶)	(⁶)	—	—	—	—	—
External female genital region	2553	(⁶)	—	—	—	—	—	(⁶)	—
Internal reproductive tract structures	256	(⁶)	—	—	—	—	—	—	—
Testis(testes)	2562	(⁶)	—	—	—	—	—	—	—
Multiple pelvic region locations	258	(⁶)	—	—	—	—	—	(⁶)	—
Pelvic region, n.e.c.	259	(⁶)	—	—	—	—	—	(⁶)	—
Multiple trunk locations	28	1.5	.2	.1	.1	.1	.2	.3	.1
Trunk, n.e.c.	29	(⁶)	—	—	—	—	—	(⁶)	—
Upper extremities	3	39.1	20.8	9.1	4.9	5.9	1.4	3.0	.1
Upper extremities, unspecified	30	.1	(⁶)	(⁶)	—	(⁶)	—	(⁶)	—
Arm(s)	31	7.8	2.1	.9	.9	.3	.6	1.2	(⁶)
Arm(s), unspecified	310	2.7	.7	.4	.2	.1	.2	.4	(⁶)
Upper arm(s)	311	.5	.1	.1	(⁶)	(⁶)	(⁶)	.1	(⁶)
Elbow(s)	312	2.8	.7	.2	.5	(⁶)	.3	.6	(⁶)
Forearm(s)	313	1.4	.6	.3	.2	.1	.1	.1	—
Multiple arm(s) locations	318	.3	.1	(⁶)	(⁶)	(⁶)	(⁶)	.1	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									All other events ⁵	
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts				
	Total	In lifting					Total	By person	All other assaults		
Lumbar region	13.2	7.9	0.2	(⁶)	0.4	—	0.1	0.1	—	3.2	
Thoracic region	1.1	.6	(⁶)	—	.1	—	(⁶)	(⁶)	—	.2	
Sacral region1	.1	—	—	(⁶)	—	—	—	—	(⁶)	
Coccygeal region	(⁶)	—	—	—	(⁶)	—	—	—	—	(⁶)	
Multiple back regions6	.3	(⁶)	—	.1	—	(⁶)	(⁶)	—	.2	
Back, including spine, spinal cord, n.e.c.	(⁶)	(⁶)	(⁶)	—	(⁶)	—	—	—	—	(⁶)	
Abdomen	3.0	2.1	(⁶)	.1	(⁶)	—	.1	.1	(⁶)	.3	
Abdomen, except internal location of diseases or disorders6	.4	(⁶)	(⁶)	(⁶)	—	.1	.1	(⁶)	.1	
Internal abdominal location, unspecified	1.2	.8	(⁶)	—	—	—	—	—	—	.1	
Stomach organ1	.1	—	(⁶)	—	—	—	—	—	(⁶)	
Spleen	—	—	—	—	—	—	—	—	—	—	
Intestines, peritoneum	1.1	.7	(⁶)	(⁶)	—	—	—	—	—	.1	
Intestines, peritoneum, unspecified9	.6	(⁶)	(⁶)	—	—	—	—	—	.1	
Peritoneum	(⁶)	(⁶)	—	—	—	—	—	—	—	(⁶)	
Small intestine	(⁶)	(⁶)	—	—	—	—	—	—	—	—	
Large intestine/colon, rectum1	.1	—	—	—	—	—	—	—	—	
Intestines, n.e.c.	(⁶)	(⁶)	—	(⁶)	—	—	—	—	—	—	
Other digestive structures	—	—	—	—	—	—	—	—	—	—	
Other digestive structures, unspecified	—	—	—	—	—	—	—	—	—	—	
Liver	—	—	—	—	—	—	—	—	—	—	
Internal abdominal location, n.e.c.	(⁶)	(⁶)	—	—	—	—	—	—	—	—	
Pelvic region	1.2	.7	(⁶)	(⁶)	.1	—	(⁶)	(⁶)	(⁶)	.3	
Pelvic region, unspecified	(⁶)	(⁶)	—	—	(⁶)	—	—	—	—	(⁶)	
Hip(s)2	.1	(⁶)	(⁶)	.1	—	(⁶)	(⁶)	—	.1	
Pelvis	(⁶)	(⁶)	—	—	(⁶)	—	—	—	—	(⁶)	
Buttock(s)	(⁶)	—	—	(⁶)	—	—	—	—	—	(⁶)	
Groin9	.6	—	(⁶)	(⁶)	—	(⁶)	(⁶)	—	.2	
External reproductive tract structures	(⁶)	(⁶)	—	—	(⁶)	—	—	—	—	—	
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	—	—	
Scrotum	(⁶)	—	—	—	—	—	—	—	—	—	
Penis	—	—	—	—	(⁶)	—	—	—	—	—	
External female genital region	(⁶)	(⁶)	—	—	—	—	—	—	—	—	
Internal reproductive tract structures	(⁶)	—	—	—	—	—	—	—	—	(⁶)	
Testis(testes)	—	—	—	—	—	—	—	—	—	(⁶)	
Multiple pelvic region locations	(⁶)	—	—	—	—	—	—	—	—	—	
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—	—	—	
Multiple trunk locations5	.3	(⁶)	(⁶)	.1	—	(⁶)	(⁶)	(⁶)	.1	
Trunk, n.e.c.	—	—	—	—	—	—	—	—	—	—	
Upper extremities	3.9	1.7	5.5	2.0	.4	0.1	.7	.4	.3	1.2	
Upper extremities, unspecified	—	—	(⁶)	(⁶)	—	(⁶)	—	—	—	—	
Arm(s)	1.7	.8	.8	.6	.1	(⁶)	.2	.1	.1	.4	
Arm(s), unspecified6	.3	.2	.3	.1	(⁶)	.1	(⁶)	(⁶)	.2	
Upper arm(s)3	.1	(⁶)	(⁶)	(⁶)	—	(⁶)	(⁶)	—	(⁶)	
Elbow(s)6	.3	.4	(⁶)	(⁶)	—	(⁶)	(⁶)	—	.2	
Forearm(s)2	.1	.1	.2	(⁶)	—	.1	(⁶)	(⁶)	.1	
Multiple arm(s) locations1	(⁶)	(⁶)	(⁶)	(⁶)	—	(⁶)	(⁶)	(⁶)	(⁶)	

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Part of body code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level
			Total	Struck by object	Struck against object				
Arm(s), n.e.c.	319	0.1	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	—
Wrist(s)	32	8.7	1.1	.6	.3	.1	.5	1.1	(⁶)
Hand(s), except finger(s)	33	7.0	4.7	2.3	1.1	1.1	.1	.3	(⁶)
Finger(s), fingernail(s)	34	13.6	12.1	5.0	2.5	4.1	.1	.3	(⁶)
Multiple upper extremities locations	38	1.9	.7	.3	.1	.3	.1	.1	—
Multiple upper extremities locations, unspecified	380	(⁶)	(⁶)	—	—	—	—	—	—
Hand(s) and finger(s)	381	.6	.4	.1	.1	.2	(⁶)	(⁶)	—
Hand(s) and wrist(s)	382	.5	.1	.1	(⁶)	.1	(⁶)	(⁶)	—
Hand(s) and arm(s)	383	.2	(⁶)	(⁶)	—	(⁶)	—	(⁶)	—
Multiple upper extremities locations, n.e.c.	389	.7	.1	.1	(⁶)	(⁶)	.1	.1	—
Upper extremities, n.e.c.	39	(⁶)	—	—	—	—	—	—	—
Lower extremities	4	35.5	11.0	6.0	3.6	1.2	3.7	6.2	3.5
Lower extremities, unspecified	40	(⁶)	(⁶)	(⁶)	(⁶)	—	(⁶)	—	—
Leg(s)	41	18.0	4.3	2.0	1.8	.3	1.5	3.9	1.7
Leg(s), unspecified	410	2.4	1.0	.6	.3	.1	.2	.4	.1
Thigh(s)	411	.7	.3	.2	(⁶)	(⁶)	.1	.1	(⁶)
Knee(s)	412	13.2	2.4	.9	1.2	.2	1.0	3.2	1.5
Lower leg(s)	413	1.3	.6	.3	.2	(⁶)	.1	.2	(⁶)
Multiple leg(s) locations	418	.4	.1	.1	(⁶)	(⁶)	.1	.1	(⁶)
Leg(s), n.e.c.	419	.1	(⁶)	(⁶)	—	(⁶)	(⁶)	(⁶)	—
Ankle(s)	42	8.8	1.6	.6	.8	.2	1.4	1.6	1.6
Foot(feet), except toe(s)	43	5.7	3.1	1.9	.8	.4	.6	.5	.2
Foot(feet), except toe(s), unspecified	430	5.0	2.8	1.8	.6	.4	.4	.4	.1
Instep(s)	431	.1	.1	.1	(⁶)	—	—	—	—
Sole	432	.5	.2	.1	.1	(⁶)	.2	(⁶)	(⁶)
Sole(s), unspecified	4320	.1	.1	—	.1	—	—	—	—
Ball(s)	4321	(⁶)	(⁶)	—	(⁶)	—	—	—	—
Arch(es)	4322	(⁶)	(⁶)	(⁶)	(⁶)	—	—	—	—
Heel(s)	4323	.4	.1	(⁶)	(⁶)	(⁶)	.2	(⁶)	(⁶)
Sole(s), n.e.c.	4329	(⁶)	(⁶)	—	(⁶)	—	—	—	—
Multiple foot(feet) locations	438	(⁶)	(⁶)	(⁶)	—	—	—	—	(⁶)
Foot(feet), n.e.c.	439	.1	(⁶)	(⁶)	(⁶)	—	—	(⁶)	—
Toe(s), toenail(s)	44	1.8	1.6	1.2	.2	.1	(⁶)	.1	(⁶)
Multiple lower extremities locations	48	1.2	.4	.2	.1	.1	.2	.2	.1
Multiple lower extremities locations, unspecified	480	(⁶)	—	—	—	—	—	—	—
Foot(feet) and leg(s)	481	.1	(⁶)	(⁶)	(⁶)	—	(⁶)	.1	(⁶)
Foot(feet) and ankle(s)	482	.5	.2	.1	(⁶)	.1	.1	.1	(⁶)
Foot(feet) and toe(s)	483	.1	.1	.1	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)
Multiple lower extremities locations, n.e.c.	489	.5	.1	.1	(⁶)	.1	.1	.1	(⁶)
Lower extremities, n.e.c.	49	(⁶)	—	—	—	—	—	—	—
Body systems	5	2.4	(⁶)	(⁶)	(⁶)	—	(⁶)	(⁶)	—
Multiple body parts	8	15.4	1.7	1.1	.3	.1	2.1	4.0	.3
Other body parts	9	.1	—	—	—	—	—	—	—
Prosthetic devices	91	(⁶)	(⁶)	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Arm(s), n.e.c.	(⁶)	(⁶)	—	(⁶)	(⁶)	—	—	—	—	(⁶)
Wrist(s)	1.4	.6	3.8	.1	.1	—	.01	.01	(⁶)	.4
Hand(s), except finger(s)3	.1	.3	.8	.1	.01	.2	.1	.1	.2
Finger(s), fingernail(s)2	.1	.2	.3	.1	(⁶)	.2	.1	.1	.2
Multiple upper extremities locations2	.1	.4	.3	.1	(⁶)	(⁶)	(⁶)	(⁶)	.1
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Hand(s) and finger(s)	(⁶)	(⁶)	(⁶)	.1	—	—	(⁶)	—	(⁶)	(⁶)
Hand(s) and wrist(s)1	(⁶)	.1	.1	(⁶)	—	(⁶)	(⁶)	(⁶)	(⁶)
Hand(s) and arm(s)	(⁶)	(⁶)	(⁶)	.1	—	—	—	—	—	(⁶)
Multiple upper extremities locations, n.e.c.1	.1	.2	(⁶)	.1	—	(⁶)	(⁶)	—	.1
Upper extremities, n.e.c.	—	—	—	(⁶)	—	—	—	—	—	—
Lower extremities	1.9	.6	.1	.8	1.2	(⁶)	.4	.2	.2	6.9
Lower extremities, unspecified	—	—	—	—	(⁶)	—	—	—	—	—
Leg(s)	1.5	.5	.1	.3	.6	(⁶)	.3	.2	.1	3.8
Leg(s), unspecified2	.1	(⁶)	.1	.2	(⁶)	.1	(⁶)	.1	.2
Thigh(s)1	.1	(⁶)	.1	(⁶)	—	(⁶)	(⁶)	(⁶)	.1
Knee(s)	1.2	.4	.1	(⁶)	.2	—	.1	.1	(⁶)	3.4
Lower leg(s)1	(⁶)	—	.1	.1	—	(⁶)	(⁶)	(⁶)	.2
Multiple leg(s) locations	(⁶)	(⁶)	—	(⁶)	(⁶)	—	—	—	—	(⁶)
Leg(s), n.e.c.	—	—	—	(⁶)	—	—	—	—	—	—
Ankle(s)2	—	.1	(⁶)	.1	.2	—	.1	(⁶)	(⁶)
Foot(feet), except toe(s)1	(⁶)	(⁶)	.4	.3	—	(⁶)	(⁶)	(⁶)	.6
Foot(feet), except toe(s), unspecified1	(⁶)	(⁶)	.3	.3	—	(⁶)	(⁶)	(⁶)	.5
Instep(s)	—	—	—	(⁶)	—	—	—	—	—	(⁶)
Sole	(⁶)	—	(⁶)	(⁶)	(⁶)	—	—	—	—	.1
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	—
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	—
Heel(s)	(⁶)	—	(⁶)	—	(⁶)	—	—	—	—	.1
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	(⁶)
Multiple foot(feet) locations	—	—	—	—	—	—	—	—	—	—
Foot(feet), n.e.c.	—	—	—	(⁶)	(⁶)	—	—	—	—	(⁶)
Toe(s), toenail(s)	(⁶)	(⁶)	—	(⁶)	.1	—	—	—	—	(⁶)
Multiple lower extremities locations ...	(⁶)	—	—	.1	.1	—	(⁶)	(⁶)	(⁶)	.1
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Foot(feet) and leg(s)	—	—	—	(⁶)	(⁶)	—	(⁶)	—	—	(⁶)
Foot(feet) and ankle(s)	—	—	—	(⁶)	(⁶)	—	(⁶)	(⁶)	—	.1
Foot(feet) and toe(s)	—	—	—	(⁶)	(⁶)	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	(⁶)	—	(⁶)	(⁶)	(⁶)	—	—	—	—	.1
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	(⁶)
Body systems	(⁶)	(⁶)	(⁶)	1.6	(⁶)	(⁶)	.2	.2	(⁶)	.5
Multiple body parts	2.2	1.1	.3	.7	2.6	.1	.4	.4	.1	1.0
Other body parts	—	—	—	—	—	—	—	—	—	—
Prosthetic devices	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Part of body code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Caught in or com- pressed or crushed	Fall to lower level	Fall on same level
			Total	Struck by object	Struck against object				
Other body parts, n.e.c.	98	(⁶)	—	—	—	—	—	—	—
Nonclassifiable	9999	1.0	0.1	(⁶)	(⁶)	(⁶)	0.1	0.1	(⁶)

See footnotes at end of table.

TABLE R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 2001 — Continued

Part of body	Event or exposure leading to injury or illness ⁴								
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts		
	Total	In lifting					Total	By person	All other assaults
Other body parts, n.e.c.	—	—	—	(⁶)	—	—	—	—	—
Nonclassifiable	0.1	(⁶)	(⁶)	.2	0.1	—	(⁶)	(⁶)	(⁶)
									0.4

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049;

Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

⁶ Less than 0.1 case per 10,000 full-time workers.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.

n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor