

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Private industry [1,436,194 cases]		162.6	43.1	21.7	11.3	7.1	9.8	19.9	5.5	
Traumatic injuries and disorders	0	150.0	42.4	21.4	11.2	7.1	9.7	19.7	5.4	
Traumatic injuries and disorders, unspecified	00	4.0	1.2	.7	.3	.2	.4	.9	.2	
Traumatic injuries to bones, nerves, spinal cord	01	12.8	4.9	2.7	1.0	1.1	2.3	3.4	.1	
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	.1	(⁶)	(⁶)	(⁶)	—	(⁶)	(⁶)	—	
Dislocations	011	1.4	.3	.1	.1	(⁶)	.2	.3	(⁶)	
Fractures	012	11.2	4.6	2.6	.9	1.1	2.1	3.1	.1	
Traumatic injuries to spinal cord	013	(⁶)	—	—	—	—	—	—	—	
Traumatic injuries to nerves, except the spinal cord	014	(⁶)	(⁶)	(⁶)	—	—	(⁶)	—	—	
Multiple traumatic injuries to bones, nerves, spinal cord	018	(⁶)	—	—	—	—	—	(⁶)	—	
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	(⁶)	—	—	—	(⁶)	(⁶)	—	—	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	70.7	4.9	2.0	2.1	.5	3.3	7.0	4.6	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	.6	.1	.1	(⁶)	—	.1	.1	(⁶)	
Sprains, strains, tears	021	69.9	4.8	2.0	2.0	.5	3.2	6.9	(⁶)	4.6
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	.2	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)
Open wounds	03	16.3	14.5	7.3	4.3	2.6	.2	.6	—	—
Open wounds, unspecified	030	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	—	—	—	—
Amputations	031	1.0	1.0	.2	.1	.7	—	(⁶)	—	—
Amputations, fingertip	0311	.8	.7	.1	.1	.5	—	(⁶)	—	—
Amputations, except fingertip	0319	.2	.2	(⁶)	(⁶)	.2	—	—	—	—
Animal or insect bites	032	.5	—	—	—	—	—	—	—	—
Avulsions	033	.3	.3	.1	(⁶)	.2	—	(⁶)	—	—
Cuts, lacerations	034	12.5	11.4	6.0	3.5	1.6	.2	.5	—	—
Gunshot wounds	036	(⁶)	(⁶)	(⁶)	—	—	—	—	—	—
Punctures, except bites	037	2.0	1.9	1.1	.7	.1	(⁶)	(⁶)	—	—
Multiple open wounds	038	(⁶)	(⁶)	(⁶)	—	(⁶)	—	—	—	—
Open wounds, n.e.c.	039	(⁶)	(⁶)	(⁶)	—	(⁶)	—	—	—	—
Surface wounds and bruises	04	17.8	10.7	5.5	2.3	1.0	1.5	4.0	—	
Surface wounds and bruises, unspecified	040	.1	.1	(⁶)	(⁶)	(⁶)	—	(⁶)	—	—
Abrasions, scratches	041	1.4	1.1	.5	.1	.1	.1	.1	.1	—
Blisters	042	(⁶)	(⁶)	—	—	—	—	(⁶)	—	—
Bruises, contusions	043	14.4	7.6	4.4	2.1	1.0	1.4	3.8	—	—
Foreign bodies (superficial splinters, chips)	044	1.8	1.8	.4	(⁶)	(⁶)	—	—	—	—
Friction burns	045	(⁶)	(⁶)	—	—	(⁶)	—	—	—	—
Multiple surface wounds and bruises	048	.1	.1	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	—
Surface wounds and bruises, n.e.c.	049	(⁶)	(⁶)	(⁶)	—	—	—	—	—	—
Burns	05	3.6	—	—	—	—	—	—	—	—
Burns, unspecified	050	(⁶)	—	—	—	—	—	—	—	—
Chemical burns	051	.9	—	—	—	—	—	—	—	—
Electrical burns	052	.1	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Private industry [1,436,194 cases]	43.1	23.6	6.6	6.8	7.1	0.3	2.7	2.1	0.7	17.6
Traumatic injuries and disorders	40.0	21.6	2.4	4.6	7.0	.3	2.6	1.9	.7	15.9
Traumatic injuries and disorders, unspecified4	.2	(⁶)	.1	.4	(⁶)	.1	.1	(⁶)	.4
Traumatic injuries to bones, nerves, spinal cord5	.2	(⁶)	—	.9	(⁶)	.2	.2	(⁶)	.6
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	(⁶)	—	—	—	(⁶)	—	(⁶)	(⁶)	—	—
Dislocations4	.2	(⁶)	—	.1	—	.1	(⁶)	(⁶)	.2
Fractures1	(⁶)	—	—	.8	(⁶)	.1	.1	(⁶)	.4
Traumatic injuries to spinal cord	(⁶)	—	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	(⁶)	(⁶)	—	—	—	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	34.2	18.7	1.5	—	2.5	—	.6	.6	(⁶)	12.1
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified2	.1	(⁶)	—	(⁶)	—	(⁶)	(⁶)	—	.2
Sprains, strains, tears	34.0	18.6	1.5	—	2.4	—	.6	.6	(⁶)	11.9
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	(⁶)	(⁶)	—	—	(⁶)	—	—	—	(⁶)	—
Open wounds	—	—	—	(⁶)	.2	(⁶)	.7	.2	.5	.1
Open wounds, unspecified	—	—	—	—	—	—	—	—	—	—
Amputations	—	—	—	—	(⁶)	—	—	—	—	(⁶)
Amputations, fingertip	—	—	—	—	(⁶)	—	—	—	—	—
Amputations, except fingertip	—	—	—	—	(⁶)	—	—	—	—	—
Animal or insect bites	—	—	—	—	—	—	.5	.1	.4	—
Avulsions	—	—	—	—	(⁶)	—	—	—	—	—
Cuts, lacerations	—	—	—	—	.2	(⁶)	.1	.1	(⁶)	.1
Gunshot wounds	—	—	—	—	—	—	(⁶)	(⁶)	—	—
Punctures, except bites	—	—	—	(⁶)	(⁶)	—	.1	.1	(⁶)	(⁶)
Multiple open wounds	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	—	—	—	—	—	—	—	—	—	—
Surface wounds and bruises	(⁶)	—	(⁶)	—	1.0	(⁶)	.5	.4	.1	.2
Surface wounds and bruises, unspecified	—	—	—	—	(⁶)	—	—	—	—	(⁶)
Abrasions, scratches	—	—	—	—	(⁶)	—	.1	(⁶)	(⁶)	(⁶)
Blisters	—	—	—	—	—	—	—	—	—	—
Bruises, contusions	(⁶)	—	(⁶)	—	.9	(⁶)	.5	.4	(⁶)	.2
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	—	—	—	—	(⁶)
Friction burns	—	—	—	—	—	—	—	—	—	—
Multiple surface wounds and bruises	—	—	—	—	(⁶)	—	—	—	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	—	—
Burns	—	—	—	—	3.3	—	.2	—	—	—
Burns, unspecified	—	—	—	—	—	(⁶)	—	—	—	—
Chemical burns	—	—	—	—	.9	—	(⁶)	—	—	—
Electrical burns	—	—	—	—	.1	—	(⁶)	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Heat burns, scalds	053	2.4	—	—	—	—	—	—	—
Multiple burns	058	(6)	—	—	—	—	—	—	—
Burns, n.e.c.	059	(6)	—	—	—	—	—	—	—
Intracranial injuries	06	.8	0.4	0.2	0.1	—	0.1	0.1	—
Intracranial injuries, unspecified	060	(6)	(6)	—	—	—	(6)	—	—
Cerebral hemorrhages	061	(6)	—	(6)	—	—	—	—	—
Concussions	062	.8	.4	.2	.1	—	.1	.1	—
Multiple intracranial injuries	068	(6)	—	—	—	—	—	—	—
Effects of environmental conditions ..	07	.4	—	—	—	—	—	—	—
Effects of reduced temperature	071	(6)	—	—	—	—	—	—	—
Frostbite	0711	(6)	—	—	—	—	—	—	—
Hypothermia	0712	(6)	—	—	—	—	—	—	—
Effects of heat and light	072	.3	—	—	—	—	—	—	—
Effects of heat and light, unspecified	0720	(6)	—	—	—	—	—	—	—
Heat stroke	0721	(6)	—	—	—	—	—	—	—
Heat syncope	0722	(6)	—	—	—	—	—	—	—
Heat fatigue	0723	(6)	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	.2	—	—	—	—	—	—	—
Effects of air pressure	073	.1	—	—	—	—	—	—	—
Effects of air pressure, unspecified	0730	(6)	—	—	—	—	—	—	—
Aero-otitis media	0731	(6)	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	(6)	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	5.9	2.0	1.1	.4	0.5	1.1	1.6	(6)
Multiple traumatic injuries and disorders, unspecified	080	.2	.1	(6)	(6)	(6)	.1	(6)	—
Cuts, abrasions, bruises	081	1.1	.5	.3	.1	.1	.2	.2	—
Sprains and bruises	082	2.3	.6	.3	.2	.1	.5	.8	—
Fractures and burns	083	(6)	—	—	—	(6)	—	—	—
Fractures and other injuries	084	1.4	.6	.3	.1	.2	.3	.3	—
Burns and other injuries	085	(6)	(6)	(6)	—	(6)	(6)	—	—
Intracranial injuries and injuries to internal organs	086	—	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	.9	.3	.2	(6)	.1	.2	.2	—
Other traumatic injuries and disorders	09	17.8	3.9	1.8	.7	1.2	.9	2.1	.5
Other traumatic injuries and disorders, unspecified	090	(6)	—	—	—	—	(6)	—	—
Asphyxiations/strangulations, suffocations	091	(6)	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	.2	—	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	094	(6)	—	—	—	—	—	—	—
Other poisonings and toxic effects	095	.6	—	—	—	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	.1	—	—	—	—	—	—	—
Animal or insect bites, venomous	0951	.4	—	—	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	.2	(6)	—	(6)	—	—	—	—
Traumatic complications	096	(6)	(6)	—	(6)	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									All other events ⁵	
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts				
	Total	In lifting					Total	By person	All other assaults		
Heat burns, scalds	—	—	—	2.3	—	0.2	—	—	—	—	
Multiple burns	—	—	—	—	—	(6)	—	—	—	—	
Burns, n.e.c.	—	—	—	—	—	—	—	—	—	—	
Intracranial injuries	—	—	—	—	0.1	(6)	(6)	(6)	—	(6)	
Intracranial injuries, unspecified	—	—	—	—	—	—	—	—	—	—	
Cerebral hemorrhages	—	—	—	—	—	—	—	—	—	—	
Concussions	—	—	—	—	.1	(6)	(6)	(6)	—	(6)	
Multiple intracranial injuries	—	—	—	—	(6)	—	—	—	—	—	
Effects of environmental conditions	—	—	—	.4	—	—	—	—	—	—	
Effects of reduced temperature	—	—	—	(6)	—	—	—	—	—	—	
Frostbite	—	—	—	(6)	—	—	—	—	—	—	
Hypothermia	—	—	—	(6)	—	—	—	—	—	—	
Effects of heat and light	—	—	—	.3	—	—	—	—	—	—	
Effects of heat and light, unspecified	—	—	—	(6)	—	—	—	—	—	—	
Heat stroke	—	—	—	(6)	—	—	—	—	—	—	
Heat syncope	—	—	—	(6)	—	—	—	—	—	—	
Heat fatigue	—	—	—	(6)	—	—	—	—	—	—	
Effects of heat and light, n.e.c.	—	—	—	.2	—	—	—	—	—	—	
Effects of air pressure	—	—	—	.1	—	—	—	—	—	—	
Effects of air pressure, unspecified	—	—	—	(6)	—	—	—	—	—	—	
Aero-otitis media	—	—	—	(6)	—	—	—	—	—	—	
Effects of air pressure, n.e.c.	—	—	—	(6)	—	—	—	—	—	—	
Multiple traumatic injuries and disorders	(6)	(6)	(6)	—	1.0	(6)	.2	.2	(6)	.1	
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	.1	—	—	—	—	—	
Cuts, abrasions, bruises	—	—	—	—	.2	—	(6)	(6)	—	(6)	
Sprains and bruises	—	—	—	—	.3	—	.1	.1	—	(6)	
Fractures and burns	—	—	—	—	—	—	—	—	—	—	
Fractures and other injuries	—	—	—	—	.2	—	(6)	(6)	—	(6)	
Burns and other injuries	—	—	—	—	—	—	—	—	—	—	
Intracranial injuries and injuries to internal organs	—	—	—	—	(6)	—	—	—	—	—	
Other combinations of traumatic injuries and disorders, n.e.c.	(6)	(6)	(6)	—	.2	(6)	.1	(6)	(6)	(6)	
Other traumatic injuries and disorders	5.0	2.6	.9	.9	1.0	(6)	.3	.3	(6)	2.4	
Other traumatic injuries and disorders, unspecified	—	—	—	—	—	—	—	—	—	(6)	
Asphyxiations/strangulations, suffocations	—	—	—	(6)	—	—	—	—	—	—	
Electrocutions, electric shocks	—	—	—	.2	—	—	—	—	—	—	
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	(6)	—	—	—	—	—	
Other poisonings and toxic effects	—	—	—	.6	—	—	(6)	—	(6)	—	
Other poisonings and toxic effects, unspecified	—	—	—	.1	—	—	—	—	—	—	
Animal or insect bites, venomous	—	—	—	.3	—	—	(6)	—	(6)	—	
Other poisonings and toxic effects, n.e.c.	—	—	—	.2	—	—	—	—	—	—	
Traumatic complications	—	—	—	(6)	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Traumatic shock	0961	(⁶)	—	—	—	—	—	—	—
Multiple traumatic complications	0968	(⁶)	(⁶)	—	(⁶)	—	—	—	—
Traumatic complications, n.e.c.	0969	(⁶)	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	16.6	3.8	1.7	.7	1.2	0.9	2.1	0.5
Crushing injuries	0971	1.8	1.7	.6	.1	1.0	(⁶)	(⁶)	—
Back pain, hurt back	0972	5.3	.2	.1	(⁶)	—	.2	.5	.2
Soreness, pain, hurt, except the back	0973	8.0	1.6	.9	.5	.2	.5	1.3	.3
Multiple nonspecified injuries and disorders	0978	.8	.1	(⁶)	(⁶)	(⁶)	.1	.2	(⁶)
Nonspecified injuries and disorders, n.e.c.	0979	.7	.2	.1	.1	(⁶)	.1	.1	(⁶)
Other traumatic injuries and disorders, n.e.c.	099	.3	.1	.1	(⁶)	(⁶)	(⁶)	(⁶)	—
Systemic diseases and disorders	1	9.4	.4	.2	.1	(⁶)	(⁶)	.1	(⁶)
Systemic diseases and disorders, unspecified	10	.1	—	—	—	—	—	(⁶)	—
Diseases of the blood and blood forming organs	11	(⁶)	(⁶)	(⁶)	—	—	—	—	—
Purpura and other hemorrhagic conditions	115	(⁶)	(⁶)	(⁶)	—	—	—	—	—
Nervous system and sense organs diseases	12	3.3	.1	(⁶)	(⁶)	—	(⁶)	—	—
Inflammatory diseases of the central nervous system	121	(⁶)	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, unspecified	1210	(⁶)	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	(⁶)	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	2.7	(⁶)	(⁶)	—	—	—	—	—
Disorders of the peripheral nervous system, unspecified	1240	.1	—	—	—	—	—	—	—
Carpal tunnel syndrome	1241	2.6	(⁶)	—	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	(⁶)	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	.1	(⁶)	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	.5	.1	(⁶)	(⁶)	—	—	—	—
Disorders of the eye, adnexa, vision, unspecified	1250	.1	(⁶)	—	—	—	—	—	—
Conjunctivitis—non-viral	1252	.1	(⁶)	(⁶)	—	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	.1	(⁶)	(⁶)	—	—	—	—	—
Blindness, low vision	1255	(⁶)	(⁶)	(⁶)	—	—	—	—	—
Welder's flash	1256	.2	—	—	—	—	—	—	—
Visual disturbances	1258	(⁶)	(⁶)	(⁶)	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴										All other events ⁵	
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts					
	Total	In lifting					Total	By person	All other assaults			
Traumatic shock	—	—	—	(⁶)	—	—	—	—	—	—	—	
Multiple traumatic complications	—	—	—	—	—	—	—	—	—	—	—	
Traumatic complications, n.e.c.	—	—	—	(⁶)	—	—	—	—	—	—	—	
Nonspecified injuries and disorders	5.0 (⁶)	2.6 (⁶)	0.9	(⁶)	0.9	—	0.3	0.2	(⁶)	2.3 (⁶)	—	
Crushing injuries	2.8	1.7	.1	(⁶)	.2	—	(⁶)	(⁶)	—	—	1.1	
Back pain, hurt back	Soreness, pain, hurt, except the back	2.0	.8	.7	(⁶)	.4	—	.2	.2	(⁶)	1.0	
Multiple nonspecified injuries and disorders1	.1	.1	—	.2	—	(⁶)	(⁶)	—	—	.1	
Nonspecified injuries and disorders, n.e.c.1	.1	.1	(⁶)	.1	—	(⁶)	(⁶)	—	—	.1	
Other traumatic injuries and disorders, n.e.c.	(⁶)	—	—	—	(⁶)	—	(⁶)	(⁶)	—	(⁶)	—	
Systemic diseases and disorders	3.0	1.9	4.0	1.2	(⁶)	(⁶)	(⁶)	(⁶)	—	—	.6	
Systemic diseases and disorders, unspecified	—	—	(⁶)	—	—	—	—	—	—	—	(⁶)	
Diseases of the blood and blood forming organs	—	—	—	—	—	—	—	—	—	—	—	
Purpura and other hemorrhagic conditions	—	—	—	—	—	—	—	—	—	—	—	
Nervous system and sense organs diseases	(⁶)	(⁶)	2.7	.4	—	(⁶)	—	—	—	—	.1	
Inflammatory diseases of the central nervous system	—	—	—	—	—	—	—	—	—	—	—	
Inflammatory diseases of the central nervous system, unspecified	—	—	—	—	—	—	—	—	—	—	—	
Other disorders of the central nervous system	—	—	—	—	—	—	—	—	—	—	—	
Disorders of the peripheral nervous system	(⁶)	(⁶)	2.7	—	—	—	—	—	—	—	(⁶)	
Disorders of the peripheral nervous system, unspecified	(⁶)	—	.1	—	—	—	—	—	—	—	(⁶)	
Carpal tunnel syndrome	—	(⁶)	2.6	—	—	—	—	—	—	—	(⁶)	
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	(⁶)	—	—	—	—	—	—	—	(⁶)	
Other disorders of the peripheral nervous system, n.e.c.	(⁶)	—	.1	—	—	—	—	—	—	—	(⁶)	
Disorders of the eye, adnexa, vision	—	—	—	.4	—	—	(⁶)	(⁶)	—	(⁶)	—	
Disorders of the eye, adnexa, vision, unspecified	—	—	—	(⁶)	—	—	—	—	—	—	—	
Conjunctivitis—non-viral	—	—	—	.1	—	—	—	—	—	—	—	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	(⁶)	—	—	—	—	—	—	—	
Blindness, low vision	—	—	—	—	—	—	—	—	—	—	—	
Welder's flash	—	—	—	.2	—	—	—	—	—	—	—	
Visual disturbances	—	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Disorders of the eye, adnexa, vision, n.e.c.	1259	(6)	(6)	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	126	(6)	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing, unspecified ..	1260	(6)	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	(6)	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	(6)	—	—	—	—	—	—	—
Circulatory system diseases	13	.1	—	—	—	—	—	—	—
Circulatory system diseases, unspecified	130	(6)	—	—	—	—	—	—	—
Hypertensive disease	132	(6)	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	.1	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	1331	(6)	—	—	—	—	—	—	—
Angina	1332	—	—	—	—	—	—	—	—
Other forms of heart disease, unspecified	1350	(6)	—	—	—	—	—	—	—
Cerebrovascular disease	136	(6)	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics ..	138	(6)	—	—	—	—	—	—	—
Hemorrhoids	1382	(6)	—	—	—	—	—	—	—
Respiratory system diseases	14	.2	—	—	—	—	—	—	—
Respiratory system diseases, unspecified	140	.1	—	—	—	—	—	—	—
Acute respiratory infections (including common cold)	141	(6)	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	142	(6)	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	(6)	—	—	—	—	—	—	—
Allergic rhinitis	1421	(6)	—	—	—	—	—	—	—
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis)	1422	(6)	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	(6)	—	—	—	—	—	—	—
Pneumonia, influenza	143	(6)	—	—	—	—	—	—	—
Pneumonia	1431	(6)	—	—	—	—	—	—	—
Influenza	1432	(6)	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	.1	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	(6)	—	—	—	—	—	—	—
Bronchitis	1441	(6)	—	—	—	—	—	—	—
Extrinsic asthma	1443	(6)	—	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	(6)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	(6)	—	(6)	—	—	—	(6)
Disorders of the ear, mastoid process, hearing, unspecified ..	—	—	—	(6)	—	—	—	—	—	—
Deafness, hearing loss or impairment	—	—	—	(6)	—	(6)	—	—	—	(6)
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Circulatory system diseases	(6)	(6)	(6)	(6)	—	(6)	(6)	(6)	—	.1
Circulatory system diseases, unspecified	—	—	—	—	—	—	—	—	—	(6)
Hypertensive disease	—	—	—	—	—	—	—	—	—	(6)
Ischemic heart disease, including heart attack	—	—	—	—	(6)	—	(6)	(6)	—	(6)
Myocardial infarction (heart attack)	—	—	—	—	(6)	—	—	—	—	(6)
Angina	—	—	—	—	—	—	(6)	(6)	—	—
Other forms of heart disease, unspecified	—	—	—	—	—	—	—	—	—	(6)
Cerebrovascular disease	—	—	—	—	—	—	—	—	—	(6)
Diseases of arteries, arterioles, capillaries, n.e.c.	—	—	—	—	—	—	—	—	—	(6)
Diseases of the veins, lymphatics	(6)	(6)	—	—	—	—	—	—	—	—
Hemorrhoids	(6)	(6)	—	—	—	—	—	—	—	—
Respiratory system diseases	—	—	—	.2	—	—	—	—	—	(6)
Respiratory system diseases, unspecified	—	—	—	.1	—	—	—	—	—	(6)
Acute respiratory infections (including common cold)	—	—	—	(6)	—	—	—	—	—	—
Other diseases of upper respiratory tract	—	—	—	(6)	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	—	—	—	(6)	—	—	—	—	—	—
Allergic rhinitis	—	—	—	(6)	—	—	—	—	—	—
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis)	—	—	—	(6)	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Pneumonia, influenza	—	—	—	(6)	—	—	—	—	—	—
Pneumonia	—	—	—	(6)	—	—	—	—	—	—
Influenza	—	—	—	(6)	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	—	—	—	.1	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	—	—	—	(6)	—	—	—	—	—	—
Bronchitis	—	—	—	(6)	—	—	—	—	—	—
Extrinsic asthma	—	—	—	(6)	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	(6)	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	(6)	—	—	—	—	—	—	—
Other respiratory system diseases	149	(6)	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	2.8	(6)	(6)	(6)	—	(6)	(6)	(6)
Hernia	153	2.8	(6)	(6)	(6)	—	(6)	(6)	(6)
Hernia, unspecified	1530	1.2	—	—	—	—	—	(6)	(6)
Inguinal hernia	1531	1.0	(6)	(6)	—	—	—	(6)	(6)
Hiatal hernia	1532	(6)	—	—	—	—	—	—	—
Ventral hernia	1533	.3	—	—	—	—	—	—	(6)
Hernia, n.e.c.	1539	.2	(6)	—	—	—	—	—	—
Other diseases of intestines or peritoneum	155	(6)	—	—	—	—	—	—	—
Genitourinary system diseases and disorders	16	(6)	—	—	—	—	—	(6)	—
Diseases and disorders of the genital tract	163	(6)	—	—	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	(6)	—	—	—	—	—	—	—
Diseases and disorders of the genital tract, n.e.c.	1639	(6)	—	—	—	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	169	(6)	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	2.3	.2	.1	.1	(6)	(6)	.1	(6)
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	(6)	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	(6)	—	—	—	—	—	—	—
Dorsopathies	172	.2	(6)	—	—	—	(6)	(6)	(6)
Sciatica	1721	(6)	—	—	—	—	—	—	—
Lumbago	1722	(6)	—	—	—	—	—	—	—
Disc disorders, except dislocation	1723	(6)	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	1729	.2	—	(6)	—	—	—	(6)	(6)
Rheumatism, except the back	173	2.1	.2	.1	.1	(6)	(6)	(6)	(6)
Rheumatism, except the back, unspecified	1730	.1	(6)	(6)	(6)	—	—	(6)	—
Bursitis	1731	.1	.1	(6)	(6)	—	—	(6)	(6)
Synovitis	1732	(6)	—	—	—	—	—	—	—
Tendonitis	1733	1.1	.1	(6)	(6)	—	—	(6)	—
Tenosynovitis	1734	.2	—	—	—	—	—	—	—
Ganglion/cystic tumor	1735	.1	(6)	(6)	—	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	.4	(6)	(6)	(6)	(6)	(6)	(6)	(6)
Osteopathies, chondropathies, acquired deformities	174	(6)	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	(6)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Other respiratory system diseases	—	—	—	(6)	—	—	—	—	—	—
Digestive system diseases and disorders	2.4	1.7	0.1	—	(6)	—	(6)	(6)	—	0.3
Hernia	2.4	1.7	.1	—	(6)	—	(6)	(6)	—	.3
Hernia, unspecified	1.0	.7	(6)	—	(6)	—	—	—	—	.1
Inguinal hernia9	.6	(6)	—	—	—	(6)	(6)	—	.1
Hiatal hernia	(6)	(6)	—	—	—	—	—	—	—	—
Ventral hernia2	.2	—	—	(6)	—	—	—	—	(6)
Hernia, n.e.c.2	.1	(6)	—	—	—	—	—	—	.1
Other diseases of intestines or peritoneum	(6)	—	—	—	—	—	—	—	—	—
Genitourinary system diseases and disorders	(6)	(6)	—	—	—	—	(6)	(6)	—	(6)
Diseases and disorders of the genital tract	(6)	(6)	—	—	—	—	—	—	—	(6)
Spontaneous abortion, miscarriage	—	—	—	—	—	—	—	—	—	(6)
Diseases and disorders of the genital tract, n.e.c.	—	—	—	—	—	—	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders6	.3	1.2	(6)	(6)	—	—	—	—	.2
Musculoskeletal system and connective tissue diseases and disorders, unspecified	(6)	—	(6)	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	—	—	(6)	—	—	—	—	—	—	(6)
Dorsopathies1	.1	(6)	—	(6)	—	—	—	—	(6)
Sciatica	(6)	(6)	—	—	—	—	—	—	—	(6)
Lumbago	—	—	—	—	—	—	—	—	—	—
Disc disorders, except dislocation	(6)	(6)	—	—	—	—	—	—	—	(6)
Dorsopathies, n.e.c.1	.1	(6)	—	(6)	—	—	—	—	(6)
Rheumatism, except the back5	.2	1.2	(6)	(6)	—	—	—	—	.2
Rheumatism, except the back, unspecified	(6)	(6)	.1	(6)	—	—	—	—	—	(6)
Bursitis	(6)	(6)	(6)	—	—	—	—	—	—	(6)
Synovitis	—	—	(6)	—	—	—	—	—	—	—
Tendonitis2	.1	.7	—	—	—	—	—	—	.1
Tenosynovitis1	(6)	.1	—	—	—	—	—	—	(6)
Ganglion/cystic tumor	(6)	(6)	.1	—	—	—	—	—	—	(6)
Rheumatism, except the back, n.e.c.1	(6)	.3	—	—	—	(6)	(6)	—	(6)
Osteopathies, chondropathies, acquired deformities	—	—	(6)	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	—	—	(6)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	(6)	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	.6	(6)	(6)	(6)	—	—	—	—
Disorders of the skin and subcutaneous tissue, unspecified	180	(6)	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	181	.1	(6)	(6)	(6)	—	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	(6)	(6)	—	—	—	—	—	—
Cellulitis and abscess	1812	.1	(6)	—	(6)	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	(6)	—	—	—	—	—	—	—
Dermatitis	182	.4	—	—	—	—	—	—	—
Dermatitis, unspecified	1820	.1	—	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	.2	—	—	—	—	—	—	—
Allergic dermatitis	1823	.1	—	—	—	—	—	—	—
Irritant dermatitis	1824	.1	—	—	—	—	—	—	—
Other contact dermatitis	1825	(6)	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	(6)	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	(6)	—	—	—	—	—	—	—
Other inflammatory conditions of the skin, unspecified	1830	(6)	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	(6)	—	—	—	—	—	—	—
Corns and callosities (including callus, clavus)	1891	(6)	—	—	—	—	—	—	—
Urticaria, hives	1898	(6)	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	(6)	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	(6)	—	—	—	—	—	—	—
Infectious and parasitic diseases	2	.2	—	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	20	(6)	—	—	—	—	—	—	—
Bacterial diseases	21	(6)	—	—	—	—	—	—	—
Bacterial diseases, unspecified	210	(6)	—	—	—	—	—	—	—
Other bacterial diseases	219	(6)	—	—	—	—	—	—	—
Diphtheria, whooping cough	2192	(6)	—	—	—	—	—	—	—
Viral diseases	22	.1	—	—	—	—	—	—	—
Viral diseases, unspecified	220	(6)	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	(6)	—	—	—	—	—	—	—
Chickenpox	2233	(6)	—	—	—	—	—	—	—
Herpes zoster	2234	(6)	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	(6)	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	(6)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	(⁶)	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	(⁶)	—	(⁶)	0.5	—	—	—	—	—	(⁶)
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	(⁶)	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	—	—	(⁶)	.1	—	—	—	—	—	(⁶)
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	(⁶)	—	—	—	—	—	—
Cellulitis and abscess	—	—	(⁶)	(⁶)	—	—	—	—	—	(⁶)
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	(⁶)	—	—	—	—	—	—
Dermatitis	—	—	—	.4	—	—	—	—	—	—
Dermatitis, unspecified	—	—	—	.1	—	—	—	—	—	—
Contact dermatitis and other eczema	—	—	—	.2	—	—	—	—	—	—
Allergic dermatitis	—	—	—	.1	—	—	—	—	—	—
Irritant dermatitis	—	—	—	.1	—	—	—	—	—	—
Other contact dermatitis	—	—	—	(⁶)	—	—	—	—	—	—
Dermatitis, n.e.c.	—	—	—	(⁶)	—	—	—	—	—	—
Other inflammatory conditions of the skin	—	—	—	(⁶)	—	—	—	—	—	(⁶)
Other inflammatory conditions of the skin, unspecified	—	—	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	(⁶)	—	—	(⁶)	—	—	—	—	—	(⁶)
Corns and callosities (including callus, clavus)	(⁶)	—	—	(⁶)	—	—	—	—	—	—
Urticaria, hives	—	—	—	(⁶)	—	—	—	—	—	(⁶)
Other systemic diseases and disorders	—	—	—	—	—	—	—	—	—	(⁶)
Systemic diseases and disorders, n.e.c.	—	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	.2	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	—	—	—	(⁶)	—	—	—	—	—	—
Bacterial diseases	—	—	—	(⁶)	—	—	—	—	—	—
Bacterial diseases, unspecified	—	—	—	(⁶)	—	—	—	—	—	—
Other bacterial diseases	—	—	—	(⁶)	—	—	—	—	—	—
Diphtheria, whooping cough	—	—	—	(⁶)	—	—	—	—	—	—
Viral diseases	—	—	—	.1	—	—	—	—	—	—
Viral diseases, unspecified	—	—	—	(⁶)	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	—	—	—	(⁶)	—	—	—	—	—	—
Chickenpox	—	—	—	(⁶)	—	—	—	—	—	—
Herpes zoster	—	—	—	(⁶)	—	—	—	—	—	—
Viral diseases of the conjunctiva	—	—	—	(⁶)	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	—	—	—	(⁶)	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Viral diseases of the conjunctiva, n.e.c.	2269	(6)	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	—	—	—	—	—	—	—	—
Lyme disease	237	(6)	—	—	—	—	—	—	—
Mycoses	24	(6)	—	—	—	—	—	—	—
Histoplasmosis	245	(6)	—	—	—	—	—	—	—
Helminthiases	25	(6)	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	(6)	—	—	—	—	—	—	—
Other salmonella infections	263	(6)	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	.1	—	—	—	—	—	—	—
Other infectious and parasitic diseases, unspecified	290	(6)	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	.1	—	—	—	—	—	—	—
Neoplasms, tumors, and cancer	3	—	—	—	—	—	—	—	—
Benign neoplasms and tumors	32	—	—	—	—	—	—	—	—
Benign neoplasms of bone, connective tissue, and skin	321	—	—	—	—	—	—	—	—
Other benign neoplasms of connective and other soft tissue	3214	(6)	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	1.8	0.2	0.1	0.1	(6)	(6)	0.1	(6)
Symptoms, signs, and ill-defined conditions, unspecified	40	(6)	—	—	—	—	—	—	—
Symptoms	41	1.7	.2	.1	.1	(6)	(6)	.1	(6)
Symptoms, unspecified	410	(6)	—	—	—	—	—	—	—
General symptoms	411	.7	(6)	(6)	(6)	—	(6)	(6)	(6)
General symptoms, unspecified	4110	(6)	—	—	—	—	—	—	—
Loss of consciousness—not heat related	4111	.1	(6)	(6)	—	—	(6)	(6)	—
Convulsions, seizures	4112	.1	—	—	—	—	—	—	—
Dizziness	4114	.1	(6)	(6)	—	—	—	—	—
Non-specified allergic reaction	4115	.1	—	—	—	—	—	—	—
Multiple general symptoms	4118	(6)	—	—	—	—	—	—	—
General symptoms, n.e.c.	4119	.2	(6)	(6)	—	—	—	(6)	(6)
Symptoms involving nervous and musculoskeletal systems	412	.4	(6)	(6)	(6)	—	(6)	(6)	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	.1	—	—	—	—	—	—	—
Spasms or tremors, n.e.c.	4121	(6)	—	—	—	—	—	—	—
Earache	4122	(6)	—	—	—	—	—	—	—
Eye strain	4123	(6)	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	(6)	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	.3	(6)	(6)	(6)	—	(6)	(6)	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Viral diseases of the conjunctiva, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Other arthropod-borne diseases	—	—	—	(6)	—	—	—	—	—	—
Lyme disease	—	—	—	(6)	—	—	—	—	—	—
Mycoses	—	—	—	(6)	—	—	—	—	—	—
Histoplasmosis	—	—	—	(6)	—	—	—	—	—	—
Helminthiases	—	—	—	(6)	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	—	—	—	(6)	—	—	—	—	—	—
Other salmonella infections	—	—	—	(6)	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	.1	—	—	—	—	—	—
Other infectious and parasitic diseases, unspecified	—	—	—	(6)	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	—	—	—	.1	—	—	—	—	—	—
Neoplasms, tumors, and cancer	—	—	—	—	—	—	—	—	—	(6)
Benign neoplasms and tumors	—	—	—	—	—	—	—	—	—	(6)
Benign neoplasms of bone, connective tissue, and skin	—	—	—	—	—	—	—	—	—	(6)
Other benign neoplasms of connective and other soft tissue	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	0.1	(6)	0.2	.6	(6)	(6)	(6)	(6)	—	.5
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	(6)	—	—	—	—	—	—
Symptoms1	(6)	.2	.6	(6)	(6)	(6)	(6)	—	.5
Symptoms, unspecified	—	—	—	(6)	—	—	—	—	—	(6)
General symptoms	(6)	(6)	.1	.2	(6)	—	—	—	—	.2
General symptoms, unspecified	—	—	—	(6)	—	—	—	—	—	(6)
Loss of consciousness—not heat related	—	—	—	(6)	—	—	—	—	—	.1
Convulsions, seizures	—	—	—	—	—	—	—	—	—	.1
Dizziness	—	—	—	(6)	—	—	—	—	—	(6)
Non-specified allergic reaction	—	—	—	.1	—	—	—	—	—	—
Multiple general symptoms	—	—	—	(6)	—	—	—	—	—	(6)
General symptoms, n.e.c.	(6)	(6)	.1	(6)	—	—	—	—	—	.1
Symptoms involving nervous and musculoskeletal systems	(6)	(6)	.1	(6)	(6)	—	—	—	—	.1
Symptoms involving nervous and musculoskeletal systems, unspecified	—	—	(6)	—	—	—	—	—	—	(6)
Spasms or tremors, n.e.c.	—	—	—	—	—	—	—	—	—	—
Earache	—	—	—	(6)	—	—	—	—	—	—
Eye strain	—	—	—	(6)	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	(6)	(6)	.1	(6)	(6)	—	—	—	—	.1

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Symptoms involving skin and other integumentary tissue	413	0.2	0.1	(6)	(6)	(6)	—	(6)	(6)
Symptoms involving skin and other integumentary tissue, unspecified	4130	(6)	—	—	—	—	—	—	—
Edema (including dropsy)	4131	.1	.1	(6)	(6)	(6)	—	(6)	(6)
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	(6)	—	—	—	—	—	—	—
Symptoms involving head and neck	414	.1	.1	(6)	(6)	—	(6)	(6)	—
Symptoms involving head and neck, unspecified	4140	(6)	(6)	(6)	—	—	—	—	—
Headache, except migraine	4141	.1	(6)	(6)	(6)	—	—	(6)	—
Symptoms involving head and neck, n.e.c.	4149	(6)	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	415	(6)	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c. ..	4159	(6)	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	.2	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	4160	.1	—	—	—	—	—	—	—
Chest pain	4164	(6)	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	.1	—	—	—	—	—	—	—
Symptoms involving digestive and urinary system	417	(6)	—	—	—	—	—	—	—
Nausea and vomiting	4171	(6)	—	—	—	—	—	—	—
Symptoms involving digestive and urinary system, n.e.c.	4179	(6)	—	—	—	—	—	—	—
Multiple symptoms	418	.1	(6)	(6)	—	—	—	—	—
Other symptoms, n.e.c.	419	(6)	—	—	—	—	(6)	—	—
Abnormal findings	42	(6)	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	(6)	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	(6)	(6)	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	(6)	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	(6)	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	.6	(6)	—	—	—	—	—	—
Damage to prosthetic devices	51	(6)	—	(6)	—	—	—	—	—
Mental disorders or syndromes	52	.6	—	—	—	—	—	—	—
Mental disorder or syndrome, unspecified	520	(6)	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	.6	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	.2	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Symptoms involving skin and other integumentary tissue	(6)	—	(6)	(6)	—	—	—	—	—	(6)
Symptoms involving skin and other integumentary tissue, unspecified	—	—	—	(6)	—	—	—	—	—	(6)
Edema (including dropsy)	(6)	—	(6)	(6)	—	—	—	—	—	(6)
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Symptoms involving head and neck	—	—	—	(6)	—	—	(6)	(6)	—	(6)
Symptoms involving head and neck, unspecified	—	—	—	—	—	—	—	—	—	—
Headache, except migraine	—	—	—	(6)	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	(6)	—	—	—	—	—	(6)
Symptoms involving cardiovascular system, n.e.c. ..	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	(6)	—	—	.1	—	(6)	—	—	—	.1
Symptoms involving respiratory system and chest, unspecified	—	—	—	.1	—	—	—	—	—	—
Chest pain	—	(6)	—	—	—	—	—	—	—	(6)
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	.1	—	—	—	—	—	(6)
Symptoms involving digestive and urinary system	—	—	—	(6)	—	—	—	—	—	—
Nausea and vomiting	—	—	—	(6)	—	—	—	—	—	(6)
Symptoms involving digestive and urinary system, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Multiple symptoms	—	—	—	.1	—	(6)	—	—	—	.1
Other symptoms, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Abnormal findings	—	—	—	(6)	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	—	—	—	(6)	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	—	—	—	(6)	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	(6)	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—	—	—	—	(6)
Other diseases, conditions, and disorders	—	—	(6)	.2	(6)	—	.1	.1	—	.3
Damage to prosthetic devices	—	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes	—	—	(6)	.2	(6)	—	.1	.1	—	.3
Mental disorder or syndrome, unspecified	—	—	—	(6)	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	—	—	(6)	.2	(6)	—	.1	.1	—	.3
Anxiety, stress, neurotic disorders, unspecified	—	—	—	.1	(6)	—	(6)	(6)	—	.1

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Nature code ³	Total cases	Event or exposure leading to injury or illness ⁴						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Post-traumatic anxiety—acute ...	5211	0.1	—	—	—	—	—	—	—
Post-traumatic anxiety—chronic	5212	(⁶)	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	.3	—	—	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	(⁶)	—	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	(⁶)	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	(⁶)	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	.2	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)
Nonclassifiable	9999	.5	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)	(⁶)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2002 — Continued

Nature	Event or exposure leading to injury or illness ⁴									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁵
	Total	In lifting					Total	By person	All other assaults	
Post-traumatic anxiety—acute ...	—	—	—	(⁶)	—	—	(⁶)	(⁶)	—	(⁶)
Post-traumatic anxiety—chronic	—	—	—	—	—	—	—	—	—	—
Neurotic reaction to stress	—	—	—	.1	—	—	.1	.1	—	.1
Multiple anxiety, stress, neurotic disorders	—	—	—	(⁶)	—	—	—	—	—	—
Neurotic disorders, n.e.c.	—	—	—	—	—	—	—	—	—	(⁶)
Other diseases, conditions, and disorders, n.e.c.	—	—	(⁶)	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	(⁶)	(⁶)	(⁶)	(⁶)	0.1	—	—	—	—	(⁶)
Nonclassifiable	(⁶)	(⁶)	—	.1	(⁶)	—	—	—	—	.3

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049;

Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

⁶ Less than 0.1 case per 10,000 full-time workers.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.

n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor