

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		1,259,320	829,300	425,470	4,550	162,410	258,500	446,820	383,050	8,550
Traumatic injuries and disorders	0	1,167,100	776,160	386,720	4,220	154,500	244,580	415,460	344,730	7,830
Traumatic injuries and disorders, unspecified	00	37,510	24,460	12,970	80	5,090	8,770	12,290	11,050	310
Traumatic injuries to bones, nerves, spinal cord	01	103,660	73,260	29,950	440	14,240	19,240	36,030	33,510	650
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	460	170	300	-	50	-	260	120	-
Dislocations	011	8,670	6,330	2,310	40	1,310	1,310	2,760	3,240	50
Fractures	012	94,040	66,410	27,230	400	12,800	17,870	32,850	29,920	600
Traumatic injuries to spinal cord	013	60	-	-	-	-	-	20	-	-
Traumatic injuries to nerves, except the spinal cord	014	130	110	20	-	20	-	40	60	-
Multiple traumatic injuries to bones nerves, spinal cord	018	200	150	60	-	40	-	60	100	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	90	70	20	-	-	-	40	-	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	531,000	339,520	189,110	2,370	56,980	108,190	193,790	168,330	3,710
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,570	2,990	1,530	50	540	850	1,690	1,440	40
Sprains, strains, tears	021	525,390	335,720	187,350	2,320	56,330	107,090	191,820	166,480	3,670
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,040	820	230	-	110	250	280	410	-
Open wounds	03	129,630	102,460	26,840	330	24,350	30,920	42,750	30,740	860
Open wounds, unspecified	030	630	570	60	-	20	120	240	250	-
Amputations	031	8,160	7,280	860	-	1,270	1,550	2,450	2,860	40
Amputations, fingertip	0311	5,570	4,940	620	-	970	1,150	1,710	1,710	-
Amputations, except fingertip	0319	2,590	2,340	240	-	290	400	750	1,150	-
Animal or insect bites	032	4,020	1,580	2,440	-	530	890	1,710	880	-
Avulsions	033	1,990	1,470	520	-	350	440	480	720	-
Cuts, lacerations	034	98,660	78,100	20,290	270	18,340	23,540	33,380	22,640	770
Gunshot wounds	036	170	110	60	-	-	60	20	90	-
Punctures, except bites	037	15,470	12,860	2,590	-	3,800	4,180	4,410	3,040	-
Multiple open wounds	038	210	200	-	-	-	80	-	110	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Open wounds, n.e.c.	039	310	280	—	—	40	70	60	140	—
Surface wounds and bruises ..	04	139,410	89,370	49,300	740	21,130	30,640	48,500	37,930	1,210
Surface wounds and bruises, unspecified	040	280	180	100	—	—	100	80	80	—
Abrasions, scratches	041	8,730	6,540	2,160	—	1,520	1,950	3,070	2,140	50
Blisters	042	220	190	—	—	—	40	80	70	—
Bruises, contusions	043	114,680	69,310	44,690	680	16,840	25,480	39,520	31,740	1,110
Foreign bodies (superficial splinters, chips)	044	14,290	12,470	1,790	—	2,590	2,940	5,150	3,560	50
Friction burns	045	230	170	50	—	40	20	140	—	—
Multiple surface wounds and bruises	048	790	390	400	—	90	100	360	240	—
Surface wounds and bruises, n.e.c.	049	190	120	70	—	—	—	100	70	—
Burns	05	27,020	18,630	8,340	60	4,590	6,570	9,590	6,160	110
Burns, unspecified	050	60	60	—	—	20	—	—	—	—
Chemical burns	051	7,360	5,460	1,890	—	1,310	1,770	2,640	1,610	—
Electrical burns	052	1,050	940	100	—	100	200	400	340	—
Heat burns, scalds	053	18,510	12,140	6,330	40	3,150	4,570	6,530	4,190	70
Intracranial injuries	06	5,740	3,560	2,160	—	870	1,320	2,000	1,520	—
Intracranial injuries, unspecified	060	130	100	—	—	—	—	—	70	—
Cerebral hemorrhages	061	—	—	20	—	—	—	—	—	—
Concussions	062	5,570	3,430	2,120	—	860	1,290	1,950	1,440	—
Effects of environmental conditions	07	1,910	1,540	370	—	320	260	760	570	—
Effects of reduced temperature	071	220	220	—	—	20	40	40	120	—
Frostbite	0711	200	200	—	—	20	40	—	120	—
Effects of heat and light	072	1,520	1,310	210	—	290	200	660	370	—
Effects of heat and light, unspecified	0720	80	70	—	—	40	—	—	—	—
Heat stroke	0721	250	240	—	—	20	—	120	90	—
Heat syncope	0722	160	130	—	—	—	—	110	—	—
Heat fatigue	0723	200	140	60	—	—	—	70	70	—
Effects of heat and light, n.e.c.	0729	830	720	110	—	190	110	350	190	—
Effects of air pressure	073	160	—	150	—	—	—	60	80	—
Effects of air pressure, unspecified	0730	—	—	20	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	130	—	130	—	—	—	50	70	—
Multiple traumatic injuries and disorders	08	50,350	32,420	17,940	—	7,380	9,810	18,540	14,570	50
Multiple traumatic injuries and disorders, unspecified	080	1,740	1,270	470	—	220	370	550	580	20
Cuts, abrasions, bruises	081	8,990	6,490	2,500	—	1,690	1,560	3,210	2,530	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Sprains and bruises	082	19,720	10,020	9,700	—	2,780	4,010	7,400	5,510	20
Fractures and burns	083	160	60	100	—	80	—	60	—	—
Fractures and other injuries	084	9,790	7,380	2,410	—	1,350	1,710	3,260	3,470	—
Burns and other injuries	085	390	330	60	—	40	90	240	20	—
Intracranial injuries and injuries to internal organs	086	50	50	—	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,510	6,810	2,690	—	1,220	2,040	3,800	2,450	—
Other traumatic injuries and disorders	09	140,860	90,940	49,750	160	19,540	28,870	51,210	40,340	900
Other traumatic injuries and disorders, unspecified	090	310	300	—	—	100	80	110	20	—
Asphyxiations/strangulations, suffocations	091	40	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	1,670	1,250	410	—	410	500	500	250	—
Internal injuries to organs and blood vessels of the trunk	094	140	80	50	—	—	50	40	20	—
Other poisonings and toxic effects	095	5,810	3,850	1,940	—	1,370	1,280	1,820	1,320	—
Other poisonings and toxic effects, unspecified	0950	140	110	—	—	—	—	20	70	—
Animal or insect bites, venomous	0951	4,060	2,830	1,210	—	1,150	840	1,340	710	—
Other poisonings and toxic effects, n.e.c.	0959	1,610	910	700	—	200	410	460	540	—
Traumatic complications	096	110	20	90	—	—	—	70	—	—
Traumatic complications, n.e.c.	0969	80	—	70	—	—	—	60	—	—
Nonspecified injuries and disorders	097	131,190	84,610	46,450	140	17,430	26,650	48,000	38,240	870
Crushing injuries	0971	16,490	14,200	2,240	50	3,560	3,230	5,800	3,770	120
Back pain, hurt back	0972	37,930	24,200	13,710	20	3,900	8,070	15,500	10,290	170
Soreness, pain, hurt, except the back	0973	66,630	40,040	26,510	70	8,880	12,880	22,860	21,520	490
Multiple nonspecified injuries and disorders	0978	5,250	3,110	2,140	—	540	1,130	1,930	1,600	50
Nonspecified injuries and disorders, n.e.c.	0979	4,890	3,050	1,840	—	550	1,330	1,910	1,060	40
Other traumatic injuries and disorders, n.e.c.	099	1,580	790	790	—	200	290	650	450	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Systemic diseases and disorders	1	69,350	41,920	27,320	110	5,570	9,480	22,820	31,270	210
Systemic diseases and disorders, unspecified	10	330	60	260	—	50	—	70	180	—
Nervous system and sense organs diseases	12	23,270	9,760	13,490	—	1,280	2,760	7,270	11,910	60
Nervous system and sense organs diseases, unspecified	120	60	—	50	—	—	—	50	—	—
Inflammatory diseases of the central nervous system, n.e.c.	1219	—	20	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	150	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	19,230	6,410	12,810	—	510	1,970	5,630	11,080	40
Disorders of the peripheral nervous system, unspecified	1240	120	60	60	—	—	—	40	60	—
Carpal tunnel syndrome	1241	18,710	6,130	12,580	—	500	1,850	5,410	10,930	40
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	140	100	—	—	—	40	70	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	260	120	140	—	—	70	120	70	—
Disorders of the eye, adnexa, vision	125	3,530	2,960	560	—	740	690	1,370	720	—
Disorders of the eye, adnexa, vision, unspecified	1250	390	240	140	—	70	—	160	120	—
Conjunctivitis non-viral	1252	750	420	330	—	70	200	270	210	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	220	170	40	—	—	—	150	—	—
Welder's flash	1256	1,870	1,830	—	—	530	400	670	260	—
Visual disturbances	1258	110	110	—	—	—	—	50	—	—
Disorders of the eye, adnexa, vision, n.e.c. ..	1259	180	170	—	—	—	—	60	70	—
Disorders of the ear, mastoid process, hearing	126	260	210	40	—	—	90	60	90	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Deafness, hearing loss or impairment	1261	110	100	-	-	-	-	40	40	-
Otalgia	1263	-	-	-	-	-	-	20	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	80	80	-	-	-	-	-	20	-
Circulatory system diseases ..	13	850	560	280	-	300	20	410	130	-
Ischemic heart disease, including heart attack	133	460	400	40	-	280	-	110	60	-
Myocardial infarction (heart attack)	1331	420	400	-	-	280	-	80	60	-
Diseases of arteries, arterioles, capillaries	137	-	-	-	-	-	-	20	-	-
Aneurysm nontraumatic	1372	20	20	-	-	-	-	-	-	-
Diseases of the veins, lymphatics	138	300	80	220	-	-	-	220	40	-
Diseases of the veins, lymphatics, unspecified	1380	20	20	-	-	-	-	-	-	-
Hemorrhoids	1382	50	40	-	-	-	-	-	-	-
Phlebitis	1383	220	-	-	-	-	-	210	-	-
Respiratory system diseases	14	1,450	440	1,010	-	210	180	610	450	-
Respiratory system diseases, unspecified	140	440	150	290	-	-	40	260	120	-
Acute respiratory infections (including common cold)	141	90	-	70	-	-	-	-	-	-
Other diseases of upper respiratory tract	142	50	-	40	-	-	-	-	20	-
Other diseases of upper respiratory tract, unspecified	1420	20	-	20	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	144	670	150	520	-	160	70	240	210	-
Bronchitis	1441	100	90	-	-	-	-	-	-	-
Extrinsic asthma	1443	450	-	410	-	60	40	210	150	-
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	70	-	60	-	-	-	20	-	-
Pneumoconioses	145	50	-	40	-	-	-	-	50	-
Pneumoconioses, unspecified	1450	40	-	-	-	-	-	-	40	-
Byssinosis, Mill fever	1461	20	-	20	-	-	-	-	-	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other respiratory system diseases	149	120	90	-	-	-	20	-	40	-
Pneumonitis, n.e.c.	1492	-	-	-	-	20	-	-	-	-
Other respiratory system diseases, n.e.c.	1499	20	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	15	21,110	20,080	970	50	1,260	3,130	7,600	9,060	60
Hernia	153	21,060	20,040	960	50	1,250	3,130	7,560	9,060	60
Hernia, unspecified	1530	8,920	8,500	360	50	630	1,630	2,950	3,650	60
Inguinal hernia	1531	8,350	8,080	270	-	450	1,070	3,100	3,730	-
Hiatal hernia	1532	360	360	-	-	-	50	170	140	-
Ventral hernia	1533	1,770	1,660	110	-	80	190	670	820	-
Hernia, n.e.c.	1539	1,650	1,430	220	-	80	190	670	710	-
Genitourinary system diseases and disorders	16	100	-	90	-	70	-	-	-	-
Diseases and disorders of the genital tract	163	90	-	80	-	70	-	-	-	-
Spontaneous abortion, miscarriage	1632	80	-	80	-	70	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders	17	17,090	8,040	9,040	-	1,490	2,240	5,100	8,230	-
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	450	210	240	-	20	-	120	280	-
Arthropathies and related disorders (arthritis)	171	270	110	160	-	-	-	100	110	-
Dorsopathies	172	1,860	1,020	840	-	60	350	820	630	-
Dorsopathies, unspecified	1720	100	90	-	-	-	-	20	70	-
Sciatica	1721	380	210	170	-	-	60	180	130	-
Disc disorders, except dislocation	1723	250	140	100	-	-	-	170	80	-
Dorsopathies, n.e.c.	1729	1,120	570	550	-	40	280	450	350	-
Rheumatism, except the back	173	14,190	6,510	7,670	-	1,370	1,810	3,970	7,010	-
Rheumatism, except the back, unspecified	1730	1,740	650	1,080	-	520	150	440	610	-
Bursitis	1731	720	530	190	-	70	40	200	410	-
Synovitis	1732	50	-	-	-	-	-	20	-	-
Tendonitis	1733	6,930	3,200	3,730	-	540	1,090	2,100	3,200	-
Tenosynovitis	1734	770	270	500	-	-	110	190	450	-
Ganglion/cystic tumor	1735	550	210	340	-	-	70	240	210	-
Rheumatism, except the back, n.e.c.	1739	3,420	1,620	1,800	-	200	350	780	2,100	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Osteopathies, chondropathies, acquired deformities	174	40	-	20	-	-	-	-	-	-
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	-	20	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	280	170	110	-	-	20	80	170	-
Disorders of the skin and subcutaneous tissue	18	4,800	2,870	1,920	-	900	1,100	1,520	1,220	60
Disorders of the skin and subcutaneous tissue, unspecified	180	280	150	120	-	-	80	60	100	-
Infections of the skin and subcutaneous tissue	181	1,080	730	350	-	190	200	410	230	-
Infections of the skin and subcutaneous tissue, unspecified	1810	370	320	60	-	40	110	120	50	-
Cellulitis and abscess	1812	470	320	150	-	70	50	200	140	-
Impetigo	1814	90	70	-	-	70	-	-	-	-
Pilonidal cyst	1815	-	-	-	-	-	-	-	20	-
Infections of the skin and subcutaneous tissue, n.e.c.	1819	120	-	100	-	-	40	70	-	-
Dermatitis	182	3,220	1,860	1,360	-	620	760	970	870	-
Dermatitis, unspecified ...	1820	700	350	350	-	-	150	230	280	-
Atopic dermatitis and related conditions	1821	20	-	-	-	-	-	-	-	-
Contact dermatitis and other eczema	1822	900	620	270	-	320	180	140	250	-
Allergic dermatitis	1823	1,060	610	460	-	160	320	410	180	-
Irritant dermatitis	1824	440	190	240	-	90	80	130	130	-
Other contact dermatitis	1825	60	50	-	-	-	-	-	-	-
Dermatitis, n.e.c.	1829	40	-	-	-	-	-	-	-	-
Other inflammatory conditions of the skin	183	60	-	40	-	-	-	50	-	-
Other diseases and disorders of the skin and subcutaneous tissue	189	140	90	40	-	40	50	-	20	-
Urticaria, hives	1898	120	80	40	-	40	50	20	-	-
Other systemic diseases and disorders	19	320	70	250	-	-	-	220	60	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Endocrine, nutritional, metabolic, and immunity disorder	191	60	-	-	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	-	20	-	-	-	-	-	-
Systemic diseases and disorders, n.e.c.	199	260	50	220	-	-	-	200	60	-
Infectious and parasitic diseases	2	1,680	660	1,020	-	180	330	560	600	-
Infectious and parasitic diseases, unspecified	20	100	90	-	-	-	80	-	20	-
Bacterial diseases	21	390	190	210	-	-	20	110	250	-
Bacterial diseases, unspecified	210	140	120	-	-	-	-	20	120	-
Other bacterial diseases	219	250	60	190	-	-	20	90	120	-
Diphtheria, whooping cough	2192	160	40	120	-	-	-	60	70	-
Other bacterial diseases, n.e.c.	2199	60	-	60	-	-	-	-	50	-
Viral diseases	22	430	110	320	-	40	100	130	160	-
Viral diseases accompanied by exanthem (eruptive fever)	223	310	70	240	-	-	100	100	90	-
Chickenpox	2233	240	50	190	-	-	100	70	60	-
Viral diseases of the conjunctiva	226	80	-	50	-	-	-	-	50	-
Viral diseases of the conjunctiva, unspecified	2260	20	-	-	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia)	2262	60	-	50	-	-	-	-	-	-
Other diseases due to viruses and Chlamydiae ...	229	20	-	-	-	-	-	-	-	-
Other arthropod-borne diseases	23	120	110	-	-	-	-	110	-	-
Lyme disease	237	110	110	-	-	-	-	-	-	-
Mycoses	24	100	90	-	-	-	-	-	-	-
Histoplasmosis	245	90	90	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	26	190	40	150	-	-	-	100	70	-
Infectious diseases peculiar to the intestines, unspecified	260	100	-	90	-	-	-	60	-	-
Shigellosis	264	40	-	40	-	-	-	-	-	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other infectious and parasitic diseases	29	350	—	310	—	—	130	100	90	—
Acariasis (including scabies, chiggers, mites)	294	330	—	300	—	—	120	100	80	—
Symptoms, signs, and ill-defined conditions	4	11,950	5,610	6,330	—	1,270	2,390	4,390	3,730	170
Symptoms, signs, and ill-defined conditions, unspecified	40	300	130	170	—	40	—	200	60	—
Symptoms	41	11,400	5,430	5,960	—	1,150	2,370	4,160	3,610	110
Symptoms, unspecified	410	510	120	380	—	40	150	190	140	—
General symptoms	411	4,350	1,890	2,450	—	600	990	1,350	1,360	50
General symptoms, unspecified	4110	200	80	110	—	—	70	50	40	—
Loss of consciousness not heat related	4111	840	270	570	—	220	270	200	150	—
Convulsions, seizures	4112	70	—	40	—	—	—	—	—	—
Dizziness	4114	540	250	290	—	—	160	190	180	—
Non-specified allergic reaction	4115	640	310	330	—	130	60	200	250	—
Multiple general symptoms	4118	220	110	100	—	—	20	70	100	—
General symptoms, n.e.c.	4119	1,840	830	1,000	—	210	380	620	610	—
Symptoms involving nervous and musculoskeletal systems	412	1,770	830	940	—	80	390	630	670	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	130	60	80	—	—	60	50	—	—
Earache	4122	50	40	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,560	710	850	—	60	320	570	610	—
Symptoms involving skin and other integumentary tissue	413	1,600	860	740	—	60	200	910	430	—
Edema (including dropsy)	4131	1,290	790	500	—	50	160	670	400	—
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	270	60	210	—	—	—	230	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving head and neck	414	630	360	280	—	50	140	220	230	—
Headache, except migraine	4141	470	330	140	—	50	130	180	100	—
Symptoms involving head and neck, n.e.c. ..	4149	150	—	130	—	—	—	—	120	—
Symptoms involving cardiovascular system	415	320	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	4159	320	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,530	710	820	—	250	310	340	570	—
Symptoms involving respiratory system and chest, unspecified	4160	630	240	390	—	150	140	90	240	—
Chest pain	4164	320	230	90	—	50	80	130	70	—
Multiple symptoms involving respiratory system and chest	4168	110	40	70	—	—	50	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	460	190	270	—	40	50	100	230	—
Symptoms involving digestive and urinary system	417	220	160	60	—	50	40	70	60	—
Nausea and vomiting	4171	130	100	—	—	40	—	—	50	—
Abdominal pain, unspecified	4175	40	40	—	—	—	—	—	—	—
Multiple symptoms	418	440	180	260	—	20	130	130	160	—
Abnormal findings	42	80	—	80	—	—	—	20	—	—
Abnormal findings from histological and immunological studies	426	80	—	80	—	—	—	20	—	—
Multiple symptoms, signs, and ill-defined conditions	48	150	40	110	—	70	—	—	50	—
Multiple chemical sensitivity	481	70	—	70	—	60	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	70	—	50	—	—	—	—	50	—
Other diseases, conditions, and disorders	5	3,010	1,140	1,840	—	110	520	1,280	1,070	—
Damage to prosthetic devices	51	80	80	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, sex, and length of service with employer, 2004 — Continued

Nature	Nature code ²	Private industry ³	Sex			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Mental disorders or syndromes	52	2,920	1,060	1,830	—	90	490	1,240	1,070	—
Mental disorder or syndrome, unspecified	520	170	60	110	—	—	20	90	60	—
Anxiety, stress, neurotic disorders	521	2,660	1,010	1,640	—	90	470	1,120	950	—
Anxiety, stress, neurotic disorders, unspecified ..	5210	1,070	410	640	—	—	210	400	410	—
Post-traumatic anxiety acute	5211	280	70	210	—	—	—	110	130	—
Post-traumatic anxiety chronic	5212	40	40	—	—	—	—	—	—	—
Panic disorder	5213	60	—	50	—	—	20	20	20	—
Neurotic reaction to stress	5214	1,040	430	620	—	40	140	550	300	—
Multiple anxiety, stress, neurotic disorders	5218	120	40	90	—	—	—	—	80	—
Neurotic disorders, n.e.c.	5219	40	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	90	—	90	—	—	—	—	60	—
Multiple diseases, conditions, and disorders	8	1,110	630	480	—	80	160	530	290	—
Nonclassifiable	9999	5,120	3,170	1,760	190	700	1,030	1,790	1,350	250

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies