

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		1,259,320	29,410	85,660	257,580	82,000	89,540	17,510	144,050	107,940	186,600	257,210	—
Traumatic injuries and disorders ...	0	1,167,100	26,240	79,000	242,880	76,890	78,610	16,210	136,430	100,660	165,580	243,110	—
Traumatic injuries and disorders, unspecified	00	37,510	1,500	3,150	7,440	2,870	2,800	1,030	4,720	2,650	3,770	7,520	—
Traumatic injuries to bones, nerves, spinal cord	01	103,660	3,950	6,660	14,670	6,550	7,400	1,990	17,030	9,530	14,470	21,210	—
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	460	—	—	70	—	—	—	—	—	—	240	—
Dislocations	011	8,670	400	630	1,740	540	580	70	1,100	850	970	1,790	—
Fractures	012	94,040	3,510	5,980	12,850	6,000	6,780	1,920	15,810	8,560	13,360	19,090	—
Traumatic injuries to spinal cord	013	60	—	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	130	—	—	—	—	—	—	—	50	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	200	—	—	—	—	20	—	70	—	—	40	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	90	—	—	—	—	—	—	—	—	—	20	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	531,000	11,110	41,750	113,560	38,410	38,480	5,140	53,810	43,800	63,860	120,410	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,570	90	320	1,530	230	250	—	580	400	420	720	—
Sprains, strains, tears	021	525,390	11,010	41,330	111,870	38,070	38,190	5,100	52,960	43,340	63,280	119,560	—
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,040	—	90	150	110	50	20	280	50	160	120	—
Open wounds	03	129,630	1,430	4,410	26,670	5,010	5,690	2,570	23,360	13,390	29,670	17,260	—
Open wounds, unspecified	030	630	—	—	60	—	20	—	140	110	120	180	—
Amputations	031	8,160	40	50	340	190	80	160	1,520	1,110	3,610	1,070	—
Amputations, fingertip	0311	5,570	—	—	310	120	50	120	1,250	630	2,310	720	—
Amputations, except fingertip	0319	2,590	—	—	—	70	—	50	280	480	1,300	340	—
Animal or insect bites	032	4,020	90	720	1,830	140	260	—	130	310	150	360	—
Avulsions	033	1,990	—	—	350	100	60	—	100	190	780	320	—
Cuts, lacerations	034	98,660	1,160	3,020	22,580	4,210	4,670	2,040	16,470	10,220	21,330	12,870	—
Gunshot wounds	036	170	—	—	50	60	—	—	—	—	—	40	—
Punctures, except bites	037	15,470	130	610	1,430	300	590	330	4,850	1,420	3,480	2,320	—
Multiple open wounds	038	210	—	—	—	—	—	—	—	—	120	80	—
Open wounds, n.e.c.	039	310	—	—	—	—	—	—	150	—	80	—	—
Surface wounds and bruises	04	139,410	2,460	8,360	28,360	9,460	9,760	2,630	14,690	12,790	21,240	29,540	—
Surface wounds and bruises, unspecified	040	280	—	—	60	—	—	—	50	—	50	20	—
Abrasions, scratches	041	8,730	60	440	1,390	370	490	240	940	1,130	2,050	1,620	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Blisters	042	220	—	—	40	—	—	—	—	70	50	—	—
Bruises, contusions	043	114,680	2,220	7,660	25,210	8,740	8,820	2,210	10,290	8,260	14,970	26,180	—
Foreign bodies (superficial splinters, chips)	044	14,290	60	170	1,350	280	300	120	3,230	3,280	3,990	1,510	—
Friction burns	045	230	—	—	120	—	—	—	—	—	—	40	—
Multiple surface wounds and bruises	048	790	100	—	190	20	110	—	110	90	40	110	—
Surface wounds and bruises, n.e.c.	049	190	—	—	—	—	—	—	40	—	40	—	—
Burns	05	27,020	170	540	11,640	890	270	90	2,640	3,070	5,190	2,510	—
Burns, unspecified	050	60	—	—	—	—	—	—	—	—	—	—	—
Chemical burns	051	7,360	—	200	2,230	250	40	60	810	630	1,490	1,600	—
Electrical burns	052	1,050	—	—	80	—	—	—	490	260	130	40	—
Heat burns, scalds	053	18,510	140	320	9,320	620	200	—	1,330	2,150	3,550	850	—
Burns, n.e.c.	059	—	—	—	—	—	—	—	—	—	20	—	—
Intracranial injuries	06	5,740	260	540	1,030	500	390	—	600	310	580	1,490	—
Intracranial injuries, unspecified	060	130	—	—	—	—	—	—	—	—	20	—	—
Cerebral hemorrhages	061	—	—	—	—	—	—	—	—	—	20	—	—
Concussions	062	5,570	250	500	1,000	500	390	—	580	300	540	1,470	—
Effects of environmental conditions	07	1,910	20	—	300	100	50	—	400	250	290	400	—
Effects of reduced temperature	071	220	—	—	—	—	—	—	—	—	—	120	—
Frostbite	0711	200	—	—	—	—	—	—	—	—	—	120	—
Effects of heat and light	072	1,520	20	—	130	100	40	—	370	240	290	280	—
Effects of heat and light, unspecified	0720	80	—	—	—	—	—	—	40	—	—	—	—
Heat stroke	0721	250	—	—	70	—	—	—	70	50	—	20	—
Heat syncope	0722	160	—	—	—	—	—	—	—	80	—	—	—
Heat fatigue	0723	200	—	—	—	20	—	—	20	—	50	70	—
Effects of heat and light, n.e.c.	0729	830	—	—	40	60	—	—	160	130	140	190	—
Effects of air pressure	073	160	—	—	150	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	130	—	—	110	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	50,350	2,300	4,080	9,770	3,460	3,550	1,070	5,030	4,170	6,430	10,470	—
Multiple traumatic injuries and disorders, unspecified	080	1,740	70	50	360	130	140	—	140	120	130	600	—
Cuts, abrasions, bruises	081	8,990	190	450	1,580	600	730	210	890	760	1,690	1,910	—
Sprains and bruises	082	19,720	810	1,680	5,210	1,770	1,650	340	1,210	1,580	1,850	3,580	—
Fractures and burns	083	160	—	—	—	—	—	—	—	—	130	—	—
Fractures and other injuries	084	9,790	410	1,210	1,060	400	480	320	1,960	740	1,580	1,630	—
Burns and other injuries	085	390	—	—	—	—	—	—	—	50	90	90	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Intracranial injuries and injuries to internal organs	086	50	—	—	—	—	—	—	—	—	—	40	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,510	810	560	1,550	550	550	190	800	920	970	2,610	—
Other traumatic injuries and disorders	09	140,860	3,040	9,500	29,430	9,640	10,210	1,640	14,150	10,700	20,070	32,290	—
Other traumatic injuries and disorders, unspecified	090	310	—	—	40	—	—	—	—	90	—	140	—
Asphyxiations/strangulations, suffocations	091	40	—	—	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks ...	093	1,670	—	—	250	70	40	—	430	210	460	140	—
Internal injuries to organs and blood vessels of the trunk	094	140	—	—	—	—	—	—	—	—	—	—	—
Other poisonings and toxic effects	095	5,810	230	530	1,610	390	430	90	450	450	560	1,060	—
Other poisonings and toxic effects, unspecified	0950	140	—	—	—	—	—	—	—	—	50	—	—
Animal or insect bites, venomous	0951	4,060	150	380	1,340	220	250	70	330	310	220	760	—
Other poisonings and toxic effects, n.e.c.	0959	1,610	80	140	250	160	180	20	110	130	280	290	—
Traumatic complications	096	110	—	60	—	—	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	80	—	60	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	131,190	2,680	8,680	27,000	9,170	9,620	1,440	13,150	9,850	18,880	30,580	—
Crushing injuries	0971	16,490	230	200	1,160	490	730	490	2,100	1,640	4,730	4,710	—
Back pain, hurt back	0972	37,930	750	2,810	9,660	2,580	2,560	270	3,870	2,920	3,810	8,670	—
Soreness, pain, hurt, except the back	0973	66,630	1,470	4,800	14,210	5,400	5,310	570	6,310	4,610	8,910	14,940	—
Multiple nonspecified injuries and disorders	0978	5,250	130	510	1,220	240	590	90	460	400	450	1,150	—
Nonspecified injuries and disorders, n.e.c.	0979	4,890	100	370	760	450	430	20	400	280	980	1,100	—
Other traumatic injuries and disorders, n.e.c.	099	1,580	100	190	470	—	90	90	100	50	120	350	—
Systemic diseases and disorders ..	1	69,350	2,000	4,300	9,900	3,220	7,730	860	5,940	5,430	18,590	11,340	—
Systemic diseases and disorders, unspecified	10	330	—	—	50	—	160	—	—	—	40	—	—
Nervous system and sense organs diseases	12	23,270	1,040	1,640	2,670	890	4,030	160	1,510	1,500	7,440	2,380	—
Nervous system and sense organs diseases, unspecified ..	120	60	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Degenerative diseases of the central nervous system	122	150	—	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	19,230	1,010	1,490	2,220	860	3,890	90	1,100	960	5,790	1,810	—
Disorders of the peripheral nervous system, unspecified	1240	120	—	—	—	—	—	—	—	—	40	—	—
Carpal tunnel syndrome	1241	18,710	990	1,470	2,160	840	3,850	70	1,060	910	5,640	1,690	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	140	—	—	—	—	—	—	—	—	—	90	—
Other disorders of the peripheral nervous system, n.e.c.	1249	260	—	—	50	—	—	—	—	—	80	20	—
Disorders of the eye, adnexa, vision	125	3,530	—	140	330	—	70	70	370	500	1,630	370	—
Disorders of the eye, adnexa, vision, unspecified	1250	390	—	—	60	—	—	—	60	90	80	60	—
Conjunctivitis non-viral	1252	750	—	110	180	—	60	—	—	90	90	130	110
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	220	—	—	40	—	—	—	—	20	50	100	—
Welder's flash	1256	1,870	—	—	20	—	—	—	270	270	1,210	70	—
Visual disturbances	1258	110	—	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	180	—	—	20	—	—	—	—	—	20	90	—
Disorders of the ear, mastoid process, hearing	126	260	—	—	60	20	70	—	40	—	—	—	—
Deafness, hearing loss or impairment	1261	110	—	—	—	20	—	—	—	20	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	80	—	—	20	—	—	—	—	—	—	—	—
Circulatory system diseases	13	850	—	230	150	20	—	—	—	—	70	320	—
Ischemic heart disease, including heart attack	133	460	—	—	120	—	—	—	—	—	50	270	—
Myocardial infarction (heart attack)	1331	420	—	—	90	—	—	—	—	—	50	270	—
Diseases of arteries, arterioles, capillaries	137	—	—	—	—	—	—	—	—	—	—	20	—
Aneurysm nontraumatic	1372	20	—	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	138	300	—	210	20	—	20	—	—	—	20	20	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Diseases of the veins, lymphatics, unspecified	1380	20	—	—	—	—	—	—	—	—	—	—	—
Hemorrhoids	1382	50	—	—	—	—	—	—	—	—	—	—	—
Phlebitis	1383	220	—	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	14	1,450	160	380	320	40	200	—	—	50	150	110	—
Respiratory system diseases, unspecified	140	440	130	—	50	—	70	—	—	—	50	80	—
Acute respiratory infections (including common cold)	141	90	—	20	40	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	142	50	—	—	—	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ...	144	670	—	250	190	—	110	—	—	—	50	—	—
Bronchitis	1441	100	—	—	90	—	—	—	—	—	—	—	—
Extrinsic asthma	1443	450	—	220	80	—	80	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis) ...	1444	70	—	—	—	—	20	—	—	—	—	—	—
Pneumoconioses	145	50	—	—	—	—	—	—	—	—	—	—	—
Pneumoconioses, unspecified	1450	40	—	—	—	—	—	—	—	—	—	—	—
Pneumopathies	146	—	—	20	—	—	—	—	—	—	—	—	—
Byssinosis, Mill fever	1461	20	—	—	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	149	120	—	20	—	—	—	—	20	—	40	—	—
Pneumonitis, n.e.c.	1492	—	—	—	—	—	—	—	20	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	20	—	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	21,110	270	560	2,430	1,090	1,020	410	2,800	2,480	4,750	5,280	—
Hernia	153	21,060	270	550	2,420	1,090	990	410	2,800	2,480	4,750	5,280	—
Hernia, unspecified	1530	8,920	90	250	1,130	370	480	—	1,470	1,050	1,650	2,390	—
Inguinal hernia	1531	8,350	130	130	900	470	350	370	930	1,060	2,050	1,960	—
Hiatal hernia	1532	360	—	—	120	—	—	—	70	40	50	80	—
Ventral hernia	1533	1,770	—	70	120	140	80	—	140	190	710	310	—
Hernia, n.e.c.	1539	1,650	—	100	160	110	80	—	190	140	300	540	—
Genitourinary system diseases and disorders	16	100	—	—	90	—	—	—	—	—	—	—	—
Diseases and disorders of the genital tract	163	90	—	—	90	—	—	—	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	80	—	—	80	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Musculoskeletal system and connective tissue diseases and disorders	17	17,090	420	1,040	2,630	940	1,970	160	1,210	760	5,150	2,820	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	450	120	—	—	—	70	—	70	40	70	50	—
Arthropathies and related disorders (arthritis)	171	270	—	—	—	40	60	—	—	—	40	—	—
Dorsopathies	172	1,860	—	180	390	130	230	—	120	70	300	400	—
Dorsopathies, unspecified	1720	100	—	—	—	—	50	—	—	—	—	—	—
Sciatica	1721	380	20	40	60	—	—	—	20	—	120	70	—
Disc disorders, except dislocation	1723	250	—	—	110	—	—	—	—	—	40	50	—
Dorsopathies, n.e.c.	1729	1,120	—	100	200	110	160	—	80	50	140	260	—
Rheumatism, except the back ...	173	14,190	270	800	2,160	750	1,580	150	940	580	4,650	2,310	—
Rheumatism, except the back, unspecified	1730	1,740	—	100	600	110	290	—	90	110	290	130	—
Bursitis	1731	720	20	—	170	—	—	—	110	—	190	120	—
Synovitis	1732	50	—	—	—	—	—	—	—	—	40	—	—
Tendonitis	1733	6,930	170	400	840	430	810	120	480	240	2,180	1,260	—
Tenosynovitis	1734	770	—	170	40	60	50	—	—	40	290	80	—
Ganglion/cystic tumor	1735	550	—	—	—	20	130	—	—	—	290	60	—
Rheumatism, except the back, n.e.c.	1739	3,420	—	100	480	90	300	—	230	160	1,370	650	—
Osteopathies, chondropathies, acquired deformities	174	40	—	—	—	—	—	—	—	—	20	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—	—	—	20	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	280	—	—	40	20	20	—	60	—	80	—	—
Disorders of the skin and subcutaneous tissue	18	4,800	80	430	1,540	160	200	130	330	600	920	410	—
Disorders of the skin and subcutaneous tissue, unspecified	180	280	—	—	90	20	—	—	—	—	90	—	—
Infections of the skin and subcutaneous tissue	181	1,080	—	160	270	—	70	—	100	140	170	130	—
Infections of the skin and subcutaneous tissue, unspecified	1810	370	—	—	40	—	—	—	70	120	60	—	—
Cellulitis and abscess	1812	470	—	80	120	—	—	—	—	—	100	90	—
Impetigo	1814	90	—	—	—	—	—	—	—	—	—	—	—
Pilonidal cyst	1815	—	—	—	—	—	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Infections of the skin and subcutaneous tissue, n.e.c.													
Dermatitis	1819	120	—	—	90	—	—	—	—	—	—	—	—
Dermatitis	182	3,220	50	200	1,110	130	120	120	230	420	600	250	—
Dermatitis, unspecified	1820	700	—	50	230	60	—	—	—	120	150	—	—
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	900	—	60	330	—	20	60	70	140	130	60	—
Allergic dermatitis	1823	1,060	—	40	370	—	60	50	110	100	210	70	—
Irritant dermatitis	1824	440	—	—	130	—	—	—	—	60	90	90	—
Other contact dermatitis	1825	60	—	—	—	—	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	40	—	—	—	—	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	60	—	—	—	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	140	—	—	50	—	—	—	—	—	50	—	—
Urticaria, hives	1898	120	—	—	50	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	320	—	—	—	70	110	—	—	—	60	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	60	—	—	—	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	40	—	—	—	—	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	260	—	—	—	70	90	—	—	—	50	—	—
Infectious and parasitic diseases ..	2	1,680	—	620	730	—	100	—	120	—	—	50	—
Infectious and parasitic diseases, unspecified	20	100	—	—	70	—	—	—	—	—	—	—	—
Bacterial diseases	21	390	—	130	90	—	—	—	—	—	—	—	—
Bacterial diseases, unspecified	210	140	—	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases	219	250	—	120	90	—	—	—	—	—	—	—	—
Diphtheria, whooping cough ..	2192	160	—	110	—	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c	2199	60	—	—	50	—	—	—	—	—	—	—	—
Viral diseases	22	430	—	170	180	—	70	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	310	—	90	150	—	50	—	—	—	—	—	—
Chickenpox	2233	240	—	70	120	—	50	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Viral diseases of the conjunctiva	226	80	—	40	—	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva, unspecified	2260	20	—	20	—	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	2262	60	—	—	—	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	—	—	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	23	120	—	120	—	—	—	—	—	—	—	—	—
Lyme disease	237	110	—	110	—	—	—	—	—	—	—	—	—
Mycoses	24	100	—	—	90	—	—	—	—	—	—	—	—
Histoplasmosis	245	90	—	—	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	190	—	40	110	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	100	—	—	70	—	—	—	—	—	—	—	—
Shigellosis	264	40	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	350	—	160	190	—	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	330	—	150	180	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	11,950	390	970	2,640	870	1,790	310	720	1,070	1,590	1,510	—
Symptoms, signs, and ill-defined conditions, unspecified	40	300	—	160	—	—	—	—	60	—	—	—	—
Symptoms	41	11,400	390	800	2,540	860	1,720	300	660	1,070	1,550	1,420	—
Symptoms, unspecified	410	510	—	—	190	—	130	—	—	20	—	—	—
General symptoms	411	4,350	150	370	920	460	670	130	300	270	680	410	—
General symptoms, unspecified	4110	200	—	—	50	—	—	—	—	—	50	40	—
Loss of consciousness not heat related	4111	840	20	60	200	150	210	—	—	50	70	60	—
Convulsions, seizures	4112	70	—	—	—	—	20	—	—	—	—	—	—
Dizziness	4114	540	40	80	110	—	90	—	60	60	—	60	—
Non-specified allergic reaction	4115	640	50	80	110	50	80	50	80	40	70	—	—
Multiple general symptoms	4118	220	—	20	60	—	—	—	—	60	20	—	—
General symptoms, n.e.c.	4119	1,840	—	130	380	200	210	70	130	50	440	210	—
Symptoms involving nervous and musculoskeletal systems	412	1,770	180	80	270	—	410	120	120	130	190	230	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	130	—	—	—	—	—	—	—	—	—	20	—
Earache	4122	50	—	—	40	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	1,560	180	70	220	—	390	120	90	100	160	210	—
Symptoms involving skin and other integumentary tissue	413	1,600	—	80	560	90	50	—	60	500	140	120	—
Symptoms involving skin and other integumentary tissue, unspecified	4130	—	—	—	20	—	—	—	—	—	—	—	—
Edema (including dropsy)	4131	1,290	—	50	380	60	50	—	50	480	100	110	—
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	270	—	—	160	—	—	—	—	20	—	—	—
Symptoms involving head and neck	414	630	—	60	210	40	110	—	—	—	70	110	—
Headache, except migraine ...	4141	470	—	—	100	40	100	—	—	—	70	110	—
Symptoms involving head and neck, n.e.c.	4149	150	—	—	110	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	415	320	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	4159	320	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	1,530	40	120	290	170	210	20	90	40	400	140	—
Symptoms involving respiratory system and chest, unspecified	4160	630	—	50	170	—	90	—	40	—	90	50	—
Chest pain	4164	320	—	—	50	60	40	—	—	—	60	80	—
Multiple symptoms involving respiratory system and chest	4168	110	—	40	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	460	—	20	50	—	60	20	—	—	230	—	—
Symptoms involving digestive and urinary system	417	220	—	—	—	—	50	—	—	70	20	—	—
Nausea and vomiting	4171	130	—	—	—	—	—	—	—	—	—	—	—
Abdominal pain, unspecified ..	4175	40	—	—	—	—	—	—	—	40	—	—	—
Multiple symptoms	418	440	20	70	60	—	100	—	60	—	—	50	—
Abnormal findings	42	80	—	—	60	—	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	80	—	—	60	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and occupational summary groups, 2004 — Continued

Nature	Nature code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Multiple symptoms, signs, and ill-defined conditions	48	150	—	—	—	—	—	—	—	—	—	80	—
Multiple chemical sensitivity	481	70	—	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	70	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	3,010	450	290	440	510	690	—	—	80	200	290	—
Damage to prosthetic devices	51	80	—	—	—	40	—	—	—	—	—	—	—
Mental disorders or syndromes	52	2,920	420	290	440	470	690	—	—	80	200	290	—
Mental disorder or syndrome, unspecified	520	170	20	—	50	—	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,660	400	260	380	420	650	—	20	70	180	250	—
Anxiety, stress, neurotic disorders, unspecified	5210	1,070	220	60	80	140	410	—	—	—	—	70	—
Post-traumatic anxiety acute	5211	280	—	—	110	—	—	—	—	—	—	40	—
Post-traumatic anxiety chronic	5212	40	—	—	—	—	—	—	—	—	—	—	—
Panic disorder	5213	60	—	—	—	—	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	1,040	150	90	120	220	180	—	—	—	130	110	—
Multiple anxiety, stress, neurotic disorders	5218	120	—	70	—	—	—	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	40	—	—	—	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	90	—	—	—	40	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	1,110	170	40	140	—	170	—	230	50	100	170	—
Nonclassifiable	9999	5,120	140	440	860	460	450	120	580	640	540	740	—

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies