

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Total [1,183,500 cases]		127.8	36.2	17.8	9.3	6.4	8.0	16.4	3.8
Traumatic injuries and disorders	0	119.2	35.8	17.6	9.1	6.4	8.0	16.3	3.8
Traumatic injuries and disorders, unspecified	00	4.5	1.3	.7	.4	.1	.4	1.0	.1
Traumatic injuries to bones, nerves, spinal cord	01	11.3	4.4	2.4	.8	1.0	2.0	3.1	.1
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	.1	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)	—
Dislocations	011	.9	.1	.1	(⁷)	(⁷)	.1	.3	(⁷)
Fractures	012	10.2	4.2	2.3	.8	1.0	1.8	2.8	.1
Traumatic injuries to spinal cord	013	(⁷)	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	014	(⁷)	(⁷)	(⁷)	—	(⁷)	—	(⁷)	—
Multiple traumatic injuries to bones, nerves, spinal cord	018	(⁷)	(⁷)	—	—	(⁷)	(⁷)	(⁷)	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	51.6	3.7	1.5	1.6	.4	2.6	5.2	3.1
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	.4	.1	(⁷)	(⁷)	(⁷)	(⁷)	.1	(⁷)
Sprains, strains, tears	021	51.1	3.7	1.5	1.6	.4	2.6	5.2	3.1
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	.1	(⁷)	—	(⁷)	—	—	(⁷)	(⁷)
Open wounds	03	14.1	12.6	6.2	3.3	2.4	.2	.5	—
Open wounds, unspecified	030	.1	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Amputations	031	.9	.8	.2	.1	.6	—	—	—
Amputations, fingertip	0311	.6	.6	.1	.1	.4	—	—	—
Amputations, except fingertip	0319	.3	.2	(⁷)	(⁷)	.2	—	—	—
Animal or insect bites	032	.5	—	—	—	—	—	—	—
Avulsions	033	.2	.2	(⁷)	(⁷)	.1	—	—	—
Cuts, lacerations	034	10.7	9.9	5.1	2.7	1.7	.2	.4	—
Gunshot wounds	036	(⁷)	(⁷)	(⁷)	—	—	—	—	—
Punctures, except bites	037	1.7	1.6	.9	.6	(⁷)	(⁷)	(⁷)	—
Multiple open wounds	038	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	—	—
Open wounds, n.e.c.	039	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	—	—
Surface wounds and bruises	04	13.5	8.2	4.0	1.8	.8	1.0	2.9	—
Surface wounds and bruises, unspecified	040	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	—
Abrasions, scratches	041	1.0	.8	.3	.1	(⁷)	.1	.1	—
Blisters	042	(⁷)	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Total [1,183,500 cases]	30.8	16.3	4.1	6.1	6.1	0.2	2.4	1.7	0.7	13.6
Traumatic injuries and disorders	28.6	14.9	1.9	4.1	6.0	.2	2.3	1.7	.7	12.2
Traumatic injuries and disorders, unspecified5	.2	.1	.1	.5	(⁷)	.1	.1	(⁷)	.4
Traumatic injuries to bones, nerves, spinal cord4	.2	(⁷)	—	.7	(⁷)	.2	.1	.1	.4
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	—	—	—	—	(⁷)	—	—	—	—	(⁷)
Dislocations2	.1	(⁷)	—	(⁷)	—	(⁷)	(⁷)	(⁷)	.1
Fractures1	.1	—	—	.6	(⁷)	.2	.1	.1	.4
Traumatic injuries to spinal cord	(⁷)	(⁷)	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord	(⁷)	(⁷)	—	—	(⁷)	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	(⁷)	—	—	—	(⁷)	—	—	—	—	(⁷)
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	(⁷)	—	—	—	(⁷)	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	23.9	12.5	1.2	—	2.0	(⁷)	.4	.4	(⁷)	9.3
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified1	.1	(⁷)	—	(⁷)	—	(⁷)	(⁷)	—	.1
Sprains, strains, tears	23.8	12.4	1.2	—	1.9	(⁷)	.4	.4	(⁷)	9.2
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	(⁷)	(⁷)	(⁷)	—	(⁷)	—	—	—	—	(⁷)
Open wounds	—	—	—	(⁷)	.1	(⁷)	.6	.2	.5	.1
Open wounds, unspecified	—	—	—	—	(⁷)	—	—	—	—	—
Amputations	—	—	—	—	(⁷)	—	—	—	—	(⁷)
Amputations, fingertip	—	—	—	—	—	—	—	—	—	(⁷)
Amputations, except fingertip	—	—	—	—	(⁷)	—	—	—	—	—
Animal or insect bites	—	—	—	—	—	—	.5	(⁷)	.5	—
Avulsions	—	—	—	—	—	—	—	—	—	—
Cuts, lacerations	—	—	—	(⁷)	.1	(⁷)	.1	.1	(⁷)	.1
Gunshot wounds	—	—	—	—	—	(⁷)	(⁷)	—	—	—
Punctures, except bites	—	—	—	(⁷)	(⁷)	(⁷)	.1	.1	(⁷)	(⁷)
Multiple open wounds	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	—	—	—	—	—	(⁷)	(⁷)	—	—	—
Surface wounds and bruises	(⁷)	—	—	—	.8	(⁷)	.4	.4	(⁷)	.2
Surface wounds and bruises, unspecified	—	—	—	—	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Abrasions, scratches	—	—	—	—	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Blisters	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Bruises, contusions	043	10.9	5.9	3.3	1.7	0.8	1.0	2.8	—	—
Foreign bodies (superficial splinters, chips)	044	1.5	1.5	.3	(⁷)	(⁷)	—	—	—	—
Friction burns	045	(⁷)	(⁷)	—	—	—	—	—	—	—
Multiple surface wounds and bruises	048	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	—
Surface wounds and bruises, n.e.c.	049	(⁷)	(⁷)	(⁷)	—	—	—	(⁷)	—	—
Burns	05	2.8	—	—	—	—	—	—	—	—
Burns, unspecified	050	(⁷)	—	—	—	—	—	—	—	—
Chemical burns	051	.8	—	—	—	—	—	—	—	—
Electrical burns	052	.1	—	—	—	—	—	—	—	—
Heat burns, scalds	053	1.9	—	—	—	—	—	—	—	—
Multiple burns	058	(⁷)	—	—	—	—	—	—	—	—
Intracranial injuries	06	.7	.3	.2	.1	—	—	.1	.1	—
Intracranial injuries, unspecified	060	(⁷)	(⁷)	(⁷)	—	—	(⁷)	(⁷)	(⁷)	—
Cerebral hemorrhages	061	(⁷)	—	—	—	—	—	(⁷)	(⁷)	—
Concussions	062	.6	.3	.2	.1	—	—	.1	.1	—
Effects of environmental conditions ...	07	.4	—	—	—	—	—	—	—	—
Effects of reduced temperature	071	(⁷)	—	—	—	—	—	—	—	—
Frostbite	0711	(⁷)	—	—	—	—	—	—	—	—
Hypothermia	0712	(⁷)	—	—	—	—	—	—	—	—
Effects of heat and light	072	.3	—	—	—	—	—	—	—	—
Effects of heat and light, unspecified	0720	(⁷)	—	—	—	—	—	—	—	—
Heat stroke	0721	(⁷)	—	—	—	—	—	—	—	—
Heat syncope	0722	(⁷)	—	—	—	—	—	—	—	—
Heat fatigue	0723	(⁷)	—	—	—	—	—	—	—	—
Multiple effects of heat and light	0728	(⁷)	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c. ...	0729	.2	—	—	—	—	—	—	—	—
Effects of air pressure	073	(⁷)	—	—	—	—	—	—	—	—
Effects of air pressure, unspecified	0730	(⁷)	—	—	—	—	—	—	—	—
Aero-otitis media	0731	(⁷)	—	—	—	—	—	—	—	—
Caisson disease, bends, divers' palsy	0733	(⁷)	—	—	—	—	—	—	—	—
Multiple effects of air pressure ...	0738	(⁷)	—	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	(⁷)	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	5.0	1.6	.8	.3	.4	.9	1.4	(⁷)	—
Multiple traumatic injuries and disorders, unspecified	080	.3	.1	(⁷)	(⁷)	(⁷)	(⁷)	.1	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Bruises, contusions	(⁷)	—	—	—	0.7	(⁷)	0.4	0.3	(⁷)	0.2
Foreign bodies (superficial splinters, chips)	—	—	—	—	—	—	—	—	—	(⁷)
Friction burns	—	—	—	—	—	—	—	—	—	—
Multiple surface wounds and bruises	—	—	—	—	(⁷)	—	(⁷)	(⁷)	—	—
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	—	—
Burns	—	—	—	—	2.6	(⁷)	.2	(⁷)	(⁷)	—
Burns, unspecified	—	—	—	—	—	(⁷)	—	—	—	—
Chemical burns	—	—	—	.8	—	(⁷)	(⁷)	(⁷)	—	—
Electrical burns	—	—	—	.1	—	(⁷)	—	—	—	—
Heat burns, scalds	—	—	—	1.7	(⁷)	.1	—	—	—	—
Multiple burns	—	—	—	—	—	(⁷)	—	—	—	—
Intracranial injuries	—	—	—	—	.1	(⁷)	.1	(⁷)	(⁷)	(⁷)
Intracranial injuries, unspecified	—	—	—	—	(⁷)	—	—	—	—	—
Cerebral hemorrhages	—	—	—	—	—	—	—	—	—	—
Concussions	—	—	—	—	.1	(⁷)	.1	(⁷)	(⁷)	(⁷)
Effects of environmental conditions	—	—	—	.4	—	—	—	—	—	—
Effects of reduced temperature	—	—	—	(⁷)	—	—	—	—	—	—
Frostbite	—	—	—	(⁷)	—	—	—	—	—	—
Hypothermia	—	—	—	(⁷)	—	—	—	—	—	—
Effects of heat and light	—	—	—	.3	—	—	—	—	—	—
Effects of heat and light, unspecified	—	—	—	(⁷)	—	—	—	—	—	—
Heat stroke	—	—	—	(⁷)	—	—	—	—	—	—
Heat syncope	—	—	—	(⁷)	—	—	—	—	—	—
Heat fatigue	—	—	—	(⁷)	—	—	—	—	—	—
Multiple effects of heat and light	—	—	—	(⁷)	—	—	—	—	—	—
Effects of heat and light, n.e.c.	—	—	—	.2	—	—	—	—	—	—
Effects of air pressure	—	—	—	(⁷)	—	—	—	—	—	—
Effects of air pressure, unspecified	—	—	—	(⁷)	—	—	—	—	—	—
Aero-otitis media	—	—	—	(⁷)	—	—	—	—	—	—
Caisson disease, bends, divers' palsy	—	—	—	(⁷)	—	—	—	—	—	—
Multiple effects of air pressure ...	—	—	—	(⁷)	—	—	—	—	—	—
Effects of air pressure, n.e.c.	—	—	—	(⁷)	—	—	—	—	—	—
Multiple traumatic injuries and disorders	(⁷)	(⁷)	—	—	.8	(⁷)	.2	.2	(⁷)	.1
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	.1	—	(⁷)	(⁷)	—	(⁷)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level
			Total	Struck by object	Struck against object				
Cuts, abrasions, bruises	081	0.9	0.4	0.2	0.1	0.1	0.2	0.2	—
Sprains and bruises	082	1.9	.4	.2	.1	.1	.3	.8	—
Fractures and burns	083	(⁷)	—	—	—	—	(⁷)	—	—
Fractures and other injuries	084	1.1	.5	.2	(⁷)	.2	.2	.3	—
Burns and other injuries	085	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	.7	.2	.1	(⁷)	(⁷)	.1	.2	—
Other traumatic injuries and disorders	09	15.3	3.7	1.7	.7	1.1	.8	2.0	0.4
Other traumatic injuries and disorders, unspecified	090	.1	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	—
Asphyxiations/strangulations, suffocations	091	(⁷)	—	—	—	—	—	—	—
Electrocutions, electric shocks	093	.2	—	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	094	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—	—
Other poisonings and toxic effects	095	.8	—	—	—	—	—	—	—
Other poisonings and toxic effects, unspecified	0950	.1	—	—	—	—	—	—	—
Animal or insect bites, venomous	0951	.5	—	—	—	—	—	—	—
Other poisonings and toxic effects, n.e.c.	0959	.2	—	—	—	—	—	—	—
Traumatic complications	096	(⁷)	(⁷)	—	—	—	—	—	—
Traumatic shock	0961	(⁷)	—	—	—	—	—	—	—
Multiple traumatic complications	0968	(⁷)	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	(⁷)	—	—	—	—	—	—	—
Nonspecified injuries and disorders	097	14.2	3.6	1.7	.7	1.1	.8	1.9	.4
Crushing injuries	0971	1.7	1.5	.5	.1	.9	(⁷)	(⁷)	—
Back pain, hurt back	0972	3.8	.1	.1	(⁷)	(⁷)	.2	.4	.1
Soreness, pain, hurt, except the back	0973	7.5	1.8	1.0	.5	.2	.5	1.3	.3
Multiple nonspecified injuries and disorders	0978	.5	.1	(⁷)	(⁷)	(⁷)	(⁷)	.1	(⁷)
Nonspecified injuries and disorders, n.e.c.	0979	.7	.2	.1	.1	(⁷)	.1	.1	(⁷)
Other traumatic injuries and disorders, n.e.c.	099	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Cuts, abrasions, bruises	—	—	—	—	0.1	(7)	(7)	(7)	(7)	(7)
Sprains and bruises	—	—	—	—	.3	—	.1	.1	(7)	(7)
Fractures and burns	—	—	—	—	—	—	—	—	—	—
Fractures and other injuries	(7)	—	—	—	.1	(7)	(7)	(7)	(7)	(7)
Burns and other injuries	—	—	—	—	(7)	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	(7)	—	—	—	.1	(7)	(7)	(7)	(7)	(7)
Other traumatic injuries and disorders	3.8	2.0	0.5	1.0	1.1	(7)	.3	.3	(7)	1.7
Other traumatic injuries and disorders, unspecified	(7)	(7)	—	—	(7)	—	—	—	—	(7)
Asphyxiations/strangulations, suffocations	—	—	—	(7)	—	—	—	—	—	(7)
Electrocutions, electric shocks	—	—	—	.2	—	—	—	—	—	—
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	—	—	—	—	—	—
Other poisonings and toxic effects	—	—	—	.7	—	(7)	(7)	(7)	(7)	—
Other poisonings and toxic effects, unspecified	—	—	—	.1	—	—	—	—	—	—
Animal or insect bites, venomous	—	—	—	.5	—	—	(7)	(7)	(7)	—
Other poisonings and toxic effects, n.e.c.	—	—	—	.2	—	(7)	—	—	—	—
Traumatic complications	—	—	—	(7)	(7)	—	—	—	—	—
Traumatic shock	—	—	—	—	—	—	—	—	—	—
Multiple traumatic complications	—	—	—	—	—	—	—	—	—	—
Traumatic complications, n.e.c.	—	—	—	(7)	—	—	—	—	—	—
Nonspecified injuries and disorders	3.8	2.0	.5	.1	1.0	(7)	.3	.2	(7)	1.7
Crushing injuries	(7)	(7)	—	—	.1	—	(7)	(7)	—	(7)
Back pain, hurt back	2.0	1.2	.1	—	.3	—	(7)	(7)	(7)	.7
Soreness, pain, hurt, except the back	1.6	.7	.5	(7)	.5	(7)	.2	.2	(7)	.9
Multiple nonspecified injuries and disorders1	.1	(7)	(7)	.1	—	(7)	(7)	—	(7)
Nonspecified injuries and disorders, n.e.c.1	(7)	(7)	(7)	(7)	—	(7)	(7)	(7)	.1
Other traumatic injuries and disorders, n.e.c.	(7)	(7)	(7)	(7)	(7)	—	(7)	(7)	—	(7)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Systemic diseases and disorders	1	6.2	0.3	0.1	0.1	(⁷)	(⁷)	(⁷)	0.1	
Systemic diseases and disorders, unspecified	10	(⁷)	—	—	—	—	—	—	—	—
Diseases of the blood and blood forming organs	11	(⁷)	(⁷)	—	—	—	—	—	—	—
Diseases of the blood and blood forming organs, unspecified	110	(⁷)	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	2.0	.1	(⁷)	(⁷)	—	—	—	(⁷)	
Inflammatory diseases of the central nervous system	121	(⁷)	—	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, n.e.c.	1219	(⁷)	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	(⁷)	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	1220	(⁷)	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, n.e.c.	1229	(⁷)	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	(⁷)	—	—	—	—	—	—	—	—
Migraine	1232	(⁷)	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	124	1.5	(⁷)	—	(⁷)	—	—	—	—	—
Disorders of the peripheral nervous system, unspecified	1240	(⁷)	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	1241	1.4	—	—	—	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	(⁷)	—	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	1249	(⁷)	(⁷)	—	(⁷)	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	.5	.1	(⁷)	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, unspecified	1250	(⁷)	(⁷)	(⁷)	—	—	—	—	—	—
Conjunctivitis non-viral	1252	.2	(⁷)	(⁷)	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Systemic diseases and disorders	2.1	1.3	2.1	1.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	0.5
Systemic diseases and disorders, unspecified	—	—	(⁷)	—	—	—	—	—	—	—
Diseases of the blood and blood forming organs	—	—	—	—	—	—	—	—	—	—
Diseases of the blood and blood forming organs, unspecified	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	(⁷)	(⁷)	1.5	.4	—	(⁷)	(⁷)	(⁷)	—	.1
Inflammatory diseases of the central nervous system	(⁷)	—	—	—	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, n.e.c.	(⁷)	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	(⁷)	—	(⁷)	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, unspecified	(⁷)	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system, n.e.c.	—	—	(⁷)	—	—	—	—	—	—	—
Other disorders of the central nervous system	—	—	(⁷)	—	—	—	—	—	—	(⁷)
Migraine	—	—	—	—	—	—	—	—	—	(⁷)
Disorders of the peripheral nervous system	(⁷)	(⁷)	1.5	—	—	—	—	—	—	(⁷)
Disorders of the peripheral nervous system, unspecified	(⁷)	—	(⁷)	—	—	—	—	—	—	—
Carpal tunnel syndrome	—	—	1.4	—	—	—	—	—	—	—
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	(⁷)	—	—	—	—	—	—	—
Other disorders of the peripheral nervous system, n.e.c.	(⁷)	—	(⁷)	—	—	—	—	—	—	(⁷)
Disorders of the eye, adnexa, vision	—	—	—	.4	—	—	(⁷)	(⁷)	—	(⁷)
Disorders of the eye, adnexa, vision, unspecified	—	—	—	(⁷)	—	—	—	—	—	(⁷)
Conjunctivitis non-viral	—	—	—	.1	—	—	—	—	—	(⁷)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	(⁷)	(⁷)	(⁷)	—	—	—	—	—
Blindness, low vision	1255	(⁷)	—	—	—	—	—	—	—
Welder's flash	1256	.2	—	—	—	—	—	—	—
Visual disturbances	1258	(⁷)	(⁷)	(⁷)	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	.1	(⁷)	(⁷)	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	126	(⁷)	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	(⁷)	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	(⁷)	—	—	(⁷)	—	—	(⁷)	—
Circulatory system diseases	13	.1	(⁷)	—	(⁷)	—	—	(⁷)	—
Circulatory system diseases, unspecified	130	(⁷)	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	(⁷)	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	1331	(⁷)	—	—	—	—	—	—	—
Cerebrovascular disease	136	(⁷)	—	—	—	—	—	—	—
Stroke	1361	(⁷)	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	137	(⁷)	(⁷)	—	(⁷)	—	—	—	—
Aneurysm nontraumatic	1372	(⁷)	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries, n.e.c.	1379	(⁷)	(⁷)	—	(⁷)	—	—	—	—
Diseases of the veins, lymphatics	138	(⁷)	(⁷)	—	—	—	—	—	—
Hemorrhoids	1382	(⁷)	—	—	—	—	—	—	—
Respiratory system diseases	14	.2	—	—	—	—	—	—	—
Respiratory system diseases, unspecified	140	(⁷)	—	—	—	—	—	—	—
Acute respiratory infections (including common cold)	141	(⁷)	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	142	(⁷)	—	—	—	—	—	—	—
Allergic rhinitis	1421	(⁷)	—	—	—	—	—	—	—
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis) ...	1422	(⁷)	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵								
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts		
	Total	In lifting					Total	By person	All other assaults
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	(⁷)	—	—	—	—	—
Blindness, low vision	—	—	—	(⁷)	—	—	—	—	—
Welder's flash	—	—	—	.2	—	—	—	—	—
Visual disturbances	—	—	—	(⁷)	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	.1	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	(⁷)	—	(⁷)	—	—	(⁷)
Deafness, hearing loss or impairment	—	—	—	(⁷)	—	(⁷)	—	—	(⁷)
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	(⁷)	—	—	—	—	(⁷)
Circulatory system diseases	(⁷)	(⁷)	—	(⁷)	—	—	—	—	(⁷)
Circulatory system diseases, unspecified	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	(⁷)	—	—	—	—	(⁷)
Myocardial infarction (heart attack)	—	—	—	(⁷)	—	—	—	—	(⁷)
Cerebrovascular disease	—	—	—	—	—	—	—	—	(⁷)
Stroke	—	—	—	—	—	—	—	—	(⁷)
Diseases of arteries, arterioles, capillaries	—	—	—	—	—	—	—	—	—
Aneurysm nontraumatic	—	—	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries, n.e.c.	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	(⁷)	—	—	—	—	—	—	—	—
Hemorrhoids	(⁷)	—	—	—	—	—	—	—	—
Respiratory system diseases	—	—	—	.2	—	—	—	—	—
Respiratory system diseases, unspecified	—	—	—	(⁷)	—	—	—	—	—
Acute respiratory infections (including common cold)	—	—	—	(⁷)	—	—	—	—	—
Other diseases of upper respiratory tract	—	—	—	(⁷)	—	—	—	—	—
Allergic rhinitis	—	—	—	(⁷)	—	—	—	—	—
Chronic conditions of upper respiratory tract (including chronic sinusitis, pharyngitis)	—	—	—	(⁷)	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	—	—	—	(⁷)	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Pneumonia, influenza	143	(7)	—	—	—	—	—	—	—
Pneumonia	1431	(7)	—	—	—	—	—	—	—
Legionnaires' disease	1433	(7)	—	—	—	—	—	—	—
Pneumonia, influenza, n.e.c.	1439	(7)	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	.1	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	(7)	—	—	—	—	—	—	—
Bronchitis	1441	(7)	—	—	—	—	—	—	—
Extrinsic asthma	1443	(7)	—	—	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	(7)	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	(7)	—	—	—	—	—	—	—
Other respiratory system diseases	149	(7)	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	2.0	(7)	(7)	(7)	—	(7)	(7)	(7)
Diseases of esophagus, stomach, duodenum	152	(7)	—	—	—	—	—	—	—
Hernia	153	2.0	(7)	(7)	(7)	—	(7)	(7)	(7)
Hernia, unspecified	1530	.8	(7)	(7)	—	—	(7)	(7)	(7)
Inguinal hernia	1531	.8	(7)	(7)	—	—	—	(7)	(7)
Hiatal hernia	1532	(7)	—	—	—	—	—	—	—
Ventral hernia	1533	.2	—	—	—	—	—	—	—
Hernia, n.e.c.	1539	.2	(7)	—	—	—	—	—	—
Genitourinary system diseases and disorders	16	(7)	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	1.2	.1	(7)	(7)	(7)	(7)	(7)	(7)
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	(7)	—	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	171	(7)	—	—	—	—	—	—	—
Dorsopathies	172	.1	(7)	—	—	—	—	(7)	(7)
Dorsopathies, unspecified	1720	(7)	—	—	—	—	—	—	—
Sciatica	1721	(7)	—	—	—	—	—	—	—
Lumbago	1722	(7)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵								
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts		
	Total	In lifting					Total	By person	All other assaults
Pneumonia, influenza	—	—	—	(7)	—	—	—	—	—
Pneumonia	—	—	—	(7)	—	—	—	—	—
Legionnaires' disease	—	—	—	(7)	—	—	—	—	—
Pneumonia, influenza, n.e.c.	—	—	—	(7)	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	—	—	—	.1	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	—	—	—	(7)	—	—	—	—	—
Bronchitis	—	—	—	(7)	—	—	—	—	—
Extrinsic asthma	—	—	—	(7)	—	—	—	—	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	—	(7)	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	—	—	—	(7)	—	—	—	—	—
Other respiratory system diseases	—	—	—	(7)	—	—	—	—	—
Digestive system diseases and disorders	1.7	1.2	(7)	(7)	—	—	—	—	0.2
Diseases of esophagus, stomach, duodenum	—	—	—	(7)	—	—	—	—	—
Hernia	1.7	1.2	(7)	—	—	—	—	—	.2
Hernia, unspecified7	.5	(7)	—	—	—	—	—	.1
Inguinal hernia7	.5	(7)	—	—	—	—	—	.1
Hiatal hernia	(7)	(7)	—	—	—	—	—	—	(7)
Ventral hernia1	.1	(7)	—	—	—	—	—	(7)
Hernia, n.e.c.2	.1	—	—	—	—	—	—	(7)
Genitourinary system diseases and disorders	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders3	.1	.6	(7)	(7)	—	(7)	(7)	.2
Musculoskeletal system and connective tissue diseases and disorders, unspecified	(7)	—	(7)	—	—	—	—	—	—
Arthropathies and related disorders (arthritis)	(7)	(7)	(7)	—	—	—	—	—	(7)
Dorsopathies	(7)	(7)	(7)	—	(7)	—	—	—	.1
Dorsopathies, unspecified	—	—	—	—	—	—	—	—	—
Sciatica	(7)	(7)	(7)	—	—	—	—	—	(7)
Lumbago	(7)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Disc disorders, except dislocation	1723	(⁷)	—	—	—	—	—	(⁷)	(⁷)
Dorsopathies, n.e.c.	1729	.1	—	—	—	—	—	(⁷)	(⁷)
Rheumatism, except the back	173	1.1	0.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Rheumatism, except the back, unspecified	1730	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	(⁷)
Bursitis	1731	.1	(⁷)	—	(⁷)	—	—	—	—
Synovitis	1732	(⁷)	—	—	—	—	—	—	—
Tendonitis	1733	.5	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)
Tenosynovitis	1734	.1	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	—
Ganglion/cystic tumor	1735	.1	(⁷)	—	(⁷)	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	.3	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Osteopathies, chondropathies, acquired deformities	174	(⁷)	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	(⁷)	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	.6	.1	(⁷)	.1	(⁷)	(⁷)	(⁷)	—
Disorders of the skin and subcutaneous tissue, unspecified	180	(⁷)	(⁷)	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	181	.2	.1	(⁷)	.1	(⁷)	(⁷)	(⁷)	—
Infections of the skin and subcutaneous tissue, unspecified	1810	.1	(⁷)	(⁷)	(⁷)	—	—	—	—
Carbuncle and furuncle	1811	(⁷)	—	—	—	—	—	—	—
Cellulitis and abscess	1812	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—
Pilonidal cyst	1815	(⁷)	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	(⁷)	(⁷)	—	(⁷)	—	—	—	—
Dermatitis	182	.4	—	—	—	—	—	—	—
Dermatitis, unspecified	1820	.1	—	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	.1	—	—	—	—	—	—	—
Allergic dermatitis	1823	.1	—	—	—	—	—	—	—
Irritant dermatitis	1824	.1	—	—	—	—	—	—	—
Other contact dermatitis	1825	(⁷)	—	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	(⁷)	—	—	—	—	—	—	—
Other inflammatory conditions of the skin	183	(⁷)	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶	
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts				
	Total	In lifting					Total	By person	All other assaults		
Disc disorders, except dislocation	(⁷)	(⁷)	—	—	—	—	—	—	—	(⁷)	
Dorsopathies, n.e.c.	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	—	(⁷)	
Rheumatism, except the back2	.1	.5	(⁷)	(⁷)	—	(⁷)	(⁷)	—	.1	
Rheumatism, except the back, unspecified	(⁷)	—	(⁷)	(⁷)	—	—	—	—	—	(⁷)	
Bursitis	(⁷)	(⁷)	(⁷)	—	—	—	—	—	—	(⁷)	
Synovitis	—	—	—	—	—	—	—	—	—	(⁷)	
Tendonitis1	.1	.3	—	—	—	—	—	—	.1	
Tenosynovitis	(⁷)	(⁷)	(⁷)	—	—	—	(⁷)	(⁷)	—	(⁷)	
Ganglion/cystic tumor	(⁷)	—	(⁷)	—	—	—	—	—	—	(⁷)	
Rheumatism, except the back, n.e.c.1	(⁷)	.1	—	(⁷)	—	—	—	—	(⁷)	
Osteopathies, chondropathies, acquired deformities	—	—	—	—	—	—	—	—	—	—	
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	(⁷)	—	—	—	—	—	—	—	
Disorders of the skin and subcutaneous tissue	(⁷)	—	(⁷)	.5	—	—	(⁷)	—	(⁷)	(⁷)	
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	(⁷)	—	—	—	—	—	—	
Infections of the skin and subcutaneous tissue	(⁷)	—	(⁷)	(⁷)	—	—	(⁷)	—	(⁷)	(⁷)	
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	(⁷)	—	—	—	—	—	(⁷)	
Carbuncle and furuncle	—	—	—	—	—	—	—	—	—	—	
Cellulitis and abscess	—	—	—	(⁷)	—	—	(⁷)	—	(⁷)	(⁷)	
Pilonidal cyst	—	—	(⁷)	—	—	—	—	—	—	—	
Infections of the skin and subcutaneous tissue, n.e.c.	—	—	—	(⁷)	—	—	—	—	—	(⁷)	
Dermatitis	—	—	—	—	.4	—	—	—	—	—	
Dermatitis, unspecified	—	—	—	—	.1	—	—	—	—	—	
Contact dermatitis and other eczema	—	—	—	—	.1	—	—	—	—	—	
Allergic dermatitis	—	—	—	—	.1	—	—	—	—	—	
Irritant dermatitis	—	—	—	—	.1	—	—	—	—	—	
Other contact dermatitis	—	—	—	(⁷)	—	—	—	—	—	—	
Dermatitis, n.e.c.	—	—	—	(⁷)	—	—	—	—	—	—	
Other inflammatory conditions of the skin	—	—	—	(⁷)	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Other inflammatory conditions of the skin, unspecified	1830	(7)	—	—	—	—	—	—	—	—
Other inflammatory conditions, n.e.c.	1839	(7)	—	—	—	—	—	—	—	—
Diseases of sebaceous glands	184	(7)	—	—	—	—	—	—	—	—
Sebaceous cyst	1842	(7)	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	(7)	—	—	—	—	—	—	—	—
Urticaria, hives	1898	(7)	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	19	(7)	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	(7)	—	—	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	(7)	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	2	.3	—	—	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	20	(7)	—	—	—	—	—	—	—	—
Bacterial diseases	21	(7)	—	—	—	—	—	—	—	—
Bacterial diseases, unspecified	210	(7)	—	—	—	—	—	—	—	—
Tuberculosis	211	(7)	—	—	—	—	—	—	—	—
Tuberculosis, unspecified	2110	(7)	—	—	—	—	—	—	—	—
Other bacterial diseases	219	(7)	—	—	—	—	—	—	—	—
Diphtheria, whooping cough	2192	(7)	—	—	—	—	—	—	—	—
Septicemia	2197	(7)	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	(7)	—	—	—	—	—	—	—	—
Viral diseases	22	.1	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	(7)	—	—	—	—	—	—	—	—
Chickenpox	2233	(7)	—	—	—	—	—	—	—	—
Herpes zoster	2234	(7)	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	2239	(7)	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	(7)	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia) ..	2262	(7)	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	(7)	—	—	—	—	—	—	—	—
Mumps	2292	(7)	—	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	(7)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵								
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts		
	Total	In lifting					Total	By person	All other assaults
Other inflammatory conditions of the skin, unspecified	-	-	-	(⁷)	-	-	-	-	-
Other inflammatory conditions, n.e.c.	-	-	-	(⁷)	-	-	-	-	-
Diseases of sebaceous glands	-	-	-	-	-	-	-	-	-
Sebaceous cyst	-	-	-	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue	-	-	-	(⁷)	-	-	-	-	-
Urticaria, hives	-	-	-	(⁷)	-	-	-	-	-
Other systemic diseases and disorders	-	-	(⁷)	-	-	-	-	-	(⁷)
Endocrine, nutritional, metabolic, and immunity disorder	-	-	-	-	-	-	-	-	-
Systemic diseases and disorders, n.e.c.	-	-	(⁷)	-	-	-	-	-	(⁷)
Infectious and parasitic diseases	-	-	-	.3	-	-	-	-	-
Infectious and parasitic diseases, unspecified	-	-	-	(⁷)	-	-	-	-	-
Bacterial diseases	-	-	-	(⁷)	-	-	-	-	-
Bacterial diseases, unspecified	-	-	-	(⁷)	-	-	-	-	-
Tuberculosis	-	-	-	(⁷)	-	-	-	-	-
Tuberculosis, unspecified	-	-	-	(⁷)	-	-	-	-	-
Other bacterial diseases	-	-	-	(⁷)	-	-	-	-	-
Diphtheria, whooping cough	-	-	-	(⁷)	-	-	-	-	-
Septicemia	-	-	-	(⁷)	-	-	-	-	-
Other bacterial diseases, n.e.c ..	-	-	-	(⁷)	-	-	-	-	-
Viral diseases	-	-	-	.1	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	-	-	-	(⁷)	-	-	-	-	-
Chickenpox	-	-	-	(⁷)	-	-	-	-	-
Herpes zoster	-	-	-	(⁷)	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever), n.e.c.	-	-	-	(⁷)	-	-	-	-	-
Viral diseases of the conjunctiva	-	-	-	(⁷)	-	-	-	-	-
Viral conjunctivitis (ophthalmia) ..	-	-	-	(⁷)	-	-	-	-	-
Other diseases due to viruses and Chlamydiae	-	-	-	(⁷)	-	-	-	-	-
Mumps	-	-	-	(⁷)	-	-	-	-	-
Other diseases due to viruses and Chlamydiae, n.e.c.	-	-	-	(⁷)	-	-	-	-	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Other arthropod-borne diseases	23	(⁷)	—	—	—	—	—	—	—	—
Lyme disease	237	(⁷)	—	—	—	—	—	—	—	—
Mycoses	24	(⁷)	—	—	—	—	—	—	—	—
Dermatophytosis (including athlete's foot, tinea)	241	(⁷)	—	—	—	—	—	—	—	—
Dermatomycosis	242	(⁷)	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	(⁷)	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	(⁷)	—	—	—	—	—	—	—	—
Other salmonella infections	263	(⁷)	—	—	—	—	—	—	—	—
Shigellosis	264	(⁷)	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	.1	—	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	.1	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	1.2	0.1	0.1	0.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Symptoms, signs, and ill-defined conditions, unspecified	40	(⁷)	—	—	—	—	—	—	—	—
Symptoms	41	1.2	.1	.1	.1	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)
Symptoms, unspecified	410	(⁷)	(⁷)	(⁷)	(⁷)	—	—	—	—	—
General symptoms	411	.4	.1	(⁷)	(⁷)	—	(⁷)	(⁷)	(⁷)	(⁷)
General symptoms, unspecified	4110	(⁷)	—	—	—	—	—	—	—	—
Loss of consciousness not heat related	4111	.1	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	—	—
Convulsions, seizures	4112	(⁷)	—	—	—	—	—	—	—	—
Dizziness	4114	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—	—
Non-specified allergic reaction	4115	.1	—	—	—	—	—	—	—	—
Multiple general symptoms	4118	.1	—	—	—	—	—	(⁷)	(⁷)	—
General symptoms, n.e.c.	4119	.1	(⁷)	(⁷)	(⁷)	—	—	(⁷)	(⁷)	—
Symptoms involving nervous and musculoskeletal systems	412	.2	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	—	—
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	(⁷)	—	—	—	—	—	—	—	—
Spasms or tremors, n.e.c.	4121	(⁷)	—	—	—	—	—	—	—	—
Earache	4122	(⁷)	—	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	(⁷)	—	—	—	—	(⁷)	(⁷)	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵								
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts		
	Total	In lifting					Total	By person	All other assaults
Other arthropod-borne diseases	—	—	—	(⁷)	—	—	—	—	—
Lyme disease	—	—	—	(⁷)	—	—	—	—	—
Mycoses	—	—	—	(⁷)	—	—	—	—	—
Dermatophytosis (including athlete's foot, tinea)	—	—	—	(⁷)	—	—	—	—	—
Dermatomycosis	—	—	—	(⁷)	—	—	—	—	—
Infectious diseases peculiar to the intestines	—	—	—	(⁷)	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	—	—	—	(⁷)	—	—	—	—	—
Other salmonella infections	—	—	—	(⁷)	—	—	—	—	—
Shigellosis	—	—	—	(⁷)	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	.1	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	—	—	—	.1	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	0.1	(⁷)	0.1	.5	(⁷)	(⁷)	(⁷)	(⁷)	—
Symptoms, signs, and ill-defined conditions, unspecified	—	—	(⁷)	(⁷)	—	(⁷)	(⁷)	—	(⁷)
Symptoms1	(⁷)	.1	.4	(⁷)	(⁷)	(⁷)	(⁷)	.3
Symptoms, unspecified	—	—	(⁷)	(⁷)	—	—	—	—	(⁷)
General symptoms	(⁷)	(⁷)	(⁷)	.1	(⁷)	—	(⁷)	—	.1
General symptoms, unspecified	—	—	—	(⁷)	—	—	—	—	(⁷)
Loss of consciousness not heat related	—	—	—	(⁷)	—	—	—	—	.1
Convulsions, seizures	—	—	—	—	—	—	—	—	(⁷)
Dizziness	(⁷)	—	—	(⁷)	—	—	—	—	(⁷)
Non-specified allergic reaction	—	—	—	.1	—	—	—	—	—
Multiple general symptoms	(⁷)	(⁷)	—	(⁷)	—	—	—	—	(⁷)
General symptoms, n.e.c.	(⁷)	(⁷)	(⁷)	(⁷)	—	—	—	—	(⁷)
Symptoms involving nervous and musculoskeletal systems	(⁷)	(⁷)	.1	(⁷)	(⁷)	—	—	—	.1
Symptoms involving nervous and musculoskeletal systems, unspecified	(⁷)	—	(⁷)	—	—	—	—	—	—
Spasms or tremors, n.e.c.	(⁷)	—	—	—	—	—	—	—	—
Earache	—	—	—	(⁷)	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—	—	—	(⁷)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	0.2	(⁷)	(⁷)	(⁷)	—	—	(⁷)	—	
Symptoms involving skin and other integumentary tissue	413	.1	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	
Symptoms involving skin and other integumentary tissue, unspecified	4130	(⁷)	—	(⁷)	(⁷)	(⁷)	—	—	(⁷)	(⁷)
Edema (including dropsy)	4131	.1	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	(⁷)	—	—	—	—	—	—	—	
Symptoms involving head and neck	414	.1	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	
Headache, except migraine	4141	.1	(⁷)	(⁷)	(⁷)	(⁷)	—	(⁷)	(⁷)	
Symptoms involving head and neck, n.e.c.	4149	(⁷)	—	—	—	—	—	—	—	
Symptoms involving cardiovascular system	415	(⁷)	—	—	—	—	—	—	—	
Symptoms involving cardiovascular system, unspecified	4150	(⁷)	—	—	—	—	—	—	—	
Symptoms involving respiratory system and chest	416	.2	—	—	—	—	—	—	—	
Symptoms involving respiratory system and chest, unspecified	4160	.1	—	—	—	—	—	—	—	
Chest pain	4164	(⁷)	—	—	—	—	—	—	—	
Multiple symptoms involving respiratory system and chest ...	4168	(⁷)	—	—	—	—	—	—	—	
Symptoms involving respiratory system and chest, n.e.c.	4169	(⁷)	—	—	—	—	—	—	—	
Symptoms involving digestive and urinary system	417	(⁷)	—	—	—	—	—	—	—	
Nausea and vomiting	4171	(⁷)	—	—	—	—	—	—	—	
Abdominal pain, unspecified	4175	(⁷)	—	—	—	—	—	—	—	
Multiple symptoms involving digestive or urinary system	4178	(⁷)	—	—	—	—	—	—	—	
Symptoms involving digestive and urinary system, n.e.c.	4179	(⁷)	—	—	—	—	—	—	—	
Multiple symptoms	418	.1	—	—	—	—	—	—	—	
Other symptoms, n.e.c.	419	(⁷)	—	—	—	—	—	—	—	
Abnormal findings	42	(⁷)	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									All other events ⁶	
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts				
	Total	In lifting					Total	By person	All other assaults		
Symptoms involving nervous and musculoskeletal systems, n.e.c.	(7)	(7)	(7)	(7)	(7)	—	—	—	—	0.1	
Symptoms involving skin and other integumentary tissue	(7)	(7)	(7)	(7)	—	—	(7)	(7)	—	(7)	
Symptoms involving skin and other integumentary tissue, unspecified	—	—	—	(7)	—	—	(7)	(7)	—	(7)	
Edema (including dropsy)	(7)	(7)	(7)	—	—	—	(7)	(7)	—	(7)	
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	(7)	—	—	—	—	—	—	
Symptoms involving head and neck	—	—	—	(7)	(7)	(7)	(7)	(7)	—	(7)	
Headache, except migraine	—	—	—	(7)	(7)	—	(7)	(7)	—	—	
Symptoms involving head and neck, n.e.c.	—	—	—	(7)	—	—	—	—	—	—	
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	—	(7)	
Symptoms involving cardiovascular system, unspecified	—	—	—	—	—	—	—	—	—	(7)	
Symptoms involving respiratory system and chest	(7)	(7)	—	.1	—	—	—	—	—	(7)	
Symptoms involving respiratory system and chest, unspecified	—	—	—	.1	—	—	—	—	—	(7)	
Chest pain	(7)	—	—	—	—	—	—	—	—	(7)	
Multiple symptoms involving respiratory system and chest ...	—	—	—	(7)	—	—	—	—	—	—	
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	(7)	—	—	—	—	—	—	
Symptoms involving digestive and urinary system	(7)	—	—	(7)	—	—	—	—	—	(7)	
Nausea and vomiting	—	—	—	(7)	—	—	—	—	—	—	
Abdominal pain, unspecified	—	—	—	—	—	—	—	—	—	—	
Multiple symptoms involving digestive or urinary system	—	—	—	(7)	—	—	—	—	—	—	
Symptoms involving digestive and urinary system, n.e.c.	—	—	—	(7)	—	—	—	—	—	—	
Multiple symptoms	—	—	—	(7)	(7)	—	—	—	—	(7)	
Other symptoms, n.e.c.	—	—	—	—	—	—	—	—	—	—	
Abnormal findings	—	—	—	(7)	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Multiple symptoms, signs, and ill-defined conditions	48	(⁷)	—	—	—	—	—	—	—	—
Multiple chemical sensitivity	481	(⁷)	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	(⁷)	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	(⁷)	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	.3	—	—	—	—	—	—	—	—
Mental disorders or syndromes	52	.3	—	—	—	—	—	—	—	—
Mental disorder or syndrome, unspecified	520	(⁷)	—	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	.2	—	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders, unspecified	5210	.1	—	—	—	—	—	—	—	—
Post-traumatic anxiety acute	5211	(⁷)	—	—	—	—	—	—	—	—
Panic disorder	5213	(⁷)	—	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	.1	—	—	—	—	—	—	—	—
Multiple anxiety, stress, neurotic disorders	5218	(⁷)	—	—	—	—	—	—	—	—
Neurotic disorders, n.e.c.	5219	(⁷)	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	(⁷)	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	(⁷)	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Multiple symptoms, signs, and ill-defined conditions	-	-	-	(⁷)	-	-	-	-	-	-
Multiple chemical sensitivity	-	-	-	(⁷)	-	-	-	-	-	-
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions, n.e.c.	-	-	-	-	-	-	-	-	-	(⁷)
Other diseases, conditions, and disorders	-	-	-	.1	(⁷)	-	(⁷)	(⁷)	-	.1
Mental disorders or syndromes	-	-	-	.1	(⁷)	-	(⁷)	(⁷)	-	.1
Mental disorder or syndrome, unspecified	-	-	-	-	-	-	-	-	-	(⁷)
Anxiety, stress, neurotic disorders	-	-	-	.1	(⁷)	-	(⁷)	(⁷)	-	.1
Anxiety, stress, neurotic disorders, unspecified	-	-	-	(⁷)	-	-	(⁷)	(⁷)	-	(⁷)
Post-traumatic anxiety acute	-	-	-	(⁷)	(⁷)	-	(⁷)	(⁷)	-	(⁷)
Panic disorder	-	-	-	(⁷)	-	-	(⁷)	(⁷)	-	(⁷)
Neurotic reaction to stress	-	-	-	(⁷)	-	-	(⁷)	(⁷)	-	(⁷)
Multiple anxiety, stress, neurotic disorders	-	-	-	-	-	-	-	-	-	(⁷)
Neurotic disorders, n.e.c.	-	-	-	-	-	-	-	-	-	-
Mental disorders or syndromes, n.e.c.	-	-	-	-	-	-	-	-	-	(⁷)
Other diseases, conditions, and disorders, n.e.c.	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 —
Continued

Nature	Nature code ³	Private industry ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Caught in or compressed or crushed	Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object					
Multiple diseases, conditions, and disorders	8	0.1	(⁷)	—	—	—	(⁷)	(⁷)	(⁷)	(⁷)
Nonclassifiable	9999	.6	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)	(⁷)

See footnotes at end of table.

TABLE R18. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by nature of injury or illness and selected events or exposures leading to injury or illness, 2006 — Continued

Nature	Event or exposure leading to injury or illness ⁵									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁶
	Total	In lifting					Total	By person	All other assaults	
Multiple diseases, conditions, and disorders	(7)	(7)	(7)	(7)	(7)	-	-	-	-	(7)
Nonclassifiable	(7)	(7)	(7)	.1	(7)	-	(7)	(7)	-	.5

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049;

Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies