

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears ⁶	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total [1,158,870 cases]		122.2	47.3	10.0	11.3	9.6	1.7	10.7	1.8	0.6
Head	0	8.3	(8)	.4	1.5	1.4	.1	1.1	.2	.4
Head, unspecified	00	1.7	(8)	(8)	.4	.4	(8)	.5	—	—
Cranial region, including skull	01	1.1	—	(8)	.2	.2	(8)	.1	—	—
Cranial region, unspecified	010	(8)	—	—	—	—	—	(8)	—	—
Brain	011	.7	—	—	—	—	—	—	—	—
Scalp	012	.3	—	—	.2	.2	—	.1	—	—
Skull	013	.1	—	(8)	—	—	—	(8)	—	—
Multiple cranial region locations	018	(8)	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	019	(8)	—	—	(8)	(8)	—	(8)	—	—
Ear(s)	02	.1	—	—	(8)	(8)	—	(8)	(8)	—
Face	03	5.3	(8)	.4	.8	.8	.1	.4	.2	.4
Face, unspecified	030	.4	(8)	(8)	.1	.1	(8)	.1	.1	(8)
Forehead	031	.3	—	(8)	.2	.2	—	.1	—	—
Eye(s)	032	3.5	(8)	—	.3	.2	.1	.1	.1	.4
Nose, nasal cavity	033	.3	—	.1	.1	.1	—	.1	—	—
Nose, except internal location of diseases or disorders	0330	.3	—	.1	.1	.1	—	.1	—	—
Internal nasal location, unspecified	0331	(8)	—	—	—	—	—	—	—	—
Nasal passages	0333	(8)	—	—	—	—	—	—	—	—
Cheek(s)	034	.1	—	(8)	(8)	(8)	(8)	(8)	(8)	—
Jaw/chin	035	.1	—	(8)	(8)	(8)	—	(8)	—	—
Mouth	036	.2	—	.1	.1	.1	—	(8)	—	—
Mouth, unspecified	0360	(8)	—	(8)	(8)	(8)	—	(8)	—	—
Lip(s)	0361	.1	—	—	(8)	(8)	—	(8)	—	—
Tooth(teeth)	0363	.1	—	.1	—	—	—	—	—	—
Multiple mouth locations	0368	(8)	—	—	(8)	(8)	—	—	—	—
Mouth, n.e.c.	0369	(8)	—	—	—	—	—	—	—	—
Multiple face locations	038	.3	—	(8)	.1	.1	—	(8)	(8)	(8)
Face, n.e.c.	039	(8)	—	(8)	(8)	(8)	—	(8)	(8)	(8)
Multiple head locations	08	.1	(8)	—	(8)	(8)	—	(8)	—	—
Head, n.e.c.	09	(8)	—	—	(8)	—	—	(8)	—	—
Neck, including throat	1	1.8	1.2	(8)	(8)	(8)	(8)	(8)	(8)	—
Neck, except internal location of diseases or disorders ...	10	1.8	1.2	(8)	(8)	(8)	(8)	(8)	(8)	—
Internal neck location, unspecified	11	(8)	—	—	—	—	—	—	—	—
Pharynx	15	(8)	—	—	—	—	—	—	—	—
Trunk	2	40.6	26.2	1.3	.1	.1	.1	2.1	(8)	(8)
Trunk, unspecified	20	.2	.1	(8)	(8)	—	—	.1	(8)	—
Shoulder, including clavicle, scapula	21	8.0	5.4	.3	(8)	(8)	—	.4	(8)	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness ⁵								
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		All other natures ^{6,7}
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Total [1,158,870 cases]	0.8	1.3	0.5	4.9	1.2	1.6	12.2	3.9	20.8
Head	—	—	—	.3	.1	(⁸)	.5	—	4.0
Head, unspecified	—	—	—	(⁸)	—	(⁸)	.3	—	.5
Cranial region, including skull	—	—	—	(⁸)	(⁸)	—	(⁸)	—	.7
Cranial region, unspecified	—	—	—	—	—	—	—	—	(⁸)
Brain	—	—	—	—	—	—	—	—	.7
Scalp	—	—	—	(⁸)	—	—	(⁸)	—	(⁸)
Skull	—	—	—	(⁸)	(⁸)	—	(⁸)	—	(⁸)
Multiple cranial region locations	—	—	—	(⁸)	(⁸)	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	(⁸)
Ear(s)	—	—	—	(⁸)	—	—	(⁸)	—	(⁸)
Face	—	—	—	.2	.1	(⁸)	.2	—	2.7
Face, unspecified	—	—	—	(⁸)	(⁸)	—	(⁸)	—	.1
Forehead	—	—	—	(⁸)	—	—	(⁸)	—	.1
Eye(s)	—	—	—	(⁸)	—	—	.1	—	2.4
Nose, nasal cavity	—	—	—	(⁸)	(⁸)	—	(⁸)	—	(⁸)
Nose, except internal location of diseases or disorders	—	—	—	(⁸)	(⁸)	—	(⁸)	—	(⁸)
Internal nasal location, unspecified	—	—	—	—	—	—	—	—	(⁸)
Nasal passages	—	—	—	—	—	—	—	—	(⁸)
Cheek(s)	—	—	—	(⁸)	(⁸)	—	—	—	(⁸)
Jaw/chin	—	—	—	—	—	—	(⁸)	—	(⁸)
Mouth	—	—	—	(⁸)	(⁸)	—	(⁸)	—	(⁸)
Mouth, unspecified	—	—	—	—	—	—	—	—	(⁸)
Lip(s)	—	—	—	—	—	—	—	—	(⁸)
Tooth(teeth)	—	—	—	—	—	—	(⁸)	—	—
Multiple mouth locations	—	—	—	(⁸)	(⁸)	—	—	—	(⁸)
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	.1	(⁸)	—	(⁸)	—	.1
Face, n.e.c.	—	—	—	(⁸)	—	—	—	—	(⁸)
Multiple head locations	—	—	—	(⁸)	(⁸)	—	(⁸)	—	(⁸)
Head, n.e.c.	—	—	—	—	—	—	—	—	(⁸)
Neck, including throat	—	—	—	(⁸)	—	(⁸)	.3	—	.2
Neck, except internal location of diseases or disorders	—	—	—	(⁸)	—	(⁸)	.3	—	.2
Internal neck location, unspecified	—	—	—	—	—	—	—	—	(⁸)
Pharynx	—	—	—	—	—	—	—	—	(⁸)
Trunk	—	—	.1	.4	.1	.2	5.7	3.9	4.6
Trunk, unspecified	—	—	—	(⁸)	—	—	(⁸)	—	(⁸)
Shoulder, including clavicle, scapula	—	—	.1	(⁸)	(⁸)	(⁸)	1.1	—	.7

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears ⁶	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Chest, including ribs, internal organs	22	2.0	0.4	0.4	(8)	(8)	(8)	0.5	(8)	-
Chest, except internal location of diseases or disorders	220	1.7	.4	.4	(8)	(8)	(8)	.5	(8)	-
Internal chest location, unspecified	221	(8)	-	-	-	-	-	-	-	-
Heart	223	(8)	-	-	-	-	-	-	-	-
Bronchus	224	(8)	-	-	-	-	-	-	-	-
Lung(s), pleura	225	.1	-	-	-	-	-	-	-	-
Multiple internal chest locations	228	(8)	-	-	-	-	-	-	-	-
Internal chest location, n.e.c.	229	(8)	-	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	24.9	18.7	.3	(8)	(8)	(8)	.6	(8)	-
Back, including spine, spinal cord, unspecified	230	10.1	7.4	.1	(8)	(8)	(8)	.3	(8)	-
Lumbar region	231	12.6	9.9	.1	(8)	(8)	-	.2	(8)	-
Thoracic region	232	1.0	.8	(8)	(8)	-	(8)	(8)	-	-
Sacral region	233	.1	(8)	(8)	-	-	-	(8)	-	-
Coccygeal region	234	.3	(8)	.1	(8)	-	-	.1	-	-
Multiple back regions	238	.8	.6	(8)	-	-	-	(8)	-	-
Back, including spine, spinal cord, n.e.c.	239	.1	(8)	-	-	-	-	(8)	-	-
Abdomen	24	2.6	.3	(8)	(8)	(8)	(8)	.1	(8)	(8)
Abdomen, except internal location of diseases or disorders	240	.7	.3	(8)	(8)	(8)	(8)	.1	(8)	(8)
Internal abdominal location, unspecified	241	.9	-	-	-	-	-	-	-	-
Stomach organ	242	.1	-	-	-	-	-	-	-	-
Spleen	243	(8)	-	-	-	-	-	-	-	-
Urinary organs	244	(8)	-	-	-	-	-	-	-	-
Intestines, peritoneum	245	.9	-	-	-	-	-	-	-	-
Intestines, peritoneum, unspecified	2450	.8	-	-	-	-	-	-	-	-
Peritoneum	2451	(8)	-	-	-	-	-	-	-	-
Large intestine/colon, rectum	2453	(8)	-	-	-	-	-	-	-	-
Intestines, n.e.c.	2459	(8)	-	-	-	-	-	-	-	-
Internal abdominal location, n.e.c.	249	(8)	-	-	-	-	-	-	-	-
Pelvic region	25	2.0	.9	.3	(8)	(8)	(8)	.3	(8)	(8)
Pelvic region, unspecified	250	(8)	(8)	(8)	-	-	-	(8)	-	-
Hip(s)	251	1.0	.2	.2	(8)	(8)	-	.2	-	-
Pelvis	252	.1	(8)	.1	-	-	-	(8)	-	-
Buttock(s)	253	.1	(8)	-	(8)	-	-	(8)	-	(8)
Groin	254	.8	.6	-	(8)	(8)	(8)	(8)	(8)	-
External reproductive tract structures	255	(8)	(8)	-	(8)	(8)	(8)	(8)	-	-
External reproductive tract structures, unspecified	2550	(8)	(8)	-	-	-	-	-	-	-
Scrotum	2551	(8)	-	-	(8)	-	-	(8)	-	-
Internal reproductive tract structures	256	(8)	-	-	-	-	-	-	-	-

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness ⁵								
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Chest, including ribs, internal organs	—	—	—	(⁸)	(⁸)	(⁸)	0.2	—	0.3
Chest, except internal location of diseases or disorders	—	—	—	(⁸)	(⁸)	(⁸)	.2	—	.1
Internal chest location, unspecified	—	—	—	—	—	—	—	—	(⁸)
Heart	—	—	—	—	—	—	—	—	(⁸)
Bronchus	—	—	—	—	—	—	—	—	(⁸)
Lung(s), pleura	—	—	—	—	—	—	—	—	.1
Multiple internal chest locations	—	—	—	—	—	—	—	—	(⁸)
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	(⁸)
Back, including spine, spinal cord	—	—	—	.1	(⁸)	.1	3.9	3.9	1.2
Back, including spine, spinal cord, unspecified	—	—	—	(⁸)	(⁸)	(⁸)	1.8	1.8	.5
Lumbar region	—	—	—	.1	(⁸)	(⁸)	1.8	1.8	.5
Thoracic region	—	—	—	(⁸)	—	(⁸)	.1	.1	(⁸)
Sacral region	—	—	—	—	—	(⁸)	(⁸)	(⁸)	(⁸)
Coccygeal region	—	—	—	—	—	(⁸)	(⁸)	(⁸)	.1
Multiple back regions	—	—	—	(⁸)	—	(⁸)	.1	.1	(⁸)
Back, including spine, spinal cord, n.e.c.	—	—	—	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)
Abdomen	—	—	—	(⁸)	—	—	.1	—	2.0
Abdomen, except internal location of diseases or disorders	—	—	—	(⁸)	—	—	.1	—	.1
Internal abdominal location, unspecified	—	—	—	—	—	—	—	—	.9
Stomach organ	—	—	—	—	—	—	—	—	.1
Spleen	—	—	—	—	—	—	—	—	(⁸)
Urinary organs	—	—	—	—	—	—	—	—	(⁸)
Intestines, peritoneum	—	—	—	—	—	—	—	—	.9
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	.8
Peritoneum	—	—	—	—	—	—	—	—	(⁸)
Large intestine/colon, rectum	—	—	—	—	—	—	—	—	(⁸)
Intestines, n.e.c.	—	—	—	—	—	—	—	—	(⁸)
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	(⁸)
Pelvic region	—	—	—	.1	(⁸)	(⁸)	.3	—	.1
Pelvic region, unspecified	—	—	—	—	—	—	(⁸)	—	—
Hip(s)	—	—	—	.1	(⁸)	(⁸)	.1	—	.1
Pelvis	—	—	—	—	—	—	(⁸)	—	(⁸)
Buttock(s)	—	—	—	(⁸)	—	—	(⁸)	—	(⁸)
Groin	—	—	—	—	—	—	.1	—	(⁸)
External reproductive tract structures	—	—	—	—	—	—	(⁸)	—	(⁸)
External reproductive tract structures, unspecified	—	—	—	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—	(⁸)	—	(⁸)
Internal reproductive tract structures	—	—	—	—	—	—	—	—	(⁸)

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears ⁶	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Testis(testes)	2562	(⁸)	—	—	—	—	—	(⁸)	—	—
Multiple pelvic region locations	258	(⁸)	(⁸)	—	—	—	—	—	—	—
Pelvic region, n.e.c.	259	(⁸)	—	—	—	—	—	—	—	—
Multiple trunk locations	28	.9	.4	(⁸)	—	—	—	.1	(⁸)	(⁸)
Trunk, n.e.c.	29	(⁸)	(⁸)	(⁸)	—	—	—	(⁸)	—	—
Upper extremities	3	28.4	4.3	3.7	8.2	7.1	1.1	2.1	1.0	.1
Upper extremities, unspecified	30	.1	(⁸)	—	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Arm(s)	31	5.7	1.4	1.0	.7	.6	.1	.7	.2	(⁸)
Arm(s), unspecified	310	1.9	.5	.4	.2	.2	(⁸)	.1	.1	(⁸)
Upper arm(s)	311	.4	.3	.1	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	—
Elbow(s)	312	2.0	.4	.4	.1	.1	(⁸)	.4	(⁸)	—
Forearm(s)	313	1.1	.1	.2	.3	.2	.1	.1	.1	(⁸)
Multiple arm(s) locations	318	.2	.1	(⁸)	(⁸)	—	—	(⁸)	(⁸)	—
Arm(s), n.e.c.	319	(⁸)	(⁸)	(⁸)	—	—	—	(⁸)	(⁸)	—
Wrist(s)	32	5.4	1.7	1.0	.3	.2	.1	.2	(⁸)	—
Hand(s), except finger(s)	33	5.1	.4	.4	1.9	1.6	.4	.6	.5	(⁸)
Finger(s), fingernail(s)	34	10.7	.5	1.3	5.1	4.6	.5	.6	.1	(⁸)
Multiple upper extremities locations	38	1.4	.3	.1	.2	.2	(⁸)	.1	.1	(⁸)
Multiple upper extremities locations, unspecified	380	(⁸)	(⁸)	—	—	—	—	—	—	—
Hand(s) and finger(s)	381	.4	(⁸)	(⁸)	.1	.1	(⁸)	(⁸)	(⁸)	(⁸)
Hand(s) and wrist(s)	382	.3	.1	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Hand(s) and arm(s)	383	.2	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)
Multiple upper extremities locations, n.e.c.	389	.4	.2	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Upper extremities, n.e.c.	39	(⁸)	(⁸)	—	—	—	—	—	—	—
Lower extremities	4	27.5	11.9	4.2	1.3	.9	.4	3.8	.3	.1
Lower extremities, unspecified	40	.1	(⁸)	(⁸)	—	—	—	(⁸)	(⁸)	—
Leg(s)	41	13.9	6.4	1.0	.8	.6	.1	2.1	.1	(⁸)
Leg(s), unspecified	410	1.8	.3	.4	.2	.2	(⁸)	.3	(⁸)	(⁸)
Thigh(s)	411	.5	.1	.1	.1	.1	(⁸)	.1	(⁸)	(⁸)
Knee(s)	412	10.0	5.5	.3	.2	.2	.1	1.4	(⁸)	(⁸)
Lower leg(s)	413	1.3	.3	.2	.2	.2	(⁸)	.2	(⁸)	(⁸)
Multiple leg(s) locations	418	.4	.1	.1	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Leg(s), n.e.c.	419	.1	(⁸)	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)	—
Ankle(s)	42	6.6	4.4	1.2	.1	(⁸)	(⁸)	.3	(⁸)	(⁸)
Foot(feet), except toe(s)	43	4.6	.7	1.3	.4	.2	.2	1.0	.1	(⁸)
Foot(feet), except toe(s), unspecified	430	4.1	.7	1.1	.3	.1	.2	1.0	.1	(⁸)
Instep(s)	431	(⁸)	—	(⁸)	—	—	—	(⁸)	—	—
Sole	432	.4	(⁸)	.2	.1	(⁸)	(⁸)	(⁸)	—	—
Sole(s), unspecified	4320	(⁸)	—	—	(⁸)	(⁸)	(⁸)	(⁸)	—	—
Ball(s) of foot	4321	(⁸)	—	—	—	—	—	—	—	—
Arch(es)	4322	(⁸)	(⁸)	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness ⁵							
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain Total	Back pain, hurt back only
				Total	With fractures, burns, and other injuries	With sprains and bruises		
Testis(testes)	—	—	—	—	—	—	—	(⁸)
Multiple pelvic region locations	—	—	—	—	—	—	(⁸)	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	0.1	(⁸)	0.1	.1	.2
Trunk, n.e.c.	—	—	—	—	—	—	—	(⁸)
Upper extremities	0.7	1.3	0.3	.7	.3	.1	1.7	—
Upper extremities, unspecified	—	—	—	—	—	—	(⁸)	—
Arm(s)	(⁸)	—	.1	.1	(⁸)	(⁸)	.5	.9
Arm(s), unspecified	(⁸)	—	(⁸)	(⁸)	(⁸)	(⁸)	.2	.3
Upper arm(s)	—	—	(⁸)	(⁸)	(⁸)	—	(⁸)	(⁸)
Elbow(s)	—	—	(⁸)	(⁸)	(⁸)	(⁸)	.2	.3
Forearm(s)	—	—	(⁸)	(⁸)	(⁸)	(⁸)	(⁸)	.2
Multiple arm(s) locations	—	—	(⁸)	(⁸)	—	(⁸)	(⁸)	(⁸)
Arm(s), n.e.c.	—	—	—	—	—	(⁸)	—	(⁸)
Wrist(s)	—	1.3	.2	.1	(⁸)	(⁸)	.4	.4
Hand(s), except finger(s)	(⁸)	—	(⁸)	.1	(⁸)	(⁸)	.3	.9
Finger(s), fingernail(s)7	—	(⁸)	.3	.2	(⁸)	.3	1.8
Multiple upper extremities locations	—	—	(⁸)	.1	(⁸)	(⁸)	.2	.3
Multiple upper extremities locations, unspecified	—	—	—	—	—	(⁸)	—	(⁸)
Hand(s) and finger(s)	—	—	(⁸)	.1	(⁸)	(⁸)	(⁸)	.1
Hand(s) and wrist(s)	—	—	(⁸)	(⁸)	(⁸)	(⁸)	.1	.1
Hand(s) and arm(s)	—	—	—	(⁸)	(⁸)	(⁸)	(⁸)	.1
Multiple upper extremities locations, n.e.c.	—	—	(⁸)	(⁸)	(⁸)	(⁸)	.1	.1
Upper extremities, n.e.c.	—	—	—	—	—	(⁸)	—	(⁸)
Lower extremities	(⁸)	—	(⁸)	.8	.2	.3	2.5	—
Lower extremities, unspecified	—	—	—	—	—	(⁸)	—	(⁸)
Leg(s)	(⁸)	—	(⁸)	.4	(⁸)	.2	1.6	—
Leg(s), unspecified	(⁸)	—	—	.1	(⁸)	(⁸)	.2	.3
Thigh(s)	—	—	—	(⁸)	—	(⁸)	(⁸)	(⁸)
Knee(s)	—	—	(⁸)	.2	(⁸)	.1	1.3	—
Lower leg(s)	(⁸)	—	—	.1	(⁸)	(⁸)	.1	.2
Multiple leg(s) locations	—	—	—	.1	(⁸)	(⁸)	(⁸)	(⁸)
Leg(s), n.e.c.	(⁸)	—	—	(⁸)	—	(⁸)	—	(⁸)
Ankle(s)	—	—	(⁸)	.1	(⁸)	(⁸)	.2	—
Foot(feet), except toe(s)	(⁸)	—	(⁸)	.1	(⁸)	(⁸)	.4	—
Foot(feet), except toe(s), unspecified	(⁸)	—	(⁸)	.1	(⁸)	(⁸)	.3	.5
Instep(s)	—	—	—	—	—	—	—	(⁸)
Sole	—	—	(⁸)	(⁸)	—	—	(⁸)	(⁸)
Sole(s), unspecified	—	—	—	—	—	—	(⁸)	—
Ball(s) of foot	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Nature of injury or illness ⁵						
			Sprains, strains, tears ⁶	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns
					Total	Cuts, lacerations	Punctures		
Heel(s)	4323	0.3	(8)	0.2	(8)	(8)	(8)	(8)	—
Multiple sole(s) locations	4328	(8)	—	—	—	—	—	—	—
Multiple foot(feet) locations	438	(8)	(8)	(8)	—	—	—	(8)	—
Foot(feet), n.e.c.	439	.1	(8)	(8)	(8)	—	(8)	(8)	(8)
Toe(s), toenail(s)	44	1.2	(8)	.5	.1	.1	(8)	.2	(8)
Multiple lower extremities locations	48	1.0	.3	.1	(8)	(8)	—	.1	(8)
Multiple lower extremities locations, unspecified	480	(8)	(8)	(8)	—	—	—	(8)	—
Foot(feet) and leg(s)	481	.2	(8)	(8)	(8)	(8)	—	(8)	(8)
Foot(feet) and ankle(s)	482	.3	.1	(8)	(8)	(8)	—	(8)	(8)
Foot(feet) and toe(s)	483	.1	(8)	(8)	(8)	(8)	—	(8)	—
Multiple lower extremities locations, n.e.c.	489	.4	.1	(8)	(8)	(8)	—	(8)	(8)
Lower extremities, n.e.c.	49	(8)	(8)	—	—	—	—	(8)	—
Body systems	5	1.9	—	—	—	—	—	—	—
Multiple body parts	8	12.8	3.5	.4	.1	.1	(8)	1.5	.3
Other body parts	9	(8)	—	—	—	—	—	—	—
Prosthetic devices	91	(8)	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	(8)	—	—	—	—	—	—	—
Nonclassifiable	9999	1.1	.1	(8)	(8)	(8)	(8)	.1	(8)

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, 2007 — Continued

Part of body	Nature of injury or illness ⁵								
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain		
				Total	With fractures, burns, and other injuries	With sprains and bruises	Total	Back pain, hurt back only	
Heel(s)	—	—	(8)	(8)	—	—	(8)	—	(8)
Multiple sole(s) locations	—	—	—	—	—	—	—	—	(8)
Multiple foot(feet) locations	—	—	(8)	—	—	—	(8)	—	(8)
Foot(feet), n.e.c.	—	—	(8)	—	—	—	(8)	—	(8)
Toe(s), toenail(s)	(8)	—	—	(8)	(8)	(8)	.1	—	.2
Multiple lower extremities locations	—	—	—	.2	.1	.1	.1	—	.1
Multiple lower extremities locations, unspecified	—	—	—	(8)	—	(8)	(8)	—	(8)
Foot(feet) and leg(s)	—	—	—	.1	(8)	(8)	(8)	—	(8)
Foot(feet) and ankle(s)	—	—	—	(8)	(8)	(8)	(8)	—	(8)
Foot(feet) and toe(s)	—	—	—	(8)	(8)	—	(8)	—	(8)
Multiple lower extremities locations, n.e.c.	—	—	—	.1	(8)	.1	.1	—	(8)
Lower extremities, n.e.c.	—	—	—	(8)	—	(8)	(8)	—	—
Body systems	—	—	—	—	—	—	—	—	1.9
Multiple body parts	—	—	(8)	2.8	.6	1.0	1.5	—	2.5
Other body parts	—	—	—	—	—	—	—	—	(8)
Prosthetic devices	—	—	—	—	—	—	—	—	(8)
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	—
Nonclassifiable	—	—	(8)	(8)	—	(8)	(8)	—	.8

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 021; Fractures = 012; Cuts, lacerations, punctures = 034, 037; Cuts, lacerations = 034; Punctures = 037; Bruises, contusions = 043; Heat burns = 053; Chemical burns = 051; Amputations = 031; Carpal tunnel syndrome = 1241; Tendonitis = 1733; Multiple traumatic injuries and illnesses, Total = 080-089; With fractures, burns, and other injuries

= 083, 084; With sprains and bruises = 082; Back pain and pain, except back, Total = 0972, 0973; Back pain, hurt back only = 0972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Selected estimates for this category were affected by the March 2009 revision, see note below.

⁷ Includes nonclassifiable responses.

⁸ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies