

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		1,158,870	744,860	409,040	4,970	142,660	248,620	403,180	349,940	14,470
Traumatic injuries and disorders	0	1,080,210	700,170	376,130	3,910	136,240	234,210	376,410	321,200	12,150
Traumatic injuries and disorders, unspecified	00	39,030	22,970	15,990	70	4,830	7,870	13,610	11,990	740
Traumatic injuries to bones, nerves, spinal cord	01	105,660	73,890	31,330	440	12,650	19,730	36,490	35,850	940
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	400	240	160	-	30	120	140	110	-
Dislocations	011	9,020	6,800	2,180	40	610	1,890	3,530	2,920	70
Fractures	012	94,950	66,400	28,150	390	11,970	17,570	32,390	32,160	850
Traumatic injuries to spinal cord	013	150	140	-	-	-	30	100	-	-
Traumatic injuries to nerves, except the spinal cord	014	870	140	730	-	-	80	260	510	-
Multiple traumatic injuries to bones nerves, spinal cord	018	150	100	50	-	-	20	60	70	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	110	70	50	-	-	20	-	80	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	453,550	283,850	167,500	2,210	48,690	95,680	161,320	142,120	5,740
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified ⁴	020	3,720	2,190	1,490	40	330	550	1,200	1,510	130
Sprains, strains, tears ⁴	021	448,380	280,670	165,550	2,160	48,310	94,820	159,480	140,160	5,620
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,450	990	450	-	50	310	640	450	-
Open wounds	03	122,990	96,890	25,800	310	19,530	28,960	45,140	28,280	1,080
Open wounds, unspecified	030	1,070	980	90	-	170	230	320	320	30
Amputations	031	7,320	6,350	930	40	1,170	1,770	2,360	1,970	50
Amputations, fingertip	0311	5,170	4,380	770	20	780	1,370	1,640	1,350	30
Amputations, except fingertip	0319	2,150	1,970	160	20	400	400	720	620	20
Animal or insect bites	032	4,790	2,200	2,590	-	710	1,130	2,230	700	30
Avulsions	033	2,130	1,710	420	-	240	310	980	590	-
Cuts, lacerations	034	91,270	72,300	18,720	250	14,800	21,670	32,180	21,740	880
Gunshot wounds	036	310	70	230	-	-	250	40	-	-
Punctures, except bites	037	15,730	13,080	2,630	30	2,320	3,480	6,950	2,890	90
Multiple open wounds	038	140	120	20	-	20	20	50	50	-
Open wounds, n.e.c.	039	230	80	150	-	80	110	20	20	-
Surface wounds and bruises	04	124,450	77,110	46,710	630	18,820	29,190	40,670	34,510	1,270
Surface wounds and bruises, unspecified	040	450	290	160	-	60	120	140	130	-
Abrasions, scratches	041	9,050	6,570	2,450	30	1,190	1,850	3,440	2,500	70
Blisters	042	240	120	120	-	70	40	80	40	-
Bruises, contusions	043	101,340	58,400	42,380	560	15,760	23,840	31,580	29,090	1,070
Foreign bodies (superficial splinters, chips)	044	12,390	10,970	1,380	40	1,560	3,160	5,050	2,520	110
Friction burns	045	50	30	-	-	-	20	-	-	-
Multiple surface wounds and bruises	048	690	550	140	-	120	140	230	200	-
Surface wounds and bruises, n.e.c.	049	250	170	80	-	50	20	140	30	-
Burns	05	24,870	16,820	7,990	60	4,450	7,620	7,590	5,050	160
Burns, unspecified	050	100	100	-	-	-	-	40	50	-
Chemical burns	051	6,130	4,060	2,060	-	870	1,990	2,040	1,220	20
Electrical burns	052	1,100	940	140	20	100	320	280	380	20

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Heat burns, scalds	053	17,490	11,680	5,780	30	3,480	5,270	5,230	3,400	110
Burns, n.e.c.	059	40	40	—	—	—	30	—	—	—
Intracranial injuries	06	6,200	3,910	2,270	30	1,030	1,260	2,340	1,530	40
Intracranial injuries, unspecified	060	490	310	180	—	160	20	260	50	—
Cerebral hemorrhages	061	80	50	30	—	—	—	40	20	—
Concussions	062	5,620	3,540	2,050	30	860	1,230	2,030	1,450	40
Effects of environmental conditions	07	2,980	2,570	390	20	500	820	680	940	40
Effects of reduced temperature	071	130	90	40	—	40	30	60	—	—
Frostbite	0711	130	90	40	—	40	30	50	—	—
Effects of heat and light	072	2,410	2,150	240	20	450	790	590	550	40
Effects of heat and light, unspecified	0720	390	370	—	—	90	250	20	20	—
Heat stroke	0721	240	220	20	—	30	50	40	120	—
Heat syncope	0722	170	160	—	—	30	90	30	20	—
Heat fatigue	0723	460	420	40	—	100	170	100	90	—
Multiple effects of heat and light	0728	20	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	1,130	970	150	—	190	230	400	280	30
Effects of air pressure	073	410	310	100	—	—	—	20	370	—
Effects of air pressure, unspecified	0730	30	30	—	—	—	—	—	—	—
Aero-otitis media	0731	60	30	—	—	—	—	—	50	—
Caisson disease, bends, divers' palsy	0733	220	220	—	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	90	20	70	—	—	—	20	70	—
Multiple traumatic injuries and disorders	08	46,820	29,360	17,460	—	5,380	9,200	16,700	15,280	250
Multiple traumatic injuries and disorders, unspecified	080	3,180	2,170	1,010	—	450	690	1,060	960	20
Cuts, abrasions, bruises	081	8,400	5,780	2,610	—	830	1,700	3,080	2,740	50
Sprains and bruises	082	15,570	7,600	7,960	—	1,680	3,350	5,660	4,810	70
Fractures and burns	083	40	40	—	—	—	—	20	20	—
Fractures and other injuries	084	11,060	8,440	2,620	—	1,530	1,880	3,520	4,070	70
Burns and other injuries	085	240	180	60	—	20	20	90	110	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	8,340	5,150	3,190	—	870	1,560	3,280	2,580	50
Other traumatic injuries and disorders	09	153,650	92,810	60,710	130	20,350	33,880	51,880	45,640	1,900
Other traumatic injuries and disorders, unspecified	090	540	200	340	—	—	100	200	230	—
Asphyxiations/strangulations, suffocations	091	150	40	100	—	—	30	40	70	—
Electrocutions, electric shocks	093	1,480	1,080	400	—	230	500	460	280	—
Internal injuries to organs and blood vessels of the trunk	094	140	130	—	—	30	20	90	—	—
Other poisonings and toxic effects	095	6,460	4,530	1,910	20	1,020	2,040	1,930	1,440	40
Other poisonings and toxic effects, unspecified	0950	130	60	70	—	30	40	50	—	—
Animal or insect bites and stings, venomous	0951	4,210	3,250	940	20	740	1,260	1,290	880	40
Other poisonings and toxic effects, n.e.c.	0959	2,120	1,220	910	—	250	740	590	550	—
Traumatic complications	096	260	80	190	—	—	70	90	100	—
Traumatic complications, unspecified	0960	70	20	50	—	—	—	60	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Traumatic shock	0961	90	40	50	—	—	50	—	30	—
Multiple traumatic complications	0968	40	—	30	—	—	—	—	20	—
Traumatic complications, n.e.c.	0969	60	—	60	—	—	—	—	40	—
Nonspecified injuries and disorders	097	143,150	85,710	57,340	100	18,830	30,990	48,470	43,040	1,830
Crushing injuries	0971	13,910	11,780	2,100	40	2,460	3,770	4,450	3,030	210
Back pain, hurt back	0972	37,130	21,740	15,380	—	4,780	7,830	12,760	11,280	490
Soreness, pain, hurt, except the back	0973	78,410	44,180	34,180	50	10,010	16,930	26,120	24,450	890
Multiple nonspecified injuries and disorders	0978	6,790	3,970	2,830	—	830	1,290	2,690	1,830	160
Nonspecified injuries and disorders, n.e.c.	0979	6,900	4,050	2,860	—	760	1,170	2,440	2,450	80
Other traumatic injuries and disorders, n.e.c.	099	1,470	1,050	420	—	220	130	610	480	20
Systemic diseases and disorders	1	55,410	34,660	20,680	70	4,520	9,400	18,850	22,280	350
Systemic diseases and disorders, unspecified	10	380	190	190	—	—	70	80	220	—
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	16,470	7,220	9,250	—	1,270	2,030	5,420	7,680	70
Nervous system and sense organs diseases, unspecified	120	30	—	20	—	—	—	—	20	—
Inflammatory diseases of the central nervous system	121	20	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	30	20	—	—	—	—	—	20	—
Degenerative diseases of the central nervous system, unspecified	1220	20	20	—	—	—	—	—	—	—
Other disorders of the central nervous system	123	90	60	30	—	—	20	60	—	—
Migraine	1232	50	20	20	—	—	—	30	—	—
Disorders of the peripheral nervous system	124	12,610	4,130	8,480	—	310	1,190	4,140	6,940	30
Disorders of the peripheral nervous system, unspecified	1240	440	270	170	—	—	140	110	170	—
Carpal tunnel syndrome	1241	11,940	3,750	8,180	—	290	1,030	3,980	6,620	30
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	60	—	40	—	—	—	20	30	—
Other disorders of the peripheral nervous system, n.e.c.	1249	180	90	90	—	—	30	30	120	—
Disorders of the eye, adnexa, vision	125	3,540	2,870	670	—	940	800	1,180	590	30
Disorders of the eye, adnexa, vision, unspecified	1250	450	300	140	—	40	60	280	60	—
Conjunctivitis non-viral	1252	730	440	290	—	100	140	300	170	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	440	360	80	—	160	100	80	100	—
Blindness, low vision	1255	20	—	—	—	—	—	—	—	—
Welder's flash	1256	1,500	1,470	30	—	540	440	350	150	—
Visual disturbances	1258	50	30	20	—	—	—	20	20	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	350	250	110	—	80	60	140	70	—
Disorders of the ear, mastoid process, hearing	126	130	100	30	—	20	—	—	70	20
Disorders of the ear, mastoid process, hearing, unspecified	1260	20	—	—	—	—	—	—	—	—
Deafness, hearing loss or impairment	1261	80	80	—	—	—	—	—	40	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Circulatory system diseases	13	720	630	80	—	30	140	160	380	—
Circulatory system diseases, unspecified	130	50	40	—	—	—	—	20	20	—
Hypertensive disease	132	30	—	20	—	—	—	—	20	—
Ischemic heart disease, including heart attack	133	360	340	—	—	—	60	80	210	—
Myocardial infarction (heart attack)	1331	340	330	—	—	—	50	80	200	—
Diseases of pulmonary circulation	134	30	30	—	—	—	—	20	—	—
Cerebrovascular disease	136	70	30	40	—	—	30	—	30	—
Stroke	1361	60	30	30	—	—	30	—	20	—
Diseases of arteries, arterioles, capillaries	137	40	40	—	—	—	30	—	—	—
Diseases of arteries, arterioles, capillaries, unspecified	1370	30	30	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	138	120	120	—	—	—	—	20	90	—
Hemorrhoids	1382	90	90	—	—	—	—	—	—	—
Diseases of the veins, lymphatics, n.e.c.	1389	20	20	—	—	—	—	—	—	—
Respiratory system diseases	14	1,570	540	1,020	—	90	310	660	500	—
Respiratory system diseases, unspecified	140	290	80	200	—	—	120	70	80	—
Acute respiratory infections (including common cold)	141	310	110	200	—	50	50	—	200	—
Other diseases of upper respiratory tract	142	100	70	30	—	—	—	60	30	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	—	—	—	—	20	—	—
Allergic rhinitis	1421	50	30	20	—	—	—	30	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	20	20	—	—	—	—	—	—	—
Pneumonia, influenza	143	240	60	180	—	—	20	190	30	—
Pneumonia	1431	30	30	—	—	—	—	—	—	—
Influenza	1432	190	—	180	—	—	—	180	—	—
Chronic obstructive pulmonary disease and allied conditions	144	570	180	390	—	—	120	290	150	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	20	—	20	—	—	—	—	—	—
Bronchitis	1441	100	90	20	—	—	80	20	—	—
Extrinsic asthma	1443	360	70	290	—	—	30	200	120	—
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	50	20	30	—	—	—	40	—	—
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	30	—	30	—	—	—	20	—	—
Other respiratory system diseases	149	50	40	—	—	—	—	20	—	—
Atelectasis, collapsed lung	1495	20	20	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	17,240	16,420	770	40	1,110	2,830	5,870	7,340	90
Hernia	153	17,200	16,390	770	40	1,110	2,810	5,860	7,330	90
Hernia, unspecified	1530	7,900	7,460	410	30	440	1,330	2,840	3,230	60
Inguinal hernia	1531	6,470	6,290	190	—	480	1,020	2,150	2,820	—
Hiatal hernia	1532	260	240	—	—	—	40	80	140	—
Ventral hernia	1533	1,390	1,300	90	—	50	260	440	640	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Hernia, n.e.c.	1539	1,180	1,110	70	—	140	170	350	500	—
Genitourinary system diseases and disorders	16	30	—	30	—	—	20	—	—	—
Diseases and disorders of the genital tract	163	20	—	20	—	—	—	—	—	—
Spontaneous abortion, miscarriage	1632	20	—	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	17	13,200	6,370	6,810	20	1,040	2,630	4,570	4,810	140
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	270	170	100	—	—	—	100	150	—
Arthropathies and related disorders (arthritis)	171	280	220	50	—	—	—	130	100	—
Dorsopathies	172	1,680	1,260	420	—	120	440	550	560	—
Sciatica	1721	390	250	140	—	20	70	90	220	—
Lumbago	1722	60	60	—	—	—	—	20	30	—
Disc disorders, except dislocation	1723	230	170	60	—	60	20	90	60	—
Dorsopathies, n.e.c.	1729	980	780	200	—	40	350	330	250	—
Rheumatism, except the back	173	10,540	4,620	5,910	20	910	2,120	3,460	3,930	130
Rheumatism, except the back, unspecified	1730	480	300	180	—	70	80	190	140	—
Bursitis	1731	810	630	170	—	20	290	280	210	—
Synovitis	1732	90	40	30	20	—	20	20	20	20
Tendonitis	1733	4,380	1,690	2,680	—	340	730	1,770	1,470	70
Tenosynovitis	1734	1,550	330	1,210	—	300	550	320	350	20
Ganglion/cystic tumor	1735	460	190	270	—	30	90	110	230	—
Rheumatism, except the back, n.e.c.	1739	2,770	1,420	1,350	—	140	360	760	1,510	—
Osteopathies, chondropathies, acquired deformities ...	174	70	50	20	—	—	—	40	30	—
Osteopathies, chondropathies, acquired deformities, unspecified	1740	20	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	50	40	—	—	—	—	30	20	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	370	60	310	—	—	20	300	50	—
Disorders of the skin and subcutaneous tissue	18	5,640	3,190	2,450	—	890	1,350	2,080	1,300	30
Disorders of the skin and subcutaneous tissue, unspecified	180	270	160	110	—	20	60	100	80	—
Infections of the skin and subcutaneous tissue	181	1,450	660	780	—	150	270	540	480	—
Infections of the skin and subcutaneous tissue, unspecified	1810	430	190	250	—	30	50	100	250	—
Carbuncle and furuncle	1811	20	—	—	—	—	—	20	—	—
Cellulitis and abscess	1812	820	430	400	—	110	140	360	190	—
Pilonidal cyst	1815	20	—	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	1819	150	50	100	—	—	60	50	20	—
Dermatitis	182	3,620	2,200	1,420	—	690	910	1,340	660	—
Dermatitis, unspecified	1820	440	230	220	—	100	70	140	120	—
Contact dermatitis, unspecified	1822	420	220	200	—	70	140	80	130	—
Allergic contact dermatitis	1823	1,860	1,280	590	—	300	420	890	250	—
Irritant contact dermatitis	1824	710	320	390	—	120	190	220	170	—
Other contact dermatitis	1825	100	100	—	—	100	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Dermatitis, n.e.c.	1829	70	50	20	-	-	70	-	-	-
Other inflammatory conditions of the skin	183	100	80	20	-	-	20	60	-	-
Other inflammatory conditions of the skin, unspecified	1830	30	20	20	-	-	-	-	-	-
Other inflammatory conditions, n.e.c.	1839	40	40	-	-	-	-	20	-	-
Diseases of sebaceous glands	184	90	-	70	-	-	50	-	30	-
Sebaceous cyst	1842	90	-	70	-	-	50	-	30	-
Other diseases and disorders of the skin and subcutaneous tissue	189	120	70	40	-	20	40	30	30	-
Urticaria, hives	1898	80	50	30	-	-	40	20	20	-
Other systemic diseases and disorders	19	140	80	60	-	70	20	-	40	-
Endocrine, nutritional, metabolic, and immunity disorder	191	90	80	-	-	70	-	-	-	-
Diseases and disorders of other endocrine glands ..	1912	70	70	-	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	1919	20	-	-	-	-	-	-	-	-
Systemic diseases and disorders, n.e.c.	199	50	-	40	-	-	-	-	30	-
Infectious and parasitic diseases	2	1,610	490	1,120	-	130	450	570	450	-
Infectious and parasitic diseases, unspecified	20	20	20	-	-	-	-	20	-	-
Bacterial diseases	21	310	90	230	-	20	110	80	100	-
Bacterial diseases, unspecified	210	30	-	20	-	-	20	-	-	-
Tuberculoses	211	50	-	40	-	-	-	20	20	-
Tuberculoses, unspecified	2110	40	-	30	-	-	-	-	20	-
Other bacterial diseases	219	240	60	170	-	-	90	60	70	-
Other bacterial diseases, unspecified	2190	60	-	60	-	-	-	-	-	-
Diphtheria, whooping cough	2192	40	-	40	-	-	-	20	-	-
Septicemia	2197	20	-	20	-	-	-	-	-	-
Other bacterial diseases, n.e.c.	2199	90	20	70	-	-	30	30	30	-
Viral diseases	22	360	120	240	-	30	80	200	40	-
Viral diseases, unspecified	220	60	-	60	-	-	50	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	223	120	30	90	-	20	-	70	20	-
Chickenpox	2233	60	20	40	-	-	-	40	-	-
Herpes zoster	2234	50	-	40	-	-	-	30	-	-
Viral diseases of the conjunctiva	226	80	30	50	-	-	20	50	-	-
Viral conjunctivitis (ophthalmia)	2262	70	30	50	-	-	-	50	-	-
Other diseases due to viruses and Chlamydiae	229	80	50	30	-	-	-	60	-	-
Infectious mononucleosis	2295	40	-	-	-	-	-	40	-	-
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	30	-	-	-	-	-	20	-	-
Other arthropod-borne diseases	23	90	80	-	-	50	-	40	-	-
Lyme disease	237	90	70	-	-	50	-	30	-	-
Mycoses	24	40	30	-	-	-	-	-	30	-
Infectious diseases peculiar to the intestines	26	250	50	190	-	-	90	30	120	-

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Infectious diseases peculiar to the intestines, unspecified	260	40	20	20	-	-	20	-	-	-
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	150	-	150	-	-	-	-	90	-
Infectious diseases peculiar to the intestines, n.e.c. ...	269	30	20	-	-	-	-	-	-	-
Other infectious and parasitic diseases	29	530	100	430	-	20	170	190	150	-
Other infectious and parasitic diseases, unspecified ...	290	40	-	-	-	-	-	-	-	-
Pediculosis and phthirus infestation (lice)	293	30	-	30	-	-	-	-	-	-
Acariasis (including scabies, chiggers, mites)	294	450	90	360	-	20	150	180	100	-
Neoplasms, tumors, and cancer	3	20	20	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	4	10,690	5,160	5,530	-	1,020	2,380	3,780	3,350	160
Symptoms, signs, and ill-defined conditions, unspecified	40	110	80	40	-	20	50	30	20	-
Symptoms	41	10,400	5,000	5,400	-	980	2,320	3,670	3,270	160
Symptoms, unspecified	410	180	50	130	-	-	30	100	50	-
General symptoms	411	4,340	2,080	2,260	-	440	850	1,520	1,440	80
General symptoms, unspecified	4110	250	110	140	-	-	30	180	30	-
Loss of consciousness not heat related	4111	1,060	560	500	-	200	320	250	260	30
Convulsions, seizures	4112	170	80	80	-	30	30	70	40	-
Dizziness	4114	640	480	160	-	20	110	190	260	-
Non-specified allergic reaction	4115	980	250	730	-	120	150	330	380	-
Multiple general symptoms	4118	400	130	280	-	20	80	220	90	-
General symptoms, n.e.c.	4119	830	460	370	-	30	130	290	380	-
Symptoms involving nervous and musculoskeletal systems	412	1,240	600	640	-	80	220	400	530	-
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	60	20	50	-	-	-	20	30	-
Spasms or tremors, n.e.c.	4121	60	-	50	-	-	-	50	-	-
Earache	4122	50	30	-	-	-	-	-	30	-
Eye strain	4123	40	30	-	-	-	20	-	-	-
Multiple symptoms involving nervous and musculoskeletal systems	4128	130	50	80	-	20	50	-	40	-
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	910	470	440	-	50	130	310	420	-
Symptoms involving skin and other integumentary tissue	413	1,160	520	640	-	80	400	390	280	-
Symptoms involving skin and other integumentary tissue, unspecified	4130	90	60	30	-	20	30	-	20	-
Edema (including dropsy)	4131	920	410	510	-	50	330	310	220	-
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	140	50	90	-	-	30	60	30	-
Symptoms involving head and neck	414	660	270	390	-	70	130	290	160	-
Headache, except migraine	4141	430	230	200	-	60	80	230	60	-
Multiple symptoms involving head and neck	4148	150	-	140	-	-	30	30	80	-
Symptoms involving head and neck, n.e.c.	4149	70	30	40	-	-	20	30	20	-

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving cardiovascular system	415	30	20	—	—	—	—	20	—	—
Unspecified tachycardia (rapid heart beat)	4151	20	20	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	2,010	1,030	970	—	200	540	720	510	30
Symptoms involving respiratory system and chest, unspecified	4160	770	400	370	—	140	240	180	220	—
Hyperventilation	4161	20	—	20	—	—	—	—	—	—
Chest pain	4164	220	140	80	—	30	70	70	50	—
Multiple symptoms involving respiratory system and chest	4168	130	100	30	—	—	20	—	70	—
Symptoms involving respiratory system and chest, n.e.c.	4169	870	390	480	—	30	200	460	170	—
Symptoms involving digestive and urinary system	417	400	270	130	—	60	60	140	150	—
Symptoms involving digestive and urinary system, unspecified	4170	20	—	—	—	—	—	—	—	—
Nausea and vomiting	4171	260	160	90	—	40	30	80	100	—
Abdominal pain, unspecified	4175	30	20	—	—	—	—	20	—	—
Symptoms involving digestive and urinary system, n.e.c.	4179	80	70	—	—	—	—	—	40	—
Multiple symptoms	418	370	130	240	—	40	80	100	140	—
Other symptoms, n.e.c.	419	20	—	—	—	—	—	—	—	—
Abnormal findings	42	20	—	20	—	—	—	20	—	—
Abnormal findings from histological and immunological studies	426	20	—	20	—	—	—	20	—	—
Multiple symptoms, signs, and ill-defined conditions	48	80	60	20	—	—	—	20	50	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	60	50	—	—	—	—	—	40	—
Symptoms, signs, and ill-defined conditions, n.e.c.	49	80	30	50	—	—	—	50	—	—
Other diseases, conditions, and disorders	5	3,320	910	2,390	20	130	750	1,550	840	50
Damage to prosthetic devices	51	40	—	—	—	—	—	—	—	—
Mental disorders or syndromes	52	3,120	840	2,260	20	70	620	1,550	830	50
Mental disorder or syndrome, unspecified	520	30	—	20	—	—	—	20	—	—
Anxiety, stress, neurotic disorders	521	3,040	830	2,200	—	70	620	1,500	830	30
Anxiety, stress, neurotic disorders, unspecified	5210	1,240	490	740	—	40	250	500	420	30
Post-traumatic anxiety acute	5211	680	130	550	—	—	280	210	180	—
Post-traumatic anxiety chronic	5212	20	—	—	—	—	—	—	20	—
Panic disorder	5213	20	—	—	—	—	—	—	—	—
Neurotic reaction to stress	5214	1,020	180	840	—	20	70	760	170	—
Multiple anxiety, stress, neurotic disorders	5218	40	—	30	—	—	—	—	20	—
Neurotic disorders, n.e.c.	5219	20	—	20	—	—	—	—	—	—
Organic mental disorders neurotic or psychotic	522	20	—	—	—	—	—	—	—	—
Organic mental disorders neurotic or psychotic, unspecified	5220	20	—	—	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	30	—	30	—	—	—	—	—	—

See footnotes at end of table.

[This table was reissued in March 2009. See note at end of table.]

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, 2007 — Continued

Nature	Nature code ²	Private industry ³	Gender			Length of service with employer				
			Men	Women	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other diseases, conditions, and disorders, n.e.c.	59	170	40	130	—	—	130	—	—	—
Multiple diseases, conditions, and disorders	8	1,350	820	530	—	140	250	610	340	—
Nonclassifiable	9999	6,250	2,640	2,650	960	470	1,170	1,390	1,460	1,760

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Selected estimates for this category were affected by the March 2009 revision, see note below.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and

data exclusion of nonclassifiable responses, data may not sum to the totals.

This table was reissued in March 2009 to revise selected estimates within the Mining (NAICS 21) and Railroad Transportation (NAICS 482) industries, and in their respective higher level industry sectors. Characteristic categories affected by the revisions, that appear in this table, are footnoted.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies