

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, 2007

Part of body	Part of body code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Total		122.2	—	—	124.0	134.4	118.4	123.9	123.0	119.9	96.2	—	—
Head	0	8.3	—	—	10.1	10.7	9.5	7.9	7.6	6.1	6.1	—	—
Head, unspecified	00	1.7	—	—	2.2	2.0	1.6	1.7	1.5	2.0	2.1	—	—
Cranial region, including skull	01	1.1	—	—	2.2	1.1	1.0	.9	1.2	.9	1.6	—	—
Cranial region, unspecified	010	(⁵)	—	—	—	—	(⁵)	(⁵)	(⁵)	(⁵)	—	—	—
Brain	011	.7	—	—	1.8	.6	.7	.5	.8	.6	1.0	—	—
Scalp	012	.3	—	—	.2	.4	.2	.3	.3	.2	.4	—	—
Skull	013	.1	—	—	.1	(⁵)	.1	.1	(⁵)	.1	—	—	—
Multiple cranial region locations	018	(⁵)	—	—	—	—	—	—	(⁵)	—	—	—	—
Cranial region, n.e.c.	019	(⁵)	—	—	—	—	(⁵)	—	(⁵)	—	—	—	—
Ear(s)	02	.1	—	—	.1	.1	.1	.1	.1	.1	.1	—	—
Face	03	5.3	—	—	5.5	7.5	6.7	5.2	4.7	3.0	2.4	—	—
Face, unspecified	030	.4	—	—	.4	.6	.4	.3	.3	.3	.5	—	—
Forehead	031	.3	—	—	.2	.4	.4	.3	.3	.4	.1	—	—
Eye(s)	032	3.5	—	—	3.5	4.2	4.7	3.5	3.3	1.6	.9	—	—
Nose, nasal cavity	033	.3	—	—	.3	.5	.3	.3	.2	.2	.2	—	—
Nose, except internal location of diseases or disorders	0330	.3	—	—	.3	.5	.3	.3	.2	.2	.2	—	—
Internal nasal location, unspecified	0331	(⁵)	—	—	—	—	—	(⁵)	—	—	—	—	—
Nasal passages	0333	(⁵)	—	—	—	—	—	—	(⁵)	—	—	—	—
Cheek(s)	034	.1	—	—	—	.2	.1	.1	.1	.1	(⁵)	—	—
Jaw/chin	035	.1	—	—	.1	.2	.1	.1	.1	.1	.1	—	—
Mouth	036	.2	—	—	.5	.4	.3	.2	.2	.2	.1	—	—
Mouth, unspecified	0360	(⁵)	—	—	—	.1	(⁵)	(⁵)	(⁵)	—	—	—	—
Lip(s)	0361	.1	—	—	—	.1	.1	(⁵)	.1	—	—	—	—
Tooth(teeth)	0363	.1	—	—	.4	.2	.2	.1	(⁵)	.2	.1	—	—
Multiple mouth locations	0368	(⁵)	—	—	—	(⁵)	—	—	—				
Mouth, n.e.c.	0369	(⁵)	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	038	.3	—	—	.3	.9	.3	.4	.2	.2	.3	—	—
Face, n.e.c.	039	(⁵)	—	—	.1	.1	(⁵)	(⁵)	.1	(⁵)	—	—	—
Multiple head locations	08	.1	—	—	.1	.1	.1	.1	.1	.1	.1	—	—
Head, n.e.c.	09	(⁵)	—	—	.1	—	(⁵)	—	—	—	—	—	—
Neck, including throat	1	1.8	—	—	.9	1.6	1.7	2.0	2.2	1.3	1.2	—	—
Neck, except internal location of diseases or disorders	10	1.8	—	—	.9	1.6	1.7	2.0	2.2	1.3	1.2	—	—
Internal neck location, unspecified	11	(⁵)	—	—	—	—	—	(⁵)	—	—	—	—	—
Pharynx	15	(⁵)	—	—	—	—	—	—	—	—	—	—	—
Trunk	2	40.6	—	—	26.2	38.9	39.3	44.0	42.6	39.6	29.2	—	—
Trunk, unspecified	20	.2	—	—	.1	.3	.2	.2	.3	.2	.1	—	—
Shoulder, including clavicle, scapula	21	8.0	—	—	3.9	6.0	6.1	8.4	9.2	11.0	8.3	—	—
Chest, including ribs, internal organs	22	2.0	—	—	1.7	1.7	1.5	2.0	2.1	2.6	2.3	—	—
Chest, except internal location of diseases or disorders	220	1.7	—	—	1.6	1.6	1.3	1.8	1.9	2.2	2.0	—	—
Internal chest location, unspecified	221	(⁵)	—	—	—	.1	—	(⁵)	(⁵)	(⁵)	—	—	—
Heart	223	(⁵)	—	—	—	—	(⁵)	(⁵)	.1	.1	.2	—	—
Bronchus	224	(⁵)	—	—	—	—	—	(⁵)	—	—	—	—	—
Lung(s), pleura	225	.1	—	—	—	(⁵)	.1	.1	.1	.2	—	—	—

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple internal chest locations	228	(⁵)	—	—	—	—	—	—	—	—	—	—
Internal chest location, n.e.c.	229	(⁵)	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	23	24.9	—	—	17.4	25.5	26.6	27.9	25.0	19.6	10.3	—
Back, including spine, spinal cord, unspecified	230	10.1	—	—	6.5	10.2	11.3	11.4	9.8	8.5	4.4	—
Lumbar region	231	12.6	—	—	8.9	12.6	12.8	14.2	13.3	9.5	5.2	—
Thoracic region	232	1.0	—	—	1.5	1.4	1.3	1.1	.8	.6	.2	—
Sacral region	233	.1	—	—	—	.1	.1	.1	(⁵)	(⁵)	—	—
Coccygeal region	234	.3	—	—	.1	.5	.3	.2	.3	.2	.1	—
Multiple back regions	238	.8	—	—	.3	.7	.9	.8	.7	.7	.4	—
Back, including spine, spinal cord, n.e.c.	239	.1	—	—	—	(⁵)	.1	(⁵)	(⁵)	(⁵)	—	—
Abdomen	24	2.6	—	—	.9	2.8	2.3	2.8	2.9	2.8	2.0	—
Abdomen, except internal location of diseases or disorders	240	.7	—	—	.5	1.4	.8	.6	.6	.5	.6	—
Internal abdominal location, unspecified	241	.9	—	—	.2	.7	.8	1.0	1.0	1.1	.5	—
Stomach organ	242	.1	—	—	—	.1	.1	.1	.1	.1	—	—
Spleen	243	(⁵)	—	—	—	—	—	—	—	—	—	—
Urinary organs	244	(⁵)	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	.9	—	—	.2	.6	.5	1.1	1.2	1.1	.9	—
Intestines, peritoneum, unspecified	2450	.8	—	—	.2	.6	.5	1.0	1.1	1.0	.7	—
Peritoneum	2451	(⁵)	—	—	—	—	(⁵)	(⁵)	.1	.1	—	—
Large intestine/colon, rectum	2453	(⁵)	—	—	—	—	(⁵)	(⁵)	(⁵)	(⁵)	—	—
Intestines, n.e.c.	2459	(⁵)	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	(⁵)	—	—	—	—	—	—	(⁵)	—	—	—
Pelvic region	25	2.0	—	—	2.0	1.9	1.6	1.9	2.0	2.5	5.4	—
Pelvic region, unspecified	250	(⁵)	—	—	.1	.1	(⁵)	(⁵)	(⁵)	(⁵)	—	—
Hip(s)	251	1.0	—	—	.9	.8	.6	.9	.9	1.4	4.6	—
Pelvis	252	.1	—	—	—	.1	.1	.1	.1	.2	.2	—
Buttock(s)	253	.1	—	—	.1	.1	.1	.1	.1	.1	.1	—
Groin	254	.8	—	—	.9	.9	.7	.8	.8	.7	.4	—
External reproductive tract structures	255	(⁵)	—	—	—	—	(⁵)	(⁵)	(⁵)	—	—	—
External reproductive tract structures, unspecified	2550	(⁵)	—	—	—	—	—	—	—	—	—	—
Scrotum	2551	(⁵)	—	—	—	—	(⁵)	(⁵)	(⁵)	—	—	—
Internal reproductive tract structures	256	(⁵)	—	—	—	—	(⁵)	—	—	—	—	—
Testis(testes)	2562	(⁵)	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	258	(⁵)	—	—	—	—	.1	(⁵)	(⁵)	(⁵)	—	—
Pelvic region, n.e.c.	259	(⁵)	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	28	.9	—	—	.2	.6	.9	.9	1.0	1.0	.7	—
Trunk, n.e.c.	29	(⁵)	—	—	—	—	(⁵)	(⁵)	(⁵)	(⁵)	—	—
Upper extremities	3	28.4	—	—	43.1	36.8	29.2	27.6	26.1	24.7	21.5	—
Upper extremities, unspecified	30	.1	—	—	—	.1	.1	(⁵)	(⁵)	(⁵)	—	—
Arm(s)	31	5.7	—	—	6.1	5.8	5.0	6.2	5.8	6.2	4.7	—
Arm(s), unspecified	310	1.9	—	—	2.9	1.9	1.7	2.0	1.9	1.9	1.7	—
Upper arm(s)	311	.4	—	—	.1	.3	.3	.5	.6	.6	.9	—
Elbow(s)	312	2.0	—	—	1.3	2.0	1.5	2.4	2.2	2.1	1.0	—

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Forearm(s)	313	1.1	—	—	1.7	1.3	1.3	1.0	0.8	1.4	0.6	—
Multiple arm(s) locations	318	.2	—	—	.1	.2	.2	.2	.2	.2	.3	—
Arm(s), n.e.c.	319	(⁵)	—	—	—	—	(⁵)	.1	(⁵)	(⁵)	—	—
Wrist(s)	32	5.4	—	—	4.1	4.9	5.1	5.4	6.0	6.0	6.0	—
Hand(s), except finger(s)	33	5.1	—	—	10.5	7.1	6.2	4.5	4.0	3.7	2.2	—
Finger(s), fingernail(s)	34	10.7	—	—	21.0	17.6	11.2	10.2	8.8	7.6	7.0	—
Multiple upper extremities locations	38	1.4	—	—	1.6	1.2	1.5	1.3	1.5	1.2	1.5	—
Multiple upper extremities locations, unspecified	380	(⁵)	—	—	—	(⁵)	—	—				
Hand(s) and finger(s)	381	.4	—	—	.9	.3	.6	.3	.4	.3	.3	—
Hand(s) and wrist(s)	382	.3	—	—	.2	.3	.4	.3	.4	.3	.1	—
Hand(s) and arm(s)	383	.2	—	—	.2	.1	.2	.2	.1	.1	.5	—
Multiple upper extremities locations, n.e.c.	389	.4	—	—	.3	.4	.3	.5	.5	.4	.6	—
Upper extremities, n.e.c.	39	(⁵)	—	—	—	(⁵)	—	—				
Lower extremities	4	27.5	—	—	32.0	32.4	26.3	27.0	27.0	28.7	21.0	—
Lower extremities, unspecified	40	.1	—	—	.5	(⁵)	.2	(⁵)	(⁵)	(⁵)	—	—
Leg(s)	41	13.9	—	—	13.2	12.7	11.8	14.3	15.2	16.9	12.2	—
Leg(s), unspecified	410	1.8	—	—	1.3	2.0	1.6	1.8	1.9	2.2	2.2	—
Thigh(s)	411	.5	—	—	.3	.8	.6	.3	.4	.5	.7	—
Knee(s)	412	10.0	—	—	10.2	8.4	8.3	10.6	10.8	12.3	7.8	—
Lower leg(s)	413	1.3	—	—	1.1	1.1	1.0	1.2	1.6	1.5	1.1	—
Multiple leg(s) locations	418	.4	—	—	.3	.4	.3	.3	.4	.4	.4	—
Leg(s), n.e.c.	419	.1	—	—	—	(⁵)	(⁵)	(⁵)	.1	.1	.1	—
Ankle(s)	42	6.6	—	—	6.9	10.1	7.1	6.8	5.6	5.1	4.2	—
Foot(feet), except toe(s)	43	4.6	—	—	8.2	7.0	4.7	3.9	4.4	4.2	3.1	—
Foot(feet), except toe(s), unspecified	430	4.1	—	—	7.4	6.4	4.0	3.5	3.9	3.5	2.9	—
Instep(s)	431	(⁵)	—	—	.2	(⁵)	(⁵)	(⁵)	(⁵)	—	—	—
Sole	432	.4	—	—	.4	.3	.4	.3	.5	.6	.1	—
Sole(s), unspecified	4320	(⁵)	—	—	.2	.1	.1	(⁵)	(⁵)	.1	—	—
Ball(s) of foot	4321	(⁵)	—	—	—	—	—	—	—	—	—	—
Arch(es)	4322	(⁵)	—	—	—	—	—	(⁵)	—	—	—	—
Heel(s)	4323	.3	—	—	.2	.2	.4	.2	.4	.5	.1	—
Multiple sole(s) locations	4328	(⁵)	—	—	—	—	—	—	—	(⁵)	—	—
Multiple foot(feet) locations	438	(⁵)	—	—	.1	—	(⁵)	(⁵)	(⁵)	(⁵)	—	—
Foot(feet), n.e.c.	439	.1	—	—	—	.2	.2	.1	.1	(⁵)	—	—
Toe(s), toenail(s)	44	1.2	—	—	2.1	1.5	1.5	1.2	1.0	1.0	.6	—
Multiple lower extremities locations	48	1.0	—	—	1.1	1.1	1.0	.8	.8	1.4	.7	—
Multiple lower extremities locations, unspecified	480	(⁵)	—	—	—	(⁵)	(⁵)	(⁵)	(⁵)	—	—	—
Foot(feet) and leg(s)	481	.2	—	—	.2	.2	.2	.2	.1	.3	—	—
Foot(feet) and ankle(s)	482	.3	—	—	.5	.4	.2	.2	.3	.3	.2	—
Foot(feet) and toe(s)	483	.1	—	—	.1	.1	.1	.1	.1	.1	.1	—
Multiple lower extremities locations, n.e.c.	489	.4	—	—	.3	.3	.5	.3	.4	.6	.3	—
Lower extremities, n.e.c.	49	(⁵)	—	—	—	—	—	(⁵)	(⁵)	(⁵)	.1	—
Body systems	5	1.9	—	—	2.3	2.8	1.5	1.8	1.8	2.0	.8	—
Multiple body parts	8	12.8	—	—	8.8	9.7	10.0	12.6	14.9	17.1	15.8	—

See footnotes at end of table.

TABLE R104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Other body parts	9	(5)	—	—	—	—	—	—	—	—	—	—
Prosthetic devices	91	(5)	—	—	—	—	—	—	—	—	—	—
Other body parts, n.e.c.	98	(5)	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	1.1	—	—	0.5	1.4	0.9	0.8	0.6	0.5	0.7	—

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees

during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers
(working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies