

TABLE R105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, 2007

Part of body	Part of body code ³	Private industry ⁴	Gender		
			Men	Women	Not reported
Total		122.2	134.1	105.2	-
Head	0	8.3	9.9	5.9	-
Head, unspecified	00	1.7	1.7	1.8	-
Cranial region, including skull	01	1.1	1.2	.9	-
Cranial region, unspecified	010	(⁵)	(⁵)	(⁵)	-
Brain	011	.7	.7	.6	-
Scalp	012	.3	.4	.2	-
Skull	013	.1	.1	.1	-
Multiple cranial region locations	018	(⁵)	(⁵)	(⁵)	-
Cranial region, n.e.c.	019	(⁵)	(⁵)	(⁵)	-
Ear(s)	02	.1	.1	.1	-
Face	03	5.3	6.8	3.1	-
Face, unspecified	030	.4	.4	.3	-
Forehead	031	.3	.4	.3	-
Eye(s)	032	3.5	4.7	1.7	-
Nose, nasal cavity	033	.3	.3	.3	-
Nose, except internal location of diseases or disorders	0330	.3	.3	.3	-
Internal nasal location, unspecified	0331	(⁵)	-	(⁵)	-
Nasal passages	0333	(⁵)	-	(⁵)	-
Cheek(s)	034	.1	.1	(⁵)	-
Jaw/chin	035	.1	.1	.1	-
Mouth	036	.2	.3	.1	-
Mouth, unspecified	0360	(⁵)	(⁵)	(⁵)	-
Lip(s)	0361	.1	.1	(⁵)	-
Tooth(teeth)	0363	.1	.2	.1	-
Multiple mouth locations	0368	(⁵)	(⁵)	(⁵)	-
Mouth, n.e.c.	0369	(⁵)	(⁵)	-	-
Multiple face locations	038	.3	.4	.3	-
Face, n.e.c.	039	(⁵)	.1	(⁵)	-
Multiple head locations	08	.1	.1	.1	-
Head, n.e.c.	09	(⁵)	(⁵)	(⁵)	-
Neck, including throat	1	1.8	1.8	1.8	-
Neck, except internal location of diseases or disorders	10	1.8	1.7	1.8	-
Internal neck location, unspecified	11	(⁵)	(⁵)	-	-
Pharynx	15	(⁵)	-	(⁵)	-
Trunk	2	40.6	45.3	33.8	-
Trunk, unspecified	20	.2	.2	.2	-
Shoulder, including clavicle, scapula	21	8.0	9.1	6.4	-
Chest, including ribs, internal organs	22	2.0	2.5	1.3	-
Chest, except internal location of diseases or disorders	220	1.7	2.2	1.1	-
Internal chest location, unspecified	221	(⁵)	(⁵)	(⁵)	-
Heart	223	(⁵)	.1	(⁵)	-
Bronchus	224	(⁵)	(⁵)	(⁵)	-
Lung(s), pleura	225	.1	.1	.2	-
Multiple internal chest locations	228	(⁵)	(⁵)	-	-
Internal chest location, n.e.c.	229	(⁵)	(⁵)	-	-
Back, including spine, spinal cord	23	24.9	26.3	22.9	-
Back, including spine, spinal cord, unspecified	230	10.1	11.0	9.0	-

See footnotes at end of table.

TABLE R105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender		
			Men	Women	Not reported
Lumbar region	231	12.6	13.4	11.4	—
Thoracic region	232	1.0	1.0	1.1	—
Sacral region	233	.1	(⁵)	.1	—
Coccygeal region	234	.3	.1	.4	—
Multiple back regions	238	.8	.7	.9	—
Back, including spine, spinal cord, n.e.c.	239	.1	.1	(⁵)	—
Abdomen	24	2.6	3.9	.8	—
Abdomen, except internal location of diseases or disorders	240	.7	.8	.6	—
Internal abdominal location, unspecified	241	.9	1.5	.1	—
Stomach organ	242	.1	.1	(⁵)	—
Spleen	243	(⁵)	(⁵)	—	—
Urinary organs	244	(⁵)	—	—	—
Intestines, peritoneum	245	.9	1.5	.1	—
Intestines, peritoneum, unspecified	2450	.8	1.3	.1	—
Peritoneum	2451	(⁵)	.1	(⁵)	—
Large intestine/colon, rectum	2453	(⁵)	(⁵)	—	—
Intestines, n.e.c.	2459	(⁵)	(⁵)	—	—
Internal abdominal location, n.e.c.	249	(⁵)	(⁵)	(⁵)	—
Pelvic region	25	2.0	2.5	1.4	—
Pelvic region, unspecified	250	(⁵)	(⁵)	(⁵)	—
Hip(s)	251	1.0	1.0	.9	—
Pelvis	252	.1	.1	.1	—
Buttock(s)	253	.1	.1	.2	—
Groin	254	.8	1.2	.2	—
External reproductive tract structures	255	(⁵)	(⁵)	—	—
External reproductive tract structures, unspecified	2550	(⁵)	—	—	—
Scrotum	2551	(⁵)	(⁵)	—	—
Internal reproductive tract structures	256	(⁵)	(⁵)	(⁵)	—
Testis(testes)	2562	(⁵)	(⁵)	—	—
Multiple pelvic region locations	258	(⁵)	(⁵)	(⁵)	—
Pelvic region, n.e.c.	259	(⁵)	—	(⁵)	—
Multiple trunk locations	28	.9	.9	.9	—
Trunk, n.e.c.	29	(⁵)	(⁵)	(⁵)	—
Upper extremities	3	28.4	31.8	23.6	—
Upper extremities, unspecified	30	.1	(⁵)	.1	—
Arm(s)	31	5.7	6.5	4.6	—
Arm(s), unspecified	310	1.9	2.1	1.7	—
Upper arm(s)	311	.4	.5	.3	—
Elbow(s)	312	2.0	2.3	1.6	—
Forearm(s)	313	1.1	1.3	.8	—
Multiple arm(s) locations	318	.2	.2	.2	—
Arm(s), n.e.c.	319	(⁵)	(⁵)	(⁵)	—
Wrist(s)	32	5.4	4.2	7.2	—
Hand(s), except finger(s)	33	5.1	6.1	3.5	—
Finger(s), fingernail(s)	34	10.7	13.6	6.7	—
Multiple upper extremities locations	38	1.4	1.3	1.5	—
Multiple upper extremities locations, unspecified	380	(⁵)	(⁵)	(⁵)	—
Hand(s) and finger(s)	381	.4	.5	.3	—
Hand(s) and wrist(s)	382	.3	.2	.4	—
Hand(s) and arm(s)	383	.2	.2	.1	—

See footnotes at end of table.

TABLE R105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender		
			Men	Women	Not reported
Multiple upper extremities locations, n.e.c.	389	0.4	0.4	0.5	—
Upper extremities, n.e.c.	39	(⁵)	(⁵)	(⁵)	—
Lower extremities	4	27.5	31.2	22.2	—
Lower extremities, unspecified	40	.1	.1	.1	—
Leg(s)	41	13.9	16.0	11.1	—
Leg(s), unspecified	410	1.8	2.3	1.2	—
Thigh(s)	411	.5	.6	.3	—
Knee(s)	412	10.0	10.9	8.6	—
Lower leg(s)	413	1.3	1.7	.7	—
Multiple leg(s) locations	418	.4	.4	.3	—
Leg(s), n.e.c.	419	.1	.1	(⁵)	—
Ankle(s)	42	6.6	7.0	6.0	—
Foot(feet), except toe(s)	43	4.6	5.6	3.3	—
Foot(feet), except toe(s), unspecified	430	4.1	4.8	3.1	—
Instep(s)	431	(⁵)	(⁵)	(⁵)	—
Sole	432	.4	.6	.2	—
Sole(s), unspecified	4320	(⁵)	.1	(⁵)	—
Ball(s) of foot	4321	(⁵)	(⁵)	—	—
Arch(es)	4322	(⁵)	(⁵)	—	—
Heel(s)	4323	.3	.5	.1	—
Multiple sole(s) locations	4328	(⁵)	(⁵)	—	—
Multiple foot(feet) locations	438	(⁵)	(⁵)	(⁵)	—
Foot(feet), n.e.c.	439	.1	.1	.1	—
Toe(s), toenail(s)	44	1.2	1.5	.8	—
Multiple lower extremities locations	48	1.0	1.0	.8	—
Multiple lower extremities locations, unspecified	480	(⁵)	(⁵)	(⁵)	—
Foot(feet) and leg(s)	481	.2	.3	.1	—
Foot(feet) and ankle(s)	482	.3	.3	.2	—
Foot(feet) and toe(s)	483	.1	.1	.1	—
Multiple lower extremities locations, n.e.c.	489	.4	.4	.5	—
Lower extremities, n.e.c.	49	(⁵)	(⁵)	(⁵)	—
Body systems	5	1.9	1.6	2.2	—
Multiple body parts	8	12.8	11.6	14.5	—
Other body parts	9	(⁵)	(⁵)	—	—
Prosthetic devices	91	(⁵)	—	—	—

See footnotes at end of table.

TABLE R105. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and gender, 2007 — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender		
			Men	Women	Not reported
Other body parts, n.e.c.	98	(⁵)	(⁵)	—	—
Nonclassifiable	9999	1.1	.9	1.1	—

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: $(N/EH) \times 20,000,000$ where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies