TABLE S06. Highest incidence rates of nonfatal occupational injury cases involving days away from work, private industry, 1999

Industry ³	SIC code ⁴	1999 Annual average employment ⁵ (000s)	Incidence rate	
			1998	1999
Air transportation, scheduled	2448 3398 2439 3448 176 3365 2045 178	1,058.7 24.4 45.8 19.1 46.9 32.8 244.8 26.5 14.6 23.8 79.8 27.8 30.1 60.8 78.4	68.2 4.7 5.5 63.2 4.3 63.2 4.4 6.2 4.9 2.4 5.3 5.3 4.1 5.2 5.2	67.1 6.6 6.0 65.6 5.4 65.4 5.3 5.3 5.2 5.1 4.9 4.9 4.9 4.8 4.7
Anthracite mining	3713 449	1.2 47.7 122.8 5.8 20.2 1,782.1 535.5 82.1 20.3 14.3	5.7 4.8 4.2 4.2 6.1 4.3 4.1 4.5 4.4 2.6	4.6 4.5 4.5 4.4 4.4 4.3 4.3 4.3 4.3
Private industry ⁷		107,611.8	⁶ 1.9	⁶ 1.8

 $^{^{1}}$ The incidence rates represent the number of injuries per 100 full-time workers and were calculated as: (N/EH) x 200,000, where

N = number of injuries

EH = total hours worked by all employees during the

calendar year
200,000 = base for 100 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

⁴ Standard Industrial Classification Manual, 1987 Edition.

5 Employment is expressed as an annual average and is derived primarily from the BLS-State Covered Employment and Wages program.

confidence level.

⁷ Excludes farms with fewer than 11 employees.

NOTE: Data conforming to OSHA definitions for coal and lignite mining operators (SIC 12) and nonmetal mining operators (SIC 14) are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. BLS does not calculate relative standard errors for the estimates in SIC 12 and in SIC 14, therefore, differences in these estimates were not tested for statistical significance. The n.e.c. abbreviation means that the category includes those components not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor December 2000

Days-away-from-work cases include those which result in days away from work with or without restricted work activity.
High rate industries were these than the control of the co

³ High rate industries were those having the 15 highest cases with days away from work incidence rates for injuries at the most detailed or lowest SIC level at which rates are calculated and published. Generally, manufacturing industries were calculated at the 4-digit code level and the remaining industries at the 3-digit level based on the Standard Industrial Classification Manual, 1987 Edition.

⁶ A statistical significance test indicates that the difference between the 1999 incidence rate and the 1998 rate is statistically significant at the 95 percent confidence level.