





EFFORTS TO DETERMINE THE STOCK ORIGINS OF THE SALMON BYCATCH IN THE BERING SEA GROUNDFISH FISHERY



WESTERN ALASKA CHINOOK SALMON CATCH, 1918-2005




WESTERN ALASKA CHUM SALMON CATCH, 1918-2005




BSAI SALMON BYCATCH, 1990 - MARCH18, 2006




BSAITOTAL GROUNDFISH FISHERIES CHINOOK BYCATCH, 1993 to March 18, 2006



**BSAI TOTAL GROUNDFISH FISHERIES WEEKLY OTHER
(CHUM) SALMON
BYCATCH-1993 to March 18, 2006**







REPORTING REGIONS USED FOR STOCK IDENTIFICATION FROM THE PACIFIC RIM CHUM SALMON GENETIC BASELINE BASED ON ALLOZYMES




1994




1995




1996




DISTRIBUTION OF CHINOOK SALMON SAMPLES TAKEN FROM THE 2005 FALL ("B") FISHERY FOR GENETIC ANALYSIS




WEEKLY DISTRIBUTION OF THE CHINOOK SALMON BYCATCH SAMPLES TAKEN FOR GENETIC ANALYSIS IN THE FALL OF 2005




CHINOOK SALMON BYCATCH SAMPLES TAKEN FOR GENETIC ANALYSIS BY AREA FROM THE 2005 FALL FISHERY



DISTRIBUTION OF CHUM SALMON SAMPLES TAKEN FROM THE 2005 FALL ("B") FISHERY FOR GENETIC ANALYSIS



WEEKLY DISTRIBUTION OF THE CHUM SALMON BYCATCH SAMPLES TAKEN FOR GENETIC ANALYSIS IN THE FALL OF 2005



CHUM SALMON BYCATCH SAMPLE TAKEN FOR GENETIC ANALYSIS FROM THE 2005 FALL FISHERY BY AREA

