Mammals of Glacier National Park Field Check List

Observer Date				
Time Weather		r		
to I	mmon and scientific names from R. S. Hoffma Montana Mammals, 1968. List compiled and re evember, 1971, August, 1986, April, 1995, and N	evised by by Da		
E W	Occurs east of the Continental Divide Spruce-fir forest, aspen, bunchgrass meadow Occurs west of the Continental Divide	'S		
**	Cedar - hemlock - spruce - fir - lodgepole - we meadows	estern larch for	rest, s	ome
Α	Occurs in alpine areas Above upper edge of continuous forest, open of park along Continental Divide	areas, makes	up ab	out 1/3
	Occurs only rarely in the park			
*	Historically in park, but no longer present			
Py Dry	RDER INSECTIVORA - SHREWS gmy shrew (Sorex hoyi) y, open coniferous forests		W	
	sked shrew (Sorex cinereus)	E	W	
_	niferous forests, meadows, ponds and stream e			
	grant shrew (Sorex vagrans)	E	W	Α
_	oist forests and grasslands, marsh and stream e			
	ontane shrew (Sorex monticolus)	E	W	
	gher elevation coniferous forests			
	orthern water shrew (Sorex palustris)	E	W	
Str	ream edges			
_	RDER CHIROPTERA - BATS			
	tle brown bat (Myotis lucifugus)	Ε	W	
	niferous forests, often around buildings, caves,		147	
	ng-eared bat (Myotis evotis)	E	W	A •
_	niferous forests, meadows, nocturnal		347	
	ng-legged bat (Myotis volans)	E	W	Α
_	niferous forests, meadows, nocturnal	_	14/	
	g brown bat (Eptesicus fuscus) niferous forests, often around buildings, caves,	nocturnal	W	
OU	rinorous ioresis, orien arbunu bullulrys, baves,	noctuillai		

Silver-haired bat (Lasionycteris noctivagans)	Е	W		
Coniferous forests, meadows, nocturnal				
Hoary bat (Lasiurus cinereus)	E	W		
Coniferous forests, mostly nocturnal				
ORDER CARNIVORA - CARNIVORES				
Bobcat (Lynx rufus)	Е	W		•
Open forests, brushy areas				
Lynx (Lynx lynx)	Е	W		
Coniferous forests				
Mountain lion (Felis concolor)	Е	W		
Coniferous forests				
Raccoon (Procyon lotor)	Е	W		•
Open forests, stream bottoms				
Black bear (Ursus americanus)	Е	W	Α	
Forests, slide areas, alpine meadows				
Grizzly bear (Ursus arctos)	Е	W	Α	
Forests, slide areas, alpine meadows				
Red fox (Vulpes vulpes)	Е	W		•
Grasslands, open forest				
Swift fox (Vulpes velox)	Е			*
Eastside grasslands				
Coyote (Canis latrans)	Е	W	Α	
Forests, grasslands				
Wolf (Canis lupus)	Е	W		
Coniferous forests				
Striped skunk (Mephitis mephitis)	Е	W		
Open forests, grasslands				
Badger (Taxidea taxus)	E	W		
Grasslands				
River otter (Lontra canadensis)	E	W		
Rivers, lakes				
Wolverine (Gulo gulo)	E	W	Α	
Coniferous forests, alpine meadows				
Least weasel (Mustela nivalis)	E	W		
Open forests, grasslands				
Short-tailed weasel (Mustela erminea)	E	W	Α	
Coniferous forests, meadows				
Long-tailed weasel (Mustela frenata)	Е	W	Α	
Open forests, meadows				
Mink (Mustela vison)	Е	W		
Creek and lake edges				
Marten (Martes americana)	Е	W		
Coniferous forests				
Fisher (Martes pennanti)	Е	W		•
Coniferous forests				

Pika (Ochotona princeps)	Ε	W	Α	
Rockslides				
Snowshoe hare (Lepus americanus)	Ε	W		
Coniferous forests				
White-tailed jackrabbit (Lepus townsendii)	Ε			
Grasslands				
Mountain cottontail (Sylvilagus nuttallii)	Ε			
Forests, brushy areas				
ORDER RODENTIA - RODENTS				
Porcupine (Erethizon dorsatum)	E	W		_
Coniferous forests	_	VV		
Beaver (Castor canadensis)	E	W		_
Streams, lakes		٧V		
Northern pocket gopher (Thomomys talpoides)	E	w	Α	
Meadows	-	VV	^	
Yellow-bellied marmot (Marmota flaviventris)	E			
Open rocky foothills, talus slopes	_			4
Hoary marmot (Marmota caligata)	Е	w	Α	
Rocky areas, alpine meadows	_		-	
Least chipmunk (Eutamias minimus)	E	W	Α	
High open forests, brushy, rocky areas, alpine meadows				
Yellow pine chipmunk (Eutamias amoenus)	Е	W		
Open forests, brushy, rocky areas				
Red-tailed chipmunk (Eutamias ruficaudus)	Ε	W		
Open forest, brushy, rocky areas				
Golden-mantled ground squirrel (Spermophilus lateralis)	Ε	W	Α	
High open forests, rocky areas				
Columbian ground squirrel (Spermophilus columbianus)	Е	W	Α	
Open woodlands, grasslands, alpine meadows				
Thirteen-lined ground squirrel	Ε			
(Spermophilus tridecemlineatus)				
Grasslands				
Richardson ground squirrel (Spermophilus richardsoni)	Ε			•
Grasslands				
Northern flying squirrel (Glaucomys sabrinus)	Ε	W		
Coniferous forests, nocturnal	_			
Red squirrel (Tamiasciurus hudsonicus)	Ε	W		
Coniferous forests	_			
Western jumping mouse (Zapus princeps)	Ε	W	Α	
Grasslands, alpine meadows	_	10.	_	
Bushy-tailed wood rat (Neotoma cinerea)	Ε	W	Α	
Rocky areas, old buildings	_	141		_
Deer mouse (Peromyscus maniculatus)	Ε	W	Α	
Forests, grasslands, alpine meadows				

Muskrat (Ondatra zibethicus)	Ε	W		
Streams, lakes, marshy areas				
Northern bog lemming (Synaptomys borealis)		W		•
Coniferous forests				
Red-backed vole (Clethrionomys gapperi)	Е	W		
Coniferous forests				
Montane heather vole (Phenacomys intermedius)	Ε	W	Α	
Coniferous forests, alpine meadows				
Water vole (Arvicola richardsoni)	Е	W	Α	
High elevation stream and lake edges				
Long-tailed vole (Microtus longicaudus)	Е	W		
Coniferous forests, grasslands				
Meadow vole (Microtus pennsylvanicus)	Ε	W		
Open forests, meadows, along streams, marshy areas.				
ORDER ARTIODACTYLA - EVEN-TOED UNGO		ΓES	<u> </u>	
Pronghorn (Antilocapra americana)	Е			*
• , , ,				-14
Eastside prairies				-11
White-tailed deer (Odocoileus virginianus)	E	W		-T
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms		W		-T
White-tailed deer (Odocoileus virginianus)	E	W	A	
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms			A	
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus)			A	
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations	E	W		
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus)	E	W		
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus) Open forests, meadows Moose (Alces alces) Coniferous forests, lakes, slow streams, marshy areas	E	W		
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus) Open forests, meadows Moose (Alces alces) Coniferous forests, lakes, slow streams, marshy areas Woodland caribou (Rangifer tarandus)	E	W		*
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus) Open forests, meadows Moose (Alces alces) Coniferous forests, lakes, slow streams, marshy areas Woodland caribou (Rangifer tarandus) Coniferous forests to subalpine	E	W		
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus) Open forests, meadows Moose (Alces alces) Coniferous forests, lakes, slow streams, marshy areas Woodland caribou (Rangifer tarandus) Coniferous forests to subalpine Bighorn sheep (Ovis canadensis)	E	W		
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus) Open forests, meadows Moose (Alces alces) Coniferous forests, lakes, slow streams, marshy areas Woodland caribou (Rangifer tarandus) Coniferous forests to subalpine Bighorn sheep (Ovis canadensis) Open mountainous areas	E E E	W W W		
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus) Open forests, meadows Moose (Alces alces) Coniferous forests, lakes, slow streams, marshy areas Woodland caribou (Rangifer tarandus) Coniferous forests to subalpine Bighorn sheep (Ovis canadensis) Open mountainous areas Mountain goat (Oreamnos americanus)	E E	W W W		
White-tailed deer (Odocoileus virginianus) Coniferous forests, meadows, creek and river bottoms Mule deer (Odocoileus hemionus) Open forests, meadows, often at high elevations American elk (Cervus elaphus) Open forests, meadows Moose (Alces alces) Coniferous forests, lakes, slow streams, marshy areas Woodland caribou (Rangifer tarandus) Coniferous forests to subalpine Bighorn sheep (Ovis canadensis) Open mountainous areas	E E E	W W W	A	

Eastside parklands and prairies