

8. REFERENCES

- *ACGIH. 1988. Threshold Limit Values and biological exposure indices for 1987 and 1988. ACGIH, Cincinnati, OH. p. 34
- *Albano E, Tomasi A, Cheeseman KH, et al. Use of isolated hepatocytes for the detection of free radical intermediates of halogenated hydrocarbons. Free Radicals Liver Inj Proc Int Meet 1st. p. 7-16.
- *Amin TA, Narang RS. 1985. Determination of volatile organics in sediment at nanogram-per-gram concentrations by gas chromatography. Anal Chem 57:648-651.
- Anders MW, Jakobson I. 1985. Biotransformation of halogenated solvents. Stand J Work Environ Health 11(Suppl 1):23-32
- *Archer WL. 1979. Other chloroethanes. In: Kirk-Othmer Encyclopedia of Chemical Technology. 3rd ed. 5:722-742.
- Ashby J, Tennant RW. 1988. Chemical structure, Salmonella mutagenicity and extent of carcinogenicity as indicators of genotoxic carcinogenesis among 222 chemicals tested in rodents by the U.S. Mutat Res 204:17-115
- *Ashworth RA, Howe GB, Mullins ME, et al. 1988. Air-water partitioning coefficients of organics in dilute solutions. J Hazard Mater 18:25-36.
- *ATSDR. 1988. 1988 (October 26). View Data Base Atlanta, GA: Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch.
- Barber ED, Donish WH, Mueller KR. 1980. Quantitative measurement of the mutagenicity of volatile liquids in the Ames Salmonella/microsome assay [Abstract]. Environ Mutagen 2:307.
- Barber ED, Donish WH, Mueller KR. 1981. A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames Salmonella typhimurium microsome assay. Mutat Res 90:31-48.
- *Barber ED, Donish WH. 1982. An exposure system for quantitative measurements of the microbial mutagenicity of volatile liquids. Environ.Sci Res 25:3-18.

*Cited in text

8. REFERENCES

*Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment: A multimedia environmental study. Biomed Mass Spect 7:139-147.

*Bauer U. 1981a. [Human exposure to environmental chemicals: Studies on volatile organic halogenated compounds in water, air, food and human tissues, III * Results of studies.] Zentralbl Bakteriol Mikrobiol Hyg Abt 1 Orig B 174:200-237. (German)

*Bauer U. 1981b. [Human exposure to environmental chemicals: Investigations on volatile organic halogenated compounds in water, air, food and human tissues: IV. Calculation of human exposure to organic halogenated compounds from the environment.] Zentralb Bakteriol Hyg Abt 1 Orig B 174:556-583. (German)

Birnbaum LS. 1987. Age-related changes in carcinogen metabolism. J Am Geriatr Soc 35:51-60

Bolt HM. 1987. Pharmacokinetic factors and their implications in the induction of mouse liver tumors by halogenated hydrocarbons. Arch Toxicol 10(suppl):190-203

*Bonnet P, Francin JM, Gradiski D, et al. 1980. [Determination of the median lethal concentration of principle chlorinated aliphatic hydrocarbons in the rat.] Arch Mal Prof Med Trav Secur Soc 41:317-321. (French)

*Borzelleca JF. 1983. A review of volatile organic contaminant data. Proc AWWA Water Qual Technol Conf 225:244.

*Bouwer EJ, McCarty PL. 1983. Transformation of 1- and 2-carbon halogenate aliphate organic compounds under methanogenic conditions. Appl Environ Microbiol 45:1286-1294.

*Brodzinsky R, Singh HB. 1982. Volatile organic chemicals in the atmosphere: An assessment of available data. SRI International, Atmospheric Science Center, Menlo Park, CA. Contract 68-02-3452, 98-99.

*Bronzetti G, Galli A, Vellosi R, et al. 1987. [Genetic activity of chlorinated ethanes.] Eur J Cancer Clin Oncol 23:1737-1738. (Italian)

*Carlson GP. 1973. Effect of phenobarbital and 3-methylcholanthrene pretreatment on the hepatotoxicity of 1,1,1-trichloroethane and 1,1,2-trichloroethane. Life Sci 13:67-73.

*Carpenter CP, Smyth HF, Jr, Pozzani UC. 1949. The assay of acute vapor toxicity, and the grading and interpretation of results on 96 chemical compounds. J Ind Hyg Toxicol 31:343-346.

8. REFERENCES

- *CAS. 1988. CA Registry File. Computer Printout.
- *Chang LW, Pereira MA, Klaunig JE. 1985. Cytotoxicity of halogenated alkanes in primary cultures of rat hepatocytes from normal, partial hepatectomized and preneoplastic/neoplastic liver. *Toxicol Appl Pharmacol* 80:274-283.
- *Cole RH, Frederick RE, Healy RP, Roban RG, 1984. Preliminary findings of the priority pollutant monitoring project of the Nationwide Urban Runoff Program.
- *Comba ME, Kaiser KLE. 1983. Determination of volatile contaminants at the ng/l level in water by capillary gas chromatography with electron capture detection. *Int J Environ Anal Chem* 16:17-31.
- *Cox RD. 1983. Sample collection and analytical techniques for volatile organics in air. *Spec Conf Meas Monit Non-Criter (toxic) Contam Air*, 101-112.
- *Cramer PH, Boggess KE, Hosenfeld JM, et al. 1988. Determination of organic chemicals in human whole blood: preliminary method development for volatile organics. *Bull Environ Contam Toxicol* 40:612-618.
- *De Ceaurriz J, Bonnet P, Certin C, et al. 1981. [Chemicals as central nervous system depressants. Benefits of an animal model.] *Cah Notes Dot* 104:351-355. (French)
- *DiRenzo AB, Gandolfi AJ, Sipes IG. 1982. Microsomal bioactivation and covalent bonding of aliphatic halides to DNA. *Toxicol Lett* 11:243-253.
- DiRenzo AB, Gandolfi AJ, Sipes IG, et al. 1982b. Effect of senescence on the bioactivation of aliphatic halides. *Res Commun Chem Pathol Pharmacol* 36:493-502
- DiRenzo AB, Gandolfi AJ, Sipes IG, et al. Effect of O₂ tension on the bioactivation and metabolism of aliphatic halides by primary rat-hepatocyte cultures. *Xenobiotica* 14:521-525
- *Divincenzo GD, Krasavage WJ. 1974. Serum ornithine carbamyl transferase as a liver response test for exposure to organic solvents. *Am Ind Hyg Assoc J* 35:21-29.
- *Dreisch FA, Gower M, Munson TO. 1980. Survey of the Huntington and Philadelphia river water supplies for purgeable organic contaminants. EPA-903/9-81-003. U.S. EPA, Annapolis, MD, 24.
- *Driscoll JN, Duffy M, Pappas S, Webb M. 1987. Analysis of purgeable organics in water by capillary GC/PIP-EICD. *J Chromatogr Sci* 25:369-375.

8. REFERENCES

*Duprat P, Delsaut L, Gradiski D. 1976. [Irritating power of the principal aliphatic chloride solvents on the skin and ocular mucosa of the rabbit.] Eur J Toxicol Environ 9:171-177. (French)

Elovaara E, Hemminki K, Vainio H. 1979. Effects of methylene chloride, trichloroethane, trichloroethylene and toluene on the development of chick embryos. Toxicology 12:111-119.

*EPA. 1975. Preliminary assessment of suspected carcinogens in drinking water: Report to Congress. Environmental Protection Agency, Office of Toxic Substances, Washington, DC.

*EPA. 1980. Ambient Water Quality Criteria for Chlorinated Ethanes. Environmental Protection Agency, Office of Water Regulations and Standards, Washington DC. EPA 440/5-80-029.

*EPA. 1981. Treatability Manual. EPA-600/2-82-001A, Environmental Protection Agency, Washington, DC;1.12-9.1-1.12-9.4.

*EPA. 1982a. Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater. Method Nos. 601 and 624. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, OH.

*EPA. 1982b. Test Methods for Evaluating Solid Waste. SW-846, 2nd ed., Physical/Chemical Methods. Method No. 5030. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC.

*EPA. 1982c. Fate of Priority Pollutants in Publicly Owned Treatment Works. Volume 1. Environmental Protection Agency. EPA 440/1-82/303. p. 35-44.

*EPA. 1986a. Methods for the Determination of Organic Compounds in Finished Drinking Water and Raw Source Water. Method Nos. 502.1 and 524.2. Environmental Protection Agency, Physical and Chemical Methods Branch, Environmental Monitoring and Support Laboratory, Cincinnati, OH.

*EPA. 1986b. Test Methods for Evaluating Solid Waste SW-846, 3rd ed., vol. 1B: Laboratory Manual: Physical/Chemical Methods. Environmental Protection Agency, Office of Solid Waste and Emergency Response, Washington, DC.

*EPA. 1986c. Hazardous States Environmental Protection Agency. 1986. Hazardous waste management system; identification and listing of hazardous waste. Federal Register 51:6537-6537.

EPA. 1986d. Health effects assessment for 1,1,2-trichloroethane. U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office, Cincinnati, OH. NTIS/PB86-134566

8. REFERENCES

*EPA. 1987a. U.S. EPA Contract Laboratory Program Statement of Work for Organic Analysis. Environmental Protection Agency, Washington, DC.

*EPA. 1987b. Drinking Water Health Advisory for 1,1,2-Trichloroethane. Draft. Prepared by ECAO for ODW EPA, Washington, DC.

*EPA. 1987c. National primary drinking water regulations; synthetic organic chemicals; monitoring for unregulated contaminants. Federal Register 52:25690-25717.

*EPA. 1988a. Integrated Risk Information System (IRIS). Risk Estimate for Carcinogenicity for 1,1,2-trichloroethane. Online. (Revised; Verification date 7/23/86) Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.

*EPA. 1988b. U.S. Environmental Protection Agency. Analysis of Clean Water Act Effluent Guidelines Pollutants. Summary of the Chemicals Regulated by Industrial Point Source Category. 40 CFR Parts 400-475. Draft. Prepared by the Industrial Technology Division (WH 552), Office of Water Regulations and Standards, Office of Water, U.S. EPA, Washington, DC.

*Filsler JG, Jurg P, Bolt HM. 1982. Decreased acetone exhalation induced by metabolites of halogenated C1 and C2 compounds. Arch Toxicol 49:107-116

*FSTRAC. 1988. Summary of State and Federal Drinking Water Standards and Guidelines By Chemical Communication Subcommittee Federal State Toxicology of Regulatory Alliance Committee.

Gandolfi AJ, Van Dyke RA. Dechlorination of chloroethane with a reconstituted liver microsomal system. Biochem Biophys Res Commun 53:687-692

Gargas ML, Burgess RJ, Voisard DE, et al. 1989. Partition coefficients of low-molecular-weight volatile chemicals in various liquids and tissues. Toxicol Appl Pharmacol 98:87-99.

*Gehring PJ. 1968. Hepatotoxic potency of various chlorinated hydrocarbon vapours relative to their narcotic and lethal potencies in mice. Toxicol Appl Pharmacol 13:287-298.

*Ghittori S, Imbriani M, Pezzagno G, et al. 1987. The urinary concentration of solvents as a biological indicator of exposure: proposal for the biological equivalent exposure limit for nine solvents. Am Ind Hyg Assoc J 48:786-790.

Gold LS, Ward JM, Bernstein L, et al. 1986. Association between carcinogenic potency and tumor pathology in rodent carcinogenesis bioassays. Fundam Appl Toxicol 6:677-690

8. REFERENCES

- *Gold LS, Backman GM, Hooper NK, et al. 1987. Ranking the potential carcinogenic hazards to workers from exposures to chemicals that are tumorigenic in rodents. *Environ Health Perspect* 76:211-219.
- *Gradiski D, Bonnet P, Raoult G, et al. 1978. [Comparative acute inhalation toxicity of the principal chlorinated aliphatic solvents.] *Arch Mal Prof Med Trav Secur Sot* 39:249-257. (French)
- Grasso P. 1982. Carcinogenicity of solvents. In: Collings AJ, Luxon SG, eds. *Safe use of solvents*. London, England: Academic Press, Inc., 129-136
- *Greenberg M, Anderson R, Keene J, et al. 1982. Empirical test of the association between gross contamination of wells with toxic substances and surrounding land use. *Environ Sci Technol* 16:14-19.
- *Grimsrud EP, Rasmussen RA. 1975. Survey and analysis of halocarbons in the atmosphere by gas chromatography-mass spectrometry. *Atmos Environ* 9:1014-1017.
- *Gupta KC, Ulsamen AG, Gammage R. 1984. Volatile organic compounds i residential air: levels, sources and toxicity. Presented at 77th Ann Mtg Air Pollution Control ASSOC, San Francisco, CA. June 24-29.
- Hales DB, Thompson JA. 1985. Kinetic and mechanistic studies of the cytochrome P-450 catalyzed oxidation of chloroethanes. (Abstract) *Fed Proc* 44:1259
- *Hallen RT, Pyne JW, Molton PM. 1986. Transformation of chlorinated ethenes and ethanes by anaerobic microorganisms. Abstract. Presented before the Division of Environmental Chemistry, American Chem Sot. 192nd Ann Meeting, Anaheim, CA. Sept. 7-12, 1986. p. 344-346.
- *Hanasono, GK, Witschi H, Plaa GL. 1975. Potentiation of the hepatotoxic responses to chemicals in alloxan-diabetic rats. *Proc Soc Exp Biol Med* 149:903-907.
- *Harkov R, Kebbekus B, Bozzelli JW, et al. 1983. Measurement of selected volatile organic compounds at three locations in New Jersey during the summer season. *J Air Pollut Control Assoc* 33:1177-1183.
- *Harkov R, Gianti SJ Jr, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey (USA). *J Environ Sci Health Part A Environ Sci Eng* 20:491-502.
- *Harkov R, Kebbekus B, Bozzelli JW. 1987. Volatile organic compounds at urban sites in New Jersey. In: Liroy and Daisey, eds. *Toxic Air Pollutants*. Chelsea, MI: Lewis Pub Inc, 69-88.

8. REFERENCES

- *Harms MS, Peterson RE, Fujimoto JM, et al. 1976. Increased "bile ductpancreatic fluid" flow in chlorinated hydrocarbon-treated rats. *Toxicol Appl Pharmacol* 35:41-49.
- Hathway DE. 1981. Foreign compound metabolism in mammals. Vol 6. A review of literature published during 1978 and 1979. London, England: Royal Society of Chemistry, 160-197
- *Hawley. 1981. Condensed Chemical Dictionary. 10th ed, 1041.
- Helmes CT, Atkinson DL, Sigman CC, et al. 1982. Evaluation and classification of the potential carcinogenicity of organic air pollutants. *J Environ Sci Health* 17(Part A):321-390
- *Henschler D, Reichert D, Metzler M. 1980, Identification of potential carcinogens in technical grade 1,1,1-trichloroethane. *Int Arch Occup Environ Health* 47:263-268.
- *Hiatt MH. 1981. Analysis of fish and sediment for volatile priority pollutants. *Anal Chem* 53:1541-1543.
- *Hiatt MH. 1983. Determination of volatile organic compounds in fish samples by vacuum distillation and fused silica capillary gas chromatography/mass spectrometry. *Anal Chem* 55:506-516.
- Holmberg B, Malmfors T. 1974. Cytotoxicity of some organic solvents. *Environ Res* 7:183-192
- *IARC. 1979. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol 20. Some halogenated hydrocarbons. Lyon, France: International Agency for Research on Cancer.
- *Ikeda M, Ohtsuji H. 1972. A comparative study of the excretion of Fujiwara reaction-positive substances in urine of humans and rodent given trichloro- or tetrachloro-derivatives of ethane and ethylene. *Br J Ind Med* I 29:99-104.
- *Imbriani M, Ghittori S, Pezzagno G, et al. 1985. Urine/air partition coefficient for some industrially important substances. *G Ital Med Lav* 7:133-140.
- *Isnard P, Lambert S. 1988. Estimated bioconcentration factors from octanol-water partition coefficient and aqueous solubility. *Chemosphere* 17:21-34.
- *Ivanetich KM, Van Den Honert LH. 1981; Chloroethanes: Their metabolism by hepatic cytochrome P-450 in vitro. *Carcinogenesis* 2:697-702.

8. REFERENCES

- *Jackson DR, Garrett BC, Bishop TA. 1984. Comparison of batch and column methods for assessing leachability of hazardous waste. *Environ Sci Technol* 18:668-673.
- *Jakobson I, Holmberg B, Wahlberg JE. 1977. Variations in the blood concentration of 1,1,2-trichloroethane by percutaneous absorption and other routes of administration in the guinea pig. *Acta Pharmacol Toxicol* 41:497-506.
- *Jensen S, Rosenberg R. 1975. Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res* 9:659-661.
- *Jeong KM, Hsu KJ, Jeffries JB, et al. 1984. Kinetics of the reactions of hydroxyl with ethane, 1,1,1-trichloroethane, 1,1,2-trichloroethane, 1,1-difluoro-1,2-dichloroethane, and 1,1,1,2-tetrafluoroethane. *J Phys Chem* 88:1222-1226.
- *Jernigan JD, Pounds JG, Harbison RD. 1983. Potentiation of chlorinated hydrocarbon toxicity by 2,5-hexanedione in primary cultures of adult rat hepatocytes. *Fundam Appl Toxicol* 3:22-26.
- *Kaiser KLE, Comba ME. 1986. Volatile halocarbon contaminant survey of the St. Clair River. *Water Pollut Res J Can* 21:323-331.
- *Kallman MJ, Lynch MR, Landauer MR. 1983. Taste aversions to several halogenated hydrocarbons. *Neurobehav Toxicol Teratol* 5:23-27.
- *Kallman MJ, Kaempf GL. 1984. Efficacy of choice testing to predict chronic ingestion of drinking solutions adulterated with chemicals. *Pharmacol Biochem Behav* 20:195-200.
- *Kawasaki M. 1980. Experiences with the test scheme under the chemical control law of Japan: An approach to structure-activity correlations. *Ecotoxic Environ Safety* 4:444-454.
- *Kebbekus BB, Bozzelli JW. 1982. Collection and analysis of selected volatile organic compounds in ambient air, *Proc Ann Meet Air Pollut Control Assoc* 75:82-65.2, 15 p.
- *Kentucky Natural Resources and Environmental Protection Cabinet, Proposed Regulation 401 KAR 63:022.
- *King L, Sherbin G. 1986. Point sources off toxic organics to the upper St. Clair River. *Water Pollut Res J Canada* 21:433-446.
- *Klaassen CD, Plaa GL. 1966. Relative effects of various chlorinated hydrocarbons on liver and kidney function in mice. *Toxicol Appl Pharmacol* 9:139-151.

8. REFERENCES

- *Klaassen CD, Plaa GL. 1967a. Relative effects of various chlorinated hydrocarbons on liver and kidney function in dogs. *Toxicol Appl Pharmacol* 10:119-131.
- *Klaassen CD, Plaa GL. 1967b. Susceptibility of male and female mice to the nephrotoxic and hepatotoxic properties of chlorinated hydrocarbons. *Proc Soc Exp Biol Med* 124:1163-1166.
- *Klaassen CD, Plaa GL. 1969. Comparison of the biochemical alterations elicited in livers from rats treated with carbon tetrachloride, chloroform, 1,1,2-trichloroethane and 1,1,1-trichloroethane. *Biochem Pharmacol* 18:2019-2027.
- *Klecka GM, Gonsior SJ. 1983. Nonenzymatic reductive dechlorination of chlorinated methanes and ethanes in aqueous solution. Report ES-645. Dow Chemical USA Environmental Research Lab, 32 p.
- *Kluwe WM, McCormack KM, Hook JB. 1978. Potentiation of hepatic and renal toxicity of various compounds by prior exposure to polybrominated biphenyls. *Environ Health Perspect* 23:241-246.
- *Kluwe WM, Herrmann CL, Hook JB. 1979. Effects of dietary polychlorinated biphenyls and polybrominated biphenyls on the renal and hepatic toxicities of several chlorinated hydrocarbon solvents in mice. *J Toxicol Environ Health* 5:605-616.
- *Konietzko H. 1984. Chlorinated ethanes: Sources, distribution, environmental impact and health effects. *Hazard Assess Chem: Curr Dev* 3:401-448.
- *Krill RM, Sonzogni WC. 1986. Chemical monitoring of Wisconsin's groundwater. *J Am Water Works Assoc* 78:70-75.
- *Kronevi T, Wahlberg J, Holmberg B. 1977. Morphological lesions in guinea pigs during skin exposure to 1,1,2-trichloroethane. *Acta Pharmacol Toxicol* 41:298-305.
- *LaRegina J, Bozzelli JW, Harkov R, Granti S. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey. *Environ Prog* 8:18-26.
- *Lazarew NW. 1929. Über die narkotische Wirkungskraft der Dämpfe der chlorderivaten des methans, des Athans und des Anthylens. *Arch Exp Pathol Pharmacol* 141:19-24.
- *Liepins R, Mixon F, Hudak C, et al. 1977. Industrial Process Profile for Environmental Use: Chapter 6. The Industrial Organic Chemicals Industry. EPA-600/2-77-023f. 6-359 - 6-363.

8. REFERENCES

*Lioy PJ, Atherholt T, Bozzelli J, et al. 1983. The New Jersey project on Airborne Toxic Elements and Organic Substances (ATEOS): A summary of the 1981 summer and 1982 winter studies. *J Water Pollut Control Fed* 33:649-657.

Lipsky MM. A brief review of the toxicity and carcinogenicity of select chlorinated hydrocarbons. *Adv Mod Environ Toxicol* 7:141-151

*Little AD. 1983. Cell transformation assays of 11 chlorinated hydrocarbon analogs (Final Report) ICAIR work assignment No. 10. EPA/OTS. Document #40+8324457.

*Lopez-Avila V, Heath N, Hu A. 1987. Determination of purgeable halocarbons and aromatics by photoionization and hall electrolytic conductivity detectors connected in series. *J Chromatogr Sci* 25:356-363.

*Lundberg I, Ekdahl M, Kronevi T, et al. 1986. Relative hepatotoxicity of some industrial solvents after intraperitoneal injection or inhalation exposure in rats. *Environ Res* 40:411-420.

*Mabey WR, Barich V, Mill T. 1983. Hydrolysis of polychlorinated alkanes. In: *Symp Amer Chem Soc Div Environ Chem 186th Natl Mtg*. Washington DC. 23:359-361.

MacDonald JR, Gandolfi AJ, Sipes IG. 1980. Potentiation of 1,1,2-trichloroethane hepatotoxicity by acetone pre-treatment. *Fed Proc* 39:999.

*MacDonald JR, Gandolfi AJ, Sipes IG. 1982. Acetone potentiation of 1,1,2-trichloroethane hepatotoxicity. *Toxicol Lett* 13:57-69.

Maiorino RM, Gandolfi AJ, Brendel K, et al. Chromatographic resolution of amino acid adducts of aliphatic halides. *Chem Biol Interact* 38:175-188

*Mazzullo M, Colacci A, Grilli S, et al. 1986. 1,1,2-Trichloroethane: Evidence of genotoxicity from short-term tests. *Jpn J Cant Res* 77:532-539.

*Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. *Anal Chem* 52:1836-1841.

*Milman HA, Mitoma C, Tyson C, et al. 1984. Comparative pharmacokinetics/metabolism, carcinogenicity and mutagenicity of chlorinated ethanes and ethylenes (Meeting abstract). *International Conf on Organic Solvent Toxicity*, October 15-17. p. 19.

*Mitoma C, Tyson CA, Riccio ES. 1985. Investigation of the species sensitivity and mechanism of carcinogenicity of halogenated hydro- carbons final report EPA Contract 68-01-5079. EPA/OTS; Document #40-842-8424225.

8. REFERENCES

- *Mitre. 1987. National priority list technical database. McLean, VA: The Mitre Corp.
- *Molton PM, Hallen RT, Pyne JW. 1987. Study of vinyl chloride formation at landfill sites in California. Report BNWL-2311206978. Richland, WA: Batelle Pacific Northwest Laboratories. (PB87-161278).
- *Moody DE, James JL, Clawson GA, et al. 1981. Correlations among the changes in hepatic microsomal components after intoxication with alkyl halides and other hepatotoxins. *Mol Pharmacol* 20:685-693.
- *Moody DE, Smuckler EA. 1986. Disturbances in hepatic heme metabolism in rats administered alkyl halides. *Toxicol Lett* 32:209-214.
- *Moolenaar RJ and Olson RD. 1989. Written communication. Comments of the Dow Chemical Company on ATSDR's Toxicological Profile for 1,1,2-Trichloroethane. Dow Chemical Company, Midland, MI. (May 12).
- *Morgan A, Black A, Belcher DR. 1970. The excretion in breath of some aliphatic halogenated hydrocarbons following administration by inhalation. *Ann Occup Hyg* 13:219-233.
- *Morgan A, Black A, Belcher DR. 1972. Studies on the absorption of halogenated hydrocarbons and their excretion in breath using ³⁸Cl tracer techniques. *Ann Occup Hyg* 15:273-282.
- *Mosesman NH, Sidisky IM, Corman SD. 1987. Factors influencing capillary analysis of volatile pollutants. *J Chromatogr Sci* 25:351-355.
- *Mudder TI, Musterman JL. 1982. Development of empirical structure biodegradability relationships and biodegradability testing protocol for volatile and slightly soluble priority pollutants. Presented before the Div Environ Chem Amer Chem Soc, Kansas City, MO. Sept. 1982. p. 52-53.
- Nakajima T, Sato A. 1979. Enhanced activity of liver drug-metabolizing enzymes for aromatic hydrocarbons and chlorinated hydrocarbons following food deprivation. *Toxicol Appl Pharmacol* 50:549-556
- *NATICH. 1987. NATICH Data Base Report in State, Local and EPA Air Toxics Activities. National Air Toxics Information Clearinghouse. O.A. QQPS. RTP, NC. State and Territorial Pollution Program. Administrators Assoc. of Local Air Pollution. Central Officials.
- *NCI. 1978. Bioassay of 1,1,2-trichloroethane for possible carcinogenicity. Report. ISS DHEW/PUB/NIH-78-1324. NCI-CG-TR-74. PB-283337.
- *Newsom JM 1985. Transport of organic compounds dissolved in ground water. *Ground Water Monit Rev* 5:28-36.

8. REFERENCES

*NIOSH. 1977a. NIOSH Manual of Analytical Methods. 2nd ed, vol 1, Method No. P&CAM 127, U.S. Dept of Health Education and Welfare, Center for Disease Control, NIOSH, Cincinnati, OH.

*NIOSH. 1977b. NIOSH Manual for Analytical Methods. 2nd ed, vol 2, Method No. 5134, U.S. Dept of Health Education and Welfare, Center for Disease Control, NIOSH, Cincinnati, OH.

NIOSH. 1985. Current Intelligence Bulletin 27. Chloroethanes: Review of Toxicity. National Institute for Occupational Safety and Health, Cincinnati, OH. NTIS/PB85-119196

*NIOSH. 1988. National Institute for Occupational Safety and Health. National Occupational Exposure Survey (NOES) Computer Printout 10/20/88.

*NLM . 1988. Hazardous Substance Data Bank. NIH. National Library of Medicine, Bethesda, MD

*Norpoth K, Heger M, Muller G, et al. 1988. Investigations on metabolism and carcinogenicity of 1,1,2-trichloroethane. J Cancer Res Clin Oncol 114:158-162.

*Ohio River Valley Sanitation Commission. 1980. Assessment of water quality conditions. Ohio River Mainstream 1978-9. Cincinnati, OH.

*OSHA. 1989. Air contaminants: Final rule. U.S. Department of Labor. Occupational Safety and Health Administration. 29 CFR 1910.1000. Federal Register 54(12):2332-2960.

*Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. Environ Sci Technol 15:1475-1481.

*Pankow JF, Rosen ME. 1988. Determination of volatile compounds in water by purging directly to a capillary column with whole column cryotropping. Environ Sci Technol 22:398-405.

*Parrish CF. 1983. Solvents, industrial. In: Kirk-Othmer Encyclopedia of Chemical Technology. 3rd Ed, Vol 21. New York, NY: John Wiley and Sons, 377-401.

Pelkonen O, Vainio H. 1975. Spectral interactions of a series of chlorinated hydrocarbons with cytochrome P-450 of liver microsomes from variously treated rats. Fed Eur Biochem Sot Lett 51:11-14

*Pellizzari ED. 1982. Analysis for organic vapor emissions near industrial and chemical waste disposal sites. Environ Sci Technol 16:781-785.

8. REFERENCES

- *Pellizzari ED, Hartwell TD, Harris BSH, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28:322-328.
- *Plaa GL, Evans EA, Hine CH. 1958. Relative hepatotoxicity of seven halogenated hydrocarbons. *J Pharmacol Exper Therap* 123:224-229.
- *Plaa GL, Larson RE. 1965. Relative nephrotoxic properties of chlorinated methane, ethane, and ethylene derivatives in mice. *Toxicol Appl Pharmacol* 7:37-44.
- Plaa GL, Traiger GJ, Hanasono GK, et al. 1975. Effect of alcohols on various forms of chemically induced liver injury. *Alcohol Liver Pathol [Proc Int Symp Alcohol Drug Res]:225-244.*
- *Platt DS, Cockrill BL. 1969. Biochemical changes in rat liver in response to treatment with drugs and other agents. II. Effects of halothane, DDT, other chlorinated hydrocarbons, thioacetamide, dimethylnitrosamine, and ethionine. *Biochem Pharmacol* 18:445-457.
- *Pozzani UC, Weil CS, Carpenter CP. 1959. The toxicological basis of Threshold Limit Values: 5. The experimental inhalation of vapor mixtures by rats, with notes up on the relationship between single dose inhalation and single dose oral data. *Am Ind Hyg Assoc J* 20:364-369.
- *Rannug U, Sundvall A, Ramel C. 1978. The mutagenic effect of 1,2-dichloroethane on *Salmonella typhimurium* I. Activation through conjugation with glutathione in vitro. *Chem Biol Interact* 20:1-16.
- *Riddick JA, Bunger WB, Sakano TK. 1986. Organic solvents: Physical properties and methods of purification. *Techniques of Chemistry*. 4th ed., New York, NY: Wiley-Interscience.
- *RIDH. 1989. Written communication regarding 1,1,2-trichloroethane levels in private well water. Providence, RI: Rhode Island Department of Health. (May 2).
- *Rogers SE, Peterson DL, Lauer WC. 1987. Organic contaminants removal for potable reuse. *J Wat Pollut Con Fed* 59:722-732.
- *RTECS. 1988. Registry of Toxic Effects of Chemical Substances. Online: 8/4/88.
- *Sabel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leachate contamination. *Waste Manag Res* 2:119-130.
- *Sabljić A. 1987. On the prediction of soil sorption coefficients of organic pollutants from molecular structure: Application of molecular topology model. *Environ Sci Technol* 21:358-366.

8. REFERENCES

- *Sanders VM, White KL Jr, Shopp GM Jr, et al. 1985. Humoral and cellmediated immune status of mice exposed to 1,1,2-trichloroethane. *Drug Chetn Toxicol* 8:357-372.
- *SANSS. 1988. Structure and Nomenclature Search System. Online: 7/31/88.
- *SARA (Superfund Amendments and Reauthorization Act). 1986. 99th Congress, Second Session. House of Representatives Report No. 99-962.
- Sato A, Nakajima T. 1979. A structure-activity relationship of some chlorinated hydrocarbons. *Arch Environ Health* 34:69-75.
- Sato A, Nakajima T. 1987. Pharmacokinetics of organic solvent vapors in relation to their toxicity. *Stand J Work Environ Health* 13:81-93
- *Seidenberg JM, Becker RA. 1987. A summary of the results of 55 chemicals screened for developmental toxicity in mice. *Teratogen Carcinogen Mutagen* 7:17-28.
- *Seidenberg JM, Anderson DG, Becker RA. 1986. Validation of an in vivo developmental toxicity screen in the mouse. *Teratogen Carcinogen Mutagen* 6:361-374.
- *Seip HM, Alstad J, Carlberg GE, et al. 1986. Measurement of mobility of organic compounds in soils. *Sci Total Environ* 50:87-102.
- *Shackelford WM, Cline DM, Faas L, et al. 1983. An evaluation of automated spectrum matching for survey identification of wastewater components by gas chromatography-mass spectroscopy [Supplemental data]. *Anal Chem Acta* 146:15-27.
- *Shah JJ, Heyerdahl EK. 1988. EPA-600-3-88-010. National Ambient Volatile Organic Compounds (VOCs) Data Base Update. Environmental Protection Agency, Atmospheric Sciences Research Laboratory, Research Triangle Park, NC.
- *Simmon VF, Kauhanen K, Tardiff RG. 1977. Mutagenic activity of chemicals identified in drinking water. *Dev Toxicol Environ Sci* 2:249-258.
- *Singh HB, Salas LJ, Cavanagh LA. 1977. Distribution sources and sinks of atmospheric halogenated compounds. *J Air Pollut Control Assoc* 27:332-336.
- *Singh HB, Salas LJ, Smith AJ, et al. 1981. Measurments of some potentially hazardous organic chemicals in urban environments. *Atmos Environ* 15:601-612.
- *Singh HB, Salas LJ, Stiles RE. 1982. Distribution of selected gaseous organic mutagens and suspect carcinogens in ambient air. *Environ Sci Technol* 16:872-880.

8. REFERENCES

- *Sipes IG, Gandolfi AJ. 1980. In vitro comparative bioactivation of aliphatic halogenated hydrocarbons. Dev Toxicol Environ Sci 8:501-506.
- *Smyth HF, Jr, Carpenter CP, Weil CS, et al. 1969. Range-Finding Toxicity Data: List VII. Am Ind Hyg Assoc J 30:470-476.
- *SRI. 1988. Guide to Chemical Producers. Menlo Park, CA: SRI International.
- *Stanley JS. 1986. Broad scan analysis of the FY82 national human adipose tissue survey specimens. Vol 1. Executive Summary. EPA 560/5-86-035. U.S. EPA, Washington, DC, 32.
- Stewart RD. 1983. Trichloroethanes. In: Encyclopaedia of Occupational Health and Safety. Vol 2. National Institutes of Occupational Safety and Health, 2213-2214
- *STORET. 1988. EPA STORET Water Quality Data Base. Online: 10/14/88.
- Story DL, Gee SJ, Tyson CA, et al. 1983. Response of isolated hepatocytes to organic and inorganic cytotoxins. J Toxicol Environ Health 11:483-501
- *Story DL, Meierhenry EF, Tyson CA, et al. 1986. Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. Toxicol Ind Health 2:351-362.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds, J Water Pollut Contr Fed 53:1503-1518.
- *Takahara K. 1986a. [Experimental study on toxicity of trichloroethane: Part 1. Organ distribution of 1,1,1- and 1,1,2-trichloroethanes in exposed mice.] Okayama Igakkai Zasshi 98:1079-1090. (Japanese)
- *Takahara K. 1986b. [Experimental study on toxicity of trichloroethane. II. 1,1,1- and 1,1,2-trichloroethane in expired air and in urine of mice. Okayama Igakkai Zasshi 98:1091-1097. (Japanese)
- *Takahara K. 1986c. [Experimental study on toxicity of trichloroethane. III. Changes in liver function of mice after exposure to 1,1,1- and 1,1,2 trichloroethane.] Okayama Igakkai Zasshi 98:1099-1109. (Japanese)
- *Takano T, Miyazaki Y. 1982. Effect of chlorinated ethanes and ethylenes on electron transport in rat liver mitochondria. J Toxicol Sci 7:143-149.

8. REFERENCES

Takano T, Miyazaki Y, Motohashi Y. 1984. Spectral changes of cytochrome P-450 and reduction oxidation transition of pyridine nucleotides associated with 1,1,1-trichloroethane and 1,1,2-trichloroethane metabolism in perfused rat liver. 68th Annual Meeting of the Federation of American Societies for Experimental Biology, St Louis, MO. (Abstract) Fed Proc Vol 43

Takano T, Miyazaki Y, Motohashi Y. 1985. Interaction of trichloroethane isomers with cytochrome P-450 in the perfused rat liver. *Fundam Appl Toxicol* 5:353-360

*Tham R, Bunnfors I, Eriksson B, et al. 1984. Vestibulo-ocular disturbances in rats exposed to organic solvents. *Acta Pharmacol Toxicol* 54:58-63.

*Thomas R. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of Chemical Property Estimation Methods*. New York, NY: McGraw Hill, 15-1 - 15-34.

*Thomas R, Byrne M, Gilbert D, et al. 1982. An exposure and risk assessment for trichloroethanes 1,1,1-trichloroethane, 1,1,2-trichloroethane. EPA 440/4-85-018, 180 pp.

Thomas R, Byrne M, Gilbert D, et al. 1985. Exposure and risk assessment for trichloroethanes: 1,1,1-trichloroethane, 1,1,2-trichloroethane. Environmental Protection Agency, Office of Water Regulations and Standards, Washington DC. NTIS/PB85-220598

Thompson JA, Ho B, Mastovich SL. 1984. Reductive metabolism of 1,1,1,2-tetrachloroethane and related chloroethanes by rat liver microsomes. *Chem Biol Interact* 51:321-333

Thompson JA, Ho B, Mastovich SL. 1985. Dynamic headspace analysis of volatile metabolites from the reductive dehalogenation of trichloro- and tetrachloroethanes by hepatic microsomes. *Anal Biochem* 145:376-384

Toftgard R, Gustafsson J-A. 1980. Biotransformation of organic solvents: A review. *Stand J Work Environ Health* 6:1-18

*Torkelson TR, Rowe VK. 1981. In Clayton D, Clayton F, eds. *Patty's Industrial Hygiene and Toxicology*. 3rd rev ed. New York, NY: John Wiley & Sons, Inc., 3586-3593.

*Traiger GJ, Plaa GL. 1974. Chlorinated hydrocarbon toxicity: Potentiation by isopropyl alcohol and acetone. *Arch Environ Health* 28:276-278.

*Tsuruta H. 1975. Percutaneous absorption of organic solvents. 1) Comparative study of the in vivo percutaneous absorption of chlorinated solvents in mice. *Ind Health* 13:227-236.

8. REFERENCES

- *Tsuruta H, Iwasaki K, Fukuda K. 1983. Analysis of trace impurities in reagent and technical grade trichloroethylene. *Ind Health* 21:293-295.
- Tsuruta H. 1986. Percutaneous absorption of chemical substances and toxicity especially about organic solvents. *Eisei Kagaku* 32:229-241
- *Tu AS, Murray TA, Hatch KM, et al. 1985. In vitro transformation of BALB/C-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett* 28:85-92.
- *Tyson CA, Mitoma C, Kalivoda J. 1980. Evaluation of hepatocytes isolated by a nonperfusion technique in a prescreen for cytotoxicity. *J Toxicol Environ Health* 6:197-205.
- *Tyson CA, Hawk-Prather K, Story DL, et al. 1983. Correlations of in vitro and in vivo hepatotoxicity for five haloalkanes. *Toxicol Appl Pharmacol* 70:289-302.
- *USDHHS. 1985. U.S. Department of Health and Human Services. Fourth Annual Report on Carcinogens. Summary. 1985. USDHHS, 199-200.
- Van-Dyke RA, Rikans LE. Effect of volatile anesthetics on aniline hydroxylase and aminopyrine demethylase. *Biochem Pharmacol* 19:1501-1502
- Von Oettingen WF. The halogenated hydrocarbons: Their toxicity and potential dangers. U.S. Public Health Service, USPHS Pub. No. 414, 155-156
- *Viar and Company, 1987. Contract Laboratory Program Statistical Data Base. April 13, 1987. output.
- *VIEW Database. 1989. Agency for Toxic Substances and Disease Registry (ATSDR), Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. June 1989.
- *Vogel TM, Criddle CS, McCarty PL. 1987. Transformations of halogenated aliphatic compounds. *Environ Sci Technol* 21:722-736.
- *Wahlberg JE. 1976. Percutaneous Toxicity of Solvents. A comparative investigation in the guinea pig with benzene, toluene and 1,1,2-trichloroethane. *Ann Occup Hyg* 19:115-119.
- *Wahlberg JE. 1984a. Erythema-inducing effects of solvents following epicutaneous administration to man - studied by laser Doppler flowmetry. *Scand J Work Environ Health* 10:159-162.
- *Wahlberg JE. 1984b. Edema-inducing effects of solvents following topical administration. *Dermatosen Beruf Umwelt* 32:91-94.

8. REFERENCES

- *Wahlberg JE, Boman A. 1979. Comparative percutaneous toxicity of ten industrial solvents in the guinea pig. *Stand J Work Environ Health* 5:345-351.
- *Wallace LA, Pellizzari E, Hartwell T, et al. 1984. Personal exposure to volatile organic compounds. I. Direct measurements in breathing-zone air, drinking water, food and exhaled breath. *Environ Res* 35:293-319.
- *Watrous WM, Plaa GL. 1972a. Effect of halogenated hydrocarbons on organic ion accumulation by renal cortical slices of rats and mice. *Toxicol Appl Pharmacol* 22:528-543.
- *Watrous WM, Plaa GL. 1972b. The nephrotoxicity of single and multiple doses of aliphatic chlorinated hydrocarbon solvents in male mice. *Toxicol Appl Pharmacol* 23:640-649.
- *Weisburger EK. 1977. Carcinogenicity studies on halogenated hydrocarbons. *Environ Health Perspect* 21:7-16.
- *Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. *J Amer Water Works Assoc* 76:52-59.
- *White KL Jr, Sanders VM, Barnes DW, et al. 1985. Toxicology of 1,1,2-trichloroethane in the mouse. *Drug Chem Toxicol* 8:333-356.
- *Williams, G. 1983. DNA repair tests of 11 chlorinated hydrocarbon analogs. Final Report EPA contract. EPA/OTS, Document No. 40+8324292. NTIS/OTS0509403.
- *Wilson JT, Enfield CG, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J Environ Qual* 10:501-506.
- *Wilson JT, McNabb, Balkwill DL, et al. 1983. Enumeration and characterization of bacteria indigenous to a shallow water-table aquifer. *Ground Water* 21:134-142.
- *Windholz M, ed. 1983. The Merck Index. An Encyclopedia of Chemicals, Drugs, and Biologicals. Rahway, NJ: Merck and Co., Inc., 1378.
- *Wright WH, Schaffer JM. 1932. Critical anthelmintic tests of chlorinated alkyl hydrocarbons and a correlation between the anthelmintic efficacy, chemical structure and physical properties. *Am J Hyg* 16:325-426.
- *Yllner S. 1971. Metabolism of 1,1,2-trichloroethane-1,2-(14)C in the mouse. *Acta Pharmacol Toxicol* 30:248-256.
- Zeiger E. 1987. Carcinogenicity of mutagens: Predictive capability of the Salmonella mutagenesis assay for rodent carcinogenicity. *Cancer Res* 47:1287-1296.

8. REFERENCES

*Zeiger E, Anderson B, Haworth S, et al. 1988. Salmonella mutagenicity tests: IV. Results from the testing of 300 chemicals. Environ Mol Mutagen 11:1-157.

*Zoeteman BCJ, Harmsen K, Linders JBHJ, et al. 1980. Persistent organic pollutants in river water and ground water of the Netherlands. Chemosphere 9:231-249.

