

8. REFERENCES

- *Abelson PH. 1993. Health risk assessment. *Regul Toxicol Pharmacol* 17:219-223.
- *Abrahamsson K, Ekdahl A, Collen J, et al. 1995. Marine algae-a source of trichloroethylene and perchloroethylene. *Limnol Oceanogr* 40: 1321-1 326.
- ACGIH. 1991. Documentation of the Threshold Limit Values and Biological Exposure Indices. 6th ed. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *ACGIH. 1996. 1996 TLVs and BEIs Threshold Limit Values for chemical substances and physical agents Biological exposure indices. Cincinnati, OH: American Conference of Governmental Industrial Hygienists.
- *Adams EM, Spencer HC, Rowe VK, et al. 1951. Vapor toxicity of trichloroethylene determined by experiments on laboratory animals. *Arch Ind Hyg Occup Med* 4:469-48 1.
- Air Force. 1990. Development and validation of methods for applying pharmacokinetic data in risk assessment: Volume II. Trichloroethylene. Wright-Patterson Air Force Base, OH: U.S. Air Force, Air Force Systems Command, Harry G. Armstrong Medical Research Laboratory, Human Systems Division. NTIS No. AD-A237 366.
- *Albee RR, Spencer PJ, Johnson KA, et al. 1993. Neurotoxicological examination of rats exposed to trichloroethylene vapor for 13 weeks. The Dow Chemical Company, Health and Environmental Sciences, Toxicology Research Laboratory, Midland, MI.
- *Allemand H, Pessayre D, Descatoire V, et al. 1978. Metabolic activation of trichloroethylene into a chemically reactive metabolite toxic to the liver. *J Pharmacol Exp Ther* 204:714-723.
- *Allen BC, Fisher JW. 1993. Pharmacokinetic modeling of trichloroethylene and trichloroacetic acid in humans. *Risk Anal* 13:71-86.
- *Allen JW, Collins BW, Evansky PA. 1994. Spermatid micronucleus analyses of trichloroethylene and chloral hydrate effects in mice. *Mutat Res* 323:81-88.
- *Alvarez-Cohen L, McCarty PL. 1991 a. Effects of toxicity, aeration and reductant supply on trichloroethylene transformation by a mixed methanotrophic culture. *Appl Environ Microbiol* 57:228-235.
- *Alvarez-Cohen L, McCarty PL. 1991b. Product toxicity and cometabolic competitive inhibition modeling of chloroform and trichloroethylene transformation by methanotrophic resting cells. *Appl Environ Microbiol* 57:1031-1037.

*Cited in text

8. REFERENCES

- *Amacher DE, Zelljadt I. 1983. The morphological transformation of Syrian hamster embryo cells by chemicals reportedly nonmutagenic to *Salmonella typhimurium*. *Carcinogenesis* 4:291-295.
- *Amler RW, Anger WK, Sizemore OJ, eds. 1995. Adult environmental nemobehavioral test battery. U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry, Atlanta, GA.
- *Andelman JB. 1985a. Human exposures to volatile halogenated organic chemicals in indoor and outdoor air. *Environ Health Perspect* 62: 3 13-3 18.
- *Andelman JB. 1985b. Inhalation exposure in the home to volatile organic contaminants of drinking water. *Sci Total Environ* 47:443-460.
- Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: Salem H, ed. *Animal test alternatives: Refinement, reduction, replacement*. New York, NY: Marcel Dekker, Inc., 9-25.
- *Andersen ME, Gargas ML, Jones RA, et al. 1980. Determination of the kinetic constants for metabolism of inhaled toxicants *in vivo* using gas uptake measurements. *Toxicol Appl Pharmacol* 54: 100-1 16.
- *Anderson C, Sundberg K, Groth O. 1986. Animal model for assessment of skin irritancy. *Contact Dermatitis* 15:143-151.
- *Anna CH, Maronpot RR, Pereira MA, et al. 1994. Ras proto-oncogene activation in dichloroacetic acid-, trichloroethylene- and tetrachloroethylene-induced liver tumors in B6C3F₁ mice. *Carcinogenesis* 15:2255-2261.
- Annau Z. 1981. The neurobehavioral toxicity of trichloroethylene. *Neurobehav Toxicol Teratol* 3:417-424.
- *Antilla A, Pukkala E, Sallmen M, et al. 1995. Cancer incidence among Finnish workers exposed to halogenated hydrocarbons. *J Occup Environ Med* 37:797-806.
- *Antoine SR, DeLeon IR, O'Dell-Smith RM. 1986. Environmentally significant volatile organic pollutants in human blood. *Bull Environ Contam Toxicol* 36:364-371.
- *APHA. 1985. Standard methods for the examination of water and wastewater, 16th ed. American Public Health Association, American Water Works Association and Water Pollution Control Federation. Washington, DC, 59 1-602.
- *Aranyi C, O'Shea WJ, Graham JA, et al. 1986. The effects of inhalation of organic chemical air contaminants on murine lung host defenses. *Fundam Appl Toxicol* 6:713-720.
- *Arezzo JC, Simson R, Brennan NE. 1985. Evoked potentials in the assessment of neurotoxicity in humans. *Neurobehav Toxicol Teratol* 7:229-304.
- *Arito H, Takahashi M, Ishikawa T. 1994a. Effect of subchronic inhalation exposure to low-level trichloroethylene on heart rate and wakefulness-sleep in freely moving rats. *Sangyo Igaku* 36: 1-8.

8. REFERENCES

- *Arito H, Takahashi M, Tsuruta H, et al. 1994b. Age-related changes in electrocardiographic responses to trichloroethylene inhalation in conscious rats. *Ind Health* 32:129-144.
- *Arito H, Takahashi M, Sotoyama M, et al. 1993. Electroencephalographic and autonomic responses to trichloroethylene inhalation in freely moving rats. *Arch Toxicol* 67: 193- 199.
- *Astrand I, Ovrup P. 1976. Exposure to trichlorethylene. I. Uptake and distribution in man. *Scan J Work Environ Health* 4: 199-2 11.
- Astrand I, Gamberale F. 1978. Effects on humans of solvents in the inspiratory air: A method of estimation of uptake. *Environ Res* 15: 1-4.
- *Atkinson R. 1985. Kinetics and mechanisms of the gas-phase reactions of hydroxyl radical with organic compounds under atmospheric conditions. *Chem Rev* 85:69-201.
- *Atkinson R, Carter WPL. 1984. Kinetics and mechanisms of the gas-phase reactions of ozone with organic compounds under atmospheric conditions. *Chem Rev* 84:437-470.
- *Atkinson A, Meeks RG, Roy D. 1993. Increased oxidative stress in the liver of mice treated with trichloroethylene. *Biochem Mol Biol Int* 31:297-304.
- *ATSDR. 1994. National Exposure Registry: Trichloroethylene (TCE) subregistry baseline technical report. Agency for Toxic Substances and Disease Registry, Atlanta, GA.
- *ATSDR. 1997. Volatile organic compounds in drinking water and adverse pregnancy outcomes. Interim report. United States Marine Corps Base Camp Lejeune, North Carolina, U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry, Atlanta, GA.
- *Axelson O. 1986. Epidemiological studies of workers with exposure to tri- and tetrachloroethylenes. In: Chambers PL, Gehring P, Sasaki F, eds. *New Concepts and Developments in Toxicology. Proceedings of the 4th International Congress of Toxicology.* Amsterdam, The Netherlands: Elsevier Science Publishers, 223-230.
- *Axelson O, Andersson K, Hogstedt C, et al. 1978. A cohort study of trichloroethylene exposure and cancer mortality. *J Occup Med* 20: 194- 196.
- *Axelson O, Selden A, Andersson K, et al. 1994. Updated and expanded Swedish cohort study on trichloroethylene and cancer risk. *J Occup Med* 36:556-562.
- *Baden JM, Kelley M, Mazze RI, et al. 1979. Mutagenicity of inhalation anaesthetics: Trichloroethylene, divinyl ether, nitrous oxide, and cyclopropane. *Br J Anaesth* 51:417-421.
- *Bai CL, Stacey NH. 1993. Mechanism of trichloroethylene-induced elevation of individual serum bile acids. II. *In vitro* and *in vivo* interference by trichloroethylene with bile acid transport in isolated rat hepatocytes. *Toxicol Appl Pharmacol* 121:296-302.

8. REFERENCES

Baker AB. 1958. The nervous system in trichloroethylene. An experimental study. *J Neuropath Exp Med* 17:649-655.

*Baker EL, Letz R, Fidler AT, et al. 1985. A computer-based neurobehavioral evaluation system for occupational and environmental epidemiology: Methodology and validation studies. *Neurobehav Toxicol Teratol* 7:369-377.

Barbash J, Roberts PV. 1986. Volatile organic chemical contamination of groundwater resources in the U.S. *J Water Pollut Control Fed* 58:343-348.

*Bardodej Z, Vyskocil J. 1956. The problem of trichloroethylene in occupational medicine: trichloroethylene metabolism and its effect on the nervous system evaluated as a means of hygienic control. *AMA Arch Ind Health* 56:581-592.

*Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment. A multimedia environmental study. *Biomed Mass Spectrom* 7:139-147.

*Barnes D, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.

*Barret L, Torch S, Leray CL, et al. 1992. Morphometric and biochemical studies in trigeminal nerve of rat after trichloroethylene or dichloroacetylene oral administration. *Neurotoxicology* 13:601-614.

*Barret L, Torch S, Usson Y, et al. 1991. A morphometric evaluation of the effects of trichloroethylene and dichloroacetylene on the rat mental nerve. Preliminary results. *Neurosci Lett* 131:141-144.

*Barret MD, Garrel S, Dane1 V, et al. 1987. Chronic trichloroethylene intoxication: A new approach by trigeminal-evoked potentials. *Arch Environ Health* 42:297-302.

Barrett HM, Cunningham JC, Johnston JH. 1939. Study of fate in organisms of some chlorinated hydrocarbons. *J Ind Hyg Toxicol* 21:470-490.

*Barrio-Lage G, Parsons FZ, Nassar RS. 1987. Kinetics of the depletion of trichloroethene. *Environmental Science and Technology* 21:366-370.

*Barrows ME, Petrocelli SR, Macek KJ, et al. 1980. Bioconcentration and elimination of selected water pollutants by bluegill sunfish (*Lepomis macrochirus*). In: Haque R, ed. Dynamics, exposure and hazard assessment of toxic chemicals. Ann Arbor, MI: Ann Arbor Science, 379-392.

*Barton HA, Creech JR, Godin CS, et al. 1995. Chloroethylene mixtures: Pharmacokinetic modeling and *in vitro* metabolism of vinyl chloride, trichloroethylene, and *trans*-1,2-dichloroethylene in rats. *Toxicol Appl Pharmacol* 130:237-247.

*Bartonicek V. 1962. Metabolism and excretion of trichloroethylene after inhalation by human subjects. *Br J Ind Med* 19:134-141.

8. REFERENCES

- *Bartonicek VJ, Brun A. 1970. Subacute and chronic trichloroethylene poisoning: A neuropathological study in rabbits. *Acta Pharm Toxicol* 28:359-369.
- *Bartonicek V, Teisinger J. 1962. Effect of tetraethyl thiram disulphide (disulfiram) on metabolism of trichloroethylene in man. *Br J Ind Med* 19:216-22 1.
- *Battig K, Grandjean E. 1963. Chronic effects of trichloroethylene on rat behavior. *Arch Environ Health* 7:694-699.
- *Bauer M, Rabens SF. 1974. Cutaneous manifestations of trichloroethylene toxicity. *Arch Dermatol* 110:886-890.
- *Beliles RP, Brucik DJ, Mecler FJ, et al. 1980. Teratogenic-mutagenic risk of workplace contaminants: Trichloroethylene, perchloroethylene, and carbon disulfide. U.S. Department of Health, Education and Welfare. Contract No. 210-77-0047.
- *Bell A. 1951. Death from trichloroethylene in a dry-cleaning establishment. *N Z Med J* 50: 119- 126.
- *Bellar- TA, Lichtenberg JJ, Kroner RC. 1974. The occurrence of organohalides in chlorinated drinking waters. *Journal of American Water Works Association* 66:703-706.
- *Beltran FJ, Gonzalez M, Rivas FJ, et al. 1995. Application of photochemical reactor models to UV irradiation of trichloroethylene in water. *Chemosphere* 31:2873-2885.
- *Bentley P, Calder I, Elcombe C, et al. 1993. Hepatic peroxisome proliferation in rodents and its significance for humans. *Food Chem Toxicol* 31:857-907.
- *Bergman K. 1983a. Application and results of the whole-body autoradiography in distribution studies of organic solvents. *CRC Crit Rev Toxicol* 12:59-118.
- Bergman K. 1983b. Interactions of trichloroethylene with DNA *in vitro* and with DNA and RNA in various mouse tissues *in vivo*. *Arch Toxicol* 54: 181.
- *Berman E, Schlicht M, Moser VC, et al. 1995. A multidisciplinary approach to toxicological screening: I. Systemic toxicity. *J Toxicol Environ Health* 45:127-143.
- *Bhakuni V, Roy R. 1994. Interaction of trichloroethylene with phosphatidylcholine and its localization in the phosphatidylcholine vesicles: A ¹H-NMR study. *Biochem Pharmacol* 47: 1461-1464.
- *Bhowmick M, Semmens MJ. 1994. Ultraviolet photooxidation for the destruction of VOCs in air. *Water Res* 28:2407-2415.
- *Birner G, Vamvakas S, Dekant W, et al. 1993. Nephrotoxic and genotoxic N-acetyl-S-dichlorovinyl-L-cysteine is a urinary metabolite after occupational 1,1,2-trichloroethene exposure in humans: Implications for the risk of trichloroethene exposure. *Environ Health Perspect* 99:281-284.

8. REFERENCES

- *Blain L, Lachapelle P, Molotchnikoff S. 1990. The effect of acute trichloroethylene exposure on electroretinogram components. *Neurotoxicol Teratol* 12:633-636.
- *Blain L, Lachapelle P, Molotchnikoff S. 1992. Evoked potentials are modified by long term exposure to trichloroethylene. *Neurotoxicology* 13:203-206.
- *Blain L, Lachapelle P, Molotchnikoff S. 1994. Electroretinal responses are modified by chronic exposure to trichloroethylene. *NeuroToxicology* 15:627-632.
- *Blair A, Decoufle P, Grauman D. 1979. Causes of death among laundry and dry cleaning workers. *Am J Public Health* 69:508-511.
- *Blankenship A, Chang DPY, Jones AD, et al. 1994. Toxic combustion by-products from the incineration of chlorinated hydrocarbons and plastics. *Chemosphere* 28: 183-196.
- *Boekbold AJ, Van der Schee HA, Kaandorp BH. 1989. [Rapid gas-chromatographic determination of trichloroethylene and/or tetrachloroethylene in lettuce by direct headspace analysis.] *Z Lebensm Unters Forsch* 189:550-553. (German)
- *Bogen KT. 1988. Pharmacokinetics for regulatory risk analysis: The case of trichloroethylene. *Regul Toxicol Pharmacol* 8:447-466.
- Bogen KT, Hall LC, Perry L, et al. 1988. Health risk assessment of trichloroethylene (TCE) in California drinking water. Livermore, CA: University of California, Lawrence Livermore National Laboratory, Environmental Sciences Division. NTIS No. DE88-005364.
- *Bogen KT, Colston BW Jr, Machicao LK. 1992. Dermal absorption of dilute aqueous chloroform, trichloroethylene, and tetrachloroethylene in hairless guinea pigs. *Fundam Appl Toxicol* 18:30-39.
- Bolt HM. 1987. Pharmacokinetic factors and their implication in the induction of mouse liver tumors by halogenated hydrocarbons. *Arch Toxicol Suppl* 10: 190-203.
- *Bonse G, Henschler D. 1976. Chemical reactivity, biotransformations and toxicity of polychlorinated aliphatic compounds. *CRC Crit Rev Toxicol* 10:395-409.
- *Bonse G, Urban T, Reichert D, et al. 1975. Chemical reactivity, metabolic oxirane formation, and biological reactivity of chlorinated ethylenes in the isolated perfused rat liver preparation. *Biochem Pharmacol* 24: 1829-1834.
- *Borzelleca JF, O'Hara TM, Gennings C, et al. 1990. Interactions of water contaminants. I. Plasma enzyme activity and response surface methodology following gavage administration of CCl₄ and CHCl₃, or TCE singly and in combination in the rat. *Fundam Appl Toxicol* 14:477-490.
- *Bourg ACM, Mouvet C, Lemer DN. 1992. A review of the attenuation of trichloroethylene in soils and aquifers. *Q J Eng Geol* 25:359-370.

8. REFERENCES

- Bouwer EJ, McCarty PL, Bouwer H, et al. 1984. Organic contaminant behavior during rapid infiltration of secondary wastewater at the Phoenix 23rd Avenue project. *Water Res* 18:463-472.
- *Bove FJ, Fulcomer MC, Klotz JB, et al. 1995. Public drinking water contamination and birth outcomes. *Am J Epidemiol* 141:850-862.
- *Bowman JP, Jimenez L, Rosario I, et al. 1993. Characterization of the methanotrophic bacterial community present in a trichloroethylene-contaminated subsurface groundwater site. *Appl Environ Microbiol* 59:2380-2387.
- Brass HJ, Feige MA, Halloran T, et al. 1977. The national organic monitoring survey: Sampling and analyses for purgeable organic compounds. In: Pojasek RB, ed. *Drinking Water Quality Enhancement Source Protection*. Ann Arbor, MI: Ann Arbor Science, 393-416.
- *Brittain GJC. 1948. Trichloroethylene (trilene) as anesthetic in neurosurgery. *Anesth Analg* 27:145-151.
- *Brodzinsky R, Singh HB. 1982. Volatile organic chemicals in the atmosphere: An assessment of available data. Menlo Park, CA: Atmospheric Science Center, SRI International. Contract no. 68-02-3452, 107-108.
- *Brogren CH, Christensen JM, Rasmussen K. 1986. Occupational exposure to chlorinated organic solvents and its effect on the renal excretion of N-acetyl-beta-D-glucosaminidase. *Arch Toxicol Suppl* 9:460-464.
- *Bronstein AC, Currance PL. 1988. *Emergency care for hazardous materials exposure*. Washington, DC: CV Mosby Company, 143-144.
- *Bronzetti G, Zeiger E, Frezza D. 1978. Genetic activity of trichloroethylene in yeast. *J Environ Pathol Toxicol* 1:411-418.
- Brown LP, Farrar DG, de Rooij CG. 1990. Health risk assessment of environmental exposure to trichloroethylene. *Regul Toxicol Pharmacol* 11:24-41.
- *Bruckmann P, Kersten W, Funcke W, et al. 1988. The occurrence of chlorinated and other organic trace compounds in urban air. *Chemosphere* 17:2363-2380.
- *Bruckner JV, Davis BD, Blancato JN. 1989. Metabolism, toxicity, and carcinogenicity of trichloroethylene. *CRC Crit Rev Toxicol* 20:3 1-50.
- *Brugnone F, Perbellini L, Giuliani M, et al. 1994. Blood and urine concentrations of chemical pollutants in the general population. *Med Lav* 85:370-389.
- *Buben JA, O'Flaherty EJ. 1985. Delineation of the role of metabolism in the hepatotoxicity of trichloroethylene and perchloroethylene: A dose-effect study. *Toxicol Appl Pharmacol* 78:105-122.
- *Bull RJ, Templin M, Larson JL, et al. 1993. The role of dichloroacetate in the hepatocarcinogenicity of trichloroethylene. *Toxicol Lett* 68:203-211.

8. REFERENCES

- *Burg JE, Gist GL, Allred SL, et al. 1995. The national exposure registry - morbidity analysis of noncancer outcomes from the trichloroethylene subregistry baseline data. *International Journal of Occupational Medicine and Toxicology* 4:237-257.
- *Burmester DE. 1982. The new pollution-groundwater contamination. *Environment* 24:7-13, 33-36.
- *Bushnell PJ. 1997. Concentration-time relationships for the effects of inhaled trichloroethylene on signal detection behavior in rats. *Fund Appl Toxicol* 36:30-38.
- *Butler TC. 1949. Metabolic transformation of trichloroethylene. *J Pharmacol Exp Ther* 97:84-92.
- *Buxton PH, Hayward M. 1967. Polyneuritis cranialis associated with industrial trichloroethylene poisoning. *J Neurol Neurosurg Psychiatry* 30:5 1 1-5 18.
- *Byers VS, Levin AS, Ozonoff DM, et al. 1988. Association between clinical symptoms and lymphocyte abnormalities in a population with chronic domestic exposure to industrial solvent-contaminated domestic water supply and a high incidence of leukemia. *Cancer Immunol Immunother* 27:77-8 1.
- *CAAA. 1990. Clean Air Act Amendments of 1990. PL 101-549, Section 112(b)(1), 104 STAT 2531-2535.
- *Callen DF, Wolf CR, Philpot RM. 1980. Cytochrome P-450-mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutat Res* 77:55-63.
- *Candura SM, Faustman EM. 1991. Trichloroethylene: Toxicology and health hazards. *G Ital Med Lav* 13:17-25.
- *Capellini A, Grisler R. 1958. [Liver function in workers constantly exposed to trichloroethylene.] *Med Lav Urn* 23:240-248. (Italian)
- *Carlson GP. 1974. Enhancement of the hepatotoxicity of trichloroethylene by inducers of drug metabolism. *Res Commun Chem Pathol Pharmacol* 7:637-640.
- *Cavanagh JB, Buxton PH. 1989. Trichloroethylene cranial neuropathy: Is it really a toxic neuropathy or does it activate latent herpes virus? *J Neurol Neurosurg Psychiatry* 52:297-303.
- *CELDS. 1990. Computer-Environmental Legislative Data Systems. University of Illinois, Urbana, IL. May 15, 1990.
- *Chakrabarti SK, Tuchweber B. 1988. Studies of acute nephrotoxic potential of trichloroethylene in Fischer-344 rats. *J Toxicol Environ Health* 23:147-158.
- Charles MJ, Simmons MS. 1987. Recovery studies of volatile organics in sediments using purge/trap methods. *Anal Chem* 59:1217-1221.
- *Chen XM, Dallas CE, Muralidhara S, et al. 1993. Analyses of volatile C, haloethanes and haloethenes in tissues: Sample preparation and extraction. *J Chromatogr* 612:199-208.

8. REFERENCES

- *Cho HJ, Jaffe PR, Smith JA. 1993. Simulating the volatilization of solvents in unsaturated soils during laboratory and field infiltration experiments. *Water Resour Res* 29:3329-3342.
- *Chodola GR, Biswas N, Bewtra JK, et al. 1989. Fate of selected volatile organic substances in aqueous environment. *Wat Poll Res J Can* 24: 119-142.
- Christensen HE, Luginbyhl IT, Carroll BB. 1974. The toxic substances list 1974. Washington, DC: National Institute for Occupational Safety and Health, 353.
- *Christensen JM, Rasmussen K, Koppen B. 1988. Automatic headspace gas chromatographic method for the simultaneous determination of trichloroethylene and metabolites in blood and urine. *J Chromatogr* 442:317-323.
- *Class T, Ballschmiter K. 1986. Chemistry of organic traces in air VI: Distribution of chlorinated Cl-C4 hydrocarbons in air over the Northern and Southern Atlantic Ocean. *Chemosphere* 15:413-427.
- *Clear-field HR. 1970. Hepatorenal toxicity from sniffing spot remover (trichloroethylene). *Dig Dis* 15:851-856.
- *Clewell HJ, Gentry PR, Gearhart JM, et al. 1995. Considering pharmacokinetic and mechanistic information in cancer risk assessments for environmental contaminants: Examples with vinyl chloride and trichloroethylene. *Chemosphere* 31:2561-2578.
- Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- *CMR. 1983. Chemical Profile-Trichloroethylene. *Chemical Marketing Reporter*, February 14, 1983.
- *CMR. 1986. Chemical Profile-Trichloroethylene. *Chemical Marketing Reporter*, January 27, 1986.
- *Coberly S, Oudiz DJ, Overstreet JW, et al. 1992. Effects of maternal exposure to trichloroethylene (TCE) on cell proliferation in the mouse preimplantation embryo. *Reprod Toxicol* 6:241-245.
- *Cohn P, Klotz J, Bove F, et al. 1994. Drinking water contamination and the incidence of leukemia and non-Hodgkin's lymphoma. *Environ Health Perspect* 102:556-561.
- Cojocel C, Beuter W, Miiller W, et al. 1989. Lipid peroxidation: A possible mechanism of trichloroethylene-induced nephrotoxicity. *Toxicology* 55: 131 - 141.
- *Cole WJ, Mitchell RG, Salamonsen RF. 1975. Isolation, characterization and quantitation of chloral hydrate as a transient metabolite of trichloroethylene in man using electron gas capture gas chromatography and mass fragmentography. *J Pharm Pharmacol* 27: 167- 171.
- *Collins BJ, Goehl TJ, Jameson CW, et al. 1986. Analytical methods for determination of neat and microencapsulated trichloroethylene in dosing vehicles and whole blood. *J Anal Toxicol* 10:236-240.

8. REFERENCES

- Commandeur JNM, Vermeulen NPE. 1990a. Identification of N-acetyl-S-(2,2-dichlorovinyl) and N-acetyl-S-(1,2-dichlorovinyl)-L-cysteine as two regioisomeric mercapturic acids of trichloroethylene in the rat. *Chem Res Toxicol* 3:212-218.
- Commandeur JNM, Vermeulen NPE. 1990b. Molecular and biochemical mechanisms of chemically induced nephrotoxicity : A review (invited review). *Chem Res Toxicol* 3: 171 - 194.
- *Commandeur JN, Boogaard PJ, Mulder GJ, et al. 1991. Mutagenicity and cytotoxicity of two regioisomeric mercapturic acids and cysteine S-conjugates of trichloroethylene. *Arch Toxicol* 65:373-380.
- *Conde-Salazar L, Guimaraens D, Romero LV, et al. 1983. Subcorneal pustular eruption and erythema from occupational exposure to trichloroethylene. *Contact Dermatitis* 9:235-237.
- *Constan AA, Yang RSH, Baker DC, et al. 1995. A unique pattern of hepatocyte proliferation in F344 rats following long-term exposures to low levels of a chemical mixture of groundwater contaminants. *Carcinogenesis* 16:303-310.
- *Cooper KW, Hickman KE. 1982. Refrigeration. In: Grayson M, Eckroth P, eds. *Kirk-Othmer Encyclopedia of Chemical Technology*. 3rd ed. Vol. 20. New York: John Wiley and Sons, Inc., 91-92.
- *Corbett TH, Cornell RG, Enders JL, et al. 1974. Birth defects among children of nurse anesthetists. *Anesthesiology* 41:341-344.
- Corbett TH, Hamilton GC, Yoon MK et al. 1973. Occupational exposure of operating room personnel to trichloroethylene. *Canad Anaesth Soc J* 20:675-678.
- Cordoer S, Ha M-C, Ayme S, et al. 1992. Maternal occupational exposure and congenital malformations. *Stand J Work Environ Health* 18:11-17.
- Comish HH and Adefuin J. 1966. Ethanol potentiation of halogenated aliphatic solvent toxicity. *Am Ind Hyg Assoc J* 27:57-61.
- *Cosby NC, Dukelow WR. 1992. Toxicology of maternally ingested trichloroethylene (TCE) on embryonal and fetal development in mice and of TCE metabolites on *in vitro* fertilization. *Fundam Appl Toxicol* 19:268-274.
- *Costa AK, Katz ID, Ivanetich KM. 1980. Trichloroethylene: Its interaction with hepatic microsomal cytochrome P-450 *in vitro*. *Biochem Pharmacol* 29:433-439.
- Cothem CR, Coniglio WA, Marcus WL. 1986. Estimating risk to human health. *Environmental Science and Technology* 20: 111- 116.
- Cotmvo JA. 1988. Drinking water standards and risk assessment. *Regul Toxicol Pharmacol* 8:288-299.
- Coyne LB, Warren JS, Cerbus CS. 1987. An evaluation of a new desorption technique for air sampling sorbent tubes. *Am Ind Hyg Assoc J* 48:668-670.

8. REFERENCES

- *Crawford JS, Davies P. 1975. A return to trichloroethylene for obstetrical anaesthesia. *Br J Anaesth* 47:482-489.
- Crebelli R, Carere A. 1989. Genetic toxicology of 1,1,2-trichloroethylene. *Mutat Res* 221:11-37.
- *Crebelli R, Conti G, Conti L, et al. 1985. Mutagenicity of trichloroethylene, trichloroethanol, and chloral hydrate in *Aspergillus nidulans*. *Mutat Res* 155: 105-111.
- *Crofton KM, Zhao X. 1993. Mid-frequency hearing loss in rats following inhalation exposure to trichloroethylene: evidence from reflex modification audiometry. *Neurotoxicol Teratol* 15:413-423.
- *Crofton KM, Lassiter TL, Rebert CS. 1994. Solvent-induced ototoxicity in rats: An atypical selective mid-frequency hearing deficit. *Hear Res* 80:25-30.
- *Cronin WJ, Oswald EJ, Shelley ML, et al. 1995. A trichloroethylene risk assessment using a Monte Carlo analysis of parameter uncertainty in conjunction with physiologically-based pharmacokinetic modeling. *Risk Anal* 15:555-565.
- Czirjak L, Pots E, Szegedi G. 1994. Localized scleroderma after exposure to organic solvents. *Dermatology* 189:399-401.
- *Czirjak L, Schlamadinger J, Szegedi G. 1993. Systemic sclerosis and exposure to trichloroethylene. *Dermatology* 186:236.
- *Daft JL. 1988. Rapid determination of fumigant and industrial chemical residues in food. *J Assoc Off Anal Chem* 71:748-760.
- *Dallas CE, Gallo JG, Ramanathan R, et al. 1991. Physiological pharmacokinetic modeling of inhaled trichloroethylene in rats. *Toxicol Appl Pharmacol* 110:303-314.
- *Daniel FB, DeAngelo AB, Stober JA, et al. 1992. Hepatocarcinogenicity of chloral hydrate, 2-chloroacetaldehyde, and dichloroacetic acid in the male B6C3F₁ mouse. *Fundam Appl Toxicol* 19: 159-168.
- Das RM, Scott JE. 1994. Trichloroethylene-induced pneumotoxicity in fetal and neonatal mice. *Toxicol Lett* 73:227-239.
- *David NJ, Wolman R, Mime FJ, et al. 1989. Acute renal failure due to trichloroethylene poisoning. *Br J Ind Med* 46:347-349.
- *Dawson BV, Johnson PD, Goldberg SJ, et al. 1990. Cardiac teratogenesis of trichloroethylene and dichloroethylene in a mammalian model. *J Am Coll Cardiol* 16: 1304- 1309.
- *Dawson BV, Johnson PD, Goldberg SJ, et al. 1993. Cardiac teratogenesis of halogenated hydrocarbon-contaminated drinking water. *J Am Coll Cardiol* 21:1466-1472.
- *DeAngelo AB, Daniel FB, Stober JA, et al. 1991. The carcinogenicity of dichloroacetic acid in the male B6C3F₁ mouse. *Fundam Appl Toxicol* 16:337-347.

8. REFERENCES

- *Dees, C, Travis C. 1993. The mitogenic potential of trichloroethylene in B6C3F₁ mice. *Toxicol Lett* 69: 129-137.
- *DeFalque RJ. 1961. Pharmacology and toxicology of trichloroethylene: A critical review of the world literature. *Clin Pharmacol Ther* 2:665-668.
- *Deipser A, Stegmann R. 1994. The origin and fate of volatile trace components in municipal solid waste landfills. *Waste Manag Res* 12:129-139.
- Dekant W, Koob M, Henschler D. 1990. Metabolism of trichloroethene--*in vivo* and *in vitro* evidence for activation by glutathione conjugation. *Chem Biol Interact* 73:89-101.
- *Dekant W, Martens G, Vamvakas S, et al. 1987. Bioactivation of tetrachloroethylene. Role of glutathione S-transferase-catalyzed conjugation versus cytochrome P-450-dependent phospholipid alkylation. *Drug Metab Dispos Biol Fate Chem* 15:702-709.
- *Dekant W, Metzler M, Henschler D. 1984. Novel metabolites of trichloroethylene through dechlorination reactions in rats, mice and humans. *Biochem Pharmacol* 33:2021-2027.
- *Dekant W, Metzler M, Henschler D. 1986a. Identification of S-1,2-dichlorovinyl- N-acetyl-cysteine as a urinary metabolite of trichloroethylene: A possible explanation for its nephrocarcinogenicity in male rats. *Biochem Pharmacol* 35:2455-2458.
- *Dekant W, Schulz A, Metzler M, et al. 1986b. Absorption, elimination and metabolism of trichloroethylene: A quantitative comparison between rats and mice. *Xenobiotica* 16:143-152.
- *Dekant W, Vamvakas S, Berthold K, et al. 1986c. Bacterial P-lyase mediated cleavage and mutagenicity of cysteine conjugates derived from the nephrocarcinogenic alkenes trichloroethylene, tetrachloroethylene, and hexachlorobutadiene. *Chem Biol Interact* 60:3 1-45.
- Deveaux M, Huvenne J-P. 1987. Identification of solvents of abuse using gas chromatography/fourier transform infrared spectrometry after headspace sampling. *Chromatographia* 23:626-630.
- *DeWalle FB, Chian ESK. 1981. Detection of trace organics in well water near a solid waste landfill. *J Am Water Works Assoc* 73:206-211.
- *Dhuner KG, Nordqvist P, Renstrom B. 1957. Cardiac irregularities in trichloroethylene poisoning. *Acta Anaesthesiol Scand* 1:121-135.
- *Dickson AG, Riley JP. 1976. The distribution of short-chain halogenated aliphatic hydrocarbons in some marine organisms. *Mar Pollut Bull* 7:167-169.
- *Dietz EA Jr, Singley KF. 1979. Determination of chlorinated hydrocarbons in water by headspace gas chromatography. *Anal Chem* 51: 1809-1814.

8. REFERENCES

- *Dilling WL. 1977. Interphase transfer processes. II. Evaporation rates of chloromethanes, ethanes, ethylenes, propanes, and propylenes from dilute aqueous solutions. Comparisons with theoretical predictions. *Environmental Science and Technology* 11:405-409.
- *Dilling WL, Tefertiller NB, Kallos GJ. 1975. Evaporation rates and reactivities of methylene chloride, chloroform, 1, 1, 1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environmental Science and Technology* 9:833-838.
- *DNR. 1987. Surface Water Quality Criteria for Toxic Substances. Order of the State of Wisconsin Natural Resources Board repealing, renumbering, renumbering and amending, amending, repealing and recreating, and creating rules. Department of Natural Resources, Wisconsin. Section 27, Chapter NR 105.
- Dobkin A, Byles P. 1963. Trichloroethylene anesthesia. *Clin Anesth* 144-65.
- *Dogui M, Mrizak N, Yacoubi M, et al. 1991. Trigeminal somatosensory evoked potentials in workers handling trichloroethylene. *Neurophysiol Clin* 21:95-103.
- *Doolittle DJ, Muller G, Scribner HE. 1987. The *in vivo-in vitro* hepatocyte assay for assessing DNA repair and DNA replication: Studies in the CD-1 mouse. *Food Chem Toxicol* 25:399-405.
- *Dorfmueller MA, Henne SP, York RG, et al. 1979. Evaluation of teratogenicity and behavioral toxicity with inhalation exposure of maternal rats to trichloroethylene. *Toxicology* 14: 153- 166.
- *Doust GD, Huang J-C. 1992. The fate and transport of hazardous chemicals in the subsurface environment. *Water Sci Technol* 25:169-176.
- *Driscoll TR, Hamdan HH, Wang G, et al. 1992. Concentrations of individual serum or plasma bile acids in workers exposed to chlorinated aliphatic hydrocarbons. *Br J Ind Med* 49:700-705
- *Droz PO, Wu MM, Cumberland WG. 1989a. Variability in biological monitoring of organic solvent exposure. II. Application of a population physiological model. *Br J Ind Med* 46:547-558.
- *Droz PO, Wu MM, Cumberland WG, et al. 1989b. Variability in biological monitoring of solvent exposure. I. Development of a population physiological model. *Br J Ind Med* 46:447-460.
- *D'Souza RW, Bruckner JV, Feldman S. 1985. Oral and intravenous trichloroethylene pharmacokinetics in the rat. *J Toxicol Environ Health* 15:587-601.
- *Duprat P, Gradiski D. 1980. Cytogenetic effect of trichloroethylene in the mouse as evaluated by the micronucleus test. *IRCS Medical Science Library Compendium* 8:182.
- *Dyksen JE, Hess AF III. 1982. Alternatives for controlling organics in groundwater supplies: *J Am Water Works Assoc* 74:394-403.
- Edling C, Lindberg A, Ulfberg J. 1993. Occupational exposure to organic solvents as a cause of sleep apnoea. *Br J Ind Med* 50:276-279.

8. REFERENCES

Eisenreich SJ, Looney BB, Thornton JD. 1981. Airborne organic contaminants in the Great Lakes ecosystem. *Environmental Science and Technology* 15:30-38.

*Elcombe CR. 1985. Species differences in carcinogenicity and peroxisome proliferation due to trichloroethylene: A biochemical human hazard assessment. *Arch Toxicol Suppl* 8:6-17.

*Elcombe CR, Rose MS, Pratt IS. 1985. Biochemical, histological, and ultrastructural changes in rat and mouse liver following the administration of trichloroethylene: Possible relevance to species differences in hepatocarcinogenicity. *Toxicol Appl Pharmacol* 79:365-376.

*Elfarra AA, Anders MW. 1984. Renal processing of glutathione conjugates. Role in nephrotoxicity. *Biochem Pharmacol* 33:3729-3732.

*Elfarra AA, Jakobson I, Anders MW. 1986. Mechanism of S-(1,2-dichlorovinyl)glutathione-induced nephrotoxicity. *Biochem Pharmacol* 35:283-288.

*El Ghawabi SM, Mansoor MB, El Gamel, et al. 1973. Chronic trichloroethylene exposure. *J Egypt Med Assoc* 56:715-724.

*Ellenhorn MJ, Barceloux DG. 1988. Medical toxicology-diagnosis and treatment of human poisoning. New York, NY: Elsevier, 990-993.

*Eng W, Palumbo AV, Sriharan S, et al. 1991. Methanol suppression of trichloroethylene degradation by *Methylosinus trichosporium* (OB3b) and methane-oxidizing mixed cultures. *Appl Biochem Biotechnol* 28/29:887-899.

*Ensley BD. 1991. Biochemical diversity of trichloroethylene metabolism. *Annu Rev Microbiol* 45:283-299.

*Entz RC, Hollifield HC. 1982. Headspace gas chromatographic analysis of foods for volatile halocarbons. *J Agric Food Chem* 30:84-88.

*Entz RC, Thomas KW, Diachenko GW. 1982. Residues of volatile halocarbons in foods using headspace gas chromatography. *J Agric Food Chem* 30:846-849.

EPA. 1977. Environmental monitoring near industrial sites: Trichloroethylene. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA-560/6-77-024.

*EPA. 1978a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

*EPA. 1978b. Designation of hazardous substances. U.S. Environmental Protection Agency. Federal Register 43:10474-10488.

*EPA. 1979a. Atmospheric distributions, sources and sinks of selected halocarbons, hydrocarbons, SF₆, and N₂O. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Sciences Research Laboratory, Office of Research and Development, 24-33. EPA 600/3-79-107.

8. REFERENCES

*EPA. 1979b. Identification of conventional pollutants. U.S. Environmental Protection Agency. Federal Register 44:44501-44503.

*EPA. 1979c. Water-related environmental fate of 129 priority pollutants--Vol. 11. Washington, DC: U.S. Environmental Protection Agency, 52-1 to 52-13. EPA-440/4-79-029b.

EPA. 1980a. Ambient Water Quality Criteria Document for Trichloroethylene. Prepared by the Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH for the Office of Water Regulations and Standards, Washington, DC. NTIS No. PB8 1-1 17871.

*EPA. 1980b. Hazardous waste management system: Identification and listing of hazardous waste: Interim rule. U.S. Environmental Protection Agency. Federal Register 45:78530-78550.

EPA. 1981a. Aquatic fate process data for organic priority pollutants. Washington, DC: U.S. Environmental Protection Agency, 161-162. EPA-440/4-81-014.

*EPA. 1981b. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33.

*EPA. 1981c. Hazardous wastes from non-specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.31.

*EPA. 1981d. Hazardous wastes from specific sources. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.32.

*EPA. 1981e. Hazardous waste management system: Identification and listing of hazardous waste: Final rule. U.S. Environmental Protection Agency. Federal Register 46:4614-4620.

EPA. 1982a. Hazard Profile for Trichloroethylene. Prepared by the Office of Health and Environmental Assessment, Environmental Criteria Office, Cincinnati, OH for the Office of Solid Waste, Washington, DC.

*EPA. 1982b. Methods for organic chemical analysis of municipal and industrial wastewater. Test method: Purgeable halocarbons--method 601 and purgeables--method 624. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, 601-1 to 601-10 and 624-1 to 624-12. EPA 600/4-82-057.

*EPA. 1982c. Test methods for evaluating solid waste. Physical/chemical methods. Method 8010--halogenated volatile organics. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response, 8010-1 to 8010-12.

*EPA. 1985a. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.

*EPA. 1985b. Health advisory. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water, September, 1985.

8. REFERENCES

*EPA. 1985c. Health assessment document for trichloroethylene--final report. Washington, DC: U.S. Environmental Protection Agency. NTIS No. PB85-249696.

EPA. 1985d. National primary drinking water regulations volatile synthetic organic chemicals. Federal Register 50:46902.

*EPA. 1985e. Survey of trichloroethylene emission sources. Washington, DC: U.S. Environmental Protection Agency, 1-1 to 2-8,2-12. EPA-450/3-85-021.

EPA. 1986a. Determination of reportable quantities for hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.

EPA. 1986b. Extension of the public comment periods on notices of intent to list trichloroethylene and perchloroethylene as potentially toxic air contaminants. U.S. Environmental Protection Agency. Federal Register 51:9510.

*EPA. 1987a. Addendum to the health assessment document for trichloroethylene: Update carcinogenicity assessment for trichloroethylene. Review draft. June 1987. EPA/600/8-82/006FA.

*EPA. 1987b. Ground-water monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, Appendix IX.

*EPA. 1987c. Health Advisories for 25 organics. Washington, DC: U.S. Environmental Protection Agency, Office of Drinking Water. NTIS No. PB87-235578.

EPA. 1987d. Intercomparison of sampling techniques for toxic organic compounds in indoor air. Northrop Services, Inc., Research Triangle Park, NC: U.S. Environmental Protection Agency. EPA/600/4-87/008.

*EPA. 1987e. Land disposal restrictions for certain California list hazardous wastes and modifications to the framework. Federal Register 52:25760-25767.

*EPA. 1987f. List (phase I) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Federal Register 52:25942-25952.

*EPA. 1987g. National primary drinking water regulations--synthetic organic chemicals: Monitoring for unregulated contaminants. U.S. Environmental Protection Agency. Federal Register 52:25690-25717.

*EPA. 1987i. Reportable quantity adjustments. U.S. Environmental Protection Agency. Federal Register 52:8140-8186.

*EPA. 1987j. Toxic chemical release reporting: Community-right-to-know. U.S. Environmental Protection Agency. Federal Register 52:21152-21208.

*EPA. 1988a. Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, Appendix VIII.

8. REFERENCES

- *EPA. 1988b. Hazardous waste management system: Identification and listing of hazardous waste: Technical corrections. U.S. Environmental Protection Agency. Federal Register 53:13382-13393.
- *EPA. 1988c. Toxic chemical release reporting: Community-right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.
- *EPA. 1989. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141, 142, 143.
- *EPA. 1990. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency, Office of Research and Development. Washington, DC. EPA 600/8-90-U66A.
- *EPA. 1991. Water quality criteria summary. Washington, DC: U.S. Environmental Protection Agency.
- *Ertle T, Henschler D, Muller G, et al. 1972. Metabolism of trichloroethylene in man. I. The significance of trichloroethanol in long-term exposure conditions. Arch Toxico 129: 171.
- Eskenazi B, Bracken MB, Holford TR, et al. 1988. Exposure to organic solvents and hypertensive disorders of pregnancy. Am J Ind Med 14:177-188.
- *Ettema JH, Zielhuis RL, Burer E, et al. 1975. Effects of alcohol, carbon monoxide and trichloroethylene on mental capacity. Int Arch Occup Environ Health 35:117-132.
- *Ewers J, Freier-Schroder D, Knackmuss H-J. 1990. Selection of trichloroethene (TCE) degrading bacteria that resist inactivation by TCE. Arch Microbiol 154:410-413.
- *Eyre RJ, Stevens DK, Parker JC, et al. 1995a. Acid-labile adducts to protein can be used as indicators of the cysteine S-conjugate pathway of trichloroethene metabolism. J Toxicol Environ Health 46:443-464.
- *Eyre RJ, Stevens DK, Parker JC, et al. 1995b. Renal activation of trichloroethene and S-(1,2-dichlorovinyl)-L-cysteine and cell proliferative responses in the kidneys of F344 rats and B6C3F₁ mice. J Toxicol Environ Health 46:465-481.
- *Fabian P. 1986. Halogenated hydrocarbons in the atmosphere. In: Hutzinger O, ed. The Handbook of Environmental Chemistry. Vol. 4. Part A. Berlin: Springer-Verlag, 25.
- *Fagliano J, Berry M, Bove F, et al. 1990. Drinking water contamination and the incidence of leukemia: An ecologic study. Am J Public Health 80:1209-1212.
- *Fahrig R. 1977. The mammalian spot test (Fellflecken test) with mice. Arch Toxicol 38:87-98.
- Fan AM. 1988. Trichloroethylene: Water contamination and health risk assessment. Rev Environ Contam Toxicol 101:55-92.
- *Fan S, Scow KM. 1993. Biodegradation of trichloroethylene and toluene by indigenous microbial populations in soil. Appl Environ Microbiol 59:1911 - 1918.

8. REFERENCES

- *FDA. 1977a. Indirect food additives: Adhesives and components of coatings. U.S. Food and Drug Administration. Code of Federal Regulations. 21 CFR 175.105.
- *FDA. 1977b. Indirect food additives: Adhesives and components of coatings. U.S. Food and Drug Administration. Federal Register 42: 14534-14554.
- *Feingold A, Holaday DA. 1977. The pharmacokinetics of metabolism of inhalation anaesthetics. *Br J Anaesth* 49:155-162.
- *Feldman RG. 1970. Facial nerve latency studies in man. Effects of trichloroethylene exposure. *Electromyography* 10:93-100.
- *Feldman RG, Mayer RM, Taub A. 1970. Evidence for peripheral neurotoxic effect of trichloroethylene. *Neurology* 20:599-605.
- *Feldman RG, White RF, Currie JN, et al. 1985. Long-term follow-up after single toxic exposure to trichloroethylene. *Am J Ind Med* 8:119- 126.
- *Feldman RG, Chirico-Post J, Proctor SP. 1988. Blink reflex latency after exposure to trichloroethylene in well water. *Arch Environ Health* 43:143-147.
- *Feldman RG, Niles C, Proctor SP, et al. 1992. Blink reflex measurement of effects of trichloroethylene exposure on the trigeminal nerve. *Muscle Nerve* 15:490-495.
- *Femandez JG, Humbert BE, Droz PO, et al. 1977. Trichloroethylene exposure. Simulation of uptake, excretion and metabolism using a mathematical model. *Br J Ind Med* 34:43-55.
- *Ferrario JB, Lawler GC, DeLeon IR, et al. 1985. Volatile organic pollutants in biota and sediments of Lake Pontchartrain. *Bull Environ Contam Toxicol* 34:246-255.
- *Filsler JG, Bolt HM. 1979. Pharmacokinetics of halogenated ethylenes in rats. *Arch Toxicol* 42:123-136.
- *Fisher JW. 1993. Estimating the risks of liver and lung cancer in humans exposed to trichloroethylene using a physiological model. *Toxicol Lett* 68: 127-129.
- *Fisher JW, Allen BC. 1993. Evaluating the risk of liver cancer in humans exposed to trichloroethylene using physiological models. *Risk Anal* 13:87-95.
- *Fisher JW, Whittaker TA, Taylor DH, et al. 1989. Physiologically based pharmacokinetic modeling of the pregnant rat: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 99:395-414.
- *Fisher JW, Whittaker TA, Taylor DH, et al. 1990. Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: A multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. *Toxicol Appl Pharmacol* 102:497-513.

8. REFERENCES

- *Fisher JW, Gargas ML, Allen BC, et al. 1991. Physiologically based pharmacokinetic modeling with trichloroethylene and its metabolite, trichloroacetic acid, in the rat and mouse. *Toxicol Appl Pharmacol* 109:183-195.
- *Fogel MM, Taddeo AR, Fogel S. 1986. Biodegradation of chlorinated ethenes by a methane-utilizing mixed culture. *Appl Environ Microbiol* 51:720-724.
- *Ford ES, Rhodes S, McDiarmid M, et al. 1995. Deaths from acute exposure to trichloroethylene. *J Occup Environ Med* 37:749-754.
- *Forkert PG, Forkert L. 1994. Trichloroethylene induces pulmonary fibrosis in mice. *Can J Physiol Pharmacol* 72:205-210.
- *Forkert PG, Sylvestre PL, Poland JS. 1985. Lung injury induced by trichloroethylene. *Toxicology* 35:143-160.
- Forssman S, Holmquist CE. 1953. The relation between inhaled and exhaled trichloroethylene and trichloroacetic acid excreted in the urine of rats exposed to trichloroethylene. *Acta Pharmacol Toxicol* 9:235-244.
- *Fort DJ, Rayburn JR, DeYoung DJ, et al. 1991. Assessing the efficacy of an Aroclor 1254-induced exogenous metabolic activation system for FETAX. *Drug Chem Toxicol* 14:143-160.
- *Fort DJ, Stover EL, Rayburn JR, et al. 1993. Evaluation of the developmental toxicity of trichloroethylene and detoxification metabolites using *Xenopus*. *Teratogenesis Carcinog Mutagen* 13:35-45.
- *Fox BG, Bomeman JG, Wackett LP, et al. 1990. Haloalkane oxidation by the soluble methane monooxygenase from *Methylosinus trichosporium* OB3b: Mechanistic and environmental implications. *Biochemistry* 29:6419-6427.
- Fox TR, Watanabe PG. 1985. Detection of a cellular oncogene in spontaneous liver tumors of B6C3F₁ mice. *Science* 228:596-597.
- *Frankenberry M, Kent R, Stroup C, et al. 1987. Household products containing methylene chloride and other chlorinated solvents: A shelf survey. Rockville, MD: Westat, Inc. 4-1 to 4-29.
- *Fredriksson A, Danielsson BRG, Eriksson P. 1993. Altered behavior in adult mice orally exposed to tri- and tetrachloroethylene as neonates. *Toxicol Lett* 66:13-19.
- *Freedman DL, Gossett JM. 1989. Biological reductive dechlorination of tetrachloroethylene and trichloroethylene to ethylene under methanogenic conditions. *Appl Environ Microbiol* 55 :2144-2151.
- *Freni SC, Bloomer AW. 1988. Report on the Battle Creek Health Study. Lansing, MI: Michigan Department of Health.
- *FSTRAC. 1990. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.

8. REFERENCES

- *Fujita H, Koizumi A, Yamamoto M, et al. 1984. Inhibition of delta-aminolevulinate dehydratase in trichloroethylene-exposed rats, and the effects on heme regulation. *Biochem Biophys Acta* 800:1-10.
- *Fukuda K, Takemoto K, Tsuruta H. 1983. Inhalation carcinogenicity of trichloroethylene in mice and rats. *Ind Health* 21:243-254.
- *Gamberale F, Annwall G, Olson BA. 1976. Exposure to trichloroethylene. III. Psychophysiological functions. *Stand J Work Environ Health* 2:220-224.
- *Garbarini DR, Lion LW. 1986. Influence of the nature of soil organics on the sorption of toluene and trichloroethylene. *Environmental Science and Technology* 20: 1263-1269.
- *Gay BW Jr, Hanst PL, Bulfalini JJ, et al. 1976. Atmospheric oxidation of chlorinated ethylenes. *Environmental Science and Technology* 10:58-67.
- Gehring P, Proksch E, Szinovatz W, et al. 1988. Radiation-induced decomposition of aqueous trichloroethylene solutions. *Int J Appl Instrum [A]* 39:1227-1231.
- *Giardino NJ, Esmen NA, Andelman JB. 1992. Modeling volatilization of trichloroethylene from a domestic shower spray: the role of drop-size distribution. *Environmental Science and Technology* 26:1602-1606.
- Giger W, Schwarzenbach RP, Hoehn E, et al. 1983. [Behavior of organic water contaminants in groundwater formation and in groundwater.] *Gas, Wasser, Abwasser* 63:5 17-53 1. (German)
- *Gimmi T, Fluehler H, Studer B, et al. 1993. Transport of volatile chlorinated hydrocarbons in unsaturated aggregated media. *Water Air Soil Pollut* 68:291-305.
- *Glaser MA. 1931. Treatment of trigeminal neuralgia with trichloroethylene. *JAMA* 96:9 16-920.
- *Goeptar, AR, Commandeur JNM, Vanommen B, et al. 1995. Metabolism and kinetics of trichloroethylene in relation to toxicity and carcinogenicity. Relevance of the mercapturic acid pathway. *Chem. Res. Toxicol.* 8:3-21.
- *Gob CL, Ng SK. 1988. A cutaneous manifestation of trichloroethylene toxicity. *Contact Dermatitis* 18:59-61.
- *Goldberg ME, Johnson HE, Pozzani UC, et al. 1964a. Behavioral response of rats during inhalation of trichloroethylene and carbon disulfide vapours. *Acta Pharmacol Toxicol* 21:36-44.
- *Goldberg ME, Johnson HE, Pozzani UC, et al. 1964b. Effect of repeated inhalation of vapors of industrial solvents on animal behavior. I. Evaluation of nine solvent vapors on pole-climb performance in rats. *Am Ind Hyg Assoc J* 25:369-375.
- *Goldberg SJ, Lebowitz MD, Graver EJ, et al. 1990. Pediatric cardiology: An association of human congenital cardiac malformations and drinking water contaminants. *J Am Coll Cardiol* 16: 155-164.

8. REFERENCES

- *Goldsmith LB, Friberg SE, Wahlberg JE. 1988. The effect of solvent extraction on the lipids of the stratum comeum in relation to observed immediate whitening of the skin. *Contact Dermatitis* 19:348-350.
- *Goldsworthy TL, Popp JA. 1987. Chlorinated hydrocarbon-induced peroxisomal enzyme activity in relation to species and organ carcinogenicity. *Toxicol Appl Pharmacol* 88:225-233.
- *Goldsworthy TL, Lyght O, Burnett VI+ et al. 1988. Potential role of alpha-2,-globulin, protein droplet accumulation, and cell replication in the renal carcinogenicity of rats exposed to trichloroethylene, perchloroethylene, and pentachloroethane. *Toxicol Appl Pharmacol* 96:367-379.
- *Gossett RW, Brown DA, Young DR. 1983. Predicting the bioaccumulation of organic compounds in marine organisms using octanol/water partition coefficients. *Mar Pollut Bull* 14:387-392.
- *Grandjean E. 1960. Trichloroethylene effects on animal behavior. *Arch Environ Health* 1:106-108.
- *Grandjean E. 1963. The effects of short exposures to trichloroethylene on swimming performances and motor activity of rats. *Am Ind Hyg Assoc J* 24:376-379.
- *Grandjean E, Muchinger R, Turrian V, et al. 1955. Investigations into the effect of exposure to trichloroethylene in mechanical engineering. *Br J Ind Med* 12: 131-142.
- *Graovac-Leposavic LJ, Milosavljevic Z, Ilic V. 1964. [Liver function in workers exposed to trichloroethylene.] *Arch Hig Rada* 15:93-97. (Serbo-Croatian)
- Grasso P. 1988. Neurotoxic and neurobehavioral effects of organic solvents on the nervous system. *Occupational Medicine: State of the Art Reviews*. 3:525-539.
- *Green T, Prout MS. 1985. Species differences in response to trichloroethylene. II. Biotransformation in rats and mice. *Toxicol Appl Pharmacol* 79:401-411.
- *Greim H, Bonse G, Radwan Z, et al. 1975. Mutagenicity *in vitro* and potential carcinogenicity of chlorinated ethylenes as a function of metabolic oxirane formation. *Biochem Pharmacol* 24:2013-2017.
- *Grab K, Frauenfelder C, Artho A. 1990. Uptake by foods of tetrachloroethylene, trichloroethylene, toluene, and benzene from air. *Z Lebensm Unters Forsch* 191:435-441.
- *Gu ZW, Sele B, Jalbert P, et al. 1981. Induction of sister chromatid exchange by trichloroethylene and its metabolites. *Toxicol Eur Res* 3:63-67. (French)
- *Gutch CF, Tomhave WG, Stevens SC. 1965. Acute renal failure due to inhalation of trichloroethylene. *Ann Int Med* 63:128-134.
- *Haglid KG, Briving C, Hansson HA, et al. 1981. Trichloroethylene: long-lasting changes in the brain after rehabilitation. *Neurotoxicology* 2:659-673.

8. REFERENCES

- *Hamdan H, Stacey NH. 1993. Mechanism of trichloroethylene-induced elevation of individual serum bile acids. I. Correlation of trichloroethylene concentrations to bile acids in rat serum. *Toxicol Appl Pharmacol* 121:291-295.
- *Hansch C, Leo AJ. 1985. *MedChem Project*. Issue No. 26, Claremont, CA: Pomona College.
- *Hardell L, Eriksson M, Lenner P, et al. 1981. Malignant lymphoma and exposure to chemicals, especially organic solvents, chlorophenols and phenoxy acids: A case-control study. *Br J Cancer* 43:169-176.
- *Hardell L, Eriksson M, Degerman A. 1994. Exposure to phenoyacetic Acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res* 54:2386-2389.
- *Hardin BD, Bond GP, Sikov MR, et al. 1981. Testing of selected workplace chemicals for teratogenic potential. *Stand J Work Environ Health* 7(Suppl 4):66-75.
- *Harkov R, Kebbekus B, Bozzelli JW, et al. 1984. Comparison of selected volatile organic compounds during the summer and winter at urban sites in New Jersey. *Sci Total Environ* 38:259-274.
- *Harkov R, Gianti SJ, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. *J Environ Sci Health [A]* 20:491-501.
- *Hartwell TD, Crowder JH, Sheldon LS, et al. 1985. Levels of volatile organics in indoor air. In: *Proceedings of the Air Pollution Control Association 78th Annual Meeting, Volume 385-30.B., 2-12.*
- *Hasanen E, Soininen V, Pyysalo M, et al. 1979. The occurrence of aliphatic chlorine and bromine compound in automobile exhaust. *Atmos Environ* 13:1217-1219.
- *Hauser TR, Bromberg SM. 1982. EPA's monitoring program at Love Canal 1980. *Environ Monit Assess* 2:249-272.
- *Hawley GG. 1981. *The Condensed Chemical Dictionary*. 10th ed. New York: Van Nostrand Reinhold Co., 1041-1042.
- *HazDat. 1996. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *Healy TEJ, Poole TR, Hooper A. 1982. Rat fetal development and maternal exposure to trichloroethylene 100 ppm. *Br J Anaesth* 54:337-341.
- *Heikes DL, Hopper ML. 1986. Purge and trap method for determination of fumigants in whole grains, milled grain products, and intermediate grain-based foods. *J Assoc Off Anal Chem* 69:990-998.
- *Helliwell PJ, Hutton AM. 1950. Trichloroethylene anesthesia. I. Distribution in the foetal and maternal circulation of pregnant sheep and goats. *Anesthesia* 5:4-13.

8. REFERENCES

- *Henry SM, Grbic-Galic D. 1991a. Influence of endogenous and exogenous electron donors and trichloroethylene oxidation toxicity on trichloroethylene oxidation by methanotrophic cultures from a groundwater aquifer. *Appl Environ Microbiol* 57:236-244.
- *Henry SM, Grbic-Galic D. 1991b. Inhibition of trichloroethylene oxidation by the transformation intermediate carbon monoxide. *Appl Environ Microbiol* 57:1770-1776.
- Henschler D, Eder E, Neudecker T, et al. 1977. Carcinogenicity of trichloroethylene: fact or artifact? *Arch Toxicol* 37:233-236.
- *Henschler D, Romer W, Elasser HM, et al. 1980. Carcinogenicity study of trichloroethylene by long-term inhalation in three animal species. *Arch Toxicol* 43:237-248.
- *Henschler D, Elsasser H, Romer W, et al. 1984. Carcinogenicity study of trichloroethylene, with and without epoxide stabilizers, in mice. *J Cancer Res Clin Oncol* 107:149-156.
- *Henschler D, Vamvakas S, Lammert M, et al. 1995. Increased incidence of renal cell tumors in a cohort of cardboard workers exposed to trichloroethene. *Arch Toxicol* 69:291-299.
- Henson JM, Yates MV, Cochran JW, et al. 1988. Microbial removal of halogenated methanes, ethanes, and ethylenes in an aerobic soil exposed to methane. Published in *FEMS Microbiology Ecology*. Prepared in cooperation with Northrop Services, Inc. Ada, OK and Oklahoma Univ., Norman Dept. of Botany and Microbiology. EPA/600/J-881066.
- *Herren-Freund SL, Pereira MA, Khoury MD, et al. 1987. The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicol Appl Pharmacol* 90:183-189.
- *Hewer CL. 1943. Further observations on trichloroethylene. *Proc R Soc Med* 36:463-465.
- *Hewitt AD, Shoop SA. 1994. Rapid assessment of trichloroethylene in ground water. *Ground Water Monitor Remediation* 14: 116-122.
- *Hewitt AD, Miyares PH, Leggett DC, et al. 1992. Comparison of analytical methods for determination of volatile organic compounds in soils. *Environmental Science and Technology* 26:1932-1938.
- *Iline J, Mookerjee PK. 1975. The intrinsic hydrophilic character of organic compounds. Correlations in terms of structural contributions. *J Org Chem* 40: 292-298.
- *Hobara T, Kobayashi H, Higashihara E, et al. 1984. Acute effects of 1,1,1-trichloroethane, trichloroethylene, and toluene on the haematologic parameters in dogs. *Arch Environ Contam Toxicol* 13:589-593.
- *Hobara T, Kobayashi H, Kawamoto T, et al. 1986. Extrahepatic organs metabolism of inhaled trichloroethylene. *Toxicology* 41:289-303.
- *Hoffmann P, Heinroth K, Richards D, et al. 1994. Depression of calcium dynamics in cardiac myocytes - a common mechanism of halogenated hydrocarbon anesthetics and solvents. *J Mol Cell Cardiol* 26:579-589.

8. REFERENCES

- *Hov O, Penkett SA, Isaksen ISA, et al. 1984. Organic gases in the Norwegian arctic. *Geophys Res Lett* 11:425-428.
- *HSDB. 1994. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. August 1994.
- *Humphrey JH, McClelland M. 1944. Cranial-nerve palsies with herpes following general anaesthesia. *Br Med J* 1:315-318.
- *IARC. 1979. Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Some halogenated hydrocarbons. World Health Organization, Lyon, France.
- IARC. 1987. Monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An updating of *ZARC* Monographs Volumes 1-42. Suppl7. World Health Organization, Lyon, France.
- *IARC. 1995. Monographs on the evaluation of carcinogenic risks to humans. Vo163. Drycleaning, some chlorinated solvents, and other industrial chemicals. World Health Organization, Lyon, France.
- *Ikeda M. 1977. Metabolism of trichloroethylene and tetrachloroethylene in human subjects. *Environ Health Perspect* 21:239-245.
- *Ikeda M, Ohtsuji H, Imamura T, et al. 1972. Urinary excretion of total trichloro-compounds, trichloroethanol, and trichloroacetic acid as a measure of exposure to trichloroethylene and tetrachloroethylene. *Br J Ind Med* 29:328-333.
- *Imamura T, Ikeda M. 1973. Lower fiducial limit of urinary metabolite level as an index of excessive exposure to industrial chemicals. *Br J Ind Med* 30:289.
- *Inoue O, Seiji K, Kawai T, et al. 1989. Relationship between vapor exposure and urinary metabolite excretion among workers exposed to trichloroethylene. *Am J Ind Med* 15: 103-110.
- *IRIS. 1996. Integrated Risk Information Systems. U.S. Environmental Protection Agency. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, OH.
- *Isaacson LG, Taylor DH. 1989. Maternal exposure to 1,1,2-trichloroethylene affects myelin in the hippocampal formation of the developing rat. *Brain Res* 488:403-407.
- *Isaacson LG, Spohler SA, Taylor DH. 1990. Trichloroethylene affects learning and decreases myelin in the rat hippocampus. *Neurotoxicol Teratol* 12:375-381.
- Ishikawa S, Nozaki Y, Tsunemi T, et al. 1990. Effects of trichloroethylene on embryonic chick heart [Abstract]. *Senten Ijo* 30:253.
- *Jakobson I, Wahlberg JE, Holmberg B, et al. 1982. Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicol Appl Pharmacol* 63: 181-187.

8. REFERENCES

- *Jakobson I, Holmberg B, Ekner A. 1986. Venous blood levels of inhaled trichloroethylene in female rats and changes induced by interacting agents. *Acta Pharmacol Toxicol* 59:135-143.
- *James WRL. 1963. Fatal addiction to trichloroethylene. *Br J Ind Med* 20:47-49.
- *James RH, Adams RE, Finkel JM, et al. 1985. Evaluation of analytical methods for the determination of POHC in combustion products. *J Air Pollut Control Assoc* 35:959-969.
- *Jaspers RM, Muijser H, Lammers JH, et al. 1993. Mid-frequency hearing loss and reduction of acoustic startle responding in rats following trichloroethylene exposure. *Neurotoxicol Teratol* 15:407-412.
- *Jeffers PM, Ward LM, Woytowitch LM, et al. 1989. Homogenous hydrolysis rate constants for selected chlorinated methanes, ethanes, ethenes and propanes. *Environmental Science and Technology* 23:965-969.
- *Jensen S, Rosenberg R. 1975. Degradability of some chlorinated aliphatic hydrocarbons in sea water and sterilized water. *Water Res* 9:659-661.
- *Johnson PD. 1996. Written communication (April 10) to Dr. Mildred Williams-Johnson, ATSDR. University of Arizona, Tucson.
- Jorgenson TA, Meierhenry EF, Rushbrook CJ, et al. 1985. Carcinogenicity of chloroform in drinking water to male Osborne-Mendel rats and female B6C3F₁ mice. *Fundam Appl Toxicol* 5:760-769.
- *Joron GE, Cameron DG, Halpenny GW. 1955. Massive necrosis of the liver due to trichloroethylene. *Can Med Assoc J* 73:890-891.
- *Jung WT, Fujita M, Sohn DH. 1992. Levels of volatile halogenated hydrocarbons in Tokyo rain and their seasonal, time-series changes. *Eisei Kagaku* 38:490-497.
- *Jurkiewicz A, Maciel GE. 1995. Solid state ¹³C NMR studies of the interaction of acetone, carbon tetrachloride and trichloroethylene with soil components. *Sci Total Environ* 164:195-202.
- Kadry AM, Skowronski GA, Turkall RM, et al. 1991a. Kinetics and bioavailability of soil-adsorbed trichloroethylene in male rats exposed orally. *Biol Monit* 1:75-86.
- *Kadry AM, Turkall RIM, Skowronski GA, et al. 1991b. Soil adsorption alters kinetics and bioavailability of trichloroethylene in orally exposed female rats. *Toxicol Lett* 58:337-346.
- *Kanazawa S, Filip Z. 1986. Effects of trichloroethylene, tetrachloroethylene, and dichloromethane on enzymatic activities in soil. *Appl Microbial Biotechnol* 25:76-81.
- *Kaneko T, Wang P-Y, Sato A. 1994. Enzymes induced by ethanol differently affect the pharmacokinetics of trichloroethylene and 1,1,1-trichloroethane. *Occup Environ Med* 51: 113- 119.
- *Kawasaki M. 1980. Experiences with the test scheme under the chemical control law of Japan: An approach to structure-activity correlations. *Ecotoxicol Environ Safety* 4:444-454.

8. REFERENCES

- *Kawata K, Fujieda Y. 1993. [Volatile chlorinated hydrocarbons in ambient air at Niigata area.] *Eisei Kagaku* 39:474-479. (Japanese)
- *Keller DA, Heck HD. 1988. Mechanistic studies on chloral toxicity: Relationship to trichloroethylene carcinogenesis. *Toxicol Lett* 42: 183-191.
- *Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotoxicol Environ Safety* 4:26-38.
- *Khalil MAK, Rasmussen RA. 1983. Gaseous tracers of arctic haze. *Environmental Science and Technology* 17:157-164.
- *Khan FM, Kaphalia BS, Prabhakar BS, et al. 1995. Trichloroethene-induced autoimmune response in female MRL ++ mice. *Toxicol Appl Pharmacol* 134: 155-160.
- *Kilbum KH, Warshaw RH. 1992. Prevalence of symptoms of systemic lupus erythematosus (SLE) and of fluorescent antinuclear antibodies associated with chronic exposure to trichloroethylene and other chemicals in well water. *Environ Res* 57: 1-9.
- *Kilbum KH, Warshaw RH. 1993. Effects on neurobehavioral performance of chronic exposure to chemically contaminated well water. *Toxicol Ind Health* 9:391-404.
- *Kimbrough RD, Mitchell FL, Houk VN. 1985. Trichloroethylene: An update. *J Toxicol Environ Health* 15:369-383.
- *Kimmerle G, Eben A. 1973a. Metabolism, excretion and toxicology of trichloroethylene after inhalation. 1. Experimental exposures on rats. *Arch Toxicol* 30: 115-126.
- *Kimmerle G, Eben A. 1973b. Metabolism, excretion and toxicology of trichloroethylene after inhalation. 2. Experimental human exposure. *Arch Toxicol* 30:127-138.
- *Kirchner K, Helf D, Ott P, et al. 1990. The reaction of OH radicals with 1,1-di-, tri-, and tetrachloroethylene. *Ber Bunsenges Phys Chem* 94:77-83.
- *Kishi R, Harabuchi I, Ikeda T, et al. 1993. Acute effects of trichloroethylene on blood concentrations and performance decrements in rats and their relevance to humans. *Br J Ind Med* 50:470-480.
- *Kjellstrand P, Kanje M, Mansson L, et al. 1981. Trichloroethylene: Effects on body and organ weights in mice, rats and gerbils. *Toxicology* 21: 105-115.
- *Kjellstrand P, Holmquist B, Alm P, et al. 1983a. Trichloroethylene: Further studies of the effects on body and organ weights and plasma butyrylcholinesterase activity in mice. *Acta Pharmacol Toxicol* 53:375-384.
- *Kjellstrand P, Holmquist B, Mandahl N, et al. 1983b. Effects of continuous trichloroethylene inhalation on different strains of mice. *Acta Pharmacol Toxicol* 53:369-374.

8. REFERENCES

- Klaassen CD. 1985. Nonmetallic environmental toxicants: Air pollutants, solvents, and vapors, and pesticides. In: Gilman AG, Goodman LS, Rall TW, et al., eds. Goodman and Gilman's: The pharmacological basis of therapeutics. 7th ed. New York, NY: MacMillan Publishing Co., 1628-1637.
- Klaunig JE, Ruth RJ, Pereira MA. 1986. Carcinogenicity of chlorinated methane and ethane compounds administered in drinking water to mice. *Environ Health Perspect* 69:89-95.
- *Klaunig JE, Siglin JC, Schafer LD, et al. 1991. Correlation between species and tissue sensitivity to chemical carcinogenesis in rodents and the induction of DNA synthesis. *Prog Clin Biol Res* 369:185-194.
- *Kleinfeld M, Tabershaw IR. 1954. Trichloroethylene toxicity: Report of five fatal cases. *Arch Ind Hyg Occup Med* 10:134-141.
- *Kligennan AD, Bryant MF, Doerr CL, et al. 1994. Inhalation studies of the genotoxicity of trichloroethylene to rodents. *Mutat Res* 322:87-96.
- *Koch R, Schlegel R, Wolf HU. 1988. Genetic effects of chlorinated ethylenes in the yeast *Saccharomyces cerevisiae*. *Mutat Res* 206:209-216.
- *Koenig HP, Lahl U, Kock H. 1987. Determination of organic volatiles in ambient air in the area of a landfill. *J Aerosol Sci* 18:837-840.
- *Kohlmüller D, Kochen W. 1994. Exhalation air analyzed in long-term postexposure investigations of acetonitrile and trichloroethylene exposures in two subjects. *Clin Chem* 40:1462-1464.
- *Koizumi A. 1989. Potential of physiologically based pharmacokinetics to amalgamate kinetic data of trichloroethylene and tetrachloroethylene obtained in rats and man. *Br J Ind Med* 46:239-249.
- *Koizumi A, Fujita H, Sadamoto T, et al. 1984. Inhibition of delta-aminolevulinic acid dehydratase by trichloroethylene. *Toxicology* 30:93-102.
- *Koizumi A, Kastl PE, Reitz RH, et al. 1986. Fate of ¹⁴C-trichloroethylene administered to rats in drinking water. DOW Chemical USA, Health and Environmental Sciences, Mammalian and Environmental Toxicology, Midland, Michigan.
- *Konietzko H. 1979. [Health damage due to trichloroethylene: An epidemiological and experimental clinical study.] *Fortschritte der Medizin* 97(14):671-679. (German)
- *Konietzko H, Reill G. 1980. The effect of trichloroethylene on some serum enzymes and on the cytoenzymological activity in leucocytes and on the acid base equilibrium. *Int Arch Occup Environ Health* 47:61-67.
- *Konietzko H, Elster I, Bengsath A. 1975a. [EEG variation with controlled exposure to trichloroethylene.] *Int Arch Occup Environ Health* 35:257-264. (German)
- Konietzko H, Elster I, Bengsath A, et al. 1975b. [Psychomotor reactions under standardized trichloroethylene load.] *Arch Toxicol* 33: 129- 139. (German)

8. REFERENCES

- Konietzko H, Elster I, Vetter K, et al. 1974. Field studies in solvent factories: Second communication: Telemetric EEG monitoring of solvent workers at trichloroethylene basins. *Arbeitsschutz* 23:129-133.
- *Konietzko H, Haberlandt W, Heilbronner H, et al. 1978. [Cytogenetic studies on trichloroethylene workers.] *Arch Toxicol* 40:201-206. (German)
- *Kessler F. 1991. Trichloroethylene interactions with muscle cells. *J Appl Toxicol* 11:189-194.
- *Kosson DS, Dienemann EA, Ahlert RC. 1985. Characterization and treatability studies of an industrial landfill leachate (Kin-But I). *Proceedings of the Industrial Waste Conference* 39:329-341.
- *Kostrzewski P, Jakubowski M, Kolacinski Z. 1993. Kinetics of trichloroethylene elimination from venous blood after acute inhalation poisoning. *Clin Toxicol* 31:353-363.
- *Kotelchuck M, Parker G. 1979. *Woburn Health Data Analysis, 1969-1979*. Boston, MA: Massachusetts Department of Health.
- Krishnan K, Andersen ME. 1994. Physiologically based pharmacokinetic modeling in toxicology. In: Hayes W, ed. *Principles and methods of toxicology*. 3rd ed. New York, NY: Raven Press, Ltd., 149-188.
- Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically based pharmacokinetic modeling of chemical mixtures. In: Yang, RSA, ed. *Toxicology of chemical mixtures*. New York, NY: Academic Press, 399-437.
- *Kroneld R. 1989. Volatile pollutants in suburban and industrial air. *Bull Environ Contam Toxicol* 42:868-872.
- *Krost KJ, Pellizzari ED, Walburn SG, et al. 1982. Collection and analysis of hazardous organic emissions. *Anal Chem* 54:810-817.
- *Kulig BM. 1987. The effects of chronic trichloroethylene exposure on neurobehavioral functioning in the rat. *Neurotoxicol Teratol* 9:171-178.
- *Kuney JH. 1986. *Chemyclopedia*, Volume 5. Washington, DC: American Chemical Society, 116.
- Kylin B, Axell K, Samuel HE, et al. 1967. Effect of inhaled trichloroethylene on the CNS as measured by optokinetic nystagmus. *Arch Environ Health* 15:48-52.
- *Kylin B, Reichard H, Sumegi I, et al. 1962. Hepatotoxic effect of tri- and tetrachloroethylene on mice. *Nature (London)* 193:395.
- *Lachnit V, Pietschmann H. 1960. Activity of serum glutamic oxaloacetic transaminase and ddolase in workers exposed to halogenated hydrocarbons. *Ind Med Surg* 29:523-525.
- *Lagakos SW, Wessen BJ, Zelen M. 1986a. An analysis of contaminated well water and health effects in Woburn, Massachusetts. *J Am Stat Assoc* 81:583-596.

8. REFERENCES

- *Lagakos SW, Wessen BJ, Zelen M. 1986b. Rejoinder [Letter]. *J Am Stat Assoc* 81:611-614.
- *Laham S. 1970. Studies on placental transfer: Trichloroethylene. *Ind Med* 39:46-49.
- *Laib RJ, Stockle G, Bolt HM, et al. 1979. Vinyl chloride and trichloroethylene: Comparison of alkylating effects of metabolites and induction of preneoplastic enzyme deficiencies in rat liver. *J Can Res Clin Oncol* 94: 139-147.
- *Land PC, Owen EL, Linde HW. 1981. Morphologic changes in mouse spermatozoa after exposure to inhalation anesthetics during early spermatogenesis. *Anesthesiology* 54:53-56.
- Landrigan PJ, Stein GF, Kominsky JR, et al. 1987. Common-source community and industrial exposure to trichloroethylene. *Arch Environ Health* 42:327-332.
- *Larson JL, Bull RJ. 1989. Effect of ethanol on the metabolism of trichloroethylene. *J Toxicol Environ Health* 28:395-406.
- *Larson JL, Bull RJ. 1992a. Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicol Appl Pharmacol* 115:268-277.
- *Larson JL, Bull RJ. 1992b. Species differences in the metabolism of trichloroethylene to the carcinogenic metabolites trichloroacetate and dichloroacetate. *Toxicol Appl Pharmacol* 115:278-285.
- Lash LH, Xu Y, Elfarra AA, et al. 1995. Glutathione-dependent metabolism of trichloroethylene in isolated liver and kidney cells of rats and its role in mitochondrial and cellular toxicity. *Drug Metabolism and Disposition* 23:846-853.
- Lauwerys RL. 1983. *Industrial Chemical Exposure: Guidelines for Biological Monitoring*. Davis, CA: Biomedical Publications. 87-91.
- *Lawrence WH, Partyka EK. 1981. Chronic dysphagia and trigeminal anesthesia after trichloroethylene exposure. *Ann Intern Med* 95:710.
- *Leandri M, Schizzi R, Scielzo C, et al. 1995. Electrophysiological evidence of trigeminal root damage after trichloroethylene exposure. *Muscle Nerve* 18:467-468.
- Lee KM, Bruckner JV, Muralidhara S, et al. 1996. Characterization of presystemic elimination of trichloroethylene and its nonlinear kinetics in rats. *Toxicol Appl Pharmacol* 139:262-271.
- Le Mesurier SM, Lykke AW, Stewart BW. 1980. Reduced yield of pulmonary surfactant: Patterns of response following administration of chemicals to rats by inhalation. *Toxicol Lett* 5:89-93.
- Leung H-W. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantyne B, Marrs T, Turner P, eds. *General and Applied toxicology*. New York, NY: Stockton Press, 1:153-164.
- Lewis GD, Reynolds RC, Johnson AR. 1984. Some effects of trichloroethylene on mouse lungs and livers. *Gen Pharmacol* 15:139-144.

8. REFERENCES

*Ligocki MP, Leuenberger C, Pankow JF. 1985. Trace organic compounds in rain. II. Gas scavenging of neutral organic compounds. *Atmos Environ* 19:1609-1617.

*Lipscomb JC, Garrett CM, Snawder JE. 1997. Cytochrome P-450-dependent metabolism of trichloroethylene: Interindividual differences in humans. *Toxicol Appl Pharmacol* 142:311-318.

Liu YT, Jin C, Chen Z, et al. 1988. [Increased subjective symptom prevalence among workers exposed to trichloroethylene at sub-OEL levels.] *Tohoku J Exp Med* 155:183-195. (Japanese)

*Loeber CP, Hendrix MJC, DePinos SD, et al. 1988. Trichloroethylene: A cardiac teratogen in developing chick embryos. *Pediatr Res* 24:740-744.

*Langley EO, Jones R. 1963. Acute trichloroethylene narcosis. *Arch Environ Health* 7:249-252.

Luster MI, Dean JH, Moore JA. 1982. Evaluation of immune functions on toxicology. In: Hayes AW, ed. *Principles and Methods of Toxicology*. New York, NY: Raven Press, 561-586.

*Mackay D, Shiu WY. 1981. A critical review of Henry's law constants for chemicals of environmental interest. *J Phy Chem Ref Data* 19:1175-1179.

*MacMahon B. 1986. Comment [Letter]. *J Am Stat Assoc* 21:597-599.

*Makide Y, Tominaga T, Rowland FS. 1979. [Gas chromatographic analysis of halogenated hydrocarbons in air over Japan.] *Chemistry Lett (Chemical Society of Japan)* 4:355-358. (Japanese)

*Malek B, Kremarova B, Rodova A. 1979. [An epidemiological study of hepatic tumor incidence in subjects working with trichloroethylene. II. Negative result of retrospective investigations in dry cleaners.] *Prac Lek* 31:124-126. (Czech)

*Maltoni C, Lefemine G, Cotti G. 1986. Experimental research on trichloroethylene carcinogenesis. In: Maltoni C, Mehlman MA, eds. *Archives of research on industrial carcinogenesis series*. Vol. V. Princeton, NJ: Princeton Scientific Publishing Co., Inc., 393.

*Maltoni C, Lefemine G, Cotti G, et al. 1988. Long-term carcinogenicity bioassays on trichloroethylene administered by inhalation to Sprague-Dawley rats and Swiss and B6C3F₁ mice. *Ann NY Acad Sci* 534:316-342.

*Mannsville. 1992. Chemical product synopsis: trichloroethylene. Cortland, NY: Mannsville Chemical Products Corp.

*Manson JM, Murphy M, Richdale N, et al. 1984. Effect of oral exposure to trichloroethylene on female reproductive function. *Toxicology* 32:229-242.

*Martindale W. 1977. Halothane and general anaesthetics. In: Wade A, ed. *The extra pharmacopoeia: Incorporating Squire's *Companion.* 27th ed. London: Pharmaceutical Press, 714-715.

8. REFERENCES

- *Maymo-Gatell X, Chien Y-t, Gosset JM, et al. 1997. Isolation of a bacterium that reductively dechlorinates tetrachloroethene to ethene. *Science* 276: 1568-1571.
- Mazza V, Brancaccio A. 1967. [Characteristics of the formed elements of the blood and bone marrow in experimental trichloroethylene intoxication.] *Folia Med* 50:318-324. (Italian)
- *Mazzullo M, Bartoli S, Bonora A, et al. 1992. *In vivo* and *in vitro* interaction of trichloroethylene with macromolecules from various organs of rat and mouse. *Res Commun Chem Pathol Pharmacol* 76:192-208.
- *McCarthy TB, Jones RD. 1983. Industrial gassing poisonings due to trichloroethylene, perchloroethylene, and 1,1,1-trichloroethane, 1961-80. *Br J Ind Med* 40:450-455.
- *McConnell G, Ferguson DM, Pearson CR. 1975. Chlorinated hydrocarbons and the environment. *Endeavour* 34:13-8.
- *McCormick K, Abdel-Rahman MS. 1991. The role of testosterone in trichloroethylene penetration *in vitro*. *Environ Res* 54:82-92.
- *McCunney RJ. 1988. Diverse manifestations of trichloroethylene. *Br J Ind Med* 45: 122-126.
- *McGregor DB, Reynolds DM, Zeiger E. 1989. Conditions affecting the mutagenicity of trichloroethylene in *Salmonella*. *Environ Mol Mutagen* 13:197-202.
- McKinney LL, Weakley FB, Eldridge AC, et al. 1957. S-(dichlorovinyl)-L-cysteine: an agent causing fatal aplastic anemia in calves. *J Am Chem Soc* 79:3932-3933.
- *McKone TE. 1987. Human exposure to volatile organic compounds in household tap water: The indoor inhalation pathway. *Environmental Science and Technology* 21:1194-1201.
- *McKone TE, Knezovich JP. 1991. The transfer of trichloroethylene (TCE) from a shower to indoor air: experimental measurements and their implications. *J Air Waste Manag Assoc* 41:832-837.
- *McLaren J, Boulikas T, Vamvakas S. 1994. Induction of poly(ADP-ribosylation) in the kidney after *in vivo* application of renal carcinogens. *Toxicology* 88:101-112.
- *McNab WW Jr, Narasimhan TN. 1994. Degradation of chlorinated hydrocarbons and groundwater geochemistry: A field study. *Environmental Science and Technology* 28:76-775.
- *McNeill WC Jr. 1979. Trichloroethylene. In: Grayson M, Eckroth P, eds. *Kirk-Othmer encyclopedia of chemical technology*. 3rd ed. Vol. 5. New York, NY: John Wiley and Sons, Inc., 745-753.
- *MDPH. 1994. Final report of the Woburn environmental and birth study draft for public comment. Volume 1: Analysis of reproductive outcomes and environmental exposures in Woburn, MA. Massachusetts Department of Public Health, Bureau of Environmental Health Assessment, Massachusetts of Health Research Institute in collaboration with the Division of Birth Defects and Developmental Disabilities, U.S. Centers for Disease Control and Prevention.

8. REFERENCES

- *MDPH 1996. Draft Final Report. Woburn Childhood Leukemia Follow-up Study. Massachusetts Department of Public Health. Boston, Massachusetts.
- *Merrick BA, Robinson M, Condie LW. 1989. Differing hepatotoxicity and lethality after subacute trichloroethylene exposure in aqueous or corn oil gavage vehicles in B6C3F₁ mice. *J Appl Toxicol* 9:15-21.
- *Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. *Anal Chem* 52: 1836- 1841.
- Mikiskova H, Mikiska A. 1966. Trichloroethanol in trichloroethylene poisoning. *Br J Ind Med* 23:116-125.
- *Milby TH. 1968. Chronic trichloroethylene intoxication. *J Occup Med* 10:252-254.
- *Milde G, Norger M, Mergler R. 1988. Biological degradation of volatile chlorinated hydrocarbons in groundwater. *Water Science Technology* 20:67-74.
- *Miller RE, Guengerich FP. 1982. Oxidation of trichloroethylene by liver microsomal cytochrome P-450: Evidence for chlorine migration in a transition state not involving trichloroethylene oxide. *Biochemistry* 21:1090-1097.
- *Miller RE, Guengerich FP. 1983. Metabolism of trichloroethylene in isolated hepatocytes, microsomes, and reconstituted systems containing cytochrome P-450. *Cancer Res* 43: 1145-1152.
- *Mirsalis JC, Tyson CK, Steinmetz KL, et al. 1989. Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following *in vivo* treatment: Testing of 24 compounds. *Environ Mol Mutagen* 14:155-164.
- *Mitchell ABS, Parsons-Smith BG. 1969. Trichloroethylene neuropathy. *Br Med J* 1:422-423.
- Monstad P, Mellgren SI, Sulg IA. 1992. The clinical significance of sleep apnoea in workers exposure to organic solvents: implications for the diagnosis of organic solvent encephalopathy. *J Neuro*1239: 195-198.
- Monstad P, Nissen T, Sulg IA, et al. 1987. Sleep apnoea and organic solvent exposure. *J Neuro*1234:152-154.
- Monster AC. 1988. Biological markers of solvent exposure. *Arch Environ Health* 43:90-93.
- *Monster AC, Boersma G. 1975. Simultaneous determination of trichloroethylene and metabolites in blood and exhaled air by gas chromatography. *Int Arch Occup Environ Health* 35:155-163.
- *Monster AC, Boersma G, Duba WC. 1976. Pharmacokinetics of trichloroethylene in volunteers: Influence of workload and exposure concentration. *Int Arch Occup Environ Health* 38:87-102.
- *Monster AC, Boersma G, Duba WC. 1979. Kinetics of trichloroethylene in repeated exposure of volunteers. *Int Arch Occup Environ Health* 42:283-292.

8. REFERENCES

- *Morreale SA. 1976. A case of acute trichloroethylene poisoning with myocardial infarction. *Med Lav* 67:176-182.
- *Morris LE, Noltensmeyer MH, White JM Jr. 1953. Epinephrine induced cardiac irregularities in the dog during anesthesia with trichloroethylene, cyclopropane, ethyl chloride and chloroform. *Anesthesiology* 14:153-158.
- *Moser VC, Cheek BM, MacPhail RC. 1995. A multidisciplinary approach to Toxicological screening: III. Neurobehavioral toxicity. *J Toxicol Environ Health* 45: 173-210.
- *Moslen MT, Reynolds ES, Szabo S. 1977. Enhancement of the metabolism and hepatotoxicity of trichloroethylene and perchloroethylene. *Biochem Pharmacol* 26:369-375.
- Motohashi Y, Miyazaki Y. 1990. Time-dependent effects on trichloroethylene on motor activity in rats. *Chronobiology International* 7: 193-201.
- *Motwani JN, Popp SA, Johnson GM, et al. 1986. Field screening techniques developed under the super-fund program. The 7th national conference on management of uncontrolled hazardous waste sites. December 1-3, 1986, Washington, DC, 105-109.
- *Mu DY, Scow KM. 1994. Effect of trichloroethylene (TCE) and toluene concentrations on TCE and toluene biodegradation and the population density of TCE and toluene degraders in soil. *Appl Environ Microbiol* 60:2661-2665.
- *Mulholland JA, Sarofim AF, Sosothikul P, et al. 1992. Formation of perchloroaromatics during trichloroethylene pyrolysis. *Combustion and Flame* 89:103-115.
- *Müller G, Spassovski M, Henschler D. 1972. Trichloroethylene exposure and trichloroethylene metabolites in urine and blood. *Arch Toxicol* 29:335-340.
- *Müller G, Spassovski M, Henschler D. 1974. Metabolism of trichloroethylene in man. II. Pharmacokinetics of metabolites. *Arch Toxicol* 32:283-295.
- *Müller G, Spassowski M, Henschler D. 1975. Metabolism of trichloroethylene in man. III. Interaction of trichloroethylene and ethanol. *Arch Toxicol* 33: 173-189.
- Müller WF, Coulston F, Korte F. 1982. Comparative metabolism of ¹⁴C-trichloroethylene in chimpanzees, baboons, and rhesus monkeys. *Chemosphere* 11:215-218.
- *Mumtaz NM, Neft RE, Lichtveld MY, et al. 1994. The public health impact of chemicals and chemical mixture by-products at hazardous waste sites. In: Andrews JS, Frumkin H, Johnson BL, et al. ed. *Hazardous Waste and public health: International Congress on the health effects of hazardous waste*. Princeton Scientific Publishing Co., Inc. Princeton, NJ. 508-516.
- Munz C, Roberts PV. 1987. Air-water phase equilibria of volatile organic solutes. *J Am Water Works Assoc* 79:62-69.

8. REFERENCES

- *Murray AJ, Riley JP. 1973. Occurrence of some chlorinated aliphatic hydrocarbons in the environment. *Nature* 242:37-38.
- *Nagaya T, Ishikawa N, Hata H. 1989a. Sister-chromatid exchanges in lymphocytes of workers exposed to trichloroethylene. *Mutat Res* 222:279-282.
- *Nagaya T, Ishikawa N, Hata H. 1989b. Urinary total protein and P₂-microglobulin in workers exposed to trichloroethylene. *Environ Res* 50:86-92.
- *Nagaya T, Ishikawa N, Hata H. 1990. No change in serum dopamine-P-hydroxylase activity in workers exposed to trichloroethylene. *Toxicol Lett* 54:221-227.
- Nagaya T, Ishikawa N, Hata H, et al. 1993. Subclinical and reversible hepatic effects of occupational exposure to trichloroethylene. *Int Arch Occup Environ Health* 64:561-563.
- Naish N. 1945. Poisoning by accidental drinking of trichloroethylene. *Br Med J* 2:367.
- *Nakajima T, Murayama N, Owa O, et al. 1990a. [Trichloroethylene concentration in work environment in relation to the development of pneumatosis cystoides intestinalis.] *Sangyo Igaku* 32:454-460. (Japanese)
- *Nakajima T, Wang RS, Elovaara E, et al. 1992a. A comparative study on the contribution of cytochrome P-450 isozymes to metabolism of benzene, toluene and trichloroethylene in rat liver. *Biochem Pharmacol* 43:251-257.
- *Nakajima T, Wang RS, Elovaara E, et al. 1993. Cytochrome P-450-related differences between rats and mice in the metabolism of benzene, toluene and trichloroethylene in liver microsomes. *Biochem Pharmacol* 45:1079-1085.
- *Nakajima T, Wang RS, Katakura Y, et al. 1992b. Sex-, age- and pregnancy-induced changes in the metabolism of toluene and trichloroethylene in rat liver in relation to the regulation of cytochrome P-450IIE1 and cytochrome P-450IIC11 content. *J Pharmacol Exp Ther* 261:869-874.
- *Nakajima T, Wang RS, Murayama N, et al. 1990b. Three forms of trichloroethylene-metabolizing enzymes in rat liver induced by ethanol, phenobarbital, and 3-methylcholanthrene. *Toxicol Appl Pharmacol* 102:546-552.
- *Nakayama H, Kobayashi M, Takahashi M, et al. 1988. Generalized eruption with severe liver dysfunction associated with occupational exposure to trichloroethylene. *Contact Dermatitis* 19:48-51.
- *Narotsky MG, Kavlock RJ. 1995. A multidisciplinary approach to toxicological screening: II. Developmental toxicity. *J Toxicol Environ Health* 45: 145- 171.
- *Narotsky MG, Weller EA, Chinchilli VM, et al. 1995. Nonadditive developmental toxicity in mixtures of trichloroethylene, di(2-ethylhexyl) phthalate, and heptachlor in a 5 x 5 x 5 design. *Fund Appl Toxicol* 27:203-216.

8. REFERENCES

- *NAS. 1980. Drinking water and health. Volume 3. National Academy of Sciences, Safe Drinking Water Committee. Washington, DC: National Academy Press.
- *NAS/NRC. 1989. Biological markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1994. National Air Toxics Information Clearinghouse. Database report on state, local, and EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards. Washington, DC. December 28, 1994.
- *NCI. 1976. Carcinogenesis bioassay of trichloroethylene (CAS No. 79-01-6). Bethesda, MD: National Cancer Institute, Division of Cancer Cause and Prevention, Carcinogenesis Program, Carcinogen Bioassay and Program Resources Branch. NCI-CG-TR-2, DHEW Publ. No. (NIH) 76-802.
- *Neely WB, Branson DR, Blau GE. 1974. Partition coefficients to measure bioconcentration potential of organic chemicals in fish. *Environmental Science and Technology* 8:1113-1115.
- Nelson JL, Zenick H. 1986. The effect of trichloroethylene on male sexual behavior: Possible opioid role. *Neurobehav Toxicol Teratol* 8:441-445.
- *Nelson MA, Bull RJ. 1988. Induction of strand breaks in DNA by trichloroethylene and metabolites in rat and mouse liver *in vivo*. *Toxicol Appl Pharmacol* 94:45-54.
- *Nelson MJK, Montgomery SO, Mahaffey WR, et al. 1987. Biodegradation of trichloroethylene and involvement of an aromatic biodegradative pathway. *Appl Environ Microbiol* 53:949-954.
- *Nelson MJK, Montgomery SO, Pritchard PH. 1988. Trichloroethylene metabolism by microorganisms that degrade aromatic compounds. *Appl Environ Microbiol* 54:604-606.
- *Nichols WK, Covington MO, Seiders CD, et al. 1992. Bioactivation of halogenated hydrocarbons by rabbit pulmonary cells. *Pharmacol Toxicol* 71:335-339.
- *Nicoara S, Culea M, Palibroda N, et al. 1994. Volatile organic chemical pollutants in laboratory indoor air. *Indoor Environ* 3:83-86.
- *Niklasson M, Tham R, Larsby B, et al. 1993. Effects of toluene, styrene, trichloroethylene, and trichloroethane on the vestibulo- and opto-oculo motor system in rats. *Neurotoxicol Teratol* 15:327-334.
- *NIOSH. 1973. Criteria for a recommended standard. . . Occupational exposure to trichloroethylene. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health.
- NIOSH. 1978. Special occupational hazard review of trichloroethylene. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health

8. REFERENCES

NIOSH. 1994a. NIOSH manual of analytical methods. Fourth edition. Cincinnati, OH: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health.

*NIOSH. 1994b. NIOSH Pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. DHEW (NIOSH) Pub. No. 94-116.

*NOES. 1990. National Occupational Exposure Survey (1981-1983). Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. December 7, 1990.

*Noland-Gerbec EA, Pfohl RI, Taylor DH, et al. 1986. 2-Deoxyglucose uptake in the developing rat brain upon pre- and postnatal exposure to trichloroethylene. *Neurotoxicology* 7:157-164.

*Nomiya K. 1971. Estimation of trichloroethylene exposure by biological materials. *Int Arch Arbeitsmed* 27:281.

*Nomiya K, Nomiya H. 1977. Dose-response relationship for trichloroethylene in man. *Int Arch Occup Environ Health* 39:237-248.

*Nomiya K, Nomiya H. 1971. Metabolism of trichloroethylene in humans: Sex difference in urinary excretion of trichloroacetic acid and trichloroethanol. *Int Arch Arbeitsmed* 28:37-48.

*Nomiya K, Nomiya H. 1974a. Respiratory elimination of organic solvents in man. *Int Arch Arbeitsmed* 32:85-91.

*Nomiya K, Nomiya H. 1974b. Respiratory retention, uptake, and excretion of organic solvents in man. *Int Arch Arbeitsmed* 32:75-83.

*Novotna E, David A, Malek B. 1979. [An epidemiological study of hepatic tumor incidence in subjects working with trichloroethylene. I. Negative result of retrospective investigations in subjects with primary liver cancer.] *Prac Lek* 31:121-123. (Czech)

*NREPC. 1986. Natural Resources and Environmental Protection Cabinet. Department for Environmental Protection, Kentucky. Proposed Regulation. 401 KAR 63:021.

*NTDB. 1994. National Trade Data Bank. Washington, DC: U.S. Department of Commerce, Economics and Statistics Administration.

NTP. 1983. National Toxicology Program--technical report series no. 232. Carcinogenesis bioassay of pentachloroethane in Fischer-344/N rats and B6C3Fi mice. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health.

*NTP. 1985. Trichloroethylene: Reproduction and fertility assessment in CD-1 mice when administered in the feed (CAS No. 79-01-6). Final report. Research Triangle Park, NC: National Toxicology Program, National Institute of Environmental Health Sciences. NTP-86-068.

8. REFERENCES

- *NTP. 1986. Trichloroethylene: Reproduction and fertility assessment in Fischer-344 rats when administered in the feed (CAS No. 79-01-6). Final report. Research Triangle Park, NC: National Toxicology Program, National Institute of Environmental Health Sciences. NTP-86-085.
- *NTP. 1988. National Toxicology Program--technical report series no. 273. Toxicology and carcinogenesis studies of trichloroethylene (CAS No. 79-01-6) in four strains of rats (ACI, August, Marshall, Osborne-Mendel) (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH publication no. 88-2525.
- *NTP. 1990. National Toxicology Program--technical report series no. 243. Carcinogenesis studies of trichloroethylene (without epichlorohydrin) (CAS No. 79-01-6) in Fischer-344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. NIH publication no. 90-1799.
- *NTP. 1997. National Toxicology Program. Substances, mixtures and exposure circumstances proposed for listing in or delisting (removing) from the report on carcinogens, ninth edition. Call for public comments. Federal Register 62:37272.
- *Odum J, Foster JR, Green T. 1992. A mechanism for the development of Clara cell lesions in the mouse lung after exposure to trichloroethylene. *Chem Biol Interact* 83: 135-153.
- *Ogata M, Takatsuka Y, Tomokuni K. 1971. Excretion of organic chlorine compounds in the urine of persons exposed to vapours of trichloroethylene and tetrachloroethylene. *Br J Ind Med* 28:386.
- *Ohio River Valley Sanitation Commission. 1980. Assessment of water quality conditions. Ohio River Mainstream 1978-9. Cincinnati, OH: Ohio River Valley Water Sanit Comm 34 T-53.
- *Ohio River Valley Sanitation Commission. 1982. Assessment of water quality conditions. Ohio River Mainstream 1978-9. Cincinnati, OH: Ohio River Valley Water Sanit Corm-n. Appendix D: Table 13.
- *Okamoto T, Shiwaku K. 1994. Fatty acid composition in liver, serum, and brain of rat inhaled with trichloroethylene. *Exp Toxicol Pathol* 46:133-141.
- *Okino T, Nakajima T, Nakano M. 1991. Morphological and biochemical analyses of trichloroethylene hepatotoxicity: Differences in ethanol- and phenobarbital-pretreated rats. *Toxicol Appl Pharmacol* 108:379-389.
- *Okouchi S. 1986. Volatilization coefficient for stripping trichloroethylene, 1,1,1-trichloroethane and tetrachloroethylene from water. *Water Sci Technol* 18: 137-138.
- *Oldenhuis R, Oedzes JY, van der Waarde JJ, et al. 1991. Kinetics of chlorinated hydrocarbon degradation by *Methylosinus trichosporium* OB3b and toxicity of trichloroethylene. *Appl Environ Microbiol* 57:7-14.
- *Ong CN, Koh D, Foo SC, et al. 1993. Volatile organic solvents in correction fluids: identification and potential hazards. *Bull Environ Contam Toxicol* 50:787-793.
- *Oppelt ET. 1987. Incineration of hazardous waste. A critical review. *J Air Pollut Control Assoc* 37:558-586.
- *OSHA. 1993. Air contaminants final rule. Occupational Safety and Health Administration. Federal Register 58:35338-35351.

8. REFERENCES

- *Otson R, Williams DT. 1982. Headspace chromatographic determination of water pollutants. *Anal Chem* 54:942-946.
- *Otson R, Williams DT, Bothwell PD. 1982. Volatile organic compounds in water at thirty Canadian potable water treatment facilities. *J Assoc Off Anal Chem* 65: 1370-1 374.
- Ozonoff D, Colten ME, Cupples A, et al. 1987. Health problems reported by residents of a neighborhood contaminated by a hazardous waste facility. *Am J Ind Med* 11:58 1-597.
- *Paddle GM. 1983. Incidence of liver cancer and trichloroethylene manufacture: Joint study by industry and a cancer registry. *Br Med J* 286:846.
- *Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environmental Science and Technology* 15: 1475-1481.
- *Parchman LG, Magee PN. 1982. Metabolism of [14C] trichloroethylene to 14C02 and interaction of a metabolite with liver DNA in rats and mice. *J Toxicol Environ Health* 9:797-813.
- *Park KS, Sorenson DL, Sims J. 1988. Volatilization of wastewater trace organics in slow rate land treatment systems. *Hazardous Waste and Hazardous Materials* 5:219-229.
- *Parker GS, Rosen SL. 1981. Cancer incidence and environmental hazards 1960-1978. Massachusetts Department of Public Health.
- Parsons F, Wood PR, Demarco J. 1984. Transformations of tetrachloroethene and trichloroethene in microcosms and groundwater. *J Am Water Works Assoc* 76:56-59.
- *Parsons F, Barrio-Lage GB, Rice R. 1985. Biotransformation of chlorinated organic solvents in static microcosms. *Environ Toxicol Chem* 4:739-742.
- *Pavlostathis SG, Mathavan GN. 1992. Application of headspace analysis for the determination of volatile organic compounds in contaminated soils. *Environ Technol* 13:23-33.
- *Pearson CR, McConnell G. 1975. Chlorinated C1 and C2 hydrocarbons in the marine environment. *Proc R Sot Lond [Biol]* 189:305-332.
- Peers AM. 1985. Method 5: The determination of trichloroethylene and tetrachloroethylene in air. *IARC Sci Publ* 68:205-211.
- *Pekari K, Aitio A. 1985a. Method 29: Determination of trichloroacetic acid in urine. *IARC Sci Publ* 68:467-472.
- *Pekari K, Aitio A. 1985b. Method 30: Determination of 2,2,2-trichloroethanol in urine. *IARC Sci Publ* 68:473-478.
- *Pellizzari ED, Hartwell TD, Harris BS, et al. 1982. Purgeable organic compounds in mother's milk. *Bull Environ Contam Toxicol* 28:322-328.

8. REFERENCES

- *Pembleton WE. 1974. Trichloroethylene anesthesia re-evaluated. *Anesth Analg* 53:730-733.
- *Peng J, Bewtra JK, Biswas N. 1994. Volatilization of selected organic compounds from quiescent water. *J Environ Eng* 120:662-669.
- *Perbellini L, Olivato D, Zedde A, et al. 1991. Acute trichloroethylene poisoning by ingestion: clinical and pharmacological aspects. *Intensive Care Med* 17:234-235.
- *Perocco P, Prodi G. 1981. DNA damage by haloalkanes in human lymphocytes cultured *in vitro*. *Cancer Lett* 13:213-218.
- *Pessayre D, Cobert B, Decatoire V, et al. 1982. Hepatotoxicity of trichloroethylene-carbon tetrachloride mixtures in rats. *Gastroenterology* 83:761-772.
- *Petersen LW, Rolston DE, Moldrup P, et al. 1994. Volatile organic vapor diffusion and adsorption in soils. *J Environ Qual* 23:799-805.
- *Pfaffenberger CD, Peoples AJ, Enos HF. 1980. Distribution of volatile halogenated organic compounds between rat blood serum and adipose tissue. *Int J Environ Anal Chem* 8:55-65.
- *Phoon WH, Chan MOY, Rajan VS, et al. 1984. Stevens-Johnson syndrome associated with occupational exposure to trichloroethylene. *Contact Dermatitis* 10:270-276.
- Plaa GL. 1988. Experimental evaluation of haloalkanes and liver injury. *Fundam Appl Toxicol* 10:563-570.
- Polakowska B, Byczkowska Z. 1991. Cerebellar syndrome after long-term exposure to organic solvents. Case report. *Med Pr* 42:355-359.
- Popper H, Schaffner F. 1959. Drug induced hepatic injury. *Ann Intern Med* 51:1230-1252.
- Powell JF. 1945. Trichloroethylene: Absorption, elimination and metabolism. *Br J Ind Med* 2:142-145.
- *Prendergast JA, Jones RA, Jenkins LJ Jr, et al. 1967. Effects on experimental animals of long-term inhalation of trichloroethylene, carbon tetrachloride, 1,1,1-trichloroethane, dichlorodifluoromethane, and 1,1-dichloroethylene. *Toxicol Appl Pharmacol* 10:270-289.
- *Prentice RL. 1986. Comment [Letter]. *J Am Stat Assoc* 81:600-601.
- *Price PJ, Hassett CM, Mansfield JJ. 1978. Transforming activities of trichloroethylene and proposed industrial alternatives. *In Vitro* 14:290-293.
- *Priest RJ, Horn RC. 1965. Trichloroethylene intoxication: A case of acute hepatic necrosis possibly due to this agent. *Arch Environ Health* 11:361-365.
- *Prout MS, Provan WM, Green T. 1985. Species differences in response to trichloroethylene. I. Pharmacokinetics in rats and mice. *Toxicol Appl Pharmacol* 79:389-400.

8. REFERENCES

- Pulciani S, Santos E, Lauver AV, et al. 1982a. Oncogenes in solid human tumours. *Nature* 300:539-542.
- Pulciani S, Santos E, Lauver AV, et al. 1982b. Oncogenes in human tumor cell lines. Molecular cloning of a transforming gene from human bladder carcinoma cells. *Proc Natl Acad Sci USA* 79:2845-2849.
- *Ramsey JC, Andersen ME. 1984. A physiologically based description of the inhalation pharmacokinetics of styrene in rats and humans. *Toxicol Appl Pharmacol* 73: 159-175.
- *Ramsey JD, Flanagan RJ. 1982. Detection and identification of volatile organic compounds in blood by headspace gas chromatography as an aide to the diagnosis of solvent abuse. *J Chromatogr* 240:423-444.
- *Rasmussen RA, Harsch DE, Sweany PH, et al. 1977. Determination of atmospheric halocarbons by a temperature-programmed gas chromatographic freezeout concentration method. *J Air Pollut Control Assoc* 27:579-581.
- *Rasmussen K, Sabroe S, Wohlert M, et al. 1988. A genotoxic study of metal workers exposed to trichloroethylene: Sperm parameters and chromosome aberrations in lymphocytes. *Int Arch Occup Environ Health* 60:419-423.
- *Rasmussen K, Arlien-Soborg P, Sabroe S. 1993a. Clinical neurological findings among metal degreasers exposed to chlorinated solvents. *Acta Neurol Scand* 87:200-204.
- *Rasmussen K, Brogren CH, Sabroe S. 1993b. Subclinical affection of liver and kidney function and solvent exposure. *Int Arch Occup Environ Health* 64:445-448.
- *Rasmussen K, Jeppesen HJ, Sabroe S. 1993~. Psychometric tests for assessment of brain function after solvent exposure. *Am J Ind Med* 24:553-565.
- *Rasmussen K, Jeppesen HJ, Sabroe S. 1993d. Solvent-induced chronic toxic encephalopathy. *Am J Ind Med* 23:779-792.
- *Ray K, Sahana CC, Chaudhuri SB, et al. 1993. Effects of trichloroethylene anaesthesia on salivary paracetamol elimination. *Indian J Physiol Pharmacol* 37(1):79-81.
- *Rayburn JR, DeYoung DJ, Bantle JA. 1991. Altered developmental toxicity caused by three carrier solvents. *J Appl Toxicol* 11:253-260.
- *Rebert CS, Day VL, Matteucci MJ, et al. 1991. Sensory-evoked potentials in rats chronically exposed to trichloroethylene: Predominant auditory dysfunction. *Neurotoxicol Teratol* 13:83-90.
- *Rebert CS, Boyes WK, Pryor GT, et al. 1993. Combined effects of solvents on the rat's auditory system: styrene and trichloroethylene. *Int J Psychophysiol* 14:49-59.
- *Reinhard M, Goodman NL, Barker JF. 1984. Occurrence and distribution of organic chemicals in two landfill leachate plumes. *Environmental Science and Technology* 18:953-961.

8. REFERENCES

- *Reinhardt CF, Azar A, Maxfield ME, et al. 1971. Cardiac arrhythmias and aerosol "sniffing." Arch Environ Health 22:265-279.
- *Reinhardt CF, Mullen LS, Maxfield ME. 1973. Epinephrine-induced cardiac arrhythmia potential of some common industrial solvents. J Occup Med 15:953-955.
- Reynolds SH, Stowers SJ, Patterson RM, et al. 1987. Activated oncogenes in B6C3F₁ mouse liver tumors: Implications for risk assessment. Science 237: 1309-1316.
- *Roberts PV, Dandliker PG. 1983. Mass transfer of volatile organic contaminants from aqueous solution to the atmosphere during surface aeration. Environmental Science and Technology 17:484-489.
- *Rodenbeck SE. 1997. An evaluation of the relationship between maternal exposure to trichloroethylene in drinking water and birth weight at the Tucson International Airport area national priorities list site, Pima County, Arizona. Dissertation, Tulane University.
- *Rogan WJ. 1986. Comment [Letter]. J Am Stat Assoc 81:602-603.
- *Rossi AM, Migliore L, Barali R, et al. 1983. *In vivo* and *in vitro* mutagenicity studies of a possible carcinogen, trichloroethylene, and its two stabilizers, epichlorohydrin and 1,2-epoxybutane. Teratogenesis Carcinog Mutagen 3:75-87.
- Rott B, Viswanathan R, Freitage D, et al. 1982. Comparison of the applicability of various tests for screening the degradability of environmental chemicals. Chemosphere 11:1- 10.
- RTECS. 1984. Ethylene, trichloro-. Registry of Toxic Effects of Chemical Substances. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.
- Rubinstein HS, Painter E, Harne OG. 1939. Neural depressing effect of trichloroethylene. J Lab Clin Med 1238-1241.
- *Ruijten MW, Verberk MM, Salle HJ. 1991. Nerve function in workers with long term exposure to trichloroethene. Br J Ind Med 48:87-92.
- *Sahel GV, Clark TP. 1984. Volatile organic compounds as indicators of municipal solid waste leachate contamination. Waste Manag Res 2: 119-130.
- *Saisho K, Hasegawa Y, Saeki M, et al. 1994. Bioaccumulation of volatile chlorinated hydrocarbons in blue mussel, *Mytilus edulis*, and killifish, *Oryzias Zutipes*. Eisei Kagaku 40:274-278. (Japanese)
- *Salvini M, Binascchi S, Riva M. 1971. Evaluation of the psychophysiological functions in humans exposed to trichloroethylene. Br J Ind Med 28:293-295.
- *Sanders VM, Tucker AN, White KL Jr, et al. 1982. Humoral and cell-mediated immune status in mice exposed to trichloroethylene in drinking water. Toxicol Appl Pharmacol 62:358-368.

8. REFERENCES

- *SANSS. 1990. Structure and Nomenclature Search System. Chemical Information System (CIS) Computer Data Base. August 1990.
- *Santodonato J. 1985. Monograph on human exposure to chemicals in the workplace: Trichloroethylene. NTIS PB86- 134574/GAR.
- *Sato A. 1993. Confounding factors in biological monitoring of exposure to organic solvents. *Int Arch Occup Environ Health* 65:S61-S67.
- *Sato A, Nakajima T. 1978. Differences following skin or inhalation exposure in the absorption and excretion kinetics of trichloroethylene and toluene. *Br J Ind Med* 35:43-49.
- Sato A, Nakajima T. 1987. Pharmacokinetics of organic solvent vapors in relation to their toxicity. *Stand J Work Environ Health* 1381-93.
- *Sato A, Endoh K, Kaneko T, et al. 1991. A simulation study of physiological factors affecting pharmacokinetic behavior of organic solvent vapours. *Br J Ind Med* 48:342-347.
- *Sato A, Nakajima T, Fujiwara Y, et al. 1977. A pharmacokinetic model to study the excretion of trichloroethylene and its metabolites after an inhalation exposure. *Br J Ind Med* 34:55-63.
- *Sato A, Nakajima T, Koyama Y. 1981. Dose-related effects of a single dose of ethanol on the metabolism in rat liver of some aromatic and chlorinated hydrocarbons. *Toxicol Appl Pharmacol* 60:8-15.
- Sato A, Yamaguchi K, Nakajima T. 1986. Occupational trichloroethylene exposure as an etiological factor of *Pneumosis cystoides intestinalis*. *Toxicol Lett* 81(Suppl):16-17.
- *Sauer TC Jr. 1981. Volatile organic compounds in open ocean and coastal surface waters. *Organic Geochem* 3:91-101.
- *Saunders RA. 1967. A new hazard on closed environmental atmospheres. *Arch Environ Health* 14:380-384.
- *Savolainen H, Pfaffli P, Tengen M, et al. 1977. Trichloroethylene and 1,1,1-trichloroethane: Effects on brain and liver after five days intermittent inhalation. *Arch Toxicol* 38:229-237.
- *Schattner A, Malmck SDH. 1990. Anicteric hepatitis and uveitis in a worker exposed to trichloroethylene. *Postgrad Med J* 66:730-731.
- Schaumburg FD. 1990. Banning trichloroethylene: Responsible reaction or overkill? *Environmental Science and Technology* 24: 17-22.
- *Schroll R, Bierling B, Cao G, et al. 1994. Uptake pathways of organic chemicals from soil by agricultural plants. *Chemosphere* 28:297-303.
- *Schultz B, Kjeldsen P. 1986. Screening of organic matter in leachates from sanitary landfills using gas chromatography combined with mass spectrometry. *Water Res* 20:967-970.

8. REFERENCES

- *Schuttman W. 1970. [Liver damage after occupational exposure to trichloroethylene.] *Dtsch Z Verdau Stoffwechselkr* 30:43-45. (German)
- *Schwarzenbach RP, Giger W, Hoehn E, Schneider JK. 1983. Behavior of organic compounds during infiltration of river water to ground water. Field studies. *Environmental Science and Technology* 17:472-479.
- *Schwetz BA, Leong KJ, Gehring PJ. 1975. The effect of maternally inhaled trichloroethylene, perchloroethylene, methylchloroform, and methylene chloride on embryonal and fetal development in mice and rats. *Toxicol Appl Pharmacol* 32:84-96.
- Seage AJ, Bums MW. 1971. Pulmonary edema following exposure to trichloroethylene. *Med J Aust* 2:484-486.
- *Secchi GC, Chiappino G, Lotto A, et al. 1968. [Acute chemical composition of commercial trilenes and their hepatotoxic effects: Clinical and enzymological study.] *Med Lav* 59(8-9):486-497.
- Seiji K, Inoue O, Jin C, et al. 1989. Dose-excretion relationship in tetrachloroethylene-exposed workers and the effect of tetrachloroethylene co-exposure on trichloroethylene metabolism. *Am J Ind Med* 16:675-684.
- *Seiji K, Jin C, Watanabe T, et al. 1990. Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with references to smoking habits. *Int Arch Occup Environ Health* 62:171-176.
- Seip HM, Alstad J, Carlberg GE, et al. 1986. Measurement of mobility of organic compounds in soils. *Sci Total Environ* 50:87-101.
- *Selden A, Hultberg B, Ulander A, et al. 1993. Trichloroethylene exposure in vapour degreasing and the urinary excretion of N-acetyl-beta-D-glucosaminidase. *Arch Toxicol* 67:224-226.
- *Shimada T, Swanson AF, Leber P, et al. 1985. Activities of chlorinated ethane and ethylene compounds in the *Salmonella* microsome mutagenesis and rat hepatocyte/DNA repair assays under vapor phase exposure conditions. *Cell Biol Toxicol* 1:159-179.
- *Shindell S, Ulrich S. 1985. A cohort study of employees of a manufacturing plant using trichloroethylene. *J Occup Med* 27:577-579.
- Shipman AJ, Whim BP. 1980. Occupational exposure to trichloroethylene in metal cleaning processes and to tetrachloroethylene in the drycleaning industry in the U K. *Ann Occup Hyg* 23: 197-204.
- *Sidorin GI, Suvorov IM, Lukovnikova LV, et al. 1992. [On the pathogenesis of trichloroethylene poisoning.] *Gig Tr Prof Zabol* 2:32-34. (Russian)
- *Siegel J, Jones RA, Coon RA, et al. 1971. Effects on experimental animals of acute, repeated, and continuous inhalation exposures to dichloroacetylene mixtures. *Toxicol Appl Pharmacol* 18:168-174.
- *Silverman AP, Williams H. 1975. Behaviour of rats exposed to trichloroethylene vapours. *Br J Ind Med* 32:308-315.

8. REFERENCES

- *Singh HB, Salas LJ, Smith AJ, et al. 1981. Measurements of some potentially hazardous organic chemicals in urban environments. *Atmos Environ* 15:601-612.
- *Singh HB, Salas LJ, Stiles RE. 1982. Distribution of selected gaseous organic mutagens and suspect carcinogens in ambient air. *Environmental Science and Technology* 16:872-880.
- *Sittig M. 1985. *Handbook of Toxic and Hazardous Chemicals and Carcinogens*. Park Ridge, New Jersey: Noyes Publications, 843-845.
- *Sjoberg B. 1952. Thermal decomposition of chlorinated hydrocarbons. *Sven Kern Tidskr* 64:63-79.
- *Sjogren B, Plato N, Alexandersson R, et al. 1991. Pulmonary reactions caused by welding-induced decomposed trichloroethylene. *Chest* 99:237-238.
- *Skender LJ, Karacic V, Prpic-Majic D. 1991. A comparative study of human levels of trichloroethylene and tetrachloroethylene after occupational exposure. *Arch Environ Health* 46:174-178.
- *Skender L, Karacic V, Bosner B, et al. 1993. Assessment of exposure to trichloroethylene and tetrachloroethylene in the population of Zagreb, Croatia. *Int Arch Occup Environ Health* 65:S163-S165.
- *Skender L, Karacic V, Bosner B, et al. 1994. Assessment of urban population exposure to trichloroethylene and tetrachloroethylene by means of biological monitoring. *Arch Environ Health* 49:445-45 1.
- *Slacik-Erben R, Roll R, Franke G, et al. 1980. Trichloroethylene vapors do not produce dominant lethal mutations in male mice. *Arch Toxicol* 45:37.
- *Smith GF. 1966. Trichloroethylene: A review. *Br J Ind Med* 23:249-262.
- *Smith LR, Dragun J. 1984. Degradation of volatile chlorinated aliphatic priority pollutants in groundwater. *Environ Int* 10: 291-298.
- *Smith JH, Bomberger DC Jr, Haynes DL. 1980. Prediction of the volatilization rates of high-volatility chemicals from natural water bodies. *Environmental Science and Technology* 14:1332-1337.
- *Smith MK, Randall J, Read EJ, et al. 1989. Teratogenic activity of trichloroacetic acid in the rat. *Teratology* 40:445-451.
- *Smyth HF, Carpenter CP, Weil CS, et al. 1969. Range-finding toxicity data. List VII. *Am Ind Hyg Assoc J* 30:470-476.
- Sorgo G. 1976. [Trichloroethylene, carbon tetrachloride, and gasoline intoxication as etiological factors in the - development of arterio- and coronary sclerosis.] *Arch Toxicol* 35:295-318. (German)
- *Soucek B, Vlachova D. 1960. Excretion of trichloroethylene metabolites in human urine. *Br J Ind Med* 17:6064.

8. REFERENCES

- *Spirtas R, Stewart PA, Lee JS, et al. 1991. Retrospective cohort mortality study of workers at an aircraft maintenance Facility: I. Epidemiological results. *Br J Ind Med* 515-530.
- *SRI. 1987. 1987 Directory of Chemical Producers: United States of America. SRI International, Menlo Park, CA, 1055.
- *Staples CA, Werner AF, Hoogheem TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- *Starek A. 1991. [The effect of trichloroethylene on the metabolism and toxicity of benzene in rats.] *Folia Medica Cracoviensia* 32: 169-184. (Polish)
- Stauffer TB, MacIntyre WG. 1986. Sorption of low-polarity organic compounds on oxide minerals and aquifer material. *Environ Toxicol Chem* 5:949-955.
- *Steinberg W. 1981. Residual neuropsychological effects following exposure to trichloroethylene (TCE): A case study. *Clin Neuropsychol* 3: 1-4.
- *Steinberg AD, DeSesso JM. 1993. Have animal data been used inappropriately to estimate risks to humans from environmental trichloroethylene? *Regul Toxicol Pharmacol* 18:137-153.
- *Stephens JA. 1945. Poisoning by accidental drinking of trichloroethylene. *Br Med J* 2:218-219.
- *Steup DR, Hall P, McMillan DA, et al. 1993. Time course of hepatic injury and recovery following coadministration of carbon tetrachloride and trichloroethylene in Fischer-344 rats. *Toxicol Pathol* 21:327-334.
- *Steup DR, Wiersma D, McMillan DA, et al. 1991. Pretreatment with drinking water solutions containing trichloroethylene or chloroform enhances the hepatotoxicity of carbon tetrachloride in Fischer 344 rats. *Fund Appl Toxicol* 16:798-809.
- *Stevens DK, Eyre RJ, Bull RJ. 1992. Adduction of hemoglobin and albumin *in vivo* by metabolites of trichloroethylene, trichloroacetate, and dichloroacetate in rats and mice. *Fundam Appl Toxicol* 19:336-342.
- *Stewart RD, Dodd HC. 1964. Absorption of carbon tetrachloride, trichloroethylene, tetrachloroethylene, methylene chloride, and 1,1,1-trichloroethane through the human skin. *Am Ind Hyg Assoc J* 25:439-446.
- Stewart BW, LeMesurier SM, Lykke AW. 1979. Correlation of biochemical and morphological changes induced by chemical injury to the lung. *Chem Biol Interact* 26:321-338.
- *Stewart RD, Dodd HC, Gay HH, et al. 1970. Experimental human exposure to trichloroethylene. *Arch Environ Health* 20:64-71.
- *Stewart RD, Hake CL, Le Brun AI, et al. 1974a. Effects of trichloroethylene on behavioral performance capabilities. In: Xintaras C, Johnson BL, Groot I, eds. HEW Publication no. (NIOSH) 74-126. US Department of Health, Education and Welfare, Washington DC, 96-129.

8. REFERENCES

- *Stewart RD, Hake CL, Peterson JE. 1974b. Use of breath analysis to monitor trichloroethylene exposures, *Arch Environ Health* 29:6-13.
- *Stewart RD, Hake CL, Peterson JE. 1974c. *Degreasers' flush*': Dermal response to trichloroethylene and ethanol. *Arch Environ Health* 29: 1-5.
- Stoppa GJ, McMaughlin M. 1967. Psychophysiological testing of human subjects exposed to solvent vapors. *Am Ind Hyg Assoc J* 28:43-50.
- Story DL, Meierhenry EF, Tyson CA, et al. 1986. Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. *Toxicol Ind Health* 2:351-362.
- Stott WT. 1988. Chemically induced proliferation of peroxisomes: Implications for risk assessment. *Regul Toxicol Pharmacol* 8:9-35.
- *Stott WT, Quast JF, Watanabe PG. 1982. Pharmacokinetics and macromolecular interactions of trichloroethylene in mice and rats. *Toxicol Appl Pharmacol* 62: 137- 151.
- *Strachan WMJ, Edwards CJ. 1984. Organic pollutants in Lake Ontario. In: Nriagu JO, Simmons MS, eds. *Toxic contaminants in the Great Lakes*. New York, NY: John Wiley and Sons, 239-264.
- *Stutz DR, Janusz SJ. 1988. *Hazardous materials injuries-a handbook for pre-hospital care*. 2nd ed. Beltsville, MD: Bradford Communications Corp, 300-301.
- *Su C, Goldberg ED. 1976. Environmental concentration and fluxes of some halocarbons. In: Windom I-IL, Duce RA, eds. *Marine pollutant transfer*. Lexington, MA: 353-374.
- Suflita JM, Gibson SA, Beeman RE. 1988. Anaerobic biotransformations of pollutant chemicals in aquifers. *J Ind Microbiol* 3:179-194.
- *Sullivan DA, Jones AD, Williams JG. 1985. Results of the U.S. Environmental Protection Agency's Air Toxics Analysis in Philadelphia. In: *Proceedings of the 78th Annual Meeting of the Air Pollution Control Association*. Vol. 2, 1-15.
- *Swan SH, Robins JM. 1986. Comment [Letter]. *J Am Stat Assoc* 81:604-608.
- *Swarm RL, Laskowski DA, McCall PJ, et al. 1983. A rapid method for the estimation of the environmental parameters octanol/water partition coefficient, soil sorption constant, water to air ratio, and water solubility. *Res Rev* 85: 17-28.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Control Fed* 53:1503-1518.
- *Taylor DH, Lagory KE, Zaccaro DJ, et al. 1985. Effect of trichloroethylene on the exploratory and locomotor activity of rats exposed during development. *Sci Total Environ* 47:415-420.

8. REFERENCES

- *Templin MV, Parker JC, Bull RJ. 1993. Relative formation of dichloroacetate and trichloroacetate from trichloroethylene in male B6C3F₁ mice. *Toxicol Appl Pharmacol* 123:1-S.
- *Templin MV, Stevens DK, Stenner RD, et al. 1995. Factors affecting species differences in the kinetics of metabolites of trichloroethylene. *J Toxicol Environ Health* 44:435-447.
- *Tewari YB, Miller MM, Wasik SP, et al. 1982. Aqueous solubility and octanol/water partition coefficient of organic compounds at 25.0°C. *J Chem Eng Data* 27:451-454.
- *Thierstein ST, Hanigan JJ, Faaul MD, et al. 1960. Trichloroethylene anesthesia in obstetrics: Report of 10,000 cases, with fetal mortality and electrocardiographic data. *Obstet Gynecol* 15:560-565.
- *Thomas RG. 1982. Volatilization from water. In: Lyman WJ, Reehl WF, Rosenblatt DH, eds. *Handbook of chemical property estimation methods: Environmental behavior of organic compounds*. New York: McGraw Hill Book Co., Ch. 15.
- Tikkanen J, Heinonen OP. 1991. Risk factors for ventricular septal defect in Finland. *Public Health* 105:99-112.
- *Todd J. 1954. Trichloroethylene poisoning with paranoid psychosis and *Lilliputian hallucination*. *Br Med J* 1:439-440.
- *Tola S, Vilhunen R, Jarvinen E, et al. 1980. A cohort study on workers exposed to trichloroethylene. *J Occup Med* 22:737-740.
- Tolot F, Viallier J, Roulett A, et al. 1964. [Hepatic toxicity of trichloroethylene.] *Arch Mal Prof* 25:9-15. (French)
- *TRI88. 1990. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI93. 1995. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *Triebig G, Learl S, Kimmel W, et al. 1977. Psychopathometric results of follow-up studies on individuals exposed to trichloroethylene. *Zbl Bakt Hyg I Abt Orig* 164:314-327.
- *Triebig G, Reichenbach TH, Flugel KA. 1978. [Biochemical examinations and measurements of the conduction velocity in persons chronically exposed to trichloroethylene.] *Int Arch Occup Environ Health* 42:31-40. (German)
- *Troutman WG. 1988. Additional deaths associated with the intentional inhalation of typewriter correction fluid. *Vet Hum Toxicol* 30:130-132.
- *Tse SYH, Mak IT, Weglicki WB et al. 1990. Chlorinated aliphatic hydrocarbons promote lipid peroxidation in vascular cells. *J Toxicol Environ Health* 31:217-226.

8. REFERENCES

- *Tsuruta H. 1978. Percutaneous absorption of trichloroethylene in mice. *Ind Health* 16:145-148.
- *Tu AS, Murray TA, Hatch KM, et al. 1985. *In vitro* transformation of BALBZC-3T3 cells by chlorinated ethanes and ethylenes. *Cancer Lett* 28:85-92.
- *Tucker AN, Sanders VM, Barnes DW, et al. 1982. Toxicology of trichloroethylene in the mouse. *Toxicol Appl Pharmacol* 62:351-357.
- *Uehleke H, Poplawski-Tabarelli S, Bonse G, et al. 1977. Spectral evidence for 2,2,3-trichloro-oxirane formation during microsomal trichloroethylene oxidation. *Arch Toxicol* 37:95-105.
- *Ulander A, Selden A, Ahlberg G. 1992. Assessment of intermittent trichloroethylene exposure in vapor degreasing. *Am Ind Hyg Assoc J* 53:742-743.
- *Urano K, Murata C. 1985. Adsorption of principal chlorinated organic compounds on soil. *Chemosphere* 14:293-299.
- *USITC. 1979. Synthetic Organic Chemicals. United States International Trade Commission. United States Production and Sales, 1978. USITC Publication 1001. Washington, DC. 313.
- *USITC. 1980. Synthetic Organic Chemicals. United States International Trade Commission. United States Production and Sales, 1979. USITC Publication 1099. Washington, DC. 269.
- *USITC. 1981. Synthetic Organic Chemicals. United States International Trade Commission. United States Production and Sales, 1980. USITC Publication 1183. Washington, DC. 265.
- *USITC. 1982. Synthetic Organic Chemicals. United States International Trade Commission. United States Production and Sales, 1981. USITC Publication 1292. Washington, DC. 245.
- *USITC. 1983. Synthetic Organic Chemicals. United States International Trade Commission. United States Production and Sales, 1982. USITC Publication 1422. Washington. DC.
- *Utesch RC, Weir PW, Bruckner JV. 1981. Development of an animal model of solvent abuse for use in evaluation of extreme trichloroethylene inhalation. *Toxicology* 19: 169-182.
- Vamvakas S, Dekant W, Berthold K, et al. 1987. Enzymatic transformation of mercapturic acids derived from halogenated alkenes to reactive and mutagenic intermediates. *Biochem Pharmacol* 36:2741-3748.
- Van Duuren BL. 1989. IARC carcinogenicity evaluations of vinylidene chloride, methylene dichloride and trichloroethylene. *Environ Res* 49:333-334.
- *Van Duuren BL, Goldschmidt BM, Loewengart G, et al. 1979. Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. *J Natl Cancer Inst* 63: 1433-1439.
- *Vartiainen T, Pukkala E, Rienoja T, et al. 1993. Population exposure to tri- and tetrachloroethylene and cancer risk: Two cases of drinking water pollution. *Chemosphere* 27:1171-1181.

8. REFERENCES

- *Veith GD, Macek KJ, Petrocelli SR, et al. 1980. An evaluation of using partition coefficients and water solubility to estimate bioconcentration factors for organic chemicals in fish. In: Eaton JG, Parrish PR, Hendricks AC, eds. Proceedings of the Third Annual Symposium on Aquatic Toxicology, New Orleans, LA, Ott 17-18, 1978. Philadelphia, PA: American Society for Testing and Waste Materials:116-129.
- *Vernon RJ, Ferguson RK. 1969. Effects of trichloroethylene on visual-motor performance. Arch Environ Health 18:894-900.
- Vemot EH, Macewen JD, Haun CC, et al. 1977. Acute toxicity and skin corrosion data for some organic and inorganic compounds and aqueous solutions. Toxicol Appl Pharmacol 42:417-423.
- *Verschueren K. 1983. Handbook of environmental data on organic chemicals. New York: Van Nostrand Reinhold Co. 1131-1135.
- *Vesterberg, O, Astrand I. 1976. Exposure to trichloroethylene monitored by analysis of metabolites in blood and urine. J Occup Med 18:224.
- Vesterberg O, Gorczak J, Krasto M. 1976. Exposure to trichloroethylene. II. Metabolites in blood and urine. Scan J Work Environ Health 4:212-219.
- *Villaschi S, Giovanetti A, Lombardi CC, et al. 1991. Damage and repair of mouse bronchial epithelium following acute inhalation of trichloroethylene. Exp Lung Res 15:601-614.
- *Vogel TM, McCarty PL. 1985. Biotransformation of tetrachloroethylene to trichloroethylene, dichloroethylene, vinyl chloride and carbon dioxide under methanogenic conditions. Appl Environ Microbiol 49:1080-1083.
- *WAC. 1985. Groundwater quality. Chapter NR 140. Wisconsin Administrative Code. Department of Natural Resources.
- *WAC. 1988. Control of hazardous pollutants. Chapter NR 445. Wisconsin Administrative Code. Department of Natural Resources.
- Wadden RA, Scheff PA, Franke JE. 1989. Emission factors for trichloroethylene vapor degreasers. Am Ind Hyg Assoc J 50:496-500.
- *Wakeham SG, Davis AC, Karas JL. 1983. Microcosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. Environmental Science and Technology 17:611-617.
- *Wallace LA. 1986. Personal exposures, indoor and outdoor air concentrations and exhaled breath concentrations of selected volatile organic compounds measured for 600 residents of New Jersey, North Dakota, North Carolina, and California. Toxicol Environ Chem 12:215-236.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1985. Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 355 persons in New Jersey. Atmos Environ 19:1651-1661.

8. REFERENCES

- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986a. Total exposure assessment methodology (TEAM) study: Personal exposures, indoor-outdoor relationships, and breath levels of volatile organic compounds in New Jersey. *Environ Int* 12:369-387.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986b. Concentrations of 20 volatile organic compounds in the air and drinking water of 350 residents of New Jersey compared with concentrations in their exhaled breath. *J Occup Med* 28:603-608.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986c. Results from the first three seasons of the TEAM study: Personal exposures, indoor-outdoor relationships, and breath levels of toxic air pollutants measured for 355 persons in New Jersey. In: Kopfler FC, Craun G, eds. *Environmental epidemiology*. Lewis Publishers Inc., 181-200.
- *Wallace LA, Pellizzari ED, Sheldon L, et al. 1986d. The total exposure assessment methodology (TEAM) study: Direct measurement of personal exposures through air and water for 600 residents of several U.S. cities. In: Cohen Y, ed. *Pollutants in a multimedia environment*. New York, NY: Plenum Publishing Corp., 289-315.
- *Wallace LA, Pellizzari ED, Leaderer B, et al. 1987. Emissions of volatile organic compounds from building materials and consumer products. *Atmos Environ* 21:385-395.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds. *Environ Res* 50:37-55.
- *Wailer PA, Clauw D, Cupps T, et al. 1994. Fascitis (not scleroderma) following prolonged exposure to an organic-solvent (trichloroethylene). *J Rheumatol* 21:1567-1570.
- *Walles SAS. 1986. Induction of single-strand breaks in DNA of mice by trichloroethylene and tetrachloroethylene. *Toxicol Lett* 3 1:3 1-35.
- *Walton BT, Anderson TA. 1990. Microbial degradation of trichloroethylene in the rhizosphere: Potential application to biological remediation of waste sites. *Appl Environ Microbiol* 56: 1012-1016.
- *Wang G, Stacey NH. 1990. Elevation of individual serum bile acids on exposure to trichloroethylene or a-naphthylisothiocyanate. *Toxicol Appl Pharmacol* 105:209-215.
- *Wang T, Lenahan R. 1984. Determination of volatile halocarbons in water by purged-closed loop gas chromatography. *Bull Environ Contam Toxicol* 32:429-438.
- *Waskell L. 1978. A study of the mutagenicity of anesthetics and their metabolites. *Mutat Res* 57:141-153.
- Waters RM, Orth OS, Gillespie NA. 1943. Trichloroethylene anesthesia and cardiac rhythm. *Anesthesiology* 4:1-5.
- Weiss NS. 1996. Cancer in relation to occupational exposure to trichloroethylene. *Occup Environ Med* 53: 1-5 .

8. REFERENCES

- Werch SC, Marquardt GH, Mallach JF. 1955. The action of trichloroethylene on the cardiovascular system. *Am J Obstet Gynecol* 69:352-364.
- *Wernisch M, Paya K, Palasser A. 1991. [Cardiac arrest after inhalation of shoemaker's glue.] *Wien Med Wochenschr* 141:71-74. (German)
- *Wershaw RL, A&en GR, Imbrigiotta TE, et al. 1994. Displacement of soil pore water by trichloroethylene. *J Environ Qual* 23:792-798.
- Wester RC, Maibach HI. 1987. Percutaneous absorption of organic solvents. In: Maibach HI, ed. *Occupational and industrial dermatology*, 2nd ed. Chicago, IL: Year Book Medical Publishers, Inc., 213-226.
- *Westrick JJ, Mello JW, Thomas RF. 1984. The groundwater supply survey. *J Am Water Works Assoc* 76:52-59.
- *White JF, Carlson GP. 1979. Influence of alterations in drug metabolism on spontaneous and epinephrine-induced cardiac arrhythmias in animals exposed to trichloroethylene. *Toxicol Appl Pharmacol* 47:515-527.
- *White JF, Carlson GP. 1981. Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: Potentiation by ethanol. *Toxicol Appl Pharmacol* 60:466-471.
- *White JF, Carlson GP. 1982. Epinephrine-induced cardiac arrhythmias in rabbits exposed to trichloroethylene: potentiation by caffeine. *Fundam Appl Toxicol* 2:125-129.
- *Whittemore AS. 1986. Comment [Letter]. *J Am Stat Assoc* 81:609-610.
- *WHO. 1981. Recommended health-based limits in occupational exposure to selected organic solvents. In: *World Health Organization Technical Report Series 664*. Geneva, Switzerland: World Health Organization.
- *WHO. 1984. Guidelines for drinking water quality. Volume 1. Recommendations. Geneva, Switzerland: World Health Organization.
- WHO. 1985. Environmental health criteria 50: Trichloroethylene. Geneva, Switzerland: World Health Organization.
- *WHO. 1990. WHO neurobehavioral core test battery. In: Johnson BL, ed. *Proceedings of the Third International Symposium on Neurobehavioral Methods in Environmental and Occupational Health*, Washington, DC, Dec 14-17, 1988. Chelsea, MI: Lewis Publishers: 225-244.
- Wilmer JW, Albee RR, Nitschke KD, et al. 1992. Acute neurophysiological effects of trichloroethylene in rats. The Dow Chemical Company, Health and Environmental Sciences, Toxicology Research Laboratory, Midland, MI.
- *Wilson JT, Wilson BH. 1985. Biotransformation of trichloroethylene in soil. *Appl Environ Microbiol* 49:242-243.

8. REFERENCES

- *Wilson JT, Enfield CG, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J Environ Qual* 10:501-506.
- *Wilson JT, McNabb JF, Balkwill DL, et al. 1983a. Enumeration and characterization of bacteria indigenous to a shallow water-table aquifer. *Ground Water* 21:134-142.
- Wilson JT, McNabb JF, Wilson RH, et al. 1983b. Biotransformation of selected organic pollutants in ground water. *Dev Ind Microbiol* 24:225-233.
- *Wilson BH, Smith GB, Rees JF. 1986. Biotransformations of selected alkylbenzenes and halogenated aliphatic hydrocarbons in methanogenic aquifer material: A microcosm study. *Environmental Science and Technology* 20:997-1002.
- *Windemuller FJB, Ettema JH. 1978. Effect of combined exposure to trichloroethylene and alcohol on mental capacity. *Int Arch Occup Environ Health* 41:77-85.
- *Windham GC, Shusterman D, Swan SH, et al. 1991. Exposure to organic solvents and adverse pregnancy outcome. *Am J Ind Med* 20:241-259.
- *Windholz M. 1983. *The Merck Index*. 10th ed. Rahway, New Jersey: Merck and Co., Inc. 1378.
- *Wise MC, Fisher JG, de la Pena AM. 1983. Trichloroethane (TCE) and central sleep apnea: a case study. *J Toxicol Environ Health* 11:101-104.
- *Withey JR, Collins BT, Collins PG. 1983. Effect of vehicle on the pharmacokinetics and uptake of four halogenated hydrocarbons from the gastrointestinal tract of the rat. *J Appl Toxicol* 3:249-253.
- Wood JA, Porter ML. 1987. Hazardous pollutants in class II landfills. *J Air Pollut Control Assoc* 37:609-615.
- Wright JR, Bouwer EJ. 1986. Anoxic transformations of halogenated aliphatics. In: Young RA, ed. *HazPro '86: Proceedings of the HazPro '86 Conference. Professional Certification Symposium and Exposition*. Northbrook, IL: Pudvan Publishing Co., 495-497.
- Wright PFA, Thomas WD, Stacey NH. 1991. Effects of trichloroethylene on hepatic and splenic lymphocytotoxic activities in rodents. *Toxicology* 70:231-242.
- *Xiao H-K, Levine SP, D'Arcy JB, et al. 1990. Comparison of the Fourier transform infrared (FAIR) spectrophotometer and the Miniature Infrared Analyzer (MIRAN®) for the determination of trichloroethylene (TCE) in the presence of Freon®-113 in workplace air. *Am Ind Hyg Assoc J* 51:395-401.
- *Yagi O, Uchiyama H, Iwasaki K. 1992. Biodegradation rate of chloroethylene in soil environment. *Water Sci Technol* 25:419-424.
- *Yamazaki H, Yamaguchi T, Yamaguchi A, et al. 1992. Effect of halocarbons and styrene on thrombin and calcium ionophore induced activation of rabbit platelets. *Chemosphere* 25:665-673.

8. REFERENCES

*Zenick H, Blackburn K, Hope E, et al. 1984. Effects of trichloroethylene exposure on male reproductive function in rats. *Toxicology* 31:237-250.

*Ziglio G, Beltramelli G, Pregliasio F. 1984. A procedure for determining plasmatic trichloroacetic acid in human subjects exposed to chlorinated solvents at environmental levels. *Arch Environ Contam Toxicol* 13:129-134.

